

**National Household Survey on
Drug Abuse, 1996**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

*****Processor Note*****
NHSDA 1996:
National Household Survey on Drug Abuse

Processor Note on Version 1

- 1) Variables ending in ...NEWA through ...NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.
- 2) IRHSGRAD (high school graduation variables) does not distinguish between respondents aged 12-17 and those 18 and older. Accordingly, most respondents aged 12-17 are included in the "No" category.

Processor Note on Version 2

- 1) Modified value labels and missing values for variable GQTYPE to correct previous errors. The variable CASEID was also added to the dataset.



Substance Abuse and Mental Health Services Administration

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE:

Public Release Codebook 1996



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service

February 1998

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

PUBLIC RELEASE CODEBOOK 1996

Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane
Room 16C-06
Rockville, Maryland 20857

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service

This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by the National Opinion Research Center, under contract No. 283-95-0002.

Public Domain Notice

All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.

For additional information, the following individual may be contacted:

Janet Greenblatt
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
5600 Fishers Lane, Room 16C-06
Rockville, MD 20857
(301) 443-7981

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION AND DESCRIPTION OF THE 1996 NATIONAL HOUSEHOLD SURVEY	
ON DRUG ABUSE	i-1
Introduction	i-1
Overview of the NHSDA	i-1
Strengths and Limitations of the NHSDA	i-2
SURVEY METHODOLOGY	i-3
Selection of Primary Sampling Units	i-3
Selection of the Second-Stage Sample: Subareas within PSUs	i-5
Selection of the Third-Stage Sample: Listing Units within Subareas	i-5
Within-Dwelling Unit Sampling	i-6
DATA COLLECTION AND RESPONSE RATES	i-6
WEIGHTING PROCEDURES	i-6
CONTENTS AND ORGANIZATION OF THE 1996 NHSDA PUBLIC USE FILE	i-8
Data File Description	i-8
Variable Naming Conventions	i-9
IMPUTATIONS	i-9
Logical Imputations	i-9
Statistical Imputations	i-10
Standard Code Conventions	i-11
VARIANCE ESTIMATION AND DESIGN EFFECTS	i-12
Statistical Significance of Differences	i-12
Sample Design Effects and Generalized Standard Errors	i-13
Median Design Effects	i-14
Model-Based Prediction	i-15
USE OF SAMPLE WEIGHTS AND SAMPLE DESIGN VARIABLES	i-17
ADOLESCENT MENTAL HEALTH VARIABLES	i-17
CONFIDENTIALITY OF DATA	i-17
REFERENCES	i-18
IDENTIFICATION	1
DEMOGRAPHICS	2
HEALTH	7
TOBACCO -- ANSWER SHEET #1	8
ALCOHOL -- ANSWER SHEET #2	13
MARIJUANA -- ANSWER SHEET #3	18
COCAINE -- ANSWER SHEET #4	21
"CRACK" COCAINE -- ANSWER SHEET #5	24
HEROIN -- ANSWER SHEET #6	27
HALLUCINOGENS -- ANSWER SHEET #7	30
INHALANTS -- ANSWER SHEET #8	38
ANALGESICS -- ANSWER SHEET #9	45
TRANQUILIZERS -- ANSWER SHEET #10	53
STIMULANTS -- ANSWER SHEET #11	58

	<u>PAGE</u>
SEDATIVES -- ANSWER SHEET #12	66
IMPUTED DEMOGRAPHICS	72
RECENCY OF DRUG USE	76
FREQUENCY OF DRUG USE	80
RECODED DEMOGRAPHICS	84
RECODED DRUG USE	86
SELECTED UNEDITED VARIABLES	99
NON-CORE SPECIAL DRUGS -- ANSWER SHEET #13	111
NON-CORE RISK/AVAILABILITY -- ANSWER SHEET #14	119
NON-CORE DRUGS -- ANSWER SHEET #15	123
NON-CORE SPECIAL TOPICS -- ANSWER SHEET #16	144
NON-CORE TREATMENT -- ANSWER SHEET #17	158
NON-CORE YOUTH CHECKLIST -- ANSWER SHEET #18	177
NON-CORE PERSONAL BEHAVIORS -- ANSWER SHEET #19	203
NON-CORE DRIVING BEHAVIORS -- ANSWER SHEET #20	221
NON-CORE DEMOGRAPHICS	260
NON-CORE HEALTH	262
NON-CORE HEALTH CARE	284
NON-CORE PROXY INFORMATION	286
NON-CORE ACCESS TO CARE	289
NON-CORE HEALTH INSURANCE	295
NON-CORE INCOME	300
NON-CORE IMPUTED DEMOGRAPHICS	309
NON-CORE RECODED DEMOGRAPHICS	314
NON-CORE RECODED DRUG USE	317
NON-CORE RECODED YOUTH CHECKLIST VARIABLES	318
NON-CORE RECODED PERSONAL BEHAVIORS VARIABLES	320
NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES	324
INTERVIEW INFORMATION	328
INTERVIEWER OBSERVATIONS	329
GEOGRAPHIC	334
SAMPLE WEIGHTING & ESTIMATION VARIABLES	335
MAIN FINDINGS 1996 - VARIABLE CREATION	336
RECODES FOR MAIN FINDINGS	337
MENTAL HEALTH VARIABLES (RECODED FOR MAIN FINDINGS)	351
ALPHA INDEX OF LABELS	354
INDEX OF LABELS	383

APPENDICES

- APPENDIX A: CENSUS REGION/DIVISION/STATE TABLE
- APPENDIX B: DRUG CODES FOR OPEN-ENDED QUESTIONS
- APPENDIX C: EXPLANATION OF LOGICALLY ASSIGNED VALUES AND
EDITING FOR THE PERSONAL BEHAVIORS SECTION
- APPENDIX D: 1996 QUESTIONNAIRE ANSWER SHEETS

LIST OF TABLES

<u>TABLE</u>	<u>PAGE</u>
Table 1: Optimal Allocation of Segments Over Strata	i-19
Table 2: Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1996 NHSDA Questionnaire	i-20
Table 3: Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1996 NHSDA Questionnaire	i-21
Table 4: Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1996	i-22
Table 5: Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1996	i-23

INTRODUCTION AND DESCRIPTION OF THE 1996 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Introduction

This codebook provides documentation for the 1996 National Household Survey on Drug Abuse (NHSDA) public use file. The 1996 NHSDA public use file has been prepared for use with the Statistical Analysis System (SAS) as a SAS dataset. The variable names in this codebook are the SAS variable names that appear in the dataset. The public use file is routinely provided to users on CD-ROM or on an unlabeled 9-track tape with density of 6250 BPI.

For each variable on the 1996 public use file, this codebook provides the SAS variable name, a description of the variable, the interview instrumentation source, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in this codebook. In 1994, a revised questionnaire and editing methodology was introduced. A split sample design was implemented with a sample of 4,372 persons using the old questionnaire (1994-A) and 17,809 persons using the new questionnaire (1994-B). Because of these changes, the estimates produced from the 1996 survey (which uses the same questionnaire and estimation methodology as the 1994-B and 1995 surveys) are not comparable to those produced from the 1994-A and earlier surveys.

Overview of the NHSDA

The 1996 NHSDA is the sixteenth in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the non-institutionalized U.S. civilian population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993, 1994 and 1995. Currently, public use files are available for 1979, 1982, 1985, 1988, 1990, 1991, 1992, 1993, and 1994-A (old questionnaire) and 1994-B (new questionnaire), 1995, and 1996.

The target population for the 1996 survey is the same as has been defined since the 1991 NHSDA: the civilian, noninstitutionalized population of the 50 United States (including civilians living on military bases) who are 12 years of age and older.

Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 states. Alaska and Hawaii were added to the sampled population in 1991, as were residents of non-institutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas were oversampled. New questions were added in 1991 to collect data on treatment for drug use, illegal activities, and use of anabolic steroids; and the sets of questions about insurance and personal and family income sources and amounts were expanded. The 1992 and 1993 NHSDAs retained these innovations and were also designed to provide quarterly as well as annual estimates.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit implementation of special procedures and examination of special topics. In 1979, respondents from rural areas were oversampled, and since 1985, blacks and Hispanics have been oversampled to increase the reliability of estimates of drug use in these important groups. Since 1988, additional information has also been gathered about the form of cocaine known as 'crack' and about sharing needles for injection of drugs. Also, the consequences of use of various drugs have been given considerable attention since 1985. In 1994, two questionnaires were used: the old questionnaire which retained all the core questions from the previous surveys, and the new questionnaire in which new questions on access to care and mental health were introduced. The 1994 survey also included a rural supplementary sample to obtain substance abuse prevalence estimates for rural areas in the United States. The 1995 NHSDA questionnaire retained the new questions on mental health and access to care which were introduced in the 1994-B (new questionnaire) and questions on need for treatment for drug or alcohol use and criminal record were included under special topics.

In 1996, the risk/availability of drugs section was re-introduced; and sections on driving behavior and personal behavior were added. A description of the 1996 survey, including more detailed information on sampling issues, is found in two reports from the study:

National Household Survey on Drug Abuse: Main Findings 1996. This report provides information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (DHHS Publication No. (SMA) 98-3165).

National Household Survey on Drug Abuse: Population Estimates 1996. This report provides estimates of the percentages and numbers of people in the non-institutionalized U.S. civilian population aged 12 and over who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (DHHS Publication No. (SMA) 97-3137).

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the non-institutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The surveys, therefore, provide an overview of the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for specific individuals. Third, because the target population of the survey is defined as the non-institutionalized civilian population of the United States, a small proportion (slightly more than 1%) of the population is excluded. The subpopulations excluded are members of the active duty military and persons

in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the non-institutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs such as heroin.

Survey Methodology

The respondent universe for the 1996 NHSDA was the civilian, noninstitutionalized population age 12 years and older within the United States, including residents of noninstitutional group quarters (e.g., shelters, rooming houses, dormitories) as well as residents of civilian housing on military bases. Persons excluded from the universe include those with no fixed address, residents of institutional quarters (such as jails and hospitals), and active military personnel. The survey used basically the same multistage area probability sample design that has been employed since the 1988 NHSDA. This design uses a composite size measure methodology and a specially designed within-dwelling selection procedure to ensure that desired sample sizes are achieved for subpopulations defined by age and race/ethnicity. Oversampling was used to meet specified precision constraints for these subpopulations. Since the 1993 survey, the NHSDA has oversampled Hispanics in areas of high Hispanic concentration to reduce survey costs. Unlike these previous NHSDAs, the 1996 NHSDA did not oversample cigarette smokers age 18-34. A design feature of the 1996 NHSDA is the overlap with segments previously surveyed in the 1995 NHSDA. About 95% of 1995 sample segments were screened again in 1996 to identify and sample occupied dwelling units in these segments that had not previously been interviewed in the 1995 NHSDA. The reuse of 1995 NHSDA segments reduced the overall costs of counting and listing dwelling units in the 1996 NHSDA and also modestly increased the precision of comparisons between the 1995 and 1996 NHSDAs .

As in previous NHSDAs, the basic sample design of the 1996 NHSDA involved five selection stages: the selection of primary sampling units (e.g., counties), the selection of subareas (blocks or block groups) within PSUs, the selection of listing units (housing units or individual dwelling units within noninstitutionalized group quarters that are occupied by one or more civilians) within these subareas, the selection of age domains (age groups 12 to 17, 18 to 25, 26 to 34, 35 to 49, and 50 and older) within sampled listing units, and the selection of eligible individuals within the sampled age domains. The following sections describe these selection stages. A more complete description of the sample design can be found in the 1996 *Methodological Resource Book* (Office of Applied Studies, SAMHSA, 1997).

Selection of Primary Sampling Units

The 1996 NHSDA used the same 115 PSUs as the 1995 NHSDA. These 115 PSUs were selected to represent the nation's total eligible population, including areas of high Hispanic concentration. The PSUs were defined as metropolitan areas, counties, groups of counties, and independent cities. The 115 PSUs comprise 43 Certainty PSUs and 72 Noncertainty PSUs. The 43 Certainty PSUs are metropolitan areas with high Hispanic concentration that have been included in the NHSDA with certainty since 1988. The 72 Noncertainty PSUs were selected with probability proportional to size and minimal replacement to represent the balance of the nation outside the 43 certainty PSUs.

The segments that formed the 43 Certainty PSUs were partitioned into five strata:

- Stratum 1: High-Concentration Hispanic area segments. These segments had 71 percent or more Hispanic dwellings according to the 1990 Census.
- Stratum 2: Moderate-Concentration Hispanic area segments. These segments had between 20 percent and 71 percent Hispanic dwellings according to the 1990 Census.
- Stratum 3: Low-Concentration Hispanic area segments. These segments had less than 20 percent Hispanic dwellings but more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census, and furthermore included fewer than 70 percent non-Hispanic black population according to the 1990 Census.
- Stratum 4: High-Concentration Black area segments. These segments had fewer than 20 percent Hispanic dwelling units but more than 2 percent combined Hispanic and non-Hispanic black population according to the 1990 Census, and furthermore included at least 70 percent non-Hispanic black population according to the 1990 Census.
- Stratum 5: High-Concentration White area segments. These segments had 2 percent or less combined Hispanic and non-Hispanic black population according to the 1990 Census.

A sixth stratum was created for the residual (noncertainty) portion of the United States:

- Stratum 6: Outside the 43 Certainty PSUs.

An optimal allocation procedure was used in 1995 to allocate the sample to the six strata listed above. The results of the allocation suggested that total survey costs would be minimized for fixed precision when Hispanics were oversampled in the strata in which they were concentrated. Once sufficient screening interviews were conducted to identify the required number of Hispanic dwellings, more than enough non-Hispanic black and non-Hispanic non-black dwellings would be identified so that these interviews could be proportionally allocated to strata.

The 43 Certainty PSUs contained about 80 percent of the Hispanic population in the United States, according to the 1990 Census. They also contain approximately 50 percent of the non-Hispanic blacks and about 40 percent of the non-Hispanic non-blacks in the United States. The segments of Stratum 1 have about 81 percent Hispanic dwellings on average and contain about 24 percent of the U.S. Hispanic population. The segments of Stratum 2 have about 32 percent Hispanic dwelling units and contain about 35 percent of the U.S. Hispanic population. The segments of Stratum 3 have about 5 percent Hispanic dwelling units and contain about 18 percent of the U.S. Hispanic population.

The remaining 72 Noncertainty PSUs were selected from Stratum 6. The Noncertainty PSUs were selected with probability proportional to a composite size measure. The composite size measure

was defined as the sum of racial/ethnic group dwelling counts weighted by the specified racial/ethnic sampling rates. This selection scheme allowed for targeting particular racial/ethnic subpopulation sample sizes. Chromy's (1979) probability minimum replacement sequential sampling scheme was used to select these 72 PSUs with probabilities proportional to their composite size measures. The use of a composite size measure ensured, 1) roughly equal sample sizes per sample subarea (the second-stage unit of selection) and 2) roughly equal probabilities of selecting eligible individuals (the fifth- or final-stage unit of selection) within race/ethnicity, and age group.

Selection of the Second-Stage Sample: Subareas within PSUs

About 96% of the subareas (area segments) in the 1996 NHSDA, 1,860 out of 1,940 total segments, were previously used in the 1995 NHSDA. The remaining 4% were new subareas that had to be selected in 1996 because there were insufficient unused listing units in some 1995 subareas to provide the required number of sample listing units per subarea (see 'Selection of the Third-Stage Sample,' below).

Both the 1995 sample subareas and the new subareas selected in 1996 were drawn from the 1990 Census. Within each sample PSU, subareas were defined by combining adjacent blocks to create non-overlapping area segments that contained at least 90 occupied dwellings. The sample segment size allocations, based on optimal allocation and the expected precision requirements of individual strata, are given in Table 1 for each stratum. These allocations assumed that about nine interviews would be completed per sample segment.

The area segments from each stratum of each of the PSUs were selected with probabilities proportional to a size measure. For each stratum, a composite size measure was defined to equal a weighted average of the numbers of Hispanic, non-Hispanic black, and non-Hispanic nonblack dwelling units with weights proportional to the desired racial/ethnic sampling rates. To reduce screening costs, the subareas of Stratum 6 were partitioned into three noncertainty substrata—high black, high white, and remainder—based on 1990 Census block data, and the selection of sample subareas was carried out separately within these three substrata.

Selection of the Third-Stage Sample: Listing Units within Subareas

Projections indicated that screenings had to be completed for approximately 50,000 dwelling units in order to identify sufficient dwelling units to yield Hispanic and non-Hispanic black age-domain samples of the desired size. Assuming an average 93 percent screening completion rate and a projected average 85 percent listing unit eligibility rate implied that approximately 63,000 listings had to be selected. A listing unit was ineligible for the study if it was (a) vacant; (b) a vacation, second, or temporary home; (c) not a dwelling unit; (d) a military facility whose occupants were only military personnel; or (e) an institutional housing facility.

Dwelling unit listings were selected using systematic sampling. The sampled listings were then sent to the field for screening. After first determining that a sampled listing was eligible for the study, the interviewer completed a dwelling roster that listed all residents age 12 and older with their age, and race/ethnicity. This roster formed the basis for the within-dwelling sampling of individuals.

Within-Dwelling Unit Sampling

The 1996 NHSDA used basically the same within-dwelling unit sample selection approach that has been applied since the 1988 NHSDA, except that, unlike the 1993 through 1995 NHSDAs, the 1996 NHSDA did not use smoking status as a within-dwelling unit sampling criterion. Following the third-stage sampling, interviewers screened each sampled dwelling unit. Based on the screening, the dwelling was classified according to the race/ethnicity of the head of the dwelling. The interviewers also determined the age domains represented by individuals residing in the dwelling in terms of presence or absence of individuals age 12 to 17, 18 to 25, 26 to 34, 35 to 49, and 50 and older. Interviewers were provided a mechanism for selecting none, one, or two age domains and, subsequently, one sample person from each selected domain. The age domain selection probabilities were based on the desired sample sizes for each age group by racial/ethnic domain. If a dwelling unit contained two or more individuals in the same age domain, the probability of selecting a particular individual was based on the number of individuals in the age domain. In some instances, two individuals, usually one 12- to 17-year-old and one adult, were selected from the same dwelling unit.

Data Collection and Response Rates

The fieldwork for the 1996 NHSDA was directed by senior staff members at Research Triangle Institute (RTI). A total of 18,269 completed interviews was obtained for the 1996 survey. A completed interview had to contain, at a minimum, data on the recency of use of marijuana, cocaine, and alcohol.

Strategies for ensuring high rates of participation resulted in an interview response rate of 78.6% for the 1996 survey. Of the 18,269 completed interviews, 11,749 were with whites and other (i.e., non-Hispanic, nonblacks), 5,505 were with non-Hispanic blacks, and 5,986 were with Hispanics. These completed interviews represented a 84.9% completion rate for screening sample households and an 92.7% rate for screening eligible households. The response rates for these three racial/ethnic groups were 77.1% for whites and others, 79.4% for blacks, and 80.9% for Hispanics.

Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

Weighting Procedures

The estimates of this report are based on sample survey data rather than on complete data for the population. This means that the data must be weighted to obtain unbiased estimates of drug use in the population represented by the 1996 NHSDA. The 'final sampling weight' of the i th respondent, say w_i , can be interpreted as the number of persons in the NHSDA target population that are represented by the i th respondent. The sum of the weights over all respondents estimates the size of the total target population, i.e.,

$$\sum_i w_i = \text{Size of target population}, \quad (1)$$

where the summation is over all NHSDA respondents in the 1996 NHSDA.

The ‘basic sampling weights’ for the 1996 NHSDA are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent’s chance of entering the sample, the larger the weight of that respondent in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of four stagewise sampling probabilities. The probability of selecting respondent *i* equals the product of 1) the probability of selecting respondent *i*’s PSU, 2) the probability of selecting respondent *i*’s subarea given selection of her PSU, 3) the probability of selecting respondent *i*’s dwelling unit given selection of her subarea, and 4) the probability of selecting respondent *i* given selection of her dwelling unit.

To obtain the ‘final NHSDA weights,’ the ‘basic sampling weights’ were adjusted to take into account dwelling unit-level and individual-level nonresponse and subsampling of individuals within dwelling units and further adjusted to ensure consistency with intercensal population projections obtained from the U.S. Bureau of the Census. The weight adjustments in the 1996 NHSDA were closely similar to the weight adjustments that were applied in previous NHSDAs. The adjustments that were made to the basic sampling weights are as follows:

Adjustment 1. Adjustment for dwelling unit nonresponse. Failure to complete the screening interview for sampled dwellings was the first type of nonresponse encountered in the survey. As in the 1991 through 1995 NHSDAs, sample weights were adjusted for this type of nonresponse using a logistic regression model. This procedure uses logistic regression to model the expected value of a zero-one response indicator, given a set of predictor variables available for both respondents and nonrespondents. The algorithm used to fit the logistic regression response propensity model is a generalization of raking or iterative proportional fitting (Bishop, Fienberg, & Holland, 1975, pp. 83-102). In 1996, the potential predictor variables included quarter of the year when interview(s) in the dwelling unit were conducted, sample stratum, region, population density of the sample segment (e.g., segment located in a metropolitan area with 1 million or more persons), type of dwelling unit (dormitory, other group quarters, or not group quarters), and other variables based on 1990 Census block and enumeration district characteristics, including percent Hispanic, percent black, percent owner-occupied households, median housing value, and median rent. After obtaining the final models, the adjustment factor was calculated as the inverse of the estimated response propensity.

Adjustment 2. Dwelling unit roster adjustment. This adjustment was designed to adjust for sampling error associated with subsampling individuals within responding dwellings. The adjustment was based on an exponential regression model using the same predictor variables used in Adjustment 1 together with age, race/ethnicity, and sex.

Adjustment 3. Adjustment for individual nonresponse (incomplete interviews). This adjustment was based on a logistic regression model using the same predictor variables as Adjustment 2.

Adjustment 4. Post-stratification to ensure consistency with Bureau of the Census projections. This adjustment was designed to ensure consistency between the sums of weights within specified

demographic subgroups and U.S. Bureau of the Census projections of the sizes of these subgroups. The post-stratification totals were obtained from the National Estimates and Projections Branch of the U.S. Bureau of the Census and were classified by age, sex, race, and Hispanic origin.

Contents and Organization of the 1996 NHSDA Public Use File

Data File Description

The file described here has been prepared in SAS Transport Format to facilitate its use on a variety of operating systems and SAS release versions. It is provided on either CD-ROM or on an unlabeled nine-track tape at 6250 BPI. Before conversion to Transport Format, the dataset had these characteristics:

Internal SAS name	NHSDA96
SAS version	6.10
Number of observations	18,269
Number of variables	1,445

The overall organization of the file is shown in the Table of Contents of this document. Edited data from the questionnaire and drug answer sheets make up the first portion of the file. These variables contain missing data; see the section on ‘Standard Code Conventions’ below for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these variables are given in the next four sections of the file. These variables include indicators for lifetime, past year and past month substance use, as well as imputation-revised demographic variables such as age, race/ethnicity, education, employment and income. Missing values for these variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the National Household Survey on Drug Abuse: Main Findings 1996 (DHHS Publication No. (SMA) 98-3165) or other SAMHSA reports should use the 1996 NHSDA imputed data for prevalence estimates rather than raw data from the questionnaire or drug answer sheets.

Many of the remaining variables in the 1996 file are recoded or logically imputed variables created for the prevalence section of the National Household Survey on Drug Abuse: Main Findings 1996. These variables include recodes of questionnaire and imputation revised drug variables, and logically imputed variables and recoded versions of logically imputed variables pertaining to drug use problems, symptoms of dependency and negative drinking experiences.

Variables containing the original responses to recency-of-use questions are presented in a section called ‘Selected Unedited Variables.’ These are included to show the recency data actually collected before the responses were edited based on evidence of use found elsewhere in the questionnaire.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in the 1985, 1988, 1990, 1991, 1992, 1993, 1994-A, 1994-B, and 1995 NHSDA analytical files have also been named identically. However, the user should refer to the questionnaires and previous codebooks to verify that the data are exactly comparable.

Imputations

Logical Imputations

For selected key variables, response data were changed to reflect more recent use or missing data were replaced with nonmissing values. The two different imputation procedures used are distinguished in this codebook by the code-value descriptive phrases ‘... LOGICALLY IMPUTED’ and ‘... imputed’ or by the designation ‘IMPUTATION-REVISED’ in the variable label.

Logical imputation was carried out in the earliest stage of editing for the original recency-of-use variables. This procedure involved checking, for each recency-of-use variable, other variables in the same answer sheet only that could yield evidence of use of that specific subject drug or class of drugs. Then the most recent indication supplied by the respondent of use of that drug replaced missing data in the subject drug recency-of-use variable or was used to change a less recent response value to a value reflecting the indication elsewhere of more recent use. Unique code values (7, 8, or 9) were assigned to the recency-of-use variable when such logical imputation occurred; these code values are readily identifiable by the phrase ‘... LOGICALLY ASSIGNED’ in the code-value descriptions. For those recency-of-use variables with missing data for which no indication of use of the drug could be found by examination of all relevant variables in the same answer sheet, a code value of 91 (Never used) was assigned if there were one or more indications of such nonuse in the set of relevant variables. The recency-of-use variables for which logical imputation was implemented are CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, ANALREC, MJREC, INHREC, COCREC, CRAKREC, HALLREC, PCPREC, HERREC, SNUFREC, PCPREC, and LSDREC.

At this point in the editing process, a determination was made as to whether each record in the database contained enough information to be considered complete. To be classified as a minimally complete case, and thus to be retained in the database, data on the recency of use of alcohol, marijuana, and cocaine had to have been provided by the respondent or logically imputed from other answers supplied by the respondent.

Following logical imputation, any remaining missing data for recency-of-use variables, for the frequency-of-use-in-past-12-months variables (other than alcohol, marijuana, and cocaine), for age, race, and Hispanic-origin variables, marital status, work status, education, high school graduate and health insurance were imputed by using a technique known as hot-deck imputation (using various sorts and classing variables). The income variables, as well as the alcohol, marijuana, and cocaine frequency-of-use-in-past-12-months variables, were imputed using regression based methods. Variables in this database for which the imputation procedures were implemented may be identified by the designation ‘IMPUTATION-REVISED’ in the variable label and their variable names begin with the letters IR. In addition, for each imputation-revised variable, there is an ‘IMPUTATION

INDICATOR' variable whose values distinguish whether the imputed variable's value originated from interview responses or were imputed.

In general, analysts are advised to use the imputation-revised variables for tabular summaries and other descriptive analyses. For analyses of relationships where multiple data items are involved, use of these imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure (either as the output variable or as a classing or sorting variable). In this situation, use of nonimputed data items may be best.

Statistical Imputations

For selected variables of interest, statistical imputation was done following logical imputation in order to replace missing responses with statistically imputed responses. In general, analysts are advised to use the statistically imputed data when creating tabular summaries and other descriptive analyses for population subgroups of interest for trend data analysis. When forming population estimates, often statistical imputations will reduce the bias associated with the estimate. For example, data with missing responses that are not statistically imputed will produce estimates of totals that will necessarily be underestimated and consequently biased, since the total population will not be accounted for in the estimates. Also, the bias in per-unit type estimates, such as the estimate of a population mean, can be reduced with statistical imputation, particularly when the imputation procedure accounts for differential nonresponse patterns and differential reporting patterns among subgroups of the population. The statistically imputed data will not totally eliminate the bias associated with estimates produced from these data, but, depending on the type of analyses being done, the imputation should help reduce the bias.

For analyses of relationships involving multiple data items, use of the statistical imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure. In this situation, use of non-imputed data items may be best. In summary, statistically imputed responses were created for the following variables: most of the drug recency-of-use items, the past-year frequency-of-use items, age, race, gender, the Hispanic origin items, marital status, work status, education, high school graduate indicator, total and private health insurance, and the personal and family income items.

In the 1996 NHSDA, imputations for all imputation-revised variables, except for the personal earnings and family income variables, were constructed using a technique known as 'hot deck imputation.' The first step in this procedure was to sort the datafile with a progressive sorting series, using data on recency of use of alcohol, marijuana, cocaine, age, gender, Hispanic origin, and race. The second step of the hot deck imputation procedure was to replace the missing item(s) on a particular record with the last encountered nonmissing response from an adjacent record (except alcohol, marijuana, and cocaine recency-of-use) on the sorted database. The hot deck imputation procedure was appropriate for the recency-of-use variables because the levels of item nonresponse of these variables were low.

Missing data for all personal and family income variables were statistically imputed using a regression-based method of imputation. This imputation procedure involves estimating a logistic regression model using item respondent data. The explanatory variables used in these models included recency of use (four levels) of alcohol, marijuana, and cocaine, age, gender, Hispanic origin, and race.

After the model parameters were estimated, the resulting model was used to predict a categorical response for each frequency-of-use item nonrespondent. The model-based imputation procedure was appropriate for two reasons: (a) the level of nonresponse to these questions was larger than observed for the recency-of-use items; and (b) the model-based imputation procedure allows a greater number of statistically significant explanatory variables to affect an imputed response than is possible with the hot deck method. As discussed above, the alcohol, marijuana, and cocaine frequency-of-use were initially determined to be at one of four levels using the regression-based model method of imputation, then expanded to more levels using the hot deck method.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables).

- 91 or 991 or 9991, etc. = Never used the substance
- 92 or 992 or 9992, etc. = Response illegible
- 93 or 993 or 9993, etc. = Did not use drug under conditions in the question (e.g., during time period)
- 94 or 994 or 9994, etc. = Don't know
- 95 or 995 or 9995, etc. = Bad data (usually, inconsistent with other data)
- 96 or 996 or 9996, etc. = Multiple response
- 97 or 997 or 9997, etc. = Refusal
- 98 or 998 or 9998, etc. = Blank (not answered)
- 99 or 999 or 9999, etc. = Legitimate skip

Most logically edited changes resulted in the assignment of the following codes whose meanings are equivalent to the standard codes above.

- 81 or 981 or 9981, etc. = Never used the substance LOGICALLY ASSIGNED
- 83 or 983 or 9983, etc. = Did not use drug under conditions in the question (e.g., during time period) LOGICALLY ASSIGNED
- 85 or 985 or 9985, etc. = Bad data (usually, inconsistent with other data) LOGICALLY ASSIGNED

Variables from the SPECIAL DRUGS, DRUGS, and TREATMENT answer sheets were not edited to be made consistent with any drug recency-of-use variables. However, editing was conducted to ensure consistency within each of these answer sheets' own set of variables. It should be noted that,

as a result of not editing across answer sheets drug-use variables from the SPECIAL DRUGS (answer sheet #13), DRUGS (answer sheet #15), and TREATMENT (answer sheet #17) modules may be inconsistent with the edited recency-of-use variables. In this codebook, variables from these 3 answer sheets that might be inconsistent with a drug’s recency-of-use variable are denoted with an asterisk (*) at the beginning of the variable label.

Variance Estimation and Design Effects

Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. ‘Statistical significance’ refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. In Chapter 2 of the Main Findings 1996 (Office of Applied Studies, 1998) report, comparisons were made between estimates in the 1995 NHSDA survey and the 1996 survey and between estimates within the 1996 survey. The significance of observed differences is reported at the 0.05, 0.01, and 0.001 levels. However, the reader may wish to compare prevalence estimates from two groups for which the significance of the difference is not reported.

To compare the prevalence of drug use for 1995 versus 1996, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test, expressed as

$$Z = \frac{|p1 - p2|}{\sqrt{\text{var}(p1) + \text{var}(p2) - 2\text{cov}(p1,p2)}}$$

where

p1 = 1995 estimated proportion

var(p1) = variance estimate for p1

p2 = 1996 estimated proportion

var(p2) = variance estimate for p2

cov(p1,p2) = covariance between p1 and p2

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable; calculated values of Z can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). Because the 1995 and 1996 NHSDAs were overlapping, including a high percentage of the same sample segments, the covariance term in the formula for Z is greater than zero in comparisons of the 1995 and 1996 surveys.

For comparing prevalence estimates within the same survey, the same Z statistic quoted above can be used. The covariance term in the formula for Z is again greater than zero because of the small positive covariance expected between any two nonindependent prevalence estimates.

Sample Design Effects and Generalized Standard Errors

This section describes methods for approximating sampling variability by computing generalized standard errors. (The standard error estimate is the square root of the variance estimate.)

The best variance estimation approach is to use commercially available variance estimation software packages such as SUDAAN (Shah, et al., 1994). Most packages compute variance estimates for means, percentages, and other statistics based on first-order Taylor Series approximation of the deviations of estimates from their expected values.

For use with software such as SUDAAN, two variables were created: VESTR and VEREP. The sampling design used to select the NHSDA results in a deeply stratified sample. Therefore, adjacent strata are collapsed into pairs to create pseudo-strata (VESTR) with two replicates each (VEREP). For all non-certainty strata, the PSU's (each of which represents an implicit stratum) are grouped into pairs based on their sequential order of selection. Each pair of PSUs defines a pseudo-stratum (VESTR) with two replicates (VEREP). For the certainty portion of the sample, segments represent the first stage of sampling. Each explicit design stratum is partitioned into groups of approximately 24 segments based on order of selection (e.g., about the size of a non-certainty pseudo-stratum). These sets of approximately 24 segments define pseudo-strata (VESTR) for analysis purposes. The segments are then paired in selection order within each certainty pseudo-stratum. One segment from each pair is randomly assigned to replicate 1 and the other segment to replicate 2 (VEREP).

Standard errors have been computed using SUDAAN for all parameter estimates appearing in the 1996 Main Findings and are available from the Office of Applied Studies (OAS) upon request. Whenever possible, estimates generated by a software package such as SUDAAN should be used to compute confidence intervals and perform statistical comparisons. However, it is the goal here to provide future users of the 1996 NHSDA data base with approximate standard error estimates for situations in which such computation of NHSDA standard error estimates is not possible. Given below is an example using SUDAAN to calculate the estimated number and percent of lifetime marijuana users by sex and race/ethnicity within age group. The file must be sorted by VESTR and VEREP.

```
PROC DESCRIPT DATA="d:\nhstda96" FILETYPE=SAS DESIGN=WR;
NEST VESTR VEREP;
WEIGHT ANALWT;
VAR MRJFLAG;
SUBGROUP CATAGE SEX RACE;
LEVELS 4 2 4;
TABLES CATAGE*(SEX RACE);
SETENV LINESIZE=132 PAGESIZE=60 DECWIDTH=5;
PRINT NSUM WSUM MEAN SEMEAN SETOTAL/
      NSUMFMT=F6.0 WSUMFMT=F12.0 MEANFMT=F15.10
      SEMEANFMT=F15.10 SETOTALFMT=F8.0;
OUTPUT NSUM WSUM MEAN SEMEAN SETOTAL/
       NSUMFMT=F6.0 WSUMFMT=F12.0 MEANFMT=F15.10
       SEMEANFMT=F15.10 SETOTALFMT=F8.0;
```

Median Design Effects

Two approaches for approximating standard error estimates are presented in this section. The first uses median domain design effects. The second is based on a prediction equation obtained from modeling design effects. These alternatives to the published standard error estimates are described below.

As noted previously, the design effect is the ratio of the design-based variance estimate divided by the variance estimate that would have been obtained from a simple random sample of the same size. Therefore, the design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one.

However, as discussed earlier, design effects were frequently less than one for prevalence rates near zero. Because these values were considered spurious, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

For the 1996 NHSDA, the median design effects were based on estimates from:

- **14 illicit drug use categories:** any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutic; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; needle use;
- **3 licit drug use categories:** cigarettes; alcohol; and smokeless tobacco; and
- **3 recency-of-use categories:** ever used; used in past year; used in past month.

For each specified domain within the 1996 NHSDA, a median design effect was calculated from the above estimates as opposed to calculating an average design effect. Because extreme values of some design effects would have distorted the associated averages, medians were chosen to provide a better measure of the central value. The domains were defined by cross-classifications of age by gender, race/ethnicity, population density, geographic region of residence, adult education, and current employment. Design effects associated with percentage estimates exhibiting low precision were not used. Because the design effects from the licit drug use estimates tended to be larger than the design effects from the illicit drug use estimates, the median design effects were computed separately for these two classifications. Table 2 presents the median design effects for the illicit drugs, and Table 3 presents the median design effects for the licit drugs. These tables can be used to calculate an approximate variance estimate for a particular domain of 1996 NHSDA as follows:

$$\text{var}(p_d)_{\text{appx}} = DEFF_{d, MED} * [p_d(1-p_d) / n_d] \quad (C-1)$$

where

p_d =estimated proportion for domain d

n_d =sample size for domain d

$DEFF_{d,MED}$ =median design effect for domain d .

The approximate standard error estimate for p_d , $SE(p_d)_{appx}$, is simply the square root of $var(p_d)_{appx}$.

Model-Based Prediction

When a median design effect for a domain under investigation is not listed in Tables 2 or 3, an alternative standard error approximation is recommended. This approximation uses a prediction equation obtained from modeling estimated design effects. The definition of the design effect is the basis for the regression model:

$$DEFF(p) = var(p) / [p(1-p)/n]$$

where

$var(p)$ = design-based variance estimate of p

$[p(1-p)/n]$ = simple random sample variance estimate of p .

Taking the log (base 10) of both sides of the above equation leads to the following log-linear model:

$$\log[DEFF(p)] = \beta_0 + \beta_1 \log(p) + \beta_2 \log(1-p) + \beta_3 \log(n)$$

where

$\beta_0, \beta_1, \beta_2, \beta_3$ = regression coefficients for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

Separate models were fit for the licit and illicit drug use estimates in the 1996 NHSDA. The design effects used to calculate the medians in Tables 2 and 3 were used to fit the licit and illicit drug use models for the 1996 NHSDA.

By substituting the fitted model into the definition of the design effect, a prediction equation for the approximate standard error is obtained:

$$SE_i (P)_{appx} = \frac{10^{(b_{0i}/2)} * P^{(1+b_{1i})/2} * (1-P)^{(1+b_{2i})/2}}{n^{(1-b_{3i})/2}}$$

where

b_{0i} , b_{1i} , b_{2i} , b_{3i} = regression coefficients estimates for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

The index-i indicates whether the standard error approximation is for a licit drug or illicit drug prevalence estimate.

After solving for the regression coefficients, the above approximation reduces to the following two prediction equations:

$$SE(P_{illegal})_{appx} = \frac{1.0600 * P^{(0.5686)} * (1-P)^{(0.6889)}}{n^{(0.4441)}} . \quad (C-2)$$

$$SE(P_{legal})_{appx} = \frac{0.7942 * P^{(0.5309)} * (1-P)^{(0.5004)}}{n^{(0.3600)}} . \quad (C-3)$$

Tables 4 and 5 present generalized standard errors for various percentages (from 1% to 99%) and sample sizes (from 100 to 18,269) for the 1996 NHSDA, predicted from Equations (C-2) and (C-3). In summary, the user may obtain 1996 NHSDA standard error estimates from the following recommended order of sources:

1. Commercially available variance estimation software packages such as SUDAAN; otherwise,
2. Published standard errors from reports using data from the 1996 NHSDA (obtainable upon request from the OAS at SAMHSA); otherwise,
3. Median domain design effects appearing in Tables 2 and 3 and application of Equation (C-1); otherwise,
4. Model-based prediction, using Equations (C-2) and (C-3) or Tables 4 and 5 for national or regional estimates.

Once the variance estimates have been obtained, the user may apply the methods discussed in previous sections to compute confidence intervals or make statistical comparisons.

Use of Sample Weights and Sample Design Variables

The NHSDA sample is not self-weighting, so analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population. All estimates published in SAMHSA reports (such as 1996 Main Findings) are weighted. The appropriate and final sample weight is called ANALWT on this data file. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the sample weighting procedures and the sample weight components may be found in the Sample Design Report for the 1996 NHSDA, available from OAS.

The public use file contains two sample design variables in addition to ANALWT. These variables are VESTR (sample stratum) and VEREP (replicate within stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages such as SUDAAN or any other.

Adolescent Mental Health Variables

The 1996 NHSDA public use file includes a number of adolescent mental health recodes that were created using a battery of 100 items (see Non-Core Youth Checklist, 1996 Main Findings) from the Youth Self-Report (YSR), a checklist developed by Achenbach (1991) which has been used extensively in studies of adolescents age 11 to 18. YSR items have been used by Achenbach and colleagues to define a variety of categories of problems. Eight of these problem categories are included in the NHSDA, each constructed by summing specific subsets of items from the YSR (these eight problem categories were derived from principal components/varimax analyses of the YSR items (Achenbach, 1991)). In addition, the eight problem categories were partially combined into two major subscales, an ‘internalizing/emotional problem’ subscale and an ‘externalizing/behavioral problem’ subscale. Lastly, responses to all 100 checklist items were summed to compute a ‘total psychosocial problem’ score. The public use file contains raw scores for the syndromes and composite subscales, as well as T scores for the eight problem categories. T scores are based on percentiles for Achenbach’s normative sample, and provide a convenient way of quickly judging whether a youth reports relatively many or few problems as compared to their nonreferred peers (Achenbach, 1991).

Confidentiality of Data

To protect the confidentiality of NHSDA respondents, all variables that could be used to identify individual respondents have been deleted from the public use file. To further protect confidentiality, some continuous variables have been categorized. In general, the cutpoints of each categorized variables are the quintiles of the weighted distribution. These data modifications should not greatly affect most analytical uses of the 1996 NHSDA public use file.

References

- Achenbach, T.M. (1991). *Manual for the Youth Self-Report*. Burlington, VT: University of Vermont Department of Psychiatry.
- Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). *Discrete Multivariate Analysis: Theory and Practice*. Cambridge, MA: The MIT Press.
- Chromy, J.R. (1979). Sequential sample selection methods. In *Proceedings of the American Statistical Association, Survey Research Methods Section* (pp.401-406). Alexandria, VA: American Statistical Association.
- Office of Applied Studies, SAMHSA. (1996). *The Development and Implementation of a New Data Collection Instrument for the 1994 National Household Survey on Drug Abuse*. Rockville, MD: SAMHSA.
- Office of Applied Studies, SAMHSA. (1997). *Methodological Resource Book for the 1996 National Household Survey on Drug Abuse*. Rockville, MD: SAMHSA.
- Office of Applied Studies, SAMHSA. (1998). *National Household Survey on Drug Abuse: 1996 Main Findings Report*. Rockville, MD: SAMHSA.
- Shah, B.V., Barnwell, B.G., Hunt, P.N., & LaVange, L.M. (1994). *SUDAAN User's Manual: Release 6.4*, Research Triangle Park, NC: Research Triangle Institute.
- Wolter, K.M. (1985). *Introduction to Variance Estimation*. New York: Springer-Verlag.

Table 1 Optimal Allocation of Segments Over Strata

Stratum	Description of Stratum	Number of Segments Allocated
1	High Hispanic	128
2	Moderate Hispanic	300
3	Low Hispanic	452
4	High Black	124
5	High White	72
6	Noncertainty Stratum	864
		1,940

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1996.

Table 2 Median Design Effects of Illicit Drug Use Estimates, by Age Group and Demographic Characteristics: 1996 NHSDA Questionnaire

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	35+	
Total	1.75	2.00	1.59	1.47	2.70
Gender					
Male	1.71	1.63	1.43	1.31	2.32
Female	1.60	2.11	1.78	1.42	1.84
Race/Ethnicity¹					
White	1.36	1.45	1.30	1.00	1.84
Black	1.34	1.51	1.37	1.16	1.66
Hispanic	1.60	1.79	1.51	1.41	1.68
Population Density					
Large metro	1.62	2.02	1.64	1.70	2.27
Small metro	2.21	2.11	1.67	1.34	2.71
Nonmetro	1.23	1.44	1.51	1.26	1.51
Region					
Northeast	1.63	1.75	1.44	1.35	2.26
North Central	1.47	1.84	1.49	1.41	2.46
South	1.50	2.34	1.68	1.32	2.20
West	2.37	1.85	1.71	1.71	3.35
Adult Education²					
Less than high school	N/A	2.08	2.02	2.16	2.78
High school graduate	N/A	2.00	1.77	1.40	2.19
Some college	N/A	1.85	1.49	1.01	1.63
College graduate	N/A	1.32	1.37	1.24	1.75
Current Employment³					
Full-time	N/A	1.66	1.56	1.56	2.03
Part-time	N/A	1.88	1.95	1.62	2.20
Unemployed	N/A	2.32	1.64	2.01	1.95
Other ⁴	N/A	2.14	1.51	1.13	1.55

N/A: Not applicable.

¹The category 'Other' for Race/Ethnicity is not included.

²Data on adult education are not applicable for 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or 'other.'

Note: These design effects apply to the following drugs: any illicit drug use; marijuana/hashish; cocaine; crack; inhalants; hallucinogens; PCP; heroin; nonmedical use of any psychotherapeutics; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; and needle use.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1996.

Table 3 Median Design Effects of Licit Drug Use Estimates, by Age Group and Demographic Characteristics: 1996 NHSDA Questionnaire

Demographic Characteristic	Age Group (Years)				Total
	12-17	18-25	26-34	35+	
Total	2.25	2.92	2.38	2.73	5.82
Gender					
Male	2.33	2.02	1.80	2.43	4.85
Female	1.79	2.56	2.05	2.14	3.70
Race/Ethnicity¹					
White	1.58	2.14	2.11	1.78	4.11
Black	1.41	1.80	1.63	1.73	3.23
Hispanic	1.66	1.75	1.61	1.70	2.57
Population Density					
Large metro	1.68	2.59	2.01	2.17	3.38
Small metro	2.96	3.89	2.72	3.22	7.29
Nonmetro	2.01	1.92	2.15	2.35	4.81
Region					
Northeast	1.67	2.46	2.02	2.97	6.03
North Central	1.44	1.56	2.10	1.76	3.21
South	2.21	2.31	2.06	3.25	6.72
West	3.81	4.77	2.77	3.30	5.77
Adult Education²					
Less than high school	N/A	1.75	2.18	2.91	4.61
High school graduate	N/A	2.08	2.02	2.15	3.75
Some college	N/A	2.10	1.98	2.28	3.11
College graduate	N/A	1.95	1.66	1.58	2.48
Current Employment³					
Full-time	N/A	2.09	2.07	2.23	3.46
Part-time	N/A	2.49	1.76	1.82	2.95
Unemployed	N/A	1.98	1.83	2.11	2.77
Other ⁴	N/A	2.34	2.03	2.16	4.06

N/A: Not applicable.

¹The category 'Other' for Race/Ethnicity is not included.

²Data on adult education are not applicable for 12- to 17-year-olds.

³Data on current employment are not applicable for 12- to 17-year-olds.

⁴Retired, disabled, homemaker, student, or 'other.'

Note: These design effects apply to the following drugs: cigarettes; alcohol; and smokeless tobacco.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1996.

Table 4 Generalized Standard Errors for Estimated Percentages of Illicit Drug Use Estimates: 1996

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	0.99	1.46	1.83	2.41	3.44	4.71	5.41	5.73	5.74	5.46	4.88	3.99	2.64	1.69	1.20	0.92	0.57
300	0.61	0.90	1.12	1.48	2.11	2.89	3.32	3.52	3.52	3.35	3.00	2.45	1.62	1.04	0.74	0.56	0.35
500	0.49	0.72	0.89	1.18	1.68	2.30	2.65	2.80	2.81	2.67	2.39	1.95	1.29	0.83	0.59	0.45	0.28
700	0.42	0.62	0.77	1.02	1.45	1.98	2.28	2.41	2.42	2.30	2.06	1.68	1.11	0.71	0.51	0.39	0.24
900	0.37	0.55	0.69	0.91	1.30	1.77	2.04	2.16	2.16	2.06	1.84	1.50	1.00	0.64	0.45	0.35	0.22
1,000	0.36	0.53	0.66	0.87	1.24	1.69	1.95	2.06	2.06	1.96	1.76	1.43	0.95	0.61	0.43	0.33	0.21
1,250	0.32	0.48	0.60	0.79	1.12	1.53	1.76	1.87	1.87	1.78	1.59	1.30	0.86	0.55	0.39	0.30	0.19
1,500	0.30	0.44	0.55	0.72	1.03	1.41	1.62	1.72	1.72	1.64	1.47	1.20	0.79	0.51	0.36	0.28	0.17
1,750	0.28	0.41	0.51	0.68	0.97	1.32	1.52	1.61	1.61	1.53	1.37	1.12	0.74	0.47	0.34	0.26	0.16
2,000	0.26	0.39	0.48	0.64	0.91	1.24	1.43	1.51	1.52	1.44	1.29	1.05	0.70	0.45	0.32	0.24	0.15
2,500	0.24	0.35	0.44	0.58	0.82	1.13	1.30	1.37	1.37	1.31	1.17	0.95	0.63	0.40	0.29	0.22	0.14
3,000	0.22	0.32	0.40	0.53	0.76	1.04	1.19	1.26	1.27	1.20	1.08	0.88	0.58	0.37	0.27	0.20	0.13
4,000	0.19	0.28	0.36	0.47	0.67	0.92	1.05	1.11	1.11	1.06	0.95	0.77	0.51	0.33	0.23	0.18	0.11
5,000	0.17	0.26	0.32	0.42	0.61	0.83	0.95	1.01	1.01	0.96	0.86	0.70	0.47	0.30	0.21	0.16	0.10
7,500	0.15	0.21	0.27	0.35	0.51	0.69	0.80	0.84	0.84	0.80	0.72	0.59	0.39	0.25	0.18	0.13	0.08
10,000	0.13	0.19	0.24	0.31	0.45	0.61	0.70	0.74	0.74	0.71	0.63	0.52	0.34	0.22	0.16	0.12	0.07
15,000	0.11	0.16	0.20	0.26	0.37	0.51	0.58	0.62	0.62	0.59	0.53	0.43	0.29	0.18	0.13	0.10	0.06
18,269 ¹	0.10	0.14	0.18	0.24	0.34	0.47	0.54	0.57	0.57	0.54	0.48	0.39	0.26	0.17	0.12	0.09	0.06

Note: Generalized standard errors are predicted from the following equation: $SE=100*[1.0600p^{(.5686)}*(1-p)^{(.6889)/n^{(.4441)}}]$.

¹The total sample size for the 1996 NHSDA is 18,269.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1996.

Table 5 Generalized Standard Errors for Estimated Percentages of Licit Drug Use Estimates: 1996

Sample Size for Base of Percentage, n	Estimated Percent (Proportion, p, Multiplied by 100)																
	1	2	3	5	10	20	30	40	50	60	70	80	90	95	97	98	99
100	1.31	1.88	2.32	3.01	4.23	5.76	6.68	7.21	7.40	7.29	6.86	6.01	4.52	3.29	2.58	2.11	1.50
300	0.88	1.26	1.56	2.02	2.85	3.88	4.50	4.85	4.99	4.91	4.62	4.05	3.04	2.21	1.73	1.42	1.01
500	0.73	1.05	1.30	1.68	2.37	3.23	3.74	4.04	4.15	4.09	3.84	3.37	2.53	1.84	1.44	1.18	0.84
700	0.65	0.93	1.15	1.49	2.10	2.86	3.32	3.58	3.67	3.62	3.40	2.98	2.24	1.63	1.28	1.05	0.75
900	0.59	0.85	1.05	1.36	1.92	2.61	3.03	3.27	3.36	3.31	3.11	2.72	2.05	1.49	1.17	0.96	0.68
1,000	0.57	0.82	1.01	1.31	1.85	2.51	2.92	3.15	3.23	3.18	2.99	2.62	1.97	1.44	1.12	0.92	0.66
1,250	0.53	0.76	0.93	1.21	1.70	2.32	2.69	2.90	2.98	2.94	2.76	2.42	1.82	1.32	1.04	0.85	0.61
1,500	0.49	0.71	0.87	1.13	1.59	2.17	2.52	2.72	2.79	2.75	2.59	2.27	1.71	1.24	0.97	0.80	0.57
1,750	0.47	0.67	0.83	1.07	1.51	2.06	2.38	2.57	2.64	2.60	2.45	2.14	1.61	1.17	0.92	0.75	0.54
2,000	0.44	0.64	0.79	1.02	1.44	1.96	2.27	2.45	2.52	2.48	2.33	2.04	1.54	1.12	0.88	0.72	0.51
2,500	0.41	0.59	0.73	0.94	1.33	1.81	2.10	2.26	2.32	2.29	2.15	1.89	1.42	1.03	0.81	0.66	0.47
3,000	0.38	0.55	0.68	0.88	1.24	1.69	1.96	2.12	2.18	2.14	2.02	1.77	1.33	0.97	0.76	0.62	0.44
4,000	0.35	0.50	0.61	0.80	1.12	1.53	1.77	1.91	1.96	1.93	1.82	1.59	1.20	0.87	0.68	0.56	0.40
5,000	0.32	0.46	0.57	0.74	1.03	1.41	1.63	1.76	1.81	1.78	1.68	1.47	1.11	0.80	0.63	0.52	0.37
7,500	0.28	0.40	0.49	0.64	0.89	1.22	1.41	1.52	1.56	1.54	1.45	1.27	0.96	0.70	0.54	0.45	0.32
10,000	0.25	0.36	0.44	0.57	0.81	1.10	1.27	1.37	1.41	1.39	1.31	1.14	0.86	0.63	0.49	0.40	0.29
15,000	0.22	0.31	0.38	0.50	0.70	0.95	1.10	1.19	1.22	1.20	1.13	0.99	0.74	0.54	0.42	0.35	0.25
18,269¹	0.20	0.29	0.36	0.46	0.65	0.88	1.02	1.11	1.14	1.12	1.05	0.92	0.69	0.50	0.40	0.32	0.23

Note: Generalized standard errors are predicted from the following equation: $SE=100* [.7942p^{(.5309)}*(1-p)^{(.5004)/n^{(.3600)}}]$.

¹The total sample size for the 1996 NHSDA is 18,269.

Source: Office of Applied Studies, SAMHSA, National Household Survey on Drug Abuse, 1996.

**CONTENTS OF THE 1996
PUBLIC USE FILE**

LABEL	LEN	DESCRIPTION	IDENTIFICATION	FREQ	%
-----	---	-----		----	-
			IDENTIFICATION		

RESPID	6	RESPONDENT IDENTIFICATION NUMBER			
ENCPSU	3	PRIMARY SAMPLING UNIT (ENCRYPTED)			
ENCSEG	4	SEGMENT IDENTIFICATION NUMBER (ENCRYPTED)			
ENCCASE	5	HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED)			

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
		DEMOGRAPHICS		
		FI CHECKPOINT A; MARK ONE BOX for R's age.		
SKPMARTL	1	SKIP OVER MARITAL Q'S TO SKPMILT, BASED ON AGE		
		1 = Respondent is 12-14 years old - SKIP	2173	11.89
		2 = Respondent is 15 years old or older	15696	85.92
		3 = 12-14 years old LOGICALLY ASSIGNED - SKIP	58	0.32
		4 = 15 years or older LOGICALLY ASSIGNED	342	1.87
		D-6. Which of the following best describes your current marital status. Are you...		
MARITAL	2	MARITAL STATUS		
		1 = Married	6050	33.12
		2 = Widowed	391	2.14
		3 = Divorced or separated	1624	8.89
		4 = Never been married	7835	42.89
		85 = BAD DATA Logically assigned	48	0.26
		89 = LEGITIMATE SKIP Logically assigned	311	1.70
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP	1920	10.51
		D-7. How many times have you been married?		
NOMARR	2	# TIMES MARRIED		
		RANGE = 1 - 6	7823	42.82
		85 = BAD DATA Logically assigned	7	0.04
		89 = LEGITIMATE SKIP Logically assigned	106	0.58
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	366	2.00
		99 = LEGITIMATE SKIP	9960	54.52

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		FI CHECKPOINT B; MARK ONE BOX for R's age.		
SKPMILT	1	SKIP OVER MILITARY Q'S TO EDUC, BASED ON AGE		
		1 = Respondent is 12-16 years old - SKIP	3686	20.18
		2 = Respondent is 17 years old or older	14019	76.74
		3 = 12-16 years old LOGICALLY ASSIGNED - SKIP	106	0.58
		4 = 17 years or older LOGICALLY ASSIGNED	458	2.51
		D-8. Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN UNITED STATES' ARMED FORCES		
		1 = Yes	889	4.87
		2 = No	13380	73.24
		3 = Yes LOGICALLY ASSIGNED	14	0.08
		89 = LEGITIMATE SKIP Logically assigned	124	0.68
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	192	1.05
		99 = LEGITIMATE SKIP	3668	20.08
		D-9. Are you currently... (READ ANSWER CHOICES)		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component	83	0.45
		3 = Now separated or retired from reserves/active duty	765	4.19
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	241	1.32
		99 = LEGITIMATE SKIP	17170	93.98

DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		D-10. The next questions are about your schooling. What is the last grade or year that you completed in school?		
EDUC	2	LAST GRADE COMPLETED IN SCHOOL		
		0 = No schooling	50	0.27
		1 = First grade	22	0.12
		2 = Second grade	43	0.24
		3 = Third grade	94	0.51
		4 = Fourth grade	113	0.62
		5 = Fifth grade	310	1.70
		6 = Sixth grade	1035	5.67
		7 = Seventh grade	902	4.94
		8 = Eighth grade	1093	5.98
		9 = Ninth grade	1322	7.24
		10 = Tenth grade	1310	7.17
		11 = Eleventh grade	1514	8.29
		12 = Twelfth grade	4666	25.54
		13 = Freshman/13th year	1065	5.83
		14 = Sophomore/14th year	1534	8.40
		15 = Junior/15th year	627	3.43
		16 = Senior/16th year	1539	8.42
		17 = Graduate/Professional School (or higher)	944	5.17
		85 = BAD DATA Logically assigned	61	0.33
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	21	0.11
		D-11. Have you received a high school diploma, or a GED certificate of high school completion? Which have you received? (MARK ONLY ONE ANSWER.)		
DIPLOMA	2	EVIDENCE OF HIGH SCHOOL COMPLETION		
		1 = High School Diploma	4288	23.47
		2 = GED Certificate	689	3.77
		3 = Neither of the above	4471	24.47
		89 = LEGITIMATE SKIP Logically assigned	4148	22.71
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	188	1.03
		99 = LEGITIMATE SKIP	4481	24.53

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		The variable ENROLLD in 1996 is not strictly comparable to values for this variable in earlier NHSDAs. Items that had been used in editing ENROLLD in prior NHSDAs were not available in the 1996 NHSDA. Caution should be used in making comparisons between values of ENROLLD in 1996 and values in 1995 and earlier NHSDAs.		
		D-12. Are you now enrolled in any kind of school?		
ENROLLD	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes	6783	37.13
		2 = No	11396	62.38
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	86	0.47

DEMOGRAPHICS			FREQ	%
LABEL	LEN	DESCRIPTION		
----	----	-----	----	-
		D-13. (HAND RESPONDENT SHOWCARD 2.) Please look at this card and tell me which of the statements describes your present work situation. (MARK THE FIRST ANSWER THAT APPLIES.)		
WORKSTAT	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week	7498	41.04
		2 = Working part-time, less than 35 hours a week	2404	13.16
		3 = Have a job but out: illness/leave/furlough/strike	93	0.51
		4 = Have a job but it is seasonal	69	0.38
		5 = Unemployed or laid off and looking for work	761	4.17
		6 = Unemployed and not looking for work	195	1.07
		7 = Full-time homemaker	1765	9.66
		8 = In school only	4488	24.57
		9 = Retired	500	2.74
		10 = Disabled for work	335	1.83
		11 = Other, not specified	2	0.01
		21 = Working full-time, 35 hours or more a week	4	0.02
		22 = Working part-time, less than 35 hours a week	31	0.17
		23 = Have a job but out: illness/leave/furlough/strike	7	0.04
		24 = Have a job, but it is seasonal	2	0.01
		25 = Unemployed or laid off and looking for work	1	0.01
		27 = Full-time homemaker	8	0.04
		28 = In school only	22	0.12
		30 = Disabled for work	2	0.01
		31 = Other, in labor force	24	0.13
		32 = Other, not in the labor force	27	0.15
		85 = BAD DATA Logically assigned	10	0.05
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	19	0.10

LABEL	LEN	DESCRIPTION	HEALTH	FREQ	%
		HEALTH			
		Now we have some questions concerning your health.			
		HE-1. About how tall are you, without shoes?			
HTININCH	3	HEIGHT IN INCHES (WITHOUT SHOES)			
		RANGE = 36 - 104		18144	99.32
		985 = BAD DATA Logically assigned		1	0.01
		994 = DON'T KNOW		96	0.53
		995 = BAD DATA		2	0.01
		997 = REFUSED		6	0.03
		998 = BLANK (NO ANSWER)		20	0.11
		HE-2. About how much do you weigh, without shoes?			
POUNDS	3	WEIGHT IN POUNDS WITHOUT SHOES			
		RANGE = 55 - 550		18020	98.64
		985 = BAD DATA Logically assigned		8	0.04
		994 = DON'T KNOW		137	0.75
		995 = BAD DATA		1	0.01
		997 = REFUSED		77	0.42
		998 = BLANK (NO ANSWER)		26	0.14
		HE-3. Would you say your health in general is...(READ ANSWER CHOICES)			
HEALTH	2	HEALTH IN GENERAL			
		1 = Excellent		6347	34.74
		2 = Very good		6019	32.95
		3 = Good		4303	23.55
		4 = Fair		1261	6.90
		5 = Poor		305	1.67
		94 = DON'T KNOW		1	0.01
		96 = MULTIPLE RESPONSE		2	0.01
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		29	0.16

LABEL	LEN	DESCRIPTION	TOBACCO	FREQ	%
		TOBACCO -- ANSWER SHEET #1			
		The first 10 questions are about cigarettes only.			
		C-1. Have you ever smoked a cigarette, even one or two puffs?			
CIGEVER	2	EVER SMOKED A CIGARETTE			
		1 = Yes		10917	59.76
		2 = No		7213	39.48
		3 = Yes LOGICALLY ASSIGNED		73	0.40
		4 = No LOGICALLY ASSIGNED		59	0.32
		97 = REFUSED		1	0.01
		98 = BLANK (NO ANSWER)		6	0.03
		C-2. How old were you the first time you smoked a cigarette, even one or two puffs?			
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE			
		RANGE = 2 - 70		10932	59.84
		981 = NEVER USED CIGARETTES Logically assigned		203	1.11
		985 = BAD DATA Logically assigned		16	0.09
		991 = NEVER USED CIGARETTES		7069	38.69
		994 = DON'T KNOW		12	0.07
		995 = BAD DATA		4	0.02
		997 = REFUSED		1	0.01
		998 = BLANK (NO ANSWER)		32	0.18
		C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?			
CIGTOT	2	# DAYS SMOKED CIGARETTES IN LIFE			
		1 = More than 300 days		5061	27.70
		2 = At least 101 but not more than 300 days		836	4.58
		3 = At least 12 but not more than 100 days		1257	6.88
		4 = At least 3 but not more than 11 days		1321	7.23
		5 = At least 1 but not more than 2 days		2420	13.25
		81 = NEVER USED CIGARETTES Logically assigned		57	0.31
		85 = BAD DATA Logically assigned		84	0.46
		91 = NEVER USED CIGARETTES		7215	39.49
		94 = DON'T KNOW		1	0.01
		97 = REFUSED		2	0.01
		98 = BLANK (NO ANSWER)		15	0.08

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
		C-4. How long has it been since you last smoked a cigarette?		
CIGREC	2	TIME SINCE LAST SMOKED A CIGARETTE		
		1 = Within the past 30 days	4551	24.91
		2 = More than 30 days ago but within the past 12 mos .	759	4.15
		3 = More than 12 months ago but within the past 3 yrs	907	4.96
		4 = More than 3 years ago	3786	20.72
		7 = Use in past 30 days LOGICALLY ASSIGNED	779	4.26
		9 = Use in lifetime LOGICALLY ASSIGNED	208	1.14
		81 = NEVER USED CIGARETTES Logically assigned	122	0.67
		91 = NEVER USED CIGARETTES	7150	39.14
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	6	0.03

THE THREE QUESTIONS ON THIS PAGE REFER TO THE PAST 30 DAYS ONLY.

C-5. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?

CIG30USE	2	# DAYS SMOKED PAST 30 DAYS		
		RANGE = 1 - 30	4565	24.99
		35 = Date specified within the past 30 days	3	0.02
		81 = NEVER USED CIGARETTES Logically assigned	116	0.63
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn ..	698	3.82
		85 = BAD DATA Logically assigned	576	3.15
		91 = NEVER USED CIGARETTES	7156	39.17
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	4962	27.16
		94 = DON'T KNOW	4	0.02
		95 = BAD DATA	87	0.48
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	101	0.55

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
		C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.		
AVCIG	2	# CIGARETTES SMOKED PER DAY PAST 30 DAYS		
		1 = At least a puff but less than one cig each day ...	812	4.44
		2 = 1 to 5 cigarettes each day	1391	7.61
		3 = 6 to 15 cigarettes (about 1/2 pack) each day	1281	7.01
		4 = 16 to 25 cigarettes (about 1 pack) each day	1097	6.00
		5 = 26 to 35 cigarettes (about 1 1/2 pk) each day	317	1.74
		6 = 35 or more cigarettes (about 2 packs) each day ...	189	1.03
		81 = NEVER USED CIGARETTES Logically assigned	99	0.54
		83 = DID NOT USE CIGARETTES PAST 30 DAYS Log assn	419	2.29
		85 = BAD DATA Logically assigned	234	1.28
		91 = NEVER USED CIGARETTES	7173	39.26
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	5241	28.69
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	15	0.08
		C-7. When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?		
CIG30WOK	2	TIME BEFORE SMOKING FIRST CIGARETTE AFTER WAKING		
		1 = 5 minutes or less	880	4.82
		2 = 6 to 30 minutes	1360	7.44
		3 = 31 to 60 minutes	625	3.42
		4 = 1 to 3 hours	714	3.91
		5 = 4 or more hours	1277	6.99
		81 = NEVER USED CIGARETTES Logically assigned	94	0.51
		83 = DID NOT USE CIGARETTES IN PAST 30 DAYS Log assn ..	405	2.22
		85 = BAD DATA Logically assigned	453	2.48
		91 = NEVER USED CIGARETTES	7178	39.29
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	5255	28.76
		95 = BAD DATA	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	26	0.14

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
		THE REST OF THE QUESTIONS ON THIS ANSWER SHEET ASK ABOUT YOUR ENTIRE LIFETIME.		
		C-8. Has there ever been a period in your life when you smoked cigarettes everyday?		
CIGEVYDA	2	EVER SMOKED DAILY		
		1 = Yes	5337	29.21
		2 = No	12017	65.78
		3 = Yes LOGICALLY ASSIGNED	455	2.49
		4 = No LOGICALLY ASSIGNED	339	1.86
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	120	0.66
		C-9. How old were you when you first started smoking cigarettes everyday?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 2 - 60	5509	30.15
		981 = NEVER USED CIGARETTES Logically assigned	135	0.74
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	266	1.46
		985 = BAD DATA Logically assigned	238	1.30
		991 = NEVER USED CIGARETTES	7137	39.07
		993 = NEVER USED CIGARETTES EVERYDAY	4769	26.10
		994 = DON'T KNOW	10	0.05
		995 = BAD DATA	5	0.03
		997 = REFUSED	3	0.02
		998 = BLANK (NO ANSWER)	197	1.08
		C-10. For how many years have you smoked or did you smoke cigarettes everyday?		
CIGYRS	3	# YEARS SMOKED CIGARETTES EVERYDAY		
		RANGE = 1 - 66	4964	27.17
		0 = I smoked cigs every day but only for < one year	530	2.90
		981 = NEVER USED CIGARETTES Logically assigned	109	0.60
		983 = NEVER USED CIGARETTES EVERYDAY Log assn	255	1.40
		985 = BAD DATA Logically assigned	251	1.37
		991 = NEVER USED CIGARETTES	7163	39.21
		993 = NEVER USED CIGARETTES EVERYDAY	4791	26.22
		994 = DON'T KNOW	12	0.07
		995 = BAD DATA	7	0.04
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	185	1.01

LABEL	LEN	DESCRIPTION	TOBACCO	FREQ	%
-----	----	-----		----	-
		The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.			
		C-11. Have you ever, even once, used chewing tobacco or snuff?			
SNUFEVER	2	EVER USED SMOKELESS TOBACCO			
		1 = Yes		2303	12.61
		2 = No		15413	84.37
		3 = Yes LOGICALLY ASSIGNED		71	0.39
		4 = No LOGICALLY ASSIGNED		244	1.34
		85 = BAD DATA Logically assigned		1	0.01
		97 = REFUSED		1	0.01
		98 = BLANK (NO ANSWER)		236	1.29
		C-12. How long has it been since you last used chewing tobacco or snuff?			
SNUFREC	2	TIME SINCE LAST USED SMOKELESS TOBACCO			
		1 = Within the past 30 days		458	2.51
		2 = More than 30 days ago but within the past 12 mos .		284	1.55
		3 = More than 12 months ago but within the past 3 yrs.		331	1.81
		4 = More than 3 years ago		1248	6.83
		9 = Use in lifetime LOGICALLY ASSIGNED		53	0.29
		81 = NEVER USED SMOKELESS TOBACCO Logically assigned ..		69	0.38
		85 = BAD DATA Logically assigned		1	0.01
		91 = NEVER USED SMOKELESS TOBACCO		15588	85.32
		97 = REFUSED		1	0.01
		98 = BLANK (NO ANSWER)		236	1.29

LABEL	LEN	DESCRIPTION	FREQ	%
		ALCOHOL -- ANSWER SHEET #2		
		FI CHECKPOINT C; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPALCRD	2	CAN RESPONDENT COMPLETE ALCOHOL ANSWER SHEET ALONE		
		1 = Yes, respondent can complete the answer sht. alone	17346	94.95
		2 = No, I doubt that resp. can compl. it alone - SKIP	804	4.40
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	116	0.63
		A-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
ALCREAD	2	ALCOHOL - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	2505	13.71
		2 = Wants to complete the answer sheet on his/her own	15238	83.41
		98 = BLANK (NO ANSWER)	178	0.97
		99 = LEGITIMATE SKIP	348	1.90
		A-1. The next few questions are about drinks of alcoholic beverages. By a "drink", we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot a liquor, or a mixed drink with liquor in it. Have you ever, even once, had a drink of any type of alcoholic beverage? Do not include sips from another person's drink.		
ALCEVER	1	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes	13100	71.71
		2 = No	5043	27.60
		3 = Yes LOGICALLY ASSIGNED	87	0.48
		4 = No LOGICALLY ASSIGNED	39	0.21

LABEL	LEN	DESCRIPTION	FREQ	%
		ALCOHOL		
		A-2. How old were you the first time you had a drink of any alcoholic beverage? Do not include sips from another person's drink.		
ALCTRY	3	AGE WHEN HAD FIRST DRINK OF ALCOHOLIC BEVERAGE		
		RANGE = 2 - 59	13062	71.50
		981 = NEVER USED ALCOHOL Logically assigned	85	0.47
		985 = BAD DATA Logically assigned	53	0.29
		991 = NEVER USED ALCOHOL	4997	27.35
		994 = DON'T KNOW	20	0.11
		995 = BAD DATA	9	0.05
		998 = BLANK (NO ANSWER)	43	0.24
		A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days	7275	39.82
		2 = More than 30 days ago but within the past 12 mos .	2232	12.22
		3 = More than 12 months ago but within the past 3 yrs	873	4.78
		4 = More than 3 years ago	1363	7.46
		7 = Use in past 30 days LOGICALLY ASSIGNED	953	5.22
		8 = Use in past year LOGICALLY ASSIGNED	483	2.64
		9 = Use in lifetime LOGICALLY ASSIGNED	8	0.04
		81 = NEVER USED ALCOHOL Logically assigned	35	0.19
		91 = NEVER USED ALCOHOL	5047	27.63

LABEL	LEN	DESCRIPTION	FREQ	%
		A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?		
ALCPAT	2	# DAYS DRANK ALCOHOLIC BEVERAGE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	479	2.62
		2 = 201 to 300 days (5 to 6 days a week)	308	1.69
		3 = 101 to 200 days (3 to 4 days a week)	722	3.95
		4 = 51 to 100 days (1 to 2 days a week)	1542	8.44
		5 = 25 to 50 days (3 to 4 days a month)	1460	7.99
		6 = 12 to 24 days (1 to 2 days a month)	1551	8.49
		7 = 6 to 11 days (less than one day a month)	1314	7.19
		8 = 3 to 5 days in the past 12 months	1540	8.43
		9 = 1 to 2 days in the past 12 months	1710	9.36
		81 = NEVER USED ALCOHOL Logically assigned	27	0.15
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn	32	0.18
		85 = BAD DATA Logically assigned	315	1.72
		91 = NEVER USED ALCOHOL	5055	27.67
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2212	12.11
		98 = BLANK (NO ANSWER)	2	0.01
		A-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?		
DRUNKYR	2	# DAYS GOT DRUNK PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	97	0.53
		2 = 201 to 300 days (5 to 6 days a week)	75	0.41
		3 = 101 to 200 days (3 to 4 days a week)	186	1.02
		4 = 51 to 100 days (1 to 2 days a week)	423	2.32
		5 = 25 to 50 days (3 to 4 days a month)	440	2.41
		6 = 12 to 24 days (1 to 2 days a month)	635	3.48
		7 = 6 to 11 days (less than one day a month)	667	3.65
		8 = 3 to 5 days in the past 12 months	1037	5.68
		9 = 1 to 2 days in the past 12 months	1647	9.02
		81 = NEVER USED ALCOHOL Logically assigned	64	0.35
		83 = DID NOT USE ALCOHOL IN PAST 12 MONTHS Log assn	63	0.34
		85 = BAD DATA Logically assigned	446	2.44
		90 = HAD A DRINK BUT DID NOT GET DRUNK PST 12 MONTHS	5195	28.44
		91 = NEVER USED ALCOHOL	5018	27.47
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2181	11.94
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	93	0.51

LABEL	LEN	DESCRIPTION	FREQ	%
		ALCOHOL		
		THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.		
		A-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	7320	40.07
		81 = NEVER USED ALCOHOL Logically assigned	65	0.36
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Log assn .	318	1.74
		85 = BAD DATA Logically assigned	768	4.20
		91 = NEVER USED ALCOHOL	5017	27.46
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4641	25.40
		94 = DON'T KNOW	6	0.03
		95 = BAD DATA	24	0.13
		98 = BLANK (NO ANSWER)	110	0.60
		A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer, a wine cooler or glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	2	USUAL # DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 50	7700	42.15
		81 = NEVER USED ALCOHOL Logically assigned	61	0.33
		83 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS Log assn .	247	1.35
		85 = BAD DATA Logically assigned	427	2.34
		91 = NEVER USED ALCOHOL	5021	27.48
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4712	25.79
		94 = DON'T KNOW	4	0.02
		95 = BAD DATA	11	0.06
		98 = BLANK (NO ANSWER)	86	0.47

LABEL	LEN	DESCRIPTION	FREQ	%
		ALCOHOL		
		A-8. During the past 30 days, on how many days did you have five or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	2879	15.76
		0 = No days	519	2.84
		81 = NEVER USED ALCOHOL Logically assigned	60	0.33
		83 = DID NOT DRINK ALCOHOL IN PAST 30 DAYS Log assn	238	1.30
		85 = BAD DATA Logically assigned	573	3.14
		90 = HAD A DRINK BUT NEVER MORE THAN 5 PAST 30 DAYS	4144	22.68
		91 = NEVER USED ALCOHOL	5022	27.49
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	4721	25.84
		94 = DON'T KNOW	4	0.02
		95 = BAD DATA	11	0.06
		98 = BLANK (NO ANSWER)	98	0.54

LABEL	LEN	DESCRIPTION	FREQ	%
		MARIJUANA -- ANSWER SHEET #3		
		The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked--either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.		
		M-1. Have you ever, even once, used marijuana or hashish?		
MJEVER	1	EVER USED MARIJUANA/HASHISH		
		1 = Yes	6076	33.26
		2 = No	12101	66.24
		3 = Yes LOGICALLY ASSIGNED	24	0.13
		4 = No LOGICALLY ASSIGNED	68	0.37
		M-2. How old were you the first time you used marijuana or hashish?		
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
		RANGE = 3 - 60	6074	33.25
		981 = NEVER USED MARIJUANA Logically assigned	169	0.93
		985 = BAD DATA Logically assigned	15	0.08
		991 = NEVER USED MARIJUANA	12000	65.69
		994 = DON'T KNOW	4	0.02
		998 = BLANK (NO ANSWER)	7	0.04

MARIJUANA				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?		
MJTOT	2	# DAYS USED MARIJUANA/HASHISH IN LIFE		
		1 = More than 300 days	1185	6.49
		2 = At least 101 but not more than 300 days	625	3.42
		3 = At least 12 but not more than 100 days	1382	7.56
		4 = At least 3 but not more than 11 days	1331	7.29
		5 = At least 1 but not more than 2 days	1551	8.49
		81 = NEVER USED MARIJUANA Logically assigned	53	0.29
		85 = BAD DATA Logically assigned	17	0.09
		91 = NEVER USED MARIJUANA	12116	66.32
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	7	0.04
		M-4. How long has it been since you last used marijuana or hashish?		
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days	978	5.35
		2 = More than 30 days ago but within the past 12 mos .	748	4.09
		3 = More than 12 months ago but within the past 3 yrs	664	3.63
		4 = More than 3 years ago	3148	17.23
		7 = Use in past 30 days LOGICALLY ASSIGNED	292	1.60
		8 = Use in past year LOGICALLY ASSIGNED	255	1.40
		9 = Use in lifetime LOGICALLY ASSIGNED	15	0.08
		81 = NEVER USED MARIJUANA Logically assigned	40	0.22
		91 = NEVER USED MARIJUANA	12129	66.39

		MARIJUANA			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
		M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?			
MJYRFREQ	2	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS			
		1 = More than 300 days (every day or almost every day)	231	1.26	
		2 = 201 to 300 days (5 to 6 days a week)	123	0.67	
		3 = 101 to 200 days (3 to 4 days a week)	183	1.00	
		4 = 51 to 100 days (1 to 2 days a week)	198	1.08	
		5 = 25 to 50 days (3 to 4 days a month)	175	0.96	
		6 = 12 to 24 days (1 to 2 days a month)	231	1.26	
		7 = 6 to 11 days (less than one day a month)	206	1.13	
		8 = 3 to 5 days in the past 12 months	346	1.89	
		9 = 1 to 2 days in the past 12 months	490	2.68	
		81 = NEVER USED MARIJUANA Logically assigned	257	1.41	
		83 = DID NOT USE MARIJUANA PAST 12 MOS Log assn	102	0.56	
		85 = BAD DATA Logically assigned	79	0.43	
		91 = NEVER USED MARIJUANA	11912	65.20	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	3725	20.39	
		95 = BAD DATA	1	0.01	
		98 = BLANK (NO ANSWER)	10	0.05	
		M-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?			
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS			
		RANGE = 1 - 30	1190	6.51	
		81 = NEVER USED MARIJUANA Logically assigned	250	1.37	
		83 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS Log assn	430	2.35	
		85 = BAD DATA Logically assigned	60	0.33	
		91 = NEVER USED MARIJUANA	11919	65.24	
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	4400	24.08	
		95 = BAD DATA	10	0.05	
		98 = BLANK (NO ANSWER)	10	0.05	

COCAINE

LABEL	LEN	DESCRIPTION	FREQ	%
		COCAINE -- ANSWER SHEET #4		
		FI CHECKPOINT D; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPCOCD	2	CAN RESPONDENT COMPLETE COCAINE ANSWER SHEET ALONE		
		1 = Yes, respondent can complete the answer sht. alone	17445	95.49
		2 = No, I doubt that resp. can compl. it alone - SKIP	718	3.93
		96 = MULTIPLE RESPONSE	5	0.03
		98 = BLANK (NO ANSWER)	101	0.55
		CN-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
COCREAD	2	COCAINE - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1729	9.46
		2 = Wants to complete the answer sheet on his/her own	16043	87.82
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	161	0.88
		99 = LEGITIMATE SKIP	334	1.83
		The questions in this section are about cocaine, including all the different forms of cocaine, such as powder, "crack," free base, and coca paste.		
		CN-1. Have you ever, even once, used any form of cocaine?		
COCEVER	1	EVER USED COCAINE		
		1 = Yes	1867	10.22
		2 = No	16243	88.91
		3 = Yes LOGICALLY ASSIGNED	42	0.23
		4 = No LOGICALLY ASSIGNED	117	0.64

COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		CN-2. How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 4 - 44	1892	10.36
		981 = NEVER USED COCAINE Logically assigned	268	1.47
		985 = BAD DATA Logically assigned	11	0.06
		991 = NEVER USED COCAINE	16092	88.08
		995 = BAD DATA	1	0.01
		998 = BLANK (NO ANSWER)	5	0.03
		CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?		
COCTOT	2	# DAYS USED COCAINE IN LIFE		
		1 = More than 300 days	236	1.29
		2 = At least 101 but not more than 300 days	193	1.06
		3 = At least 12 but not more than 100 days	470	2.57
		4 = At least 3 but not more than 11 days	487	2.67
		5 = At least 1 but not more than 2 days	517	2.83
		81 = NEVER USED COCAINE Logically assigned	75	0.41
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED COCAINE	16285	89.14
		98 = BLANK (NO ANSWER)	1	0.01
		CN-4. How long has it been since you last used any form of cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)		
		1 = Within the past 30 days	131	0.72
		2 = More than 30 days ago but within the past 12 mos .	190	1.04
		3 = More than 12 months ago but within the past 3 yrs	217	1.19
		4 = More than 3 years ago	1170	6.40
		7 = Use in past 30 days LOGICALLY ASSIGNED	92	0.50
		8 = Use in past year LOGICALLY ASSIGNED	83	0.45
		9 = Use in lifetime LOGICALLY ASSIGNED	26	0.14
		81 = NEVER USED COCAINE Logically assigned	64	0.35
		91 = NEVER USED COCAINE	16296	89.20

COCAINE

LABEL	LEN	DESCRIPTION	FREQ	%
		CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?		
COCYRFRQ	2	# DAYS USED COCAINE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	21	0.11
		2 = 201 to 300 days (5 to 6 days a week)	17	0.09
		3 = 101 to 200 days (3 to 4 days a week)	22	0.12
		4 = 51 to 100 days (1 to 2 days a week)	26	0.14
		5 = 25 to 50 days (3 to 4 days a month)	47	0.26
		6 = 12 to 24 days (1 to 2 days a month)	42	0.23
		7 = 6 to 11 days (less than one day a month)	50	0.27
		8 = 3 to 5 days in the past 12 months	84	0.46
		9 = 1 to 2 days in the past 12 months	150	0.82
		81 = NEVER USED COCAINE Logically assigned	335	1.83
		83 = DID NOT USE COCAINE IN PAST 12 MONTHS Log assn	57	0.31
		85 = BAD DATA Logically assigned	35	0.19
		91 = NEVER USED COCAINE	16025	87.72
		93 = DID NOT USE COCAINE IN PAST 12 MONTHS	1356	7.42
		98 = BLANK (NO ANSWER)	2	0.01

CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?

COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	209	1.14
		81 = NEVER USED COCAINE Logically assigned	347	1.90
		83 = DID NOT USE COCAINE IN THE PAST 30 DAYS Log assn	190	1.04
		85 = BAD DATA Logically assigned	10	0.05
		91 = NEVER USED COCAINE	16013	87.65
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	1496	8.19
		95 = BAD DATA	2	0.01
		98 = BLANK (NO ANSWER)	2	0.01

CRACK COCAINE

LABEL	LEN	DESCRIPTION	FREQ	%
		"CRACK" COCAINE -- ANSWER SHEET #5		
		FI CHECKPOINT E; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPCRKR	2	CAN RESPONDENT COMPLETE "CRACK" ANSWER SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	17463	95.59
		2 = No, I doubt that resp. can compl. it alone - SKIP	697	3.82
		96 = MULTIPLE RESPONSE	7	0.04
		98 = BLANK (NO ANSWER)	102	0.56
		CK-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
CRKREAD	2	"CRACK" - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1465	8.02
		2 = Wants to complete the answer sheet on his/her own	16303	89.24
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	173	0.95
		99 = LEGITIMATE SKIP	326	1.78
		The next 6 questions refer only to "crack" (cocaine in rock or chunk form) and not the other forms of cocaine.		
		CK-1. Have you ever, even once, used "crack?"		
CRKEVER	2	EVER USED "CRACK"		
		1 = Yes	492	2.69
		2 = No	17650	96.61
		3 = Yes LOGICALLY ASSIGNED	8	0.04
		4 = No LOGICALLY ASSIGNED	117	0.64
		98 = BLANK (NO ANSWER)	2	0.01

CRACK COCAINE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		CK-2. How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED "CRACK"		
		RANGE = 7 - 48	490	2.68
		981 = NEVER USED "CRACK" Logically assigned	244	1.34
		985 = BAD DATA Logically assigned	7	0.04
		991 = NEVER USED "CRACK"	17523	95.92
		995 = BAD DATA	1	0.01
		998 = BLANK (NO ANSWER)	4	0.02
		CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"		
CRKTOT	2	# DAYS USED "CRACK" IN LIFE		
		1 = More than 300 days	104	0.57
		2 = At least 101 but not more than 300 days	59	0.32
		3 = At least 12 but not more than 100 days	92	0.50
		4 = At least 3 but not more than 11 days	88	0.48
		5 = At least 1 but not more than 2 days	155	0.85
		81 = NEVER USED "CRACK" Logically assigned	84	0.46
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	17683	96.79
		98 = BLANK (NO ANSWER)	2	0.01
		CK-4. How long has it been since you last used "crack?"		
CRAKREC	2	TIME SINCE LAST USED "CRACK"		
		1 = Within the past 30 days	53	0.29
		2 = More than 30 days ago but within the past 12 mos .	55	0.30
		3 = More than 12 months ago but within the past 3 yrs	94	0.51
		4 = More than 3 years ago	229	1.25
		7 = Use in past 30 days LOGICALLY ASSIGNED	36	0.20
		8 = Use in past year LOGICALLY ASSIGNED	32	0.18
		9 = Use in lifetime LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED "CRACK" Logically assigned	76	0.42
		91 = NEVER USED "CRACK"	17691	96.84
		98 = BLANK (NO ANSWER)	2	0.01

CRACK COCAINE

LABEL	LEN	DESCRIPTION	FREQ	%
		CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"		
CRKYRFRQ	2	# DAYS USED "CRACK" PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	16	0.09
		2 = 201 to 300 days (5 to 6 days a week)	9	0.05
		3 = 101 to 200 days (3 to 4 days a week)	9	0.05
		4 = 51 to 100 days (1 to 2 days a week)	9	0.05
		5 = 25 to 50 days (3 to 4 days a month)	11	0.06
		6 = 12 to 24 days (1 to 2 days a month)	22	0.12
		7 = 6 to 11 days (less than one day a month)	17	0.09
		8 = 3 to 5 days in the past 12 months	23	0.13
		9 = 1 to 2 days in the past 12 months	48	0.26
		81 = NEVER USED "CRACK" Logically assigned	367	2.01
		83 = DID NOT USE "CRACK" PAST 12 MONTHS Log assn	14	0.08
		85 = BAD DATA Logically assigned	8	0.04
		91 = NEVER USED "CRACK"	17400	95.24
		93 = DID NOT USE "CRACK" IN THE PAST 12 MONTHS	310	1.70
		98 = BLANK (NO ANSWER)	6	0.03
		CK-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"		
CRKUS30A	2	# DAYS USED "CRACK" PAST 30 DAYS		
		RANGE = 1 - 30	84	0.46
		81 = NEVER USED "CRACK" Logically assigned	368	2.01
		83 = DID NOT USE "CRACK" IN THE PAST 30 DAYS Log assn .	53	0.29
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	17399	95.24
		93 = DID NOT USE "CRACK" IN THE PAST 30 DAYS	358	1.96
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	4	0.02

LABEL	LEN	DESCRIPTION	FREQ	%
		HEROIN -- ANSWER SHEET #6		
		FI CHECKPOINT F; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPHERRD	2	CAN RESPONDENT COMPLETE HEROIN ANS SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	17423	95.37
		2 = No, I doubt that resp. can complt. it alone - SKIP	682	3.73
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	161	0.88
		H-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
HERREAD	2	HEROIN - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1358	7.43
		2 = Wants to complete the answer sheet on his/her own	16365	89.58
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	223	1.22
		99 = LEGITIMATE SKIP	322	1.76
		H-1. Have you ever, even once, used heroin?		
HEREVER	2	EVER USED HEROIN		
		1 = Yes	187	1.02
		2 = No	17897	97.96
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		4 = No LOGICALLY ASSIGNED	168	0.92
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	10	0.05

		HEROIN			
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
		H-2. How old were you the first time you used heroin?			
HERAGE	3	AGE WHEN FIRST USED HEROIN			
		RANGE = 2 - 40		182	1.00
		981 = NEVER USED HEROIN Logically assigned		223	1.22
		985 = BAD DATA Logically assigned		6	0.03
		991 = NEVER USED HEROIN		17842	97.66
		994 = DON'T KNOW		2	0.01
		997 = REFUSED		1	0.01
		998 = BLANK (NO ANSWER)		13	0.07
		H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?			
HERTOT	2	# DAYS USED HEROIN IN LIFE			
		1 = More than 300 days		36	0.20
		2 = At least 101 but not more than 300 days		29	0.16
		3 = At least 12 but not more than 100 days		26	0.14
		4 = At least 3 but not more than 11 days		40	0.22
		5 = At least 1 but not more than 2 days		56	0.31
		81 = NEVER USED HEROIN Logically assigned		77	0.42
		85 = BAD DATA Logically assigned		3	0.02
		91 = NEVER USED HEROIN		17988	98.46
		94 = DON'T KNOW		2	0.01
		97 = REFUSED		1	0.01
		98 = BLANK (NO ANSWER)		11	0.06
		H-4. How long has it been since you last used heroin?			
HERREC	2	TIME SINCE LAST USED HEROIN			
		1 = Within the past 30 days		16	0.09
		2 = More than 30 days ago but within the past 12 mos .		23	0.13
		3 = More than 12 months ago but within the past 3 yrs		16	0.09
		4 = More than 3 years ago		115	0.63
		7 = Use in past 30 days LOGICALLY ASSIGNED		12	0.07
		8 = Use in past year LOGICALLY ASSIGNED		6	0.03
		9 = Use in lifetime LOGICALLY ASSIGNED		3	0.02
		81 = NEVER USED HEROIN Logically assigned		69	0.38
		91 = NEVER USED HEROIN		17996	98.51
		94 = DON'T KNOW		2	0.01
		97 = REFUSED		1	0.01
		98 = BLANK (NO ANSWER)		10	0.05

HEROIN

LABEL	LEN	DESCRIPTION	FREQ	%
		H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?		
HERYRFRQ	2	# DAYS USED HEROIN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	4	0.02
		2 = 201 to 300 days (5 to 6 days a week)	4	0.02
		3 = 101 to 200 days (3 to 4 days a week)	5	0.03
		4 = 51 to 100 days (1 to 2 days a week)	6	0.03
		5 = 25 to 50 days (3 to 4 days a month)	3	0.02
		6 = 12 to 24 days (1 to 2 days a month)	2	0.01
		7 = 6 to 11 days (less than one day a month)	5	0.03
		8 = 3 to 5 days in the past 12 months	6	0.03
		9 = 1 to 2 days in the past 12 months	17	0.09
		81 = NEVER USED HEROIN Logically assigned	383	2.10
		83 = DID NOT USE HEROIN PAST 12 MONTHS Log assn	5	0.03
		85 = BAD DATA Logically assigned	6	0.03
		91 = NEVER USED HEROIN	17682	96.79
		93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	129	0.71
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	10	0.05

H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?

HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	25	0.14
		81 = NEVER USED HEROIN Logically assigned	382	2.09
		83 = DID NOT USE HEROIN IN PAST 30 DAYS Log assn	18	0.10
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED HEROIN	17683	96.79
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	146	0.80
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	9	0.05

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
		HALLUCINOGENS -- ANSWER SHEET #7		
		FI CHECKPOINT G; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPHALRD	2	CAN RESP COMPLETE HALLUCINOGEN ANS SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	17437	95.45
		2 = No, I doubt that resp. can compl. it alone - SKIP	649	3.55
		96 = MULTIPLE RESPONSE	8	0.04
		98 = BLANK (NO ANSWER)	175	0.96
		L-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
HALREAD	2	HALLUCINOGEN - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1369	7.49
		2 = Wants to complete the answer sheet on his/her own	16333	89.40
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	250	1.37
		99 = LEGITIMATE SKIP	315	1.72
		L-1. As you read the following list of hallucinogens, please mark one box beside each hallucinogen to indicate whether you have ever used that hallucinogen, even once.		
LSD	2	EVER USED LSD ("ACID")		
		1 = Yes	1291	7.07
		2 = No	343	1.88
		3 = Yes LOGICALLY ASSIGNED (LSDREC=1,2,3,4 or 9)	59	0.32
		4 = No LOGICALLY ASSIGNED (LSDREC=81 or 91)	20	0.11
		81 = NEVER USED HALLUCINOGENS Logically assigned	228	1.25
		91 = NEVER USED HALLUCINOGENS	16308	89.27
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes	341	1.87
		2 = No	1135	6.21
		3 = Yes LOGICALLY ASSIGNED (PCPREC=1,2,3,4 or 9)	157	0.86
		4 = No LOGICALLY ASSIGNED (PCPREC=81 or 91)	81	0.44
		81 = NEVER USED HALLUCINOGENS Logically assigned	242	1.32
		91 = NEVER USED HALLUCINOGENS	16294	89.19
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17	0.09
PEYOTE	2	EVER USED PEYOTE		
		1 = Yes	200	1.09
		2 = No	1401	7.67
		81 = NEVER USED HALLUCINOGENS Logically assigned	252	1.38
		91 = NEVER USED HALLUCINOGENS	16284	89.13
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	130	0.71
MESC	2	EVER USED Mescaline		
		1 = Yes	358	1.96
		2 = No	1251	6.85
		81 = NEVER USED HALLUCINOGENS Logically assigned	246	1.35
		91 = NEVER USED HALLUCINOGENS	16290	89.17
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	121	0.66
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Yes	808	4.42
		2 = No	823	4.50
		3 = Yes LOGICALLY ASSIGNED	11	0.06
		81 = NEVER USED HALLUCINOGENS Logically assigned	255	1.40
		91 = NEVER USED HALLUCINOGENS	16281	89.12
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	89	0.49
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes	307	1.68
		2 = No	1282	7.02
		81 = NEVER USED HALLUCINOGENS Logically assigned	283	1.55
		91 = NEVER USED HALLUCINOGENS	16253	88.96
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	142	0.78

HALLUCINOGENS					
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
HALDKNAM	2	USED HALLUCINOGEN, DON'T KNOW NAME			
		1 = Yes	135	0.74	
		2 = No	1474	8.07	
		3 = Yes LOGICALLY ASSIGNED	2	0.01	
		81 = NEVER USED HALLUCINOGENS Logically assigned	245	1.34	
		91 = NEVER USED HALLUCINOGENS	16291	89.17	
		94 = DON'T KNOW	3	0.02	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	118	0.65	
HALNOLST	2	USED HALLUCINOGEN NOT LISTED ABOVE			
		1 = Yes	85	0.47	
		2 = No	1442	7.89	
		3 = Yes LOGICALLY ASSIGNED	18	0.10	
		81 = NEVER USED HALLUCINOGENS Logically assigned	206	1.13	
		91 = NEVER USED HALLUCINOGENS	16330	89.39	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	185	1.01	

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWA	4	OTHER HALLUCINOGEN (FIRST MENTION)		
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.01
		129 = Reds	1	0.01
		142 = Belladona	1	0.01
		318 = Ritalin, Methylphenidate	1	0.01
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	3	0.02
		327 = Black beauties, Black Beauty	1	0.01
		336 = Diet pills	1	0.01
		339 = Amphetamines (speed generically)	3	0.02
		355 = Crystal meth	2	0.01
		501 = Gasoline or lighter fluids	1	0.01
		506 = Amyl nitrate, "poppers," locker room odorizers, et	1	0.01
		508 = Nitrous oxide, "whippets," dentist gas	3	0.02
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.01
		520 = Old paint, paint	2	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		604 = Psilocybin (mushrooms), shooms	13	0.07
		605 = PCP ("angel dust," phencyclidine)	2	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	3	0.02
		610 = Crystal T	1	0.01
		614 = MDA, Methylenedioxy amphetamine	3	0.02
		616 = DET, Dimethyltryptamine, DMT	3	0.02
		617 = Morning glory seeds	2	0.01
		636 = STP	2	0.01
		639 = Cloves, Nutmeg	1	0.01
		690 = RID	1	0.01
		691 = Maximum impact	1	0.01
		692 = Banadine [sic]	1	0.01
		693 = Lemon drops	1	0.01
		694 = Yellow flower busch [sic]	1	0.01
		695 = Angel trumpets [sic]	1	0.01
		697 = Knebinal [sic]	1	0.01
		703 = Opium	4	0.02
		801 = OTHER Drugs, NOT SPECIFIED	1	0.01
		802 = THC, cannabinol	3	0.02
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	5	0.03
		814 = Caffeine	1	0.01
		829 = Robitussin DM	2	0.01
		857 = Wicky [sic] stick	2	0.01
		864 = Dramamine <OTC>, Motion sickness pill <OTC>	1	0.01
		3009 = CAT, Ephedrone, Methcathinone	1	0.01
		6001 = Collapsing little birds	1	0.01
		6002 = Damyana [sic]	1	0.01
		9991 = NEVER USED HALLUCINOGENS	16536	90.51
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	1650	9.03

HALLUCINOGENS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
HALNEWB	4	OTHER HALLUCINOGEN (SECOND MENTION)			
		110 = Tuinal, rainbows	1	0.01	
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01	
		305 = Biphedamine	1	0.01	
		348 = Crystal	1	0.01	
		459 = Ketamine	1	0.01	
		502 = Spray paints	1	0.01	
		639 = Cloves, Nutmeg	1	0.01	
		658 = Special K	1	0.01	
		696 = Reyna [sic]	1	0.01	
		698 = Nexus, 2C-B	1	0.01	
		802 = THC, cannabino1	1	0.01	
		864 = Dramamine <OTC>, Motion sickness pill <OTC>	1	0.01	
		9991 = NEVER USED HALLUCINOGENS	16536	90.51	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1719	9.41	
HALNEWC	4	OTHER HALLUCINOGEN (THIRD MENTION)			
		201 = Valium	1	0.01	
		267 = Marezine	1	0.01	
		328 = Pink hearts	1	0.01	
		401 = Darvon	1	0.01	
		614 = MDA, Methylenedioxy amphetamine	1	0.01	
		617 = Morning glory seeds	1	0.01	
		699 = BOHA-49B	1	0.01	
		9991 = NEVER USED HALLUCINOGENS	16536	90.51	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1725	9.44	
HALNEWD	4	OTHER HALLUCINOGEN (FOURTH MENTION)			
		142 = Belladonna	1	0.01	
		9991 = NEVER USED HALLUCINOGENS	16536	90.51	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1731	9.48	
HALNEWE	4	OTHER HALLUCINOGEN (FIFTH MENTION)			
		689 = Amaneta [sic]	1	0.01	
		9991 = NEVER USED HALLUCINOGENS	16536	90.51	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1731	9.48	

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?		
HALLAGE	3	AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGENS		
		RANGE = 4 - 44	1674	9.16
		981 = NEVER USED HALLUCINOGENS Logically assigned	241	1.32
		985 = BAD DATA Logically assigned	32	0.18
		991 = NEVER USED HALLUCINOGENS	16295	89.19
		994 = DON'T KNOW	1	0.01
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	25	0.14
		L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?		
HALLTOT	2	# DAYS USED LSD/PCP/OTHER HALLUCINOGENS IN LIFE		
		1 = More than 300 days	107	0.59
		2 = At least 101 but not more than 300 days	82	0.45
		3 = At least 12 but not more than 100 days	314	1.72
		4 = At least 3 but not more than 11 days	514	2.81
		5 = At least 1 but not more than 2 days	666	3.65
		81 = NEVER USED HALLUCINOGENS Logically assigned	118	0.65
		85 = BAD DATA Logically assigned	30	0.16
		91 = NEVER USED HALLUCINOGENS	16418	89.87
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	19	0.10
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
HALLREC	2	TIME SINCE LAST USED LSD/PCP/OTHR HALLUCINOGENS		
		1 = Within the past 30 days	83	0.45
		2 = More than 30 days ago but within the past 12 mos .	189	1.03
		3 = More than 12 months ago but within the past 3 yrs	204	1.12
		4 = More than 3 years ago	1039	5.69
		7 = Use in past 30 days LOGICALLY ASSIGNED	100	0.55
		8 = Use in past year LOGICALLY ASSIGNED	75	0.41
		9 = Use in lifetime LOGICALLY ASSIGNED	24	0.13
		81 = NEVER USED HALLUCINOGENS Logically assigned	202	1.11
		91 = NEVER USED HALLUCINOGENS	16334	89.41
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10

HALLUCINOGENS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		L-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?		
HALYRFRQ	2	# DAYS USED HALLUCINOGENS PAST 12 MONTHS		
		1 = More than 300 days (every day/almost every day) ..	6	0.03
		2 = 201 to 300 days (5 to 6 days a week)	5	0.03
		3 = 101 to 200 days (3 to 4 days a week)	3	0.02
		4 = 51 to 100 days (1 to 2 days a week)	11	0.06
		5 = 25 to 50 days (3 to 4 days a month)	18	0.10
		6 = 12 to 24 days (1 to 2 days a month)	32	0.18
		7 = 6 to 11 days (less than 1 day a month)	63	0.34
		8 = 3 to 5 days in the past 12 months	79	0.43
		9 = 1 to 2 days in the past 12 months	194	1.06
		81 = NEVER USED HALLUCINOGENS Logically assigned	202	1.11
		83 = DID NOT USE HALLUCINOGENS PST 12 MOS Log assn	31	0.17
		85 = BAD DATA Logically assigned	36	0.20
		91 = NEVER USED HALLUCINOGENS	16334	89.41
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS ..	1236	6.77
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10
		L-6. Think specifically about the past 30 days--that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?		
HAL30USE	2	# DAYS USED HALLUCINOGENS PAST 30 DAYS		
		RANGE = 1 - 30	171	0.94
		81 = NEVER USED HALLUCINOGENS Logically assigned	320	1.75
		83 = DID NOT USE HALLUCINOGENS IN PAST 30 DAYS Log assn	103	0.56
		85 = BAD DATA Logically assigned	12	0.07
		91 = NEVER USED HALLUCINOGENS	16216	88.76
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	1428	7.82
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	65	0.36
		2 = More than 30 days ago but within the past 12 mos .	188	1.03
		3 = More than 12 months ago but within the past 3 yrs	211	1.15
		4 = More than 3 years ago	857	4.69
		9 = Use in lifetime LOGICALLY ASSIGNED	29	0.16
		81 = NEVER USED LSD Logically assigned	223	1.22
		91 = NEVER USED LSD	16676	91.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	12	0.07
		2 = More than 30 days ago but within the past 12 mos .	37	0.20
		3 = More than 12 months ago but within the past 3 yrs	43	0.24
		4 = More than 3 years ago	388	2.12
		9 = Use in lifetime LOGICALLY ASSIGNED	18	0.10
		81 = NEVER USED PCP Logically assigned	304	1.66
		91 = NEVER USED PCP	17448	95.51
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	18	0.10

LABEL	LEN	DESCRIPTION	FREQ	%
		INHALANTS		
		INHALANTS -- ANSWER SHEET #8		
		FI CHECKPOINT H; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPINHRD	2	CAN RESPONDENT COMPLETE INHALANTS ANS SHEET ALONE		
		1 = Yes, respondent can complete the answer sht. alone	17448	95.51
		2 = No, I doubt that resp. can compl. it alone - SKIP	669	3.66
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	151	0.83
		IN-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
INHREAD	2	INHALANTS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1312	7.18
		2 = Wants to complete the answer sheet on his/her own	16425	89.91
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	215	1.18
		99 = LEGITIMATE SKIP	316	1.73
		IN-1. As you read the following list of inhalants, please mark one box beside each type of inhalant to indicate whether you have ever used that kind of inhalant, even once, for kicks or to get high.		
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		1 = Yes	367	2.01
		2 = No	684	3.74
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED INHALANTS Logically assigned	205	1.12
		91 = NEVER USED INHALANTS	16961	92.84
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	48	0.26

INHALANTS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.			
		1 = Yes	119	0.65	
		2 = No	924	5.06	
		3 = Yes LOGICALLY ASSIGNED	6	0.03	
		81 = NEVER USED INHALANTS Logically assigned	207	1.13	
		91 = NEVER USED INHALANTS	16959	92.83	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	53	0.29	
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID			
		1 = Yes	195	1.07	
		2 = No	859	4.70	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		81 = NEVER USED INHALANTS Logically assigned	212	1.16	
		91 = NEVER USED INHALANTS	16954	92.80	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	47	0.26	
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE			
		1 = Yes	211	1.15	
		2 = No	840	4.60	
		3 = Yes LOGICALLY ASSIGNED	4	0.02	
		81 = NEVER USED INHALANTS Logically assigned	212	1.16	
		91 = NEVER USED INHALANTS	16954	92.80	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	47	0.26	
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC			
		1 = Yes	41	0.22	
		2 = No	999	5.47	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		81 = NEVER USED INHALANTS Logically assigned	207	1.13	
		91 = NEVER USED INHALANTS	16959	92.83	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	61	0.33	
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS			
		1 = Yes	120	0.66	
		2 = No	931	5.10	
		81 = NEVER USED INHALANTS Logically assigned	205	1.12	
		91 = NEVER USED INHALANTS	16961	92.84	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	51	0.28	

INHALANTS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)			
		1 = Yes	76	0.42	
		2 = No	968	5.30	
		81 = NEVER USED INHALANTS Logically assigned	205	1.12	
		91 = NEVER USED INHALANTS	16961	92.84	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	58	0.32	
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"			
		1 = Yes	460	2.52	
		2 = No	594	3.25	
		81 = NEVER USED INHALANTS Logically assigned	212	1.16	
		91 = NEVER USED INHALANTS	16954	92.80	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	48	0.26	
SPPAINT	2	EVER INHALED SPRAY PAINTS			
		1 = Yes	144	0.79	
		2 = No	911	4.99	
		81 = NEVER USED INHALANTS Logically assigned	210	1.15	
		91 = NEVER USED INHALANTS	16956	92.81	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	47	0.26	
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS			
		1 = Yes	100	0.55	
		2 = No	950	5.20	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		81 = NEVER USED INHALANTS Logically assigned	219	1.20	
		91 = NEVER USED INHALANTS	16947	92.76	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	51	0.28	
INHDKNAM	2	USED INHALANT, DON'T KNOW NAME			
		1 = Yes	50	0.27	
		2 = No	993	5.44	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		81 = NEVER USED INHALANTS Logically assigned	233	1.28	
		91 = NEVER USED INHALANTS	16933	92.69	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	57	0.31	

INHALANTS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
INHNOLST	2	USED INHALANT NOT LISTED ABOVE			
		1 = Yes	73	0.40	
		2 = No	935	5.12	
		3 = Yes LOGICALLY ASSIGNED	19	0.10	
		81 = NEVER USED INHALANTS Logically assigned	121	0.66	
		91 = NEVER USED INHALANTS	17045	93.30	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	1	0.01	
		98 = BLANK (NO ANSWER)	74	0.41	
INHNEWA	4	USED OTHER INHALANT (FIRST MENTION)			
		112 = Rasepam, Restoril, Temaz, Temazepam	1	0.01	
		304 = Benzedrine	1	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	2	0.01	
		419 = Stadol	1	0.01	
		501 = Gasoline or lighter fluids	4	0.02	
		503 = Other aerosol sprays	5	0.03	
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	4	0.02	
		506 = Amyl nitrate, "poppers," locker room odorizers, et	4	0.02	
		507 = Halothane, ether, or other anesthetics; chloroform	1	0.01	
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	2	0.01	
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.01	
		511 = Markers, felt-tip pens, ink pens	3	0.02	
		516 = Freon	10	0.05	
		518 = Acetone, nail polish remover	1	0.01	
		519 = Helium	6	0.03	
		520 = Old paint, paint	1	0.01	
		523 = Matches	1	0.01	
		524 = White-Out [see also 509]	3	0.02	
		526 = Nail polish	1	0.01	
		528 = Whipped-cream can	5	0.03	
		530 = Asthma inhaler, asthma med., bronchial dilators ..	3	0.02	
		539 = ScotchGard	2	0.01	
		540 = PAM	2	0.01	
		543 = Liquid oxygen	2	0.01	
		545 = Car tailpipe exhaust fumes, CO2	1	0.01	
		548 = Cologne, isopropanol vapors, rubbing alcohol	1	0.01	
		580 = Medusa [sic]	1	0.01	
		585 = TCL	1	0.01	
		586 = Carbon from empty softdrink bottle	1	0.01	
		587 = Mineral ice	1	0.01	
		691 = Maximum impact	1	0.01	
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	1	0.01	
		809 = Pills	1	0.01	
		9981 = NEVER USED INHALANTS Logically assigned	1	0.01	
		9991 = NEVER USED INHALANTS	17165	93.96	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1027	5.62	

INHALANTS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
INHNEWB	4	USED OTHER INHALANT (SECOND MENTION)			
		501 = Gasoline or lighter fluids	1	0.01	
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	1	0.01	
		524 = White-Out [see also 509]	1	0.01	
		9991 = NEVER USED INHALANTS	17166	93.96	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1099	6.02	
INHNEWC	4	USED OTHER INHALANT (THIRD MENTION)			
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.01	
		9991 = NEVER USED INHALANTS	17166	93.96	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1101	6.03	
INHNEWD	4	USED OTHER INHALANT (FOURTH MENTION)			
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.01	
		9991 = NEVER USED INHALANTS	17166	93.96	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1101	6.03	
INHNEWE	4	USED OTHER INHALANT (FIFTH MENTION)			
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.01	
		9991 = NEVER USED INHALANTS	17166	93.96	
		9997 = REFUSED	1	0.01	
		9998 = BLANK (NO ANSWER)	1101	6.03	

IN-2. How old were you the first time
you used any inhalant for kicks or to
get high?

INHAGE	3	AGE WHEN FIRST USED INHALANTS			
		RANGE = 5 - 45	1039	5.69	
		981 = NEVER USED INHALANTS Logically assigned	501	2.74	
		985 = BAD DATA Logically assigned	27	0.15	
		991 = NEVER USED INHALANTS	16665	91.22	
		994 = DON'T KNOW	2	0.01	
		997 = REFUSED	1	0.01	
		998 = BLANK (NO ANSWER)	34	0.19	

LABEL	LEN	DESCRIPTION	FREQ	%
		INHALANTS		
		IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used any inhalant of any kind?		
INHTOT	2	# DAYS USED INHALANTS IN LIFE		
		1 = More than 300 days	47	0.26
		2 = At least 101 but not more than 300 days	36	0.20
		3 = At least 12 but not more than 100 days	206	1.13
		4 = At least 3 but not more than 11 days	298	1.63
		5 = At least 1 but not more than 2 days	461	2.52
		81 = NEVER USED INHALANTS Logically assigned	155	0.85
		85 = BAD DATA Logically assigned	28	0.15
		91 = NEVER USED INHALANTS	17011	93.11
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	26	0.14
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days	54	0.30
		2 = More than 30 days ago but within the past 12 mos .	112	0.61
		3 = More than 12 months ago but within the past 3 yrs	124	0.68
		4 = More than 3 years ago	634	3.47
		7 = Use in past 30 days LOGICALLY ASSIGNED	62	0.34
		8 = Use in past year LOGICALLY ASSIGNED	65	0.36
		9 = Use in lifetime LOGICALLY ASSIGNED	28	0.15
		81 = NEVER USED INHALANTS Logically assigned	284	1.55
		91 = NEVER USED INHALANTS	16882	92.41
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	23	0.13

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?		
INHFRQ	2	# DAYS USED INHALANTS PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	12	0.07
		2 = 201 to 300 days (5 to 6 days a week)	2	0.01
		3 = 101 to 200 days (3 to 4 days a week)	5	0.03
		4 = 51 to 100 days (1 to 2 days a week)	14	0.08
		5 = 25 to 50 days (3 to 4 days a month)	19	0.10
		6 = 12 to 24 days (1 to 2 days a month)	25	0.14
		7 = 6 to 11 days (less than one day a month)	36	0.20
		8 = 3 to 5 days in the past 12 months	50	0.27
		9 = 1 to 2 days in the past 12 months	116	0.63
		81 = NEVER USED INHALANTS Logically assigned	277	1.52
		83 = DID NOT USE INHALANTS IN PAST 12 MONTHS Log assn .	33	0.18
		85 = BAD DATA Logically assigned	13	0.07
		91 = NEVER USED INHALANTS	16889	92.45
		93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	753	4.12
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	24	0.13
		IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?		
INH30A	2	# DAYS USED INHALANTS PAST 30 DAYS		
		RANGE = 1 - 30	111	0.61
		81 = NEVER USED INHALANTS Logically assigned	272	1.49
		83 = DID NOT USE INHALANTS IN THE PAST 30 DAYS Log assn	88	0.48
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED INHALANTS	16894	92.47
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	875	4.79
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	23	0.13

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
		ANALGESICS -- ANSWER SHEET #9		
		FI CHECKPOINT I; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPANLRD	2	CAN RESP. COMPLETE PAIN KILLERS ANS. SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	17440	95.46
		2 = No, I doubt that resp. can compl. it alone - SKIP	665	3.64
		96 = MULTIPLE RESPONSE	5	0.03
		98 = BLANK (NO ANSWER)	159	0.87
		PK-0. You may complete this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
ANLREAD	2	PAIN KILLERS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1353	7.41
		2 = Wants to complete the answer sheet on his/her own	16362	89.56
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	234	1.28
		99 = LEGITIMATE SKIP	318	1.74
		PK-1. As you read the following list of prescription pain killers, please mark one box beside each pain killer to indicate whether you have ever used that pain killer when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription pain killers, in pill and non-pill form.		
CODEINE	2	EVER USED CODEINE "NONMEDICALLY"		
		1 = Yes	371	2.03
		2 = No	740	4.05
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED PAIN KILLERS Logically assigned	148	0.81
		91 = NEVER USED PAIN KILLERS	16943	92.74
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	65	0.36

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
DARVON	2	EVER USED DARVON "NONMEDICALLY"		
		1 = Yes	139	0.76
		2 = No	955	5.23
		81 = NEVER USED PAIN KILLERS Logically assigned	159	0.87
		91 = NEVER USED PAIN KILLERS	16932	92.68
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	83	0.45
DEMEROL	2	EVER USED DEMEROL "NONMEDICALLY"		
		1 = Yes	155	0.85
		2 = No	939	5.14
		81 = NEVER USED PAIN KILLERS Logically assigned	161	0.88
		91 = NEVER USED PAIN KILLERS	16930	92.67
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	83	0.45
DILAUD	2	EVER USED DILAUDID "NONMEDICALLY"		
		1 = Yes	48	0.26
		2 = No	1032	5.65
		81 = NEVER USED PAIN KILLERS Logically assigned	165	0.90
		91 = NEVER USED PAIN KILLERS	16926	92.65
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	97	0.53
METHDON	2	EVER USED METHADONE "NONMEDICALLY"		
		1 = Yes	48	0.26
		2 = No	1035	5.67
		81 = NEVER USED PAIN KILLERS Logically assigned	171	0.94
		91 = NEVER USED PAIN KILLERS	16920	92.62
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	94	0.51
MORPHINE	2	EVER USED MORPHINE "NONMEDICALLY"		
		1 = Yes	93	0.51
		2 = No	992	5.43
		81 = NEVER USED PAIN KILLERS Logically assigned	170	0.93
		91 = NEVER USED PAIN KILLERS	16921	92.62
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	92	0.50
PERCODAN	2	EVER USED PERCODAN "NONMEDICALLY"		
		1 = Yes	177	0.97
		2 = No	915	5.01
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED PAIN KILLERS Logically assigned	168	0.92
		91 = NEVER USED PAIN KILLERS	16923	92.63
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	84	0.46

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
TALWIN	2	EVER USED TALWIN "NONMEDICALLY"		
		1 = Yes	53	0.29
		2 = No	1025	5.61
		81 = NEVER USED PAIN KILLERS Logically assigned	171	0.94
		91 = NEVER USED PAIN KILLERS	16920	92.62
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	99	0.54
TYLCOD	2	EVER USED TYLENOL WITH CODEINE "NONMEDICALLY"		
		1 = Yes	526	2.88
		2 = No	588	3.22
		81 = NEVER USED PAIN KILLERS Logically assigned	203	1.11
		91 = NEVER USED PAIN KILLERS	16888	92.44
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	63	0.34
ANLDKNAM	2	USED PAIN KILLER "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	236	1.29
		2 = No	827	4.53
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED PAIN KILLERS Logically assigned	496	2.71
		91 = NEVER USED PAIN KILLERS	16595	90.84
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	113	0.62
ANLNOLST	2	USED PAIN KILLER "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	175	0.96
		2 = No	696	3.81
		3 = Yes LOGICALLY ASSIGNED	220	1.20
		81 = NEVER USED PAIN KILLERS Logically assigned	441	2.41
		91 = NEVER USED PAIN KILLERS	16650	91.14
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	86	0.47

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ANALNEWA	4	USED OTHER PAIN KILLER (FIRST MENTION)		
		116 = Methaqualone, Parest, Quaalude, Sopor	5	0.03
		129 = Reds	1	0.01
		135 = Mini Thins	1	0.01
		157 = Barbituates	1	0.01
		161 = Rohypnol, Roofies, Rope, Roples, Rufinal, etc. ...	4	0.02
		201 = Valium	10	0.05
		209 = Xanax	3	0.02
		234 = Cyclobenzaprine, Flexeril	1	0.01
		275 = Loxitane	1	0.01
		318 = Ritalin, Methylphenidate	1	0.01
		403 = SK-65	1	0.01
		407 = Demerol	1	0.01
		410 = Phenaphen with Codeine, Phenaphen 3	1	0.01
		411 = Talwin	1	0.01
		414 = Propoxyphene	1	0.01
		415 = Codeine	1	0.01
		419 = Stadol	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		421 = USED ANALGESIC, DON'T KNOW NAME	12	0.07
		422 = Motrin	10	0.05
		423 = Percocet	9	0.05
		424 = Fioricet	1	0.01
		426 = Butalbital, Esgic, Fiorinal, Phrenilin Forte	1	0.01
		427 = Darvocet	4	0.02
		430 = Aspirin, Ecotrin, Empirin <OTC>	3	0.02
		431 = Tylox	2	0.01
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, etc.	23	0.13
		435 = Tylenol, Tylenol Extra Strength <OTC>	2	0.01
		436 = Bufferin <OTC>	1	0.01
		438 = Anaprox, Naprosyn	3	0.02
		440 = Soma	3	0.02
		442 = Ibuprofen	4	0.02
		456 = Lorcet HD, Lorcet Plus, Lortab [see also 434]	2	0.01
		465 = Fentanyl	1	0.01
		491 = PDR	1	0.01
		492 = Car crase [sic]	1	0.01
		493 = IBU	1	0.01
		496 = Tramadol, Ultram	1	0.01
		497 = Cloratabs [sic]	1	0.01
		498 = Ponstel, Mefenamic acid	1	0.01
		821 = Amoxicillin, Ampicillin	1	0.01
		840 = Cough medicine (contents not specified) <OTC>	1	0.01
		864 = Dramamine <OTC>, Motion sickness pill <OTC>	1	0.01
		895 = Tagamet, Cimetidine	1	0.01
		9991 = NEVER USED PAIN KILLERS	17091	93.55
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	1050	5.75

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWB	4	USED OTHER PAIN KILLER (SECOND MENTION)		
		113 = Halcion	1	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		161 = Rohypnol, Roofies, Rope, Roples, Rufinal, etc. ...	1	0.01
		201 = Valium	2	0.01
		209 = Xanax	3	0.02
		234 = Cyclobenzaprine, Flexeril	1	0.01
		240 = Lithium carbonate	1	0.01
		326 = White cross	1	0.01
		406 = Oxycodone, Percodan, Roxicet	2	0.01
		419 = Stadol	1	0.01
		423 = Percocet	1	0.01
		427 = Darvocet	3	0.02
		430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.01
		431 = Tylox	1	0.01
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, etc.	4	0.02
		438 = Anaprox, Naprosyn	1	0.01
		896 = Catapres, Clonidine	1	0.01
		9991 = NEVER USED PAIN KILLERS	17091	93.55
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	1149	6.29
ANALNEWC	4	USED OTHER PAIN KILLER (THIRD MENTION)		
		115 = Phenobarbital	1	0.01
		129 = Reds	1	0.01
		206 = Tranxene	1	0.01
		227 = Thorazine	1	0.01
		407 = Demerol	1	0.01
		423 = Percocet	1	0.01
		427 = Darvocet	1	0.01
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, etc.	3	0.02
		495 = Red cross	1	0.01
		9991 = NEVER USED PAIN KILLERS	17091	93.55
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	1166	6.38
ANALNEWD	4	USED OTHER PAIN KILLER (FOURTH MENTION)		
		110 = Tuinal, rainbows	1	0.01
		201 = Valium	1	0.01
		406 = Oxycodone, Percodan, Roxicet	1	0.01
		415 = Codeine	1	0.01
		426 = Butalbital, Esgic, Fiorinal, Phrenilin Forte	1	0.01
		9991 = NEVER USED PAIN KILLERS	17091	93.55
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	1172	6.42

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWE	4	USED OTHER PAIN KILLER (FIFTH MENTION)		
		9991 = NEVER USED PAIN KILLERS	17091	93.55
		9997 = REFUSED	1	0.01
		9998 = BLANK (NO ANSWER)	1177	6.44

If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.

ANALNONE	2	NEVER USED PAIN KILLERS "NONMEDICALLY"		
		1 = Response circled	16696	91.39
		2 = Response not circled	954	5.22
		3 = Response circled LOGICALLY ASSIGNED	395	2.16
		4 = Response not circled LOGICALLY ASSIGNED	167	0.91
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	56	0.31

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

ANALAGE	3	AGE WHEN FIRST USED PAIN KILLERS "NONMEDICALLY"		
		RANGE = 2 - 51	839	4.59
		981 = NEVER USED PAIN KILLERS Logically assigned	64	0.35
		985 = BAD DATA Logically assigned	27	0.15
		991 = NEVER USED PAIN KILLERS	17027	93.20
		994 = DON'T KNOW	4	0.02
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	306	1.67

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALTOT	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	110	0.60
		2 = At least 101 but not more than 300 days	57	0.31
		3 = At least 12 but not more than 100 days	169	0.93
		4 = At least 3 but not more than 11 days	244	1.34
		5 = At least 1 but not more than 2 days	451	2.47
		81 = NEVER USED PAIN KILLERS Logically assigned	5	0.03
		91 = NEVER USED PAIN KILLERS	17086	93.52
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	144	0.79
		PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN KILLERS "NONMEDICALLY"		
		1 = Within the past 30 days	135	0.74
		2 = More than 30 days ago but within the past 12 mos .	199	1.09
		3 = More than 12 months ago but within the past 3 yrs	122	0.67
		4 = More than 3 years ago	403	2.21
		8 = Use in past year LOGICALLY ASSIGNED	156	0.85
		9 = Use in lifetime LOGICALLY ASSIGNED	106	0.58
		81 = NEVER USED PAIN KILLERS Logically assigned	399	2.18
		91 = NEVER USED PAIN KILLERS	16692	91.37
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	55	0.30

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ANLYRFRQ	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	19	0.10
		2 = 201 to 300 days (5 to 6 days a week)	11	0.06
		3 = 101 to 200 days (3 to 4 days a week)	9	0.05
		4 = 51 to 100 days (1 to 2 days a week)	30	0.16
		5 = 25 to 50 days (3 to 4 days a month)	31	0.17
		6 = 12 to 24 days (1 to 2 days a month)	28	0.15
		7 = 6 to 11 days (less than one day a month)	54	0.30
		8 = 3 to 5 days in the past 12 months	100	0.55
		9 = 1 to 2 days in the past 12 months	190	1.04
		81 = NEVER USED PAIN KILLERS Logically assigned	418	2.29
		83 = DID NOT USE PAIN KILLERS IN PST 12 MONTHS Log assn	127	0.70
		85 = BAD DATA Logically assigned	22	0.12
		91 = NEVER USED PAIN KILLERS	16673	91.26
		93 = DID NOT USE PAIN KILLERS IN THE PAST 12 MONTHS ...	504	2.76
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	52	0.28

TRANQUILIZERS				
LABEL	LEN	DESCRIPTION	FREQ	%
		TRANQUILIZERS -- ANSWER SHEET #10		
		FI CHECKPOINT J; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPTRNRD	2	CAN RESP COMPLETE TRANQUILIZERS ANS SHEET ALONE		
		1 = Yes, I think resp can complete answer sheet alone	17485	95.71
		2 = No, I doubt that resp. can complt. it alone - SKIP	659	3.61
		98 = BLANK (NO ANSWER)	125	0.68
		T-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
TRNREAD	2	TRANQUILIZERS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1318	7.21
		2 = Wants to complete the answer sheet on his/her own	16443	90.00
		98 = BLANK (NO ANSWER)	190	1.04
		99 = LEGITIMATE SKIP	318	1.74
		T-1. As you read the following list of prescription tranquilizers, please mark one box beside each tranquilizer to indicate whether you have ever used that tranquilizer when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription tranquilizers, in pill or non-pill form.		
ATARAX	2	EVER USED ATARAX "NONMEDICALLY"		
		1 = Yes	10	0.05
		2 = No	621	3.40
		81 = NEVER USED TRANQUILIZERS Logically assigned	169	0.93
		91 = NEVER USED TRANQUILIZERS	17371	95.08
		98 = BLANK (NO ANSWER)	98	0.54
ATIVAN	2	EVER USED ATIVAN "NONMEDICALLY"		
		1 = Yes	39	0.21
		2 = No	590	3.23
		81 = NEVER USED TRANQUILIZERS Logically assigned	175	0.96
		91 = NEVER USED TRANQUILIZERS	17365	95.05
		98 = BLANK (NO ANSWER)	100	0.55

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
DIAZEPAM	2	EVER USED DIAZEPAM "NONMEDICALLY"		
		1 = Yes	56	0.31
		2 = No	578	3.16
		81 = NEVER USED TRANQUILIZERS Logically assigned	177	0.97
		91 = NEVER USED TRANQUILIZERS	17363	95.04
		98 = BLANK (NO ANSWER)	95	0.52
LIBRIUM	2	EVER USED LIBRIUM "NONMEDICALLY"		
		1 = Yes	52	0.28
		2 = No	579	3.17
		81 = NEVER USED TRANQUILIZERS Logically assigned	177	0.97
		91 = NEVER USED TRANQUILIZERS	17363	95.04
		98 = BLANK (NO ANSWER)	98	0.54
TRANXENE	2	EVER USED TRANXENE "NONMEDICALLY"		
		1 = Yes	17	0.09
		2 = No	604	3.31
		81 = NEVER USED TRANQUILIZERS Logically assigned	179	0.98
		91 = NEVER USED TRANQUILIZERS	17361	95.03
		98 = BLANK (NO ANSWER)	108	0.59
VALIUM	2	EVER USED VALIUM "NONMEDICALLY"		
		1 = Yes	432	2.36
		2 = No	223	1.22
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned	178	0.97
		91 = NEVER USED TRANQUILIZERS	17362	95.04
		98 = BLANK (NO ANSWER)	73	0.40
XANAX	2	EVER USED XANAX "NONMEDICALLY"		
		1 = Yes	195	1.07
		2 = No	433	2.37
		81 = NEVER USED TRANQUILIZERS Logically assigned	200	1.09
		91 = NEVER USED TRANQUILIZERS	17340	94.91
		98 = BLANK (NO ANSWER)	101	0.55
TRDKNAM	2	USED TRANQUILIZER "NONMEDICALLY", DON'T KNOW NAME		
		1 = Yes	102	0.56
		2 = No	518	2.84
		81 = NEVER USED TRANQUILIZERS Logically assigned	453	2.48
		91 = NEVER USED TRANQUILIZERS	17087	93.53
		98 = BLANK (NO ANSWER)	109	0.60
TRNOLST	2	USED TRANQUILIZER "NONMEDICALLY" NOT LISTED ABOVE		
		1 = Yes	57	0.31
		2 = No	464	2.54
		3 = Yes LOGICALLY ASSIGNED	98	0.54
		81 = NEVER USED TRANQUILIZERS Logically assigned	430	2.35
		91 = NEVER USED TRANQUILIZERS	17110	93.66
		98 = BLANK (NO ANSWER)	110	0.60

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
TRNEWA	4	USED OTHER TRANQUILIZER (FIRST MENTION)		
		113 = Halcion	2	0.01
		116 = Methaqualone, Parest, Quaalude, Sopor	6	0.03
		129 = Reds	1	0.01
		131 = Haldol, Haloperidol	1	0.01
		161 = Rohypnol, Roofies, Rope, Roples, Rufinal, etc. ...	4	0.02
		201 = Valium	2	0.01
		205 = Serax	2	0.01
		208 = Centrax	1	0.01
		209 = Xanax	1	0.01
		211 = Buspar	3	0.02
		213 = Equanil	1	0.01
		220 = Meproamate, Meprospan	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME	4	0.02
		239 = Elavil [see also 228]	1	0.01
		246 = Clonopin, Klonopin	1	0.01
		271 = Zoloft	1	0.01
		422 = Motrin	1	0.01
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, etc.	1	0.01
		440 = Soma	1	0.01
		491 = PDR	1	0.01
		658 = Special K	1	0.01
		9991 = NEVER USED TRANQUILIZERS	17540	96.01
		9998 = BLANK (NO ANSWER)	691	3.78
TRNEWB	4	USED OTHER TRANQUILIZER (SECOND MENTION)		
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.01
		161 = Rohypnol, Roofies, Rope, Roples, Rufinal, etc. ...	1	0.01
		419 = Stadol	1	0.01
		456 = Lorcet HD, Lorcet Plus, Lortab [see also 434]	1	0.01
		9991 = NEVER USED TRANQUILIZERS	17540	96.01
		9998 = BLANK (NO ANSWER)	725	3.97
TRNEWC	4	USED OTHER TRANQUILIZER (THIRD MENTION)		
		494 = Zanbars [sic]	1	0.01
		9991 = NEVER USED TRANQUILIZERS	17540	96.01
		9998 = BLANK (NO ANSWER)	728	3.98
TRNEWD	4	USED OTHER TRANQUILIZER (FOURTH MENTION)		
		431 = Tylox	1	0.01
		9991 = NEVER USED TRANQUILIZERS	17540	96.01
		9998 = BLANK (NO ANSWER)	728	3.98
TRNEWE	4	USED OTHER TRANQUILIZER (FIFTH MENTION)		
		9991 = NEVER USED TRANQUILIZERS	17540	96.01
		9998 = BLANK (NO ANSWER)	729	3.99

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
		If you answered "NO" to each of the items a through i in Question T-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.		
NOTRANQ	2	NEVER USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Response circled	17141	93.83
		2 = Response not circled	599	3.28
		3 = Response circled LOGICALLY ASSIGNED	399	2.18
		4 = Response not circled LOGICALLY ASSIGNED	45	0.25
		98 = BLANK (NO ANSWER)	85	0.47
		T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS "NONMEDICALLY"		
		RANGE = 9 - 47	544	2.98
		981 = NEVER USED TRANQUILIZERS Logically assigned	38	0.21
		985 = BAD DATA Logically assigned	16	0.09
		991 = NEVER USED TRANQUILIZERS	17502	95.80
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	168	0.92
		T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANTOT	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	75	0.41
		2 = At least 101 but not more than 300 days	45	0.25
		3 = At least 12 but not more than 100 days	118	0.65
		4 = At least 3 but not more than 11 days	159	0.87
		5 = At least 1 but not more than 2 days	221	1.21
		81 = NEVER USED TRANQUILIZERS Logically assigned	7	0.04
		91 = NEVER USED TRANQUILIZERS	17533	95.97
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	110	0.60

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
		T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days	55	0.30
		2 = More than 30 days ago but within the past 12 mos .	107	0.59
		3 = More than 12 months ago but within the past 3 yrs	66	0.36
		4 = More than 3 years ago	320	1.75
		8 = Use in past year LOGICALLY ASSIGNED	69	0.38
		9 = Use in lifetime LOGICALLY ASSIGNED	27	0.15
		81 = NEVER USED TRANQUILIZERS Logically assigned	405	2.22
		91 = NEVER USED TRANQUILIZERS	17135	93.79
		98 = BLANK (NO ANSWER)	85	0.47
		T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TRNYRFRQ	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" PST 12 MO		
		1 = More than 300 days (every day or almost every day)	15	0.08
		2 = 201 to 300 days (5 to 6 days a week)	4	0.02
		3 = 101 to 200 days (3 to 4 days a week)	4	0.02
		4 = 51 to 100 days (1 to 2 days a week)	15	0.08
		5 = 25 to 50 days (3 to 4 days a month)	14	0.08
		6 = 12 to 24 days (1 to 2 days a month)	27	0.15
		7 = 6 to 11 days (less than one day a month)	23	0.13
		8 = 3 to 5 days in the past 12 months	40	0.22
		9 = 1 to 2 days in the past 12 months	84	0.46
		81 = NEVER USED TRANQUILIZERS Logically assigned	416	2.28
		83 = DID NOT USE TRANQUILIZERS PAST 12 MOS Log assn ...	38	0.21
		85 = BAD DATA Logically assigned	8	0.04
		91 = NEVER USED TRANQUILIZERS	17124	93.73
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	375	2.05
		98 = BLANK (NO ANSWER)	82	0.45

LABEL	LEN	DESCRIPTION	FREQ	%
		STIMULANTS -- ANSWER SHEET #11		
		FI CHECKPOINT K; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSTMRD	2	CAN RESP COMPLETE STIMULANTS ANS SHEET ALONE		
		1 = Yes, I think respondent can complete it alone	17473	95.64
		2 = No, I doubt that resp. can compl. it alone - SKIP	649	3.55
		96 = MULTIPLE RESPONSE	6	0.03
		98 = BLANK (NO ANSWER)	141	0.77
		ST-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
STMREAD	2	STIMULANTS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1282	7.02
		2 = Wants to complete the answer sheet on his/her own	16453	90.06
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	213	1.17
		99 = LEGITIMATE SKIP	320	1.75
		ST-1. As you read the following list of prescription stimulants, please mark one box beside each stimulant to indicate whether you have ever used that stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription stimulants, in pill or non-pill form.		
BENZ	2	EVER USED BENZEDRINE "NONMEDICALLY"		
		1 = Yes	83	0.45
		2 = No	635	3.48
		81 = NEVER USED STIMULANTS Logically assigned	193	1.06
		91 = NEVER USED STIMULANTS	17280	94.59
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	76	0.42

		STIMULANTS		
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
BIPHET	2	EVER USED BIPHETAMINE "NONMEDICALLY"		
		1 = Yes	58	0.32
		2 = No	659	3.61
		81 = NEVER USED STIMULANTS Logically assigned	196	1.07
		91 = NEVER USED STIMULANTS	17277	94.57
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	77	0.42
DEXAMYL	2	EVER USED DEXAMYL "NONMEDICALLY"		
		1 = Yes	30	0.16
		2 = No	685	3.75
		81 = NEVER USED STIMULANTS Logically assigned	197	1.08
		91 = NEVER USED STIMULANTS	17276	94.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	79	0.43
DEXED	2	EVER USED DEXEDRINE "NONMEDICALLY"		
		1 = Yes	100	0.55
		2 = No	616	3.37
		81 = NEVER USED STIMULANTS Logically assigned	201	1.10
		91 = NEVER USED STIMULANTS	17272	94.54
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	78	0.43
FASTIN	2	EVER USED FASTIN "NONMEDICALLY"		
		1 = Yes	43	0.24
		2 = No	673	3.68
		81 = NEVER USED STIMULANTS Logically assigned	197	1.08
		91 = NEVER USED STIMULANTS	17276	94.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	78	0.43
IONAMIN	2	EVER USED IONAMIN "NONMEDICALLY"		
		1 = Yes	21	0.11
		2 = No	692	3.79
		81 = NEVER USED STIMULANTS Logically assigned	197	1.08
		91 = NEVER USED STIMULANTS	17276	94.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	81	0.44
METHAMP	2	EVER USED METHAMPHETAMINE "NONMEDICALLY"		
		1 = Yes	354	1.94
		2 = No	367	2.01
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED STIMULANTS Logically assigned	197	1.08
		91 = NEVER USED STIMULANTS	17276	94.56
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	71	0.39

STIMULANTS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
METHI	2	EVER USED METHEDRINE "NONMEDICALLY"			
		1 = Yes	55	0.30	
		2 = No	656	3.59	
		81 = NEVER USED STIMULANTS Logically assigned	195	1.07	
		91 = NEVER USED STIMULANTS	17278	94.58	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	83	0.45	
PRELUDIN	2	EVER USED PRELUDIN "NONMEDICALLY"			
		1 = Yes	53	0.29	
		2 = No	656	3.59	
		81 = NEVER USED STIMULANTS Logically assigned	217	1.19	
		91 = NEVER USED STIMULANTS	17256	94.46	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	85	0.47	
STMDKNAM	2	USED STIMULANT "NONMEDICALLY", DON'T KNOW NAME			
		1 = Yes	169	0.93	
		2 = No	513	2.81	
		3 = Yes LOGICALLY ASSIGNED	2	0.01	
		81 = NEVER USED STIMULANTS Logically assigned	480	2.63	
		91 = NEVER USED STIMULANTS	16993	93.02	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	110	0.60	
STMNOLST	2	USED STIMULANT "NONMEDICALLY" NOT LISTED ABOVE			
		1 = Yes	116	0.63	
		2 = No	474	2.59	
		3 = Yes LOGICALLY ASSIGNED	93	0.51	
		81 = NEVER USED STIMULANTS Logically assigned	467	2.56	
		91 = NEVER USED STIMULANTS	17006	93.09	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	110	0.60	

		STIMULANTS			
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	----	----
STIMNEWA	4	USED OTHER STIMULANT (FIRST MENTION)			
		135 = Mini Thins	4	0.02	
		306 = Desoxyn, Methamphetamine hydrochloride	2	0.01	
		307 = Tenuate, Diethylpropion	1	0.01	
		315 = Voranil	1	0.01	
		318 = Ritalin, Methylphenidate	23	0.13	
		319 = Cylert	1	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	2	0.01	
		325 = USED STIMULANT, DON'T KNOW NAME	4	0.02	
		326 = White cross	8	0.04	
		327 = Black beauties, Black Beauty	5	0.03	
		328 = Pink hearts	5	0.03	
		329 = Bird eggs, robin's eggs, speckled eggs	2	0.01	
		331 = Blancas, Whites	2	0.01	
		332 = Ephedrine (HCl) [see also 346]	6	0.03	
		333 = 357 Magnum, Magnum 44	1	0.01	
		334 = Crossroads, cross tops	3	0.02	
		336 = Diet pills	4	0.02	
		339 = Amphetamines (speed generically)	4	0.02	
		345 = Black Molly	1	0.01	
		348 = Crystal	1	0.01	
		353 = No-Doz <OTC>	4	0.02	
		354 = Vivarin <OTC>	3	0.02	
		364 = Sinutab, Sudafed {OTC}	1	0.01	
		377 = Ventolin	1	0.01	
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.01	
		658 = Special K	1	0.01	
		807 = Alcohol, beer, ethanol, ETOH, pink champagne	1	0.01	
		814 = Caffeine	2	0.01	
		815 = Coffee	1	0.01	
		898 = Propylene	1	0.01	
		3001 = Brown and clear	1	0.01	
		3007 = Nasal inhalant	1	0.01	
		3008 = Miniwhites	1	0.01	
		3010 = KOOD12	1	0.01	
		3011 = Escalation	1	0.01	
		9900 = NOT A DRUG	1	0.01	
		9991 = NEVER USED STIMULANTS	17473	95.64	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	692	3.79	

		STIMULANTS			
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
STIMNEWB	4	USED OTHER STIMULANT (SECOND MENTION)			
		135 = Mini Thins	2	0.01	
		317 = Mazanor	1	0.01	
		318 = Ritalin, Methylphenidate	1	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	2	0.01	
		326 = White cross	3	0.02	
		327 = Black beauties, Black Beauty	3	0.02	
		329 = Bird eggs, robin's eggs, speckled eggs	1	0.01	
		330 = Blue birds, blue jays, blue robins, speckled bird	1	0.01	
		331 = Blancas, Whites	1	0.01	
		333 = 357 Magnum, Magnum 44	1	0.01	
		339 = Amphetamines (speed generically)	2	0.01	
		353 = No-Doz <OTC>	3	0.02	
		364 = Sinutab, Sudafed {OTC}	1	0.01	
		3006 = Green Amps	1	0.01	
		9991 = NEVER USED STIMULANTS	17473	95.64	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	771	4.22	
STIMNEWC	4	USED OTHER STIMULANT (THIRD MENTION)			
		326 = White cross	1	0.01	
		327 = Black beauties, Black Beauty	1	0.01	
		332 = Ephedrine (HCl) [see also 346]	1	0.01	
		814 = Caffeine	1	0.01	
		9991 = NEVER USED STIMULANTS	17473	95.64	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	790	4.32	
STIMNEWD	4	USED OTHER STIMULANT (FOURTH MENTION)			
		336 = Diet pills	1	0.01	
		9991 = NEVER USED STIMULANTS	17473	95.64	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	793	4.34	
STIMNEWE	4	USED OTHER STIMULANT (FIFTH MENTION)			
		9991 = NEVER USED STIMULANTS	17473	95.64	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	794	4.35	

LABEL	LEN	DESCRIPTION	FREQ	%
		STIMULANTS		
		If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.		
NOSTIMS	2	NEVER USED STIMULANTS "NONMEDICALLY"		
		1 = Response circled	17079	93.49
		2 = Response not circled	664	3.63
		3 = Response circled LOGICALLY ASSIGNED	394	2.16
		4 = Response not circled LOGICALLY ASSIGNED	47	0.26
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	83	0.45
		ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMAGE	3	AGE WHEN FIRST USED STIMULANTS "NONMEDICALLY"		
		RANGE = 4 - 46	625	3.42
		981 = NEVER USED STIMULANTS Logically assigned	26	0.14
		985 = BAD DATA Logically assigned	13	0.07
		991 = NEVER USED STIMULANTS	17447	95.50
		995 = BAD DATA	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	155	0.85

LABEL	LEN	DESCRIPTION	FREQ	%
		STIMULANTS		
		ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMTOT	2	# DAYS USED STIMULANTS "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	122	0.67
		2 = At least 101 but not more than 300 days	84	0.46
		3 = At least 12 but not more than 100 days	177	0.97
		4 = At least 3 but not more than 11 days	130	0.71
		5 = At least 1 but not more than 2 days	173	0.95
		81 = NEVER USED STIMULANTS Logically assigned	5	0.03
		91 = NEVER USED STIMULANTS	17468	95.62
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	108	0.59
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
STIMREC	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days	58	0.32
		2 = More than 30 days ago but within the past 12 mos .	91	0.50
		3 = More than 12 months ago but within the past 3 yrs	63	0.34
		4 = More than 3 years ago	415	2.27
		8 = Use in past year LOGICALLY ASSIGNED	60	0.33
		9 = Use in lifetime LOGICALLY ASSIGNED	24	0.13
		81 = NEVER USED STIMULANTS Logically assigned	398	2.18
		91 = NEVER USED STIMULANTS	17075	93.46
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	83	0.45

		STIMULANTS			
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
		ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?			
STMYRFRQ	2	# DAYS USED STIMULANTS "NONMEDICALLY" PST 12 MOS			
		1 = More than 300 days (every day or almost every day)	16	0.09	
		2 = 201 to 300 days (5 to 6 days a week)	10	0.05	
		3 = 101 to 200 days (3 to 4 days a week)	17	0.09	
		4 = 51 to 100 days (1 to 2 days a week)	17	0.09	
		5 = 25 to 50 days (3 to 4 days a month)	17	0.09	
		6 = 12 to 24 days (1 to 2 days a month)	17	0.09	
		7 = 6 to 11 days (less than one day a month)	27	0.15	
		8 = 3 to 5 days in the past 12 months	22	0.12	
		9 = 1 to 2 days in the past 12 months	61	0.33	
		81 = NEVER USED STIMULANTS Logically assigned	407	2.23	
		83 = DID NOT USE STIMULANTS IN PAST 12 MONTHS Log assn	27	0.15	
		85 = BAD DATA Logically assigned	5	0.03	
		91 = NEVER USED STIMULANTS	17066	93.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS	475	2.60	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	83	0.45	

		SEDATIVES		
LABEL	LEN	DESCRIPTION	FREQ	%
		SEDATIVES -- ANSWER SHEET #12		
		FI CHECKPOINT L; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSED RD	2	CAN RESP COMPLETE SEDATIVES ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	17498	95.78
		2 = No, I doubt that resp. can compl. it alone - SKIP	651	3.56
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	119	0.65
		S-0. You may complete the rest of this answer sheet on your own, or if you prefer, I'll read the questions out loud. Which do you prefer?		
SEDREAD	2	SEDATIVES - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1271	6.96
		2 = Wants to complete the answer sheet on his/her own	16496	90.30
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	183	1.00
		99 = LEGITIMATE SKIP	317	1.74
		S-1. As you read the following list of prescription sedatives, please mark one box beside each sedative to indicate whether you have ever used that sedative when it was not prescribed for you, or only for the experience or feeling it caused. Again, we are interested in all kinds of prescription sedatives, in pill or non-pill form.		
DALMANE	2	EVER USED DALMANE "NONMEDICALLY"		
		1 = Yes	29	0.16
		2 = No	317	1.74
		81 = NEVER USED SEDATIVES Logically assigned	195	1.07
		91 = NEVER USED SEDATIVES	17656	96.64
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	70	0.38

SEDATIVES					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
HALCION	2	EVER USED HALCION "NONMEDICALLY"			
		1 = Yes	45	0.25	
		2 = No	300	1.64	
		81 = NEVER USED SEDATIVES Logically assigned	199	1.09	
		91 = NEVER USED SEDATIVES	17652	96.62	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	71	0.39	
METHAQ	2	EVER USED METHAQUALONE "NONMEDICALLY"			
		1 = Yes	160	0.88	
		2 = No	190	1.04	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		81 = NEVER USED SEDATIVES Logically assigned	201	1.10	
		91 = NEVER USED SEDATIVES	17650	96.61	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	65	0.36	
NEMBUTAL	2	EVER USED NEMBUTAL "NONMEDICALLY"			
		1 = Yes	44	0.24	
		2 = No	301	1.65	
		81 = NEVER USED SEDATIVES Logically assigned	199	1.09	
		91 = NEVER USED SEDATIVES	17652	96.62	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	71	0.39	
PHENOBAR	2	EVER USED PHENOBARBITAL "NONMEDICALLY"			
		1 = Yes	65	0.36	
		2 = No	278	1.52	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		81 = NEVER USED SEDATIVES Logically assigned	201	1.10	
		91 = NEVER USED SEDATIVES	17650	96.61	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	72	0.39	
PLACIDYL	2	EVER USED PLACIDYL "NONMEDICALLY"			
		1 = Yes	42	0.23	
		2 = No	301	1.65	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		81 = NEVER USED SEDATIVES Logically assigned	200	1.09	
		91 = NEVER USED SEDATIVES	17651	96.62	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	72	0.39	
SECONAL	2	EVER USED SECONAL "NONMEDICALLY"			
		1 = Yes	77	0.42	
		2 = No	267	1.46	
		81 = NEVER USED SEDATIVES Logically assigned	202	1.11	
		91 = NEVER USED SEDATIVES	17649	96.61	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	72	0.39	

SEDATIVES					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
TUINAL	2	EVER USED TUINAL "NONMEDICALLY"			
		1 = Yes	62	0.34	
		2 = No	284	1.55	
		81 = NEVER USED SEDATIVES Logically assigned	210	1.15	
		91 = NEVER USED SEDATIVES	17641	96.56	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	70	0.38	
SEDDKNAM	2	OTHER SEDATIVE "NONMEDICALLY", DON'T KNOW NAME			
		1 = Yes	70	0.38	
		2 = No	243	1.33	
		81 = NEVER USED SEDATIVES Logically assigned	452	2.47	
		91 = NEVER USED SEDATIVES	17399	95.24	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	103	0.56	
SEDNOLST	2	OTHER SEDATIVE "NONMEDICALLY" NOT LISTED ABOVE			
		1 = Yes	38	0.21	
		2 = No	210	1.15	
		3 = Yes LOGICALLY ASSIGNED	66	0.36	
		81 = NEVER USED SEDATIVES Logically assigned	442	2.42	
		91 = NEVER USED SEDATIVES	17409	95.29	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	102	0.56	
SEDNEWA	4	USED OTHER SEDATIVE (FIRST MENTION)			
		105 = Placidyl	1	0.01	
		111 = Dalmane, Durapam	1	0.01	
		114 = Amobarbital	1	0.01	
		116 = Methaqualone, Parest, Quaalude, Sopor	2	0.01	
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01	
		121 = USED SEDATIVE, DON'T KNOW NAME	1	0.01	
		129 = Reds	1	0.01	
		138 = Mandrax [sic]	1	0.01	
		161 = Rohypnol, Roofies, Rope, Roples, Rufinal, etc. ...	2	0.01	
		201 = Valium	1	0.01	
		227 = Thorazine	1	0.01	
		275 = Loxitane	1	0.01	
		326 = White cross	1	0.01	
		362 = Benadryl	2	0.01	
		435 = Tylenol, Tylenol Extra Strength <OTC>	1	0.01	
		440 = Soma	1	0.01	
		468 = Excedrin <OTC>	1	0.01	
		843 = Antihistamine, cold tablets <OTC>	1	0.01	
		9991 = NEVER USED SEDATIVES	17851	97.71	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	395	2.16	

SEDATIVES					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
SEDNEWB	4	USED OTHER SEDATIVE (SECOND MENTION)			
		110 = Tuinal, rainbows	1	0.01	
		115 = Phenobarbital	1	0.01	
		170 = Popey [sic]	1	0.01	
		9991 = NEVER USED SEDATIVES	17851	97.71	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	413	2.26	
SEDNEWC	4	USED OTHER SEDATIVE (THIRD MENTION)			
		9991 = NEVER USED SEDATIVES	17851	97.71	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	416	2.28	
SEDNEWD	4	USED OTHER SEDATIVE (FOURTH MENTION)			
		9991 = NEVER USED SEDATIVES	17851	97.71	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	416	2.28	
SEDNEWE	4	USED OTHER SEDATIVE (FIFTH MENTION)			
		9991 = NEVER USED SEDATIVES	17851	97.71	
		9997 = REFUSED	2	0.01	
		9998 = BLANK (NO ANSWER)	416	2.28	
<p>If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.</p>					
NOSEDAT	2	NEVER USED SEDATIVES "NONMEDICALLY"			
		1 = Response circled	17439	95.46	
		2 = Response not circled	298	1.63	
		3 = Response circled LOGICALLY ASSIGNED	412	2.26	
		4 = Response not circled LOGICALLY ASSIGNED	29	0.16	
		97 = REFUSED	2	0.01	
		98 = BLANK (NO ANSWER)	89	0.49	

LABEL	LEN	DESCRIPTION	FREQ	%
		S-2. How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES "NONMEDICALLY"		
		RANGE = 8 - 50	260	1.42
		981 = NEVER USED SEDATIVES Logically assigned	23	0.13
		985 = BAD DATA Logically assigned	13	0.07
		991 = NEVER USED SEDATIVES	17828	97.59
		994 = DON'T KNOW	1	0.01
		995 = BAD DATA	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	141	0.77
		S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDTOT	2	# DAYS USED SEDATIVES "NONMEDICALLY" IN LIFE		
		1 = More than 300 days	49	0.27
		2 = At least 101 but not more than 300 days	29	0.16
		3 = At least 12 but not more than 100 days	74	0.41
		4 = At least 3 but not more than 11 days	70	0.38
		5 = At least 1 but not more than 2 days	96	0.53
		81 = NEVER USED SEDATIVES Logically assigned	5	0.03
		91 = NEVER USED SEDATIVES	17846	97.68
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	98	0.54

LABEL	LEN	DESCRIPTION	FREQ	%
		SEDATIVES		
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days	21	0.11
		2 = More than 30 days ago but within the past 12 mos .	26	0.14
		3 = More than 12 months ago but within the past 3 yrs	21	0.11
		4 = More than 3 years ago	218	1.19
		8 = Use in past year LOGICALLY ASSIGNED	31	0.17
		9 = Use in lifetime LOGICALLY ASSIGNED	10	0.05
		81 = NEVER USED SEDATIVES Logically assigned	417	2.28
		91 = NEVER USED SEDATIVES	17434	95.43
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	89	0.49
		S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SEDYRFRQ	2	# DAYS USED SEDATIVES "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	9	0.05
		2 = 201 to 300 days (5 to 6 days a week)	2	0.01
		3 = 101 to 200 days (3 to 4 days a week)	5	0.03
		4 = 51 to 100 days (1 to 2 days a week)	2	0.01
		5 = 25 to 50 days (3 to 4 days a month)	8	0.04
		6 = 12 to 24 days (1 to 2 days a month)	10	0.05
		7 = 6 to 11 days (less than one day a month)	8	0.04
		8 = 3 to 5 days in the past 12 months	9	0.05
		9 = 1 to 2 days in the past 12 months	22	0.12
		81 = NEVER USED SEDATIVES Logically assigned	422	2.31
		83 = DID NOT USE SEDATIVES IN PAST 12 MONTHS Log assn .	13	0.07
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED SEDATIVES	17429	95.40
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	236	1.29
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	87	0.48

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
IMPUTED DEMOGRAPHICS				

<p>The imputation-revised versions of age, race, ethnicity, gender, marital status, education and current work status were based on edited versions of the corresponding demographic questions on the core NHSDA answer sheet. When possible, screener data was used during the editing, however relevant data on any supplemental NHSDA answer sheet was not used.</p>				
BIRMONTH	2	BIRTH MONTH		
		RANGE = 1 - 12	18160	99.40
		98 = BLANK (NO ANSWER)	109	0.60
BIRYEAR	4	BIRTH YEAR		
		RANGE = 1901 - 1987	18160	99.40
		9998 = BLANK (NO ANSWER)	109	0.60
<p>NOTE: For some records, IRAGE will not logically agree with the age obtained by comparing the birthdate (BRTHDATE) with the interview date (INTDATE). A person's age may be inferred from many questions in the NHSDA and during editing it was determined that for some cases, the recorded birthdate was not correct.</p>				
IRAGE	2	IMPUTATION-REVISED AGE OF RESPONDENT		
		RANGE = 12 - 94	18269	100.00

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IIAGE	1	IRAGE INDICATOR		
		1 = Age from birthdate	17986	98.45
		2 = Age from cover of questionnaire	273	1.49
		3 = Age from roster	3	0.02
		4 = Age statistically imputed using age gr from roster	7	0.04
IRSEX	1	SEX - IMPUTATION REVISED		
		1 = Male	7774	42.55
		2 = Female	10495	57.45
IISEX	1	IRSEX INDICATOR		
		1 = Sex from questionnaire	18085	98.99
		2 = Sex from relationship on roster	142	0.78
		3 = Sex from roster	42	0.23
IRRACE	1	IMPUTATION-REVISED RACE OF RESPONDENT		
		1 = American Indian or Alaskan native	298	1.63
		2 = Asian or Pacific islander	499	2.73
		3 = Black	4624	25.31
		4 = White	12848	70.33
IIRACE	1	IRRACE INDICATOR		
		1 = Race from questionnaire	17395	95.22
		2 = Race from interview observation	842	4.61
		3 = Race from roster	31	0.17
		4 = Race statis imputed using race - "Other" on roster	1	0.01
IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN		
		1 = Hispanic	4841	26.50
		2 = Nonhispanic	13428	73.50
IIHOIND	1	IRHOIND INDICATOR		
		1 = Hispanicity derived from questionnaire	18208	99.67
		2 = Hispanicity derived from roster	61	0.33
IRHOGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP		
		1 = Puerto Rican	504	2.76
		2 = Mexican	3241	17.74
		3 = Cuban	202	1.11
		4 = Other	894	4.89
		99 = LEGITIMATE SKIP	13428	73.50
IIHOGRP	1	IMPUTATION INDICATOR FOR HISPANIC GROUP		
		1 = Hispanic-Origin Group taken from questionnaire ...	4750	26.00
		3 = Statistically imputed data	91	0.50
		9 = LEGITIMATE SKIP Respondent is not hispanic	13428	73.50

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRHGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican	504	2.76
		2 = Mexican	3241	17.74
		3 = Cuban	202	1.11
		4 = Other	114	0.62
		5 = Central American	430	2.35
		6 = South American	208	1.14
		7 = Caribbean	142	0.78
		99 = LEGITIMATE SKIP Respondent is not hispanic	13428	73.50
IIHGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Hispanic-Origin Group taken from questionnaire ...	4750	26.00
		3 = Statistically imputed data	91	0.50
		9 = LEGITIMATE SKIP Respondent is not hispanic	13428	73.50
IRMARIT	2	MARITAL STATUS - IMPUTATION REVISED		
		1 = Married	6219	34.04
		2 = Widowed	391	2.14
		3 = Divorced or Separated	1638	8.97
		4 = Never Married	7790	42.64
		99 = LEGITIMATE SKIP	2231	12.21
IIMARIT	1	IRMARIT INDICATOR		
		1 = Questionnaire data	15797	86.47
		3 = Statistically imputed data	64	0.35
		4 = Logically imputed data from roster	162	0.89
		5 = Statistically imputed data	15	0.08
		9 = LEGITIMATE SKIP (less than or = 14 years old)	2231	12.21
IREduc	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling	50	0.27
		1 = First grade	22	0.12
		2 = Second grade	43	0.24
		3 = Third grade	94	0.51
		4 = Fourth grade	113	0.62
		5 = Fifth grade	311	1.70
		6 = Sixth grade	1036	5.67
		7 = Seventh grade	908	4.97
		8 = Eighth grade	1099	6.02
		9 = Ninth grade	1335	7.31
		10 = Tenth grade	1331	7.29
		11 = Eleventh grade	1533	8.39
		12 = Twelfth grade	4677	25.60
		13 = Freshman/13th year	1067	5.84
		14 = Sophomore/14th year	1538	8.42
		15 = Junior/15th year	629	3.44
		16 = Senior/16th year	1539	8.42
		17 = Graduate/Professional School (or higher)	944	5.17

IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data	18183	99.53
		3 = Statistically imputed data	86	0.47
IRHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION REVISED		
		1 = Yes, graduated from high school	10662	58.36
		2 = No, did not graduate from high school	7607	41.64
IIHSGRAD	1	HIGH SCHOOL GRADUATE - IMPUTATION INDICATOR		
		1 = Questionnaire data	13592	74.40
		2 = Logically imputed data	4638	25.39
		3 = Statistically imputed data	39	0.21
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week	7515	41.14
		2 = Working part-time, less than 35 hours a week	2438	13.35
		3 = Have a job, but not at work, illness/maternity ...	101	0.55
		4 = Have a job but not at work b/c it is seasonal	71	0.39
		5 = Unemployed or laid off and looking for work	762	4.17
		6 = Unemployed or laid off and not looking for work ..	195	1.07
		7 = Full-time homemaker	1775	9.72
		8 = In school only	4523	24.76
		9 = Retired	500	2.74
		10 = Disabled for work	338	1.85
		11 = Other, in labor force	24	0.13
		12 = Other, not in labor force	27	0.15
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data	18108	99.12
		2 = Logically imputed data	128	0.70
		3 = Statistically imputed data	33	0.18

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
RECENCY OF DRUG USE				
----- -- ---- --				
IRCIGRC	1	CIGARETTE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	5331	29.18
		2 = More than 30 days ago but within the past 12 mos .	783	4.29
		3 = More than 12 months ago but within the past 3 yrs	943	5.16
		4 = More than 3 years ago	3937	21.55
		9 = Never smoked cigarettes	7275	39.82
IICIGRC	1	CIGARETTE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17275	94.56
		2 = Imputed data	779	4.26
		3 = Statistically imputed data	215	1.18
IROTBR	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	474	2.59
		2 = More than 30 days ago but within the past 12 mos .	290	1.59
		3 = More than 12 months ago but within the past 3 yrs	342	1.87
		4 = More than 3 years ago	1294	7.08
		9 = Never used smokeless tobacco	15869	86.86
IIOTBR	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17978	98.41
		3 = Statistically imputed data	291	1.59
IRALCR	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	8228	45.04
		2 = More than 30 days ago but within the past 12 mos .	2715	14.86
		3 = More than 12 months ago but within the past 3 yrs	875	4.79
		4 = More than 3 years ago	1369	7.49
		9 = Never used alcohol	5082	27.82
IIALCR	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	16825	92.10
		2 = Imputed data	1436	7.86
		3 = Statistically imputed data	8	0.04
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	1270	6.95
		2 = More than 30 days ago but within the past 12 mos .	1003	5.49
		3 = More than 12 months ago but within the past 3 yrs	665	3.64
		4 = More than 3 years ago	3162	17.31
		9 = Never used marijuana	12169	66.61
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17707	96.92
		2 = Imputed data	547	2.99
		3 = Statistically imputed data	15	0.08

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	223	1.22
		2 = More than 30 days ago but within the past 12 mos .	273	1.49
		3 = More than 12 months ago but within the past 3 yrs	228	1.25
		4 = More than 3 years ago	1185	6.49
		9 = Never used cocaine	16360	89.55
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18068	98.90
		2 = Imputed data	178	0.97
		3 = Statistically imputed data	23	0.13
IRCRKRC	1	"CRACK" RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	89	0.49
		2 = More than 30 days ago but within the past 12 mos .	88	0.48
		3 = More than 12 months ago but within the past 3 yrs	94	0.51
		4 = More than 3 years ago	230	1.26
		9 = Never used "crack"	17768	97.26
IICRKRC	1	"CRACK" RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18198	99.61
		2 = Imputed data	68	0.37
		3 = Statistically imputed data	3	0.02
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	28	0.15
		2 = More than 30 days ago but within the past 12 mos .	29	0.16
		3 = More than 12 months ago but within the past 3 yrs	16	0.09
		4 = More than 3 years ago	118	0.65
		9 = Never used heroin	18078	98.95
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18235	99.81
		2 = Imputed data	18	0.10
		3 = Statistically imputed data	16	0.09
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	183	1.00
		2 = More than 30 days ago but within the past 12 mos .	264	1.45
		3 = More than 12 months ago but within the past 3 yrs	211	1.15
		4 = More than 3 years ago	1058	5.79
		9 = Never used hallucinogens	16553	90.61
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18051	98.81
		2 = Imputed data	175	0.96
		3 = Statistically imputed data	43	0.24

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	67	0.37
		2 = More than 30 days ago but within the past 12 mos .	190	1.04
		3 = More than 12 months ago but within the past 3 yrs	217	1.19
		4 = More than 3 years ago	881	4.82
		9 = Never used LSD	16914	92.58
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18220	99.73
		3 = Statistically imputed data	49	0.27
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	12	0.07
		2 = More than 30 days ago but within the past 12 mos .	39	0.21
		3 = More than 12 months ago but within the past 3 yrs	43	0.24
		4 = More than 3 years ago	406	2.22
		9 = Never used PCP	17769	97.26
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18232	99.80
		3 = Statistically imputed data	37	0.20
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	116	0.63
		2 = More than 30 days ago but within the past 12 mos .	178	0.97
		3 = More than 12 months ago but within the past 3 yrs	134	0.73
		4 = More than 3 years ago	653	3.57
		9 = Never used inhalants	17188	94.08
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18090	99.02
		2 = Imputed data	127	0.70
		3 = Statistically imputed data	52	0.28
IRANLRC	1	ANALGESIC RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	191	1.05
		2 = More than 30 days ago but within the past 12 mos .	299	1.64
		3 = More than 12 months ago but within the past 3 yrs	147	0.80
		4 = More than 3 years ago	488	2.67
		9 = Never used analgesics	17144	93.84
IIANLRC	1	ANALGESIC RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	17950	98.25
		3 = Statistically imputed data	319	1.75

RECENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	81	0.44
		2 = More than 30 days ago but within the past 12 mos .	151	0.83
		3 = More than 12 months ago but within the past 3 yrs	72	0.39
		4 = More than 3 years ago	343	1.88
		9 = Never used tranquilizers	17622	96.46
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18088	99.01
		3 = Statistically imputed data	181	0.99
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	80	0.44
		2 = More than 30 days ago but within the past 12 mos .	130	0.71
		3 = More than 12 months ago but within the past 3 yrs	68	0.37
		4 = More than 3 years ago	437	2.39
		9 = Never used stimulants	17554	96.09
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18100	99.07
		3 = Statistically imputed data	169	0.93
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days	36	0.20
		2 = More than 30 days ago but within the past 12 mos .	42	0.23
		3 = More than 12 months ago but within the past 3 yrs	22	0.12
		4 = More than 3 years ago	227	1.24
		9 = Never used sedatives	17942	98.21
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	18137	99.28
		3 = Statistically imputed data	132	0.72

FREQUENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
FREQUENCY OF DRUG USE				
----- -- ---- ---				
IRALCFQ	2	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	491	2.69
		2 = 201 to 300 days (5 to 6 days a week).....	321	1.76
		3 = 101 to 200 days (3 to 4 days a week).....	731	4.00
		4 = 51 to 100 days (1 to 2 days a week).....	1588	8.69
		5 = 25 to 50 days (3 to 4 days a month).....	1493	8.17
		6 = 12 to 24 days (1 to 2 days a month).....	1601	8.76
		7 = 6 to 11 days (less than one day a month).....	1353	7.41
		8 = Used 3-5 days in past 12 months	1591	8.71
		9 = Used 1-2 days in past 12 months	1774	9.71
		10 = Never used or did not use in the past year	7326	40.10
IIALCFQ	1	ALCOHOL FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	10626	58.16
		2 = Imputed data	7326	40.10
		3 = Statistically imputed data	317	1.74
IRMJFQ	2	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	239	1.31
		2 = 201 to 300 days (5 to 6 days a week).....	129	0.71
		3 = 101 to 200 days (3 to 4 days a week).....	189	1.03
		4 = 51 to 100 days (1 to 2 days a week).....	205	1.12
		5 = 25 to 50 days (3 to 4 days a month).....	181	0.99
		6 = 12 to 24 days (1 to 2 days a month).....	242	1.32
		7 = 6 to 11 days (less than one day a month).....	215	1.18
		8 = Used 3-5 days in past 12 months	363	1.99
		9 = Used 1-2 days in past 12 months	510	2.79
		10 = Never used or did not use in the past year	15996	87.56
IIMJFQ	1	MARIJUANA FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	2183	11.95
		2 = Imputed data	15996	87.56
		3 = Statistically imputed data	90	0.49
IRCOCFQ	2	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	23	0.13
		2 = 201 to 300 days (5 to 6 days a week).....	18	0.10
		3 = 101 to 200 days (3 to 4 days a week).....	26	0.14
		4 = 51 to 100 days (1 to 2 days a week).....	26	0.14
		5 = 25 to 50 days (3 to 4 days a month).....	51	0.28
		6 = 12 to 24 days (1 to 2 days a month).....	45	0.25
		7 = 6 to 11 days (less than one day a month).....	56	0.31
		8 = Used 3-5 days in past 12 months	85	0.47
		9 = Used 1-2 days in past 12 months	166	0.91
		10 = Never used or did not use in the past year	17773	97.29

FREQUENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IICOCFQ	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	459	2.51
		2 = Imputed data	17773	97.29
		3 = Statistically imputed data	37	0.20
IRCRKFQ	2	"CRACK" FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	16	0.09
		2 = 201 to 300 days (5 to 6 days a week).....	9	0.05
		3 = 101 to 200 days (3 to 4 days a week).....	9	0.05
		4 = 51 to 100 days (1 to 2 days a week).....	9	0.05
		5 = 25 to 50 days (3 to 4 days a month).....	11	0.06
		6 = 12 to 24 days (1 to 2 days a month).....	23	0.13
		7 = 6 to 11 days (less than one day a month).....	19	0.10
		8 = Used 3-5 days in past 12 months	26	0.14
		9 = Used 1-2 days in past 12 months	55	0.30
		10 = Never used or did not use in the past year	18092	99.03
IICRKFQ	1	"CRACK" FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	164	0.90
		2 = Imputed data	18099	99.07
		3 = Statistically imputed data	6	0.03
IRHERFQ	2	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	5	0.03
		2 = 201 to 300 days (5 to 6 days a week).....	4	0.02
		3 = 101 to 200 days (3 to 4 days a week).....	7	0.04
		4 = 51 to 100 days (1 to 2 days a week).....	6	0.03
		5 = 25 to 50 days (3 to 4 days a month).....	3	0.02
		6 = 12 to 24 days (1 to 2 days a month).....	2	0.01
		7 = 6 to 11 days (less than one day a month).....	6	0.03
		8 = Used 3-5 days in past 12 months	7	0.04
		9 = Used 1-2 days in past 12 months	17	0.09
		10 = Never used or did not use in the past year	18212	99.69
IIHERFQ	1	HEROIN FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	52	0.28
		2 = Imputed data	18212	99.69
		3 = Statistically imputed data	5	0.03
IRHALFQ	2	HALLUCINOGENS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	6	0.03
		2 = 201 to 300 days (5 to 6 days a week).....	5	0.03
		3 = 101 to 200 days (3 to 4 days a week).....	3	0.02
		4 = 51 to 100 days (1 to 2 days a week).....	15	0.08
		5 = 25 to 50 days (3 to 4 days a month).....	20	0.11
		6 = 12 to 24 days (1 to 2 days a month).....	38	0.21
		7 = 6 to 11 days (less than one day a month).....	68	0.37
		8 = Used 3-5 days in past 12 months	84	0.46
		9 = Used 1-2 days in past 12 months	208	1.14
		10 = Never used or did not use in the past year	17822	97.55

FREQUENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IIHALFQ	1	HALLUCINOGENS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	411	2.25
		2 = Imputed data	17822	97.55
		3 = Statistically imputed data	36	0.20
IRINHFQ	2	INHALANTS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	12	0.07
		2 = 201 to 300 days (5 to 6 days a week).....	2	0.01
		3 = 101 to 200 days (3 to 4 days a week).....	5	0.03
		4 = 51 to 100 days (1 to 2 days a week).....	14	0.08
		5 = 25 to 50 days (3 to 4 days a month).....	21	0.11
		6 = 12 to 24 days (1 to 2 days a month).....	25	0.14
		7 = 6 to 11 days (less than one day a month).....	38	0.21
		8 = Used 3-5 days in past 12 months	52	0.28
		9 = Used 1-2 days in past 12 months	125	0.68
		10 = Never used or did not use in the past year	17975	98.39
IIINHFQ	1	INHALANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	279	1.53
		2 = Imputed data	17975	98.39
		3 = Statistically imputed data	15	0.08
IRANLFQ	2	ANALGESICS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	20	0.11
		2 = 201 to 300 days (5 to 6 days a week).....	11	0.06
		3 = 101 to 200 days (3 to 4 days a week).....	9	0.05
		4 = 51 to 100 days (1 to 2 days a week).....	31	0.17
		5 = 25 to 50 days (3 to 4 days a month).....	31	0.17
		6 = 12 to 24 days (1 to 2 days a month).....	28	0.15
		7 = 6 to 11 days (less than one day a month).....	59	0.32
		8 = Used 3-5 days in past 12 months	103	0.56
		9 = Used 1-2 days in past 12 months	198	1.08
		10 = Never used or did not use in the past year	17779	97.32
IIANLFQ	1	ANALGESICS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	472	2.58
		2 = Imputed data	17779	97.32
		3 = Statistically imputed data	18	0.10
IRTRNFQ	2	TRANQUILIZERS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	15	0.08
		2 = 201 to 300 days (5 to 6 days a week).....	4	0.02
		3 = 101 to 200 days (3 to 4 days a week).....	6	0.03
		4 = 51 to 100 days (1 to 2 days a week).....	15	0.08
		5 = 25 to 50 days (3 to 4 days a month).....	14	0.08
		6 = 12 to 24 days (1 to 2 days a month).....	27	0.15
		7 = 6 to 11 days (less than one day a month).....	25	0.14
		8 = Used 3-5 days in past 12 months	40	0.22
		9 = Used 1-2 days in past 12 months	86	0.47
		10 = Never used or did not use in the past year	18037	98.73

FREQUENCY OF DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IITRNFQ	1	TRANQUILIZERS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	226	1.24
		2 = Imputed data	18037	98.73
		3 = Statistically imputed data	6	0.03
IRSTMFQ	2	STIMULANTS FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	17	0.09
		2 = 201 to 300 days (5 to 6 days a week).....	10	0.05
		3 = 101 to 200 days (3 to 4 days a week).	17	0.09
		4 = 51 to 100 days (1 to 2 days a week)... ..	18	0.10
		5 = 25 to 50 days (3 to 4 days a month).....	18	0.10
		6 = 12 to 24 days (1 to 2 days a month).....	18	0.10
		7 = 6 to 11 days (less than one day a month).....	27	0.15
		8 = Used 3-5 days in past 12 months	23	0.13
		9 = Used 1-2 days in past 12 months	62	0.34
		10 = Never used or did not use in the past year	18059	98.85
IISTMFQ	1	STIMULANTS FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	204	1.12
		2 = Imputed data	18059	98.85
		3 = Statistically imputed data	6	0.03
IRSEDFQ	2	SEDATIVES FREQUENCY - IMPUTATION REVISED		
		1 = More than 300 days (every day or almost every day)	9	0.05
		2 = 201 to 300 days (5 to 6 days a week).....	2	0.01
		3 = 101 to 200 days (3 to 4 days a week).....	5	0.03
		4 = 51 to 100 days (1 to 2 days a week).....	2	0.01
		5 = 25 to 50 days (3 to 4 days a month).....	9	0.05
		6 = 12 to 24 days (1 to 2 days a month).....	10	0.05
		7 = 6 to 11 days (less than one day a month).....	8	0.04
		8 = Used 3-5 days in past 12 months	10	0.05
		9 = Used 1-2 days in past 12 months	23	0.13
		10 = Never used or did not use in the past year	18191	99.57
IISEDFAQ	1	SEDATIVES FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data	75	0.41
		2 = Imputed data	18191	99.57
		3 = Statistically imputed data	3	0.02

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 years	4538	24.84
		2 = 18-25 years	4366	23.90
		3 = 26-34 years	5262	28.80
		4 = 35+ years	4103	22.46
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 years	4538	24.84
		2 = 18-25 years	4366	23.90
		3 = 26+ years	9365	51.26
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 years	4538	24.84
		2 = 18-25 years	4366	23.90
		3 = 26-34 years	5262	28.80
		4 = 35-49 years	2877	15.75
		5 = 50+ years	1226	6.71
RACE	1	RACE/HISPANIC-ORIGIN RECODE		
		1 = White (IRRACE = 4 and IRHOIND = 2)	8481	46.42
		2 = Black (IRRACE = 3 and IRHOIND = 2)	4372	23.93
		3 = Hispanic (IRHOIND = 1)	4841	26.50
		4 = Other (IRRACE = 1-2 and IRHOIND = 2)	575	3.15
HISPRACE	1	RACE ETHNICITY		
		1 = Hispanic	4841	26.50
		2 = Nonhispanic Black	4372	23.93
		3 = Nonhispanic Nonblack	9056	49.57
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school (IREduc=0-11 and IRAGE=>18)	3404	18.63
		2 = High school graduate (IREduc = 12 and IRAGE=>18) .	4614	25.26
		3 = Some college (IREduc = 13-15 and IRAGE => 18)	3230	17.68
		4 = College graduate (IREduc = 16-17 and IRAGE => 18)	2483	13.59
		5 = 12-17 year olds (IRAGE = 12-17)	4538	24.84
EMPSTAT2	1	EMPLOYMENT STATUS RECODE		
		1 = Full-time (IRWORKST = 1,3 and IRAGE => 18)	7534	41.24
		2 = Part-time (IRWORKST = 2 and IRAGE => 18)	1880	10.29
		3 = Unemployed (IRWORKST = 4,5,6,11 and IRAGE => 18) .	959	5.25
		4 = Other (IRWORKST = 7,8,9,10,12 and IRAGE => 18) ...	3358	18.38
		5 = 12-17 year olds (IRAGE = 12-17)	4538	24.84

RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MARISTAT	1	MARITAL STATUS RECODE		
		1 = Married (IRMARIT=1)	6219	34.04
		2 = Not Married (IRMARIT=2,3,4)	9819	53.75
		3 = LEGITIMATE SKIP (IRMARIT=99)	2231	12.21
NOTMAR	1	NOT MARRIED STATUS		
		1 = Never Married (IRMARIT=4)	7790	42.64
		2 = Divorced/Separated or Widowed (IRMARIT=2,3)	2029	11.11
		3 = Married/Legitimate Skip (IRMARIT=1,99)	8450	46.25

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED DRUG USE				

CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9)	7275	39.82
		1 = Ever used (IRCIGRC = 1-4)	10994	60.18
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 3,4,9) ...	12155	66.53
		1 = Used within the past year (IRCIGRC = 1,2)	6114	33.47
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-4,9) ..	12938	70.82
		1 = Used within the past month (IRCIGRC = 1)	5331	29.18
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IROTBRC = 9)	15869	86.86
		1 = Ever used (IROTBRC = 1-4)	2400	13.14
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IROTBRC = 3,4,9) ...	17505	95.82
		1 = Used within the past year (IROTBRC = 1,2)	764	4.18
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IROTBRC = 2-4,9) ..	17795	97.41
		1 = Used within the past month (IROTBRC = 1)	474	2.59
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9)	5082	27.82
		1 = Ever used (IRALCRC = 1-4)	13187	72.18
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 3,4,9) ...	7326	40.10
		1 = Used within the past year (IRALCRC = 1,2)	10943	59.90
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-4,9) ..	10041	54.96
		1 = Used within the past month (IRALCRC = 1)	8228	45.04
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9)	12169	66.61
		1 = Ever used (IRMJRC = 1-4)	6100	33.39
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 3,4,9)	15996	87.56
		1 = Used within the past year (IRMJRC = 1,2)	2273	12.44

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
MRJMON	1	MARIJUANA - PAST MONTH USE			
		0 = Did not use in the past month (IRMJRC = 2-4,9) ...	16999	93.05	
		1 = Used within the past month (IRMJRC = 1)	1270	6.95	
COCFLAG	1	COCAINE - EVER USED			
		0 = Never used (IRCOCRC = 9)	16360	89.55	
		1 = Ever used (IRCOCRC = 1-4)	1909	10.45	
COCYR	1	COCAINE - PAST YEAR USE			
		0 = Did not use in the past year (IRCOCRC = 3,4,9) ...	17773	97.29	
		1 = Used within the past year (IRCOCRC = 1,2)	496	2.71	
COCMON	1	COCAINE - PAST MONTH USE			
		0 = Did not use in the past month (IRCOCRC = 2-4,9) ..	18046	98.78	
		1 = Used within the past month (IRCOCRC = 1)	223	1.22	
CRKFLAG	1	"CRACK" - EVER USED			
		0 = Never used (IRCRKRC = 9)	17768	97.26	
		1 = Ever used (IRCRKRC = 1-4)	501	2.74	
CRKYR	1	"CRACK" - PAST YEAR USE			
		0 = Did not use in the past year (IRCRKRC= 3,4,9)	18092	99.03	
		1 = Used within the past year (IRCRKRC = 1,2)	177	0.97	
CRKMON	1	"CRACK" - PAST MONTH USE			
		0 = Did not use in the past month (IRCRKRC = 2-4,9) ..	18180	99.51	
		1 = Used within the past month (IRCRKRC = 1)	89	0.49	
HERFLAG	1	HEROIN - EVER USED			
		0 = Never used (IRHERRC = 9)	18078	98.95	
		1 = Ever used (IRHERRC = 1-4)	191	1.05	
HERYR	1	HEROIN - PAST YEAR USE			
		0 = Did not use in the past year (IRHERRC = 3,4,9) ...	18212	99.69	
		1 = Used within the past year (IRHERRC = 1,2)	57	0.31	
HERMON	1	HEROIN - PAST MONTH USE			
		0 = Did not use in the past month (IRHERRC = 2-4,9) ..	18241	99.85	
		1 = Used within the past month (IRHERRC = 1)	28	0.15	
HALFLAG	1	HALLUCINOGENS - EVER USED			
		0 = Never used (IRHALRC = 9)	16553	90.61	
		1 = Ever used (IRHALRC = 1-4)	1716	9.39	
HALYR	1	HALLUCINOGENS - PAST YEAR USE			
		0 = Did not use in the past year (IRHALRC = 3,4,9) ...	17822	97.55	
		1 = Used within the past year (IRHALRC = 1,2)	447	2.45	

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-4,9) ..	18086	99.00
		1 = Used within the past month (IRHALRC = 1)	183	1.00
LSDFLAG	1	LSD - EVER USED		
		0 = Never used (IRLSDRC = 9)	16914	92.58
		1 = Ever used (IRLSDRC = 1-4)	1355	7.42
LSDYR	1	LSD - PAST YEAR USE		
		0 = Did not use in the past year (IRLSDRC = 3,4,9) ...	18012	98.59
		1 = Used within the past year (IRLSDRC = 1,2)	257	1.41
LSDMON	1	LSD - PAST MONTH USE		
		0 = Did not use in the past month (IRLSDRC = 2-4,9) ..	18202	99.63
		1 = Used within the past month (IRLSDRC = 1)	67	0.37
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9)	17769	97.26
		1 = Ever used (IRPCPRC = 1-4)	500	2.74
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 3,4,9) ...	18218	99.72
		1 = Used within the past year (IRPCPRC = 1,2)	51	0.28
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-4,9) ..	18257	99.93
		1 = Used within the past month (IRPCPRC = 1)	12	0.07
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9)	17188	94.08
		1 = Ever used (IRINHRC = 1-4)	1081	5.92
INHHR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 3,4,9) ...	17975	98.39
		1 = Used within the past year (IRINHRC = 1,2)	294	1.61
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 2-4,9) ..	18153	99.37
		1 = Used within the past month (IRINHRC = 1)	116	0.63
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9)	17144	93.84
		1 = Ever used (IRANLRC = 1-4)	1125	6.16
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 3,4,9) ...	17779	97.32
		1 = Used within the past year (IRANLRC = 1,2)	490	2.68

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
ANLMON	1	ANALGESICS - PAST MONTH USE			
		0 = Did not use in the past month (IRANLRC = 2-4,9) ..	18078	98.95	
		1 = Used within the past month (IRANLRC = 1)	191	1.05	
TRQFLAG	1	TRANQUILIZERS - EVER USED			
		0 = Never used (IRTRNRC = 9)	17622	96.46	
		1 = Ever used (IRTRNRC = 1-4)	647	3.54	
TRQYR	1	TRANQUILIZERS - PAST YEAR USE			
		0 = Did not use in the past year (IRTRNRC = 3,4,9) ...	18037	98.73	
		1 = Used within the past year (IRTRNRC = 1,2)	232	1.27	
TRQMON	1	TRANQUILIZERS - PAST MONTH USE			
		0 = Did not use in the past month (IRTRNRC = 2-4,9) ..	18188	99.56	
		1 = Used within the past month (IRTRNRC = 1)	81	0.44	
STMFLAG	1	STIMULANTS - EVER USED			
		0 = Never used (IRSTMRC = 9)	17554	96.09	
		1 = Ever used (IRSTMRC = 1-4)	715	3.91	
STMYR	1	STIMULANTS - PAST YEAR USE			
		0 = Did not use in the past year (IRSTMRC = 3,4,9) ...	18059	98.85	
		1 = Used within the past year (IRSTMRC = 1,2)	210	1.15	
STMMON	1	STIMULANTS - PAST MONTH USE			
		0 = Did not use in the past month (IRSTMRC = 2-4,9) ..	18189	99.56	
		1 = Used within the past month (IRSTMRC = 1)	80	0.44	
SEDFLAG	1	SEDATIVES - EVER USED			
		0 = Never used (IRSEDRC = 9)	17942	98.21	
		1 = Ever used (IRSEDRC = 1-4)	327	1.79	
SEDYR	1	SEDATIVES - PAST YEAR USE			
		0 = Did not use in the past year (IRSEDRC = 3,4,9) ...	18191	99.57	
		1 = Used within the past year (IRSEDRC = 1,2)	78	0.43	
SEDMON	1	SEDATIVES - PAST MONTH USE			
		0 = Did not use in the past month (IRSEDRC = 2-4,9) ..	18233	99.80	
		1 = Used within the past month (IRSEDRC = 1)	36	0.20	
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR			
		0 = Never used or not used in past year (IRALCFQ=10) .	7326	40.10	
		1 = Any use within the past year (IRALCFQ=1-9)	10943	59.90	
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR			
		0 = Did not use monthly/more past year (IRALCFQ=7-10)	12044	65.93	
		1 = Used monthly or more often past year (IRALCFQ=1-6)	6225	34.07	

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly or more pst year (IRALCFQ=5-10) 1 = Used weekly or more in past year (IRALCFQ=1-4) ...	15138 3131	82.86 17.14	
ALCOCCF	1	ALCOHOL OCCASIONAL FLAG 0 = Used monthly/more or none pst yr (IRALCFQ=1-6,10) 1 = Used past year but less than monthly (IRALCFQ=7-9)	13551 4718	74.17 25.83	
ALCDLYF	1	ALCOHOL DAILY/ALMOST FLAG 0 = Did not use daily/almost dly pst yr (IRALCFQ=4-10) 1 = Used daily/almost daily in past year (IRALCFQ=1-3)	16726 1543	91.55 8.45	
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR 0 = Never used or did not use in past year (IRMJFQ=10) 1 = Any use within the past year (IRMJFQ=1-9)	15996 2273	87.56 12.44	
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRMJFQ=7-10) . 1 = Used monthly or more in past year (IRMJFQ=1-6) ...	17084 1185	93.51 6.49	
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly/more past year (IRMJFQ=5-10) .. 1 = Used weekly or more in past year (IRMJFQ=1-4)	17507 762	95.83 4.17	
MRJOCFF	1	MARIJUANA OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRMJFQ=1-6,10) 1 = Used past year but less than monthly (IRMJFQ=7-9)	17181 1088	94.04 5.96	
MRJDLYF	1	MARIJUANA DAILY/ALMOST FLAG 0 = Did not use daily/almost daily pst yr (IRMJFQ=4-10) 1 = Used daily/almost daily in past year (IRMJFQ=1-3)	17712 557	96.95 3.05	
COCYRF	1	COCAINE - ANY USE PAST YEAR 0 = Never used or did not use in pst year (IRCOCFQ=10) 1 = Any use within the past year (IRCOCFQ = 1-9)	17773 496	97.29 2.71	
COCMONF	1	COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRCOCFQ=7-10) 1 = Used monthly or more often past year (IRCOCFQ=1-6)	18080 189	98.97 1.03	
COCWKF	1	COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly or more pst year (IRCOCFQ=5-10) 1 = Used weekly or more often past year (IRCOCFQ=1-4)	18176 93	99.49 0.51	
COCOCCF	1	COCAINE OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRCOCFQ=1-6,9) 1 = Used past year but less than monthly (IRCOCFQ=7-9)	17962 307	98.32 1.68	

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
COCDLYF	1	COCAINE DAILY/ALMOST DAILY FLAG			
		0 = Did not use daily/almost dly pst yr(IRCOCFQ=4-10)	18202	99.63	
		1 = Used daily/almost daily in past year (IRCOCFQ=1-3)	67	0.37	
CRKYRF	1	"CRACK" YEAR FLAG			
		0 = Never used or did not use in pst year (IRCRKFQ=10)	18092	99.03	
		1 = Any use within the past year (IRCRKFQ = 1-9)	177	0.97	
CRKMONF	1	"CRACK" MONTH FLAG			
		0 = Did not use monthly/more past year (IRCRKFQ=7-10)	18192	99.58	
		1 = Used monthly or more often past year (IRCRKFQ=1-6)	77	0.42	
CRKWKF	1	"CRACK" WEEK FLAG			
		0 = Did not use weekly or more pst year (IRCRKFQ=5-10)	18226	99.76	
		1 = Used weekly or more often past year (IRCRKFQ=1-4)	43	0.24	
CRKOCFF	1	"CRACK" OCCASIONAL FLAG			
		0 = Used monthly/more or none in pst yr(IRCRKFQ=1-6,9)	18169	99.45	
		1 = Used past year but less than monthly (IRCRKFQ=7-9)	100	0.55	
CRKDLYF	1	"CRACK" DAILY/ALMOST DAILY FLAG			
		0 = Did not use daily/almost dly pst yr(IRCRKFQ=4-10)	18235	99.81	
		1 = Used daily/almost daily in past year (IRCRKFQ=1-3)	34	0.19	
HERYRF	1	HEROIN YEAR FLAG			
		0 = Never used or did not use in pst year (IRHERFQ=10)	18212	99.69	
		1 = Any use within the past year (IRHERFQ=1-9)	57	0.31	
HERMONF	1	HEROIN MONTH FLAG			
		0 = Did not use monthly/more past year (IRHERFQ=7-9) .	18242	99.85	
		1 = Used monthly or more often past year (IRHERFQ=1-6)	27	0.15	
HERWKF	1	HEROIN WEEK FLAG			
		0 = Did not use weekly or more pst year (IRHERFQ=5-10)	18247	99.88	
		1 = Used weekly or more often past year (IRHERFQ=1-4)	22	0.12	
HEROCCF	1	HEROIN OCCASIONAL FLAG			
		0 = Used monthly/more or none pst yr(IRHERFQ=1-6,10) .	18239	99.84	
		1 = Used past year but less than monthly (IRHERFQ=7-9)	30	0.16	
HERDLYF	1	HEROIN DAILY/ALMOST DAILY FLAG			
		0 = Did not use daily/almost daly pst yr(IRHERFQ=4-10)	18253	99.91	
		1 = Used daily/almost daily in past year (IRHERFQ=1-3)	16	0.09	
HALYRF	1	HALLUCINOGENS YEAR FLAG			
		0 = Never used or did not use in pst year (IRHALFQ=10)	17822	97.55	
		1 = Any use within the past year (IRHALFQ=1-9)	447	2.45	

RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
HALMONF	1	HALLUCINOGENS MONTH FLAG		
		0 = Did not use monthly/more past year (IRHALFQ=7-10)	18182	99.52
		1 = Used monthly or more often past year (IRHALFQ=1-6)	87	0.48
HALWKF	1	HALLUCINOGENS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRHALFQ=5-10)	18240	99.84
		1 = Used weekly or more often past year (IRHALFQ=1-4)	29	0.16
HALOCCF	1	HALLUCINOGENS OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr(IRHALFQ=1-6,10)	17909	98.03
		1 = Used past year but less than monthly (IRHALFQ=7-9)	360	1.97
HALDLYF	1	HALLUCINOGENS DAILY/ALMOST DAILY FLAG		
		0 = Did not use daily/almost dly pst yr(IRHALFQ=4-10)	18255	99.92
		1 = Used daily/almost daily in past year (IRHALFQ=1-3)	14	0.08
INHRYF	1	INHALANTS YEAR FLAG		
		0 = Never used or did not use in pst year (IRINHFQ=10)	17975	98.39
		1 = Any use within the past year (IRINHFQ=1-9)	294	1.61
INHMONT	1	INHALANTS MONTH FLAG		
		0 = Did not use monthly/more past year (IRINHFQ=7-10)	18190	99.57
		1 = Used monthly or more often past year (IRINHFQ=1-6)	79	0.43
INHWF	1	INHALANTS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRINHFQ=5-10)	18236	99.82
		1 = Used weekly or more often past year (IRINHFQ=1-4)	33	0.18
INHOCCF	1	INHALANTS OCCASIONAL FLAG		
		0 = Used monthly/more or none pst yr(IRINHFQ=1-6,10)	18054	98.82
		1 = Used past year but less than monthly (IRINHFQ=7-9)	215	1.18
INHDLF	1	INHALANTS DAILY/ALMOST FLAG		
		0 = Did not use daily/almost dly pst yr(IRINHFQ=4-10)	18250	99.90
		1 = Used daily/almost daily in past year (IRINHFQ=1-3)	19	0.10
ANLYRF	1	ANALGESICS YEAR FLAG		
		0 = Never used or did not use in pst year (IRANLFQ=10)	17779	97.32
		1 = Any use within the past year (IRANLFQ=1-9)	490	2.68
ANLMOF	1	ANALGESICS MONTH FLAG		
		0 = Did not use monthly/more past year (IRANLFQ=7-10)	18139	99.29
		1 = Used monthly or more often past year (IRANLFQ=1-6)	130	0.71
ANLWF	1	ANALGESICS WEEK FLAG		
		0 = Did not use weekly or more pst year (IRANLFQ=5-10)	18198	99.61
		1 = Used weekly or more often past year (IRANLFQ=1-4)	71	0.39

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
ANLOCCF	1	ANALGESICS OCCASIONAL FLAG 0 = Used monthly/more or none pst yr(IRANLFQ=1-6,10) . 1 = Used past year but less than monthly (IRANLFQ=7-9)	17909 360	98.03 1.97	
ANLDLYF	1	ANALGESICS DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost dly pst yr(IRANLFQ=4-10) 1 = Used daily/almost daily in past year (IRANLFQ=1-3)	18229 40	99.78 0.22	
TRQYRF	1	TRANQUILIZERS YEAR FLAG 0 = Never used or did not use in pst year (IRTRNFQ=10) 1 = Any use within the past year (IRTRNFQ=1-9)	18037 232	98.73 1.27	
TRQMONF	1	TRANQUILIZERS MONTH FLAG 0 = Did not use monthly/more past year (IRTRNFQ=7-10) 1 = Used monthly or more often past year (IRTRNFQ=1-6)	18188 81	99.56 0.44	
TRQWKF	1	TRANQUILIZERS WEEK FLAG 0 = Did not use weekly or more pst year (IRTRNFQ=5-10) 1 = Used weekly or more often past year (IRTRNFQ=1-4)	18229 40	99.78 0.22	
TRQOCCF	1	TRANQUILIZERS OCCASIONAL FLAG 0 = Used monthly/more or none pst yr(IRTRNFQ=1-6,10) . 1 = Used past year but less than monthly (IRTRNFQ=7-9)	18118 151	99.17 0.83	
TRQDLYF	1	TRANQUILIZERS DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost dly pst yr(IRTRNFQ=4-10) 1 = Used daily/almost daily in past year (IRTRNFQ=1-3)	18244 25	99.86 0.14	
STMYRF	1	STIMULANTS YEAR FLAG 0 = Never used or did not use in pst year (IRSTMFQ=10) 1 = Any use within the past year (IRSTMFQ=1-9)	18059 210	98.85 1.15	
STMMONF	1	STIMULANTS MONTH FLAG 0 = Did not use monthly/more past year (IRSTMFQ=7-10) 1 = Used monthly or more often past year (IRSTMFQ=1-6)	18171 98	99.46 0.54	
STMWKF	1	STIMULANTS WEEK FLAG 0 = Did not use weekly or more pst year (IRSTMFQ=5-10) 1 = Used weekly or more often past year (IRSTMFQ=1-4)	18207 62	99.66 0.34	
STMOCCF	1	STIMULANTS OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr(IRSTMFQ=1-6,9) 1 = Used past year but less than monthly (IRSTMFQ=7-9)	18157 112	99.39 0.61	
STMDLYF	1	STIMULANTS DAILY/ALMOST DAILY FLAG 0 = Did not use daily/almost dly pst yr(IRSTMFQ=4-10) 1 = Used daily/almost daily in past year (IRSTMFQ=1-3)	18225 44	99.76 0.24	

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
SEDYRF	1	SEDATIVES YEAR FLAG			
		0 = Never used or did not use in pst year (IRSEDFQ=10)	18191	99.57	
		1 = Any use within the past year (IRSEDFQ=1-9)	78	0.43	
SEDMONF	1	SEDATIVES MONTH FLAG			
		0 = Did not use monthly/more past year (IRSEDFQ=7-10)	18232	99.80	
		1 = Used monthly or more often past year (IRSEDFQ=1-6)	37	0.20	
SEDWKF	1	SEDATIVES WEEK FLAG			
		0 = Did not use weekly or more pst year (IRSEDFQ=5-10)	18251	99.90	
		1 = Used weekly or more often past year (IRSEDFQ=1-4)	18	0.10	
SEDOCCF	1	SEDATIVES OCCASIONAL FLAG			
		0 = Used monthly/more or none pst yr(IRSEDFQ=1-6,10) .	18228	99.78	
		1 = Used past year but less than monthly (IRSEDFQ=7-9)	41	0.22	
SEDDLYF	1	SEDATIVES DAILY/ALMOST DAILY FLAG			
		0 = Did not use daily/almost dly pst yr(IRSEDFQ=4-10)	18253	99.91	
		1 = Used daily/almost daily in past year (IRSEDFQ=1-3)	16	0.09	

The following three variables were created by examination of IRSEDFQ(Q.S-4), IRTRNRC(Q.T-4), IRSTMRC(Q.ST-4), and IRANLRC(Q.AN-4).

PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED			
		0 = Never used (ALL SOURCE VARIABLES = 9)	16530	90.48	
		1 = Ever used (ANY SOURCE VARIABLE < 9)	1739	9.52	
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE			
		0 = Did not use within past year (ALL SOURCE VARS > 2)	17567	96.16	
		1 = Used in past year (ANY SOURCE VARIABLE < 3)	702	3.84	
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE			
		0 = Did not use in past month (ALL SOURCE VARS > 1) ..	17965	98.34	
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	304	1.66	

The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

SUMFLAG	1	ANY ILLICIT DRUG - EVER USED			
		0 = Never used (ALL SOURCE VARIABLES = 0)	11505	62.98	
		1 = Ever used (ANY SOURCE VARIABLE = 1)	6764	37.02	

LABEL	LEN	DESCRIPTION	FREQ	%
		RECODED DRUG USE		
		The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.		
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS =0)	15481	84.74
		1 = Used in past year (ANY SOURCE VARIABLE = 1)	2788	15.26
		The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.		
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0) ..	16678	91.29
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	1591	8.71
		The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
MJOFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & anothr illct drug	15143	82.89
		1 = Marijuana is only (illicit) drug ever used	3126	17.11
		The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYYR2.		
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & othr drug past yr ..	16812	92.02
		1 = Marijuana is only (illicit) drug in past year	1457	7.98
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past mnth/Used MJ & othr drug past mo	17354	94.99
		1 = Marijuana only (illicit) drug in past month	915	5.01

LABEL	LEN	DESCRIPTION	FREQ	%
		RECODED DRUG USE		
		The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana	14631	80.09
		1 = Illicit drug except for marijuana are ever used ..	3638	19.91
		The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYR2.		
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year	16938	92.71
		1 = Illicit drug except for marijuana used past year .	1331	7.29
		The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA-PAST MONTH USED		
		0 = Never used drug/used only marijuana past month ...	17593	96.30
		1 = Illicit drug except for marijuana used past month	676	3.70
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS		
		99 = Unknown (DR5DAY = 85,94,95,98)	686	3.75
		0 = Never/No "Binge" ALC use (DR5DAY=0,81,83,90,91,93)	14704	80.49
		1 = "Binge" alcohol use (DR5DAY = 1-30)	2879	15.76
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS		
		99 = Unknown (DR5DAY = 85,94,95,98)	686	3.75
		0 = Never/No heavy ALC use(DR5DAY=0-4,81,83,90,91,93)	16525	90.45
		1 = Heavy alcohol use (DR5DAY = 5-30)	1058	5.79
		The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON.		
BINGEHVY	1	LEVEL OF ALCOHOL USE PAST 30 DAYS		
		99 = Unknown	686	3.75
		1 = Heavy alcohol use	1058	5.79
		2 = "Binge" alcohol use but not heavy use	1821	9.97
		3 = Past 30 day alcohol use but not "binge" use	4663	25.52
		4 = Did not use alcohol in the past 30 days	10041	54.96

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
PEYOTE2	1	EVER USED PEYOTE			
		0 = No/Unknown (PEYOTE=2,81,91,94,97,98)	18069	98.91	
		1 = Yes (PEYOTE=1)	200	1.09	
MESC2	1	EVER USED MESC			
		0 = No/Unknown (MESC=2,81,91,94,97,98)	17911	98.04	
		1 = Yes (MESC=1)	358	1.96	
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)			
		0 = No/Unknown (PSILCY=2,81,91,94,97,98)	17450	95.52	
		1 = Yes (PSILCY=1,3)	819	4.48	
ECSTASY2	1	EVER USED "ECSTASY" (MDMA)			
		0 = No/Unknown (ECSTASY=2,81,91,94,97,98)	17962	98.32	
		1 = Yes (ECSTASY=1)	307	1.68	
METHAMP2	1	EVER USED METHAMPHETAMINE "NONMEDICALLY"			
		0 = No/Unknown (METHAMP=2,81,91,97,98)	17910	98.03	
		1 = Yes (METHAMP=1,3)	359	1.97	
HERSMOK2	1	EVER SMOKED HEROIN			
		0 = No/Unknown (HERSMOKE=2,85,89,97,98,99)	18158	99.39	
		1 = Yes (HERSMOKE=1,3)	111	0.61	
HERSNIF2	1	EVER SNIFFED HEROIN			
		0 = No/Unknown (HERSNIFF=2,4,85,89,97,98,99)	18140	99.29	
		1 = Yes (HERSNIFF=1,3)	129	0.71	
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.			
		0 = No/Unknown (AMYLNIT=2,81,91,97,98)	17899	97.97	
		1 = Yes (AMYLNIT=1,3)	370	2.03	
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.			
		0 = No/Unknown (CLEFLU=2,81,91,97,98)	18144	99.32	
		1 = Yes (CLEFLU=1,3)	125	0.68	
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID			
		0 = No/Unknown (GAS=2,81,91,97,98)	18073	98.93	
		1 = Yes (GAS=1,3)	196	1.07	
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE			
		0 = No/Unknown (GLUE=2,81,91,97,98)	18054	98.82	
		1 = Yes (GLUE=1,3)	215	1.18	
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC			
		0 = No/Unknown (ETHER=2,81,91,97,98)	18227	99.77	
		1 = Yes (ETHER=1,3)	42	0.23	

RECODED DRUG USE					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS			
		0 = No/Unknown (SOLVENT=2,81,91,97,98)	18149	99.34	
		1 = Yes (SOLVENT=1)	120	0.66	
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)			
		0 = No/Unknown (LGAS=2,81,91,97,98)	18193	99.58	
		1 = Yes (LGAS=1)	76	0.42	
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS"			
		0 = No/Unknown (NITOXID=2,81,91,97,98)	17809	97.48	
		1 = Yes (NITOXID=1)	460	2.52	
SPPAINT2	1	EVER INHALED SPRAY PAINTS			
		0 = No/Unknown (SPPAINT=2,81,91,97,98)	18124	99.21	
		1 = Yes (SPPAINT=1,3)	145	0.79	
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS			
		0 = No/Unknown (AEROS=2,81,91,97,98)	18168	99.45	
		1 = Yes (AEROS=1,3)	101	0.55	

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
SELECTED UNEDITED VARIABLES				

C-4. How long has it been since you last smoked a cigarette?				
CG04	2	TIME SINCE LAST SMOKED A CIGARETTE		
		1 = Within the past 30 days	4551	24.91
		2 = More than 30 days ago but within the past 12 mos .	1037	5.68
		3 = More than 12 months ago but within the past 3 yrs	1052	5.76
		4 = More than 3 years ago	4103	22.46
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED CIGARETTES	7247	39.67
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	274	1.50
C-12. How long has it been since you last used chewing tobacco or snuff?				
CG12	2	TIME SINCE LAST USED SMOKELESS TOBACCO		
		1 = Within the past 30 days	458	2.51
		2 = More than 30 days ago but within the past 12 mos .	284	1.55
		3 = More than 12 months ago but within the past 3 yrs	331	1.81
		4 = More than 3 years ago	1248	6.83
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED SMOKELESS TOBACCO	15636	85.59
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	308	1.69
A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?				
AL03	2	TIME SINCE LAST DRANK AN ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days	7275	39.82
		2 = More than 30 days ago but within the past 12 mos .	2948	16.14
		3 = More than 12 months ago but within the past 3 yrs	1373	7.52
		4 = More than 3 years ago	1559	8.53
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED ALCOHOL	5068	27.74
		98 = BLANK (NO ANSWER)	44	0.24

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?		
AL04	2	# DAYS HAD ALCOHOLIC BEVERAGE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	449	2.46
		2 = 201 to 300 days (5 to 6 days a week)	303	1.66
		3 = 101 to 200 days (3 to 4 days a week)	689	3.77
		4 = 51 to 100 days (1 to 2 days a week)	1520	8.32
		5 = 25 to 50 days (3 to 4 days a month)	1467	8.03
		6 = 12 to 24 days (1 to 2 days a month)	1542	8.44
		7 = 6 to 11 days (less than one day a month)	1326	7.26
		8 = 3 to 5 days in the past 12 months	1544	8.45
		9 = 1 to 2 days in the past 12 months	1743	9.54
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED ALCOHOL	5093	27.88
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	2562	14.02
		98 = BLANK (NO ANSWER)	30	0.16
		M-4. How long has it been since you last used marijuana or hashish?		
MJ04	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days	978	5.35
		2 = More than 30 days ago but within the past 12 mos .	933	5.11
		3 = More than 12 months ago but within the past 3 yrs	920	5.04
		4 = More than 3 years ago	3253	17.81
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED MARIJUANA	12139	66.45
		98 = BLANK (NO ANSWER)	43	0.24

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?		
MJ05	2	# DAYS USED MARIJUANA/HASHISH IN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	232	1.27
		2 = 201 to 300 days (5 to 6 days a week)	123	0.67
		3 = 101 to 200 days (3 to 4 days a week)	183	1.00
		4 = 51 to 100 days (1 to 2 days a week)	198	1.08
		5 = 25 to 50 days (3 to 4 days a month)	175	0.96
		6 = 12 to 24 days (1 to 2 days a month)	231	1.26
		7 = 6 to 11 days (less than one day a month)	206	1.13
		8 = 3 to 5 days in the past 12 months	346	1.89
		9 = 1 to 2 days in the past 12 months	490	2.68
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED MARIJUANA	11968	65.51
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	3821	20.92
		95 = BAD DATA	1	0.01
		98 = BLANK (NO ANSWER)	293	1.60
		CN-4. How long has it been since you last used any form of cocaine?		
CC04	2	TIME SINCE LAST USED COCAINE (IN ANY FORM)		
		1 = Within the past 30 days	131	0.72
		2 = More than 30 days ago but within the past 12 mos .	234	1.28
		3 = More than 12 months ago but within the past 3 yrs	277	1.52
		4 = More than 3 years ago	1228	6.72
		85 = BAD DATA Logically assigned	1	0.01
		91 = NEVER USED COCAINE	16334	89.41
		98 = BLANK (NO ANSWER)	64	0.35

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?		
CC05	2	# DAYS USED COCAINE PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	16	0.09
		2 = 201 to 300 days (5 to 6 days a week)	17	0.09
		3 = 101 to 200 days (3 to 4 days a week)	22	0.12
		4 = 51 to 100 days (1 to 2 days a week)	24	0.13
		5 = 25 to 50 days (3 to 4 days a month)	45	0.25
		6 = 12 to 24 days (1 to 2 days a month)	34	0.19
		7 = 6 to 11 days (less than one day a month)	47	0.26
		8 = 3 to 5 days in the past 12 months	81	0.44
		9 = 1 to 2 days in the past 12 months	146	0.80
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED COCAINE	16063	87.92
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	1410	7.72
		98 = BLANK (NO ANSWER)	362	1.98
		CK-4. How long has it been since you last used "crack?"		
CK04	2	TIME SINCE LAST USED "CRACK"		
		1 = Within the past 30 days	53	0.29
		2 = More than 30 days ago but within the past 12 mos .	75	0.41
		3 = More than 12 months ago but within the past 3 yrs	131	0.72
		4 = More than 3 years ago	237	1.30
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	17694	96.85
		98 = BLANK (NO ANSWER)	77	0.42

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
		CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"		
CK05	2	# DAYS USED "CRACK" IN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	17	0.09
		2 = 201 to 300 days (5 to 6 days a week)	10	0.05
		3 = 101 to 200 days (3 to 4 days a week)	9	0.05
		4 = 51 to 100 days (1 to 2 days a week)	9	0.05
		5 = 25 to 50 days (3 to 4 days a month)	11	0.06
		6 = 12 to 24 days (1 to 2 days a month)	22	0.12
		7 = 6 to 11 days (less than one day a month)	17	0.09
		8 = 3 to 5 days in the past 12 months	23	0.13
		9 = 1 to 2 days in the past 12 months	48	0.26
		85 = BAD DATA Logically assigned	2	0.01
		91 = NEVER USED "CRACK"	17404	95.27
		93 = DID NOT USE "CRACK" IN THE PAST 12 MONTHS	322	1.76
		98 = BLANK (NO ANSWER)	375	2.05
		H-4. How long has it been since you last used heroin?		
HE04	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days	16	0.09
		2 = More than 30 days ago but within the past 12 mos	29	0.16
		3 = More than 12 months ago but within the past 3 yrs	27	0.15
		4 = More than 3 years ago	115	0.63
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED HEROIN	18000	98.53
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	76	0.42

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?		
HE05	2	# DAYS USED HEROIN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	4	0.02
		2 = 201 to 300 days (5 to 6 days a week)	5	0.03
		3 = 101 to 200 days (3 to 4 days a week)	5	0.03
		4 = 51 to 100 days (1 to 2 days a week)	6	0.03
		5 = 25 to 50 days (3 to 4 days a month)	3	0.02
		6 = 12 to 24 days (1 to 2 days a month)	2	0.01
		7 = 6 to 11 days (less than one day a month)	5	0.03
		8 = 3 to 5 days in the past 12 months	6	0.03
		9 = 1 to 2 days in the past 12 months	17	0.09
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED HEROIN	17684	96.80
		93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	142	0.78
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	385	2.11
		L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?		
LS04	2	TIME SINCE LAST USED LSD/PCP/OTHR HALLUCINOGENS		
		1 = Within the past 30 days	83	0.45
		2 = More than 30 days ago but within the past 12 mos .	242	1.32
		3 = More than 12 months ago but within the past 3 yrs	268	1.47
		4 = More than 3 years ago	1093	5.98
		85 = BAD DATA Logically assigned	5	0.03
		91 = NEVER USED HALLUCINOGENS	16352	89.51
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	225	1.23

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
		L-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?		
LS05	2	# DAYS USED HALLUCINOGENS PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	6	0.03
		2 = 201 to 300 days (5 to 6 days a week)	5	0.03
		3 = 101 to 200 days (3 to 4 days a week)	3	0.02
		4 = 51 to 100 days (1 to 2 days a week)	11	0.06
		5 = 25 to 50 days (3 to 4 days a month)	18	0.10
		6 = 12 to 24 days (1 to 2 days a month)	32	0.18
		7 = 6 to 11 days (less than one day a month)	63	0.34
		8 = 3 to 5 days in the past 12 months	79	0.43
		9 = 1 to 2 days in the past 12 months	194	1.06
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED HALLUCINOGENS	16361	89.56
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS ..	1266	6.93
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	227	1.24
		L-7. Now think only about LSD. How long has it been since you last used LSD?		
LS07	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days	65	0.36
		2 = More than 30 days ago but within the past 12 mos .	188	1.03
		3 = More than 12 months ago but within the past 3 yrs	211	1.15
		4 = More than 3 years ago	857	4.69
		85 = BAD DATA Logically assigned	3	0.02
		91 = NEVER USED LSD	16701	91.42
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	242	1.32

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		L-8. Now think only about PCP. How long has it been since you last used PCP?		
LS08	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days	12	0.07
		2 = More than 30 days ago but within the past 12 mos .	37	0.20
		3 = More than 12 months ago but within the past 3 yrs	43	0.24
		4 = More than 3 years ago	388	2.12
		85 = BAD DATA Logically assigned	4	0.02
		91 = NEVER USED PCP	17463	95.59
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	321	1.76
		IN-4. How long has it been since you last used any inhalant for kicks or to get high?		
IN04	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days	54	0.30
		2 = More than 30 days ago but within the past 12 mos .	142	0.78
		3 = More than 12 months ago but within the past 3 yrs	175	0.96
		4 = More than 3 years ago	674	3.69
		85 = BAD DATA Logically assigned	11	0.06
		91 = NEVER USED INHALANTS	16911	92.57
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	301	1.65
		IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?		
IN05	2	# DAYS USED INHALANTS IN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	13	0.07
		2 = 201 to 300 days (5 to 6 days a week)	2	0.01
		3 = 101 to 200 days (3 to 4 days a week)	5	0.03
		4 = 51 to 100 days (1 to 2 days a week)	14	0.08
		5 = 25 to 50 days (3 to 4 days a month)	19	0.10
		6 = 12 to 24 days (1 to 2 days a month)	26	0.14
		7 = 6 to 11 days (less than one day a month)	36	0.20
		8 = 3 to 5 days in the past 12 months	50	0.27
		9 = 1 to 2 days in the past 12 months	116	0.63
		85 = BAD DATA Logically assigned	10	0.05
		91 = NEVER USED INHALANTS	16918	92.60
		93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	777	4.25
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	282	1.54

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
PK04	2	TIME SINCE LAST USED PAIN KILLERS "NONMEDICALLY"		
		1 = Within the past 30 days	135	0.74
		2 = More than 30 days ago but within the past 12 mos .	199	1.09
		3 = More than 12 months ago but within the past 3 yrs	200	1.09
		4 = More than 3 years ago	476	2.61
		85 = BAD DATA Logically assigned	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	17251	94.43
		PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
PK05	2	# DAYS USED PAIN KILLERS "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	19	0.10
		2 = 201 to 300 days (5 to 6 days a week)	11	0.06
		3 = 101 to 200 days (3 to 4 days a week)	9	0.05
		4 = 51 to 100 days (1 to 2 days a week)	30	0.16
		5 = 25 to 50 days (3 to 4 days a month)	31	0.17
		6 = 12 to 24 days (1 to 2 days a month)	28	0.15
		7 = 6 to 11 days (less than one day a month)	54	0.30
		8 = 3 to 5 days in the past 12 months	100	0.55
		9 = 1 to 2 days in the past 12 months	190	1.04
		85 = BAD DATA Logically assigned	4	0.02
		93 = DID NOT USE PAIN KILLERS IN THE PAST 12 MONTHS ...	570	3.12
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	17221	94.26

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TR04	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days	55	0.30
		2 = More than 30 days ago but within the past 12 mos .	107	0.59
		3 = More than 12 months ago but within the past 3 yrs	99	0.54
		4 = More than 3 years ago	354	1.94
		85 = BAD DATA Logically assigned	6	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17647	96.60
		T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?		
TR05	2	# DAYS USED TRANQUILIZERS "NONMEDICALLY" PST 12 MO		
		1 = More than 300 days (every day or almost every day)	15	0.08
		2 = 201 to 300 days (5 to 6 days a week)	4	0.02
		3 = 101 to 200 days (3 to 4 days a week)	4	0.02
		4 = 51 to 100 days (1 to 2 days a week)	15	0.08
		5 = 25 to 50 days (3 to 4 days a month)	14	0.08
		6 = 12 to 24 (1 to 2 days a month)	27	0.15
		7 = 6 to 11 days (less than one day a month)	23	0.13
		8 = 3 to 5 days in the past 12 months	40	0.22
		9 = 1 to 2 days in the past 12 months	84	0.46
		85 = BAD DATA Logically assigned	6	0.03
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	407	2.23
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17629	96.50

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ST04	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days	58	0.32
		2 = More than 30 days ago but within the past 12 mos .	91	0.50
		3 = More than 12 months ago but within the past 3 yrs	92	0.50
		4 = More than 3 years ago	445	2.44
		85 = BAD DATA Logically assigned	4	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	17577	96.21
		ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?		
ST05	2	# DAYS USED STIMULANTS "NONMEDICALLY" PST 12 MOS		
		1 = More than 300 days (every day or almost every day)	16	0.09
		2 = 201 to 300 days (5 to 6 days a week)	10	0.05
		3 = 101 to 200 days (3 to 4 days a week)	17	0.09
		4 = 51 to 100 days (1 to 2 days a week)	17	0.09
		5 = 25 to 50 days (3 to 4 days a month)	17	0.09
		6 = 12 to 24 days (1 to 2 days a month)	17	0.09
		7 = 6 to 11 days (less than one day a month)	27	0.15
		8 = 3 to 5 days in the past 12 months	22	0.12
		9 = 1 to 2 days in the past 12 months	61	0.33
		85 = BAD DATA Logically assigned	3	0.02
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS	503	2.75
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	17557	96.10

SELECTED UNEDITED VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SE04	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days	21	0.11
		2 = More than 30 days ago but within the past 12 mos .	26	0.14
		3 = More than 12 months ago but within the past 3 yrs	33	0.18
		4 = More than 3 years ago	237	1.30
		85 = BAD DATA Logically assigned	5	0.03
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	17945	98.23
		S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?		
SE05	2	# DAYS USED SEDATIVE "NONMEDICALLY" PAST 12 MONTHS		
		1 = More than 300 days (every day or almost every day)	9	0.05
		2 = 201 to 300 days (5 to 6 days a week)	2	0.01
		3 = 101 to 200 days (3 to 4 days a week)	5	0.03
		4 = 51 to 100 days (1 to 2 days a week)	2	0.01
		5 = 25 to 50 days (3 to 4 days a month)	8	0.04
		6 = 12 to 24 days (1 to 2 days a month)	10	0.05
		7 = 6 to 11 days (less than one day a month)	8	0.04
		8 = 3 to 5 days in the past 12 months	9	0.05
		9 = 1 to 2 days in the past 12 months	22	0.12
		85 = BAD DATA Logically assigned	5	0.03
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	259	1.42
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	17928	98.13

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE SPECIAL DRUGS -- ANSWER SHEET #13		
		FI CHECKPOINT M; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSDRD	2	CAN RESP COMPLETE SPECIAL DRUGS ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	17446	95.50
		2 = No, I doubt that resp. can compl. it alone - SKIP	657	3.60
		96 = MULTIPLE RESPONSE	2	0.01
		98 = BLANK (NO ANSWER)	164	0.90
		SD-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
SDREAD	2	SPECIAL DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1359	7.44
		2 = Wants to complete the answer sheet on his/her own	16357	89.53
		98 = BLANK (NO ANSWER)	232	1.27
		99 = LEGITIMATE SKIP	321	1.76
		SD-1. Have you ever, even once, used heroin in any form?		
HRANYFRM	2	*EVER USED HEROIN		
		1 = Yes	179	0.98
		2 = No	17698	96.87
		3 = Yes LOGICALLY ASSIGNED	34	0.19
		4 = No LOGICALLY ASSIGNED	85	0.47
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	272	1.49

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-2. Have you ever, even once, smoked heroin?		
HERSMOKE	2	*EVER SMOKED HEROIN		
		1 = Yes	99	0.54
		2 = No	277	1.52
		3 = Yes LOGICALLY ASSIGNED	12	0.07
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	540	2.96
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	95	0.52
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	17243	94.38
		SD-3. How long has it been since you last smoked heroin?		
HRSMKREC	2	*TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days	9	0.05
		2 = More than 30 days ago but within the past 12 mos .	12	0.07
		3 = More than 12 months ago but within the past 3 yrs	18	0.10
		4 = More than 3 years ago	55	0.30
		9 = Use in lifetime LOGICALLY ASSIGNED	17	0.09
		83 = USED HEROIN BUT NEVER SMOKED IT Logically assigned	5	0.03
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	189	1.03
		93 = USED HEROIN BUT NEVER SMOKED IT	104	0.57
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	263	1.44
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	17594	96.31
		SD-4. Have you ever, even once, sniffed ("snorted") heroin powder through your nose?		
HERSNIFF	2	*EVER SNIFFED HEROIN		
		1 = Yes	123	0.67
		2 = No	74	0.41
		3 = Yes LOGICALLY ASSIGNED	6	0.03
		4 = No LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	195	1.07
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	279	1.53
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	17588	96.27

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-5. How long has it been since you last sniffed ("snorted") heroin powder through your nose?		
HRSNFREC	2	*TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days	10	0.05
		2 = More than 30 days ago but within the past 12 mos .	22	0.12
		3 = More than 12 months ago but within the past 3 yrs	20	0.11
		4 = More than 3 years ago	70	0.38
		9 = Use in lifetime LOGICALLY ASSIGNED	7	0.04
		83 = USED HEROIN BUT NEVER SNIFFED IT Log assn	6	0.03
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (HRANYFRM=2,4)	98	0.54
		93 = USED HEROIN BUT NEVER SNIFFED IT	62	0.34
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	286	1.57
		99 = LEGITIMATE SKIP (HRANYFRM = 2, 4)	17685	96.80
		SD-6. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?		
GNNDLLIF	2	*EVER USED A NEEDLE TO INJECT DRUGS		
		1 = Yes	169	0.93
		2 = No	17792	97.39
		3 = Yes LOGICALLY ASSIGNED	14	0.08
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	293	1.60
		SD-7. Have you ever, even once, used a needle to inject cocaine?		
COCNEEDL	2	*EVER USED A NEEDLE TO INJECT COCAINE		
		1 = Yes	104	0.57
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	265	1.45
		91 = NEVER USED COCAINE	135	0.74
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	44	0.24
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	191	1.05
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17527	95.94

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-8. How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days	7	0.04
		2 = More than 30 days ago but within the past 12 mos .	10	0.05
		3 = More than 12 months ago but within the past 3 yrs	16	0.09
		4 = More than 3 years ago	71	0.39
		9 = Use in lifetime LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED COCAINE Logically assigned	41	0.22
		83 = USED COCAINE BUT NEVER WITH A NEEDLE Log assn	8	0.04
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	214	1.17
		91 = NEVER USED COCAINE	94	0.51
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	36	0.20
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	191	1.05
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17578	96.22
		SD-9. Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	*EVER USED A NEEDLE TO INJECT HEROIN		
		1 = Yes	77	0.42
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED HEROIN Logically assigned	121	0.66
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	223	1.22
		91 = NEVER USED HEROIN	153	0.84
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	10	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	110	0.60
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17569	96.17

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-10. How long has it been since you last used a needle to inject heroin?		
HRNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days	5	0.03
		2 = More than 30 days ago but within the past 12 mos .	6	0.03
		3 = More than 12 months ago but within the past 3 yrs	9	0.05
		4 = More than 3 years ago	57	0.31
		9 = Use in lifetime LOGICALLY ASSIGNED	3	0.02
		81 = NEVER USED HEROIN Logically assigned	121	0.66
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	250	1.37
		91 = NEVER USED HEROIN	153	0.84
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	10	0.05
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	110	0.60
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17542	96.02
		SD-11. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNEEDLE	2	*EVER USED A NEEDLE TO INJECT A STIMULANT		
		1 = Yes	65	0.36
		3 = Yes LOGICALLY ASSIGNED	21	0.11
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn .	2	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	239	1.31
		91 = NEVER USED STIMULANTS	134	0.73
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	22	0.12
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	232	1.27
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17553	96.08

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-12. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?		
STNDLREC	2	*TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		1 = Within the past 30 days	7	0.04
		2 = More than 30 days ago but within the past 12 mos	4	0.02
		3 = More than 12 months ago but within the past 3 yrs	15	0.08
		4 = More than 3 years ago	58	0.32
		9 = Use in lifetime LOGICALLY ASSIGNED	2	0.01
		81 = NEVER USED STIMULANTS Logically assigned	7	0.04
		83 = USED STIMULANTS BUT NEVER WITH A NEEDLE Log assn	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	228	1.25
		91 = NEVER USED STIMULANTS	127	0.70
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE	23	0.13
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	232	1.27
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17564	96.14

SD-13. Now think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

GNNdreus	2	*LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes	59	0.32
		2 = No	136	0.74
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	77	0.42
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	281	1.54
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17715	96.97

SD-14. The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

GNNdLsh1	2	*LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes	41	0.22
		2 = No	153	0.84
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	129	0.71
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	281	1.54
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17663	96.68

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		SD-15. The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
GNNDCLEN	2	*USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes	44	0.24
		2 = No	151	0.83
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	113	0.62
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	281	1.54
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17679	96.77
		SD-16. The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	*SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes	39	0.21
		2 = No	158	0.86
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	113	0.62
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	279	1.53
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17679	96.77
		SD-17. The last time you used a needle for injecting drugs, how did you get the needle? PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.		
GNNNDGET	2	*PLACE YOU GOT THE NEEDLE LAST TIME		
		1 = I bought the needle from a pharmacy	60	0.33
		2 = I got the needle from a needle exchange	4	0.02
		3 = I bought the needle on the street	23	0.13
		4 = I got the needle in a shooting gallery	6	0.03
		5 = I got the needle some other way	60	0.33
		85 = BAD DATA Logically assigned	7	0.04
		89 = LEGITIMATE SKIP Logically assigned (GNNDLLIF = 2)	39	0.21
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	315	1.72
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17753	97.18

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
GNNNDGTSP	2	*GOT LAST NEEDLE SOME OTHER WAY		
		6 = Given by, stolen from a friend	20	0.11
		8 = Given by, stolen from someone, relation unspecified	8	0.04
		13 = I bought the needle on the street	1	0.01
		15 = Given by, stolen from medical facility/professionl	5	0.03
		16 = Given by, stolen from work	1	0.01
		17 = Given by, stolen from a pharmacy	1	0.01
		18 = Bought, given, stolen from place/location unspecif	3	0.02
		19 = Homemade/self-made needle	1	0.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	435	2.38
		99 = LEGITIMATE SKIP (GNNDLLIF = 2)	17792	97.39

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY				
LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE RISK/AVAILABILITY -- ANSWER SHEET #14		
		FI CHECKPOINT N; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPRSKRD	2	CAN RESP. COMPLETE RISK/AVAIL. ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	17424	95.37
		2 = No, I doubt that resp. can compl. it alone - SKIP	665	3.64
		96 = MULTIPLE RESPONSE	17	0.09
		98 = BLANK (NO ANSWER)	163	0.89
RSKREAD	2	RISK/AVAILABILITY - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1472	8.06
		2 = Wants to complete the answer sheet on his/her own	16228	88.83
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	248	1.36
		99 = LEGITIMATE SKIP	318	1.74
		R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?		
		(If you're not sure, mark the box for the amount of risk that comes closest to what you think might be true for that activity. MARK ONE BOX ON EACH LINE.)		
RSKPKCIG	2	*RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk	465	2.55
		2 = Slight risk	1295	7.09
		3 = Moderate risk	4364	23.89
		4 = Great risk	12047	65.94
		94 = DON'T KNOW	15	0.08
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	68	0.37

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
RSKMJOCC	2	*RISK IF SMOKE MARIJUANA ONCE A MONTH		
		1 = No risk	1977	10.82
		2 = Slight risk	4132	22.62
		3 = Moderate risk	4772	26.12
		4 = Great risk	7200	39.41
		94 = DON'T KNOW	30	0.16
		96 = MULTIPLE RESPONSE	30	0.16
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	124	0.68
RSKMJREG	2	*RISK IF SMOKE MARIJUANA ONCE OR TWICE A WEEK		
		1 = No risk	1108	6.06
		2 = Slight risk	2290	12.53
		3 = Moderate risk	4337	23.74
		4 = Great risk	10134	55.47
		94 = DON'T KNOW	30	0.16
		96 = MULTIPLE RESPONSE	17	0.09
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	349	1.91
RKCOCOCC	2	*RISK IF USE COCAINE ONCE A MONTH		
		1 = No risk	513	2.81
		2 = Slight risk	1365	7.47
		3 = Moderate risk	3592	19.66
		4 = Great risk	12608	69.01
		94 = DON'T KNOW	33	0.18
		96 = MULTIPLE RESPONSE	30	0.16
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	124	0.68
RKCOCREG	2	*RISK IF USE COCAINE ONCE OR TWICE A WEEK		
		1 = No risk	372	2.04
		2 = Slight risk	392	2.15
		3 = Moderate risk	1612	8.82
		4 = Great risk	15509	84.89
		94 = DON'T KNOW	33	0.18
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	335	1.83
RK5DRINK	2	*RISK OF HAVING 4 TO 5 DRINKS NEARLY EVERY DAY		
		1 = No risk	462	2.53
		2 = Slight risk	973	5.33
		3 = Moderate risk	3275	17.93
		4 = Great risk	13395	73.32
		94 = DON'T KNOW	20	0.11
		96 = MULTIPLE RESPONSE	17	0.09
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	123	0.67

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY

LABEL	LEN	DESCRIPTION	FREQ	%
RSKBINGE	2	*RISK OF HAVING FIVE+ DRINKS ONCE OR TWICE A WEEK		
		1 = No risk	783	4.29
		2 = Slight risk	2366	12.95
		3 = Moderate risk	5486	30.03
		4 = Great risk	9424	51.58
		94 = DON'T KNOW	18	0.10
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	180	0.99

R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? (MARK ONE BOX ON EACH LINE.)

RSKDIFMJ	2	*DIFFICULTY OF GETTING MARIJUANA		
		1 = Probably impossible	2968	16.25
		2 = Very difficult	1867	10.22
		3 = Fairly difficult	1623	8.88
		4 = Fairly easy	4326	23.68
		5 = Very easy	7177	39.29
		94 = DON'T KNOW	144	0.79
		96 = MULTIPLE RESPONSE	18	0.10
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	139	0.76

RKDIFCOC	2	*DIFFICULTY OF GETTING COCAINE		
		1 = Probably impossible	4099	22.44
		2 = Very difficult	2830	15.49
		3 = Fairly difficult	2724	14.91
		4 = Fairly easy	3826	20.94
		5 = Very easy	4423	24.21
		94 = DON'T KNOW	175	0.96
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	174	0.95

RKDIFCRK	2	*DIFFICULTY OF GETTING "CRACK"		
		1 = Probably impossible	4609	25.23
		2 = Very difficult	3145	17.21
		3 = Fairly difficult	2587	14.16
		4 = Fairly easy	3265	17.87
		5 = Very easy	4274	23.39
		94 = DON'T KNOW	184	1.01
		96 = MULTIPLE RESPONSE	17	0.09
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	181	0.99

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE RISK/AVAILABILITY				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
RKDIFHER	2	*DIFFICULTY OF GETTING HEROIN		
		1 = Probably impossible	5487	30.03
		2 = Very difficult	3613	19.78
		3 = Fairly difficult	2812	15.39
		4 = Fairly easy	2802	15.34
		5 = Very easy	3156	17.28
		94 = DON'T KNOW	194	1.06
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	187	1.02

R-3. In the past 30 days, has anyone approached you to sell you an illegal drug?

RKSELL	2	*SOMEONE APPROACH YOU TO SELL ILLEGAL DRUG PAST MO		
		1 = Yes	1985	10.87
		2 = No	15996	87.56
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	272	1.49

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE DRUGS -- ANSWER SHEET #15		
		FI CHECKPOINT 0; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPDRGRD	2	CAN RESPONDENT COMPLETE DRUGS ANS. SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	17437	95.45
		2 = No, I doubt that resp. can complt. it alone - SKIP	663	3.63
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	168	0.92
		DR-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
DRGREAD	2	DRUGS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1460	7.99
		2 = Wants to complete the answer sheet on his/her own	16251	88.95
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	237	1.30
		99 = LEGITIMATE SKIP	320	1.75
		All the questions on this answer sheet refer to the past 12 months -- that is, since your 12-month reference date.		
		DR-1. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months.		
USEDICIG	2	*USED CIGARETTES PAST 12 MONTHS		
		1 = Yes	5660	30.98
		2 = No	12413	67.95
		3 = Yes LOGICALLY ASSIGNED	72	0.39
		4 = No LOGICALLY ASSIGNED	63	0.34
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	57	0.31

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
USEDALC	2	*USED ALCOHOL PAST 12 MONTHS			
		1 = Yes	9636	52.75	
		2 = No	8449	46.25	
		3 = Yes LOGICALLY ASSIGNED	56	0.31	
		4 = No LOGICALLY ASSIGNED	69	0.38	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	55	0.30	
USEDMRJ	2	*USED MARIJUANA/HASHISH PAST 12 MONTHS			
		1 = Yes	1967	10.77	
		2 = No	16035	87.77	
		3 = Yes LOGICALLY ASSIGNED	113	0.62	
		4 = No LOGICALLY ASSIGNED	69	0.38	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	81	0.44	
USEDCOC	2	*USED COCAINE (INCLUDING "CRACK") PAST 12 MONTHS			
		1 = Yes	343	1.88	
		2 = No	17623	96.46	
		3 = Yes LOGICALLY ASSIGNED	137	0.75	
		4 = No LOGICALLY ASSIGNED	71	0.39	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	91	0.50	
USEDHER	2	*USED HEROIN PAST 12 MONTHS			
		1 = Yes	68	0.37	
		2 = No	17887	97.91	
		3 = Yes LOGICALLY ASSIGNED	136	0.74	
		4 = No LOGICALLY ASSIGNED	72	0.39	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	102	0.56	
USEDHAL	2	*USED HALLUCINOGENS (LSD,PCP,ETC.) PAST 12 MONTHS			
		1 = Yes	323	1.77	
		2 = No	17676	96.75	
		3 = Yes LOGICALLY ASSIGNED	117	0.64	
		4 = No LOGICALLY ASSIGNED	69	0.38	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	80	0.44	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
USEDINH	2	*USED INHALANTS (GLUE, SPRAY PAINT, ETC) PST 12 MOS		
		1 = Yes	200	1.09
		2 = No	17790	97.38
		3 = Yes LOGICALLY ASSIGNED	121	0.66
		4 = No LOGICALLY ASSIGNED	67	0.37
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	87	0.48
USEDANL	2	*USED PAIN KILLERS (CODEINE, ETC.) PAST 12 MONTHS		
		1 = Yes	500	2.74
		2 = No	17502	95.80
		3 = Yes LOGICALLY ASSIGNED	114	0.62
		4 = No LOGICALLY ASSIGNED	69	0.38
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	80	0.44
USEDTRN	2	*USED TRANQUILIZERS (VALIUM, ETC) PAST 12 MONTHS		
		1 = Yes	213	1.17
		2 = No	17772	97.28
		3 = Yes LOGICALLY ASSIGNED	118	0.65
		4 = No LOGICALLY ASSIGNED	72	0.39
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	90	0.49
USEDSTM	2	*USED STIMULANTS ("SPEED," ETC.) PAST 12 MONTHS		
		1 = Yes	178	0.97
		2 = No	17821	97.55
		3 = Yes LOGICALLY ASSIGNED	116	0.63
		4 = No LOGICALLY ASSIGNED	68	0.37
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	82	0.45
USEDSED	2	*USED SEDATIVES (METHAQUALONE, ETC.) PAST 12 MONTHS		
		1 = Yes	99	0.54
		2 = No	17903	98.00
		3 = Yes LOGICALLY ASSIGNED	115	0.63
		4 = No LOGICALLY ASSIGNED	70	0.38
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	78	0.43

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
		If you answered "NO" to each of the items a through k in question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2.		
NODRUGYR	2	*DID NOT USE DRUGS IN PAST 12 MONTHS		
		1 = Response circled	7097	38.85
		2 = Response not circled	10368	56.75
		3 = Response circled LOGICALLY ASSIGNED	260	1.42
		4 = Response not circled LOGICALLY ASSIGNED	501	2.74
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	40	0.22
		DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.		
GRTMCIG	2	*SPENT MONTH OR MORE ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	2348	12.85
		2 = No	8071	44.18
		4 = No LOGICALLY ASSIGNED	280	1.53
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	606	3.32
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	208	1.14
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6751	36.95
GRTMALC	2	*SPENT MONTH OR MORE ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	1546	8.46
		2 = No	8926	48.86
		4 = No LOGICALLY ASSIGNED	83	0.45
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	582	3.19
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	353	1.93
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6775	37.08

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
GRTMMRJ	2	*SPENT MONTH OR MORE ON MARIJUANA/HASH PST 12 MOS		
		1 = Yes	644	3.53
		2 = No	9708	53.14
		4 = No LOGICALLY ASSIGNED	460	2.52
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	566	3.10
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6791	37.17
GRTMCO	2	*SPENT MONTH OR MORE ON COCAINE, "CRACK" PST 12 MO		
		1 = Yes	101	0.55
		2 = No	10219	55.94
		4 = No LOGICALLY ASSIGNED	514	2.81
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	559	3.06
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	74	0.41
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6798	37.21
GRTMHER	2	*SPENT MONTH OR MORE ON HEROIN PAST 12 MONTHS		
		1 = Yes	27	0.15
		2 = No	10286	56.30
		4 = No LOGICALLY ASSIGNED	526	2.88
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	549	3.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6808	37.27
GRTMHAL	2	*SPENT MONTH OR MORE ON HALLUCINOGENS PAST 12 MOS		
		1 = Yes	99	0.54
		2 = No	10227	55.98
		4 = No LOGICALLY ASSIGNED	515	2.82
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	546	2.99
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.37
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6811	37.28
GRTMINH	2	*SPENT MONTH OR MORE ON INHALANTS PAST 12 MONTH		
		1 = Yes	37	0.20
		2 = No	10284	56.29
		4 = No LOGICALLY ASSIGNED	517	2.83
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	541	2.96
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6816	37.31

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
GRTMANL	2	*SPENT MONTH OR MORE ON PAIN KILLERS PAST 12 MOS		
		1 = Yes	81	0.44
		2 = No	10244	56.07
		4 = No LOGICALLY ASSIGNED	512	2.80
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	539	2.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6818	37.32
GRTMTRN	2	*SPENT MONTH OR MORE ON TRANQUILIZERS PAST 12 MOS		
		1 = Yes	45	0.25
		2 = No	10271	56.22
		4 = No LOGICALLY ASSIGNED	519	2.84
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	534	2.92
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	73	0.40
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6823	37.35
GRTMSTM	2	*SPENT MONTH OR MORE ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	59	0.32
		2 = No	10260	56.16
		4 = No LOGICALLY ASSIGNED	519	2.84
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	531	2.91
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6826	37.36
GRTMSED	2	*SPENT MONTH OR MORE ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	24	0.13
		2 = No	10298	56.37
		4 = No LOGICALLY ASSIGNED	517	2.83
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	530	2.90
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6827	37.37

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
		DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.			
LAMTCIG	2	*USED CIG MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes	2146	11.75	
		2 = No	8202	44.90	
		4 = No LOGICALLY ASSIGNED	317	1.74	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	420	2.30	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	243	1.33	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6937	37.97	
LAMTALC	2	*USED ALCOHOL MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes	1516	8.30	
		2 = No	8888	48.65	
		4 = No LOGICALLY ASSIGNED	86	0.47	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	418	2.29	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	418	2.29	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6939	37.98	
LAMTMRJ	2	*USED MJ/HASH MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes	503	2.75	
		2 = No	9783	53.55	
		4 = No LOGICALLY ASSIGNED	519	2.84	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	417	2.28	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	103	0.56	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6940	37.99	
LAMTCOC	2	*USED COCAINE MORE OFTEN THAN INTENDED PAST 12 MOS			
		1 = Yes	110	0.60	
		2 = No	10151	55.56	
		4 = No LOGICALLY ASSIGNED	579	3.17	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	417	2.28	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	68	0.37	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6940	37.99	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
LAMTHER	2	*USED HEROIN MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	23	0.13
		2 = No	10234	56.02
		4 = No LOGICALLY ASSIGNED	588	3.22
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	416	2.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	63	0.34
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6941	37.99
LAMTHAL	2	*USED HALL MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	74	0.41
		2 = No	10183	55.74
		4 = No LOGICALLY ASSIGNED	585	3.20
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	416	2.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.36
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6941	37.99
LAMTINH	2	*USED INH MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	32	0.18
		2 = No	10222	55.95
		4 = No LOGICALLY ASSIGNED	586	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	415	2.27
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	68	0.37
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6942	38.00
LAMTANL	2	*USED PAIN KILLERS MORE OFT THAN INT PAST 12 MOS		
		1 = Yes	57	0.31
		2 = No	10198	55.82
		4 = No LOGICALLY ASSIGNED	579	3.17
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	415	2.27
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	74	0.41
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6942	38.00
LAMTTRN	2	*USED TRANQ MORE OFTEN THAN INTENDED PST 12 MOS		
		1 = Yes	39	0.21
		2 = No	10212	55.90
		4 = No LOGICALLY ASSIGNED	587	3.21
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	415	2.27
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6942	38.00

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
LAMTSTM	2	*USED STIM MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	53	0.29
		2 = No	10202	55.84
		4 = No LOGICALLY ASSIGNED	584	3.20
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	416	2.28
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6941	37.99
LAMTSED	2	*USED SED MORE OFTEN THAN INTENDED PAST 12 MOS		
		1 = Yes	21	0.11
		2 = No	10230	56.00
		4 = No LOGICALLY ASSIGNED	588	3.22
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	415	2.27
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6942	38.00
<p>DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.</p>				
BTOLCIG	2	*BUILT UP TOLERANCE FOR CIGARETTES PAST 12 MONTHS		
		1 = Yes	1801	9.86
		2 = No	8539	46.74
		4 = No LOGICALLY ASSIGNED	323	1.77
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	397	2.17
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	245	1.34
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6960	38.10
BTOLALC	2	*BUILT UP TOLERANCE FOR ALCOHOL PAST 12 MONTHS		
		1 = Yes	1311	7.18
		2 = No	9083	49.72
		4 = No LOGICALLY ASSIGNED	90	0.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	396	2.17
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	424	2.32
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6961	38.10

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
BTOLMRJ	2	*BUILT UP TOLERANCE FOR MARIJUANA/HASH PAST 12 MOS		
		1 = Yes	482	2.64
		2 = No	9792	53.60
		4 = No LOGICALLY ASSIGNED	532	2.91
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	394	2.16
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	102	0.56
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6963	38.11
BTOLCOC	2	*BUILT UP TOLERANCE FOR COCAINE PAST 12 MONTHS		
		1 = Yes	82	0.45
		2 = No	10167	55.65
		4 = No LOGICALLY ASSIGNED	591	3.23
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	393	2.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	68	0.37
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6964	38.12
BTOLHER	2	*BUILT UP TOLERANCE FOR HEROIN PAST 12 MONTHS		
		1 = Yes	33	0.18
		2 = No	10206	55.87
		4 = No LOGICALLY ASSIGNED	604	3.31
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	392	2.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6965	38.12
BTOLHAL	2	*BUILT UP TOLERANCE FOR HALLUCINOGENS PAST 12 MOS		
		1 = Yes	62	0.34
		2 = No	10183	55.74
		4 = No LOGICALLY ASSIGNED	597	3.27
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	391	2.14
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.36
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6966	38.13
BTOLINH	2	*BUILT UP TOLERANCE FOR INHALANTS PAST 12 MONTHS		
		1 = Yes	32	0.18
		2 = No	10213	55.90
		4 = No LOGICALLY ASSIGNED	597	3.27
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	391	2.14
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	66	0.36
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6966	38.13

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
BTOLANL	2	*BUILT UP TOLERANCE FOR PAIN KILLERS PAST 12 MOS			
		1 = Yes	60	0.33	
		2 = No	10188	55.77	
		4 = No LOGICALLY ASSIGNED	587	3.21	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	391	2.14	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	73	0.40	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6966	38.13	
BTOLTRN	2	*BUILT UP TOLERANCE FOR TRANQUILIZERS PAST 12 MOS			
		1 = Yes	42	0.23	
		2 = No	10204	55.85	
		4 = No LOGICALLY ASSIGNED	595	3.26	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	391	2.14	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	67	0.37	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6966	38.13	
BTOLSTM	2	*BUILT UP TOLERANCE FOR STIMULANTS PAST 12 MONTHS			
		1 = Yes	59	0.32	
		2 = No	10188	55.77	
		4 = No LOGICALLY ASSIGNED	594	3.25	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	391	2.14	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	67	0.37	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6966	38.13	
BTOLSED	2	*BUILT UP TOLERANCE FOR SEDATIVES PAST 12 MONTHS			
		1 = Yes	31	0.17	
		2 = No	10211	55.89	
		4 = No LOGICALLY ASSIGNED	600	3.28	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	391	2.14	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	66	0.36	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6966	38.13	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has often kept you from working, going to school, taking care of children, or engaging in recreational activities during the past 12 months.		
ACRDCIG	2	*CIG REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	408	2.23
		2 = No	9923	54.32
		4 = No LOGICALLY ASSIGNED	326	1.78
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	376	2.06
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	251	1.37
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6981	38.21
ACRDALC	2	*ALCOHOL REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	502	2.75
		2 = No	9878	54.07
		4 = No LOGICALLY ASSIGNED	90	0.49
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	376	2.06
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	438	2.40
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6981	38.21
ACRDMRJ	2	*MJ/HASH REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	217	1.19
		2 = No	10033	54.92
		4 = No LOGICALLY ASSIGNED	546	2.99
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	112	0.61
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
ACRDCOC	2	*COCAINE REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	92	0.50
		2 = No	10130	55.45
		4 = No LOGICALLY ASSIGNED	615	3.37
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
ACRDHER	2	*HEROIN REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	51	0.28
		2 = No	10169	55.66
		4 = No LOGICALLY ASSIGNED	623	3.41
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	65	0.36
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
ACRDHAL	2	*HALL REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	71	0.39
		2 = No	10150	55.56
		4 = No LOGICALLY ASSIGNED	620	3.39
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.37
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
ACRDINH	2	*INHALANTS REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	36	0.20
		2 = No	10185	55.75
		4 = No LOGICALLY ASSIGNED	618	3.38
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
ACRDANL	2	*PAIN KILLER REDUCED IMPORTANT ACTVITIES PST 12 MO		
		1 = Yes	56	0.31
		2 = No	10166	55.65
		4 = No LOGICALLY ASSIGNED	610	3.34
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	76	0.42
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
ACRDTRN	2	*TRANQ REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	47	0.26
		2 = No	10173	55.68
		4 = No LOGICALLY ASSIGNED	619	3.39
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
ACRDSTM	2	*STIM REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	56	0.31
		2 = No	10167	55.65
		4 = No LOGICALLY ASSIGNED	615	3.37
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
ACRSED	2	*SEDATIVES REDUCED IMPORTANT ACTIVITIES PST 12 MOS		
		1 = Yes	41	0.22
		2 = No	10179	55.72
		4 = No LOGICALLY ASSIGNED	618	3.38
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
<p>DR-6. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any emotional or psychological problems--such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas during the past 12 months.</p>				
EMPBCIG	2	*CIGARETTES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	355	1.94
		2 = No	9968	54.56
		4 = No LOGICALLY ASSIGNED	329	1.80
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	376	2.06
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	256	1.40
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6981	38.21

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
EMPBALC	2	*ALCOHOL CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	639	3.50
		2 = No	9737	53.30
		4 = No LOGICALLY ASSIGNED	92	0.50
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	376	2.06
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	440	2.41
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6981	38.21
EMPBMRJ	2	*MJ/HASH CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	330	1.81
		2 = No	9921	54.31
		4 = No LOGICALLY ASSIGNED	547	2.99
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	110	0.60
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
EMPBCOC	2	*COCAINE CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	117	0.64
		2 = No	10101	55.29
		4 = No LOGICALLY ASSIGNED	619	3.39
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
EMPBHER	2	*HEROIN CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	32	0.18
		2 = No	10186	55.76
		4 = No LOGICALLY ASSIGNED	626	3.43
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	374	2.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	64	0.35
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6983	38.22
EMPBHAL	2	*HALLUCINOGENS CAUSED EMOTIONAL PROBLEMS PAST 12 M		
		1 = Yes	88	0.48
		2 = No	10133	55.47
		4 = No LOGICALLY ASSIGNED	620	3.39
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	373	2.04
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.37
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6984	38.23

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
EMPBINH	2	*INHALANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	31	0.17
		2 = No	10189	55.77
		4 = No LOGICALLY ASSIGNED	617	3.38
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	373	2.04
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	71	0.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6984	38.23
EMPBANL	2	*PAIN KILLERS CAUSED EMOTIONAL PROBLEMS PAST 12 MO		
		1 = Yes	29	0.16
		2 = No	10193	55.79
		4 = No LOGICALLY ASSIGNED	610	3.34
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	373	2.04
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	76	0.42
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6984	38.23
EMPBTRN	2	*TRANQUILIZERS CAUSED EMOTIONAL PROBLEMS PAST 12 M		
		1 = Yes	30	0.16
		2 = No	10190	55.78
		4 = No LOGICALLY ASSIGNED	619	3.39
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	373	2.04
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6984	38.23
EMPBSTM	2	*STIMULANTS CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	59	0.32
		2 = No	10163	55.63
		4 = No LOGICALLY ASSIGNED	617	3.38
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	373	2.04
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	69	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6984	38.23
EMPBSED	2	*SEDATIVES CAUSED EMOTIONAL PROBLEMS PAST 12 MOS		
		1 = Yes	18	0.10
		2 = No	10203	55.85
		4 = No LOGICALLY ASSIGNED	619	3.39
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	373	2.04
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	68	0.37
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6984	38.23

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS					
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	-	
		DR-7. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has caused you any health problems--such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses during the past 12 months.			
HLPBCIG	2	*CIGARETTES CAUSED HEALTH PROBLEMS PAST 12 MONTHS			
		1 = Yes	712	3.90	
		2 = No	9577	52.42	
		4 = No LOGICALLY ASSIGNED	344	1.88	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	371	2.03	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	275	1.51	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6986	38.24	
HLPBALC	2	*ALCOHOL CAUSED HEALTH PROBLEMS PAST 12 MONTHS			
		1 = Yes	343	1.88	
		2 = No	10004	54.76	
		4 = No LOGICALLY ASSIGNED	105	0.57	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	373	2.04	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	456	2.50	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6984	38.23	
HLPBMRJ	2	*MARIJUANA/HASH CAUSED HEALTH PROBLEMS PAST 12 MOS			
		1 = Yes	186	1.02	
		2 = No	10029	54.90	
		4 = No LOGICALLY ASSIGNED	577	3.16	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	369	2.02	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	116	0.63	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6988	38.25	
HLPBCOC	2	*COCAINE CAUSED HEALTH PROBLEMS PAST 12 MONTHS			
		1 = Yes	63	0.34	
		2 = No	10124	55.42	
		4 = No LOGICALLY ASSIGNED	645	3.53	
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	368	2.01	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	76	0.42	
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6989	38.26	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
HLPBHER	2	*HEROIN CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	25	0.14
		2 = No	10163	55.63
		4 = No LOGICALLY ASSIGNED	650	3.56
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	368	2.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	70	0.38
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6989	38.26
HLPBHAL	2	*HALLUCINOGENS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	33	0.18
		2 = No	10153	55.58
		4 = No LOGICALLY ASSIGNED	649	3.55
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	368	2.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	73	0.40
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6989	38.26
HLPBINH	2	*INHALANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	21	0.11
		2 = No	10163	55.63
		4 = No LOGICALLY ASSIGNED	648	3.55
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	368	2.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	76	0.42
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6989	38.26
HLPBANL	2	*PAIN KILLERS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	19	0.10
		2 = No	10167	55.65
		4 = No LOGICALLY ASSIGNED	644	3.53
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	368	2.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	78	0.43
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6989	38.26
HLPBTRN	2	*TRANQUILIZERS CAUSED HEALTH PROBLEMS PAST 12 MOS		
		1 = Yes	19	0.10
		2 = No	10166	55.65
		4 = No LOGICALLY ASSIGNED	648	3.55
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	368	2.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	75	0.41
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6989	38.26

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
HLPBSTM	2	*STIMULANTS CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	38	0.21
		2 = No	10146	55.54
		4 = No LOGICALLY ASSIGNED	652	3.57
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	368	2.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	72	0.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6989	38.26
HLPBSED	2	*SEDATIVES CAUSED HEALTH PROBLEMS PAST 12 MONTHS		
		1 = Yes	14	0.08
		2 = No	10167	55.65
		4 = No LOGICALLY ASSIGNED	655	3.59
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	367	2.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	72	0.39
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6990	38.26
<p>DR-8. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether, during the past 12 months, you have wanted or tried to stop or cut down on your use of that drug but found that you couldn't.</p>				
UCDCIG	2	*WANTED TO CUT DOWN ON CIGARETTES PAST 12 MONTHS		
		1 = Yes	2530	13.85
		2 = No	7720	42.26
		4 = No LOGICALLY ASSIGNED	380	2.08
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	358	1.96
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	278	1.52
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6999	38.31
UCDALC	2	*WANTED TO CUT DOWN ON ALCOHOL PAST 12 MONTHS		
		1 = Yes	1013	5.54
		2 = No	9262	50.70
		4 = No LOGICALLY ASSIGNED	117	0.64
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	358	1.96
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	515	2.82
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	6999	38.31

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
UCDMRJ	2	*WANTED TO CUT DOWN ON MARIJUANA/HASH PAST 12 MOS		
		1 = Yes	387	2.12
		2 = No	9723	53.22
		4 = No LOGICALLY ASSIGNED	667	3.65
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	357	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	131	0.72
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7000	38.32
UCDCOC	2	*WANTED TO CUT DOWN ON COCAINE PAST 12 MONTHS		
		1 = Yes	163	0.89
		2 = No	9911	54.25
		4 = No LOGICALLY ASSIGNED	749	4.10
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	357	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	85	0.47
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7000	38.32
UCDHER	2	*WANTED TO CUT DOWN ON HEROIN PAST 12 MONTHS		
		1 = Yes	91	0.50
		2 = No	9983	54.64
		4 = No LOGICALLY ASSIGNED	757	4.14
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	357	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	77	0.42
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7000	38.32
UCDHAL	2	*WANTED TO CUT DOWN ON HALLUCINOGENS PAST 12 MOS		
		1 = Yes	93	0.51
		2 = No	9980	54.63
		4 = No LOGICALLY ASSIGNED	755	4.13
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	354	1.94
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	80	0.44
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7003	38.33
UCDINH	2	*WANTED TO CUT DOWN ON INHALANTS PAST 12 MONTHS		
		1 = Yes	85	0.47
		2 = No	9988	54.67
		4 = No LOGICALLY ASSIGNED	754	4.13
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	357	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	81	0.44
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7000	38.32

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRUGS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
UCDANL	2	*WANTED TO CUT DOWN ON PAIN KILLERS PAST 12 MONTHS		
		1 = Yes	95	0.52
		2 = No	9982	54.64
		4 = No LOGICALLY ASSIGNED	744	4.07
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	356	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7001	38.32
UCDTRN	2	*WANTED TO CUT DOWN ON TRANQUILIZERS PAST 12 MOS		
		1 = Yes	87	0.48
		2 = No	9986	54.66
		4 = No LOGICALLY ASSIGNED	751	4.11
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	356	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7001	38.32
UCDSTM	2	*WANTED TO CUT DOWN ON STIMULANTS PAST 12 MONTHS		
		1 = Yes	97	0.53
		2 = No	9977	54.61
		4 = No LOGICALLY ASSIGNED	757	4.14
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	356	1.95
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	77	0.42
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7001	38.32
UCDSED	2	*WANTED TO CUT DOWN ON SEDATIVES PAST 12 MONTHS		
		1 = Yes	79	0.43
		2 = No	9990	54.68
		4 = No LOGICALLY ASSIGNED	763	4.18
		89 = LEGITIMATE SKIP Logically assigned (NODRUGYR =1,3)	355	1.94
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	76	0.42
		99 = LEGITIMATE SKIP (NODRUGYR = 1, 3)	7002	38.33

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE SPECIAL TOPICS -- ANSWER SHEET #16		
		FI CHECKPOINT P; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPSPTRD	2	CAN RESP COMPLETE SPECIAL TOPICS ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	17459	95.57
		2 = No, I doubt that resp. can complt it alone - SKIP	662	3.62
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	145	0.79
		SP-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
SPTREAD	2	SPECIAL TOPICS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1475	8.07
		2 = Wants to complete the answer sheet on his/her own	16252	88.96
		98 = BLANK (NO ANSWER)	221	1.21
		99 = LEGITIMATE SKIP	321	1.76
		These questions are about treatment or counseling for drug or alcohol use, and encounters with the police or someone connected with the courts.		
		SP-1. At any time during the past 12 months did you receive treatment or counseling for your drug or alcohol use?		
NDTXRCVD	2	*RECEIVE COUNSELING/TRMT FOR DRG/ALC USE PST 12 MO		
		1 = Yes	258	1.41
		2 = No	17854	97.73
		5 = Yes (NDTXNEED="YES") LOGICALLY ASSIGNED	42	0.23
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	108	0.59

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
		SP-2. At any time during the past 12 months did you need treatment or counseling for your drug or alcohol use?		
NDTXNEED	2	*NEED COUNSELING/TRMT FOR DRUG/ALC USE PAST 12 MOS		
		1 = Yes	100	0.55
		2 = No	17422	95.36
		3 = Yes LOGICALLY ASSIGNED	68	0.37
		89 = LEGITIMATE SKIP Log assn (NDTXRCVD=1)	16	0.09
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	415	2.27
		99 = LEGITIMATE SKIP (NDTXRCVD=1)	242	1.32
		SP-3. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you needed treatment or counseling for your use of that kind of drug during the past 12 months.		
NDTXALC	2	*NEEDED TRMT/COUNS FOR ALCOHOL PAST 12 MONTHS		
		1 = Yes	82	0.45
		2 = No	123	0.67
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	877	4.80
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	379	2.07
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16803	91.98
NDTXMJ	2	*NEEDED TRMT/COUNS FOR MARIJUANA PAST 12 MONTHS		
		1 = Yes	27	0.15
		2 = No	172	0.94
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	867	4.75
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	385	2.11
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16813	92.03
NDTXCOC	2	*NEEDED TRMT/COUNS FOR COCAINE/"CRACK" PAST 12 MOS		
		1 = Yes	28	0.15
		2 = No	174	0.95
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	863	4.72
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	384	2.10
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16817	92.05

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
NDTXHER	2	*NEEDED TRMT/COUNS FOR HEROIN PAST 12 MONTHS		
		1 = Yes	5	0.03
		2 = No	196	1.07
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	862	4.72
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	385	2.11
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16818	92.06
NDTXHAL	2	*NEEDED TRMT/COUNS FOR HALLUCINOGENS PAST 12 MOS		
		1 = Yes	6	0.03
		2 = No	194	1.06
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	860	4.71
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	386	2.11
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16820	92.07
NDTXINH	2	*NEEDED TRMT/COUNS FOR INHALANTS PAST 12 MONTHS		
		1 = Yes	1	0.01
		2 = No	198	1.08
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	858	4.70
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	387	2.12
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16822	92.08
NDTXANL	2	*NEEDED TRMT FOR PRESC PAIN KILLERS PAST 12 MONTHS		
		1 = Yes	3	0.02
		2 = No	196	1.07
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	857	4.69
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	387	2.12
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16823	92.08
NDTXTRAN	2	*NEEDED TRMT FOR PRESC TRANQUILIZERS PAST 12 MOS		
		1 = Yes	1	0.01
		2 = No	198	1.08
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	855	4.68
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	387	2.12
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16825	92.10
NDTXSTIM	2	*NEEDED TRMT FOR PRESC STIMULANTS PAST 12 MONTHS		
		1 = Yes	4	0.02
		2 = No	195	1.07
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	854	4.67
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	386	2.11
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16826	92.10

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
NDTXSED	2	*NEEDED TRMT FOR PRESC SEDATIVES PAST 12 MONTHS		
		2 = No	200	1.09
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	854	4.67
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	386	2.11
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16826	92.10
NDTXSOD	2	*NEEDED TRMT FOR SOME OTHER DRUG PAST 12 MONTHS		
		1 = Yes	5	0.03
		2 = No	161	0.88
		3 = Yes LOGICALLY ASSIGNED	33	0.18
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	855	4.68
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	387	2.12
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	16825	92.10
NDTXDRG1	4	*OTHER DRUG (FIRST MENTION)		
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		818 = Nicotine	1	0.01
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	581	3.18
		9999 = LEGITIMATE SKIP	17680	96.78
NDTXDRG2	4	*OTHER DRUG (SECOND MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	585	3.20
		9999 = LEGITIMATE SKIP	17680	96.78
NDTXDRG3	4	*OTHER DRUG (THIRD MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	585	3.20
		9999 = LEGITIMATE SKIP	17680	96.78
NDTXDRG4	4	*OTHER DRUG (FOURTH MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	585	3.20
		9999 = LEGITIMATE SKIP	17680	96.78
NDTXDRG5	4	*OTHER DRUG (FIFTH MENTION)		
		9997 = REFUSED	4	0.02
		9998 = BLANK (NO ANSWER)	585	3.20
		9999 = LEGITIMATE SKIP	17680	96.78

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
		SP-4. During the past 12 months, did you take any steps to obtain treatment or counseling for your drug or alcohol use?		
NDTXSTEP	2	*TAKE STEPS TO OBTAIN TRMT PAST 12 MONTHS		
		1 = Yes	44	0.24
		2 = No	106	0.58
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	666	3.65
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	433	2.37
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17014	93.13
		SP-5. As you read the following list of reasons, please mark one box beside each reason to indicate whether it explains why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months.		
NDTXTRSP	2	*NO TRANSPORTATION TO TRMT/COUNSELING PROGRAMS		
		1 = Yes	24	0.13
		2 = No	144	0.79
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	586	3.21
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	413	2.26
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17094	93.57
NDXTTFAR	2	*NEAREST TRMT/COUNSELING PROGRAMS TOO FAR AWAY		
		1 = Yes	15	0.08
		2 = No	152	0.83
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	577	3.16
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	415	2.27
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17103	93.62
NDTXBDHR	2	*TRMT/COUNSELING PROGRAMS' HOURS NOT CONVENIENT		
		1 = Yes	16	0.09
		2 = No	149	0.82
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	576	3.15
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	417	2.28
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17104	93.62

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
NDTXOPEN	2	*NO OPENINGS IN THE TRMT/COUNSELING PROGRAMS		
		1 = Yes	4	0.02
		2 = No	158	0.86
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	573	3.14
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	420	2.30
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17107	93.64
NDTXTYPE	2	*PROGRAMS DID NOT OFFER TYPE OF TRMT I WANTED		
		1 = Yes	23	0.13
		2 = No	140	0.77
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	572	3.13
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	419	2.29
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17108	93.64
NDTXMONEY	2	*DID NOT HAVE INSURANCE OR MONEY TO PAY FOR PGM		
		1 = Yes	47	0.26
		2 = No	118	0.65
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	570	3.12
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	417	2.28
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17110	93.66
NDTXHCAP	2	*PROGRMS' FACILITIES NOT ACCESSIBLE TO HANDICAPPED		
		1 = Yes	5	0.03
		2 = No	157	0.86
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	566	3.10
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	420	2.30
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17114	93.68
NDXTCMP	2	*PARTICIPATION IN PROGRAM WAS TOO COMPLICATED		
		1 = Yes	14	0.08
		2 = No	148	0.81
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	566	3.10
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	420	2.30
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17114	93.68

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
NDTXLANG	2	*PGM'S COUNSELORS DIDN'T MEET ETHNIC/LANG NEEDS		
		1 = Yes	4	0.02
		2 = No	158	0.86
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	565	3.09
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	420	2.30
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17115	93.68
NDTXSPSV	2	*PROGRAMS DID NOT OFFER SPECIAL SERVICES		
		1 = Yes	16	0.09
		2 = No	146	0.80
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	563	3.08
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	420	2.30
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17117	93.69
NDTXSOR	2	*DID NOT OBTAIN TRMT/COUNSELING FOR SOME OTHER RSN		
		1 = Yes	34	0.19
		2 = No	91	0.50
		3 = Yes LOGICALLY ASSIGNED	35	0.19
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	591	3.23
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	422	2.31
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17089	93.54
NDTXRSC1	2	*OTH REASON DID NOT OBTAIN TRMT PAST 12 MONTHS		
		3 = Programs' hours were not convenient	1	0.01
		5 = Programs did not offer what I wanted	1	0.01
		9 = Counselors didn't meet ethnic/language needs	1	0.01
		12 = Did not need it	2	0.01
		13 = Do not have a problem/feeling OK now	2	0.01
		14 = Do not want to (quit/get treatment)	4	0.02
		15 = Was using at the time/not ready/unmotivated	11	0.06
		16 = Can do it myself	4	0.02
		18 = Do not use/infrequently use drugs and alcohol	1	0.01
		21 = Unsuccessful in the past	1	0.01
		24 = Can do it with the support of my family/friends ..	1	0.01
		26 = Treatment unavailable	1	0.01
		89 = LEGITIMATE SKIP Log assn (NDTXNEED=2,89,99)	48	0.26
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	555	3.04
		99 = LEGITIMATE SKIP (NDTXNEED=2,89,99)	17632	96.51

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SP-6. Not counting minor traffic violations, have you ever been arrested and booked for breaking the law? Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.		
BOOKED	2	*EVER ARRESTED & BOOKED FOR BREAKING THE LAW		
		1 = Yes	1593	8.72
		2 = No	16260	89.00
		3 = Yes LOGICALLY ASSIGNED	124	0.68
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	279	1.53
		SP-7. Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking the law? RECORD THE NUMBER OF TIMES OR MARK THE BOX:		
NOBOOKYR	2	*# TIMES ARRESTED AND BOOKED IN PAST 12 MONTHS		
		RANGE = 1 - 14	489	2.68
		83 = NOT BEEN ARRSTD & BKD PAST 12 MONTHS Log assn	191	1.05
		85 = BAD DATA Logically assigned	68	0.37
		89 = LEGITIMATE SKIP Logically assigned (BOOKED=2)	552	3.02
		93 = NOT ARRESTED AND BOOKED PAST 12 MONTHS	885	4.84
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	368	2.01
		99 = LEGITIMATE SKIP (BOOKED=2)	15708	85.98

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
		SP-8. Below is a list of offenses that are against the law. As you read the list, please mark one box beside each offense to indicate whether you were arrested and booked for that offense in the past 12 months. For this question, do not include minor traffic violations.		
BKLARCNY	2	*ARRSTD & BOOKED FOR LARCENY/THEFT IN PAST 12 MOS		
		1 = Yes	105	0.57
		2 = No	413	2.26
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	783	4.29
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	405	2.22
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16553	90.61
BKBURGL	2	*ARRSTD & BOOKED FOR BURGLARY OR B&E IN PST 12 MOS		
		1 = Yes	41	0.22
		2 = No	470	2.57
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	777	4.25
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	414	2.27
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16559	90.64
BKAGASLT	2	*ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PST 12 MOS		
		1 = Yes	63	0.34
		2 = No	442	2.42
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	773	4.23
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	418	2.29
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16563	90.66
BKSMASLT	2	*ARRSTD & BOOKED FOR OTHER ASSAULT IN PST 12 MOS		
		1 = Yes	94	0.51
		2 = No	417	2.28
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	770	4.21
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	414	2.27
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16566	90.68

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
BKMVTHFT	2	*ARRSTD & BOOKED FOR MOTOR VEHICLE THEFT PST 12 MO		
		1 = Yes	26	0.14
		2 = No	481	2.63
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	767	4.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	418	2.29
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16569	90.69
BKROB	2	*ARRSTD & BOOKED FOR ROBBERY IN PAST 12 MONTHS		
		1 = Yes	18	0.10
		2 = No	487	2.67
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	763	4.18
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	420	2.30
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16573	90.72
BKRAPE	2	*ARRSTD & BOOKD FOR FORCIBLE RAPE IN PST 12 MONTHS		
		1 = Yes	2	0.01
		2 = No	503	2.75
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	763	4.18
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	420	2.30
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16573	90.72
BKMURDER	2	*ARRST & BKD FOR MURDER/HOMICDE/MNSLGHTR PST 12 MO		
		1 = Yes	2	0.01
		2 = No	502	2.75
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	763	4.18
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	422	2.31
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16573	90.72
BKARSON	2	*ARRSTD & BOOKED FOR ARSON IN PAST 12 MONTHS		
		1 = Yes	9	0.05
		2 = No	496	2.71
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	762	4.17
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	421	2.30
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16574	90.72

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
BKDRVINF	2	*ARRSTD & BOOKED FOR DUI IN PAST 12 MONTHS		
		1 = Yes	91	0.50
		2 = No	424	2.32
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	762	4.17
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	411	2.25
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16574	90.72
BKDRUNK	2	*ARRST & BKD FOR DRKNSS/OTH LIQ LAW VIO PST 12 MO		
		1 = Yes	64	0.35
		2 = No	444	2.43
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	759	4.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	416	2.28
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16577	90.74
BKDRUG	2	*ARRSTD & BKED FOR POSSESS/SALE OF DRUGS PST 12 MO		
		1 = Yes	88	0.48
		2 = No	427	2.34
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	759	4.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	411	2.25
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16577	90.74
BKPROS	2	*ARRSTD & BOOKED FOR PROSTITUTION IN PAST 12 MOS		
		1 = Yes	4	0.02
		2 = No	497	2.72
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	759	4.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	425	2.33
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16577	90.74
BKVANDAL	2	*ARRSTD & BOOKED FOR OTHR PROP OFFENSE PST 12 MOS		
		1 = Yes	34	0.19
		2 = No	468	2.56
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	757	4.14
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	421	2.30
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16579	90.75

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS

LABEL	LEN	DESCRIPTION	FREQ	%
BKOTH	2	*ARRSTD & BOOKED FOR OTHER OFFENSES PST 12 MOS		
		1 = Yes	115	0.63
		2 = No	350	1.92
		3 = Yes LOGICALLY ASSIGNED	64	0.35
		89 = LEGITIMATE SKIP Log assn (NOBOOKYR=83,89,93,99) ..	758	4.15
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	397	2.17
		99 = LEGITIMATE SKIP (NOBOOKYR=83,89,93,99)	16578	90.74
BKOTHOFF	2	*ARRSTD & BOOKED FOR OTHER OFFENSES PST 12 MOS		
		1 = Larceny or theft	5	0.03
		4 = Other assault, such as simple assault or battery .	10	0.05
		10 = Driving under the influence	5	0.03
		11 = Drunkenness or other liquor law violation	8	0.04
		12 = Possession or sale of drugs	5	0.03
		14 = Oth proprty offns:- fraud, poss stln goods, vndlsm	12	0.07
		15 = Other offenses (NOT SPECIFIED)	1	0.01
		16 = Weapons offenses	13	0.07
		17 = Other offenses against persons	3	0.02
		18 = Violation of court order, parole, probation	14	0.08
		19 = Public order offenses	37	0.20
		20 = Juvenile status offenses	12	0.07
		22 = Traffic violations	15	0.08
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	550	3.01
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	783	4.29
		99 = LEGITIMATE SKIP	16786	91.88

NOTE: (This note from 1995 still applies.) For Q.SP-9 and SP-10, multiple responses (code 96) were changed to code 3 = Yes, logically assigned in earlier years. This year no such editing occurred because of ambiguous skip instructions from Q.SP-6.

SP-9. Were you on probation at any time during the past 12 months?

PROBATON	2	*ON PROBATION AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	422	2.31
		2 = No	17200	94.15
		96 = MULTIPLE RESPONSE	27	0.15
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	614	3.36

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		SP-10. Were you on parole at any time during the past 12 months?		
PAROLE	2	*ON PAROLE AT ANY TIME IN PAST 12 MONTHS		
		1 = Yes	77	0.42
		2 = No	17186	94.07
		96 = MULTIPLE RESPONSE	30	0.16
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	970	5.31
		SP-11. This question deals with activities that may be against the law. Read each item, then mark one box beside each question to indicate whether you have done the activity during the past 12 months.		
		a. During the past 12 months, I drove a vehicle while I was under the influence of a combination of alcohol and illegal drugs used together		
DRVALDR	2	*DROVE UNDER INFLU OF ALC & ILL DRGS PAST 12 MOS		
		1 = Yes	435	2.38
		2 = No	16829	92.12
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	998	5.46
		b. During the past 12 months, I drove a vehicle while I was under the influence of alcohol		
DRIVEAL	2	*DROVE WHILE UNDER INFLU OF ALCOHOL PAST 12 MONTHS		
		1 = Yes	1560	8.54
		2 = No	15718	86.04
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	984	5.39

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE SPECIAL TOPICS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		c. During the past 12 months, I drove a vehicle while I was under the influence of illegal drugs.		
DRIVEDR	2	*DROVE UNDER INFLUENCE OF ILLEGAL DRUGS PST 12 MOS		
		1 = Yes	442	2.42
		2 = No	16831	92.13
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	990	5.42

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE TREATMENT -- ANSWER SHEET #17		
		FI CHECKPOINT Q; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPTMTRD	2	CAN RESPONDENT COMPLETE TREATMENT ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	17456	95.55
		2 = No, I doubt that resp. can compl. it alone - SKIP	661	3.62
		96 = MULTIPLE RESPONSE	6	0.03
		98 = BLANK (NO ANSWER)	146	0.80
		TX-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
TMTREAD	2	TREATMENT - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1410	7.72
		2 = Wants to complete the answer sheet on his/her own	16314	89.30
		96 = MULTIPLE RESPONSE	1	0.01
		98 = BLANK (NO ANSWER)	224	1.23
		99 = LEGITIMATE SKIP	320	1.75
		This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.		
		TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXEVER	2	*EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
		1 = Yes	565	3.09
		2 = No	17545	96.04
		3 = Yes LOGICALLY ASSIGNED	53	0.29
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	103	0.56

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
		TX-2. How many times in your life have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
		NOTE: For some cases, the value in TXTIMELF is less than the value in TXYRFREQ.		
TXTIMELF	3	*# TIMES RECEIVD ALCOHOL OR DRUG TREATMENT IN LIFE		
		RANGE = 1 - 600	534	2.92
		0 = No times	2	0.01
		975 = Indicated treatment received at least once	10	0.05
		985 = BAD DATA Logically assigned	5	0.03
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	7	0.04
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	1	0.01
		997 = REFUSED	3	0.02
		998 = BLANK (NO ANSWER)	167	0.91
		999 = LEGITIMATE SKIP (TXEVER=2)	17538	96.00
		TX-3. How many times in the past 12 months have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
		NOTE: For some cases, the value in TXYRFREQ is greater than the the value in TXTIMELF.		
TXYRFREQ	3	*# TIMES RECEIVD ALCOHOL/DRUG TRMT PAST 12 MONTHS		
		RANGE = 1 - 365	197	1.08
		0 = No times	225	1.23
		975 = Indicated treatment received at least once	5	0.03
		985 = BAD DATA Logically assigned	110	0.60
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	5	0.03
		995 = BAD DATA	1	0.01
		997 = REFUSED	3	0.02
		998 = BLANK (NO ANSWER)	183	1.00
		999 = LEGITIMATE SKIP (TXEVER=2)	17540	96.01

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
		TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.		
TXALHOSP	2	*RCVD ALC TRMT IN HOSPITAL/OVERNIGHT PAST 12 MOS		
		1 = Yes	41	0.22
		2 = No	521	2.85
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		5 = Yes LOGICALLY ASSIGNED from TXLTHOSP	7	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	164	0.90
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	150	0.82
		99 = LEGITIMATE SKIP (TXEVER=2)	17381	95.14
TXALRFIN	2	*RCVD ALC TRMT REHAB CENTER/OVERNIGHT PST 12 MOS		
		1 = Yes	60	0.33
		2 = No	498	2.73
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		5 = Yes LOGICALLY ASSIGNED from TXLTRFIN	10	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	159	0.87
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	151	0.83
		99 = LEGITIMATE SKIP (TXEVER=2)	17386	95.17
TXALRFOP	2	*RCVD ALC TRMT REHAB CENTER/OUTPATIENT PST 12 MOS		
		1 = Yes	113	0.62
		2 = No	446	2.44
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		5 = Yes LOGICALLY ASSIGNED from TXLTRFOP	10	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	158	0.86
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	148	0.81
		99 = LEGITIMATE SKIP (TXEVER=2)	17387	95.17
TXALMHC	2	*RCVD ALC TRMT MENT HEALTH CENTER/OUTPT PST 12 MOS		
		1 = Yes	52	0.28
		2 = No	508	2.78
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		5 = Yes LOGICALLY ASSIGNED from TXLTMHC	6	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	153	0.84
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	153	0.84
		99 = LEGITIMATE SKIP (TXEVER=2)	17392	95.20

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
TXALEMRG	2	*RCVD ALC TRMT IN AN EMERGENCY ROOM PAST 12 MOS			
		1 = Yes	25	0.14	
		2 = No	535	2.93	
		5 = Yes LOGICALLY ASSIGNED from TXLTEMRG	1	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	151	0.83	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	160	0.88	
		99 = LEGITIMATE SKIP (TXEVER=2)	17394	95.21	
TXALDOC	2	*RCVD ALC TRMT IN PRIV DOCTOR'S OFFICE PST 12 MOS			
		1 = Yes	29	0.16	
		2 = No	531	2.91	
		5 = Yes LOGICALLY ASSIGNED from TXLTDOC	2	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	151	0.83	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	159	0.87	
		99 = LEGITIMATE SKIP (TXEVER=2)	17394	95.21	
TXALJAIL	2	*RCVD ALC TRMT IN PRISON OR JAIL PAST 12 MONTHS			
		1 = Yes	30	0.16	
		2 = No	531	2.91	
		5 = Yes LOGICALLY ASSIGNED from TXLTJAIL	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	150	0.82	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	157	0.86	
		99 = LEGITIMATE SKIP (TXEVER=2)	17395	95.22	
TXALSHG	2	*RCVD ALCOHOL TRMT IN SELF-HELP GROUP PAST 12 MOS			
		1 = Yes	105	0.57	
		2 = No	450	2.46	
		3 = Yes LOGICALLY ASSIGNED	4	0.02	
		5 = Yes LOGICALLY ASSIGNED from TXLTSHG	10	0.05	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	149	0.82	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	152	0.83	
		99 = LEGITIMATE SKIP (TXEVER=2)	17396	95.22	
TXALSOP	2	*RCVD ALC TRMT IN SOME OTHER PLACE PAST 12 MONTHS			
		1 = Yes	47	0.26	
		2 = No	491	2.69	
		3 = Yes LOGICALLY ASSIGNED	10	0.05	
		5 = Yes LOGICALLY ASSIGNED from TXLT SOP	2	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	148	0.81	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	171	0.94	
		99 = LEGITIMATE SKIP (TXEVER=2)	17397	95.23	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TXALSP	2	*OTHER FACILITY RECEIVED ALC TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	9	0.05
		5 = Residential placement	2	0.01
		10 = Church or religious influence	2	0.01
		13 = Court or correctional facilities	13	0.07
		14 = Counselor, therapist, psychologist	10	0.05
		15 = School	5	0.03
		19 = Alternative medicine	1	0.01
		22 = Hospital	2	0.01
		24 = Drug treatment or rehab. center	6	0.03
		25 = Mental health center	2	0.01
		85 = BAD DATA Logically assigned	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	668	3.66
		99 = LEGITIMATE SKIP (TXEVER=2)	17545	96.04

TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.

TXDRHOSP	2	*RECEIVED DRUG TRMT HOSPITAL/OVERNIGHT PST 12 MOS		
		1 = Yes	28	0.15
		2 = No	529	2.90
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		5 = Yes LOGICALLY ASSIGNED from TXLTHOSP	8	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	150	0.82
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	155	0.85
		99 = LEGITIMATE SKIP (TXEVER=2)	17395	95.22
TXDRFIN	2	*RCVD DRUG TRMT REHAB CENTER/OVERNIGHT PST 12 MOS		
		1 = Yes	36	0.20
		2 = No	512	2.80
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		5 = Yes LOGICALLY ASSIGNED from TXLTRFIN	18	0.10
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	148	0.81
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	154	0.84
		99 = LEGITIMATE SKIP (TXEVER=2)	17397	95.23

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
TXDRFOP	2	*RCVD DRUG TRMT REHAB CENTER/OP PAST 12 MONTHS			
		1 = Yes	68	0.37	
		2 = No	480	2.63	
		3 = Yes LOGICALLY ASSIGNED	2	0.01	
		5 = Yes LOGICALLY ASSIGNED from TXLTRFOP	19	0.10	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	148	0.81	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	152	0.83	
		99 = LEGITIMATE SKIP (TXEVER=2)	17397	95.23	
TXDRMHC	2	*RCVD DRUG TRMT M.HEALTH CENTER PAST 12 MONTHS			
		1 = Yes	33	0.18	
		2 = No	530	2.90	
		5 = Yes LOGICALLY ASSIGNED from TXLTMHC	5	0.03	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	146	0.80	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	153	0.84	
		99 = LEGITIMATE SKIP (TXEVER=2)	17399	95.24	
TXDREMRG	2	*RCVD DRUG TRMT IN EMERGENCY ROOM PAST 12 MONTHS			
		1 = Yes	16	0.09	
		2 = No	529	2.90	
		3 = Yes LOGICALLY ASSIGNED	17	0.09	
		4 = No LOGICALLY ASSIGNED	19	0.10	
		5 = Yes LOGICALLY ASSIGNED from TXLTMRG or TXYREMRG .	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	149	0.82	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	137	0.75	
		99 = LEGITIMATE SKIP (TXEVER=2)	17396	95.22	
TXDRDOC	2	*RCVD DRUG TRMT IN PRIV DOCTOR'S OFF PST 12 MOS			
		1 = Yes	18	0.10	
		2 = No	548	3.00	
		5 = Yes LOGICALLY ASSIGNED from TXLTDOC	1	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	146	0.80	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	154	0.84	
		99 = LEGITIMATE SKIP (TXEVER=2)	17399	95.24	
TXDRJAIL	2	*RCVD DRUG TRMT IN PRISON PAST 12 MONTHS			
		1 = Yes	23	0.13	
		2 = No	546	2.99	
		5 = Yes LOGICALLY ASSIGNED from TXLTJAIL	1	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	146	0.80	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	151	0.83	
		99 = LEGITIMATE SKIP (TXEVER=2)	17399	95.24	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
TXDRSHG	2	*RCVD DRUG TREAT IN SELF-HELP GROUP PAST 12 MONTHS		
		1 = Yes	70	0.38
		2 = No	488	2.67
		5 = Yes LOGICALLY ASSIGNED from TXLTSHG	11	0.06
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	146	0.80
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	152	0.83
		99 = LEGITIMATE SKIP (TXEVER=2)	17399	95.24
TXDRSOP	2	*RECEIVED DRUG TRMT IN SOME OTH PLACE PST 12 MOS		
		1 = Yes	30	0.16
		2 = No	527	2.88
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		5 = Yes LOGICALLY ASSIGNED from TXLTSOP	7	0.04
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	145	0.79
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	154	0.84
		99 = LEGITIMATE SKIP (TXEVER=2)	17400	95.24
TXDRSP	2	*OTHER FACILITY RECEIVED DRUG TRMT PAST 12 MONTHS		
		4 = AA or NA or CA	6	0.03
		5 = Residential placement	1	0.01
		10 = Church or religious influence	1	0.01
		13 = Court or correctional facilities	7	0.04
		14 = Counselor, therapist, psychologist	4	0.02
		15 = School	3	0.02
		16 = Home, family	2	0.01
		19 = Alternative medicine	1	0.01
		22 = Hospital	3	0.02
		24 = Drug treatment or rehab. center	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	689	3.77
		99 = LEGITIMATE SKIP (TXEVER=2)	17545	96.04

TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?

TXYREMRG	3	*# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		RANGE = 1 - 5	25	0.14
		0 = No times	548	3.00
		975 = Indicated treatment received at least once	3	0.02
		985 = BAD DATA Logically assigned	6	0.03
		989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	149	0.82
		995 = BAD DATA	1	0.01
		997 = REFUSED	3	0.02
		998 = BLANK (NO ANSWER)	138	0.76
		999 = LEGITIMATE SKIP (TXEVER=2)	17396	95.22

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
		The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.		
		TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXADGREC	2	*TIME SINCE LAST ALCOHOL OR DRUG TREATMENT		
		1 = Within the past 30 days	95	0.52
		2 = More than 30 days ago but within the past 12 mos .	112	0.61
		3 = More than 12 months ago but within the past 3 yrs	63	0.34
		4 = More than 3 years ago	175	0.96
		8 = Treatment in past year LOGICALLY ASSIGNED	126	0.69
		9 = Treatment in lifetime LOGICALLY ASSIGNED	47	0.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned ...	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	8	0.04
		91 = NEVER USED ALCOHOL OR DRUGS	4660	25.51
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	103	0.56
		99 = LEGITIMATE SKIP (TXEVER=2)	12876	70.48
		TX-8. Where did you receive treatment the last time you were treated for your alcohol or other drug use, not counting cigarettes. MARK ONLY ONE BOX FOR THE BEST ANSWER.		
TXLTHOSP	2	*LAST ALCOHOL OR DRUG TRMT OVERNIGHT AT HOSPITAL		
		1 = Response marked	46	0.25
		3 = Response marked LOGICALLY ASSIGNED	5	0.03
		6 = Response not marked LOGICALLY ASSIGNED	512	2.80
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	155	0.85
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00
TXLTRFIN	2	*LAST ALC/DRG TRMT OVERNITE AT RES DRUG REHAB CTR		
		1 = Response marked	93	0.51
		3 = Response marked LOGICALLY ASSIGNED	9	0.05
		6 = Response not marked LOGICALLY ASSIGNED	461	2.52
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	155	0.85
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
TXLTRFOP	2	*LAST ALC/DRUG TRMT OUTPATIENT DRUG REHAB CENTER			
		1 = Response marked	141	0.77	
		3 = Response marked LOGICALLY ASSIGNED	15	0.08	
		6 = Response not marked LOGICALLY ASSIGNED	407	2.23	
		85 = BAD DATA Logically assigned	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	155	0.85	
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00	
TXLTMHC	2	*LAST ALC/DRG TRMT OUTPATIENT AT MENT HEALTH CENT			
		1 = Response marked	53	0.29	
		3 = Response marked LOGICALLY ASSIGNED	4	0.02	
		6 = Response not marked LOGICALLY ASSIGNED	506	2.77	
		85 = BAD DATA Logically assigned	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	155	0.85	
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00	
TXLTEMRG	2	*LAST ALCOHOL OR DRUG TRMT AT EMERGENCY ROOM			
		1 = Response marked	6	0.03	
		6 = Response not marked LOGICALLY ASSIGNED	557	3.05	
		85 = BAD DATA Logically assigned	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	155	0.85	
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00	
TXLTDOC	2	*LAST ALCOHOL OR DRUG TRMT AT PRIVATE DOCTOR OFF			
		1 = Response marked	24	0.13	
		3 = Response marked LOGICALLY ASSIGNED	1	0.01	
		6 = Response not marked LOGICALLY ASSIGNED	538	2.94	
		85 = BAD DATA Logically assigned	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	155	0.85	
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00	
TXLTJAIL	2	*LAST ALCOHOL OR DRUG TREATMENT IN PRISON OR JAIL			
		1 = Response marked	22	0.12	
		3 = Response marked LOGICALLY ASSIGNED	3	0.02	
		6 = Response not marked LOGICALLY ASSIGNED	538	2.94	
		85 = BAD DATA Logically assigned	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	155	0.85	
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
TXLTSHG	2	*LAST ALCOHOL OR DRUG TREATMENT IN SELF-HELP GROUP			
		1 = Response marked	118	0.65	
		3 = Response marked LOGICALLY ASSIGNED	9	0.05	
		6 = Response not marked LOGICALLY ASSIGNED	436	2.39	
		85 = BAD DATA Logically assigned	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	155	0.85	
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00	
TXLTSOP	2	*LAST ALCOHOL OR DRUG TREATMENT IN SOME OTH PLACE			
		1 = Response marked	78	0.43	
		3 = Response marked LOGICALLY ASSIGNED	15	0.08	
		6 = Response not marked LOGICALLY ASSIGNED	471	2.58	
		85 = BAD DATA Logically assigned	2	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	6	0.03	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	155	0.85	
		99 = LEGITIMATE SKIP (TXEVER=2)	17539	96.00	
TXLTSP	2	*OTHER FACILITY RECEIVED LAST TREATMENT			
		4 = AA or NA or CA	5	0.03	
		5 = Residential placement	5	0.03	
		10 = Church or religious influence	2	0.01	
		13 = Court or correctional facilities	14	0.08	
		14 = Counselor, therapist, psychologist	9	0.05	
		15 = School	7	0.04	
		16 = Home, family	2	0.01	
		18 = Homeless shelter	1	0.01	
		19 = Alternative medicine	2	0.01	
		22 = Hospital	4	0.02	
		24 = Drug treatment or rehab. center	12	0.07	
		25 = Mental health center	2	0.01	
		85 = BAD DATA Logically assigned	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	655	3.59	
		99 = LEGITIMATE SKIP (TXEVER=2)	17545	96.04	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
		TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you received treatment.		
TXLTALC	2	*LAST TREATMENT FOR ALCOHOL		
		1 = Yes	402	2.20
		2 = No	145	0.79
		3 = Yes LOGICALLY ASSIGNED	14	0.08
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	160	0.88
		99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50
TXLTMJ	2	*LAST TREATMENT FOR MARIJUANA/HASHISH		
		1 = Yes	160	0.88
		2 = No	382	2.09
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	178	0.97
		99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50
TXLTCOC	2	*LAST TREATMENT FOR COCAINE/"CRACK"		
		1 = Yes	154	0.84
		2 = No	384	2.10
		3 = Yes LOGICALLY ASSIGNED	5	0.03
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	178	0.97
		99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50
TXLTHER	2	*LAST TREATMENT FOR HEROIN		
		1 = Yes	49	0.27
		2 = No	477	2.61
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	194	1.06
		99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
TXLTHAL	2	*LAST TREATMENT FOR HALLUCINOGENS			
		1 = Yes	46	0.25	
		2 = No	484	2.65	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	190	1.04	
99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50			
TXLTINH	2	*LAST TREATMENT FOR INHALANTS			
		1 = Yes	21	0.11	
		2 = No	505	2.76	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	195	1.07	
		99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50	
TXLTANL	2	*LAST TREATMENT FOR PRESCRIPTION PAIN KILLERS			
		1 = Yes	32	0.18	
		2 = No	492	2.69	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	196	1.07	
99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50			
TXLTRAN	2	*LAST TREATMENT FOR PRESCRIPTION TRANQUILIZERS			
		1 = Yes	31	0.17	
		2 = No	493	2.70	
		3 = Yes LOGICALLY ASSIGNED	2	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	195	1.07	
99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50			
TXLTSTIM	2	*LAST TREATMENT FOR PRESCRIPTION STIMULANTS			
		1 = Yes	35	0.19	
		2 = No	484	2.65	
		3 = Yes LOGICALLY ASSIGNED	8	0.04	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	194	1.06	
99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50			

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
TXLTSED	2	*LAST TREATMENT FOR PRESCRIPTION SEDATIVES			
		1 = Yes	23	0.13	
		2 = No	502	2.75	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	99	0.54	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	196	1.07	
		99 = LEGITIMATE SKIP (TXEVER=2)	17446	95.50	
TXLTSOD	2	*LAST TREATMENT FOR SOME OTHER DRUG(S)			
		1 = Yes	14	0.08	
		2 = No	464	2.54	
		3 = Yes LOGICALLY ASSIGNED	8	0.04	
		5 = Treatment drug unknown, LOGICALLY ASSIGNED	36	0.20	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	100	0.55	
		95 = BAD DATA	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	198	1.08	
		99 = LEGITIMATE SKIP (TXEVER=2)	17445	95.49	
TXLTA	4	*OTHER DRUG LAST TREATED (FIRST MENTION)			
		161 = Rohypnol, Roofies, Rope, Rophynol, Roples, Rufinal	1	0.01	
		241 = Prozac	1	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	3	0.02	
		339 = Amphetamines (speed generically)	1	0.01	
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01	
		805 = Cocaine, coca, coke	1	0.01	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01	
		814 = Caffeine	1	0.01	
		9997 = REFUSED	3	0.02	
		9998 = BLANK (NO ANSWER)	710	3.89	
		9999 = LEGITIMATE SKIP	17545	96.04	
TXLTB	4	*OTHER DRUG LAST TREATED (SECOND MENTION)			
		318 = Ritalin, Methylphenidate	1	0.01	
		339 = Amphetamines (speed generically)	1	0.01	
		9997 = REFUSED	3	0.02	
		9998 = BLANK (NO ANSWER)	719	3.94	
		9999 = LEGITIMATE SKIP	17545	96.04	
TXLTC	4	*OTHER DRUG LAST TREATED (THIRD MENTION)			
		9997 = REFUSED	3	0.02	
		9998 = BLANK (NO ANSWER)	721	3.95	
		9999 = LEGITIMATE SKIP	17545	96.04	
TXLTD	4	*OTHER DRUG LAST TREATED (FOURTH MENTION)			
		9997 = REFUSED	3	0.02	
		9998 = BLANK (NO ANSWER)	721	3.95	
		9999 = LEGITIMATE SKIP	17545	96.04	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
TXLTE	4	*OTHER DRUG LAST TREATED (FIFTH MENTION)			
		9997 = REFUSED	3	0.02	
		9998 = BLANK (NO ANSWER)	721	3.95	
		9999 = LEGITIMATE SKIP	17545	96.04	
TX-10. What was the primary drug you received treatment for during the last time you were treated?					
TXDRGA	4	*PRIMARY DRUG OF TREATMENT (FIRST MENTION)			
		116 = Methaqualone, Parest, Quaalude, Sopor	1	0.01	
		201 = Valium	1	0.01	
		207 = Ativan	2	0.01	
		209 = Xanax	1	0.01	
		241 = Prozac	1	0.01	
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	8	0.04	
		339 = Amphetamines (speed generically)	4	0.02	
		355 = Crystal meth	3	0.02	
		407 = Demerol	1	0.01	
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.01	
		447 = Synalgos DC	1	0.01	
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.02	
		702 = Heroin	20	0.11	
		705 = Speed Ball (heroin + cocaine)	1	0.01	
		801 = OTHER Drugs, NOT SPECIFIED	3	0.02	
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	66	0.36	
		805 = Cocaine, coca, coke	54	0.30	
		806 = Crack, rock	33	0.18	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	261	1.43	
		814 = Caffeine	1	0.01	
		9997 = REFUSED	3	0.02	
		9998 = BLANK (NO ANSWER)	254	1.39	
		9999 = LEGITIMATE SKIP	17545	96.04	
TXDRGB	4	*PRIMARY DRUG OF TREATMENT (SECOND MENTION)			
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.01	
		339 = Amphetamines (speed generically)	1	0.01	
		434 = Anexia, Co-Gesic, Hydrocodone, Lortab, Tussionex,	1	0.01	
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01	
		702 = Heroin	1	0.01	
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	5	0.03	
		805 = Cocaine, coca, coke	14	0.08	
		806 = Crack, rock	5	0.03	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.02	
		9997 = REFUSED	3	0.02	
		9998 = BLANK (NO ANSWER)	688	3.77	
		9999 = LEGITIMATE SKIP	17545	96.04	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TXDRGC	4	*PRIMARY DRUG OF TREATMENT (THIRD MENTION)		
		702 = Heroin	1	0.01
		805 = Cocaine, coca, coke	2	0.01
		9997 = REFUSED	3	0.02
		9998 = BLANK (NO ANSWER)	718	3.93
		9999 = LEGITIMATE SKIP	17545	96.04
TXDRGD	4	*PRIMARY DRUG OF TREATMENT (FOURTH MENTION)		
		9997 = REFUSED	3	0.02
		9998 = BLANK (NO ANSWER)	721	3.95
		9999 = LEGITIMATE SKIP	17545	96.04
TXDRGE	4	*PRIMARY DRUG OF TREATMENT (FIFTH MENTION)		
		9997 = REFUSED	3	0.02
		9998 = BLANK (NO ANSWER)	721	3.95
		9999 = LEGITIMATE SKIP	17545	96.04

TX-11. What was the outcome of the treatment or counseling you last received? PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.

TXOUTC	2	*OUTCOME OF TREATMENT LAST RECEIVED		
		1 = Still in treatment	97	0.53
		2 = Successfully completed treatment	326	1.78
		3 = Had a problem with program	34	0.19
		4 = Couldn't afford to continue treatment	14	0.08
		5 = Family needed me	1	0.01
		6 = Began using drug(s) again	25	0.14
		7 = Other outcome, not specified	21	0.11
		8 = Didn't need treatment	2	0.01
		10 = Successful because of own efforts, not trmt.	1	0.01
		11 = Use to a lesser extent	4	0.02
		12 = Kicked out of program	1	0.01
		13 = Moved	1	0.01
		15 = Discontinued treatment, success unknown	5	0.03
		16 = Completed treatment, outcome unknown	3	0.02
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	183	1.00
		99 = LEGITIMATE SKIP (TXEVER=2)	17541	96.02

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		TX-12. How long did you stay in treatment for your alcohol or drug use the last time? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.		
TXTIME	4	*LENGTH OF LAST DRUG/ALCOHOL TREATMENT IN DAYS		
		RANGE = 1 - 3720	508	2.78
		0 = No days	17	0.09
		9975 = Indicated treatment received at least once	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	14	0.08
		9995 = BAD DATA	1	0.01
		9997 = REFUSED	3	0.02
		9998 = BLANK (NO ANSWER)	194	1.06
		9999 = LEGITIMATE SKIP (TXEVER=2)	17531	95.96

TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling for alcohol or drug use was paid for by that source, even if it only paid part of the cost.

TXPDINS	2	*HEALTH INSURANCE PAID FOR LAST TREATMENT		
		1 = Yes	132	0.72
		2 = No	330	1.81
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	129	0.71
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	258	1.41
		99 = LEGITIMATE SKIP (TXEVER=2)	17416	95.33
TXPDCARE	2	*MEDICARE PAID FOR LAST TREATMENT		
		1 = Yes	20	0.11
		2 = No	421	2.30
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	129	0.71
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	278	1.52
		99 = LEGITIMATE SKIP (TXEVER=2)	17416	95.33

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	---	-----	----	-	
TXPDCAID	2	*MEDICAID PAID FOR LAST TREATMENT			
		1 = Yes	60	0.33	
		2 = No	394	2.16	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	129	0.71	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	265	1.45	
		99 = LEGITIMATE SKIP (TXEVER=2)	17416	95.33	
TXPDSAVE	2	*OWN SAVINGS OR EARNINGS PAID FOR LAST TRMT			
		1 = Yes	150	0.82	
		2 = No	318	1.74	
		3 = Yes LOGICALLY ASSIGNED	2	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	128	0.70	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	250	1.37	
		99 = LEGITIMATE SKIP (TXEVER=2)	17417	95.34	
TXPDFMLY	2	*FAMILY MEMBERS PAID FOR LAST TREATMENT			
		1 = Yes	43	0.24	
		2 = No	399	2.18	
		3 = Yes LOGICALLY ASSIGNED	1	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	128	0.70	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	277	1.52	
		99 = LEGITIMATE SKIP (TXEVER=2)	17417	95.34	
TXPDEMPL	2	*EMPLOYER PAID FOR LAST TREATMENT			
		1 = Yes	18	0.10	
		2 = No	422	2.31	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	129	0.71	
		94 = DON'T KNOW	1	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	280	1.53	
		99 = LEGITIMATE SKIP (TXEVER=2)	17416	95.33	
TXPDFREE	2	*LAST TREATMENT WAS FREE			
		1 = Yes	101	0.55	
		2 = No	361	1.98	
		3 = Yes LOGICALLY ASSIGNED	3	0.02	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	128	0.70	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	254	1.39	
		99 = LEGITIMATE SKIP (TXEVER=2)	17417	95.34	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
TXPDSOS	2	*LAST TREATMENT PAID FOR BY SOME OTHER SOURCE			
		1 = Yes	49	0.27	
		2 = No	340	1.86	
		3 = Yes LOGICALLY ASSIGNED	14	0.08	
		5 = Yes, payment source not specified LOGICALLY ASSN .	45	0.25	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	128	0.70	
		94 = DON'T KNOW	2	0.01	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	271	1.48	
		99 = LEGITIMATE SKIP (TXEVER=2)	17417	95.34	
TXPDSP	2	*OTHER PAYER FOR LAST TREATMENT			
		1 = Health Insurance	1	0.01	
		2 = Own savings or earnings	2	0.01	
		3 = Family member	1	0.01	
		6 = Free	4	0.02	
		8 = Friend/Sponsor	2	0.01	
		9 = State/city public assistance/welfare/relief	18	0.10	
		10 = Court	6	0.03	
		12 = School	2	0.01	
		14 = Veterans administration/military services	9	0.05	
		15 = Treatment program	2	0.01	
		17 = Social Security	1	0.01	
		85 = BAD DATA Logically assigned	1	0.01	
		94 = DON'T KNOW	3	0.02	
		97 = REFUSED	3	0.02	
		98 = BLANK (NO ANSWER)	669	3.66	
		99 = LEGITIMATE SKIP (TXEVER=2)	17545	96.04	

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE TREATMENT			FREQ	%
LABEL	LEN	DESCRIPTION	----	-
		TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 1, 1995? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.		
		Note: TXENROLL is a new name for the variable below which is comparable to TXEN1093 of NHSDA 1994B.		
TXENROLL	2	*ENROLLED IN TREATMENT ON OCTOBER 1, 1995		
		1 = Yes	84	0.46
		2 = No	475	2.60
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	359	1.97
		95 = BAD DATA	1	0.01
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	159	0.87
		99 = LEGITIMATE SKIP (TXEVER=2)	17186	94.07

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE YOUTH CHECKLIST -- ANSWER SHEET #18		
		FI CHECKPOINT R; R's age.		
SKYCPBAN	1	SKIP OVER YTH CHCKLST TO PERS BEH OR DRIV BEH		
		1 = Resp is 18-59 years old - SKIP TO PERS BEHAV	12729	69.68
		2 = Resp is 60 years or older - SKIP TO DRIV BEHAV ...	613	3.36
		3 = Respondent is 12-17 years old	4437	24.29
		4 = 18-59 years old - SKIP TO PB - LOG ASSIGN	245	1.34
		5 = 60 years or older - SKIP TO DB - LOG ASSIGN	144	0.79
		6 = 12-17 years old - LOGICALLY ASSIGNED	101	0.55
		FI CHECKPOINT S; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPYCRD	2	CAN RESP COMPLETE YOUTH CHECKLIST ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	4233	23.17
		2 = No, I doubt that resp. can complt. it alone - SKIP	99	0.54
		89 = LEGITIMATE SKIP Logically assigned	195	1.07
		96 = MULTIPLE RESPONSE	5	0.03
		98 = BLANK (NO ANSWER)	201	1.10
		99 = LEGITIMATE SKIP	13536	74.09
		YC-0. We would like you to complete this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
YCREAD	2	YOUTH CHECKLIST - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	191	1.05
		2 = Wants to complete the answer sheet on his/her own	4053	22.19
		89 = LEGITIMATE SKIP Logically assigned	164	0.90
		98 = BLANK (NO ANSWER)	239	1.31
		99 = LEGITIMATE SKIP	13622	74.56

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
		Below is a list of items that describe young people. Think about whether each item describes you now or within the past 6 months. Please mark the box next to the "1" if the item is not true of you. Mark the box next to the "2" if the item is somewhat or sometimes true of you. If the item is very true or often true of you, mark the box next to the "3." Please mark only one box for each question.		
YACTYNG	2	I ACT TOO YOUNG FOR MY AGE		
		1 = Not true	2816	15.41
		2 = Somewhat or sometimes true	1517	8.30
		3 = Very true or often true	159	0.87
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	42	0.23
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	34	0.19
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13689	74.93
YALLERGY	2	I HAVE AN ALLERGY		
		1 = Not true	2873	15.73
		2 = Somewhat or sometimes true	786	4.30
		3 = Very true or often true	813	4.45
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	41	0.22
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	16	0.09
		97 = REFUSED	7	0.04
		98 = BLANK (NO ANSWER)	42	0.23
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13690	74.94
YARGUE	2	I ARGUE A LOT		
		1 = Not true	1239	6.78
		2 = Somewhat or sometimes true	2249	12.31
		3 = Very true or often true	984	5.39
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	36	0.20
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13695	74.96

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YASTHMA	2	I HAVE ASTHMA		
		1 = Not true	3857	21.11
		2 = Somewhat or sometimes true	246	1.35
		3 = Very true or often true	353	1.93
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	36	0.20
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	68	0.37
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13695	74.96
YACOPPSX	2	I ACT LIKE THE OPPOSITE SEX		
		1 = Not true	3861	21.13
		2 = Somewhat or sometimes true	265	1.45
		3 = Very true or often true	324	1.77
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	36	0.20
		96 = MULTIPLE RESPONSE	27	0.15
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	53	0.29
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13695	74.96
YLKANIML	2	I LIKE ANIMALS		
		1 = Not true	452	2.47
		2 = Somewhat or sometimes true	1403	7.68
		3 = Very true or often true	2588	14.17
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	34	0.19
		96 = MULTIPLE RESPONSE	26	0.14
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	61	0.33
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13697	74.97
YBRAG	2	I BRAG		
		1 = Not true	2464	13.49
		2 = Somewhat or sometimes true	1743	9.54
		3 = Very true or often true	251	1.37
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	35	0.19
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	64	0.35
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13696	74.97
YTRBCONC	2	I HAVE TROUBLE CONCENTRATING OR PAYING ATTENTION		
		1 = Not true	2215	12.12
		2 = Somewhat or sometimes true	1826	10.00
		3 = Very true or often true	438	2.40
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	34	0.19
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	44	0.24
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13697	74.97

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
YCNTHGTS	2	I CAN'T GET MY MIND OFF CERTAIN THOUGHTS		
		1 = Not true	1593	8.72
		2 = Somewhat or sometimes true	2193	12.00
		3 = Very true or often true	700	3.83
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	34	0.19
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	39	0.21
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13697	74.97
YTRBSIT	2	I HAVE TROUBLE SITTING STILL		
		1 = Not true	2792	15.28
		2 = Somewhat or sometimes true	1277	6.99
		3 = Very true or often true	412	2.26
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	33	0.18
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	42	0.23
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13698	74.98
YDPTADLT	2	I'M TOO DEPENDENT ON ADULTS		
		1 = Not true	2817	15.42
		2 = Somewhat or sometimes true	1355	7.42
		3 = Very true or often true	304	1.66
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	32	0.18
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	44	0.24
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13699	74.98
YFLONELY	2	I FEEL LONELY		
		1 = Not true	2997	16.40
		2 = Somewhat or sometimes true	1247	6.83
		3 = Very true or often true	246	1.35
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	32	0.18
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	34	0.19
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13699	74.98
YFLCONFU	2	I FEEL CONFUSED OR IN A FOG		
		1 = Not true	3390	18.56
		2 = Somewhat or sometimes true	931	5.10
		3 = Very true or often true	152	0.83
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	32	0.18
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	45	0.25
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13699	74.98

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YCRYLOT	2	I CRY A LOT		
		1 = Not true	3426	18.75
		2 = Somewhat or sometimes true	801	4.38
		3 = Very true or often true	238	1.30
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	32	0.18
		96 = MULTIPLE RESPONSE	29	0.16
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	35	0.19
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13699	74.98
YHONEST	2	I AM PRETTY HONEST		
		1 = Not true	461	2.52
		2 = Somewhat or sometimes true	1983	10.85
		3 = Very true or often true	2020	11.06
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	31	0.17
		96 = MULTIPLE RESPONSE	19	0.10
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	46	0.25
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13700	74.99
YMEANOTH	2	I AM MEAN TO OTHERS		
		1 = Not true	3041	16.65
		2 = Somewhat or sometimes true	1252	6.85
		3 = Very true or often true	183	1.00
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	31	0.17
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	44	0.24
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13700	74.99
YDAYDREM	2	I DAYDREAM A LOT		
		1 = Not true	2080	11.39
		2 = Somewhat or sometimes true	1793	9.81
		3 = Very true or often true	610	3.34
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	32	0.18
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	43	0.24
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13699	74.98
YTRYKLSF	2	I DELIBERATELY TRY TO HURT OR KILL MYSELF		
		1 = Not true	4221	23.10
		2 = Somewhat or sometimes true	179	0.98
		3 = Very true or often true	84	0.46
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	29	0.16
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	38	0.21
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13702	75.00

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YTRYATTN	2	I TRY TO GET A LOT OF ATTENTION		
		1 = Not true	2734	14.97
		2 = Somewhat or sometimes true	1433	7.84
		3 = Very true or often true	326	1.78
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	30	0.16
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	33	0.18
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13701	75.00
YDSTYTHG	2	I DESTROY MY OWN THINGS		
		1 = Not true	4024	22.03
		2 = Somewhat or sometimes true	381	2.09
		3 = Very true or often true	84	0.46
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	30	0.16
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	38	0.21
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13701	75.00
YDSTYOTH	2	I DESTROY THINGS BELONGING TO OTHERS		
		1 = Not true	4116	22.53
		2 = Somewhat or sometimes true	304	1.66
		3 = Very true or often true	57	0.31
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	30	0.16
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	43	0.24
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13701	75.00
YDSBYPAR	2	I DISOBEY MY PARENTS		
		1 = Not true	2530	13.85
		2 = Somewhat or sometimes true	1773	9.70
		3 = Very true or often true	180	0.99
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	29	0.16
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	42	0.23
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13702	75.00
YDSBYSCH	2	I DISOBEY AT SCHOOL		
		1 = Not true	3256	17.82
		2 = Somewhat or sometimes true	1055	5.77
		3 = Very true or often true	163	0.89
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	29	0.16
		96 = MULTIPLE RESPONSE	14	0.08
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	41	0.22
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13702	75.00

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YDNTTEATW	2	I DON'T EAT AS WELL AS I SHOULD		
		1 = Not true	2538	13.89
		2 = Somewhat or sometimes true	1471	8.05
		3 = Very true or often true	464	2.54
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	28	0.15
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	46	0.25
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13703	75.01
YDNTKIDS	2	I DON'T GET ALONG WITH OTHER KIDS		
		1 = Not true	3544	19.40
		2 = Somewhat or sometimes true	735	4.02
		3 = Very true or often true	189	1.03
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	27	0.15
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	52	0.28
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13704	75.01
YDNTGLTY	2	I DON'T FEEL GUILTY AFTER DOING SOMETHING I SHDN'T		
		1 = Not true	2878	15.75
		2 = Somewhat or sometimes true	1134	6.21
		3 = Very true or often true	461	2.52
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	27	0.15
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	47	0.26
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13704	75.01
YJEALOTH	2	I AM JEALOUS OF OTHERS		
		1 = Not true	3046	16.67
		2 = Somewhat or sometimes true	1272	6.96
		3 = Very true or often true	163	0.89
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	27	0.15
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	44	0.24
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13704	75.01
YHELPOTH	2	I AM WILLING TO HELP OTHERS WHEN THEY NEED HELP		
		1 = Not true	374	2.05
		2 = Somewhat or sometimes true	1229	6.73
		3 = Very true or often true	2888	15.81
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	27	0.15
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	34	0.19
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13704	75.01

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YAFRPLAC	2	I AM AFRAID OF CERTAIN ANIMALS/SIT/PLACES NOT SCL		
		1 = Not true	1795	9.83
		2 = Somewhat or sometimes true	2067	11.31
		3 = Very true or often true	577	3.16
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	26	0.14
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	88	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13705	75.02
YAFRSCHL	2	I AM AFRAID OF GOING TO SCHOOL		
		1 = Not true	4086	22.37
		2 = Somewhat or sometimes true	293	1.60
		3 = Very true or often true	66	0.36
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	26	0.14
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13705	75.02
YAFRBAD	2	I AM AFRAID I MIGHT THINK OR DO SOMETHING BAD		
		1 = Not true	3402	18.62
		2 = Somewhat or sometimes true	905	4.95
		3 = Very true or often true	136	0.74
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	26	0.14
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13705	75.02
YFLPRFCT	2	I FEEL THAT I HAVE TO BE PERFECT		
		1 = Not true	3023	16.55
		2 = Somewhat or sometimes true	1125	6.16
		3 = Very true or often true	292	1.60
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	25	0.14
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13706	75.02
YFLNOLOV	2	I FEEL THAT NO ONE LOVES ME		
		1 = Not true	3810	20.86
		2 = Somewhat or sometimes true	528	2.89
		3 = Very true or often true	106	0.58
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	25	0.14
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13706	75.02

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YFLGETME	2	I FEEL THAT OTHERS ARE OUT TO GET ME		
		1 = Not true	3779	20.69
		2 = Somewhat or sometimes true	570	3.12
		3 = Very true or often true	100	0.55
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	25	0.14
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	79	0.43
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13706	75.02
YFLWTHLS	2	I FEEL WORTHLESS OR INFERIOR		
		1 = Not true	3946	21.60
		2 = Somewhat or sometimes true	422	2.31
		3 = Very true or often true	78	0.43
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	25	0.14
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	81	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13706	75.02
YACCHURT	2	I ACCIDENTALLY GET HURT A LOT		
		1 = Not true	3487	19.09
		2 = Somewhat or sometimes true	768	4.20
		3 = Very true or often true	187	1.02
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	25	0.14
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13706	75.02
YFIGHTS	2	I GET IN MANY FIGHTS		
		1 = Not true	3708	20.30
		2 = Somewhat or sometimes true	591	3.23
		3 = Very true or often true	145	0.79
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	25	0.14
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13706	75.02
YGTEASED	2	I GET TEASED A LOT		
		1 = Not true	3423	18.74
		2 = Somewhat or sometimes true	805	4.41
		3 = Very true or often true	213	1.17
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	25	0.14
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	81	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13706	75.02

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YKIDSTRB	2	I HANG AROUND WITH KIDS WHO GET IN TROUBLE		
		1 = Not true	2822	15.45
		2 = Somewhat or sometimes true	1308	7.16
		3 = Very true or often true	311	1.70
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YHRVOICS	2	I HEAR SOUNDS OR VOICES THAT OTHER PEOPLE DON'T		
		1 = Not true	4004	21.92
		2 = Somewhat or sometimes true	346	1.89
		3 = Very true or often true	97	0.53
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	79	0.43
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YACTTNK	2	I ACT WITHOUT STOPPING TO THINK		
		1 = Not true	2555	13.99
		2 = Somewhat or sometimes true	1636	8.96
		3 = Very true or often true	253	1.38
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YALONE	2	I WOULD RATHER BE ALONE THAN WITH OTHERS		
		1 = Not true	3092	16.92
		2 = Somewhat or sometimes true	1170	6.40
		3 = Very true or often true	173	0.95
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	82	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YLIE	2	I LIE OR CHEAT		
		1 = Not true	3141	17.19
		2 = Somewhat or sometimes true	1174	6.43
		3 = Very true or often true	120	0.66
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	81	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YBITNAIL	2	I BITE MY FINGERNAILS		
		1 = Not true	2115	11.58
		2 = Somewhat or sometimes true	1355	7.42
		3 = Very true or often true	965	5.28
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	86	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YNERVOUS	2	I AM NERVOUS OR TENSE		
		1 = Not true	2749	15.05
		2 = Somewhat or sometimes true	1443	7.90
		3 = Very true or often true	244	1.34
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	85	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YBTWITCH	2	PARTS OF MY BODY TWITCH OR MAKE NERVOUS MOVEMENTS		
		1 = Not true	3429	18.77
		2 = Somewhat or sometimes true	846	4.63
		3 = Very true or often true	166	0.91
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YNGHTMAR	2	I HAVE NIGHTMARES		
		1 = Not true	2860	15.65
		2 = Somewhat or sometimes true	1369	7.49
		3 = Very true or often true	205	1.12
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YNOTKIDS	2	I AM NOT LIKED BY OTHER KIDS		
		1 = Not true	3612	19.77
		2 = Somewhat or sometimes true	682	3.73
		3 = Very true or often true	137	0.75
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	89	0.49
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YDOBETTR	2	I CAN DO CERTAIN THINGS BETTER THAN MOST KIDS		
		1 = Not true	1217	6.66
		2 = Somewhat or sometimes true	2346	12.84
		3 = Very true or often true	863	4.72
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	24	0.13
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13707	75.03
YANXIOUS	2	I AM TOO FEARFUL OR ANXIOUS		
		1 = Not true	3511	19.22
		2 = Somewhat or sometimes true	808	4.42
		3 = Very true or often true	119	0.65
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	86	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YFLDIZZY	2	I FEEL DIZZY		
		1 = Not true	3671	20.09
		2 = Somewhat or sometimes true	677	3.71
		3 = Very true or often true	98	0.54
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	77	0.42
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YFLGUILT	2	I FEEL TOO GUILTY		
		1 = Not true	3789	20.74
		2 = Somewhat or sometimes true	557	3.05
		3 = Very true or often true	93	0.51
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	81	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YEATMUCH	2	I EAT TOO MUCH		
		1 = Not true	2823	15.45
		2 = Somewhat or sometimes true	1294	7.08
		3 = Very true or often true	319	1.75
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YFLTIRE	2	I FEEL OVERTIRED		
		1 = Not true	2948	16.14
		2 = Somewhat or sometimes true	1223	6.69
		3 = Very true or often true	258	1.41
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YOVRWGT	2	I AM OVERWEIGHT		
		1 = Not true	3289	18.00
		2 = Somewhat or sometimes true	710	3.89
		3 = Very true or often true	369	2.02
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	154	0.84
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
PHYSICAL PROBLEMS WITHOUT KNOWN MEDICAL CAUSE:				
YACHES	2	ACHES OR PAINS (NOT HEADACHES)		
		1 = Not true	3141	17.19
		2 = Somewhat or sometimes true	1066	5.84
		3 = Very true or often true	194	1.06
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	120	0.66
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YHEADACH	2	HEADACHES		
		1 = Not true	2222	12.16
		2 = Somewhat or sometimes true	1793	9.81
		3 = Very true or often true	414	2.27
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	97	0.53
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YNAUSEA	2	NAUSEA, FEEL SICK		
		1 = Not true	3328	18.22
		2 = Somewhat or sometimes true	929	5.09
		3 = Very true or often true	152	0.83
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	111	0.61
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YEYEPROB	2	PROBLEMS WITH EYES		
		1 = Not true	3271	17.90
		2 = Somewhat or sometimes true	816	4.47
		3 = Very true or often true	317	1.74
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	112	0.61
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YRASHES	2	RASHES OR OTHER SKIN PROBLEMS		
		1 = Not true	3762	20.59
		2 = Somewhat or sometimes true	488	2.67
		3 = Very true or often true	154	0.84
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	114	0.62
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YCRAMPS	2	STOMACH ACHES OR CRAMPS		
		1 = Not true	2813	15.40
		2 = Somewhat or sometimes true	1343	7.35
		3 = Very true or often true	253	1.38
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	118	0.65
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YVOMIT	2	VOMITING, THROWING UP		
		1 = Not true	3904	21.37
		2 = Somewhat or sometimes true	433	2.37
		3 = Very true or often true	75	0.41
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	114	0.62
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YATTACK	2	I PHYSICALLY ATTACK PEOPLE		
		1 = Not true	4087	22.37
		2 = Somewhat or sometimes true	303	1.66
		3 = Very true or often true	55	0.30
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	82	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YPKBPART	2	I PICK MY SKIN OR OTHER PARTS OF MY BODY		
		1 = Not true	3926	21.49
		2 = Somewhat or sometimes true	439	2.40
		3 = Very true or often true	62	0.34
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	20	0.11
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	81	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YPRNDLY	2	I CAN BE PRETTY FRIENDLY		
		1 = Not true	324	1.77
		2 = Somewhat or sometimes true	1338	7.32
		3 = Very true or often true	2769	15.16
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	90	0.49
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YTRYTHNG	2	I LIKE TO TRY NEW THINGS		
		1 = Not true	491	2.69
		2 = Somewhat or sometimes true	1796	9.83
		3 = Very true or often true	2121	11.61
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	24	0.13
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YSCPOOR	2	MY SCHOOL WORK IS POOR		
		1 = Not true	3047	16.68
		2 = Somewhat or sometimes true	1158	6.34
		3 = Very true or often true	207	1.13
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	17	0.09
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	99	0.54
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YCLUMSY	2	I AM POORLY COORDINATED OR CLUMSY		
		1 = Not true	3487	19.09
		2 = Somewhat or sometimes true	756	4.14
		3 = Very true or often true	138	0.76
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	19	0.10
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	128	0.70
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YOLDKIDS	2	I WOULD RATHER BE W/OLDER KIDS THAN KIDS OWN AGE		
		1 = Not true	2097	11.48
		2 = Somewhat or sometimes true	1745	9.55
		3 = Very true or often true	543	2.97
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	137	0.75
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YYNGKIDS	2	I WOULD RATHER BE W/YOUNGER KIDS THAN KIDS OWN AGE		
		1 = Not true	3400	18.61
		2 = Somewhat or sometimes true	875	4.79
		3 = Very true or often true	119	0.65
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	127	0.70
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YRFSTALK	2	I REFUSE TO TALK		
		1 = Not true	3614	19.78
		2 = Somewhat or sometimes true	695	3.80
		3 = Very true or often true	118	0.65
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	95	0.52
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YREPACTN	2	I REPEAT CERTAIN ACTIONS OVER AND OVER		
		1 = Not true	3278	17.94
		2 = Somewhat or sometimes true	1022	5.59
		3 = Very true or often true	127	0.70
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	97	0.53
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YRUNHOME	2	I RUN AWAY FROM HOME		
		1 = Not true	4201	23.00
		2 = Somewhat or sometimes true	184	1.01
		3 = Very true or often true	51	0.28
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YSCREAM	2	I SCREAM A LOT		
		1 = Not true	3608	19.75
		2 = Somewhat or sometimes true	667	3.65
		3 = Very true or often true	159	0.87
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	90	0.49
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YSECRET	2	I AM SECRETIVE OR KEEP THINGS TO MYSELF		
		1 = Not true	2159	11.82
		2 = Somewhat or sometimes true	1769	9.68
		3 = Very true or often true	505	2.76
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	92	0.50
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YSEETHNG	2	I SEE THINGS THAT OTHER PEOPLE THINK AREN'T THERE		
		1 = Not true	4037	22.10
		2 = Somewhat or sometimes true	317	1.74
		3 = Very true or often true	86	0.47
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	23	0.13
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13708	75.03
YSLFCONS	2	I AM SELF-CONSCIOUS OR EASILY EMBARRASSED		
		1 = Not true	2609	14.28
		2 = Somewhat or sometimes true	1495	8.18
		3 = Very true or often true	335	1.83
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YSETFIRE	2	I SET FIRES		
		1 = Not true	4169	22.82
		2 = Somewhat or sometimes true	209	1.14
		3 = Very true or often true	57	0.31
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YWELHNS	2	I CAN WORK WELL WITH MY HANDS		
		1 = Not true	948	5.19
		2 = Somewhat or sometimes true	1982	10.85
		3 = Very true or often true	1500	8.21
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	14	0.08
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSHOWOFF	2	I SHOW OFF OR CLOWN		
		1 = Not true	2630	14.40
		2 = Somewhat or sometimes true	1518	8.31
		3 = Very true or often true	283	1.55
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	92	0.50
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSHY	2	I AM SHY		
		1 = Not true	2191	11.99
		2 = Somewhat or sometimes true	1751	9.58
		3 = Very true or often true	491	2.69
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	90	0.49
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSLPLESS	2	I SLEEP LESS THAN MOST KIDS		
		1 = Not true	3041	16.65
		2 = Somewhat or sometimes true	1069	5.85
		3 = Very true or often true	318	1.74
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	93	0.51
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YSLPMORE	2	I SLEEP MORE THAN MOST KIDS DURING DAY/NIGHT		
		1 = Not true	2825	15.46
		2 = Somewhat or sometimes true	1258	6.89
		3 = Very true or often true	344	1.88
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	91	0.50
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YGDIMAG	2	I HAVE A GOOD IMAGINATION		
		1 = Not true	761	4.17
		2 = Somewhat or sometimes true	2038	11.16
		3 = Very true or often true	1636	8.96
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	86	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSPCHPRB	2	I HAVE A SPEECH PROBLEM		
		1 = Not true	3797	20.78
		2 = Somewhat or sometimes true	508	2.78
		3 = Very true or often true	122	0.67
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	91	0.50
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSTDRGHT	2	I STAND UP FOR MY RIGHTS		
		1 = Not true	581	3.18
		2 = Somewhat or sometimes true	1892	10.36
		3 = Very true or often true	1949	10.67
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSTEALHO	2	I STEAL AT HOME		
		1 = Not true	4188	22.92
		2 = Somewhat or sometimes true	194	1.06
		3 = Very true or often true	49	0.27
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	92	0.50
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YSTEALPL	2	I STEAL FROM PLACES OTHER THAN HOME		
		1 = Not true	4083	22.35
		2 = Somewhat or sometimes true	290	1.59
		3 = Very true or often true	58	0.32
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	92	0.50
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YDNTNEED	2	I STORE UP THINGS I DON'T NEED		
		1 = Not true	2474	13.54
		2 = Somewhat or sometimes true	1447	7.92
		3 = Very true or often true	484	2.65
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	20	0.11
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	103	0.56
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YDOSTRNG	2	I DO THINGS OTHER PEOPLE THINK ARE STRANGE		
		1 = Not true	2801	15.33
		2 = Somewhat or sometimes true	1264	6.92
		3 = Very true or often true	334	1.83
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	120	0.66
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YTHSTRNG	2	I HAVE THOUGHTS PEOPLE WOULD THINK ARE STRANGE		
		1 = Not true	2950	16.15
		2 = Somewhat or sometimes true	1175	6.43
		3 = Very true or often true	295	1.61
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	105	0.57
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSTUBORN	2	I AM STUBBORN		
		1 = Not true	2137	11.70
		2 = Somewhat or sometimes true	1665	9.11
		3 = Very true or often true	618	3.38
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	103	0.56
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YMOODS	2	MY MOODS OR FEELINGS CHANGE SUDDENLY		
		1 = Not true	2328	12.74
		2 = Somewhat or sometimes true	1569	8.59
		3 = Very true or often true	509	2.79
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	121	0.66
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YENJOY	2	I ENJOY BEING WITH OTHER PEOPLE		
		1 = Not true	393	2.15
		2 = Somewhat or sometimes true	1196	6.55
		3 = Very true or often true	2849	15.59
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	22	0.12
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	85	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13709	75.04
YSUSPICS	2	I AM SUSPICIOUS		
		1 = Not true	2538	13.89
		2 = Somewhat or sometimes true	1578	8.64
		3 = Very true or often true	324	1.77
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YDRTLANG	2	I SWEAR OR USE DIRTY LANGUAGE		
		1 = Not true	1855	10.15
		2 = Somewhat or sometimes true	2053	11.24
		3 = Very true or often true	536	2.93
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	78	0.43
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YTHKKLSF	2	I THINK ABOUT KILLING MYSELF		
		1 = Not true	3988	21.83
		2 = Somewhat or sometimes true	345	1.89
		3 = Very true or often true	86	0.47
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	24	0.13
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	85	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YLKLAUGH	2	I LIKE TO MAKE OTHERS LAUGH		
		1 = Not true	418	2.29
		2 = Somewhat or sometimes true	1613	8.83
		3 = Very true or often true	2402	13.15
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	88	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YTALKMCH	2	I TALK TOO MUCH		
		1 = Not true	1629	8.92
		2 = Somewhat or sometimes true	2008	10.99
		3 = Very true or often true	795	4.35
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	88	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YTEASE	2	I TEASE OTHERS A LOT		
		1 = Not true	2951	16.15
		2 = Somewhat or sometimes true	1278	7.00
		3 = Very true or often true	206	1.13
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	86	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YTEMPER	2	I HAVE A HOT TEMPER		
		1 = Not true	2421	13.25
		2 = Somewhat or sometimes true	1399	7.66
		3 = Very true or often true	624	3.42
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	80	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YTHNKSEX	2	I THINK ABOUT SEX TOO MUCH		
		1 = Not true	3243	17.75
		2 = Somewhat or sometimes true	944	5.17
		3 = Very true or often true	252	1.38
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	82	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YTHRTPEO	2	I THREATEN TO HURT PEOPLE		
		1 = Not true	3793	20.76
		2 = Somewhat or sometimes true	512	2.80
		3 = Very true or often true	118	0.65
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	21	0.11
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YLKHELP	2	I LIKE TO HELP OTHERS		
		1 = Not true	430	2.35
		2 = Somewhat or sometimes true	1521	8.33
		3 = Very true or often true	2464	13.49
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	101	0.55
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YCONNEAT	2	I AM TOO CONCERNED ABOUT BEING NEAT OR CLEAN		
		1 = Not true	1882	10.30
		2 = Somewhat or sometimes true	1840	10.07
		3 = Very true or often true	714	3.91
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YTRBSLEP	2	I HAVE TROUBLE SLEEPING		
		1 = Not true	3070	16.80
		2 = Somewhat or sometimes true	1135	6.21
		3 = Very true or often true	233	1.28
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	86	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YSKIPSCH	2	I CUT CLASSES OR SKIP SCHOOL		
		1 = Not true	3689	20.19
		2 = Somewhat or sometimes true	619	3.39
		3 = Very true or often true	136	0.74
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	82	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YNOENRGY	2	I DON'T HAVE MUCH ENERGY		
		1 = Not true	3251	17.80
		2 = Somewhat or sometimes true	990	5.42
		3 = Very true or often true	199	1.09
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YUNHAPPY	2	I AM UNHAPPY, SAD, OR DEPRESSED		
		1 = Not true	3372	18.46
		2 = Somewhat or sometimes true	911	4.99
		3 = Very true or often true	159	0.87
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	80	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YLOUDER	2	I AM LOUDER THAN OTHER KIDS		
		1 = Not true	3010	16.48
		2 = Somewhat or sometimes true	1151	6.30
		3 = Very true or often true	276	1.51
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	85	0.47
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YUSEDRUG	2	I USE ALCOHOL OR DRUGS FOR NONMEDICAL PURPOSES		
		1 = Not true	3819	20.90
		2 = Somewhat or sometimes true	460	2.52
		3 = Very true or often true	153	0.84
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	12	0.07
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	84	0.46
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YFAIROTH	2	I TRY TO BE FAIR TO OTHERS		
		1 = Not true	518	2.84
		2 = Somewhat or sometimes true	1743	9.54
		3 = Very true or often true	2175	11.91
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	9	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
YENJYJOK	2	I ENJOY A GOOD JOKE		
		1 = Not true	314	1.72
		2 = Somewhat or sometimes true	1211	6.63
		3 = Very true or often true	2908	15.92
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	7	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	88	0.48
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YLIFEASY	2	I LIKE TO TAKE LIFE EASY		
		1 = Not true	610	3.34
		2 = Somewhat or sometimes true	1911	10.46
		3 = Very true or often true	1906	10.43
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	91	0.50
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YTRYHELP	2	I TRY TO HELP OTHER PEOPLE WHEN I CAN		
		1 = Not true	287	1.57
		2 = Somewhat or sometimes true	1382	7.56
		3 = Very true or often true	2757	15.09
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	94	0.51
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YWSOPPSX	2	I WISH I WAS OF THE OPPOSITE SEX		
		1 = Not true	4196	22.97
		2 = Somewhat or sometimes true	191	1.05
		3 = Very true or often true	45	0.25
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	93	0.51
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05
YINVOTH	2	I KEEP FROM GETTING INVOLVED WITH OTHERS		
		1 = Not true	2706	14.81
		2 = Somewhat or sometimes true	1465	8.02
		3 = Very true or often true	272	1.49
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	81	0.44
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05

NON-CORE YOUTH CHECKLIST

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
YWORRY	2	I WORRY A LOT		
		1 = Not true	2450	13.41
		2 = Somewhat or sometimes true	1489	8.15
		3 = Very true or often true	511	2.80
		89 = LEGITIMATE SKIP Logically assigned (SKYCPBAN=4,5).	21	0.11
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	76	0.42
		99 = LEGITIMATE SKIP (SKYCPBAN=1,2)	13710	75.05

FI CHECKPOINT T; AGE OF RESPONDENT

SKPBDBAN	2	SKIP OVER PB/DB TO DEMOGRAPHICS, ON AGE		
		1 = Respondent is 12-15 years old - SKIP TO DEMOS	2860	15.65
		2 = Respondent is 16-17 years old - SKIP TO DRIV BEH .	1469	8.04
		3 = Respondent is 12-15 years old LOGICALLY ASSIGNED .	123	0.67
		4 = Respondent is 16-17 years old LOGICALLY ASSIGNED .	86	0.47
		89 = LEGITIMATE SKIP Logically assigned	52	0.28
		99 = LEGITIMATE SKIP	13679	74.88

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE PERSONAL BEHAVIORS - ANSWER SHEET #19		
		THIS ANSWER SHEET WAS ADMINISTERED TO RESPONDENTS AGE 18 TO 59.		
		FI CHECKPOINT U; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPPBRD	2	CAN RESPONDENT COMPLETE PERS. BEH. ANS SHEET ALONE		
		1 = Yes, I think that respondent can complete it alone	12401	67.88
		2 = No, I doubt that resp. can complt. it alone - SKIP	400	2.19
		89 = LEGITIMATE SKIP Logically assigned	209	1.14
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	162	0.89
		99 = LEGITIMATE SKIP	5086	27.84
		PB-0. We would like you to complete the rest of this answer sheet on your own, but if you prefer, I'll read the questions out loud. Which do you prefer?		
PBREAD	2	PERSONAL BEHAVIORS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	948	5.19
		2 = Wants to complete the answer sheet on his/her own	11573	63.35
		89 = LEGITIMATE SKIP Logically assigned	200	1.09
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	19	0.10
		98 = BLANK (NO ANSWER)	240	1.31
		99 = LEGITIMATE SKIP	5287	28.94

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		<p>These next questions are about experiences related to HIV, the virus that causes AIDS. Because AIDS is related not only to drug use, but also to sexual behavior, many of these questions will ask about sexual experiences. The questions will ask about three kinds of activities: vaginal sex, oral sex, and anal sex. To help you answer these questions, card 6 defines these three kinds of activities. (Hand R showcard 6. Allow R time to read.)</p> <p>Please keep in mind that these questions are being asked so that we get a true picture of what experience people have had. This will be very important as efforts are made to reduce the risk people face from this disease.</p> <p>PB-1. During the past 12 months, have you had sex? By "sex" we mean only vaginal, oral or anal sex.</p>		
XSEXYR	2	HAD SEX IN PAST 12 MONTHS		
		1 = Yes	10167	55.65
		2 = No	2349	12.86
		3 = Yes LOGICALLY ASSIGNED	130	0.71
		4 = No LOGICALLY ASSIGNED	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	163	0.89
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	213	1.17
		98 = BLANK (NO ANSWER)	106	0.58
		99 = LEGITIMATE SKIP	5132	28.09

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		PB-2. Are you currently involved in an on-going sexual relationship with anyone; that is, is there anyone with whom you regularly have vaginal, oral, or anal sex? This may include your husband or wife, or anyone else with whom you are in an ongoing relationship.		
XRELNOW	2	CURRENTLY INVOLVED IN ON-GOING SEXUAL RELATIONSHIP		
		1 = Yes	8502	46.54
		2 = No	1417	7.76
		4 = No LOGICALLY ASSIGNED	7	0.04
		89 = LEGITIMATE SKIP Logically assigned	164	0.90
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	222	1.22
		98 = BLANK (NO ANSWER)	469	2.57
		99 = LEGITIMATE SKIP	7485	40.97

NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XRELYR.

PB-3. At any time in the past 12 months have you had an on-going sexual relationship with anyone; that is, was there anyone with whom you regularly had vaginal, oral, or anal sex? This may include your husband or wife, or anyone else with whom you are in an on-going relationship.

XRELYR	2	HAD ON-GOING SEXUAL RELATIONSHIP IN PAST 12 MONTHS		
		1 = Yes	985	5.39
		2 = No	354	1.94
		3 = Yes LOG ASSN (1<= PB-4 <=5 or 1<= PB-5 <=5)	241	1.32
		4 = No LOG ASSN (XNRELYR=1 or 3, and sex w/1 pers) ...	2	0.01
		5 = Yes LOGICALLY ASSIGNED (PB-19=1)	137	0.75
		6 = No LOGICALLY ASSIGNED (sex w/1 pers & PB-19=2) ...	3	0.02
		85 = BAD DATA Logically assigned	17	0.09
		89 = LEGITIMATE SKIP Logically assigned	1015	5.56
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	221	1.21
		98 = BLANK (NO ANSWER)	157	0.86
		99 = LEGITIMATE SKIP	15136	82.85

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XRELCDV.		
		PB-4. During the past 12 months, when you had vaginal sex with someone in an on-going relationship, how often was a condom used?		
XRELCDV	2	HOW OFTN CONDOM USED W/VAG SEX IN ON-GOING REL		
		1 = A condom was used every single time	1647	9.02
		2 = A condom was used almost every single time	747	4.09
		3 = A condom was used at least half of the time	536	2.93
		4 = A condom was used at least once but less than half	863	4.72
		5 = A condom was never used	5390	29.50
		11 = Used condoms at least once LOGICALLY ASSIGNED	175	0.96
		85 = BAD DATA Logically assigned	25	0.14
		89 = LEGITIMATE SKIP Logically assigned	118	0.65
		93 = DID NOT HAVE VAG SEX IN ON-GOING REL IN PST 12 MOS	172	0.94
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	21	0.11
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	458	2.51
		99 = LEGITIMATE SKIP	7890	43.19
		PB-5. During the past 12 months, when you had anal sex with someone in an on-going relationship, how often was a condom used?		
XRELCDV	2	HOW OFTN CONDOM USED W/ANAL SEX IN ON-GOING REL		
		1 = A condom was used every single time	367	2.01
		2 = A condom was used almost every single time	88	0.48
		3 = A condom was used at least half of the time	75	0.41
		4 = A condom was used at least once but less than half	64	0.35
		5 = A condom was never used	1021	5.59
		89 = LEGITIMATE SKIP Logically assigned	119	0.65
		93 = DID NOT HAVE ANAL SEX IN ON-GOING REL IN PST 12 MO	7791	42.65
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	14	0.08
		97 = REFUSED	228	1.25
		98 = BLANK (NO ANSWER)	611	3.34
		99 = LEGITIMATE SKIP	7889	43.18

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XNRELYR.		
		PB-6. At any time in the past 12 months have you had vaginal, oral, or anal sex with anyone who you were not in an on-going relationship with?		
XNRELYR	2	HAD SEX NOT IN ON-GOING RELATIONSHIP PST 12 MOS		
		1 = Yes	1524	8.34
		2 = No	8331	45.60
		3 = Yes LOG ASSN (1<= PB-7 <=5 or 1<= PB-8 <=5)	102	0.56
		4 = No LOG ASSN (on-going rel and sex w/1 pers)	98	0.54
		5 = Yes LOGICALLY ASSIGNED (PB-19=2)	104	0.57
		6 = No LOGICALLY ASSIGNED (sex w/1 pers & PB-19=1) ...	8	0.04
		85 = BAD DATA Logically assigned	17	0.09
		89 = LEGITIMATE SKIP Logically assigned	154	0.84
		97 = REFUSED	225	1.23
		98 = BLANK (NO ANSWER)	211	1.15
		99 = LEGITIMATE SKIP	7495	41.03

NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XNRELCDV.

PB-7. During the past 12 months, when you had vaginal sex with someone who you were not in an on-going relationship with, how often was a condom used?

XNRELCDV	2	HOW OFTN CONDOM USED W/VAG SEX NOT IN ON-GO REL		
		1 = A condom was used every single time	728	3.98
		2 = A condom was used almost every single time	210	1.15
		3 = A condom was used at least half of the time	79	0.43
		4 = A condom was used at least once but less than half	91	0.50
		5 = A condom was never used	355	1.94
		11 = Used condoms at least once LOGICALLY ASSIGNED	12	0.07
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	134	0.73
		93 = DID NOT HAVE VAG SEX OUTSIDE ON-GO REL PST 12 MOS	122	0.67
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	224	1.23
		98 = BLANK (NO ANSWER)	350	1.92
		99 = LEGITIMATE SKIP	15952	87.32

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		PB-8. During the past 12 months, when you had anal sex with someone who you were not in an on-going relationship with, how often was a condom used?		
XNRELCDA	2	HOW OFTN CONDOM USED W/ANAL SEX NOT IN ON-GO REL		
		1 = A condom was used every single time	177	0.97
		2 = A condom was used almost every single time	27	0.15
		3 = A condom was used at least half of the time	26	0.14
		4 = A condom was used at least once but less than half	12	0.07
		5 = A condom was never used	124	0.68
		89 = LEGITIMATE SKIP Logically assigned	206	1.13
		93 = DID NOT HAVE ANAL SEX OUTSIDE ON-GO REL PST 12 MOS	1186	6.49
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	224	1.23
		98 = BLANK (NO ANSWER)	403	2.21
		99 = LEGITIMATE SKIP	15880	86.92

NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XYRDIFPP. Users of the data should also note that a value of 11 in XYRDIFPP is not necessarily an inconsistent pattern for some respondents, in that the nature of the relationship with the same partner may have changed over time.

PB-9. During the past 12 months, how many different people have you had sex with? Remember, by "sex" we mean only vaginal, oral, or anal sex.

XYRDIFPP	2	# PEOPLE HAD SEX WITH IN PAST 12 MONTHS		
		1 = 1 person	7926	43.38
		2 = 2 different people	910	4.98
		3 = 3 to 5 different people	559	3.06
		4 = 6 to 10 different people	124	0.68
		5 = 11 to 20 different people	36	0.20
		6 = 21 to 30 different people	13	0.07
		7 = 31 or more different people	16	0.09
		11 = 1 person (& sex in both types of relationships) ..	443	2.42
		85 = BAD DATA Logically assigned	9	0.05
		89 = LEGITIMATE SKIP Logically assigned	59	0.32
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	224	1.23
		98 = BLANK (NO ANSWER)	357	1.95
		99 = LEGITIMATE SKIP	7590	41.55

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XYRWTHMF.		
		PB-10. During the past 12 months, have you had vaginal, oral, or anal sex with only males, only females, or with both males and females? PLEASE MARK ONE BOX FOR THE BEST ANSWER.		
XYRWTHMF	2	HAD SEX WITH MALES, FEMALES, OR BOTH IN PST 12 MOS		
		1 = Only males	5922	32.42
		2 = Only females	4006	21.93
		3 = Both males and females	39	0.21
		11 = Only males (R is male but vag sex also implied) ..	56	0.31
		85 = BAD DATA Logically assigned	9	0.05
		89 = LEGITIMATE SKIP Logically assigned	57	0.31
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	225	1.23
		98 = BLANK (NO ANSWER)	360	1.97
		99 = LEGITIMATE SKIP	7592	41.56
		PB-11. During the past 12 months, did you have vaginal, oral or anal sex with anyone who has been told that he or she has HIV, AIDS or the AIDS virus?		
XYRHIV	2	IN PAST 12 MOS HAD SEX WITH ANYONE WHO HAS AIDS		
		1 = Yes	40	0.22
		2 = No	9275	50.77
		3 = I don't know	644	3.53
		89 = LEGITIMATE SKIP Logically assigned	71	0.39
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	425	2.33
		99 = LEGITIMATE SKIP	7578	41.48

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		PB-12. During the past 12 months, have you paid money for sex or received money for sex? Remember to include only vaginal, oral or anal sex.		
XYRMONEY	2	IN PAST 12 MOS PAID OR REC'D MONEY FOR SEX		
		1 = Yes	114	0.62
		2 = No	9914	54.27
		89 = LEGITIMATE SKIP Logically assigned	83	0.45
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	366	2.00
		99 = LEGITIMATE SKIP	7566	41.41
		PB-13. During the past 12 months, have you given drugs for sex or received drugs for sex? Remember to include only vaginal, oral or anal sex.		
XYRDRUGS	2	IN PAST 12 MOS GIVEN OR REC'D DRUGS FOR SEX		
		1 = Yes	49	0.27
		2 = No	9978	54.62
		89 = LEGITIMATE SKIP Logically assigned	82	0.45
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	366	2.00
		99 = LEGITIMATE SKIP	7567	41.42
		PB-14. At any time in your life, was a condom used when you have had vaginal, oral or anal sex?		
XCDEVER	2	EVER USED A CONDOM WHEN YOU HAD SEX		
		1 = Yes	7923	43.37
		2 = No	2045	11.19
		3 = Yes LOGICALLY ASSIGNED	175	0.96
		89 = LEGITIMATE SKIP Logically assigned	117	0.64
		97 = REFUSED	225	1.23
		98 = BLANK (NO ANSWER)	252	1.38
		99 = LEGITIMATE SKIP	7532	41.23

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XCDLAST.		
		PB-15. The last time you had sex, was a condom used? Remember that by "sex", we mean only vaginal, oral, or anal sex.		
XCDLAST	2	CONDOM USED THE LAST TIME YOU HAD SEX		
		1 = Yes	2865	15.68
		2 = No	4813	26.35
		3 = Yes LOGICALLY ASSIGNED	122	0.67
		4 = No LOGICALLY ASSIGNED	260	1.42
		89 = LEGITIMATE SKIP Logically assigned	179	0.98
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	289	1.58
		99 = LEGITIMATE SKIP	9515	52.08
		PB-16. As you read the following reasons why people sometimes use a condom, please indicate whether it was a reason why a condom was used the last time you had sex.		
XCDPREG	2	CONDOM USED LAST TIME TO PREVENT PREGNANCY		
		1 = Yes	2514	13.76
		2 = No	319	1.75
		3 = Yes LOGICALLY ASSIGNED (XCDRSN1=1 or 4)	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	393	2.15
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	442	2.42
		99 = LEGITIMATE SKIP	14374	78.68
XCDSTD	2	CONDOM USED LAST TIME TO PREVENT DISEASE		
		1 = Yes	1915	10.48
		2 = No	708	3.88
		3 = Yes LOGICALLY ASSIGNED (XCDRSN1=2 or 4)	12	0.07
		89 = LEGITIMATE SKIP Logically assigned	321	1.76
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	641	3.51
		99 = LEGITIMATE SKIP	14446	79.07

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
XCDNMESS	2	CONDOM USED LAST TIME BECAUSE LESS MESSY		
		1 = Yes	703	3.85
		2 = No	1664	9.11
		3 = Yes LOGICALLY ASSIGNED (XCDRSN1=4)	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	268	1.47
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	908	4.97
		99 = LEGITIMATE SKIP	14499	79.36
XCDOTRSN	2	CONDOM USED LAST TIME FOR OTHER REASON		
		1 = Yes	307	1.68
		2 = No	1946	10.65
		3 = Yes LOGICALLY ASSIGNED (1<=XCDRSN1<80)	11	0.06
		5 = Yes LOG ASSN (Yes not given in PB-16)	12	0.07
		89 = LEGITIMATE SKIP Logically assigned	271	1.48
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	1000	5.47
		99 = LEGITIMATE SKIP	14496	79.35
XCDRSN1	2	OTHER REASON MENTIONED FOR CONDOM USE		
		1 = Used condom to prevent pregnancy	6	0.03
		2 = Used condom to prevent sexually transmitted dis ..	34	0.19
		4 = All of the above	1	0.01
		5 = Used condom out of curiosity	1	0.01
		6 = Used condom for hygienic/medical reasons	9	0.05
		7 = Used condom because wanted to, reg. routine	15	0.08
		8 = Used condom for general health and safety reasons	33	0.18
		10 = Used condom bc not mutually monogamous relationshi	9	0.05
		11 = Used condom to increase intensity/prolong act	4	0.02
		12 = Used condom because partner requested	3	0.02
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		97 = REFUSED	226	1.24
		98 = BLANK (NO ANSWER)	1212	6.63
		99 = LEGITIMATE SKIP	16700	91.41

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		PB-17. As you read the following list of reasons why people sometimes do not use a condom, please indicate whether it was a reason why a condom was not used the last time you had vaginal, oral or anal sex.		
XNCDPREG	2	NO CONDOM USE LAST TIME--TRYING TO HAVE BABY		
		1 = Yes	1255	6.87
		2 = No	5204	28.49
		3 = Yes LOGICALLY ASSIGNED (XNCDRSN1=1)	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1157	6.33
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	228	1.25
		98 = BLANK (NO ANSWER)	940	5.15
		99 = LEGITIMATE SKIP	9479	51.89
XNCDMONO	2	NO CONDOM USE LAST TIME--SEX WITH 1 PARTNER		
		1 = Yes	4774	26.13
		2 = No	1859	10.18
		3 = Yes LOGICALLY ASSIGNED (XNCDRSN1=2)	53	0.29
		89 = LEGITIMATE SKIP Logically assigned	1143	6.26
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	715	3.91
		99 = LEGITIMATE SKIP	9493	51.96
XNCDSTD	2	NO CONDOM USE LAST TIME--DIDN'T HAVE DISEASES		
		1 = Yes	3960	21.68
		2 = No	2438	13.35
		3 = Yes LOGICALLY ASSIGNED (XNCDRSN1=3)	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	1117	6.11
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	1000	5.47
		99 = LEGITIMATE SKIP	9519	52.10
XNCDOBC	2	NO CONDOM USE LAST TIME--USED OTHER BIRTH CONTROL		
		1 = Yes	3252	17.80
		2 = No	3240	17.73
		3 = Yes LOGICALLY ASSIGNED (XNCDRSN1=4)	20	0.11
		89 = LEGITIMATE SKIP Logically assigned	1118	6.12
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	888	4.86
		99 = LEGITIMATE SKIP	9518	52.10

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
XNCDRELG	2	NO CONDOM USE LAST TIME--FOR RELIGIOUS REASONS		
		1 = Yes	246	1.35
		2 = No	6065	33.20
		89 = LEGITIMATE SKIP Logically assigned	1101	6.03
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	1088	5.96
		99 = LEGITIMATE SKIP	9535	52.19
XNCDPTNR	2	NO CONDOM USE LAST TIME--PARTNER DIDN'T WANT TO		
		1 = Yes	1006	5.51
		2 = No	5302	29.02
		3 = Yes LOGICALLY ASSIGNED (XNCDRSN1=6)	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	1098	6.01
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	1085	5.94
		99 = LEGITIMATE SKIP	9538	52.21
XNCDNA	2	NO CONDOM USE LAST TIME--CONDOM NOT AVAILABLE		
		1 = Yes	810	4.43
		2 = No	5491	30.06
		3 = Yes LOGICALLY ASSIGNED (XNCDRSN1=7)	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1102	6.03
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	1094	5.99
		99 = LEGITIMATE SKIP	9534	52.19
XNCDHOW	2	NO CONDOM USE LAST TIME--DK HOW TO USE CONDOM		
		1 = Yes	215	1.18
		2 = No	6065	33.20
		89 = LEGITIMATE SKIP Logically assigned	1094	5.99
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	1119	6.13
		99 = LEGITIMATE SKIP	9542	52.23
XNCDSAFE	2	NO CONDOM USE LAST TIME--TYPE OF SEX WASN'T RISKY		
		1 = Yes	1039	5.69
		2 = No	5253	28.75
		3 = Yes LOGICALLY ASSIGNED (XNCDRSN1=9)	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1096	6.00
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	1103	6.04
		99 = LEGITIMATE SKIP	9540	52.22

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
XNCDORSN	2	NO CONDOM USE LAST TIME--OTHER REASON		
		1 = Yes	584	3.20
		2 = No	4822	26.39
		3 = Yes LOGICALLY ASSIGNED (1<=XNCDORSN1<80)	191	1.05
		5 = Yes LOG ASSN (Yes not given in PB-17)	405	2.22
		89 = LEGITIMATE SKIP Logically assigned	1006	5.51
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	229	1.25
		98 = BLANK (NO ANSWER)	1397	7.65
		99 = LEGITIMATE SKIP	9630	52.71
XNCDORSN1	2	OTHER REASON MENTIONED FOR NOT USING CONDOM		
		1 = We are trying to have a baby (get pregnant)	15	0.08
		2 = Did not need since only having sex with each other	173	0.95
		3 = Did not need since neither of us has AIDS or STDs	16	0.09
		4 = We used another birth control method	36	0.20
		6 = My partner did not want us to use a condom	10	0.05
		7 = A condom was not available or handy	6	0.03
		9 = The kind of sex we had was not that risky	4	0.02
		10 = Rape, nonconsensual sex	1	0.01
		11 = Already pregnant	52	0.28
		12 = Lesbian sex	8	0.04
		13 = Did not need to, no reason to	16	0.09
		14 = Oral sex	8	0.04
		15 = Have never discussed	4	0.02
		16 = Less pleasurable/intimate	23	0.13
		17 = Do not like them/do not want to/not interested ...	49	0.27
		18 = Allergic to latex	9	0.05
		19 = Too expensive	1	0.01
		20 = Never use them	6	0.03
		21 = Under the influence of drugs/alcohol	3	0.02
		22 = Infertile/sterile	29	0.16
		23 = Sterilized (tubal ligation, vasectomy, hysterectomy)	139	0.76
		24 = Inconvenient/interferes with the act	4	0.02
		25 = Personal reasons	1	0.01
		26 = Careless/forgot	13	0.07
		27 = Do not believe in/use/need birth control	3	0.02
		28 = Bad quality/defective condom	2	0.01
		29 = Condoms irritate/uncomfortable	11	0.06
		30 = Infrequent sex	1	0.01
		31 = Indicates distrust	1	0.01
		32 = Afraid of condoms/don't trust condoms	1	0.01
		33 = Will lose erection	1	0.01
		34 = Menstruating	1	0.01
		35 = Just for the fun of it	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	32	0.18
		97 = REFUSED	227	1.24
		98 = BLANK (NO ANSWER)	1934	10.59
		99 = LEGITIMATE SKIP	15426	84.44

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		PB-18. As you read the following statements, please indicate whether you agree or disagree with each one. Even if a condom has never been used when you have had sex, please give us your opinion.		
XCDMOOD	2	AGREE/DISAGREE CONDOMS RUIN THE MOOD		
		1 = Agree	3010	16.48
		2 = Disagree	6669	36.50
		89 = LEGITIMATE SKIP Logically assigned	83	0.45
		94 = DON'T KNOW	32	0.18
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	231	1.26
		98 = BLANK (NO ANSWER)	674	3.69
		99 = LEGITIMATE SKIP	7566	41.41
XCDRESP	2	AGREE/DISAGREE FEEL RESPONSIBLE WITH CONDOM USE		
		1 = Agree	6172	33.78
		2 = Disagree	3495	19.13
		89 = LEGITIMATE SKIP Logically assigned	83	0.45
		94 = DON'T KNOW	29	0.16
		96 = MULTIPLE RESPONSE	10	0.05
		97 = REFUSED	231	1.26
		98 = BLANK (NO ANSWER)	683	3.74
		99 = LEGITIMATE SKIP	7566	41.41
XCDFEEL	2	AGREE/DISAGREE SEX DOESN'T FEEL GOOD WITH CONDOMS		
		1 = Agree	4387	24.01
		2 = Disagree	5289	28.95
		89 = LEGITIMATE SKIP Logically assigned	81	0.44
		94 = DON'T KNOW	36	0.20
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	231	1.26
		98 = BLANK (NO ANSWER)	672	3.68
		99 = LEGITIMATE SKIP	7568	41.43
XCDTRST	2	AGREE/DISAGREE CONDOMS BUILD TRUST WITH PARTNER		
		1 = Agree	4445	24.33
		2 = Disagree	5194	28.43
		89 = LEGITIMATE SKIP Logically assigned	80	0.44
		94 = DON'T KNOW	36	0.20
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	231	1.26
		98 = BLANK (NO ANSWER)	709	3.88
		99 = LEGITIMATE SKIP	7569	41.43

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
XCDEMBR	2	AGREE/DISAGREE EMBARRASSING TO BUY CONDOMS		
		1 = Agree	1725	9.44
		2 = Disagree	7950	43.52
		89 = LEGITIMATE SKIP Logically assigned	82	0.45
		94 = DON'T KNOW	25	0.14
		96 = MULTIPLE RESPONSE	5	0.03
		97 = REFUSED	231	1.26
		98 = BLANK (NO ANSWER)	684	3.74
		99 = LEGITIMATE SKIP	7567	41.42
XCDCOST	2	AGREE/DISAGREE CONDOMS COST TOO MUCH		
		1 = Agree	1512	8.28
		2 = Disagree	8109	44.39
		89 = LEGITIMATE SKIP Logically assigned	81	0.44
		94 = DON'T KNOW	46	0.25
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	231	1.26
		98 = BLANK (NO ANSWER)	719	3.94
		99 = LEGITIMATE SKIP	7568	41.43

NOTE: See Appendix C for more information on the meaning and derivation of "logically assigned" values for XRELLAST.

PB-19. The last time you had sex, was it with someone you were in an on-going relationship with, or was it with someone else? Remember that by "sex", we mean only vaginal, oral, or anal sex.

XRELLAST	2	TYPE OF RELATIONSHIP, LAST TIME YOU HAD SEX		
		1 = The last time, I had sex w/someone in on-go rel ..	8982	49.17
		2 = The last time, I did not have sex in on-go rel ...	724	3.96
		3 = Sex in on-going rel LOG ASSN (PB-19 NE 2)	244	1.34
		4 = Sex not in on-going rel LOG ASSN (PB-19 NE 1)	9	0.05
		5 = Sex in on-going rel LOG ASSN (PB-19=2)	137	0.75
		6 = Sex not in on-going rel LOG ASSN (PB-19=1)	29	0.16
		89 = LEGITIMATE SKIP Logically assigned	85	0.47
		94 = DON'T KNOW	1	0.01
		96 = MULTIPLE RESPONSE	14	0.08
		97 = REFUSED	227	1.24
98 = BLANK (NO ANSWER)	253	1.38		
99 = LEGITIMATE SKIP	7564	41.40		

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		The next questions are about giving blood donations to a blood bank, such as the American Red Cross. They do NOT refer to blood drawn at a doctor's office for laboratory analysis.		
		PB-20. Have you ever given a blood donation?		
XLFBLOOD	2	EVER GIVEN A BLOOD DONATION		
		1 = Yes	3672	20.10
		2 = No	8509	46.58
		3 = Yes LOGICALLY ASSIGNED	27	0.15
		89 = LEGITIMATE SKIP Logically assigned	149	0.82
		96 = MULTIPLE RESPONSE	8	0.04
		97 = REFUSED	177	0.97
		98 = BLANK (NO ANSWER)	581	3.18
		99 = LEGITIMATE SKIP	5146	28.17
		PB-21. Have you given blood since March of 1985?		
XBLD385	2	GIVEN BLOOD SINCE MARCH 1985		
		1 = Yes	2616	14.32
		2 = No	936	5.12
		3 = Yes LOGICALLY ASSIGNED	84	0.46
		4 = No LOGICALLY ASSIGNED	27	0.15
		89 = LEGITIMATE SKIP Logically assigned	452	2.47
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	177	0.97
		98 = BLANK (NO ANSWER)	620	3.39
		99 = LEGITIMATE SKIP	13352	73.09
		PB-22. In what month and year did you last give blood?		
XLTBLDMO	2	MONTH LAST GAVE BLOOD		
		RANGE = 1 - 12	2162	11.83
		85 = BAD DATA Logically assigned	8	0.04
		89 = LEGITIMATE SKIP Logically assigned	90	0.49
		94 = DON'T KNOW	233	1.28
		95 = BAD DATA	26	0.14
		97 = REFUSED	177	0.97
		98 = BLANK (NO ANSWER)	896	4.90
		99 = LEGITIMATE SKIP	14677	80.34

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
XLTBLDYR	3	YEAR LAST GAVE BLOOD		
		RANGE = 85 - 96	2532	13.86
		985 = BAD DATA Logically assigned	8	0.04
		989 = LEGITIMATE SKIP Logically assigned	118	0.65
		994 = DON'T KNOW	39	0.21
		995 = BAD DATA	3	0.02
		996 = MULTIPLE RESPONSE	3	0.02
		997 = REFUSED	177	0.97
		998 = BLANK (NO ANSWER)	740	4.05
		999 = LEGITIMATE SKIP	14649	80.19

The next questions are about the blood test for HIV, the virus that causes AIDS. No questions will be asked about the results of any tests you may have had.

PB-23. Not counting tests you may have had as part of blood donations, have you ever had your blood tested for HIV, the virus that causes AIDS?

XHIVTEST	2	EVER HAD BLOOD TEST FOR HIV		
		1 = Yes	4910	26.88
		2 = No	7107	38.90
		3 = Yes LOGICALLY ASSIGNED	20	0.11
		4 = No LOGICALLY ASSIGNED	32	0.18
		89 = LEGITIMATE SKIP Logically assigned	149	0.82
		94 = DON'T KNOW	9	0.05
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	177	0.97
		98 = BLANK (NO ANSWER)	716	3.92
		99 = LEGITIMATE SKIP	5146	28.17

PB-24. Again not counting tests you may have had as part of blood donations, in what month and year was your last blood test for HIV?

XLTHIVMO	2	MONTH OF LAST BLOOD TEST FOR HIV		
		RANGE = 1 - 12	4191	22.94
		85 = BAD DATA Logically assigned	27	0.15
		89 = LEGITIMATE SKIP Logically assigned	50	0.27
		94 = DON'T KNOW	168	0.92
		95 = BAD DATA	25	0.14
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	177	0.97
		98 = BLANK (NO ANSWER)	1246	6.82
		99 = LEGITIMATE SKIP	12384	67.79

NON-CORE PERSONAL BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
XLTHIVYR	3	YEAR OF LAST BLOOD TEST FOR HIV		
		RANGE = 85 - 96	4656	25.49
		985 = BAD DATA Logically assigned	27	0.15
		989 = LEGITIMATE SKIP Logically assigned	55	0.30
		994 = DON'T KNOW	24	0.13
		995 = BAD DATA	10	0.05
		996 = MULTIPLE RESPONSE	6	0.03
		997 = REFUSED	177	0.97
		998 = BLANK (NO ANSWER)	935	5.12
		999 = LEGITIMATE SKIP	12379	67.76

PB-25. Did you get the results of this
last blood test for HIV?

XHIVRSLT	2	GOT THE RESULTS OF LAST BLOOD TEST FOR HIV		
		1 = Yes	4305	23.56
		2 = No	401	2.19
		89 = LEGITIMATE SKIP Logically assigned	128	0.70
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	177	0.97
		98 = BLANK (NO ANSWER)	947	5.18
		99 = LEGITIMATE SKIP	12306	67.36

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE DRIVING BEHAVIORS -- ANSWER SHEET #20 -----		
		THIS ANSWER SHEET WAS ADMINISTERED TO RESPONDENTS AGE 16 AND OLDER.		
		FI CHECKPOINT V; DO YOU THINK R CAN COMPLETE THIS ANSWER SHEET ON HIS/HER OWN?		
SKPDBRD	2	CAN R COMPLETE DRIVING BEHAVIOR ANSWER SHEET ALONE		
		1 = Yes, respondent can complete answer sheet alone ..	14488	79.30
		2 = No, I doubt that resp. can complt. it alone - SKIP	566	3.10
		89 = LEGITIMATE SKIP Logically assigned	61	0.33
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	228	1.25
		99 = LEGITIMATE SKIP (Age 12-15).....	2922	15.99
DBREAD	2	DRIVING BEHAVIORS - READING PREFERENCE		
		1 = Wants interviewer to read questions aloud	1255	6.87
		2 = Wants to complete the answer sheet on his/her own	13476	73.76
		89 = LEGITIMATE SKIP Logically assigned	59	0.32
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	298	1.63
		99 = LEGITIMATE SKIP	3179	17.40
		These questions relate to your driving behaviors. A number of these questions ask about times when you were driving a car or other motor vehicle. By "other motor vehicle," we mean vehicles such as a truck, van, motorcycle or moped.		
		DB-1. Have you driven a car or other motor vehicle during the past 12 months?		
VDRVYR	2	DRIVEN A CAR IN THE PAST 12 MONTHS		
		1 = Yes	12168	66.60
		2 = No	2924	16.01
		3 = Yes LOGICALLY ASSIGNED	84	0.46
		89 = LEGITIMATE SKIP Logically assigned	44	0.24
		97 = REFUSED	13	0.07
		98 = BLANK (NO ANSWER)	97	0.53
		99 = LEGITIMATE SKIP	2939	16.09

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-2. On how many days in the past 12 months have you driven a car or other motor vehicle?		
VYRFREQ	2	NUMBER OF DAYS DRIVEN IN PAST 12 MONTHS		
		1 = More than 300 days (every day or almost everyday)	8980	49.15
		2 = 201 to 300 days (5 to 6 days a week)	1057	5.79
		3 = 101 to 200 days (3 to 4 days a week)	668	3.66
		4 = 51 to 100 days (1 to 2 days a week)	510	2.79
		5 = 25 to 50 days (3 to 4 days a month)	235	1.29
		6 = 12 to 24 days (1 to 2 days a month)	182	1.00
		7 = 6 to 11 days (less than 1 day a month)	158	0.86
		8 = 3 to 5 days	151	0.83
		9 = 1 to 2 days	163	0.89
		89 = LEGITIMATE SKIP Logically assigned	10	0.05
		96 = MULTIPLE RESPONSE	11	0.06
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	232	1.27
		99 = LEGITIMATE SKIP	5897	32.28
		DB-3. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage?		
VALDRVYR	2	*DROVE WITHIN 2 HRS OF DRINKING PAST 12 MONTHS		
		1 = Yes	2870	15.71
		2 = No	8949	48.98
		3 = Yes LOGICALLY ASSIGNED from DB-4 or DB-5	175	0.96
		5 = Yes LOGICALLY ASSIGNED from elsewhere on ans sht	95	0.52
		89 = LEGITIMATE SKIP Logically assigned	67	0.37
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	258	1.41
		99 = LEGITIMATE SKIP	5840	31.97

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		DB-4. On how many days in the past 12 months have you driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage?		
VALYRFRQ	2	*# DAYS DROVE WITHIN 2 HRS OF DRINKING PAST 12 MOS		
		1 = More than 300 days (which is every day or almost)	58	0.32
		2 = 201 to 300 days (5 to 6 days a week)	47	0.26
		3 = 101 to 200 days (3 to 4 days a week)	78	0.43
		4 = 51 to 100 days (1 to 2 days a week)	184	1.01
		5 = 25 to 50 days (3 to 4 days a month)	247	1.35
		6 = 12 to 24 days (1 to 2 days a month)	423	2.32
		7 = 6 to 11 days (less than one day a month)	477	2.61
		8 = 3 to 5 days	581	3.18
		9 = 1 to 2 days	926	5.07
		89 = LEGITIMATE SKIP Logically assigned	3	0.02
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	16	0.09
		98 = BLANK (NO ANSWER)	374	2.05
		99 = LEGITIMATE SKIP	14853	81.30

DB-5. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage?

VAL30USE	2	*DAYS DROVE WITHIN 2 HRS OF DRINKING PAST 30 DAYS		
		RANGE = 1 - 30	1884	10.31
		83 = DID NOT DRV W/IN 2 HRS DRNKNG PST 30 DAYS Log assn	130	0.71
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	86	0.47
		93 = DID NOT DRV W/IN 2 HRS DRNKNG PST 30 DAYS	944	5.17
		94 = DON'T KNOW	2	0.01
		95 = BAD DATA	4	0.02
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	433	2.37
		99 = LEGITIMATE SKIP	14770	80.85

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-6. Think about the most recent time you drove a car or other motor vehicle within 2 hours after drinking an alcoholic beverage. On this most recent occasion how many drinks did you have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
VALCNODR	2	*# DRINKS LAST TIME DROVE W/IN 2 HRS OF DRINKING		
		RANGE = 1 - 30	1891	10.35
		85 = BAD DATA Logically assigned	9	0.05
		89 = LEGITIMATE SKIP Logically assigned	351	1.92
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	421	2.30
		99 = LEGITIMATE SKIP	15579	85.28
		DB-7. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after drinking an alcoholic beverage, how much time passed from when you started your first drink until you finished your last drink?		
VALCTIME	2	*TIME BETWEEN 1ST AND LAST DRINK THE LAST TIME		
		1 = More than 8 hours	65	0.36
		2 = At least 6 hours but not more than 8 hours	115	0.63
		3 = At least 4 hours but not more than 6 hours	314	1.72
		4 = At least 2 hours but not more than 4 hours	555	3.04
		5 = At least 1 hour but not more than 2 hours	359	1.97
		6 = At least 30 minutes but not more than 1 hour	201	1.10
		7 = Less than 30 minutes	109	0.60
		8 = I only had one drink on this most recent occasion	192	1.05
		85 = BAD DATA Logically assigned	18	0.10
		89 = LEGITIMATE SKIP Logically assigned	365	2.00
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	393	2.15
		99 = LEGITIMATE SKIP	15565	85.20

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-8. Again, think about the most recent time when you drove a car or other motor vehicle within 2 hours after drinking an alcoholic beverage. On this most recent occasion, how much time passed from when you drank your last drink until you began driving?		
VALDTIME	2	*TIME BETWEEN LAST DRINK AND DRIVING THE LAST TIME		
		1 = 2 hours	337	1.84
		2 = At least 1 hour but not more than 2 hours	554	3.03
		3 = At least 30 minutes but not more than 1 hour	473	2.59
		4 = At least 15 minutes but not more than 30 minutes ..	265	1.45
		5 = At least 5 minutes but not more than 15 minutes ..	165	0.90
		6 = Less than 5 minutes	127	0.70
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	353	1.93
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	400	2.19
		99 = LEGITIMATE SKIP	15577	85.26
		DB-9. Have you used any marijuana or hashish during the past 12 months?		
VMJUSEYR	2	*USED MARIJUANA/HASHISH IN PAST 12 MONTHS		
		1 = Yes	1241	6.79
		2 = No	10837	59.32
		3 = Yes LOGICALLY ASSIGNED (VMJDRVYR = 1,3)	51	0.28
		5 = Yes LOGICALLY ASSIGNED (VMJDRVYR = 5)	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	62	0.34
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	212	1.16
		99 = LEGITIMATE SKIP	5845	31.99

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-10. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any marijuana or hashish?		
VMJDRVYR	2	*DROVE WITHIN 2 HRS AFTER MJ/HASH USE PAST 12 MOS		
		1 = Yes	539	2.95
		2 = No	684	3.74
		3 = Yes LOGICALLY ASSIGNED from DB-11 or DB-12	67	0.37
		5 = Yes LOGICALLY ASSIGNED from elsewhere on ans sht .	11	0.06
		89 = LEGITIMATE SKIP Logically assigned	122	0.67
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	208	1.14
		99 = LEGITIMATE SKIP	16622	90.98
		DB-11. Think about those occasions in the past 12 months when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish. As you read the following list of drugs, please mark one box beside each drug to indicate how often you used that drug along with the marijuana or hashish.		
VMJALCYR	2	*HOW OFTEN ALCOHOL USED W/MJ & DROVE PST 12 MOS		
		1 = Never	112	0.61
		2 = Rarely	157	0.86
		3 = Sometimes	234	1.28
		4 = Often	105	0.57
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	105	0.57
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	213	1.17
		99 = LEGITIMATE SKIP	17323	94.82
VMJCOCYR	2	*HOW OFTEN COCAINE USED W/MJ & DROVE PST 12 MOS		
		1 = Never	489	2.68
		2 = Rarely	68	0.37
		3 = Sometimes	33	0.18
		4 = Often	12	0.07
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	104	0.57
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	220	1.20
		99 = LEGITIMATE SKIP	17324	94.83

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VMJHERYR	2	*HOW OFTEN HEROIN USED W/MJ & DROVE PST 12 MOS		
		1 = Never	579	3.17
		2 = Rarely	15	0.08
		3 = Sometimes	5	0.03
		4 = Often	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	102	0.56
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	222	1.22
		99 = LEGITIMATE SKIP	17326	94.84
VMJHALYR	2	*HOW OFTEN HALLUC USED W/MJ & DROVE PST 12 MOS		
		1 = Never	511	2.80
		2 = Rarely	49	0.27
		3 = Sometimes	32	0.18
		4 = Often	11	0.06
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	103	0.56
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	220	1.20
		99 = LEGITIMATE SKIP	17325	94.83
VMJINHYR	2	*HOW OFTEN INHALANT USED W/MJ & DROVE PST 12 MOS		
		1 = Never	571	3.13
		2 = Rarely	16	0.09
		3 = Sometimes	13	0.07
		4 = Often	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	103	0.56
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	222	1.22
		99 = LEGITIMATE SKIP	17325	94.83
VMJANLYR	2	*HOW OFT ANALGESIC USED W/MJ & DROVE PST 12 MOS		
		1 = Never	582	3.19
		2 = Rarely	11	0.06
		3 = Sometimes	6	0.03
		4 = Often	1	0.01
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	103	0.56
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	222	1.22
		99 = LEGITIMATE SKIP	17325	94.83

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VMJTRNYR	2	*HOW OFTEN TRANQ USED W/MJ & DROVE PST 12 MOS		
		1 = Never	571	3.13
		2 = Rarely	14	0.08
		3 = Sometimes	15	0.08
		4 = Often	1	0.01
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	103	0.56
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	221	1.21
		99 = LEGITIMATE SKIP	17325	94.83
VMJSTMYR	2	*HOW OFT STIMULANT USED W/MJ & DROVE PST 12 MOS		
		1 = Never	557	3.05
		2 = Rarely	19	0.10
		3 = Sometimes	19	0.10
		4 = Often	1	0.01
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	103	0.56
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	224	1.23
		99 = LEGITIMATE SKIP	17325	94.83
VMJSEDYR	2	*HOW OFT SEDATIVE USED W/MJ & DROVE PST 12 MOS		
		1 = Never	574	3.14
		2 = Rarely	10	0.05
		3 = Sometimes	14	0.08
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	101	0.55
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	224	1.23
		99 = LEGITIMATE SKIP	17327	94.84
VMJOTHYR	2	*HOW OFT OTHER DRUG USED W/MJ & DROVE PST 12 MOS		
		1 = Never	540	2.96
		2 = Rarely	10	0.05
		3 = Sometimes	8	0.04
		4 = Often	4	0.02
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	103	0.56
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	260	1.42
		99 = LEGITIMATE SKIP	17325	94.83

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VMJYRS1	4	*OTHER DRUG USED W/MJ & DROVE (FIRST MENTION)		
		322 = Methamphetamine ("speed" or "ice" or "crank"), Met	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	5	0.03
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	278	1.52
		9999 = LEGITIMATE SKIP	17967	98.35
VMJYRS2	4	*OTHER DRUG USED W/MJ & DROVE (SECOND MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	286	1.57
		9999 = LEGITIMATE SKIP	17967	98.35
VMJYRS3	4	*OTHER DRUG USED W/MJ & DROVE (THIRD MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	286	1.57
		9999 = LEGITIMATE SKIP	17967	98.35
VMJYRS4	4	*OTHER DRUG USED W/MJ & DROVE (FOURTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	286	1.57
		9999 = LEGITIMATE SKIP	17967	98.35
VMJYRS5	4	*OTHER DRUG USED W/MJ & DROVE (FIFTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	286	1.57
		9999 = LEGITIMATE SKIP	17967	98.35

DB-12. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any marijuana or hashish?

VMJ30USE	2	*# DAYS DROVE WITHIN 2 HRS OF MJ USE, PAST 30 DAYS		
		RANGE = 1 - 30	400	2.19
		83 = DID NOT DRV W/IN 2 HRS USE MJ PST 30 DAYS Log assn	20	0.11
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	86	0.47
		93 = DID NOT DRV W/IN 2 HRS USE MJ PST 30 DAYS	169	0.93
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	231	1.26
		99 = LEGITIMATE SKIP	17342	94.93

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-13. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish. On this most recent occasion, did you use only marijuana or hashish, marijuana or hashish with alcohol, or marijuana or hashish with one or more other drugs?		
VLTMJALC	2	*WHAT USED W/MJ THE LAST TIME USED MJ & DROVE		
		1 = I used only marijuana or hashish	332	1.82
		2 = I used marijuana or hashish with alcohol	184	1.01
		3 = I used marijuana or hashish with other drugs	33	0.18
		13 = Used mj or hash with oth drugs LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	21	0.11
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	266	1.46
		99 = LEGITIMATE SKIP	17407	95.28
VLTMJAL1	4	*OTHER DRUG USED LAST TIME W/MJ (FIRST MENTION)		
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		604 = Psilocybin (mushrooms), shooms	1	0.01
		805 = Cocaine, coca, coke	5	0.03
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	517	2.83
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	302	1.65
		9999 = LEGITIMATE SKIP	17427	95.39
VLTMJAL2	4	*OTHER DRUG USED LAST TIME W/MJ (SECOND MENTION)		
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	517	2.83
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	306	1.67
		9999 = LEGITIMATE SKIP	17427	95.39
VLTMJAL3	4	*OTHER DRUG USED LAST TIME W/MJ (THIRD MENTION)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.01
		9989 = LEGITIMATE SKIP Logically assigned	517	2.83
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	307	1.68
		9999 = LEGITIMATE SKIP	17427	95.39

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VLTMJAL4	4	*OTHER DRUG USED LAST TIME W/MJ (FOURTH MENTION)		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	517	2.83
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	309	1.69
		9999 = LEGITIMATE SKIP	17427	95.39
VLTMJAL5	4	*OTHER DRUG USED LAST TIME W/MJ (FIFTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	517	2.83
		9997 = REFUSED	15	0.08
		9998 = BLANK (NO ANSWER)	310	1.70
		9999 = LEGITIMATE SKIP	17427	95.39
<p>DB-14. Again thinking about the most recent occasion you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, where were you driving from?</p>				
VLTMJFRM	2	*PLACE DROVE FROM THE LAST TIME USED MJ & DROVE		
		1 = My home	161	0.88
		2 = A friend or relative's home	265	1.45
		3 = A bar or nightclub	39	0.21
		4 = A restaurant	7	0.04
		5 = A sporting event	2	0.01
		6 = A concert	7	0.04
		7 = My workplace	12	0.07
		8 = Somewhere else	40	0.22
		18 = Somewhere else LOGICALLY ASSIGNED	4	0.02
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	24	0.13
		96 = MULTIPLE RESPONSE	25	0.14
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	261	1.43
		99 = LEGITIMATE SKIP	17404	95.27
VLTMJFRS	2	*OTHER PLACE DROVE FROM AFTER USING MJ/HASH		
		9 = No place in particular (just driving around)	3	0.02
		10 = Drove while using marijuana/hashish	2	0.01
		18 = School	3	0.02
		19 = A park/recreational area	8	0.04
		20 = A party	5	0.03
		22 = Local hangout/place to use drugs/parking	3	0.02
		23 = Gambling establishment/race track/casino	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	493	2.70
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	309	1.69
		99 = LEGITIMATE SKIP	17427	95.39

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		DB-15. On this most recent occasion, when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, where was the first place you drove to?		
VLTMJTO	2	*1ST PLACE DROVE TO THE LAST TIME USED MJ & DROVE		
		1 = My home	247	1.35
		2 = A friend or relative's home	131	0.72
		3 = A bar or nightclub	24	0.13
		4 = A restaurant	28	0.15
		5 = A sporting event	3	0.02
		6 = A concert	3	0.02
		7 = My workplace	11	0.06
		8 = No place in particular (I was just driving around)	37	0.20
		9 = Somewhere else	50	0.27
		19 = Somewhere else LOGICALLY ASSIGNED	3	0.02
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	24	0.13
		96 = MULTIPLE RESPONSE	24	0.13
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	263	1.44
		99 = LEGITIMATE SKIP	17404	95.27
VLTMJTOS	2	*OTHER PLACE DROVE TO AFTER USING MJ/HASH		
		10 = Place to purchase drugs/alcohol	1	0.01
		13 = A bar or nightclub	1	0.01
		18 = No place in particular (just driving around)	1	0.01
		19 = A park/recreational area/gym	3	0.02
		20 = A restroom	1	0.01
		21 = Store/place of business	27	0.15
		22 = Local hangout/place to use drugs	2	0.01
		23 = Driving to another location, place unspecified ...	2	0.01
		24 = Jail	1	0.01
		25 = A movie theater	1	0.01
		26 = School	1	0.01
		27 = Others' workplace	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	485	2.65
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	299	1.64
		99 = LEGITIMATE SKIP	17427	95.39

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-16. Again, think about the most recent occasion when you drove within 2 hours after using any marijuana or hashish. Did you drive on an interstate, highway, or freeway, or only on smaller roads?		
VLTMJHWY	2	*DROVE LAST TIME ON HWY/SMALLER ROAD AFTER MJ USE		
		1 = I drove on an interstate, highway, or freeway	235	1.29
		2 = I drove only on smaller roads	328	1.80
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	29	0.16
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	256	1.40
		99 = LEGITIMATE SKIP	17399	95.24
		DB-17. On this most recent occasion, when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, were you driving primarily in a rural, urban or suburban area?		
VLTMJURB	2	*TYPE OF AREA THE LAST TIME USED MJ & DROVE		
		1 = Rural area (open country)	119	0.65
		2 = Urban area (city or town)	329	1.80
		3 = Suburban area (town just outside of a large city)	107	0.59
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	24	0.13
		96 = MULTIPLE RESPONSE	6	0.03
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	260	1.42
		99 = LEGITIMATE SKIP	17404	95.27

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-18. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, on which day of the week were you driving?		
VLTMJWKD	2	*DAY OF WEEK THE LAST TIME USED MJ & DROVE		
		1 = Monday	35	0.19
		2 = Tuesday	43	0.24
		3 = Wednesday	42	0.23
		4 = Thursday	38	0.21
		5 = Friday	164	0.90
		6 = Saturday	140	0.77
		7 = Sunday	30	0.16
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	19	0.10
		94 = DON'T KNOW	5	0.03
		96 = MULTIPLE RESPONSE	62	0.34
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	262	1.43
		99 = LEGITIMATE SKIP	17409	95.29

DB-19. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, what time of day did you begin driving?

VLTMJTIM	2	*TIME BEGAN DRIVING THE LAST TIME USED MJ & DROVE		
		1 = 12:00 AM to 2:59 AM	106	0.58
		2 = 3:00 AM to 5:59 AM	29	0.16
		3 = 6:00 AM to 8:59 AM	21	0.11
		4 = 9:00 AM to 11:59 AM	25	0.14
		5 = 12:00 PM to 2:59 PM	54	0.30
		6 = 3:00 PM to 5:59 PM	66	0.36
		7 = 6:00 PM to 8:59 PM	97	0.53
		8 = 9:00 PM to 11:59 PM	145	0.79
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	19	0.10
		94 = DON'T KNOW	3	0.02
		96 = MULTIPLE RESPONSE	13	0.07
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	262	1.43
		99 = LEGITIMATE SKIP	17409	95.29

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-20. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, how much do you think your use of marijuana or hashish reduced your ability to drive safely?		
VLTMJABL	2	*HOW MUCH MJ AFFECTED DRIVING ABIL THE LAST TIME		
		1 = A lot	37	0.20
		2 = A little	236	1.29
		3 = Not at all	298	1.63
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	51	0.28
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	249	1.36
		99 = LEGITIMATE SKIP	17377	95.12
		DB-21. Some people drive after using marijuana or hashish because they have an appointment to keep, they have no one else to drive them, or for some other reason. As you read the following list of reasons, please mark one box beside each reason to indicate whether it is a reason why you drove within 2 hours after using any marijuana or hashish on this most recent occasion.		
VMJNOWAY	2	*USED MJ & DROVE--NO OTHER WAY TO GET THERE		
		1 = Yes	314	1.72
		2 = No	192	1.05
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	33	0.18
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	312	1.71
		99 = LEGITIMATE SKIP	17395	95.22
VMJNHIGH	2	*USED MJ & DROVE--NOT HIGH ENOUGH TO CAUSE CRASH		
		1 = Yes	298	1.63
		2 = No	207	1.13
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	30	0.16
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	314	1.72
		99 = LEGITIMATE SKIP	17398	95.23

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VMJNPOLC	2	*USED MJ & DROVE--POLICE WOULDN'T CATCH ME		
		1 = Yes	181	0.99
		2 = No	298	1.63
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	30	0.16
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	342	1.87
		99 = LEGITIMATE SKIP	17398	95.23
VMJNODVR	2	*USED MJ & DROVE--NO ONE ELSE AVAILABLE TO DRIVE		
		1 = Yes	218	1.19
		2 = No	268	1.47
		3 = Yes LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	30	0.16
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	333	1.82
		99 = LEGITIMATE SKIP	17398	95.23
VMJAPPT	2	*USED MJ & DROVE--HAD AN APPOINTMENT/CURFEW		
		1 = Yes	98	0.54
		2 = No	376	2.06
		3 = Yes LOGICALLY ASSIGNED	4	0.02
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	30	0.16
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	341	1.87
		99 = LEGITIMATE SKIP	17398	95.23
VMJOTHER	2	*USED MJ & DROVE FOR SOME OTHER REASON		
		1 = Yes	112	0.61
		2 = No	335	1.83
		3 = Yes LOGICALLY ASSIGNED	14	0.08
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	35	0.19
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	360	1.97
		99 = LEGITIMATE SKIP	17393	95.20

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VMJOTHSP	2	*OTHER REASON DROVE AFTER USING MJ/HASH		
		1 = There was no other way to get to where I was going	3	0.02
		2 = I wasn't high enough to cause a crash	3	0.02
		4 = No one else was available to drive my motor vehicl	2	0.01
		5 = I had an appointment or curfew	4	0.02
		6 = Was not thinking	1	0.01
		7 = No other place to use it	2	0.01
		8 = To get more drugs/alcohol	5	0.03
		9 = Just to have fun/drive around/just wanted to	23	0.13
		10 = To get something to eat	1	0.01
		11 = To run an errand/get something	1	0.01
		12 = Do not let anyone else drive my car/prefer to driv	4	0.02
		13 = To go to work/school	2	0.01
		14 = I was not as high as others with me	6	0.03
		15 = Bored	1	0.01
		16 = To relax/relieve stress	1	0.01
		17 = More convenient	1	0.01
		18 = Accustomed to driving high/unaffected/drive better	15	0.08
		19 = Meet friends/family	1	0.01
		20 = To go home	8	0.04
		21 = To be by myself	1	0.01
		22 = Long drive ahead / on a road trip	1	0.01
		23 = My turn to drive	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	2	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	403	2.21
		99 = LEGITIMATE SKIP	17761	97.22

DB-22. In general, when you drive with-
in 2 hours after using marijuana or
hashish, how much more likely do you
think it is that you will be stopped
by the police than when you drive with-
out using marijuana or hashish?

VMJSTOP	2	*HOW LIKELY STOPPED BY POLICE IF USE MJ & DRIVE		
		1 = A lot more likely	62	0.34
		2 = A little more likely	156	0.85
		3 = No more likely	347	1.90
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	40	0.22
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	256	1.40
		99 = LEGITIMATE SKIP	17388	95.18

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-23. In general, how much do you feel using any marijuana or hashish reduces your ability to drive safely?		
VMJABIL	2	*HOW MUCH MJ AFFECTS YOUR DRIVING ABILITY IN GENL		
		1 = A lot	49	0.27
		2 = A little	255	1.40
		3 = Not at all	265	1.45
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	56	0.31
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	15	0.08
		98 = BLANK (NO ANSWER)	250	1.37
		99 = LEGITIMATE SKIP	17372	95.09
		DB-24. Have you used any cocaine during the past 12 months?		
VCCUSEYR	2	*USED COCAINE IN PAST 12 MONTHS		
		1 = Yes	230	1.26
		2 = No	11827	64.74
		3 = Yes LOGICALLY ASSIGNED (VCCDRVYR = 1,3)	37	0.20
		5 = Yes LOGICALLY ASSIGNED (VCCDRVYR = 5)	21	0.11
		89 = LEGITIMATE SKIP Logically assigned	58	0.32
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	232	1.27
		99 = LEGITIMATE SKIP	5849	32.02
		DB-25. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any cocaine?		
VCCDRVYR	2	*DROVE WITHIN 2 HRS AFTER COCAINE USE PAST 12 MOS		
		1 = Yes	85	0.47
		2 = No	118	0.65
		3 = Yes LOGICALLY ASSIGNED from DB-26 or DB-27	41	0.22
		5 = Yes LOGICALLY ASSIGNED from elsewhere on ans sht .	52	0.28
		89 = LEGITIMATE SKIP Logically assigned	112	0.61
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	225	1.23
		99 = LEGITIMATE SKIP	17622	96.46

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-26. Think about those occasions in the past 12 months when you drove a car or other motor vehicle within 2 hours after using any cocaine. As you read the following list of drugs, please mark one box beside each drug to indicate how often you used that drug along with the cocaine.		
VCCALCYR	2	*HOW OFTEN ALCOHOL USED W/COC & DROVE PST 12 MOS		
		1 = Never	26	0.14
		2 = Rarely	32	0.18
		3 = Sometimes	39	0.21
		4 = Often	30	0.16
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	66	0.36
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	275	1.51
		99 = LEGITIMATE SKIP	17786	97.36
VCCMRJYR	2	*HOW OFTEN MARIJUANA USED W/COC & DROVE PST 12 MOS		
		1 = Never	48	0.26
		2 = Rarely	31	0.17
		3 = Sometimes	26	0.14
		4 = Often	18	0.10
		89 = LEGITIMATE SKIP Logically assigned	67	0.37
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	280	1.53
		99 = LEGITIMATE SKIP	17785	97.35
VCCHERYR	2	*HOW OFTEN HEROIN USED W/COC & DROVE PST 12 MOS		
		1 = Never	113	0.62
		2 = Rarely	5	0.03
		3 = Sometimes	3	0.02
		4 = Often	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	67	0.37
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	281	1.54
		99 = LEGITIMATE SKIP	17785	97.35
VCCHALYR	2	*HOW OFTEN HALLUC USED W/COC & DROVE PST 12 MOS		
		1 = Never	112	0.61
		2 = Rarely	8	0.04
		3 = Sometimes	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	67	0.37
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	281	1.54
		99 = LEGITIMATE SKIP	17785	97.35

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VCCINHYR	2	*HOW OFTEN INHALANT USED W/COC & DROVE PST 12 MOS		
		1 = Never	116	0.63
		2 = Rarely	3	0.02
		3 = Sometimes	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	65	0.36
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	282	1.54
		99 = LEGITIMATE SKIP	17787	97.36
VCCANLYR	2	*HOW OFT ANALGESIC USED W/COC & DROVE PST 12 MOS		
		1 = Never	115	0.63
		2 = Rarely	4	0.02
		3 = Sometimes	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	65	0.36
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	282	1.54
		99 = LEGITIMATE SKIP	17787	97.36
VCCTRNYR	2	*HOW OFTEN TRANQ USED W/COC & DROVE PST 12 MOS		
		1 = Never	110	0.60
		2 = Rarely	6	0.03
		3 = Sometimes	3	0.02
		4 = Often	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	65	0.36
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	283	1.55
		99 = LEGITIMATE SKIP	17787	97.36
VCCSTMYR	2	*HOW OFT STIMULANT USED W/COC & DROVE PST 12 MOS		
		1 = Never	110	0.60
		2 = Rarely	7	0.04
		3 = Sometimes	3	0.02
		4 = Often	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	65	0.36
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	282	1.54
		99 = LEGITIMATE SKIP	17787	97.36
VCCSEDYR	2	*HOW OFT SEDATIVE USED W/COC & DROVE PST 12 MOS		
		1 = Never	111	0.61
		2 = Rarely	6	0.03
		3 = Sometimes	2	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	65	0.36
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	283	1.55
		99 = LEGITIMATE SKIP	17787	97.36

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VCCOTHYR	2	*HOW OFT OTHER DRUG USED W/COC & DROVE PST 12 MOS		
		1 = Never	105	0.57
		2 = Rarely	4	0.02
		3 = Sometimes	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	66	0.36
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	291	1.59
		99 = LEGITIMATE SKIP	17786	97.36
VCCYRS1	4	*OTHER DRUG USED W/COC & DROVE (FIRST MENTION)		
		161 = Rohypnol, Roofies, Rope, Roples, Rufinal, etc. ...	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	297	1.63
		9999 = LEGITIMATE SKIP	17956	98.29
VCCYRS2	4	*OTHER DRUG USED W/COC & DROVE (SECOND MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	298	1.63
		9999 = LEGITIMATE SKIP	17956	98.29
VCCYRS3	4	*OTHER DRUG USED W/COC & DROVE (THIRD MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	298	1.63
		9999 = LEGITIMATE SKIP	17956	98.29
VCCYRS4	4	*OTHER DRUG USED W/COC & DROVE (FOURTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	298	1.63
		9999 = LEGITIMATE SKIP	17956	98.29
VCCYRS5	4	*OTHER DRUG USED W/COC & DROVE (FIFTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	1	0.01
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	298	1.63
		9999 = LEGITIMATE SKIP	17956	98.29

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-27. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any cocaine?		
VCC30USE	2	*# DAYS DROVE WITHIN 2 HRS OF COC USE, PST 30 DAYS		
		RANGE = 1 - 30	61	0.33
		83 = DID NOT DRV W/IN 2 HRS USE COC PST 30 DAYS Log ass	11	0.06
		89 = LEGITIMATE SKIP Logically assigned	47	0.26
		93 = DID NOT DRV W/IN 2 HRS USE COC PST 30 DAYS	47	0.26
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	284	1.55
		99 = LEGITIMATE SKIP	17805	97.46
		DB-28. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any cocaine. On this most recent occasion, did you use only cocaine, cocaine with alcohol, or cocaine with one or more other drugs?		
VLTCCALC	2	*WHAT USED W/COG THE LAST TIME USED COC & DROVE		
		1 = I used only cocaine	22	0.12
		2 = I used cocaine with alcohol	46	0.25
		3 = I used cocaine with one or more other drugs	25	0.14
		13 = Used cocaine with other drugs LOGICALLY ASSIGNED .	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	14	0.08
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	307	1.68
		99 = LEGITIMATE SKIP	17838	97.64
VLTCCAL1	4	*OTHER DRUG USED LAST TIME W/COG (FIRST MENTION)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	10	0.05
		807 = Alcohol, beer, ethanol, ETOH, pink champagne	2	0.01
		9989 = LEGITIMATE SKIP Logically assigned	69	0.38
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	322	1.76
		9999 = LEGITIMATE SKIP	17851	97.71

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VLTCAL2	4	*OTHER DRUG USED LAST TIME W/COC (SECOND MENTION)		
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	2	0.01
		9989 = LEGITIMATE SKIP Logically assigned	69	0.38
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	333	1.82
		9999 = LEGITIMATE SKIP	17851	97.71
VLTCAL3	4	*OTHER DRUG USED LAST TIME W/COC (THIRD MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	69	0.38
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	335	1.83
		9999 = LEGITIMATE SKIP	17851	97.71
VLTCAL4	4	*OTHER DRUG USED LAST TIME W/COC (FOURTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	69	0.38
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	335	1.83
		9999 = LEGITIMATE SKIP	17851	97.71
VLTCAL5	4	*OTHER DRUG USED LAST TIME W/COC (FIFTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	69	0.38
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	335	1.83
		9999 = LEGITIMATE SKIP	17851	97.71

DB-29. Again thinking about the most recent occasion you drove a car or other motor vehicle within 2 hours after using any cocaine, where were you driving from?

VLTCFRM	2	*PLACE DROVE FROM THE LAST TIME USED COC & DROVE		
		1 = My home	22	0.12
		2 = A friend or relative's home	42	0.23
		3 = A bar or nightclub	16	0.09
		4 = A restaurant	1	0.01
		7 = My workplace	3	0.02
		8 = Somewhere else	8	0.04
		18 = Somewhere else LOGICALLY ASSIGNED	2	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	13	0.07
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	305	1.67
		99 = LEGITIMATE SKIP	17839	97.65

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VLTCFRS	2	*OTHER PLACE DROVE FROM AFTER USING COCAINE		
		9 = No place in particular (just driving around)	1	0.01
		18 = School	1	0.01
		21 = Store / place of business	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	85	0.47
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	316	1.73
		99 = LEGITIMATE SKIP	17851	97.71
<p>DB-30. On this most recent occasion, when you drove a car or other motor vehicle within 2 hours after using any cocaine, where was the first place you drove to?</p>				
VLTCCTO	2	*1ST PLACE DROVE TO THE LAST TIME USED COC & DROVE		
		1 = My home	43	0.24
		2 = A friend or relative's home	20	0.11
		3 = A bar or nightclub	12	0.07
		8 = No place in particular (I was just driving around)	5	0.03
		9 = Somewhere else	11	0.06
		19 = Somewhere else LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	14	0.08
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	307	1.68
		99 = LEGITIMATE SKIP	17838	97.64
VLTCCTOS	2	*OTHER PLACE DROVE TO AFTER USING COCAINE		
		10 = Place to purchase drugs/alcohol	1	0.01
		18 = No place in particular (just driving around)	1	0.01
		21 = Store / place of business	1	0.01
		26 = School	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	81	0.44
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	319	1.75
		99 = LEGITIMATE SKIP	17851	97.71

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-31. Again, think about the most recent occasion when you drove within 2 hours after using any cocaine. Did you drive on an interstate, highway, or freeway, or only on smaller roads?		
VLTCCHWY	2	*DROVE LAST TIME ON HWY/SMALLER ROAD AFTER COC USE		
		1 = I drove on an interstate, highway, or freeway	40	0.22
		2 = I drove only on smaller roads	61	0.33
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	28	0.15
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	298	1.63
		99 = LEGITIMATE SKIP	17824	97.56
		DB-32. On this most recent occasion, when you drove a car or other motor vehicle within 2 hours after using any cocaine, were you driving primarily in a rural, urban or suburban area?		
VLTCURB	2	*TYPE OF AREA THE LAST TIME USED COC & DROVE		
		1 = Rural area (open country)	19	0.10
		2 = Urban area (city or town)	57	0.31
		3 = Suburban area (town just outside of a large city)	21	0.11
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	16	0.09
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	301	1.65
		99 = LEGITIMATE SKIP	17836	97.63

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-33. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, on which day of the week were you driving?		
VLTCCKWD	2	*DAY OF WEEK THE LAST TIME USED COC & DROVE		
		1 = Monday	8	0.04
		2 = Tuesday	3	0.02
		3 = Wednesday	5	0.03
		4 = Thursday	7	0.04
		5 = Friday	23	0.13
		6 = Saturday	29	0.16
		7 = Sunday	7	0.04
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	17	0.09
		96 = MULTIPLE RESPONSE	15	0.08
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	304	1.66
		99 = LEGITIMATE SKIP	17835	97.62

DB-34. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, what time of day did you begin driving?

VLTCCTIM	2	*TIME BEGAN DRIVING THE LAST TIME USED COC & DROVE		
		1 = 12:00 AM to 2:59 AM	21	0.11
		2 = 3:00 AM to 5:59 AM	11	0.06
		3 = 6:00 AM to 8:59 AM	3	0.02
		4 = 9:00 AM to 11:59 AM	6	0.03
		5 = 12:00 PM to 2:59 PM	7	0.04
		6 = 3:00 PM to 5:59 PM	12	0.07
		7 = 6:00 PM to 8:59 PM	14	0.08
		8 = 9:00 PM to 11:59 PM	21	0.11
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	17	0.09
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	303	1.66
		99 = LEGITIMATE SKIP	17835	97.62

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-35. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, how much do you think your use of cocaine reduced your ability to drive safely?		
VLTCCABL	2	*HOW MUCH COC AFFECTED DRIVING ABIL THE LAST TIME		
		1 = A lot	24	0.13
		2 = A little	35	0.19
		3 = Not at all	39	0.21
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	37	0.20
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	298	1.63
		99 = LEGITIMATE SKIP	17815	97.51
		DB-36. Some people drive after using cocaine because they have an appointment to keep, they have no one else to drive them, or for some other reason. As you read the following list of reasons, please mark one box beside each reason to indicate whether it is a reason why you drove within 2 hours after using any cocaine on this most recent occasion.		
VCCNOWAY	2	*USED COC & DROVE--NO OTHER WAY TO GET THERE		
		1 = Yes	55	0.30
		2 = No	37	0.20
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	29	0.16
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	309	1.69
		99 = LEGITIMATE SKIP	17823	97.56
VCCNHIGH	2	*USED COC & DROVE--NOT HIGH ENOUGH TO CAUSE CRASH		
		1 = Yes	34	0.19
		2 = No	46	0.25
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	29	0.16
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	320	1.75
		99 = LEGITIMATE SKIP	17823	97.56

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VCCNPOLC	2	*USED COC & DROVE--POLICE WOULDN'T CATCH ME		
		1 = Yes	27	0.15
		2 = No	56	0.31
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	29	0.16
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	317	1.74
		99 = LEGITIMATE SKIP	17823	97.56
VCCNODVR	2	*USED COC & DROVE--NO ONE ELSE AVAILABLE TO DRIVE		
		1 = Yes	34	0.19
		2 = No	49	0.27
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	29	0.16
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	318	1.74
		99 = LEGITIMATE SKIP	17823	97.56
VCCAPPT	2	*USED COC & DROVE--HAD AN APPOINTMENT/CURFEW		
		1 = Yes	13	0.07
		2 = No	67	0.37
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	29	0.16
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	320	1.75
		99 = LEGITIMATE SKIP	17823	97.56
VCCOTHER	2	*USED COC & DROVE FOR SOME OTHER REASON		
		1 = Yes	22	0.12
		2 = No	56	0.31
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	31	0.17
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	322	1.76
		99 = LEGITIMATE SKIP	17821	97.55

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VCCOTHSP	2	*OTHER REASON DROVE AFTER USING COCAINE		
		2 = I wasn't high enough to cause a crash	1	0.01
		5 = I had an appointment or curfew	1	0.01
		8 = To get more drugs/alcohol	1	0.01
		9 = Just to have fun/drive around/just wanted to	3	0.02
		11 = To run an errand/get something	1	0.01
		13 = To go to work/school	1	0.01
		16 = To relax/relieve stress	1	0.01
		18 = Accustomed to driving high/unaffected/drive better	1	0.01
		20 = To go home	1	0.01
		22 = Long drive ahead / on a road trip	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	335	1.83
		99 = LEGITIMATE SKIP	17907	98.02

DB-37. In general, when you drive within 2 hours after using any cocaine, how much more likely do you think it is that you will be stopped by the police than when you drive without using cocaine?

VCCSTOP	2	*HOW LIKELY STOPPED BY POLICE IF USE COC & DRIVE		
		1 = A lot more likely	23	0.13
		2 = A little more likely	26	0.14
		3 = No more likely	50	0.27
		85 = BAD DATA Logically assigned	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	29	0.16
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	300	1.64
		99 = LEGITIMATE SKIP	17823	97.56

DB-38. In general, how much do you feel using any cocaine reduces your ability to drive safely?

VCCABIL	2	*HOW MUCH COC AFFECTS YOUR DRIVING ABILITY IN GENL		
		1 = A lot	25	0.14
		2 = A little	38	0.21
		3 = Not at all	40	0.22
		85 = BAD DATA Logically assigned	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	36	0.20
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	293	1.60
		99 = LEGITIMATE SKIP	17816	97.52

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		The next set of questions ask about your use of tranquilizers during the past 12 months. For these questions, include any prescription or over-the-counter tranquilizers you used for an medical reason, as well as any you used only for the experience or feeling they caused.		
		DB-39. Have you used any tranquilizers during the past 12 months?		
VTRUSEYR	2	*USED TRANQUILIZERS IN PAST 12 MONTHS		
		1 = Yes	283	1.55
		2 = No	11807	64.63
		3 = Yes LOGICALLY ASSIGNED (VTRDRVYR = 1,3)	2	0.01
		5 = Yes LOGICALLY ASSIGNED (VTRDRVYR = 5)	13	0.07
		89 = LEGITIMATE SKIP Logically assigned	59	0.32
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	243	1.33
		99 = LEGITIMATE SKIP	5848	32.01
		DB-40. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any tranquilizers?		
VTRDRVYR	2	*DROVE WITHIN 2 HRS AFTER TRANQ USE PAST 12 MOS		
		1 = Yes	77	0.42
		2 = No	192	1.05
		3 = Yes LOGICALLY ASSIGNED from DB-41	2	0.01
		5 = Yes LOGICALLY ASSIGNED from elsewhere on ans sht .	26	0.14
		89 = LEGITIMATE SKIP Logically assigned	127	0.70
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	244	1.34
		99 = LEGITIMATE SKIP	17587	96.27
		DB-41. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any tranquilizers?		
VTR30USE	2	*# DAYS DROVE WITHIN 2 HRS OF TRAN USE PST 30 DAYS		
		RANGE = 1 - 30	54	0.30
		83 = DID NOT DRV W/IN 2 HRS USE TRQ PST 30 DAYS Log ass	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	49	0.27
		93 = DID NOT DRV W/IN 2 HRS USE TRQ PST 30 DAYS	30	0.16
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	264	1.45
		99 = LEGITIMATE SKIP	17857	97.74

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-42. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any tranquilizers. On this most recent occasion, did you use tranquilizers for a medical reason, or did you use them only for the experience or feeling they caused?		
VLTRMED	2	*REASON WHY USED TRANQS & DROVE THE LAST TIME		
		1 = I used tranquilizers for medical reason	68	0.37
		2 = I used tranquilizers for the experience or feeling	13	0.07
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	20	0.11
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	265	1.45
		99 = LEGITIMATE SKIP	17886	97.90
		DB-43. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any tranquilizers, did you use only tranquilizers, tranquilizers with alcohol, or tranquilizers with one or more other drugs?		
VLTRALC	2	*WHAT USED W/TRAN THE LAST TIME TRAN USED & DROVE		
		1 = I used only tranquilizers	58	0.32
		2 = I used tranquilizers with alcohol	6	0.03
		3 = I used tranquilizers with one or more drugs	17	0.09
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	15	0.08
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	267	1.46
		99 = LEGITIMATE SKIP	17891	97.93
VLTRAL1	4	*OTHER DRUG USED LAST TIME W/TRAN (FIRST MENTION)		
		241 = Prozac	1	0.01
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	1	0.01
		805 = Cocaine, coca, coke	1	0.01
		891 = Famotidine, Pepcid	1	0.01
		893 = Estrogen	1	0.01
		894 = Depakene, Depakote, Valproic acid	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	65	0.36
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	279	1.53
		9999 = LEGITIMATE SKIP	17905	98.01

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VLTRAL2	4	*OTHER DRUG USED LAST TIME W/TRAN (SECOND MENTION)		
		225 = Desyrel, Trazodone hydrochloride, Trazora, Trialod	1	0.01
		493 = IBU	1	0.01
		892 = Carafate. Sucralfate	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	65	0.36
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	282	1.54
		9999 = LEGITIMATE SKIP	17905	98.01
VLTRAL3	4	*OTHER DRUG USED LAST TIME W/TRAN (THIRD MENTION)		
		427 = Darvocet	1	0.01
		874 = Premarin	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	65	0.36
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	283	1.55
		9999 = LEGITIMATE SKIP	17905	98.01
VLTRAL4	4	*OTHER DRUG USED LAST TIME W/TRAN (FOURTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	65	0.36
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	285	1.56
		9999 = LEGITIMATE SKIP	17905	98.01
VLTRAL5	4	*OTHER DRUG USED LAST TIME W/TRAN (FIFTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	65	0.36
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	285	1.56
		9999 = LEGITIMATE SKIP	17905	98.01
<p>DB-44. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any tranquilizers, how much do you think your use of tranquilizers (whether it was alone or along with one or more other drugs) reduced your ability to drive safely?</p>				
VLTRABL	2	*HOW MUCH TRAN AFFECTED DRIVING ABIL THE LAST TIME		
		1 = A lot	5	0.03
		2 = A little	20	0.11
		3 = Not at all	55	0.30
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	45	0.25
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	262	1.43
		99 = LEGITIMATE SKIP	17861	97.77

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		This next set of questions asks about your use of stimulants during the past 12 months. For these questions, include any prescription or over-the-counter stimulants you used for a medical reason, as well as any you used only for the experience or feeling they caused.		
		DB-45. Have you used any stimulants during the past 12 months?		
VSTUSEYR	2	*USED STIMULANTS IN PAST 12 MONTHS		
		1 = Yes	167	0.91
		2 = No	11890	65.08
		3 = Yes LOGICALLY ASSIGNED (VSTDRVYR = 1,3)	2	0.01
		5 = Yes LOGICALLY ASSIGNED (VSTDRVYR = 5)	17	0.09
		89 = LEGITIMATE SKIP Logically assigned	59	0.32
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	272	1.49
		99 = LEGITIMATE SKIP	5848	32.01
		DB-46. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any stimulants?		
VSTDRVYR	2	*DROVE WITHIN 2 HRS AFTER STIM USE PAST 12 MOS		
		1 = Yes	83	0.45
		2 = No	75	0.41
		3 = Yes LOGICALLY ASSIGNED from DB-47	1	0.01
		5 = Yes LOGICALLY ASSIGNED from elsewhere on ans sht .	28	0.15
		89 = LEGITIMATE SKIP Logically assigned	129	0.71
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	271	1.48
		99 = LEGITIMATE SKIP	17668	96.71
		DB-47. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any stimulants?		
VST30USE	2	*# DAYS DROVE WITHIN 2 HRS OF STIM USE PST 30 DAYS		
		RANGE = 1 - 30	57	0.31
		83 = DID NOT DRV W/IN 2 HRS USE STM PST 30 DAYS Log ass	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	41	0.22
		93 = DID NOT DRV W/IN 2 HRS USE STM PST 30 DAYS	30	0.16
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	294	1.61
		99 = LEGITIMATE SKIP	17831	97.60

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-48. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any stimulants. On this most recent occasion, did you use stimulants for a medicinal reason, or did you use them only for the experience or feeling they caused?		
VLTSTMED	2	*REASON WHY USED STIMS & DROVE THE LAST TIME		
		1 = I used stimulants for a medical reason	36	0.20
		2 = I used stimulants for the experience or feeling ..	48	0.26
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	21	0.11
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	295	1.61
		99 = LEGITIMATE SKIP	17851	97.71
		DB-49. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any stimulants, did you use only stimulants, stimulants with alcohol, or stimulants with one or more other drugs?		
VLTSTALC	2	*WHAT USED W/STIM THE LAST TIME STIM USED & DROVE		
		1 = I used only stimulants	63	0.34
		2 = I used stimulants with alcohol	9	0.05
		3 = I used stimulants with one or more other drugs ...	13	0.07
		85 = BAD DATA Logically assigned	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	15	0.08
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	295	1.61
		99 = LEGITIMATE SKIP	17857	97.74
VLTSTAL1	4	*OTHER DRUG USED LAST TIME W/STIM (FIRST MENTION)		
		803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed ...	6	0.03
		897 = Synthroid, Levothyroxine	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	73	0.40
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	304	1.66
		9999 = LEGITIMATE SKIP	17871	97.82

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VLTSTAL2	4	*OTHER DRUG USED LAST TIME W/STIM (SECOND MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	73	0.40
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	311	1.70
		9999 = LEGITIMATE SKIP	17871	97.82
VLTSTAL3	4	*OTHER DRUG USED LAST TIME W/STIM (THIRD MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	73	0.40
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	311	1.70
		9999 = LEGITIMATE SKIP	17871	97.82
VLTSTAL4	4	*OTHER DRUG USED LAST TIME W/STIM (FOURTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	73	0.40
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	311	1.70
		9999 = LEGITIMATE SKIP	17871	97.82
VLTSTAL5	4	*OTHER DRUG USED LAST TIME W/STIM (FIFTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	73	0.40
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	311	1.70
		9999 = LEGITIMATE SKIP	17871	97.82
<p>DB-50. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any stimulants, how much do you think your use of stimulants (whether it was alone or along with one or more other drugs) reduced your ability to drive safely?</p>				
VLTSTABL	2	*HOW MUCH STIMS AFFECTED DRIVING ABIL THE LAST TIM		
		1 = A lot	6	0.03
		2 = A little	24	0.13
		3 = Not at all	55	0.30
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	47	0.26
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	292	1.60
		99 = LEGITIMATE SKIP	17825	97.57

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		This next set of questions asks about your use of sedatives during the past 12 months. For these questions, include any prescription or over-the-counter sedatives you used for a medical reason, as well as any you used only for the experience or feeling they caused.		
		DB-51. Have you used any sedatives during the past 12 months?		
VSEUSEYR	2	*USED SEDATIVES IN PAST 12 MONTHS		
		1 = Yes	228	1.25
		2 = No	11860	64.92
		3 = Yes LOGICALLY ASSIGNED (VSEDRVYR = 1,3)	1	0.01
		5 = Yes LOGICALLY ASSIGNED (VSEDRVYR = 5)	9	0.05
		89 = LEGITIMATE SKIP Logically assigned	61	0.33
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	248	1.36
		99 = LEGITIMATE SKIP	5846	32.00
		DB-52. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any sedatives?		
VSEDRVYR	2	*DROVE WITHIN 2 HRS AFTER SEDATIVE USE PAST 12 MOS		
		1 = Yes	37	0.20
		2 = No	185	1.01
		3 = Yes LOGICALLY ASSIGNED from DB-53	1	0.01
		5 = Yes LOGICALLY ASSIGNED from elsewhere on ans sht .	19	0.10
		89 = LEGITIMATE SKIP Logically assigned	132	0.72
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	245	1.34
		99 = LEGITIMATE SKIP	17635	96.53

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-53. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any sedatives?		
VSE30USE	2	*# DAYS DROVE WITHIN 2 HRS OF SED USE PAST 30 DAYS		
		RANGE = 1 - 30	28	0.15
		83 = DID NOT DRV W/IN 2 HRS USE SED PST 30 DAYS Log ass	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	49	0.27
		93 = DID NOT DRV W/IN 2 HRS USE SED PST 30 DAYS	17	0.09
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	257	1.41
		99 = LEGITIMATE SKIP	17903	98.00
		DB-54. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any sedatives. On this most recent occasion, did you use sedatives for a medical reason, or did you use them only for the experience or feeling they caused?		
VLTSEMED	2	*REASON WHY USED SEDS & DROVE THE LAST TIME		
		1 = I used sedatives for a medical reason	29	0.16
		2 = I used sedatives for the experience or feeling ...	12	0.07
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	112	0.61
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	258	1.41
		99 = LEGITIMATE SKIP	17840	97.65

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
		DB-55. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any sedatives, did you use only sedatives, sedatives with alcohol, or sedatives with one or more other drugs?		
VLTSEALC	2	*WHAT USED W/SEDS THE LAST TIME SEDS USED & DROVE		
		1 = I used only sedatives	28	0.15
		2 = I used sedatives with alcohol	8	0.04
		3 = I used sedatives with one or more other drugs	5	0.03
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	90	0.49
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	258	1.41
		99 = LEGITIMATE SKIP	17862	97.77
VLTSEAL1	4	*OTHER DRUG USED LAST TIME W/SEDS (FIRST MENTION)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		805 = Cocaine, coca, coke	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	37	0.20
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	265	1.45
		9999 = LEGITIMATE SKIP	17951	98.26
VLTSEAL2	4	*OTHER DRUG USED LAST TIME W/SEDS (SECOND MENTION)		
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		9989 = LEGITIMATE SKIP Logically assigned	37	0.20
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	266	1.46
		9999 = LEGITIMATE SKIP	17951	98.26
VLTSEAL3	4	*OTHER DRUG USED LAST TIME W/SEDS (THIRD MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	37	0.20
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	267	1.46
		9999 = LEGITIMATE SKIP	17951	98.26
VLTSEAL4	4	*OTHER DRUG USED LAST TIME W/SEDS (FOURTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	37	0.20
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	267	1.46
		9999 = LEGITIMATE SKIP	17951	98.26

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DRIVING BEHAVIORS

LABEL	LEN	DESCRIPTION	FREQ	%
VLTSEAL5	4	*OTHER DRUG USED LAST TIME W/SEDS (FIFTH MENTION)		
		9989 = LEGITIMATE SKIP Logically assigned	37	0.20
		9997 = REFUSED	14	0.08
		9998 = BLANK (NO ANSWER)	267	1.46
		9999 = LEGITIMATE SKIP	17951	98.26

DB-56. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any sedatives, how much do you think your use of sedatives (whether it was alone or along with one or more other drugs) reduced your ability to drive safely?

VLTSEABL	2	*HOW MUCH SEDES AFFECTED DRIVING ABIL THE LAST TIME		
		1 = A lot	8	0.04
		2 = A little	17	0.09
		3 = Not at all	17	0.09
		85 = BAD DATA Logically assigned	10	0.05
		89 = LEGITIMATE SKIP Logically assigned	165	0.90
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	251	1.37
		99 = LEGITIMATE SKIP	17787	97.36

*The values in this section may be inconsistent with values from the core sections(s) since non-core items were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE DEMOGRAPHICS		

		That was the last of the answer sheets. For the remaining questions, I will read the question out loud, you can tell me your answer, and I will record it in the questionnaire booklet.		
		FI CHECKPOINT W; MARK ONE BOX for R's working status.		
SKPWKST3	2	SKP MISSED WRK-DYS TO CHLD-RST Q'S, ON WORKSTATUS		
		1 = Work stat=Now in labor force (codes 1-4/21-24) ...	9819	53.75
		2 = Work stat=Not in labor frc (5-11/25-32) - SKIP ...	8037	43.99
		3 = Work stat=Now in labor force LOGICALLY ASSIGNED ..	293	1.60
		4 = Work stat=Not in labor frc LOG ASSN - SKIP	115	0.63
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	4	0.02
		D-14. During the past 30 days -- that is, from your 30-day reference date up to and including today -- how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	1775	9.72
		0 = No days	8114	44.41
		89 = LEGITIMATE SKIP Logically assigned	173	0.95
		95 = BAD DATA	4	0.02
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	241	1.32
		99 = LEGITIMATE SKIP	7957	43.55
		D-15. During the past 30 days, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30	789	4.32
		0 = No days	9090	49.76
		89 = LEGITIMATE SKIP Logically assigned	173	0.95
		95 = BAD DATA	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	253	1.38
		99 = LEGITIMATE SKIP	7957	43.55

NON-CORE DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		FI CHECKPOINT X; MARK ONE BOX for R's age and sex.		
SKPPREG	1	SKIP OVER PREGNANCY Q'S TO TOTPEOP, ON AGE AND SEX		
		1 = Respondent is female less than 45 years old	8881	48.61
		2 = Respondent is female 45 years or older - SKIP	1288	7.05
		3 = Respondent is male - SKIP	7658	41.92
		4 = Female less than 45 LOGICALLY ASSIGNED	259	1.42
		5 = Female 45 years or older LOGICALLY ASSIGNED - SKIP	67	0.37
		6 = Male LOGICALLY ASSIGNED - SKIP	116	0.63
		D-18. Are you currently pregnant?		
PREGNANT	2	CURRENTLY PREGNANT		
		1 = Yes	416	2.28
		2 = No	8567	46.89
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	118	0.65
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	149	0.82
		99 = LEGITIMATE SKIP	9011	49.32
		D-19. How many months pregnant are you?		
PREGMOS	2	NUMBER OF MONTHS PREGNANT		
		RANGE = 1 - 9	392	2.15
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	15	0.08
		94 = DON'T KNOW	5	0.03
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	174	0.95
		99 = LEGITIMATE SKIP	17681	96.78
		D-20. Altogether, how many people live here, including yourself?		
TOTPEOP	2	# PEOPLE LIVING IN HOUSEHOLD (=IRPEOP)		
		RANGE = 1 - 24	18269	100.00

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE HEALTH		

		THIS ANSWER SHEET WAS ADMINISTERED TO RESPONDENTS		
		AGE 18 AND OLDER.		
		FI CHECKPOINT Y; R's age.		
SKPMHC	1	CHECK ON RESPONDENT AGE		
		1 = Respondent is 18 years or older	13326	72.94
		2 = Respondent is 12-17 years old - SKIP	4487	24.56
		3 = 18 or older LOGICALLY ASSIGNED	405	2.22
		4 = 12 to 17 LOGICALLY ASSIGNED - SKIP	51	0.28
		HE-4. Now we have some additional		
		questions about specific aspects of your		
		health. During the past 12 months, was		
		there ever a time when you felt sad,		
		blue, or depressed for two weeks or more		
		in a row?		
DEPRESS	2	FELT DEPRESSED 2 WEEKS OR MORE IN PAST 12 MONTHS		
		1 = Yes	1884	10.31
		2 = No	11780	64.48
		3 = Yes LOGICALLY ASSIGNED	12	0.07
		4 = No LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	72	0.39
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	50	0.27
		99 = LEGITIMATE SKIP	4466	24.45
		HE-5. For the next few questions,		
		please think of the two-week period		
		during the past 12 months when these		
		feelings were worst. During that time,		
		did the feeling of being sad, blue, or		
		depressed usually last all day long,		
		about half the day, or less than half		
		the day?		
DEPDAYS	2	DURING 2 WKS, HOW MUCH OF DAY WERE YOU DEPRESSED		
		1 = All day long	530	2.90
		2 = Most of the day	563	3.08
		3 = About half the day	434	2.38
		4 = Less than half the day	359	1.97
		89 = LEGITIMATE SKIP Logically assigned	9	0.05
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	60	0.33
		99 = LEGITIMATE SKIP	16310	89.28

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-6. Did you feel this way every day, almost every day, or less often during those two weeks?		
DEPFREQ	2	FELT DEPRESSED HOW OFTEN IN 2 WK PERIOD		
		1 = Every day	562	3.08
		2 = Almost every day	811	4.44
		3 = Less often	513	2.81
		89 = LEGITIMATE SKIP Logically assigned	9	0.05
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	59	0.32
		99 = LEGITIMATE SKIP	16310	89.28
		HE-7. During those two weeks, did you lose interest in most things?		
LOSTINT1	2	LOSE INTEREST IN THINGS IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1257	6.88
		2 = No	630	3.45
		89 = LEGITIMATE SKIP Logically assigned	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	59	0.32
		99 = LEGITIMATE SKIP	16314	89.30
		HE-8. Did you feel tired out or low on energy all the time?		
TIRED1	2	FEEL TIRED ALL THE TIME IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1474	8.07
		2 = No	413	2.26
		89 = LEGITIMATE SKIP Logically assigned	5	0.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	59	0.32
		99 = LEGITIMATE SKIP	16314	89.30

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-9. Did you gain weight, lose weight, or stay about the same?		
WTCHNG1	2	WEIGHT CHANGE PAST 12 MONTHS - VERSION 1		
		1 = Gained weight	395	2.16
		2 = Lost weight	574	3.14
		3 = Both gained and lost weight	54	0.30
		4 = Stayed the same	863	4.72
		5 = Respondent was on a diet	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	8	0.04
		94 = DON'T KNOW	3	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	56	0.31
		99 = LEGITIMATE SKIP	16311	89.28
		HE-10. About how much did you (gain/lose)?		
LBSCHNG1	3	# POUNDS GAINED OR LOST - VERSION 1		
		RANGE = 1 - 80	982	5.38
		989 = LEGITIMATE SKIP Logically assigned	7	0.04
		994 = DON'T KNOW	14	0.08
		995 = BAD DATA	9	0.05
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	77	0.42
		999 = LEGITIMATE SKIP	17176	94.02
		HE-11. Did you have more trouble falling asleep than you usually do?		
SLPLOSS1	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 1		
		1 = Yes	1124	6.15
		2 = No	760	4.16
		3 = Yes LOGICALLY ASSIGNED	7	0.04
		89 = LEGITIMATE SKIP Logically assigned	5	0.03
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	54	0.30
		99 = LEGITIMATE SKIP	16314	89.30

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		HE-12. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ1	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 1		
		1 = Every night	332	1.82
		2 = Nearly every night	534	2.92
		3 = Less often	264	1.45
		89 = LEGITIMATE SKIP Logically assigned	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	56	0.31
		99 = LEGITIMATE SKIP	17078	93.48
		HE-13. Did you have a lot more trouble concentrating than usual?		
CONCEN1	2	HAVE MORE PROBLEM CONCENTRATING THAN USUAL		
		1 = Yes	1313	7.19
		2 = No	578	3.16
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	55	0.30
		99 = LEGITIMATE SKIP	16315	89.30
		HE-14. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN1	2	FEEL NO GOOD, WORTHLESS, DOWN		
		1 = Yes	1102	6.03
		2 = No	787	4.31
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	57	0.31
		99 = LEGITIMATE SKIP	16315	89.30
		HE-15. Did you think a lot about death, either your own, someone else's, or death in general?		
IDEAT1	2	THINK ABOUT DEATH - OWN, SOMEONE ELSE, GENERAL		
		1 = Yes	853	4.67
		2 = No	1039	5.69
		89 = LEGITIMATE SKIP Logically assigned	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	54	0.30
		99 = LEGITIMATE SKIP	16315	89.30

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		FI CHECKPOINT Z; ANY BOXED ITEMS IN Q.HE-7 THROUGH Q.HE-15 MARKED?		
SKPDEP1	2	ANY BOXED ITEMS MARKED HE-7 TO HE-15		
		1 = Yes	1764	9.66
		2 = No - SKIP	48	0.26
		3 = Yes LOGICALLY ASSIGNED	67	0.37
		4 = No LOGICALLY ASSIGNED - SKIP	17	0.09
		89 = LEGITIMATE SKIP Logically assigned	170	0.93
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	50	0.27
		99 = LEGITIMATE SKIP	16149	88.40

HE-16. Reviewing what you just told me, you had two weeks in a row during the past 12 months when you were sad, blue, or depressed and also had some other things like (READ UP TO TWO DESCRIPTIONS IN YES-BOXED RESPONSES FROM QUESTIONS HE-7 THROUGH HE-15). About how many weeks altogether did you feel this way during the past 12 months?

DEPWKS1	2	# WEEKS FELT DEPRESSED PAST 12 MONTHS		
		RANGE = 2 - 52	1773	9.70
		85 = BAD DATA Logically assigned	20	0.11
		89 = LEGITIMATE SKIP Logically assigned	18	0.10
		94 = DON'T KNOW	8	0.04
		95 = BAD DATA	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	77	0.42
		99 = LEGITIMATE SKIP	16366	89.58

HE-17. Think about the last time you felt this way for two weeks or more in a row. In what month was that?

DEPMO1	2	WHAT MONTH LAST FELT DEPRESSED		
		RANGE = 1 - 12	1600	8.76
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	50	0.27
		94 = DON'T KNOW	16	0.09
		95 = BAD DATA	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	85	0.47
		99 = LEGITIMATE SKIP	16512	90.38

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
DEPYR1	3	WHAT YEAR LAST FELT DEPRESSED - RECODE		
		RANGE = 95 - 96	1590	8.70
		985 = BAD DATA Logically assigned	21	0.11
		989 = LEGITIMATE SKIP Logically assigned	50	0.27
		994 = DON'T KNOW	7	0.04
		995 = BAD DATA	2	0.01
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	83	0.45
		999 = LEGITIMATE SKIP	16512	90.38

NOTE: The variables LOSTINT2, TIRED2, WTCHNG2, LBSCHNG2, SLPLOSS2, SLPFREQ2, CONCEN2, DOWN2, and IDEAT2 are comparable to previous variables but were asked only if a respondent did not report a 2-week or greater period in the past 12 months of feeling sad, blue or depressed.

HE-18. During the past 12 months, was there ever a time lasting two weeks or more when you lost interest in most things like hobbies, work, or activities that usually gave you pleasure?

LOSTINT2	2	LOST INTEREST IN THINGS IN 2 WK PERIOD - VERSION 2		
		1 = Yes	334	1.83
		2 = No	11316	61.94
		3 = Yes LOGICALLY ASSIGNED	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	402	2.20
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	180	0.99
		99 = LEGITIMATE SKIP	6032	33.02

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-19. For the next few questions, please think of the two-week period during the past 12 months when you had the most complete loss of interest in things. During that two-week period, did the loss of interest usually last all day long, most of the day, about half the day, or less than half the day?		
LOSINDAY	2	AMT OF DAY LOST INTEREST IN 2 WK PERIOD		
		1 = All day long	82	0.45
		2 = Most of the day	75	0.41
		3 = About half the day	100	0.55
		4 = Less than half the day	76	0.42
		89 = LEGITIMATE SKIP Logically assigned	146	0.80
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	182	1.00
		99 = LEGITIMATE SKIP	17604	96.36
		HE-20. Did you feel this way every day, almost every day, or less often during the two weeks?		
LOSINFRQ	2	LOST INTEREST HOW OFTEN IN 2 WEEK PERIOD		
		1 = Every day	50	0.27
		2 = Almost every day	133	0.73
		3 = Less often	150	0.82
		89 = LEGITIMATE SKIP Logically assigned	146	0.80
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	182	1.00
		99 = LEGITIMATE SKIP	17604	96.36
		HE-21. During those two weeks, did you feel tired out, or low on energy all the time?		
TIRED2	2	DURING TWO WEEKS, FEEL TIRED OR LOW ON ENERGY		
		1 = Yes	241	1.32
		2 = No	92	0.50
		89 = LEGITIMATE SKIP Logically assigned	144	0.79
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	182	1.00
		99 = LEGITIMATE SKIP	17606	96.37

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-22. During those two weeks, did you gain weight, lose weight, or stay about the same?		
WTCHNG2	2	WEIGHT CHANGE IN 2 WEEK PERIOD - VERSION 2		
		1 = Gained weight	72	0.39
		2 = Lost weight	63	0.34
		3 = Both gained and lost weight	5	0.03
		4 = Stayed the same	192	1.05
		89 = LEGITIMATE SKIP Logically assigned	139	0.76
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	182	1.00
		99 = LEGITIMATE SKIP	17611	96.40
		HE-23. About how much did you (gain/lose)?		
LBSCHNG2	3	# POUNDS LOST OR GAINED - VERSION 2		
		RANGE = 1 - 62	137	0.75
		989 = LEGITIMATE SKIP Logically assigned	71	0.39
		994 = DON'T KNOW	1	0.01
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	185	1.01
		999 = LEGITIMATE SKIP	17871	97.82
		HE-24. During those two weeks, did you have more trouble falling asleep than you usually do?		
SLPLOSS2	2	TROUBLE FALLING ASLEEP IN 2 WK PERIOD - VERSION 2		
		1 = Yes	169	0.93
		2 = No	161	0.88
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	135	0.74
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	182	1.00
		99 = LEGITIMATE SKIP	17615	96.42

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-25. Did that happen every night, nearly every night, or less often during those two weeks?		
SLPFREQ2	2	HOW OFTEN TROUBLE SLEEPING IN 2 WK PER - VERSION 2		
		1 = Every night	34	0.19
		2 = Nearly every night	87	0.48
		3 = Less often	50	0.27
		89 = LEGITIMATE SKIP Logically assigned	94	0.51
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	183	1.00
		99 = LEGITIMATE SKIP	17817	97.53
		HE-26. During those two weeks, did you have a lot more trouble concentrating than usual?		
CONCEN2	2	HAVE TROUBLE CONCENTRATING DURING THOSE 2 WEEKS		
		1 = Yes	189	1.03
		2 = No	143	0.78
		89 = LEGITIMATE SKIP Logically assigned	134	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	183	1.00
		99 = LEGITIMATE SKIP	17616	96.43
		HE-27. At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?		
DOWN2	2	FEEL DOWN, NO GOOD OR WORTHLESS DURING THOSE 2 WKS		
		1 = Yes	144	0.79
		2 = No	186	1.02
		89 = LEGITIMATE SKIP Logically assigned	133	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	185	1.01
		99 = LEGITIMATE SKIP	17617	96.43

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-28. During those two weeks, did you think a lot about death -- either your own, someone else's, or death in general?		
IDEAT2	2	THINK ABOUT DEATH - OWN,SOMEONE ELSE,GENERAL 2 WKS		
		1 = Yes	99	0.54
		2 = No	233	1.28
		89 = LEGITIMATE SKIP Logically assigned	134	0.73
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	183	1.00
		99 = LEGITIMATE SKIP	17616	96.43
		FI CHECKPOINT AA; ANY BOXED ITEMS IN Q.HE-21 THROUGH Q.HE-28 MARKED?		
SKPDEP2	2	ANY BOXED ITEMS MARKED HE-21 TO HE-28		
		1 = Yes	297	1.63
		2 = No - SKIP	68	0.37
		3 = Yes LOGICALLY ASSIGNED	17	0.09
		4 = No LOGICALLY ASSIGNED - SKIP	5	0.03
		89 = LEGITIMATE SKIP Logically assigned	189	1.03
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	128	0.70
		99 = LEGITIMATE SKIP	17561	96.12
		HE-29. Reviewing what you told me, you had two weeks in row during the past 12 months when you lost interest in most things and also had some other things like (READ UP TO TWO DESCRIPTION IN YES-BOXED RESPONSES FROM QUESTIONS HE-21 THROUGH HE-28.) About how many weeks altogether did you feel this way during the past 12 months?		
DEPWKS2	2	# WEEKS PAST YEAR LOST INTEREST IN THINGS		
		RANGE = 2 - 52	295	1.61
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	136	0.74
		95 = BAD DATA	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	192	1.05
		99 = LEGITIMATE SKIP	17635	96.53

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-30. Think about the last time you had two weeks in row when you felt this way. In what month and year was that?		
DEPMO2	2	LAST TIME LOST INTEREST IN THINGS > 2 WKS - MOS		
		RANGE = 1 - 12	284	1.55
		89 = LEGITIMATE SKIP Logically assigned	129	0.71
		94 = DON'T KNOW	4	0.02
		95 = BAD DATA	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	196	1.07
		99 = LEGITIMATE SKIP	17651	96.62
DEPYR2	3	LAST TIME LOST INTEREST IN THINGS > 2 WKS - YEAR		
		RANGE = 95 - 96	283	1.55
		985 = BAD DATA Logically assigned	3	0.02
		989 = LEGITIMATE SKIP Logically assigned	128	0.70
		994 = DON'T KNOW	2	0.01
		995 = BAD DATA	1	0.01
		997 = REFUSED	4	0.02
		998 = BLANK (NO ANSWER)	196	1.07
		999 = LEGITIMATE SKIP	17652	96.62
		HE-31. During the past 12 months, did you ever have a period lasting one month or longer when most of the time you felt worried or anxious?		
WORRIED	2	PERIOD LONGER THAN 1 MONTH FELT ANXIOUS PAST YEAR		
		1 = Yes	1408	7.71
		2 = No	12230	66.94
		3 = Yes LOGICALLY ASSIGNED	26	0.14
		89 = LEGITIMATE SKIP Logically assigned	76	0.42
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	64	0.35
		99 = LEGITIMATE SKIP	4462	24.42
		HE-32. Has that period ended or is it still going on?		
WOREND	2	PERIOD ENDED OR STILL GOING ON		
		1 = Ended	752	4.12
		2 = Still going on	601	3.29
		3 = Ended LOGICALLY ASSIGNED	62	0.34
		4 = Still going on LOGICALLY ASSIGNED	16	0.09
		89 = LEGITIMATE SKIP Logically assigned	5	0.03
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	67	0.37
		99 = LEGITIMATE SKIP	16763	91.76

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: The variables WORNOMO1, WORHAPN1, WORSERI1, and WORDIFF1 apply to episodes of anxiety that have ended. The variables WORNOMO2, WORHAPN2, WORSERI2, and WORDIFF2 apply to periods of anxiety that are still going on.		
		HE-33. How many months or years did it go on before it ended? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOMO1	4	# OF MONTHS BEFORE ANXIETY ENDED - RECODE		
		RANGE = 1 - 480	777	4.25
		9989 = LEGITIMATE SKIP Logically assigned	23	0.13
		9994 = DON'T KNOW	2	0.01
		9995 = BAD DATA	1	0.01
		9997 = REFUSED	3	0.02
		9998 = BLANK (NO ANSWER)	101	0.55
		9999 = LEGITIMATE SKIP	17362	95.04
		HE-34. During that period, did you worry about things that were not likely to happen?		
WORHAPN1	2	WORRIED ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	332	1.82
		2 = No	459	2.51
		85 = BAD DATA Logically assigned	14	0.08
		89 = LEGITIMATE SKIP Logically assigned	22	0.12
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	76	0.42
		99 = LEGITIMATE SKIP	17363	95.04
		HE-35. Did you worry about things that were not really serious?		
WORSERI1	2	WORRIED ABOUT THINGS NOT SERIOUS		
		1 = Yes	114	0.62
		2 = No	385	2.11
		89 = LEGITIMATE SKIP Logically assigned	16	0.09
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	77	0.42
		99 = LEGITIMATE SKIP	17674	96.74

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		HE-36. During this period of worry or anxiety, did you have different worries on your mind at the same time?		
WORDIFF1	2	HAD DIFFERENT WORRIES ON MIND		
		1 = Yes	338	1.85
		2 = No	84	0.46
		89 = LEGITIMATE SKIP Logically assigned	51	0.28
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	74	0.41
		99 = LEGITIMATE SKIP	17719	96.99
		HE-37. How many months or years has it been going on? (FILL IN NUMBER AND MARK APPROPRIATE TIMEFRAME.)		
WORNOMO2	4	# OF MONTHS ANXIETY GOING ON - RECODE		
		RANGE = 1 - 480	580	3.17
		9989 = LEGITIMATE SKIP Logically assigned	3	0.02
		9994 = DON'T KNOW	4	0.02
		9995 = BAD DATA	1	0.01
		9997 = REFUSED	3	0.02
		9998 = BLANK (NO ANSWER)	99	0.54
		9999 = LEGITIMATE SKIP	17579	96.22
		HE-38. Do you worry about things that are not likely to happen?		
WORHAPN2	2	WORRY ABOUT THINGS UNLIKELY TO HAPPEN		
		1 = Yes	243	1.33
		2 = No	352	1.93
		85 = BAD DATA Logically assigned	4	0.02
		89 = LEGITIMATE SKIP Logically assigned	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	85	0.47
		99 = LEGITIMATE SKIP	17581	96.23
		HE-39. Do you worry a great deal about things that are not really serious?		
WORSERI2	2	WORRY ABOUT THINGS NOT SERIOUS		
		1 = Yes	91	0.50
		2 = No	291	1.59
		89 = LEGITIMATE SKIP Logically assigned	3	0.02
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	80	0.44
		99 = LEGITIMATE SKIP	17799	97.43

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-40. Do you have different worries on your mind at the same time?		
WORDIFF2	2	HAVE DIFFERENT WORRIES ON MIND		
		1 = Yes	286	1.57
		2 = No	24	0.13
		89 = LEGITIMATE SKIP Logically assigned	51	0.28
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	83	0.45
		99 = LEGITIMATE SKIP	17822	97.55
		FI CHECKPOINT BB; WORNOMO1 or WORNOMO2 is more than or less than 6 months.		
SKPWOR	2	WORNOMO1 OR WORNOMO2 IS 6 MONTHS OR MORE		
		1 = Question HE-33 or HE-37 = 6 months or more	315	1.72
		2 = Question HE-33 or HE-37 < 6 mo. - SKIP	381	2.09
		3 = Q.HE-33 or HE-37 = 6 mo. or more LOG ASSN	17	0.09
		4 = Q.HE-33 or HE-37 < 6 mo. LOG ASSN - SKIP	22	0.12
		89 = LEGITIMATE SKIP Logically assigned	113	0.62
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP	17331	94.87
		HE-41. When you (are/were) worried or anxious, (are/were) you also...		
WORREST	2	RESTLESS WHEN WORRIED		
		1 = Yes	288	1.58
		2 = No	38	0.21
		89 = LEGITIMATE SKIP Logically assigned	74	0.41
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	93	0.51
		99 = LEGITIMATE SKIP	17773	97.29
WOREDGE	2	KEYED UP OR ON EDGE WHEN WORRIED		
		1 = Yes	264	1.45
		2 = No	61	0.33
		89 = LEGITIMATE SKIP Logically assigned	74	0.41
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	93	0.51
		99 = LEGITIMATE SKIP	17773	97.29

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
WORIRRIT	2	IRRITABLE WHEN WORRIED		
		1 = Yes	250	1.37
		2 = No	75	0.41
		89 = LEGITIMATE SKIP Logically assigned	74	0.41
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	94	0.51
		99 = LEGITIMATE SKIP	17773	97.29
WORHEART	2	HEART POUNDS OR RACES WHEN WORRIED		
		1 = Yes	211	1.15
		2 = No	115	0.63
		89 = LEGITIMATE SKIP Logically assigned	74	0.41
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	93	0.51
		99 = LEGITIMATE SKIP	17773	97.29
WORTIRED	2	EASILY TIRED WHEN WORRIED		
		1 = Yes	258	1.41
		2 = No	68	0.37
		89 = LEGITIMATE SKIP Logically assigned	74	0.41
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	93	0.51
		99 = LEGITIMATE SKIP	17773	97.29
WORSLEEP	2	TROUBLE FALLING ASLEEP WHEN WORRIED		
		1 = Yes	241	1.32
		2 = No	84	0.46
		89 = LEGITIMATE SKIP Logically assigned	74	0.41
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	94	0.51
		99 = LEGITIMATE SKIP	17773	97.29
WORFAINT	2	FEEL FAINT OR UNREAL WHEN WORRIED		
		1 = Yes	126	0.69
		2 = No	199	1.09
		89 = LEGITIMATE SKIP Logically assigned	74	0.41
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	94	0.51
		99 = LEGITIMATE SKIP	17773	97.29

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-42. Here's list of situations that cause some people to have unreasonably strong fears. "Unreasonably strong" means being very upset or badly frightened when most people would not be afraid. During the past 12 months, did you have an unreasonably strong fear of...		
FEARPUB	2	BEING IN A PUBLIC PLACE, OR A CROWD OR LINE		
		1 = Yes	437	2.39
		2 = No	13205	72.28
		89 = LEGITIMATE SKIP Logically assigned	77	0.42
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	86	0.47
		99 = LEGITIMATE SKIP	4461	24.42
FEAROUT	2	LEAVING HOME OR BEING AWAY FROM HOME		
		1 = Yes	378	2.07
		2 = No	13260	72.58
		89 = LEGITIMATE SKIP Logically assigned	77	0.42
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	90	0.49
		99 = LEGITIMATE SKIP	4461	24.42
FEARBRDG	2	FEAR OF CROSSING BRIDGE IN PAST 12 MONTHS		
		1 = Yes	411	2.25
		2 = No	13218	72.35
		89 = LEGITIMATE SKIP Logically assigned	77	0.42
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	99	0.54
		99 = LEGITIMATE SKIP	4461	24.42
		FI CHECKPOINT CC; FEARPUB, FEAROUT, or FEARBRDG marked either yes or all no.		
SKPFEAR1	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	806	4.41
		2 = All answered no - SKIP	12706	69.55
		3 = Any yes answer LOGICALLY ASSIGNED	31	0.17
		4 = All answered no LOGICALLY ASSIGNED - SKIP	83	0.45
		85 = BAD DATA Logically assigned	50	0.27
		89 = LEGITIMATE SKIP Logically assigned	79	0.43
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	52	0.28
		99 = LEGITIMATE SKIP	4459	24.41

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-43. Do you get very upset or badly frightened every time you are in (this/these) situations(s), most of the time, or only some of the time?		
FEAROFT	2	HOW OFTEN HAVE THESE FEARS		
		1 = Every time	145	0.79
		2 = Most of the time	142	0.78
		3 = Some of the time	455	2.49
		4 = Only one or two times	77	0.42
		89 = LEGITIMATE SKIP Logically assigned	15	0.08
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	120	0.66
		99 = LEGITIMATE SKIP	17312	94.76
		HE-44. How long have you had (this/these) fear(s) -- less than 1 year, between 1 and 5 years, or more than 5 years?		
FEARYRS	2	HOW LONG HAD THIS/THESE FEAR(S)		
		1 = Less than 1 year	28	0.15
		2 = Between 1 and 5 years	61	0.33
		3 = More than 5 years	198	1.08
		5 = Between 1 and 5 yrs LOGICALLY ASSIGNED	2	0.01
		89 = LEGITIMATE SKIP Logically assigned	39	0.21
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	118	0.65
		99 = LEGITIMATE SKIP	17820	97.54
		HE-45. About how many months have you had (this/these) fear(s)?		
FEARMOS	2	# OF MONTHS HAD THIS/THESE FEAR(S)		
		RANGE = 1 - 60	79	0.43
		85 = BAD DATA Logically assigned	6	0.03
		89 = LEGITIMATE SKIP Logically assigned	28	0.15
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	122	0.67
		99 = LEGITIMATE SKIP	18029	98.69

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		HE-46. When you are in (this/these) situation(s), are you afraid that you might faint, lose control, or embarrass yourself in other ways?		
FEARFANT	2	WHEN IN THIS SITUATION AFRAID OF FAINTING		
		1 = Yes	149	0.82
		2 = No	139	0.76
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	118	0.65
		99 = LEGITIMATE SKIP	17821	97.55
		HE-47. When you are in (this/these) situation(s), do you worry that you might be trapped without any way to escape?		
FEARTRAP	2	WHEN IN THIS SITUATION WORRY ABOUT BEING TRAPPED		
		1 = Yes	206	1.13
		2 = No	82	0.45
		89 = LEGITIMATE SKIP Logically assigned	44	0.24
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	118	0.65
		99 = LEGITIMATE SKIP	17815	97.51
		HE-48. When you are in (this/these) situation(s), do you worry that help might not be available if you needed it?		
FEARHELP	2	WHEN IN THIS SITUATION WORRY NO HELP AVAILABLE		
		1 = Yes	196	1.07
		2 = No	91	0.50
		89 = LEGITIMATE SKIP Logically assigned	53	0.29
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	119	0.65
		99 = LEGITIMATE SKIP	17806	97.47

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
		HE-49. During the past 12 months, did you ever have a spell or an attack when all of a sudden you felt frightened, anxious, or very uneasy when most people would not be afraid or anxious?		
PANIC1	2	SPELL WHEN SUDDENLY FRIGHTENED PAST 12 MO		
		1 = Yes	710	3.89
		2 = No	12894	70.58
		85 = BAD DATA Logically assigned	17	0.09
		89 = LEGITIMATE SKIP Logically assigned	75	0.41
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	106	0.58
		99 = LEGITIMATE SKIP	4463	24.43
		HE-50. During the past 12 months, did you ever have a spell or an attack when for no reason your heart suddenly began to race, you felt faint, or you couldn't catch your breath? (IF RESPONDENT VOLUNTEERS ONLY WHEN HAVING HEART ATTACK, OR DUE TO PHYSICAL CAUSES, MARK NO.)		
PANIC2	2	SUDDEN SPELL HEART RACED IN PAST 12 MO		
		1 = Yes	441	2.41
		2 = No	12514	68.50
		3 = Yes LOGICALLY ASSIGNED	3	0.02
		89 = LEGITIMATE SKIP Logically assigned	73	0.40
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	94	0.51
		99 = LEGITIMATE SKIP	5140	28.14
		HE-51. About how many attacks did you have in the past 12 months?		
PANICNUM	3	# ATTACKS IN PAST 12 MONTHS		
		RANGE = 1 - 365	1085	5.94
		985 = BAD DATA Logically assigned	8	0.04
		989 = LEGITIMATE SKIP Logically assigned	12	0.07
		994 = DON'T KNOW	13	0.07
		995 = BAD DATA	4	0.02
		997 = REFUSED	3	0.02
		998 = BLANK (NO ANSWER)	104	0.57
		999 = LEGITIMATE SKIP	17040	93.27

NON-CORE HEALTH				
LABEL	LEN	DESCRIPTION	FREQ	%
		HE-52. In what month and year did you have (the last one/this attack)?		
PANICMO	2	MONTH THAT LAST ATTACK OCCURRED		
		RANGE = 1 - 12	1086	5.94
		89 = LEGITIMATE SKIP Logically assigned	8	0.04
		94 = DON'T KNOW	23	0.13
		95 = BAD DATA	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	103	0.56
		99 = LEGITIMATE SKIP	17044	93.29
PANICYR	3	YEAR THAT LAST ATTACK OCCURRED		
		RANGE = 95 - 96	1093	5.98
		985 = BAD DATA Logically assigned	10	0.05
		989 = LEGITIMATE SKIP Logically assigned	7	0.04
		994 = DON'T KNOW	3	0.02
		995 = BAD DATA	1	0.01
		997 = REFUSED	2	0.01
		998 = BLANK (NO ANSWER)	108	0.59
		999 = LEGITIMATE SKIP	17045	93.30
		HE-53. Did (this attack/these attacks ever) happen in a situation when you were not in danger or not the center of attention?		
PANIDANG	2	HAD ATTACK WHEN NOT IN DANGER PAST 12 MO		
		1 = Yes	748	4.09
		2 = No	370	2.03
		89 = LEGITIMATE SKIP Logically assigned	20	0.11
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	97	0.53
		99 = LEGITIMATE SKIP	17032	93.23
		FI CHECKPOINT DD; FEARPUB, FEAROUT, or FEARBRDG marked either yes or all no.		
SKPFEAR2	2	RESPONSE TO FEARPUB, FEAROUT, AND FEARBRDG		
		1 = Any yes answer	262	1.43
		2 = All answered no - SKIP	335	1.83
		3 = Any yes answer LOGICALLY ASSIGNED	20	0.11
		4 = All answered no LOGICALLY ASSIGNED - SKIP	177	0.97
		89 = LEGITIMATE SKIP Logically assigned	108	0.59
		98 = BLANK (NO ANSWER)	53	0.29
		99 = LEGITIMATE SKIP	17314	94.77

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
		HE-54. A moment ago, we discussed situations that cause unreasonably strong fears. When you have attacks of the sort you just described, do they usually occur in situations that cause you unreasonably strong fears?		
PANIFEAR	2	ATTACKS OCCUR IN SITUATION CAUSING STRONG FEARS		
		1 = Yes	163	0.89
		2 = No	107	0.59
		85 = BAD DATA Logically assigned	1	0.01
		89 = LEGITIMATE SKIP Logically assigned	154	0.84
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	61	0.33
		99 = LEGITIMATE SKIP	17780	97.32
		HE-55. Did you ever have an attack in the past 12 months when you were not in a situation that usually causes you to have unreasonably strong fears?		
PANINOFR	2	HAVE ATTACK WHEN NOT IN SITUATION CAUSING FEAR		
		1 = Yes	106	0.58
		2 = No	59	0.32
		89 = LEGITIMATE SKIP Logically assigned	52	0.28
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	62	0.34
		99 = LEGITIMATE SKIP	17987	98.46
		HE-56. When you have attacks,...		
PANIHART	2	HEART POUNDS WHEN HAVING ATTACKS		
		1 = Yes	519	2.84
		2 = No	122	0.67
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	142	0.78
		99 = LEGITIMATE SKIP	17443	95.48
PANIPAIN	2	TIGHTNESS IN STOMACH WHEN HAVING ATTACKS		
		1 = Yes	399	2.18
		2 = No	242	1.32
		89 = LEGITIMATE SKIP Logically assigned	37	0.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	142	0.78
		99 = LEGITIMATE SKIP	17444	95.48

NON-CORE HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
PANISWET	2	SWEAT WHEN HAVING ATTACKS		
		1 = Yes	336	1.84
		2 = No	305	1.67
		89 = LEGITIMATE SKIP Logically assigned	37	0.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	142	0.78
		99 = LEGITIMATE SKIP	17444	95.48
PANISHAK	2	SHAKE WHEN HAVING ATTACKS		
		1 = Yes	333	1.82
		2 = No	307	1.68
		89 = LEGITIMATE SKIP Logically assigned	38	0.21
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	143	0.78
		99 = LEGITIMATE SKIP	17443	95.48
PANIHOT	2	HOT FLASHES/CHILLS WHEN HAVING ATTACKS		
		1 = Yes	351	1.92
		2 = No	290	1.59
		89 = LEGITIMATE SKIP Logically assigned	37	0.20
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	142	0.78
		99 = LEGITIMATE SKIP	17444	95.48
PANIUNRL	2	THINGS SEEM UNREAL WHEN HAVING ATTACKS		
		1 = Yes	217	1.19
		2 = No	422	2.31
		89 = LEGITIMATE SKIP Logically assigned	37	0.20
		94 = DON'T KNOW	2	0.01
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	143	0.78
		99 = LEGITIMATE SKIP	17444	95.48

NON-CORE HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

NON-CORE HEALTH CARE

THIS ANSWER SHEET WAS ADMINISTERED TO ALL RESPONDENTS

Now we have some questions about any medical treatment you may have had in a hospital emergency room. For these four questions, think about the past 12 months--that is, from your 12-month reference date up to and including today.

HC-1. During the past 12 months, how many different times have you been treated in an emergency room because of injury or illness?

LABEL	LEN	DESCRIPTION	FREQ	%
NUERTMT	2	# OF TIMES BEEN TREATED IN EMER. ROOM PAST 12 MO		
		RANGE = 1 - 60	3320	18.17
		0 = No times	14678	80.34
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	264	1.45

HC-2. During the past 12 months, how many different times have you stayed overnight or longer in a hospital?

LABEL	LEN	DESCRIPTION	FREQ	%
NUHSPOV	2	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 1 - 60	1521	8.33
		0 = No nights	16373	89.62
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	2	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	369	2.02

NON-CORE HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
		HC-3. During the past 12 months, how many different times have you stayed overnight or longer in a hospital to receive treatment for psychological or emotional difficulties?		
NUHSPPE	2	# NIGHT STAYED IN HOSPITAL FOR PSY/EMOTIONAL TREAT		
		RANGE = 1 - 60	91	0.50
		0 = No nights	1284	7.03
		89 = LEGITIMATE SKIP Logically assigned	2006	10.98
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	1	0.01
		97 = REFUSED	3	0.02
		98 = BLANK (NO ANSWER)	516	2.82
		99 = LEGITIMATE SKIP	14367	78.64
		HC-4. Have you received treatment for psychological problems or emotional difficulties at a mental health clinic or by a mental health professional on an outpatient basis in the past 12 months?		
OUTPTPE	2	BEEN OUTPATIENT AT MENTAL HEALTH CLINIC PAST YEAR		
		1 = Yes	878	4.81
		2 = No	17032	93.23
		94 = DON'T KNOW	2	0.01
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	4	0.02
		98 = BLANK (NO ANSWER)	349	1.91

NON-CORE PROXY INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE PROXY INFORMATION		
		The next questions are about your health care, health insurance coverage, and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care.		
		(IF RESPONDENT HAS NO FAMILY MEMBERS LIVING IN THIS RESIDENCE, SKIP TO ACCESS CARE SECTION ON PAGE 104.)		
		P-1. Is there some other family member who lives here that you think would be better able to give me the correct information about your health care, health insurance coverage, and the kinds of income you receive?		
PROXABLE	2	ANOTHER FAMILY MEMBER THAT CAN GIVE INFO ABOUT HTH		
		1 = Yes	3621	19.82
		2 = No	12244	67.02
		3 = Yes LOGICALLY ASSIGNED	38	0.21
		89 = LEGITIMATE SKIP Logically assigned (FAMSKIP=1)	1835	10.04
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	293	1.60
		99 = LEGITIMATE SKIP (FAMSKIP=1)	237	1.30

NON-CORE PROXY INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		P-2. Who is the person you think can help us get the correct information for these questions?		
PROXYREL	3	PERSON THAT CAN GIVE MORE INFO ABOUT HEALTH		
		1 = Respondent's spouse/live-in partner	74	0.41
		2 = Respondent's father	709	3.88
		3 = Respondent's mother	2469	13.51
		4 = Respondent's brother	26	0.14
		5 = Respondent's sister	67	0.37
		6 = Other family member (specify relation to resp) ...	4	0.02
		20 = Parent/Guardian	3	0.02
		21 = Step/Adopted/Foster Parent/Future Step Parent	2	0.01
		50 = Grandparent/Great+ Grandparent	1	0.01
		61 = Friend/Roommate/Companion	1	0.01
		71 = Cousin/Cousin's Spouse	6	0.03
		91 = Other Non-Relative, Gender not specified	1	0.01
		110 = Husband	1	0.01
		121 = Step/Adopted/Foster Father/Future Step Father	4	0.02
		130 = Son	2	0.01
		133 = Grandson	2	0.01
		150 = Grandfather/Great+ Grandfather	19	0.10
		161 = Male Fiance/Boyfriend/Roommate/Companion	1	0.01
		170 = Uncle/Step Uncle/Aunt's Husband	6	0.03
		191 = Other Male Non-Relative	1	0.01
		210 = Wife	1	0.01
		220 = Mother/Female Guardian	2	0.01
		221 = Step/Adopted/Foster Mother/Future Step Mother	7	0.04
		230 = Daughter	1	0.01
		242 = Sister In-Law	3	0.02
		250 = Grandmother/Great+ Grandmother	104	0.57
		270 = Aunt	33	0.18
		271 = Female Cousin/Cousin's Wife	1	0.01
		281 = Other Female God Relative	1	0.01
		292 = Other Female, Relation Unspecified	1	0.01
		989 = LEGITIMATE SKIP Logically assigned	9	0.05
		997 = REFUSED	1	0.01
		998 = BLANK (NO ANSWER)	399	2.18
		999 = LEGITIMATE SKIP	14307	78.31

NON-CORE PROXY INFORMATION

LABEL	LEN	DESCRIPTION	FREQ	%
		P-3. Is your (RELATIVE FROM Q.P-2) here at home now?		
PROXHOME	2	IS RELATIVE AT HOME		
		1 = Yes	3330	18.23
		2 = No	213	1.17
		3 = Yes LOGICALLY ASSIGNED	25	0.14
		89 = LEGITIMATE SKIP Logically assigned	17	0.09
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	384	2.10
		99 = LEGITIMATE SKIP	14299	78.27
		P-4. Would you ask your (RELATIVE FROM Q.P-2) to join us to help with these last questions about health care, health insurance, and income?		
PROXJOIN	2	ASK THE RELATIVE TO JOIN US		
		1 = Yes	3280	17.95
		2 = No	35	0.19
		89 = LEGITIMATE SKIP Logically assigned	23	0.13
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	424	2.32
		99 = LEGITIMATE SKIP	14506	79.40

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE ACCESS TO CARE		

		These questions are about medical care.		
		For the following set of variable the skips have been implemented only when all answers were logically correct in these sets of variables, otherwise it has only been coded as 98.		
		AC-1. Is there a particular person or place that (you usually go/SAMPLE MEMBER usually goes) to when (you are/SAMPLE MEMBER is) sick or need(s) advice about (your/his/her) health?		
CAREUSU	2	IS THERE USUAL PLACE FOR HEALTH CARE		
		1 = Yes	15598	85.38
		2 = No	2525	13.82
		3 = Don't know	36	0.20
		4 = There is more than one place	18	0.10
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	86	0.47
		AC-2. Which of these is the main reason (you do/SAMPLE MEMBER does) not have a usual source of medical care? (HAND RESPONDENT SHOWCARD 7.)		
NCARERSN	2	REASON FOR NOT HAVING USUAL SOURCE OF CARE		
		1 = Two or more usual doctors/places	169	0.93
		2 = Don't need a doctor	1175	6.43
		3 = Don't like/trust/believe in doctors	72	0.39
		4 = Don't know where to go	97	0.53
		5 = Previous doctor is not available/moved	106	0.58
		6 = No insurance/can't afford it	660	3.61
		7 = Speak a different language	6	0.03
		8 = No care available/care too far away/inconvenient .	23	0.13
		9 = Other specify (see NCRRSNSP & NCRRSNSC)	230	1.26
		94 = DON'T KNOW	51	0.28
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	250	1.37
		99 = LEGITIMATE SKIP	15425	84.43

NON-CORE ACCESS TO CARE

LABEL	LEN	DESCRIPTION	FREQ	%
NCRRSNSP	2	WHETHER OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Response marked	238	1.30
		3 = Response marked LOGICALLY ASSIGNED	7	0.04
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	2594	14.20
		99 = LEGITIMATE SKIP	15425	84.43
NCRRSNSC	2	CODE OF OTHER REASON SPECIFIED FOR NCARERSN		
		1 = Two or more usual doctors/places	1	0.01
		2 = Don't need a doctor	92	0.50
		3 = Don't like/trust/believe in doctors	11	0.06
		4 = Don't know where to go	2	0.01
		5 = Previous doctor is not available/moved	10	0.05
		6 = No insurance/can't afford it	9	0.05
		8 = No care available/care too far away or inconvenien	3	0.02
		10 = New to area/recently moved	34	0.19
		11 = Do not have a regular doctor	15	0.08
		12 = Self treatment/treatment by family member	24	0.13
		13 = Religious reasons	2	0.01
		14 = Health care plan determines source	21	0.11
		15 = Hospital/urgent care/clinic	9	0.05
		16 = School/workplace	2	0.01
		17 = Medicare/Medicaid/public assistance	1	0.01
		18 = Alternative medicine	3	0.02
		19 = Difficulty getting to medical care bc of disabilit	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	2597	14.22
		99 = LEGITIMATE SKIP	15425	84.43

AC-3. Is there one of these places that
 (you go/SAMPLE MEMBER goes) to most
 often when (you are/SAMPLE MEMBER is)
 sick or need(s) advice about (your/his/
 her) health?

CAREOFT	2	ONE PLACE GO MOST OFTEN		
		1 = Yes	188	1.03
		2 = No	174	0.95
		94 = DON'T KNOW	13	0.07
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	315	1.72
		99 = LEGITIMATE SKIP	17573	96.19

NON-CORE ACCESS TO CARE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
		AC-4. At any time in the past 12 months, did (you/SAMPLE MEMBER) have a place that (your/he/she) usually went to for medical care?		
PYRCARE	2	USUALLY HAVE A PLACE TO GO FOR CARE PAST 12 MONTHS		
		1 = Yes	647	3.54
		2 = No	1857	10.16
		94 = DON'T KNOW	23	0.13
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	287	1.57
		99 = LEGITIMATE SKIP	15450	84.57
		AC-5. What kind of place was it -- a clinic, a health center, a hospital, a doctor's office, or some other place?		
PYRCRTYP	2	PLACE VISITED WHEN NEEDED CARE PAST YEAR		
		1 = Doctor's office or private clinic	387	2.12
		2 = Company or school health clinic/center	34	0.19
		3 = Community/migrant/rural clinic or center	53	0.29
		4 = County/city/public hospital outpatient clinic	90	0.49
		5 = Private/other hospital outpatient clinic	35	0.19
		6 = Hospital emergency room	73	0.40
		7 = HMO	45	0.25
		9 = VA hospital or clinic	3	0.02
		10 = Military health care facility	10	0.05
		11 = Some other place specified (see PYRCRTSP/SC)	24	0.13
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	350	1.92
		99 = LEGITIMATE SKIP	17159	93.92
PYRCRTSP	2	WHETHER OTHER PLACE SPECIFIED FOR PYRCRTYP		
		1 = Response marked	24	0.13
		3 = Response marked LOGICALLY ASSIGNED	3	0.02
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	1078	5.90
		99 = LEGITIMATE SKIP	17159	93.92

NON-CORE ACCESS TO CARE

LABEL	LEN	DESCRIPTION	FREQ	%
PYRCRTSC	2	CODE OF OTHER PLACE SPECIFIED FOR PYRCRTYP		
		2 = Company or school health clinic/center	1	0.01
		3 = Community/migrant/rural clinic or center	6	0.03
		4 = County/city/public hospital outpatient clinic	2	0.01
		5 = Private/other hospital outpatient clinic	2	0.01
		12 = Self treatment/family member	5	0.03
		15 = Religion/church	2	0.01
		16 = Alternative medicine	1	0.01
		18 = Family planning clinic	2	0.01
		19 = Indian clinic or hospital	1	0.01
		20 = Drug treatment/rehab center	1	0.01
		22 = Workman's Compensation health provider	1	0.01
		23 = Prison/correctional facility	1	0.01
		85 = BAD DATA Logically assigned	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	1079	5.91
		99 = LEGITIMATE SKIP	17159	93.92

AC-6. If (you/SAMPLE MEMBER) needed
 medical care now, would (you/he/she) go
 to that (FILL PLACE FROM Q.AC-5)?

CARENOW	2	IF NEEDED MEDICAL CARE, WOULD GO TO PLACE IN Q.AC5		
		1 = Yes	546	2.99
		2 = No	167	0.91
		94 = DON'T KNOW	14	0.08
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	378	2.07
		99 = LEGITIMATE SKIP	17159	93.92

NON-CORE ACCESS TO CARE

LABEL	LEN	DESCRIPTION	FREQ	%
		AC-7. What is the main reason (you/ SAMPLE MEMBER) would not use that place for medical care now?		
MNRSNNCR	2	REASON WOULD NOT USE PLACE ANYMORE		
		1 = Respondent changed residence/moved	65	0.36
		2 = Respondent changed jobs	9	0.05
		3 = Employer changed insurance companies	4	0.02
		4 = Formal usual source left area	8	0.04
		5 = Owed money to former usual source	1	0.01
		6 = Dissatsfd with frmr source/like new source better	14	0.08
		7 = Medical care needs changed	8	0.04
		8 = Frmr usual source stopped taking ins/coverage	6	0.03
		9 = Other reason specified (see MNRSNNSP/SC)	51	0.28
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	545	2.98
		99 = LEGITIMATE SKIP	17549	96.06
MNRSNNSP	2	WHETHER OTHER REASON SPECIFIED FOR MNRSNNCR		
		1 = Response marked	48	0.26
		3 = Response marked LOGICALLY ASSIGNED	4	0.02
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	663	3.63
		99 = LEGITIMATE SKIP	17549	96.06
MNRSNNSC	2	CODE OF OTHER REASON SPECIFIED FOR MNRSNNCR		
		1 = Respondent changed residence/moved	9	0.05
		2 = Respondent changed jobs	1	0.01
		3 = Employer change insurance companies	1	0.01
		4 = Former usual source left area	5	0.03
		5 = Owed money to former usual source	1	0.01
		6 = Dissatsfd with frmr source/liked new source better	7	0.04
		7 = Medical care needs changed	8	0.04
		11 = Medical care received through workman's comp	1	0.01
		12 = Do not need/like doctors	3	0.02
		13 = Cannot afford it/no insurance	14	0.08
		16 = Former student	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	663	3.63
		99 = LEGITIMATE SKIP	17549	96.06

NON-CORE ACCESS TO CARE

LABEL	LEN	DESCRIPTION	FREQ	%
		AC-8. What kind of place is it -- a clinic, a health center, a hospital, a doctor's office, or some other place?		
UCARETYP	2	USUAL PLACE VISITED FOR HEALTH CARE		
		1 = Doctor's office or private clinic	10248	56.10
		2 = Company or school health clinic/center	321	1.76
		3 = Community/migrant/rural clinic or center	695	3.80
		4 = County/city/public hospital outpatient clinic	1231	6.74
		5 = Private/other hospital outpatient clinic	373	2.04
		6 = Hospital emergency room	770	4.21
		7 = HMO	1529	8.37
		8 = Psychiatric hospital or clinic	12	0.07
		9 = VA hospital or clinic	49	0.27
		10 = Military health care facility	125	0.68
		11 = Some other place specified (see UCRTYPSP/SC)	291	1.59
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	352	1.93
		99 = LEGITIMATE SKIP	2268	12.41
UCRTYPSP	2	WHETHER OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Response marked	293	1.60
		3 = Response marked LOGICALLY ASSIGNED	10	0.05
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	15693	85.90
		99 = LEGITIMATE SKIP	2268	12.41
UCRTYPSC	2	CODE OF OTHER PLACE SPECIFIED FOR UCARETYP		
		1 = Doctor's office or private clinic	3	0.02
		2 = Company or school health clinic/center	17	0.09
		3 = Community/migrant/rural clinic or center	10	0.05
		4 = County/city/public hospital outpatient clinic	6	0.03
		5 = Private/other hospital outpatient clinic	3	0.02
		6 = Hospital emergency room	3	0.02
		7 = HMO (Health maintenance organization/pre-paid grp)	4	0.02
		9 = VA hospital or clinic	1	0.01
		10 = Military health care facility	1	0.01
		12 = Self treatment/family member	137	0.75
		13 = Friend	18	0.10
		14 = Urgent care/walk-in medical facility	13	0.07
		15 = Religion/church	9	0.05
		16 = Alternative medicine	11	0.06
		17 = Non-physician health care professional	7	0.04
		18 = Family planning clinic	3	0.02
		19 = Indian clinic or hospital	51	0.28
		23 = Prison/correctional facility	1	0.01
		85 = BAD DATA Logically assigned	2	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	15696	85.92
		99 = LEGITIMATE SKIP	2268	12.41

NON-CORE HEALTH INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

NON-CORE HEALTH INSURANCE

The next questions are about your health insurance coverage and the kinds and amounts of income that you receive. The answers to these questions will add greatly to our knowledge about the health problems of the American people, the types of health care they receive, and whether they can afford the care that they need. This information will help in planning health care services and finding ways to lower costs of care. Most of these next questions refer to the month of (LAST FULL CALENDAR MONTH) rather than to the past 30 days that were referred to in some earlier questions.

HI-1. Several government programs provide medical care or help pay medical bills. (HAND RESPONDENT SHOWCARD 8.) People covered by Medicare have a card that looks like this. (PAUSE) In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicare? Medicare is a health insurance program for persons 65 and older and for certain disabled persons.

MEDICARE	2	COVERED BY MEDICARE		
		1 = Yes	824	4.51
		2 = No	17371	95.08
		94 = DON'T KNOW	11	0.06
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	56	0.31

NON-CORE HEALTH INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		HI-2. In (MONTH), (were you/was SAMPLE MEMBER) covered by Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME)? Medicaid or (Medical Assistance/CAL.-KAN.-AZ.NAME) is a public assistance program that pays for medical care.		
MEDICAID	2	COVERED BY MEDICAID		
		1 = Yes	2383	13.04
		2 = No	15792	86.44
		94 = DON'T KNOW	19	0.10
		96 = MULTIPLE RESPONSE	3	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	66	0.36
		HI-3. In (MONTH), (were you/was SAMPLE MEMBER) covered by CHAMPUS, CHAMPVA, the VA, or military health care? These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COVERED BY CHAMPUS, CHAMPVA, VA, MILITARY		
		1 = Yes	402	2.20
		2 = No	17731	97.06
		94 = DON'T KNOW	14	0.08
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	114	0.62

NON-CORE HEALTH INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		HI-4. Health insurance can also be obtained through an employer or union or by paying premiums directly to a private health insurance company or to a health maintenance organization. (Were you/Was SAMPLE MEMBER)) covered by private health insurance or by membership in a health maintenance organization (you/(s)he/someone in the family) purchased this way or by health insurance provided by an employer or union in (MONTH)?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE OR HMO		
		1 = Yes	10996	60.19
		2 = No	7009	38.37
		3 = Yes LOGICALLY ASSIGNED	170	0.93
		94 = DON'T KNOW	35	0.19
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	52	0.28
		HI-5. Was this private health insurance plan offered through (your/(SAMPLE MEMBER'S)) employer or union or through the employer or union of some other family member?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes	9988	54.67
		2 = No	772	4.23
		4 = No LOGICALLY ASSIGNED	311	1.70
		89 = LEGITIMATE SKIP Logically assigned	121	0.66
		94 = DON'T KNOW	39	0.21
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	144	0.79
		99 = LEGITIMATE SKIP	6888	37.70

NON-CORE HEALTH INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		HI-6. Was (your/SAMPLE MEMBER'S) private health insurance coverage obtained by paying premiums directly to a private health insurance company or health maintenance organization?		
PDHINPRM	2	PRIVATE INSURANCE OBTAINED BY PAYING PREMIUMS		
		1 = Yes	949	5.19
		2 = No	68	0.37
		89 = LEGITIMATE SKIP Logically assigned	330	1.81
		94 = DON'T KNOW	40	0.22
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	209	1.14
		99 = LEGITIMATE SKIP	16667	91.23
		HI-7. Did (your/SAMPLE MEMBER'S) private health insurance plan or health maintenance organization include coverage for treatment for any of the following conditions? (READ ALL CATEGORIES.)		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes	5210	28.52
		2 = No	1167	6.39
		89 = LEGITIMATE SKIP Logically assigned	69	0.38
		94 = DON'T KNOW	4785	26.19
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	88	0.48
		99 = LEGITIMATE SKIP	6940	37.99
HLTINDRG	2	DRUG ABUSE		
		1 = Yes	5156	28.22
		2 = No	1215	6.65
		89 = LEGITIMATE SKIP Logically assigned	68	0.37
		94 = DON'T KNOW	4792	26.23
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	89	0.49
		99 = LEGITIMATE SKIP	6941	37.99

NON-CORE HEALTH INSURANCE				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes	5994	32.81
		2 = No	960	5.25
		89 = LEGITIMATE SKIP Logically assigned	69	0.38
		94 = DON'T KNOW	4209	23.04
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	87	0.48
		99 = LEGITIMATE SKIP	6940	37.99

LABEL	LEN	DESCRIPTION	FREQ	%
NON-CORE INCOME				
I-1. Now, I would like for you to think about the past 12 months, from your 12-month reference date through today. In the past 12 months, did (you/ SAMPLE MEMBER) receive Social Security or Railroad Retirement payments? Social Security checks are either automatically deposited in the bank or mailed to arrive on about the 3rd of every month. If mailed, they are sent in gold envelope.				
SOC1	2	RESPONDENT RECEIVE SS OR RR PAYMENTS PST 12 MONTHS		
		1 = Yes	1067	5.84
		2 = No	17132	93.78
		4 = NO LOGICALLY ASSIGNED	11	0.06
		94 = DON'T KNOW	6	0.03
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	44	0.24
I-2. In the past 12 months, did any other family member living here receive Social Security or Railroad Retirement payments?				
SOC2	2	OTHER FAM RECEIVE SS OR RR PAYMENTS PAST 12 MONTHS		
		1 = Yes	1050	5.75
		2 = No	13789	75.48
		3 = Yes LOGICALLY ASSIGNED	36	0.20
		4 = No LOGICALLY ASSIGNED	50	0.27
		89 = LEGITIMATE SKIP Logically assigned	565	3.09
		94 = DON'T KNOW	27	0.15
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	5	0.03
		98 = BLANK (NO ANSWER)	469	2.57
		99 = LEGITIMATE SKIP	2277	12.46

		NON-CORE INCOME		
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-3. In the past 12 months, did (you/ SAMPLE MEMBER) receive Supplemental Security Income or SSI? Federal SSI checks are either automatically deposited in the bank or mailed to arrive on the first of every month. If mailed, they are sent in a blue envelope.		
SSI1	2	RESPONDENT RECEIVE SSI		
		1 = Yes	538	2.94
		2 = No	17650	96.61
		4 = No LOGICALLY ASSIGNED	12	0.07
		94 = DON'T KNOW	10	0.05
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	51	0.28
		I-4. In the past 12 months, did any other family member living here receive Supplemental Security Income or SSI?		
SSI2	2	OTHER FAMILY MEMBER RECEIVE SSI PAST 12 MONTHS		
		1 = Yes	605	3.31
		2 = No	14599	79.91
		3 = Yes LOGICALLY ASSIGNED	36	0.20
		4 = No LOGICALLY ASSIGNED	45	0.25
		89 = LEGITIMATE SKIP Logically assigned	365	2.00
		94 = DON'T KNOW	35	0.19
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	465	2.55
		99 = LEGITIMATE SKIP	2112	11.56
		I-5. In the past 12 months, did (you/ SAMPLE MEMBER) receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB1	2	RESPONDENT RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	1493	8.17
		2 = No	16708	91.46
		4 = No LOGICALLY ASSIGNED	10	0.05
		94 = DON'T KNOW	4	0.02
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	45	0.25

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-6. In the past 12 months, did any other family member living here receive public assistance or welfare payments from the state or local welfare office? Do not include SSI.		
PUB2	2	OTHER FAM RECEIVE PUBLIC ASSIST/WELFARE STATE/LOC		
		1 = Yes	561	3.07
		2 = No	13750	75.26
		3 = Yes LOGICALLY ASSIGNED	68	0.37
		4 = No LOGICALLY ASSIGNED	36	0.20
		89 = LEGITIMATE SKIP Logically assigned	734	4.02
		94 = DON'T KNOW	13	0.07
		97 = REFUSED	8	0.04
		98 = BLANK (NO ANSWER)	333	1.82
		99 = LEGITIMATE SKIP	2766	15.14
		I-7. Did (you/SAMPLE MEMBER) or another family member living in your household receive Aid to Families with Dependent Children, sometimes called AFDC or ADC, or was it some other type of assistance payments in the past 12 monreplaceths?		
AFDC	2	ANY FAMILY MEMBER RECEIVED AFDC OR ADC		
		1 = AFDC/ADC	1505	8.24
		2 = OTHER	216	1.18
		3 = BOTH	43	0.24
		4 = AFDC/ADC Logically assigned	67	0.37
		5 = OTHER Logically assigned	10	0.05
		6 = BOTH Logically assigned	20	0.11
		89 = LEGITIMATE SKIP Logically assigned	511	2.80
		94 = DON'T KNOW	10	0.05
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	236	1.29
		99 = LEGITIMATE SKIP	15648	85.65

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-8. In the past 12 months, did (you/ (SAMPLE MEMBER)) have money in any kind of savings or other bank account that earned interest or did (you/(SAMPLE MEMBER)) receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts? Include money market funds, treasury notes, IRA's or certificates of deposit, interest earning checking accounts, bonds, or any other investments that earn interest.		
INT1	2	RESPONDENT RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	8513	46.60
		2 = No	9636	52.75
		4 = No LOGICALLY ASSIGNED	14	0.08
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	42	0.23
		98 = BLANK (NO ANSWER)	59	0.32
		I-9. In the past 12 months, did any other family member living here have money in any kind of savings or other bank account that earned interest or did they receive dividend income from stocks or mutual funds or income from rental property, royalties, estates, or trusts?		
INT2	2	OTHER FAM RECEIVE INTEREST ON SAVINGS/BOND ETC.		
		1 = Yes	1703	9.32
		2 = No	6376	34.90
		3 = Yes LOGICALLY ASSIGNED	213	1.17
		4 = No LOGICALLY ASSIGNED	57	0.31
		89 = LEGITIMATE SKIP Logically assigned	3449	18.88
		94 = DON'T KNOW	77	0.42
		97 = REFUSED	13	0.07
		98 = BLANK (NO ANSWER)	439	2.40
		99 = LEGITIMATE SKIP	5942	32.53

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		I-10. In the past 12 months, did (you/ SAMPLE MEMBER) receive any child support payments?		
CHD1	2	RESPONDENT RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	1082	5.92
		2 = No	17093	93.56
		4 = No LOGICALLY ASSIGNED	15	0.08
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	13	0.07
		98 = BLANK (NO ANSWER)	61	0.33
		I-11. In the past 12 months, did any other family member living here receive any child support payments?		
CHD2	2	OTHER FAM RECEIVE CHILD SUPPORT PAST 12 MONTHS		
		1 = Yes	626	3.43
		2 = No	13811	75.60
		3 = Yes LOGICALLY ASSIGNED	49	0.27
		4 = No LOGICALLY ASSIGNED	73	0.40
		89 = LEGITIMATE SKIP Logically assigned	628	3.44
		94 = DON'T KNOW	21	0.11
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	542	2.97
		99 = LEGITIMATE SKIP	2509	13.73
		I-12. In the past 12 months, did (you/ SAMPLE MEMBER) receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or sale of a home.		
OTH1	2	RESPONDENT RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	962	5.27
		2 = No	17184	94.06
		4 = No LOGICALLY ASSIGNED	14	0.08
		94 = DON'T KNOW	4	0.02
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	14	0.08
		98 = BLANK (NO ANSWER)	90	0.49

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		I-13. In the past 12 months, did any other family member living here receive income from any other sources, such as Veterans Administration payments, workers or unemployment compensation, alimony, other disability, retirement or survivor pension (other than Social Security or Railroad Retirement). Do not include lump sum payments, such as money from an inheritance or the sale of a home.		
OTH2	2	OTHER FAMILY RECEIVE INCOME FROM OTHER SOURCES		
		1 = Yes	906	4.96
		2 = No	13600	74.44
		3 = Yes LOGICALLY ASSIGNED	77	0.42
		4 = No LOGICALLY ASSIGNED	115	0.63
		89 = LEGITIMATE SKIP Logically assigned	500	2.74
		94 = DON'T KNOW	33	0.18
		96 = MULTIPLE RESPONSE	2	0.01
		97 = REFUSED	10	0.05
		98 = BLANK (NO ANSWER)	694	3.80
		99 = LEGITIMATE SKIP	2332	12.76
		I-14. In the past 12 months, did (you/SAMPLE MEMBER) or anyone in your family living here receive food stamps?		
FSTAMP	2	ANYONE RECEIVE FOODSTAMPS PAST 12 MONTHS		
		1 = Yes	3020	16.53
		2 = No	14934	81.75
		3 = Yes LOGICALLY ASSIGNED	142	0.78
		4 = No LOGICALLY ASSIGNED	28	0.15
		94 = DON'T KNOW	12	0.07
		96 = MULTIPLE RESPONSE	1	0.01
		97 = REFUSED	9	0.05
		98 = BLANK (NO ANSWER)	123	0.67

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE INCOME		
		I-15. The next two questions are about (your/SAMPLE MEMBER'S) total personal income during the past 12 months from all sources. Include money from your jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income (you/SAMPLE MEMBER) received. Was (your/SAMPLE MEMBER'S) total personal income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.		
PINCL	2	TOTAL PERSONAL INCOME		
		1 = \$20,000 or more	4502	24.64
		2 = Less than \$20,000	13450	73.62
		94 = DON'T KNOW	25	0.14
		97 = REFUSED	127	0.70
		98 = BLANK (NO ANSWER)	165	0.90

NON-CORE INCOME				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		FI CHECKPOINT FF; ARE THERE OTHER FAMILY MEMBERS LIVING IN THIS HOUSEHOLD?		
SKPTFMIN	2	SKIP OVER TOTAL FAM-INCOME TO TELNO, ON OTH-FAMILY		
		1 = Yes	15432	84.47
		2 = No - SKIP	2526	13.83
		96 = MULTIPLE RESPONSE	4	0.02
		97 = REFUSED	2	0.01
		98 = BLANK (NO ANSWER)	305	1.67

I-17. The next two questions are about total family income during the past 12 months from all sources. We would like to combine everyone's income -- that is, yours and your (mother's/father's/stepmother's/stepfather's/wife's/husband's/etc.). Include money from all jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income you received.

Was the total combined family income during the past 12 months more or less than \$20,000? Income data is important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.

FINC1	2	TOTAL FAMILY INCOME		
		1 = \$20,000 or more	10723	58.70
		2 = Less than \$20,000	4505	24.66
		89 = LEGITIMATE SKIP Logically assigned	42	0.23
		94 = DON'T KNOW	334	1.83
		97 = REFUSED	164	0.90
		98 = BLANK (NO ANSWER)	471	2.58
		99 = LEGITIMATE SKIP	2030	11.11

LABEL	LEN	DESCRIPTION	FREQ	%
		NON-CORE INCOME		
		I-19. The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO	2	# OF TELEPHONE LINES IN HOUSEHOLD		
		RANGE = 1 - 11	16867	92.33
		0 = No telephone lines	1306	7.15
		95 = BAD DATA	1	0.01
		97 = REFUSED	6	0.03
		98 = BLANK (NO ANSWER)	89	0.49

NON-CORE IMPUTED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
NON-CORE IMPUTED DEMOGRAPHICS				

IRPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have private health insurance	11220	61.42
		2 = No, respondent does not have private health insur	7049	38.58
IIPINSUR	1	PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	18005	98.55
		2 = Logically imputed data	170	0.93
		3 = Statistically imputed data	94	0.51
IRINSUR	1	HEALTH INSURANCE - IMPUTATION REVISED		
		1 = Yes, respondent does have health insurance	13934	76.27
		2 = No, respondent does not have health insurance	4335	23.73
IIINSUR	1	HEALTH INSURANCE - IMPUTATION INDICATOR		
		1 = Questionnaire data	18156	99.38
		2 = Logically imputed data	11	0.06
		3 = Statistically imputed data	102	0.56
IRSOC1	1	RECEIVED INCOME FROM SS/RR - IMPUTATION REVISED		
		1 = Yes	1071	5.86
		2 = No	17198	94.14
IISOC1	1	RECEIVED INCOME FR SS/RR - IMPUTATION INDICATOR		
		1 = Questionnaire data	18199	99.62
		2 = Logically imputed data	11	0.06
		3 = Statistically imputed data	59	0.32
IRSSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION REVISED		
		1 = Yes	539	2.95
		2 = No	17730	97.05
IISSI1	1	RECEIVED INCOME FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	18188	99.56
		2 = Logically imputed data	12	0.07
		3 = Statistically imputed data	69	0.38
IRPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	1495	8.18
		2 = No	16774	91.82
IIPUB1	1	RESP RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	18201	99.63
		2 = Logically imputed data	10	0.05
		3 = Statistically imputed data	58	0.32

NON-CORE IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP REV		
		1 = AFDC/ADC	1772	9.70
		2 = OTHER	264	1.45
		3 = BOTH	74	0.41
		89 = LEGITIMATE SKIP Logically assigned	511	2.80
		99 = LEGITIMATE SKIP	15648	85.65
IIAFDC	1	ANY FAMILY MEMBER RECEIVED AFDC OR ADC - IMP IND		
		1 = Questionnaire data	1764	9.66
		2 = Logically imputed data	97	0.53
		3 = Statistically imputed data	249	1.36
		9 = LEGITIMATE SKIP	16159	88.45
IRINT1	1	RECEIVED INTEREST - IMPUTATION REVISED		
		1 = Yes	8568	46.90
		2 = No	9701	53.10
IIINT1	1	RECEIVED INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	18149	99.34
		2 = Logically imputed data	14	0.08
		3 = Statistically imputed data	106	0.58
IRCHD1	1	RECEIVED CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	1088	5.96
		2 = No	17181	94.04
IICHD1	1	RECEIVED FROM CHILD SUPPORT - IMPUTATION INDICATOR		
		1 = Questionnaire data	18175	99.49
		2 = Logically imputed data	15	0.08
		3 = Statistically imputed data	79	0.43
IROTH1	1	RECEIVED OTHER SOURCES - IMPUTATION REVISED		
		1 = Yes	968	5.30
		2 = No	17301	94.70
IIOTH1	1	RECV D INCOME FR OTHR SOURCS - IMPUTATION INDICATOR		
		1 = Questionnaire data	18146	99.33
		2 = Logically imputed data	14	0.08
		3 = Statistically imputed data	109	0.60
IRFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT REV		
		1 = Yes	3166	17.33
		2 = No	15103	82.67
IIFSTAMP	1	YOU OR FAMILY HERE RECEIVED FD STAMPS - IMPUT IND		
		1 = Questionnaire data	17954	98.28
		2 = Logically imputed data	170	0.93
		3 = Statistically imputed data	145	0.79

NON-CORE IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION REVISED		
		1 = \$20,000 or more	4502	24.64
		2 = Less than \$20,000	13767	75.36
IIPINC1	1	TOTAL PERSONAL INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	17618	96.44
		2 = Logically imputed data	334	1.83
		3 = Statistically imputed data	317	1.74
IRFINC1	1	TOTAL FAMILY INCOME - IMPUTATION REVISED		
		1 = \$20,000 or more	11289	61.79
		2 = Less than \$20,000	4908	26.87
		89 = LEGITIMATE SKIP Logically assigned	42	0.23
		99 = LEGITIMATE SKIP	2030	11.11
IIFINC1	1	TOTAL FAMILY INCOME - IMPUTATION INDICATOR		
		1 = Questionnaire data	14900	81.56
		2 = Logically imputed data	328	1.80
		3 = Statistically imputed data	969	5.30
		9 = LEGITIMATE SKIP	2072	11.34
IRSOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. REVISED		
		1 = Yes	1118	6.12
		2 = No	17151	93.88
IISOC2	1	OTHR FAM RECVD INCOME FR SS/RR - IMPUT. INDICTR		
		1 = Questionnaire data	14839	81.23
		2 = Logically imputed data	86	0.47
		3 = Statistically imputed data	502	2.75
		9 = LEGITIMATE SKIP	2842	15.56
IRSSI2	1	OTHR FAM RECVD INCOME FR SSI - IMPUT. REVISED		
		1 = Yes	654	3.58
		2 = No	17615	96.42
IISSI2	1	OTHR FAM RECVD FROM SSI - IMPUTATION INDICATOR		
		1 = Questionnaire data	15204	83.22
		2 = Logically imputed data	81	0.44
		3 = Statistically imputed data	507	2.78
		9 = LEGITIMATE SKIP	2477	13.56
IRPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION REV		
		1 = Yes	631	3.45
		2 = No	17638	96.55
IIPUB2	1	FAMLY RECEIVE PUBLIC ASSIST/WELFARE IMPUTATION IND		
		1 = Questionnaire data	14311	78.33
		2 = Logically imputed data	104	0.57
		3 = Statistically imputed data	354	1.94
		9 = LEGITIMATE SKIP	3500	19.16

NON-CORE IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION REVISED		
		1 = Yes	2039	11.16
		2 = No	16230	88.84
IIINT2	1	OTHR FAM RECVD INTEREST - IMPUTATION INDICATOR		
		1 = Questionnaire data	8079	44.22
		2 = Logically imputed data	270	1.48
		3 = Statistically imputed data	529	2.90
		9 = LEGITIMATE SKIP	9391	51.40
IRCHD2	1	OTHR FAM RECVD CHILD SUPPORT - IMPUTATION REVISED		
		1 = Yes	706	3.86
		2 = No	17563	96.14
IICH2	1	OTHR FAM RECVD FR CHILD SUPPORT - IMPUT. INDICATOR		
		1 = Questionnaire data	14437	79.02
		2 = Logically imputed data	122	0.67
		3 = Statistically imputed data	573	3.14
		9 = LEGITIMATE SKIP	3137	17.17
IROTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION REVISED		
		1 = Yes	1024	5.61
		2 = No	17245	94.39
IIOTH2	1	OTHR FAM RECVD OTHR SOURCES - IMPUTATION INDICATOR		
		1 = Questionnaire data	14506	79.40
		2 = Logically imputed data	192	1.05
		3 = Statistically imputed data	739	4.05
		9 = LEGITIMATE SKIP	2832	15.50

NON-CORE IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
IRPEOP	2	TOTAL NUMBER OF PEOPLE IN A HOUSEHOLD RANGE = 1 - 24	18269	100.00
IRKIDS	2	TOT NUM OF CHILDREN (UNDER 12 YRS) IN A HOUSEHOLD RANGE = 1 - 10 0 = No children under 12	8761 9508	47.96 52.04
PARSTAT	1	RESPONDENT'S NUMBER OF CHILDREN 1 = Respondent has no children 2 = Respondent has at least one child < 2 yrs old 3 = Resp has at least 1 child < 17, none < 2 yrs old	11892 1773 4604	65.09 9.70 25.20
RELINTHH	2	OTHER PERSON INTERVIEWED IN THIS HOUSEHOLD 0 = No other person in the household was interviewed.. 10 = Spouse 20 = Parent/guardian 21 = Step/adopted/foster parent 22 = Parent in-law (also step-) 25 = Parent's Sibling 30 = Child 31 = Step/adopted/foster child 32 = Child in-law 35 = Sibling's Child 36 = Cousin 37 = Grandchild 40 = Sibling 41 = Step/adopted/foster sibling 42 = Sibling in-law 50 = Grandparent 60 = Live in partner, fiancée 61 = Friend/roommate 70 = Other, relative 71 = Other, non-relative 99 = Other, relation unspecified	13731 338 1143 30 5 36 1144 30 5 25 57 35 1005 16 52 39 66 143 262 74 33	75.16 1.85 6.26 0.16 0.03 0.20 6.26 0.16 0.03 0.14 0.31 0.19 5.5 0.09 0.28 0.21 0.36 0.78 1.43 0.41 0.18

NON-CORE RECODED DEMOGRAPHICS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
NON-CORE RECODED DEMOGRAPHICS				

FEMBABY	1	RESP IS FEMALE WITH CHILDREN 1 YEAR OLD OR LESS		
		0 = No	17556	96.10
		1 = Yes	713	3.90
FEMKIDS	1	RESP IS FEMALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	13708	75.03
		1 = Yes	4561	24.97
MALEBABY	1	RESP IS MALE WITH CHILDREN 1 YEAR OLD OR LESS		
		0 = No	17974	98.39
		1 = Yes	295	1.61
MALEKIDS	1	RESP IS MALE WITH CHILDREN 17 YEARS OLD OR LESS		
		0 = No	16453	90.06
		1 = Yes	1816	9.94
F15_44	1	FEMALES AGE 15-44		
		0 = Otherwise	10228	55.99
		1 = Female age 15-44	8041	44.01
M15_44	1	MALES AGE 15-44		
		0 = Otherwise	12369	67.70
		1 = Male age 15-44	5900	32.30
PREG	1	PREGNANT FEMALES AGE 12-44 - RECODED PREGNANT VAR		
		0 = Otherwise	17850	97.71
		1 = Pregnant female age 12-44	419	2.29
PREG2	1	PREGNANCY STATUS OF FEMALES AGE 12-44		
		99 = Unknown (PREGNANT = 94,97,98)	154	0.84
		1 = Pregnant (PREGNANT = 1,3)	419	2.29
		2 = Not pregnant (PREGNANT = 2)	8567	46.89
		3 = Males/Females not age 12-44 (PREGNANT = 89,99) ...	9129	49.97
TRIMEST	1	CURRENT TRIMESTER OF PREGNANCY - FEMALES AGE 12-44		
		99 = Unknown (PREG=1 and PREGMOS=85,94,98)	27	0.15
		1 = 1st 3 months of pregnancy (PREG=1 & PREGMOS=1-3) .	90	0.49
		2 = 2nd 3 months of pregnancy (PREG=1 & PREGMOS=4-6) .	155	0.85
		3 = Last 3 months of pregnancy (PREG=1 & PREGMOS=7-9)	147	0.80
		4 = Males/Not pregnant females (PREG=0)	17850	97.71

NON-CORE RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
INDCAT	2	TOTAL PERSONAL INCOME RECODE (13 CATEGS.)		
		1 = \$0	5423	29.68
		2 = \$1-\$4,999	2201	12.05
		3 = \$5,000-\$6,999	1118	6.12
		4 = \$7,000-\$8,999	842	4.61
		5 = \$9,000-\$11,999	1297	7.10
		6 = \$12,000-\$14,999	1169	6.40
		7 = \$15,000-\$19,999	1717	9.40
		8 = \$20,000-\$24,999	1224	6.70
		9 = \$25,000-\$29,999	956	5.23
		10 = \$30,000-\$39,999	1175	6.43
		11 = \$40,000-\$49,999	548	3.00
		12 = \$50,000-\$74,999	419	2.29
		13 = \$75,000+	180	0.99
PERINC	1	TOTAL PERSONAL INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	9584	52.46
		2 = \$9,000-\$19,999	4183	22.90
		3 = \$20,000-\$39,999	3355	18.36
		4 = \$40,000-\$74,999	967	5.29
		5 = \$75,000+	180	0.99
PERINC2	1	TOTAL PERSONAL INCOME RECODE (7 CATEGORIES)		
		1 = \$0-9,999	10019	54.84
		2 = \$10,000-\$19,999	3748	20.52
		3 = \$20,000-\$29,999	2180	11.93
		4 = \$30,000-\$39,999	1175	6.43
		5 = \$40,000-\$49,999	548	3.00
		6 = \$50,000-\$74,999	419	2.29
		7 = \$75,000+	180	0.99
PERINC3	1	TOTAL PERSONAL INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	5635	30.84
		2 = \$10,000-\$19,999	3664	20.06
		3 = \$20,000-\$29,999	2146	11.75
		4 = \$30,000-\$39,999	1155	6.32
		5 = \$40,000-\$49,999	543	2.97
		6 = \$50,000-\$74,999	413	2.26
		7 = \$75,000+	175	0.96
		8 = 12-17 Years Old	4538	24.84

NON-CORE RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TOTCAT	2	TOTAL FAMILY INCOME RECODE (13 CATEGORIES)		
		1 = \$0	204	1.12
		2 = \$1-\$4,999	668	3.66
		3 = \$5,000-\$6,999	649	3.55
		4 = \$7,000-\$8,999	593	3.25
		5 = \$9,000-\$11,999	1038	5.68
		6 = \$12,000-\$14,999	988	5.41
		7 = \$15,000-\$19,999	1965	10.76
		8 = \$20,000-\$24,999	1726	9.45
		9 = \$25,000-\$29,999	1465	8.02
		10 = \$30,000-\$39,999	2525	13.82
		11 = \$40,000-\$49,999	2281	12.49
		12 = \$50,000-\$74,999	2423	13.26
		13 = \$75,000+	1744	9.55
FAMINC	1	TOTAL FAMILY INCOME RECODE (5 CATEGORIES)		
		1 = \$0-\$8,999	2114	11.57
		2 = \$9,000-\$19,999	3991	21.85
		3 = \$20,000-\$39,999	5716	31.29
		4 = \$40,000-\$74,999	4704	25.75
		5 = \$75,000+	1744	9.55
FAMINC2	1	TOTAL FAMILY INCOME RECODE (7 CATEGORIES)		
		1 = \$0-\$9,999	2454	13.43
		2 = \$10,000-\$19,999	3651	19.98
		3 = \$20,000-\$29,999	3191	17.47
		4 = \$30,000-\$39,999	2525	13.82
		5 = \$40,000-\$49,999	2281	12.49
		6 = \$50,000-\$74,999	2423	13.26
		7 = \$75,000+	1744	9.55
FAMINC3	1	TOTAL FAMILY INCOME RECODE (8 CATEGORIES)		
		1 = \$0-\$9,999	1924	10.53
		2 = \$10,000-\$19,999	2769	15.16
		3 = \$20,000-\$29,999	2444	13.38
		4 = \$30,000-\$39,999	1915	10.48
		5 = \$40,000-\$49,999	1689	9.25
		6 = \$50,000-\$74,999	1775	9.72
		7 = \$75,000+	1215	6.65
		8 = 12-17 Years old	4538	24.84
WELFARE	1	ANY FAMILY MEMBER ON WELFARE IN PAST 12 MONTHS		
		1 = Yes, respondent or another fam member on welfare .	2126	11.64
		2 = No, there was no one in the family on welfare	16143	88.36

NON-CORE RECODED DRUG USE				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
NON-CORE RECODED DRUG USE				

NEEDLREC	2	MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past month (30 days)	12	0.07
		2 = More than 1 month ago but less than 12 months ago	10	0.05
		3 = 12 or more months ago but less than 3 years ago ..	23	0.13
		4 = More than 3 years ago	99	0.54
		9 = Use in lifetime LOGICALLY IMPUTED	3	0.02
		91 = NEVER USED A NEEDLE TO INJECT ANY DRUG	17884	97.89
		98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK .	238	1.30
NEDFLAG4	1	NEEDLE USE (ANY DRUG) - EVER USE		
		0 = Never used (GNNDLLIF=2,97,98)	18086	99.00
		1 = Ever Used (GNNDLLIF=1,3)	183	1.00
NEDYR4	1	NEEDLE USE WITH COC/HER/STM - PAST YEAR USE		
		0 = Never used (NEEDLREC=3,4,9,91,98)	18247	99.88
		1 = Ever Used (NEEDLREC=1,2)	22	0.12

NON-CORE RECODED YOUTH CHECKLIST VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
NON-CORE RECODED YOUTH CHECKLIST VARIABLES				
WITHDRW	2	TOTAL SCORE FOR WITHDRAWN		
		RANGE = 0 - 14	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
SOMCOM	2	TOTAL SCORE FOR SOMATIC COMPLAINTS		
		RANGE = 0 - 18	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
ANXDEP	2	TOTAL SCORE FOR ANXIOUS/DEPRESSED		
		RANGE = 0 - 31	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
SOCPROB	2	TOTAL SCORE FOR SOCIAL PROBLEMS		
		RANGE = 0 - 14	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
THPROB	2	TOTAL SCORE FOR THOUGHT PROBLEMS		
		RANGE = 0 - 14	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
ATTPROB	2	TOTAL SCORE FOR ATTENTION PROBLEMS		
		RANGE = 0 - 17	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
DELBEH	2	TOTAL SCORE FOR DELINQUENT BEHAVIOR		
		RANGE = 0 - 22	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
AGGBEH	2	TOTAL SCORE FOR AGGRESSIVE BEHAVIOR		
		RANGE = 0 - 36	4442	24.31
		98 = BLANK (NO ANSWER)	96	0.53
		99 = LEGITIMATE SKIP	13731	75.16
WITHDRWT	3	T SCORE FOR WITHDRAWN		
		RANGE = 50 - 100	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16

NON-CORE RECODED YOUTH CHECKLIST VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
SOMCOMT	3	T SCORE FOR SOMATIC COMPLAINTS		
		RANGE = 50 - 100	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16
ANXDEPT	3	T SCORE FOR ANXIOUS/DEPRESSED		
		RANGE = 50 - 98	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16
SOCPROBT	3	T SCORE FOR SOCIAL PROBLEMS		
		RANGE = 50 - 93	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16
THPROBT	3	T SCORE FOR THOUGHT PROBLEMS		
		RANGE = 50 - 100	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16
ATTPROBT	3	T SCORE FOR ATTENTION PROBLEMS		
		RANGE = 50 - 96	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16
DELBEHT	3	T SCORE FOR DELINQUENT BEHAVIOR		
		RANGE = 50 - 100	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16
AGGBEHT	3	T SCORE FOR AGGRESSIVE BEHAVIOR		
		RANGE = 50 - 97	4442	24.31
		998 = BLANK (NO ANSWER)	96	0.53
		999 = LEGITIMATE SKIP	13731	75.16

NON-CORE RECODED PERSONAL BEHAVIORS VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
NON-CORE RECODED PERSONAL BEHAVIORS VARIABLES				

The following variables, SXHIVLF and SXHIVYR, were created by examination of XLFBLOOD, XBLD385, XLTBLDMO, XHIVTEST, XLTHIVMO, and XLTHIVYR. See Appendix C for more information about the meaning and derivation of the values for SXHIVLF and SXHIVYR.				
SXHIVLF	2	EVER TESTED FOR HIV		
		1 = Yes	6342	34.71
		2 = No	5735	31.39
		12 = Never actively tested for HIV	34	0.19
		94 = DON'T KNOW	10	0.05
		97 = REFUSED	177	0.97
		98 = UNKNOWN, ALL OTHER REASONS	676	3.70
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98
SXHIVYR	2	TESTED FOR HIV IN PAST YEAR		
		1 = Yes	2381	13.03
		2 = No	8998	49.25
		11 = Tested in 1995, same month as INTDATE	149	0.82
		12 = Tested in 1995, month unknown	144	0.79
		22 = Tested in lifetime but not actively in past yr ...	36	0.20
		32 = Never actively tested in lifetime	119	0.65
		94 = DON'T KNOW	47	0.26
		97 = REFUSED	177	0.97
		98 = UNKNOWN, ALL OTHER REASONS	923	5.05
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98

NON-CORE RECODED PERSONAL BEHAVIORS VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
		The variable SXREL was created by examination of XSEXYR, XRELNOW, XRELYR, XNRELYR, and XYRDIFPP.		
SXREL	2	SEXUAL RELATNSHIPS (EXCL MARITAL STATUS)		
		1 = Did not have sex in past year	2354	12.89
		2 = Sex w/ 1 pers past yr, only on-going relat	7766	42.51
		3 = Sex w/ 1 pers past yr, on-go & outside on-go rel	443	2.42
		4 = Sex w/ 1 pers past yr, only outside on-going rel	146	0.80
		5 = Sex w/ >1 pers past yr, only on-going rel	532	2.91
		6 = Sex w/ >1 pers past yr, on-go & outside on-going	900	4.93
		7 = Sex w/ >1 pers pst yr, only outside on-going rel	206	1.13
		14 = Sex w/ 1 person pst yr, type of rel unknown	14	0.08
		16 = Sex w/ >1 pers pst yr, >=1 relationship unknown	20	0.11
		25 = Sex only in on-going rels pst yr, # partners unk	132	0.72
		26 = Sex in both types of rel pst yr, # partners unk	28	0.15
		27 = Sex only outside on-going rel, # partners unk	4	0.02
		88 = SEX IN PAST YR UNKNOWN	110	0.60
		97 = REFUSED	219	1.20
		98 = UNKNOWN, ALL OTHER REASONS	100	0.55
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98

The variable SXRELMAR was created by examination of IRMARIT, XSEXYR, XRELNOW, XRELYR, XNRELYR, and XYRDIFPP.

SXRELMAR	2	SEXUAL RELATNSHIPS (INCL MARITAL STATUS)		
		1 = Did not have sex in past year	2354	12.89
		2 = Married, sex w/ 1 person, only on-going relat	4934	27.01
		3 = Other mar stat, sex w/ 1 pers, only on-go rel	2832	15.50
		4 = Oth mar stat, sx w/1 pers, on-go & outside on-go	225	1.23
		5 = Oth mar stat, sx w/1 pers, outside on-go rel	136	0.74
		6 = Sex w/ >1 pers (any mar stat), only on-go rel	532	2.91
		7 = Sex w/ >1 pers, on-going & outside on-going rel	900	4.93
		8 = Sex w/ >1 pers, only outside on-going rel	206	1.13
		10 = Married, sex w/ 1 pers, >=1 relationship unknown	5	0.03
		11 = Married, sex w/ 1 pers, on-go & outside on-go	218	1.19
		12 = Married, sex w/ 1 pers, only outside on-go rel	10	0.05
		14 = Oth mar stat, sex w/ 1 pers, >=1 rel unknown	9	0.05
		17 = Sex w/ > 1 pers, >=1 relationship unknown	20	0.11
		26 = Sex only in on-going rels, # partners unk	132	0.72
		27 = Sex in both types of rel, # partners unk	28	0.15
		28 = Sex only outside on-going rel, # partners unk	4	0.02
		88 = SEX IN PAST YR UNKNOWN	110	0.60
		97 = REFUSED	219	1.20
		98 = UNKNOWN, ALL OTHER REASONS	100	0.55
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98

NON-CORE RECODED PERSONAL BEHAVIORS VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
		The variable SXCONDYR was created by examination of XSEXYR, XRELCDV, XRELCDA, XNRELCDV, and XNRELCDA.		
SXCONDYR	2	PAST YR CONDOM USE, INDEP OF RISK & PARTNERS		
		1 = Did not have sex in past year	2354	12.89
		2 = No vaginal or anal sex, past year	101	0.55
		3 = Condoms always used (where applicable)	1696	9.28
		4 = Condoms used always or nearly always (where app) .	733	4.01
		5 = Condoms used at least half the time (where app) ..	519	2.84
		6 = Condoms used less than half the time (where app) .	970	5.31
		7 = Condoms never used for some behavs (where app) ...	316	1.73
		8 = Condoms never used for any behavs (where app)	5185	28.38
		88 = SEX IN PAST YR UNKNOWN	111	0.61
		97 = REFUSED	221	1.21
		98 = UNKNOWN, ALL OTHER REASONS	768	4.20
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98
		The following variables, SXRSKANY and SXRSKCNT, were created by examination of XSEXYR, XYRDIFPP, XYRWTHMF, XYRHIV, XYRMONEY, and XYRDRUGS.		
SXRSKANY	2	ANY OF 5 HIGHER-RISK SEX BEHAVIORS IN PAST YEAR		
		1 = Yes	524	2.87
		2 = No	11212	61.37
		12 = No except for XHIVYR=3	509	2.79
		88 = SEX IN PAST YR UNKNOWN	110	0.60
		97 = REFUSED	224	1.23
		98 = UNKNOWN, ALL OTHER REASONS	395	2.16
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98
SXRSKCNT	2	# OF 5 HIGHER-RISK SEX BEHAVIORS IN PAST YEAR		
		0 = None of 5 higher-risk behaviors, past year	11212	61.37
		1 = 1 of 5 higher-risk behaviors, past year	337	1.84
		2 = 2 of 5 higher-risk behaviors, past year	43	0.24
		3 = 3 of 5 higher-risk behaviors, past year	9	0.05
		10 = No higher-risk behavs except for XHIVYR=3	509	2.79
		11 = 1 of 5 higher-risk behaviors and XHIVYR=3	97	0.53
		12 = 2 of 5 higher-risk behaviors and XHIVYR=3	22	0.12
		13 = 3 of 5 higher-risk behaviors and XHIVYR=3	4	0.02
		14 = 4 of 5 higher-risk behaviors and XHIVYR=3	2	0.01
		51 = 1 higher-risk behav, at least 1 behav unknown	8	0.04
		52 = 2 higher-risk behavs, at least 1 behav unknown ...	1	0.01
		53 = 3 higher-risk behavs, at least 1 behav unknown ...	1	0.01
		88 = SEX IN PAST YR UNKNOWN	110	0.60
		97 = REFUSED	224	1.23
		98 = UNKNOWN, ALL OTHER REASONS	395	2.16
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98

NON-CORE RECODED PERSONAL BEHAVIORS VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
		The following variables, SXDRANY and SXDCNT, were created by examination of IRCRKRC, NEDYR4, XSEXYR, XYRDIFPP, XYRWTHMF, XYRHIV, XYRMONEY, and XYRDRUGS.		
SXDRANY	2	ANY OF 7 DRUG & SEX RISK BEHAVIORS IN PAST YEAR		
		1 = Yes	632	3.46
		2 = No	11117	60.85
		12 = No except for XHIVYR=3	499	2.73
		88 = SEX IN PAST YR UNKNOWN	110	0.60
		97 = REFUSED	223	1.22
		98 = UNKNOWN, ALL OTHER REASONS	393	2.15
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98
SXDCNT	2	# OF 7 DRUG & SEX RISK BEHAVIORS IN PAST YEAR		
		0 = None of 7 higher-risk behaviors, past year	11117	60.85
		1 = 1 of 7 higher-risk behaviors, past year	410	2.24
		2 = 2 of 7 higher-risk behaviors, past year	51	0.28
		3 = 3 of 7 higher-risk behaviors, past year	22	0.12
		4 = 4 of 7 higher-risk behaviors, past year	1	0.01
		10 = No higher-risk behavs except for XHIVYR=3	499	2.73
		11 = 1 of 7 higher-risk behaviors and XHIVYR=3	102	0.56
		12 = 2 of 7 higher-risk behaviors and XHIVYR=3	21	0.11
		13 = 3 of 7 higher-risk behaviors and XHIVYR=3	7	0.04
		14 = 4 of 7 higher-risk behaviors and XHIVYR=3	3	0.02
		15 = 5 of 7 higher-risk behaviors and XHIVYR=3	2	0.01
		51 = 1 higher-risk behav, at least 1 behav unknown	10	0.05
		52 = 2 higher-risk behavs, at least 1 behav unknown ...	2	0.01
		54 = 4 higher-risk behavs, at least 1 behav unknown ...	1	0.01
		88 = SEX IN PAST YR UNKNOWN	110	0.60
		97 = REFUSED	223	1.22
		98 = UNKNOWN, ALL OTHER REASONS	393	2.15
		99 = LEGITIMATE SKIP (IRAGE<18 OR IRAGE>59)	5295	28.98

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				

The following variables, MDESFS1 and MDESFS3, were created by examination of DEPRESS, DEPDAYS, DEPFREQ, LOSTINT1, TIRED1, LBSCHNG1, SLPFREQ1, CONCEN1, DOWN1, IDEAT1, LOSTINT2, TIRED2, LBSCHNG2, SLPFREQ2, CONCEN2, DOWN2, and IDEAT2. MDESFS1 requires DEPRESS or LOSTINT2 to have originally been answered as yes. MDESFS3 takes into account logically assigned yes answers for DEPRESS and LOSTINT2.				
MDESFS1	2	MAJOR DEPRESSIVE EPISODE SHORT FORM SCORE 1		
		RANGE = 0 - 8	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
MDESFS3	2	MAJOR DEPRESSIVE EPISODE SHORT FORM SCORE 2		
		RANGE = 0 - 8	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
The following variables, PROBMDE1 and PROBMDE3, were created from MDESFS1 and MDESFS3, respectively.				
PROBMDE1	2	PROBABILITY OF CASENESS FOR MDE VERSION 1		
		RANGE = 0.0001 - 0.9100	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
PROBMDE3	2	PROBABILITY OF CASENESS FOR MDE VERSION 2		
		RANGE = 0.0001 - 0.9100	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
The following variables, MDE1 and MDE3, were created from MDESFS1 and MDESFS3, respectively.				
MDE1	2	MAJOR DEPRESSIVE EPISODE VERSION 1		
		0 = Probable noncase	12731	69.69
		1 = Probable case	1000	5.47
		99 = LEGITIMATE SKIP	4538	24.84

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
MDE3	2	MAJOR DEPRESSIVE EPISODE VERSION 2		
		0 = Probable noncase	12730	69.68
		1 = Probable case	1001	5.48
		99 = LEGITIMATE SKIP	4538	24.84

The following variables, GADSFS1 and GADSFS3, were created by examination of WORRIED, WOREND, WORNOMO1, WORHAPN1, WORSER11, WORDIFF1, WORNOMO2, WORHAPN2, WORSER12, WORDIFF2, WORREST, WOREDGE, WORIRRIT, WORHEART, WORTIRED, WORSLEEP, and WORFAINT. GADSFS1 ignores logically assigned values for these variables. GADSFS3 takes into account logically assigned values.

GADSFS1	2	GENERAL ANXIETY DISORDER SHORT FORM SCORE 1		
		RANGE = 0 - 7	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
GADSFS3	2	GENERAL ANXIETY DISORDER SHORT FORM SCORE 2		
		RANGE = 0 - 7	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84

The following variables, PROBGAD1 and PROBGAD3, were created from GADSFS1 and GADSFS3, respectively.

PROBGAD1	2	PROBABILITY OF CASENESS FOR GAD VERSION 1		
		RANGE = 0.0000 - 0.9978	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
PROBGAD3	2	PROBABILITY OF CASENESS FOR GAD VERSION 2		
		RANGE = 0.0000 - 0.9978	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84

The following variables, GAD1 and GAD3, were created from GADSFS1 and GADSFS3, respectively.

GAD1	2	GENERAL ANXIETY DISORDER VERSION 1		
		0 = Probable noncase	13478	73.78
		1 = Probable case	253	1.38
		99 = LEGITIMATE SKIP	4538	24.84

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
GAD3	2	GENERAL ANXIETY DISORDER VERSION 2		
		0 = Probable noncase	13462	73.69
		1 = Probable case	269	1.47
		99 = LEGITIMATE SKIP	4538	24.84

The following variables, AGPSFS1 and AGPSFS3, were created by examination of FEARPUB, FEAROUT, FEARBRDG, FEAROFT, FEARYRS, FEARMOS, FEARFANT, FEARTRAP, and FEARHELP. AGPSFS1 ignores logically assigned values for these variables. AGPSFS3 takes into account logically assigned values.

AGPSFS1	2	AGORAPHOBIA SHORT FORM SCORE 1		
		RANGE = 0 - 4	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
AGPSFS3	2	AGORAPHOBIA SHORT FORM SCORE 2		
		RANGE = 0 - 4	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84

The following variables, PROBAGP1 and PROBAGP3, were created from AGPSFS1 and AGPSFS3, respectively.

PROBAGP1	2	PROBABILITY OF CASENESS FOR AGORA VERSION 1		
		RANGE = 0.0000 - 1.0000	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
PROBAGP3	2	PROBABILITY OF CASENESS FOR AGORA VERSION 2		
		RANGE = 0.0000 - 1.0000	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84

The following variables, AGP1 and AGP3, were created from AGPSFS1 and AGPSFS3, respectively.

AGP1	2	AGORAPHOBIA VERSION 1		
		0 = Probable noncase	13445	73.59
		1 = Probable case	286	1.57
		99 = LEGITIMATE SKIP	4538	24.84
AGP3	2	AGORAPHOBIA VERSION 2		
		0 = Probable noncase	13445	73.59
		1 = Probable case	286	1.57
		99 = LEGITIMATE SKIP	4538	24.84

NON-CORE RECODED ADULT MENTAL HEALTH VARIABLES				
LABEL	LEN	DESCRIPTION	FREQ	%
		The following variables, PASFS1 and PASFS3, were created by examination of PANIC1, PANIC2, PANIDANG, PANIFEAR, PANINOFR, PANIHART, PANIPAIN, PANISWET, PANISHAK, PANIHOT, and PANIUNRL. PASFS1 ignores logically assigned values for these variables. PASFS3 takes into account logically assigned values.		
PASFS1	2	PANIC ATTACK SHORT FORM SCORE 1		
		RANGE = 0 - 6	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
PASFS3	2	PANIC ATTACK SHORT FORM SCORE 2		
		RANGE = 0 - 6	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
		The following variables, PROBPA1 and PROBPA3, were created from PASFS1 and PASFS3, respectively.		
PROBPA1	2	PROBABILITY OF CASENESS FOR PANIC VERSION 1		
		RANGE = 0.0000 - 1.0000	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
PROBPA3	2	PROBABILITY OF CASENESS FOR PANIC VERSION 2		
		RANGE = 0.0000 - 1.0000	13731	75.16
		99 = LEGITIMATE SKIP	4538	24.84
		The following variables, PA1 and PA3, were created from PASFS1 and PASFS3, respectively.		
PA1	2	PANIC ATTACK VERSION 1		
		0 = Probable noncase	13310	72.86
		1 = Probable case	421	2.30
		99 = LEGITIMATE SKIP	4538	24.84
PA3	2	PANIC ATTACK VERSION 2		
		0 = Probable noncase	13310	72.86
		1 = Probable case	421	2.30
		99 = LEGITIMATE SKIP	4538	24.84

INTERVIEW INFORMATION				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		INTERVIEW INFORMATION		

INTMONTH	7	EDITED INTERVIEW MONTH		
BHOUR	2	BEGINNING HOUR OF INTERVIEW		
BMIN	2	BEGINNING MINUTE OF INTERVIEW		
BAP	2	BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR		
Ehour	2	ENDING HOUR OF INTERVIEW		
EMIN	2	ENDING MINUTE OF INTERVIEW		
EAP	2	AM OR PM WHEN INTERVIEW WAS FINISHED		
LANGVER	1	LANGUAGE VERSION		
		1 = English	16628	91.02
		2 = Spanish	1641	8.98

INTERVIEWER OBSERVATIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		INTERVIEWER OBSERVATIONS		

		FI-2. Estimate the respondent's understanding of the interview.		
UNDINT	2	ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
		1 = No difficulty--no language or reading problem	15082	82.56
		2 = Just a little difficulty--almost no lang/read prob	1862	10.19
		3 = A fair amount of difficulty--some lang/read probs	663	3.63
		4 = A lot of difficulty--considerable lang/read probs	264	1.45
		96 = MULTIPLE RESPONSE	3	0.02
		98 = BLANK (NO ANSWER)	395	2.16
		FI-3. How cooperative has the respondent been?		
COOPINT	2	COOPERATION OF RESPONDENT		
		1 = Very cooperative	16254	88.97
		2 = Fairly cooperative	1535	8.40
		3 = Not very cooperative	212	1.16
		4 = Openly hostile	31	0.17
		96 = MULTIPLE RESPONSE	5	0.03
		98 = BLANK (NO ANSWER)	232	1.27

INTERVIEWER OBSERVATIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		FI-4. Indicate on this scale of 01 through 09 how private the interview was.		
PRIVACY	2	SCALE FOR PRIVACY DURING INTERVIEW		
		1 = Completely private-no one present/able to overhear	11578	63.38
		2 =	504	2.76
		3 = Minor distractions	2751	15.06
		4 =	165	0.90
		5 = Person(s) in the room or listening 1/3 of time ...	1098	6.01
		6 =	75	0.41
		7 = Serious interruption of privacy more than 1/2 time	231	1.26
		8 =	27	0.15
		9 = Constant presence of other person(s)	1423	7.79
		85 = BAD DATA Logically assigned	123	0.67
		96 = MULTIPLE RESPONSE	71	0.39
		98 = BLANK (NO ANSWER)	223	1.22
		FI-5. Others present or listening to the interview were ... (MARK ALL THAT APPLY.)		
PPRES	2	PARENT(S)		
		1 = Response marked	1936	10.60
		98 = BLANK (NO ANSWER)	4755	26.03
		99 = LEGITIMATE SKIP	11578	63.38
SPRES	2	SPOUSE		
		2 = Response marked	978	5.35
		98 = BLANK (NO ANSWER)	5713	31.27
		99 = LEGITIMATE SKIP	11578	63.38
PARPRES	2	LIVE-IN PARTNER/BOYFRIEND/GIRLFRIEND		
		3 = Response marked	203	1.11
		98 = BLANK (NO ANSWER)	6488	35.51
		99 = LEGITIMATE SKIP	11578	63.38
OARPRES	2	OTHER ADULT RELATIVE(S)		
		4 = Response marked	660	3.61
		98 = BLANK (NO ANSWER)	6031	33.01
		99 = LEGITIMATE SKIP	11578	63.38
OAPRES	2	OTHER ADULT(S)		
		5 = Response marked	595	3.26
		98 = BLANK (NO ANSWER)	6096	33.37
		99 = LEGITIMATE SKIP	11578	63.38

INTERVIEWER OBSERVATIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CPRES	2	CHILD(REN) UNDER 15		
		6 = Response marked	2772	15.17
		98 = BLANK (NO ANSWER)	3919	21.45
		99 = LEGITIMATE SKIP	11578	63.38
OPRESNSP	2	OTHER (PEOPLE PRESENT/LISTENING DURING INT)SPECIFY		
		7 = Response marked	314	1.72
		98 = BLANK (NO ANSWER)	6377	34.91
		99 = LEGITIMATE SKIP	11578	63.38

INTERVIEWER OBSERVATIONS				
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
OPRESSPA	3	OTHER PERSON PRESENT DURING INTERVIEW - 1ST MENT		
		10 = Spouse	1	0.01
		21 = Step/Adopted/Foster Parent/Future Step Parent	1	0.01
		30 = Own Child/Own Half Child	2	0.01
		33 = Grandchild	1	0.01
		37 = Child, Relation Unspecified	14	0.08
		61 = Friend/Roommate/Companion	41	0.22
		71 = Cousin/Cousin's Spouse	4	0.02
		84 = Neighbor/Co-Worker/Visitor	9	0.05
		90 = Other Relative, Gender not specified	1	0.01
		91 = Other Non-Relative, Gender not specified	11	0.06
		92 = Other, Relation and Gender Unspecified	1	0.01
		113 = Child's Father	1	0.01
		121 = Step/Adopted/Foster Father/Future Step Father	2	0.01
		122 = Father/Step Father/Future Father In-Law	1	0.01
		130 = Son	11	0.06
		133 = Grandson	2	0.01
		140 = Brother/Half Brother	9	0.05
		142 = Brother In-Law	1	0.01
		150 = Grandfather/Great+ Grandfather	7	0.04
		161 = Male Fiance/Boyfriend/Roommate/Companion	4	0.02
		170 = Uncle/Step Uncle/Aunt's Husband	1	0.01
		172 = Nephew	1	0.01
		191 = Other Male Non-Relative	1	0.01
		192 = Other Male, Relation Unspecified	1	0.01
		210 = Wife	1	0.01
		220 = Mother/Female Guardian	7	0.04
		222 = Mother/Step Mother/Future Mother In-Law	4	0.02
		230 = Daughter	12	0.07
		233 = Granddaughter	1	0.01
		240 = Sister/Half Sister	9	0.05
		242 = Sister In-Law	3	0.02
		250 = Grandmother/Great+ Grandmother	34	0.19
		261 = Female Fiancee/Girlfriend/Roommate/Companion	7	0.04
		270 = Aunt	8	0.04
		272 = Niece	1	0.01
		282 = Female Housekeeper/Maid/Caretaker/Butler	1	0.01
		292 = Other Female, Relation Unspecified	1	0.01
		320 = Parents/Guardians	1	0.01
		337 = Children, Relation Unspecified	5	0.03
		340 = Siblings	1	0.01
		361 = Friends/Roommates/Companions	16	0.09
		384 = Neighbors/Co-Workers/Visitors	5	0.03
		391 = Other Non-Relatives, Gender not specified	5	0.03
		392 = Others, Relation and Gender Unspecified	9	0.05
		430 = Sons	2	0.01
		540 = Sisters/Half Sisters	1	0.01
		900 = NOT A PERSON	44	0.24
		998 = BLANK (NO ANSWER)	6385	34.95
		999 = LEGITIMATE SKIP	11578	63.38

INTERVIEWER OBSERVATIONS

LABEL	LEN	DESCRIPTION	FREQ	%
OPRESSPB	3	OTHER PERSON PRESENT DURING INTERVIEW - 2ND MENT		
		37 = Child, Relation Unspecified	2	0.01
		61 = Friend/Roommate/Companion	1	0.01
		161 = Male Fiance/Boyfriend/Roommate/Companion	1	0.01
		230 = Daughter	1	0.01
		242 = Sister In-Law	1	0.01
		250 = Grandmother/Great+ Grandmother	1	0.01
		270 = Aunt	1	0.01
		337 = Children, Relation Unspecified	1	0.01
		361 = Friends/Roommates/Companions	1	0.01
		392 = Others, Relation and Gender Unspecified	2	0.01
		900 = NOT A PERSON	2	0.01
		998 = BLANK (NO ANSWER)	6677	36.55
		999 = LEGITIMATE SKIP	11578	63.38

FI-6. Who marked the responses on the Answer Sheets? (MARK ONLY ONE BOX.)

WHOMARKD	2	WHO MARKED ANSWERS ON ANSWER SHEET		
		1 = Respondent marked all the Answer Sheet responses .	17601	96.34
		2 = Interviewer marked all the Answer Sheet responses	356	1.95
		96 = MULTIPLE RESPONSE	9	0.05
		98 = BLANK (NO ANSWER)	303	1.66

QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1	4430	24.25
		2 = Quarter 2	4414	24.16
		3 = Quarter 3	4692	25.68
		4 = Quarter 4	4733	25.91

The variable, FAMSKIP, indicates whether the respondent has other family members in the household or not, based on the household roster from the screening form.

FAMSKIP	1	OTHER FAMILY MEMBERS IN THE HH INDICATOR		
		0 = Respondent has other family members in household .	16197	88.66
		1 = Respondent didn't have other family in household .	2072	11.34

GQTYPE	1	TYPE OF GROUP QUARTERS		
		1 = Halfway House	2	0.01
		9 = Not Group Quarters	18130	99.24
		B = Boarding House	1	0.01
		C = College Dorm	83	0.45
		O = Other	17	0.09
		S = Shelter	36	0.20

LABEL	LEN	DESCRIPTION	GEOGRAPHIC		FREQ	%
----	---	-----			----	-
		GEOGRAPHIC				

		The variables, PDEN and PDEN2 are based on the 1990 Census.				
PDEN	1	POPULATION DENSITY				
		1 = Segment in a MSA with 1 million or more persons ..	9043	49.50		
		2 = Segment in a MSA with fewer than 1 million persons	5837	31.95		
		3 = Segment not in MSA	3389	18.55		
PDEN2	1	POPULATION DENSITY - FIVE LEVELS				
		1 = Segment in MSA with 1 million or more persons	9043	49.50		
		2 = Segm. in a MSA from 250000 to 999999 persons	4019	22.00		
		3 = Segment in a MSA with fewer than 250000 persons ..	1818	9.95		
		4 = Segment not in a MSA and not in a rural area	1421	7.78		
		5 = Segment not in a MSA and in a rural area	1968	10.77		
REGION	1	CENSUS REGION				
		1 = Northeast	3148	17.23		
		2 = North Central	3525	19.29		
		3 = South	7202	39.42		
		4 = West	4394	24.05		
DIVISION	1	CENSUS DIVISION CODE				
		1 = New England	678	3.71		
		2 = Middle Atlantic	2470	13.52		
		3 = East North Central	2460	13.47		
		4 = West North Central	1065	5.83		
		5 = South Atlantic	3316	18.15		
		6 = East South Central	1243	6.80		
		7 = West South Central	2643	14.47		
		8 = Mountain	963	5.27		
		9 = Pacific	3431	18.78		
		The following variable, RURORURB, is based on the 1990 Census data. For each Census tract, if the rural population is equal to the total population, the tract is considered to be rural. Otherwise, the tract is considered to be urban.				
RURORURB	1	RURAL OR URBAN SEGMENT				
		1 = Rural	3352	18.35		
		2 = Urban	14917	81.65		

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		SAMPLE WEIGHTING & ESTIMATION VARIABLES		
		----- - -----		
VESTR	4	VARIANCE STRATUM		
VEREP	2	VARIANCE REPLICATE WITHIN VARIANCE STRATUM		
		The following variable, ANALWT, is the final person-level sample weight for the NHSDA. This weight should be used to draw inferences with the NHSDA data about the survey's target population or about any subgrouping of the target population.		
ANALWT	8	FINAL PERSON-LEVEL SAMPLE WEIGHT, = (WT1*...*WT12)		
ANALWT1	8	ANALYSIS WEIGHT FOR QUARTER 1		
ANALWT2	8	ANALYSIS WEIGHT FOR QUARTER 2		
ANALWT3	8	ANALYSIS WEIGHT FOR QUARTER 3		
ANALWT4	8	ANALYSIS WEIGHT FOR QUARTER 4		
WT1	8	PSU WEIGHT		
WT2	8	SEGMENT WEIGHT		
WT3	8	QUARTER SEGMENT WEIGHT ADJUSTMENT		
WT4	8	SUBSEGMENTATION INFLATION WEIGHT		
WT5	8	LISTING UNIT WEIGHT		
WT6	8	DU POST STRATIFICATION ADJUSTMENT		
WT7	8	DU NONRESPONSE ADJUSTMENT		
WT8	8	INVERSE OF THE PROB OF SELECTION PERSON		
WT9	8	INVERSE OF THE PROB OF SELECT WITHIN AGE		
WT10	8	PERSON WEIGHT TRIMMING ADJUSTMENT		
WT11	8	PERSON NONRESPONSE/ROSTER ADJUSTMENT		
WT12	8	PERSON POST-STRATIFICATION		

MAIN FINDINGS 1996 - VARIABLE CREATION

The following variables were created for the National Household Survey on Drug Abuse: Main Findings 1996 report. These variables consist of recodes of previous codebook variables.

There are two sections of recodes of previous codebook variables: 1) recodes of drug use and demographic variables for the Main Findings 1996 report chapters 1-11, and 2) recodes of mental health and drug use variables for the Main Findings 1996 report chapter 12. For most of the recodes the source variables are used to define a new variable. The source variables and recode instructions are given either in parentheses after the variable definition, or in a comment directly above the variable definition.

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AGECAT3	2	AGE CATEGORIZED 11 LEVELS		
		1 = 12-13 (12 LE IRAGE LE 13)	1432	7.84
		2 = 14-15 (14 LE IRAGE LE 15)	1551	8.49
		3 = 16-17 (16 LE IRAGE LE 17)	1555	8.51
		4 = 18-20 (18 LE IRAGE LE 20)	1664	9.11
		5 = 21-25 (21 LE IRAGE LE 25)	2702	14.79
		6 = 26-29 (26 LE IRAGE LE 29)	2176	11.91
		7 = 30-34 (30 LE IRAGE LE 34)	3086	16.89
		8 = 35-39 (35 LE IRAGE LE 39)	1084	5.93
		9 = 40-44 (40 LE IRAGE LE 44)	922	5.05
		10 = 45-49 (45 LE IRAGE LE 49)	871	4.77
		11 = 50-102 (50 LE IRAGE LE 94)	1226	6.71
AGECAT4	2	AGE CATEGORIZED 2 LEVELS		
		1 = 12-20 (12 LE IRAGE LE 20)	6202	33.95
		2 = 21 AND OLDER (21 LE IRAGE LE 94)	12067	66.05
ALCDAYS2	1	# DAYS DRANK ALCOHOL IN PAST 30 DAYS		
		1 = None or never used alcohol (ALCDAYS = 81,83,91,93)	10041	54.96
		2 = 1-2 days (ALCDAYS = 1-2)	2947	16.13
		3 = 3-4 days (ALCDAYS = 3-4)	1577	8.63
		4 = 5-19 days (ALCDAYS = 5-19)	2165	11.85
		5 = 20-30 days (ALCDAYS = 20-30)	631	3.45
		6 = UNKNOWN (ALCDAYS = 85,94,95,98)	908	4.97
ALCDAYS3	2	# DAYS HAD 1 OR MORE DRINKS IN PAST 30 DAYS		
		1 = 0 (ALCDAYS2 = 1)	10041	54.96
		2 = 1-4 (ALCDAYS2 = 2 OR 3)	4524	24.76
		3 = 5-19 (ALCDAYS2 = 4)	2165	11.85
		4 = 20-30 (ALCDAYS2 = 5)	631	3.45
		6 = UNKNOWN (ALCDAYS2 = 6)	908	4.97
ALCDRIV	2	DROVE W/IN 2 HRS OF DRINKING ALCOHOL, PAST YEAR		
		0 = NO (VALDRVYR=2,89,97,98,99).....	15129	82.81
		1 = YES (VALDRVYR=1,3,5).....	3140	17.19
ALCILLL	1	ALCOHOL & ILLICIT DRUGS - EVER USED		
		0 = No	11836	64.79
		1 = Yes (ALCFLAG=1 AND SUMFLAG=1)	6433	35.21
ALCILLM	1	ALCOHOL & ILLICIT DRUGS - PAST MONTH USE		
		0 = No	16971	92.90
		1 = Yes (ALCMON=1 AND SUMMON=1)	1298	7.10
ALCILLY	1	ALCOHOL & ILLICIT DRUGS - PAST YEAR USE		
		0 = No	15778	86.36
		1 = Yes (ALCYR=1 AND SUMYR=1)	2491	13.64
ALCMRJL	1	EVER USED ALCOHOL & MARIJUANA ONLY		
		0 = No	15269	83.58
		1 = Yes (ALCFLAG=1,MRJFLAG=1,PSYFLAG2=0,COFLAG=0, INHFLAG=0,HALFLAG=0,HERFLAG=0)	3000	16.42

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ALCMRJM	1	USED ONLY ALCOHOL & MARIJUANA IN PAST MONTH 0 = No17502	17502	95.80
		1 = Yes (ALCMON=1,MRJMON=1,PSYMON2=0,COCMON=0, INHMON=0,HALMON=0,HERMON=0) 767	767	4.20
ALCMRJV	1	USED ONLY ALCOHOL & MARIJUANA IN PAST YEAR 0 = No16937	16937	92.71
		1 = Yes (ALCYR=1,MRJYR=1,PSYYR2=0,COCYR=0, INHYYR=0,HALYYR=0,HERYYR=0) 1332	1332	7.29
ALCONLYL	1	EVER USED ONLY ALCOHOL 0 = No11515	11515	63.03
		1 = Yes (ALCFLAG=1 AND SUMFLAG=0) 6754	6754	36.97
ALCONLYM	1	USED ONLY ALCOHOL IN PAST MONTH 0 = No11339	11339	62.07
		1 = Yes (ALCMON=1 AND SUMMON=0) 6930	6930	37.93
ALCONLYY	1	USED ONLY ALCOHOL IN PAST YEAR 0 = No 9817	9817	53.74
		1 = Yes (ALCYR=1 AND SUMYR=0) 8452	8452	46.26
ALCOTHL	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- EVER USED 0 = No15119	15119	82.76
		1 = Yes (ALCFLAG=1 & ALCMRJL=0 & ALCPSYL=0 & ANY OF THE FOLLOWING = 1: PSYFLAG2,MRJFLAG, COCFLAG,INHFLAG,HALFLAG,HERFLAG) 3150	3150	17.24
ALCOTHM	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE 0 = No17818	17818	97.53
		1 = Yes (ALCMON=1 & ALCMRJM=0 & ALCPSYM=0 & ANY OF THE FOLLOWING = 1: PSYMON2,MRJMON, COCMON,INHMON,HALMON,HERMON) 451	451	2.47
ALCOTHY	1	ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST YEAR USE 0 = No17307	17307	94.73
		1 = Yes (ALCYR=1 & ALCMRJV=0 & ALCPSYY=0 & ANY OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR,INHYYR,HALYYR,HERYYR) 962	962	5.27
ALCPROBS	2	ANY PROBLEMS DUE TO ALCOHOL 0 = No15276	15276	83.62
		1 = Yes 2993 (1 IF IRBTALC2=1 OR IRGRALC2=1 OR IRLAALC2=1 OR IRACALC2=1 OR IREMALC2=1 OR IRHLALC2=1 OR IRUCALC2=1)	2993	16.38
ALC2PROB	2	TWO OR MORE PROBLEMS DUE TO ALCOHOL 0 = No16617	16617	90.96
		1 = Yes 1652 (IF 2 OR MORE OF THE FOLLOWING = 1: IRBTALC2,IRGRALC2, IRLAALC2,IRACALC2,IREMALC2,IRHLALC2,IRUCALC2)	1652	9.04

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ALC3PROB	2	THREE OR MORE PROBLEMS DUE TO ALCOHOL 0 = No17244 1 = Yes 1025 (IF 3 OR MORE OF THE FOLLOWING = 1: IRBTALC2, IRGRALC2, IRLAALC2, IRACALC2, IREMAC2, IRHLALC2, IRUCALC2)		94.39 5.61
ALCPSYL	1	EVER USED ONLY ALCOHOL & PSYCHOTHERAPEUTICS 0 = No17986 1 = Yes (ALCFLAG=1, PSYFLAG2=1, MRJFLAG=0, COCFLAG=0, INHFLAG=0, HALFLAG=0, HERFLAG=0)..... 283		98.45 1.55
ALCPSYM	1	EVER USED ONLY ALCOHOL & PSYCHOTHERAPEUTICS IN PAST MONTH 0 = No18189 1 = Yes (ALCMON=1, PSYMON2=1, MRJMON=0, COCMON=0, INHMON=0, HALMON=0, HERMON=0) 80		99.56 0.44
ALCPSYY	1	EVER USED ONLY ALCOHOL & PSYCHOTHERAPEUTICS IN PAST YEAR 0 = No18072 1 = Yes (ALCYR=1, PSYYR2=1, MRJYR=0, COCYR=0, INHYYR=0, HALYYR=0, HERYR=0) 197		98.92 1.08
ALCTRY2	2	AGE HAD FIRST DRINK OF ALCOHOL RANGE = 2-59 (ALCTRY = 2-59).....13062 99 = LEGITIMATE SKIP/NO ANSWER (ALCTRY = 981,985,991,994,995,998) 5207		71.50 28.50
ALCUSE	2	ALCOHOL- FREQUENCY OF USE IN THE PAST YEAR 1 = Less than 12 days (IRALCFQ=7-9) 4718 2 = 12-50 days (1-4 days/month)(IRALCFQ=5-6) 3094 3 = 51-300 days (1-7 days/week)(IRALCFQ=2-4) 2640 4 = More than 300 days (daily or almost)(IRALCFQ=1) ... 491 5 = HAS NOT USED IN PAST YEAR (IRALCFQ=10) 7326		25.83 16.94 14.45 2.69 40.10
ANALAGE2	2	AGE FIRST USED ANALGESICS RANGE = 2-51 (ANALAGE = 2-51) 839 99 = LEGITIMATE SKIP/NO ANSWER (ANALAGE=981,985,991,994,997,998)17430		4.59 95.41
AVCIG2	2	NUMBER OF CIGARETTES SMOKED PER DAY IN LAST 30 DAYS 1 = 0 (AVCIG = 81,83,91,93)12932 2 = 15 cigarettes or less (AVCIG = 1-3) 3484 3 = 16 cigarettes or more (AVCIG = 4-6) 1603 4 = UNKNOWN (AVCIG = 85,97,98) 250		70.79 19.07 8.77 1.37
AVCIG3	2	SMOKED A PACK OR MORE A DAY IN THE PAST 30 DAYS 0 = NO (AVCIG=1-3,81,83,85,91,93,97,98)16666 1 = YES (AVCIG=4-6) 1603		91.23 8.77
BINGDRK2	2	BINGE ALCOHOL USE PST 30 DAYS 0 = No (BINGEDRK = 99 OR BINGEDRK = 0)15390 1 = Yes (BINGEDRK = 1) 2879		84.24 15.76
BKAGASL2	2	ARRESTED & BOOKED FOR AGGRAV. ASSLT IN PST YR-REVISED 0 = No (BKAGASLT = 2,89,94,97,98,99).....18203 1 = Yes (BKAGASLT = 1, 3) 66		99.64 0.36

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
BKARSON2	2	ARRESTED & BOOKED FOR ARSON IN PST YR-REVISED		
		0 = No (BKARSON = 2,89,94,97,98,99)	18260	99.95
		1 = Yes (BKARSON = 1,3)	9	0.05
BKBURGL2	2	ARRESTED & BOOKED FOR BURGLARY IN PST YR-REVISED		
		0 = No (BKBURGL = 2,89,94,97,98,99)	18227	99.77
		1 = Yes (BKBURGL = 1,3)	42	0.23
BKDRUG2	2	ARRESTED & BOOKED FOR POSSESS/SALE OF ILL. DRUGS IN PST YR-REVISED		
		0 = No (BKDRUG = 2,89,94,97,98,99)	18181	99.52
		1 = Yes (BKDRUG = 1)	88	0.48
BKDRUNK2	2	ARRESTED & BOOKED FOR DRNKNSS/LIQ LAW IN PST YR-REVISED		
		0 = No (BKDRUNK = 2,89,94,97,98,99)	18203	99.64
		1 = Yes (BKDRUNK = 1,3)	66	0.36
BKDRVIN2	2	ARRESTED & BOOKED FOR DUI IN PST YR-REVISED		
		0 = No (BKDRVIN = 2,89,94,97,98,99)	18178	99.50
		1 = Yes (BKDRVIN = 1)	91	0.50
BKLARC2	2	ARRESTED & BOOKED FOR LARCENY/THFT IN PST YR-REVISED		
		0 = No (BKLARCNY = 2,89,94,97,98,99)	18161	99.41
		1 = Yes (BKLARCNY = 1,3)	108	0.59
BKMURDE2	2	ARRESTED & BOOKED FOR MURDER/HOM/MNSLGHTR IN PST YR-REVISED		
		0 = No (BKMURDER = 2,89,94,97,98,99)	18267	99.99
		1 = Yes (BKMURBER = 1)	2	0.01
BKMTVTHF2	2	ARRESTED & BOOKED FOR MOTOR VEH.THEFT IN PST YR-REVISED		
		0 = No (BKMTVTHFT = 2,89,94,97,98,99)	18242	99.85
		1 = Yes (BKMTVTHFT = 1,3)	27	0.15
BKPROS2	2	ARRESTED & BOOKED FOR PROSTITUTION IN PST YR-REVISED		
		0 = No (BKPROS = 2,89,94,97,98,99)	18265	99.98
		1 = Yes (BKPROS = 1)	4	0.02
BKRAPE2	2	ARRESTED & BOOKED FOR FORCIBLE RAPE IN PST YR-REVISED		
		0 = No (BKRAPE = 2,89,94,97,98,99)	18266	99.98
		1 = Yes (BKRAPE = 1,3)	3	0.02
BKROB2	2	ARRESTED & BOOKED FOR ROBBERY IN PST YR-REVISED		
		0 = No (BKROB = 2,89,94,97,98,99)	18250	99.90
		1 = Yes (BKROB = 1,3)	19	0.10
BKSMASL2	2	ARRESTED & BOOKED FOR OTHER ASSAULT IN PST YR-REVISED		
		0 = No (BKSMASLT = 2,89,94,97,98,99)	18174	99.48
		1 = Yes (BKSMASLT = 1,3)	95	0.52
CDALWAYS	2	ALWAYS USED CONDOMS IN PAST YEAR		
		0 = NO (SXCONDYR=4,5,6,7,8,88,97,98)	8823	48.29
		1 =YES (SXCONDYR=3)	1696	9.28
		99 = LEGITIMATE SKIP (SXCONDYR=1,2,99)	7750	42.42

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CDNEVER	2	NEVER USED CONDOMS IN PAST YEAR		
		0 = NO (SXCONDYR=3,4,5,6,7,88,97,98)	5334	29.20
		1 =YES (SXCONDYR=8)	5185	28.38
		99 = LEGITIMATE SKIP (SXCONDYR=1,2,99)	7750	42.42
CDSOME	2	SOMETIMES USED CONDOMS IN PAST YEAR		
		0 = NO (SXCONDYR=3,8,88,97,98)	7981	43.69
		1 =YES (SXCONDYR=4,5,6,7)	2538	13.89
		99 = LEGITIMATE SKIP (SXCONDYR=1,2,99)	7750	42.42
CIGPROBS	2	ANY PROBLEMS DUE TO CIGARETTES		
		0 = No	14639	80.13
		1 = Yes	3630	19.87
		(1 IF IRBTCIG2=1 OR IRGRCIG2=1 OR IRLACIG2=1 OR IRACCIG2=1 OR IREMCIG2=1 OR IRHLCIG2=1 OR IRUCCIG2=1)		
CIG2PROB	2	TWO OR MORE PROBLEMS DUE TO CIGARETTES		
		0 = No	15603	85.41
		1 = Yes	2666	14.59
		(IF 2 OR MORE OF THE FOLLOWING = 1: IRBTCIG2, IRGRCIG2, IRLACIG2, IRACCIG2, IREMCIG2, IRHLCIG2, IRUCCIG2)		
CIG3PROB	2	THREE OR MORE PROBLEMS DUE TO CIGARETTES		
		0 = No	16338	89.43
		1 = Yes	1931	10.57
		(IF 3 OR MORE OF THE FOLLOWING = 1: IRBTCIG2, IRGRCIG2, IRLACIG2, IRACCIG2, IREMCIG2, IRHLCIG2, IRUCCIG2)		
CIGTRY2	2	AGE FIRST TRIED A CIGARETTE		
		RANGE = 2-70 (CIGTRY = 2-70)	10932	59.84
		99 = LEGITIMATE SKIP/NO ANSWER (CIGTRY = 981,983,985,991,994,995,997,998)	7337	40.16
COCAGE2	2	AGE FIRST USED COCAINE		
		RANGE = 4-44 (COCAGE = 4-44)	1892	10.36
		99 = LEGITIMATE SKIP/NO ANSWER (COCAGE = 981,985,991,995,998)	16377	89.64
COCPROBS	2	ANY PROBLEMS DUE TO COCAINE		
		0 = No	17947	98.24
		1 = Yes	322	1.76
		(1 IF IRBTCOC2=1 OR IRGRCOC2=1 OR IRLACOC2=1 OR IRACCOC2=1 OR IREMCOC2=1 OR IRHLCOC2=1 OR IRUCCOC2=1)		
COC2PROB	2	TWO OR MORE PROBLEMS DUE TO COCAINE		
		0 = No	18120	99.18
		1 = Yes	149	0.82
		(IF 2 OR MORE OF THE FOLLOWING = 1: IRBTCOC2, IRGRCOC2, IRLACOC2, IRACCOC2, IREMCOC2, IRHLCOC2, IRUCCOC2)		

RECODES FOR MAIN FINDINGS					
LABEL	LEN	DESCRIPTION	FREQ	%	
----	----	-----	----	-	
COC3PROB	2	THREE OR MORE PROBLEMS DUE TO COCAINE 0 = No18165 1 = Yes 104 (IF 3 OR MORE OF THE FOLLOWING = 1: IRBTCOC2, IRGRCCOC2, IRLACOC2, IRACCOC2, IREMCOC2, IRHLCOC2, IRUCCOC2)		99.43	0.57
COCTOT3	2	NUMBER OF DAYS USED COCAINE IN LIFE 1 = 1-2 days (COCTOT = 5) 517 2 = 3-11 days (COCTOT = 4) 487 3 = 12-100 days (COCTOT = 3) 470 4 = 101+ days (COCTOT = 1 OR 2) 429 5 = NEVER USED/NO ANSWER (COCTOT = 81 OR 91)16360 99 = UNKNOWN (COCTOT = 85 OR 98) 6		2.83	2.67
COCUSE	2	COCAINE- FREQUENCY OF USE IN THE PAST YEAR 1 = Less than 12 days (IRCOCFQ=7-9) 307 2 = 12-50 days (1-4 days/month) (IRCOCFQ=5-6) 96 3 = 51-300 days (1-7 days/week) (IRCOCFQ=2-4) 70 4 = More than 300 days (daily or almost) (IRCOCFQ=1) .. 23 5 = Has not used in past year (IRCOCFQ=10)17773		1.68	0.53
DRALHELP	2	TREATMENT RECEIVED FOR DRUGS OR ALCOHOL 0 = No (TRMTHLP2 = 0 AND DRNKHLP2 = 0)17941 1 = Yes (TRMTHLP2 = 1 OR DRNKHLP2 = 1) 328		98.20	1.80
DRINKER2	2	DRANK ALCOHOL IN PAST 30 DAYS 0 = No10041 1 = Yes (DR5DAY=1-30, 90 OR ALCMON=1) 8228		54.96	45.04
DRNKHLP2	2	TREATMENT RECEIVED FOR ALCOHOL- RECODE 0 = No17974 1 = Yes 295 (1=YES IF TXALHOSP OR TXALRFIN OR TXALRFOP OR TXALMHC OR TXALEMRG OR TXALDOC OR TXALJAIL OR TXALSHG OR TXALSOP = 1,3,5)		98.39	1.61
DRUNKYR2	2	DRUNK 51+ DAYS IN PAST YEAR 1 = Yes (DRUNKYR = 1, 2, 3, 4) 781 2 = No (DRUNKYR = 5,6,7,8,9,81,83,85,90,91,93,94,97,98) .17488		4.28	95.72
FERTAGE	2	AGE GROUPS, WOMEN 15-44 1 = Women ages 15-25 (CATAGE = 1, 2 AND F15_44 = 1) ... 3788 2 = Women ages 26-44 (CATAGE = 3, 4 AND F15_44 = 1) ... 4253 99 = Men/women 12-14, 45+10228		20.73	23.28
HALLAGE2	2	AGE FIRST USED HALLUCINOGENS RANGE = 4-44 (HALLAGE = 4-44) 1674 99 = NEVER USED/NO ANSWER (HALLAGE = 981,985,991,994,997,998)16595		9.16	90.84
HERAGE2	2	AGE FIRST USED HEROIN RANGE = 2-40 (HERAGE = 2-40)..... 182 99 = NEVER USED/NO ANSWER (HERAGE = 981,985,991,994,997,998)18087		1.00	99.00

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
HERNEED2	2	EVER USED A NEEDLE TO INJECT HEROIN 0 =NO (HERNEEDL=81,85,89,91,93,97,98,99)	18189	99.56
		1 =YES (HERNEEDL=1,3)	80	0.44
HIVTEST	2	EVER HAD BLOOD TEST FOR HIV 0 = NO(XHIVTEST=2,4,94,96,97,98)	8044	44.03
		1 = YES (XHIVTEST=1,3)	4930	26.99
		99 = LEGITIMATE SKIP (XHIVTEST=89,99)	5295	28.98
HVYDRK3	2	DRANK ALCOHOL HEAVILY-PST 30 DAYS: 0,1 0 = No (HVYDRK2 =99 OR HVYDRK2 = 0)	17211	94.21
		1 = Yes (HVYDRK2=1).....	1058	5.79
ILLONLYL	1	EVER USED ONLY ILLICIT DRUGS 0 = No	17938	98.19
		1 = Yes (SUMFLAG=1 AND ALCFLAG=0)	331	1.81
ILLONLYM	1	USED ONLY ILLICIT DRUGS IN PAST MONTH 0 = No	17976	98.4
		1 = Yes (SUMMON=1 AND ALCMON=0)	293	1.6
ILLONLYY	1	USED ONLY ILLICIT DRUGS IN PAST YEAR 0 = No	17972	98.37
		1 = Yes (SUMYR=1 AND ALCYR=0)	297	1.63
INHAGE2	2	AGE FIRST USED INHALANT RANGE = 5-45 (INHAGE = 5-45)	1039	5.69
		99 = NEVER USED/NO ANSWER (INHAGE = 981,985,991,994,997,998)	17230	94.31
IRACALC2	2	ALCOHOL REDUCED IMPT ACTIVITIES-REVISED 0 = No (ACRDALC = 2,4,89,94,97,98,99)	17767	97.25
		1 = Yes (ACRDALC = 1)	502	2.75
IRACCIG2	2	CIG REDUCED IMPT ACTIVITIES-REVISED 0 = No (ACRDCIG = 2,4,89,94,97,98,99)	17861	97.77
		1 = Yes (ACRDCIG = 1)	408	2.23
IRACCOC2	2	COCAINE REDUCED IMPT ACTIVITIES-REVISED 0 = No (ACRDCOC = 2,4,89,94,97,98,99)	18177	99.50
		1 = Yes (ACRDCOC = 1)	92	0.50
IRACMRJ2	2	MARIJUANA REDUCED IMPT ACTIVITIES-REVISED 0 = No (ACRDMRJ = 2,4,89,94,97,98,99)	18052	98.81
		1 = Yes (ACRDMRJ = 1)	217	1.19
IRBTALC2	2	BUILT UP TOLERANCE FOR ALCOHOL-REVISED 0 = No (BTOLALC = 2,4,89,94,97,98,99)	16958	92.82
		1 = Yes (BTOLALC = 1)	1311	7.18
IRBTCIG2	2	BUILT UP TOLERANCE FOR CIGARETTES-REVISED 0 = No (BTOLCIG = 2,4,89,94,97,98,99)	16468	90.14
		1 = Yes (BTOLCIG = 1)	1801	9.86

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRBTCOC2	2	BUILT UP TOLERANCE FOR COCAINE-REVISED 0 = No (BTOLCOC = 2,4,89,94,97,98,99) 1 = Yes (BTOLCOC = 1)	18187 82	99.55 0.45
IRBTMRJ2	2	BUILT UP TOLERANCE FOR MARIJUANA-REVISED 0 = No (BTOLMRJ = 2,4,89,94,97,98,99) 1 = Yes (BTOLMRJ = 1)	17787 482	97.36 2.64
IREMALC2	2	ALCOHOL CAUSED EMOTIONAL PROBLEMS-REVISED 0 = No (EMPBALC = 2,4,89,94,97,98,99) 1 = Yes (EMPBALC = 1)	17630 639	96.50 3.50
IREMCIG2	2	CIGARETTES CAUSED EMOTIONAL PROBLEMS-REVISED 0 = No (EMPBCIG = 2,4,89,94,97,98,99) 1 = Yes (EMPBCIG = 1)	17914 355	98.06 1.94
IREMCOC2	2	COCAINE CAUSED EMOTIONAL PROBLEMS-REVISED 0 = No (EMPBCOC = 2,4,89,94,97,98,99) 1 = Yes (EMPBCOC = 1)	18152 117	99.36 0.64
IREMMRJ2	2	MARIJUANA CAUSED EMOTIONAL PROBLEMS-REVISED 0 = No (EMPBMRJ = 2,4,89,94,97,98,99) 1 = Yes (EMPBMRJ = 1)	17939 330	98.19 1.81
IRGRALC2	2	SPENT MONTH OR MORE ON ALCOHOL-REVISED 0 = No (GRTMALC = 2,4,89,94,97,98,99) 1 = Yes (GRTMALC = 1)	16723 1546	91.54 8.46
IRGRCIG2	2	SPENT MONTH OR MORE ON CIGARETTES-REVISED 0 = No (GRTMCIG = 2,4,89,94,97,98,99) 1 = Yes (GRTMCIG = 1)	15921 2348	87.15 12.85
IRGRCOC2	2	SPENT MONTH OR MORE ON COCAINE-REVISED 0 = No (GRTMCOC = 2,4,89,94,97,98,99) 1 = Yes (GRTMCOC = 1)	18168 101	99.45 0.55
IRGRMRJ2	2	SPENT MONTH OR MORE ON MARIJUANA-REVISED 0 = No (GRTMMRJ = 2,4,89,94,97,98,99) 1 = Yes (GRTMMRJ = 1)	17625 644	96.47 3.53
IRHLALC2	2	ALCOHOL CAUSED HEALTH PROBLEMS-REVISED 0 = No (HLPBALC = 2,4,89,94,97,98,99) 1 = Yes (HLPBALC = 1)	17926 343	98.12 1.88
IRHLCIG2	2	CIGARETTES CAUSED HEALTH PROBLEMS-REVISED 0 = No (HLPBCIG = 2,4,89,94,97,98,99) 1 = Yes (HLPBCIG = 1)	17557 712	96.1 3.9
IRHLCOC2	2	COCAINE CAUSED HEALTH PROBLEMS-REVISED 0 = No (HLPBCOC = 2,4,89,94,97,98,99) 1 = Yes (HLPBCOC = 1)	18206 63	99.66 0.34
IRHLMRJ2	2	MARIJUANA CAUSED HEALTH PROBLEMS-REVISED 0 = No (HLPBMRJ = 2,4,89,94,97,98,99) 1 = Yes (HLPBMRJ = 1)	18083 186	98.98 1.02

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRLAALC2	2	USED ALCOHOL MORE OFTEN THAN INTENDED-REVISED		
		0 = No (LAMTALC = 2,4,89,94,97,98,99)	16753	91.70
		1 = Yes (LAMTALC = 1)	1516	8.30
IRLACIG2	2	USED CIGARETTES MORE OFTEN THAN INTENDED-REVISED		
		0 = No (LAMTCIG = 2,4,89,94,97,98,99)	16123	88.25
		1 = Yes (LAMTCIG = 1)	2146	11.75
IRLACOC2	2	USED COCAINE MORE OFTEN THAN INTENDED-REVISED		
		0 = No (LAMTCOC = 2,4,89,94,97,98,99)	18159	99.40
		1 = Yes (LAMTCOC = 1)	110	0.60
IRLAMRJ2	2	USED MARIJUANA MORE OFTEN THAN INTENDED-REVISED		
		0 = No (LAMTMRJ = 2,4,89,94,97,98,99)	17766	97.25
		1 = Yes (LAMTMRJ = 1)	503	2.75
IRUCALC2	2	WANTED & UNABLE TO CUT DOWN ON ALC USE-REVISED		
		0 = No (UCDALC = 2,4,89,94,97,98,99)	17256	94.46
		1 = Yes (UCDALC = 1)	1013	5.54
IRUCCIG2	2	WANTED & UNABLE TO CUT DOWN ON CIG USE-REVISED		
		0 = No (UCDCIG = 2,4,89,94,97,98,99)	15739	86.15
		1 = Yes (UCDCIG = 1)	2530	13.85
IRUCCOC2	2	WANTED & UNABLE TO CUT DOWN ON COC USE-REVISED		
		0 = No (UCDCOC = 2,4,89,94,97,98,99)	18106	99.11
		1 = Yes (UCDCOC = 1)	163	0.89
IRUCMRJ2	2	WANTED & UNABLE TO CUT DOWN ON MRJ USE-REVISED		
		0 = No (UCDMRJ = 2, 4, 89, 94, 97 98, 99)	17882	97.88
		1 = Yes (UCDMRJ = 1)	387	2.12
MARUSE	2	MARIJUANA- FREQUENCY OF USE IN THE PAST YEAR		
		1 = Less than 12 days (IRMJFQ = 7-9)	1088	5.96
		2 = 12-50 days (1-4 days/month) (IRMJFQ = 5-6)	423	2.32
		3 = 51-300 days (1-7 days/week) (IRMJFQ = 2-4)	523	2.86
		4 = More than 300 days (daily or almost) (IRMJFQ = 1) .	239	1.31
		5 = Did not use in past year (IRMJFQ = 10)	15996	87.56
MJAGE2	2	AGE FIRST USED MARIJUANA		
		RANGE = 3-60 (MJAGE = 3-60)	6074	33.25
		99 = NEVER USED/NO ANSWER		
		(MJAGE = 981,985,991,994,998)	12195	66.75
MJDY30A3	2	NUMBER OF DAYS USED MARIJUANA/HASHISH IN PAST 30 DAYS		
		1 = 1-2 days (MJDY30A = 1-2)	401	2.19
		2 = 3-4 days (MJDY30A = 3-4)	152	0.83
		3 = 5-19 days (MJDY30A = 5-19)	348	1.90
		4 = 20-30 days (MJDY30A = 20-30)	289	1.58
		5 = NONE/NEVER USED MARIJUANA (MJDY30A = 81,83,91,93) .	16999	93.05
		6 = UNKNOWN/NO ANSWER (MJDY30A = 85,95,98)	80	0.44

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
MJPROBS	2	ANY PROBLEMS DUE TO MARIJUANA 0 = No17149 1 = Yes 1120 (1 IF IRBTMRJ2=1 OR IRGRMRJ2=1 OR IRLAMRJ2=1 OR IRACMRJ2=1 OR IREMMRJ2=1 OR IRHLMRJ2=1 OR IRUCMRJ2=1)		93.87 6.13
MRJ2PROB	2	TWO OR MORE PROBLEMS DUE TO MARIJUANA 0 = No17584 1 = Yes 685 (IF 2 OR MORE OF THE FOLLOWING = 1: IRBTMRJ2, IRGRMRJ2, IRLAMRJ2, IRACMRJ2, IREMMRJ2, IRHLMRJ2, IRUCMRJ2)		96.25 3.75
MRJ3PROB	2	THREE OR MORE PROBLEMS DUE TO MARIJUANA 0 = No17811 1 = Yes 458 (IF 3 OR MORE OF THE FOLLOWING = 1: IRBTMRJ2, IRGRMRJ2, IRLAMRJ2, IRACMRJ2, IREMMRJ2, IRHLMRJ2, IRUCMRJ2)		97.49 2.51
MJTOT3	2	NUMBER OF DAYS USED MARIJUANA/HASHISH IN LIFE 1 = 1-2 days (MJTOT = 5) 1551 2 = 3-11 days (MJTOT = 4) 1331 3 = 12-100 days (MJTOT = 3) 1382 4 = 101+ days (MJTOT = 1,2) 1810 5 = NEVER USED (MJTOT = 81,91)12169 99 = UNKNOWN/NO ANSWER (85,94,95,98)..... 26		8.49 7.29 7.56 9.91 66.61 0.14
MRJDRIV	2	DROVE W/IN 2 HRS OF USING MARIJUANA, PAST YEAR 0 = NO (VMJDRVYR=2, 89,96,97,98,99).....17652 1 = YES (VMJDRVYR=1,3,5)..... 617		96.62 3.38
MRJONLYL	1	EVER USED ONLY MARIJUANA 0 = No18143 1 = Yes (MJOFLAG=1 AND ALCFLAG=0) 126		99.31 0.69
MRJONLYM	1	USED ONLY MARIJUANA IN PAST MONTH 0 = No18121 1 = Yes (MJOMON2=1 AND ALCMON=0) 148		99.19 0.81
MRJONLYY	1	USED ONLY MARIJUANA IN PAST YEAR 0 = No18144 1 = Yes (MJOYR2=1 AND ALCYR=0) 125		99.32 0.68
NOTMARJ	1	DRUG USE OTHER THAN MARIJUANA - PAST MONTH USE 0 = No (COCMON=0 AND INHMON=0 AND HALMON=0 AND HERMON=0 AND PSYMON2=0)17593 1 = Yes (COCMON=1 AND INHMON=1 AND HALMON=1 AND HERMON=1 AND PSYMON2=1) 676		96.30 3.70
OTHONLYL	1	EVER USED ONLY OTHER DRUGS AND DRUG COMBINATIONS 0 = No18189 1 = Yes (ALCFLAG=0 & MRJONLYL=0 & PSYONLYL=0 & ANY OF THE FOLLOWING =1: PSYFLAG2,MRJFLAG,COFLAG, INHFLAG,HALFLAG,HERFLAG) 80		99.56 0.44

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OTHONLYM	1	USED ONLY OTHER DRUGS AND DRUG COMBINATIONS IN PAST MONTH 0 = No18205	18205	99.65
		1 = Yes (ALCMON=0 & MRJONLYM=0 & PSYONLYM=0 & ANY OF THE FOLLOWING =1: PSYMON2,MRJMON,COCMON, INHMON,HALMON,HERMON) 64	64	0.35
OTHONLYY	1	USED ONLY OTHER DRUGS AND DRUG COMBINATIONS IN PAST YEAR 0 = No18192	18192	99.58
		1 = Yes (ALCYR=0 & MRJONLYY=0 & PSYONLYY=0 & ANY OF THE FOLLOWING =1: PSYYR2,MRJYR,COCYR,INHYP, HALYR,HERYR) 77	77	0.42
PREG3	2	PREGNANCY STATUS OF WOMEN AGES 15-44 1 = Pregnant (PREG2 = 1 AND F15_44 = 1) 417	417	2.28
		2 = Not pregnant (PREG2 = 2 AND F15_44 = 1) 7503	7503	41.07
		99 = Otherwise (F15_44 = 0 OR PREG2 = 3, MISSING)10349	10349	56.65
PSYAGE	2	AGE FIRST USED PSYCHOTHERAPEUTICS NON-MED RANGE = 2-50 (MIN [STIMAGE, SEDAGE, TRANAGE, ANALAGE]) 1436	1436	7.84
		99 = NEVER USED/NO ANSWER (STIMAGE AND SEDAGE AND TRANAGE AND ANALAGE = 981-998)..16833	16833	92.14
PSYONLYL	1	EVER USED ONLY PSYCHOTHERAPEUTICS 0 = No18144	18144	99.32
		1 = Yes (PSYFLAG2=1,MRJFLAG=0,COCLAG=0,INHFLAG=0 HALFLAG=0,HERFLAG=0,ALCFLAG=0)..... 125	125	0.68
PSYONLYM	1	USED ONLY PSYCHOTHERAPEUTICS IN PAST MONTH 0 = No18188	18188	99.56
		1 = Yes (PSYMON2=1,MRJMON=0,COCMON=0,INHMON=0, HALMON=0,HERMON=0,ALCMON=0)..... 81	81	0.44
PSYONLYY	1	USED ONLY PSYCHOTHERAPEUTICS IN PAST YEAR 0 = No18174	18174	99.48
		1 = Yes (PSYYR2=1,MRJYR=0,COCYR=0,INHYP=0, HALYR=0,HERYR=0,ALCYR=0)..... 95	95	0.52
RACESEX	2	RACE AND SEX COMBINED 1 = White male (SEX = 1 AND RACE = 1) 3694	3694	20.22
		2 = Black male (SEX = 1 AND RACE = 2) 1678	1678	9.18
		3 = Hispanic male (SEX = 1 AND RACE = 3) 2133	2133	11.68
		4 = White female (SEX = 2 AND RACE = 1) 4787	4787	26.20
		5 = Black female (SEX = 2 AND RACE = 2) 2694	2694	14.75
		6 = Hispanic female (SEX = 2 AND RACE = 3) 2708	2708	14.82
		99 = Other males and females (SEX=1 OR 2 AND RACE=4) ... 575	575	3.15
RACESEX2	1	RACE AND SEX COMBINED 1 = White male (SEX = 1 AND RACE = 1) 3694	3694	20.22
		2 = Black male (SEX = 1 AND RACE = 2) 1678	1678	9.18
		3 = Hispanic male (SEX = 1 AND RACE = 3) 2133	2133	11.68
		4 = Other male (SEX = 1 AND RACE = 4) 269	269	1.47
		5 = White female (SEX = 2 AND RACE = 1) 4787	4787	26.20
		6 = Black female (SEX = 2 AND RACE = 2) 2694	2694	14.75
		7 = Hispanic female (SEX = 2 AND RACE = 3) 2708	2708	14.82
		8 = Other female (SEX = 2 AND RACE = 4) 306	306	1.67

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
RELNOW	2	CURRENTLY IN ON-GOING SEXUAL RELATIONSHIP		
		0 = NO (XRELNOW=2,4,96,97,98)	2118	11.59
		1 = YES (XRELNOW=1,3)	8502	46.54
		99 = LEGITIMATE SKIP (XRELNOW=89,99)	7649	41.87
RSKALC1	2	GREAT RISK:4-5 DRINKS NEARLY EVERY DAY		
		0 = NO (RK5DRINK=1,2,3)	4710	25.78
		1 = YES (RK5DRINK=4)	13395	73.32
		99 =MISSING (RK5DRINK=94,96,97,98,99)	164	0.90
RSKALC2	2	GREAT RISK:5+ DRINKS 1-2 TIMES PER WEEK		
		0 = NO (RSKBINGE=1,2,3)	8635	47.27
		1 = YES (RSKBINGE=4)	9424	51.58
		99 =MISSING (RSKBINGE=94,96,97,98,99)	210	1.15
RSKCIG	2	GREAT RISK: SMOKE 1+PACKS CIGARETTES PER DAY		
		0 = NO (RSKPKCIG=1,2,3)	6124	33.52
		1 = YES (RSKPKCIG=4)	12047	65.94
		99 =MISSING (RSKPKCIG=94,96,97,98,99)	98	0.54
RSKCO1	2	GREAT RISK: USE COC ONCE A MONTH		
		0 = NO (RSKCOCOCC=1,2,3)	5470	29.94
		1 = YES (RSKCOCOCC=4)	12608	69.01
		99 =MISSING (RSKCOCOCC=94,96,97,98,99).....	191	1.05
RSKCO2	2	GREAT RISK:USE COC 1-2 TIMES PER WEEK		
		0 = NO (RSKCOCREG=1,2,3).....	2376	13.01
		1 = YES (RSKCOCREG=4)	15509	84.89
		99 =MISSING (RSKCOCREG=94,96,97,98,99)	384	2.10
RSKMJ1	2	GREAT RISK: USE MRJ ONCE A MONTH		
		0 = NO (RSKMJOCC=1,2,3)	10881	59.56
		1 = YES (RSKMJOCC=4)	7200	39.41
		99 =MISSING (RSKMJOCC=94,96,97,98,99)	188	1.03
RSKMJ2	2	GREAT RISK:USE MRJ 1-2 TIMES PER WEEK		
		0 = NO (RSKMJREG=1,2,3)	7735	42.34
		1 = YES (RSKMJREG=4)	10134	55.47
		99 =MISSING (RSKMJREG=94,96,97,98,99)	400	2.19
RSKSELL2	2	SOMEONE APPROACH TO SELL ILLEGAL DRUG IN PAST MONTH		
		0 = NO (RSKSELL=2,94,96,97,98)	16284	89.13
		1 = YES (RSKSELL=1)	1985	10.87
SEDAGE2	2	AGE FIRST USED SEDATIVE NON-MED RANGE = 8-50 (SEDAGE = 8-50)	260	1.42
		99 = NEVER USED/NO ANSWER (SEDAGE = 981,985,991,994,995,997,998)	18009	98.58
SEXYR	2	SEXUALLY ACTIVE IN PAST YEAR		
		0 = NO (XSEXYR=2,4,96,97,98).....	2677	14.65
		1 = YES (XSEXYR=1,3)	10297	56.36
		99 = LEGITIMATE SKIP (XSEXYR=89,99).....	5295	28.98

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STIMAGE2	2	AGE FIRST USED STIMULANT NON-MED RANGE = 4-46 (STIMAGE = 4-46)	625	3.42
		99 = NEVER USED/NO ANSWER (STIMAGE = 981,985,991,995,997,998)	17644	96.58
SUB1LIF	1	EVER USED ONLY 1 SUBSTANCE 0 = No	11220	61.42
		1 = Yes (IF ONLY ONE OF THE FOLLOWING = 1: PSYFLAG2,MRJFLAG,COCFLAG,INHFLAG,HALFLAG, HERFLAG,ALCFLAG)	7049	38.58
SUB1MON	1	USED ONLY 1 SUBSTANCE IN PAST MONTH 0 = No	11083	60.67
		1 = Yes (IF ONLY ONE OF THE FOLLOWING = 1: PSYMON2,MRJMON,COCMON,INHMON,HALMON, HERMON,ALCMON)	7186	39.33
SUB1YR	1	USED ONLY 1 SUBSTANCE IN PAST YEAR 0 = No	9559	52.32
		1 = Yes (IF ONLY ONE OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR,INHYR,HALYR,HERYR,ALCYR)	8710	47.68
SUB2LIF	1	EVER USED ONLY 2 SUBSTANCES 0 = No	14811	81.07
		1 = Yes (IF ONLY TWO OF THE FOLLOWING = 1: PSYFLAG2,MRJFLAG,COCFLAG,INHFLAG,HALFLAG, HERFLAG,ALCFLAG)	3458	18.93
SUB2MON	1	USED ONLY 2 SUBSTANCES IN PAST MONTH 0 = No	17293	94.66
		1 = Yes (IF ONLY TWO OF THE FOLLOWING = 1: PSYMON2,MRJMON,COCMON,INHMON,HALMON, HERMON,ALCMON)	976	5.34
SUB2YR	1	USED ONLY 2 SUBSTANCES IN PAST YEAR 0 = No	16588	90.80
		1 = Yes (IF ONLY TWO OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR,INHYR,HALYR,HERYR,ALCYR)	1681	9.20
SUB3LIF	1	EVER USED 3 OR MORE SUBSTANCES 0 = No	15258	83.52
		1 = Yes (IF THREE OR MORE OF THE FOLLOWING = 1: PSYFLAG2,MRJFLAG,COCFLAG,INHFLAG,HALFLAG, HERFLAG,ALCFLAG)	3011	16.48
SUB3MON	1	USED 3 OR MORE SUBSTANCES IN PAST MONTH 0 = No	17910	98.03
		1 = Yes (IF THREE OR MORE OF THE FOLLOWING = 1: PSYMON2,MRJMON,COCMON,INHMON,HALMON, HERMON,ALCMON)	359	1.97
SUB3YR	1	USED 3 OR MORE SUBSTANCES IN PAST YEAR 0 = No	17420	95.35
		1 = Yes (IF THREE OR MORE OF THE FOLLOWING = 1: PSYYR2,MRJYR,COCYR,INHYR,HALYR,HERYR,ALCYR)	849	4.65

RECODES FOR MAIN FINDINGS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRANAGE2	2	AGE FIRST USED TRANQUILIZER NON-MED RANGE = 9-47 (TRANAGE = 9-47)	544	3.98
		99 = NEVER USED/NO ANSWER (TRANAGE = 981,985,991,994,998)	17725	97.02
TRIMEST2	2	CURRENT TRIMESTER OF PREGNANT WOMEN AGE 15-44 1 = 1st 3 mos of pregnancy (TRIMEST = 1 AND F15_44 = 1)	90	0.49
		2 = 2nd 3 mos of pregnancy (TRIMEST = 2 AND F15_44 = 1)	155	0.85
		3 = Last 3 mos of pregnancy (TRIMEST = 3 AND F15_44 =1)	146	0.80
		99 = Otherwise (F15_44 = 0 OR TRIMEST = 4, MISSING)	17878	97.86
TRMTHLP2	2	TREATMENT RECEIVED FOR DRUGS- RECODE 0 = No	18044	98.77
		1 = Yes	225	1.23
		(1=YES IF TXDRHOSP = 1,3,5 OR TXDRFIN = 1,3,5 OR TXDRFOP = 1,3,5 OR TXDRMHC = 1,3,5 OR TXDREMRG = 1,3,5 OR TXDRDOC = 1,3,5 OR TXDRJAIL = 1,3,5 OR TXDRSHG = 1,3,5 OR TXDRSOP = 1,3,5)		
YRDIFPP1	2 1	SEX PARTNER IN PAST YEAR 0 = NO (XYRDIFPP= 2,3,4,5,6,7,85,96,97,98)	2251	12.32
		1 = YES (XYRDIFPP=1,11).....	8369	45.81
		99 = LEGITIMATE SKIP (XYRDIFPP=89,99)	7649	41.87
YRDIFPP2	2 2	OR MORE SEX PARTNERS IN PAST YEAR 0 = NO (XYRDIFPP= 1,11,85,96,97,98).....	8962	49.06
		1 = YES (XYRDIFPP=2,3,4,5,6,7)	1658	9.08
		99 = LEGITIMATE SKIP (XYRDIFPP=89,99)	7649	41.87

MENTAL HEALTH VARIABLES (RECODED)

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MENTAL HEALTH VARIABLES (RECODED)				

ANY4MENT	2	RECODE ANY 1 OF 4 MH ILLNESS FOR ADULTS		
		0 = Did not have in past year	12253	67.07
		1 = Had in past year	1478	8.09
		99 = Children age 12-17	4538	24.84
DRUNKYR3	2	DRUNK 3+ DAYS IN PAST YEAR		
		0 = No (DRUNKYR gt 8)	10620	58.13
		1 = Yes (DRUNKYR le 8)	3111	17.03
		99 = CHILDREN AGE 12-17	4538	24.84
The variable EXT was created by the following formula: (DELBEH2 + AGGBEH2).				
EXT	2	TOTAL SCORE FOR BEHAVIORAL PROBLEM SCALE		
		RANGE = 0-56	4410	24.14
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	13859	75.86
The variable INT was created by the following formula: ((WITHDRW2 + SOMCOM2 + ANXDEP2) - (YUNHAPP2)).				
INT	2	TOTAL SCORE FOR EMOTIONAL PROBLEM SCALE		
		RANGE = 0-61	4410	24.14
		99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)).....	13859	75.86
The variables PR_AB, PR_AD, PR_AP, PR_DB, PR_SC, PR_SP, PR_TP, PR_WD, were created from variables AGGBEHT, ANXDEPT, ATTPROBT, DELBEHT, SOMCOMT, SOCPROBT, THPROBT, WITHDRWT.				
PR_AB	2	AGGRESSIVE BEHAVIOR-MENTAL HEALTH RECODE		
		0 = No (AGGBEHT LT)	4142	22.67
		1 = Yes (AGGBEHT GE 67)	268	1.47
		99 = BLANK/NO ANSWER (AGGBEHT = 998,999)	13859	75.86
PR_AD	2	ANXIOUS/DEPRESSED-MENTAL HEALTH RECODE		
		0 = No (ANXDEPT LT 67)	4228	23.14
		1 = Yes (ANXDEPT GE 67)	182	1.00
		99 = BLANK/NO ANSWER (ANXDEPT = 998,999).....	13859	75.86
PR_AP	2	ATTENTION PROBLEM-MENTAL HEALTH RECODE		
		0 = No (ATTPROBT LT 67)	4184	22.90
		1 = Yes (ATTPROBT GE 67)	226	1.24
		99 = BLANK/NO ANSWER (ATTPROBT = 998,999)	13859	75.86
PR_DB	2	DELINQUENT BEHAVIOR-MENTAL HEALTH RECODE		
		0 = No (DELBEHT LT 67)	3997	21.88
		1 = Yes (DELBEHT GE 67)	413	2.26
		99 = BLANK/NO ANSWER (DELBEHT = 998,999)	13859	75.86

MENTAL HEALTH VARIABLES (RECODED)

LABEL -----	LEN ----	DESCRIPTION -----	FREQ -----	% --
PR_SC	2	SOMATIC COMPLAINTS-MENTAL HEALTH RECODE 0 = No (SOMCOMT LT 67) 1 = Yes (SOMCOMT GE 67) 99 = BLANK/NO ANSWER (SOMCOMT = 998,999).....	4068 342 13859	22.27 1.87 75.86
PR_SP	2	SOCIAL PROBLEM-MENTAL HEALTH RECODE 0 = No (SOCPROBT LT 67) 1 = Yes (SOCPROBT GE 67) 99 = BLANK/NO ANSWER (SOCPROBT = 998,999)	4156 254 13859	22.75 1.39 75.86
PR_TP	2	THOUGHT PROBLEM-MENTAL HEALTH RECODE 0 = No (THPROBT LT 67) 1 = Yes (THPROBT GE 67) 99 = BLANK/NO ANSWER (THPROBT = 998,999)	4060 350 13859	22.22 1.92 75.86
PR_WD	2	WITHDRAWN-MENTAL HEALTH RECODE 0 = No (WITHDRWT LT 67) 1 = Yes (WITHDRWT GE 67) 99 = BLANK/NO ANSWER (WITHDRWT = 998,999)	4287 123 13859	23.47 0.67 75.86
The variable PR_BEHAV was created from variable EXT.				
PR_BEHAV	2	BEHAVIORAL PROB-MENTAL HEALTH RECODE 0 = No (EXT LT 19 & IRSEX=1 OR EXT LT 17 & IRSEX=2) ... 1 = Yes (EXT GE 19 & IRSEX=1 OR EXT GE 17 & IRSEX=2) .. 99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	3642 768 13859	19.94 4.20 75.86
The variable PR_EMOT was created from variable INT.				
PR_EMOT	2	EMOTIONAL PROB-MENTAL HEALTH RECODE 0 = No (INT LT 17 AND IRSEX=1 OR INT LT 22 AND IRSEX=2) 1 = Yes (INT GE 17 AND IRSEX=1 OR INT GE 22 AND IRSEX=2) 99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	3826 584 13859	20.94 3.20 75.86
The variable PR_TOTAL was created from variable TOTPROB.				
PR_TOTAL	2	TOTAL PSYCHOSOCIAL PROB-MENTAL HEALTH RECODE 0 = No (TOTPROB LT 54 AND IRSEX = 1) OR (TOTPROB LT 57 AND IRSEX = 2)..... 1 = Yes (TOTPROB GE 54 AND IRSEX = 1) OR (TOTPROB GE 57 AND IRSEX = 2)..... 99 = BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER))	3614 796 13859	19.78 4.36 75.86

MENTAL HEALTH VARIABLES (RECODED)

LABEL -----	LEN ----	DESCRIPTION -----	FREQ -----	% --
		<p>The variable TOTPROB is the sum of the following variables, after they have been recoded from 1,2,3 to 0,1,2: [YACTYNG YARGUE YACOPPSX YBRAG YTRBCONC YCNTHGTS YTRBSIT YDPTADLT YFLONELY YFLCONFU YCRYLOT YMEANOTH YDAYDREM YTRYKLSF YTRYATTN YDSTYTHG YDSTYOTH YDSBYPAR YDSBYSCH YDNTEATW YDNTKIDS YDNTGLTY YJEALOTH YAFRPLAC YAFRSCHL YAFRBAD YFLPRFCT YFLNOLOV YFLGETME YFLWTHLS YACCHURT YFIGHTS YGTEASED YKIDSTRB YHRVOICS YACTTNK YALONE YLIE YBITNAIL YNERVOUS YBTWITCH YNGHTMAR YNOTKIDS YANXIOUS YFLDIZZY YFLGUILT YEATMUCH YFLTIRED YOVRWGHT YACHES YHEADACH YNAUSEA YEYEPROB YRASHES YCRAMPS YVOMIT YATTACK YPKBPART YSCPOOR YCLUMSY YOLDKIDS YNGKIDS YRFSTALK YREPACTN YRUNHOME YSCREAM YSECRET YSEETHNG YSLFCONS YSETFIRE YSHOWOFF YSHY YSLPLESS YSLPMORE YSPCHPRB YSTEALHO YSTEALPL YDNTNEED YDOSTRNG YTHSTRNG YSTUBORN YMOODS YSUSPICS YDRTLANG YTHKKLSF YTALKMCH YTEASE YTEMPER YTHNKSEX YTHRTPEO YCONNEAT YTRBSLEP YSKIPSCH YNOENRGY YUNHAPPY YLOUDER YUSEDRUG YWSOPPSX YINVOTH YWORRY].</p>		
TOTPROB	3	TOTAL SCORE-TOTAL PSYCHOSOCIAL PROBLEM SCALE		
		RANGE = 0-186	4410	24.14
		999 =BLANK (INCLUDES ADOLESCENTS WHO DID NOT ANSWER AND LEGITIMATE SKIP FOR ADULTS (AGE 18 AND OLDER)).....	13859	75.86

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ACRDALC	134
ACRDANL	135
ACRDCIG	134
ACRDCOC	134
ACRDHAL	135
ACRDHER	135
ACRDINH	135
ACRDMRJ	134
ACRDSER	136
ACRDSTM	136
ACRDTRN	135
AEROS	40
AEROS2	98
AFDC	302
AGECAT3	337
AGECAT4	337
AGGBEH	318
AGGBEHT	319
AGP1	326
AGP3	326
AGPSFS1	326
AGPSFS3	326
AL03	99
AL04	100
ALC2PROB	338
ALC3PROB	339
ALCDAYS	16
ALCDAYS2	337
ALCDAYS3	337
ALCDLYF	90
ALCDRIV	337
ALCEVER	13
ALCFLAG	86
ALCILLL	337
ALCILLM	337
ALCILLY	337
ALCMON	86
ALCMONF	89
ALCMRJL	337
ALCMRJM	338
ALCMRJY	338
ALCOCCF	90
ALCONLYL	338
ALCONLYM	338
ALCONLYY	338
ALCOTHL	338
ALCOTHM	338
ALCOTHY	338
ALCPAT	15
ALCPROBS	338
ALCPSYL	339

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
ALCPSYM	339
ALCPSYY	339
ALCREAD	13
ALCREC	14
ALCTRY	14
ALCTRY2	339
ALCUSE	339
ALCWKF	90
ALCYR	86
ALCYRF	89
AMYLNIT	38
AMYLNIT2	97
ANALAGE	50
ANALAGE2	339
ANALNEWA	48
ANALNEWB	49
ANALNEWC	49
ANALNEWD	49
ANALNEWE	50
ANALNONE	50
ANALREC	51
ANALTOT	51
ANALWT	335
ANALWT1	335
ANALWT2	335
ANALWT3	335
ANALWT4	335
ANLDKNAM	47
ANLDLYF	93
ANLFLAG	88
ANLMON	89
ANLMONF	92
ANLNOLST	47
ANLOCCF	93
ANLREAD	45
ANLWKF	92
ANLYR	88
ANLYRF	92
ANLYRFRQ	52
ANXDEP	318
ANXDEPT	319
ANY4MENT	351
ATARAX	53
ATIVAN	53
ATTPROB	318
ATTPROBT	319
AVCIG	10
AVCIG2	339
AVCIG3	339
BAP	328
BENZ	58

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
BHOUR	328
BINGDRK2	339
BINGEDRK	96
BINGEHVY	96
BIPHET	59
BIRMONTH	72
BIRYEAR	72
BKAGASL2	339
BKAGASLT	152
BKARSON	153
BKARSON2	340
BKBURGL	152
BKBURGL2	340
BKDRUG	154
BKDRUG2	340
BKDRUNK	154
BKDRUNK2	340
BKDRVIN2	340
BKDRVINF	154
BKLARC2	340
BKLARCNY	152
BKMURDE2	340
BKMURDER	153
BKMVTHF2	340
BKMVTHFT	153
BKOTH	155
BKOTHOFF	155
BKPROS	154
BKPROS2	340
BKRAPE	153
BKRAPE2	340
BKROB	153
BKROB2	340
BKSMASL2	340
BKSMASLT	152
BKVANDAL	154
BMIN	328
BOOKED	151
BTOLALC	131
BTOLANL	133
BTOLCIG	131
BTOLCOC	132
BTOLHAL	132
BTOLHER	132
BTOLINH	132
BTOLMRJ	132
BTOLSED	133
BTOLSTM	133
BTOLTRN	133
CARENOW	292
CAREOFT	290

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
CAREUSU	289
CATAG2	84
CATAG3	84
CATAGE	84
CC04	101
CC05	102
CDALWAYS	340
CDNEVER	341
CDSOME	341
CG04	99
CG12	99
CHAMPUS	296
CHD1	304
CHD2	304
CIG2PROB	341
CIG30USE	9
CIG30WOK	10
CIG3PROB	341
CIGAGE	11
CIGEVER	8
CIGEVYDA	11
CIGFLAG	86
CIGMON	86
CIGPROBS	341
CIGREC	9
CIGTOT	8
CIGTRY	8
CIGTRY2	341
CIGYR	86
CIGYRS	11
CK04	102
CK05	103
CLEFLU	39
CLEFLU2	97
COC2PROB	341
COC3PROB	342
COCAGE	22
COCAGE2	341
COCDLYF	91
COCEVER	21
COCFLAG	87
COCMON	87
COCMONF	90
COCNEEDL	113
COCOCCF	90
COCPROBS	341
COCREAD	21
COCREC	22
COCTOT	22
COCTOT3	342
COCUS30A	23

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
COCUSE	342
COCWKF	90
COCYR	87
COCYRF	90
COCYRFRQ	23
CODEINE	45
CONCEN1	265
CONCEN2	270
CONDLREC	114
COOPINT	329
CPRES	331
CRAKREC	25
CRKAGE	25
CRKDLYF	91
CRKEVER	24
CRKFLAG	87
CRKMON	87
CRKMONF	91
CRKOCCF	91
CRKREAD	24
CRKTOT	25
CRKUS30A	26
CRKWKF	91
CRKYR	87
CRKYRF	91
CRKYRFRQ	26
DALMANE	66
DARVON	46
DBREAD	221
DELBEH	318
DELBEHT	319
DEMEROL	46
DEPDAYS	262
DEPFREQ	263
DEPMO1	266
DEPMO2	272
DEPRESS	262
DEPWKS1	266
DEPWKS2	271
DEPYR1	267
DEPYR2	272
DEXAMYL	59
DEXED	59
DIAZEPAM	54
DILAUD	46
DIPLOMA	4
DIVISION	334
DOWN1	265
DOWN2	270
DR5DAY	17
DRALHELP	342

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
DRGREAD	123
DRINKER2	342
DRIVEAL	156
DRIVEDR	157
DRNKHLP2	342
DRUNKYR	15
DRUNKYR2	342
DRUNKYR3	351
DRVALDR	156
EAP	328
ECSTASY	31
ECSTASY2	97
EDUC	4
EDUCCAT2	84
EHOUR	328
EMIN	328
EMPBALC	137
EMPBANL	138
EMPBCIG	136
EMPBCOC	137
EMPBHAL	137
EMPBHER	137
EMPBINH	138
EMPBMRJ	137
EMPBSED	138
EMPBSTM	138
EMPBTRN	138
EMPSTAT2	84
ENCCASE	1
ENCPSU	1
ENCSEG	1
ENROLLD	5
ETHER	39
ETHER2	97
EXT	351
F15_44	314
FAMINC	316
FAMINC2	316
FAMINC3	316
FAMSKIP	333
FASTIN	59
FEARBRDG	277
FEARFANT	279
FEARHELP	279
FEARMOS	278
FEAROFT	278
FEAROUT	277
FEARPUB	277
FEARTRAP	279
FEARYRS	278
FEMBABY	314

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
FEMKIDS	314
FERTAGE	342
FINC1	307
FSTAMP	305
GAD1	325
GAD3	326
GADSFS1	325
GADSFS3	325
GAS	39
GAS2	97
GLUE	39
GLUE2	97
GNNDCLEN	117
GNNDGET	117
GNNDGTSP	118
GNNDLLIF	113
GNNDLSH1	116
GNNDLSH2	117
GNNDREUS	116
GQTYPE	333
GRPHLTIN	297
GRTMALC	126
GRTMANL	128
GRTMCIG	126
GRTMCOC	127
GRTMHAL	127
GRTMHER	127
GRTMINH	127
GRTMMRJ	127
GRTMSED	128
GRTMSTM	128
GRTMTRN	128
HAL30USE	36
HALCION	67
HALDKNAM	32
HALDLYF	92
HALFLAG	87
HALLAGE	35
HALLAGE2	342
HALLREC	35
HALLTOT	35
HALMON	88
HALMONF	92
HALNEWA	33
HALNEWB	34
HALNEWC	34
HALNEWD	34
HALNEWE	34
HALNOLST	32
HALOCCF	92
HALREAD	30

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
HALWKF	92
HALYR	87
HALYRF	91
HALYRFRQ	36
HE04	103
HE05	104
HEALTH	7
HER30USE	29
HERAGE	28
HERAGE2	342
HERDLYF	91
HEREVER	27
HERFLAG	87
HERMON	87
HERMONF	91
HERNEED2	343
HERNEEDL	114
HEROCCF	91
HERREAD	27
HERREC	28
HERSMOK2	97
HERSMOKE	112
HERSNIF2	97
HERSNIFF	112
HERTOT	28
HERWKF	91
HERYR	87
HERYRF	91
HERYRFRQ	29
HISPRACE	84
HIVTEST	343
HLPBALC	139
HLPBANL	140
HLPBCIG	139
HLPBCOC	139
HLPBHAL	140
HLPBHER	140
HLPBINH	140
HLPBMRJ	139
HLPBSED	141
HLPBSTM	141
HLPBTRN	140
HLTINALC	298
HLTINDRG	298
HLTINMNT	299
HRANYFRM	111
HRNDLREC	115
HRSMKREC	112
HRSNFREC	113
HTININCH	7
HVYDRK2	96

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
HVYDRK3	343
IDEAT1	265
IDEAT2	271
IEMFLAG	96
IEMMON	96
IEMYR	96
IIAFDC	310
IIAGE	73
IIALCFQ	80
IIALCRC	76
IIANLFQ	82
IIANLRC	78
IICHD1	310
IICHD2	312
IICIGRC	76
IICOCFQ	81
IICOCRC	77
IICRKFQ	81
IICRKRC	77
IIEDUC	75
IIFINC1	311
IIFSTAMP	310
IIHALFQ	82
IIHALRC	77
IIHERFQ	81
IIHERRC	77
IIHOGRP	73
IIHOGRP2	74
IIHOIND	73
IIHSGRAD	75
IIINHFQ	82
IIINHRC	78
IIINSUR	309
IIINT1	310
IIINT2	312
IILSDRC	78
IIMARIT	74
IIMJFQ	80
IIMJRC	76
IIOTBRC	76
IIOTH1	310
IIOTH2	312
IIPCRC	78
IIPINC1	311
IIPINSUR	309
IIPUB1	309
IIPUB2	311
IIRACE	73
IISEDFQ	83
IISEDRC	79
IISEX	73

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IISOC1	309
IISOC2	311
IISSI1	309
IISSI2	311
IISTMFQ	83
IISTMRC	79
IITRNFQ	83
IITRNRN	79
IWORKST	75
ILLONLYL	343
ILLONLYM	343
ILLONLYY	343
IN04	106
IN05	106
INDCAT	315
INHAGE	42
INHAGE2	343
INHDKNAM	40
INHDLFY	92
INHDI30A	44
INHFLAG	88
INHMON	88
INHMONF	92
INHNEWA	41
INHNEWB	42
INHNEWC	42
INHNEWD	42
INHNEWE	42
INHNOLST	41
INHOCFF	92
INHREAD	38
INHREC	43
INHTOT	43
INHWF	92
INHFR	88
INHFRF	92
INHFRFRQ	44
INT	351
INT1	303
INT2	303
INTMONTH	328
IONAMIN	59
IRACALC2	343
IRACCIG2	343
IRACCOC2	343
IRACMRJ2	343
IRAFDC	310
IRAGE	72
IRALCFQ	80
IRALCRC	76
IRANLFQ	82

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IRANLRC	78
IRBTALC2	343
IRBTCIG2	343
IRBTCOC2	344
IRBTMRJ2	344
IRCHD1	310
IRCHD2	312
IRCIGRC	76
IRCOCFQ	80
IRCOCRC	77
IRCRKFQ	81
IRCRKRC	77
IREduc	74
IREMALC2	344
IREMCIG2	344
IREMCOC2	344
IREMMRJ2	344
IRFINC1	311
IRFSTAMP	310
IRGRALC2	344
IRGRCIG2	344
IRGRCOC2	344
IRGRMRJ2	344
IRHALFQ	81
IRHALRC	77
IRHERFQ	81
IRHERRC	77
IRHLALC2	344
IRHLCIG2	344
IRHLCOC2	344
IRHLMRJ2	344
IRHOGRP	73
IRHOGRP2	74
IRHOIND	73
IRHSGRAD	75
IRINHFQ	82
IRINHRC	78
IRINSUR	309
IRINT1	310
IRINT2	312
IRKIDS	313
IRLAALC2	345
IRLACIG2	345
IRLACOC2	345
IRLAMRJ2	345
IRLSDRC	78
IRMARIT	74
IRMJFQ	80
IRMJRC	76
IROTBRC	76
IROTH1	310

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
IROTH2	312
IRPCPRC	78
IRPEOP	313
IRPINC1	311
IRPINSUR	309
IRPUB1	309
IRPUB2	311
IRRACE	73
IRSEDFQ	83
IRSEDRC	79
IRSEX	73
IRSOC1	309
IRSOC2	311
IRSSI1	309
IRSSI2	311
IRSTMFQ	83
IRSTMRC	79
IRTRNFQ	82
IRTRNRC	79
IRUCALC2	345
IRUCCIG2	345
IRUCCOC2	345
IRUCMRJ2	345
IRWORKST	75
LAMTALC	129
LAMTANL	130
LAMTCIG	129
LAMTCOC	129
LAMTHAL	130
LAMTHER	130
LAMTINH	130
LAMTMRJ	129
LAMTSED	131
LAMTSTM	131
LAMTTRN	130
LANGVER	328
LBSCHNG1	264
LBSCHNG2	269
LGAS	40
LGAS2	98
LIBRIUM	54
LOSINDAY	268
LOSINFRQ	268
LOSTINT1	263
LOSTINT2	267
LS04	104
LS05	105
LS07	105
LS08	106
LSD	30
LSDFLAG	88

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
LSDMON	88
LSDREC	37
LSDYR	88
M15_44	314
MALEBABY	314
MALEKIDS	314
MARISTAT	85
MARITAL	2
MARUSE	345
MDE1	324
MDE3	325
MDEFS1	324
MDEFS3	324
MEDICAID	296
MEDICARE	295
MESC	31
MESC2	97
METHAMP	59
METHAMP2	97
METHAQ	67
METHDON	46
METHI	60
MILSTAT	3
MJ04	100
MJ05	101
MJAGE	18
MJAGE2	345
MJDAY30A	20
MJDY30A3	345
MJEVER	18
MJOFLAG	95
MJOMON2	95
MJOYR2	95
MJPROBS	346
MJREC	19
MJTOT	19
MJTOT3	346
MJYRFREQ	20
MNRSNNCR	293
MNRSNNSC	293
MNRSNNSP	293
MORPHINE	46
MRJ2PROB	346
MRJ3PROB	346
MRJDLYF	90
MRJDRIV	346
MRJFLAG	86
MRJMON	87
MRJMONF	90
MRJOCFF	90
MRJONLYL	346

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
MRJONLYM	346
MRJONLYY	346
MRJWKF	90
MRJYR	86
MRJYRF	90
NCARERSN	289
NCRRSNSC	290
NCRRSNSP	290
NDTXALC	145
NDTXANL	146
NDTXBDHR	148
NDTXCOC	145
NDTXDRG1	147
NDTXDRG2	147
NDTXDRG3	147
NDTXDRG4	147
NDTXDRG5	147
NDTXHAL	146
NDTXHCAP	149
NDTXHER	146
NDTXINH	146
NDTXLANG	150
NDTXMJ	145
NDTXMONY	149
NDTXNEED	145
NDTXOPEN	149
NDTXRCVD	144
NDTXRSC1	150
NDTXSED	147
NDTXSOD	147
NDTXSOR	150
NDTXSPSV	150
NDTXSTEP	148
NDTXSTIM	146
NDXTCMP	149
NDXTFAR	148
NDTXTRAN	146
NDXTRSP	148
NDXTYPE	149
NEDFLAG4	317
NEDYR4	317
NEEDLREC	317
NEMBUTAL	67
NITOXID	40
NITOXID2	98
NOBOOKYR	151
NODR30A	16
NODRUGYR	126
NOMARR	2
NOSEDAT	69
NOSTIMS	63

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
NOTMAR	85
NOTMARJ	346
NOTRANQ	56
NUERTMT	284
NUHSPOV	284
NUHSPPE	285
OAPRES	330
OARPRES	330
OPRESNSP	331
OPRESSPA	332
OPRESSPB	333
OTH1	304
OTH2	305
OTHONLYL	346
OTHONLYM	347
OTHONLYY	347
OUTPTPE	285
PA1	327
PA3	327
PANIC1	280
PANIC2	280
PANICMO	281
PANICNUM	280
PANICYR	281
PANIDANG	281
PANIFEAR	282
PANIHART	282
PANIHOT	283
PANINOFR	282
PANIPAIN	282
PANISHAK	283
PANISWET	283
PANIUNRL	283
PAROLE	156
PARPRES	330
PARSTAT	313
PASFS1	327
PASFS3	327
PBREAD	203
PCP	31
PCPFLAG	88
PCPMON	88
PCPREC	37
PCPYR	88
PDEN	334
PDEN2	334
PDHINPRM	298
PERCODAN	46
PERINC	315
PERINC2	315
PERINC3	315

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
PEYOTE	31
PEYOTE2	97
PHENOBAR	67
PINC1	306
PK04	107
PK05	107
PLACIDYL	67
POUNDS	7
PPRES	330
PREG	314
PREG2	314
PREG3	347
PREGMOS	261
PREGNANT	261
PRELUDIN	60
PRIVACY	330
PROBAGP1	326
PROBAGP3	326
PROBATON	155
PROBGAD1	325
PROBGAD3	325
PROBMDE1	324
PROBMDE3	324
PROBPA1	327
PROBPA3	327
PROXABLE	286
PROXHOME	288
PROXJOIN	288
PROXYREL	287
PRVHLTIN	297
PR_AB	351
PR_AD	351
PR_AP	351
PR_BEHAV	352
PR_DB	351
PR_EMOT	352
PR_SC	352
PR_SP	352
PR_TOTAL	352
PR_TP	352
PR_WD	352
PSILCY	31
PSILCY2	97
PSYAGE	347
PSYFLAG2	94
PSYMON2	94
PSYONLYL	347
PSYONLYM	347
PSYONLYY	347
PSYR2	94
PUB1	301

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
PUB2	302
PYRCARE	291
PYRCRTSC	292
PYRCRTSP	291
PYRCRTYP	291
QUARTER	333
RACE	84
RACESEX	347
RACESEX2	347
REGION	334
RELINTHH	313
RELNOW	348
RESPID	1
RK5DRINK	120
RKCOCOCC	120
RKCOCREG	120
RKDIFCOC	121
RKDIFCRK	121
RKDIFHER	122
RSKALC1	348
RSKALC2	348
RSKBINGE	121
RSKCIG	348
RSKCOC1	348
RSKCOC2	348
RSKDIFMJ	121
RSKMJ1	348
RSKMJ2	348
RSKMJOCC	120
RSKMJREG	120
RSKPKCIG	119
RSKREAD	119
RSKSELL	122
RSKSELL2	348
RURORURB	334
SDREAD	111
SE04	110
SE05	110
SECONAL	67
SEDAGE	70
SEDAGE2	348
SEDDKNAM	68
SEDDLIF	94
SEDFLAG	89
SEDMON	89
SEDMONF	94
SEDNEWA	68
SEDNEWB	69
SEDNEWC	69
SEDNEWD	69
SEDNEWE	69

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
SEDNOLST	68
SEDOCCF	94
SEDREAD	66
SEDREC	71
SEDTOT	70
SEDWKF	94
SEDYR	89
SEDYRF	94
SEDYRFRQ	71
SERVICE	3
SEXYR	348
SKPALCRD	13
SKPANLRD	45
SKPBDBAN	202
SKPCOCD	21
SKPCRKR	24
SKPDBRD	221
SKPDEP1	266
SKPDEP2	271
SKPDRGRD	123
SKPFEAR1	277
SKPFEAR2	281
SKPHALRD	30
SKPHERRD	27
SKPINHRD	38
SKPMARTL	2
SKPMHC	262
SKPMILT	3
SKPPBRD	203
SKPPREG	261
SKPRSKRD	119
SKPSDRD	111
SKPSEDRD	66
SKPSPTRD	144
SKPSTMRD	58
SKPTFMIN	307
SKPTMTRD	158
SKPTRNRD	53
SKPWKST3	260
SKPWOR	275
SKPYCRD	177
SKYCPBAN	177
SLPFREQ1	265
SLPFREQ2	270
SLPLOSS1	264
SLPLOSS2	269
SMKFLAG	86
SMKMON	86
SMKYR	86
SNUFEVER	12
SNUFREC	12

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
SOC1	300
SOC2	300
SOCPROB	318
SOCPROBT	319
SOLVENT	39
SOLVENT2	98
SOMCOM	318
SOMCOMT	319
SPPAINT	40
SPPAINT2	98
SPRES	330
SPTREAD	144
SSI1	301
SSI2	301
ST04	109
ST05	109
STIMAGE	63
STIMAGE2	349
STIMNEWA	61
STIMNEWB	62
STIMNEWC	62
STIMNEWD	62
STIMNEWE	62
STIMREC	64
STIMTOT	64
STMDKNAM	60
STMDLYF	93
STMFLAG	89
STMMON	89
STMMONF	93
STMNOLST	60
STMOCF	93
STMREAD	58
STMWKF	93
STMYR	89
STMYRF	93
STMYRFRQ	65
STNDLREC	116
STNEEDLE	115
SUB1LIF	349
SUB1MON	349
SUB1YR	349
SUB2LIF	349
SUB2MON	349
SUB2YR	349
SUB3LIF	349
SUB3MON	349
SUB3YR	349
SUMFLAG	94
SUMMON	95
SUMYR	95

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
SXCONDYR	322
SXDRANY	323
SXDRCNT	323
SXHIVLF	320
SXHIVYR	320
SXREL	321
SXRELMAR	321
SXRSKANY	322
SXRSKCNT	322
TALWIN	47
TELNO	308
THPROB	318
THPROBT	319
TIRED1	263
TIRED2	268
TMTREAD	158
TOTCAT	316
TOTPEOP	261
TOTPROB	353
TR04	108
TR05	108
TRANAGE	56
TRANAGE2	350
TRANREC	57
TRANTOT	56
TRANXENE	54
TRDKNAM	54
TRIMEST	314
TRIMEST2	350
TRMTHLP2	350
TRNEWA	55
TRNEWB	55
TRNEWC	55
TRNEWD	55
TRNEWE	55
TRNOLST	54
TRNREAD	53
TRNYRFRQ	57
TRQDLYF	93
TRQFLAG	89
TRQMON	89
TRQMONF	93
TRQOCCF	93
TRQWKF	93
TRQYR	89
TRQYRF	93
TUINAL	68
TXADGREC	165
TXALDOC	161
TXALEMRG	161
TXALHOSP	160

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
TXALJAIL	161
TXALMHC	160
TXALRFIN	160
TXALRFOP	160
TXALSHG	161
TXALSOP	161
TXALSP	162
TXDRDOC	163
TXDREMRG	163
TXDRFIN	162
TXDRFOP	163
TXDRGA	171
TXDRGB	171
TXDRGC	172
TXDRGD	172
TXDRGE	172
TXDRHOSP	162
TXDRJAIL	163
TXDRMHC	163
TXDRSHG	164
TXDRSOP	164
TXDRSP	164
TXENROLL	176
TXEVER	158
TXLTA	170
TXLTALC	168
TXLTANL	169
TXLTB	170
TXLTC	170
TXLTCOC	168
TXLTD	170
TXLTDOC	166
TXLTE	171
TXLTEMRG	166
TXLTHAL	169
TXLTHER	168
TXLTHOSP	165
TXLTINH	169
TXLTJAIL	166
TXLTMHC	166
TXLTMJ	168
TXLTRAN	169
TXLTRFIN	165
TXLTRFOP	166
TXLTSED	170
TXLTSHG	167
TXLTSOD	170
TXLTSOP	167
TXLTSP	167
TXLTSTIM	169
TXOUTC	172

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
TXPDCAID	174
TXPDCARE	173
TXPDEEMPL	174
TXPDFMLY	174
TXPDFREE	174
TXPDINS	173
TXPDSAVE	174
TXPDSOS	175
TXPDSP	175
TXTIME	173
TXTIMELF	159
TXYREMRG	164
TXYRFREQ	159
TYLCOD	47
UCARETYP	294
UCDALC	141
UCDANL	143
UCDCIG	141
UCDCOC	142
UCDHAL	142
UCDHER	142
UCDINH	142
UCDMRJ	142
UCDSED	143
UCDSTM	143
UCDTRN	143
UCRTYPSC	294
UCRTYPSP	294
UNDINT	329
USEDALC	124
USEDANL	125
USEDICIG	123
USEDICOC	124
USEDHAL	124
USEDHER	124
USEDINH	125
USEDMRJ	124
USEDSED	125
USEDSTM	125
USEDTRN	125
VAL30USE	223
VALCNODR	224
VALCTIME	224
VALDRVYR	222
VALDIME	225
VALIUM	54
VALYRFRQ	223
VCC30USE	242
VCCABIL	249
VCCALCYR	239
VCCANLYR	240

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
VCCAPPT	248
VCCDRVYR	238
VCCHALYR	239
VCCHERYR	239
VCCINHYR	240
VCCMRJYR	239
VCCNHIGH	247
VCCNODVR	248
VCCNOWAY	247
VCCNPOLC	248
VCCOTHER	248
VCCOTHSP	249
VCCOTHYR	241
VCCSEDYR	240
VCCSTMYR	240
VCCSTOP	249
VCCTRNYR	240
VCCUSEYR	238
VCCYRS1	241
VCCYRS2	241
VCCYRS3	241
VCCYRS4	241
VCCYRS5	241
VDRVYR	221
VEREP	335
VESTR	335
VLTC CABL	247
VLTC CAL1	242
VLTC CAL2	243
VLTC CAL3	243
VLTC CAL4	243
VLTC CAL5	243
VLTC CALC	242
VLTC CFRM	243
VLTC CFRS	244
VLTC CHWY	245
VLTC CTIM	246
VLTC CTO	244
VLTC CTOS	244
VLTC CURB	245
VLTC CWKD	246
VLTM JABL	235
VLTM JAL1	230
VLTM JAL2	230
VLTM JAL3	230
VLTM JAL4	231
VLTM JAL5	231
VLTM JALC	230
VLTM JFRM	231
VLTM JFRS	231
VLTM JHWY	233

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
VLTMJTIM	234
VLTMJTO	232
VLTMJTOS	232
VLTMJURB	233
VLTMJWKD	234
VLTSEABL	259
VLTSEAL1	258
VLTSEAL2	258
VLTSEAL3	258
VLTSEAL4	258
VLTSEAL5	259
VLTSEALC	258
VLTSEMED	257
VLTSTABL	255
VLTSTAL1	254
VLTSTAL2	255
VLTSTAL3	255
VLTSTAL4	255
VLTSTAL5	255
VLTSTALC	254
VLTSTMED	254
VLTTRABL	252
VLTTRAL1	251
VLTTRAL2	252
VLTTRAL3	252
VLTTRAL4	252
VLTTRAL5	252
VLTTRALC	251
VLTTRMED	251
VMJ30USE	229
VMJABIL	238
VMJALCYR	226
VMJANLYR	227
VMJAPPT	236
VMJCOCYR	226
VMJDRVYR	226
VMJHALYR	227
VMJHERYR	227
VMJINHYR	227
VMJNHIGH	235
VMJNODVR	236
VMJNOWAY	235
VMJNPOLC	236
VMJOTHER	236
VMJOTHSP	237
VMJOTHYR	228
VMJSEDYR	228
VMJSTMYR	228
VMJSTOP	237
VMJTRNYR	228
VMJUSEYR	225

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
VMJYRS1	229
VMJYRS2	229
VMJYRS3	229
VMJYRS4	229
VMJYRS5	229
VSE30USE	257
VSEDRVYR	256
VSEUSEYR	256
VST30USE	253
VSTDRVYR	253
VSTUSEYR	253
VTR30USE	250
VTRDRVYR	250
VTRUSEYR	250
VYRFREQ	222
WELFARE	316
WHOMARKD	333
WITHDRW	318
WITHDRWT	318
WORDIFF1	274
WORDIFF2	275
WOREDGE	275
WOREND	272
WORFAINT	276
WORHAPN1	273
WORHAPN2	274
WORHEART	276
WORIRRIT	276
WORKBLAH	260
WORKDAYS	260
WORKSTAT	6
WORNOMO1	273
WORNOMO2	274
WORREST	275
WORRIED	272
WORSERI1	273
WORSERI2	274
WORSLEEP	276
WORTIRED	276
WT1	335
WT10	335
WT11	335
WT12	335
WT2	335
WT3	335
WT4	335
WT5	335
WT6	335
WT7	335
WT8	335
WT9	335

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
WTCHNG1	264
WTCHNG2	269
XANAX	54
XBLD385	218
XCDCOST	217
XCDEMBR	217
XCDEVER	210
XCDFEEL	216
XCDLAST	211
XCDMOOD	216
XCDNMESS	212
XCDOTRSN	212
XCDPREG	211
XCDRESP	216
XCDRSN1	212
XCDSTD	211
XCDTRST	216
XHIVRSLT	220
XHIVTEST	219
XLFBLOOD	218
XLTBLDMO	218
XLTBLDYR	219
XLTHIVMO	219
XLTHIVYR	220
XNCDHOW	214
XNCDMONO	213
XNCDNA	214
XNCDOBC	213
XNCDORSN	215
XNCDPREG	213
XNCDPTNR	214
XNCDRELG	214
XNCDRSN1	215
XNCDSAFE	214
XNCDSTD	213
XNRELCDA	208
XNRELCDV	207
XNRELYR	207
XRELCDA	206
XRELCDV	206
XRELLAST	217
XRELNOW	205
XRELYR	205
XSEXYR	204
XYRDIFPP	208
XYRDRUGS	210
XYRHIV	209
XYRMONEY	210
XYRWTHMF	209
YACCHURT	185
YACHES	189

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
YACOPPSX	179
YACTTNK	186
YACTYNG	178
YAFRBAD	184
YAFRPLAC	184
YAFRSCHL	184
YALLERGY	178
YALONE	186
YANXIOUS	188
YARGUE	178
YASTHMA	179
YATTACK	191
YBITNAIL	187
YBRAG	179
YBTWITCH	187
YCLUMSY	192
YCNTHGTS	180
YCONNEAT	199
YCRAMPS	190
YCREAD	177
YCRYLOT	181
YDAYDREM	181
YDNTEATW	183
YDNTGLTY	183
YDNTKIDS	183
YDNTNEED	196
YDOBETTR	188
YDOSTRNG	196
YDPTADLT	180
YDRTLANG	197
YDSBYPAR	182
YDSBYSCH	182
YDSTYOTH	182
YDSTYTHG	182
YEATMUCH	188
YENJOY	197
YENJYJOK	201
YEYEPROB	190
YFAIROTH	200
YFIGHTS	185
YFLCONFU	180
YFLDIZZY	188
YFLGETME	185
YFLGUILT	188
YFLNOLOV	184
YFLONELY	180
YFLPRFCT	184
YFLTIREDD	189
YFLWTHLS	185
YGDIMAG	195
YGTEASED	185

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
YHEADACH	189
YHELPOTH	183
YHONEST	181
YHRVOICS	186
YINVOTH	201
YJEALOTH	183
YKIDSTRB	186
YLIE	186
YLIFEASY	201
YKANIML	179
YKHELP	199
YKLAUGH	198
YLOUDER	200
YMEANOTH	181
YMOODS	197
YNAUSEA	190
YNERVOUS	187
YNGHTMAR	187
YNOENRGY	200
YNOTKIDS	187
YOLDKIDS	192
YOVRWGHT	189
YPFRLDLY	191
YPKBPART	191
YRASHES	190
YRDIFPP1	350
YRDIFPP2	350
YREPACTN	192
YRFSTALK	192
YRUNHOME	193
YSCPOOR	191
YSCREAM	193
YSECRET	193
YSEETHNG	193
YSETFIRE	194
YSHOWOFF	194
YSHY	194
YSKIPSCH	199
YSLFCONS	193
YSLPLESS	194
YSLPMORE	195
YSPCHPRB	195
YSTDRGHT	195
YSTEALHO	195
YSTEALPL	196
YSTUBORN	196
YSUSPICS	197
YTALKMCH	198
YTEASE	198
YTEMPER	198
YTHKKLSF	197

ALPHA INDEX OF LABELS

LABEL	PAGE
-----	-----
YTHNKSEX	198
YTHRTPEO	199
YTHSTRNG	196
YTRBCONC	179
YTRBSIT	180
YTRBSLEP	199
YTRYATTN	182
YTRYHELP	201
YTRYKLSF	181
YTRYTHNG	191
YUNHAPPY	200
YUSEDRUG	200
YVOMIT	190
YWELHNDS	194
YWORRY	202
YWSOPPSX	201
YYNGKIDS	192

INDEX OF LABELS

LABEL	PAGE
-----	-----
RESPID	1
ENCPSU	1
ENCSEG	1
ENCCASE	1
SKPMARTL	2
MARITAL	2
NOMARR	2
SKPMILT	3
SERVICE	3
MILSTAT	3
EDUC	4
DIPLOMA	4
ENROLLD	5
WORKSTAT	6
HTININCH	7
POUNDS	7
HEALTH	7
CIGEVER	8
CIGTRY	8
CIGTOT	8
CIGREC	9
CIG30USE	9
AVCIG	10
CIG30WOK	10
CIGEVYDA	11
CIGAGE	11
CIGYRS	11
SNUFEVER	12
SNUFREC	12
SKPALCRD	13
ALCREAD	13
ALCEVER	13
ALCTRY	14
ALCREC	14
ALCPAT	15
DRUNKYR	15
ALCDAYS	16
NODR30A	16
DR5DAY	17
MJEVER	18
MJAGE	18
MJTOT	19
MJREC	19
MJYRFREQ	20
MJDAY30A	20
SKPCOCD	21
COCREAD	21
COCEVER	21
COCAGE	22
COCTOT	22
COCREC	22

INDEX OF LABELS

LABEL	PAGE
-----	-----
COCYRFRQ	23
COCUS30A	23
SKPCRKRD	24
CRKREAD	24
CRKEVER	24
CRKAGE	25
CRKTOT	25
CRAKREC	25
CRKYRFRQ	26
CRKUS30A	26
SKPHERRD	27
HERREAD	27
HEREVER	27
HERAGE	28
HERTOT	28
HERREC	28
HERYRFRQ	29
HER30USE	29
SKPHALRD	30
HALREAD	30
LSD	30
PCP	31
PEYOTE	31
MESC	31
PSILCY	31
ECSTASY	31
HALDKNAM	32
HALNOLST	32
HALNEWA	33
HALNEWB	34
HALNEWC	34
HALNEWD	34
HALNEWE	34
HALLAGE	35
HALLTOT	35
HALLREC	35
HALYRFRQ	36
HAL30USE	36
LSDREC	37
PCPREC	37
SKPINHRD	38
INHREAD	38
AMYLNIT	38
CLEFLU	39
GAS	39
GLUE	39
ETHER	39
SOLVENT	39
LGAS	40
NITOXID	40
SPPAINT	40

INDEX OF LABELS

LABEL	PAGE
-----	-----
AEROS	40
INHDKNAM	40
INHNLST	41
INHNEWA	41
INHNEWB	42
INHNEWC	42
INHNEWD	42
INHNEWE	42
INHAGE	42
INHTOT	43
INHREC	43
INHFRQ	44
INH30A	44
SKPANLRD	45
ANLREAD	45
CODEINE	45
DARVON	46
DEMEROL	46
DILAUD	46
METHDON	46
MORPHINE	46
PERCODAN	46
TALWIN	47
TYLCOD	47
ANLDKNAM	47
ANLNOLST	47
ANALNEWA	48
ANALNEWB	49
ANALNEWC	49
ANALNEWD	49
ANALNEWE	50
ANALNONE	50
ANALAGE	50
ANALTOT	51
ANALREC	51
ANLYRFRQ	52
SKPTRNRD	53
TRNREAD	53
ATARAX	53
ATIVAN	53
DIAZEPAM	54
LIBRIUM	54
TRANXENE	54
VALIUM	54
XANAX	54
TRDKNAM	54
TRNOLST	54
TRNEWA	55
TRNEWB	55
TRNEWC	55
TRNEWD	55

INDEX OF LABELS

LABEL	PAGE
-----	-----
TRNEWE	55
NOTRANQ	56
TRANAGE	56
TRANTOT	56
TRANREC	57
TRNYRFRQ	57
SKPSTMRD	58
STMREAD	58
BENZ	58
BIPHET	59
DEXAMYL	59
DEXED	59
FASTIN	59
IONAMIN	59
METHAMP	59
METHI	60
PRELUDIN	60
STMDKNAM	60
STMNOLST	60
STIMNEWA	61
STIMNEWB	62
STIMNEWC	62
STIMNEWD	62
STIMNEWE	62
NOSTIMS	63
STIMAGE	63
STIMTOT	64
STIMREC	64
STMYRFRQ	65
SKPSEDRD	66
SEDREAD	66
DALMANE	66
HALCION	67
METHAQ	67
NEMBUTAL	67
PHENOBAR	67
PLACIDYL	67
SECONAL	67
TUINAL	68
SEDDKNAM	68
SEDNOLST	68
SEDNEWA	68
SEDNEWB	69
SEDNEWC	69
SEDNEWD	69
SEDNEWE	69
NOSEDAT	69
SEDAGE	70
SEDTOT	70
SEDREC	71
SEDYRFRQ	71

INDEX OF LABELS

LABEL	PAGE
-----	-----
BIRMONTN	72
BIRYEAR	72
IRAGE	72
IIAGE	73
IRSEX	73
IISEX	73
IRRACE	73
IIRACE	73
IRHOIND	73
IIHOIND	73
IRHOGRP	73
IIHOGRP	73
IRHOGRP2	74
IIHOGRP2	74
IRMARIT	74
IIMARIT	74
IREduc	74
IIEDUC	75
IRHSGRAD	75
IIHSGRAD	75
IRWORKST	75
IIWORKST	75
IRCIGRC	76
IICIGRC	76
IROTBRc	76
IIOTBRc	76
IRALCRc	76
IIALCRc	76
IRMJRC	76
IIMJRC	76
IRCOCRC	77
IICOCRC	77
IRCRKRC	77
IICRKRC	77
IRHERRc	77
IIHERRc	77
IRHALRC	77
IIHALRC	77
IRLSDRC	78
IILSDRC	78
IRPCPRc	78
IIPCPRc	78
IRINHRC	78
IIINHRC	78
IRANLRC	78
IIANLRC	78
IRTRNRC	79
IITRNRC	79
IRSTMRC	79
IISTMRC	79
IRSEDRC	79

INDEX OF LABELS

LABEL	PAGE
-----	-----
IISEDRC	79
IRALCFQ	80
IIALCFQ	80
IRMJFQ	80
IIMJFQ	80
IRCOCFQ	80
IICOCFQ	81
IRCRKFQ	81
IICRKFQ	81
IRHERFQ	81
IIHERFQ	81
IRHALFQ	81
IIHALFQ	82
IRINHFQ	82
IIINHFQ	82
IRANLFQ	82
IIANLFQ	82
IRTRNFQ	82
IITRNFQ	83
IRSTMFQ	83
IISTMFQ	83
IRSEDFQ	83
IISEDFO	83
CATAGE	84
CATAG2	84
CATAG3	84
RACE	84
HISPRACE	84
EDUCCAT2	84
EMPSTAT2	84
MARISTAT	85
NOTMAR	85
CIGFLAG	86
CIGYR	86
CIGMON	86
SMKFLAG	86
SMKYR	86
SMKMON	86
ALCFLAG	86
ALCYR	86
ALCMON	86
MRJFLAG	86
MRJYR	86
MRJMON	87
COCFLAG	87
COCYR	87
COCMON	87
CRKFLAG	87
CRKYR	87
CRKMON	87
HERFLAG	87

INDEX OF LABELS

LABEL	PAGE
-----	-----
HERYR	87
HERMON	87
HALFLAG	87
HALYR	87
HALMON	88
LSDFLAG	88
LSDYR	88
LSDMON	88
PCPFLAG	88
PCPYR	88
PCPMON	88
INHFLAG	88
INHYR	88
INHMON	88
ANLFLAG	88
ANLYR	88
ANLMON	89
TRQFLAG	89
TRQYR	89
TRQMON	89
STMFLAG	89
STMYR	89
STMMON	89
SEDFLAG	89
SEDYR	89
SEDMON	89
ALCYRF	89
ALCMONF	89
ALCWKF	90
ALCOCCF	90
ALCDLYF	90
MRJYRF	90
MRJMONF	90
MRJWKF	90
MRJOCCF	90
MRJDLYF	90
COCYRF	90
COCMONF	90
COCWKF	90
COCOCCF	90
COCDLYF	91
CRKYRF	91
CRKMONF	91
CRKWKF	91
CRKOCCF	91
CRKDLYF	91
HERYRF	91
HERMONF	91
HERWKF	91
HEROCCF	91
HERDLYF	91

INDEX OF LABELS

LABEL	PAGE
-----	-----
HALYRF	91
HALMONF	92
HALWKF	92
HALOCCF	92
HALDLYF	92
INH YRF	92
INHMONF	92
INH WKF	92
INHOC CF	92
INHDL YF	92
ANLYRF	92
ANLMONF	92
ANLWKF	92
ANLOCCF	93
ANLDLYF	93
TRQYRF	93
TRQMONF	93
TRQWKF	93
TRQOCCF	93
TRQDLYF	93
STMYRF	93
STMMONF	93
STMWKF	93
STMOCCF	93
STMDLYF	93
SEDYRF	94
SEDMONF	94
SEDWKF	94
SEDOCCF	94
SEDDL YF	94
PSYFLAG2	94
PSYR2	94
PSYMON2	94
SUMFLAG	94
SUMYR	95
SUMMON	95
MJOFLAG	95
MJOYR2	95
MJOMON2	95
IEMFLAG	96
IEMYR	96
IEMMON	96
BINGEDRK	96
HVYDRK2	96
BINGEHVY	96
PEYOTE2	97
MESC2	97
PSILCY2	97
ECSTASY2	97
METHAMP2	97
HERSMOK2	97

INDEX OF LABELS

LABEL	PAGE
-----	-----
HERSNIF2	97
AMYLNIT2	97
CLEFLU2	97
GAS2	97
GLUE2	97
ETHER2	97
SOLVENT2	98
LGAS2	98
NITOXID2	98
SPPAINT2	98
AEROS2	98
CG04	99
CG12	99
AL03	99
AL04	100
MJ04	100
MJ05	101
CC04	101
CC05	102
CK04	102
CK05	103
HE04	103
HE05	104
LS04	104
LS05	105
LS07	105
LS08	106
IN04	106
IN05	106
PK04	107
PK05	107
TR04	108
TR05	108
ST04	109
ST05	109
SE04	110
SE05	110
SKPSDRD	111
SDREAD	111
HRANYFRM	111
HERSMOKE	112
HRSMKREC	112
HERSNIFF	112
HRSNFREC	113
GNNDLLIF	113
COCNEEDL	113
CONDLREC	114
HERNEEDL	114
HRNDLREC	115
STNEEDLE	115
STNDLREC	116

INDEX OF LABELS

LABEL	PAGE
-----	-----
GNNNDREUS	116
GNNDLSH1	116
GNNDCLEN	117
GNNDLSH2	117
GNNDGET	117
GNNDGTSP	118
SKPRSKRD	119
RSKREAD	119
RSKPKCIG	119
RSKMJOCC	120
RSKMJREG	120
RKCOCOCC	120
RKCOCREG	120
RK5DRINK	120
RSKBINGE	121
RSKDIFMJ	121
RKDIFCOC	121
RKDIFCRK	121
RKDIFHER	122
RSKSELL	122
SKPDRGRD	123
DRGREAD	123
USED CIG	123
USEDALC	124
USEDMRJ	124
USED COC	124
USEDHER	124
USEDHAL	124
USEDINH	125
USEDANL	125
USEDTRN	125
USEDSTM	125
USEDSED	125
NODRUGYR	126
GRTMCIG	126
GRTMALC	126
GRTMMRJ	127
GRTMCOC	127
GRTMHER	127
GRTMHAL	127
GRTMINH	127
GRTMANL	128
GRTMTRN	128
GRTMSTM	128
GRTMSD	128
LAMTCIG	129
LAMTALC	129
LAMTMRJ	129
LAMTCOC	129
LAMTHER	130
LAMTHAL	130

INDEX OF LABELS

LABEL	PAGE
-----	-----
LAMTINH	130
LAMTANL	130
LAMTTRN	130
LAMTSTM	131
LAMTSED	131
BTOLCIG	131
BTOLALC	131
BTOLMRJ	132
BTOLCOC	132
BTOLHER	132
BTOLHAL	132
BTOLINH	132
BTOLANL	133
BTOLTRN	133
BTOLSTM	133
BTOLSED	133
ACRDCIG	134
ACRDALC	134
ACRDMRJ	134
ACRDCOC	134
ACRDHER	135
ACRDHAL	135
ACRDINH	135
ACRDANL	135
ACRDTRN	135
ACRDSTM	136
ACRDSSED	136
EMPBCIG	136
EMPBALC	137
EMPBMRJ	137
EMPBCOC	137
EMPBHER	137
EMPBHAL	137
EMPBINH	138
EMPBANL	138
EMPBTRN	138
EMPBSTM	138
EMPBSED	138
HLPBCIG	139
HLPBALC	139
HLPBMRJ	139
HLPBCOC	139
HLPBHER	140
HLPBHAL	140
HLPBINH	140
HLPBANL	140
HLPBTRN	140
HLPBSTM	141
HLPBSED	141
UCDCIG	141
UCDALC	141

INDEX OF LABELS

LABEL	PAGE
-----	-----
UCDMRJ	142
UCDCOC	142
UCDHER	142
UCDHAL	142
UCDINH	142
UCDANL	143
UCDTRN	143
UCDSTM	143
UCDSED	143
SKPSPTRD	144
SPTREAD	144
NDTXRCVD	144
NDTXNEED	145
NDTXALC	145
NDTXMJ	145
NDTXCOC	145
NDTXHER	146
NDTXHAL	146
NDTXINH	146
NDTXANL	146
NDTXTRAN	146
NDTXSTIM	146
NDTXSED	147
NDTXSOD	147
NDTXDRG1	147
NDTXDRG2	147
NDTXDRG3	147
NDTXDRG4	147
NDTXDRG5	147
NDTXSTEP	148
NDTXTRSP	148
NDXTTFAR	148
NDTXBDHR	148
NDTXOPEN	149
NDXTYPE	149
NDTXMONY	149
NDTXHCAP	149
NDXTCMP	149
NDTXLANG	150
NDTXSPSV	150
NDTXSOR	150
NDTXRSC1	150
BOOKED	151
NOBOOKYR	151
BKLARCNY	152
BKBURGL	152
BKAGASLT	152
BKSMASLT	152
BKMVTHFT	153
BKROB	153
BKRAPE	153

INDEX OF LABELS

LABEL	PAGE
-----	-----
BKMURDER	153
BKARSON	153
BKDRVINF	154
BKDRUNK	154
BKDRUG	154
BKPROS	154
BKVANDAL	154
BKOTH	155
BKOTHOFF	155
PROBATON	155
PAROLE	156
DRVALDR	156
DRIVEAL	156
DRIVEDR	157
SKPTMTRD	158
TMTREAD	158
TXEVER	158
TXTIMELF	159
TXYRFREQ	159
TXALHOSP	160
TXALRFIN	160
TXALRFOP	160
TXALMHC	160
TXALEMRG	161
TXALDOC	161
TXALJAIL	161
TXALSHG	161
TXALSOP	161
TXALSP	162
TXDRHOSP	162
TXDRFIN	162
TXDRFOP	163
TXDRMHC	163
TXDREMRG	163
TXDRDOC	163
TXDRJAIL	163
TXDRSHG	164
TXDRSOP	164
TXDRSP	164
TXYREMRG	164
TXADGREC	165
TXLTHOSP	165
TXLTRFIN	165
TXLTRFOP	166
TXLTMHC	166
TXLTEMRG	166
TXLTDOC	166
TXLTJAIL	166
TXLTSHG	167
TXLTSOP	167
TXLTSP	167

INDEX OF LABELS

LABEL	PAGE
-----	-----
TXLTALC	168
TXLTMJ	168
TXLTCOC	168
TXLTHER	168
TXLTHAL	169
TXLTINH	169
TXLTANL	169
TXLTRAN	169
TXLTSTIM	169
TXLTSED	170
TXLTSOD	170
TXLTA	170
TXLTB	170
TXLTC	170
TXLTD	170
TXLTE	171
TXDRGA	171
TXDRGB	171
TXDRGC	172
TXDRGD	172
TXDRGE	172
TXOUTC	172
TXTIME	173
TXPDINS	173
TXPDCARE	173
TXPDCAID	174
TXPDSAVE	174
TXPDFMLY	174
TXPDEmpl	174
TXPDFREE	174
TXPDSOS	175
TXPDSP	175
TXENROLL	176
SKYCPBAN	177
SKPYCRD	177
YCREAD	177
YACTYNG	178
YALLERGY	178
YARGUE	178
YASTHMA	179
YACOPPSX	179
YKANI ML	179
YBRAG	179
YTRB CONC	179
YCNTHGTS	180
YTRBSIT	180
YDPTADLT	180
YFLONELY	180
YFLCONFU	180
YCRYLOT	181
YHONEST	181

INDEX OF LABELS

LABEL	PAGE
-----	-----
YMEANOTH	181
YDAYDREM	181
YTRYKLSF	181
YTRYATTN	182
YDSTYTHG	182
YDSTYOTH	182
YDSBYPAR	182
YDSBYSCH	182
YDNTEATW	183
YDNTKIDS	183
YDNTGLTY	183
YJEALOTH	183
YHELPOTH	183
YAFRPLAC	184
YAFRSCHL	184
YAFRBAD	184
YFLPRFCT	184
YFLNOLOV	184
YFLGETME	185
YFLWTHLS	185
YACCHURT	185
YFIGHTS	185
YGTEASED	185
YKIDSTRB	186
YHRVOICS	186
YACTTNK	186
YALONE	186
YLIE	186
YBITNAIL	187
YNERVOUS	187
YBTWITCH	187
YNGHTMAR	187
YNOTKIDS	187
YDOBETTR	188
YANXIOUS	188
YFLDIZZY	188
YFLGUILT	188
YEATMUCH	188
YFLTIREDD	189
YOVRWGHT	189
YACHES	189
YHEADACH	189
YNAUSEA	190
YEYEPROB	190
YRASHES	190
YCRAMPS	190
YVOMIT	190
YATTACK	191
YPKBPART	191
YPFRRNDLY	191
YTRYTHNG	191

INDEX OF LABELS

LABEL	PAGE
-----	-----
YSCPOOR	191
YCLUMSY	192
YOLDKIDS	192
YYNGKIDS	192
YRFSTALK	192
YREPACTN	192
YRUNHOME	193
YSCREAM	193
YSECRET	193
YSEETHNG	193
YSLFCONS	193
YSETFIRE	194
YWELHNDS	194
YSHOWOFF	194
YSHY	194
YSLPLESS	194
YSLPMORE	195
YGDIMAG	195
YSPCHPRB	195
YSTDRGHT	195
YSTEALHO	195
YSTEALPL	196
YDNTNEED	196
YDOSTRNG	196
YTHSTRNG	196
YSTUBORN	196
YMOODS	197
YENJOY	197
YSUSPICS	197
YDRTLNG	197
YTHKKLSF	197
YLKLAUGH	198
YTALKMCH	198
YTEASE	198
YTEMPER	198
YTHNKSEX	198
YTHRTPEO	199
YLKHELP	199
YCONNEAT	199
YTRBSLEP	199
YSKIPSCH	199
YNOENRGY	200
YUNHAPPY	200
YLOUDER	200
YUSEDRUG	200
YFAIROTH	200
YENJYJOK	201
YLIFEASY	201
YTRYHELP	201
YWSOPPSX	201
YINVOTH	201

INDEX OF LABELS

LABEL	PAGE
-----	-----
YWORRY	202
SKPBDBAN	202
SKPPBRD	203
PBREAD	203
XSEXYR	204
XRELNOW	205
XRELYR	205
XRELCDV	206
XRELCDA	206
XNRELYR	207
XNRELCDV	207
XNRELCDA	208
XYRDIFPP	208
XYRWTHMF	209
XYRHIV	209
XYRMONEY	210
XYRDRUGS	210
XCDEVER	210
XCDLAST	211
XCDPREG	211
XCDSTD	211
XCDNMESS	212
XCDOTRSN	212
XCDRSN1	212
XNCDPREG	213
XNCDMONO	213
XNCDSTD	213
XNCDOBC	213
XNCDRELG	214
XNCDPTNR	214
XNCDNA	214
XNCDHOW	214
XNCDSAFE	214
XNCDORSN	215
XNCDRSN1	215
XCDMOOD	216
XCDRESP	216
XCDFEEL	216
XCDTRST	216
XCDEMBR	217
XCDCOST	217
XRELLAST	217
XLFBLOOD	218
XBLD385	218
XLTBLDMO	218
XLTBLDYR	219
XHIVTEST	219
XLTHIVMO	219
XLTHIVYR	220
XHIVRSLT	220
SKPDBRD	221

INDEX OF LABELS

LABEL	PAGE
-----	-----
DBREAD	221
VDRVYR	221
VYRFREQ	222
VALDRVYR	222
VALYRFRQ	223
VAL30USE	223
VALCNODR	224
VALCTIME	224
VALDTIME	225
VMJUSEYR	225
VMJDRVYR	226
VMJALCYR	226
VMJCOCYR	226
VMJHERYR	227
VMJHALYR	227
VMJINHYR	227
VMJANLYR	227
VMJTRNYR	228
VMJSTMYR	228
VMJSEDYR	228
VMJOTHYR	228
VMJYRS1	229
VMJYRS2	229
VMJYRS3	229
VMJYRS4	229
VMJYRS5	229
VMJ30USE	229
VLTMJALC	230
VLTMJAL1	230
VLTMJAL2	230
VLTMJAL3	230
VLTMJAL4	231
VLTMJAL5	231
VLTMJFRM	231
VLTMJFRS	231
VLTMJTO	232
VLTMJTOS	232
VLTMJHWY	233
VLTMJURB	233
VLTMJWKD	234
VLTMJTIM	234
VLTMJABL	235
VMJNOWAY	235
VMJNHIGH	235
VMJNPOLC	236
VMJNODVR	236
VMJAPPT	236
VMJOTHER	236
VMJOTHSP	237
VMJSTOP	237
VMJABIL	238

INDEX OF LABELS

LABEL	PAGE
-----	-----
VCCUSEYR	238
VCCDRVYR	238
VCCALCYR	239
VCCMRJYR	239
VCCHERYR	239
VCCHALYR	239
VCCINHYR	240
VCCANLYR	240
VCCTRNYR	240
VCCSTMYR	240
VCCSEDYR	240
VCCOTHYR	241
VCCYRS1	241
VCCYRS2	241
VCCYRS3	241
VCCYRS4	241
VCCYRS5	241
VCC30USE	242
VTCCALC	242
VTCCAL1	242
VTCCAL2	243
VTCCAL3	243
VTCCAL4	243
VTCCAL5	243
VTCCFRM	243
VTCCFRS	244
VTCCCTO	244
VTCCCTOS	244
VTCCHWY	245
VTCCURB	245
VTCCWKD	246
VTCCCTIM	246
VTCCABL	247
VCCNOWAY	247
VCCNHIGH	247
VCCNPOLC	248
VCCNODVR	248
VCCAPPT	248
VCCOTHER	248
VCCOTHSP	249
VCCSTOP	249
VCCABIL	249
VTRUSEYR	250
VTRDRVYR	250
VTR30USE	250
VTTRMED	251
VTTRALC	251
VTTRAL1	251
VTTRAL2	252
VTTRAL3	252
VTTRAL4	252

INDEX OF LABELS

LABEL	PAGE
-----	-----
VLTTTRAL5	252
VLTTTRABL	252
VSTUSEYR	253
VSTDRVYR	253
VST30USE	253
VLSTMED	254
VLSTALC	254
VLSTAL1	254
VLSTAL2	255
VLSTAL3	255
VLSTAL4	255
VLSTAL5	255
VLSTABL	255
VSEUSEYR	256
VSEDRVYR	256
VSE30USE	257
VLSTEMED	257
VLTSEALC	258
VLTSEAL1	258
VLTSEAL2	258
VLTSEAL3	258
VLTSEAL4	258
VLTSEAL5	259
VLTSEABL	259
SKPWKST3	260
WORKDAYS	260
WORKBLAH	260
SKPPREG	261
PREGNANT	261
PREGMOS	261
TOTPEOP	261
SKPMHC	262
DEPRESS	262
DEPDAYS	262
DEPFREQ	263
LOSTINT1	263
TIRED1	263
WTCHNG1	264
LBSCHNG1	264
SLPLOSS1	264
SLPFREQ1	265
CONCEN1	265
DOWN1	265
IDEAT1	265
SKPDEP1	266
DEPWKS1	266
DEPMO1	266
DEPYR1	267
LOSTINT2	267
LOSINDAY	268
LOSINFRQ	268

INDEX OF LABELS

LABEL	PAGE
-----	-----
TIRED2	268
WTCHNG2	269
LBSCHNG2	269
SLPLOSS2	269
SLPFREQ2	270
CONCEN2	270
DOWN2	270
IDEAT2	271
SKPDEP2	271
DEPWKS2	271
DEPMO2	272
DEPYR2	272
WORRIED	272
WOREND	272
WORNOMO1	273
WORHAPN1	273
WORSERI1	273
WORDIFF1	274
WORNOMO2	274
WORHAPN2	274
WORSERI2	274
WORDIFF2	275
SKPWOR	275
WORREST	275
WOREDGE	275
WORIRRIT	276
WORHEART	276
WORTIRED	276
WORSLEEP	276
WORFAINT	276
FEARPUB	277
FEAROUT	277
FEARBRDG	277
SKPFEAR1	277
FEAROFT	278
FEARYRS	278
FEARMOS	278
FEARFANT	279
FEARTRAP	279
FEARHELP	279
PANIC1	280
PANIC2	280
PANICNUM	280
PANICMO	281
PANICYR	281
PANIDANG	281
SKPFEAR2	281
PANIFEAR	282
PANINOFR	282
PANIHART	282
PANIPAIN	282

INDEX OF LABELS

LABEL	PAGE
-----	-----
PANISWET	283
PANISHAK	283
PANIHOT	283
PANIUNRL	283
NUERTMT	284
NUHSPOV	284
NUHSPPE	285
OUTPTPE	285
PROXABLE	286
PROXYREL	287
PROXHOME	288
PROXJOIN	288
CAREUSU	289
NCARERSN	289
NCRRSNSP	290
NCRRSNSC	290
CAREOFT	290
PYRCARE	291
PYRCRTYP	291
PYRCRTSP	291
PYRCRTSC	292
CARENOW	292
MNRSNNCR	293
MNRSNNSP	293
MNRSNNSC	293
UCARETYP	294
UCRTYPSP	294
UCRTYPSC	294
MEDICARE	295
MEDICAID	296
CHAMPUS	296
PRVHLTIN	297
GRPHLTIN	297
PDHINPRM	298
HLTINALC	298
HLTINDRG	298
HLTINMNT	299
SOC1	300
SOC2	300
SSI1	301
SSI2	301
PUB1	301
PUB2	302
AFDC	302
INT1	303
INT2	303
CHD1	304
CHD2	304
OTH1	304
OTH2	305
FSTAMP	305

INDEX OF LABELS

LABEL	PAGE
-----	-----
PINC1	306
SKPTFMIN	307
FINC1	307
TELNO	308
IRPINSUR	309
IIPINSUR	309
IRINSUR	309
IIINSUR	309
IRSOC1	309
IISOC1	309
IRSSI1	309
IISSI1	309
IRPUB1	309
IIPUB1	309
IRAFDC	310
IIAFDC	310
IRINT1	310
IIINT1	310
IRCHD1	310
IICHD1	310
IROTH1	310
IIOTH1	310
IRFSTAMP	310
IIFSTAMP	310
IRPINC1	311
IIPINC1	311
IRFINC1	311
IIFINC1	311
IRSOC2	311
IISOC2	311
IRSSI2	311
IISSI2	311
IRPUB2	311
IIPUB2	311
IRINT2	312
IIINT2	312
IRCHD2	312
IICHD2	312
IROTH2	312
IIOTH2	312
IRPEOP	313
IRKIDS	313
PARSTAT	313
RELINTHH	313
FEMBABY	314
FEMKIDS	314
MALEBABY	314
MALEKIDS	314
F15_44	314
M15_44	314
PREG	314

INDEX OF LABELS

LABEL	PAGE
-----	-----
PREG2	314
TRIMEST	314
INDCAT	315
PERINC	315
PERINC2	315
PERINC3	315
TOTCAT	316
FAMINC	316
FAMINC2	316
FAMINC3	316
WELFARE	316
NEEDLREC	317
NEDFLAG4	317
NEDYR4	317
WITHDRW	318
SOMCOM	318
ANXDEP	318
SOCPROB	318
THPROB	318
ATTPROB	318
DELBEH	318
AGGBEH	318
WITHDRWT	318
SOMCOMT	319
ANXDEPT	319
SOCPROBT	319
THPROBT	319
ATTPROBT	319
DELBEHT	319
AGGBEHT	319
SXHIVLF	320
SXHIVYR	320
SXREL	321
SXRELMAR	321
SXCONDYR	322
SXRSKANY	322
SXRSKCNT	322
SXDRANY	323
SXDRCNT	323
MDESFS1	324
MDESFS3	324
PROBMDE1	324
PROBMDE3	324
MDE1	324
MDE3	325
GADSFS1	325
GADSFS3	325
PROBGAD1	325
PROBGAD3	325
GAD1	325
GAD3	326

INDEX OF LABELS

LABEL	PAGE
-----	-----
AGPSFS1	326
AGPSFS3	326
PROBAGP1	326
PROBAGP3	326
AGP1	326
AGP3	326
PASFS1	327
PASFS3	327
PROBPA1	327
PROBPA3	327
PA1	327
PA3	327
INTMONTH	328
BHOUR	328
BMIN	328
BAP	328
EHOUR	328
EMIN	328
EAP	328
LANGVER	328
UNDINT	329
COOPINT	329
PRIVACY	330
PPRES	330
SPRES	330
PARPRES	330
OARPRES	330
OAPRES	330
CPRES	331
OPRESNSP	331
OPRESSPA	332
OPRESSPB	333
WHOMARKD	333
QUARTER	333
FAMSKIP	333
GQTYPE	333
PDEN	334
PDEN2	334
REGION	334
DIVISION	334
RURORURB	334
VESTR	335
VEREP	335
ANALWT	335
ANALWT1	335
ANALWT2	335
ANALWT3	335
ANALWT4	335
WT1	335
WT2	335
WT3	335

INDEX OF LABELS

LABEL	PAGE
-----	-----
WT4	335
WT5	335
WT6	335
WT7	335
WT8	335
WT9	335
WT10	335
WT11	335
WT12	335
AGECAT3	337
AGECAT4	337
ALCDAYS2	337
ALCDAYS3	337
ALCDRIV	337
ALCILLL	337
ALCILLM	337
ALCILLY	337
ALCMRJL	337
ALCMRJM	338
ALCMRJY	338
ALCONLYL	338
ALCONLYM	338
ALCONLYY	338
ALCOTHL	338
ALCOTHM	338
ALCOTHY	338
ALCPROBS	338
ALC2PROB	338
ALC3PROB	339
ALCPSYL	339
ALCPSYM	339
ALCPSYY	339
ALCTRY2	339
ALCUSE	339
ANALAGE2	339
AVCIG2	339
AVCIG3	339
BINGDRK2	339
BKAGASL2	339
BKARSON2	340
BKBURGL2	340
BKDRUG2	340
BKDRUNK2	340
BKDRVIN2	340
BKLARC2	340
BKMURDE2	340
BKMVTHF2	340
BKPROS2	340
BKRAPE2	340
BKROB2	340
BKSMASL2	340

INDEX OF LABELS

LABEL	PAGE
-----	-----
CDALWAYS	340
CDNEVER	341
CDSOME	341
CIGPROBS	341
CIG2PROB	341
CIG3PROB	341
CIGTRY2	341
COCAGE2	341
COCPROBS	341
COC2PROB	341
COC3PROB	342
COCTOT3	342
COCUSE	342
DRALHELP	342
DRINKER2	342
DRNKHLP2	342
DRUNKYR2	342
FERTAGE	342
HALLAGE2	342
HERAGE2	342
HERNEED2	343
HIVTEST	343
HVYDRK3	343
ILLONLYL	343
ILLONLYM	343
ILLONLYY	343
INHAGE2	343
IRACALC2	343
IRACCIG2	343
IRACCOC2	343
IRACMRJ2	343
IRBTALC2	343
IRBTCIG2	343
IRBTCOC2	344
IRBTMRJ2	344
IREMALC2	344
IREMCIG2	344
IREMCOC2	344
IREMMRJ2	344
IRGRALC2	344
IRGRCIG2	344
IRGRCOC2	344
IRGRMRJ2	344
IRHLALC2	344
IRHLCIG2	344
IRHLCOC2	344
IRHLMRJ2	344
IRLAALC2	345
IRLACIG2	345
IRLACOC2	345
IRLAMRJ2	345

INDEX OF LABELS

LABEL	PAGE
-----	-----
IRUCALC2	345
IRUCCIG2	345
IRUCCOC2	345
IRUCMRJ2	345
MARUSE	345
MJAGE2	345
MJDY30A3	345
MJPROBS	346
MRJ2PROB	346
MRJ3PROB	346
MJTOT3	346
MRJDRIV	346
MRJONLYL	346
MRJONLYM	346
MRJONLYY	346
NOTMARJ	346
OTHONLYL	346
OTHONLYM	347
OTHONLYY	347
PREG3	347
PSYAGE	347
PSYONLYL	347
PSYONLYM	347
PSYONLYY	347
RACESEX	347
RACESEX2	347
RELNOW	348
RSKALC1	348
RSKALC2	348
RSKCIG	348
RSKCOC1	348
RSKCOC2	348
RSKMJ1	348
RSKMJ2	348
RSKSELL2	348
SEDAGE2	348
SEXYR	348
STIMAGE2	349
SUB1LIF	349
SUB1MON	349
SUB1YR	349
SUB2LIF	349
SUB2MON	349
SUB2YR	349
SUB3LIF	349
SUB3MON	349
SUB3YR	349
TRANAGE2	350
TRIMEST2	350
TRMTHLP2	350
YRDIFPP1	350

INDEX OF LABELS

LABEL	PAGE
-----	-----
YRDIFPP2	350
ANY4MENT	351
DRUNKYR3	351
EXT	351
INT	351
PR_AB	351
PR_AD	351
PR_AP	351
PR_DB	351
PR_SC	352
PR_SP	352
PR_TP	352
PR_WD	352
PR_BEHAV	352
PR_EMOT	352
PR_TOTAL	352
TOTPROB	353

APPENDIX A

CENSUS REGION/DIVISION/STATE TABLE

APPENDIX A

CENSUS REGION/DIVISION/STATE TABLE

<u>CENSUS REGION</u>	<u>CENSUS DIVISION</u>	<u>STATE NAME</u>	<u>STATE ABBREVIATION</u>
NORTHEAST	NEW ENGLAND	CONNECTICUT	CT
NORTHEAST	NEW ENGLAND	MAINE	ME
NORTHEAST	NEW ENGLAND	MASSACHUSETTS	MA
NORTHEAST	NEW ENGLAND	NEW HAMPSHIRE	NH
NORTHEAST	NEW ENGLAND	RHODE ISLAND	RI
NORTHEAST	NEW ENGLAND	VERMONT	VT
NORTHEAST	MIDDLE ATLANTIC	NEW JERSEY	NJ
NORTHEAST	MIDDLE ATLANTIC	NEW YORK	NY
NORTHEAST	MIDDLE ATLANTIC	PENNSYLVANIA	PA
NORTH CENTRAL	EAST NORTH CENTRAL	ILLINOIS	IL
NORTH CENTRAL	EAST NORTH CENTRAL	INDIANA	IN
NORTH CENTRAL	EAST NORTH CENTRAL	MICHIGAN	MI
NORTH CENTRAL	EAST NORTH CENTRAL	OHIO	OH
NORTH CENTRAL	EAST NORTH CENTRAL	WISCONSIN	WI
NORTH CENTRAL	WEST NORTH CENTRAL	IOWA	IA
NORTH CENTRAL	WEST NORTH CENTRAL	KANSAS	KS
NORTH CENTRAL	WEST NORTH CENTRAL	MINNESOTA	MN
NORTH CENTRAL	WEST NORTH CENTRAL	MISSOURI	MO
NORTH CENTRAL	WEST NORTH CENTRAL	NEBRASKA	NE
NORTH CENTRAL	WEST NORTH CENTRAL	NORTH DAKOTA	ND
NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH DAKOTA	SD
SOUTH	SOUTH ATLANTIC	DELAWARE	DE
SOUTH	SOUTH ATLANTIC	DISTRICT OF COLUMBIA	DC
SOUTH	SOUTH ATLANTIC	FLORIDA	FL
SOUTH	SOUTH ATLANTIC	GEORGIA	GA
SOUTH	SOUTH ATLANTIC	MARYLAND	MD
SOUTH	SOUTH ATLANTIC	NORTH CAROLINA	NC
SOUTH	SOUTH ATLANTIC	SOUTH CAROLINA	SC
SOUTH	SOUTH ATLANTIC	VIRGINIA	VA
SOUTH	SOUTH ATLANTIC	WEST VIRGINIA	WV
SOUTH	EAST SOUTH CENTRAL	ALABAMA	AL
SOUTH	EAST SOUTH CENTRAL	KENTUCKY	KY
SOUTH	EAST SOUTH CENTRAL	MISSISSIPPI	MS
SOUTH	EAST SOUTH CENTRAL	TENNESSEE	TN
SOUTH	WEST SOUTH CENTRAL	ARKANSAS	AR
SOUTH	WEST SOUTH CENTRAL	LOUISIANA	LA
SOUTH	WEST SOUTH CENTRAL	OKLAHOMA	OK
SOUTH	WEST SOUTH CENTRAL	TEXAS	TX
WEST	MOUNTAIN	ARIZONA	AZ
WEST	MOUNTAIN	COLORADO	CO
WEST	MOUNTAIN	IDAHO	ID
WEST	MOUNTAIN	MONTANA	MT
WEST	MOUNTAIN	NEVADA	NV
WEST	MOUNTAIN	NEW MEXICO	NM
WEST	MOUNTAIN	UTAH	UT
WEST	MOUNTAIN	WYOMING	WY
WEST	PACIFIC	ALASKA	AK
WEST	PACIFIC	CALIFORNIA	CA
WEST	PACIFIC	HAWAII	HI
WEST	PACIFIC	OREGON	OR
WEST	PACIFIC	WASHINGTON	WA

APPENDIX B

DRUG CODES FOR OPEN-ENDED QUESTIONS

APPENDIX B

Drug Codes for Open-Ended Questions (1996 NHSDA)

Numerical Listing

101 = Butisol	148 = Actifed <OTC>
102 = Buticaps	149 = Ekilid [sic] 50
103 = Amytal	150 = Weed.Cote [sic]
104 = Mebaral	151 = VOEOBO [sic]
105 = Placidyl	152 = Eskabarb
106 = Doriden	153 = Luminal
107 = Noludar	154 = Alurate
108 = Carbrital, Nembutal	155 = Pasatorim [sic]
109 = Seconal	156 = Sodium barbital
110 = Tuinal, Rainbows	157 = Barbiturates
111 = Dalmane, Durapam	158 = Calmociteno (in Brazil)
112 = Rasepam, Restoril, Temaz, Temazepam	159 = Octanox
113 = Halcion	160 = Relanium [sic]
114 = Amobarbital	161 = Rohypnol, Roofies, Rope, Roples, Rufinal [sic], Rufonol [sic] [see also 168, 483]
115 = Phenobarbital	162 = Ambramine [sic] 500
116 = Methaqualone, Parest, Quaalude, Sopor	163 = Blue meanies
117 = Chloral hydrate, Noctec	164 = Yellow zombies
118 = Pentobarbital, Pentothal, Sodium pentothal	165 = Trips
119 = Secobarbital	166 = Roinol [sic]
120 = Downers; OTHER Sedative, NOT SPECIFIED	167 = Dumolid [sic]
121 = USED SEDATIVE, DON'T KNOW NAME	168 = Rahypnol, Rohybenol [sic], Ruhibinol [sic] [see also 161, 483]
122 = Sleep Aid <OTC>	169 = Dolestan [sic] <German OTC>
123 = Unisom <OTC>	170 = Popey [sic]
124 = Yellow jackets	
125 = Qulande [sic]	
126 = Somenex [sic] <OTC>	201 = Valium
127 = Nytol <OTC>	202 = Librium
128 = Nervine <OTC>	203 = Libritabs, Limbitrol, Mitran
129 = Reds	204 = Menrium
130 = Phenergan	205 = Serax
131 = Haldol, Haloperidol	206 = Tranxene
132 = Sleepettes [sic] <OTC>	207 = Ativan
133 = Ryoxine [sic]	208 = Centrax
134 = Diasetan [sic]	209 = Xanax
135 = Mini Thins	210 = Paxipam
136 = Dimetapp	211 = Buspar
137 = 7-14	212 = Miltown
138 = Mandrax [sic]	213 = Equanil
139 = Black widows	214 = Deprol
140 = Seldane	215 = Vistaril
141 = Dilantin	216 = Atarax
142 = Belladona	217 = Durrax
143 = Sedoxen [sic]	218 = Diazepam
144 = Reynolds [sic]	219 = SK-Lygen
145 = Red devil(s)	220 = Meprobamate, Meprospan
146 = Bently, Dicyclomine	221 = OTHER Tranquilizer, NOT SPECIFIED
147 = Nicol [sic]	

- 222 = USED TRANQUILIZER, DON'T
KNOW NAME
- 223 = Carbacot, Delaxin, Marbaxin,
Methocarbamol, Robamol, Robaxin,
Robomol
- 224 = Triavil
- 225 = Desyrel, Trazodone hydrochloride,
Trazora, Trialodine
- 226 = Stelazine, Trifluoperazine HCl
- 227 = Thorazine
- 228 = Amitriptyline [see also 239]
- 229 = Librax
- 230 = Compazine
- 231 = MS [sic]
- 232 = Mellaril
- 233 = Trilafon
- 234 = Cyclobenzaprine, Flexeril
- 235 = Imipramine
- 236 = Avatir [sic]
- 237 = Versed
- 238 = Dafernil [sic]
- 239 = Elavil [see also 228]
- 240 = Lithium carbonate
- 241 = Prozac
- 242 = Equagesic
- 243 = Etrafon
- 244 = Roche 2 (Mexican) [sic]
- 245 = Tryptophan
- 246 = Clonopin, Klonopin
- 247 = Adapin, Doxepin, Sinequan
- 248 = Sooper Cool [sic]
- 249 = Asendin
- 250 = Aventyl, Nortriptyline, Pamelor
- 251 = CIBA'S [sic]
- 252 = Strawberry whip cream
- 253 = Urbadan [sic]
- 254 = Vilonopin [sic]
- 255 = Assival [sic]
- 256 = Tripjone [sic]
- 257 = Zestril
- 258 = Hoses [sic]
- 259 = Desipramine, Norpramin, Pertofrane
- 260 = PCB
- 261 = Roperals [sic]
- 262 = Prolixin
- 263 = Vivactil
- 264 = Anxidel [sic]
- 265 = Black Caddy
- 266 = Verstran
- 267 = Marezine
- 268 = Rahipinal
- 269 = Pasidrin (in Mexico)
- 270 = Torzien
- 271 = Zoloft
- 272 = Megadon [sic], Mogadon, Nitrazepam
- 273 = Insidod [sic], Insidon [sic]
- 274 = Nipam [sic]
- 275 = Loxitane
- 301 = Dexedrine
- 302 = Dexamyl
- 303 = Eskatrol
- 304 = Benzedrine
- 305 = Biphedamine
- 306 = Desoxyn, Methamphetamine
hydrochloride
- 307 = Tenuate, Diethylpropion
- 308 = Tepanil, Diethylpropion
- 309 = Didrex
- 310 = Plegine
- 311 = Preludin
- 312 = Ionamin
- 313 = Adipex-P, Fastin, Phentermine
hydrochloride
- 314 = Pondimin
- 315 = Voranil
- 316 = Sanorex
- 317 = Mazanor
- 318 = Ritalin, Methylphenidate
- 319 = Cylert
- 320 = Dextroamphetamine
- 321 = Methedrine
- 322 = Methamphetamine ("speed" or "ice" or
"crank"), Meth
- 323 = Obedrin-L.A.
- 324 = Uppers; OTHER Stimulant, NOT
SPECIFIED
- 325 = USED STIMULANT, DON'T KNOW
NAME
- 326 = White cross
- 327 = Black beauties, Black Beauty
- 328 = Pink hearts
- 329 = Bird's eggs, Robin's eggs, speckled eggs
- 330 = Blue birds, blue jays, blue robins,
speckled bird
- 331 = Blancs, Whites
- 332 = Ephedrine (HCl) [see also 346]
- 333 = 357 Magnum, Magnum 44
- 334 = Crossroads, cross tops
- 335 = Dexatrim <OTC> [see also 347, 378]
- 336 = Diet pills
- 337 = White Molly
- 338 = Antiadiposium X112 [sic]
- 339 = Amphetamines (speed generically)
- 340 = Tiamina 250 [sic]
- 341 = Pink roses
- 342 = Purple hearts
- 343 = Nitroglycerine
- 344 = Bennies
- 345 = Black Molly
- 346 = Ephedrine sulfate, Marax [see also 332]
- 347 = Phenylpropanolamine <OTC> [see also
335, 378]
- 348 = Crystal
- 349 = Phentametrizine [sic]
- 350 = Betin SS [sic]
- 351 = Q'at
- 352 = Lemons
- 353 = No-Doz <OTC>
- 354 = Vivarin <OTC>

355 = Crystal meth
356 = Dexies
357 = Heart-shaped black pills
358 = 20/20
359 = Criss cross
360 = Rainbow speed
361 = Isutrars [sic], Isyfiars [sic]
362 = Benadryl
363 = Bam(s)
364 = Pseudophedrine, Sinutab, Sudafed
<OTC>
365 = Desecon [sic]
366 = Duromine [sic]
367 = Slender Rite [sic]
368 = Peanut butter crank
369 = Artane
370 = Mess tab [sic]
371 = Cogentin
372 = Mejoral [Spanish: aspirin & caffeine]
373 = Captagon [sic]
374 = Christmas tree(s)
375 = Coco puffs [sic]
376 = TAC [sic]
377 = Ventolin
378 = Control <OTC> [see also 335, 347]
379 = Hearts
380 = Pink ladies
381 = P.O.T.C.
382 = Footballs, purple footballs
383 = Pre-Sate
384 = Little crosses
385 = Little pink one
386 = Herbal ecstasy, ma huang
387 = Pink football
388 = Pink lemon
389 = Daprisal [sic]
390 = Max Alert
391 = Turbe [sic] tablets
392 = Obeesatol [sic]
393 = OP 33
394 = Debs
395 = Black cats
396 = Black Rjs
397 = F-40
398 = Pink crosses
399 = Pasodoril [sic]
3001 = Brown and clear
3002 = Pep ups
3003 = Primatine tablets
3004 = Black cadillac
3005 = Methylandlanamine
3006 = Green Amps
3007 = Nasal inhalant
3009 = CAT, Ephedrone, Methcathinone
3010 = KOOD12
3011 = Escalation

401 = Darvon
402 = Dolene

403 = SK-65
404 = Wygesic
405 = Levo-Dromoran
406 = Oxycodone, Percodan, Roxicet
407 = Demerol
408 = Dilaudid
409 = Tylenol with Codeine, Tylenol 3,
Tylenol 4
410 = Phenaphen with Codeine, Phenaphen 3
411 = Talwin
412 = Talwin NX
413 = Talacen
414 = Propoxy, Propoxyphene
415 = Codeine
416 = Anileridine
417 = Morphine
418 = Dolophine, Methadone, Westodone
419 = Stadol, Stadol NS
420 = OTHER Analgesic, NOT SPECIFIED
421 = USED ANALGESIC, DON'T KNOW
NAME
422 = Motrin
423 = Percocet
424 = Fioricet
425 = Advil
426 = Butalbital, Esgic, Fiorinal, Phrenilin Forte
427 = Darvocet
428 = Execl [sic]
429 = Frost 222
430 = Aspirin, Ecotrin, Empirin <OTC>
431 = Tylox
432 = Rufen
433 = Paregoric
434 = Anexia, Co-Gesic, Hydrocodone, Lortab,
Tussionex, Vicodin [see also 456]
435 = Tylenol, Tylenol Extra-Strength <OTC>
436 = Bufferin <OTC>
437 = Parafon Forte
438 = Anaprox, Naprosyn
439 = 222, Canadian 222
440 = Soma
441 = Luitab [sic]
442 = Ibuprofen
443 = Dolobid
444 = Aspirin with Codeine, Empirin 3
445 = Norgesic Forte
446 = Orvais [sic]
447 = Synalgos, Synalgos DC
448 = Tobutrol [sic]
449 = Xycodone [sic]
450 = Acetaminophen <OTC>
451 = Ansaid [sic]
452 = Becadan [sic]
453 = Organidin with Codeine
454 = Novocain, Procaine
455 = Fiorinal with Codeine
456 = Lorcet HD, Lorcet Plus, Lortab [see also
434]
457 = T's and blues
458 = Mepergan, Mepergan Fortis

- 459 = Ketamine
460 = Magnopyrol [sic]
461 = Daopar [sic]
462 = Norflex
463 = Lisalgil [sic]
464 = Oratab [sic]
465 = Fentanyl, Duragesic, Oralet, Sublimaze
466 = Midol <OTC>
467 = Tolectin
468 = Excedrin <OTC>
469 = Leritine
470 = Cafegot
471 = Butazolidin
472 = Indocin, Indomethacin
473 = Pyridium
474 = PPA [sic]
475 = Precom [sic]
476 = Isocom, Midrin
477 = Neo-Melubrina (Spanish)
478 = Nogirtonia
479 = Pentrexyl
480 = Robitussin AC with Codeine
481 = Acular, Ketorolactromethamine, Toradol
482 = Coai d [sic]
483 = Rophynol (rope) [sic] [see also 161, 168]
484 = Volume Roach 2-10-8 [sic], Volumes
485 = Mark Vanan [sic]
486 = Beserol [sic]
487 = Ariel
488 = Polofin [sic]
489 = Plruteam [sic]
490 = Nubain
491 = PDR
492 = Car Crase [sic]
493 = IBU
494 = Zanbars [sic]
495 = Red cross
496 = Tramadol, Ultram
497 = Cloratabs [sic]
498 = Ponstel, Mefenamic acid
- 501 = Gasoline or lighter fluids
502 = Spray paints
503 = Other aerosol sprays
504 = Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
505 = Lacquer thinner or other paint solvents
506 = Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
507 = Halothane, ether, or other anesthetics; chloroform
508 = Nitrous oxide, "whippets," dentist gas
509 = Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2R Spot Remover, Typewash
510 = OTHER Inhalant, NOT SPECIFIED
511 = Markers, felt-tip pens, ink pens
- 512 = Incense
513 = Tulio [sic]
514 = Carbona [sic], carbone [sic]
515 = Vicks
516 = Freon
517 = Tolul [sic], Tolyol
518 = Acetone, nail polish remover
519 = Helium
520 = Old paint, paint
521 = Propane [see also 525, 544]
522 = Liquid TV (MTV), TV tuner, TV11Y
523 = Matches
524 = White-Out [see also 509]
525 = Butane [see also 521, 544]
526 = Nail polish
527 = Phenyl nitrate
528 = Whipped-cream can
529 = Moth balls
530 = Asthma inhaler, asthma medication, bronchial dilators
531 = Candy, powdered candy
532 = PRW [sic]
533 = Window sealant
534 = Deodorant [see also 827]
535 = Rexo [sic] copies
536 = Fire Halt
537 = Boat horn
538 = Condensed horn
539 = ScotchGard
540 = PAM
541 = Binaca
542 = Brasso, lens cleaner, spirits of ammonia
543 = Liquid oxygen
544 = Lighter gases, not specified [see also 521, 525]
545 = Car tailpipe exhaust fumes, CO2
546 = Leather protector
547 = Propel [sic]
548 = Cologne, isopropanol vapors, rubbing alcohol
549 = Smarties [sic]
550 = Methyl chloride
551 = Spam [sic], oven cleaner (Spam [sic])
552 = Valo [sic]
553 = Pixie sticks
554 = Raid
555 = Chillers
556 = Energine
557 = Hagwash
558 = Kool Aid
559 = LOLOY
560 = Soap
561 = Amputee gas cleanser
562 = Ban apple gas
563 = Acetylene
564 = Electric contact cleaner
565 = Trichloroethane
566 = Smoked tea from Lipton tea bag
567 = Pertussin spray
568 = Tally, Tolly [sic]

- 569 = Pegamento
 570 = PVC (in Mexico)
 571 = Black jack
 572 = Etam
 573 = Furniture polish
 574 = Tornado
 575 = Dykem blue
 576 = C.A.T.
 577 = Rave runners
 578 = Dust off [sic]
 579 = Losean [sic]
 580 = Medusa [sic]
 581 = Benzol alcohol [sic]
 582 = WD-40
 583 = Duster [sic]
 584 = Oxy's [sic]
 585 = TCL
 586 = Carbon from empty softdrink bottle
 587 = Mineral ice

 601 = LSD ("acid," "white lightning") [see also 618]
 602 = Peyote
 603 = Mescaline
 604 = Psilocybin (mushrooms), shooms
 605 = PCP ("angel dust," phencyclidine)
 606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]
 607 = OTHER Hallucinogen, NOT SPECIFIED
 608 = Organes-25 [sic]
 609 = Gympsom [sic] pods, Jimson [sic] weed
 610 = Crystal T
 611 = Greens
 612 = Happy stick, sherm, shermstick
 613 = Duckweed
 614 = MDA, Methylenedioxy amphetamine
 615 = Homemade drugs
 616 = DET, Dimethyltryptamine, DMT
 617 = Morning glory seeds
 618 = Acid paper, blotter (acid) [see also 601]
 619 = TIC [sic]
 620 = Blue dragon
 621 = Red dragon
 622 = Microdot(s), purple microdot
 623 = Mickey, mickey mouse club, mickey mousers
 624 = Orange sunshine, sunshine, yellow sunshine
 625 = Window pane
 626 = Jet Fuel
 627 = Hawaiian wood rose, Hawaiian Woodrow seeds
 628 = Hawaiian rosebud seed tea
 629 = Rocket Fuel
 630 = Black Owsley
 631 = Purple Owsley
 632 = Folifundia [sic]
 633 = Mr. Natural
 634 = Unicorn

 635 = Ginseng seeds
 636 = STP
 637 = Purple haze
 638 = Lovlez [sic]
 639 = Cloves, Nutmeg
 640 = Purple pyramid
 641 = Maze [sic]
 642 = Pink Floyd
 643 = Queen
 644 = San Pedro [Spanish]
 645 = Thai stick
 646 = Poppy [sic]
 647 = Macullen [sic]
 648 = Designer drugs
 649 = Tea, Choc. [sic] tea
 650 = Daytura
 651 = Mellow Yellow
 652 = ALD-52 (version of LSD)
 653 = Cricketshit
 654 = Eve
 655 = Flying elephant
 656 = Mars
 657 = Orange barrel
 658 = Special K
 659 = Boat (Marijuana & PCP)
 660 = Toad, Toad licking
 661 = X. Light [sic]
 662 = Kanepolin
 663 = Animal tranquilizer, horse tranquilizer
 664 = Purple fingers
 665 = Paniolis
 666 = Zonick
 667 = Cody Robert
 668 = Yellow tiny pills
 669 = Stropharia
 670 = Monkey dust
 671 = Blomstedt
 672 = Suncrush
 673 = Orange
 674 = Pee-pope
 675 = Shein [sic]
 676 = Ashmadorf [sic]
 677 = Skunk II
 678 = Banana peels
 679 = Hell bells
 680 = Tweak
 681 = Lovely
 682 = Kief [sic]
 683 = Yage' [sic]
 684 = Chuntaro [sic]
 685 = Chayan [sic]
 686 = Spider in my feet
 687 = Spray
 688 = AMP
 689 = Amaneta [sic]
 690 = RID
 691 = Maximum impact
 692 = Banadine [sic]
 693 = Lemon drops
 694 = Yellow flower busch [sic]

- 695 = Angel trumpets [sic]
696 = Reyna [sic]
697 = Knebinal [sic]
698 = Nexus, 2C-B
699 = BOHA-49B
6001 = Collapsing little birds
6002 = Damyana [sic]
- 701 = OTHER Opiates, NOT SPECIFIED
702 = Heroin
703 = Opium
704 = Dope
705 = Speed Ball (heroin + cocaine)
706 = Smack
707 = Black Tar
708 = Powder (heroin?)
- 801 = OTHER Drugs, NOT SPECIFIED
802 = THC, cannabinol
803 = Marijuana, MarrJane [sic], Mary Jane, MJ, weed
804 = Hashish
805 = Cocaine, coca, cocaína, coke
806 = Crack, rock
807 = Alcohol, beer, ethanol, EtOH, pink champagne
808 = All of the ones I've tried
809 = Pills
810 = Hemp
811 = Muscle relaxers
812 = Cigars
813 = Cigarettes, smoking (substance not specified), tobacco not specified
814 = Caffeine
815 = Coffee
816 = Smokeless tobacco, snuff, chewing tobacco
817 = Hard stuff
818 = Nicotine
819 = Inderal
820 = Penicillin
821 = Amoxicillin, Ampicillin
822 = Rabbit tobacco
823 = Blast (KJ) [sic]
824 = Steroids
825 = Theo-Dur
826 = Alupent
827 = Aluminum chloride [see also 534]
828 = Tetracycline
829 = Robitussin DM
830 = Mad bull
831 = Honey oil
832 = Primo
833 = Bone
834 = Loveboat
835 = Rotan [sic]
- 836 = Antabuse
837 = Paris 400
838 = Obainedin [sic] (called the "dog")
839 = Siloquan [sic]
840 = Cough medicine (contents not specified) <OTC>
841 = Allerest <OTC>, Contact <OTC>
842 = Callipress [sic]
843 = Antihistamine, cold tablets <OTC>
844 = Blood pressure medication
845 = ECT [sic]
846 = Erythromycin
847 = GHB [sic]
848 = Liquid vitamin <OTC>
849 = Monosodium glutamate (MSG)
850 = Slack
851 = Thyrolar-3 [sic]
852 = Formaldehyde, wak [sic], whack (embalming fluid)
853 = Funti [sic] leaf
854 = Juice
855 = Oanol [sic]
856 = Roofe [sic]
857 = Wicky [sic] stick
858 = Antibiotic
859 = Aside [sic]
860 = Bees [sic]
861 = Doen [sic], doer [sic]
862 = Thornapple [sic] leaves
863 = Beetlenut
864 = Dramamine <OTC>, Motion sickness pill <OTC>, Seasick pill <OTC>
865 = Diuretics, Water pills
866 = Boomers
867 = Boron
868 = Buttee [sic]
869 = CD [sic]
870 = Coug [sic]
871 = Pote [sic]
872 = Raffies [sic]
873 = Contraceptives, Ferutal, Ortho Novum
874 = Premarin
875 = Buds
876 = Glass
877 = Methazolamide
878 = Friying
879 = Dimethyltriptamide MMPT
880 = Frios
881 = YLOALE
882 = Herbal Life
883 = Dextromethorphan Hydrobromide <OTC>
884 = Snow
885 = Drixoral <OTC>
886 = Spanish fly
887 = Orange peel (dried)
888 = Texas shoemine [sic]
889 = Methenphemeolies [sic]
890 = Methanol hits [sic]
891 = Famotidine, Pepcid

892 = Carafate, Sucralfate
893 = Estrogen
894 = Depakene, Depakote, Valproic Acid
895 = Tagamet, Cimetidine
896 = Catapres, Clonidine
897 = Synthroid, Levothyroxine
898 = Propylene

900 = Not a drug
900 = Non-drug reason given for a drug
992 = Illegible

Alphabetical Listing

- | | |
|--|--|
| 698 = 2C-B | 821 = Amoxicillin |
| 244 = 2, Roche (Mexican), [sic] | 688 = AMP |
| 484 = 2-10-8, Volume Roach, [sic] | 3006 = Amps, Green |
| 358 = 20/20 | 614 = Amphetamine, Methylenedioxy |
| 439 = 222 | 339 = Amphetamines (speed generically) |
| 439 = 222, Canadian | 821 = Ampicillin |
| 429 = 222, Frost | 561 = Amputee gas cleanser |
| 340 = 250, Tiamina [sic] | 506 = Amyl nitrite |
| 444 = 3, Empirin | 103 = Amytal |
| 410 = 3, Phenaphen | 438 = Anaprox |
| 851 = 3, Thyrolar- [sic] | 507 = Anesthetics other than halothane and ether |
| 409 = 3, Tylenol | 434 = Anexia [see also 456] |
| 393 = 33, OP | 605 = Angel dust |
| 333 = 357 Magnum | 695 = Angel trumpets [sic] |
| 409 = 4, Tylenol | 416 = Anileridine |
| 397 = 40, F- | 663 = Animal tranquilizer |
| 333 = 44, Magnum | 451 = Ansaïd [sic] |
| 837 = 400, Paris | 836 = Antabuse |
| 149 = 50, Ekilid [sic] | 338 = Antiadiposium X112 [sic] |
| 162 = 500, Ambramine [sic] | 858 = Antibiotic |
| 137 = 7-14 | 843 = Antihistamine |
| | 264 = Anxidel [sic] |
| | 562 = Apple gas, Ban |
| | 487 = Ariel |
| 450 = Acetaminophen | 369 = Artane |
| 518 = Acetone | 249 = Asendin |
| 563 = Acetylene | 676 = Ashmadorf [sic] |
| 601 = Acid | 859 = Aside [sic] |
| 618 = (Acid), Blotter | 430 = Aspirin |
| 498 = Acid, Mefenamic | 444 = Aspirin with Codeine |
| 618 = Acid paper | 255 = Assival [sic] |
| 894 = Acid, Valpronic | 530 = Asthma inhaler |
| 148 = Actifed | 530 = Asthma medication |
| 481 = Acular | 216 = Atarax |
| 247 = Adapin | 207 = Ativan |
| 313 = Adipex-P | 236 = Avatir [sic] |
| 425 = Advil | 250 = Aventyl |
| 503 = Aerosol sprays other than spray paints | |
| 558 = Aid, Kool | |
| 122 = Aid, Sleep | |
| 504 = Airplane glue | 529 = Balls, Moth |
| 807 = Alcohol | 363 = Bam(s) |
| 581 = Alcohol, Benzol [sic] | 562 = Ban apple gas |
| 548 = Alcohol, Rubbing | 692 = Banadine [sic] |
| 652 = ALD-52 (version of LSD) | 678 = Banana peels |
| 390 = Alert, Max | 156 = Barbitol, Sodium |
| 808 = All of the ones I've tried | 157 = Barbiturates |
| 841 = Allerest <OTC> | 657 = Barrel, Orange |
| 827 = Aluminum chloride | 327 = Beauties, Black |
| 826 = Alupent | 327 = Beauty, Black |
| 154 = Alurate | 452 = Becadan [sic] |
| 162 = Ambramine 500 [sic] | 807 = Beer |
| 689 = Amaneta [sic] | 860 = Bees [sic] |
| 228 = Amitriptyline | 863 = Beetlenut |
| 542 = Ammonia, Spirits of | 142 = Belladonna |
| 114 = Amobarbital | 679 = Bells, Hell |

362 = Benadryl
 344 = Bennies
 146 = Bently
 304 = Benzedrine
 581 = Benzol alcohol [sic]
 486 = Beserol [sic]
 350 = Betin SS [sic]
 541 = Binaca
 305 = Biphedamine
 329 = Bird eggs
 330 = Bird, Speckled
 330 = Birds, Blue
 6001 = Birds, Collapsing little
 327 = Black beauties
 327 = Black Beauty
 265 = Black Caddy
 3004 = Black cadillac
 395 = Black cats
 571 = Black jack
 345 = Black Molly
 630 = Black Owsley
 357 = Black pills, Heart-shaped
 396 = Black Rjs
 707 = Black Tar
 139 = Black widows
 331 = Blancs
 823 = Blast (KJ) [sic]
 671 = Blomstedt
 844 = Blood pressure medication
 618 = Blotter (acid)
 330 = Blue birds
 620 = Blue dragon
 330 = Blue jays
 163 = Blue meanies
 330 = Blue robins
 457 = Blues, T's and
 537 = Boat horn
 659 = Boat (Marijuana & PCP)
 699 = BOHA-49B
 506 = Bolt
 833 = Bone
 866 = Boomers
 867 = Boron
 586 = Bottle, Carbon from empty softdrink
 542 = Brasso
 530 = Bronchial dilators
 3001 = Brown and clear
 875 = Buds
 436 = Bufferin
 830 = Bull, Mad
 694 = Busch [sic], Yellow flower
 211 = Buspar
 426 = Butalbital
 471 = Butazolidin
 525 = Butane
 102 = Buticaps
 101 = Butisol
 868 = Buttee [sic]
 368 = Butter crank, Peanut
 576 = C.A.T.
 3009 = Cat
 223 = Carbacot
 3004 = Cadillac, Black
 265 = Caddy, Black
 470 = Cafergot
 814 = Caffeine
 158 = Calmociteno (in Brazil)
 842 = Callipress [sic]
 528 = Can, Whipped-cream
 439 = Canadian 222
 531 = Candy
 531 = Candy, Powdered
 802 = Cannabinol
 373 = Captagon [sic]
 492 = Car crase [sic]
 545 = Car tailpipe exhaust fumes
 892 = Carafate
 586 = Carbon from empty softdrink bottle
 514 = Carbona [sic]
 240 = Carbonate, Lithium
 514 = Carbone [sic]
 108 = Carbrital
 896 = Catapres
 395 = Cats, Black
 869 = CD [sic]
 504 = Cement, Rubber
 208 = Centrax
 807 = Champagne, Pink
 685 = Chayan [sic]
 504 = Chemical glue
 816 = Chewing tobacco
 555 = Chillers
 117 = Chloral hydrate
 827 = Chloride, Aluminum
 550 = Chloride, Methyl
 507 = Chloroform
 649 = Choc. [sic] tea
 374 = Christmas tree(s)
 684 = Chuntaro [sic]
 251 = CIBA'S [sic]
 813 = Cigarettes
 812 = Cigars
 895 = Cimetidine
 497 = Cloratabs [sic]
 542 = Cleaner, lens
 551 = Cleaner (Spam [sic]), Oven
 509 = Cleaning fluids
 3001 = Clear, Brown and
 896 = Clonidine
 246 = Clonopin
 639 = Cloves, Nutmeg
 623 = Club, Mickey Mouse
 545 = CO2
 482 = Coai d [sic]
 805 = Cocaine
 805 = Cocaina
 375 = Coco puffs [sic]
 415 = Codeine

444 = Codeine, Aspirin with
 455 = Codeine, Fiorinal with
 453 = Codeine, Organidin with
 410 = Codeine, Phenaphen with
 480 = Codeine, Robitussin AC with
 409 = Codeine, Tylenol with
 667 = Cody Robert
 815 = Coffee
 371 = Cogentin
 434 = Co-Gesic [see also 456]
 805 = Coke
 843 = Cold tablets
 6001 = Collapsing little birds
 548 = Cologne
 230 = Compazine
 538 = Condensed horn
 841 = Contact <OTC>
 564 = Contact cleaner, Electric
 873 = Contraceptives
 378 = Control
 248 = Cool, Sooper [sic]
 535 = Copies, Rexo [sic]
 509 = Correction fluids
 870 = Coug [sic]
 840 = Cough medicine (contents not specified)
 806 = Crack
 322 = Crank
 368 = Crank, Peanut butter
 492 = Crase, Car [sic]
 252 = Cream, Strawberry whip
 653 = Cricketshit
 359 = Criss Cross
 359 = Cross, Criss
 495 = Cross, Red
 326 = Cross, White
 384 = Crosses, Little
 398 = Crosses, Pink
 334 = Crossroads
 334 = Cross tops
 348 = Crystal
 355 = Crystal meth
 610 = Crystal T
 234 = Cyclobenzaprine
 319 = Cylert

 238 = Dafernil [sic]
 111 = Dalmane
 6002 = Damyana [sic]
 461 = Daopar [sic]
 389 = Daprisal [sic]
 427 = Darvocet
 401 = Darvon
 650 = Daytura
 447 = DC, Synalgos
 394 = Debs
 509 = Degreasers
 223 = Delaxin
 407 = Demerol

 508 = Dentist gas
 534 = Deodorant
 894 = Depakene
 894 = Depakote
 214 = Deprol
 365 = Desecon [sic]
 648 = Designer drugs
 259 = Desipramine
 306 = Desoxyn
 225 = Desyrel
 616 = DET
 145 = Devil(s), Red
 302 = Dexamyl
 335 = Dexatrim
 301 = Dexedrine
 356 = Dexies
 320 = Dextroamphetamine
 883 = Dextromethorphan Hydrobromide
 <OTC>
 134 = Diasetan [sic]
 218 = Diazepam
 146 = Dicyclomine
 309 = Didrex
 336 = Diet pills
 307 = Diethylpropion (Tenuate)
 308 = Diethylpropion (Tepanil)
 141 = Dilantin
 530 = Dilators, Bronchial
 408 = Dilaudid
 136 = Dimetapp
 879 = Dimethyltriptamide MMPT
 616 = Dimethyltryptamine
 865 = Diuretics
 616 = DMT
 861 = Doen [sic]
 861 = Doer [sic]
 402 = Dolene
 169 = Dolestan [sic] <German OTC>
 443 = Dolobid
 418 = Dolophine
 704 = Dope
 106 = Doriden
 120 = Downers
 247 = Doxepin
 620 = Dragon, Blue
 621 = Dragon, Red
 864 = Dramamine <OTC>
 885 = Drixoral <OTC>
 693 = Drops, Lemon
 648 = Drugs, Designer
 615 = Drugs, Homemade
 613 = Duckweed
 167 = Dumolid [sic]
 465 = Duragesic
 111 = Durapam
 366 = Duromine [sic]
 217 = Durrax
 578 = Dust off [sic]
 605 = Dust, Angel
 670 = Dust, Monkey

583 = Duster [sic]
 430 = Ecotrin
 606 = Ecstasy
 386 = Ecstasy, Herbal
 845 = ECT [sic]
 329 = Eggs, Bird
 329 = Eggs, Robin's
 329 = Eggs, Speckled
 149 = Ekilid [sic] 50
 239 = Elavil
 564 = Electric contact cleaner
 655 = Elephant, Flying
 852 = Embalming fluid
 430 = Empirin
 444 = Empirin 3
 586 = Empty softdrink bottle, Carbon from
 556 = Energine
 332 = Ephedrine
 332 = Ephedrine (HCl)
 346 = Ephedrine sulfate
 3009 = Ephedrone
 242 = Equagesic
 213 = Equanil
 846 = Erythromycin
 3011 = Escalation
 426 = Esgic
 152 = Eskabarb
 303 = Eskatrol
 893 = Estrogen
 572 = Etam
 807 = Ethanol
 507 = Ether
 807 = EtOH
 243 = Etrafon
 654 = Eve
 468 = Excedrin
 428 = Execl [sic]
 545 = Exhaust fumes, Car tailpipe
 606 = Extasi [sic]
 435 = Extra-Strength, Tylenol
 509 = Fluids, Cleaning
 509 = Fluids, Correction
 501 = Fluids, Lighter
 655 = Flying elephant
 632 = Folifundia [sic]
 387 = Football, Pink
 382 = Footballs
 382 = Footballs, Purple
 852 = Formaldehyde
 445 = Forte, Norgesic
 437 = Forte, Parafon
 426 = Forte, Phrenilin
 458 = Fortis, Mepergan
 516 = Freon
 880 = Frios
 878 = Friying
 429 = Frost 222
 626 = Fuel, Jet
 629 = Fuel, Rocket
 545 = Fumes, Car tailpipe exhaust
 853 = Funti [sic] leaf
 573 = Furniture polish
 562 = Gas, Apple Ban
 508 = Gas, Dentist
 544 = Gases, Lighter, not specified
 501 = Gasoline
 847 = GHB [sic]
 635 = Ginseng seeds
 876 = Glass
 617 = Glory seeds, Morning
 504 = Glue
 504 = Glue, Airplane
 504 = Glue, Chemical
 504 = Glue, Model
 504 = Glue, Super
 849 = Glutamate (MSG), Monosodium
 3006 = Green amps
 611 = Greens
 609 = Gympsom [sic] pods
 397 = F-40
 891 = Famotidine
 313 = Fastin
 686 = Feet, Spider in my
 511 = Felt-tip pens
 465 = Fentanyl
 873 = Ferutal
 664 = Fingers, Purple
 424 = Fioricet
 426 = Fiorinal
 455 = Fiorinal with Codeine
 536 = Fire Halt
 234 = Flexeril
 642 = Floyd, Pink
 694 = Flower busch [sic], Yellow
 852 = Fluid), Whack (embalming
 557 = Hagwash
 113 = Halcion
 131 = Haldol
 131 = Haloperidol
 507 = Halothane
 536 = Halt, Fire
 612 = Happy stick
 817 = Hard stuff
 804 = Hashish
 628 = Hawaiian rosebud seed tea
 627 = Hawaiian wood rose
 627 = Hawaiian Woodrow seeds
 637 = Haze, Purple
 332 = HCL, Ephedrine
 226 = HCl, Trifluoperazine

456 = HD, Lorcet [see also 434]
 379 = Hearts
 328 = Hearts, Pink
 342 = Hearts, Purple
 357 = Heart-shaped black pills
 519 = Helium
 679 = Hell bells
 810 = Hemp
 386 = Herbal ecstasy
 702 = Heroin
 615 = Homemade drugs
 831 = Honey oil
 537 = Horn, Boat
 538 = Horn, Condensed
 258 = Hoses [sic]
 663 = Horse tranquilizer
 386 = Huang, Ma
 117 = Hydrate, Chloral
 883 = Hydrobromide, Dextromethorphan
 <OTC>
 306 = Hydrochloride, Methamphetamine
 313 = Hydrochloride, Phentermine
 225 = Hydrochloride, Trazodone
 434 = Hydrocodone [see also 456]

493 = IBU
 442 = Ibuprofen
 506 = Isobutyl nitrate
 322 = Ice
 587 = Ice, Mineral
 235 = Imipramine
 691 = Impact, Maximum
 512 = Incense
 819 = Inderal
 472 = Indocin
 472 = Indomethacin
 3007 = Inhalant, Nasal
 530 = Inhaler, Asthma
 686 = In my feet, Spider
 511 = Ink pens
 273 = Insidod [sic]
 273 = Insidon [sic]
 312 = Ionamin
 476 = Isocom
 548 = Isopropanol vapors

361 = Isutrars [sic]
 361 = Isyfiars [sic]

571 = Jack, Black
 124 = Jackets, Yellow
 330 = Jays, Blue
 626 = Jet Fuel
 609 = Jimson [sic] weed
 854 = Juice

662 = Kanepolin
 509 = K2R Spot Remover
 459 = Ketamine
 481 = Ketorolactromethamine
 682 = Kief [sic]
 246 = Klonopin
 697 = Knebinal [sic]
 3010 = KOOD12
 558 = Kool Aid

505 = Lacquer thinner
 380 = Ladies, Pink
 853 = Leaf, Funti [sic]
 546 = Leather protector
 862 = Leaves, Thornapple [sic]
 693 = Lemon Drops
 388 = Lemon, Pink
 352 = Lemons
 542 = Lens cleaner
 469 = Leritine
 405 = Levo-Dromoran
 897 = Levothyroxine
 229 = Librax
 203 = Libritabs
 202 = Librium
 882 = Life, Herbal
 661 = Light, X. [sic]
 501 = Lighter fluids
 544 = Lighter gases, not specified
 601 = Lightning, White
 203 = Limbitrol
 566 = Lipton tea bag, Smoked tea from
 504 = Liquid, Shoeshine
 543 = Liquid oxygen
 509 = Liquid Paper [see also 524]
 522 = Liquid TV (MTV)
 848 = Liquid vitamin
 463 = Lisalgil [sic]
 240 = Lithium carbonate
 6001 = Little birds, Collapsing
 384 = Little crosses
 385 = Little pink ones
 506 = Locker room odorizer
 559 = LOLOY
 434 = Lortab [see also 456]
 456 = Lorcet HD [see also 434]
 456 = Lorcet Plus [see also 434]
 579 = Losean [sic]
 834 = Loveboat
 681 = Lovely
 638 = Lovlez [sic]
 275 = Loxitane
 601 = LSD
 441 = Luitab [sic]
 153 = Luminal

647	=	Macullen [sic]	623	=	Mickey mousers
830	=	Mad Bull	622	=	Microdot, Purple
460	=	Magnopyrol [sic]	622	=	Microdot(s)
333	=	Magnum, 357	466	=	Midol
333	=	Magnum 44	476	=	Midrin
386	=	Ma Huang	212	=	Miltown
138	=	Mandrax [sic]	587	=	Mineral ice
346	=	Marax	135	=	Mini Thins
223	=	Marbaxin	3008	=	Miniwhites
267	=	Marezine	203	=	Mitran
803	=	Marijuana	803	=	MJ
659	=	(Marijuana & PCP), Boat	879	=	MMPT, Dimethyltryptamide
485	=	Mark Vanan [sic]	504	=	Model glue
511	=	Markers	272	=	Mogadon
803	=	MarrJane [sic]	345	=	Molly, Black
656	=	Mars	337	=	Molly, White
803	=	Mary Jane	670	=	Monkey dust
523	=	Matches	849	=	Monosodium glutamate (MSG)
390	=	Max Alert	617	=	Morning glory seeds
691	=	Maximum impact	417	=	Morphine
317	=	Mazanor	864	=	Motion sickness pill <OTC>
641	=	Maze [sic]	529	=	Moth balls
614	=	MDA	422	=	Motrin
606	=	MDMA	623	=	Mouse club, Mickey
163	=	Meanies, Blue	623	=	Mousers, Mickey
104	=	Mebaral	633	=	Mr. Natural
530	=	Medication, Asthma	231	=	MS [sic]
844	=	Medication, Blood pressure	849	=	(MSG), Monosodium glutamate
840	=	Medicine, Cough (contents not specified)	522	=	(MTV), Liquid TV
580	=	Medusa [sic]	811	=	Muscle relaxers
498	=	Mefenamic acid	604	=	Mushrooms
272	=	Megadon [sic]	686	=	My feet, Spider in
372	=	Mejoral [Spanish]			
232	=	Mellaril			
651	=	Mellow Yellow			
204	=	Menrium	526	=	Nail polish
458	=	Mepergan	518	=	Nail polish remover
458	=	Mepergan Fortis	438	=	Naprosyn
220	=	Meprobamate	3007	=	Nasal Inhalant
220	=	Meprospan	633	=	Natural, Mr.
603	=	Mescaline	108	=	Nembutal
370	=	Mess Tab [sic]	477	=	Neo-Melubrina (Spanish)
322	=	Meth	128	=	Nervine
355	=	Meth, Crystal	698	=	Nexus
418	=	Methadone	147	=	Nicol [sic]
322	=	Methamphetamine	818	=	Nicotine
306	=	Methamphetamine Hydrochloride	274	=	Nipam [sic]
890	=	Methanol hits	506	=	Nitrate, Isobutyl
116	=	Methaqualone	527	=	Nitrate, Phenyl
877	=	Methazolamide	272	=	Nitrazepam
3009	=	Methcathinone	506	=	Nitrite, Amyl
321	=	Methedrine	343	=	Nitroglycerine
889	=	Methenphemeolies [sic]	508	=	Nitrous oxide
223	=	Methocarbamol	117	=	Noctec
3005	=	Methyl andlanamine	353	=	No-Doz
550	=	Methyl chloride	478	=	Nogirtronia
614	=	Methylenedioxy amphetamine	107	=	Noludar
318	=	Methylphenidate	462	=	Norflex
623	=	Mickey	445	=	Norgesic Forte
623	=	Mickey Mouse club	259	=	Norpramin

250 = Nortriptyline
 454 = Novocain
 353 = No-Doz
 419 = NS, Stadol
 490 = Nubain
 639 = Nutmeg, Cloves
 127 = Nytol

 855 = Oanol [sic]
 838 = Obainedin [sic]
 323 = Obedrin-L.A.
 392 = Obeesatol [sic]
 159 = Octanox
 506 = Odorizer, Locker room
 578 = Off, Dust [sic]
 831 = Oil, Honey
 520 = Old paint
 385 = Ones, Little Pink
 393 = OP 33
 703 = Opium
 465 = Oralet
 673 = Orange
 657 = Orange barrel
 887 = Orange peel (dried)
 624 = Orange sunshine
 464 = Oratab [sic]
 608 = Organes-25 [sic]
 453 = Organidin with Codeine
 873 = Ortho Novum
 446 = Orvais [sic]
 503 = Other aerosol sprays besides spray paints
 507 = Other anesthetics besides halothane and ether
 505 = Other paint solvents besides lacquer thinner
 551 = Oven cleaner (Spam [sic])
 630 = Owsley, Black
 631 = Owsley, Purple
 508 = Oxide, Nitrous
 584 = Oxy's [sic]
 406 = Oxycodone
 543 = Oxygen, Liquid

 520 = Paint
 520 = Paint, Old
 505 = Paint solvents other than lacquer thinner
 502 = Paints, Spray
 540 = PAM
 625 = Pane, Window
 665 = Paniolis
 618 = Paper, Acid
 509 = Paper, Liquid
 437 = Parafon Forte
 433 = Paregoric
 116 = Parest
 837 = Paris 400

 155 = Pasatorim [sic]
 269 = Pasidrin (in Mexico)
 250 = Pamelor
 399 = Pasodoril [sic]
 210 = Paxipam
 260 = PCB
 605 = PCP
 491 = PDR
 368 = Peanut butter crank
 644 = Pedro, San [Spanish]
 887 = Peel, Orange (dried)
 678 = Peels, Banana
 674 = Pee-pope
 569 = Peganento
 820 = Penicillin
 511 = Pens, Felt-tip
 511 = Pens, Ink
 118 = Pentobarbital
 118 = Pentothal
 118 = Pentothal, Sodium
 479 = Pentrexyl
 3002 = Pep ups
 891 = Pepcid
 423 = Percocet
 406 = Percodan
 259 = Pertofrane
 567 = Pertussin spray
 602 = Peyote
 410 = Phenaphen 3
 410 = Phenaphen with Codeine
 605 = Phencyclidine
 130 = Phenergan
 115 = Phenobarbital
 349 = Phentametrizine [sic]
 313 = Phentermine hydrochloride
 527 = Phenyl nitrate
 347 = Phenylpropanolamine
 426 = Phrenilin Forte
 864 = Pill, Motion sickness <OTC>
 809 = Pills
 336 = Pills, Diet
 357 = Pills, Heart-shaped black
 864 = Pills, Seasick <OTC>
 668 = Pills, Yellow tiny
 807 = Pink champagne
 398 = Pink crosses
 642 = Pink Floyd
 387 = Pink football
 328 = Pink hearts
 380 = Pink ladies
 388 = Pink lemon
 385 = Pink Ones, Little
 341 = Pink roses
 553 = Pixie sticks
 105 = Placidyl
 310 = Plegine
 489 = Plruteam [sic]
 456 = Plus, Lorcet [see also 434]
 609 = Pods, Gympsom [sic]
 573 = Polish, Furniture

526 = Polish, Nail
 518 = Polish remover, Nail
 488 = Polofin [sic]
 314 = Pondimin
 498 = Ponstel
 170 = Popey [sic]
 506 = Poppers
 646 = Poppy
 381 = P.O.T.C.
 871 = Pote [sic]
 708 = Powder (heroin?)
 531 = Powdered candy
 474 = PPA [sic]
 475 = Precom [sic]
 311 = Preludin
 874 = Premarin
 383 = Pre-Sate
 844 = Pressure medication, Blood
 3003 = Primatine tablets
 832 = Primo
 454 = Procaine
 262 = Prolixin
 521 = Propane
 547 = Propel [sic]
 414 = Propoxy
 414 = Propoxyphene
 898 = Propylene
 546 = Protector, Leather
 241 = Prozac
 532 = PRW [sic]
 414 = Pseudoephedrine
 604 = Psilocybin
 375 = Puffs, Coco [sic]
 664 = Purple fingers
 382 = Purple footballs
 637 = Purple haze
 342 = Purple hearts
 622 = Purple microdot
 631 = Purple Owsley
 640 = Purple pyramid
 640 = Pyramid, Purple
 473 = Pyridium
 570 = PVC (in Mexico)

351 = Q'at
 116 = Quaalude
 643 = Queen
 125 = Qulande [sic]
 351 = Q'at

822 = Rabbit tobacco
 872 = Raffies [sic]
 268 = Rahipinal
 168 = Rahypnol
 554 = Raid
 360 = Rainbow speed

110 = Rainbows
 112 = Rasepam
 577 = Rave runners
 495 = Red cross
 145 = Red devil(s)
 621 = Red dragon
 129 = Reds
 160 = Relanium [sic]
 811 = Relaxers, Muscle
 518 = Remover, Nail polish
 509 = Remover, K2R Spot
 112 = Restoril
 535 = Rexo [sic] copies
 696 = Reyna [sic]
 144 = Reynolds [sic]
 690 = RID
 318 = Ritalin
 367 = Rite, Slender [sic]
 396 = RJs, Black
 484 = Roach 2-10-8, Volume [sic]
 223 = Robamol
 223 = Robaxin
 667 = Robert, Cody
 330 = Robins, Blue
 329 = Robin's eggs
 480 = Robitussin AC with Codeine
 829 = Robitussin DM
 223 = Robomol
 244 = Roche 2 (Mexican) [sic]
 806 = Rock
 629 = Rocket fuel
 168 = Rohybenol [sic][see also 161, 483]
 161 = Rohypnol [see also 161, 168]
 166 = Roinol [sic]
 856 = Roofe [sic]
 161 = Roofies [see also 168 and 483]
 506 = Room odorizer, Locker
 161 = Rope [see also 168, 483]
 483 = (Rope), Rophynol [sic], [see also 161, 483]
 261 = Roperals [sic]
 483 = Rophynol, (Rope), [sic], [see also 161, 483]
 161 = Roples [see also 168, 483]
 627 = Rose, Hawaiian wood
 628 = Rosebud seed tea, Hawaiian
 341 = Roses, Pink
 835 = Rotan [sic]
 406 = Roxicet
 504 = Rubber cement
 548 = Rubbing alcohol
 432 = Rufen
 161 = Rufinal [sic] [see also 168, 483]
 161 = Rufonol [sic] [see also 168, 483]
 168 = Ruhibinol [sic] [see also 161, 483]
 577 = Runners, Rave
 506 = Rush
 133 = Ryoxine [sic]

316 = Sanorex
644 = San Pedro [Spanish]
539 = ScotchGard
533 = Sealant, Window
864 = Seasick pill <OTC>
119 = Secobarbital
109 = Seconal
143 = Sedoxen [sic]
628 = Seed tea, Hawaiian rosebud
635 = Seeds, Ginseng
627 = Seeds, Hawaiian Woodrow
617 = Seeds, Morning glory
628 = Seed tea, Hawaiian rosebud
140 = Seldane
205 = Serax
675 = Shein [sic]
612 = Sherm [sic]
612 = Shermstick
504 = Shoeshine liquid
888 = Shoesmine, Texas [sic]
604 = Shooms
839 = Siloquan [sic]
247 = Sinequan
364 = Sinutab
403 = SK-65
219 = SK-Lygen
677 = Skunk II
850 = Slack
122 = Sleep Aid
132 = Sleepettes [sic]
367 = Slender Rite [sic]
706 = Smack
549 = Smarties [sic]
566 = Smoked tea from Lipton tea bag
816 = Smokeless tobacco
813 = Smoking (substance not specified)
884 = Snow
816 = Snuff
560 = Soap
156 = Sodium barbital
118 = Sodium pentothal
586 = Softdrink bottle, Carbon from empty
505 = Solvents, Paint, other than lacquer thinner
440 = Soma
126 = Somenex [sic]
248 = Sooper Cool [sic]
116 = Sopor
551 = Spam [sic]
551 = (Spam [sic]), Oven cleaner
687 = Spary
658 = Special K
330 = Speckled birds
329 = Speckled eggs
339 = Speed (amphetamines generically)
322 = Speed (methamphetamine)
360 = Speed, Rainbow
705 = Speedball (heroin + cocaine)
686 = Spider in my feet
542 = Spirits of ammonia
509 = Spot Remover, K2R
502 = Spray paints
567 = Spray, Pertussin
503 = Sprays, Aerosol, other than spray paints
419 = Stadol
419 = Staydol NS
226 = Stelazine
824 = Steroids
612 = Stick, Happy
645 = Stick, Thai
857 = Stick, Wicky [sic]
553 = Sticks, Pixie
636 = STP
252 = Strawberry whip cream
669 = Stropharia
817 = Stuff, Hard
465 = Sublimaze
892 = Sucralfate
364 = Sudafed
346 = Sulfate, Ephedrine
672 = Suncrush
624 = Sunshine
624 = Sunshine, Orange
624 = Sunshine, Yellow
504 = Super Glue
447 = Synalgos
447 = Synalgos DC
897 = Synthroid
370 = Tab, Mess [sic]
843 = Tablets, Cold
3003 = Tablets, Primatine
391 = Tablets, Turbe [sic]
376 = TAC
895 = Tagamet
545 = Tailpipe exhaust fumes, Car
413 = Talacen
568 = Tally
411 = Talwin
412 = Talwin NX
707 = Tar, Black
585 = TCL
649 = Tea, Choc. [sic] tea
628 = Tea, Hawaiian rosebud seed
112 = Temaz
112 = Temazepam
307 = Tenuate
308 = Tepanil
828 = Tetracycline
888 = Texas shoesmine [sic]
645 = Thai stick
802 = THC
825 = Theo-Dur
505 = Thinner, Lacquer
135 = Thins, Mini
227 = Thorazine
862 = Thornapple [sic] leaves
851 = Thyrolar-3 [sic]
340 = Tiamina 250 [sic]

619 = TIC [sic]
 668 = Tiny, Yellow pills
 660 = Toad
 660 = Toad licking
 816 = Tobacco, Chewing
 822 = Tobacco, Rabbit
 816 = Tobacco, Smokeless
 813 = Tobacco not specified
 448 = Tobutrol [sic]
 467 = Tolectin
 568 = Tolly [sic]
 504 = Toluene
 517 = Tolul [sic]
 517 = Tolyol
 334 = Tops, Cross
 481 = Toradol
 574 = Tornado
 270 = Torzien
 496 = Tramadol
 663 = Tranquilizer, Animal
 663 = Tranquilizer, Horse
 206 = Tranxene
 225 = Trazodone hydrochloride
 225 = Trazora
 374 = Tree(s), Christmas
 225 = Trialodine
 224 = Triavil
 565 = Trichloroethane
 226 = Trifluoperazine Hcl
 233 = Trilafon
 256 = Tripjone [sic]
 165 = Trips
 900 = TRMTDRGA =Not a drug
 900 = TRMTDRGB =Not a drug
 695 = Trumphets, Angel [sic]
 245 = Tryptophan
 457 = T's and Blues
 110 = Tuinal
 513 = Tulio [sic]
 522 = Tuner, TV
 391 = Turbe [sic] tablets
 434 = Tussionex [see also 456]
 522 = TV (MTV), Liquid
 522 = TV Tuner
 522 = TV11Y
 680 = Tweak
 435 = Tylenol
 409 = Tylenol 3
 409 = Tylenol 4
 435 = Tylenol Extra-Strength
 409 = Tylenol with Codeine
 431 = Tylox
 509 = Typewash

 496 = Ultram
 634 = Unicorn
 123 = Unisom
 324 = Uppers

 3002 = Ups, Pep
 253 = Urbadan [sic]

 201 = Valium
 894 = Valproic acid
 552 = Valo [sic]
 485 = Vanan [sic], Mark
 548 = Vapors, Isopropanol
 377 = Ventolin
 237 = Versed
 266 = Verstran
 515 = Vicks
 434 = Vicodin [see also 456]
 254 = Vilonopin [sic]
 215 = Vistaril
 848 = Vitamin, Liquid
 263 = Vivactil
 354 = Vivarin
 151 = VOEOBO [sic]
 484 = Volume Roach 2-10-8 [sic]
 484 = Volume
 315 = Voranil

 582 = WD-40
 852 = Wak [sic]
 865 = Water pills
 803 = Weed
 150 = Weed.Cote [sic]
 609 = Weed, Jimson [sic]
 418 = Westodone
 852 = Whack
 252 = Whip cream, Strawberry
 528 = Whipped-cream can
 508 = Whippets
 326 = White cross
 601 = White lightning
 337 = White Molly
 524 = White-Out
 331 = Whites
 857 = Wicky [sic] stick
 139 = Widows, Black
 625 = Window pane
 533 = Window sealant
 627 = Wood rose, Hawaiian
 627 = Woodrow seeds, Hawaiian
 404 = Wygesic

 338 = X112, Antiadipositem [sic]
 209 = Xanax
 661 = X. Light [sic]
 606 = X-TC
 449 = Xycodone [sic]

683 = Yage' [sic]
694 = Yellow flower busch [sic]
124 = Yellow jackets
651 = Yellow, Mellow
624 = Yellow sunshine
668 = Yellow tiny pills
164 = Yellow zombies
881 = YLOALE

494 = Zanabars [sic]
257 = Zestril
271 = Zoloft
164 = Zombies, yellow
666 = Zonick

APPENDIX C

EXPLANATION OF LOGICALLY ASSIGNED VALUES AND EDITING FOR THE PERSONAL BEHAVIORS VARIABLES

APPENDIX C

Explanation of Logically Assigned Values and Editing for the Personal Behaviors Variables

This appendix is divided into three sections. The first section provides an overview of issues related to logical editing of the Personal Behaviors answer sheet data and also issues related to logical editing of NHSDA data in general. The second section discusses the meaning and derivation of selected "logically assigned" values for the edited variables on the Personal Behaviors answer sheet.¹ The third section discusses the meaning and derivation of values for recoded variables based upon the final edited values from the answer sheet variables. A more detailed step-by-step discussion of the editing for the Personal Behaviors variables is included in the Methodological Resource Book for the 1996 NHSDA (which is available upon request from SAMHSA).

E.1 Overview of Issues Related to Logical Editing

Consistent with the logical/substantive editing of NHSDA data in general, logical/substantive editing of the Personal Behaviors answer sheet data was based on the premise that answers provided by respondents themselves were the best source of accurate data on respondents' risk for human immunodeficiency virus (HIV) infection or transmission, as well as whether respondents had been tested for HIV. Therefore, missing or inconsistent data on the Personal Behaviors answer sheet could be replaced using information derived from available responses to related items elsewhere on the answer sheet. The procedures used to implement such editing were programmed for execution by computer.

Specific objectives of the process of logically editing the Personal Behaviors answer sheet data were

- to reduce the amount of item nonresponse (i.e., missing data) for variables on the answer sheet;
- to make related answer sheet variables consistent with each other; and

¹The discussion in this appendix focuses on "logically assigned" values that may not be completely self-explanatory from the documentation provided in the main body of the codebook, or that warranted more detailed elaboration. Therefore, not every "logically assigned" value for the edited variables on the Personal Behaviors answer sheet is discussed in this appendix.

- to eliminate (or greatly reduce) inconsistencies among sets of related variables on the answer sheet.

Uniquely identifiable values were used to indicate for users of the data when an answer had been logically inferred based on answers elsewhere on the answer sheet. In some situations, these "logically assigned" values indicate the proximity of the data that were used to assign a value relative to the variable being edited. For example, a value of 3 for XRELYR (i.e., the final edited version of Question PB-3) indicates that Question PB-3 was edited to "yes" based on answers that the respondent gave in Questions PB-4 or PB-5.

Consistent with the editing of other data from the 1996 NHSDA (and from prior NHSDAs), logical editing of the data from the Personal Behaviors answer sheet was guided by two overarching principles:

- **in attempting to resolve inconsistencies in the data, conserve as much of the respondents' original data as possible, particularly with regard to reports of potentially sensitive or "high-risk" behaviors; and**
- **where possible, attempt to resolve inconsistencies in the data by assigning nonmissing values, as opposed to assigning a "bad data" value (see below).**

The principle of conserving as much of the respondents' original data as possible tended to be applied in situations on the Personal Behaviors answer sheet where a series of questions was governed by a skip/branching pattern. For example, if respondents answered Question PB-1 as "no" (indicating that they did not have sex in the past 12 months), they were instructed to skip to Question PB-20, and bypass Questions PB-2 through PB-19. However, if respondents not only did not execute the skip instruction correctly but also answered one or more items from Questions PB-2 through PB-13 in such a way as to suggest that they *did* have sex in the past 12 months, two possible approaches could be followed to address this inconsistency in the respondents' answers:

- accept the answer of "no" in Question PB-1, and fill Questions PB-2 through PB-19 with values to indicate that the respondents should have skipped these items, *even if* the respondents answered any of these items; or
- accept the indication(s) of sex in the past 12 months and logically assign a "yes" value to XSEXYR (i.e., the edited variable corresponding to Question PB-1), to indicate that the respondents logically had to have had sex in the past 12 months, based on other answers that they gave.

Although both approaches would eliminate this inconsistency, the second approach was used in editing the data when these types of patterns occurred, because (a) it was consistent with other edits in the 1996 NHSDA (and prior NHSDAs) involving skip patterns, and (b) it offered the potential to conserve most of the respondents' answers. This second approach also allows data to be retained regarding behaviors that could place people at increased risk for HIV infection or transmission, including the number of sexual partners that respondents had in the past 12 months, the gender(s) of the respondents' sexual partners in the past 12 months, whether respondents had sex with someone in the past 12 months who had HIV, and whether respondents gave or received money or drugs in exchange for sex in the past 12 months. Under the first approach, anything that respondents answered in Questions PB-2 through PB-19 would be *overwritten* with a value to indicate that a "legitimate skip" was logically assigned—and the original answers would not be available to most users of the data.

As noted above, the second basic principle involved in editing the Personal Behaviors answer sheet data was to give preference to editing procedures in which a nonmissing value could be logically inferred, as opposed to assigning a "bad data" value to one or more variables to indicate an inconsistency in the data. Although a logically assigned "bad data" value (which has the code of 85) indicates to the user of the data that the respondent's original answer to that item was inconsistent with one or more other answers on the answer sheet, the drawback of widely editing inconsistencies to "bad data" is that this value is treated as a "missing" value. Stated another way, from a data analysis standpoint, a value of 85 is essentially equivalent to any other missing value, such as if the respondent failed or refused to answer the item. Therefore, considerable use of the "bad data" value to resolve inconsistencies has the potential for greatly increasing the amount of missing data for a variable, rather than decreasing it.

In contrast, edits that logically infer a nonmissing value to a variable can provide a user of the data with more information about the behavior of interest than a "bad data" value does. These types of edits also allow a user of the data to decide how to treat these "logically assigned" values, depending on the analysis to be performed.

However, it was not always possible to resolve inconsistent reports of behaviors by assigning a nonmissing value to one or more variables associated with the inconsistency. In these types of situations, use of the "bad data" value provided a way of indicating that there was an inconsistency in the original data, but that a nonmissing value could not be logically inferred from other available data on the answer sheet.

For example, some respondents reported having had sex in the past 12 months, reported not being currently in an on-going sexual relationship, and reported that they did not have sex

with anyone in the past 12 months, either in an on-going relationship or outside of an on-going relationship. If respondents had sex in the past 12 months, they had to have sex in one or both of these types of relationships in the past 12 months. If these respondents provided other information on the answer sheet about the nature of their sexual relationship(s) in the past 12 months, then that information could be used to infer an affirmative answer for XRELYR (i.e., the edited version of Question PB-3), XNRELYR (i.e., the edited version of Question PB-6), or both.

However, if respondents did not provide any information elsewhere on the answer sheet about the nature of their sexual relationship(s) in the past 12 months, then there was no good basis for inferring what type(s) of sexual relationships the respondents had in the past 12 months. Therefore, in these situations, both XRELYR and XNRELYR were edited to "bad data" to signify that (a) the original answers were inconsistent with other reports on the answer sheet of sex in the past 12 months, and (b) the type of sexual relationship(s) could not be inferred from other data on the answer sheet. Although this particular edit would result in some respondents being assigned missing values for XRELYR and XNRELYR, this edit conserves data indicating that the respondent had sex in the past 12 months. This particular edit also conserves data in Questions PB-9 through PB-13 about behaviors in the past 12 months that might have put the respondent at increased risk for HIV infection or transmission.

E.2 Editing of Personal Behaviors Answer Sheet Variables

The logical edits discussed below all pertain to those situations where the respondent reported having had sex in the past 12 months² (i.e., XSEXYR had a value of 1 or 3). If the respondent did not have sex in the past 12 months (i.e., XSEXYR had a value of 2 or 4), then the final edited variables corresponding to questions PB-2 through PB-19 (i.e., XRELNOW through XRELLAST) were given "legitimate skip" values.

Editing of the Variable XRELYR:

The variable XRELYR (from Question PB-3) indicates whether the respondent had sex with someone in an on-going relationship in the past 12 months. For XRELYR, "logically assigned" values indicate whether logical editing was done based on answers in Questions PB-4, PB-5 (i.e., the "branch" questions following Question PB-3), or elsewhere on the answer sheet.

²In the remainder of this appendix, the term "past 12 months" refers to the 12-month period preceding the interview date. Because many questions on the Personal Behaviors answer sheet asked respondents about their behavior in the "past 12 months," that term is used rather than the term "12 months prior to the interview date."

Two values indicate that "yes" was logically assigned for XRELYR:

- A value of **3** means that "yes" was logically assigned based on reports of sex in an on-going relationship in the past 12 months from Question PB-4 or PB-5. If PB-3 was not answered as yes, values from 1 through 5 in PB-4 or PB-5 would set XRELYR to 3. Values of 93 in PB-4 or PB-5 would *not* set XRELYR to 3.
- A value of **5** means that "yes" was logically assigned based on (a) the respondent having had sex in the past 12 months, (b) PB-19 indicating that the respondent's last sexual encounter was with someone in an on-going relationship, and (c) neither PB-4 nor PB-5 originally having a value from 1 through 5.

The above edits took precedence over edits that logically assign values of "no" for XRELYR. That is, if XRELYR was not coded as either yes or no after these edits (including situations where "yes" had been logically assigned), subsequent editing of XRELYR identified situations where "no" could be logically inferred based on other information on the answer sheet.

Two values indicate that "no" was logically assigned for XRELYR:

- A value of **4** means that "no" was logically assigned based on (a) XNRELYR having a value of 1 or 3 (see below), indicating sex outside of an on-going relationship in the past 12 months, and (b) XYRDIFPP indicating sex with only one person in the past 12 months.
- A value of **6** means that "no" was logically assigned based on (a) indications of sex in the past 12 months, with (b) XYRDIFPP indicating sex with only one person in the past 12 months, and (c) the sole indication that the respondent gave of sex outside of an on-going relationship was from Question PB-19 (i.e., that the last encounter was outside of an on-going relationship).

XRELYR was edited to a value of **85** (i.e., "bad data") in situations where the respondent originally answered "no" to Question PB-3 (with XRELNOW also indicating that the respondent was not currently in an on-going sexual relationship) but the respondent

- had sex in the past 12 months (i.e., XSEXYR=1 or XSEXYR=3, based on indications of sex in the past 12 months elsewhere on the answer sheet),
- also answered Question PB-6 as "no," and
- there was no information available from Questions PB-4, PB-5, PB-7, PB-8, or PB-19 that would help to identify whether the respondent had sex in an on-going relationship in the past 12 months, outside of an on-going relationship, or both.

That is, the respondent had sex in the past 12 months but answered "no" to both Questions PB-3 and PB-6. If the respondent had sex in the past 12 months, he/she had to have had sex with someone during that time in an on-going relationship, outside of an on-going relationship, or both. Because the type of sexual relationship(s) that the respondent might have had in the past 12 months could not be logically inferred from other available information on the answer sheet, both XRELYR and XNRELYR were edited to bad data.

Editing of the Variable XRELCDV:

The variable XRELCDV indicates how often a condom was used when the respondent had vaginal sex in an on-going relationship in the past 12 months. A "logically assigned" value of **11** in XRELCDV indicates that the respondent

- last had sex with someone in an on-going relationship,
- reported never using a condom when having vaginal sex in an on-going relationship in the past 12 months (i.e., Question PB-4 was originally answered as 5), or
- reported never having had vaginal sex in an on-going relationship in the past 12 months (i.e., Question PB-4 was originally answered as 93),

but

- reported in Question PB-16a that a condom was used the last time the respondent had sex in order to prevent a pregnancy.

As noted above, if a respondent did not have sex in the past 12 months, the respondent should skip from Question PB-2 to Question PB-20. Thus, the "last time the respondent had sex" refers to some point in the past 12 months, and an affirmative answer to Question PB-16a logically means that a condom was used to prevent a pregnancy during the past 12 months. Given that the respondent reported that his/her last sexual encounter was with someone in an on-going relationship, this pattern of responses suggests that the respondent used a condom at least once during vaginal sex in an on-going relationship in the past 12 months.

XRELCDV was edited to a value of **85** (i.e., "bad data") in situations where the respondent

- last had sex with someone in an on-going relationship,

- reported never having had vaginal sex in an on-going relationship in the past 12 months (i.e., Question PB-4 was originally answered as 93),

but

- reported in Question PB-17a that a condom was *not* used the last time the respondent had sex because the couple was trying to have a baby.

As noted above, the "last time" the respondent had sex was logically in the past 12 months, by virtue of the skip/routing instructions for the sexual behavior questions on the answer sheet. Because a "yes" answer in Question PB-17a indicated that the respondent had vaginal sex in the past 12 months, and because the respondent's last sexual encounter was with someone in an on-going relationship, the respondent's report that he/she *never* had vaginal sex in an on-going relationship was inconsistent with these other data.

A value of 85 for XRELCDV indicates not only that the respondent's original answer was inconsistent with other data on the answer sheet, but also that it was not possible to logically assign a nonmissing value to XRELCDV. Specifically, it could not be inferred from other data on the answer sheet that the respondent *never* used a condom when having vaginal sex in an on-going relationship in the past 12 months, because Question PB-17a pertained only to the *last* sexual encounter. Similarly, it could not be inferred from other data on the answer sheet that the respondent used condoms "at least once" when having vaginal sex in an on-going relationship, because the answer in Question PB-17a pertained to *nonuse* of condoms.

Editing of the Variable XNRELYR:

The variable XNRELYR (from Question PB-6) indicates whether the respondent had sex with someone *outside of* an on-going relationship in the past 12 months. For XNRELYR, "logically assigned" values indicate whether logical editing was done based on answers in Questions PB-7, PB-8 (i.e., the "branch" questions following Question PB-6), or elsewhere on the answer sheet.

Two values indicate that "yes" was logically assigned for XNRELYR:

- A value of **3** means that "yes" was logically assigned based on indications of sex outside of an on-going relationship in the past 12 months from Question PB-7 or PB-8. If PB-6 was not answered as yes, values from 1 through 5 in PB-7 or PB-8 would set XNRELYR to 3. Values of 93 in PB-7 or PB-8 would *not* set XNRELYR to 3.

- A value of **5** means that "yes" was logically assigned based on (a) the respondent having had sex in the past 12 months, (b) PB-19 indicating that the respondent's last sexual encounter was with someone outside of an on-going relationship, and (c) neither PB-7 nor PB-8 originally having a value from 1 through 5.

The above edits took precedence over edits that logically assign values of "no" for XNRELYR. That is, if XNRELYR was not coded as either yes or no after these edits (including situations where "yes" had been logically assigned), then subsequent editing of XNRELYR identified situations where "no" could be logically inferred based on other information on the answer sheet.

Two values indicate that "no" was logically assigned for XNRELYR:

- A value of **4** means that "no" was logically assigned based on (a) XRELNOW having a value of 1 or XRELYR having a value of 1 or 3 (see above), indicating sex in an on-going relationship in the past 12 months, and (b) XYRDIFPP indicating sex with only one person in the past 12 months.
- A value of **6** means that "no" was logically assigned based on (a) indications of sex in the past 12 months, with (b) XYRDIFPP indicating sex with only one person in the past 12 months, and (c) the sole indication that the respondent gave of sex in an on-going relationship was from Question PB-19 (i.e., that the last encounter was in an on-going relationship).

As was discussed above for XRELYR, the variable XNRELYR was edited to a value of **85** (i.e., "bad data") in situations where the respondent originally answered "no" to Question PB-6 but

- had sex in the past 12 months (i.e., XSEXYR=1 or XSEXYR=3, based on indications of sex in the past 12 months elsewhere on the answer sheet),
- also answered Question PB-3 as "no" (with XRELNOW also indicating that the respondent was not currently in an on-going sexual relationship), and
- there was no information available from Questions PB-4, PB-5, PB-7, PB-8, or PB-19 that would help to identify whether the respondent had sex in an on-going relationship in the past 12 months, outside of an on-going relationship, or both.

That is, the respondent had sex in the past 12 months but answered "no" to both Questions PB-3 and PB-6. Because the type of sexual relationship(s) that the respondent might have had in the past 12 months could not be logically inferred from other available information on the answer sheet, both XRELYR and XNRELYR were edited to bad data.

Editing of the Variable XNRELCDV:

The variable XNRELCDV indicates how often a condom was used when the respondent had vaginal sex outside of an on-going relationship in the past 12 months. A "logically assigned" value of **11** in XNRELCDV indicates that the respondent

- last had sex with someone outside of an on-going relationship,
- reported never using a condom when having vaginal sex outside of an on-going relationship in the past 12 months (i.e., Question PB-7 was originally answered as 5), or
- reported never having had vaginal sex outside of an on-going relationship in the past 12 months (i.e., Question PB-7 was originally answered as 93),

but

- reported in Question PB-16a that a condom was used the last time the respondent had sex in order to prevent a pregnancy.

As noted above, because the "last time the respondent had sex" refers to some point in the past 12 months, an affirmative answer to Question PB-16a logically means that a condom was used to prevent a pregnancy during the past 12 months. Given that the respondent reported that his/her last sexual encounter was with someone outside of an on-going relationship, this pattern of responses suggests that the respondent used a condom at least once during vaginal sex outside of an on-going relationship in the past 12 months.

XNRELCDV was edited to a value of **85** (i.e., "bad data") in situations where the respondent

- last had sex with someone outside of an on-going relationship,
- reported never having had vaginal sex outside of an on-going relationship in the past 12 months (i.e., Question PB-7 was originally answered as 93),

but

- reported in Question PB-17a that a condom was not used the last time the respondent had sex because the couple was trying to have a baby.

Because a "yes" answer in Question PB-17a logically indicated that the respondent had vaginal sex in the past 12 months, and because the respondent's last sexual encounter was with someone outside of an on-going relationship, the respondent reporting that he/she *never* had vaginal sex

outside of an on-going relationship was inconsistent with these other data. As with XRELCDV, a value of 85 for XNRELCDV indicates not only that the respondent's original answer was inconsistent with other data on the answer sheet, but also that it was not possible to logically assign a nonmissing value to XNRELCDV.

Editing of the Variable XYRDIFPP:

The variable XYRDIFPP (from Question PB-9) indicates the number of different people that the respondent had sex with in the past 12 months. A "logically assigned" value of **11** in XYRDIFPP indicates that the respondent

- reported sex with only one person in the past 12 months, *but*
- reported sex *both* in an on-going relationship *and* outside of an on-going relationship in the past 12 months.

For some of these respondents, however, this may not be an inconsistent pattern, in that the nature of the relationship with the same partner could have changed over time.

For this reason, XYRDIFPP was not edited to "bad data" for these respondents. However, the value of 11 for XYRDIFPP allows a user of the data to distinguish these respondents from other respondents who reported sex with only one person in the past 12 months, but sex in only one type of relationship was reported.

XYRDIFPP was edited to a value of **85** (i.e., "bad data") in situations where the respondent

- originally reported in Question PB-9 that he/she had sex with only one person in the past 12 months, *but*
- also reported in Question PB-10 that he/she had sex with both males and females in the past 12 months.

In this situation, *both* XYRDIFPP and XYRWTHMF were edited to bad data.

Editing of the Variable XYRWTHMF:

The variable XYRWTHMF (from Question PB-10) indicates whether the respondent had sex (a) only with males, (b) only with females, or (c) with both males and females in the past 12 months. A "logically assigned" value of **11** for XYRWTHMF indicates that the respondent

- is male (i.e., IRSEX=1),
- originally reported in Question PB-10 that he had sex only with males in the past 12 months, *but*
- implied that he also had vaginal sex in the past 12 months, based on one or more answers to XRELCDV, XNRELCDV, XCDPREG, or XNCDPREG.

Except for the remote possibility of respondents who had a female-to-male sex change operation in the past 12 months, this is an inconsistent pattern, in that a male respondent could not have had sex only with other males in the past 12 months and also have had vaginal sex during that same time period. A value of 11 for XYRWTHMF is designed to flag this inconsistency for users of the data and also indicates the number of respondents who had this particular pattern of responses.

As noted above, XYRWTHMF was edited to a value of **85** (i.e., "bad data") in situations where the respondent

- originally reported in Question PB-10 that he/she had sex with both males and females in the past 12 months, *but*
- also reported in Question PB-9 that he/she had sex with only one person in the past 12 months.

Editing of the Variable XCDLAST:

The variable XCDLAST (from Question PB-15) indicates whether a condom was used the last time the respondent had sex. Only those respondents who had sex in the past 12 months were supposed to answer Question PB-15. If the respondent did not have sex in the past 12 months, then XCDLAST was given an appropriate "legitimate skip" value. Therefore, condom use the "last time" when a respondent had sex refers to the last time when the respondent had sex *in the past 12 months*. For this reason, the logical edits discussed below for XCDLAST pertain only to condom use for those respondents who had sex in the past 12 months, even though some respondents who had sex in the lifetime (but not the past 12 months) may have used a condom (or not used a condom) the last time they had sex.

For those respondents who had sex in the past 12 months, XCDLAST was given a value of **3** (i.e., Yes, LOGICALLY ASSIGNED) if the respondent did not originally answer Question PB-15 as yes, but

- there were one or more reasons given for using a condom in Questions PB-16a through PB-16d (including reasons specified following Question PB-16d); and
- there were *no* reasons given for nonuse of condoms in Questions PB-17a through PB-17j.

This included, but was not limited to, situations where the respondent

- originally answered PB-15 as "no,"
- did not support the answer of "no" in PB-15 with one or more reasons in PB-17 for not using a condom, *but*
- indicated one or more reasons in PB-16 for *using* a condom.

In the situation described above, the original answer of "no" in PB-15 was edited to a logically assigned "yes" for XCDLAST, because the negative answer in PB-15 was not substantiated by one or more reasons for not using a condom the last time the respondent had sex, but one or more reasons were given for why the respondent *did* use a condom the last time.

XCDLAST was given a value of **4** (i.e., No, LOGICALLY ASSIGNED) if the respondent did not originally answer Question PB-15 as no, but

- there were one or more reasons given for not using a condom in Questions PB-17a through PB-17j (including reasons specified following Question PB-17j); and
- there were *no* reasons given for use of condoms in Questions PB-16a through PB-16d.

This included, but was not limited to, situations where the respondent

- originally answered PB-15 as "yes,"
- did not support the answer of "yes" in PB-15 with one or more reasons in PB-16 for using a condom, *but*
- indicated one or more reasons in PB-17 for *not* using a condom.

In this situation, the original answer of "yes" in PB-15 was edited to a logically assigned "no" for XCDLAST, because the affirmative answer in PB-15 was not substantiated by one or more reasons for using a condom the last time the respondent had sex, but one or more reasons were given for why the respondent did *not* use a condom the last time.

In situations where PB-15 had a missing value (e.g., blank, "don't know," multiple mark) and there were one or more positive values in the series of questions for *both* PB-16 and PB-17, the indications of *nonuse* of condoms in the PB-17 series were given precedence over the indications of condom use in the PB-16 series, and **XCDLAST was given a value of 4** (i.e., No, LOGICALLY ASSIGNED). This edit preserved the data from PB-17 on reasons why people sometimes do *not* use condoms.

Editing of the Variable XRELLAST:

For those respondents who had sex in the past 12 months, the variable XRELLAST (from Question PB-19) indicates whether the respondent's last sexual encounter was with someone in an on-going relationship, or outside of an on-going relationship. "Logically assigned" values for XRELLAST are meant to indicate to a user of the data whether Question PB-19 originally had a missing value (e.g., blank, "don't know," multiple mark), or whether the respondent marked an answer in PB-19 that was inconsistent with the previous pattern of answers on the answer sheet.

Two values indicate that the last encounter was logically assigned to have been with someone in an on-going relationship for XRELLAST:

- A value of **3** means that PB-19 originally had a missing value (e.g., blank, "don't know," multiple mark), but the answers in XRELYR (or XRELNOW) and XNRELYR were all consistent with the respondent having had sex *only* in on-going relationships in the past 12 months. That is, XRELYR or XRELNOW indicated that the respondent had sex in an on-going relationship in the past 12 months, and XNRELYR indicated that the respondent did not have sex outside of an on-going relationship within this same period.
- A value of **5** signifies that the last encounter was logically assigned to be with someone in an on-going relationship, but the respondent originally indicated in PB-19 that the last sexual encounter was with someone outside of an on-going relationship (i.e., PB-19=2). However, PB-19=2 was the *only* indication of sex outside of an on-going relationship in the past 12 months. The answers in XRELYR (or XRELNOW) and XNRELYR were all consistent with the respondent having had sex only in on-going relationships in the past 12 months, with PB-19=2 being the only inconsistent answer.

Two values indicate that the last encounter was logically assigned to have been with someone *outside of* an on-going relationships for XRELLAST:

- A value of **4** means that PB-19 originally had a missing value (e.g., blank, "don't know," multiple mark), but the answers in XRELNOW, XRELYR, and XNRELYR were all consistent with the respondent having had sex *only outside of* on-going relationships in the 12 past months. That is, XNRELYR indicated that the respondent had sex outside of an on-going relationship in the past 12 months, but neither XRELNOW nor XRELYR indicated that the respondent had sex in an on-going relationship within this same period.
- A value of **6** signifies that the last encounter was logically assigned to be with someone outside of an on-going relationship, but the respondent originally indicated in PB-19 that the last sexual encounter was with someone in an on-going relationship (i.e., PB-19=1). However, PB-19=1 was the *only* indication of sex within an on-going relationship in the past 12 months. The answers in XRELNOW, XRELYR, and XNRELYR were all consistent with the respondent having had sex only outside of on-going relationships in the past 12 months, with PB-19=1 being the only inconsistent answer.

F.3 Recoded Personal Behaviors Variables

A subset of the final, edited variables on the Personal Behaviors answer sheet were used to develop nine "recoded" or "composite" variables to indicate

- whether respondents had been tested for HIV in their lifetime or in the past 12 months, either by actively being tested or by donating blood;
- the types of sexual relationships (e.g, sex in on-going relationship, sex outside of an on-going relationship) and number of sexual partners that respondents had in the past 12 months, either independent of marital status or taking marital status into account;
- the frequency of condom use in the past 12 months when engaging in either vaginal or anal sex (where applicable), regardless of whether these behaviors were with someone in an on-going relationship or outside of an on-going relationship; and
- the occurrence and number of sexual behaviors and drug use behaviors in the past 12 months that could place respondents at heightened risk for HIV infection or transmission.

These recoded variables that were created from the Personal Behaviors answer sheet variables all begin with the prefix "SX." These recoded variables are SXHIVLF, SXHIVYR, SXREL, SXRELMAR, SXCONDYR, SXRSKANY, SXRSKCNT, SXDRANY, and SXDRCNT.

Shown below for each of these recoded variables is a brief description of the meaning of the variable, the answer sheet variables that were used to create the recoded variable, and a table listing the relevant values for the variable, the meaning of the different values taken by that variable. This information is meant to provide the user of the data with a more detailed description of the meaning of these variables and how relevant values were derived, beyond the information provided in the main body of the codebook.

SXHIVLF: Ever tested for HIV in the lifetime. This includes blood donations since March 1985, and HIV tests that were not performed as part of blood donations.

SXHIVLF was created from XLFBLOOD, XBLD385, XLTBLDMO, XLTBLDYR, XHIVTEST, XLTHIVMO, or XLTHIVYR.

Level	Description
1	Yes (including blood donations since March 1985).
2	No, never tested in the lifetime. All data from XLFBLOOD, XBLD385, and XHIVTEST indicate that the respondent never had his/her blood tested for HIV, because the respondent did not donate blood since March 1985 (or never donated blood) and never otherwise had his/her blood tested for HIV.
12	Never been actively tested for HIV (XHIVTEST=2) but blood donation since March 1985 was unknown (i.e., data were missing). The possibility exists that some of these respondents may have been <i>passively</i> tested for HIV by donating blood.
94	One or more indications of "don't know" in XLFBLOOD, XBLD385, XLTBLDMO, XLTBLDYR, XHIVTEST, XLTHIVMO, or XLTHIVYR.
97	Refused to answer all blood donation and HIV questions (i.e., Questions PB-20 through PB-25).
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXHIVYR: Tested for HIV in the past 12 months. As for SXHIVLF, this includes blood donations that occurred in the past 12 months, and HIV tests in the past 12 months that were not performed as part of blood donations.

SXHIVYR was created from XLTBLDMO, XLTBLDYR, XLTHIVMO, XHIVTEST, and XLTHIVYR. The recoded variable SXHIVLF was also used in some situations to identify respondents who had been tested for HIV in the lifetime.

Level	Description
1	Yes (including blood donations in the past 12 months). Unlike codes of 11 or 12 for SXHIVYR (see below), respondents who were coded as 1 for SXHIVYR had data that <i>unambiguously</i> indicated that they were tested in the past 12 months, based on the month and year when they were last tested for HIV (or last donated blood), and based on the month and year when they were interviewed. As noted below, however, some respondents who were given codes of 11 for SXHIVYR might also have been tested in the past 12 months.
2	No, not tested in the past 12 months. All data from XLTBLDMO, XLTBLDYR, XLTHIVMO, and XLTHIVYR indicated that the respondent did not donate blood or did not have his/her blood tested for HIV in the past 12 months.
11	Year of last test/blood donation was in 1995 and the month of the last test/blood donation was in the same month as when the respondent was interviewed (e.g., if interview was in February 1996 and last reported test was in February 1995). Only the month and year were collected for the last test/blood donation. These respondents may have been tested in the past 12 months or the past 13 months, depending on the day of the month when they were tested or when they donated blood.
12	Last HIV test/blood donation date was in 1995, but the month was unknown (i.e., missing). Depending on the month when the respondent was last tested or last donated blood, the respondent may have been tested within the past 12 months or more than 12 months ago.
22	Has been actively tested for HIV in the lifetime (XHIVTEST=1 or 3), last HIV test was more than 1 year ago, but the date of last blood donation was unknown. The possibility exists that some of these respondents may have been <i>passively</i> tested by donating blood in the past 12 months.
32	Has never been actively tested for HIV in the lifetime (XHIVTEST=2), but the date of the last blood donation was unknown. The possibility exists that some of these respondents may have been <i>passively</i> tested by donating blood in the past 12 months. This category distinguishes respondents who have been actively tested for HIV in the lifetime from those who have never been actively tested.
94	Has been tested for HIV in the lifetime (SXHIVLIF=1), but either XLTBLDYR or XLTHIVYR were answered as "don't know," or XLTBLDMO or XLTHIVMO were answered as "don't know," and the corresponding "year" question (i.e., XLTBLDYR or XLTHIVYR, respectively) was blank.

SXHIVYR—continued

Level	Description
97	Refused to answer all blood donation and HIV questions (i.e., Questions PB-20 through PB-25).
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXREL: Types of sexual relationships in the past 12 months, independent of current marital status.

SXREL was created from XSEXYR, XRELNOW, XRELYR, XNRELYR, and XYRDIFPP.

Level	Description
1	Did not have sex in the past 12 months (i.e., XSEXYR=2 or 4).
2	Sex with one person in the past 12 months, only in an on-going relationship.
3	Sex with one person in the past 12 months. Sex indicated both in an on-going and outside of an on-going relationship in the past 12 months. This could include situations where the nature of the relationship with the same partner changed over time.
4	Sex with one person in the past 12 months, only outside of an on-going relationship.
5	Sex with more than one person in the past 12 months, only in on-going relationships.
6	Sex with more than one person in the past 12 months. Sex indicated both in on-going and outside of on-going relationships in the past 12 months.
7	Sex with more than one person in the past 12 months, only outside of on-going relationships.
14	Sex with one person in the past 12 months, type of relationship unknown.
16	Sex with more than one person in the past 12 months, one or more types of relationship unknown.
25	Sex only in on-going relationship(s) in the past 12 months, number of partners unknown.
26	Sex in on-going and outside of on-going relationships indicated in the past 12 months, number of partners unknown.
27	Sex only outside of on-going relationship(s) in the past 12 months, number of partners unknown.
88	Sex in the past 12 months unknown, due to missing data for XSEXYR.
97	Refused to answer XRELNOW, XRELYR, XNRELYR, and XYRDIFPP. This could include situations where the respondent had sex in the past 12 months (i.e., XSEXYR=1 or 3), or where XSEXYR was refused as well.
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXRELMAR: Types of sexual relationships in the past 12 months, taking current marital status into account.

SXRELMAR was created from XSEXYR, XRELNOW, XRELYR, XNRELYR, XYRDIFPP, and IRMARIT. The marital status variable IRMARIT was used, because it is fully defined for all respondents.

Level	Description
1	Did not have sex in the past 12 months (i.e., XSEXYR=2 or 4).
2	Married, sex with one person in the past 12 months, and sex only in an on-going relationship in the past 12 months.
3	Marital status other than married, sex with one person in the past 12 months, and sex only in an on-going relationship in the past 12 months.
4	Marital status other than married, sex with one person in the past 12 months, and sex indicated both in an on-going and outside of an on-going relationship in the past 12 months. This could include situations where the nature of the relationship with the same partner changed over time. (Note that SXREL=3 for these cases.)
5	Marital status other than married, sex with one person in the past 12 months, and sex only outside of an on-going relationship in the past 12 months.
6	Sex with more than one person in the past 12 months, only in on-going relationships. All marital status groups are included in this category.
7	Sex with more than one person in the past 12 months. Sex indicated both in on-going and outside of on-going relationships in the past 12 months. All marital status groups are included in this category.
8	Sex with more than one person in the past 12 months, only outside of on-going relationships. All marital status groups are included in this category.
10	Married, sex with one person in the past 12 months, one or more types of relationship unknown.
11	Married, sex with one person in the past 12 months, and sex indicated both in an on-going and outside of an on-going relationship in the past 12 months. This could include situations where the nature of the relationship with the same partner changed over time. (Note that SXREL=3 for these cases.)
12	Married, sex with one person in the past 12 months, sex only <i>outside of</i> an on-going relationship in the past 12 months.
14	Marital status other than married, sex with one person in the past 12 months, one or more types of relationship unknown.
17	Sex with more than one person in the past 12 months, one or more types of relationship unknown. All marital status groups are included in this category.

SXRELMAR—continued

Level	Description
26	Sex only in on-going relationship(s) in the past 12 months, number of partners unknown. All marital status groups are included in this category.
27	Sex in on-going and outside of on-going relationships indicated in the past 12 months, number of partners unknown. All marital status groups are included in this category.
28	Sex only outside of on-going relationship(s) in the past 12 months, number of partners unknown. All marital status groups had the potential to be included in this category. However, the only respondents in the 1996 NHSDA who met these criteria were not currently married.
88	Sex in the past 12 months unknown, due to missing data for XSEXYR.
97	Refused to answer XRELNOW, XRELYR, XNRELYR, and XYRDIFPP. This could include situations where the respondent had sex in the past 12 months (i.e., XSEXYR=1 or 3), or where XSEXYR was refused as well.
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXCONDYR: Frequency of condom use in the past 12 months, independent of risk factors and number of partners.

The variable SXCONDYR was created from XSEXYR, XRELCDV, XRELCDA, XNRELCDV, and XNRELCDA.

Level	Description
1	Did not have sex in the past 12 months.
2	The respondent had sex in the past 12 months, but XRELCDV, XRELCDA, XNRELCDV, and XNRELCDA were all coded as 93 (meaning that the respondent did not engage in that behavior in the past 12 months), or were legitimately skipped. This pattern implies that the respondent engaged only in oral sex in the past 12 months. However, no data were collected on the frequency of condom use when respondents may have had oral sex in the past 12 months.
3	Used condoms every single time, where applicable. This could include situations where some variables were coded as 93 (meaning that the respondent did not engage in that behavior in the past 12 months), or were legitimately skipped—as long as condom use "every single time" was indicated for at least one behavior, and there were no indications of less frequent condom use.
4	Used condoms almost every time for one or more behaviors, where applicable. This could include situations where condom use was reported "every single time" for other behaviors, or where variables were coded as 93 or legitimate skip—as long as condom use "almost every single time" was indicated for at least one behavior, and there were no indications of less frequent condom use.
5	Used condoms at least half the time for one or more behaviors, where applicable. This could include indications of more frequent condom use for other behaviors, or where variables were coded as 93 or legitimate skip—as long as condom use "at least half of the time" was indicated for at least one behavior, and there were no indications of less frequent condom use.
6	Used condoms less than half the time for one or more behaviors, where applicable. This could include indications of more frequent condom use for other behaviors, or where variables were coded as 93 or legitimate skip—as long as condom use "at least once but less than half of the time" was indicated for at least one behavior, and there were no indications that the respondent never used condoms when engaging in any of these behaviors. This also includes situations where XRELCDV or XNRELCDV were coded as 11. Values of 11 for XRELCDV or XNRELCDV were assigned a value of 6 for SXCONDYR, because the respondent originally indicated "never" having used condoms for vaginal sex, or never having had vaginal sex, but data from XCDPREG suggested condom use at least once in the past 12 months for vaginal sex.
7	Never used condoms for one or more behaviors, with indications of some condom use for one or more other behaviors. This could include situations where other variables were coded as 93 or legitimate skip.

SXCONDYR—continued

Level	Description
8	Never used condoms when having vaginal or anal sex, where applicable. This could include situations where other variables were coded as 93 or legitimate skip. For this level, the respondent <i>never</i> used condoms <i>at any time</i> when having vaginal or anal sex, where applicable. In comparison, for level 7, the respondent never used condoms for some behaviors but indicated at least some condom use for other behaviors.
88	Sex in the past 12 months unknown, due to missing data for XSEXYR.
97	Refused to answer XRELCDV, XRELCDA, XNRELCDV, and XNRELCDA. This could include situations where the respondent had sex in the past 12 months (i.e., XSEXYR=1 or 3), or where XSEXYR was refused as well.
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXRSKANY: Any indication of *five* higher-risk sexual behaviors in the past 12 months.

The five higher-risk sexual behaviors are

- sex with more than five partners in the past 12 months ($4 \leq \text{XYRDIFPP} \leq 7$);
- sex with a member of the same gender in the past 12 months ($\text{IRSEX}=1$ and $\text{XYRWTHMF}=1, 3$ or 11 ; $\text{IRSEX}=2$ and $\text{XYRWTHMF}=2$ or 3);
- sex with someone in the past 12 months who has been told that he/she has HIV/AIDS ($\text{XYRHIV}=1$);
- paid or received money for sex in the past 12 months ($\text{XYRMONEY}=1$); or
- given or received drugs for sex in the past 12 months ($\text{XYRDRUGS}=1$).

Level	Description
1	One or more of five higher-risk sexual behaviors indicated in the past 12 months.
2	None of five higher-risk sexual behaviors indicated, with all relevant items answered or legitimately skipped. This category includes people who did not have sex in the past 12 months.
12	$\text{XYRHIV}=3$, indicating that the respondent did not know whether he/she had sex with someone who has HIV; negative for the remaining four higher-risk behaviors.
88	Sex in the past 12 months unknown, due to missing data for XSEXYR.
97	Refused to answer XYRDIFPP, XYRWTHMF, XYRHIV, XYRMONEY, and XYRDRUGS. This could include situations where the respondent had sex in the past 12 months (i.e., XSEXYR=1 or 3), or where XSEXYR was refused as well.
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXRSKCNT: Count of the number of five higher-risk sexual behaviors in the past 12 months, as defined in SXRSKANY.

Level	Description
0	None of five higher-risk sexual behaviors indicated, with all relevant items answered or legitimately skipped. This category includes people who did not have sex in the past 12 months.
1	One of five higher-risk sexual behaviors indicated, with all relevant items answered or legitimately skipped.
2	Two of five higher-risk sexual behaviors indicated, with all relevant items answered or legitimately skipped.
3	Three of five higher-risk sexual behaviors indicated, with all relevant items answered or legitimately skipped.
10	XYRHIV=3, indicating that the respondent did not know whether he/she had sex with someone who has HIV; negative for the remaining four higher-risk behaviors.
11	One higher-risk sexual behavior indicated, with XYRHIV=3; negative for the remaining three higher-risk behaviors.
12	Two higher-risk sexual behaviors indicated, with XYRHIV=3; negative for the remaining two higher-risk behaviors.
13	Three higher-risk sexual behaviors indicated, with XYRHIV=3; negative for the remaining one higher-risk behavior.
14	Four higher-risk sexual behaviors indicated, with XYRHIV=3.
51	One higher-risk sexual behavior indicated, with missing data for one or more behaviors.
52	Two higher-risk sexual behaviors indicated, with missing data for one or more behaviors.
53	Three higher-risk sexual behaviors indicated, with missing data for one or more behaviors.
88	Sex in the past 12 months unknown, due to missing data for XSEXYR.
97	Refused to answer XYRDIFPP, XYRWTHMF, XYRHIV, XYRMONEY, and XYRDRUGS. This could include situations where the respondent had sex in the past 12 months (i.e., XSEXYR=1 or 3), or where XSEXYR was refused as well.
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXDRANY: Any indication of *seven higher-risk sexual or drug-related behaviors in the past 12 months*. This includes the five higher-risk sexual behaviors (as defined above in SXRSKANY), crack cocaine use, or needle use in the past 12 months. The variables IRCRKRC and NEDYR4 were used to identify past-year crack cocaine users and needle users, respectively, because these variables are fully defined for all respondents.

Level	Description
1	One or more of seven higher-risk sexual and drug-related behaviors indicated in the past 12 months.
2	None of seven higher-risk sexual and drug-related behaviors indicated, with all relevant items answered or legitimately skipped. This category includes people who did not have sex in the past 12 months.
12	XYRHIV=3, indicating that the respondent did not know whether he/she had sex with someone who has HIV; negative for the remaining six higher-risk behaviors.
88	Sex in the past 12 months unknown, due to missing data for XSEXYR.
97	Refused to answer XYRDIFPP, XYRWTHMF, XYRHIV, XYRMONEY, and XYRDRUGS. This could include situations where the respondent had sex in the past 12 months (i.e., XSEXYR=1 or 3), or where XSEXYR was refused as well.
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

SXDRCNT: Count of the number of seven higher-risk sexual and drug-related behaviors in the past 12 months, as defined in SXDRANY.

Level	Description
0	None of seven higher-risk behaviors indicated, with all relevant items answered or legitimately skipped. This category includes people who did not have sex in the past 12 months.
1	One of seven higher-risk behaviors indicated, with all relevant items answered or legitimately skipped.
2	Two of seven higher-risk behaviors indicated, with all relevant items answered or legitimately skipped.
3	Three of seven higher-risk behaviors indicated, with all relevant items answered or legitimately skipped.
4	Four of seven higher-risk behaviors indicated, with all relevant items answered or legitimately skipped.
10	XYRHIV=3, indicating that the respondent did not know whether he/she had sex with someone who has HIV; negative for the remaining six higher-risk behaviors.
11	One higher-risk behavior indicated, with XYRHIV=3; negative for the remaining five higher-risk behaviors.
12	Two higher-risk behaviors indicated, with XYRHIV=3; negative for the remaining four higher-risk behaviors.
13	Three higher-risk behaviors indicated, with XYRHIV=3; negative for the remaining three higher-risk behaviors.
14	Four higher-risk behaviors indicated, with XYRHIV=3; negative for the remaining two higher-risk behaviors.
15	Five higher-risk behaviors indicated, with XYRHIV=3; negative for the remaining one higher-risk behavior.
51	One higher-risk behavior indicated, with missing data for one or more sexual risk behaviors.
52	Two higher-risk behaviors indicated, with missing data for one or more sexual risk behaviors.
54	Three higher-risk behaviors indicated, with missing data for one or more sexual risk behaviors.
88	Sex in the past 12 months unknown, due to missing data for XSEXYR.

SXDRCNT—continued

Level	Description
97	Refused to answer XYRDIFPP, XYRWTHMF, XYRHIV, XYRMONEY, and XYRDRUGS. This could include situations where the respondent had sex in the past 12 months (i.e., XSEXYR=1 or 3), or where XSEXYR was refused as well.
98	Unknown, all other reasons.
99	Legitimate skip, because the respondent was outside of the age range for the Personal Behaviors answer sheet (i.e., respondent was under the age of 18 or over the age of 59).

APPENDIX D

1996 QUESTIONNAIRE ANSWER SHEETS

EXAMPLE QUESTIONS

EQ-1. How long has it been since you last went to the movies?

- Within the past 30 days 1
 More than 30 days ago but within the past 12 months 2
 More than 12 months ago but within the past 3 years 3
 More than 3 years ago 4
 I have never been to the movies in my life 91

EQ-2. During the past 30 days, on how many days did you eat corn?

- Number of days I ate corn 3
 I have eaten corn but not during the past 30 days 93
 I have never eaten corn in my life 91

The first 10 questions are about cigarettes only.

C-1. Have you ever smoked a cigarette, even one or two puffs?

- Yes, I have smoked at least a puff or two from a cigarette 1
 No, I have never smoked a cigarette in my life 2

C-2. How old were you the first time you smoked a cigarette, even one or two puffs?

- The first time I smoked a cigarette, I was years old
 I have never smoked a cigarette in my life 991

C-3. Think about the entire time since you first smoked a cigarette. Altogether, on how many days in your life have you smoked a cigarette?

- More than 300 days 1
 At least 101 but not more than 300 days 2
 At least 12 but not more than 100 days 3
 At least 3 but not more than 11 days 4
 At least 1 but not more than 2 days 5
 I have never smoked a cigarette in my life 91

(PLEASE TURN THE PAGE.)

C-4. How long has it been since you last smoked a cigarette?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have never smoked a cigarette in my life 91

THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.

C-5. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you smoke a cigarette?

- Number of days I smoked at least a puff or two from a cigarette
- I have smoked cigarettes but not during the past 30 days 93
- I have never smoked a cigarette in my life 91

IF NONE,
MARK ONE
BOX FOR
BEST ANSWER →

C-6. When you smoked cigarettes during the past 30 days, how many did you usually smoke each day? *If the number varied from day to day, mark the box for the number of cigarettes you smoked on a typical day.*

- At least a puff or two but less than 1 cigarette each day 1
- At least 1 but not more than 5 cigarettes each day 2
- At least 6 but not more than 15 cigarettes (about 1/2 pack) each day 3
- At least 16 but not more than 25 cigarettes (about 1 pack) each day 4
- At least 26 but not more than 35 cigarettes (about 1 1/2 packs) each day 5
- More than 35 cigarettes (about 2 packs or more) each day 6
- I have smoked cigarettes but not during the past 30 days 93
- I have never smoked a cigarette in my life 91

IF NONE,
MARK ONE
BOX FOR
BEST ANSWER →

C-7. When you smoked cigarettes during the past 30 days, how soon after you woke up in the morning did you usually smoke your first cigarette?

- 5 minutes or less 1
- 6 to 30 minutes 2
- 31 to 60 minutes 3
- 1 to 3 hours 4
- 4 or more hours 5
- I have smoked cigarettes but not during the past 30 days 93
- I have never smoked a cigarette in my life 91

IF NONE,
MARK ONE
BOX FOR
BEST ANSWER →

(PLEASE GO TO THE NEXT PAGE.)

THE REST OF THE QUESTIONS ON THIS ANSWER SHEET ASK ABOUT YOUR ENTIRE LIFETIME.

C-8. Has there ever been a period in your life when you smoked cigarettes every day?

- Yes 1
 No 2

C-9. How old were you when you first started smoking cigarettes every day?

- I started smoking cigarettes every day when I was years old
IF NONE, MARK ONE BOX FOR BEST ANSWER → [I have smoked cigarettes but never every day 993
 I have never smoked a cigarette in my life 991

C-10. For how many years have you smoked or did you smoke cigarettes every day?

- RECORD NUMBER OF YEARS OR MARK A BOX:**
 Number of years I smoked cigarettes every day was year(s)
 I smoked cigarettes every day but only for less than one whole year 0
IF NONE, MARK ONE BOX FOR BEST ANSWER → [I have smoked cigarettes but never every day 993
 I have never smoked a cigarette in my life 991

The last 2 questions are about smokeless tobacco, such as chewing tobacco and snuff.

C-11. Have you ever, even once, used chewing tobacco or snuff?

- Yes, I have used chewing tobacco or snuff 1
 No, I have never used chewing tobacco or snuff in my life 2

C-12. How long has it been since you last used chewing tobacco or snuff?

- Within the past 30 days 1
 More than 30 days ago but within the past 12 months 2
 More than 12 months ago but within the past 3 years 3
 More than 3 years ago 4
 I have never used chewing tobacco or snuff in my life 91

YOU HAVE FINISHED THE QUESTIONS ABOUT TOBACCO.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TOBACCO QUESTIONS.

ALCOHOL**Answer Sheet #2**

A-1. The next few questions are about drinks of alcoholic beverages. By a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. Have you ever, even once, had a drink of any type of alcoholic beverage? *Do not include sips from another person's drink.*

- Yes, I have had a drink of an alcoholic beverage 1
 No, I have never had a drink of any alcoholic beverage in my life 2

A-2. How old were you the first time you had a drink of any alcoholic beverage? *Do not include sips from another person's drink.*

- The first time I drank an alcoholic beverage, I was years old
 I have never drunk an alcoholic beverage in my life 991

A-3. Think about the last time you drank any type of alcoholic beverage. How long has it been since you last drank an alcoholic beverage?

- Within the past 30 days 1
 More than 30 days ago but within the past 12 months 2
 More than 12 months ago but within the past 3 years 3
 More than 3 years ago 4
 I have never drunk an alcoholic beverage in my life 91

A-4. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you drink an alcoholic beverage?

- More than 300 days (every day or almost every day) 1
 At least 201 but not more than 300 days (5 to 6 days a week) 2
 At least 101 but not more than 200 days (3 to 4 days a week) 3
 At least 51 but not more than 100 days (1 to 2 days a week) 4
 At least 25 but not more than 50 days (3 to 4 days a month) 5
 At least 12 but not more than 24 days (1 to 2 days a month) 6
 At least 6 but not more than 11 days (less than one day a month) 7
 At least 3 but not more than 5 days in the past 12 months 8
 At least 1 but not more than 2 days in the past 12 months 9

*IF NONE,
 MARK ONE →
 BOX FOR
 BEST ANSWER*

- [I have drunk alcoholic beverages but not during the past 12 months 93
 I have never drunk an alcoholic beverage in my life 91

(PLEASE TURN THE PAGE.)

4-5. During the past 12 months, when you drank alcoholic beverages, on how many days did you get very high or drunk?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I drank an alcoholic beverage in the past 12 months but I did not get very high or drunk 90
- I have drunk alcoholic beverages but not during the past 12 months 93
- I have never drunk an alcoholic beverage in my life 91

IF NONE.
MARK ONE →
BOX FOR
BEST ANSWER

(PLEASE GO TO THE NEXT PAGE.)

THE NEXT THREE QUESTIONS REFER TO THE PAST 30 DAYS ONLY.

A-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you drink one or more drinks of alcoholic beverages?

Number of days I had a drink of an alcoholic beverage

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER* [I have drunk alcoholic beverages but not during the past 30 days 93
I have never drunk an alcoholic beverage in my life 91

A-7. On the days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

On the days I had an alcoholic beverage, I usually had drink(s)
per day

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER* [I have drunk alcoholic beverages but not during the past 30 days 93
I have never drunk an alcoholic beverage in my life 91

A-8. During the past 30 days, on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

Number of days I drank 5 or more drinks of an alcoholic beverage

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER* [On the days I drank during the past 30 days, I never had 5 or more drinks 90
I have drunk alcoholic beverages but not during the past 30 days 93
I have never drunk an alcoholic beverage in my life 91

**YOU HAVE FINISHED THE QUESTIONS ABOUT ALCOHOL.
THANK YOU FOR ANSWERING THESE QUESTIONS.
TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE ALCOHOL QUESTIONS.**

MARIJUANA

Answer Sheet #3

The questions in this section are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked – either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

M-1. Have you ever, even once, used marijuana or hashish?

- Yes, I have used marijuana or hashish 1
- No, I have never used marijuana or hashish in my life 2

M-2. How old were you the first time you used marijuana or hashish?

- The first time I used marijuana or hashish, I was years old
- I have never used marijuana or hashish in my life 991

M-3. Think about the entire time since you first used marijuana or hashish. Altogether, on how many days in your life have you used marijuana or hashish?

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5
- I have never used marijuana or hashish in my life 91

M-4. How long has it been since you last used marijuana or hashish?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have never used marijuana or hashish in my life 91

(PLEASE TURN THE ANSWER SHEET OVER.)

M-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use marijuana or hashish?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

- I have used marijuana or hashish but not during the past 12 months 93
- I have never used marijuana or hashish in my life 91

M-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

- Number of days I used marijuana or hashish
- I have used marijuana or hashish but not during the past 30 days 93
- I have never used marijuana or hashish in my life 91

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

YOU HAVE FINISHED THE QUESTIONS ABOUT MARIJUANA.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE MARIJUANA QUESTIONS.**

COCAINE**Answer Sheet #4**

The questions in this section are about cocaine, including all the different forms of cocaine such as powder, "crack," free ase, and coca paste.

CN-1. Have you ever, even once, used any form of cocaine?

- Yes, I have used some form of cocaine 1
 No, I have never used any form of cocaine in my life 2

CN-2. How old were you the first time you used cocaine, in any form?

- The first time I used some form of cocaine, I was years old
 I have never used any form of cocaine in my life 991

CN-3. Think about the entire time since you first used cocaine. Altogether, on how many days in your life have you used cocaine?

- More than 300 days 1
 At least 101 but not more than 300 days 2
 At least 12 but not more than 100 days 3
 At least 3 but not more than 11 days 4
 At least 1 but not more than 2 days 5
 I have never used any form of cocaine in my life 91

CN-4. How long has it been since you last used any form of cocaine?

- Within the past 30 days 1
 More than 30 days ago but within the past 12 months 2
 More than 12 months ago but within the past 3 years 3
 More than 3 years ago 4
 I have never used any form of cocaine in my life 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CN-5. Now think about the past 12 months. On how many days in the past 12 months did you use cocaine?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I have used cocaine but not during the past 12 months 93
- I have never used any form of cocaine in my life 91

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

CN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use cocaine?

- Number of days I used some form of cocaine
- I have used cocaine but not during the past 30 days 93
- I have never used any form of cocaine in my life 91

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

YOU HAVE FINISHED THE QUESTIONS ABOUT COCAINE.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE COCAINE QUESTIONS.**

"CRACK" COCAINE

Answer Sheet #5

The next 6 questions refer only to "crack" (cocaine in rock or chunk form) and not the other forms of cocaine.

CK-1. Have you ever, even once, used "crack?"

- Yes, I have used "crack" 1
- No, I have never used "crack" in my life 2

CK-2. How old were you the first time you used "crack?"

- The first time I used "crack," I was years old
- I have never used "crack" in my life 991

CK-3. Think about the entire time since you first used "crack." Altogether, on how many days in your life have you used "crack?"

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5
- I have never used "crack" my life 91

CK-4. How long has it been since you last used "crack?"

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have never used "crack" in my life 91

(PLEASE TURN THE ANSWER SHEET OVER.)

CK-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use "crack?"

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I have used "crack" but not during the past 12 months 93
- I have never used "crack" in my life 91

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

CK-6. Think specifically about the past 30 days -- that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use "crack?"

- Number of days I used "crack"
- I have used "crack" but not during the past 30 days 93
- I have never used "crack" in my life 91

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

YOU HAVE FINISHED THE QUESTIONS ABOUT "CRACK."

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE "CRACK" QUESTIONS.**

HEROIN**Answer Sheet #6**

-1. Have you ever, even once, used heroin?

Yes, I have used heroin 1

No, I have never used heroin in my life 2

H-2. How old were you the first time you used heroin?

The first time I used heroin, I was years old

I have never used heroin in my life 991

H-3. Think about the entire time since you first used heroin. Altogether, on how many days in your life have you used heroin?

More than 300 days 1

At least 101 but not more than 300 days 2

At least 12 but not more than 100 days 3

At least 3 but not more than 11 days 4

At least 1 but not more than 2 days 5

I have never used heroin in my life 91

H-4. How long has it been since you last used heroin?

Within the past 30 days 1

More than 30 days ago but within the past 12 months 2

More than 12 months ago but within the past 3 years 3

More than 3 years ago 4

I have never used heroin in my life 91

(PLEASE TURN THE ANSWER SHEET OVER.)

H-5. Now think about the past 12 months. On how many days in the past 12 months did you use heroin?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I have used heroin but not during the past 12 months 93
- I have never used heroin in my life 91

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

H-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use heroin?

- Number of days I used heroin
- I have used heroin but not during the past 30 days 93
- I have never used heroin in my life 91

*IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER*

YOU HAVE FINISHED THE QUESTIONS ABOUT HEROIN.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE HEROIN QUESTIONS.

HALLUCINOGENS

Answer Sheet #7

L-1. As you read the following list of hallucinogens, please mark one box beside each hallucinogen to indicate whether you have ever used that hallucinogen, even once.

Ever used?
YES NO

- a. LSD ("acid") 1 ... 2
- b. PCP ("angel dust," phencyclidine) 1 ... 2
- c. Peyote 1 ... 2
- d. Mescaline 1 ... 2
- e. Psilocybin (mushrooms) 1 ... 2
- f. "Ecstasy" (MDMA) 1 ... 2
- g. Have you ever used a hallucinogen whose name you don't know? 1 ... 2
- h. Have you ever used any other hallucinogens besides the ones listed above? *PLEASE PRINT NAME(S) BELOW:* 1 ... 2

L-2. How old were you the first time you used LSD, PCP, or any other hallucinogen?

The first time I used a hallucinogen, I was years old
 I have never used any hallucinogen in my life 991

L-3. Think about the entire time since you first used LSD, PCP, or any other hallucinogen. On how many days in your life have you used LSD, PCP, or any other hallucinogen?

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5
- I have never used any hallucinogen in my life 91

(PLEASE TURN THE PAGE.)

L-4. How long has it been since you last used LSD, PCP, or any other hallucinogen?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have never used any hallucinogen in my life 91

L-5. Now think about the past 12 months, from the 12-month reference date through today. On how many days in the past 12 months did you use LSD, PCP, or any other hallucinogen?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

- I have used an hallucinogen but not during the past 12 months 93
- I have never used any hallucinogen in my life 91

L-6. Think specifically about the past 30 days – that is, from your 30-day reference date up to and including today. During the past 30 days, on how many days did you use LSD, PCP, or any other hallucinogen?

- Number of days I used LSD, PCP, or another hallucinogen
- I have used an hallucinogen but not during the past 30 days 93
- I have never used any hallucinogen in my life 91

IF NONE,
MARK ONE →
BOX FOR
BEST ANSWER

L-7. Now think only about LSD. How long has it been since you last used LSD?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have never used LSD in my life 91

(PLEASE GO TO THE NEXT PAGE.)

L-8. Now think only about PCP. How long has it been since you last used PCP?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have never used PCP in my life 91

YOU HAVE FINISHED THE QUESTIONS ABOUT HALLUCINOGENS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE HALLUCINOGENS QUESTIONS.**

INHALANTS**Answer Sheet #8**

IN-1. As you read the following list of inhalants, please mark one box beside each type of inhalant to indicate whether you have ever used that kind of inhalant, even once, for kicks or to get high.

**Ever used for
kicks or to get high?**
YES NO

- a. Amyl nitrite, "poppers," locker room odorizers, or "rush" 1 . . . 2
- b. Correction fluid, degreaser, or cleaning fluid 1 . . . 2
- c. Gasoline or lighter fluid 1 . . . 2
- d. Glue, shoe polish, or toluene 1 . . . 2
- e. Halothane, ether, or other anesthetics 1 . . . 2
- f. Lacquer thinner or other paint solvents 1 . . . 2
- g. Lighter gases (butane, propane) 1 . . . 2
- h. Nitrous oxide or "whippets" 1 . . . 2
- i. Spray paints 1 . . . 2
- j. Other aerosol sprays 1 . . . 2
- k. Have you ever used an inhalant whose name you don't
know for kicks or to get high? 1 . . . 2
- l. Have you ever used any other inhalants, besides
those listed above, for kicks or to get high? 1 . . . 2
- PLEASE PRINT NAME(S) BELOW:*

IN-2. How old were you the first time you used any inhalant for kicks or to get high?

The first time I used any inhalant for kicks or to get high, I was years old
I have never used any inhalant for kicks or to get high in my life 991

IN-3. Think about the entire time since you first used an inhalant for kicks or to get high. Altogether, on how many days in your life have you used an inhalant of any kind?

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5
- I have never used any inhalant for kicks or to get high in my life 91

(PLEASE TURN THE ANSWER SHEET OVER.)

IN-4. How long has it been since you last used any inhalant for kicks or to get high?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have never used any inhalant for kicks or to get high in my life 91

IN-5. Now think about the past 12 months. On how many days in the past 12 months did you use an inhalant for kicks or to get high?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9

IF NONE.
MARK ONE →
BOX FOR
BEST ANSWER

- I have used an inhalant for kicks or to get high but not during the past 12 months 93
- I have never used any inhalant for kicks or to get high in my life 91

IN-6. Think specifically about the past 30 days. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

Number of days I have used some kind of inhalant for kicks or to get high

IF NONE.
MARK ONE →
BOX FOR
BEST ANSWER

- I have used an inhalant for kicks or to get high but not during the past 30 days 93
- I have never used any inhalant for kicks or to get high in my life 91

YOU HAVE FINISHED THE QUESTIONS ABOUT INHALANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE INHALANTS QUESTIONS.

ANALGESICS**Answer Sheet #9**

PK-1. As you read the following list of prescription pain killers, please mark one box beside each pain killer to indicate whether you have ever used that pain killer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription pain killers, in pill or non-pill form.

- | | | Ever used without a
prescription or for
the experience? | |
|----|---|--|----------------------------|
| | | YES | NO |
| a. | Codeine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. | Darvon | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. | Demerol | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. | Dilaudid | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. | Methadone | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. | Morphine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. | Percodan | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. | Talwin | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| i. | Tylenol with codeine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| j. | Have you ever used a pain killer whose name you don't know that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| k. | Have you ever used any <u>other</u> pain killer besides the ones listed above, that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
- PLEASE PRINT NAME(S) BELOW:**
- _____
- _____

If you answered "NO" to each of the items a through k in Question PK-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with PK-2 below.	91
---	----

PK-2. How old were you the first time you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a pain killer that was not prescribed for me, or that I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

PK-3. Think about the entire time since you first used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5

PK-4. How long has it been since you last used a pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4

PK-5. Now think about the past 12 months. On how many days in the past 12 months did you use any pain killer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I have used a pain killer that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months 93

YOU HAVE FINISHED THE QUESTIONS ABOUT ANALGESICS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE ANALGESICS QUESTIONS.

TRANQUILIZERS

Answer Sheet #10

T-1. As you read the following list of prescription tranquilizers, please mark one box beside each tranquilizer to indicate whether you have ever used that tranquilizer when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription tranquilizers, in pill or non-pill form.

		Ever used without a prescription or for the experience?	
		YES	NO
a.	Atarax	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Ativan	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Diazepam	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Librium	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Tranxene	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Valium	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Xanax	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Have you ever used a tranquilizer whose name you don't know that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Have you ever used any <u>other</u> tranquilizer besides the ones listed above, that was <u>not</u> prescribed for you, or that you took only for the experience or feeling it caused? .	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

If you answered "NO" to each of the items a through i in Question T-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with T-2 below.	91
---	----

T-2. How old were you the first time you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a tranquilizer that was not prescribed for me, or that I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

T-3. Think about the entire time since you first used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5

T-4. How long has it been since you last used a tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4

T-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any tranquilizer that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I have used a tranquilizer that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months 93

**YOU HAVE FINISHED THE QUESTIONS ABOUT TRANQUILIZERS.
 THANK YOU FOR ANSWERING THESE QUESTIONS.
 TELL THE INTERVIEWER THAT YOU ARE FINISHED
 WITH THE TRANQUILIZERS QUESTIONS.**

STIMULANTS**Answer Sheet #11**

ST-1. As you read the following list of prescription stimulants, please mark one box beside each stimulant to indicate whether you have ever used that stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription stimulants, in pill or non-pill form.

- | | | Ever used without a
prescription or for
the experience? | |
|----|---|--|----------------------------|
| | | YES | NO |
| a. | Benzedrine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. | Biphedamine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. | Dexamyl | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. | Dexedrine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. | Fastin | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. | Ionamin | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. | Methamphetamine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. | Methedrine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| i. | Preludin | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| j. | Have you ever used a stimulant whose name you don't know
that was <u>not</u> prescribed for you, or that you took
only for the experience or feeling it caused? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| k. | Have you ever used any <u>other</u> stimulant besides the ones
listed above, that was <u>not</u> prescribed for you, or that
you took only for the experience or feeling it caused? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
- PLEASE PRINT NAME(S) BELOW:*
- _____
- _____

If you answered "NO" to each of the items a through k in Question ST-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with ST-2 below.	91
---	----

ST-2. How old were you the first time you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a stimulant that was not prescribed for me, or that I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

ST-3. Think about the entire time since you first used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5

ST-4. How long has it been since you last used a stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4

ST-5. Now think about the past 12 months. On how many days in the past 12 months did you use any stimulant that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I have used a stimulant that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months 93

YOU HAVE FINISHED THE QUESTIONS ABOUT STIMULANTS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE STIMULANTS QUESTIONS.

SEDATIVES**Answer Sheet #12**

- S-1.** As you read the following list of prescription sedatives, please mark one box beside each sedative to indicate whether you have ever used that sedative when it was not prescribed for you, or that you took only for the experience or feeling it caused. Again, we are interested in all kinds of prescription sedatives, in pill or non-pill form.

Ever used without a
prescription or for
the experience?
YES **NO**

- a. Dalmane 1 2
- b. Halcion 1 2
- c. Methaqualone (including Sopor and Quaalude) 1 2
- d. Nembutal 1 2
- e. Phenobarbital 1 2
- f. Placidyl 1 2
- g. Seconal 1 2
- h. Tuinal 1 2
- i. Have you ever used a sedative whose name you don't know
that was not prescribed for you, or that you took
only for the experience or feeling it caused? 1 2
- j. Have you ever used any other sedative besides the ones
listed above, that was not prescribed for you, or
that you took only for the experience or feeling
it caused? *PLEASE PRINT NAME(S) BELOW:* 1 2
- _____
- _____

If you answered "NO" to each of the items a through j in Question S-1 above, circle the 91 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with S-2 below.	91
---	----

- S-2.** How old were you the first time you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

The first time I used a sedative that was not prescribed for me, or that
I took only for the experience or feeling it caused, I was years old

(PLEASE TURN THE ANSWER SHEET OVER.)

S-3. Think about the entire time since you first used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused. Altogether, on how many days in your life have you used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days 1
- At least 101 but not more than 300 days 2
- At least 12 but not more than 100 days 3
- At least 3 but not more than 11 days 4
- At least 1 but not more than 2 days 5

S-4. How long has it been since you last used a sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4

S-5. Now think about the past 12 months, from your 12-month reference date through today. On how many days in the past 12 months did you use any sedative that was not prescribed for you, or that you took only for the experience or feeling it caused?

- More than 300 days (every day or almost every day) 1
- At least 201 but not more than 300 days (5 to 6 days a week) 2
- At least 101 but not more than 200 days (3 to 4 days a week) 3
- At least 51 but not more than 100 days (1 to 2 days a week) 4
- At least 25 but not more than 50 days (3 to 4 days a month) 5
- At least 12 but not more than 24 days (1 to 2 days a month) 6
- At least 6 but not more than 11 days (less than one day a month) 7
- At least 3 but not more than 5 days in the past 12 months 8
- At least 1 but not more than 2 days in the past 12 months 9
- I have used a sedative that was not prescribed for me, or that I took only for the experience or feeling it caused, but not during the past 12 months 93

YOU HAVE FINISHED THE QUESTIONS ABOUT SEDATIVES.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE SEDATIVES QUESTIONS.

SPECIAL DRUGS

Answer Sheet #13

SD-1. Have you ever, even once, used heroin in any form?

YES, I have used heroin 1 → SD-2.

NO, I have never used heroin 2

Have you ever, even once, smoked heroin?

Yes, I have smoked heroin 1

No, I have used heroin, but I never smoked it 2

**GO TO
QUESTION SD-6
AT TOP OF
PAGE 2**

SD-3. How long has it been since you last smoked heroin?

Within the past 30 days 1

More than 30 days ago but within the past 12 months 2

More than 12 months ago but within the past 3 years 3

More than 3 years ago 4

I have used heroin, but I never smoked it 93

SD-4. Have you ever, even once, sniffed ("snorted") heroin powder through your nose?

Yes, I have sniffed ("snorted") heroin 1

No, I have used heroin, but I have never sniffed ("snorted") it 2

SD-5. How long has it been since you last sniffed ("snorted") heroin powder through your nose?

Within the past 30 days 1

More than 30 days ago but within the past 12 months 2

More than 12 months ago but within the past 3 years 3

More than 3 years ago 4

I have used heroin, but I have never sniffed ("snorted") it 93

(PLEASE TURN THE PAGE)

SD-6. Have you ever, even once, used a needle to inject a drug that was not prescribed for you, or that you took only for the experience or feeling it caused?

YES, I have used a needle to inject a drug 1 →

NO, I have never used a needle to inject a drug . . . 2

SD-7. Have you ever, even once, used a needle to inject cocaine?

Yes, I have used a needle to inject cocaine 1

IF NEVER, MARK ONE → [No, I have used cocaine, but never with a needle 93

BOX FOR BEST ANSWER [No, I have never used any form of cocaine in my life 91

SD-8. How long has it been since you last used a needle to inject cocaine?

Within the past 30 days 1

More than 30 days ago but within the past 12 months 2

More than 12 months ago but within the past 3 years 3

More than 3 years ago 4

IF NEVER, MARK ONE → [I have used cocaine, but never with a needle 93

BOX FOR BEST ANSWER [I have never used any form of cocaine in my life 91

SD-9. Have you ever, even once, used a needle to inject heroin?

Yes, I have used a needle to inject heroin 1

IF NEVER, MARK ONE → [No, I have used heroin, but never with a needle 93

BOX FOR BEST ANSWER [No, I have never used heroin in my life 91

GO TO BOX A AT BOTTOM OF PAGE 4

(PLEASE GO TO THE NEXT PAGE.)

SD-10. How long has it been since you last used a needle to inject heroin?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have used heroin, but never with a needle 93
- I have never used heroin in my life 91

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

SD-11. Have you ever, even once, used a needle to inject a stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Yes, I have used a needle to inject a stimulant when it was not prescribed for me or only for the experience or feeling it caused 1
- No, I have used a stimulant when it was not prescribed for me or only for the experience or feeling it caused, but never with a needle 93
- No, I have never in my life used any stimulant when it was not prescribed for me or only for the experience or feeling it caused 91

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

SD-12. How long has it been since you last used a needle to inject any stimulant when it was not prescribed for you, or that you took only for the experience or feeling it caused?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4
- I have used a stimulant when it was not prescribed for me or only for the experience or feeling it caused, but never with a needle 93
- I have never in my life used any stimulant when it was not prescribed for me or only for the experience or feeling it caused 91

IF NEVER,
MARK ONE →
BOX FOR
BEST ANSWER

SD-13. Now think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

- Yes, the last time I used a needle for injecting drugs, I reused a needle that I had used before 1
- No, the last time I used a needle for injecting drugs, I did not reuse a needle that I had used before 2

(PLEASE TURN TO THE NEXT PAGE.)

SD-14. The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

Yes, the last time I used a needle for injecting drugs, I used a needle that I knew or suspected someone else had used before 1

No, the last time I used a needle for injecting drugs, I did not use a needle that I knew or suspected someone else had used before 2

SD-15. The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

Yes, the last time I used a needle for injecting drugs, I used bleach to clean the needle before I used it 1

No, the last time I used a needle for injecting drugs, I did not use bleach to clean the needle before I used it 2

SD-16. The last time you used a needle for injecting drugs, did someone else use the needle after you?

Yes, the last time I used a needle for injecting drugs, someone else used the needle after me 1

No, no one else used the needle after me the last time I used a needle for injecting drugs 2

D-17. The last time you used a needle for injecting drugs, how did you get the needle? ***PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.***

I bought the needle from a pharmacy 1

I got the needle from a needle exchange 2

I bought the needle on the street 3

I got the needle in a shooting gallery 4

I got the needle some other way 5

PLEASE DESCRIBE HOW YOU GOT THE NEEDLE:

BOX A	YOU HAVE FINISHED THE QUESTIONS ABOUT SPECIAL DRUGS. THANK YOU FOR ANSWERING THESE QUESTIONS. PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE SPECIAL DRUGS QUESTIONS.
------------------	--

RISK/AVAILABILITY**Answer Sheet #14**

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities?

(If you're not sure, mark the box for the amount of risk that comes closest to what you think might be true for that activity. **MARK ONE BOX ON EACH LINE.**)

How much do people risk harming themselves physically and in other ways when they ...

	NO RISK	SLIGHT RISK	MODERATE RISK	GREAT RISK
--	--------------------	------------------------	--------------------------	-----------------------

a. Smoke one or more packs of cigarettes per day? 1 2 3 4

b. Smoke marijuana once a month? 1 2 3 4

c. Smoke marijuana once or twice a week? 1 2 3 4

d. Use cocaine once a month? 1 2 3 4

e. Use cocaine once or twice a week? 1 2 3 4

f. Have four or five drinks nearly every day? 1 2 3 4

g. Have five or more drinks once or twice a week? 1 2 3 4

R-2. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some (MARK ONE BOX ON EACH LINE.)

How difficult or easy would it be for you to get some ...

	PROBABLY IMPOSSIBLE	VERY DIFFICULT	FAIRLY DIFFICULT	FAIRLY EASY	VERY EASY
--	--------------------------------	---------------------------	-----------------------------	------------------------	----------------------

a. Marijuana 1 2 3 4 5

b. Cocaine 1 2 3 4 5

c. "Crack" 1 2 3 4 5

d. Heroin 1 2 3 4 5

R-3. In the past 30 days, has anyone approached you to sell you an illegal drug?

Yes 1

No 2

YOU HAVE FINISHED THE QUESTIONS ABOUT RISK/AVAILABILITY.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE RISK/AVAILABILITY QUESTIONS.**

DRUGS

Answer Sheet #15

All the questions on this answer sheet refer to the past 12 months – that is, since your 12-month reference date.

DR-1. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that type of drug during the past 12 months.

		<u>Used in past 12 months?</u>	
		<u>YES</u>	<u>NO</u>
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphphetamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

If you answered "NO" to each of the items a through k in Question DR-1 above, circle the 93 in the box to the right. Then tell the interviewer that you are finished with this answer sheet. Otherwise, continue with DR-2 below.	93
---	----

DR-2. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you had a period of a month or more during the past 12 months when you spent a great deal of time getting the drug, using the drug, or getting over its effects.

		<u>Month or more when great deal of time spent involved with the drug?</u>	
		<u>YES</u>	<u>NO</u>
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphphetamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE TURN THE PAGE.)

DR-3. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have used that kind of drug much more often or in larger amounts than you intended to during the past 12 months.

		Used more often or in larger amounts?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-4. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether you have built up a tolerance for the drug so that the same amount of the drug had less effect than before during the past 12 months.

		Built up a tolerance?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE GO TO THE NEXT PAGE.)

DR-5. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has often kept you from working, going to school, taking care of children, or engaging in recreational activities during the past 12 months.

		Important activities reduced or given up?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-6. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of the drug has caused you to have any emotional or psychological problems -- such as feeling uninterested in things, feeling depressed, feeling suspicious of people, feeling paranoid, or having strange ideas during the past 12 months.

		Had emotional problems?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE TURN THE PAGE.)

DR-7. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether your use of that drug has caused you any health problems -- such as liver disease, stomach disease, pancreatitis, feet tingling, numbness, memory problems, an accidental overdose, a persistent cough, a seizure or fit, hepatitis, or abscesses during the past 12 months.

		Had physical problems?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

DR-8. As you read the following list of types of drugs, please mark one box beside each type of drug to indicate whether, during the past 12 months, you have wanted or tried to stop or cut down on your use of that drug but found that you couldn't.

		Wanted or tried to stop or cut down on use?	
		YES	NO
a.	Cigarettes	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Cocaine (including "crack")	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Hallucinogens, such as LSD, "acid," PCP, "Ecstasy," psilocybin (mushrooms), mescaline, peyote	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints, correction fluids	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Pain killers, such as codeine, Tylenol with codeine, Darvon, Percodan, Demerol, methadone, opiates	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Tranquilizers, such as Valium, Xanax, Librium, Ativan, other antianxiety drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Stimulants, such as the methamphetamine, "speed," Dexedrine, Biphedamine, Benzedrine, "uppers," other amphetamines	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Sedatives, such as methaqualone, Seconal, Tuinal, Placidyl, barbiturates, sleeping pills, "downers"	<input type="checkbox"/> 1	<input type="checkbox"/> 2

YOU HAVE FINISHED THE QUESTIONS ABOUT DRUGS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE DRUGS QUESTIONS.

SPECIAL TOPICS

Answer Sheet #16

These questions are about treatment or counseling for drug or alcohol use, and encounters with the police or someone connected with the courts.

SP-1. At any time during the past 12 months did you receive treatment or counseling for your drug or alcohol use?

YES, I have received treatment or counseling during the past 12 months 1

NO, I have not received treatment or counseling during the past 12 months 2

**GO TO
QUESTION SP-6
AT TOP OF
PAGE 3**

SP-2. At any time during the past 12 months did you need treatment or counseling for your drug or alcohol use?

YES, I needed treatment or counseling during the past 12 months 1

NO, I did not need treatment or counseling during the past 12 months 2

**GO TO
QUESTION SP-3
AT TOP OF
PAGE 2**

**GO TO
QUESTION SP-6
AT TOP OF
PAGE 3**

SP-3. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you needed treatment or counseling for your use of that kind of drug during the past 12 months.

	In past 12 months, needed treatment for this drug?	
	YES	NO
a. Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Cocaine or "crack"	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. Hallucinogens	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. Inhalants	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. Prescription pain killers or analgesics	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Prescription tranquilizers	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. Prescription stimulants	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. Prescription sedatives	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k. I needed treatment for use of some other drug(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

SP-4. During the past 12 months, did you take any steps to obtain treatment or counseling for your drug or alcohol use?

- Yes, during the past 12 months, I took steps to obtain treatment or counseling 1
 No, during the past 12 months, I did not take steps to obtain treatment or counseling . 2

SP-5. As you read the following list of reasons, please mark one box beside each reason to indicate whether it explains why you did not obtain treatment or counseling for your drug or alcohol use during the past 12 months.

	Reason for not obtaining treatment or counseling?	
	YES	NO
a. I had no transportation to the treatment or counseling programs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. The nearest treatment or counseling programs were too far away	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. The treatment or counseling programs' hours were not convenient	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. There were no openings in the treatment or counseling programs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. The programs didn't offer the type of treatment or counseling I wanted	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. I didn't have insurance or money to pay for the programs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. The programs' facilities were not accessible to the handicapped	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Participation in the program was too complicated	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. The programs' counselors didn't meet my ethnic or language needs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. The programs did not offer special services that I needed, such as medical or mental health care, housing, employment counseling, child care, etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k. I did not obtain treatment or counseling for some other reason(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE SPECIFY REASON(S) BELOW:

(PLEASE GO TO THE NEXT PAGE.)

SP-6. Not counting minor traffic violations, have you ever been arrested and booked for breaking the law? *Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.*

YES, I have been arrested and booked for

breaking a law . . . 1 →

NO, I have never been arrested and booked

for breaking a law . . . 2

SP-7. Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law? *RECORD NUMBER OF TIMES OR MARK THE BOX:*

Number of times arrested and booked in the past 12 months times

I have not been arrested and booked in the past 12 months 93

GO TO QUESTION SP-9 AT TOP OF PAGE 4

SP-8. Below is a list of offenses that are against the law. As you read the list, please mark one box beside each offense to indicate whether you were arrested and booked for that offense in the past 12 months. *For this question, do not include minor traffic violations.*

		In past 12 months, arrested and booked?	
		YES	NO
a.	Larceny or theft	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	Burglary or breaking and entering	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	Aggravated assault	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	Other assault, such as simple assault or battery	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	Motor vehicle theft	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	Robbery	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g.	Forcible rape	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h.	Murder, homicide, or nonnegligent manslaughter	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i.	Arson	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j.	Driving under the influence	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k.	Drunkenness or other liquor law violation	<input type="checkbox"/> 1	<input type="checkbox"/> 2
l.	Possession or sale of drugs	<input type="checkbox"/> 1	<input type="checkbox"/> 2
m.	Prostitution or commercialized sex	<input type="checkbox"/> 1	<input type="checkbox"/> 2
n.	Other property offenses, such as fraud, possessing stolen goods, or vandalism	<input type="checkbox"/> 1	<input type="checkbox"/> 2
o.	Other offenses	<input type="checkbox"/> 1	<input type="checkbox"/> 2

(PLEASE DESCRIBE): _____

(PLEASE TURN TO THE NEXT PAGE.)

SP-9. Were you on probation at any time during the past 12 months?

- Yes, I was on probation at some time during the past 12 months 1
No, I was not on probation during the past 12 months 2

SP-10. Were you on parole at any time during the past 12 months?

- Yes, I was on parole at some time during the past 12 months 1
No, I was not on parole during the past 12 months 2

SP-11. This question deals with activities that may be against the law. Read each item, then mark one box beside each question to indicate whether you have done the activity during the past 12 months.

**Done during the
past 12 months?**
YES NO

- a. During the past 12 months, I drove a vehicle while I was under the influence of a combination of alcohol and illegal drugs used together 1 2
- b. During the past 12 months, I drove a vehicle while I was under the influence of alcohol 1 2
- c. During the past 12 months, I drove a vehicle while I was under the influence of illegal drugs 1 2

YOU HAVE FINISHED THE SPECIAL TOPICS QUESTIONS.

THANK YOU FOR ANSWERING THESE QUESTIONS.

**TELL THE INTERVIEWER THAT YOU ARE FINISHED
WITH THE SPECIAL TOPICS QUESTIONS.**

TREATMENT

Answer Sheet #17

This set of questions deals with treatment for alcohol and drug problems, not including cigarettes. For these questions we are interested in treatment designed to help you reduce or stop your alcohol or drug use and also treatment for medical problems associated with your alcohol or drug use.

TX-1. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

YES, I have received treatment for my use of alcohol or some drug 1 →

NO, I have never received treatment for my use of alcohol or any drug 2

TX-2. How many times in your life have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

I have received treatment or counseling for my alcohol or drug use times.

TX-3. How many times in the past 12 months have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

In the past 12 months I have received treatment or counseling for my alcohol or drug use times.

TX-4. As you read the following list of places where treatment for alcohol use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your alcohol use in that type of facility during the past 12 months.

**In past 12 months,
got treatment here for
your alcohol use?**
YES NO

- a. A hospital overnight as an inpatient 1 2
- b. A residential drug or alcohol rehabilitation facility (overnight) 1 2
- c. A drug or alcohol rehabilitation facility as an outpatient 1 2
- d. A mental health center or facility as an outpatient 1 2
- e. An emergency room 1 2
- f. A private doctor's office 1 2
- g. A prison or jail 1 2
- h. A self-help group 1 2
- i. I received treatment in some other place. 1 2

**PLEASE DESCRIBE BELOW
THIS OTHER PLACE:**

**GO TO BOX A
AT BOTTOM OF
PAGE 4**

(PLEASE TURN THE PAGE.)

TX-5. As you read the following list of places where treatment for drug use is offered, please mark one box beside each type of treatment place to indicate whether you have received treatment for your use of other drugs not counting cigarettes or alcohol in that type of facility during the past 12 months.

- | | In past 12 months,
got treatment here
for your drug use? | |
|---|---|----------------------------|
| | <u>YES</u> | <u>NO</u> |
| a. A hospital overnight as an inpatient | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. A residential drug or alcohol rehabilitation
facility (overnight) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. A drug or alcohol rehabilitation facility as
an outpatient | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. A mental health center or facility as an
outpatient | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. An emergency room | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. A private doctor's office | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. A prison or jail | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. A self-help group | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| i. I received treatment in some other place. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

TX-6. During the past 12 months, how many times did you visit a hospital emergency room to receive treatment related to your use of cocaine, heroin, marijuana, or other illegal drugs?

During the past 12 months, the number of times I received treatment for my use of some illegal drug in a hospital emergency room was times.

The rest of the questions on this answer sheet refer to treatment for your use of drugs or alcohol.

TX-7. How long has it been since you last received treatment or counseling for your alcohol or drug use, not counting cigarettes?

- Within the past 30 days 1
- More than 30 days ago but within the past 12 months 2
- More than 12 months ago but within the past 3 years 3
- More than 3 years ago 4

(PLEASE GO TO THE NEXT PAGE.)

TX-8. Where did you receive treatment the last time you were treated for your alcohol or other drug use, not counting cigarettes? **MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- A hospital overnight as an inpatient 1
- A residential drug or alcohol rehabilitation facility (overnight) 2
- A drug or alcohol rehabilitation facility as an outpatient 3
- A mental health center or facility as an outpatient 4
- An emergency room 5
- A private doctor's office 6
- A prison or jail 7
- A self-help group 8
- I received treatment in some other place. 9

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

TX-9. As you read the following list of drugs, please mark one box beside each type of drug to indicate whether you received treatment or counseling for your use of that kind of drug the last time you received treatment.

	Got treatment for this drug?	
	YES	NO
a. Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b. Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c. Cocaine or "crack"	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d. Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e. Hallucinogens	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f. Inhalants	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g. Prescription pain killers or analgesics	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h. Prescription tranquilizers	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i. Prescription stimulants	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j. Prescription sedatives	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k. I received treatment for use of some other drug(s).	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE PRINT NAME(S) BELOW:

TX-10. What was the primary drug you received treatment for during the last time you were treated?

Write name of primary drug: _____

TX-11. What was the outcome of the treatment or counseling you last received? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- I am still in treatment 1
- I successfully completed treatment 2
- I left because I had a problem with the program 3
- I left because I couldn't afford to continue treatment 4
- I left because my family needed me 5
- I left because I began using drug(s) again 6
- My last treatment had some other outcome. 7

PLEASE DESCRIBE THE OUTCOME BELOW:

(PLEASE TURN THE PAGE.)

TX-12. How long did you stay in treatment for your alcohol or drug use the last time? If you are currently in treatment for alcohol or drug use, how long have you been in treatment so far? Please fill in either the number of days or the number of months below.

I was in treatment for days

OR:

I was in treatment for months

TX-13. As you read the following list of sources of payment for treatment, please mark one box beside each source to indicate whether your last treatment or counseling for alcohol or drug use was paid for by that source, even if it only paid part of the cost.

- | | Source paid for
last treatment? | |
|---|--|----------------------------|
| | YES | NO |
| a. Health insurance paid for the <u>last</u> treatment I received | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. Medicare paid for the <u>last</u> treatment I received | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. Medicaid paid for the <u>last</u> treatment I received | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. I used my own savings or earnings to pay
for the <u>last</u> treatment I received | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. Family members paid for the <u>last</u> treatment I received | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. My employer paid for the <u>last</u> treatment I received | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g. The <u>last</u> treatment I received was free | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h. My <u>last</u> treatment was paid for by some other source. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
- PLEASE DESCRIBE BELOW:*
-

TX-14. Were you enrolled in a treatment program for your alcohol or drug use (whether or not it was your last treatment episode) on October 2, 1995? For this question, please include only treatment received at a hospital, drug rehabilitation facility, or mental health center.

- YES, I was enrolled in a treatment program for my alcohol or drug use on October 2, 1995 1
- NO, I was not enrolled in a treatment program for my alcohol or drug use on October 2, 1995 2

BOX A	<p>YOU HAVE FINISHED THE QUESTIONS ABOUT TREATMENT.</p> <p>THANK YOU FOR ANSWERING THESE QUESTIONS.</p> <p>PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE TREATMENT QUESTIONS.</p>
------------------	---

YOUTH CHECKLIST

Answer Sheet #18

Because of copyright considerations, the Youth Checklist cannot be reproduced here, but can be obtained from:

Achenbach, T.M. (1991). *Manual for the Youth Self-Report and 1991 Profile*. Burlington, VT: University of Vermont Department of Psychiatry.

PERSONAL BEHAVIORS

PB-1. During the past 12 months, have you had sex? By "sex" we mean only vaginal, oral or anal sex.

YES, I have had sex during the past 12 months 1

NO, I have not had sex during the past 12 months . . 2

GO TO QUESTION PB-20 AT TOP OF PAGE 8

PB-2. Are you currently involved in an on-going sexual relationship with anyone; that is, is there anyone with whom you regularly have vaginal, oral or anal sex? This may include your husband or wife, or anyone else with whom you are in an on-going relationship.

YES, I am currently involved in an on-going sexual relationship 1

GO TO QUESTION PB-4 AT TOP OF PAGE 2

NO, I am not currently involved in an on-going sexual relationship 2

PB-3. At any time in the past 12 months have you had an on-going sexual relationship with anyone; that is, was there anyone with whom you regularly had vaginal, oral or anal sex? This may include your husband or wife, or anyone else with whom you were in an on-going relationship.

YES, I have had an on-going sexual relationship with someone during the past 12 months 1

GO TO QUESTION PB-4 AT TOP OF PAGE 2

NO, I have not had an on-going sexual relationship with someone during the past 12 months 2

GO TO QUESTION PB-6 AT TOP OF PAGE 3

PB-4. During the past 12 months, when you had vaginal sex with someone in an on-going relationship, how often was a condom used?

A condom was used every single time 1

A condom was used almost every single time 2

A condom was used at least half of the time 3

A condom was used at least once but less than half of the time 4

A condom was never used 5

I have not had vaginal sex in an on-going relationship during the past 12 months 93

PB-5. During the past 12 months, when you had anal sex with someone in an on-going relationship, how often was a condom used?

A condom was used every single time 1

A condom was used almost every single time 2

A condom was used at least half of the time 3

A condom was used at least once but less than half of the time 4

A condom was never used 5

I have not had anal sex in an on-going relationship during the past 12 months 93

(PLEASE GO TO THE NEXT PAGE.)

PB-6. At any time in the past 12 months have you had vaginal, oral or anal sex with anyone who you were not in an on-going relationship with?

YES, in the past 12 months I have had sex with someone who I was not in an on-going relationship with 1

→ **PB-7.** During the past 12 months, when you had vaginal sex with someone who you were not in an on-going relationship with, how often was a condom used?

NO, in the past 12 months I have not had sex with someone who I was not in an on-going relationship with. 2

- A condom was used every single time 1
- A condom was used almost every single time 2
- A condom was used at least half of the time 3
- A condom was used at least once but less than half of the time 4
- A condom was never used 5
- I have not had vaginal sex with someone I was not in an on-going relationship with during the past 12 months 93

**GO TO
QUESTION PB-9
AT TOP OF
PAGE 4**

PB-8. During the past 12 months, when you had anal sex with someone who you were not in an on-going relationship with, how often was a condom used?

- A condom was used every single time 1
- A condom was used almost every single time 2
- A condom was used at least half of the time 3
- A condom was used at least once but less than half of the time 4
- A condom was never used 5
- I have not had anal sex with someone I was not in an on-going relationship with during the past 12 months 93

(PLEASE TURN TO THE NEXT PAGE.)

PB-9. During the past 12 months, how many different people have you had sex with? Remember, by "sex" we mean only vaginal, oral or anal sex.

- 1 person 1
- 2 different people. 2
- 3 to 5 different people 3
- 6 to 10 different people 4
- 11 to 20 different people 5
- 21 to 30 different people 6
- 31 or more different people 7

PB-10. During the past 12 months, have you had sex with only males, only females, or with both males and females? Remember, by "sex" we mean only vaginal, oral or anal sex. ***PLEASE MARK ONE BOX FOR THE BEST ANSWER.***

- Only males 1
- Only females 2
- Both males and females 3

PB-11. During the past 12 months, did you have vaginal, oral or anal sex with anyone who has been told that he or she has HIV, AIDS or the AIDS virus?

- Yes, during the past 12 months I have had sex with someone who has been told that he or she has HIV, AIDS or the AIDS virus 1
- No, during the past 12 months I have not had sex with someone who has been told that he or she has HIV, AIDS or the AIDS virus. 2
- I don't know if, during the past 12 months, I have had sex with someone who has been told that he or she has HIV, AIDS or the AIDS virus. 3

PB-12. During the past 12 months, have you paid money for sex or received money for sex? Remember to include only vaginal, oral or anal sex.

- Yes, during the past 12 months I have paid money for sex or received money for sex 1
- No, during the past 12 months I have not paid money for sex or received money for sex 2

PB-13. During the past 12 months, have you given drugs for sex or received drugs for sex? Remember to include only vaginal, oral or anal sex.

- Yes, during the past 12 months I have given drugs for sex or received drugs for sex 1
- No, during the past 12 months I have not given drugs for sex or received drugs for sex. 2

(PLEASE GO TO THE NEXT PAGE.)

PB-14. At any time in your life, was a condom used when you have had vaginal, oral or anal sex?

YES, a condom was used
when I have had sex 1

NO, a condom was never
used when I have had sex. . . 2

→ **PB-15.** The last time you had sex, was a condom used?
Remember that by "sex," we mean only vaginal, oral
or anal sex.

YES, the last time I had
sex, a condom was used 1

NO, the last time I had
sex, a condom was not used . . . 2

**GO TO
QUESTION PB-17
AT TOP OF
PAGE 6**

PB-16. As you read the following reasons why people some-
times use a condom, please indicate whether it was a
reason why a condom was used the last time you had
sex.

- | | Reason why a
condom was used? | |
|---|--|----------------------------|
| | YES | NO |
| a. We used a condom to prevent pregnancy. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. We used a condom to prevent diseases like syphilis, gonorrhea, and AIDS. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. We used a condom because it was less messy | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. There was some other reason we used a condom. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

PLEASE SPECIFY WHAT THIS OTHER REASON WAS:

**(GO TO QUESTION PB-18 AT
TOP OF PAGE 7)**

PB-17. As you read the following list of reasons why people sometimes do not use a condom, please indicate whether it was a reason why a condom was not used the last time you had vaginal, oral or anal sex.

- | | | Reason why a condom was not used? | |
|----|---|--|--------------------------------|
| | | YES | NO |
| a. | We were trying to have a baby (get pregnant). | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| b. | We did not need one since we were having sex only with each other. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| c. | We did not need one since neither of us had AIDS or any other sexually transmitted disease. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| d. | We used another birth control method. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| e. | We did not use a condom for religious reasons. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| f. | My partner did not want us to use a condom. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| g. | A condom was not available or handy. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| h. | We were not sure how to use a condom. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| i. | The kind of sex we had was not that risky. | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
| j. | There was some other reason we did not use a condom.
<i>PLEASE SPECIFY WHAT THIS OTHER REASON WAS:</i> | <input type="checkbox"/> 1 | ... <input type="checkbox"/> 2 |
-

(PLEASE GO TO THE NEXT PAGE.)

PB-18. As you read the following statements, please indicate whether you agree or disagree with each one. Even if a condom has never been used when you have had sex, please give us your opinion.

AGREE DISAGREE

- a. Condoms ruin the mood. 1 . . . 2
- b. I feel more responsible if we use a condom. 1 . . . 2
- c. Sex doesn't feel as good when you use a condom. 1 . . . 2
- d. Using condoms would help build trust between my sex partner and me. 1 . . . 2
- e. It is embarrassing to buy condoms. 1 . . . 2
- f. Condoms cost too much. 1 . . . 2

PB-19. The last time you had sex, was it with someone you were in an on-going relationship with, or was it with someone else? Remember that by "sex," we mean only vaginal, oral or anal sex.

- The last time I had sex, it was with someone I was in an
on-going relationship with 1
- The last time I had sex, it was not with someone I was in an
on-going relationship with 2

(PLEASE TURN TO THE NEXT PAGE.)

The next questions are about giving blood donations to a blood bank, such as the American Red Cross. They do NOT refer to blood drawn at a doctor's office for laboratory analysis.

PB-20. Have you ever given a blood donation?

YES, I have given a blood donation 1

NO, I have never given a blood donation 2

→ **PB-21.** Have you given blood since March of 1985?

YES, I have given blood since March of 1985 . 1

NO, I have not given blood since March of 1985 . 2

PB-22. In what month and year did you last give blood?

MONTH = _____

YEAR = 19__

The next questions are about the blood test for HIV, the virus that causes AIDS. No questions will be asked about the results of any tests you may have had.

PB-23. Not counting tests you may have had as part of blood donations, have you ever had your blood tested for HIV, the virus that causes AIDS?

YES, I have had my blood tested for HIV 1

NO, I have not had my blood tested for HIV 2

→ **PB-24.** Again not counting tests you may have had as part of blood donations, in what month and year was your last blood test for HIV?

MONTH = _____

YEAR = 19__

PB-25. Did you get the results of this last blood test for HIV?

YES, I got the results . . . 1

NO, I did not get the results 2

A YOU HAVE FINISHED THE PERSONAL BEHAVIORS QUESTIONS.
THANK YOU FOR ANSWERING THESE QUESTIONS.
PLEASE TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE PERSONAL BEHAVIORS QUESTIONS.

DRIVING BEHAVIORS

Answer Sheet #20

DB-1. Have you driven a car or other motor vehicle during the past 12 months?

YES, I have driven
during the past

12 months 1

→ **DB-2.** On how many days in the past 12 months have you driven a car or other motor vehicle?

NO, I have not driven
during the past

12 months 2

- More than 300 days (which is every day or almost every day) 1
- 201 to 300 days (5 to 6 days a week) 2
- 101 to 200 days (3 to 4 days a week) 3
- 51 to 100 days (1 to 2 days a week) 4
- 25 to 50 days (3 to 4 days a month) 5
- 12 to 24 days (1 to 2 days a month) 6
- 6 to 11 days (less than 1 day a month) . . . 7
- 3 to 5 days 8
- 1 to 2 days 9

(PLEASE TURN THE PAGE)

**GO TO BOX A
AT BOTTOM OF
PAGE 17**

DB-3. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage?

YES, during the past 12 months, I have driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage 1

NO, during the past 12 months, I have not driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage 2

GO TO QUESTION
DB-9 AT TOP
OF PAGE 4

DB-4. On how many days in the past 12 months have you driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage? Your best estimate is fine.

- More than 300 days (which is every day or almost every day) 1
- 201 to 300 days (5 to 6 days a week) 2
- 101 to 200 days (3 to 4 days a week) 3
- 51 to 100 days (1 to 2 days a week) 4
- 25 to 50 days (3 to 4 days a month) 5
- 12 to 24 days (1 to 2 days a month) 6
- 6 to 11 days (less than 1 day a month) 7
- 3 to 5 days 8
- 1 to 2 days 9

DB-5. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage? Your best estimate is fine.

Number of days during the past 30 days I drove a car or other motor vehicle within 2 hours after drinking an alcoholic beverage 93

GO TO Q.DB-6 AT
TOP OF NEXT PAGE

I have not driven a car or other motor vehicle within 2 hours after drinking an alcoholic beverage during the past 30 days 93

GO TO Q.DB-9 AT
TOP OF PAGE 4

DB-6. Think about the most recent time you drove a car or other motor vehicle within 2 hours after drinking an alcoholic beverage. On this most recent occasion, how many drinks did you have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail. Your best estimate is fine.

On this most recent occasion, I had drink(s)

DB-7. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after drinking an alcoholic beverage, how much time passed from when you started your first drink until you finished your last drink? Your best estimate is fine. ***PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.***

- More than 8 hours 1
- At least 6 hours but not more than 8 hours 2
- At least 4 hours but not more than 6 hours 3
- At least 2 hours but not more than 4 hours 4
- At least 1 hour but not more than 2 hours 5
- At least 30 minutes but not more than 1 hour 6
- Less than 30 minutes 7
- I only had one drink on this most recent occasion 8

DB-8. Again, think about the most recent time when you drove a car or other motor vehicle within 2 hours after drinking an alcoholic beverage. On this most recent occasion, how much time passed from when you drank your last drink until you began driving? Your best estimate is fine. ***PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.***

- 2 hours 1
- At least 1 hour but not more than 2 hours 2
- At least 30 minutes but not more than 1 hour 3
- At least 15 minutes but not more than 30 minutes 4
- At least 5 minutes but not more than 15 minutes 5
- Less than 5 minutes 6

(PLEASE TURN TO THE NEXT PAGE)

DB-9. Have you used any marijuana or hashish during the past 12 months?

YES, I have used
marijuana or
hashish during
the past 12
months 1

NO, I have not used
marijuana or
hashish during
the past 12
months . . . 2

DB-10. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any marijuana or hashish?

YES, during the past
12 months, I have
driven a car or other
motor vehicle within
2 hours after using
marijuana or hashish . . . 1

NO, during the past 12
months, I have not
driven a car or other
motor vehicle within
2 hours after using
marijuana or hashish . . . 2

GO TO QUESTION
DB-24 AT TOP
OF PAGE 8

DB-11. Think about those occasions in the past 12 months when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish. As you read the following list of drugs, please mark one box beside each drug to indicate how often you used that drug along with the marijuana or hashish.

How often used with marijuana or hashish?
NEVER RARELY SOMETIMES OFTEN

- | | | | | |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| a. Alcohol | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| b. Cocaine | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| c. Heroin | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| d. Hallucinogens | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| e. Inhalants | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| f. Analgesics | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| g. Tranquilizers | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| h. Stimulants | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| i. Sedatives | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| j. I used some other drug(s) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |

PLEASE LIST BELOW THE OTHER DRUG(S):

(PLEASE GO TO THE NEXT PAGE)

DB-12. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any marijuana or hashish?

Number of days during the past 30 days I drove a car or other motor vehicle within 2 hours after using marijuana or hashish

I have not driven a car or other motor vehicle within 2 hours after using marijuana or hashish during the past 30 days 93

DB-13. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish. On this most recent occasion, did you use only marijuana or hashish, marijuana or hashish with alcohol, or marijuana or hashish with one or more other drugs? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

I used only marijuana or hashish 1

I used marijuana or hashish with alcohol 2

I used marijuana or hashish with one or more other drugs 3

PLEASE LIST BELOW THE OTHER DRUG(S):

DB-14. Again thinking about the most recent occasion you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, where were you driving from? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

My home 1

A friend or relative's home 2

A bar or nightclub 3

A restaurant 4

A sporting event 5

A concert 6

My workplace 7

Somewhere else 8

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

DB-15. On this most recent occasion, when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, where was the first place you drove to? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

My home 1

A friend or relative's home 2

A bar or nightclub 3

A restaurant 4

A sporting event 5

A concert 6

My workplace 7

No place in particular (I was just driving around) 8

Somewhere else 9

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

(PLEASE TURN TO THE NEXT PAGE)

DB-16. Again, think about the most recent occasion when you drove within 2 hours after using any marijuana or hashish. Did you drive on an interstate, highway, or freeway, or only on smaller roads? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- I drove on an interstate, highway, or freeway 1
I drove only on smaller roads 2

DB-17. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, were you driving primarily in a rural, urban or suburban area? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- Rural area (open country) 1
Urban area (city or town) 2
Suburban area (town just outside of a large city) 3

DB-18. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, on which day of the week were you driving?

- Monday 1
Tuesday 2
Wednesday 3
Thursday 4
Friday 5
Saturday 6
Sunday 7

DB-19. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, what time of day did you begin driving? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- 12:00 AM to 2:59 AM 1
3:00 AM to 5:59 AM 2
6:00 AM to 8:59 AM 3
9:00 AM to 11:59 AM 4
12:00 PM to 2:59 PM 5
3:00 PM to 5:59 PM 6
6:00 PM to 8:59 PM 7
9:00 PM to 11:59 PM 8

(PLEASE GO TO THE NEXT PAGE)

DB-20. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any marijuana or hashish, how much do you think your use of marijuana or hashish reduced your ability to drive safely?

- A lot 1
- A little 2
- Not at all 3

DB-21. Some people drive after using marijuana or hashish because they have an appointment to keep, they have no one else to drive them, or for some other reason. As you read the following list of reasons, please mark one box beside each reason to indicate whether it is a reason why you drove within 2 hours after using any marijuana or hashish on this most recent occasion.

- | | <u>Reason why you drove?</u> | |
|--|------------------------------|----------------------------|
| | <u>YES</u> | <u>NO</u> |
| a. There was no other way to get to where I was going | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b. I wasn't high enough to cause a crash | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c. The police would not be likely to catch me | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d. No one else was available to drive my motor vehicle | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e. I had an appointment or curfew | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f. I drove for some other reason(s) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

PLEASE SPECIFY REASON(S) BELOW:

DB-22. In general, when you drive within 2 hours after using any marijuana or hashish, how much more likely do you think it is that you will be stopped by the police than when you drive without using marijuana or hashish?

- A lot more likely 1
- A little more likely 2
- No more likely 3

DB-23. In general, how much do you feel using any marijuana or hashish reduces your ability to drive safely?

- A lot 1
- A little 2
- Not at all 3

(PLEASE TURN TO THE NEXT PAGE)

DB-24. Have you used any cocaine during the past 12 months?

YES, I have used cocaine during the past 12

months . . . 1

NO, I have not used cocaine during the past 12

months . . . 2

DB-25. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any cocaine?

YES, during the past 12 months, I have driven a car or other motor vehicle within 2 hours after using cocaine 1

NO, during the past 12 months, I have not driven a car or other motor vehicle within 2 hours after using cocaine . . . 2

GO TO STATEMENT AT TOP OF PAGE 12

DB-26. Think about those occasions in the past 12 months when you drove a car or other motor vehicle within 2 hours after using any cocaine. As you read the following list of drugs, please mark one box beside each drug to indicate how often you used that drug along with the cocaine.

	<u>How often used with cocaine?</u>			
	<u>NEVER</u>	<u>RARELY</u>	<u>SOMETIMES</u>	<u>OFTEN</u>
a. Alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
b. Marijuana or hashish	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
c. Heroin	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
d. Hallucinogens	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
e. Inhalants	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
f. Analgesics	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
g. Tranquilizers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
h. Stimulants	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
i. Sedatives	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
j. I used some other drug(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

PLEASE LIST BELOW THE OTHER DRUG(S):

(PLEASE GO TO THE NEXT PAGE)

DB-27. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any cocaine?

Number of days during the past 30 days I drove a car or other motor vehicle within 2 hours after using cocaine

I have not driven a car or other motor vehicle within 2 hours after using cocaine during the past 30 days 93

DB-28. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any cocaine. On this most recent occasion, did you use only cocaine, cocaine with alcohol, or cocaine with one or more other drugs? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I used only cocaine 1

I used cocaine with alcohol 2

I used cocaine with one or more other drugs 3

PLEASE LIST BELOW THE OTHER DRUG(S):

DB-29. Again thinking about the most recent occasion you drove a car or other motor vehicle within 2 hours after using any cocaine, where were you driving from? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

My home 1

A friend or relative's home 2

A bar or nightclub 3

A restaurant 4

A sporting event 5

A concert 6

My workplace 7

Somewhere else 8

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

DB-30. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, where was the first place you drove to? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

My home 1

A friend or relative's home 2

A bar or nightclub 3

A restaurant 4

A sporting event 5

A concert 6

My workplace 7

No place in particular (I was just driving around) 8

Somewhere else 9

PLEASE DESCRIBE BELOW THIS OTHER PLACE:

(PLEASE TURN TO THE NEXT PAGE)

DB-31. Again, think about the most recent occasion when you drove within 2 hours after using any cocaine. Did you drive on an interstate, highway, or freeway, or only on smaller roads? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- I drove on an interstate, highway, or freeway 1
- I drove only on smaller roads 2

DB-32. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, were you driving primarily in a rural, urban or suburban area? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- Rural area (open country) 1
- Urban area (city or town) 2
- Suburban area (town just outside of a large city) 3

DB-33. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, on which day of the week were you driving?

- Monday 1
- Tuesday 2
- Wednesday 3
- Thursday 4
- Friday 5
- Saturday 6
- Sunday 7

DB-34. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, what time of day did you begin driving? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- 12:00 AM to 2:59 AM 1
- 3:00 AM to 5:59 AM 2
- 6:00 AM to 8:59 AM 3
- 9:00 AM to 11:59 AM 4
- 12:00 PM to 2:59 PM 5
- 3:00 PM to 5:59 PM 6
- 6:00 PM to 8:59 PM 7
- 9:00 PM to 11:59 PM 8

DB-35. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any cocaine, how much do you think your use of cocaine reduced your ability to drive safely?

- A lot 1
- A little 2
- Not at all 3

(PLEASE GO TO THE NEXT PAGE)

DB-36. Some people drive after using cocaine because they have an appointment to keep, they have no one else to drive them, or for some other reason. As you read the following list of reasons, please mark one box beside each reason to indicate whether it is a reason why you drove within 2 hours after using any cocaine on this most recent occasion.

		<u>Reason why you drove?</u>	
		<u>YES</u>	<u>NO</u>
a.	There was no other way to get to where I was going	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b.	I wasn't high enough to cause a crash	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c.	The police would not be likely to catch me	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d.	No one else was available to drive my motor vehicle	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e.	I had an appointment or curfew	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f.	I drove for some other reason(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 2

PLEASE SPECIFY REASON(S) BELOW:

DB-37. In general, when you drive within 2 hours after using any cocaine, how much more likely do you think it is that you will be stopped by the police than when you drive without using cocaine?

A lot more likely	<input type="checkbox"/> 1
A little more likely	<input type="checkbox"/> 2
No more likely	<input type="checkbox"/> 3

DB-38. In general, how much do you feel using any cocaine reduces your ability to drive safely?

A lot	<input type="checkbox"/> 1
A little	<input type="checkbox"/> 2
Not at all	<input type="checkbox"/> 3

(PLEASE TURN TO THE NEXT PAGE)

This next set of questions asks about your use of tranquilizers during the past 12 months. For these questions, include any prescription or over-the-counter tranquilizers you used for a medical reason, as well as any you used only for the experience or feeling they caused.

DB-39. Have you used any tranquilizers during the past 12 months?

YES, I have used
tranquilizers
during the past
12 months . . . 1

NO, I have not used
tranquilizers
during the
past 12
months . . . 2

DB-40. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any tranquilizers?

YES, during the
past 12 months,
I have driven a
car or other motor
vehicle within 2
hours after using
tranquilizers . . . 1

NO, during the past
12 months, I have
not driven a car
or other motor
vehicle within 2
hours after using
tranquilizers . . . 2

**GO TO STATEMENT
AT TOP
OF PAGE 14**

DB-41. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any tranquilizers?

Number of days during the past 30 days I drove a car or other motor vehicle within 2 hours after using tranquilizers

I have not driven a car or other motor vehicle within 2 hours after using tranquilizers during the past 30 days 93

(PLEASE GO TO THE NEXT PAGE)

DB-42. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any tranquilizers. On this most recent occasion, did you use tranquilizers for a medical reason, or did you use them only for the experience or feeling they caused? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I used tranquilizers for a medical reason 1

I used tranquilizers only for the experience or feeling they caused 2

DB-43. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any tranquilizers, did you use only tranquilizers, tranquilizers with alcohol, or tranquilizers with one or more other drugs? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I used only tranquilizers 1

I used tranquilizers with alcohol 2

I used tranquilizers with one or more other drugs 3

PLEASE LIST BELOW THE OTHER DRUG(S):

DB-44. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any tranquilizers, how much do you think your use of tranquilizers (whether it was alone or along with one or more other drugs) reduced your ability to drive safely?

A lot 1

A little 2

Not at all 3

(PLEASE TURN TO THE NEXT PAGE)

This next set of questions asks about your use of stimulants during the past 12 months. For these questions, include any prescription or over-the-counter stimulants you used for a medical reason, as well as any you used only for the experience or feeling they caused.

DB-45. Have you used any stimulants during the past 12 months?

YES, I have used stimulants during the past 12 months . . . 1

NO, I have not used stimulants during the past 12 months . . . 2

DB-46. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any stimulants?

YES, during the past 12 months, I have driven a car or other motor vehicle within 2 hours after using stimulants 1

NO, during the past 12 months, I have not driven a car or other motor vehicle within 2 hours after using stimulants 2

**GO TO STATEMENT
AT TOP
OF PAGE 16**

DB-47. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any stimulants?

Number of days during the past 30 days I drove a car or other motor vehicle within 2 hours after using stimulants

I have not driven a car or other motor vehicle within 2 hours after using stimulants during the past 30 days 93

(PLEASE GO TO THE NEXT PAGE)

DB-48. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any stimulants. On this most recent occasion, did you use stimulants for a medical reason, or did you use them only for the experience or feeling they caused? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I used stimulants for a medical reason 1

I used stimulants only for the experience or feeling they caused 2

DB-49. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any stimulants, did you use only stimulants, stimulants with alcohol, or stimulants with one or more other drugs? *PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.*

I used only stimulants 1

I used stimulants with alcohol 2

I used stimulants with one or more other drugs 3

PLEASE LIST BELOW THE OTHER DRUG(S):

DB-50. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any stimulants, how much do you think your use of stimulants (whether it was alone or along with one or more other drugs) reduced your ability to drive safely?

A lot 1

A little 2

Not at all 3

(PLEASE TURN TO THE NEXT PAGE)

This next set of questions asks about your use of sedatives during the past 12 months. For these questions, include any prescription or over-the-counter sedatives you used for a medical reason, as well as any you used only for the experience or feeling they caused.

DB-51. Have you used any sedatives during the past 12 months?

YES, I have used
sedatives
during the past
12 months . . . 1

NO, I have not used
sedatives
during the
past 12
months . . . 2

DB-52. During the past 12 months, have you driven a car or other motor vehicle within 2 hours after using any sedatives?

YES, during the
past 12 months,
I have driven a
car or other motor
vehicle within 2
hours after using
sedatives 1

NO, during the past
12 months, I have
not driven a car
or other motor
vehicle within 2
hours after using
sedatives 2

**GO TO BOX A
AT BOTTOM
OF PAGE 17**

DB-53. During the past 30 days, on how many days have you driven a car or other motor vehicle within 2 hours after using any sedatives?

Number of days during the past 30 days I drove a car or other motor vehicle within 2 hours after using sedatives

I have not driven a car or other motor vehicle within 2 hours after using sedatives during the past 30 days 93

(PLEASE GO TO THE NEXT PAGE)

DB-54. Think about the most recent time you drove a car or other motor vehicle within 2 hours after using any sedatives. On this most recent occasion, did you use sedatives for a medical reason, or did you use them only for the experience or feeling they caused? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- I used sedatives for a medical reason 1
- I used sedatives only for the experience or feeling they caused 2

DB-55. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any sedatives, did you use only sedatives, sedatives with alcohol, or sedatives with one or more other drugs? **PLEASE MARK ONLY ONE BOX FOR THE BEST ANSWER.**

- I used only sedatives 1
 - I used sedatives with alcohol 2
 - I used sedatives with one or more other drugs 3
- PLEASE LIST BELOW THE OTHER DRUG(S):**
- _____

DB-56. On this most recent occasion when you drove a car or other motor vehicle within 2 hours after using any sedatives, how much do you think your use of sedatives (whether it was alone or along with one or more other drugs) reduced your ability to drive safely?

- A lot 1
- A little 2
- Not at all 3

BOX A	<p>YOU HAVE FINISHED THE QUESTIONS ABOUT DRIVING BEHAVIORS.</p> <p>THANK YOU FOR ANSWERING THESE QUESTIONS.</p> <p>TELL THE INTERVIEWER THAT YOU ARE FINISHED WITH THE DRIVING BEHAVIORS QUESTIONS.</p>
--------------	--