



National Survey on Drug Use and Health: 8-Year R-DAS (2002 to 2009)

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

*****Processor Note*****
National Survey on Drug Use and Health:
8-Year R-DAS (2002-2009)
Processor Note on
Version 1

- 1) All system-missing values (denoted as “.” in the frequencies) were recoded to “-9” in the data file. In the past these values were coded to “99”
- 2) Variables ending in ...NEWA through NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.

R-DAS Introduction

1. Introduction

This codebook provides documentation for the National Survey on Drug Use and Health (NSDUH) Restricted-use Online Data Analysis System (R-DAS) data files. R-DAS is an online analytic system that allows analysts to produce cross-tabulations using restricted-use NSDUH data files. Restricted-use microdata are not accessible to analysts, but output from the analyses is available as long as the output does not violate any of the disclosure limitation rules that determine what output may be displayed.

This introduction provides details on the structure of NSDUH's R-DAS data files, including the contents, weights, disclosure limitation methods applied to the output, and analysis options. For more information on the survey and data, users should access NSDUH's public use file documentation available at the Substance Abuse and Mental Health Data Archive (SAMHDA), which is accessible online through <http://www.datafiles.samhsa.gov>. In addition to R-DAS data files, the Substance Abuse and Mental Health Services Administration (SAMHSA) will continue to disseminate NSDUH's public use files through direct downloads and support an online analysis system for the files.

2. Analytical Options Available on R-DAS

The basic R-DAS interface is similar to the online analysis system for NSDUH's public use files; however, in R-DAS, the analyses that can be performed, the data file codebooks, and the available output will differ. Although the current online analysis system for NSDUH's public use files on SAMHDA allows cross-tabulations, creation of means, and regressions for a single years of NSDUH data, NSDUH's R-DAS only allows for the creation of cross-tabulations of variables on the files, excluding the weighting and variance estimation variables. Both systems allow for variance estimation that takes into account NSDUH's complex survey design.

NSDUH's R-DAS does not allow for the creation of single-year estimates, does not permit listing of individual cases, and does not show unweighted frequencies in the R-DAS codebook, nor are users allowed to generate unweighted frequencies. These limitations have been imposed to reduce the potential for disclosure of confidential information via the R-DAS. Furthermore, the NSDUH data files used in R-DAS have been subsampled (i.e., they do not include the entire dataset). Revised weights were created because R-DAS produces estimates by combining NSDUH data from 2, 4, or 8 years. The revised weights were constructed in order to be representative of the average population across 2, 4, and 8 years.

As mentioned earlier, not all output that can be produced using the online data analysis system for NSDUH's public use files is available through NSDUH's R-DAS. R-DAS will not provide unweighted sample sizes, and only standard errors that incorporate the complex survey design will be available. All weighted totals will be rounded to the nearest thousand, and all prevalence estimates and associated statistics will be rounded to one decimal point. If any of the cells in a table contain too few unweighted cases, then the entire table will be suppressed.

NSDUH's R-DAS does not currently allow for recoding (i.e., the creation of new variables using multiple variables), but that capability is under development and should be

available soon. R-DAS does allow for the recategorization of existing continuous and categorical variables.

3. Structure of the R-DAS Data Files

From 1971 through 1998, NSDUH employed paper-and-pencil data collection. Since 1999, the NSDUH interview has been carried out using computer-assisted interviewing (CAI). Because of the shift in interviewing method in 1999, estimates from the pre-1999 surveys are not comparable with estimates from the current CAI-based surveys. In addition, although the design of the 2002 through 2009 NSDUHs is similar to the design of the 1999 through 2001 surveys, important methodological differences affect the comparability of the 2002 to 2009 estimates with estimates from prior surveys. Therefore, R-DAS includes data files starting from 2002.

Three separate R-DAS data files for NSDUH data include data from 2002-2009:

- 2-year NSDUH data file: This file can be used to create combined 2-year estimates. Estimates for the years 2002-2003, 2004-2005, 2006-2007, and 2008-2009 are possible. The weight on this file can only be used for 2-year combined estimates for the pair years specified above. In addition to single pair-year estimates, tables showing pair-year estimates across time can be produced. Multiyear estimates (e.g., estimates based on 4 years of data) cannot be produced from the data in this 2-year file.
- 4-year NSDUH data file: This file allows the creation of combined 4-year estimates. Estimates for the years 2002-2005 and 2006-2009 are possible. The weight on this file can only be used for 4-year combined estimates for the 4-year combinations of years specified above. Estimates based on more than the specified 4 years of data cannot be produced from the data in this file.
- 8-year NSDUH data file: This file allows the creation of combined 8-year estimates. Only combined estimates for the years 2002-2009 are possible with the weight provided.

Users will have to decide which R-DAS data file to use based on their analytic needs. Users may not be able to use the 2-year file because of insufficient sample sizes and may need to use the 4- or 8-year files. Users should not combine multiple years of data because the weights have been developed for the specific year combinations on the files. *In all analyses on the 2- and 4-year files, the variable indicating the years of data should be used either as a variable in the table or as a filter variable used to subset the data file.*

4. Variables on the R-DAS Data Files

Not all variables on NSDUH's restricted-use data files have been included in the R-DAS data files. Variables that cannot effectively be used in the online analysis system, such as date of interview, were not included. Variables indicating geographical locations smaller than a State (e.g., counties and parishes) are not included. State codes, however, are included to allow for State-level analyses. Other variables, such as detailed race/ethnicity, country of birth, and initiation of substance use (age of first use), also are included in the R-DAS data files.

NSDUH's three R-DAS data files do not have identical variables. Variables had to be comparable across the different years in consideration. For the 2-year data file, the only variables

that were included had consistent and comparable data for each of the two pair years in consideration (e.g., 2002-2003, 2004-2005, 2006-2007, and 2008-2009). So, if a new questionnaire item was introduced in 2003 and consistently collected through 2009, then the 2002-2003 records would not have a valid value for that variable; however, the cases or records from 2004 to 2009 would have valid values for that variable. Similarly, the only variables included in the 2002-2009 data file are ones that were collected in a comparable manner across all 8 years. A crosswalk chart in the documentation provided for NSDUH's R-DAS data files indicates the variables that are present and comparable across the different years. Users of NSDUH's R-DAS are recommended to carefully look at this crosswalk to make sure that comparisons across time are valid for given variables. Analysts also are encouraged to refer to the instrument specifications for each of the survey years in conjunction with their review of the codebook. The specifications provide detailed information about the logic governing how respondents were routed through the questions in the interviews and any changes to the instrument relative to the survey from the prior year. The 2002-2009 specifications are on SAMHSA's Web site.

For each variable included in NSDUH's R-DAS data files, the codebook provides the variable name, a description of the variable, value codes, and their meanings. Unlike NSDUH's public use data file codebooks, NSDUH's R-DAS codebooks do not contain unweighted univariate frequencies because of confidentiality reasons. Most of the variables originated directly as interview items. For a subset of variables created from more than one variable, source variables and recoding specifications are provided. In addition, case identification and sampling variables are not included in the files and documented in the codebooks. Although the R-DAS data file variables are listed in the R-DAS codebooks, there may be some variables referenced in codebook comments and appendices that are not available in the R-DAS data files because of concerns about confidentiality or comparability. There may be references in the codebook to appendices that are not available for R-DAS because of similar concerns about confidentiality. The variable documentation shown in the codebooks for the combined-year R-DAS data files corresponds to the latest year of NSDUH data available in these combined-year data files. For the most part, no adjustments have been made to this documentation. Note that there may be exceptions for the renamed variables where information was added for clarification. The codebook appendix files are from the 2009 survey year, with no further adjustment applied.

The overall organization of the R-DAS data files is shown in the table of contents of the R-DAS codebooks. Edited data from core drug modules make up the first portion of the file. Edited data from the noncore self-administered modules and demographic questions are in later sections. Variables from the noncore section contain missing data; for a description of the codes given to different types of missing data, see the section on Standard Code Conventions in the codebook for the public use files.

Imputation-revised drug use variables, as well as selected recoded versions of these variables, are included for core drug use variables. These imputed and recoded drug use variables are in separate sections following the edited core drug use variables. The recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised core drug use variables served as the starting point for the recoded core drug use variables. Imputation-revised core and noncore demographic variables also are included toward the end of the codebook. Missing values for all imputation-revised variables from the

core drug modules have been replaced with valid values using the statistical imputation procedures described in the public use file codebooks. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. *Where imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than raw or edited variables from the interview.*

Variables containing the original responses to the recency-of-use and 12-month frequency-of-use questions are included in the codebook section on Selected Unedited Variables. These are included to show how respondents originally answered these questions prior to the data being edited for consistency with related items in that drug's section of the interview.

Variables from self-administered noncore modules comprise the next major section in the codebook. In addition to edited variables in these noncore modules, recoded variables are in some of these sections. For example, edited variables from the section of the interview pertaining to symptoms of dependence or abuse (Substance Dependence and Abuse section in the codebook) were used to create recoded summary measures of dependence. Unlike variables in the core sections, however, imputation for missing data generally was not done prior to the recoding of noncore variables.

For recoded variables, the missing data codes, contained in the source variables and defined in the Standard Code Conventions section of the public use codebook, were often recoded to the standard missing code (.). It is intended that cases containing these missing codes be excluded from an analysis.

In many instances, the codebook itself also indicates in parentheses the question name that corresponds to an edited variable. However, one important feature of the transition in 1999 to CAI from paper-and-pencil interviews was that respondents could be routed to different versions of a question based on prior information from the interview. For this reason, individual variables do not always exist on NSDUH's R-DAS data files that correspond to every question in the interview.

A few variables specific to the R-DAS data files have names that end with the suffix "_B." These variable names represent NSDUH variables whose names changed over time but remained analytically comparable. Because very minor changes were made in the documentation for the R-DAS codebooks, the renamed variables will not match the references to the original variable names found in the variable documentation. A general rule to follow is that notes for specific variables are found directly above the variable listing or at the front of that variable codebook section. The variable renaming that was applied for the R-DAS data files is described next.

The renamed variable IRRACE_B is equivalent to IRRACE in 2002 and to IRRACE2 from 2003-2007. The main difference between IRRACE and IRRACE2 is in the handling of multiple race respondents. QD06 did not appear in the 2003-2009 NSDUHs. In the 2002 NSDUH, when nonmissing, the QD06 response was used to select a "main race" for multiple race respondents. In the 2003-2007 NSDUHs, a single race was imputed from among the races selected by each multiple race respondent, using a random imputation based on actual QD06

responses from 2000-2002. Because the purpose of the method used in 2003-2007 was to create a variable comparable with IRRACE, the variable names IRRACE and IRRACE2 were considered comparable across 2002-2007. In general, IRRACE and IRRACE2 were created by collapsing the categories given in the race questions represented by the raw variables QD051-QD057, QD04RACE, QD05RACE, QD05ASI1-QD05ASI7, and ASIARACE into one of the four listed categories. The detail provided by these questions is given in the variable IRNWRACE. Beginning with the 2008 NSDUH, multiple race respondents were placed in a separate category, and IRRACE2 was discontinued.

The renamed variables HSPRAC_B and RACE_B follow the same pattern as IRRACE_B. These variables are recodes that use IRRACE_B as one of the source variables. They were also discontinued as of the 2008 NSDUH.

The renamed variable IRENTA_B is equivalent to IRENTAGE in 2002 and 2003 and to IRENTAG2 from 2004-2009. In the 2004 NSDUH, the question QD16 was replaced with three parts, which essentially asked non-U.S. born respondents to provide a more specific time on how long they had lived in the United States. The variable IRENTAG2 gives the age at which an immigrant to the United States entered this country. It was derived from the respondent's age and the variables LIVUS1YR, LIVUSYRS, and LIVUSMOS, which gave the number of years that an immigrant to the United States had lived in this country. Any respondents born in the United States (IRBORNUS=1) were coded as 999. The two variables were deemed similar enough to be comparable over all years from 2002 to 2009.

Recoded Psychological Distress (2006-2007) and Recoded Adult Mental Health (2008-2009)—the serious psychological distress (SPD) recodes—were renamed because adjusted variables for the years 2006-2007 were similar to variables in 2008-2009, although the variable names were different. This recoding only applies to the following analysis periods: 2006-2007, 2008-2009, and 2006-2009.

Recoded Adult Depression—the adult major depressive episode (MDE) recodes—were renamed because adjusted variables were available that were similar to later years' variables, even though they had different names. This recoding only applies to the following analysis periods: 2006-2007, 2008-2009, and 2006-2009.

Recoded Drug Use—the incidence variables—were renamed across all years because there were various changes made to them over time. This recoding applies to all analysis periods available with R-DAS.

Recoded Adolescent Depression—several youth MDE variables—were renamed for the 2006-2009 analysis period because in 2006-2007 there were variables that contained both adult and youth data, but these variables were broken apart in 2008 and made into age-specific sets of recodes.

IDENTIFICATION			PAGE:	1
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IDENTIFICATION		

RDASID	7	R-DAS RESPONDENT IDENTIFICATION		
YRPRIND	1	YEAR PAIR INDICATOR		
		7 = Data received in any year from 2002 to 2009		
		The following variable, FILEDATE, represents the date the SAS data file was created.		
FILEDATE	10	CREATION DATE OF THE DATA FILE		

Codebook Creation Date: April 24, 2012

TOBACCO			PAGE:	2
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG01)		TOBACCO ----- These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only. Have you ever smoked part or all of a cigarette? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGEVER	1	EVER SMOKED A CIGARETTE 1 = Yes 2 = No		
(CG02)		If one of your best friends offered you a cigarette, would you smoke it?		
CIGOFRSM	2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG 1 = Definitely Yes 2 = Probably Yes 3 = Probably Not 4 = Definitely Not 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(CG03)		At any time during the next 12 months do you think you will smoke a cigarette?		
CIGWILYR	2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS 1 = Definitely Yes 2 = Probably Yes 3 = Probably Not 4 = Definitely Not 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(CG04)		How old were you the first time you smoked part or all of a cigarette?		
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE RANGE = 1 - 70 985 = BAD DATA Logically assigned 991 = NEVER USED CIGARETTES 994 = DON'T KNOW 997 = REFUSED		

TOBACCO			PAGE:	3
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG05)		NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.		
		Now think about the past 30 days - that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
		How long has it been since you last smoked part or all of a cigarette?		
CIGREC	2	TIME SINCE LAST SMOKED CIGARETTES 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago but within the past 3 yrs 4 = More than 3 years ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in the lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 14 = Used more than 12 months ago LOG ASSN 19 = Used more than 30 days ago LOG ASSN 29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN 39 = Used within the past 3 years LOGICALLY ASSIGNED 91 = NEVER USED CIGARETTES		
(CG07)		During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?		
CIG30USE	2	HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS RANGE = 1 - 30 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG07DKRE)		What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?		
CG30EST	2	BEST EST. # DAYS SMOKED CIG PAST 30 DAYS 1 = 1 or 2 days 2 = 3 to 5 days 3 = 6 to 9 days 4 = 10 to 19 days 5 = 20 to 29 days 6 = All 30 days 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

TOBACCO			PAGE:	4
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG08)		On the CG07 days / CIGDKRE you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?		
CIG30AV	2	AVG # CIGS SMOKED PER DAY/ON DAY SMOKED 1 = Less than one cigarette per day 2 = 1 cigarette per day 3 = 2 to 5 cigarettes per day 4 = 6 to 15 cigarettes per day (about 1/2 pack) 5 = 16 to 25 cigarettes per day (about 1 pack) 6 = 26 to 35 cigarettes per day (about 1 1/2 packs) 7 = More than 35 cigs per day (abt 2 packs or more) 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG14)		During the past 30 days, that is since [DATEFILL], have you smoked part or all of a roll-your-own tobacco cigarette?		
CIG30ROL	2	HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED (raw var not blank) 5 = Yes LOGICALLY ASSIGNED (from skip pattern) 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG15)		Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?		
CIGDLYMO	2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS 1 = Yes 2 = No 5 = Yes LOGICALLY ASSIGNED (from skip pattern) 91 = NEVER USED CIGARETTES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG16)		How old were you when you first started smoking cigarettes every day?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY RANGE = 1 - 81 985 = BAD DATA Logically assigned 991 = NEVER USED CIGARETTES 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY)		

Codebook Creation Date: April 24, 2012

TOBACCO			PAGE:	5
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG16A)		Have you smoked at least 100 cigarettes in your entire life?		
CIG100LF	2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from skip pattern) 91 = NEVER USED CIGARETTES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG25)		These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets. Have you ever used snuff, even once? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
SNFEVER	2	EVER USED SNUFF 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED		
(CG26)		How old were you the first time you used snuff?		
SNUFTRY	3	AGE WHEN FIRST USED SNUFF RANGE = 1 - 75 985 = BAD DATA Logically assigned 991 = NEVER USED SNUFF 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		

TOBACCO			PAGE:	6
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG27)		NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.		
		Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used snuff, even once?		
		How long has it been since you last used snuff?		
SNFREC	2	TIME SINCE LAST USED SNUFF		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago but within the past 3 yrs		
		4 = More than 3 years ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in the lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		14 = Used more than 12 months ago LOG ASSN		
		19 = Used more than 30 days ago LOG ASSN		
		29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN		
		39 = Used within the past 3 years LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED SNUFF		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CG29)		During the past 30 days, that is since [DATEFILL], on how many days did you use snuff?		
SNF30USE	2	HOW MANY DAYS USED SNUFF PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED SNUFF		
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CG29DKRE)		What is your best estimate of the number of days you used snuff during the past 30 days?		
SN30EST	2	BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		4 = 10 to 19 days		
		5 = 20 to 29 days		
		6 = All 30 days		
		91 = NEVER USED SNUFF		
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

TOBACCO			PAGE:	7
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG17)		The next questions are only about chewing tobacco.		
		Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.		
		Have you ever used chewing tobacco, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CHEWEVER	2	EVER USED CHEW EVEN ONCE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED		
(CG18)		How old were you the first time you used chewing tobacco?		
CHEWTRY	3	AGE WHEN FIRST USED CHEW RANGE = 1 - 70 985 = BAD DATA Logically assigned 991 = NEVER USED CHEWING TOBACCO 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(CG19)		NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.		
		Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
		How long has it been since you last used chewing tobacco?		
CHEWREC	2	TIME SINCE LAST USED CHEWING TOBACCO 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago but within the past 3 yrs 4 = More than 3 years ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in the lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 14 = Used more than 12 months ago LOG ASSN 19 = Used more than 30 days ago LOG ASSN 29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN 39 = Used within the past 3 years LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED CHEWING TOBACCO 97 = REFUSED 98 = BLANK (NO ANSWER)		

TOBACCO			PAGE:	8
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(CG21)		During the past 30 days, that is since [DATEFILL], on how many days did you use chewing tobacco?		
CHW30USE	2	HOW MANY DAYS USED CHEW IN PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED CHEWING TOBACCO		
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CG21DKRE)		What is your best estimate of the number of days you used chewing tobacco during the past 30 days?		
CH30EST	2	PAST 30 DAY ESTIMATE OF CHEWING TOBACCO		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		4 = 10 to 19 days		
		5 = 20 to 29 days		
		6 = All 30 days		
		91 = NEVER USED CHEWING TOBACCO		
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

TOBACCO			PAGE:	9
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG22)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CHW30BRN	4	CHEW BRAND USED MOST OFTEN PAST MO - RECODE		
		102 = Benson & Hedges		
		112 = Marlboro		
		118 = Newport		
		150 = Raleigh		
		201 = Beech-Nut		
		202 = Chattanooga Chew		
		203 = Day's Work		
		204 = Granger		
		205 = H.B. Scott		
		206 = Levi Garrett		
		207 = Red Fox		
		208 = Red Man chewing tobacco		
		209 = Taylor's Pride		
		210 = Totems		
		211 = Work Horse		
		212 = Apple Jack		
		216 = Blackbull		
		217 = Bowie		
		218 = Cannonball		
		219 = Durango		
		220 = Lancaster		
		221 = Mail Pouch		
		222 = Morgan's		
		223 = Peachy Big Leaf		
		225 = Trophy		
		226 = WB		
		227 = Havana Blossom		
		228 = Southern Pride		
		229 = Union Workman		
		230 = Stoker chewing tobacco		
		231 = Cottonboll		
		232 = Apple Plug Tobacco		
		233 = Bloodhound Thick Plug		
		234 = Red Horse		
		235 = King B		
		236 = J.D. Blend		
		237 = Our Pride		
		238 = Big Red		
		240 = Amish		
		241 = Tennessee Chew		
		242 = Black Maria		
		243 = Mammoth Cave		
		245 = Warren County		
		246 = Kuber Khaini		
		247 = Cumberland Twist		
		248 = Star chewing tobacco		
		249 = Good Bite		
		250 = Tulsi		
		251 = Wild Duck twist		
		252 = Country Blend		
		253 = Kentucky King Twist		
		255 = Iqmik		
		256 = White Mule twist		
		257 = Old Domestic		
		301 = Copenhagen		
		302 = Gold River		
		304 = Hawken		
		305 = Kodiak		

Codebook Creation Date: April 24, 2012

TOBACCO			PAGE:	10
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		306 = Redwood		
		307 = Silver Creek		
		308 = Skoal		
		309 = Timber Wolf		
		312 = Cougar		
		316 = Red Seal		
		317 = Rooster		
		319 = Tops snuff		
		321 = Garrett snuff		
		322 = Peach Sweet Snuff		
		323 = Mint Snuff		
		325 = Renegades		
		326 = Kayak		
		330 = Extreme		
		331 = Sequoia		
		332 = Grizzly		
		338 = Longhorn		
		341 = Husky		
		342 = Manikchand		
		343 = Baba 120		
		347 = Skruf		
		349 = Camel Snus		
		355 = Marlboro snus		
		423 = Swisher Sweets		
		704 = Betel nut		
		807 = Ariva tobacco lozenge		
		1032 = American Spirit rolling tobacco		
		1999 = Cigarette; brand otherwise unspecified		
		2998 = Homemade chewing tobacco		
		2999 = Chewing tobacco; brand otherwise unspecified		
		3999 = Snuff; brand otherwise unspecified		
		4044 = Zino		
		9000 = Did not confirm after 3 passes thru brand Qs		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED CHEWING TOBACCO		
		9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS		
		9994 = DON'T KNOW		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		

NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BRN are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BRN, and SNF30BRN. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.

SLTTRY 3 AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE
 RANGE = 1 - 75
 985 = BAD DATA Logically assigned
 991 = NEVER USED SMOKELESS TOBACCO
 994 = DON'T KNOW
 997 = REFUSED
 998 = BLANK (NO ANSWER)

TOBACCO			PAGE:	11
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
SLTREC	2	TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago but within the past 3 yrs 4 = More than 3 years ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in the lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 14 = Used more than 12 months ago LOG ASSN 19 = Used more than 30 days ago LOG ASSN 29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN 39 = Used within the past 3 years LOGICALLY ASSIGNED 91 = NEVER USED SMOKELESS TOBACCO 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG34)		The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes. Have you ever smoked part or all of any type of cigar? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGAREVR	2	EVER SMOKED PART OR ALL OF CIGAR 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED		
(CG35)		How old were you the first time you smoked part or all of any type of cigar?		
CIGARTRY	3	AGE WHEN FIRST SMOKED CIGAR RANGE = 1 - 80 985 = BAD DATA Logically assigned 991 = NEVER USED CIGARS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		

TOBACCO			PAGE:	12
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG36)		NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.		
		Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
		How long has it been since you last smoked part or all of any type of cigar?		
CIGARREC	2	TIME SINCE LAST SMOKED CIGAR		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago but within the past 3 yrs		
		4 = More than 3 years ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in the lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		14 = Used more than 12 months ago LOG ASSN		
		19 = Used more than 30 days ago LOG ASSN		
		29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN		
		39 = Used within the past 3 years LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED CIGARS		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CG38)		During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar?		
CGR30USE	2	HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED CIGARS		
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CG38DKRE)		What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?		
CI30EST	2	BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		4 = 10 to 19 days		
		5 = 20 to 29 days		
		6 = All 30 days		
		91 = NEVER USED CIGARS		
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

TOBACCO			PAGE:	13
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG42)		These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
PIPEVER	2	EVER SMOKED PIPE TOBACCO 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED		
(CG43)		During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?		
PIPE30DY	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED PIPE TOBACCO 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

ALCOHOL			PAGE:	14
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(AL01)		ALCOHOL		

		These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.		
		Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
ALCEVER	2	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes		
		2 = No		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
(AL02)		Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.		
ALCTRY	3	AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE		
		RANGE = 1 - 90		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED ALCOHOL		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(ALLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in the lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED ALCOHOL		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

ALCOHOL			PAGE:	15
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ALCYRTOT	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED ALCOHOL		
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
ALTOTFG	2	TRIMMING INDICATOR FOR ALCYRTOT		
		1 = Trimmed to 365 days (no further editing)		
		2 = Trimmed relative to the 30-day freq		
		3 = Trimmed relative to estimated 30-day freq		
		98 = BLANK (NO ANSWER)		
ALFQFLG	2	TRIMMED ALCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use		
		98 = BLANK (NO ANSWER)		
(ALFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALBSTWAY	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Prefer to answer in days per week		
		2 = Prefer to answer in days per month		
		3 = Prefer to answer in days per year		
		11 = Prefer to ans in days per wk LOG ASSN		
		12 = Prefer to ans in days per mo LOG ASSN		
		13 = Prefer to ans in days per yr LOG ASSN		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED ALCOHOL		
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALDAYPYR	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 366		
		985 = BAD DATA Logically assigned		
		989 = LEGITIMATE SKIP Logically assigned		
		991 = NEVER USED ALCOHOL		
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

ALCOHOL			PAGE:	16
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALDAYPMO	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED ALCOHOL		
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALDAYPWK	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED ALCOHOL		
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(AL06)		Think specifically about the past 30 days - that is, since [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED ALCOHOL		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(AL06DKRE)		What is your best estimate of the number of days you drank alcohol during the past 30 days?		
AL30EST	2	BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		4 = 10 to 19 days		
		5 = 20 to 29 days		
		6 = All 30 days		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED ALCOHOL		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
ALDYSFG	2	REVISION INDICATOR FOR ALCDAYS		
		1 = Edited for consistency with ALCYRTOT or DR5DAY		
		98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

ALCOHOL			PAGE:	17
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(AL07)		On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	3	USUAL # OF DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 90		
		975 = AT LEAST 5 Logically assigned		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED ALCOHOL		
		993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(AL08)		During the past 30 days, that is since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 0 - 30		
		80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED ALCOHOL		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

MARIJUANA			PAGE:	18
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJ01)		<p>MARIJUANA</p> <p>-----</p> <p>The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.</p> <p>Have you ever, even once, used marijuana or hashish?</p> <p>NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.</p>		
MJEVER	2	<p>EVER USED MARIJUANA/HASHISH</p> <p>1 = Yes</p> <p>2 = No</p> <p>85 = BAD DATA Logically assigned</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p>		
(MJ02)		How old were you the first time you used marijuana or hashish?		
MJAGE	3	<p>AGE WHEN FIRST USED MARIJUANA/HASHISH</p> <p>RANGE = 1 - 82</p> <p>985 = BAD DATA Logically assigned</p> <p>991 = NEVER USED MARIJUANA</p> <p>994 = DON'T KNOW</p> <p>997 = REFUSED</p> <p>998 = BLANK (NO ANSWER)</p>		
(MJLAST3)		<p>NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.</p> <p>How long has it been since you last used marijuana or hashish?</p>		
MJREC	2	<p>TIME SINCE LAST USED MARIJUANA/HASHISH</p> <p>1 = Within the past 30 days</p> <p>2 = More than 30 days ago but within the past 12 mos</p> <p>3 = More than 12 months ago</p> <p>8 = Used at some point in the past 12 mos LOG ASSN</p> <p>9 = Used at some point in the lifetime LOG ASSN</p> <p>11 = Used in the past 30 days LOGICALLY ASSIGNED</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED MARIJUANA</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
MJYRTOT	3	<p>TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS</p> <p>RANGE = 1 - 365</p> <p>985 = BAD DATA Logically assigned</p> <p>991 = NEVER USED MARIJUANA</p> <p>993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS</p> <p>994 = DON'T KNOW</p> <p>997 = REFUSED</p> <p>998 = BLANK (NO ANSWER)</p>		

Codebook Creation Date: April 24, 2012

MARIJUANA			PAGE:	19
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MRTOTFG	2	TRIMMING INDICATOR FOR MRJYRTOT 1 = Trimmed to 365 days (no further editing) 2 = Trimmed relative to the 30-day freq 3 = Trimmed relative to estimated 30-day freq 98 = BLANK (NO ANSWER)		
MJFQFLG	2	TRIMMED MJYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use 98 = BLANK (NO ANSWER)		
(MJFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
MRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MRDAYPYR	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS RANGE = 1 - 366 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MRDAYPMO	2	# DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS RANGE = 1 - 31 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

MARIJUANA			PAGE:	20
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJWKAVE)	2	On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MRDAYPWK	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED MARIJUANA		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(MJ06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED MARIJUANA		
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(MJ06DKRE)		What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?		
MR30EST	2	BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		4 = 10 to 19 days		
		5 = 20 to 29 days		
		6 = All 30 days		
		91 = NEVER USED MARIJUANA		
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

COCAINE			PAGE:	21
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CC01)		COCAINE		

		These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.		
		Have you ever, even once, used any form of cocaine?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
COCEVER	2	EVER USED COCAINE		
		1 = Yes		
		2 = No		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
(CC02)		How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 1 - 71		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED COCAINE		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(CCLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in the lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		12 = Used >30 days ago but within pst 12 mos LOG ASSN		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED COCAINE		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
COCYRTOT	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 365		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED COCAINE		
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
CCTOTFG	2	TRIMMING INDICATOR FOR COCYRTOT		
		1 = Trimmed to 365 days (no further editing)		
		2 = Trimmed relative to the 30-day freq		
		98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

COCAINE			PAGE:	22
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-

CCFQFLG 2 TRIMMED COCYRTOT IF R USED < 12 MOS
 1 = Trimmed to be consistent with mo/yr of 1st use
 98 = BLANK (NO ANSWER)

(CCFRAME3) Now think about the past 12 months, from [DATEFILL]
 through today. We want to know how many days
 you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us
 how many days you've used it?

CCBSTWAY 2 EASIEST WAY TO TELL US # DAYS USED COCAINE
 1 = Prefer to answer in days per week
 2 = Prefer to answer in days per month
 3 = Prefer to answer in days per year
 11 = Prefer to ans in days per wk LOG ASSN
 12 = Prefer to ans in days per mo LOG ASSN
 13 = Prefer to ans in days per yr LOG ASSN
 21 = Prefer to ans in days per wk (CRBSTWAY=1,11)
 22 = Prefer to ans in days per mo (CRBSTWAY=2,12)
 23 = Prefer to ans in days per yr (CRBSTWAY=3,13)
 85 = BAD DATA Logically assigned
 91 = NEVER USED COCAINE
 93 = DID NOT USE COCAINE IN THE PAST 12 MOS
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)

(CCYRAVE) On how many days in the past 12 months did you
 use cocaine?

CCDAYPYR 3 # DAYS USED COCAINE PAST 12 MONTHS
 RANGE = 1 - 365
 985 = BAD DATA Logically assigned
 989 = LEGITIMATE SKIP Logically assigned
 991 = NEVER USED COCAINE
 993 = DID NOT USE COCAINE IN THE PAST 12 MOS
 994 = DON'T KNOW
 997 = REFUSED
 998 = BLANK (NO ANSWER)
 999 = LEGITIMATE SKIP

(CCMONAVE) On average, how many days did you use cocaine each
 month during the past 12 months?

CCDAYPMO 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS
 RANGE = 1 - 31
 85 = BAD DATA Logically assigned
 89 = LEGITIMATE SKIP Logically assigned
 91 = NEVER USED COCAINE
 93 = DID NOT USE COCAINE IN THE PAST 12 MOS
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

LABEL	LEN	DESCRIPTION	PAGE:	23
----	---	-----	FREQ	%
----	---	-----	----	-
		COCAINE		
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCDAYPWK	2	# DAYS PER WEEK USE COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED COCAINE		
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(CC06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED COCAINE		
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CC06DKRE)		What is your best estimate of the number of days you used cocaine during the past 30 days?		
CC30EST	2	BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		4 = 10 to 19 days		
		12 = 3 to 5 days (from CR30EST)		
		91 = NEVER USED COCAINE		
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

		CRACK	PAGE:	24
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CK01)		CRACK ----- The next questions are about "crack," that is cocaine in rock or chunk form, and not the other forms of cocaine. Have you ever, even once, used "crack"? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CRKEVER	2	EVER USED CRACK 1 = Yes 2 = No 81 = NEVER USED COCAINE Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE (COCEVER=2) 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CK02)		How old were you the first time you used "crack"?		
CRKAGE	3	AGE WHEN FIRST USED CRACK RANGE = 1 - 75 981 = NEVER USED CRACK Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED CRACK 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(CKLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used "crack"?		
CRAKREC	2	TIME SINCE LAST USED CRACK 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in the lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 81 = NEVER USED CRACK Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED CRACK 97 = REFUSED 98 = BLANK (NO ANSWER)		
CRKYRTOT	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS RANGE = 1 - 365 981 = NEVER USED CRACK Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED CRACK 993 = DID NOT USE CRACK IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

CRACK			PAGE:	25
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
CRTOTFG	2	TRIMMING INDICATOR FOR CRKYRTOT 1 = Trimmed to 365 days (no further editing) 2 = Trimmed relative to the 30-day freq 98 = BLANK (NO ANSWER)		
CRFQFLG	2	TRIMMED CRKYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use 98 = BLANK (NO ANSWER)		
(CKFRAME3) Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used "crack" during the past 12 months.				
What would be the easiest way for you to tell us how many days you've used it?				
CRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED CRACK 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 81 = NEVER USED CRACK Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED CRACK 93 = DID NOT USE CRACK IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CKYRAVE) On how many days in the past 12 months did you use "crack"?				
CRDAYPYR	3	# DAYS USED CRACK PAST 12 MONTHS RANGE = 1 - 365 981 = NEVER USED CRACK Logically assigned 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 991 = NEVER USED CRACK 993 = DID NOT USE CRACK IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(CKMONAVE) On average, how many days did you use "crack" each month during the past 12 months?				
CRDAYPMO	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS RANGE = 1 - 31 81 = NEVER USED CRACK Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED CRACK 93 = DID NOT USE CRACK IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

CRACK			PAGE:	26
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CKWKAVE)	2	On average, how many days did you use "crack" each week during the past 12 months?		
CRDAYPWK	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7		
		81 = NEVER USED CRACK Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED CRACK		
		93 = DID NOT USE CRACK IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(CK06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use "crack"?		
CRKUS30A	2	# DAYS USED CRACK PAST 30 DAYS		
		RANGE = 1 - 30		
		81 = NEVER USED CRACK Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED CRACK		
		93 = DID NOT USE CRACK IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CK06DKRE)		What is your best estimate of the number of days you used "crack" during the past 30 days?		
CR30EST	2	BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		81 = NEVER USED CRACK Logically assigned		
		91 = NEVER USED CRACK		
		93 = DID NOT USE CRACK IN THE PAST 30 DAYS		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

HEROIN			PAGE:	27
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HE01)		HEROIN ----- These next questions are about heroin. Have you ever, even once, used heroin? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
HEREVER	2	EVER USED HEROIN 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED		
(HE02)		How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN RANGE = 1 - 52 985 = BAD DATA Logically assigned 991 = NEVER USED HEROIN 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(HELAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used heroin?		
HERREC	2	TIME SINCE LAST USED HEROIN 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in the lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED HEROIN 97 = REFUSED 98 = BLANK (NO ANSWER)		
HERYRTOT	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS RANGE = 1 - 365 985 = BAD DATA Logically assigned 991 = NEVER USED HEROIN 993 = DID NOT USE HEROIN IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
HRTOTFG	2	TRIMMING INDICATOR FOR HERYRTOT 1 = Trimmed to 365 days (no further editing) 2 = Trimmed relative to the 30-day freq 98 = BLANK (NO ANSWER)		
HRFQFLG	2	TRIMMED HERYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

HEROIN			PAGE:	28
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HEFRAME3)	2	Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
HRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HEROIN 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 85 = BAD DATA Logically assigned 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HRDAYPYR	3	# DAYS USED HEROIN PAST 12 MONTHS RANGE = 1 - 365 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 991 = NEVER USED HEROIN 993 = DID NOT USE HEROIN IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(HEMONAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HRDAYPMO	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS RANGE = 1 - 31 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HRDAYPWK	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS RANGE = 1 - 7 85 = BAD DATA Logically assigned 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

HEROIN			PAGE:	29
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HE06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(HE06DKRE)		What is your best estimate of the number of days you used heroin during the past 30 days?		
HR30EST	2	BEST EST. # DAYS USED HEROIN PAST 30 DAYS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		4 = 10 to 19 days		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

HALLUCINOGENS			PAGE:	30
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(LS01A)		<p>HALLUCINOGENS</p> <p>-----</p> <p>The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.</p> <p>A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.</p> <p>LSD, also called "acid"</p> <p>PCP, also called "angel dust" or phencyclidine</p> <p>Peyote</p> <p>Mescaline</p> <p>Psilocybin</p> <p>"Ecstasy," also called MDMA</p> <p>Have you ever, even once, used LSD, also called "acid"?</p> <p>NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.</p>		
LSD	2	<p>EVER USED LSD ("ACID")</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Yes LOGICALLY ASSIGNED</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED HALLUCINOGENS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p>		
(LS01B)		<p>Have you ever, even once, used PCP, also called "angel dust" or phencyclidine?</p> <p>NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.</p>		
PCP	2	<p>EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Yes LOGICALLY ASSIGNED</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED HALLUCINOGENS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p>		
(LS01C)		Have you ever, even once, used peyote?		
PEYOTE	2	<p>EVER USED PEYOTE</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Yes LOGICALLY ASSIGNED</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED HALLUCINOGENS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p>		

HALLUCINOGENS			PAGE:	31
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(LS01D)		Have you ever, even once, used mescaline?		
MESC	2	EVER USED Mescaline 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED HALLUCINOGENS 94 = DON'T KNOW 97 = REFUSED		
(LS01E)		Have you ever, even once, used psilocybin, found in mushrooms?		
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS) 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED HALLUCINOGENS 94 = DON'T KNOW 97 = REFUSED		
(LS01F)		Have you ever, even once, used "Ecstasy," also known as MDMA?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
ECSTASY	2	EVER USED "ECSTASY" (MDMA) 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED HALLUCINOGENS 94 = DON'T KNOW 97 = REFUSED		
(LS01H)		Have you ever, even once used any other hallucinogens besides the ones that have been listed?		
HALNOLST	2	EVER USED OTHER HALLUCINOGEN 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED HALLUCINOGENS 94 = DON'T KNOW 97 = REFUSED		

HALLUCINOGENS			PAGE:	32
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
HALNEWA	4	OTHER HALLUCINOGEN - SPECIFY 1		
		105 = Placidyl, Ethchlorvynol		
		110 = Tuinal		
		112 = Restoril, Temazepam		
		116 = Methaqualone, Sopor, Quaalude		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		123 = Unisom <OTC>		
		124 = Yellow jackets		
		129 = Reds		
		130 = Phenergan, Promethazine		
		131 = Haldol, Haloperidol		
		140 = Seldane		
		142 = Belladona		
		145 = Red devil(s)		
		157 = Barbiturates		
		171 = NyQuil <OTC>		
		174 = Ambien, Stilnox, Zolpidem		
		177 = Bean		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		187 = Belladona plant/flower/root, deadly nightshade		
		197 = Topamax, Topiramate		
		201 = Valium, Diazepam		
		206 = Tranxene		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		216 = Atarax, Hydroxyzine		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		227 = Thorazine		
		240 = Lithium carbonate, Lithonate		
		241 = Prozac		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		267 = Marezine		
		268 = Rohypnol, Flunitrazepam, roche, roofies		
		271 = Sertraline, Zoloft		
		278 = Benzodiazepines		
		280 = Ketaset		
		318 = Ritalin, Methylphenidate		
		320 = Dextroamphetamine		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		326 = White cross		
		327 = Black beauties, black beauty		
		332 = Ephedrine		
		334 = Crossroads, cross tops		
		339 = Amphetamines		
		348 = Crystal		
		354 = Vivarin <OTC>		
		355 = Crystal meth, crystal methamphetamine		
		363 = Bam(s)		
		374 = Christmas tree(s)		
		376 = TAC		
		377 = Albuterol, Proventil, Ventolin		
		386 = Herbal ecstasy		
		407 = Demerol, Meperidine		
		408 = Dilaudid, Hydromorphone		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		423 = Percocet		
		427 = Darvocet		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	33
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		450 = Acetaminophen, incl. non-Tylenol brands <OTC>		
		465 = Fentanyl, Duragesic, Sublimaze		
		501 = Gasoline or lighter fluids		
		502 = Spray paints		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		505 = Lacquer thinner or other paint solvents		
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		
		507 = Halothane, ether, or other anesthetics; chloroform		
		508 = Nitrous oxide, "whippets," dentist gas		
		509 = Correction fluids, degreasers, cleaning fluids		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		511 = Markers, felt-tip pens, ink pens		
		512 = Incense		
		516 = Freon, refrigerant		
		517 = Tolyol		
		518 = Acetone, nail polish remover		
		519 = Helium		
		520 = Old paint, paint		
		524 = White-Out		
		525 = Butane		
		528 = Whipped-cream can		
		531 = Candy, powdered candy, sugar		
		540 = PAM		
		546 = Leather protector, suede protector		
		548 = Cologne, isopropanol vapors, rubbing alcohol		
		566 = Smoked tea from Lipton tea bag		
		568 = Tally		
		569 = Peganento		
		588 = Antifreeze		
		590 = Canned air, compressed air		
		592 = Computer air duster, computer cleaner, dust-off		
		601 = LSD ("acid")		
		602 = Peyote		
		603 = Mescaline		
		604 = Psilocybin (mushrooms), sclerotia, shrooms		
		605 = PCP ("angel dust," phencyclidine)		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED		
		609 = Jimson weed		
		610 = Crystal T		
		611 = Greens		
		612 = Happy stick, sherm, sherman, shermstick		
		614 = MDA, Methylenedioxy amphetamine		
		615 = Homemade drugs		
		616 = DET, Dimethyltryptamine, DMT		
		617 = Morning glory seeds, morning glory tendrils, ricea		
		618 = Acid paper, blotter (acid)		
		622 = Microdot(s), green microdot, purple microdot		
		624 = Orange sunshine, sunshine, yellow sunshine		
		625 = Window, window pane, 4-way pane, 4-way		
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds		
		635 = Ginseng seeds, ginseng weed		
		636 = DOM, STP		
		637 = Purple haze		
		639 = Nutmeg, Mace		
		640 = Purple pyramid		
		645 = Thai stick		
		648 = Designer drugs		
		650 = Datura stramonium, daytura, thorn apple		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	34
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		651 = Mellow Yellow		
		654 = Eve		
		658 = Special K, Ketamine		
		659 = Boat		
		660 = Toad, toad licking		
		663 = Animal tranquilizer, horse tranquilizer		
		678 = Banana peels		
		679 = Hell bells		
		683 = Yage		
		691 = Maximum impact		
		695 = Angel's trumpet		
		698 = 2C-B, Bromo mescaline, Nexus		
		701 = OTHER Opiates, NOT OTHERWISE SPECIFIED		
		703 = Opium		
		705 = Speed Ball (heroin + cocaine)		
		707 = Black tar heroin		
		709 = Poppy		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		802 = THC, cannabinal, marinol, tetrahydrocannabinol		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		804 = Hashish		
		805 = Cocaine, coca, cocaina, coke		
		806 = Crack, rock		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		809 = Pills		
		810 = Freebase		
		812 = Cigars		
		814 = Caffeine <OTC>		
		815 = Coffee <OTC>		
		824 = Steroids		
		829 = Robitussin DM <OTC>		
		832 = Primo		
		834 = Loveboat		
		840 = Over-the-counter-cough med(contnts unspec) <OTC>		
		843 = Cold medicine, cold tablets <OTC>		
		844 = Blood pressure medication		
		847 = GHB, NSC, gamma hydroxybutyrate		
		852 = Formaldehyde, wak, whack (embalming fluid)		
		857 = Wicki stick		
		866 = Boomers		
		875 = Buds		
		876 = Glass		
		883 = Dextromethorphan hydrobromide <OTC>		
		900 = Not a drug		
		1001 = Benadryl, Diphenhydramine <OTC>		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		1007 = Robitussin PM <OTC>		
		1011 = Lunesta		
		1015 = Wild lettuce		
		1020 = Hyoscine, Levo-duboisine, Scopolamine		
		2001 = Soma, Carisoprodol		
		2002 = Muscle relaxers		
		2003 = Zanies, zannies, zans, zany bars		
		2007 = R2		
		3023 = Adderall		
		3024 = Yohimbe		
		3026 = Bupropion, Wellbutrin, Zyban		
		3044 = Caffeine pills <OTC>		
		3047 = Sudafed <OTC>		
		3050 = Mini thins		
		3051 = Betel nut, beetlenut		
		3052 = Speed; otherwise unspecified		
		3064 = Ephedra, Ma Huang		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	35
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		3077 = Concerta		
		3081 = P2P, Phenyl-2-propanone		
		3089 = Christina, Tina		
		4043 = Tramadol		
		4044 = Hydrocodone		
		4046 = Oxycodone or unspecified oxycodone products		
		4067 = OxyContin		
		4077 = Tee's		
		5001 = Bleach		
		5004 = Ink print, paper		
		5006 = Brake fluid		
		5009 = Robo		
		5017 = Oil, lubricant; otherwise unspecified		
		5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank		
		5028 = Carburetor cleaner, engine cleaner		
		5032 = Nitrogen		
		5035 = Brake cleaner		
		5045 = Cleaner; not otherwise specified		
		5053 = Electronics cleaner		
		5077 = Resistol		
		5083 = Ethyl chloride		
		5090 = PVC Cleaner		
		5091 = Germ-X		
		5098 = Axe/Axe deodorant; aerosol unspecified		
		5100 = TCE, Trichlorethylene		
		5174 = Belt dressing		
		5175 = Acetylene chloride		
		6005 = Sassafras tea		
		6012 = Cloud 9, Cloud 13		
		6016 = Nas		
		6019 = Black dust, black duct		
		6023 = Euphoria		
		6026 = KJ		
		6029 = DXM		
		6031 = Strychnine		
		6035 = Campana (flower)		
		6037 = Fry		
		6043 = Diviner's sage, Salvia divinorum		
		6044 = Gel caps, gel tabs		
		6047 = Water		
		6048 = Dex		
		6051 = Tryptamine, not otherwise specified		
		6054 = Spiny apples		
		6055 = Liberty caps		
		6056 = Wet		
		6061 = 5-MeO-DMT		
		6062 = Madderwort, wormwood		
		6064 = Marigold buttons		
		6073 = Rolls		
		6074 = LSA		
		6077 = San Pedro		
		6078 = Trumpet flowers/seeds; type unspecified		
		6079 = Sugar cubes		
		6081 = Shabu		
		6082 = Ammonia		
		6083 = CCC, "Triple C," C3 <OTC>		
		6085 = Dips		
		6086 = Flakes		
		6087 = Ibogaine		
		6088 = Brugmansia		
		6091 = Ergot, rye mold		
		6092 = TCP		
		6094 = Mushrooms, specifically not psilocybin		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	36
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		6095 = Super cool, Super kool		
		6096 = Bananadine		
		6098 = Dust; not otherwise specified		
		6100 = 2C-T-7, T7, blue mystic		
		6102 = Absinthe		
		6103 = Ayahuasca		
		6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT		
		6109 = 2, 5-Dimethoxyamphetamine, DMA		
		6110 = Mad dog		
		6112 = 2C-T-2		
		6113 = Candy flip		
		6114 = Molly; not otherwise specified		
		6115 = Foxy		
		6116 = Nepenthes		
		6117 = Dragon (with color; not blue/red)		
		6118 = Adrenochrome		
		6119 = Scoop		
		6120 = Lucky seven		
		6121 = Cactus; specifically not peyote		
		6122 = MDMA		
		6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I		
		6127 = Skittles		
		6129 = Beaner		
		6130 = 5-MeO-DiPT, foxy methoxy		
		6132 = Amanita mushrooms, fly agaric		
		6134 = Anadenanthera colubrina, cohoba, vilca		
		6135 = 5-MeO-AMT		
		6136 = Spook		
		6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine		
		6140 = MIPT, N-methyl-N-isopropyltryptamine		
		6141 = DPT, Dipropyltryptamine		
		6142 = Snake venom		
		6143 = 2C-X		
		6144 = DiPT, Di-isopropyl-tryptamine		
		6145 = Scooby snacks		
		6146 = 5-MeO; otherwise unspecified		
		6147 = Phenethylamines; otherwise unspecified		
		6148 = Mimosa tree bark		
		6152 = Cigarette dipped in embalming fluid		
		6153 = Asthmador		
		6154 = 2,5-Dimethoxy-4-methylphenethylamine, 2C-D		
		6155 = 5-MeO-T, 5-methoxytryptamine		
		6157 = Taters		
		6160 = Wacky Weed		
		6163 = Devil's trumpet		
		6165 = PMMA, Paramethoxymethamphetamine		
		6166 = BZP, Benzylpiperazine		
		6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI		
		6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC		
		6170 = Moonflower/pod; otherwise unspecified		
		6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT		
		6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine		
		6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB		
		6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly		
		8009 = Allergy pills/antihistamine; type unspecified		
		8011 = Herb, flower, plant; type unspecified		
		8012 = Coriciden <OTC>		
		8020 = Allegra, Altiva		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8058 = Cough medicine/syrup; type unspecified		
		8085 = Antipsychotics; type unspecified		
		8093 = Stacker 2/Stacker 3 <OTC>		
		8094 = Pepto Bismol <OTC>		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	37
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		8097 = Zanaflex		
		8100 = Kava Kava <OTC>		
		8105 = Sustiva		
		8110 = Over-the-counter drug/pills; type unspecified<OTC>		
		8111 = Silver chloride		
		8115 = Vicks 44 <OTC>		
		8118 = Smoking; not otherwise specified		
		8127 = Damiana <OTC>		
		8145 = Cooking extracts (vanilla, lemon, etc) <OTC>		
		8157 = Colirio		
		8163 = Ditropan		
		8179 = Artemesia		
		8191 = L-Dopa		
		8192 = Delsym, Dextromethorphan polistirex <OTC>		
		8197 = Chronic		
		8198 = Handle bars, handlebars		
		8203 = Bar; otherwise unspecified		
		8208 = Romilar, form unspecified		
		8214 = Robo, robo tripping		
		8216 = Red Dawn GHR Release <OTC>		
		8223 = Chocolate		
		8224 = Oxytocin, Pitocin, Syntocinon		
		8227 = Sativa; otherwise unspecified		
		8231 = Tussin medication, no other information		
		8232 = Rat/rodent poison; contents unspecified		
		8241 = Chemotherapy; drug unspecified		
		8249 = DMG, N,N-Dimethylglycine HCl		
		8254 = Green hornet		
		8260 = Dextromine		
		8271 = Catnip		
		8276 = Bitter grass, Calea zacatechichi, Dream herb		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED HALLUCINOGENS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	38
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWB	4	OTHER HALLUCINOGEN - SPECIFY 2		
		110 = Tuinal		
		116 = Methaqualone, Sopor, Quaalude		
		118 = Pentobarbital, Pentothal, Sodium pentothal		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		123 = Unisom <OTC>		
		124 = Yellow jackets		
		129 = Reds		
		142 = Belladona		
		157 = Barbiturates		
		171 = NyQuil <OTC>		
		174 = Ambien, Stilnox, Zolpidem		
		176 = Melatonin <OTC>		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		187 = Belladona plant/flower/root, deadly nightshade		
		189 = Sonata		
		201 = Valium, Diazepam		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		240 = Lithium carbonate, Lithonate		
		245 = Tryptophan		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		267 = Marezine		
		268 = Rohypnol, Roche, roofies		
		280 = Ketaset		
		301 = Dexedrine		
		318 = Ritalin, Methylphenidate		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		327 = Black beauties, Black beauty		
		339 = Amphetamines		
		348 = Crystal		
		355 = Crystal meth, crystal methamphetamine		
		374 = Christmas tree(s)		
		382 = Footballs, purple footballs		
		386 = Herbal ecstasy		
		407 = Demerol		
		408 = Dilaudid, Hydromorphone		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		423 = Percocet		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		496 = Ultram		
		501 = Gasoline or lighter fluids		
		502 = Spray paints		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		505 = Lacquer thinner or other paint solvents		
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		
		507 = Halothane, ether, or other anesthetics; chloroform		
		508 = Nitrous oxide, "whippets," dentist gas		
		509 = Correction fluids, degreasers, cleaning fluids		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		511 = Markers, felt-tip pens, ink pens		
		516 = Freon, refrigerant		
		519 = Helium		
		520 = Old paint, paint		
		524 = White-Out		
		525 = Butane		
		526 = Nail polish		
		528 = Whipped-cream can		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	39
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		531 = Candy, powdered candy, sugar		
		548 = Cologne, isopropanol vapors, rubbing alcohol		
		571 = Black jack		
		592 = Computer air duster, computer cleaner, dust-off		
		601 = LSD ("acid")		
		602 = Peyote		
		603 = Mescaline		
		604 = Psilocybin (mushrooms), sclerotia, shrooms		
		605 = PCP ("angel dust," phencyclidine)		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED		
		609 = Jimson weed		
		612 = Happy stick, sherm, sherman, shermstick		
		614 = MDA, Methylenedioxy amphetamine		
		615 = Homemade drugs		
		616 = DET, Dimethyltryptamine, DMT		
		617 = Morning glory seeds, morning glory tendrils, ricea		
		618 = Acid paper, blotter (acid)		
		622 = Microdot(s), green microdot, purple microdot		
		624 = Orange sunshine, sunshine, yellow sunshine		
		625 = Window, window pane, 4-way pane, 4-way		
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds		
		636 = DOM, STP		
		637 = Purple haze		
		639 = Nutmeg, Mace		
		648 = Designer drugs		
		650 = Datura stramonium, daytura, thorn apple		
		658 = Special K, Ketamine		
		659 = Boat		
		660 = Toad, toad licking		
		663 = Animal tranquilizer, horse tranquilizer		
		679 = Hell bells		
		695 = Angel's trumpet		
		698 = 2C-B, Bromo mescaline, Nexus		
		702 = Heroin		
		703 = Opium		
		705 = Speed Ball (heroin + cocaine)		
		707 = Black tar heroin		
		709 = Poppy		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		802 = THC, cannabinol, marinol, tetrahydrocannabinol		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		804 = Hashish		
		805 = Cocaine, coca, cocaina, coke		
		806 = Crack, rock		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		809 = Pills		
		813 = Cigarettes, tobacco (type unspecified)		
		824 = Steroids		
		829 = Robitussin DM <OTC>		
		834 = Loveboat		
		843 = Cold medicine, cold tablets <OTC>		
		847 = GHB, NSC, gamma hydroxybutyrate		
		852 = Formaldehyde, wak, whack (embalming fluid)		
		875 = Buds		
		876 = Glass		
		883 = Dextromethorphan hydrobromide <OTC>		
		900 = Not a drug		
		1001 = Benadryl, Diphenhydramine <OTC>		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		2001 = Carisoprodol, Soma		
		2003 = Zanies, zannies, zans, zany bars		
		3017 = Dayquil <OTC>		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	40
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		3023 = Adderall		
		3037 = Effexor		
		3052 = Speed; otherwise unspecified		
		3107 = Guarana <OTC>		
		4007 = Happy pills		
		4044 = Hydrocodone		
		4046 = Oxycodone or unspecified oxycodone products		
		4047 = Roxicet		
		4067 = OxyContin		
		4088 = Synthetic heroin		
		5017 = Oil, lubricant; otherwise unspecified		
		5035 = Brake cleaner		
		5045 = Cleaner; not otherwise specified		
		5053 = Electronics cleaner		
		5055 = PVC		
		5077 = Resistol		
		5078 = Axe body spray		
		5091 = Germ-X		
		6005 = Sassafras tea		
		6010 = Atrepabelladona (flower)		
		6013 = Lion's tail, wild dagga		
		6015 = Crysta		
		6020 = Chocolate		
		6029 = DXM		
		6043 = Diviner's sage, Salvia divinorum		
		6044 = Gel caps, gel tabs		
		6047 = Water		
		6048 = Dex		
		6049 = Locoseeds, locoweed seeds		
		6051 = Tryptamine, not otherwise specified		
		6054 = Spiny apples		
		6055 = Liberty caps		
		6056 = Wet		
		6061 = 5-MeO-DMT		
		6062 = Madderwort, wormwood		
		6064 = Marigold buttons		
		6074 = LSA		
		6077 = San Pedro		
		6078 = Trumpet flowers/seeds; type unspecified		
		6081 = Shabu		
		6083 = CCC, "Triple C," C3 <OTC>		
		6088 = Brugmansia		
		6091 = Ergot, rye mold		
		6094 = Mushrooms, specifically not psilocybin		
		6096 = Bananadine		
		6100 = 2C-T-7, T7		
		6102 = Absinthe		
		6103 = Ayahuasca		
		6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT		
		6106 = Paramethoxyamphetamine, PMA		
		6112 = 2C-T-2		
		6114 = Molly; not otherwise specified		
		6115 = Foxy		
		6117 = Dragon (with color; not blue/red)		
		6121 = Cactus; specifically not peyote		
		6123 = Mighty Quinn		
		6124 = Mormon tea		
		6125 = MDEA		
		6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I		
		6127 = Skittles		
		6130 = 5-MeO-DiPT, foxy methoxy		
		6132 = Amanita mushrooms, fly agaric		
		6133 = Acorus Calamus, Sweet flag		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	41
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		6134 = Anadenanthea colubrina, cohoba, vilca		
		6135 = 5-MeO-AMT		
		6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine		
		6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine		
		6144 = DiPT, Di-isopropyl-tryptamine		
		6147 = Phenethylamines; otherwise unspecified		
		6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T		
		6162 = 4-MeO-DMT		
		6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC		
		6170 = Moonflower/pod; otherwise unspecified		
		6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT		
		6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine		
		8002 = Zantac		
		8009 = Allergy pills/antihistamine; type unspecified		
		8011 = Herb, flower, plant; type unspecified		
		8012 = Coriciden <OTC>		
		8058 = Cough medicine/syrup; type unspecified		
		8085 = Anti-psychotics/schizophrenic; type unspcfd		
		8100 = Kava Kava <OTC>		
		8110 = Over-the-counter drug/pills; type unspecified<OTC>		
		8132 = Liquid D-bol		
		8141 = Gamma butyrolactone, GBL		
		8159 = Loperamide		
		8192 = Delsym <OTC>		
		8203 = Bar; otherwise unspecified		
		8214 = Robo, robo tripping		
		8237 = Kratom		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED HALLUCINOGENS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	42
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
HALNEWC	4	OTHER HALLUCINOGEN - SPECIFY 3		
		129 = Reds		
		130 = Phenergan, Promethazine		
		142 = Belladonna		
		145 = Red devil(s)		
		178 = Quetiapine, Seroquel		
		187 = Belladonna plant/flower/root, deadly nightshade		
		201 = Valium, Diazepam		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		234 = Flexeril, Cyclobenzaprine		
		268 = Rohypnol, Roche, roofies		
		280 = Ketaset		
		318 = Ritalin, Methylphenidate		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		382 = Footballs, purple footballs		
		407 = Demerol		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		415 = Codeine		
		423 = Percocet		
		450 = Acetaminophen, incl. non-Tylenol brands <OTC>		
		501 = Gasoline or lighter fluids		
		502 = Spray paints		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		505 = Lacquer thinner or other paint solvents		
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		
		507 = Halothane, ether, or other anesthetics; chloroform		
		508 = Nitrous oxide, "whippets," dentist gas		
		511 = Markers, felt-tip pens, ink pens		
		516 = Freon, refrigerant		
		518 = Acetone, nail polish remover		
		524 = White-Out		
		525 = Butane		
		526 = Nail polish		
		531 = Candy, powdered candy, sugar		
		566 = Smoked tea from Lipton tea bag		
		592 = Computer air duster, computer cleaner, dust-off		
		601 = LSD ("acid")		
		603 = Mescaline		
		604 = Psilocybin (mushrooms), shrooms		
		605 = PCP ("angel dust," phencyclidine)		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED		
		609 = Jimson weed		
		612 = Happy stick, sherm, sherman, shermstick		
		614 = MDA, Methylenedioxy amphetamine		
		616 = DET, Dimethyltryptamine, DMT		
		617 = Morning glory seeds, morning glory tendrils, ricea		
		618 = Acid paper, blotter (acid)		
		622 = Microdot(s), green microdot, purple microdot		
		624 = Orange sunshine, sunshine, yellow sunshine		
		625 = Window, window pane, 4-way pane		
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds		
		636 = DOM, STP		
		639 = Nutmeg, Mace		
		645 = Thai stick		
		650 = Datura stramonium, daytura, thorn apple		
		658 = Special K, Ketamine		
		660 = Toad, toad licking		
		663 = Animal tranquilizer, horse tranquilizer		
		678 = Banana peels		
		698 = 2C-B, Bromo mescaline, Nexus		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	43
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		703 = Opium		
		705 = Speed Ball (heroin + cocaine)		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		802 = THC, cannabinal, marinol		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		805 = Cocaine, coca, cocaina, coke		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		829 = Robitussin DM <OTC>		
		847 = GHB, NSC		
		852 = Formaldehyde, wak, whack (embalming fluid)		
		883 = Dextromethorphan hydrobromide <OTC>		
		900 = Not a drug		
		1001 = Benadryl, Diphenhydramine <OTC>		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		2001 = Carisoprodol, Soma		
		3023 = Adderall		
		3052 = Speed; otherwise unspecified		
		4044 = Hydrocodone		
		4067 = OxyContin		
		5028 = Carburetor cleaner, engine cleaner		
		5077 = Resistol		
		6020 = Chocolate		
		6029 = DXM		
		6043 = Diviner's sage, Salvia divinorum		
		6044 = Gel caps, gel tabs		
		6048 = Dex		
		6061 = 5-MeO-DMT		
		6062 = Madwort, wormwood		
		6071 = Sinicuichi		
		6074 = LSA		
		6077 = San Pedro		
		6083 = CCC, "Triple C," C3 <OTC>		
		6087 = Ibogaine		
		6094 = Mushrooms, specifically not psilocybin		
		6100 = 2C-T-7, T7		
		6102 = Absinthe		
		6103 = Ayahuasca		
		6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT		
		6106 = Paramethoxyamphetamine, PMA		
		6112 = 2C-T-2		
		6113 = Candy flip		
		6114 = Molly; not otherwise specified		
		6115 = Foxy		
		6117 = Dragon (with color; not blue/red)		
		6122 = MDMA		
		6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I		
		6132 = Amanita mushrooms, fly agaric		
		6133 = Acorus calamus, sweet flag		
		6134 = Anadenanthera colubrina, cohoba, vilca		
		6135 = 5-MeO-AMT		
		6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine		
		6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine		
		6144 = DiPT, Di-isopropyl-tryptamine		
		6148 = Mimosa tree bark		
		6161 = Thujone		
		6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI		
		6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine		
		6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB		
		8011 = Herb, flower, plant; type unspecified		
		8012 = Coriciden <OTC>		
		8058 = Cough medicine/syrup; type unspecified		
		8166 = White Girl		
		8203 = Bar; otherwise unspecified		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	44
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		8214 = Robo, robo tripping		
		8223 = Chocolate		
		8237 = Kratom		
		8278 = Bufotoxin		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED HALLUCINOGENS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	45
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
HALNEWD	4	OTHER HALLUCINOGEN - SPECIFY 4		
		129 = Reds		
		142 = Belladonna		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		245 = Tryptophan		
		268 = Rohypnol, Roche, roofies		
		418 = Methadone, Dolophine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		423 = Percocet		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		501 = Gasoline or lighter fluids		
		502 = Spray paints		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		508 = Nitrous oxide, "whippets," dentist gas		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		592 = Computer air duster, computer cleaner, dust-off		
		601 = LSD ("acid")		
		603 = Mescaline		
		604 = Psilocybin (mushrooms), shrooms		
		605 = PCP ("angel dust," phencyclidine)		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED		
		609 = Jimson weed		
		614 = MDA, Methylenedioxy amphetamine		
		616 = DET, Dimethyltryptamine, DMT		
		617 = Morning glory seeds, morning glory tendrils, ricea		
		622 = Microdot(s), green microdot, purple microdot		
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds		
		637 = Purple haze		
		639 = Nutmeg, Mace		
		650 = Datura stramonium, daytura, thorn apple		
		658 = Special K, Ketamine		
		695 = Angel's trumpet		
		698 = 2C-B, Bromo mescaline, Nexus		
		802 = THC, cannabinal, marinol		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		829 = Robitussin DM <OTC>		
		883 = Dextromethorphan hydrobromide <OTC>		
		900 = Not a drug		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		3023 = Adderall		
		6005 = Sassafras tea		
		6023 = Euphoria		
		6029 = DXM		
		6043 = Diviner's sage, Salvia divinorum		
		6048 = Dex		
		6061 = 5-MeO-DMT		
		6074 = LSA		
		6077 = San Pedro		
		6083 = CCC, "Triple C," C3 <OTC>		
		6088 = Brugmansia		
		6100 = 2C-T-7, T7		
		6102 = Absinthe		
		6103 = Ayahuasca		
		6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT		
		6112 = 2C-T-2		
		6114 = Molly; not otherwise specified		
		6115 = Foxy		
		6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I		
		6130 = 5-MeO-DiPT, foxy methoxy		
		6132 = Amanita mushrooms, fly agaric		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	46
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		6135 = 5-MeO-AMT		
		6137 = Harmaline		
		6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine		
		6156 = TMA, Trimethoxyamphetamine		
		6158 = Mulberry seeds/plant		
		6167 = 4-HO-DMT, Psilocin		
		6174 = Methyldone		
		8012 = Coriciden <OTC>		
		8058 = Cough medicine/syrup; type unspecified		
		8100 = Kava Kava <OTC>		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED HALLUCINOGENS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
HALNEWE	4	OTHER HALLUCINOGEN - SPECIFY 5		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		215 = Vistaril		
		351 = Cathinone, cat, khat, Q'at		
		414 = Propoxyphene		
		524 = White-Out		
		601 = LSD ("acid")		
		604 = Psilocybin (mushrooms), shrooms		
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED		
		609 = Jimson weed		
		614 = MDA, Methylenedioxy amphetamine		
		616 = DET, Dimethyltryptamine, DMT		
		617 = Morning glory seeds, morning glory tendrils, ricea		
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds		
		639 = Nutmeg, Mace		
		658 = Special K, Ketamine		
		698 = 2C-B, Bromo mescaline, Nexus		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		829 = Robitussin DM <OTC>		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		3024 = Yohimbe		
		3052 = Speed; otherwise unspecified		
		6029 = DXM		
		6043 = Diviner's sage, Salvia divinorum		
		6061 = 5-MeO-DMT		
		6074 = LSA		
		6077 = San Pedro		
		6102 = Absinthe		
		6103 = Ayahuasca		
		6118 = Adrenochrome		
		6128 = Henbane		
		6130 = 5-MeO-DiPT, foxy methoxy		
		6141 = DPT, Dipropyltryptamine		
		6146 = 5-MeO; otherwise unspecified		
		6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T		
		6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly		
		6177 = 4-acetoxy-N,N-diisopropyltryptamine		
		8011 = Herb, flower, plant; type unspecified		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED HALLUCINOGENS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	47
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(LS02)		How old were you the first time you used [LSFILL]?		
HALLAGE	3	AGE WHEN FIRST USED HALLUCINOGENS		
		RANGE = 1 - 68		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED HALLUCINOGENS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(LSLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used [LSFILL]?		
HALLREC	2	TIME SINCE LAST USED HALLUCINOGENS		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		12 = Used >30 days ago but within pst 12 mos LOG ASSN		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED HALLUCINOGENS		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		NOTE: The variables HALYRTOT, HLBSTWAY, HLDAYPYR, HLDAYPMO, and HLDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any hallucinogen more than 12 months ago but subsequently reported more recent use of any hallucinogen, LSD, PCP, or Ecstasy.		
HALYRTOT	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 365		
		983 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED HALLUCINOGENS		
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
HLTOTFG	2	TRIMMING INDICATOR FOR HALYRTOT		
		1 = Trimmed to 365 days (no further editing)		
		2 = Trimmed relative to the 30-day freq		
		98 = BLANK (NO ANSWER)		
HLFQFLG	2	TRIMMED HALYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use		
		98 = BLANK (NO ANSWER)		

HALLUCINOGENS			PAGE:	48
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(LSFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HLBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn 85 = BAD DATA Logically assigned 91 = NEVER USED HALLUCINOGENS 93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
HLDAYPYR	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS RANGE = 1 - 365 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 991 = NEVER USED HALLUCINOGENS 993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
HLDAYPMO	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS RANGE = 1 - 31 83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED HALLUCINOGENS 93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
HLDAYPWK	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS RANGE = 1 - 7 85 = BAD DATA Logically assigned 91 = NEVER USED HALLUCINOGENS 93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	49
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(LS04)		NOTE: The variables HAL30USE and HL30EST incorporate values from follow-up questions that were asked if respondents previously reported that they last used any hallucinogen more than 30 days ago but subsequently reported use of any hallucinogen, LSD, PCP, or Ecstasy in the past 30 days.		
		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?		
HAL30USE	2	# DAYS USED HALLUCINOGEN PAST 30 DAYS		
		RANGE = 1 - 30		
		85 = BAD DATA Logically assigned		
		90 = NOT ASKED THE QUESTION Logically assigned		
		91 = NEVER USED HALLUCINOGENS		
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(LS04DKRE)		What is your best estimate of the number of days you used [LSFILL] during the past 30 days?		
HL30EST	2	BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS		
		1 = 1 or 2 days		
		2 = 3 to 5 days		
		3 = 6 to 9 days		
		4 = 10 to 19 days		
		5 = 20 to 29 days		
		6 = All 30 days		
		91 = NEVER USED HALLUCINOGENS		
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(LS05)		Now think only about LSD. How old were you the first time you used LSD?		
LSDAGE	3	AGE WHEN FIRST USED LSD		
		RANGE = 1 - 55		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED LSD		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(LS10)		Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in the lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED LSD		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

HALLUCINOGENS			PAGE:	50
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(LS11)		Now think only about PCP. How old were you the first time you used PCP?		
PCPAGE	3	AGE WHEN FIRST USED PCP		
		RANGE = 1 - 55		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED PCP		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(LS16)		How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in the lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED PCP		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(LS17)		Now think only about "Ecstasy." How old were you the first time you used "Ecstasy," also known as MDMA?		
ECSAGE	3	AGE WHEN FIRST USED ECSTASY		
		RANGE = 3 - 66		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED ECSTASY		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(LS22)		How long has it been since you last used "Ecstasy," also known as MDMA?		
ECSREC	2	TIME SINCE LAST USED ECSTASY		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in the lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED ECSTASY		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

INHALANTS			PAGE:	51
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN01A)		INHALANTS		

		These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.		
		The questions use the term "inhalant" to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.		
		Amyl nitrite, "poppers," locker room odorizers, or "rush"		
		Correction fluid, degreaser, or cleaning fluid		
		Gasoline or lighter fluid		
		Glue, shoe polish, or toluene		
		Halothane, ether, or other paint solvents		
		Lighter gases, such as butane or propane		
		Nitrous oxide or "whippets"		
		Spray paints		
		Other aerosol sprays		
		Have you ever, even once, inhaled amyl nitrite, "poppers," locker room odorizers, or "rush" for kicks or to get high?		
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC. 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED		
(IN01B)		Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?		
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC. 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

INHALANTS			PAGE:	52
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(IN01C)		Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?		
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(IN01D)		Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?		
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(IN01E)		Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?		
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(IN01F)		Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?		
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(IN01G)		Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?		
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE) 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

INHALANTS			PAGE:	53
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN01H)		Have you ever, even once, inhaled nitrous oxide or whippets for kicks or to get high?		
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS" 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(IN01I)		Have you ever, even once, inhaled spray paints for kicks or to get high?		
SPPAINT	2	EVER INHALED SPRAY PAINTS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(IN01J)		Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?		
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(IN01L)		Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?		
INHNLST	2	EVER USED OTHER INHALANTS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

INHALANTS			PAGE:	54
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
INHNEWA	4	OTHER INHALANT - SPECIFY 1		
		112 = Restoril, Temazepam		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		304 = Benzedrine		
		318 = Ritalin, Methylphenidate		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		348 = Crystal		
		355 = Crystal meth		
		377 = Albuterol, Proventil, Ventolin		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		458 = Finalin, Mepergan, Mepergan Fortis, Meprozone		
		501 = Gasoline or lighter fluids		
		502 = Spray paints		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		505 = Lacquer thinner or other paint solvents		
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		
		507 = Halothane, ether, or other anesthetics; chloroform		
		508 = Nitrous oxide, "whippets," dentist gas		
		509 = Correction fluids, degreasers, cleaning fluids		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		511 = Markers, felt-tip pens, ink pens		
		512 = Incense		
		516 = Freon, refrigerant		
		518 = Acetone, nail polish remover		
		519 = Helium		
		520 = Old paint, paint		
		521 = Propane		
		522 = Liquid TV (MTV), TV tuner, TV11Y		
		523 = Matches		
		524 = White-Out		
		525 = Butane		
		526 = Nail polish		
		528 = Whipped-cream can		
		529 = Moth balls		
		531 = Candy, powdered candy, sugar		
		534 = Deodorant		
		537 = Air horn, canned air horn, condensed horn		
		539 = Scotch-Gard		
		540 = PAM		
		542 = Brasso, lens cleaner, spirits of ammonia		
		543 = Liquid oxygen, oxygen		
		545 = Car tailpipe exhaust fumes, Carbon monoxide, CO		
		546 = Leather protector, suede protector; aerosol unspec'd		
		548 = Cologne, isopropanol vapors, rubbing alcohol		
		551 = Oven cleaner		
		553 = Pixie sticks		
		554 = Insect killer (e.g., Raid)		
		558 = Kool Aid		
		560 = Dishwashing detergent, laundry detergent, soap		
		566 = Smoked tea from Lipton tea bag		
		567 = Pertussin spray <OTC>		
		569 = Peganento		
		571 = Black jack		
		573 = Furniture polish		
		580 = Medusa		
		582 = WD-40		
		586 = Carbon from empty soft drink bottle		
		587 = Mineral ice		

Codebook Creation Date: April 24, 2012

INHALANTS			PAGE:	55
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		588 = Antifreeze		
		589 = Tire shine/tire cleaner		
		590 = Canned air, compressed air		
		591 = Air brush propellant, air brush cartridge		
		592 = Computer air duster, computer cleaner, dust-off		
		594 = Starting fluid		
		595 = Chlorine		
		598 = Ethylene dichloride		
		599 = Potpourri		
		601 = LSD ("acid")		
		626 = Jet fuel		
		639 = Nutmeg, Mace		
		658 = Special K, Ketamine		
		691 = Maximum impact		
		702 = Heroin		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		805 = Cocaine, coca, cocaina, coke, perico		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		809 = Pills		
		813 = Cigarettes, tobacco (type unspecified)		
		816 = Smokeless tobacco, snuff, chewing tobacco		
		829 = Rokitussin DM <OTC>		
		852 = Formaldehyde, wak, whack (embalming fluid)		
		900 = Not a drug		
		3007 = Nasal inhalant		
		3023 = Adderall		
		3036 = Ripped fuel <OTC>		
		3047 = Sudafed <OTC>		
		3113 = Levophed bitartrate, Norepinephrine		
		3190 = Primatene Mist <OTC>		
		5001 = Bleach		
		5003 = Methane		
		5004 = Ink print, paper		
		5006 = Brake fluid		
		5017 = Oil, lubricant; otherwise unspecified		
		5020 = Wet cement		
		5021 = Octane booster		
		5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank		
		5024 = Candle, citronella candle		
		5028 = Carburetor cleaner, engine cleaner		
		5032 = Nitrogen		
		5035 = Brake cleaner		
		5036 = Wart remover		
		5037 = Wood filler, wood putty		
		5042 = Fuels other than gasoline		
		5043 = Carbona		
		5044 = Powdered cleansers; e.g. Ajax, Comet, Boraxo		
		5045 = Cleaner; not otherwise specified		
		5046 = Glass/window cleaner		
		5049 = Hand sanitizer; contents unspecified		
		5050 = Burned rubber		
		5051 = Hair chemicals		
		5052 = Silly String		
		5053 = Electronics cleaner		
		5054 = Gum freezer, gum remover		
		5061 = Lip balm		
		5062 = Amazing Elastic Plastic		
		5063 = Drano/drain cleaner; aerosol unspecified		
		5064 = Erasers		
		5065 = Nail polish dryer, quick drying treatment for nail		
		5066 = Simply Green		
		5067 = Wet Ones wipes		

Codebook Creation Date: April 24, 2012

INHALANTS			PAGE:	56
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		5068 = Smoke from a fire		
		5069 = Febreze		
		5070 = Silicone		
		5071 = Purell		
		5073 = Goof off		
		5074 = Floor wax stripper		
		5075 = Pine-sol		
		5076 = Water repellant; type unspecified		
		5077 = Resistol		
		5078 = Axe body spray		
		5079 = Shellac		
		5081 = Photographic development fluid		
		5082 = Chalk dust		
		5083 = Ethyl chloride		
		5084 = Dry cleaning fluid/solvent		
		5085 = Toilet bowl hook-ons		
		5086 = Dry Fab		
		5087 = Tennis balls		
		5088 = Jungle juice		
		5089 = Tattoo Goo Color Guard Spray		
		5090 = PVC Cleaner		
		5091 = Germ-X		
		5093 = Goo Gone		
		5094 = Scotch Brite		
		5095 = "The Works" shower cleaner		
		5096 = Hemp rope		
		5097 = Lysol; aerosol unspecified		
		5098 = Axe/Axe deodorant; aerosol unspecified		
		5099 = HydroCide		
		5101 = Difluoroethane		
		5102 = Xylene; otherwise unspecified		
		5103 = Shoe dye		
		5104 = Shoe cleaner; otherwise unspecified		
		5105 = Sulfur; otherwise unspecified		
		5106 = Carbon tetrachloride		
		5107 = Alcanfor, camphor		
		5108 = Tag body spray		
		5110 = Graffiti eraser		
		5111 = Homemade napalm		
		5114 = Green gas propellant		
		5169 = Baking soda		
		5170 = Baby powder		
		5171 = Mouthwash		
		5172 = Shampoo		
		5173 = Tire inflator		
		5174 = Belt dressing		
		6009 = Sulfur match smoke		
		6016 = Nas		
		6018 = Air horn		
		6052 = Acrylic resin		
		6082 = Ammonia		
		6089 = Cake		
		6136 = Spook		
		8009 = Allergy pills/antihistamine; type unspecified		
		8011 = Herb, flower, plant; type unspecified		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8028 = Bactine <OTC>		
		8056 = Vicks VapoRub/inhaler <OTC>		
		8118 = Smoking; not otherwise specified		
		8170 = Muscle stimulator spray; contents unspecified		
		8174 = Betadine, Efodine, Iodine <OTC>		
		8177 = Face/body cleanser; contents unspecified		
		8194 = Afrin <OTC>		

Codebook Creation Date: April 24, 2012

INHALANTS			PAGE:	57
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		8202 = Intal, Nasalcrom		
		8229 = ADHD/ADD medication; otherwise unspfd		
		8251 = Orange oil		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED INHALANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

INHALANTS			PAGE:	58
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
INHNEWB	4	OTHER INHALANT - SPECIFY 2		
		318 = Ritalin, Methylphenidate		
		377 = Albuterol, Proventil, Ventolin		
		501 = Gasoline or lighter fluids		
		502 = Spray paints		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		505 = Lacquer thinner or other paint solvents		
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		
		507 = Halothane, ether, or other anesthetics; chloroform		
		508 = Nitrous oxide, "whippets," dentist gas		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		511 = Markers, felt-tip pens, ink pens		
		512 = Incense		
		516 = Freon, refrigerant		
		518 = Acetone, nail polish remover		
		519 = Helium		
		520 = Old paint, paint		
		523 = Matches		
		524 = White-Out		
		525 = Butane		
		526 = Nail polish		
		528 = Whipped-cream can		
		531 = Candy, powdered candy, sugar		
		534 = Deodorant		
		539 = Scotch-Gard		
		540 = PAM		
		542 = Brasso, lens cleaner, spirits of ammonia		
		545 = Car tailpipe exhaust fumes, CO		
		548 = Cologne, isopropanol vapors, rubbing alcohol		
		551 = Oven cleaner		
		553 = Pixie sticks		
		554 = Insect killer (e.g., Raid)		
		560 = Diswashing detergent, laundry detergent, soap		
		582 = WD-40		
		592 = Computer air duster, computer cleaner, dust-off		
		601 = LSD ("acid")		
		691 = Maximum impact		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		805 = Cocaine, coca, cocaina, coke		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		809 = Pills		
		852 = Formaldehyde, wak, whack (embalming fluid)		
		900 = Not a drug		
		3051 = Betel nut, beetlenut		
		5001 = Bleach		
		5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank		
		5024 = Candle, citronella candle		
		5028 = Carburetor cleaner, engine cleaner		
		5035 = Brake cleaner		
		5045 = Cleaner; not otherwise specified		
		5049 = Hand sanitizer; contents unspecified		
		5051 = Hair chemicals		
		5053 = Electronics cleaner		
		5055 = PVC		
		5060 = Crayons		
		5061 = Lip balm, lip gloss		
		5064 = Erasers		
		5065 = Nail polish dryer, quick drying treatment for nail		
		5068 = Smoke from a fire		
		5069 = Febreze		
		5071 = Purell		
		5075 = Pine-sol		

Codebook Creation Date: April 24, 2012

INHALANTS			PAGE:	59
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		5077 = Resistol		
		5082 = Chalk dust		
		5087 = Tennis balls, ping pong balls		
		5091 = Germ-X		
		5097 = Lysol; aerosol unspecified		
		5098 = Axe/Axe deodorant; aerosol unspecified		
		5108 = Tag body spray		
		5109 = Antifungal product; aerosol unspecified		
		5110 = Graffiti eraser		
		5112 = Lotion (body, hand); contents unspecified		
		5113 = Disinfectant; contents unspecified		
		5115 = Polish; contents unspecified		
		6018 = Air horn		
		8011 = Herb, flower, plant; type unspecified		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8056 = Vicks VapoRub <OTC>		
		8058 = Cough medicine/syrup; type unspecified		
		8177 = Face/body cleanser; contents unspecified		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED INHALANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

INHALANTS			PAGE:	60
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
INHNEWC	4	OTHER INHALANT - SPECIFY 3		
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin		
		501 = Gasoline or lighter fluids		
		502 = Spray paints		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		
		508 = Nitrous oxide, "whippets," dentist gas		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		511 = Markers, felt-tip pens, ink pens		
		518 = Acetone, nail polish remover		
		519 = Helium		
		521 = Propane		
		524 = White-Out		
		526 = Nail polish		
		531 = Candy, powdered candy, sugar		
		540 = PAM		
		545 = Car tailpipe exhaust fumes, CO		
		548 = Cologne, isopropanol vapors, rubbing alcohol		
		568 = Tally		
		582 = WD-40		
		592 = Computer air duster, computer cleaner, dust-off		
		594 = Starting fluid		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		809 = Pills		
		5001 = Bleach		
		5017 = Oil, lubricant; otherwise unspecified		
		5035 = Brake cleaner		
		5045 = Cleaner; not otherwise specified		
		5053 = Electronics cleaner		
		5065 = Nail polish dryer, quick drying treatment for nail		
		5080 = Tetrachloroethene		
		5082 = Chalk dust		
		5097 = Lysol; aerosol unspecified		
		5108 = Tag body spray		
		6082 = Ammonia		
		8016 = Icy hot <OTC>		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8056 = Vicks VapoRub/inhaler <OTC>		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED INHALANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

INHALANTS			PAGE:	61
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
INHNEW	4	OTHER INHALANT - SPECIFY 4		
		123 = Unisom <OTC>		
		501 = Gasoline or lighter fluids		
		503 = Other aerosol sprays		
		504 = Shoeshine liquid, glue, or toluene		
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		
		508 = Nitrous oxide, "whippets," dentist gas		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		511 = Markers, felt-tip pens, ink pens		
		519 = Helium		
		520 = Old paint, paint		
		521 = Propane		
		524 = White-Out		
		526 = Nail polish		
		573 = Furniture polish		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		809 = Pills		
		5035 = Brake cleaner		
		5071 = Purell		
		8282 = Salt, sodium chloride <OTC>		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED INHALANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
INHNEW	4	OTHER INHALANT - SPECIFY 5		
		504 = Shoeshine liquid, glue, or toluene		
		508 = Nitrous oxide, "whippets," dentist gas		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		511 = Markers, felt-tip pens, ink pens		
		519 = Helium		
		573 = Furniture polish		
		5035 = Brake cleaner		
		9991 = NEVER USED INHALANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
(INREF)		The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were coded as 91.		
INHEVER	2	EVER USED INHALANTS		
		1 = Yes		
		91 = NEVER USED INHALANTS		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

INHALANTS			PAGE:	62
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(IN02)		How old were you the first time you used any inhalant for kicks or to get high?		
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 1 - 60		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED INHALANTS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(INLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		8 = Used at some point in the past 12 mos LOG ASSN		
		9 = Used at some point in lifetime LOG ASSN		
		11 = Used in the past 30 days LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED INHALANTS		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
INHYRTOT	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 365		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED INHALANTS		
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
INTOTFG	2	TRIMMING INDICATOR FOR INHYRTOT		
		1 = Trimmed to 365 days (no further editing)		
		2 = Trimmed relative to the 30-day freq		
		98 = BLANK (NO ANSWER)		
INFQFLG	2	TRIMMED INHYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use		
		98 = BLANK (NO ANSWER)		

INHALANTS			PAGE:	63
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(INFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED INHALANTS 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INDAYPYR	3	# DAYS USED INHALANT PAST 12 MONTHS RANGE = 1 - 365 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 991 = NEVER USED INHALANTS 993 = DID NOT USE INHALANTS IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INDAYPMO	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS RANGE = 1 - 31 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INDAYPWK	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS RANGE = 1 - 7 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

INHALANTS		
LABEL	LEN	DESCRIPTION
-----	----	-----
(IN06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?
INHDY30A	2	# DAYS USED INHALANT PAST 30 DAYS
		RANGE = 1 - 30
		85 = BAD DATA Logically assigned
		91 = NEVER USED INHALANTS
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS
		94 = DON'T KNOW
		97 = REFUSED
		98 = BLANK (NO ANSWER)
(IN06DKRE)		What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?
IN30EST	2	BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS
		1 = 1 or 2 days
		2 = 3 to 5 days
		3 = 6 to 9 days
		4 = 10 to 19 days
		5 = 20 to 29 days
		6 = All 30 days
		91 = NEVER USED INHALANTS
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS
		94 = DON'T KNOW
		97 = REFUSED
		98 = BLANK (NO ANSWER)
		99 = LEGITIMATE SKIP

PAGE:	64
FREQ	%
----	-

		PAIN RELIEVERS	PAGE:	65
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR01)		PAIN RELIEVERS		

		Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:		
		- the drug was not prescribed for you, or		
		- you took the drug only for the experience or feeling it caused.		
		These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.		
		Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.		
		Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?		
DARVTYLC	2	EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED PAIN RELIEVERS Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED PAIN RELIEVERS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(PR02)		Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?		
PERCTYLX	2	EVER USED PERCOCET, PERCODAN, OR TYLOX		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED PAIN RELIEVERS Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED PAIN RELIEVERS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

PAIN RELIEVERS			PAGE:	66
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(PR03)		Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?		
VICOLOR	2	EVER USED VICODIN, LORTAB, OR LORCET 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(PR04)		Please look at the pain relievers shown below the red line on Card A. Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ANLCARD	2	EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(PR04A)		Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CODEINE	2	EVER USED CODEINE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
DEMEROL	2	EVER USED DEMEROL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	67
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
DILAUD	2	EVER USED DILAUDID NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
FIORICET	2	EVER USED FIORICET NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
FIORINAL	2	EVER USED FIORINAL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
HYDROCOD	2	EVER USED HYDROCODONE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
METHDON	2	EVER USED METHADONE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	68
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
MORPHINE	2	EVER USED MORPHINE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
OXYCONTN	2	EVER USED OXYCONTIN NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
PHENCOD	2	EVER USED PHENAPHEN WITH CODEINE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
PROPOXY	2	EVER USED PROPOXYPHENE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
SK65A	2	EVER USED SK65 NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	69
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STADOL	2	EVER USED STADOL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
TALACEN	2	EVER USED TALACEN NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
TALWIN	2	EVER USED TALWIN NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
TALWINNX	2	EVER USED TALWINNX NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
TRAMADOL	2	EVER USED TRAMADOL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	70
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ULTRAM	2	EVER USED ULTRAM NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(PR05)		Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
ANLNOLST	2	EVER USED ANY OTHER PAIN RELIEVER NONMEDICALLY 1 = Yes 2 = No 4 = No LOGICALLY ASSIGNED 81 = NEVER USED PAIN RELIEVERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED PAIN RELIEVERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

PAIN RELIEVERS			PAGE:	71
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ANALNEWA	4	OTHER PAIN RELIEVER - SPECIFY 1		
		101 = Butisol		
		105 = Placidyl, Ethchlorvynol		
		106 = Doriden		
		108 = Nembutal		
		109 = Seconal		
		110 = Tuinal		
		111 = Dalmene, Flurazepam		
		112 = Restoril, Temazepam		
		113 = Halcion, Triazolam		
		115 = Phenobarbital		
		116 = Methaqualone, Sopor, Quaalude		
		118 = Pentobarbital, Pentothal, Sodium pentothal		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		124 = Yellow jackets		
		129 = Reds		
		130 = Phenergan, Promethazine		
		131 = Haldol, Haloperidol		
		137 = 7-14		
		138 = Mandrax, Mandrix [see also 116]		
		140 = Seldane		
		141 = Dilantin		
		142 = Belladonna		
		146 = Bentyl, Dicyclomine		
		157 = Barbiturates		
		171 = NyQuil <OTC>		
		173 = Wafers		
		174 = Ambien, Stilnox, Zolpidem		
		177 = Bean		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		186 = Butalbital		
		189 = Sonata		
		193 = Meclizine		
		197 = Topamax, Topiramate		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		211 = BuSpar, Buspirone		
		215 = Vistaril		
		216 = Atarax, Hydroxyzine		
		220 = Meprobamate		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin		
		225 = Desyrel, Trazodone hydrochloride		
		227 = Thorazine		
		228 = Amitriptyline, Elavil		
		230 = Compazine, Prochlorperazine		
		234 = Flexeril, Cyclobenzaprine		
		240 = Lithium carbonate, Lithonate		
		241 = Prozac, Fluoxetine		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		247 = Adapin, Doxepin, Sinequan		
		250 = Aventyl, Nortab, Nortriptyline, Pamelor		
		268 = Rohypnol, Flunitrazepam, roche, roofies		
		271 = Sertraline, Zoloft		
		278 = Benzodiazepines		
		282 = Clozapine, Clozaril		
		283 = Paroxetine, Paxil		
		285 = Risperdal, Risperdol, Risperidone		
		288 = Baclofen		
		289 = Olanzapine, Zyprexa		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	72
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		290 = Skelaxin		
		291 = Celexa		
		295 = Mirtazapine, Remeron		
		301 = Dexedrine		
		304 = Benzedrine		
		307 = Tenuate, Diethylpropion		
		309 = Didrex		
		313 = Fastin, Phentermine, Adipex-P		
		318 = Ritalin, Methylphenidate		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		327 = Black beauties, black beauty		
		332 = Ephedrine		
		336 = Diet pills		
		339 = Amphetamines		
		343 = Nitroglycerine		
		344 = Bennies		
		345 = Black Molly		
		352 = Lemons		
		369 = Artane		
		374 = Christmas tree(s)		
		377 = Albuterol, Proventil, Ventolin		
		380 = Pink ladies		
		382 = Footballs, purple footballs		
		385 = Little pink one		
		401 = Darvon		
		403 = SK-65		
		404 = Wygesic		
		405 = Levo-Dromoran		
		406 = Percodan, Roxiprin		
		407 = Demerol, Meperidine		
		408 = Dilaudid, Hydromorphone		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		410 = Phenaphen with Codeine, Phenaphen 3		
		411 = Talwin		
		412 = Talwin NX		
		413 = Talacen		
		414 = Propoxyphene		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		419 = Stadol, Stadol NS		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		421 = USED ANALGESIC, DON'T KNOW NAME		
		422 = Motrin		
		423 = Percocet		
		424 = Fioricet		
		425 = Advil <OTC>		
		426 = Fiorinal		
		427 = Darvocet, Davocet-N		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		431 = Tylox		
		433 = Paregoric		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		439 = 222, Canadian 222		
		442 = Ibuprofen		
		443 = Dolobid		
		444 = Aspirin with Codeine, Empirin 3		
		445 = Dolex, Norgesic Forte		
		450 = Acetaminophen, incl. non-Tylenol brands <OTC>		
		454 = Novocain, Procaine		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	73
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		455 = Fiorinal with Codeine		
		458 = Finalin, Mepergan, Mepergan Fortis, Meprozone		
		462 = Norflex		
		465 = Actiq, Fentanyl, Duragesic, Sublimaze		
		466 = Midol <OTC>		
		468 = Excedrin <OTC>		
		470 = Cafergot		
		472 = Indocin, Indomethacin		
		476 = Duradrin, Isocom, Midrin		
		477 = Melumbrina, Neo-Melumbrina		
		480 = Robitussin AC with Codeine		
		481 = Acular, Dolac, Ketorolac tromethamine, Toradol		
		490 = Nalbuphine, Nubain		
		496 = Ultram		
		499 = Aleve <OTC>		
		507 = Halothane, ether, or other anesthetics; chloroform		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		603 = Mescaline		
		605 = PCP ("angel dust," phencyclidine)		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		640 = Purple pyramid		
		658 = Special K, Ketamine		
		662 = Kanepolin		
		663 = Animal tranquilizer, horse tranquilizer		
		701 = OTHER Opiates, NOT OTHERWISE SPECIFIED		
		702 = Heroin		
		703 = Opium		
		704 = Dope		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		802 = THC, cannabinal, marinol, tetrahydrocannabinol		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		805 = Cocaine, coca, cocaina, coke, perico		
		809 = Pills		
		819 = Inderal, Propranalol		
		820 = Penicillin		
		821 = Amoxicillin, Ampicillin, Pentrexly		
		824 = Steroids		
		828 = Tetracycline		
		829 = Robitussin DM <OTC>		
		837 = Paris 400		
		843 = Cold medicine, cold tablets <OTC>		
		846 = Erythromycin		
		848 = Liquid vitamin, vitamin pills <OTC>		
		858 = Antibiotic		
		873 = Contraceptives, Ferutal, Ortho Novum		
		883 = Dextromethorphan hydrobromide <OTC>		
		894 = Depakene, Depakote, Valproic acid		
		895 = Tagamet, Cimetidine		
		896 = Catapres, Clonidine		
		900 = Not a drug		
		1001 = Benadryl, Diphenhydramine <OTC>		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		1006 = Trileptal, Oxcarbazepine		
		1008 = Rohr 714, Rorer 714		
		1010 = Diprivan, Propofol		
		1016 = Phenazepam		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		
		2003 = Zanies, zannies, zans, zany bars		
		2006 = Chlorzoxazone		
		2010 = Buscopan		
		2011 = Lexapro		
		2012 = Geodon, Ziprasidone		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	74
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		2013 = Levsin, Hyoscyamine		
		2014 = Robaxisal, Methoxisal		
		2015 = Flexodin		
		2016 = Xanax XR		
		2018 = 4 Bar, Quad Bar		
		2019 = Soma Compound		
		2023 = Tandrila		
		3004 = Black cadillac		
		3015 = Fen-Phen (fenfluramine and phentermine)		
		3018 = Up-johns		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3037 = Effexor		
		3040 = Hyper pills		
		3046 = Adrenalin, Epinephrine		
		3050 = Mini Thins		
		3052 = Speed; otherwise unspecified		
		3077 = Concerta		
		3082 = Fat burner; not otherwise specified		
		3087 = Stratterra		
		3090 = Provigil, Modafinil		
		3094 = Dexmethylphenidate, Focalin		
		3099 = Asenlix, Clobenzorex		
		3102 = Methylin		
		3106 = Sedalmerk		
		3111 = Vyvanse		
		3115 = Isometheptene		
		4001 = Actron, Ketoprofen, Orudis, Oruvail		
		4002 = Imitrex, Sumatriptan		
		4005 = Etodolac, Lodine		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		
		4022 = Buprenex		
		4024 = Reynol		
		4029 = Feldine, Piroxicam		
		4031 = Cough medicine with Codeine		
		4033 = Vicoprofen		
		4035 = Nabumetone, Relafin		
		4037 = Kadian, MS Contin		
		4038 = Propacet		
		4039 = Daypro, Oxyprozin		
		4041 = Maxalt		
		4043 = Tramadol		
		4044 = Hydrocodone		
		4046 = Oxycodone or unspecified oxycodone products		
		4047 = Roxicet		
		4049 = Headache power <OTC>		
		4051 = Celebrex		
		4052 = Endocet		
		4054 = Zomax		
		4055 = Vioxx		
		4056 = Cataflam, Diclofenac, Voltaren		
		4057 = Mejoral		
		4058 = Totem poles		
		4059 = Zomig, Zolmitriptan		
		4060 = Ansaïd, Flurbiprofen		
		4061 = Oramorph SR		
		4064 = Epidrin		
		4065 = Roxicodone		
		4067 = OxyContin		
		4069 = Benflogin		
		4071 = Syncol		
		4072 = Oxycet		
		4073 = Temgesic		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	75
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		4075 = Disalcid, Salflex, Salsalate		
		4078 = Spasmoproxyln		
		4080 = Morphidex		
		4081 = Avamigran		
		4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin		
		4083 = Ultracet		
		4084 = Aktren		
		4086 = Parafon Forte		
		4087 = Torbugesic/Torbutrol (veterinary butorphanol)		
		4088 = Synthetic heroin		
		4089 = Brompton's solution/mixture		
		4091 = K4		
		4092 = Pain reliever lotion, rub; not specified		
		4093 = Tylex, Solpadeine		
		4094 = Tombstones		
		4095 = Dihydrocodeine		
		4096 = Bextra, Valdecoxib		
		4097 = Tussionex		
		4100 = Excedrin Migraine <OTC>		
		4101 = Myprodol		
		4102 = Mobic, Meloxicam		
		4103 = Terpin Hydrate with Codeine		
		4104 = Dolo-Neurobion		
		4105 = Hydrocodone with APAP; otherwise unspecified		
		4108 = Homemade analgesics		
		4109 = Suboxone		
		4110 = Avinza		
		4111 = Clinoril, Sulinac		
		4114 = Nimesulide		
		4115 = Pantopon		
		4116 = Phenergan with codeine, promethazine with codeine		
		4117 = Oxy-IR		
		4118 = Sufenta		
		4119 = Buprenorphine, Subutex		
		4120 = Numorphan, Opana, Oxymorphone		
		4121 = Dorflex		
		4122 = Combiflam		
		4123 = Dolorex		
		4124 = Relpax		
		4125 = Hycodan, Hydromet, Tussion		
		4126 = Panafen Plus		
		4127 = Panadeine		
		6029 = DXM		
		6048 = Dex		
		6083 = CCC, "Triple C," C3 <OTC>		
		6127 = Skittles		
		8002 = Zantac		
		8007 = Gabapentin, Neurontin		
		8008 = Antidepressant; type unspecified		
		8009 = Allergy pills/antihistamine; type unspecified		
		8010 = Zyrtec, Cetirizine		
		8012 = Coriciden <OTC>		
		8017 = Buscapina		
		8018 = Claritromicina		
		8020 = Allegra, Altiva		
		8021 = Cipro, Ciprofloxacin, Cliloxam		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8025 = Claritin, Claritin D		
		8029 = Flexall <OTC>		
		8030 = Tums <OTC>		
		8032 = Prilosec, Mopral		
		8033 = Heart medication; type unspecified		
		8035 = Prednisone		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	76
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		8044 = Cephelaxin, Keflex		
		8045 = Gax-X <OTC>		
		8052 = Bactrim, Septra		
		8058 = Cough medicine/syrup; type unspecified		
		8065 = Tylenol Cold Medication <OTC>		
		8066 = Viagra		
		8071 = Augmentin		
		8085 = Anti-psychotics/schizophrenic; type unspcfd		
		8094 = Pepto Bismol <OTC>		
		8097 = Tizanidine, Zanaflex		
		8102 = Nasacort, Triamcinolone		
		8108 = Atenonol		
		8114 = Lidocaine		
		8117 = Hydrocortisone		
		8119 = Regal medicated oil		
		8120 = Difulcan		
		8121 = Invirase		
		8126 = Valtrex		
		8134 = Glucophage, Metformin		
		8135 = Verapamil		
		8136 = Montekulast, Singulair		
		8140 = Anamine		
		8142 = Conex Plus		
		8144 = Clarinex, Desloratadine		
		8150 = Biolex wound gel <OTC>		
		8153 = Nexium		
		8156 = Flumethasone		
		8162 = Prevacid		
		8168 = Fluoride		
		8172 = Cortisone		
		8181 = Corgard		
		8182 = Clindamycin		
		8184 = Zofran		
		8186 = Lomotil		
		8190 = Benegal		
		8196 = Hirudoid		
		8198 = Handle bars, handlebars		
		8199 = Neurobion		
		8200 = Dan(s), Dan Dan(s); no other information		
		8201 = Watson(s); no other information		
		8203 = Bar; otherwise unspecified		
		8204 = Phloroglucinol, Spasfon		
		8207 = Terpin hydrate		
		8210 = Mylan(s); no other information		
		8213 = Ranitidine		
		8217 = Anti-diarrhea medication; type unspecified		
		8218 = Attention deficit disorder meds; type unspcfd		
		8225 = Cymbalta, Duloxetine		
		8229 = ADHD/ADD medication; otherwise unspfd		
		8230 = Advair		
		8236 = Lyrica, Pregabalin		
		8242 = Albucid		
		8243 = Guaifenes		
		8246 = Phenoxyl		
		8247 = Abilify, Aripiprazole		
		8255 = Sulfuride		
		8268 = Protonix		
		9981 = NEVER USED PAIN RELIEVERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED PAIN RELIEVERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS		
LABEL	LEN	DESCRIPTION
-----	---	-----
		9999 = LEGITIMATE SKIP

PAGE:	77
FREQ	%
----	-

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	78
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ANALNEWB	4	OTHER PAIN RELIEVER - SPECIFY 2		
		105 = Placidyl, Ethchlorvynol		
		106 = Doriden		
		108 = Nembutal		
		109 = Seconal		
		110 = Tuinal		
		111 = Dalmane, Flurazepam		
		112 = Restoril, Temazepam		
		113 = Halcion, Triazolam		
		115 = Phenobarbital		
		116 = Methaqualone, Sopor, Quaalude		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		124 = Yellow jackets		
		129 = Reds		
		130 = Phenergan, Promethazine		
		137 = 7-14		
		138 = Mandrax, Mandrix [see also 116]		
		141 = Dilantin		
		146 = Benty, Dicyclomine		
		157 = Barbiturates		
		171 = NyQuil <OTC>		
		174 = Ambien, Stilnox, Zolpidem		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		195 = Lotusate, Talbutal		
		197 = Topamax, Topiramate		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		206 = Tranxene		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		211 = BuSpar, Buspirone		
		215 = Vistaril		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		224 = Triavil		
		225 = Desyrel, Trazodone hydrochloride		
		228 = Amitriptyline, Elavil		
		234 = Flexeril, Cyclobenzaprine		
		241 = Prozac, Fluoxetine		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		250 = Aventyl, Nortab, Nortriptyline, Pamelor		
		262 = Prolixin		
		268 = Rohypnol, Flunitrazepam, roche, roofies		
		271 = Sertraline, Zoloft		
		283 = Paroxetine, Paxil		
		285 = Risperdal, Risperdol, Risperidone		
		290 = Skelaxin		
		291 = Celexa, Citalopram		
		295 = Mirtazapine, Remeron		
		309 = Didrex		
		313 = Fastin, Phentermine, Adipex-P		
		318 = Ritalin, Methylphenidate		
		326 = White cross		
		327 = Black beauties, black beauty		
		331 = Blancs, Whites		
		336 = Diet pills		
		339 = Amphetamines		
		364 = Pseudoephedrine <OTC>		
		377 = Albuterol, Proventil, Ventolin		
		382 = Footballs, purple footballs		
		401 = Darvon		
		406 = Percodan, Roxiprin		
		407 = Demerol, Meperidine		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	79
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		408 = Dilaudid, Hydromorphone		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		413 = Talacen		
		414 = Propoxyphene		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		419 = Stadol, Stadol NS		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		421 = USED ANALGESIC, DON'T KNOW NAME		
		422 = Motrin		
		423 = Percocet		
		424 = Fioricet		
		425 = Advil <OTC>		
		427 = Darvocet, Davocet-N		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		431 = Tylox		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		442 = Ibuprofen		
		447 = Synalgos, Synalgos DC		
		450 = Acetaminophen, incl. non-Tylenol brands <OTC>		
		454 = Novocain, Procaine		
		458 = Finalin, Mepergan, Mepergan Fortis, Meprozone		
		465 = Actiq, Fentanyl, Duragesic, Sublimaze		
		466 = Midol <OTC>		
		468 = Excedrin <OTC>		
		470 = Cafergot		
		476 = Duradrin, Isocom, Midrin		
		477 = Melumbrina, Neo-Melumbrina		
		481 = Acular, Dolac, Ketorolac tromethamine, Toradol		
		490 = Nalbuphine, Nubain		
		496 = Ultram		
		498 = Ponstel, Mefenamic acid		
		499 = Aleve <OTC>		
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED		
		658 = Special K, Ketamine		
		701 = OTHER Opiates, NOT OTHERWISE SPECIFIED		
		703 = Opium		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		820 = Penicillin		
		821 = Amoxicillin, Ampicillin, Pentrexly		
		829 = Robitussin DM <OTC>		
		841 = Allerest <OTC>, Contac <OTC>		
		843 = Cold medicine, cold tablets <OTC>		
		848 = Liquid vitamin, vitamin pills <OTC>		
		858 = Antibiotic		
		894 = Depakene, Depakote, Valproic acid		
		896 = Catapres, Clonidine		
		1001 = Benadryl, Diphenhydramine <OTC>		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		1008 = Rohr 714, Rorer 714		
		1011 = Lunesta		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		
		2003 = Zanies, zannies, zans, zany bars		
		2010 = Buscopan, Espacil		
		2011 = Lexapro		
		2016 = Xanax XR		
		2018 = 4 Bar, Quad Bar		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	80
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3037 = Effexor		
		3044 = Caffeine pills <OTC>		
		3050 = Mini Thins		
		3052 = Speed; otherwise unspecified		
		3077 = Concerta		
		3086 = Adderall XR		
		3090 = Provigil, Modafinil		
		4002 = Imitrex, Sumatriptan		
		4005 = Etodolac, Lodine		
		4007 = Happy pills		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		
		4023 = Pamprin <OTC>		
		4031 = Cough medicine with Codeine		
		4033 = Vicoprofen		
		4034 = Lilly red		
		4035 = Nabumetone, Relafin		
		4037 = Kadian, MS Contin		
		4039 = Daypro		
		4041 = Maxalt		
		4043 = Tramadol		
		4044 = Hydrocodone		
		4046 = Oxycodone or unspecified oxycodone products		
		4047 = Roxicet		
		4048 = Motrin IB <OTC>		
		4049 = Headache power <OTC>		
		4051 = Celebrex		
		4052 = Endocet		
		4055 = Vioxx		
		4056 = Cataflam, Diclofenac, Voltaren		
		4057 = Mejoral		
		4058 = Totem poles		
		4065 = Roxicodone		
		4067 = OxyContin		
		4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin		
		4083 = Ultracet		
		4093 = Tylex, Solpadeine		
		4096 = Bextra, Valdecoxib		
		4097 = Tussionex		
		4104 = Dolo-Neurobion		
		4106 = Atroveran		
		4109 = Suboxone		
		4116 = Phenergan with codeine, promethazine with codeine		
		4119 = Buprenorphine, Subutex		
		4125 = Hycodan, Hydromet, Tussionex		
		6029 = DXM		
		6044 = Gel caps, gel tabs		
		6048 = Dex		
		6083 = CCC, "Triple C," C3 <OTC>		
		6114 = Molly; not otherwise specified		
		6127 = Skittles		
		8002 = Zantac		
		8007 = Gabapentin, Neurontin		
		8008 = Antidepressant; type unspecified		
		8009 = Allergy pills/antihistamine; type unspecified		
		8010 = Zyrtec, Cetirizine		
		8012 = Coriciden <OTC>		
		8013 = Maalox <OTC>		
		8014 = Throat spray/lozenge; type unspecified <OTC>		
		8020 = Allegra, Altiva		
		8025 = Claritin, Claritin D <OTC>		
		8027 = Alavert, Claritin, Loratadine <OTC>		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	81
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		8029 = Flexall <OTC>		
		8030 = Tums <OTC>		
		8035 = Prednisone		
		8055 = Flonase		
		8058 = Cough medicine/syrup; type unspecified		
		8094 = Pepto Bismol <OTC>		
		8097 = Tizanidine, Zanaflex		
		8107 = Diovan, Valsartan		
		8117 = Hydrocortisone		
		8135 = Verapamil		
		8143 = Mycelex		
		8147 = Tylenol Flu <OTC>		
		8155 = Telithromycin		
		8169 = TheraFlu <OTC>		
		8173 = Chlorhexidine, Exidine		
		8178 = Norateen		
		8184 = Zofran		
		8198 = Handle bars, handlebars		
		8203 = Bar; otherwise unspecified		
		8210 = Mylan(s); no other information		
		8213 = Ranitidine		
		8226 = Bitrex		
		8233 = Keppra, Levetiracetam		
		8234 = Lamisil		
		8235 = Benzonatate, Tessalon		
		8239 = Drotaverine, Drotin		
		8267 = Quinine		
		8274 = Terramycin		
		9981 = NEVER USED PAIN RELIEVERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED PAIN RELIEVERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

PAIN RELIEVERS			PAGE:	82
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ANALNEWC	4	OTHER PAIN RELIEVER - SPECIFY 3		
		105 = Placidyl, Ethchlorvynol		
		108 = Nembutal		
		109 = Seconal		
		110 = Tuinal		
		113 = Halcion, Triazolam		
		116 = Methaqualone, Sopor, Quaalude		
		117 = Chloral hydrate, Noctec		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		130 = Phenergan, Promethazine		
		137 = 7-14		
		145 = Red devil(s)		
		146 = Bentyl, Dicyclomine		
		171 = NyQuil <OTC>		
		174 = Ambien, Stilnox, Zolpidem		
		178 = Quetiapine, Seroquel		
		191 = Blues		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin		
		225 = Desyrel, Trazodone hydrochloride		
		228 = Amitriptyline, Elavil		
		234 = Flexeril, Cyclobenzaprine		
		241 = Prozac, Fluoxetine		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		250 = Aventyl, Nortab, Nortriptyline, Pamelor		
		268 = Rohypnol, Flunitrazepam, roche, roofies		
		271 = Zolof		
		295 = Mirtazapine, Remeron		
		301 = Dexedrine		
		318 = Ritalin, Methylphenidate		
		326 = White cross		
		327 = Black beauties, black beauty		
		332 = Ephedrine		
		377 = Albuterol, Proventil, Ventolin		
		382 = Footballs, purple footballs		
		406 = Percodan, Roxiprin		
		407 = Demerol, Meperidine		
		408 = Dilaudid, Hydromorphone		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		413 = Talacen		
		414 = Propoxyphene		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		421 = USED ANALGESIC, DON'T KNOW NAME		
		422 = Motrin		
		423 = Percocet		
		425 = Advil <OTC>		
		426 = Fiorinal		
		427 = Darvocet, Davocet-N		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		431 = Tylox		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		442 = Ibuprofen		
		458 = Finalin, Mepergan, Mepergan Fortis, Meprozone		
		465 = Actiq, Fentanyl, Duragesic, Sublimaze		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	83
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		466 = Midol <OTC>		
		468 = Excedrin <OTC>		
		476 = Duradrin, Isocom, Midrin		
		496 = Ultram		
		499 = Aleve <OTC>		
		702 = Heroin		
		802 = THC, cannabinal, marinol		
		814 = Caffeine <OTC>		
		820 = Penicillin		
		829 = Robitussin DM <OTC>		
		848 = Liquid vitamin, vitamin pills <OTC>		
		1001 = Benadryl, Diphenhydramine <OTC>		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		
		2003 = Zanies, zannies, zans, zany bars		
		3007 = Nasal inhalant		
		3017 = Dayquil <OTC>		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3052 = Speed; otherwise unspecified		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		
		4027 = Rorer		
		4033 = Vicoprofen		
		4037 = MS Contin		
		4043 = Tramadol		
		4044 = Hydrocodone		
		4046 = Oxycodone or unspecified oxycodone products		
		4047 = Roxicet		
		4049 = Headache power <OTC>		
		4052 = Endocet		
		4055 = Vioxx		
		4057 = Mejoral		
		4058 = Totem poles		
		4067 = OxyContin		
		4083 = Ultracet		
		4088 = Synthetic heroin		
		4093 = Tylex, Solpadeine		
		4096 = Bextra, Valdecoxib		
		4099 = Anacin <OTC>		
		4109 = Suboxone		
		4120 = Numorphan, Opana, Oxymorphone		
		4125 = Hycodan, Hydromet, Tussigon		
		6083 = CCC, "Triple C," C3 <OTC>		
		8002 = Zantac		
		8010 = Zyrtec, Cetirizine		
		8012 = Coriciden <OTC>		
		8019 = Azithromycin, Z-pack, Zithromax		
		8020 = Allegra, Altiva		
		8027 = Alavert, Claritin, Loratadine <OTC>		
		8033 = Heart medication; type unspecified		
		8035 = Prednisone		
		8055 = Flonase		
		8058 = Cough medicine/syrup; type unspecified		
		8153 = Nexium		
		8172 = Cortisone		
		8182 = Clindamycin		
		8189 = Furosemide, Lasix		
		8198 = Handle bars, handlebars		
		8274 = Terramycin		
		9981 = NEVER USED PAIN RELIEVERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED PAIN RELIEVERS		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS		
LABEL	LEN	DESCRIPTION
-----	----	-----
		9997 = REFUSED
		9998 = BLANK (NO ANSWER)
		9999 = LEGITIMATE SKIP

PAGE:	84
FREQ	%
----	-

PAIN RELIEVERS			PAGE:	85
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ANALNEW	4	OTHER PAIN RELIEVER - SPECIFY 4		
		109 = Seconal		
		110 = Tuinal		
		116 = Methaqualone, Quaalude, Sopor		
		129 = Reds		
		137 = 7-14		
		171 = NyQuil <OTC>		
		174 = Ambien, Zolpidem		
		178 = Quetiapine, Seroquel		
		201 = Valium, Diazepam		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		225 = Desyrel, Trazodone hydrochloride		
		234 = Flexeril, Cyclobenzaprine		
		241 = Prozac, Fluoxetine		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		288 = Baclofen		
		295 = Mirtazapine, Remeron		
		301 = Dexedrine		
		318 = Ritalin, Methylphenidate		
		407 = Demerol, Meperidine		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		411 = Talwin		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		421 = USED ANALGESIC, DON'T KNOW NAME		
		422 = Motrin		
		423 = Percocet		
		425 = Advil <OTC>		
		427 = Darvocet, Davocet-N		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		442 = Ibuprofen		
		465 = Actiq, Fentanyl, Duragesic, Sublimaze		
		466 = Midol <OTC>		
		496 = Ultram		
		701 = OTHER Opiates, NOT OTHERWISE SPECIFIED		
		829 = Robitussin DM <OTC>		
		848 = Liquid vitamin, vitamin pills <OTC>		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		4033 = Vicoprofen		
		4043 = Tramadol		
		4044 = Hydrocodone		
		4046 = Oxycodone		
		4049 = Headache power <OTC>		
		4052 = Endocet		
		4056 = Cataflam, Diclofenac		
		4067 = OxyContin		
		4083 = Ultracet		
		4093 = Tylex, Solpadeine		
		4119 = Buprenorphine, Subutex		
		8009 = Allergy pills/antihistamine; type unspecified		
		8020 = Allegra		
		8030 = Tums <OTC>		
		8035 = Prednisone		
		8047 = Pepcid AC <OTC>		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	86
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		8094 = Pepto Bismol <OTC>		
		8200 = Dan(s), Dan Dan(s); no other information		
		8225 = Cymbalta, Duloxetine		
		9981 = NEVER USED PAIN RELIEVERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED PAIN RELIEVERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
ANALNEW	4	OTHER PAIN RELIEVER - SPECIFY 5		
		105 = Placidyl, Ethchlorvynol		
		110 = Tuinal		
		116 = Methaqualone, Sopor, Quaalude		
		129 = Reds		
		174 = Ambien, Zolpidem		
		180 = Tylenol P.M. <OTC>		
		201 = Valium, Diazepam		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		234 = Flexeril, Cyclobenzaprine		
		241 = Prozac, Fluoxetine		
		271 = Zoloft		
		318 = Ritalin, Methylphenidate		
		406 = Percodan, Roxiprin		
		415 = Codeine		
		417 = Morphine, Roxanol		
		419 = Stadol, Stadol NS		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		421 = USED ANALGESIC, DON'T KNOW NAME		
		423 = Percocet		
		425 = Advil <OTC>		
		426 = Fiorinal		
		427 = Darvocet, Davocet-N		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		442 = Ibuprofen		
		466 = Midol <OTC>		
		496 = Ultram		
		2001 = Sanoma, Soma, Carisoprodol		
		3023 = Adderall		
		4044 = Hydrocodone		
		4065 = Roxicodone		
		4067 = OxyContin		
		4093 = Tylenol, Solpadeine		
		8007 = Gabapentin, Neurontin		
		8025 = Claritin, Claritin D <OTC>		
		8042 = Alka Seltzer <OTC>		
		8097 = Zanaflex		
		8115 = Vick's 44 <OTC>		
		8201 = Watson(s); no other information		
		9981 = NEVER USED PAIN RELIEVERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED PAIN RELIEVERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	87
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(PRREF)		<p>The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.</p> <p>Please think again about answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?</p> <p>NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVTYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.</p>		
ANLEVER	2	<p>EVER USED PAIN RELIEVERS NONMEDICALLY</p> <p>1 = Yes</p> <p>81 = NEVER USED PAIN RELIEVERS Logically assigned</p> <p>91 = NEVER USED PAIN RELIEVERS</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(PR06)		<p>How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?</p>		
ANALAGE	3	<p>AGE WHEN FIRST USED PAIN RELIEVERS NONMEDICALLY</p> <p>RANGE = 1 - 82</p> <p>981 = NEVER USED PAIN RELIEVERS Logically assigned</p> <p>985 = BAD DATA Logically assigned</p> <p>991 = NEVER USED PAIN RELIEVERS</p> <p>994 = DON'T KNOW</p> <p>997 = REFUSED</p> <p>998 = BLANK (NO ANSWER)</p>		
(PR09)		<p>NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.</p> <p>How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?</p>		
ANALREC	2	<p>TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY</p> <p>1 = Within the past 30 days</p> <p>2 = More than 30 days ago but within the past 12 mos</p> <p>3 = More than 12 months ago</p> <p>8 = Used at some point in the past 12 mos LOG ASSN</p> <p>9 = Used at some point in lifetime LOG ASSN</p> <p>11 = Used in the past 30 days LOGICALLY ASSIGNED</p> <p>12 = Used >30 days ago but within pst 12 mos LOG ASSN</p> <p>81 = NEVER USED PAIN RELIEVERS Logically assigned</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED PAIN RELIEVERS</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		

Codebook Creation Date: April 24, 2012

PAIN RELIEVERS			PAGE:	88
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NOTE: The variables ANLYRTOT, PRBSTWAY, PRDAYPYR, PRDAYPMO, and PRDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any pain reliever more than 12 months ago but subsequently reported more recent use of any pain reliever or OxyContin.		
ANLYRTOT	3	TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS		
		RANGE = 1 - 365		
		981 = NEVER USED PAIN RELIEVERS Logically assigned		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED PAIN RELIEVERS		
		993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
PRTOTFG	2	TRIMMING INDICATOR FOR ANLYRTOT		
		1 = Trimmed to 365 days (no further editing)		
		98 = BLANK (NO ANSWER)		
PRFQFLG	2	TRIMMED ANLYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use		
		98 = BLANK (NO ANSWER)		
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPYR	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 365		
		981 = NEVER USED PAIN RELIEVERS Logically assigned		
		985 = BAD DATA Logically assigned		
		989 = LEGITIMATE SKIP Logically assigned		
		991 = NEVER USED PAIN RELIEVERS		
		993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPMO	2	# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 31		
		81 = NEVER USED PAIN RELIEVERS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED PAIN RELIEVERS		
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

PAIN RELIEVERS			PAGE:	89
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPWK	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7		
		81 = NEVER USED PAIN RELIEVERS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED PAIN RELIEVERS		
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

TRANQUILIZERS			PAGE:	90
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TR01)		TRANQUILIZERS		

		These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."		
		Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.		
		Please look at Card B carefully as you answer the next questions.		
		Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
KLONOPIN	2	EVER USED KLONOPIN OR CLONAZEPAM		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED TRANQUILIZERS Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED TRANQUILIZERS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(TR02)		Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
XNAXATVN	2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED TRANQUILIZERS Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED TRANQUILIZERS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

TRANQUILIZERS			PAGE:	91
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TR03)		Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
VALMDIAZ	2	EVER USED VALIUM OR DIAZEPAM 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TR04)		Please look at the tranquilizers shown below the red line on Card B. Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
TRNCARD	2	EVER USED ANY TRANQ BELOW RED LINE ON CARD B 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TR04A)		Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ATARAX	2	EVER USED ATARAX NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
BUSPAR	2	EVER USED BUSPAR NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	92
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
EQUANIL	2	EVER USED EQUANIL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
FLEXERIL	2	EVER USED FLEXERIL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
LIBRIUM	2	EVER USED LIBRIUM NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
LIMBITROL	2	EVER USED LIMBITROL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
MEPROB	2	EVER USED MEPROBAMATE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	93
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
MILTOWN	2	EVER USED MILTOWN NONMEDICALLY 1 = Response entered 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
ROHYPNOL	2	EVER USED ROHYPNOL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
SERAX	2	EVER USED SERAX NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
SOMA	2	EVER USED SOMA NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
TRANXENE	2	EVER USED TRANXENE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	94
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
VISTAR	2	EVER USED VISTARIL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TR05)		Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
TRNOLST	2	EVER USED ANY OTHER TRANQUILIZER NONMEDICALLY 1 = Yes 2 = No 4 = No LOGICALLY ASSIGNED 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

TRANQUILIZERS			PAGE:	95
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TRNEWA	4	OTHER TRANQUILIZER - SPECIFY 1		
		101 = Butisol		
		105 = Placidyl, Ethchlorvynol		
		108 = Nembutal		
		109 = Seconal		
		110 = Tuinal		
		111 = Dalmane, Flurazepam		
		112 = Restoril, Temazepam		
		113 = Halcion, Triazolam		
		115 = Phenobarbital		
		116 = Methaqualone, Sopor, Quaalude		
		117 = Chloral hydrate, Noctec		
		118 = Pentobarbital, Pentothal, Sodium pentothal		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		121 = USED SEDATIVE, DON'T KNOW NAME		
		122 = Over-the-counter sleep aid; not specified <OTC>		
		124 = Yellow jackets		
		129 = Reds		
		130 = Phenergan, Promethazine		
		131 = Haldol, Haloperidol		
		137 = 7-14		
		138 = Mandrax, Mandrix [see also 116]		
		142 = Belladonna		
		156 = Sodium barbital		
		157 = Barbiturates		
		174 = Ambien, Stilnox, Zolpidem		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		189 = Sonata		
		191 = Blues		
		193 = Meclizine		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		203 = Limbitrol		
		205 = Serax, Oxazepam		
		206 = Tranxene		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		211 = BuSpar, Buspirone		
		213 = Equanil		
		214 = Deprol		
		215 = Vistaril		
		216 = Atarax, Hydroxyzine		
		220 = Meproamate		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		222 = USED TRANQUILIZER, DON'T KNOW NAME		
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin		
		225 = Desyrel, Trazodone hydrochloride		
		226 = Stelazine, Trifluoperazine HCl		
		227 = Thorazine		
		228 = Amitriptyline, Elavil		
		229 = Librax		
		232 = Mellaril		
		234 = Flexeril, Cyclobenzaprine		
		235 = Imipramine		
		237 = Versed		
		240 = Lithium carbonate, Lithonate		
		241 = Prozac, Fluoxetine		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		247 = Adapin, Doxepin, Sinequan		
		268 = Rohypnol, Flunitrazepam, roche, roofies		
		271 = Zolof		
		280 = Ketaset		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	96
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		283 = Paroxetine, Paxil		
		285 = Risperdal, Risperdol, Risperidone		
		288 = Baclofen		
		289 = Olanzapine, Zyprexa		
		290 = Skelaxin		
		291 = Celexa, Citalopram		
		293 = Anafranil, Clomipramine		
		295 = Mirtazapine, Remeron		
		298 = Acepromazine, PromAce		
		301 = Dexedrine		
		305 = Biphedamine		
		307 = Tenuate, Diethylpropion		
		311 = Preludin		
		318 = Ritalin, Methylphenidate		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		327 = Black beauties, black beauty		
		328 = Pink hearts		
		351 = Cathinone, Cat, Khat, Q'at		
		374 = Christmas tree(s)		
		377 = Albuterol, Proventil, Ventolin		
		382 = Footballs, purple footballs		
		406 = Percodan, Roxiprin		
		407 = Demerol, Meperidine		
		408 = Dilaudid, Hydromorphone		
		413 = Talacen		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		422 = Motrin		
		423 = Percocet		
		425 = Advil <OTC>		
		427 = Darvocet		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		431 = Tylox		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		442 = Ibuprofen		
		462 = Norflex		
		477 = Melumbrina, Neo-Melumbrina		
		481 = Acular, Ketorolac tromethamine, Toradol		
		496 = Ultram		
		603 = Mescaline		
		658 = Special K, Ketamine		
		663 = Animal tranquilizer, horse tranquilizer		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		802 = THC, cannabinal, marinol		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		820 = Penicillin		
		821 = Amoxicillin, Ampicillin, Pentrexly		
		824 = Steroids		
		828 = Tetracycline		
		847 = GHB, NSC, gamma hydroxybutyrate		
		848 = Liquid vitamin, vitamin pills <OTC>		
		894 = Depakene, Depakote, Valproic acid		
		896 = Catapres, Clonidine		
		1006 = Trileptal, Oxcarbazepine		
		1008 = Rohr 714, Rorer 714		
		1011 = Lunesta		
		1013 = Ambien CR		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	97
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		2003 = Zannies, zans, zany bars		
		2004 = Bromazepam, Lexillum, Lexomil, Lexotan		
		2005 = Insidon, Opipramol		
		2006 = Chlorzoxazone		
		2007 = R2		
		2008 = 747		
		2010 = Buscopan		
		2011 = Lexapro		
		2018 = 4 Bar, Quad Bar		
		2021 = Lidone, Moban, Molindone		
		2022 = Tetrazepam		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3037 = Effexor		
		3052 = Speed; otherwise unspecified		
		3077 = Concerta		
		3090 = Provigil, Modafinil		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		
		4022 = Buprenex		
		4024 = Reynol		
		4027 = Rorer		
		4033 = Vicoprofen		
		4035 = Nabumetone, Relafin		
		4043 = Tramadol		
		4044 = Hydrocodone		
		4046 = Oxycodone or unspecified oxycodone products		
		4051 = Celebrex		
		4057 = Mejoral		
		4067 = OxyContin		
		4077 = Tee's		
		4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin		
		4090 = Dorixina		
		4091 = K4		
		4098 = Banamine		
		4104 = Dolo-Neurobion		
		6076 = Lemon 714		
		8002 = Zantac		
		8007 = Gabapentin, Neurontin		
		8008 = Antidepressant; type unspecified		
		8011 = Herb, flower, plant; type unspecified		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8035 = Prednisone		
		8085 = Antipsychotics; type unspecified		
		8097 = Tizanidine, Zanaflex		
		8117 = Hydrocortisone		
		8141 = Gamma butyrolactone, GBL		
		8144 = Clarinex, Desloratadine		
		8172 = Cortisone		
		8195 = Anti-seizures; type unspecified		
		8203 = Bar; otherwise unspecified		
		8228 = Boldo		
		8229 = ADHD/ADD medication; otherwise unspfd		
		8240 = Lamictal, Lamotrigine		
		8247 = Abilify, Aripiprazole		
		9981 = NEVER USED TRANQUILIZERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED TRANQUILIZERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	98
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TRNEWB	4	OTHER TRANQUILIZER - SPECIFY 2		
		105 = Placidyl, Ethchlorvynol		
		108 = Nembutal		
		109 = Seconal		
		110 = Tuinal		
		115 = Phenobarbital		
		116 = Methaqualone, Sopor, Quaalude		
		119 = Secobarbital		
		124 = Yellow jackets		
		129 = Reds		
		130 = Phenergan, Promethazine		
		131 = Haldol, Haloperidol		
		137 = 7-14		
		138 = Mandrax, Mandrix [see also 116]		
		174 = Ambien, Zolpidem		
		178 = Quetiapine, Seroquel		
		189 = Sonata		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		215 = Vistaril		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		222 = USED TRANQUILIZER, DON'T KNOW NAME		
		225 = Desyrel, Trazodone hydrochloride		
		227 = Thorazine		
		228 = Amitriptyline, Elavil		
		234 = Flexeril, Cyclobenzaprine		
		237 = Dormicum, Hypnovel, Midazolam, Versed		
		241 = Prozac, Fluoxetine		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		247 = Adapin, Doxepin, Sinequan		
		268 = Rohypnol, Flunitrazepam, roche, roofies		
		271 = Zolof		
		278 = Benzodiazepines		
		280 = Ketaset		
		283 = Paroxetine, Paxil		
		285 = Risperdal, Risperdol, Risperidone		
		289 = Olanzapine, Zyprexa		
		291 = Celexa, Citalopram		
		296 = Novoxapam		
		312 = Ionamin		
		318 = Ritalin, Methylphenidate		
		371 = Cogentin		
		401 = Darvon		
		407 = Demerol, Meperidine		
		411 = Talwin		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		422 = Motrin		
		425 = Advil <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		614 = MDA, Methylenedioxy amphetamine		
		658 = Special K, Ketamine		
		663 = Animal tranquilizer, horse tranquilizer		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		820 = Penicillin		
		821 = Amoxicillin, Ampicillin		
		896 = Catapres, Clonidine		
		1006 = Trileptal, Oxcarbazepine		
		1009 = Mogadon, Nitrazepam		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	99
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		1011 = Lunesta		
		2004 = Bromazepam, Lexillum, Lexomil, Lexotan		
		2008 = 747		
		2011 = Lexapro		
		2017 = Motival		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3052 = Speed; otherwise unspecified		
		3086 = Adderall XR		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		
		4058 = Totem poles		
		4067 = OxyContin		
		6149 = Tiletamine		
		8012 = Coriciden <OTC>		
		8098 = Potassium chloride		
		8203 = Bar; otherwise unspecified		
		8210 = Mylan(s); no other information		
		9981 = NEVER USED TRANQUILIZERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED TRANQUILIZERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	100
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TRNEWC	4	OTHER TRANQUILIZER - SPECIFY 3		
		106 = Doriden		
		108 = Nembutal		
		109 = Seconal		
		110 = Tuinal		
		115 = Phenobarbital		
		116 = Methaqualone, Sopor, Quaalude		
		129 = Reds		
		174 = Ambien, Zolpidem		
		178 = Quetiapine, Seroquel		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		222 = USED TRANQUILIZER, DON'T KNOW NAME		
		227 = Thorazine		
		234 = Flexeril, Cyclobenzaprine		
		241 = Prozac, Fluoxetine		
		246 = Klonopin, Clonazepam, Rivotril		
		271 = Zoloft		
		289 = Olanzapine, Zyprexa		
		418 = Methadone, Dolophine		
		422 = Motrin		
		425 = Advil <OTC>		
		431 = Tylox		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		450 = Acetaminophen, incl. non-Tylenol brands <OTC>		
		566 = Smoked tea from Lipton tea bag		
		658 = Special K, Ketamine		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		
		2017 = Motival		
		3023 = Adderall		
		6083 = CCC, "Triple C," C3 <OTC>		
		8203 = Bar; otherwise unspecified		
		9981 = NEVER USED TRANQUILIZERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED TRANQUILIZERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
TRNEWD	4	OTHER TRANQUILIZER - SPECIFY 4		
		110 = Tuinal		
		116 = Methaqualone, Sopor, Quaalude		
		201 = Valium, Diazepam		
		207 = Ativan, Lorazepam		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		215 = Vistaril		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		222 = USED TRANQUILIZER, DON'T KNOW NAME		
		290 = Skelaxin		
		658 = Special K, Ketamine		
		663 = Animal tranquilizer, horse tranquilizer		
		8012 = Coriciden <OTC>		
		9981 = NEVER USED TRANQUILIZERS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED TRANQUILIZERS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

TRANQUILIZERS			PAGE:	101
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TRNEWE	4	OTHER TRANQUILIZER - SPECIFY 5 113 = Halcion, Triazolam 116 = Methaqualone, Sopor, Quaalude 209 = Xanax, Alprazolam, Tafil, Xanax bars 221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED 658 = Special K, Ketamine 663 = Animal tranquilizer, horse tranquilizer 847 = GHB, NSC 8097 = Zanaflex 9981 = NEVER USED TRANQUILIZERS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED TRANQUILIZERS 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		
(TRREF)		The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused? NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLONOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
TRNEVER	2	EVER USED TRANQUILIZERS NONMEDICALLY 1 = Yes 81 = NEVER USED TRANQUILIZERS Logically assigned 91 = NEVER USED TRANQUILIZERS 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TR06)		How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS NONMEDICALLY RANGE = 1 - 85 981 = NEVER USED TRANQUILIZERS Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED TRANQUILIZERS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		

TRANQUILIZERS			PAGE:	102
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS NONMEDICALLY 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 97 = REFUSED 98 = BLANK (NO ANSWER)		
TRNYRTOT	3	TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS RANGE = 1 - 365 981 = NEVER USED TRANQUILIZERS Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED TRANQUILIZERS 993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
TRTOTFG	2	TRIMMING INDICATOR FOR TRNYRTOT 1 = Trimmed to 365 days (no further editing) 98 = BLANK (NO ANSWER)		
TRFQFLG	2	TRIMMED TRNYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use 98 = BLANK (NO ANSWER)		

TRANQUILIZERS			PAGE:	103
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPYR	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS RANGE = 1 - 365 981 = NEVER USED TRANQUILIZERS Logically assigned 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 991 = NEVER USED TRANQUILIZERS 993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPMO	2	# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS RANGE = 1 - 31 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

TRANQUILIZERS			PAGE:	104
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPWK	2	# DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7		
		81 = NEVER USED TRANQUILIZERS Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED TRANQUILIZERS		
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

STIMULANTS			PAGE:	105
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST01)		STIMULANTS		

		These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.		
		Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.		
		Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
METHDES	2	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST02)		Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphetamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?		
DIETPILS	2	EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

STIMULANTS			PAGE:	106
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ST03)		Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?		
RITMPHEN	2	EVER USED RITALIN OR METHYLPHENIDATE 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST04)		Please look at the stimulants shown below the red line on Card C. Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?		
STMCARD	2	EVER USED ANY STIMULANT BELOW RED LINE ON CARD C 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST04A)		Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CYLERT	2	EVER USED CYLERT NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
DEXED	2	EVER USED DEXEDRINE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	107
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DETAMP	2	EVER USED DEXTROAMPHETAMINE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
DIDREX	2	EVER USED DIDREX NONMEDICALLY 1 = Response entered 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
ESKAT	2	EVER USED ESKATROL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
IONAMIN	2	EVER USED IONAMIN NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
MAZANOR	2	EVER USED MAZANOR NONMEDICALLY 1 = Response entered 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	108
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
OBLA	2	EVER USED OBEDRIN-LA NONMEDICALLY 1 = Response entered 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
PLEGINE	2	EVER USED PLEGINE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
PRELUDIN	2	EVER USED PRELUDIN NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
SANOREX	2	EVER USED SANOREX NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
TENUATE	2	EVER USED TENUATE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED STIMULANTS Logically assigned 91 = NEVER USED STIMULANTS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

STIMULANTS			PAGE:	109
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST05)		Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STMNOLST 2		EVER USED ANY OTHER STIMULANT NONMEDICALLY		
		1 = Yes		
		2 = No		
		4 = No LOGICALLY ASSIGNED		
		81 = NEVER USED STIMULANTS Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED STIMULANTS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

STIMULANTS			PAGE:	110
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
STIMNEWA	4	OTHER STIMULANT - SPECIFY 1		
		105 = Placidyl, Ethchlorvynol		
		109 = Seconal		
		111 = Dalmane, Flurazepam		
		116 = Methaqualone, Sopor, Quaalude		
		124 = Yellow jackets		
		129 = Reds		
		137 = 7-14		
		139 = Black widows		
		142 = Belladonna		
		145 = Red devil(s)		
		174 = Ambien, Zolpidem		
		178 = Quetiapine, Seroquel		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		213 = Equanil		
		225 = Desyrel, Trazodone hydrochloride		
		227 = Thorazine		
		234 = Flexeril, Cyclobenzaprine		
		235 = Imipramine		
		240 = Lithium carbonate, Lithonate		
		241 = Prozac, Fluoxetine		
		246 = Klonopin, Clonazepam, Rivotril		
		271 = Sertraline, Zoloft		
		283 = Paroxetine, Paxil		
		285 = Risperdal, Risperdol, Risperidone		
		291 = Celexa		
		295 = Mirtazapine, Remeron		
		301 = Dexedrine		
		302 = Dexamyl		
		303 = Eskatrol		
		304 = Benzedrine		
		305 = Biphedamine		
		306 = Desoxyn		
		307 = Tenuate, Diethylpropion		
		310 = Plegine		
		311 = Preludin		
		312 = Ionamin		
		313 = Fastin, Phentermine, Adipex-P		
		314 = Pondimin, Fenfluramine		
		316 = Sanorex		
		318 = Ritalin, Methylphenidate		
		319 = Cylert		
		320 = Dextroamphetamine		
		321 = Methedrine		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		325 = USED STIMULANT, DON'T KNOW NAME		
		326 = White cross		
		327 = Black beauties, black beauty		
		328 = Pink hearts		
		329 = Bird's eggs, robin's eggs, speckled eggs		
		330 = Blue birds, blue jays, blue robins, speckled bird		
		331 = Blancs, whites		
		332 = Ephedrine		
		333 = 357 Magnum, Magnum 44 <OTC>		
		334 = Crossroads, cross tops		
		335 = Dexatrim <OTC>		
		336 = Diet pills/medications/drugs; otherwise unspfd		
		339 = Amphetamines		
		342 = Purple hearts		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	111
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		344 = Bennies		
		345 = Black molly		
		346 = Marax		
		347 = Phenylpropanolamine <OTC>		
		348 = Crystal		
		349 = Bontril, Melfiat, Phendimetrazine		
		351 = Cathinone, cat, khat, Q'at		
		352 = Lemons		
		353 = No-Doz <OTC>		
		354 = Vivarin <OTC>		
		355 = Crystal meth, crystal methamphetamine		
		358 = 20/20		
		359 = Criss cross		
		374 = Christmas tree(s)		
		377 = Albuterol, Proventil, Ventolin		
		380 = Pink ladies		
		382 = Footballs, purple footballs		
		407 = Demerol, Meperidine		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Dolophine, Methadone		
		419 = Stadol, Stadol NS		
		422 = Motrin		
		423 = Percocet		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		442 = Ibuprofen		
		458 = Finalin, Mepergan, Mepergan Fortis, Meprozone		
		496 = Ultram		
		601 = LSD ("acid")		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		614 = MDA, Methylenedioxy amphetamine		
		624 = Orange sunshine, sunshine, yellow sunshine		
		635 = Ginseng seeds, ginseng weed		
		637 = Purple haze		
		658 = Special K, Ketamine		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		802 = THC, cannabinal, marinol, tetrahydrocannabinol		
		805 = Cocaine, coca, cocaina, coke, perico		
		806 = Crack, rock		
		809 = Pills		
		814 = Caffeine <OTC>		
		824 = Steroids		
		847 = GHB, NSC		
		873 = Contraceptives, Ferutal, Ortho Novum		
		876 = Glass		
		894 = Depakene, Depakote, Valproic acid		
		1002 = Dramamine, seasick/motion sickness pill <OTC>		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		
		2011 = Lexapro		
		3001 = Brown and clear		
		3004 = Black cadillac		
		3006 = Green amps		
		3007 = Nasal inhalant		
		3008 = Miniwhites		
		3015 = Fen-Phen (fenfluramine and phentermine)		
		3018 = Up-johns		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3027 = Energy pills		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	112
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		3028 = Blackbirds		
		3035 = Blacks		
		3036 = Ripped fuel <OTC>		
		3037 = Effexor		
		3041 = Desbutal		
		3042 = 30-30		
		3044 = Caffeine pills <OTC>		
		3046 = Adrenalin, Epinephrine		
		3050 = Mini thins		
		3052 = Speed; otherwise unspecified		
		3055 = Clenbuterol		
		3060 = Hydroxycut <OTC>		
		3062 = Homemade stimulants		
		3064 = Ephedra, Ma Huang		
		3069 = DextroStat		
		3077 = Concerta		
		3078 = Blue and clears		
		3079 = Orlistat, Xenical		
		3080 = Meridia, Sibutramine		
		3082 = Fat burner; not otherwise specified		
		3083 = Redotex		
		3084 = Cartwheels		
		3086 = Adderall XR		
		3087 = Strattera		
		3088 = Super Stingers <OTC>		
		3089 = Christina, Tina		
		3090 = Provigil, Modafinil		
		3092 = Metadate CD		
		3093 = Supercaps		
		3094 = Dexmethylphenidate, Focalin		
		3096 = Yaba		
		3097 = Bamadex		
		3099 = Asenlix, Clobenzorex		
		3102 = Methylin		
		3103 = RedLine <OTC>		
		3105 = Affinato		
		3111 = Vyvanse		
		3114 = Ritalin LA		
		3187 = Greenies		
		4044 = Hydrocodone		
		4047 = Roxicet		
		4057 = Mejoral		
		4067 = OxyContin		
		4069 = Benflogin		
		6029 = DXM		
		6048 = Dex		
		6076 = Lemon 714		
		6113 = Candy flip		
		6114 = Molly; not otherwise specified		
		8002 = Zantac		
		8008 = Antidepressant; type unspecified		
		8009 = Allergy pills/antihistamine; type unspecified		
		8010 = Zyrtec, Cetirizine		
		8011 = Herb, flower, plant; type unspecified		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8025 = Claritin, Claritin D		
		8026 = Powder		
		8031 = Sugar pills		
		8058 = Cough medicine/syrup; type unspecified		
		8061 = Entex LA		
		8066 = Viagra		
		8093 = Stacker 2/Stacker 3 <OTC>		
		8108 = Atenonol		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	113
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		8132 = Liquid D-bol		
		8136 = Montekulast, Singulair		
		8149 = Desenfriol <OTC>		
		8171 = Dietary supplements; otherwise unspecified		
		8178 = Norateen		
		8180 = Avonex		
		8203 = Bar; otherwise unspecified		
		8229 = ADHD/ADD medication; otherwise unspfd		
		8238 = Decongestant; type unspecified		
		8247 = Abilify, Aripiprazole		
		8252 = Humatrope		
		8262 = Green tea/green tea supplement <OTC>		
		9981 = NEVER USED STIMULANTS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED STIMULANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	114
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
STIMNEWB	4	OTHER STIMULANT - SPECIFY 2		
		115 = Phenobarbital		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		124 = Yellow jackets		
		129 = Reds		
		139 = Black widows		
		145 = Red devil(s)		
		171 = NyQuil <OTC>		
		177 = Bean		
		201 = Valium, Diazepam		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		241 = Prozac, Fluoxetine		
		271 = Zoloft		
		285 = Risperdal, Risperdol, Resperidone		
		290 = Skelaxin		
		291 = Celexa		
		301 = Dexedrine		
		306 = Desoxyn		
		307 = Tenuate, Diethylpropion		
		311 = Preludin		
		313 = Fastin, Phentermine, Adipex-P		
		318 = Ritalin, Methylphenidate		
		320 = Dextroamphetamine		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		325 = USED STIMULANT, DON'T KNOW NAME		
		326 = White cross		
		327 = Black beauties, black beauty		
		328 = Pink hearts		
		329 = Bird's eggs, robin's eggs, speckled eggs		
		331 = Blancs, whites		
		332 = Ephedrine		
		333 = 357 Magnum, Magnum 44 <OTC>		
		334 = Crossroads, cross tops		
		335 = Dexatrim <OTC>		
		336 = Diet pills/medications/drugs; otherwise unspfd		
		339 = Amphetamines		
		345 = Black Molly		
		348 = Crystal		
		349 = Melfiat, Phendimetrazine		
		352 = Lemons		
		353 = No-Doz <OTC>		
		355 = Crystal meth, crystal methamphetamine		
		358 = 20/20		
		359 = Criss cross		
		364 = Pseudoephedrine <OTC>		
		374 = Christmas tree(s)		
		379 = Hearts		
		380 = Pink ladies		
		385 = Little pink one		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		442 = Ibuprofen		
		458 = Finalin, Mepergan, Mepergan Fortis, Meprozone		
		481 = Acular, Ketorolac tromethamine, Toradol		
		603 = Mescaline		
		663 = Animal tranquilizer, horse tranquilizer		
		815 = Coffee <OTC>		
		876 = Glass		
		894 = Depakene, Depakote, Valproic acid		
		1002 = Dramamine, seasick/motion sickness pill <OTC>		
		1013 = Ambien CR		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	115
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		2003 = Zanies, zannies, zans, zany bars		
		3001 = Brown and clear		
		3004 = Black cadillac		
		3008 = Miniwhites		
		3018 = Up-johns		
		3023 = Adderall		
		3027 = Energy pills		
		3028 = Blackbirds		
		3036 = Ripped fuel <OTC>		
		3042 = 30-30		
		3044 = Caffeine pills <OTC>		
		3050 = Mini thins		
		3052 = Speed; otherwise unspecified		
		3055 = Clenbuterol		
		3056 = Xenadrine <OTC>		
		3060 = Hydroxycut <OTC>		
		3069 = DextroStat		
		3077 = Concerta		
		3078 = Blue and clears		
		3086 = Adderall XR		
		3087 = Stratterra		
		3090 = Provigil, Modafinil		
		3094 = Dexmethylphenidate, Focalin		
		3105 = Affinato		
		3108 = Wellbutrin XL		
		3110 = Dexfenfluramine, Redux		
		3111 = Vyvanse		
		4056 = Cataflam, Diclofenac, Voltaren		
		4107 = Panlor		
		4109 = Suboxone		
		6029 = DXM		
		6048 = Dex		
		6114 = Molly; not otherwise specified		
		8009 = Allergy pills/antihistamine; type unspecified		
		8012 = Coriciden <OTC>		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8066 = Viagra		
		8093 = Stacker 2/Stacker 3 <OTC>		
		8132 = Liquid D-bol		
		8137 = 5-HTP, 5-hydroxytryptophan <OTC>		
		8152 = Thermogenics; otherwise unspecified <OTC>		
		8176 = TrimSpa <OTC>		
		8203 = Bar; otherwise unspecified		
		8222 = Protein-based weight gain product, type unspcfd		
		8247 = Abilify, Aripiprazole		
		8252 = Humatrope		
		8263 = Stimulin <OTC>		
		8273 = Goofballs		
		9981 = NEVER USED STIMULANTS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED STIMULANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	116
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STIMNEWC	4	OTHER STIMULANT - SPECIFY 3		
		124 = Yellow jackets		
		129 = Reds		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		240 = Lithium carbonate, Lithonate		
		241 = Prozac, Fluoxetine		
		271 = Zoloft		
		318 = Ritalin, Methylphenidate		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		325 = USED STIMULANT, DON'T KNOW NAME		
		326 = White cross		
		327 = Black beauties, black beauty		
		328 = Pink hearts		
		329 = Bird's eggs, robin's eggs, speckled eggs		
		332 = Ephedrine		
		334 = Crossroads, cross tops		
		336 = Diet pills		
		337 = White molly		
		344 = Bennies		
		348 = Crystal		
		355 = Crystal meth, crystal methamphetamine		
		374 = Christmas tree(s)		
		379 = Hearts		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		658 = Special K, Ketamine		
		814 = Caffeine <OTC>		
		3015 = Fen-Phen (fenfluramine and phentermine)		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3036 = Ripped fuel <OTC>		
		3037 = Effexor		
		3052 = Speed; otherwise unspecified		
		3060 = Hydroxycut <OTC>		
		3077 = Concerta		
		3087 = Strattera		
		3102 = Methylin		
		3112 = Metadate		
		3187 = Greenies		
		6069 = Peach		
		6083 = CCC, "Triple C," C3 <OTC>		
		8066 = Viagra		
		8093 = Stacker 2/Stacker 3 <OTC>		
		8104 = Thermadrene <OTC>		
		8132 = Liquid D-bol		
		8140 = Anamine		
		9981 = NEVER USED STIMULANTS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED STIMULANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	117
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STIMNEW	4	OTHER STIMULANT - SPECIFY 4		
		124 = Yellow jackets		
		201 = Valium, Diazepam		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		283 = Paroxetine, Paxil		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		325 = USED STIMULANT, DON'T KNOW NAME		
		326 = White cross		
		327 = Black beauties, black beauty		
		329 = Bird's eggs, robin's eggs, speckled eggs		
		330 = Blue birds, blue jays, blue robins, speckled bird		
		332 = Ephedrine		
		353 = No-Doz <OTC>		
		356 = Dexies		
		417 = Morphine, Roxanol		
		423 = Percocet		
		663 = Animal tranquilizer, horse tranquilizer		
		883 = Dextromethorphan hydrobromide <OTC>		
		3023 = Adderall		
		3036 = Ripped fuel <OTC>		
		3050 = Mini Thins		
		3055 = Clenbuterol		
		3060 = Hydroxycut <OTC>		
		3077 = Concerta		
		3086 = Adderall XR		
		8093 = Stacker 2/Stacker 3 <OTC>		
		9981 = NEVER USED STIMULANTS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED STIMULANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
STIMNEW	4	OTHER STIMULANT - SPECIFY 5		
		301 = Dexedrine		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED		
		327 = Black beauties, Black beauty		
		328 = Pink hearts		
		332 = Ephedrine		
		374 = Christmas tree(s)		
		411 = Talwin		
		415 = Codeine		
		3023 = Adderall		
		3064 = Ephedra, Ma Huang		
		8093 = Stacker 2/Stacker 3 <OTC>		
		9981 = NEVER USED STIMULANTS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED STIMULANTS		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

STIMULANTS			PAGE:	118
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(STREF2)		<p>The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.</p> <p>Please think again about answering this question: Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?</p> <p>NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.</p>		
STMEVER	2	<p>EVER USED STIMULANTS NONMEDICALLY</p> <p>1 = Yes</p> <p>81 = NEVER USED STIMULANTS Logically assigned</p> <p>91 = NEVER USED STIMULANTS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(ST06)		<p>How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?</p>		
STIMAGE	3	<p>AGE WHEN FIRST USED STIMULANTS NONMEDICALLY</p> <p>RANGE = 1 - 76</p> <p>981 = NEVER USED STIMULANTS Logically assigned</p> <p>985 = BAD DATA Logically assigned</p> <p>991 = NEVER USED STIMULANTS</p> <p>994 = DON'T KNOW</p> <p>997 = REFUSED</p> <p>998 = BLANK (NO ANSWER)</p>		

STIMULANTS			PAGE:	119
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STIMREC	2	TIME SINCE LAST USED STIMULANTS NONMEDICALLY 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 12 = Used >30 days ago but within pst 12 mos LOG ASSN 81 = NEVER USED STIMULANTS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED STIMULANTS 97 = REFUSED 98 = BLANK (NO ANSWER) NOTE: The variables STMYRTOT, STBSTWAY, STDAYPYR, STDAYPMO, and STDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any stimulant more than 12 months ago but subsequently reported more recent use of any stimulant or methamphetamine.		
STMYRTOT	3	TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS RANGE = 1 - 365 981 = NEVER USED STIMULANTS Logically assigned 983 = DID NOT USE STIMULANTS PAST 12 MOS Log assn 985 = BAD DATA Logically assigned 990 = NOT ASKED THE QUESTION Logically assigned 991 = NEVER USED STIMULANTS 993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
STTOTFG	2	TRIMMING INDICATOR FOR STMYRTOT 1 = Trimmed to 365 days (no further editing) 98 = BLANK (NO ANSWER)		
STFQFLG	2	TRIMMED STMYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use 98 = BLANK (NO ANSWER)		

STIMULANTS			PAGE:	120
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(ST10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
STBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 21 = Prefer to ans in days per wk (MTBSTWAY=1,11) 22 = Prefer to ans in days per mo (MTBSTWAY=2,12) 23 = Prefer to ans in days per yr (MTBSTWAY=3,13) 81 = NEVER USED STIMULANTS Logically assigned 83 = DID NOT USE STIMULANTS PAST 12 MOS Log assn 85 = BAD DATA Logically assigned 90 = NOT ASKED THE QUESTION Logically assigned 91 = NEVER USED STIMULANTS 93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPYR	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS RANGE = 1 - 365 981 = NEVER USED STIMULANTS Logically assigned 983 = DID NOT USE STIMULANTS PAST 12 MOS Log assn 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 990 = NOT ASKED THE QUESTION Logically assigned 991 = NEVER USED STIMULANTS 993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

STIMULANTS			PAGE:	121
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPMO	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 31		
		81 = NEVER USED STIMULANTS Logically assigned		
		83 = DID NOT USE STIMULANTS PAST 12 MOS Log assn		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		90 = NOT ASKED THE QUESTION Logically assigned		
		91 = NEVER USED STIMULANTS		
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPWK	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 7		
		81 = NEVER USED STIMULANTS Logically assigned		
		83 = DID NOT USE STIMULANTS PAST 12 MOS LOG ASSN		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		90 = NOT ASKED THE QUESTION Logically assigned		
		91 = NEVER USED STIMULANTS		
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(ST14)		Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?		
METHAGE	3	AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE		
		RANGE = 1 - 60		
		981 = NEVER USED METHAMPHETAMINE Logically assigned		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED METHAMPHETAMINE		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		

STIMULANTS			PAGE:	122
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
METHREC	2	TIME SINCE LAST USED METHAMPHETAMINE 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 81 = NEVER USED METHAMPHETAMINE Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED METHAMPHETAMINE 97 = REFUSED 98 = BLANK (NO ANSWER)		
MTHYRTOT	3	TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS RANGE = 1 - 364 981 = NEVER USED METHAMPHETAMINE Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED METHAMPHETAMINE 993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
MTTOTFG	2	TRIMMING INDICATOR FOR MTHYRTOT 98 = BLANK (NO ANSWER)		
MTFQFLG	2	TRIMMED MTHYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use 98 = BLANK (NO ANSWER)		
(ST20)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months. What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?		
MTBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 23 = Prefer to ans in days per yr (STBSTWAY=3,13) 81 = NEVER USED METHAMPHETAMINE Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED METHAMPHETAMINE 93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

STIMULANTS			PAGE:	123
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPYR	3	# DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS		
		RANGE = 1 - 365		
		981 = NEVER USED METHAMPHETAMINE Logically assigned		
		985 = BAD DATA Logically assigned		
		989 = LEGITIMATE SKIP Logically assigned		
		991 = NEVER USED METHAMPHETAMINE		
		993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPMO	2	# DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS		
		RANGE = 1 - 30		
		81 = NEVER USED METHAMPHETAMINE Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED METHAMPHETAMINE		
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPWK	2	# DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS		
		RANGE = 1 - 7		
		81 = NEVER USED METHAMPHETAMINE Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED METHAMPHETAMINE		
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

SEDATIVES			PAGE:	124
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV01)		<p>SEDATIVES</p> <p>-----</p> <p>These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.</p> <p>Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.</p> <p>Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?</p>		
METHAQ	2	<p>EVER USED METHAQUALONE, SOPOR, OR QUAALUDE</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Yes LOGICALLY ASSIGNED</p> <p>81 = NEVER USED SEDATIVES Logically assigned</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED SEDATIVES</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(SV02)		<p>Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?</p>		
NEMBBARB	2	<p>EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Yes LOGICALLY ASSIGNED</p> <p>81 = NEVER USED SEDATIVES Logically assigned</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED SEDATIVES</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		

SEDATIVES			PAGE:	125
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SV03)		Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
RESTTMAZ	2	EVER USED RESTORIL OR TEMAZEPAM 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SV04)		Please look at the sedatives shown below the red line on Card D. Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?		
SEDCARD	2	EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SV04A)		Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
AMYTAL	2	EVER USED AMYTAL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
BUTISOL	2	EVER USED BUTISOL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

SEDATIVES			PAGE:	126
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CHHYD	2	EVER USED CHLORAL HYDRATE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
DALMANE	2	EVER USED DALMANE NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
HALCION	2	EVER USED HALCION NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
PHENOBAR	2	EVER USED PHENOBARBITAL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
PLACIDYL	2	EVER USED PLACIDYL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

SEDATIVES			PAGE:	127
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
TUINAL	2	EVER USED TUINAL NONMEDICALLY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED SEDATIVES Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SV05)		Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDNOLST	2	EVER USED ANY OTHER SEDATIVE NONMEDICALLY 1 = Yes 2 = No 4 = No LOGICALLY ASSIGNED 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SEDATIVES			PAGE:	128
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
SEDNEWA	4	OTHER SEDATIVES - SPECIFY 1		
		101 = Butisol		
		103 = Amytal		
		105 = Placidyl, Ethchlorvynol		
		106 = Doriden		
		107 = Noludar		
		108 = Nembutal		
		109 = Seconal		
		110 = Tuinal		
		111 = Dalmane, Flurazepam		
		112 = Restoril, Temazepam		
		113 = Halcion, Triazolam		
		115 = Phenobarbital		
		116 = Methaqualone, Sopor, Quaalude		
		117 = Chloral hydrate, Noctec		
		118 = Pentobarbital, Pentothal, Sodium pentothal		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		121 = USED SEDATIVE, DON'T KNOW NAME		
		123 = Unisom <OTC>		
		124 = Yellow jackets		
		129 = Reds		
		130 = Phenergan, Promethazine		
		131 = Haldol, Haloperidol		
		137 = 7-14		
		138 = Mandrax, Mandrix [see also 116]		
		145 = Red devil(s)		
		153 = Luminal		
		156 = Sodium barbital		
		157 = Barbiturates		
		171 = NyQuil <OTC>		
		174 = Ambien, Stilnox, Zolpidem		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		186 = Butalbital		
		188 = Estazolam, Prosom		
		189 = Sonata		
		197 = Topamax, Topiramate		
		198 = Seducaps		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		205 = Serax, Oxazepam		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		216 = Atarax, Hydroxyzine		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED		
		225 = Desyrel, Trazodone hydrochloride		
		227 = Thorazine		
		228 = Amitriptyline, Elavil		
		232 = Mellaril		
		234 = Flexeril, Cyclobenzaprine		
		240 = Lithium carbonate, Lithonate		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		247 = Adapin, Doxepin, Sinequan		
		268 = Rohypnol, Flunitrazepam, roche, roofies		
		271 = Sertraline, Zoloft		
		280 = Ketaset		
		283 = Paroxetine, Paxil		
		284 = Tofranil		
		285 = Risperdal, Risperdol, Risperidone		
		289 = Olanzapine, Zyprexa		
		290 = Skelaxin		
		291 = Celexa		
		295 = Mirtazapine, Remeron		

Codebook Creation Date: April 24, 2012

SEDATIVES			PAGE:	129
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		313 = Fastin, Phentermine, Adipex-P		
		318 = Ritalin, Methylphenidate		
		319 = Cylert		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		326 = White cross		
		327 = Black beauties, black beauty		
		332 = Ephedrine		
		345 = Black Molly		
		352 = Lemons		
		380 = Pink ladies		
		396 = Black RJs, RJ8		
		406 = Percodan, Roxiprin		
		407 = Demerol, Meperidine		
		408 = Dilaudid		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4		
		411 = Talwin		
		415 = Codeine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		419 = Stadol, Stadol NS		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		423 = Percocet		
		427 = Darvocet, Davocet-N		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		438 = Anaprox, Naprosyn, Naproxen, Naxen		
		442 = Ibuprofen		
		450 = Acetaminophen, incl. non-Tylenol brands <OTC>		
		454 = Novocain, Procaine		
		458 = Mepergan, Mepergan Fortis, Meprozone		
		618 = Acid paper, blotter (acid)		
		658 = Special K, Ketamine		
		663 = Animal tranquilizer, horse tranquilizer		
		702 = Heroin		
		703 = Opium		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		805 = Cocaine, coca, cocaina, coke		
		820 = Penicillin		
		824 = Steroids		
		847 = GHB, NSC		
		858 = Antibiotic		
		894 = Depakene, Depakote, Valproic acid		
		896 = Catapres, Clonidine		
		1001 = Benadryl, Diphenhydramine <OTC>		
		1004 = Valerian <OTC>		
		1005 = Imovane, Zopiclone		
		1006 = Trileptal, Oxcarbazepine		
		1008 = Rohr 714, Rorer 714		
		1011 = Lunesta		
		1012 = Brevital, Methohexital		
		1013 = Ambien CR		
		1018 = Advil PM <OTC>		
		2001 = Sanoma, Soma, Carisoprodol		
		2002 = Muscle relaxers		
		2003 = Zanies, zannies, zans, zany bars		
		2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotamil		
		2011 = Lexapro		
		2019 = Soma Compound		
		3004 = Black cadillac		
		3023 = Adderall		
		3026 = Bupropion, Wellbutrin, Zyban		
		3052 = Speed; otherwise unspecified		
		3060 = Hydroxycut <OTC>		

Codebook Creation Date: April 24, 2012

SEDATIVES			PAGE:	130
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		3077 = Concerta		
		3082 = Fat burner; not otherwise specified		
		3091 = Black Bombers		
		3094 = Dexmethylphenidate, Focalin		
		3106 = Sedalmerk		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		
		4024 = Reynol		
		4031 = Cough medicine with Codeine		
		4043 = Tramadol		
		4044 = Hydrocodone		
		4045 = Dolgic, Phrenillin Forte		
		4046 = Oxycodone or unspecified oxycodone products		
		4054 = Zomax		
		4055 = Vioxx		
		4058 = Totem poles		
		4067 = OxyContin		
		4083 = Ultracet		
		4109 = Suboxone		
		4112 = Saridone		
		6029 = DXM		
		6110 = Mad dog		
		6131 = Mandrakes		
		8002 = Zantac		
		8007 = Gabapentin, Neurontin		
		8009 = Allergy pills/antihistamine; type unspecified		
		8011 = Herb, flower, plant; type unspecified		
		8020 = Allegra		
		8058 = Cough medicine/syrup; type unspecified		
		8153 = Nexium		
		8154 = Beta Blocker; otherwise unspecified		
		8178 = Norateen		
		8203 = Bar; otherwise unspecified		
		8211 = Precose		
		8213 = Ranitidine		
		9981 = NEVER USED SEDATIVES Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED SEDATIVES		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

SEDATIVES			PAGE:	131
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
SEDNEWB	4	OTHER SEDATIVES - SPECIFY 2		
		103 = Amytal		
		110 = Tuinal		
		111 = Dalmene, Flurazepam		
		112 = Restoril, Temazepam		
		113 = Halcion, Triazolam		
		115 = Phenobarbital		
		116 = Methaqualone, Sopor, Quaalude		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		121 = USED SEDATIVE, DON'T KNOW NAME		
		126 = Somnex <OTC>		
		127 = Nytol <OTC>		
		131 = Haldol, Haloperidol		
		137 = 7-14		
		171 = NyQuil <OTC>		
		174 = Ambien, Stilnox, Zolpidem		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		189 = Sonata		
		201 = Valium, Diazepam		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		225 = Desyrel, Trazodone hydrochloride		
		228 = Amitriptyline, Elavil		
		234 = Flexeril, Cyclobenzaprine		
		240 = Lithium carbonate, Lithonate		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		271 = Sertraline, Zoloft		
		283 = Paroxetine, Paxil		
		285 = Risperdal, Risperdol, Risperidone		
		289 = Olanzapine, Zyprexa		
		295 = Mirtazapine, Remeron		
		327 = Black beauties, black beauty		
		415 = Codeine		
		417 = Morphine, Roxanol		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		423 = Percocet		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		442 = Ibuprofen		
		601 = LSD ("acid")		
		710 = Laudanum		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		821 = Amoxicillin, Ampicillin, Pentrexly		
		847 = GHB, NSC		
		858 = Antibiotic		
		896 = Catapres, Clonidine		
		900 = Not a drug		
		1001 = Benadryl <OTC>		
		1006 = Trileptal, Oxcarbazepine		
		1011 = Lunesta		
		1013 = Ambien CR		
		1018 = Advil PM <OTC>		
		1019 = Donormyl <OTC>		
		2001 = Soma, Carisoprodol		
		2002 = Muscle relaxers		
		3023 = Adderall		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		
		4046 = Oxycodone or unspecified oxycodone products		
		8002 = Zantac		
		8011 = Herb, flower, plant; type unspecified		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8211 = Precose		

Codebook Creation Date: April 24, 2012

SEDATIVES			PAGE:	132
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		9981 = NEVER USED SEDATIVES Logically assigned		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED SEDATIVES		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
SEDNEWC	4	OTHER SEDATIVES - SPECIFY 3		
		111 = Dalmane, Flurazepam		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		121 = USED SEDATIVE, DON'T KNOW NAME		
		174 = Ambien, Stilnox, Zolpidem		
		178 = Quetiapine, Seroquel		
		180 = Tylenol P.M. <OTC>		
		188 = Estazolam, Prosom		
		189 = Sonata		
		201 = Valium, Diazepam		
		207 = Ativan, Lorazepam, Orfidal		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		225 = Desyrel, Trazodone hydrochloride		
		246 = Clonazepam, Diocam, Klonopin, Rivotril		
		285 = Risperdal, Risperdol, Risperidone		
		289 = Olanzapine, Zyprexa		
		415 = Codeine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		442 = Ibuprofen		
		450 = Acetaminophen, incl. non-Tylenol brands <OTC>		
		900 = Not a drug		
		1011 = Lunesta		
		4043 = Tramadol		
		8007 = Gabapentin, Neurontin		
		9981 = NEVER USED SEDATIVES Logically assigned		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED SEDATIVES		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
SEDNEWD	4	OTHER SEDATIVES - SPECIFY 4		
		111 = Dalmane, Flurazepam		
		116 = Methaqualone, Sopor, Quaalude		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED		
		121 = USED SEDATIVE, DON'T KNOW NAME		
		174 = Ambien, Stilnox, Zolpidem		
		189 = Sonata		
		1011 = Lunesta		
		9981 = NEVER USED SEDATIVES Logically assigned		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED SEDATIVES		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

SEDATIVES			PAGE:	133
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
SEDNEWE	4	OTHER SEDATIVES - SPECIFY 5 110 = Tuinal 174 = Ambien, Stilnox, Zolpidem 189 = Sonata 207 = Ativan, Lorazepam, Orfidal 450 = Acetaminophen, incl. non-Tylenol brands <OTC> 4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol 9981 = NEVER USED SEDATIVES Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED SEDATIVES 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		
(SVREF)		The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused? NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
SEDEVER	2	EVER USED SEDATIVES NONMEDICALLY 1 = Yes 81 = NEVER USED SEDATIVES Logically assigned 91 = NEVER USED SEDATIVES 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SV06)		How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES NONMEDICALLY RANGE = 1 - 80 981 = NEVER USED SEDATIVES Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED SEDATIVES 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		

SEDATIVES			PAGE:	134
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES NONMEDICALLY 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 8 = Used at some point in the past 12 mos LOG ASSN 9 = Used at some point in lifetime LOG ASSN 11 = Used in the past 30 days LOGICALLY ASSIGNED 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 97 = REFUSED 98 = BLANK (NO ANSWER)		
SEDYRTOT	3	TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS RANGE = 1 - 364 981 = NEVER USED SEDATIVES Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED SEDATIVES 993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
SVTOTFG	2	TRIMMING INDICATOR FOR SEDYRTOT 98 = BLANK (NO ANSWER)		
SVFQFLG	2	TRIMMED SEDYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use 98 = BLANK (NO ANSWER)		
(SV10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months. What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SVBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE 1 = Prefer to answer in days per week 2 = Prefer to answer in days per month 3 = Prefer to answer in days per year 11 = Prefer to ans in days per wk LOG ASSN 12 = Prefer to ans in days per mo LOG ASSN 13 = Prefer to ans in days per yr LOG ASSN 81 = NEVER USED SEDATIVES Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED SEDATIVES 93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SEDATIVES			PAGE:	135
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPYR	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 80		
		981 = NEVER USED SEDATIVES Logically assigned		
		985 = BAD DATA Logically assigned		
		989 = LEGITIMATE SKIP Logically assigned		
		991 = NEVER USED SEDATIVES		
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPMO	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 30		
		81 = NEVER USED SEDATIVES Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED SEDATIVES		
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPWK	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7		
		81 = NEVER USED SEDATIVES Logically assigned		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED SEDATIVES		
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

RECENCY OF DRUG USE			PAGE:	136
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECENCY OF DRUG USE				

IRCI	1	CIGARETTE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago but within the past 3 yrs		
		4 = More than 3 years ago		
		9 = Never smoked cigarettes		
IICI	1	CIGARETTE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
II2CI	1	CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		4 = Statistically imputed data - edited recency = 9		
		5 = Statistically imputed data - edited recency = 8		
		6 = Statistically imputed data - edited recency = 19		
		7 = Statistically imputed data - edited recency = 14		
		8 = Statistically imputed data - edited recency = 29		
		9 = Statistically imputed data - edited recency = 39		
IRCGR	1	CIGAR RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago but within the past 3 yrs		
		4 = More than 3 years ago		
		9 = Never smoked cigars		
IICGR	1	CIGAR RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
II2CGR	1	CIGAR RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - edited recency = 9		
		5 = Statistically imputed data - edited recency = 8		
		6 = Statistically imputed data - edited recency = 19		
		7 = Statistically imputed data - edited recency = 14		
		8 = Statistically imputed data - edited recency = 29		
		9 = Statistically imputed data - edited recency = 39		
IRPIPL	1	LIFETIME PIPE USE - IMPUTATION REVISED		
		1 = Ever used pipes		
		9 = Never smoked pipes		
IIPIL	1	LIFETIME PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		3 = Statistically imputed data		
IRPIPMN	1	PAST MONTH PIPE USE - IMPUTATION REVISED		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within lifetime		
		9 = Never smoked pipes		

Codebook Creation Date: April 24, 2012

RECENCY OF DRUG USE			PAGE:	137
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IIPMPN	1	PAST MONTH PIPE USE - IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRSLTRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago but within the past 3 yrs 4 = More than 3 years ago 9 = Never used smokeless tobacco		
IISLTRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2SLTRC	1	SMOKELESS TOBACCO RECENCY - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8 6 = Statistically imputed data - edited recency = 19 7 = Statistically imputed data - edited recency = 14 8 = Statistically imputed data - edited recency = 29 9 = Statistically imputed data - edited recency = 39		
IRCHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago but within the past 3 yrs 4 = More than 3 years ago 9 = Never used chewing tobacco		
IICHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2CHWRC	1	CHEWING TOBACCO RECENCY - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8 6 = Statistically imputed data - edited recency = 19 7 = Statistically imputed data - edited recency = 14 8 = Statistically imputed data - edited recency = 29 9 = Statistically imputed data - edited recency = 39		
IRSNFRC	1	SNUFF RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago but within the past 3 yrs 4 = More than 3 years ago 9 = Never used snuff		
IISNFRC	1	SNUFF RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		

Codebook Creation Date: April 24, 2012

RECENCY OF DRUG USE			PAGE:	138
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
II2SNFRC	1	SNUFF RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8 6 = Statistically imputed data - edited recency = 19 7 = Statistically imputed data - edited recency = 14 8 = Statistically imputed data - edited recency = 29 9 = Statistically imputed data - edited recency = 39		
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used alcohol		
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2ALCRC	1	ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used marijuana		
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2MJRC	1	MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used cocaine		
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2COCRC	1	COCAINE RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		

Codebook Creation Date: April 24, 2012

RECENCY OF DRUG USE			PAGE:	139
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IRCRKRC	1	CRACK RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used crack		
IICRKRC	1	CRACK RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2CRKRC	1	CRACK RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used heroin		
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2HERRC	1	HEROIN RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used hallucinogens		
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2HALRC	1	HALLUCINOGEN RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used LSD		
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		

Codebook Creation Date: April 24, 2012

RECENCY OF DRUG USE			PAGE:	140
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
II2LSDRC	1	LSD RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used PCP		
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2PCPRC	1	PCP RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRECSRC	1	ECSTASY RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used ecstasy		
II ECSRC	1	ECSTASY RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2ECSRC	1	ECSTASY RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used inhalants		
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2INHRC	1	INHALANT RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		

Codebook Creation Date: April 24, 2012

RECENCY OF DRUG USE			PAGE:	141
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IRANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used pain relievers		
IIANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2ANLRC	1	PAIN RELIEVER RECENCY - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used tranquilizers		
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2TRNRC	1	TRANQUILIZER RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used stimulants		
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2STMRC	1	STIMULANT RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRMTHRC	1	METHAMPHETAMINE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = NEVER USED METHAMPHETAMINE		
IIMTHRC	1	METHAMPHETAMINE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		

Codebook Creation Date: April 24, 2012

RECENCY OF DRUG USE			PAGE:	142
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
II2MTHRC	1	METHAMPHETAMINE RECENCY - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = Never used sedatives		
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
II2SEDRC	1	SEDATIVE RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - edited recency = 9 5 = Statistically imputed data - edited recency = 8		

PAST YEAR FREQUENCY OF USE			PAGE:	143
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
PAST YEAR FREQUENCY OF USE				

IRALCFY	3	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365		
		991 = NEVER USED ALCOHOL		
		993 = DID NOT USE ALCOHOL PAST YEAR		
IIALCFY	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2ALCFY	1	ALCOHOL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRMJFY	3	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365		
		991 = NEVER USED MARIJUANA		
		993 = DID NOT USE MARIJUANA PAST YEAR		
IIMJFY	1	MARIJUANA FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2MJFY	1	MARIJUANA FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRCOCFY	3	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365		
		991 = NEVER USED COCAINE		
		993 = DID NOT USE COCAINE PAST YEAR		
IICOCFY	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2COCFY	1	COCAINE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRCRKFY	3	CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365		
		991 = NEVER USED CRACK		
		993 = DID NOT USE CRACK PAST YEAR		

Codebook Creation Date: April 24, 2012

PAST YEAR FREQUENCY OF USE			PAGE:	144
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IICRKFY	1	CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2CRKFY	1	CRACK FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRHERFY	3	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365 991 = NEVER USED HEROIN 993 = DID NOT USE HEROIN PAST YEAR		
IIHERFY	1	HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2HERFY	1	HEROIN FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRHALFY	3	HALL FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365 991 = NEVER USED HALLUCINOGENS 993 = DID NOT USE HALLUCINOGENS PAST YEAR		
IIHALFY	1	HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2HALFY	1	HALL FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRINHFY	3	INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365 991 = NEVER USED INHALANTS 993 = DID NOT USE INHALANTS PAST YEAR		
IIINHFY	1	INHALANT FREQUENCY PAST YEAR - IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		

Codebook Creation Date: April 24, 2012

PAST YEAR FREQUENCY OF USE			PAGE:	145
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
II2INH FY	1	INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRANL FY	3	PAIN RELIEVER FREQ PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365 991 = NEVER USED PAIN RELIEVERS 993 = DID NOT USE PAIN RELIEVERS PAST YEAR		
IIANL FY	1	PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2ANL FY	1	PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRTRN FY	3	TRANQUILIZER FREQ PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365 991 = NEVER USED TRANQUILIZERS 993 = DID NOT USE TRANQUILIZERS PAST YEAR		
IITRN FY	1	TRANQUILIZER FREQ PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2TRN FY	1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRSTM FY	3	STIMULANT FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365 991 = NEVER USED STIMULANTS 993 = DID NOT USE STIMULANTS PAST YEAR		
IISTM FY	1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2STM FY	1	STIM FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		

Codebook Creation Date: April 24, 2012

PAST YEAR FREQUENCY OF USE			PAGE:	146
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IRMTHFY	3	METH FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 364 991 = NEVER USED METHAMPHETAMINE 993 = DID NOT USE METHAMPHETAMINE PAST YEAR		
IIMTHFY	1	METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2MTHFY	1	METH FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
IRSEDFY	3	SEDATIVE FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365 991 = NEVER USED SEDATIVES 993 = DID NOT USE SEDATIVES PAST YEAR		
IISEDFY	1	SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		
II2SEDFY	1	SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		

PAST MONTH FREQUENCY OF USE			PAGE:	147
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PAST MONTH FREQUENCY OF USE				

IRCIQFM	2	CIG FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30		
		91 = NEVER USED CIGARETTES		
		93 = DID NOT USE CIGARETTES PAST MONTH		
IICIGFM	1	CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2CIGFM	1	CIG FREQUENCY PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRCGRFM	2	CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30		
		91 = NEVER USED CIGARS		
		93 = DID NOT USE CIGARS PAST MONTH		
IICGRFM	1	CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2CGRFM	1	CIGAR FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRCHWFM	2	CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED		
		RANGE = 1 - 30		
		91 = NEVER USED CHEWING TOBACCO		
		93 = DID NOT USE CHEWING TOBACCO PAST MONTH		
IICHWFM	1	CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2CHWFM	1	CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRSNFFM	2	SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30		
		91 = NEVER USED SNUFF		
		93 = DID NOT USE SNUFF PAST MONTH		

Codebook Creation Date: April 24, 2012

PAST MONTH FREQUENCY OF USE			PAGE:	148
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IISNFFM	1	SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2SNFFM	1	SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRALCFM	2	ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED RANGE = 1 - 30 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALCOHOL PAST MONTH		
IIALCFM	1	ALCOHOL FREQ PAST MONTH - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2ALCFM	1	ALCOHOL FREQ PST MONTH - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRALCD5	2	5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY) RANGE = 0 - 30 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALCOHOL PAST MONTH		
IIALCD5	1	5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2ALCD5	1	5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRMJFM	2	MARIJUANA FREQUENCY PAST MONTH - IMP REVISED RANGE = 1 - 30 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA PAST MONTH		
IIMJFM	1	MARIJUANA FREQUENCY PAST MONTH - IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		

Codebook Creation Date: April 24, 2012

PAST MONTH FREQUENCY OF USE			PAGE:	149
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
II2MJFM	1	MARIJUANA FREQ PAST MONTH - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRCOCFM	2	COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED RANGE = 1 - 30 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE PAST MONTH		
IICOCFM	1	COCAINE FREQ PAST MONTH - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2COCFM	1	COCAINE FREQ PAST MONTH - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRCRKFM	2	CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED RANGE = 1 - 30 91 = NEVER USED CRACK 93 = DID NOT USE CRACK PAST MONTH		
IICRKFM	1	CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2CRKFM	1	CRACK FREQ PAST MONTH - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRHERFM	2	HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED RANGE = 1 - 30 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN PAST MONTH		
IIHERFM	1	HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2HERFM	1	HEROIN FREQ PAST MONTH - DETAILED IMP INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data - lifetime use imputed 4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		

Codebook Creation Date: April 24, 2012

PAST MONTH FREQUENCY OF USE			PAGE:	150
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRHALFM	2	HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30		
		91 = NEVER USED HALLUCINOGENS		
		93 = DID NOT USE HALLUCINOGENS PAST MONTH		
IIHALFM	1	HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2HALFM	1	HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
IRINHFM	2	INHALANT FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 30		
		91 = NEVER USED INHALANTS		
		93 = DID NOT USE INHALANTS PAST MONTH		
IIINHFM	1	INHALANT FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		
II2INHFM	1	INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data - lifetime use imputed		
		4 = Statistically imputed data - lifetime use known		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER		

AGE/DATE OF FIRST DRUG USE			PAGE:	151
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		AGE/DATE OF FIRST DRUG USE		

IRCIGAGE	3	IMPUTATION-REVISED CIGARETTE AGE OF FIRST USE		
		RANGE = 1 - 70		
		991 = NEVER USED		
IICIGAGE	1	IRCIGAGE IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRCDUAGE	3	IMPUTATION-REVISED DAILY CIG AGE OF FIRST USE		
		RANGE = 1 - 81		
		991 = NEVER USED		
		993 = NEVER A DAILY USER		
IICDUAGE	1	IRCDUAGE IMPUTATION INDICATOR		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER		
IRCGRAGE	3	IMPUTATION-REVISED CIGAR AGE OF FIRST USE		
		RANGE = 1 - 80		
		991 = NEVER USED		
IICGRAGE	1	IRCGRAGE IMPUTATION INDICATOR		
		1 = Questionnaire data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRSLTAGE	3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
		RANGE = 1 - 75		
		991 = NEVER USED		
IISLTAGE	1	IRSLTAGE IMPUTATION INDICATOR		
		1 = Questionnaire data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRCHWAGE	3	IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
		RANGE = 1 - 70		
		991 = NEVER USED		
IICHWAGE	1	IRCHWAGE IMPUTATION INDICATOR		
		1 = Questionnaire data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRSNFAGE	3	IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
		RANGE = 1 - 75		
		991 = NEVER USED		
IISNFAGE	1	IRSNFAGE IMPUTATION INDICATOR		
		1 = Questionnaire data		
		3 = Statistically imputed data		
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRALCAGE	3	IMPUTATION-REVISED ALCOHOL AGE OF FIRST USE		
		RANGE = 1 - 90		
		991 = NEVER USED		

Codebook Creation Date: April 24, 2012

AGE/DATE OF FIRST DRUG USE			PAGE:	152
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IIALCAGE	1	IRALCAGE IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRMJAGE	3	IMPUTATION-REVISED MARIJUANA AGE OF FIRST USE RANGE = 1 - 82 991 = NEVER USED		
IIMJAGE	1	IRMJAGE IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRCOAGE	3	IMPUTATION-REVISED COCAINE AGE OF FIRST USE RANGE = 1 - 71 991 = NEVER USED		
IICOAGE	1	IRCOAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRCRKAGE	3	IMPUTATION-REVISED CRACK AGE OF FIRST USE RANGE = 1 - 75 991 = NEVER USED		
IICRKAGE	1	IRCRKAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRHERAGE	3	IMPUTATION-REVISED HEROIN AGE OF FIRST USE RANGE = 1 - 52 991 = NEVER USED		
IIHERAGE	1	IRHERAGE IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRHALAGE	3	IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE RANGE = 1 - 68 991 = NEVER USED		
IIHALAGE	1	IRHALAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRLSDAGE	3	IMPUTATION-REVISED LSD AGE OF FIRST USE RANGE = 1 - 56 991 = NEVER USED		
IILSDAGE	1	IRLSDAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		

Codebook Creation Date: April 24, 2012

AGE/DATE OF FIRST DRUG USE			PAGE:	153
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IRPCPAGE	3	IMPUTATION-REVISED PCP AGE OF FIRST USE RANGE = 1 - 55 991 = NEVER USED		
IIPCPAGE	1	IRPCPAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRECSAGE	3	IMPUTATION-REVISED ECSTASY AGE OF FIRST USE RANGE = 3 - 66 991 = NEVER USED		
IIECSAGE	1	IRECSAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRINHAGE	3	IMPUTATION-REVISED INHALANTS AGE OF FIRST USE RANGE = 1 - 60 991 = NEVER USED		
IIINHAGE	1	IRINHAGE IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRANLAGE	3	IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE RANGE = 1 - 82 991 = NEVER USED		
IIANLAGE	1	IRANLAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRTRNAGE	3	IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE RANGE = 1 - 85 991 = NEVER USED		
IITRNAGE	1	IRTRNAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRSTMAGE	3	IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE RANGE = 1 - 76 991 = NEVER USED		
IISTMAGE	1	IRSTMAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRMTHAGE	3	IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE RANGE = 1 - 60 991 = NEVER USED		

Codebook Creation Date: April 24, 2012

LABEL	LEN	DESCRIPTION	PAGE:	154
-----	----	-----	FREQ	%
			----	-
IIMTHAGE	1	IRMTHAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		
IRSEDAGE	3	IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE RANGE = 1 - 80 991 = NEVER USED		
IISEDAGE	1	IRSEDAGE IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER		

RECODED DRUG USE			PAGE:	155
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED DRUG USE				

CIGFLAG	1	CIGARETTES - EVER USED 0 = Never used (IRCIGRC = 9) 1 = Ever used (IRCIGRC = 1-4)		
CIGYR	1	CIGARETTES - PAST YEAR USE 0 = Did not use in the past year (IRCIGRC = 3,4,9) 1 = Used within the past year (IRCIGRC = 1,2)		
CIGMON	1	CIGARETTES - PAST MONTH USE 0 = Did not use in the past month (IRCIGRC = 2-4,9) 1 = Used within the past month (IRCIGRC = 1)		
CGRFLAG	1	CIGARS - EVER USED 0 = Never used (IRCGRRC = 9) 1 = Ever used (IRCGRRC = 1-4)		
CGRYR	1	CIGARS - PAST YEAR USE 0 = Did not use in the past year (IRCGRRC = 3,4,9) 1 = Used within the past year (IRCGRRC = 1,2)		
CGRMON	1	CIGARS - PAST MONTH USE 0 = Did not use in the past month (IRCGRRC = 2-4,9) 1 = Used within the past month (IRCGRRC = 1)		
PIPFLAG	1	PIPES - EVER USED 0 = Never Used (IRPIPLF = 9) 1 = Ever Used (IRPIPLF = 1)		
PIPMON	1	PIPES - PAST MONTH USE 0 = Did not use in the past month (IRPIPMN = 2,9) 1 = Used within the past month (IRPIPMN = 1)		
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED 0 = Never used (IRSLTRC = 9) 1 = Ever used (IRSLTRC = 1-4)		
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE 0 = Did not use in the past year (IRSLTRC = 3,4,9) 1 = Used within the past year (IRSLTRC = 1,2)		
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE 0 = Did not use in the past month (IRSLTRC = 2-4,9) 1 = Used within the past month (IRSLTRC = 1)		
CHWFLAG	1	CHEWING TOBACCO - EVER USED 0 = Never Used (IRCHWRC = 9) 1 = Ever Used (IRCHWRC = 1-4)		
CHWYR	1	CHEWING TOBACCO - PAST YEAR USE 0 = Did not use in the past year (IRCHWRC = 3,4,9) 1 = Used within the past year (IRCHWRC = 1,2)		
CHWMON	1	CHEWING TOBACCO - PAST MONTH USE 0 = Did not use in the past month (IRCHWRC = 2-4,9) 1 = Used within the past month (IRCHWRC = 1)		
SNFFLAG	1	SNUFF - EVER USED 0 = Never used (IRSNFRC = 9) 1 = Ever used (IRSNFRC = 1-4)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	156
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SNFYR	1	SNUFF - PAST YEAR USE 0 = Did not use in the past year (IRSNFRC = 3,4,9) 1 = Used within the past year (IRSNFRC = 1,2)		
SNFMON	1	SNUFF - PAST MONTH USE 0 = Did not use in the past month (IRSNFRC = 2-4,9) 1 = Used within the past month (IRSNFRC = 1)		
The following three any tobacco variables were created by the examination of IRCIGRC, IRCGRR, IRSLTRC, and IRPIPMN.				
TOBFLAG	1	ANY TOBACCO - EVER USED 0 = Never Used (all source vars = 9) 1 = Ever Used (any source var = 1-4)		
TOBYR	1	ANY TOBACCO - PAST YEAR USE 0 = Not use pst yr (IRPIPMN=2,9 & oth src vars=3,4,9) 1 = Used pst yr (IRPIPMN = 1 or any oth src var = 1,2)		
TOBMON	1	ANY TOBACCO - PAST MONTH USE 0 = Did not use in pst month (all source vars=2-4,9) 1 = Used in past month (any source var=1)		
ALCFLAG	1	ALCOHOL - EVER USED 0 = Never used (IRALCRC = 9) 1 = Ever used (IRALCRC = 1-3)		
ALCYR	1	ALCOHOL - PAST YEAR USE 0 = Did not use in the past year (IRALCRC = 3,9) 1 = Used within the past year (IRALCRC = 1,2)		
ALCMON	1	ALCOHOL - PAST MONTH USE 0 = Did not use in the past month (IRALCRC = 2-3,9) 1 = Used within the past month (IRALCRC = 1)		
MRJFLAG	1	MARIJUANA - EVER USED 0 = Never used (IRMJRC = 9) 1 = Ever used (IRMJRC = 1-3)		
MRJYR	1	MARIJUANA - PAST YEAR USE 0 = Did not use in the past year (IRMJRC = 3,9) 1 = Used within the past year (IRMJRC = 1,2)		
MRJMON	1	MARIJUANA - PAST MONTH USE 0 = Did not use in the past month (IRMJRC = 2-3,9) 1 = Used within the past month (IRMJRC = 1)		
COCFLAG	1	COCAINE - EVER USED 0 = Never used (IRCOCRC = 9) 1 = Ever used (IRCOCRC = 1-3)		
COCYR	1	COCAINE - PAST YEAR USE 0 = Did not use in the past year (IRCOCRC = 3,9) 1 = Used within the past year (IRCOCRC = 1,2)		
COCMON	1	COCAINE - PAST MONTH USE 0 = Did not use in the past month (IRCOCRC = 2-3,9) 1 = Used within the past month (IRCOCRC = 1)		
CRKFLAG	1	"CRACK" - EVER USED 0 = Never used (IRCKRC = 9) 1 = Ever used (IRCKRC = 1-3)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	157
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
CRKYR	1	"CRACK" - PAST YEAR USE 0 = Did not use in the past year (IRCRKRC = 3,9) 1 = Used within the past year (IRCRKRC = 1,2)		
CRKMON	1	"CRACK" - PAST MONTH USE 0 = Did not use in the past month (IRCRKRC = 2-3,9) 1 = Used within the past month (IRCRKRC = 1)		
HERFLAG	1	HEROIN - EVER USED 0 = Never used (IRHERRC = 9) 1 = Ever used (IRHERRC = 1-3)		
HERYR	1	HEROIN - PAST YEAR USE 0 = Did not use in the past year (IRHERRC = 3,9) 1 = Used within the past year (IRHERRC = 1,2)		
HERMON	1	HEROIN - PAST MONTH USE 0 = Did not use in the past month (IRHERRC = 2-3,9) 1 = Used within the past month (IRHERRC = 1)		
HALFLAG	1	HALLUCINOGENS - EVER USED 0 = Never used (IRHALRC = 9) 1 = Ever used (IRHALRC = 1-3)		
HALYR	1	HALLUCINOGENS - PAST YEAR USE 0 = Did not use in the past year (IRHALRC = 3,9) 1 = Used within the past year (IRHALRC = 1,2)		
HALMON	1	HALLUCINOGENS - PAST MONTH USE 0 = Did not use in the past month (IRHALRC = 2-3,9) 1 = Used within the past month (IRHALRC = 1)		
LSDFLAG	1	LSD - EVER USED 0 = Never used (IRLSDRC = 9) 1 = Ever used (IRLSDRC = 1-3)		
LSDYR	1	LSD - PAST YEAR USE 0 = Did not use in the past year (IRLSDRC = 3,9) 1 = Used within the past year (IRLSDRC = 1,2)		
LSDMON	1	LSD - PAST MONTH USE 0 = Did not use in the past month (IRLSDRC = 2-3,9) 1 = Used within the past month (IRLSDRC = 1)		
PCPFLAG	1	PCP - EVER USED 0 = Never used (IRPCPRC = 9) 1 = Ever used (IRPCPRC = 1-3)		
PCPYR	1	PCP - PAST YEAR USE 0 = Did not use in the past year (IRPCPRC = 3,9) 1 = Used within the past year (IRPCPRC = 1,2)		
PCPMON	1	PCP - PAST MONTH USE 0 = Did not use in the past month (IRPCPRC = 2-3,9) 1 = Used within the past month (IRPCPRC = 1)		
ECSFLAG	1	ECSTASY - EVER USED 0 = Never used (IRECSRC = 9) 1 = Ever used (IRECSRC = 1-3)		
ECSYR	1	ECSTASY - PAST YEAR USE 0 = Did not use in the past year (IRECSRC = 3,9) 1 = Used within the past year (IRECSRC = 1,2)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	158
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
ECSMON	1	ECSTASY - PAST MONTH USE 0 = Did not use in the past month (IRECSRC = 2-3,9) 1 = Used within the past month (IRECSRC = 1)		
INHFLAG	1	INHALANTS - EVER USED 0 = Never used (IRINHRC = 9) 1 = Ever used (IRINHRC = 1-3)		
INHYR	1	INHALANTS - PAST YEAR USE 0 = Did not use in the past year (IRINHRC = 3,9) 1 = Used within the past year (IRINHRC = 1,2)		
INHMON	1	INHALANTS - PAST MONTH USE 0 = Did not use in the past month (IRINHRC = 2-3,9) 1 = Used within the past month (IRINHRC = 1)		
ANLFLAG	1	PAIN RELIEVERS - EVER USED 0 = Never used (IRANLRC = 9) 1 = Ever used (IRANLRC = 1-3)		
ANLYR	1	PAIN RELIEVERS - PAST YEAR USE 0 = Did not use in the past year (IRANLRC = 3,9) 1 = Used within the past year (IRANLRC = 1,2)		
ANLMON	1	PAIN RELIEVERS - PAST MONTH USE 0 = Did not use in the past month (IRANLRC = 2-3,9) 1 = Used within the past month (IRANLRC = 1)		
TRQFLAG	1	TRANQUILIZERS - EVER USED 0 = Never used (IRTRNRC = 9) 1 = Ever used (IRTRNRC = 1-3)		
TRQYR	1	TRANQUILIZERS - PAST YEAR USE 0 = Did not use in the past year (IRTRNRC = 3,9) 1 = Used within the past year (IRTRNRC = 1,2)		
TRQMON	1	TRANQUILIZERS - PAST MONTH USE 0 = Did not use in the past month (IRTRNRC = 2-3,9) 1 = Used within the past month (IRTRNRC = 1)		
STMFLAG	1	STIMULANTS - EVER USED 0 = Never used (IRSTMRC = 9) 1 = Ever used (IRSTMRC = 1-3)		
STMYR	1	STIMULANTS - PAST YEAR USE 0 = Did not use in the past year (IRSTMRC = 3,9) 1 = Used within the past year (IRSTMRC = 1,2)		
STMMON	1	STIMULANTS - PAST MONTH USE 0 = Did not use in the past month (IRSTMRC = 2-3,9) 1 = Used within the past month (IRSTMRC = 1)		

RECODED DRUG USE			PAGE:	159
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>The following three variables (CPNSTMFG, CPNSTMYR, CPNSTMMN), like the preceding three variables (STMFLAG, STMYR, STMMON), report lifetime, past year, and past month stimulant use. However, whereas STMFLAG, STMYR, and STMMON used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHYR, and CPNMTHMN. For details on the core-plus-noncore methamphetamine variables, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)</p>				
CPNSTMFG	1	CPN STIMULANTS - EVER USED 0 = Never Used 1 = Ever Used		
CPNSTMYR	1	CPN STIMULANTS - PAST YEAR USE 0 = Did not use in the past year 1 = Used within the past year		
CPNSTMMN	1	CPN STIMULANTS - PAST MONTH USE 0 = Did not use in the past month 1 = Used within the past month		
<p>The following three variables (MTHFLAG, MTHYR, MTHMON), report recency of use for methamphetamine using only core data from the Stimulants module of the questionnaire, unlike the next three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), which use additional methamphetamine use data from the Special Drugs module. Methamphetamine use data were first added to the Special Drugs module in 2005, then were augmented in 2006 to include further clarifications. For details, please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings Report.</p>				
MTHFLAG	1	METHAMPHETAMINE - EVER USED 0 = Never Used (IRMTHRC = 9) 1 = Ever Used (IRMTHRC = 1-3)		
MTHYR	1	METHAMPHETAMINE - PAST YEAR USE 0 = Did not use in the past year (IRMTHRC = 3,9) 1 = Used within the past year (IRMTHRC = 1,2)		
MTHMON	1	METHAMPHETAMINE - PAST MONTH USE 0 = Did not use in the past month (IRMTHRC = 2-3,9) 1 = Used within the past month (IRMTHRC = 1)		

RECODED DRUG USE			PAGE:	160
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
<p>The following three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), like the preceding three variables (MTHFLAG, MTHYR, MTHMON), report lifetime, past year, and past month methamphetamine use. However, MTHFLAG, MTHYR, and MTHMON are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the noncore Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new noncore Special Drugs items were used to construct the final CPNMTHFG, CPNMTHYR, and CPNMTHMN variables in 2009. For details, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)</p>				
CPNMTHFG	1	CPN METHAMPHETAMINE - EVER USED 0 = Never Used 1 = Ever Used		
CPNMTHYR	1	CPN METHAMPHETAMINE - PAST YEAR USE 0 = Did not use in the past year 1 = Used within the past year		
CPNMTHMN	1	CPN METHAMPHETAMINE - PAST MONTH USE 0 = Did not use in the past month 1 = Used within the past month		
SEDFLAG	1	SEDATIVES - EVER USED 0 = Never used (IRSEDRC = 9) 1 = Ever used (IRSEDRC = 1-3)		
SEDYR	1	SEDATIVES - PAST YEAR USE 0 = Did not use in the past year (IRSEDRC = 3,9) 1 = Used within the past year (IRSEDRC = 1,2)		
SEDMON	1	SEDATIVES - PAST MONTH USE 0 = Did not use in the past month (IRSEDRC = 2-3,9) 1 = Used within the past month (IRSEDRC = 1)		
<p>The following three "any psychotherapeutics" variables were created by examination of IRSEDRC, ITRNRC, IRSTMRC, and IRANLRC.</p>				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED 0 = Never used (ALL SOURCE VARIABLES = 9) 1 = Ever used (ANY SOURCE VARIABLE < 9)		
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE 0 = Did not use within past year (ALL SOURCE VARS > 2) 1 = Used in past year (ANY SOURCE VARIABLE < 3)		
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE 0 = Did not use in past month (ALL SOURCE VARS > 1) 1 = Used in past month (ANY SOURCE VARIABLE = 1)		
<p>The following four "any psychotherapeutics" variables were created by examination of the age and date of first use variables for sedatives, tranquilizers, stimulants, and analgesics.</p>				
PSYAGE2	3	ANY PSYCHOTHERAPEUTICS - AGE FIRST USE RANGE = 1 - 85 991 = NEVER USED		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	161
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		<p>The following three variables (CPNPSYFG, CPNPSYR, CPNPSYM), like the preceding three variables (PSYFLAG2, PSYR2, PSYMON2), report lifetime, past year, and past month psychotherapeutic use. However, whereas PSYFLAG2, PSYR2, and PSYMON2 use only core data, CPNPSYFG, CPNPSYR, CPNPSYM use core plus noncore data.</p>		
CPNPSYFG	1	<p>CPN PSYCHOTHERAPEUTIC - EVER USED 0 = Never Used 1 = Ever Used</p>		
CPNPSYR	1	<p>CPN PSYCHOTHERAPEUTIC - PAST YEAR USE 0 = Did not use in the past year 1 = Used within the past year</p>		
CPNPSYM	1	<p>CPN PSYCHOTHERAPEUTIC - PAST MONTH USE 0 = Did not use in the past month 1 = Used within the past month</p> <p>The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.</p>		
SUMFLAG	1	<p>ANY ILLICIT DRUG - EVER USED 0 = Never used (ALL SOURCE VARIABLES = 0) 1 = Ever used (ANY SOURCE VARIABLE = 1)</p> <p>The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYR2.</p>		
SUMYR	1	<p>ANY ILLICIT DRUG - PAST YEAR USE 0 = Did not use in past year (ALL SOURCE VARS = 0) 1 = Used in past year (ANY SOURCE VARIABLE = 1)</p> <p>The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.</p>		
SUMMON	1	<p>ANY ILLICIT DRUG - PAST MONTH USE 0 = Did not use in past month (ALL SOURCE VARS = 0) 1 = Used in past month (ANY SOURCE VARIABLE = 1)</p> <p>The following four "any illicit drug" variables were created by examination of the age and date of first use variables for hallucinogens, heroin, marijuana, cocaine, inhalants, and "any psychotherapeutics."</p>		
SUMAGE	3	<p>ANY ILLICIT DRUG - AGE FIRST USE RANGE = 1 - 85 991 = NEVER USED</p> <p>The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.</p>		
MJOFLAG	1	<p>MARIJUANA ONLY - EVER USED 0 = Never used MJ/has used both MJ & anothr illct drug 1 = Marijuana is only (illicit) drug ever used</p> <p>The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYR2.</p>		
MJOYR2	1	<p>MARIJUANA ONLY - PAST YEAR USE 0 = MJ not used past yr/Used MJ & othr drug past yr 1 = Marijuana is only (illicit) drug in past year</p>		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	162
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE 0 = MJ not used past mnth/Used MJ & othr drug past mo 1 = Marijuana only (illicit) drug in past month The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.		
IEMFLAG	1	ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED 0 = Never used drug/used only marijuana 1 = Illicit drug except for marijuana are ever used The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYYR2.		
IEMYR	1	ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR USED 0 = Never used drug/used only marijuana past year 1 = Illicit drug except for marijuana used past year The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
IEMMON	1	ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH USED 0 = Never used drug/used only marijuana past month 1 = Illicit drug except for marijuana used past month The following four "any illicit drug except for marijuana" variables were created by examination of the age and date of first use variables for hallucinogens, heroin, cocaine, inhalants, and "any psychotherapeutics."		
IEMAGE	3	ILLICIT DRUG OTHER THAN MARIJUANA - AGE FIRST USE RANGE = 1 - 85 991 = NEVER USED		
CDUFLAG	1	CIGARETTES DAILY - EVER USED 0 = Never Used/Never Used Daily (IRCDUAGE=991,993) 1 = Ever Used (IRCDUAGE=1-65)		
CIGALCMO	1	PAST MONTH CIGARETTE/ALCOHOL USE 1 = Past mon use of cig & alc (CIGMON=1 & ALCMON=1) 2 = Past mon use of cig & no alc (CIGMON=1 & ALCMON=0) 3 = Past mon use of alc & no cig (ALCMON=1 & CIGMON=0) 4 = No past mon use of cig/alc (CIGMON=0 & ALCMON=0) "Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.		
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS 0 = Never/No "Binge" alcohol use (IRALCD5 = 0,91,93) 1 = "Binge" alcohol use (IRALCD5 = 1-30)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	163
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.		
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS 0 = Never/No heavy alcohol use (IRALCD5 = 0-4,91,93) 1 = Heavy alcohol use (IRALCD5 = 5-30)		
		The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON. To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.		
BINGEHVY	1	LEVEL OF ALCOHOL USE IN PAST MONTH 1 = Heavy Alcohol Use (HVYDRK2=1) 2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0) 3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0) 4 = Did Not Use Alcohol in Pst Month (All source=0)		
NILALMON	1	NO ILLICIT DRUG OR ALCOHOL USE IN THE PAST 30 DAYS 0 = Alc or Drg Use (Otherwise) 1 = No Alc or Drg Use (ALCMON=0 & SUMMON=0)		
PEYOTE2	1	EVER USED PEYOTE 0 = No/Unknown (PEYOTE=2,91,94,97) 1 = Yes (PEYOTE=1,3)		
MESC2	1	EVER USED Mescaline 0 = No/Unknown (MESC=2,91,94,97) 1 = Yes (MESC=1)		
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS) 0 = No/Unknown (PSILCY=2,85,91,94,97) 1 = Yes (PSILCY=1,3)		
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS", RUSH, ETC. 0 = No/Unknown (AMYLNIT=2,91,94,97) 1 = Yes (AMYLNIT=1,3)		
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC. 0 = No/Unknown (CLEFLU=2,91,94,97) 1 = Yes (CLEFLU=1,3)		
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID 0 = No/Unknown (GAS=2,85,91,94,97) 1 = Yes (GAS=1,3)		
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE 0 = No/Unknown (GLUE=2,91,94,97) 1 = Yes (GLUE=1,3)		
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC 0 = No/Unknown (ETHER=2,91,94,97) 1 = Yes (ETHER=1,3)		
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS 0 = No/Unknown (SOLVENT=2,91,94,97) 1 = Yes (SOLVENT=1,3)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	164
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE) 0 = No/Unknown (LGAS=2,91,94,97) 1 = Yes (LGAS=1,3)		
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPITS" 0 = No/Unknown (NITOXID=2,91,94,97) 1 = Yes (NITOXID=1,3)		
SPPAINT2	1	EVER INHALED SPRAY PAINTS 0 = No/Unknown (SPPAINT=2,85,91,94,97) 1 = Yes (SPPAINT=1)		
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS 0 = No/Unknown (AEROS=2,91,94,97,98) 1 = Yes (AEROS=1,3)		
DARVTYL2	1	EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE 0 = No/Unknown (DARVTYLC=2,81,85,91,94,97) 1 = Yes (DARVTYLC=1,3)		
PERCTYL2	1	EVER USED PERCOCET, PERCODAN, TYLOX 0 = No/Unknown (PERCTYLX=2,81,85,91,94,97) 1 = Yes (PERCTYLX=1,3)		
VICOLOR2	1	EVER USED VICODIN, LORTAB, LORCET 0 = No/Unknown (VICOLOR=2,81,85,91,94,97) 1 = Yes (VICOLOR=1,3)		
CODEINE2	1	EVER USED CODEINE 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and CODEINE=1,3)		
DEMEROL2	1	EVER USED DEMEROL 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and DEMEROL=1,3)		
DILAUD2	1	EVER USED DILAUDID 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and DILAUD=1,3)		
FIORICT2	1	EVER USED FIORICET 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and FIORICET=1,3)		
FIORINL2	1	EVER USED FIORINAL 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and FIORINAL=1,3)		
HYDROCD2	1	EVER USED HYDROCODONE 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and HYDROCOD=1,3)		
METHDON2	1	EVER USED METHADONE 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and METHDON=1,3)		
MORPHIN2	1	EVER USED MORPHINE 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and MORPHINE=1,3)		
PHENCOD2	1	EVER USED PHENAPHEN WITH CODEINE 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and PHENCOD=1)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	165
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
PROPOXY2	1	EVER USED PROPOXYPHENE 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and PROPOXY=1)		
SK65A2	1	EVER USED SK65 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and SK65A=1,3)		
STADOL2	1	EVER USED STADOL 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and STADOL=1)		
TALACEN2	1	EVER USED TALACEN 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and TALACEN=1,3)		
TALWIN2	1	EVER USED TALWIN 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and TALWIN=1,3)		
TALWINX2	1	EVER USED TALWIN NX 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and TALWINNX=1)		
TRAMADL2	1	EVER USED TRAMADOL 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and TRAMADOL=1,3)		
ULTRAM2	1	EVER USED ULTRAM 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD and ULTRAM=1,3)		
OTHANL	1	EVER USED OTHER PAIN RELIEVERS 0 = No/Unknown (Otherwise) 1 = Yes (ANLCARD or ANLNOLST=1,3)		
<p>The following variable, PROCODNP, was assigned a positive response if a respondent indicated ever using darvocet, darvon, or tylenol with codeine (DARVTYL2=1), codeine (CODEINE2=1), phenaphen with codeine (PHENCOD2=1), propoxyphene (PROPOXY2=1), SK-65 (SK65A2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in(455,4031,4116,4126,4127)).</p>				
PROCODNP	1	PROPOXYPHENE/CODEINE PRODUCTS 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
<p>The following variable, HYDCODOP, was assigned a positive response if a respondent indicated ever using vicodin, lortab, or lorcet (VICOLOR2=1), hydrocodone (HYDROCD2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4097)).</p>				
HYDCODOP	1	HYDROCODONE PRODUCTS 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	166
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>The following variable, TRAMADP, was assigned a positive response if a respondent indicated ever using tramadol (TRAMADL2=1), ultram (ULTRAM2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4083)).</p>				
TRAMADP	1	TRAMADOL PRODUCTS 0 = No/Unknown (otherwise) 1 = Yes (See comment above)		
KLONOP12	1	EVER USED KLONOPIN OR CLONAZEPAM 0 = No/Unknown (KLONOPIN=2,81,91,94,97,98) 1 = Yes (KLONOPIN=1,3)		
XNAXATV2	1	EVER USED XANAX, ALPRAZOLAM, ATIVAN 0 = No/Unknown (XNAXATVN=2,81,91,94,97,98) 1 = Yes (XNAXATVN=1,3)		
VALMDIA2	1	EVER USED VALIUM OR DIAZEPAM 0 = No/Unknown (VALMDIAZ=2,81,85,91,94,97,98) 1 = Yes (VALMDIAZ=1,3)		
ATARAX2	1	EVER USED ATARAX 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and ATARAX=1)		
BUSPAR2	1	EVER USED BUSPAR 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and BUSPAR=1,3)		
EQUANIL2	1	EVER USED EQUANIL 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and EQUANIL=1,3)		
FLEXERL2	1	EVER USED FLEXERIL 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and FLEXERIL=1,3)		
LIBRIUM2	1	EVER USED LIBRIUM 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and LIBRIUM=1,3)		
LIMBTRL2	1	EVER USED LIMBITROL 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and LIMBTROL=1,3)		
MEPROB2	1	EVER USED MEPROBAMATE 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and MEPROB=1,3)		
MILTOWN2	1	EVER USED MILTOWN 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and MILTOWN=1)		
ROHYPNL2	1	EVER USED ROHYPNOL 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and ROHYPNOL=1,3)		
SERAX2	1	EVER USED SERAX 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and SERAX=1,3)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	167
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
SOMA2	1	EVER USED SOMA 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and SOMA=1,3)		
TRANXEN2	1	EVER USED TRANXENE 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and TRANXENE=1)		
VISTAR2	1	EVER USED VISTARIL 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD and VISTAR=1,3)		
OTHTRN	1	EVER USED OTHER TRANQUILIZERS 0 = No/Unknown (Otherwise) 1 = Yes (TRNCARD or TRNOLST=1,3)		
		The following variable, BENZOS, was assigned a positive response if a respondent indicated ever using klonopin or clonazepam (KLONOPI2=1), xanax, alprazolam, ativan, or lorazepam (XNAXATV2=1), valium or diazepam (VALMDIA2=1), librium (LIBRIUM2=1), limbitrol (LIMBTRL2=1), rohypnol (ROHYPNL2=1), serax (SERAX2=1), tranxene (TRANXEN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (2022)).		
BENZOS	1	BENZODIAZEPINE PRODUCTS 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
		The following variable, MEPROBPD, was assigned a positive response if a respondent indicated ever using equanil (EQUANIL2=1), meprobamate (MEPROB2=1), or miltown (MILTOWN2=1).		
MEPROBPD	1	MEPROBAMATE PRODUCTS 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
		The following variable, MUSCRELX, was assigned a positive response if a respondent indicated ever using flexeril (FLEXERL2=1), soma (SOMA2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (223,288,290,2002)).		
MUSCRELX	1	MUSCLE RELAXANTS 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
METHDES2	1	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE 0 = No/Unknown (METHDES=2,81,91,94,97,98) 1 = Yes (METHDES=1)		
DIETPIL2	1	EVER USED DIET PILLS 0 = No/Unknown (DIETPILS=2,81,91,94,97,98) 1 = Yes (DIETPILS=1,3)		
RITMPHE2	1	EVER USED RITALIN/METHYLPHENIDATE 0 = No/Unknown (RITMPHEN=2,81,85,91,94,97,98) 1 = Yes (RITMPHEN=1,3)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	168
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
CYLERT2	1	EVER USED CYLERT 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and CYLERT=1,3)		
DEXED2	1	EVER USED DEXEDRINE 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and DEXED=1,3)		
DETAMP2	1	EVER USED DEXTROAMPHETAMINE 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and DETAMP=1,3)		
DIDREX2	1	EVER USED DIDREX 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and DIDREX=1)		
ESKAT2	1	EVER USED ESKATROL 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and ESKAT=1)		
IONAMIN2	1	EVER USED IONAMIN 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and IONAMIN=1)		
MAZANOR2	1	EVER USED MAZANOR 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and MAZANOR=1)		
OBLA2	1	EVER USED OBEDRIN-LA 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and OBLA=1)		
PLEGINE2	1	EVER USED PLEGINE 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and PLEGINE=1)		
PRELUDN2	1	EVER USED PRELUDIN 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and PRELUDIN=1,3)		
SANOREX2	1	EVER USED SANOREX 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and SANOREX=1)		
TENUATE2	1	EVER USED TENUATE 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD and TENUATE=1)		
OTHSTM	1	EVER USED OTHER STIMULANTS 0 = No/Unknown (Otherwise) 1 = Yes (STMCARD or STMNOLST=1,3)		
<p>The following variable, AMDXPHEN, was assigned a positive response if a respondent indicated ever using prescription diet pills (DIETPIL2=1), dexedrine (DEXED2=1), dextroamphetamine (DETAMP2=1), ionamin (IONAMIN2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (302,3023,3086,3111)).</p>				
AMDXPHEN	1	AMPHETAMINE, DEXTROAMPHETAMINE, & PHENTERMINE PROD 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	169
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
MAZINDOL	1	MAZINDOL PRODUCTS 0 = No/Unknown (Otherwise) 1 = Yes (MAZANOR2=1 or SANOREX2=1)		
METHAQ2	1	EVER USED METHAQUALONE, SOPOR, QUALLUDE 0 = No/Unknown (METHAQ=2,81,85,91,94,97,98) 1 = Yes (METHAQ=1)		
NEMBBAR2	1	EVER USED BARBITURATES 0 = No/Unknown (NEMBBARB=2,81,91,94,97,98) 1 = Yes (NEMBBARB=1,3)		
RESTTMA2	1	EVER USED RESTORIL OR TEMAZEPAM 0 = No/Unknown (RESTTMAZ=2,81,85,91,94,97,98) 1 = Yes (RESTTMAZ=1,3)		
AMYTAL2	1	EVER USED AMYTAL 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and AMYTAL=1)		
BUTISOL2	1	EVER USED BUTISOL 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and BUTISOL=1,3)		
CHHYD2	1	EVER USED CHLORAL HYDRATE 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and CHHYD=1)		
DALMANE2	1	EVER USED DALMANE 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and DALMANE=1,3)		
HALCION2	1	EVER USED HALCION 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and HALCION=1)		
PHENOBR2	1	EVER USED PHENOBARBITAL 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and PHENOBAR=1,3)		
PLACIDY2	1	EVER USED PLACIDYL 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and PLACIDYL=1,3)		
TUINAL2	1	EVER USED TUINAL 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD and TUINAL=1)		
OTHSED	1	EVER USED OTHER SEDATIVES 0 = No/Unknown (Otherwise) 1 = Yes (SEDCARD or SEDNOLST=1,3)		
RTDALHAL	1	TEMAZEPAM, FLURAZEPAM, OR TRIAZOLAM 0 = No/Unknown (Otherwise) 1 = Yes (RESTTMA2=1 or DALMANE2=1 or HALCION2=1)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	170
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		The following variable, ANYBARB, was assigned a positive response if a respondent indicated ever using barbiturates (NEMBBAR2=1), amytal (AMYTAL2=1), butisol (BUTISOL2=1), phenobarbital (PHENOB2=1), tuinal (TUINAL2=1), or other-specify drug responses that are not asked about explicitly in the Sedative module but fall into this category (SEDNEWA, SEDNEWB, SEDNEWC, SEDNEWD, or SEDNEWE in (156,186)).		
ANYBARB	1	ANY BARBITURATES 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
CIGAFU	1	CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRCIGAGE=1-14) 2 = 15-17 Years Old (IRCIGAGE=15-17) 3 = 18 Years or Older (IRCIGAGE=18+) 4 = Non Users (IRCIGAGE=991)		
DCIGAFU	1	DAILY CIG AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRCDUAGE=1-14) 2 = 15-17 Years Old (IRCDUAGE=15-17) 3 = 18 Years or Older (IRCDUAGE=18+) 4 = Non Users or Non Daily Users (IRCDUAGE=991,993)		
ALCAFU	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRALCAGE=1-14) 2 = 15-17 Years Old (IRALCAGE=15-17) 3 = 18 Years or Older (IRALCAGE=18+) 4 = Non Users (IRALCAGE=991)		
ALCAFU2	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 2 1 = 13 Years or Younger (IRALCAGE=1-13) 2 = 14-17 Years Old (IRALCAGE=14-17) 3 = 18-20 Years Old (IRALCAGE=18-20) 4 = 21 Years or Older (IRALCAGE=21+) 5 = Non Users (IRALCAGE=991)		
MJAFU	1	MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRMJAGE=1-14) 2 = 15-17 Years Old (IRMJAGE=15-17) 3 = 18 Years or Older (IRMJAGE=18+) 4 = Non Users (IRMJAGE=991)		
ALCYDAYS	1	# OF DAYS USED ALCOHOL IN PAST YEAR 1 = 1-11 Days (IRALCFY=1-11) 2 = 12-49 Days (IRALCFY=12-49) 3 = 50-99 Days (IRALCFY=50-99) 4 = 100-299 Days (IRALCFY=100-299) 5 = 300-365 Days (IRALCFY=300-365) 6 = Non User or No Past Year Use (IRALCFY=991,993)		
MRJYDAYS	1	# OF DAYS USED MARIJUANA IN PAST YEAR 1 = 1-11 Days (IRMJFY=1-11) 2 = 12-49 Days (IRMJFY=12-49) 3 = 50-99 Days (IRMJFY=50-99) 4 = 100-299 Days (IRMJFY=100-299) 5 = 300-365 Days (IRMJFY=300-365) 6 = Non User or No Past Year Use (IRMJFY=991,993)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	171
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
COCYDAYS	1	# OF DAYS USED COCAINE IN PAST YEAR 1 = 1-11 Days (IRCOCFY=1-11) 2 = 12-49 Days (IRCOCFY=12-49) 3 = 50-99 Days (IRCOCFY=50-99) 4 = 100-299 Days (IRCOCFY=100-299) 5 = 300-365 Days (IRCOCFY=300-365) 6 = Non User or No Past Year Use (IRCOCFY=991,993)		
HALYDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST YEAR 1 = 1-11 Days (IRHALFY=1-11) 2 = 12-49 Days (IRHALFY=12-49) 3 = 50-99 Days (IRHALFY=50-99) 4 = 100-299 Days (IRHALFY=100-299) 5 = 300-365 Days (IRHALFY=300-365) 6 = Non User or No Past Year Use (IRHALFY=991,993)		
INHVDAYS	1	# OF DAYS USED INHALANTS IN PAST YEAR 1 = 1-11 Days (IRINHfy=1-11) 2 = 12-49 Days (IRINHfy=12-49) 3 = 50-99 Days (IRINHfy=50-99) 4 = 100-299 Days (IRINHfy=100-299) 5 = 300-365 Days (IRINHfy=300-365) 6 = Non User or No Past Year Use (IRINHfy=991,993)		
STMYDAYS	1	# OF DAYS USED STIMULANTS IN PAST YEAR 1 = 1-11 Days (IRSTMFY=1-11) 2 = 12-49 Days (IRSTMFY=12-49) 3 = 50-99 Days (IRSTMFY=50-99) 4 = 100-299 Days (IRSTMFY=100-299) 5 = 300-365 Days (IRSTMFY=300-365) 6 = Non User or No Past Year Use (IRSTMFY=991,993)		
CIGMDAYS	1	# OF DAYS USED CIGARETTES IN PAST MONTH 1 = 1-2 Days (IRCIGFM=1-2) 2 = 3-5 Days (IRCIGFM=3-5) 3 = 6-19 Days (IRCIGFM=6-19) 4 = 20-29 Days (IRCIGFM=20-29) 5 = 30 Days (IRCIGFM=30) 6 = Non User or No Past Month Use (IRCIGFM=91,93)		
ALCMDAYS	1	# OF DAYS USED ALCOHOL IN PAST MONTH 1 = 1-2 Days (IRALCFM=1-2) 2 = 3-5 Days (IRALCFM=3-5) 3 = 6-19 Days (IRALCFM=6-19) 4 = 20-30 Days (IRALCFM=20-30) 5 = Non User or No Past Month Use (IRALCFM=91,93)		
MRJMDAYS	1	# OF DAYS USED MARIJUANA IN PAST MONTH 1 = 1-2 Days (IRMJFM=1-2) 2 = 3-5 Days (IRMJFM=3-5) 3 = 6-19 Days (IRMJFM=6-19) 4 = 20-30 Days (IRMJFM=20-30) 5 = Non User or No Past Month Use (IRMJFM=91,93)		
COCMDAYS	1	# OF DAYS USED COCAINE IN PAST MONTH 1 = 1-2 Days (IRCOCFM=1-2) 2 = 3-5 Days (IRCOCFM=3-5) 3 = 6-19 Days (IRCOCFM=6-19) 4 = 20-30 Days (IRCOCFM=20-30) 5 = Non User or No Past Month Use (IRCOCFM=91,93)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	172
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
HALMDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST MONTH 1 = 1-2 Days (IRHALFM=1-2) 2 = 3-5 Days (IRHALFM=3-5) 3 = 6-19 Days (IRHALFM=6-19) 4 = 20-30 Days (IRHALFM=20-30) 5 = Non User or No Past Month Use (IRHALFM=91,93)		
INHMDAYS	1	# OF DAYS USED INHALANTS IN PAST MONTH 1 = 1-2 Days (IRINHFM=1-2) 2 = 3-5 Days (IRINHFM=3-5) 3 = 6-19 Days (IRINHFM=6-19) 4 = 20-30 Days (IRINHFM=20-30) 5 = Non User or No Past Month Use (IRINHFM=91,93)		
CIGPDAY	1	# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS 1 = Fewer Than 6 (CIG30AV=1,2,3 AND IRCIGFM=30) 2 = 6-15 (CIG30AV=4 AND IRCIGFM=30) 3 = 16-25 (CIG30AV=5 AND IRCIGFM=30) 4 = 26 or More (CIG30AV=6,7 AND IRCIGFM=30) 5 = Not Reported (CIG30AV=94,97,98 AND IRCIGFM=30) 6 = No Daily Use (CIG30AV=91,93 OR IRCIGFM=1-29,91,93)		
The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).				
CIGAVGD	4	AVG NUMBER OF CIGARETTES SMOKED PER DAY . = Not Used/Unknown (CIG30AV=91,93,94,97,98) 1 = 1 cigarette (CIG30AV=2) 50 = More than 35 cigarettes (CIG30AV=7) 0.5 = Less than 1 cigarette (CIG30AV=1) 3.5 = 2 to 5 cigarettes (CIG30AV=3) 10.5 = 6 to 15 cigarettes (CIG30AV=4) 20.5 = 16 to 25 cigarettes (CIG30AV=5) 30.5 = 26 to 35 cigarettes (CIG30AV=6)		
The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).				
CIGAVGM	6	NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH RANGE = 0.5 - 1500 . = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93)		
The following variable, ALCVGM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (NODR30A). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91,93 or NODR30A=991,993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (NODR30A=985,994,997,998) or logically assigned to 5 or more (NODR30A=975).				
ALCAVGM	4	NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH RANGE = 1 - 2700 . = Not Used/Unknown (See comment above)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	173
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
NOTE: The following 23 variables pertain to the initiation of substance use in the 12 month time period prior to the interview date. The first 20 variables denoted with a 2, ELIGXXX2, are defined directly below.				
<p>Respondents who reported no use of a particular substance in their lifetime (IRXXXFYU=9999) or reported their initial use was during the time period 12 months prior to the interview date (as determined by the imputation revised month [IRXXXMFU], day [IRXXXDFU], and year [IRXXXFYU] of first use and date of the interview) and, excluding daily cigarette use, reported past year use (XXXYYR=1) were identified as members of the At-Risk population and classified as eligible initiates (ELIGXXX2=1). A negative response was assigned to all other respondents (ELIGXXX2=2) indicating that they are lifetime users whose initiation of use was before the 12 month period prior to the interview. Specific details about the recoded variables are provided in the Incidence Documentation Appendix.</p> <p>The remaining three variables denoted with a 3 (ELIGPSY3, ELIGSUM3, and ELIGIEM3) are defined separately above each variable.</p>				
ELGCIG_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF CIGARETTE USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGCD2_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF DAILY CIG USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGCGR_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF CIGAR USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGSLT_B	1	ELIGIBLE FOR PY INITIATION OF SMOKELESS TOB USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGALC_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF ALCOHOL USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGMJ_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF MARIJUANA USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGCOC_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF COCAINE USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGCRK_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF CRACK USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGHER_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF HEROIN USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGHAL_B	1	ELIGIBLE FOR PY INITIATION OF HALLUCINOGEN USE 1 = Yes (See comment above) 2 = No (See comment above)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	174
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ELGLSD_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF LSD USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGPCP_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF PCP USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGECS_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF ECSTASY USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGINH_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF INHALANT USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGANL_B	1	ELIGIBLE FOR PY INITIATION OF PAIN RELIEVER USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGTRN_B	1	ELIGIBLE FOR PY INITIATION OF TRANQUILIZER USE 1 = Yes (See above comment) 2 = No (See above comment)		
ELGSTM_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF STIMULANT USE 1 = Yes (See above comment) 2 = No (See above comment)		
ELGMTH_B	1	ELIGIBLE FOR PY INITIATION OF METHAMPHETAMINE USE 1 = Yes (See comment above) 2 = No (See comment above)		
ELGSED_B	1	ELIGIBLE FOR PAST YEAR INITIATION OF SEDATIVE USE 1 = Yes (See comment above) 2 = No (See comment above)		
<p>The following variable, ELIGPSY3, pertains to the initiation of nonmedical use of psychotherapeutics in the 12 month time period prior to the interview date. Psychotherapeutics include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED). Respondents who reported (1) no use of any psychotherapeutics in their lifetime (PSYFU2=9999) or (2) reported their initial use was during the time period 12 months prior to the interview date (as determined by the imputation revised month [PSYMFU2], day [PSYDFU2], and year [PSYFU2] of first use and date of the interview) and reported past year use of the specific psychotherapeutic first initiated (XXXR=1), were identified as members of the At-Risk population and classified as eligible initiates (ELIGPSY3=1). A negative response was assigned to all other respondents (ELIGPSY3=2) indicating that they are lifetime users whose initiation of use was before the 12 month period prior to the interview.</p>				
ELGPSY_B	1	ELIG FOR PY INITIATION OF PSYCHOTHERAPEUTIC USE 1 = Yes (See comment above) 2 = No (See comment above)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	175
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		<p>The following variable, ELIGSUM3, pertains to the initiation of illicit drug use in the 12 month time period prior to the interview date. Illicit drugs include marijuana (MRJ), cocaine (COC), heroin (HER), hallucinogens (HAL), inhalants (INH), pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED). Respondents who reported (1) no illicit drug use in their lifetime (SUMYFU=9999) or (2) reported their initial use was during the time period 12 months prior to the interview date (as determined by the imputation revised month [SUMMFU], day [SUMDFU], and year [SUMYFU] of first use and date of the interview) and reported past year use of the specific illicit drug first initiated (XXXYR=1), were identified as members of the At-Risk population and classified as eligible initiates (ELIGSUM3=1). A negative response was assigned to all other respondents (ELIGSUM3=2) indicating that they are lifetime users whose initiation of use was before the 12 month period prior to the interview.</p>		
ELGSUM_B	1	<p>ELIGIBLE FOR PAST YEAR INITIATION OF ILL DRG USE</p> <p>1 = Yes (See comment above)</p> <p>2 = No (See comment above)</p> <p>The following variable, ELIGIEM3, pertains to the initiation of use of illicit drugs other than mariuana in the 12 month time period prior to the interview date. Illicit drugs other than marijuana include cocaine (COC), heroin (HER), hallucinogens (HAL), inhalants (INH), pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED). Respondents who reported (1) no use of any illicit drug other than marijuana in their lifetime (IEMYFU=9999) or (2) reported their initial use was during the time period 12 months prior to the interview date (as determined by the imputation revised month [IEMMFU], day [IEMDFU], and year [IEMYFU] of first use and date of the interview) and reported past year use of the specific illicit drug first initiated (XXXYR=1), were identified as members of the At-Risk population and classified as eligible initiates (ELIGIEM3=1). A negative response was assigned to all other respondents (ELIGIEM3=2) indicating that they are lifetime users whose initiation of use was before the 12 month period prior to the interview.</p>		
ELGIEM_B	1	<p>ELIG FOR PY INITIATION OF ILL DRG OTH THAN MRJ USE</p> <p>1 = Yes (See comment above)</p> <p>2 = No (See comment above)</p>		

RECODED DRUG USE			PAGE:	176
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		<p>NOTE: The following 23 variables pertain to the initiation of substance use in the 12 month time period prior to the interview date. The first 20 variables denoted with a 2, RECXXX2, are defined directly below.</p> <p>Respondents who reported initiation of a particular substance in the time period 12 months prior to the interview date (as determined by the imputation revised month [IRXXXMFU], day [IRXXXDFU] and year [IRXXXFYU] of first use and date of the interview) and, excluding daily cigarette use, reported past year use (XXX1R=1) were classified as recent initiates (RECXXX2=1). A negative response was assigned to all other respondents (RECXXX2=0) indicating that they never used or are lifetime users whose initiation of use was before the 12 month period prior to the interview. Specific details about the recoded variables are provided in the Incidence Documentation Appendix.</p> <p>The remaining three variables denoted with a 3 (RECPSY3, RECSUM3, and RECIEM3) are defined separately above each variable. These variables are similar to summary drug variables created in previous NSDUHs (RECPSY2, RECSUM2, RECIEM2); however, revisions were made to ensure the respective initiation of use date for the summary drug variable was used in conjunction with the past year recency variable for the specific drug first initiated. Given the small impact of this change, the three variables (RECPSY3, RECSUM3, and RECIEM3) can be considered comparable to the previous NSDUH variables (RECPSY2, RECSUM2, and RECIEM2), respectively. More detailed information can be found in comments directly above each of the variables.</p>		
RECCIG_B	1	RECENT INITIATE OF CIGARETTE USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECCD2_B	1	RECENT INITIATE OF DAILY CIGARETTE USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECCGR_B	1	RECENT INITIATE OF CIGAR USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECSLT_B	1	RECENT INITIATE OF SMOKELESS TOBACCO USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECALC_B	1	RECENT INITIATE OF ALCOHOL USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECMJ_B	1	RECENT INITIATE OF MARIJUANA USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECCOC_B	1	RECENT INITIATE OF COCAINE USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECCRK_B	1	RECENT INITIATE OF CRACK USE 0 = No (See comment above) 1 = Yes (See comment above)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	177
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
RECHER_B	1	RECENT INITIATE OF HEROIN USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECHAL_B	1	RECENT INITIATE OF HALLUCINOGEN USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECLSD_B	1	RECENT INITIATE OF LSD USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECPCP_B	1	RECENT INITIATE OF PCP USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECECS_B	1	RECENT INITIATE OF ECSTASY USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECINH_B	1	RECENT INITIATE OF INHALANT USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECANL_B	1	RECENT INITIATE OF PAIN RELIEVER USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECTRN_B	1	RECENT INITIATE OF TRANQUILIZER USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECSTM_B	1	RECENT INITIATE OF STIMULANT USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECMTH_B	1	RECENT INITIATE OF METHAMPHETAMINE USE 0 = No (See comment above) 1 = Yes (See comment above)		
RECSSED_B	1	RECENT INITIATE OF SEDATIVE USE 0 = No (See comment above) 1 = Yes (See comment above)		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	178
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		<p>The following variable, RECPSY3, pertains to the initiation of nonmedical use of psychotherapeutics in the 12 month time period prior to the interview date. Psychotherapeutics include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED). Respondents who reported (1) initiation of psychotherapeutic use in the time period 12 months prior to the interview date (as determined by the imputation revised month [PSYMFU2], day [PSYDFU2] and year [PSYYFU2] of first use and date of the interview) and (2) reported past year use of the specific psychotherapeutic first initiated (XXXYR=1) were classified as recent initiates (RECPSY3=1). A negative response was assigned to all other respondents (RECPSY3=0) indicating that they never used or are lifetime users whose initiation of use was before the 12 month period prior to the interview. Specific details about the recoded variables are provided in the Incidence Documentation Appendix.</p>		
RECPSY_B	1	<p>RECENT INITIATE OF PSYCHOTHERAPEUTIC USE</p> <p>0 = No (See comment above)</p> <p>1 = Yes (See comment above)</p> <p>The following variable, RECSUM3, pertains to the initiation of illicit drug use in the 12 month time period prior to the interview date. Illicit drugs include marijuana (MRJ), cocaine (COC), heroin (HER), hallucinogens (HAL), inhalants (INH), pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED). Respondents who reported (1) initiation of illicit drug use in the time period 12 months prior to the interview date (as determined by the imputation revised month [SUMMFU], day [SUMDFU] and year [SUMYFU] of first use and date of the interview) and (2) reported past year use of the specific illicit drug first initiated (XXXYR=1) were classified as recent initiates (RECSUM3=1). A negative response was assigned to all other respondents (RECSUM3=0) indicating that they never used or are lifetime users whose initiation of use was before the 12 month period prior to the interview. Specific details about the recoded variables are provided in the Incidence Documentation Appendix.</p>		
RECSUM_B	1	<p>RECENT INITIATE OF ILLICIT DRUG USE</p> <p>0 = No (See comment above)</p> <p>1 = Yes (See comment above)</p>		

RECODED DRUG USE			PAGE:	179
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		<p>The following variable, RECIEM3, pertains to the initiation of use of illicit drugs other than marijuana in the 12 month time period prior to the interview date. Illicit drugs other than marijuana include cocaine (COC), heroin (HER), hallucinogens (HAL), inhalants (INH), pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED). Respondents who reported (1) initiation of use of illicit drugs other than marijuana in the time period 12 months prior to the interview date (as determined by the imputation revised month [IEMMFU], day [IEMDFU] and year [IEMYFU] of first use and date of the interview) and (2) reported past year use of the specific illicit drug first initiated (XXXYR=1) were classified as recent initiates (RECIEM3=1). A negative response was assigned to all other respondents (RECIEM3=0) indicating that they never used or are lifetime users whose initiation of use was before the 12 month period prior to the interview. Specific details about the recoded variables are provided in the Incidence Documentation Appendix.</p>		
RECIEM_B	1	<p>RECENT INITIATE OF ILL DRG OTH THAN MRJ USE</p> <p>0 = No (See comment above)</p> <p>1 = Yes (See comment above)</p> <p>NOTE: The following 16 variables pertain to the first illicit drug used among past year initiates of illicit drugs. The variables, which are not mutually exclusive, indicate for each of the drugs whether the respective drug had the earliest date of first use. Some respondents are represented by more than one first drug use variable, either due to dates of first use that are the same for non-related drugs or due to subcategory drugs having the same start date as a parent drug (e.g. LSD is a type of hallucinogen, and thus may have the same start date). Date of first use for each individual drug is determined by using the imputation revised month [IRXXXMFU], day [IRXXXDFU] and year [IRXXXYFU] of first use variables. Date of first use for both summary drugs (PSYFSTYR and IEMFSTYR) is determined by using the recoded month (XXXMFU), day (XXXDFU), and year (XXXYFU) of first use variables.</p>		
MRJFSTYR	1	<p>PAST YEAR INIT USED MARIJUANA FIRST</p> <p>1 = Yes (RECSUM3=1 & RECMJ2=1 & MJ date earliest)</p> <p>2 = No (Otherwise)</p> <p>3 = Not Past Year Ill Drug Initiate (RECSUM3=0)</p>		
COCFSTYR	1	<p>PAST YEAR INIT USED COCAINE FIRST</p> <p>1 = Yes (RECSUM3=1 & RECCOC2=1 & COC date earliest)</p> <p>2 = No (Otherwise)</p> <p>3 = Not Past Year Ill Drug Initiate (RECSUM3=0)</p> <p>For the following variable, CRKFSTYR, there were no past year initiates who reported that they had used crack first (CRKFSTYR=1).</p>		
CRKFSTYR	1	<p>PAST YEAR INIT USED CRACK FIRST</p> <p>1 = Yes (RECSUM2=1 & RECCRK2=1 & CRK date earliest)</p> <p>2 = No (RECSUM3=1 & [RECCRK2=0 or CRK date not earliest])</p> <p>3 = Not Past Year Ill Drug Initiate (RECSUM3=0)</p>		
HERFSTYR	1	<p>PAST YEAR INIT USED HEROIN FIRST</p> <p>1 = Yes (RECSUM3=1 & RECHER2=1 & HER date earliest)</p> <p>2 = No (RECSUM3=1 & [RECHER2=0 or HER date not earliest])</p> <p>3 = Not Past Year Ill Drug Initiate (RECSUM3=0)</p>		

Codebook Creation Date: April 24, 2012

RECODED DRUG USE			PAGE:	180
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
HALFSTYR	1	PAST YEAR INIT USED HALLUCINOGENS FIRST 1 = Yes (RECSUM3=1 & RECHAL2=1 & HAL date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
LSDFSTYR	1	PAST YEAR INIT USED LSD FIRST 1 = Yes (RECSUM3=1 & RECLSD2=1 & LSD date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
PCPFSTYR	1	PAST YEAR INIT USED PCP FIRST 1 = Yes (RECSUM3=1 & RECPCP2=1 & PCP date earliest) 2 = No (RECSUM3=1 & [RECPCP2=0 or PCP date not earliest]) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
ECSFSTYR	1	PAST YEAR INIT USED ECSTASY FIRST 1 = Yes (RECSUM3=1 & RECECS2=1 & ECS date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
INHFSYR	1	PAST YEAR INIT USED INHALANTS FIRST 1 = Yes (RECSUM3=1 & RECINH2=1 & INH date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
ANLFSYR	1	PAST YEAR INIT USED PAIN RELIEVERS FIRST 1 = Yes (RECSUM3=1 & RECANL2=1 & ANL date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
TRNFSTYR	1	PAST YEAR INIT USED TRANQUILIZERS FIRST 1 = Yes (RECSUM3=1 & RECTRN2=1 & TRN date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
STMFSTYR	1	PAST YEAR INIT USED STIMULANTS FIRST 1 = Yes (RECSUM3=1 & RECSTM2=1 & STM date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
SEDFSTYR	1	PAST YEAR INIT USED SEDATIVES FIRST 1 = Yes (RECSUM3=1 & RECED2=1 & SED date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
PSYFSTYR	1	PAST YEAR INIT USED PSYCHOTHERAPEUTICS FIRST 1 = Yes (RECSUM3=1 & RECPSY3=1 & PSY date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		
IEMFSTYR	1	PAST YEAR INIT USED ILL DRG OTHER THAN MRJ FIRST 1 = Yes (RECSUM3=1 & RECIEM3=1 & IEM date earliest) 2 = No (Otherwise) 3 = Not Past Year Ill Drug Initiate (RECSUM3=0)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	181
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD04)		SELECTED UNEDITED VARIABLES		

		Which of these Hispanic, Latino, or Spanish groups best describes you? Just give me the number or numbers from the card.		
QD041	2	MEXICAN/MEXICAN AMERICAN/MEXICANO/CHICANO 1 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD042	2	PUERTO RICAN 2 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD043	2	CENTRAL OR SOUTH AMERICAN 3 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD044	2	CUBAN/CUBAN AMERICAN 4 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD045	2	DOMINICAN (FROM DOMINICAN REPUBLIC) 5 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(QD05)		Which of these groups describes you? Just give me the number or numbers from the card?		
QD051	2	WHITE 1 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD052	2	BLACK/AFRICAN AMERICAN 2 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD053	2	AMERICAN INDIAN OR ALASKAN NATIVE 3 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD054	2	NATIVE HAWAIIAN 4 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	182
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
QD055	2	OTHER PACIFIC ISLANDER 5 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD056	2	ASIAN 6 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD057	2	OTHER 7 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(QD05ASIA)		Which of these Asian groups best describes you? Just give me the number or numbers from the card.		
QD05ASI1	2	ASIAN INDIAN 1 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD05ASI2	2	CHINESE 2 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD05ASI3	2	FILIPINO 3 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD05ASI4	2	JAPANESE 4 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD05ASI5	2	KOREAN 5 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD05ASI6	2	VIETNAMESE 6 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
QD05ASI7	2	OTHER (SPECIFY) 7 = Response entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	183
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG05)		Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
CG05	2	HAVE YOU SMOKED CIG IN PAST 30 DAYS 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG06)		How long has it been since you last smoked part or all of a cigarette?		
CG06	2	TIME SINCE LAST SMOKE A CIG (IF NOT PAST MO) 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG06DK)		What is your best guess of how long it has been since you last smoked part or all of a cigarette?		
CG06DK	2	BEST GUESS TIME SINCE LAST SMOKE A CIGARETTE 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG06RE)		The answers that people give us about their cigarette smoking are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last smoked part or all of a cigarette?		
CG06RE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST SMOKE A CIG 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG27)		Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you used snuff, even once?		
CG27	2	HAVE YOU USED SNUFF IN PAST 30 DAYS 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	184
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG28)		How long has it been since you last used snuff?		
CG28	2	TIME SINCE LAST USE SNUFF (IF NOT PAST MO) 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG28DK)		What is your best guess of how long it has been since you last used snuff?		
CG28DK	2	BEST GUESS TIME SINCE LAST USE SNUFF 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG28RE)		The answers that people give us about their use of snuff are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used snuff?		
CG28RE	2	THINK AGAIN ABOUT ANSWER TIME SINCE LAST USE SNUFF 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG19)		Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
CG19	2	HAVE YOU USED CHEW IN PAST 30 DAYS 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG20)		How long has it been since you last used chewing tobacco?		
CG20	2	TIME SINCE LAST USED CHEW (IF NOT PAST MO) 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	185
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG20DK)		What is your best guess of how long it has been since you last used chewing tobacco?		
CG20DK	2	BEST GUESS HOW LONG SINCE USED CHEWING TOBACCO 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG20RE)		The answers that people give us about their use of chewing tobacco are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used chewing tobacco?		
CG20RE	2	THINK AGAIN ABOUT ANSWER HOW LONG SINCE USED CHEW 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG36)		Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
CG36	2	HAVE YOU SMOKED CIGAR IN PAST 30 DAYS 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG37)		How long has it been since you last smoked part or all of any type of cigar?		
CG37	2	TIME SINCE LAST SMOKED CIGAR (IF NOT PAST MO) 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG37DK)		What is your best guess of how long it has been since you last smoked part or all of any type of cigar?		
CG37DK	2	BEST GUESS TIME SINCE LAST SMOKED CIGAR 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	186
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CG37RE)		The answers that people give us about their cigar smoking are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last smoked part or all of any type of cigar?		
CG37RE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST SMOKED CIGAR 1 = More than 30 days ago but within the past 12 mos 2 = More than 12 months ago but within the past 3 yrs 3 = More than 3 years ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CG43)		During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?		
CG43	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ALLAST3)		How long has it been since you last drank an alcoholic beverage?		
ALLAST3	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ALRECDK)		What is your best guess of how long it has been since you last drank an alcoholic beverage?		
ALRECDK	2	BEST GUESS TIME SINCE LAST DRANK ALCOHOLIC BEV 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	187
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ALRECRE)		The answers that people give us about their use of alcohol are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last drank an alcoholic beverage?		
ALRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LST DRANK ALCOHOL 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
TOTDRINK	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS RANGE = 1 - 372 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALFRAME3	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL 1 = Average # days per week during the pst 12 mos 2 = Average # days per month during the pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALYRAVE	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS RANGE = 1 - 366 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALMONAVE	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	188
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALWKAVE	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(MJLAST3)		How long has it been since you last used marijuana or hashish?		
MJLAST3	2	TIME SINCE LAST USED MARIJUANA/HASHISH 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(MJRECDK)		What is your best guess of how long it has been since you last used marijuana or hashish?		
MJRECDK	2	BEST GUESS TIME SINCE LAST USED MARIJUANA/HASHISH 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(MJRECRE)		The answers that people give us about their use of marijuana and hashish are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used marijuana or hashish?		
MJRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED MJ/HASH 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
TOTMJ	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS RANGE = 1 - 372 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	189
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MJFRAME3	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MJYRAVE	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS RANGE = 1 - 366 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MJMONAVE	2	# DAYS PER MOS USED MARIJUANA/HASHISH PAST 12 MOS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MJWKAVE	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CCLAST3)		How long has it been since you last used cocaine?		
CCLAST3	2	TIME SINCE LAST USED COCAINE 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CCRECDK)		What is your best guess of how long it has been since you last used cocaine?		
CCRECDK	2	BEST GUESS TIME SINCE LAST USED COCAINE 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	190
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CCRECRE)		The answers that people give us about their use of cocaine are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used cocaine?		
CCRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED COCAINE 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
TOTCOKE	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS RANGE = 1 - 372 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(CCFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CCFRAME3	2	EASIEST WAY TO TELL US # DAYS USED COCAINE 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCYRAVE	3	# DAYS USED COCAINE PAST 12 MONTHS RANGE = 1 - 365 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCMONAVE	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCWKAVE	2	# DAYS PER WEEK USED COCAINE PAST 12 MONTHS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	191
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		(CKLAST3) How long has it been since you last used 'crack'?		
CKLAST3	2	TIME SINCE LAST USED CRACK 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
		(CKRECDK) What is your best guess of how long it has been since you last used 'crack'?		
CKRECDK	2	BEST GUESS TIME SINCE LAST USED CRACK 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
		(CKRECRE) The answers that people give us about their use of 'crack' are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used 'crack'?		
CKRECRE	2	THINK AGAIN ABOUT ANSWER TIME SINCE LAST USE CRACK 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
TOTCRACK	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS RANGE = 1 - 372 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
		(CKFRAME3) Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
CKFRAME3	2	EASIEST WAY TO TELL US # DAYS USED CRACK 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	192
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(CKYRAVE)		On how many days in the past 12 months did you use 'crack'?		
CKYRAVE	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 365		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(CKMONAVE)		On average, how many days did you use 'crack' each month during the past 12 months?		
CKMONAVE	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 31		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(CKWKAVE)		On average, how many days did you use 'crack' each week during the past 12 months?		
CKWKAVE	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(HELAST3)		How long has it been since you last used heroin?		
HELAST3	2	TIME SINCE LAST USED HEROIN		
		1 = Within past 30 days -- that is, since [DATEFILL]		
		2 = More than 30 days ago but within the pst 12 mos		
		3 = More than 12 months ago		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(HERECDK)		What is your best guess of how long it has been since you last used heroin?		
HERECDK	2	BEST GUESS TIME SINCE LAST USED HEROIN		
		3 = More than 12 months ago		
		94 = DON'T KNOW		
		98 = BLANK (NO ANSWER)		
(HERECRE)		The answers that people give us about their use of heroin are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used heroin?		
HERECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED HEROIN		
		1 = Within past 30 days -- that is, since [DATEFILL]		
		2 = More than 30 days ago but within the pst 12 mos		
		3 = More than 12 months ago		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	193
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TOTHERO	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 372		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(HEFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HEFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Avg num of days per week during pst 12 mos		
		2 = Avg num of days per month during pst 12 mos		
		3 = Total number of days during the past 12 months		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HEYRAVE	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 365		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
(HEMNAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HEMNAVE	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 31		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HEWKAVE	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(LSLAST)		How long has it been since you last used [LSFILL]?		
LSLAST	2	TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within past 30 days -- that is, since [DATEFILL]		
		2 = More than 30 days ago but within the pst 12 mos		
		3 = More than 12 months ago		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	194
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(LSRECDK)		What is your best guess of how long it has been since you last used [LSFILL]?		
LSRECDK	2	BEST GUESS TIME SINCE LAST USED HALLUCINOGEN 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(LSRECRE)		The answers that people give us about their use of hallucinogens are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used [LSFILL]?		
LSRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED HALLUC 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
TOTHALL	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS RANGE = 1 - 372 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(LSFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
LSFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
LSYRAVE	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS RANGE = 1 - 365 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
LSMONAVE	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	195
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
LSWKAVE	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(LS10)		How long has it been since you last used LSD?		
LS10	2	TIME SINCE LAST USED LSD 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(LS16)		How long has it been since you last used PCP?		
LS16	2	TIME SINCE LAST USED PCP 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(LS22)		How long has it been since you last used 'Ecstasy', also known as MDMA?		
LS22	2	TIME SINCE LAST USED ECSTASY 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the pst 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(INLAST)		How long has it been since you last used any inhalant for kicks or to get high?		
INLAST	2	TIME SINCE LAST USED INHALANTS 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(INRECDK)		What is your best guess of how long it has been since you last used any inhalant for kicks or to get high?		
INRECDK	2	BEST GUESS TIME SINCE LAST USED INHALANTS 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	196
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(INRECRE)		The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any inhalant for kicks or to get high?		
INRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LST USE INHALANTS 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
TOTINHAL	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS RANGE = 1 - 372 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(INFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INFRAME3	2	EASIEST WAY TO TELL US # DAYS USED INHALANT 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INYRAVE	3	# DAYS USED INHALANT PAST 12 MONTHS RANGE = 1 - 365 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INMONAVE	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	197
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INWKAVE	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(PR09)		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR09	2	TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(PRRECDK)		What is your best guess of how long it has been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECDK	2	BEST GUESS LAST USED PAIN RELIEVER NONMEDICALLY 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(PRRECRE)		The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECRE	2	THINK AGAIN ABOUT ANS LAST USED PAIN RLVR NONMED 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	198
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(PR10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PR10	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 mos 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR11	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS RANGE = 1 - 365 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR12	2	# DAYS PER MOS USED PAIN RELIEVER "NM" PAST 12 MOS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR13	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	199
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TR09)		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR09	2	TIME SINCE LAST USED TRANQUILIZER NONMEDICALLY 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TRRECDK)		What is your best guess of how long it has been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECDK	2	BEST GUESS LAST USED TRANQUILIZER "NM" 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TRRECRE)		The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECRE	2	THINK AGAIN ABOUT ANS LAST USED TRANQUILIZER "NM" 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TR10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months. What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TR10	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	200
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR11	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS RANGE = 1 - 365 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR12	2	# DAYS PER MOS USED TRANQUILIZERS "NM" PAST 12 MOS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR13	2	# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST09)		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST09	2	TIME SINCE LAST USED STIMULANT NONMEDICALLY 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(STRECDK)		What is your best guess of how long it has been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECDK	2	BEST GUESS TIME SINCE LAST USED STIMULANTS "NM" 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	201
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(STRECRE)		The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECRE	2	THINK AGAIN ABOUT ANSWER LAST USED STIMULANTS "NM" 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
ST10	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST11	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS RANGE = 1 - 365 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST12	2	# DAYS PER MOS USED STIMULANT "NM" PAST 12 MONTHS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	202
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST13	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
ST19	2	HOW LONG SINCE USED METHAMPH, DESOXYN, METHEDRINE 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST20)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months. What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?		
ST20	2	EASIEST WAY TO TELL US # DAYS USED METHAMP/DESO 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST21	3	# DAYS USED METHAMP/DESO/METHD PAST 12 MONTHS RANGE = 1 - 365 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST22	2	# DAYS PER MOS USED METHAMP/DESO/M PAST 12 MONTHS RANGE = 1 - 31 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

Codebook Creation Date: April 24, 2012

SELECTED UNEDITED VARIABLES			PAGE:	203
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST23	2	# DAYS PER WEEK USED METHAMP/DESO/M PAST 12 MONTHS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SV09)		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV09	2	TIME SINCE LAST USED SEDATIVE NONMEDICALLY 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SVRECDK)		What is your best guess of how long it has been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECDK	2	BEST GUESS TIME SINCE LAST USED SEDATIVE "NM" 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SVRECRE)		The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential. Please think again about answering this question: How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECRE	2	THINK AGAIN ABOUT ANS LAST USED SEDATIVE NONMED 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SELECTED UNEDITED VARIABLES			PAGE:	204
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SV10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SV10	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE 1 = Avg num of days per week during pst 12 mos 2 = Avg num of days per month during pst 12 mos 3 = Total number of days during the past 12 months 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV11	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS RANGE = 1 - 70 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV12	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS RANGE = 1 - 30 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV13	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS RANGE = 1 - 7 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

SPECIAL DRUGS			PAGE:	205
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SD01)		SPECIAL DRUGS		

		These next questions are about the different ways that certain drugs can be used.		
		Have you ever, even once, smoked heroin?		
HERSMOKE	2	1EVER SMOKED HEROIN		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED HEROIN		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(SD02)		How long has it been since you last smoked heroin?		
HRSMKREC	2	1TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		9 = At some point in the lifetime LOG ASSN		
		13 = More than 12 months ago LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED HEROIN		
		93 = USED HEROIN BUT NEVER SMOKED IT		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(SD03)		Have you ever, even once, sniffed or "snorted" heroin powder through your nose?		
HERSNIFF	2	1EVER SNIFFED HEROIN		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED HEROIN		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(SD04)		How long has it been since you last sniffed or "snorted" heroin powder through your nose?		
HRSNFREC	2	1TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days		
		2 = More than 30 days ago but within the past 12 mos		
		3 = More than 12 months ago		
		9 = At some point in the lifetime LOG ASSN		
		13 = More than 12 months ago LOGICALLY ASSIGNED		
		91 = NEVER USED HEROIN		
		93 = USED HEROIN BUT NEVER SNIFFED IT		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL DRUGS			PAGE:	206
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SD08)		Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	1EVER USED NEEDLE TO INJECT HEROIN 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED HEROIN 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SD09)		How long has it been since you last used a needle to inject heroin?		
HRNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT HEROIN 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = At some point in the lifetime LOG ASSN 13 = More than 12 months ago LOGICALLY ASSIGNED 91 = NEVER USED HEROIN 93 = USED HEROIN BUT NEVER WITH A NEEDLE 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SD10A)		NOTE: MTHNEEDL and MTNDLREC were edited in a manner that was consistent with how these variables were created prior to 2005. Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTHNEEDL	2	1EVER USED NEEDLE TO INJECT METHAMPHETAMINE 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 81 = NEVER USED METHAMPHETAMINE Log assn 85 = BAD DATA Logically assigned 91 = NEVER USED METHAMPHETAMINE 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL DRUGS			PAGE:	207
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SD10B)		How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT METH 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = At some point in the lifetime LOG ASSN 13 = More than 12 months ago LOGICALLY ASSIGNED 81 = NEVER USED METHAMPHETAMINE Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED METHAMPHETAMINE 93 = USED METHAMPH BUT NEVER WITH A NEEDLE 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SD06)		Have you ever, even once, used a needle to inject cocaine?		
COCNEEDL	2	1EVER USED NEEDLE TO INJECT COCAINE 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SD07)		How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT COCAINE 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 9 = At some point in the lifetime LOG ASSN 13 = More than 12 months ago LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = USED COCAINE BUT NEVER WITH A NEEDLE 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL DRUGS			PAGE:	208
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SD12)		Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
GNNDREUS	2	1LAST TIME REUSED NEEDLE USED BEFORE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 90 = NOT ASKED THE QUESTION Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SD13)		The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		
GNNDLSH1	2	1LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 90 = NOT ASKED THE QUESTION Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SD14)		The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
GNNDCLEN	2	1USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 90 = NOT ASKED THE QUESTION Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SD15)		The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	1SOMEONE ELSE USED LAST NEEDLE AFTER YOU 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 90 = NOT ASKED THE QUESTION Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL DRUGS			PAGE:	209
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SD16)		NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET incorporates these "OTHER, Specify" data.		
		The last time you used a needle for injecting drugs, how did you get the needle?		
GNNDGET	2	1HOW DID YOU GET THE NEEDLE LAST TIME 1 = Bought the needle from a pharmacy 2 = Got the needle from a needle exchange 3 = Bought the needle on the street 4 = Got the needle in a shooting gallery 5 = Got the needle some other way 21 = I bought the needle from a pharmacy 23 = I bought the needle on the street 41 = Given by/stole frm friend/acquaint of frnd/nonrel 42 = Given by, stolen from a relative 43 = Given by, stolen from someone, relation unspecifd 44 = From drug dealer/came with drugs 45 = Found it/got from a waste can/trash 46 = Given by, stolen from medical facility/professionl 47 = Given by, stolen from work 48 = Given by, stolen from a pharmacy or store 49 = Bought, given, stolen from place/location unspecfd 50 = Homemade/self-made needle 51 = Given, stolen frm athletic trainer/coach/hlth club 52 = Given by, stolen from vet facility/professional 53 = Given by, stolen from someone while in prison 54 = Shared needle with friends/other acquaintances 55 = Given by, stolen from other's work 56 = Given/stolen/bought from farm/pet store/supplier 57 = Given by, stolen from military supplies 58 = Got it at a party 59 = Bought it online/on the Internet 60 = Got it at home; no other information 62 = Traded drugs for needle(s) 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 90 = NOT ASKED THE QUESTION Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED SPECIAL DRUGS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: The variables STNEEDLR, STNLRECR, and NEDLRECR were created to be consistent with data from corresponding variables prior to 2005. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR. The variables STNEDL06, STNLRC06, and NDLREC06 also took into account data from the methamphetamine variables MTHANEDL, MTANDLRC, and MTHEVCK from the SPECIAL DRUGS module. STNEDL06 was derived from STNEEDLR and MTHANEDL. STNLRC06 was derived from STNLRECR and MTANDLRC. NDLREC06 was derived from NEDLRECR and STNLRC06.

STNEEDLR	2	1EVER USED NEEDLE TO INJECT STIMULANT - RECODE
		1 = Yes
		2 = No
		81 = NEVER USED STIMULANTS Logically assigned
		91 = NEVER USED STIMULANTS
		97 = REFUSED
		98 = MISSING (BUT NOT REFUSED)
STNLRECR	2	1MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE
		1 = Within the past 30 days
		2 = More than 30 days ago but within the past 12 mos
		3 = More than 12 months ago
		8 = At some point in the past 12 months LOG ASSN
		9 = At some point in the lifetime LOG ASSN
		13 = More than 12 months ago LOGICALLY ASSIGNED
		81 = NEVER USED STIMULANTS Logically assigned
		91 = NEVER USED STIMULANTS
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE
		97 = REFUSED
		98 = MISSING (BUT NOT REFUSED)
NEDLRECR	2	1MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE
		1 = Within the past 30 days
		2 = More than 30 days ago but within the past 12 mos
		3 = More than 12 months ago
		8 = At some point in the past 12 months LOG ASSN
		9 = At some point in the lifetime LOG ASSN
		13 = More than 12 months ago LOGICALLY ASSIGNED
		81 = NEVER USED COC/HER/STM W/NEEDLE Log assn
		91 = NEVER USED COC/HER/STM WITH A NEEDLE
		97 = REFUSED
		98 = MISSING (BUT NOT REFUSED)

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS			PAGE:	211
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NOTE: The following 8 variables indicate whether a respondent has ever used a needle to inject heroin, cocaine, stimulants, methamphetamine, or any drug.				
NOTE: NEDFLG01, NEDSTM, and NEDMTH are based only on data from the methamphetamine questions in the stimulants module of the core questionnaire. In 2005, new methamphetamine items were added to the non-core special drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new non-core special drugs items were used to create CPNNDFLG, CPNNDSTM, and CPNNDMTH. For details, please see Appendix B.4.8 of the 2008 National Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)				
A respondent was defined as having used a needle to inject drugs based on the core questions (NEDFLG01) if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the stimulants module (STNEEDLR), or any other drug (OTDGNEDL). Otherwise, a respondent was defined as never using needles to inject drugs.				
NEDFLG01	1	NEEDLE USE (ANY DRUG) - EVER USED 0 = Never Used/Unknown (Otherwise) 1 = Ever Used (Any source var=1,3)		
NEDHER	1	EVER USED A NEEDLE TO INJECT HEROIN 0 = No/Unknown (HERNEEDL=2,91,97,98) 1 = Yes (HERNEEDL=1,3)		
NEDCOC	1	EVER USED A NEEDLE TO INJECT COCAINE 0 = No/Unknown (COCNEEDL=2,85,91,97,98) 1 = Yes (COCNEEDL=1,3)		
NEDSTM	1	EVER USED A NEEDLE TO INJECT STIMULANT 0 = No/Unknown (STNEEDLR=2,81,91,97,98) 1 = Yes (STNEEDLR=1)		
NEDMTH	1	EVER USED A NEEDLE TO INJECT METHAMPHETAMINE 0 = No/Unknown (MTHNEEDL=2,4,81,85,91,97,98) 1 = Yes (MTHNEEDL=1,3)		
HERSMOK2	1	EVER SMOKED HEROIN 0 = No/Unknown (HERSMOKE=2,91,97,98) 1 = Yes (HERSMOKE=1,3)		
HERSNIF2	1	EVER SNIFFED HEROIN 0 = No/Unknown (HERSNIFF=2,91,97,98) 1 = Yes (HERSNIFF=1,3)		

		RISK/AVAILABILITY	PAGE:	212
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(RK01A)		RISK/AVAILABILITY ----- We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood. Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities. If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity. How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?		
RSKPKCIG	2	1RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK01B)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?		
RSKMJOCC	2	1RISK SMOKING MARIJUANA ONCE A MONTH 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK01C)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?		
RSKMJREG	2	1RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RISK/AVAILABILITY			PAGE:	213
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(RK01D)		How much do people risk harming themselves physically and in other ways when they try LSD once or twice?		
RKTRYLSD	2	1RISK TRYING LSD ONCE OR TWICE 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK01E)		How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?		
RKLSDREG	2	1RISK USING LSD ONCE OR TWICE A WEEK 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK01F)		How much do people risk harming themselves physically and in other ways when they try heroin once or twice?		
RKTRYHER	2	1RISK TRYING HEROIN ONCE OR TWICE 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK01G)		How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?		
RKHERREG	2	1RISK USING HEROIN ONCE OR TWICE A WEEK 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

		RISK/AVAILABILITY		PAGE:	214
LABEL	LEN	DESCRIPTION		FREQ	%
----	---	-----		----	-
(RK01H)		How much do people risk harming themselves physically and in other ways when they use cocaine once a month?			
RKCOCOC	2	1RISK USING COCAINE ONCE A MONTH 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(RK01I)		How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?			
RKCOCREG	2	1RISK USING COCAINE ONCE OR TWICE A WEEK 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(RK01J)		How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?			
RK5ALDLY	2	1RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(RK01K)		How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?			
RK5ALWK	2	1RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK 1 = No risk 2 = Slight risk 3 = Moderate risk 4 = Great risk 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RISK/AVAILABILITY			PAGE:	215
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(RK02A)		The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.		
		How difficult or easy would it be for you to get some marijuana, if you wanted some?		
RSKDIFMJ	2	1HOW DIFFICULT TO GET MARIJUANA 1 = Probably impossible 2 = Very difficult 3 = Fairly difficult 4 = Fairly easy 5 = Very easy 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK02B)		How difficult or easy would it be for you to get some LSD, if you wanted some?		
RKDIFLSD	2	1HOW DIFFICULT TO GET LSD 1 = Probably impossible 2 = Very difficult 3 = Fairly difficult 4 = Fairly easy 5 = Very easy 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK02C)		How difficult or easy would it be for you to get some cocaine, if you wanted some?		
RKDIFCOC	2	1HOW DIFFICULT TO GET COCAINE 1 = Probably impossible 2 = Very difficult 3 = Fairly difficult 4 = Fairly easy 5 = Very easy 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(RK02D)		How difficult or easy would it be for you to get some 'crack', if you wanted some?		
RKDIFCRK	2	1HOW DIFFICULT TO GET "CRACK" 1 = Probably impossible 2 = Very difficult 3 = Fairly difficult 4 = Fairly easy 5 = Very easy 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

		RISK/AVAILABILITY		PAGE:	216
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	-
(RK02E)		How difficult or easy would it be for you to get some heroin, if you wanted some?			
RKDIFHER	2	1HOW DIFFICULT TO GET HEROIN 1 = Probably impossible 2 = Very difficult 3 = Fairly difficult 4 = Fairly easy 5 = Very easy 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(RK03)		In the past 30 days, has anyone approached you to sell you an illegal drug?			
RSKSELL	2	1APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(RK04A)		How often do you get a real kick out of doing things that are a little dangerous?			
RKFQDNDR	2	1GET A REAL KICK OUT OF DOING DANGEROUS THINGS 1 = Never 2 = Seldom 3 = Sometimes 4 = Always 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(RK04B)		How often do you like to test yourself by doing something a little risky?			
RKFQRSKY	2	1LIKE TO TEST YOURSELF BY DOING RISKY THINGS 1 = Never 2 = Seldom 3 = Sometimes 4 = Always 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(RK04C)		How often do you wear a seatbelt when you ride in the front passenger seat of a car?			
RKFQPBLT	2	1WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR 1 = Never 2 = Seldom 3 = Sometimes 4 = Always 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RISK/AVAILABILITY			PAGE: 217	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(RK04D)		How often do you wear a seatbelt when you drive a car?		
RKFQDBLT	2	1WEAR A SEATBELT WHEN YOU DRIVE A CAR		
		1 = Never		
		2 = Seldom		
		3 = Sometimes		
		4 = Always		
		5 = I don't drive		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED RISK/AVAILABILITY			PAGE:	218
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED RISK/AVAILABILITY				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
GRSKPKCG	1	GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY . = Unknown (RSKPKCIG=94,97,98) 0 = Otherwise (RSKPKCIG=1,2,3) 1 = Great Risk (RSKPKCIG=4)		
GRSKMOCC	1	GREAT RISK: USE MARIJUANA ONCE A MONTH . = Unknown (RSKMJOCC=94,97,98) 0 = Otherwise (RSKMJOCC=1,2,3) 1 = Great Risk (RSKMJOCC=4)		
GRSKMREG	1	GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK . = Unknown (RSKMJREG=94,97,98) 0 = Otherwise (RSKMJREG=1,2,3) 1 = Great Risk (RSKMJREG=4)		
GRSKCOCC	1	GREAT RISK: USE COCAINE ONCE A MONTH . = Unknown (RKCOCOCC=94,97,98) 0 = Otherwise (RKCOCOCC=1,2,3) 1 = Great Risk (RKCOCOCC=4)		
GRSKCREG	1	GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK . = Unknown (RKCOCREG=94,97,98) 0 = Otherwise (RKCOCREG=1,2,3) 1 = Great Risk (RKCOCREG=4)		
GRSKHTRY	1	GREAT RISK: TRYING HEROIN ONCE OR TWICE . = Unknown (RKTRYHER=94,97,98) 0 = Otherwise (RKTRYHER=1,2,3) 1 = Great Risk (RKTRYHER=4)		
GRSKHREG	1	GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK . = Unknown (RKHERREG=94,97,98) 0 = Otherwise (RKHERREG=1,2,3) 1 = Great Risk (RKHERREG=4)		
GRSKLTRY	1	GREAT RISK: TRYING LSD ONCE OR TWICE . = Unknown (RKTRYLSD=94,97,98) 0 = Otherwise (RKTRYLSD=1,2,3) 1 = Great Risk (RKTRYLSD=4)		
GRSKLREG	1	GREAT RISK: USE LSD 1-2 TIMES PER WEEK . = Unknown (RKLSDREG=94,97,98) 0 = Otherwise (RKLSDREG=1,2,3) 1 = Great Risk (RKLSDREG=4)		
GRSKD4_5	1	GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY . = Unknown (RK5ALDLY=94,97,98) 0 = Otherwise (RK5ALDLY=1,2,3) 1 = Great Risk (RK5ALDLY=4)		

RECODED RISK/AVAILABILITY			PAGE:	219
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
GRSKD5WK	1	GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK . = Unknown (RK5ALWK=94,97,98) 0 = Otherwise (RK5ALWK=1,2,3) 1 = Great Risk (RK5ALWK=4)		
RDIFMJ	1	MARIJUANA FAIRLY OR VERY EASY TO OBTAIN . = Unknown (RSKDIFMJ=94,97,98) 0 = Otherwise (RSKDIFMJ=1,2,3) 1 = Fairly or very easy (RSKDIFMJ=4,5)		
RDIFCOC	1	COCAINE FAIRLY OR VERY EASY TO OBTAIN . = Unknown (RKDIFCOC=94,97,98) 0 = Otherwise (RKDIFCOC=1,2,3) 1 = Fairly or very easy (RKDIFCOC=4,5)		
RDIFCRK	1	CRACK FAIRLY OR VERY EASY TO OBTAIN . = Unknown (RKDIFCRK=94,97,98) 0 = Otherwise (RKDIFCRK=1,2,3) 1 = Fairly or very easy (RKDIFCRK=4,5)		
RDIFHER	1	HEROIN FAIRLY OR VERY EASY TO OBTAIN . = Unknown (RKDIFHER=94,97,98) 0 = Otherwise (RKDIFHER=1,2,3) 1 = Fairly or very easy (RKDIFHER=4,5)		
RDIFLSD	1	LSD FAIRLY OR VERY EASY TO OBTAIN . = Unknown (RKDIFLSD=94,97,98) 0 = Otherwise (RKDIFLSD=1,2,3) 1 = Fairly or very easy (RKDIFLSD=4,5)		
APPSELDG	1	APPROACHED BY SOMEONE SELLING DRUGS . = Unknown (RSKSELL=94,97,98) 0 = No (RSKSELL=2) 1 = Yes (RSKSELL=1)		

		SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	220
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	-
(DRCGE01)		SUBSTANCE DEPENDENCE AND ABUSE			

		Think about your use of cigarettes during the past 30 days as you answer these next questions.			
		Please think about how true each statement is of you.			
		After not smoking for a while, you need to smoke in order to feel less restless and irritable.			
CIGIRTL	2	1NEED TO SMOKE TO FEEL LESS IRRITABLE			
		1 = Not at all true			
		2 = Somewhat true			
		3 = Moderately true			
		4 = Very true			
		5 = Extremely true			
		85 = BAD DATA Logically assigned			
		91 = NEVER USED CIGARETTES			
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS			
		94 = DON'T KNOW			
		97 = REFUSED			
		98 = BLANK (NO ANSWER)			
(DRCGE02)		When you don't smoke for a few hours, you start to crave cigarettes.			
CIGCRAVE	2	1START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS			
		1 = Not at all true			
		2 = Somewhat true			
		3 = Moderately true			
		4 = Very true			
		5 = Extremely true			
		85 = BAD DATA Logically assigned			
		91 = NEVER USED CIGARETTES			
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS			
		94 = DON'T KNOW			
		97 = REFUSED			
		98 = BLANK (NO ANSWER)			
(DRCGE03)		You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.			
CIGCRAGP	2	1CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL			
		1 = Not at all true			
		2 = Somewhat true			
		3 = Moderately true			
		4 = Very true			
		5 = Extremely true			
		85 = BAD DATA Logically assigned			
		91 = NEVER USED CIGARETTES			
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS			
		94 = DON'T KNOW			
		97 = REFUSED			
		98 = BLANK (NO ANSWER)			

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	221
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRCGE04)		You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.		
CIGINCTL	2	1FEEL A SENSE OF CONTROL OVER YOUR SMOKING 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE05)		You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.		
CIGAVOID	2	1TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE06A)		Do you have any friends who do not smoke cigarettes?		
CIGFNSMK	2	1HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	222
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(DRCGE06B)		There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.		
CIGFNLKE	2	1CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCGE07)		Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.		
CIGPLANE	2	1RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE08)		You sometimes worry that you will run out of cigarettes.		
CIGRNOUT	2	1SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	223
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRCGE09)		You smoke cigarettes fairly regularly throughout the day.		
CIGREGDY	2	1SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE10)		You smoke about the same amount on weekends as on weekdays.		
CIGREGWK	2	1SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE11)		You smoke just about the same number of cigarettes from day to day.		
CIGREGNM	2	1SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	224
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRCGE12)		It's hard to say how many cigarettes you smoke per day because the number often changes.		
CIGNMCHG	2	1NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE13)		It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.		
CIGSVLHR	2	1HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE14)		The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.		
CIGINFLU	2	1# OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	225
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCGE15)		Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.		
CIGNOINF	2	1SMOKING NOT AFFECTED BY OTHER THINGS 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE16)		Since you started smoking, the amount you smoke has increased.		
CIGINCRS	2	1AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE17)		Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.		
CIGSATIS	2	1NEED TO SMOKE A LOT MORE TO BE SATISFIED 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	226
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(DRCGE18)		Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.		
CIGLOTMR	2	1SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING 1 = Not at all true 2 = Somewhat true 3 = Moderately true 4 = Very true 5 = Extremely true 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCGE19A)		How soon after you wake up do you have your first cigarette? On the days that you smoke, how soon after you wake up do you have your first cigarette?		
CIGWAKE	2	1HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG 1 = Within the first 5 minutes after you wake up 2 = Between 6 and 30 minutes after you wake up 3 = Between 31 and 60 minutes after you wake up 4 = More than 60 minutes after you wake up 85 = BAD DATA Logically assigned 91 = NEVER USED CIGARETTES 93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRALC01)		Think about your use of alcohol during the past 12 months as you answer these next questions. During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?		
ALCLOTTM	2	1SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	227
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRALC02)		During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?		
ALCGTOVR	2	1MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRALC04)		During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?		
ALCLIMIT	2	1SET LIMITS ON ALCOHOL USE PAST 12 MONTHS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRALC05)		Were you able to keep to the limits you set, or did you often drink more than you intended to?		
ALCKPLMT	2	1ABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS 1 = Usually kept to the limits set 2 = Often drank more than intended 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	228
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRALC06)		During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?		
ALCNDMOR	2	1NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRALC07)		During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?		
ALCLSEFX	2	1DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRALC08)		During the past 12 months, did you want to or try to cut down or stop drinking alcohol?		
ALCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP DRNKG PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	229
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRALC09)		During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?		
ALCCUTEV	2	1ABLE TO CUT/STOP DRNGK EVERY TIME PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRALC10)		During the past 12 months, did you cut down or stop drinking at least one time?		
ALCCUT1X	2	1CUT DOWN OR STOP DRNGK AT LEAST ONCE PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRALC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol? - Sweating or feeling that your heart was beating fast - Having your hands tremble - Having trouble sleeping - Vomiting or feeling nauseous - Seeing, hearing, or feeling things that weren't really there - Feeling like you couldn't sit still - Feeling anxious - Having seizures or fits		
ALCWD2SX	2	1HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	230
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRALC12)		<p>Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?</p> <ul style="list-style-type: none"> - Sweating or feeling that your heart was beating fast - Having your hands tremble - Having trouble sleeping - Vomiting or feeling nauseous - Seeing, hearing, or feeling things that weren't really there - Feeling like you couldn't sit still - Feeling anxious - Having seizures or fits 		
ALCWDSMT	2	<p>1HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS</p> <p>1 = Yes 2 = No</p> <p>83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP</p>		
(DRALC13)		<p>During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?</p>		
ALCEMOPB	2	<p>1ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS</p> <p>1 = Yes 2 = No</p> <p>83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)</p>		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	231
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRALC14)		Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?		
ALCEMCTD	2	1CONTD TO DRINK ALC DESPITE EMOT PRBS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRALC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?		
ALCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRALC16)		Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?		
ALCPHCTD	2	1CONTD TO DRINK ALC DESPITE PHYS PRBS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	232
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRALC17)		<p>This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.</p> <p>During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?</p>		
ALCLSACT	2	<p>1LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED ALCOHOL</p> <p>93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(DRALC18)		<p>Sometimes people who drink alcohol have serious problems at home, work or school - such as:</p> <ul style="list-style-type: none"> - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school <p>During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?</p>		
ALCSERP	2	<p>1ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED ALCOHOL</p> <p>93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	233
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRALC19)		During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?		
ALCPDANG	2	1DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRALC20)		During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?		
ALCLAWTR	2	1DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRALC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?		
ALCFMFPB	2	1DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	234
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRALC22)		Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?		
ALCFMCTD	2	1CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS 1 = Yes 2 = No 83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL 93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRMJ01)		Think about your use of marijuana or hashish during the past 12 months as you answer these next questions. During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?		
MRJLOTTM	2	1SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRMJ02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?		
MRJGTOVR	2	1MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	235
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRMJ04)		During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?		
MRJLIMIT	2	1SET LIMITS ON MARIJUANA USE PAST 12 MONTHS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRMJ05)		Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?		
MRJKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS 1 = Usually kept to the limits set 2 = Often used more than intended 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRMJ06)		During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?		
MRJNDMOR	2	1NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	236
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRMJ07)		During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?		
MRJLSEFX	2	1USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRMJ08)		During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?		
MRJCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRMJ09)		During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?		
MRJCUTEV	2	1ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	237
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRMJ13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?		
MRJEMOPB	2	1MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRMJ14)		Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
MRJEMCTD	2	1CONTD USING MARIJUANA DESPITE EMOT PRBS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRMJ15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?		
MRJPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	238
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRMJ16)		Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?		
MRJPHCTD	2	1CONTD TO USE MARIJUANA DESPITE PHYS PRBS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRMJ17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family. During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?		
MRJLSACT	2	1LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRMJ18)		Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as: - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?		
MRJSERP	2	1MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	239
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRMJ19)		During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?		
MRJPDANG	2	1USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRMJ20)		During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?		
MRJLAWTR	2	1USING MJ CAUSE PRBS WITH LAW PAST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRMJ21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?		
MRJFMFPB	2	1USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	240
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRMJ22)		Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?		
MRJFMCTD	2	1CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS 1 = Yes 2 = No 83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCC01)		Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions. During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?		
COCLOTTM	2	1SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCC02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?		
COCGTOVR	2	1MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	241
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCC04)		During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?		
COCLIMIT	2	1SET LIMITS ON COCAINE USE PAST 12 MONTHS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCC05)		Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?		
COCKPLMT	2	1ABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS 1 = Usually kept to the limits set 2 = Often used more than intended 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCC06)		During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?		
COCNDMOR	2	1NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCC07)		During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?		
COCLSEFX	2	1USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	242
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRCC08)		During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?		
COCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCC09)		During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?		
COCCUTEV	2	1ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS 1 = Yes 2 = No 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCC10)		During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?		
COCCUT1X	2	1CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCC10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?		
COCFLBLU	2	1WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	243
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRCC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]? - Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still		
COCWD2SX	2	1HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]? - Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still		
COCWDSMT	2	1HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	244
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?		
COCEMOPB	2	1COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCC14)		Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
COCEMCTD	2	1CONTD TO USE COC DESPITE EMOT PRBS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?		
COCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRCC16)		Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?		
COCPHCTD	2	1CONTD TO USE COC DESPITE PHYS PRBS 1 = Yes 2 = No 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	245
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRCC17)		<p>This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.</p> <p>During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?</p>		
COCLSACT 2		<p>1LESS ACTIVITIES B/C OF COC USE PAST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED COCAINE</p> <p>93 = DID NOT USE COCAINE IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(DRCC18)		<p>Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:</p> <ul style="list-style-type: none"> - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school <p>During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?</p>		
COCSERPB 2		<p>1COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED COCAINE</p> <p>93 = DID NOT USE COCAINE IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(DRCC19)		<p>During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?</p>		
COCPDANG 2		<p>1USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED COCAINE</p> <p>93 = DID NOT USE COCAINE IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	246
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRCC20)		During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?		
COCLAWTR	2	1USING COC CAUSE PRBS WITH LAW PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?		
COCFMFPB	2	1USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRCC22)		Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?		
COCFMCTD	2	1CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED COCAINE 93 = DID NOT USE COCAINE IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	247
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-

(DRHE01) NOTE: The heroin variables in the SUBSTANCE DEPENDENCE AND ABUSE module take into account information from follow-up questions that were added to the SPECIAL DRUGS module in 2002 for the variables HRSMKREC and HRSNFREC. Respondents who had not previously reported heroin use in the past 12 months but who reported on follow-up that they smoked or sniffed heroin in the past 12 months were asked the heroin questions in the SUBSTANCE DEPENDENCE AND ABUSE module.

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?

HERLOTTM 2 1SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS
1 = Yes
2 = No
91 = NEVER USED HEROIN
93 = DID NOT USE HEROIN IN THE PAST 12 MOS
94 = DON'T KNOW
97 = REFUSED
98 = BLANK (NO ANSWER)

(DRHE02) During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?

HERGTOVR 2 1MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO
1 = Yes
2 = No
91 = NEVER USED HEROIN
93 = DID NOT USE HEROIN IN THE PAST 12 MOS
94 = DON'T KNOW
97 = REFUSED
98 = BLANK (NO ANSWER)
99 = LEGITIMATE SKIP

(DRHE04) During the past 12 months, did you try to set limits on how often or how much heroin you would use?

HERLIMIT 2 1SET LIMITS ON HEROIN USE PAST 12 MONTHS
1 = Yes
2 = No
91 = NEVER USED HEROIN
93 = DID NOT USE HEROIN IN THE PAST 12 MOS
94 = DON'T KNOW
97 = REFUSED
98 = BLANK (NO ANSWER)

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	248
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRHE05)		Were you able to keep to the limits you set, or did you often use heroin more than you intended to?		
HERKPLMT	2	1ABLE TO KEEP LIMT OR USE MORE HEROIN PST 12 MOS 1 = Usually kept to the limits set 2 = Often used more than intended 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRHE06)		During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?		
HERNDMOR	2	1NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRHE07)		During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?		
HERLSEFX	2	1USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRHE08)		During the past 12 months, did you want to or try to cut down or stop using heroin?		
HERCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	249
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRHE09)	2	During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?		
HERCUTEV	2	1ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRHE10)		During the past 12 months, did you cut down or stop using heroin at least one time?		
HERCUT1X	2	1CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRHE11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin? - Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping		
HERWD3SX	2	1HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	250
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRHE12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
HERWDSMT 2		1HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS		
		1 = Yes		
		2 = No		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(DRHE13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?		
HEREMOPB 2		1HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
		1 = Yes		
		2 = No		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(DRHE14)		Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
HEREMCTD 2		1CONTD TO USE HEROIN DESPITE EMOT PRBS		
		1 = Yes		
		2 = No		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	251
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRHE15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?		
HERPHLPB	2	1 ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRHE16)		Did you continue to use heroin even though you thought it was causing you to have physical problems?		
HERPHCTD	2	1 CONTD TO USE HEROIN DESPITE PHYS PRBS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRHE17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family. During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?		
HERLSACT	2	1 LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	252
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRHE18)		Sometimes people who use heroin have serious problems at home, work or school - such as:		
		<ul style="list-style-type: none"> - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school 		
		During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?		
HERSERPB	2	1HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes		
		2 = No		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(DRHE19)		During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?		
HERPDANG	2	1USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes		
		2 = No		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
(DRHE20)		During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?		
HERLAWTR	2	1USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes		
		2 = No		
		91 = NEVER USED HEROIN		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	253
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRHE21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?		
HERFMFPB	2	1USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRHE22)		Did you continue to use heroin even though you thought it caused problems with family or friends?		
HERFMCTD	2	1CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS 1 = Yes 2 = No 91 = NEVER USED HEROIN 93 = DID NOT USE HEROIN IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRIN01)		Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions. During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?		
INHLOTTM	2	1SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	254
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRIN02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?		
INHGT0VR	2	1MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRIN04)		During the past 12 months, did you try to set limits on how often or how much inhalants you would use?		
INHLIMIT	2	1SET LIMITS ON INHALANT USE PAST 12 MONTHS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRIN05)		Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?		
INHKLMT	2	1ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS 1 = Usually kept to the limits set 2 = Often used more than intended 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRIN06)		During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?		
INHNDMOR	2	1NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	255
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRIN07)		During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?		
INHLSEFX	2	1USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRIN08)		During the past 12 months, did you want to or try to cut down or stop using inhalants?		
INHCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRIN09)		During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?		
INHCUTEV	2	1ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRIN13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?		
INHEMOPB	2	1INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	256
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRIN14)		Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
INHEMCTD	2	1CONTD TO USE INHALANTS DESPITE EMOT PRBS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRIN15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?		
INHPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRIN16)		Did you continue to use inhalants even though you thought this was causing you to have physical problems?		
INHPHCTD	2	1CONTD TO USE INHALANTS DESPITE PHYS PRBS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	257
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRIN17)		<p>This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.</p> <p>During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?</p>		
INHLSACT	2	<p>1LESS ACTIVITIES B/C OF INH USE PAST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED INHALANTS</p> <p>93 = DID NOT USE INHALANTS IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(DRIN18)		<p>Sometimes people who use inhalants have serious problems at home, work or school - such as:</p> <ul style="list-style-type: none"> - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school <p>During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?</p>		
INHSERPB	2	<p>1INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED INHALANTS</p> <p>93 = DID NOT USE INHALANTS IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(DRIN19)		<p>During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?</p>		
INHDPDANG	2	<p>1USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED INHALANTS</p> <p>93 = DID NOT USE INHALANTS IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	258
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRIN20)		During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?		
INHLAWTR	2	1USING INH CAUSE PRBS WITH LAW PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRIN21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?		
INHFMFPB	2	1USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRIN22)		Did you continue to use inhalants even though you thought this caused problems with family or friends?		
INHFMCTD	2	1CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED INHALANTS 93 = DID NOT USE INHALANTS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	259
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRTR01)		Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?		
TRNLOTTM	2	1SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRTR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?		
TRNGTOVR	2	1MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRTR04)		During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?		
TRNLIMIT	2	1SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	260
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRTR05)		Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?		
TRNKPLMT	2	1 = Usually kept to the limits set 2 = Often used more than intended 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRTR06)		During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?		
TRNNDMOR	2	1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRTR07)		During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?		
TRNLSEFX	2	1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	261
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRTR08)		During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?		
TRNCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRTR09)		During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?		
TRNCUTEV	2	1ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRTR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?		
TRNEMOPB	2	1TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	262
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRTR14)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
TRNEMCTD	2	1CONTD TO USE TRN DESPITE EMOT PRBS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRTR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?		
TRNPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(DRTR16)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?		
TRNPHCTD	2	1CONTD TO USE TRN DESPITE PHYS PRBS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	263
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRTR17)		<p>This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.</p> <p>During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?</p>		
TRNLSACT	2	<p>1LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>81 = NEVER USED TRANQUILIZERS Logically assigned</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED TRANQUILIZERS</p> <p>93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		
(DRTR18)		<p>Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:</p> <ul style="list-style-type: none"> - neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school <p>During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?</p>		
TRNSERP	2	<p>1TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS</p> <p>1 = Yes</p> <p>2 = No</p> <p>81 = NEVER USED TRANQUILIZERS Logically assigned</p> <p>85 = BAD DATA Logically assigned</p> <p>91 = NEVER USED TRANQUILIZERS</p> <p>93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p>		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	264
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(DRTR19)		During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?		
TRNPDANG	2	1 USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRTR20)		During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?		
TRNLAWTR	2	1 USING TRN CAUSE PRBS WITH LAW PAST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(DRTR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?		
TRNFMFPB	2	1 USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	265
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRTR22)		Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?		
TRNFMCTD	2	1CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS 1 = Yes 2 = No 81 = NEVER USED TRANQUILIZERS Logically assigned 91 = NEVER USED TRANQUILIZERS 93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	266
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		IMPUTED SUBSTANCE DEPENDENCE AND ABUSE		

		NOTE: What follows are the imputation-revised versions of the 17 nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had a missing value. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non-integer values into integers) when doing cross-tabulations.		
IRCGIRTB	12	IMP REVISED - NEED TO SMOKE TO FEEL LESS IRRITABLE		
		RANGE = 1 - 5		
		85 = BAD DATA		
		91 = NEVER USED		
		93 = DID NOT USE CIGARETTES PAST MONTH		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK/ DID NOT ANSWER		
IICGIRTB	2	IMPUTATION INDICATOR - IRCGIRTB		
		1 = Questionnaire data		
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG		
		3 = Statistically imputed, other 16 ndss vars nonmsng		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGCRV	12	IMP REV - CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS		
		RANGE = 0.9478157963 - 5		
		85 = BAD DATA		
		91 = NEVER USED		
		93 = DID NOT USE CIGARETTES PAST MONTH		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK/ DID NOT ANSWER		
IICGCRV	2	IMPUTATION INDICATOR - IRCGCRV		
		1 = Questionnaire data		
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG		
		3 = Statistically imputed, other 16 ndss vars nonmsng		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGCRGP	12	IMP REV - CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL		
		RANGE = 1 - 5		
		85 = BAD DATA		
		91 = NEVER USED		
		93 = DID NOT USE CIGARETTES PAST MONTH		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK/ DID NOT ANSWER		

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	267
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IICGCRGP	2	IMPUTATION INDICATOR - IRCGCRGP 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGNCTL	12	IMP REVISED - FEEL A SENSE OF CNTRL OVER SMOKING RANGE = 1 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGNCTL	2	IMPUTATION INDICATOR - IRCGNCTL 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGAVD	12	IMP REV - TEND TO AVOID PLACES DON'T ALLOW SMOKING RANGE = 1 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGAVD	2	IMPUTATION INDICATOR - IRCGAVD 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGPLN	12	IMP REVISED - NO TRAVEL BY AIRPLANE B/C NO SMOKING RANGE = 0.753895326 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGPLN	2	IMPUTATION INDICATOR - IRCGPLN 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	268
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IRCGROUT	12	IMP REVISED - WORRY THAT YOU WILL RUN OUT OF CIGS RANGE = 0.9162268451 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGROUT	2	IMPUTATION INDICATOR - IRCGROUT 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGRGDY	12	IMP REVISED - SMOKE CIGS REGULARLY THROUGH DAY RANGE = 1 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGRGDY	2	IMPUTATION INDICATOR - IRCGRGDY 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGRGWK	12	IMP PREVISD - SMOKE SAME ON WEEKENDS AND WEEKDAYS RANGE = 0.9783341594 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGRGWK	2	IMPUTATION INDICATOR - IRCGRGWK 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGRGNM	12	IMP REVISED - SMOKE SAME # OF CIGS FROM DAY TO DAY RANGE = 0.9647531593 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		

Codebook Creation Date: April 24, 2012

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	269
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
IICGRGNM	2	IMPUTATION INDICATOR - IRCGRGNM 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGNCG	12	IMP REVISED - # CIGS SMOKE PER DAY OFTEN CHANGES RANGE = 1 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGNCG	2	IMPUTATION INDICATOR - IRCGNCG 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGSLHR	12	IMP REV - HAVE LOT CIGS IN HR, NO CIGS TIL LATER RANGE = 1 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGSLHR	2	IMPUTATION INDICATOR - IRCGSLHR 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGINFL	12	IMP REV - # CIGS SMOKE A DAY INFLU BY OTH THINGS RANGE = 1 - 5.4834387735 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGINFL	2	IMPUTATION INDICATOR - IRCGINFL 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	270
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRCGNINF	12	IMP REVISED - SMOKING NOT AFFECTED BY OTH THINGS RANGE = 1 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGNINF	2	IMPUTATION INDICATOR - IRCGNINF 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGINCR	12	IMP REV - AMT OF SMOKING INCR. SINCE START SMOKING RANGE = 0.9633297384 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGINCR	2	IMPUTATION INDICATOR - IRCGINCR 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGSAT	12	IMP REV - NEED TO SMOKE A LOT MORE TO BE SATISFIED RANGE = 0.7829261033 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		
IICGSAT	2	IMPUTATION INDICATOR - IRCGSAT 1 = Questionnaire data 2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG 3 = Statistically imputed, other 16 ndss vars nonmsng 9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS 98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		
IRCGLMR	12	IMP REV - SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING RANGE = 0.9249015017 - 5 85 = BAD DATA 91 = NEVER USED 93 = DID NOT USE CIGARETTES PAST MONTH 94 = DON'T KNOW 97 = REFUSED 98 = BLANK/ DID NOT ANSWER		

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	271
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IICGLMR	2	IMPUTATION INDICATOR - IRCGLMR		
		1 = Questionnaire data		
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG		
		3 = Statistically imputed, other 16 ndss vars nonmsng		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG		

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.

NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who reported smoking cigarettes in the past month. The NDSS score, NDSSANSP, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who answered all 17 questions. Respondents who did not have valid responses for all 17 questions were coded as SAS missing. Based on the NDSS score, a respondent was defined as having nicotine dependence, NDSSDNSP, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDNSP, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked and the respondent reported smoking cigarettes in the past month. Based on the NDSS and the FTND, a respondent who reported smoking cigarettes was defined as having nicotine dependence in the past month, DNICNSP, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

NDSSANSP 12 NDSS SCORE
RANGE = 1 - 5
. = Unknown (See comment above)

NDSSDNSP 1 NICOTINE DEPENDENCE BASED ON NDSS SCORE
0 = No/Unknown (NDSSANSP<2.75 or missing)
1 = Yes (NDSSANSP>=2.75)

FTNDDNSP 1 NICOTINE DEPENDENCE BASED ON FTND SCALE
0 = No (Otherwise)
1 = Yes (CIGWAKE=1 or 2)

DNICNSP 1 NICOTINE (CIG) DEPENDENCE IN PAST MONTH
0 = No (NDSSDNSP=0 and FTNDDNSP=0)
1 = Yes (NDSSDNSP=1 or FTNDDNSP=1)

NOTE: The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual drug dependence variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPNDRMJ, DEPNDINH, DEPNDHAL, DEPNDTRN) if the respondent reported a positive response to 3 or more of these 6 dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance (XXXLOTTM=1 or XXXGTOVR=1)
- (2) Unable to keep set limits on substance use or used more often than intended (XXXKPLMT=2)
- (3) Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before (XXXNDMOR=1 or XXXLSEFX=1)
- (4) Unable to cut down or stop using the substance every time he or she tried or wanted to (XXXCUTEV=2)
- (5) Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems (XXXEMCTD=1 or XXXPHCTD=1)
- (6) Reduced or gave up participation in important activities due to substance use (XXXLSACT=1)

An additional question pertaining to withdrawal symptoms was asked for the following 6 drugs: alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using. The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, or stimulant dependence (DEPNDALC, DEPNDANL, DEPNDCCOC, DEPNDHER, DEPNDSED, DEPNDSTM) if the respondent reported a positive response to 3 or more of the 7 dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

DEPNDALC 1 ALCOHOL DEPENDENCE IN THE PAST YEAR
0 = No/Unknown (Otherwise)
1 = Yes (See comment above)

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	274
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
DEPN DANL	1	PAIN RELIEVER DEPENDENCE IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DEPNDALC)		
DEPN DCOC	1	COCAINE DEPENDENCE IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DEPNDALC)		
		A respondent was defined with dependence on hallucinogens, DEPNDHAL, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on hallucinogens and was routed to the dependence and abuse questions in 2009 based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported hallucinogen dependence based on the Special Drugs module questions added in 2006 were defined as not having dependence on hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.		
DEPN DHAL	1	HALLUCINOGEN DEPENDENCE IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
DEPN DHER	1	HEROIN DEPENDENCE IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DEPNDALC)		
DEPN DINH	1	INHALANT DEPENDENCE IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DEPNDALC)		
DEPN DMRJ	1	MARIJUANA DEPENDENCE IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DEPNDALC)		
		A respondent was defined with dependence on sedatives, DEPNDSED, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on sedatives and was routed to the dependence and abuse questions in 2009 based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported sedative dependence based on the Special Drugs module questions added in 2006 were defined as not having dependence on sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.		
DEPN DSED	1	SEDATIVE DEPENDENCE IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	275
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		<p>A respondent was defined with dependence on stimulants, DEPNDSTM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on stimulants and was routed to the dependence and abuse questions in 2009 based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported stimulant dependence based on the Special Drugs module questions added in 2005 and 2006 were defined as not having dependence on stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.</p>		
DEPNDSTM	1	<p>STIMULANT DEPENDENCE IN THE PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (See comment above)</p>		
DEPNDTRN	1	<p>TRANQUILIZER DEPENDENCE IN THE PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (See comment above DEPNDALC)</p>		
		<p>A respondent was defined as having illicit drug dependence, DEPNDILL, if the respondent was classified as dependent (see dependence criteria listed above DEPNDALC) on any of these following substances: marijuana (DEPNDMRJ), hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDcoc), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED).</p>		
DEPNDILL	1	<p>ILLICIT DRUG DEPENDENCE IN THE PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any source variable listed above=1)</p>		
		<p>A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDcoc), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED). A respondent's marijuana dependency status is not considered in the creation of this variable.</p>		
DEPNDIEM	1	<p>ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any source variable listed above=1)</p>		

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	276
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ, if the respondent was classified as being not marijuana dependent (DEPNDRMJ=0), but being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedatives (DEPNDRSED).		
DEPNDRMJ	1	ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (DEPNDRMJ=0 & any other source variable=1)		
DEPNDRPSY	1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (DEPNDRTRN, DEPNDRANL, DEPNDRSTM, or DEPNDRSED=1)		
DEPNDRILLALC	1	ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR 0 = No/Unknown (DEPNDRILL=0 and DEPNDRALC=0) 1 = Yes (DEPNDRILL=1 or DEPNDRALC=1)		
DEPNDRILLANAL	1	ILLICIT DRUG AND ALCOHOL DEPENDENCE IN PAST YR 0 = No/Unknown (DEPNDRILL=0 or DEPNDRALC=0) 1 = Yes (DEPNDRILL=1 and DEPNDRALC=1)		

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	277
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		<p>NOTE: The following abuse variables were defined based on the abuse criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual substance abuse variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix. A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEHAL, ABUSEINH, ABUSEANL, ABUSETRN, ABUSESTM, ABUSESED) if they reported a positive response to one or more of the following four abuse criteria:</p> <ol style="list-style-type: none"> (1) Respondent reported having serious problems due to substance use at home, work or school (XXXSERPB=1) (2) Respondent reported using substance regularly and then did something where substance use might have put them in physical danger (XXXPDANG=1) (3) Respondent reporting substance use causing actions that repeatedly got them in trouble with the law (XXXLAWTR=1) (4) Respondent reported having problems caused by substance use with family or friends (XXXFMFPB=1) and continued to use substance even though it was thought to be causing problems with family and friends (XXXFMCTD=1) <p>Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.</p>		
ABUSEALC	1	ALCOHOL ABUSE - PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (Any one of above criteria and DEPNDALC=0)		
ABUSEANL	1	PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (Any one of above criteria and DEPNDANL=0)		
ABUSECOC	1	COCAINE ABUSE - PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (Any one of above criteria and DEPNDCOC=0)		

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	278
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
<p>A respondent was defined with abuse of hallucinogens, ABUSEHAL, if the respondent was classified as abusing (see criteria listed above ABUSEALC) hallucinogens and was routed to the dependence and abuse questions in 2009 based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported abusing hallucinogens based on the Special Drugs module questions added in 2006 were defined as not abusing hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.</p>				
ABUSEHAL	1	<p>HALLUCINOGEN ABUSE - PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any one of above criteria and DEPNDHAL=0)</p>		
ABUSEHER	1	<p>HEROIN ABUSE - PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any one of above criteria and DEPNDHER=0)</p>		
ABUSEINH	1	<p>INHALANT ABUSE - PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any one of above criteria and DEPNDINH=0)</p>		
ABUSEMRJ	1	<p>MARIJUANA ABUSE - PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any one of above criteria and DEPNDMRJ=0)</p>		
<p>A respondent was defined with abuse of sedatives, ABUSESED, if the respondent was classified as abusing (see criteria listed above ABUSEALC) sedatives and was routed to the dependence and abuse questions in 2009 based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported abusing sedatives based on the Special Drugs module questions added in 2006 were defined as not abusing sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.</p>				
ABUSESED	1	<p>SEDATIVE ABUSE - PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any one of above criteria and DEPNDSED=0)</p>		
<p>A respondent was defined with abuse of stimulants, ABUSESTM, if the respondent was classified as abusing (see criteria listed above ABUSEALC) stimulants and was routed to the dependence and abuse questions in 2009 based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported abusing stimulants based on the Special Drugs module questions added in 2005 and 2006 were defined as not abusing stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.</p>				
ABUSESTM	1	<p>STIMULANT ABUSE - PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any one of above criteria and DEPNDSTM=0)</p>		
ABUSETRN	1	<p>TRANQUILIZER ABUSE - PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (Any one of above criteria and DEPNDTRN=0)</p>		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	279
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).		
ABUSEILL	1	ILLICIT DRUG ABUSE - PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (Any source variable above=1 & DEPNDILL=0) Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.		
ABUSEIEM	1	ILLICIT DRUG OTHER THAN MARIJUANA ABUSE-PST YR 0 = No/Unknown (Otherwise) 1 = Yes (Any source variable above=1 & DEPNDIEM=0) Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as not abusing marijuana (ABUSEMRJ), but abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).		
ABUSEXMJ	1	ILLICIT DRUG EXCLUDING MARIJUANA ABUSE-PST YR 0 = No/Unknown (Otherwise) 1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0) Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUSESTM), or sedatives (ABUSESED).		
ABUSEPSY	1	NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR 0 = No/Unknown (Otherwise) 1 = Yes (Any source variable above=1 & DEPNDPSY=0)		
ABILLALC	1	ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR 0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0) 1 = Yes (ABUSEILL=1 or ABUSEALC=1)		
ABILANAL	1	ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0)		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	280
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NOTE: The following variables were created by using a combination of the abuse and dependence variables. Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.				
ABODALC	1	ALCOHOL ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0) 1 = Yes (ABUSEALC=1 or DEPNDALC=1)		
ABODANL	1	PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0) 1 = Yes (ABUSEANL=1 or DEPNDANL=1)		
ABODCOC	1	COCAINE ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSECOC=0 and DEPNDCOC=0) 1 = Yes (ABUSECOC=1 or DEPNDCOC=1)		
ABODHAL	1	HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0) 1 = Yes (ABUSEHAL=1 or DEPNDHAL=1)		
ABODHER	1	HEROIN ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0) 1 = Yes (ABUSEHER=1 or DEPNDHER=1)		
ABODINH	1	INHALANT ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0) 1 = Yes (ABUSEINH=1 or DEPNDINH=1)		
ABODMRJ	1	MARIJUANA ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0) 1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1)		
ABODSED	1	SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSESED=0 and DEPNDSED=0) 1 = Yes (ABUSESED=1 or DEPNDSED=1)		
ABODSTM	1	STIMULANT ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSESTM=0 and DEPNDSTM=0) 1 = Yes (ABUSESTM=1 or DEPNDSTM=1)		
ABODTRN	1	TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0) 1 = Yes (ABUSETRN=1 or DEPNDTRN=1)		
ABODILL	1	ILLICIT DRUG ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0) 1 = Yes (ABUSEILL=1 or DEPNDILL=1)		
ABODIEM	1	ILLICIT DRUG OTHER THAN MRJ ABUSE OR DEP - PST YR 0 = No/Unknown (DEPNDIEM=0 and ABUSEIEM=0) 1 = Yes (DEPNDIEM=1 or ABUSEIEM=1)		
ABODPSY	1	PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0) 1 = Yes (ABUSEPSY=1 or DEPNDPSY=1)		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	281
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ABODILAL	1	ILLICIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR 0 = No/Unknown (ABILLALC=0 and DPILLALC=0) 1 = Yes (ABILLALC=1 or DPILLALC=1)		
ABDILAAL	1	ILLICIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR 0 = No/Unknown (ABODILL=0 or ABODALC=0) 1 = Yes (ABODILL=1 and ABODALC=1)		

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	282
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP01)		SPECIAL TOPICS		

		The next questions are about encounters with the police or the court system.		
		Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?		
		Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.		
BOOKED	2	1EVER ARRESTED AND BOOKED FOR BREAKING THE LAW 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SP02)		NOTE: For the variable NOBOOKYR and the variables pertaining to arrests for specific offenses in the past 12 months (BKMVTHFT through BKOTHOFF), data are included from follow-up questions that were added to the interview in 2002. Respondents who initially reported that they were arrested/booked for 1 or more offenses in the past 12 months but did not answer "yes" to any of the subsequent questions about the specific offenses for which they were arrested were routed to these follow-up questions. If respondents changed their answer to "0" for the number of times they were arrested/booked in the past 12 months, it was logically inferred that any previously answered questions about arrests for specific offenses should have been skipped, and codes of 89 were assigned to the edited variables. If respondents confirmed that they were arrested/booked at least once in the past 12 months, they had additional opportunity to specify one of the offenses for which they were arrested. These data also were used to edit BKMVTHFT through BKOTHOFF. For these reasons, the distributions of NOBOOKYR through BKOTHOFF may not be comparable to those observed in 1999 through 2001.		
		Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?		
NOBOOKYR	3	1# TIMES ARRESTED AND BOOKED PAST 12 MONTHS RANGE = 0 - 78 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	283
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SP03A)		The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.		
		In the past 12 months, were you arrested and booked for motor vehicle theft?		
BKMTHTFT	2	1ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03B)		In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.		
BKLARCNY	2	1ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03C)		In the past 12 months, were you arrested and booked for burglary or breaking and entering?		
BKBURGL	2	1ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	284
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03D)		In the past 12 months, were you arrested and booked for aggravated assault?		
BKAGASLT	2	1ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03E)		In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?		
BKSMASLT	2	1ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03F)		In the past 12 months, were you arrested and booked for robbery?		
BKROB	2	1ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03G)		In the past 12 months, were you arrested and booked for forcible rape?		
BKRAPE	2	1ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	285
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(SP03H)		In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?		
BKMURDER	2	1ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03I)		In the past 12 months, were you arrested and booked for arson?		
BKARSON	2	1ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03J)		In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?		
BKDRVINF	2	1ARRSTD & BOOKED FOR DUI PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03K)		In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?		
BKDRUNK	2	1ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	286
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SP03L)		In the past 12 months, were you arrested and booked for possession of tobacco?		
BKPOSTOB	2	1ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03M)		In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?		
BKDRUG	2	1ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03N)		In the past 12 months, were you arrested and booked for prostitution or commercialized sex?		
BKPROS	2	1ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03O)		In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?		
BKSEXOFF	2	1ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	287
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(SP03P)		In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?		
BKFRAUD	2	1ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP03Q)		NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period. In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.		
BKOTH	2	1ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Offense unknown 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	288
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SP03QSP)		NOTE: The variable BKOTHOFF includes information from new follow-up questions that were added to the interview in 2002. When BKOTH=3 (see documentation for BKOTH), BKOTHOFF incorporates valid information from these new follow-up questions on specific offenses for which respondents were arrested in the past 12 months.		
BKOTHOFF	2	10 OTHER OFFENSE PAST 12 MONTHS - SPECIFY 1 = Motor vehicle theft 2 = Larceny or theft 3 = Burglary or breaking and entering 4 = Aggravated assault 5 = Other assault, such as simple assault or battery 6 = Robbery 7 = Forcible rape 8 = Murder, homicide, or nonnegligent manslaughter 9 = Arson 10 = Driving under the influence of alcohol or drugs 11 = Drunkenness or other liquor law violation 12 = Possession of tobacco 13 = Possession, manufacture, or sale of drugs 14 = Prostitution or commercialized sex 15 = Any other sexual offense, exc rape/prostitution 16 = Fraud, possessing stolen goods, vandalism 18 = Weapons law violations 19 = Counterfeiting/Forgery 20 = Viol of court order/probation/parole, perjury 21 = Disorderly conduct 22 = Juvenile status offenses 23 = All oth offns: crimes agnst persons/prprty/society 24 = Traffic violations 25 = Bad checks 26 = Curfew/loitering/vagrancy violations 27 = Trespass of real property 28 = Runaway 29 = Family offenses, nonviolent 30 = Embezzlement 31 = Intimidation 32 = Gambling 33 = Organized criminal activity; unspecified 36 = Possession of drug paraphernalia 37 = Fireworks law/code violation 38 = Evading/hindering/obstructing police 39 = False report/statement/alarm 40 = Immigration law violations 42 = Peeping Tom 43 = Kidnapping/abduction 44 = Bribery 45 = Child endangermnt/neglect/abandomnt; abuse unspcfd 46 = Theft of/nonpayment for services 47 = Harassment; intimidation not specified 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	289
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP04)		Were you on probation at any time during the past 12 months?		
PROBATON	2	1ON PROBATION AT ANY TIME PAST 12 MONTHS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SP05)		Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?		
PAROLREL	2	1ON PAROLE/SUPRV RELEASE PAST 12 MONTHS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(SP06A)		NOTE: The variables DRVALDR, DRVAONLY, and DRVDONLY take into account data from the methamphetamine questions that were added to the Special Drugs module in 2005. During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?		
DRVALDR	2	1DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS 1 = Yes 2 = No 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP06B)		During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?		
DRVAONLY	2	1DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SPECIAL TOPICS			PAGE:	290
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP06C)		During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/illegal drugs only?		
DRVDONLY	2	1DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SP09)		In [STATE FILL FROM FIPE4], has marijuana been legally approved for medical use?		
MEDMJUSE	2	1IN YOUR STATE HAS MJ BEEN APPROVED FOR MEDICAL USE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED SPECIAL TOPICS			PAGE:	291
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED SPECIAL TOPICS				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
DRIVALC2	1	DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL 1 = Yes (DRVALDR=1 or DRVAONLY=1) 2 = No (DRVALDR=2,89,99 and DRVAONLY=2) 3 = Unknown (OTHERWISE) 4 = Never/No Use (DRVALDR and DRVAONLY=81,91,99)		
DRIVDRG2	1	DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS 1 = Yes (DRVFLAG=98 & {DRVALDR=1 or DRVDONLY=1}) 2 = No (DRVFLAG<=5 or {DRVALDR=2,99 & DRVDONLY=2}) 3 = Unknown (OTHERWISE) 4 = Never/No Use (DRVALDR and DRVDONLY=81,89,91,99)		
DRIVALD2	1	DROVE VEHICLE UNDER INFLUENCE OF ALC OR ILL DRUGS 1 = Yes (DRIVALC2=1 or DRIVDRG2=1) 2 = No (OTHERWISE) 3 = Unknown (DRIVALC2=3 or DRIVDRG2=3) 4 = Never/No Use (DRIVALC2=4 and DRIVDRG2=4)		
PAROL	1	PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR . = Unknown Status (PAROLREL=94,97,98) 1 = On Parole/Supervised Release (PAROLREL=1) 2 = Not on Parole/Supervised Release (PAROLREL=2)		
PROB	1	PROBATION STATUS IN THE PAST YEAR . = Unknown Probation Status (PROBATON=94,97,98) 1 = On Probation (PROBATON=1) 2 = Not on Probation (PROBATON=2)		

MARIJUANA PURCHASES			PAGE:	292
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE01)		MARIJUANA PURCHASES ----- Now think about the last time you used marijuana. How did you get this marijuana?		
MMGETMJ	2	1HOW DID YOU GET LAST MARIJUANA USED 1 = You bought it 2 = You traded something else for it 3 = You got it for free or shared someone else's 4 = You grew it yourself 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(MJE02)		How long has it been since you last bought any marijuana?		
MMBTREC1	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago, but within the past 12 mos 3 = More than 12 months ago 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE03)		During the past 12 months, that is, since [DATEFILL], did you buy any marijuana?		
MMBTPYR	2	1BOUGHT MARIJUANA PAST 12 MONTHS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE04)		How long has it been since you last bought any marijuana?		
MMBTREC2	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago, but within the past 12 mos 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	293
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJE05)		During the past 30 days, that is, since [DATEFILL], on how many days did you buy marijuana?		
MMBT30DY	2	1# DAYS BOUGHT MARIJUANA PAST 30 DAYS RANGE = 1 - 30 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE06)		Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?		
MMJNTLOO	2	1LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE 1 = You bought joints 2 = You bought the marijuana in loose form 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE07)		How many joints did you buy the last time you bought marijuana?		
MMJNTNUM	3	1# MARIJUANA JOINTS BOUGHT LAST TIME RANGE = 1 - 500 985 = BAD DATA Logically assigned 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	294
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE08)		How much did you pay for the joints/joint you bought this last time?		
MMJNPCTB	2	1AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT		
		1 = Less than \$5.00		
		2 = \$5.00 to \$10.99		
		3 = \$11.00 to \$20.99		
		4 = \$21.00 to \$50.99		
		5 = \$51.00 to \$100.99		
		6 = \$101.00 to \$150.99		
		7 = \$151.00 to \$200.99		
		8 = \$201.00 to \$250.99		
		9 = \$251.00 to \$300.99		
		10 = \$301.00 to \$500.99		
		11 = \$501.00 to \$1000.99		
		12 = More than \$1000.99		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED MARIJUANA		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	295
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(MJE08)		More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?		
MMJNPCAT	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT		
		1 = Less than \$5.00		
		2 = \$5.00 to \$10.99		
		3 = \$11.00 to \$20.99		
		41 = \$21.00 to \$30.99		
		42 = \$31.00 to \$40.99		
		43 = \$41.00 to \$50.99		
		50 = \$51.00 to \$100.99 (No further detail)		
		51 = \$51.00 to \$60.99		
		52 = \$61.00 to \$70.99		
		53 = \$71.00 to \$80.99		
		54 = \$81.00 to \$90.99		
		55 = \$91.00 to \$100.99		
		61 = \$101.00 to \$110.99		
		62 = \$111.00 to \$120.99		
		63 = \$121.00 to \$130.99		
		64 = \$131.00 to \$140.99		
		65 = \$141.00 to \$150.99		
		70 = \$151.00 to \$200.99		
		80 = \$201.00 to \$250.99		
		90 = \$251.00 to \$300.99		
		101 = \$301.00 to \$350.99		
		102 = \$351.00 to \$400.99		
		104 = \$451.00 to \$500.99		
		111 = \$501.00 to \$550.99		
		113 = \$601.00 to 650.99		
		115 = \$701.00 to \$750.99		
		120 = \$951.00 to \$1000.99		
		121 = More than \$1000.99		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED MARIJUANA		
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(MJE14)		Now we want to know how much marijuana you bought the last time you bought marijuana.		
		Do you want to give your answer in grams, ounces, or pounds?		
MMLSUNIT	2	1AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS		
		1 = Grams		
		2 = Ounces		
		3 = Pounds		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED MARIJUANA		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	296
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJE15)		The last time you bought marijuana, how many grams did you buy?		
MMLSGMS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS 1 = At least 1 but less than 5 grams 2 = At least 5 but less than 10 grams 3 = 10 grams or more 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE16)		How many grams of marijuana did you buy?		
MMLS10GM	3	1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS RANGE = 10 - 99 985 = BAD DATA Logically assigned 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(MJE17)		The last time you bought marijuana, how many ounces did you buy?		
MMLS0ZS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES 1 = At least 1/8, but less than 1/4 of an ounce 2 = At least 1/4 but less than 1/3 of an ounce 3 = At least 1/3 but less than 1/2 of an ounce 4 = At least 1/2 but less than 1 ounce 5 = At least 1 but less than 5 ounces 6 = At least 5 but less than 10 ounces 7 = At least 10 but less than 16 ounces 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	297
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
(MJE18)		The last time you bought marijuana, how many pounds did you buy?		
MMLSLBS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS 1 = At least 1 but less than 2 pounds 2 = At least 2 but less than 3 pounds 3 = At least 3 but less than 4 pounds 4 = At least 4 but less than 5 pounds 5 = 5 or more pounds 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE19)		How many pounds of marijuana did you buy?		
MMLS5LBS	3	1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS RANGE = 5 - 99 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(MJE20)		How much did you pay for the marijuana you bought this last time?		
MMLSPCTB	2	1AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME 1 = Less than \$5.00 2 = \$5.00 to \$10.99 3 = \$11.00 to \$20.99 4 = \$21.00 to \$50.99 5 = \$51.00 to \$100.99 6 = \$101.00 to \$150.99 7 = \$151.00 to \$200.99 8 = \$201.00 to \$250.99 9 = \$251.00 to \$300.99 10 = \$301.00 to \$500.99 11 = \$501.00 to \$1000.99 12 = More than \$1000.99 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	298
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE20)		More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?		
MMLSPCAT	3	1PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT		
		1 = Less than \$5.00		
		2 = \$5.00 to \$10.99		
		3 = \$11.00 to \$20.99		
		40 = \$21.00 to \$50.99 (No further detail)		
		41 = \$21.00 to \$30.99		
		42 = \$31.00 to \$40.99		
		43 = \$41.00 to \$50.99		
		50 = \$51.00 to \$100.99 (No further detail)		
		51 = \$51.00 to \$60.99		
		52 = \$61.00 to \$70.99		
		53 = \$71.00 to \$80.99		
		54 = \$81.00 to \$90.99		
		55 = \$91.00 to \$100.99		
		60 = \$101.00 to \$150.99 (No further detail)		
		61 = \$101.00 to \$110.99		
		62 = \$111.00 to \$120.99		
		63 = \$121.00 to \$130.99		
		64 = \$131.00 to \$140.99		
		65 = \$141.00 to \$150.99		
		70 = \$151.00 to \$200.99		
		80 = \$201.00 to \$250.99		
		90 = \$251.00 to \$300.99		
		100 = \$301.00 to \$500.99 (No further detail)		
		101 = \$301.00 to \$350.99		
		102 = \$351.00 to \$400.99		
		103 = \$401.00 to \$450.99		
		104 = \$451.00 to \$500.99		
		110 = \$501.00 to \$1000.99 (No further detail)		
		111 = \$501.00 to \$550.99		
		112 = \$551.00 to \$600.99		
		113 = \$601.00 to \$650.99		
		114 = \$651.00 to \$700.99		
		115 = \$701.00 to \$750.99		
		116 = \$751.00 to \$800.99		
		117 = \$801.00 to \$850.99		
		118 = \$851.00 to \$900.99		
		119 = \$901.00 to \$950.99		
		120 = \$951.00 to \$1000.99		
		121 = More than \$1000.99		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED MARIJUANA		
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	299
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJE26)		The last time you bought marijuana, who did you buy it from?		
MMBUYWHO	2	1WHO SOLD YOU LAST MARIJUANA BOUGHT 1 = A friend 2 = A relative or family member 3 = Someone I had just met or didn't know well 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE28)		The last time you bought marijuana were you at work at your job or business?		
MMBATJOB	2	1AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA 1 = Yes 2 = No 3 = Do not work at a job or business 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE29)		The last time you bought marijuana, where did you buy it?		
MMBCLOSE	2	1HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME 1 = Near where you are now living 2 = Somewhere else 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE30)		Did you sell any of the marijuana you bought this last time?		
MMBSELL	2	1SELL ANY MARIJUANA BOUGHT LAST TIME 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	300
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE31)		Did you give away or share any of the marijuana you bought this last time?		
MMBGIVE	2	1GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE32)		During the past 12 months, that is, since [DATEFILL], did you trade something for marijuana?		
MMTRADE	2	1TRADED SOMETHING FOR MARIJUANA PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE33)		During the past 30 days, that is, since [DATEFILL], did you trade something for marijuana?		
MMTRD30D	2	1TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS 1 = Yes 2 = No 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE34)		How long has it been since you last traded something for marijuana?		
MMTRDREC	2	1TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago, but within the past 12 mos 3 = More than 12 months ago 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	301
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJE35)		During the past 30 days, that is, since [DATEFILL], on how many days did you trade something for marijuana?		
MMT30FRQ	2	1# DAYS TRADED FOR MARIJUANA PAST 30 DAYS RANGE = 1 - 30 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE36)		Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?		
MMTJNTLS	2	1LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE 1 = You got joints 2 = You got the marijuana in loose form 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE37)		How many joints did you get the last time you traded something for marijuana?		
MMTJNTNM	3	1# MARIJUANA JOINTS TRADED FOR LAST TIME RANGE = 1 - 6 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(MJE38)		How much do you think the marijuana in these joints/this joint was worth?		
MMTJWRCB	2	1AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR 1 = Less than \$5.00 2 = \$5.00 to \$10.99 3 = \$11.00 to \$20.99 4 = \$21.00 to \$50.99 5 = \$51.00 to \$100.99 6 = \$101.00 to \$150.99 8 = \$201.00 to \$250.99 10 = \$301.00 to \$500.99 11 = \$501.00 to \$1000.99 12 = More than \$1000.99 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	302
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(MJE38)		More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?		
MMTJWRTH	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR 1 = Less than \$5.00 2 = \$5.00 to \$10.99 3 = \$11.00 to \$20.99 41 = \$21.00 to \$30.99 42 = \$31.00 to \$40.99 43 = \$41.00 to \$50.99 51 = \$51.00 to \$60.99 52 = \$61.00 to \$70.99 55 = \$91.00 to \$100.99 61 = \$101.00 to \$110.99 62 = \$111.00 to \$120.99 80 = \$201.00 to \$250.99 103 = \$401.00 to \$450.99 113 = \$601.00 to 650.99 120 = \$951.00 to \$1000.99 121 = More than \$1000.99 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(MJE44)		Now we want to know how much marijuana you got the last time you traded something for marijuana. Do you want to give your answer in grams, ounces, or pounds?		
MMTLUNIT	2	1AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS 1 = Grams 2 = Ounces 3 = Pounds 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE45)		The last time you traded something for marijuana, how many grams did you get?		
MMTLGMS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS 1 = At least 1 but less than 5 grams 2 = At least 5 but less than 10 grams 3 = 10 grams or more 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	303
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(MJE46)		How many grams did you get?		
MMTL10GM	3	1AMT OF MARIJUANA TRADED FOR LAST TIME-OVR 10 GRMS RANGE = 10 - 50 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(MJE47)		The last time you traded something for marijuana, how many ounces did you get?		
MMTLOZS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES 1 = At least 1/8, but less than 1/4 of an ounce 2 = At least 1/4 but less than 1/3 of an ounce 3 = At least 1/3 but less than 1/2 of an ounce 4 = At least 1/2 but less than 1 ounce 5 = At least 1 but less than 5 ounces 6 = At least 5 but less than 10 ounces 7 = At least 10 but less than 16 ounces 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE48)		The last time you traded something for marijuana, how many pounds did you get?		
MMTLLBS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - POUNDS 1 = At least 1 but less than 2 pounds 2 = At least 2 but less than 3 pounds 3 = At least 3 but less than 4 pounds 4 = At least 4 but less than 5 pounds 5 = 5 or more pounds 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE49)		How many pounds of marijuana did you get?		
MMTL5LBS	3	1AMT OF MARIJUANA TRADED FOR LAST TIME - OVER 5 LBS RANGE = 10 - 8 991 = NEVER USED MARIJUANA 993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP 5 - 5 = 6 - 6 = 2 - 12 = 7 - 17 =		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	304
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE50)		How much do you think the marijuana you got this last time was worth?		
MMTLWRCB	2	1AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH		
		1 = Less than \$5.00		
		2 = \$5.00 to \$10.99		
		3 = \$11.00 to \$20.99		
		4 = \$21.00 to \$50.99		
		5 = \$51.00 to \$100.99		
		6 = \$101.00 to \$150.99		
		7 = \$151.00 to \$200.99		
		8 = \$201.00 to \$250.99		
		9 = \$251.00 to \$300.99		
		10 = \$301.00 to \$500.99		
		11 = \$501.00 to \$1000.99		
		12 = More than \$1000.99		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED MARIJUANA		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	305
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE50)		More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?		
MMTLWRTH	3	1PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR		
		1 = Less than \$5.00		
		2 = \$5.00 to \$10.99		
		3 = \$11.00 to \$20.99		
		41 = \$21.00 to \$30.99		
		42 = \$31.00 to \$40.99		
		43 = \$41.00 to \$50.99		
		51 = \$51.00 to \$60.99		
		52 = \$61.00 to \$70.99		
		53 = \$71.00 to \$80.99		
		54 = \$81.00 to \$90.99		
		55 = \$91.00 to \$100.99		
		60 = \$101.00 to \$150.99 (No further detail)		
		61 = \$101.00 to \$110.99		
		62 = \$111.00 to \$120.99		
		63 = \$121.00 to \$130.99		
		64 = \$131.00 to \$140.99		
		65 = \$141.00 to \$150.99		
		70 = \$151.00 to \$200.99		
		80 = \$201.00 to \$250.99		
		90 = \$251.00 to \$300.99		
		101 = \$301.00 to \$350.99		
		102 = \$351.00 to \$400.99		
		103 = \$401.00 to \$450.99		
		104 = \$451.00 to \$500.99		
		111 = \$501.00 to \$550.99		
		112 = \$551.00 to \$600.99		
		113 = \$601.00 to 650.99		
		114 = \$651.00 to \$700.99		
		116 = \$751.00 to \$800.99		
		117 = \$801.00 to \$850.99		
		120 = \$951.00 to \$1000.99		
		121 = More than \$1000.99		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED MARIJUANA		
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(MJE56)		The last time you traded something for marijuana, who did you get it from?		
MMTRDWHO	2	1WHO GAVE YOU LAST MARIJUANA TRADED FOR		
		1 = A friend		
		2 = A relative or family member		
		3 = Someone I had just met or didn't know well		
		85 = BAD DATA Logically assigned		
		91 = NEVER USED MARIJUANA		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	306
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(MJE58)		The last time you traded something for marijuana, where did you get it?		
MMTCLOSE	2	1HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME 1 = Near where you are now living 2 = Somewhere else 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE59)		The last time you traded something for marijuana, did you keep it all for yourself?		
MMTKEEP	2	1KEEP ALL OF LAST MARIJUANA TRADED FOR 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE60)		Did you sell any of the marijuana you got this last time?		
MMTSELL	2	1SELL ANY MARIJUANA YOU TRADED FOR LAST TIME 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE61)		Did you give away any of the marijuana you got this last time?		
MMTGIVE	2	1GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	307
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE62)		The last time you grew marijuana, did you keep it all for yourself?		
MMGKEEP	2	1KEEP ALL MARIJUANA LAST TIME YOU GREW IT 1 = Yes 2 = No 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE63)		Did you sell any of the marijuana you grew this last time?		
MMGSELL	2	1SELL ANY MARIJUANA LAST TIME YOU GREW IT 1 = Yes 2 = No 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE64)		The last time you grew marijuana, did you give any of it away for free?		
MMGGIVE	2	1GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT 1 = Yes 2 = No 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE65)		The last time you got marijuana for free, who did you get it from?		
MMFREWHO	2	1WHO GAVE YOU LAST FREE MARIJUANA 1 = A friend 2 = A relative or family member 3 = Someone I had just met or didn't know well 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

MARIJUANA PURCHASES			PAGE:	308
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(MJE67)		The last time you got marijuana for free, where did you get it?		
MMFCLOSE	2	1HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA 1 = Near where you are now living 2 = Somewhere else 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE68)		The last time you got marijuana for free, did you keep it all for yourself?		
MMFKEEP	2	1KEEP ALL MARIJUANA GOT LAST TIME FOR FREE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE69)		Did you sell any of the marijuana you got this last time?		
MMFSELL	2	1SELL ANY MARIJUANA GOT LAST TIME FOR FREE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(MJE70)		Did you give away any of the marijuana you got this last time?		
MMFGIVE	2	1GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 91 = NEVER USED MARIJUANA 93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED MARIJUANA PURCHASES			PAGE:	309
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		RECODED MARIJUANA PURCHASES		

		NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.		
MJPGOT	1	METHOD OF OBTAINING LAST USED MARIJUANA		
		1 = Bought it (MMGETMJ=1)		
		2 = Traded for it (MMGETMJ=2)		
		3 = Got it for free/shared (MMGETMJ=3)		
		4 = Grew it yourself (MMGETMJ=4)		
		5 = Method Unspecified (MMGETMJ=94,97,98)		
		6 = Never Used MJ (MMGETMJ=91,93)		
		NOTE: The following "source of last used marijuana bought" variable, MJPBTFRM, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought marijuana (MMBTPYR) in the past year are included in the "Source Unspecified" level (MJPBTFRM=4). This differs from the "location where last used marijuana was bought" variable, MJPBTPL2, where these unknown cases are defined as SAS missing (MJPBTPL2=.). To produce estimates among respondents who reported last obtaining marijuana by buying it or buying marijuana in the past year, the analysis should be restricted to MMGETMJ=1 or MMBTPYR=1.		
MJPBTFRM	1	SOURCE OF LAST USED MARIJUANA BOUGHT		
		1 = Friend (MMBUYWHO=1)		
		2 = Relative or Family Member (MMBUYWHO=2)		
		3 = Someone Just Met/Did Not Know (MMBUYWHO=3)		
		4 = Source Unspecified (MMBUYWHO=85,94,97,98)		
		5 = Nev'r Use MJ/Didn't Buy Last MJ (MMBUYWHO=91,93,99)		
		NOTE: The following "source of last used free marijuana" variable, MJPFREGT, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought (MMBTPYR) or traded something (MMTRADE) for marijuana in the past year are included in the "Source Unspecified" level (MJPFREGT=4). This differs from the "location where last used free marijuana was received" variable, MJPFRPL2, where these unknown cases are defined as SAS missing (MJPFRPL2=.). To produce estimates among respondents who reported obtaining their last used marijuana for free and reported not buying or not trading something for marijuana in the past year, the analysis should be restricted to MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2.		
MJPFREGT	1	SOURCE OF LAST USED FREE MARIJUANA		
		1 = Friend (MMFREWHO=1)		
		2 = Relative or Family Member (MMFREWHO=2)		
		3 = Someone Just Met/Did Not Know (MMFREWHO=3)		
		4 = Source Unspecified (MMFREWHO=85,94,97,98)		
		5 = Nev'r Use MJ/Didn't Get Free MJ (MMFREWHO=91,93,99)		

SUBSTANCE TREATMENT			PAGE:	310
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX01)		SUBSTANCE TREATMENT ----- NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime use of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances. These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use. Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXEVER	2	1EVER RECEIVED ALCOHOL OR DRUG TREATMENT 1 = Yes 2 = No 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(TX02)		During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXYREVER	2	1EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	311
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX03)		During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?		
TXYRADG	2	1TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS 1 = Alcohol use only 2 = Drug use only 3 = Both alcohol and drug use 4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED 5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED 6 = Both alcohol and drug use LOGICALLY ASSIGNED 11 = Alcohol only (but last tmt for drugs reported) 12 = Drugs only (but last tmt for alc reported) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04A)		During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?		
TXYRHOSP	2	1RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS 1 = Yes 2 = No 5 = Yes LOGICALLY ASSIGNED (from TXLTMYN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04A1)		Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?		
TXYRHPAD	2	1HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	312
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX04B)		During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?		
TXYRRFIN	2	1RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from TXLTMYN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04B1)		Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?		
TXYRINAD	2	1RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04C)		During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?		
TXYRRFOP	2	1RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from TXLTMYN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	313
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX04C1)		Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?		
TXYRPOAD	2	1OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04D)		During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?		
TXYRMHC	2	1RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from TXLTVMN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04D1)		Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?		
TXYRMHAD	2	1MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	314
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX04E)		During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?		
TXYRTXER	2	1RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from TXLTVMN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04E1)		Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?		
TXYRERAD	2	1EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04F)		During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?		
TXYRDOC	2	1RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from TXLTVMN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	315
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX04F1)		Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?		
TXYRDCAD	2	1PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04G)		During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?		
TXYRJAIL	2	1RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from TXLTMYN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04G1)		Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?		
TXYRJLAD	2	1PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	316
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TX04H)		During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?		
TXYRSHG	2	1RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Yes LOGICALLY ASSIGNED (from TXLTYMN) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04H1)		Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?		
TXYRSGAD	2	1SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX04I)		During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?		
TXYRSOP	2	1RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS 1 = Yes 2 = No 5 = Yes LOGICALLY ASSIGNED (from TXLTYMN) 7 = Treatment location unknown, LOG ASSN 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	317
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
TXYROTSP	3	1OTHER PLACE RCVD TRMT PAST 12 MONTHS		
		21 = A hospital overnight as an inpatient		
		22 = A res drug/alcohol rehab facility overnight		
		23 = A drug or alcohol rehab facility as an outpatient		
		24 = A mental health center or facility as outpatient		
		26 = A private doctor's office		
		27 = A prison or jail		
		28 = Self-help group, Alcoholic/Narcotics Anonymous		
		40 = Home, family, friends		
		41 = School, college		
		42 = Church/religious/spiritual influence		
		43 = Hospital, outpatient		
		44 = Halfway house/group home		
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfd		
		46 = Mental health center or facility, inpatient		
		47 = Community/city/county/state pgm or facil; unspcfd		
		48 = Counselor, therapist, psychologist, psychiatrist		
		49 = Court-mandated/sponsored program		
		50 = Within myself (self-treatment)		
		51 = Alcohol/drug class or education, locale unspcfd		
		52 = Military/VA Hospital		
		53 = Hospital; mental health or patient status unspcfd		
		54 = On the job, Job Corp, EAP		
		55 = Youth-oriented facility/organization/program		
		56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd		
		57 = Homeless/battered women's shelter		
		58 = Other individual, relationship unspecified		
		59 = Foster Care, Child & Family Services		
		60 = Drug & alcohol helpline/hotline/help center		
		61 = Camp/boot camp/outward bound/wilderness program		
		62 = Preliminary evaluation, location unspecified		
		63 = Medical clinic		
		64 = Methadone clinic/program		
		65 = Name of facility/program given		
		66 = Faith-based formal program/facility		
		67 = Internet		
		68 = Detox		
		69 = Alternative medicine		
		70 = Aftercare; location/status unspcfd		
		71 = Bureau of Indian Affairs/BIA/Native American pgm		
		72 = Other health professional		
		73 = Group counseling/therapy		
		74 = Clinic; type unspecified		
		75 = Doctor; locale unspecified		
		76 = Inpatient facility; type and reason unspecified		
		77 = Group; type unspecified		
		78 = Outpatient facility; type and reason unspecified		
		79 = Chiropractor		
		80 = Outreach prgrm/worker; not categorized elsewhere		
		81 = Buprenorphine/Suboxone/Subutex clinic/program		
		82 = Research study; location unspecified		
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		985 = BAD DATA Logically assigned		
		991 = NEVER USED ALCOHOL OR DRUGS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	318
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX04I1)		Was the treatment you received in this other place for your alcohol use, your drug use, or both?		
TXYROTAD	2	1OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH 1 = Alcohol use 2 = Drug use 3 = Both alcohol and drug use 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX05)		During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRVSER	2	1EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO 1 = Yes 2 = No 6 = NEVER USED RELEVANT DRUGS 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX06)		During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRNMER	3	1# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS RANGE = 1 - 7 981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 985 = BAD DATA Logically assigned 991 = NEVER USED ALCOHOL OR DRUGS 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	319
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX07)		Are you currently receiving treatment or counseling for your [TXFILL1]? 1CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
TXRCVNOW	2			
(TX08)		NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMR, NDTXSEDR, NDTXSODR, NDTXDGLR, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables. During the past 12 months, did you need treatment or counseling for your alcohol or drug use?		
NDTXNEDR	2	1NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS 1 = Yes 2 = No 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	320
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX09)		During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?		
NDTXMORE	2	1NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX10)		During the past 12 months, for which of the following drugs did you need additional treatment or counseling?		
NDTMRALC	2	1NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRMJ	2	1NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRROC	2	1NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRHER	2	1NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	321
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTMRHAL	2	1NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRINH	2	1NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRANL	2	1NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRTRN	2	1NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRSTM	2	1NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTMRSED	2	1NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	322
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
NDTMROTH	2	1NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TX11) During the past 12 months did you need treatment or counseling for your use of alcohol?		
NDTXALCR	2	1NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TX12) During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?		
NDTXMJR	2	1NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 13 = Yes LOGICALLY ASSIGNED (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	323
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TX13)		During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?		
NDTXCOCR	2	1NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 13 = Yes LOGICALLY ASSIGNED (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX14)		During the past 12 months, did you need treatment or counseling for your use of heroin?		
NDTXHERR	2	1NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 13 = Yes LOGICALLY ASSIGNED (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX15)		During the past 12 months, did you need treatment or counseling for your use of hallucinogens?		
NDTXHALR	2	1NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	324
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(TX16)		During the past 12 months, did you need treatment or counseling for your use of inhalants?		
NDTXINHR	2	1NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX17)		During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?		
NDTXANLR	2	1NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 13 = Yes LOGICALLY ASSIGNED (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX18)		During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?		
NDTXTRNR	2	1NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 11 = Yes (TXYREVER=3) 12 = No (TXYREVER=3) 13 = Yes LOGICALLY ASSIGNED (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	325
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-

(TX19) During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

NDTXSTMR 2 1NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS
 1 = Yes
 2 = No
 3 = Yes LOGICALLY ASSIGNED
 11 = Yes (TXYREVER=3)
 12 = No (TXYREVER=3)
 13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)
 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned
 85 = BAD DATA Logically assigned
 89 = LEGITIMATE SKIP Logically assigned
 91 = NEVER USED ALCOHOL OR DRUGS
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

(TX20) During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

NDTXSEDR 2 1NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS
 1 = Yes
 2 = No
 3 = Yes LOGICALLY ASSIGNED
 11 = Yes (TXYREVER=3)
 12 = No (TXYREVER=3)
 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned
 89 = LEGITIMATE SKIP Logically assigned
 91 = NEVER USED ALCOHOL OR DRUGS
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

(TX21) During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

NDTXSODR 2 1NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS
 1 = Yes
 2 = No
 5 = Drug Unknown LOGICALLY ASSIGNED
 11 = Yes (TXYREVER=3)
 12 = No (TXYREVER=3)
 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned
 85 = BAD DATA Logically assigned
 91 = NEVER USED ALCOHOL OR DRUGS
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

		SUBSTANCE TREATMENT		PAGE:	326
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
NDTXDG1R	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1			
		103 = Amytal			
		111 = Dalmane, Flurazepam			
		115 = Phenobarbital			
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED			
		122 = Over-the-counter sleep aid; not specified <OTC>			
		209 = Xanax, Alprazolam, Tafil, Xanax bars			
		211 = BuSpar, Buspirone			
		289 = Olanzapine, Zyprexa			
		318 = Ritalin, Methylphenidate			
		322 = Methamphetamine ("ice" or "crank"), Meth			
		348 = Crystal			
		355 = Crystal meth, crystal methamphetamine			
		418 = Methadone, Dolophine			
		425 = Advil <OTC>			
		426 = Fiorinal			
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic			
		435 = Tylenol, Tylenol Extra-Strength <OTC>			
		543 = Liquid oxygen, oxygen			
		601 = LSD ("acid")			
		606 = "Ecstasy" (MDMA), X-TC, "X"			
		702 = Heroin			
		704 = Dope			
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED			
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed			
		805 = Cocaine, coca, cocaina, coke			
		806 = Crack, rock			
		807 = Alcohol, beer, ethanol, EtOH, pink champagne			
		809 = Pills			
		812 = Cigars			
		813 = Cigarettes, tobacco (type unspecified)			
		824 = Steroids			
		847 = GHB, NSC			
		848 = Liquid vitamin, vitamin pills <OTC>			
		900 = Not a drug			
		1001 = Benadryl, Diphenhydramine <OTC>			
		2011 = Lexapro			
		3023 = Adderall			
		3033 = Metabolife <OTC>			
		3052 = Speed; otherwise unspecified			
		3100 = Over-the-counter stimulant; not otherwise specifd			
		4067 = OxyContin			
		4076 = OTC Pain reliever; not otherwise specified <OTC>			
		6029 = DXM			
		6044 = Gel caps, gel tabs			
		6056 = Wet			
		8012 = Coriciden <OTC>			
		8024 = Asthma inhaler, asthma medication, bronchial dilator			
		8044 = Cephelaxin, Keflex			
		8058 = Cough medicine/syrup; type unspecified			
		8139 = Chloroquine, Nivaquine			
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned			
		9985 = BAD DATA Logically assigned			
		9991 = NEVER USED ALCOHOL OR DRUGS			
		9994 = DON'T KNOW			
		9997 = REFUSED			
		9998 = BLANK (NO ANSWER)			
		9999 = LEGITIMATE SKIP			

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	327
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
NDTXDG2R	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2 115 = Phenobarbital 209 = Xanax, Alprazolam, Tafil, Xanax bars 322 = Methamphetamine ("ice" or "crank"), Meth 324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED 364 = Pseudoephedrine 418 = Methadone, Dolophine 430 = Aspirin, Ecotrin, Empirin <OTC> 442 = Ibuprofen 499 = Aleve <OTC> 801 = OTHER Drugs, NOT OTHERWISE SPECIFIED 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed 805 = Cocaine, coca, cocaína, coke 806 = Crack, rock 807 = Alcohol, beer, ethanol, EtOH, pink champagne 813 = Cigarettes, smoking; tobacco not specified 847 = GHB, NSC 2001 = Soma, Carisoprodol 4052 = Endocet 8138 = Chlorphenamine maleate, Chlorpheniramine 9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED ALCOHOL OR DRUGS 9994 = DON'T KNOW 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		
NDTXDG3R	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3 115 = Phenobarbital 209 = Xanax, Alprazolam, Tafil, Xanax bars 430 = Aspirin, Ecotrin, Empirin <OTC> 801 = OTHER Drugs, NOT OTHERWISE SPECIFIED 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed 804 = Hashish 806 = Crack, rock 807 = Alcohol, beer, ethanol, EtOH, pink champagne 813 = Cigarettes, smoking; tobacco not specified 816 = Smokeless tobacco, snuff, chewing tobacco 2001 = Soma, Carisoprodol 8058 = Cough medicine/syrup; type unspecified 9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED ALCOHOL OR DRUGS 9994 = DON'T KNOW 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	328
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
NDTXDG4R	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4 209 = Xanax, Alprazolam, Tafil, Xanax bars 601 = LSD ("acid") 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed 806 = Crack, rock 807 = Alcohol, beer, ethanol, EtOH, pink champagne 2001 = Soma, Carisoprodol 9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED ALCOHOL OR DRUGS 9994 = DON'T KNOW 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		
NDTXDG5R	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5 209 = Xanax, Alprazolam, Tafil, Xanax bars 702 = Heroin 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed 805 = Cocaine, coca, cocaina, coke 806 = Crack, rock 807 = Alcohol, beer, ethanol, EtOH, pink champagne 2001 = Soma, Carisoprodol 9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED ALCOHOL OR DRUGS 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		
(TX22)		NOTE: NDTXEFTTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no"). During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]? 1MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS 1 = Yes 2 = No 11 = Yes (see note) 12 = No (TXYREVER=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	329
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TX22A)		Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?		
NDTXNHCV	2	1NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTXLMCV	2	1TREATMENT NOT COVERED ON HLTH CARE 1 = Response entered 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTXNTSP	2	1NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTXTYPE	2	1TREATMENT NOT FOUND FOR TYPE WANTED 1 = Response entered 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	330
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTXREDY	2	1NOT READY TO STOP USING [TXFILL2] 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 13 = Yes LOGICALLY ASSIGNED (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTXOPEN	2	1NO OPENINGS IN THE PROGRAMS 1 = Response entered 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTXWHER	2	1DIDN'T KNOW WHERE TO GET TREATMENT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTXNBR	2	1TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN 1 = Response entered 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=3) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDTXJOB	2	1TREATMENT MIGHT HAVE NEG. EFFECT ON JOB 1 = Response entered 6 = Response not entered 11 = Response entered (TXYREVER=3 or NDTXEFTR=11) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	331
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TX23)		During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?		
NDTMREFT	2	1MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS 1 = Yes 2 = No 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX23A)		Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?		
NDMRNHCV	2	1NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDMRLMCV	2	1TREATMENT NOT COVERED ON HLTH CARE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDMRNTSP	2	1NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	332
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
NDMRTYPE	2	1TREATMENT NOT FOUND FOR TYPE WANTED 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDMRREDY	2	1NOT READY TO STOP USING ALCOHOL OR DRUGS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDMROPEN	2	1NO OPENINGS IN THE PROGRAMS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDMRWHER	2	1DIDN'T KNOW WHERE TO GET TREATMENT 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
NDMRNBR	2	1TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	333
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
NDMRJOB	2	1TREATMENT MIGHT HAVE NEG. EFFECT ON JOB 1 = Response entered 6 = Response not entered 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
		(TX24) How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXLASREC	2	1TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT 1 = Within past 30 days -- that is, since [DATEFILL] 2 = More than 30 days ago but within the past 12 mos 3 = More than 12 months ago 7 = Still in treatment LOG ASSN (TXRCVNOW=1) 8 = Treatment in past year LOGICALLY ASSIGNED 9 = Treatment in lifetime LOGICALLY ASSIGNED 13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

		SUBSTANCE TREATMENT		PAGE:	334
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	-
(TX25)		<p>NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.</p> <p>What was the main place where you received treatment the last time you started treatment/are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?</p>			
TXLTVMN	3	<p>1MAIN PLACE RCV TRMT LAST TIME/CURRENTLY</p> <p>1 = A hospital overnight as an inpatient</p> <p>2 = A res drug/alcohol rehab facility overnight</p> <p>3 = A drug or alcohol rehab facility as an outpatient</p> <p>4 = A mental health center or facility as outpatient</p> <p>5 = An emergency room</p> <p>6 = A private doctor's office</p> <p>7 = A prison or jail</p> <p>8 = Self-help group, Alcoholic/Narcotics Anonymous</p> <p>9 = Some other place</p> <p>21 = A hospital overnight as an inpatient</p> <p>22 = A res drug/alcohol rehab facility overnight</p> <p>23 = A drug or alcohol rehab facility as an outpatient</p> <p>26 = A private doctor's office</p> <p>27 = A prison or jail</p> <p>28 = Self-help group, Alcoholic/Narcotics Anonymous</p> <p>40 = Home, family, friends</p> <p>41 = School, college</p> <p>42 = Church/religious/spiritual influence</p> <p>43 = Hospital, outpatient</p> <p>44 = Halfway house/group home</p> <p>45 = Rehab/intervention fac/prgrm, ptnt status unspcfd</p> <p>46 = Mental health center or facility, inpatient</p> <p>47 = Community/city/county/state pgm or facil; unspcfd</p> <p>48 = Counselor, therapist, psychologist, psychiatrist</p> <p>49 = Court-mandated/sponsored program</p> <p>50 = Within myself (self-treatment)</p> <p>51 = Alcohol/drug class or education, locale unspcfd</p> <p>52 = Military/VA Hospital</p> <p>53 = Hospital; mental health or patient status unspcfd</p> <p>54 = On the job, Job Corp, EAP</p> <p>55 = Youth-oriented facility/organization/program</p> <p>56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd</p> <p>57 = Homeless/battered women's shelter</p> <p>58 = Other individual, relationship unspecified</p> <p>59 = Foster Care, Child & Family Services</p> <p>60 = Drug & alcohol helpline/hotline/help center</p> <p>61 = Camp/boot camp/outward bound/wilderness program</p> <p>62 = Preliminary evaluation, location unspecified</p> <p>63 = Medical clinic</p> <p>64 = Methadone clinic/program</p> <p>65 = Name of facility/program given</p> <p>66 = Faith-based formal program/facility</p>			

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	335
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		67 = Internet		
		68 = Detox		
		70 = Aftercare; location/status unspecified		
		71 = Bureau of Indian Affairs/BIA/Native American pgm		
		72 = Other health professional		
		73 = Group counseling/therapy		
		74 = Clinic; type unspecified		
		75 = Doctor; locale unspecified		
		77 = Group; type unspecified		
		78 = Outpatient facility; type and reason unspecified		
		80 = Outreach prgrm/worker; not categorized elsewhere		
		81 = Buprenorphine/Suboxone/Subutex clinic/program		
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		985 = BAD DATA Logically assigned		
		989 = LEGITIMATE SKIP Logically assigned		
		991 = NEVER USED ALCOHOL OR DRUGS		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(TX26)		The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?		
		Are you currently receiving treatment or counseling for your use of alcohol?		
TXLTYALC 2		1LAST/CURRENT TREATMENT FOR ALCOHOL		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		5 = Yes LOG ASSN (TXYRADG = 1)		
		6 = NEVER USED ALCOHOL (TXEVER = 1)		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	336
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TX27)		The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?		
		Are you currently receiving treatment or counseling for your use of marijuana or hashish?		
TXLYMJ	2	1LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 6 = NEVER USED MARIJUANA (TXEVER = 1) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned (TXEVER=2) 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		
(TX28)		The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?		
		Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?		
TXLYCOC	2	1LAST/CURRENT TREATMENT FOR COCAINE/CRACK 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 6 = NEVER USED COCAINE (TXEVER = 1) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned (TXEVER=2) 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	337
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TX29)		The last time you entered treatment, did you receive treatment or counseling for your use of heroin?		
		Are you currently receiving treatment or counseling for your use of heroin?		
TXLTYHER	2	1LAST/CURRENT TREATMENT FOR HEROIN 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 6 = NEVER USED HEROIN (TXEVER = 1) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned (TXEVER=2) 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		
(TX30)		The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?		
		Are you currently receiving treatment or counseling for your use of hallucinogens?		
TXLTYHAL	2	1LAST/CURRENT TREATMENT FOR HALLUCINOGENS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 6 = NEVER USED HALLUCINOGENS (TXEVER = 1) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned (TXEVER=2) 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	338
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX31)		The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?		
		Are you currently receiving treatment or counseling for your use of inhalants?		
TXLTYNH	2	1LAST/CURRENT TREATMENT FOR INHALANTS		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		4 = No LOGICALLY ASSIGNED		
		6 = NEVER USED INHALANTS (TXEVER = 1)		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		
(TX32)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?		
		Are you currently receiving treatment or counseling for your use of prescription pain relievers?		
TXLTYNL	2	1LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		4 = No LOGICALLY ASSIGNED		
		6 = NEVER USED PAIN RELIEVERS (TXEVER = 1)		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	339
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(TX33)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?		
		Are you currently receiving treatment or counseling for your use of prescription tranquilizers?		
TXLTYTRN	2	1LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 6 = NEVER USED TRANQUILIZERS (TXEVER = 1) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned (TXEVER=2) 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		
(TX34)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?		
		Are you currently receiving treatment or counseling for your use of prescription stimulants?		
TXLTYSTM	2	1LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 6 = NEVER USED STIMULANTS (TXEVER = 1) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned (TXEVER=2) 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	340
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX35)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?		
		Are you currently receiving treatment or counseling for your use of prescription sedatives?		
TXLTYSOD	2	1LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 4 = No LOGICALLY ASSIGNED 6 = NEVER USED SEDATIVES (TXEVER = 1) 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned (TXEVER=2) 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)		
(TX36)		The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?		
		Are you currently receiving treatment or counseling for your use of any other drug?		
TXLTYSOD	2	1LAST/CURRENT TRMT FOR SOME OTHER DRUG 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 5 = Treatment drug unknown, LOGICALLY ASSIGNED 7 = Treatment drug/alc unknown LOG ASSN 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

		SUBSTANCE TREATMENT		PAGE:	341
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
TXLTYA	4	1OTHER LAST/CURRENT TRMT DRUG - SPECIFY 1			
		110 = Tuinal			
		116 = Methaqualone, Sopor, Quaalude			
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED			
		174 = Ambien, Stilnox, Zolpidem			
		178 = Quetiapine, Seroquel			
		201 = Valium, Diazepam			
		202 = Librium, Chlordiazepoxide HCl			
		207 = Ativan, Lorazepam, Orfidal			
		209 = Xanax, Alprazolam, Tafil, Xanax bars			
		228 = Amitriptyline, Elavil			
		234 = Flexeril, Cyclobenzaprine			
		246 = Clonazepam, Diocam, Klonopin, Rivotril			
		268 = Rohypnol, Flunitrazepam, roche, roofies			
		271 = Zoloft			
		283 = Paroxetine, Paxil			
		285 = Risperdal, Risperdol, Risperidone			
		289 = Olanzapine, Zyprexa			
		301 = Dexedrine			
		321 = Methedrine			
		322 = Methamphetamine ("ice" or "crank"), Meth			
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED			
		336 = Diet pills			
		348 = Crystal			
		351 = Cathinone, cat, khat, Q'at			
		355 = Crystal meth, crystal methamphetamine			
		407 = Demerol, Meperidine			
		408 = Dilaudid, Hydromorphone			
		415 = Codeine			
		417 = Morphine, Roxanol			
		418 = Methadone, Dolophine			
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED			
		423 = Percocet			
		427 = Darvocet, Davocet-N			
		430 = Aspirin, Ecotrin, Empirin <OTC>			
		431 = Tylox			
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic			
		435 = Tylenol, Tylenol Extra-Strength <OTC>			
		442 = Ibuprofen			
		465 = Fentanyl, Duragesic, Sublimaze			
		502 = Spray paints			
		511 = Markers, felt-tip pens, ink pens			
		520 = Old paint, paint			
		548 = Cologne, isopropanol vapors, rubbing alcohol			
		592 = Computer air duster, computer cleaner, dust-off			
		601 = LSD ("acid")			
		602 = Peyote			
		604 = Psilocybin (mushrooms), shrooms			
		605 = PCP ("angel dust," phencyclidine)			
		606 = "Ecstasy" (MDMA), X-TC, "X"			
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED			
		639 = Nutmeg, Mace			
		658 = Special K, Ketamine			
		690 = RID			
		702 = Heroin			
		703 = Opium			
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED			
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed			

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	342
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		804 = Hashish		
		805 = Cocaine, coca, cocaina, coke, perico		
		806 = Crack, rock		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		809 = Pills		
		813 = Cigarettes, tobacco (type unspecified)		
		829 = Robitussin DM <OTC>		
		836 = Antabuse		
		843 = Cold medicine, cold tablets <OTC>		
		848 = Liquid vitamin, vitamin pills <OTC>		
		852 = Formaldehyde, wak, whack (embalming fluid)		
		875 = Buds		
		876 = Glass		
		883 = Dextromethorphan hydrobromide <OTC>		
		894 = Depakene, Depakote, Valproic acid		
		900 = Not a drug		
		1001 = Benadryl, Diphenhydramine <OTC>		
		1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>		
		2011 = Lexapro		
		2020 = Invega		
		3023 = Adderall		
		3044 = Caffeine pills <OTC>		
		3052 = Speed; otherwise unspecified		
		3077 = Concerta		
		4034 = Lilly red		
		4044 = Hydrocodone		
		4046 = Oxycodone or unspecified oxycodone products		
		4067 = OxyContin		
		4105 = Hydrocodone with APAP; otherwise unspecified		
		4109 = Suboxone		
		5004 = Ink print, paper		
		6029 = DXM		
		6043 = Diviner's sage, Salvia divinorum		
		6047 = Water		
		6083 = CCC, "Triple C," C3 <OTC>		
		6127 = Skittles		
		8002 = Zantac		
		8012 = Coriciden <OTC>		
		8024 = Asthma inhaler, asthma medication, bronchial dilator		
		8110 = Over-the-counter drug/pills; type unspecified<OTC>		
		8118 = Smoking; not otherwise specified		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9989 = LEGITIMATE SKIP Logically assigned		
		9991 = NEVER USED ALCOHOL OR DRUGS		
		9994 = DON'T KNOW		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	343
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TXLTYB	4	1OTHER LAST/CURRENT TRMT DRUG - SPECIFY 2		
		178 = Quetiapine, Seroquel		
		201 = Valium, Diazepam		
		202 = Librium, Chlordiazepoxide HCl		
		209 = Xanax, Alprazolam, Tafil, Xanax bars		
		225 = Desyrel, Trazodone hydrochloride		
		285 = Risperdal, Risperdol, Risperidone		
		289 = Olanzapine, Zyprexa		
		322 = Methamphetamine ("ice" or "crank"), Meth		
		355 = Crystal meth		
		407 = Demerol, Meperidine		
		417 = Morphine, Roxanol		
		418 = Methadone, Dolophine		
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED		
		430 = Aspirin, Ecotrin, Empirin <OTC>		
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic		
		435 = Tylenol, Tylenol Extra-Strength <OTC>		
		442 = Ibuprofen		
		501 = Gasoline or lighter fluids		
		505 = Lacquer thinner or other paint solvents		
		508 = Nitrous oxide, "whippets," dentist gas		
		601 = LSD ("acid")		
		604 = Psilocybin (mushrooms), sclerotia, shrooms		
		605 = PCP ("angel dust," phencyclidine)		
		606 = "Ecstasy" (MDMA), X-TC, "X"		
		701 = OTHER Opiates, NOT OTHERWISE SPECIFIED		
		702 = Heroin		
		704 = Dope		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED		
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed		
		804 = Hashish		
		805 = Cocaine, coca, cocaina, coke, perico		
		806 = Crack, rock		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne		
		813 = Cigarettes, tobacco (type unspecified)		
		829 = Robitussin DM <OTC>		
		875 = Buds		
		876 = Glass		
		900 = Not a drug		
		3052 = Speed; otherwise unspecified		
		4067 = OxyContin		
		4109 = Suboxone		
		5004 = Ink print, paper		
		8012 = Coriciden <OTC>		
		8110 = Over-the-counter drug/pills; type unspecified<OTC>		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		9985 = BAD DATA Logically assigned		
		9991 = NEVER USED ALCOHOL OR DRUGS		
		9994 = DON'T KNOW		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	344
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXLTYC	4	1OTHER LAST/CURRENT TRMT DRUG - SPECIFY 3 209 = Xanax, Alprazolam, Tafil, Xanax bars 211 = BuSpar, Buspirone 322 = Methamphetamine ("ice" or "crank"), Meth 415 = Codeine 420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED 434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic 502 = Spray paints 503 = Other aerosol sprays 601 = LSD ("acid") 604 = Psilocybin (mushrooms), shrooms 605 = PCP ("angel dust," phencyclidine) 606 = "Ecstasy" (MDMA), X-TC, "X" 607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED 614 = MDA, Methylenedioxy amphetamine 702 = Heroin 703 = Opium 704 = Dope 801 = OTHER Drugs, NOT OTHERWISE SPECIFIED 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed 805 = Cocaine, coca, cocaina, coke 806 = Crack, rock 807 = Alcohol, beer, ethanol, EtOH, pink champagne 809 = Pills 813 = Cigarettes, tobacco (type unspecified) 858 = Antibiotic 883 = Dextromethorphan hydrobromide <OTC> 900 = Not a drug 3023 = Adderall 4043 = Tramadol 8110 = Over-the-counter drug/pills; type unspecified<OTC> 9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED ALCOHOL OR DRUGS 9994 = DON'T KNOW 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	345
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXLTYD	4	10THER LAST/CURRENT TRMT DRUG - SPECIFY 4 207 = Ativan, Lorazapam, Orfidal 225 = Desyrel, Trazodone hydrochloride 322 = Methamphetamine ("ice" or "crank"), Meth 420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED 430 = Aspirin, Ecotrin, Empirin <OTC> 601 = LSD ("acid") 604 = Psilocybin (mushrooms), shrooms 606 = "Ecstasy" (MDMA), X-TC, "X" 607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED 658 = Special K, Ketamine 702 = Heroin 801 = OTHER Drugs, NOT OTHERWISE SPECIFIED 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed 805 = Cocaine, coca, cocaina, coke 806 = Crack, rock 807 = Alcohol, beer, ethanol, EtOH, pink champagne 809 = Pills 813 = Cigarettes, tobacco (type unspecified) 1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC> 2002 = Muscle relaxers 3052 = Speed; otherwise unspecified 9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED ALCOHOL OR DRUGS 9994 = DON'T KNOW 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		
TXLTYE	4	10THER LAST/CURRENT TRMT DRUG - SPECIFY 5 174 = Ambien, Zolpidem 221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED 322 = Methamphetamine ("ice" or "crank"), Meth 409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 601 = LSD ("acid") 605 = PCP ("angel dust," phencyclidine) 606 = "Ecstasy" (MDMA), X-TC, "X" 702 = Heroin 801 = OTHER Drugs, NOT OTHERWISE SPECIFIED 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed 805 = Cocaine, coca, cocaina, coke 806 = Crack, rock 807 = Alcohol, beer, ethanol, EtOH, pink champagne 809 = Pills 4067 = OxyContin 9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 9985 = BAD DATA Logically assigned 9991 = NEVER USED ALCOHOL OR DRUGS 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	346
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
(TX37)		What was the main drug you entered treatment for the last time you were treated?		
		What is the main drug for which you are currently receiving treatment or counseling?		
TXLTYP	2	1MAIN DRUG FOR LAST/CURRENT TREATMENT		
		1 = Alcohol		
		2 = Marijuana or hashish		
		3 = Cocaine or Crack		
		4 = Heroin		
		5 = Hallucinogens		
		6 = Inhalants		
		7 = Prescription pain relievers		
		8 = Prescription tranquilizers		
		9 = Prescription stimulants		
		10 = Prescription sedatives		
		11 = Some other drug		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	347
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX38)		What was the outcome of the treatment or counseling you last received?		
TXLTYYOUT	2	1OUTCOME OF LAST/CURRENT TREATMENT		
		1 = You are still in treatment		
		2 = You successfully completed treatment		
		3 = You left because you had a problem with program		
		4 = You left b/c you couldn't afford to continue		
		5 = You left because your family needed you		
		6 = You left because you began using drugs again		
		7 = Your last treatment had some other outcome		
		21 = You are still in treatment		
		22 = You successfully completed treatment		
		23 = You left because you had a problem with program		
		24 = You left b/c you couldn't afford to continue		
		25 = You left because your family needed you		
		41 = You left because you didn't need/want treatment		
		42 = You consider that treatment is for lifetime		
		43 = You were successful b/c of own efforts, not trmt		
		44 = You relapsed/program did not work for you		
		45 = You were kicked out of program		
		46 = You moved away from the treatment location		
		47 = You were successful because of religious reasons		
		48 = Discontinued treatment, success unknown		
		49 = Completed treatment/tmt required, outcome unknown		
		50 = You had other problems to deal with		
		51 = You still use drugs, but to a lesser extent		
		52 = You were incarcerated/went to jail		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	348
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX39)		How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]? How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far? How long did you stay in treatment for your alcohol or drug use during your last treatment? How long have you been in treatment for your alcohol or drug use so far? Please indicate whether you want to give your answer in days, months, or years. How many days have you been in treatment for your alcohol or drug use so far? How many days did you stay in treatment for your alcohol or drug use the last time? How many months have you been in treatment for your alcohol or drug use so far? How many months did you stay in treatment for your alcohol or drug use the last time? How many years have you been in treatment for your alcohol or drug use so far? How many years did you stay in treatment for your alcohol or drug use the last time?		
TXLTYDUR	5	1# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE RANGE = 1 - 7665 99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned 99985 = BAD DATA Logically assigned 99989 = LEGITIMATE SKIP Logically assigned 99991 = NEVER USED ALCOHOL OR DRUGS 99994 = DON'T KNOW 99997 = REFUSED 99998 = BLANK (NO ANSWER) 99999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	349
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX42A)		Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?		
		Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYINS	2	1HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX42B)		Did Medicare pay for the last treatment you received, even if it paid only part of the cost?		
		Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCARE	2	1MEDICARE PAY FOR LAST/CURRENT TRMT 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	350
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX42C)		Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
		Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCAID 2		1MEDICAID PAY FOR LAST/CURRENT TRMT		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(TX42D)		Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
		Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYPUBP 2		10TH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	351
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX42E)		Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?		
		Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?		
TXPYSAVE 2		1OWN SAVINGS PAY FOR LAST/CURRENT TRMT		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(TX42F)		Did family members pay for the last treatment you received, even if they paid only part of the cost?		
		Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?		
TXPYFMLY 2		1FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		91 = NEVER USED ALCOHOL OR DRUGS		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	352
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX42G)		Did the courts pay for the last treatment you received, even if it paid only part of the cost?		
		Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCORT	2	1COURTS PAY FOR LAST/CURRENT TRMT 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX42H)		Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?		
		Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYMILC	2	1MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	353
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(TX42I)		Did your employer pay for the last treatment you received, even if it paid only part of the cost?		
		Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYEMPL	2	1EMPLOYER PAY FOR LAST/CURRENT TRMT 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX42J)		Was your last treatment paid for by some other source besides those that have been listed?		
		Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?		
TXPYSOS	2	1SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT 1 = Yes 2 = No 4 = No LOG ASSN (free trmt specified) 5 = Yes, payment source not specified LOG ASSN 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	354
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TXPYSP	2	1OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY 1 = Private health insurance 2 = Medicare 3 = Medicaid 4 = Public assistance program other than Medicaid 5 = Own savings or earnings 6 = Family members 7 = Courts 8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth 9 = Employer 10 = Free 12 = Friend/neighbor/sponsor/stipend 13 = Church/faith-based organization 14 = School 15 = Treatment program/facility/provider 16 = Indian Health Service/BIA/Tribe 17 = Public health insurance in another country 18 = Research study 19 = Public assistance, unspecified 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(TX42K)		Was the last treatment you received free? Is the treatment you are currently receiving free?		
TXPYFRE	2	1LAST/CURRENT TREATMENT WAS/IS FREE 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SUBSTANCE TREATMENT			PAGE:	355
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX43)		Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]? For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.		
TXENROLL	2	1ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1] 1 = Yes 2 = No 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (TXEVER=2)		
(TX44)		Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?		
TXYRDTXO	2	1WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS 1 = Yes 2 = No 4 = No LOGICALLY ASSIGNED 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned 85 = BAD DATA Logically assigned 91 = NEVER USED ALCOHOL OR DRUGS 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE TREATMENT			PAGE:	356
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED SUBSTANCE TREATMENT				

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Substance Treatment or Recoded Substance Dependence and Abuse.				
NOTE: The following 5 recoded variables contain information about receiving treatment at any location in lifetime or in the past year.				
TXILALEV	1	RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME 0 = No/Unknown (TXEVER=2,81,85,91,94,97,98) 1 = Yes (TXEVER=1)		
ALCTRMT	1	RCVD TRMT ANY LOC FOR ALC USE-PST YR 0 = No/Unknown (TXYRADG=2,81,85,91,94,97,98,99) 1 = Yes (TXYRADG=1,3,4,11,12)		
ILLTRMT	1	RCVD TRMT ANY LOC FOR ILL DRG USE-PST YR 0 = No/Unknown (TXYRADG=1,4,81,85,91,94,97,98,99) 1 = Yes (TXYRADG=2,3,5,11,12)		
TXILLALC	1	RCVD TRMT ANY LOC FOR DRG OR ALC-PST YR 0 = No/Unknown (TXYREVER=2,4,81,85,91,97,98,99) 1 = Yes (TXYREVER=1,3)		
TXILANAL	1	RCVD TRMT ANY LOC FOR DRG AND ALC-PST YR 0 = No/Unknown (TXYRADG=1,2,4,5,81,85,91,94,97,98,99) 1 = Yes (TXYRADG=3,6,11,12)		
NOTE: The following 11 recoded variables contain respondent information about receiving last or current treatment for various substances.				
TXLTALC2	1	RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL 0 = No/Unknown (TXLTYALC=2,6,81,85,89,91,94,97,98,99) 1 = Yes (TXLTYALC=1,3,5)		
TXLTMJ2	1	RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA 0 = No/Unknown (TXLTYMJ=2,6,81,85,89,91,94,97,98,99) 1 = Yes (TXLTYMJ=1,3)		
TXLTCOC2	1	RECEIVED LAST/CURRENT TREATMENT FOR COCAINE 0 = No/Unknown (TXLTYCOC=2,4,6,81,85,91,94,97,98,99) 1 = Yes (TXLTYCOC=1,3)		
TXLTHER2	1	RECEIVED LAST/CURRENT TREATMENT FOR HEROIN 0 = No/Unknown (TXLTYHER=2,6,81,85,91,97,98,99) 1 = Yes (TXLTYHER=1,3)		
TXLTHAL2	1	RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS 0 = No/Unknown (TXLTYHAL=2,6,81,85,91,94,97,98,99) 1 = Yes (TXLTYHAL=1)		
TXLTINH2	1	RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS 0 = No/Unknown (TXLTYINH=2,4,6,81,85,91,94,97,98,99) 1 = Yes (TXLTYINH=1)		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE TREATMENT			PAGE:	357
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
TXLTANL2	1	RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS 0 = No/Unknown (TXLTYANL=2,6,81,85,89,91,94,97,98,99) 1 = Yes (TXLTYANL=1,3)		
TXLTTRN2	1	RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS 0 = No/Unknown (TXLTYTRN=2,6,81,85,91,94,97,98,99) 1 = Yes (TXLTYTRN=1,3)		
TXLTSTM2	1	RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS 0 = No/Unknown (TXLTYSTM=2,4,6,81,85,89,91,94,97,98,99) 1 = Yes (TXLTYSTM=1,3)		
TXLTSED2	1	RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES 0 = No/Unknown (TXLTYSED=2,4,6,81,85,91,97,98,99) 1 = Yes (TXLTYSED=1,3)		
The following variable, TXLTILL2, was created by examination of the receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), and tranquilizers (TXLTTRN2).				
TXLTILL2	1	RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS 0 = No/Unknown (Otherwise) 1 = Yes (ANY SOURCE VARIABLE=1)		
NOTE: The following 27 recoded variables contain payment information about respondents last or current treatment.				
TXPYINS2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY INSURANCE 0 = No/Unknown (TXPYINS=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYINS=1)		
TXPYCARE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE 0 = No/Unknown (TXPYCARE=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYCARE=1,3)		
TXPYCAID2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY MEDICAID 0 = No/Unknown (TXPYCAID=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYCAID=1)		
TXPPUBP2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXPPUBP=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPPUBP=1)		
TXPYSAVE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXPYSAVE=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYSAVE=1)		
TXPYFMLY2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS 0 = No/Unknown (TXPYFMLY=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYFMLY=1,3)		
TXPYCORT2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY COURTS 0 = No/Unknown (TXPYCORT=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYCORT=1,3)		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE TREATMENT			PAGE:	358
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
TXPMILC2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HC 0 = No/Unknown (TXPYMILC=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYMILC=1,3)		
TXPEMPL2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER 0 = No/Unknown (TXPYEMPL=2,81,85,89,91,94,97,98,99) 1 = Yes (TXPYEMPL=1,3)		
ALCPINS	1	LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE 0 = No/Unknown (TXLTALC2=0 or TXPINS2=0) 1 = Yes (TXLTALC2=1 and TXPINS2=1)		
ALCPCARE	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE 0 = No/Unknown (TXLTALC2=0 or TXPCARE2=0) 1 = Yes (TXLTALC2=1 and TXPCARE2=1)		
ALCPCAID	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID 0 = No/Unknown (TXLTALC2=0 or TXPCAID2=0) 1 = Yes (TXLTALC2=1 and TXPCAID2=1)		
ALCPPUBP	1	LAST/CURRENT ALC TRTMNT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXLTALC2=0 or TXPPUBP2=0) 1 = Yes (TXLTALC2=1 and TXPPUBP2=1)		
ALCPSAVE	1	LAST/CURRENT ALC TRTMNT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXLTALC2=0 or TXPSAVE2=0) 1 = Yes (TXLTALC2=1 and TXPSAVE2=1)		
ALCPFMLY	1	LAST/CURRENT ALC TRTMNT PAID FOR BY FAMILY MEMBERS 0 = No/Unknown (TXLTALC2=0 or TXPFMLY2=0) 1 = Yes (TXLTALC2=1 and TXPFMLY2=1)		
ALCPCORT	1	LAST/CURRENT ALCOHOL TREATMENT PAID FOR BY COURTS 0 = No/Unknown (TXLTALC2=0 or TXPCORT2=0) 1 = Yes (TXLTALC2=1 and TXPCORT2=1)		
ALCPMILC	1	LAST/CURRENT ALC TRT PAID FOR BY MILT HLTH CARE 0 = No/Unknown (TXLTALC2=0 or TXPMILC2=0) 1 = Yes (TXLTALC2=1 and TXPMILC2=1)		
ALCPEMPL	1	LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER 0 = No/Unknown (TXLTALC2=0 or TXPEMPL2=0) 1 = Yes (TXLTALC2=1 and TXPEMPL2=1)		
ILLPINS	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE 0 = No/Unknown (TXLTILL2=0 or TXPINS2=0) 1 = Yes (TXLTILL2=1 and TXPINS2=1)		
ILLPCARE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE 0 = No/Unknown (TXLTILL2=0 or TXPCARE2=0) 1 = Yes (TXLTILL2=1 and TXPCARE2=1)		
ILLPCAID	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY MEDICAID 0 = No/Unknown (TXLTILL2=0 or TXPCAID2=0) 1 = Yes (TXLTILL2=1 and TXPCAID2=1)		
ILLPPUBP	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXLTILL2=0 or TXPPUBP2=0) 1 = Yes (TXLTILL2=1 and TXPPUBP2=1)		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE TREATMENT			PAGE:	359
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ILLPSAVE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXLTILL2=0 or TXPSAVE2=0) 1 = Yes (TXLTILL2=1 and TXPSAVE2=1)		
ILLPFMLY	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY FAMLY MEMBR 0 = No/Unknown (TXLTILL2=0 or TXPFMLY2=0) 1 = Yes (TXLTILL2=1 and TXPFMLY2=1)		
ILLPCORT	1	LAST/CURRENT ILL DRUG TREATMENT PAID FOR BY COURTS 0 = No/Unknown (TXLTILL2=0 or TXPCORT2=0) 1 = Yes (TXLTILL2=1 and TXPCORT2=1)		
ILLPMILC	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLT CARE 0 = No/Unknown (TXLTILL2=0 or TXPMILC2=0) 1 = Yes (TXLTILL2=1 and TXPMILC2=1)		
ILLPEMPL	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER 0 = No/Unknown (TXLTILL2=0 or TXPEMPL2=0) 1 = Yes (TXLTILL2=1 and TXPEMPL2=1)		
NOTE: The following 5 recoded variables contain information about receiving treatment at a specialty facility in the past year.				
A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, SPECTALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:				
(1) Reported receiving only alcohol treatment in the past year (TXYRADG=1,11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,5 or TXYRRFIN=1,5 or TXYRRFOP=1,5 or TXYRMHC=1,5 or TXYROTS2=56).				
(2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1,3 or TXYRINAD=1,3 or TXYRPOAD=1,3 or TXYRMHAD=1,3 or (TXYROTS2=45,56 and TXYROTAD=1,3)).				
SPECTALC	1	RCVD TRMT AT SPEC FAC FOR ALC-PST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		

RECODED SUBSTANCE TREATMENT			PAGE:	360
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		<p>A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, SPECTILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:</p> <p>(1) Reported receiving only illicit drug treatment in the past year (TXYRADG=2,5,12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,5 or TXYRRFIN=1,5 or TXYRRFOP=1,3,5 or TXYRMHC=1,5 or TXYROTSP=64).</p> <p>(2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2,3 or TXYRINAD=2,3 or TXYRPOAD=2,3 or TXYRMHAD=2,3 or (TXYROTSP=45,56 and TXYROTAD=2,3)).</p>		
SPECTILL	1	RCVD TRMT AT SPEC FAC FOR ILL DRG-PST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
		<p>A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, SPILLALC, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYREVER=1) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSP=1,5 or TXYRRFIN=1,5 or TXYRRFOP=1,3,5 or TXYRMHC=1,5 or TXYROTSP=45,56,64).</p>		
SPILLALC	1	RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC-PST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
SPILANAL	1	RCVD TRMT AT SPEC FAC FOR ILL DRG AND ALC-PST YR 0 = No/Unknown (Otherwise) 1 = Yes (SPECTILL=1 and SPECTALC=1)		
LASTTXSP	1	LAST/CURRENT TRMT AT SPECIALTY FACILITY-PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (TXLTVMN=1,2,3,4,22,23,45,46,56,64)		

RECODED SUBSTANCE TREATMENT			PAGE:	361
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.		
		NOTE: The following 8 recoded variables contain information about where a respondent received alcohol treatment in the past year.		
		A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:		
		(1) Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3) and reported a positive response to the specific treatment location (TXYRXXX=1,3,5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXX=1,3).		
		(2) Received treatment in the past 12 months for alcohol use only (TXYRADG=1,4,11) and reported a positive response to the specific treatment location (TXYRXXX=1,3,5).		
ALCHOSP	1	RECEIVED ALC TRT AT A HOSPITAL IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
ALCRFIN	1	RCVD ALC TRT AT AN INP REHAB FAC IN THE PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above ALCHOSP)		
ALCRFOP	1	RCVD ALC TRT AT AN OUTP REHAB FAC IN THE PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above ALCHOSP)		
ALCMHC	1	RCVD ALC TRT AT A MENTAL HEALTH CENTER IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above ALCHOSP)		
ALCTXER	1	RCVD ALC TRT AT AN EMERGENCY ROOM IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above ALCHOSP)		
ALCDOC	1	RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above ALCHOSP)		
ALCJAIL	1	RECEIVED ALC TRT AT A PRISON/JAIL IN THE PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above ALCHOSP)		
ALCSHG	1	RCVD ALC TRT AT A SELF-HELP GROUP IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above ALCHOSP)		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE TREATMENT			PAGE:	362
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
NOTE: The following 8 recoded variables contain information about where a respondent received illicit drug treatment in the past year.				
A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:				
(1) Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3) and reported a positive response to the specific treatment location (TXYRXXX=1,3,5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXX=2,3). (2) Received treatment in the past 12 months for illicit drug use only (TXYRADG=2,5,12) and reported a positive response to the specific treatment location (TXYRXXX=1,3,5).				
DRGHOSP	1	RCVD ILL DRUG TREATMENT AT A HOSPITAL IN PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		
DRGRFIN	1	RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DRGHOSP)		
DRGRFOP	1	RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DRGHOSP)		
DRGMHC	1	RCVD ILL DRUG TRT AT A MENTAL HLTH CNTR IN PST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DRGHOSP)		
DRGTXR	1	RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DRGHOSP)		
DRGDOC	1	RECEIVED ILL DRUG TRT AT A DR'S OFFICE IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DRGHOSP)		
DRGJAIL	1	RECEIVED ILL DRUG TRT AT A PRISON/JAIL IN THE PY 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DRGHOSP)		
DRGSHG	1	RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above DRGHOSP)		
NOTE: The following 8 recoded variables contain information about where a respondent received illicit drug or alcohol treatment in the past year.				
LOCHOSP	1	RCVD ILL DRUG/ALC TRT AT A HOSPITAL IN PAST YR 0 = No/Unknown (TXYRHOSP=2,81,85,91,97,98,99) 1 = Yes (TXYRHOSP=1,5)		

Codebook Creation Date: April 24, 2012

RECODED SUBSTANCE TREATMENT			PAGE:	363
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
LOCRFIN	1	RCVD ILL DRUG/ALC TRT AT INP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFIN=2,81,85,91,97,98,99) 1 = Yes (TXYRRFIN=1,5)		
LOCRFOP	1	RCVD ILL DRUG/ALC TRT AT OUTP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFOP=2,81,85,91,94,97,98,99) 1 = Yes (TXYRRFOP=1,5)		
LOCMHC	1	RCVD ILL DRUG/ALC TRT AT MNTL HLTH CNTR IN PAST YR 0 = No/Unknown (TXYRMHC=2,81,85,91,94,97,98,99) 1 = Yes (TXYRMHC=1,3,5)		
LOCTXER	1	RCVD ILL DRUG/ALC TRT AT AN ER IN PAST YR 0 = No/Unknown (TXYRTXER=2,81,85,91,94,97,98,99) 1 = Yes (TXYRTXER=1,3,5)		
LOCDOC	1	RCVD ILL DRUG/ALC TRT AT A DR'S OFFICE IN PAST YR 0 = No/Unknown (TXYRDOC=2,81,85,91,97,98,99) 1 = Yes (TXYRDOC=1,3,5)		
LOCJAIL	1	RCVD ILL DRUG/ALC TRT AT A PRISON/JAIL IN PAST YR 0 = No/Unknown (TXYRJAIL=2,81,85,91,94,97,98,99) 1 = Yes (TXYRJAIL=1,3,5)		
LOCSHG	1	RCVD ILL DRUG/ALC TRT AT SELF-HELP GRP IN PAST YR 0 = No/Unknown (TXYRSHG=2,81,85,91,94,97,98,99) 1 = Yes (TXYRSHG=1,3,5)		
NOTE: The following 3 recoded variables contain information about a respondents need for treatment in the past year.				
A respondent was classified as needing treatment for alcohol use in the past year, TXNEDALC, if they met any one of the following 3 criteria:				
(1) Dependent on alcohol in the past year (DEPNALC=1)				
(2) Alcohol abuse in the past year (ABUSEALC=1)				
(3) Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTALC=1)				
TXNEDALC	1	NEEDED TREATMENT FOR ALCOHOL USE-PAST YEAR 0 = No/Unknown (Otherwise) 1 = Yes (See comment above)		

RECODED SUBSTANCE TREATMENT			PAGE:	364
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		<p>A respondent was classified as needing treatment for illicit drug use in the past year, ILLNEED, if they met any one of the following 3 criteria:</p> <ul style="list-style-type: none"> (1) Dependent on any illicit drug in the past year (DEPNLILL=1) (2) Any illicit drug abuse in the past year (ABUSEILL=1) (3) Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1) 		
ILLNEED	1	<p>NEEDED TREATMENT FOR ILLICIT DRUG USE-PAST YEAR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (See comment above)</p> <p>A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXNDILAL, if they met any one of the following 3 criteria:</p> <ul style="list-style-type: none"> (1) Dependent on any illicit drug or alcohol in the past year (DPILLALC=1) (2) Any illicit drug or alcohol abuse in the past year (ABILLALC=1) (3) Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPILLALC=1). 		
TXNDILAL	1	<p>NEEDED TREATMENT FOR ILL DRG OR ALC USE-PST YR</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (See comment above)</p> <p>NOTE: The following 3 recoded variables contain information about respondents feeling a need for treatment in the past year.</p>		
FLTNDALC	1	<p>FELT NEED FOR TRMT FOR ALCOHOL USE-PST YR</p> <p>1 = Yes (NDTXALCR=1,11 or NDTMRALC=1)</p> <p>2 = No/Unknown (Otherwise)</p>		

RECODED SUBSTANCE TREATMENT			PAGE:	365
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		A respondent was classified as feeling a need for illicit drug treatment in the past year, FLTNDILL, if they met either of these conditions:		
		(1) Reported feeling a need for treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXMJR=1,3,11,13), cocaine (NDTXCOCR=1,11), heroin (NDTXHERR=1,11), hallucinogens (NDTXHALR=1,11), inhalants (NDTXINHR=1,11), pain relievers (NDTXANLR=1,3,11), tranquilizers (NDTXTRNR=1,11), stimulants (NDTXSTMR=1,3,11), sedatives (NDTXSEDR=1), or some other drug (NDTXSODR=1,5,11).		
		(2) Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTMRMJ=1), cocaine (NDTMRCOC=1), heroin (NDTMRHER=1), hallucinogens (NDTMRHAL=1), inhalants (NDTMRINH=1), pain relievers (NDTMRANL=1), tranquilizers (NDTMRTRN=1), stimulants (NDTMRSTM=1), sedatives (NDTMRSED=1), or some other drug (NDTMROTH=1).		
FLTNDILL	1	FELT NEED FOR TRMT FOR ILLICIT DRUG USE-PST YR 1 = Yes (See comment above) 2 = No/Unknown (Otherwise)		
FLNDILAL	1	FELT NEED FOR TRMT FOR ILL DRG OR ALC USE-PST YR 1 = Yes (NDTXNEDR=1,11 or NDTXMORE=1) 2 = No/Unknown (Otherwise)		
		NOTE: The following 3 variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.		
		NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDEFXXX=1, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:		
		(1) Reported making an effort to get treatment (NDTXEFTR=1,11). (2) Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).		
		A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDEFXXX=2, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:		
		(1) Reported NOT making an effort to get treatment (NDTXEFTR=2,12,99). (2) Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2,98,99).		
NDEFALC	1	FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE 1 = Felt Need/Made Effort (See comment above) 2 = Felt Need/Made No Effort (See comment above) 3 = Felt No Need for Alc Trmt/Unk (FLTNDALC=2)		

RECODED SUBSTANCE TREATMENT			PAGE:	366
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
NDEFIL	1	<p>FELT NEED/MADE EFFORT FOR TRT FOR ILLICIT DRG USE</p> <p>1 = Felt Need/Made Effort (See comment above)</p> <p>2 = Felt Need/Made No Effort (See comment above)</p> <p>3 = Felt No Need for Ill Drg Trmt/Unk (FLTNDILL=2)</p> <p>A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=1, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:</p> <p>(1) Reported making an effort to get treatment (NDTXEFTR=1,11).</p> <p>(2) Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).</p> <p>A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=2, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:</p> <p>(1) Reported NOT making an effort to get treatment (NDTXEFTR=2,12,99).</p> <p>(2) Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2,98,99).</p>		
NDEFIA	1	<p>FELT NEED/MADE EFFT FOR TRT FOR ILL DRG OR ALC USE</p> <p>1 = Felt Need/Made Effort (See comment above)</p> <p>2 = Felt Need/Made No Effort (See comment above)</p> <p>3 = Felt No Need for Ill Drg/Alc Trmt/Unk (FLNDILAL=2)</p> <p>NOTE: The following 3 recoded variables define if a respondent needs treatment in the past year but did not receive treatment at a specialty facility (treatment gap).</p> <p>The following variable, TXGAPALC, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.</p>		
TXGAPALC	1	<p>NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PY</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (TXNEDALC=1 and SPECTALC=0)</p> <p>The following variable, TXNOSPEC, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.</p>		
TXNOSPEC	1	<p>NEEDED TRT FOR ILL DRG USE, NOT RCD TRT SPC FAC-PY</p> <p>0 = No/Unknown (Otherwise)</p> <p>1 = Yes (ILLNEED=1 and SPECTILL=0)</p>		

RECODED SUBSTANCE TREATMENT			PAGE:	367
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
		The following variable, TXGPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.		
TXGPILAL	1	NEEDED TRT FOR DRG/ALC USE, NOT RCD TRT SP FAC-PY 0 = No/Unknown (Otherwise) 1 = Yes (TXNDILAL=1 and SPILLALC=0)		
		NOTE: The following 15 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.		
TXRNNHCV	1	NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 & (NDTXNHCV=1,11 or NDMRNHCV=1))		
TXRNLMCV	1	NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 and (NDTXLMCV=1,11 or NDMRLMCV=1))		
TXRNNTSP	1	NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 & (NDTXNTSP=1,3,11 or NDMRNTSP=1))		
TXRNTYPE	1	NO TRT/ADDL TRT PST YR B/C NO PROGRAM HAD TYPE TRT . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 and (NDTXTYPE=1 or NDMRTYPE=1))		
TXRNNSTP	1	NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 & (NDTXREDY=1,3,11 or NDMRREDY=1))		
TXRNOPEN	1	NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 and (NDTXOPEN=1,11 or NDMROPEN=1))		
TXRNWHER	1	NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 & (NDTXWHER=1,11 or NDMRWHER=1))		
TXRNNBR	1	NO TRT/ADDL TRT PST YR B/C CAUSE NBR HAVE NEG OPIN . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 and (NDTXNBR=1,11 or NDMRNBR=1))		
TXRNJOB	1	NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2) 0 = No/Unknown (Otherwise) 1 = Yes (FLNDILAL=1 and (NDTXJOB=1,11 or NDMRJOB=1))		

Codebook Creation Date: April 24, 2012

PREGNANCY AND HEALTH CARE			PAGE:	368
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(HLTH01)		PREGNANCY AND HEALTH CARE ----- The next questions are about your health and health care. Are you currently pregnant?		
PREGNANT	2	ARE YOU PREGNANT 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(HLTH02)		How many months pregnant are you?		
PREGMOS	2	HOW MANY MONTHS PREGNANT RANGE = 1 - 9 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(HLTH03)		During the past 12 months, that is since [DATEFILL], how many different times have you been treated in an emergency room for any reason?		
NMERTMT	2	# OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS RANGE = 0 - 90 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(HLTH04)		During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?		
INHOSPYR	2	STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(HLTH05)		During the past 12 months, how many nights were you an inpatient in a hospital?		
NMNGTHSP	3	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER RANGE = 1 - 365 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

RECODED PREGNANCY AND HEALTH CARE			PAGE:	369
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		RECODED PREGNANCY AND HEALTH CARE		

		NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.		
PREG	1	PREGNANT FEMALES AGED 12-44 0 = Otherwise 1 = Pregnant Females Aged 12-44 (PREGNANT=1)		
PREG2	1	PREGNANCY STATUS OF FEMALES AGED 12-44 . = Unknown (PREGNANT=85,94,97,98) 1 = Pregnant (PREGNANT=1) 2 = Not Pregnant (PREGNANT=2) 3 = Males/Females Not Aged 12-44 (PREGNANT=99)		
TRIMEST	1	CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44 . = Unknown (PREG=1 & PREGMOS=94,97) 1 = 1st 3 months of pregnancy (PREG=1 & PREGMOS=1-3) 2 = 2nd 3 months of pregnancy (PREG=1 & PREGMOS=4-6) 3 = Last 3 months of pregnancy (PREG=1 & PREGMOS=7-9) 4 = Males/Not Pregnant Females (PREG=0)		

ADULT MENTAL HEALTH TREATMENT			PAGE:	370
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(ADMT01)		ADULT MENTAL HEALTH TREATMENT ----- These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use. NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question. During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.		
AUINPYR	2	1STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(ADMT02)		Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?		
AUINPSYH	2	1MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUINPGEN	2	1MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUINMEDU	2	1MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	371
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
AUINAHSP	2	1MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUINRES	2	1MH TRMT IN RESID TRMT CENTER PST 12 MOS 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUINSFAC	2	1MH TRMT IN SOME OTHER FACIL PST 12 MOS 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(ADMT04)		During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?		
AUNMPSYH	3	1# NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS RANGE = 1 - 95 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(ADMT05)		During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?		
AUNMPGEN	3	1# NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS RANGE = 1 - 90 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	372
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ADMT06)		During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?		
AUNMMEDU	3	1# NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS RANGE = 1 - 90 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(ADMT07)		During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?		
AUNMAHSP	3	1# NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS RANGE = 1 - 93 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(ADMT08)		During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?		
AUNMRESID	3	1# NIGHTS IN RESID TRMT CENTER PST 12 MOS RANGE = 1 - 365 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(ADMT09)		During the past 12 months, how many nights did you spend in some other type of facility for mental health care?		
AUNMSFAC	3	1# NIGHTS IN SOME OTHER FACIL PST 12 MOS RANGE = 1 - 80 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(ADMT10)		Who paid or will pay for the inpatient mental health care you received during the past 12 months?		
AUPINSLF	2	1INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	373
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPINOFM	2	1INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINPHI	2	1INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINMCR	2	1INPATIENT MH CARE PAYMENT: MEDICARE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINMCD	2	1INPATIENT MH CARE PAYMENT: MEDICAID 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINREH	2	1INPAT MH CARE PYMNT: REHABILITATION PROG 1 = Response entered 6 = Response not entered 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINEMP	2	1INPATIENT MH CARE PAYMENT: EMPLOYER 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINMIL	2	1INPATIENT MH CARE PAYMENT: MILITARY SOURCE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	374
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPINPUB	2	1INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINPRV	2	1INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPINFRE	2	1INPATIENT MENTAL HEALTH CARE WAS FREE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(ADMT11)		Who paid or will pay most of the cost for the inpatient mental health care you received during the past 12 months?		
AUPINMOS	2	1PAYMENT FOR MOST OF INPATIENT MH CARE 1 = Self or a family member living with you 2 = A family member who does not live with you 3 = Private health insurance 4 = Medicare 5 = Medicaid 6 = Rehabilitation program 7 = Employer 8 = VA or other military program 9 = Other public source 10 = Other private source 11 = No one paid because the treatment was free 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	375
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ADMT12)		How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		
AUPINFMP	2	1AMT YOU/FAMILY PAID FOR INPAT MH CARE		
		1 = Less than \$100		
		2 = \$100 to \$200		
		3 = \$201 to \$500		
		4 = \$501 to \$900		
		5 = \$901 to \$1,500		
		6 = \$1,501 to \$2,000		
		7 = \$2,001 to \$5,000		
		8 = \$5,001 to \$7,500		
		9 = \$7,501 to \$10,000		
		10 = More than \$10,000		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(ADMT13)		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
		The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.		
		During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.		
		- An outpatient mental health clinic or center		
		- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic		
		- A doctor's office that was not part of a clinic		
		- An outpatient medical clinic		
		- A partial day hospital or day treatment program		
		- Some other place		
AUOPTYR	2	1RCVD OUTPATIENT MH TRMT PST 12 MOS		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED (from AUALOTSP)		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	376
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-

(ADMT14) Where did you receive outpatient mental health treatment or counseling during the past 12 months?

AUOPMENT 2 1MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS
 1 = Response entered
 3 = Response entered LOGICALLY ASSIGNED
 6 = Response not entered
 85 = BAD DATA Logically assigned
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

AUOPHTER 2 1MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS
 1 = Response entered
 3 = Response entered LOGICALLY ASSIGNED
 5 = Response entered LOG ASSN (from AUALOTSP)
 6 = Response not entered
 85 = BAD DATA Logically assigned
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

AUOPDOC 2 1MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS
 1 = Response entered
 3 = Response entered LOGICALLY ASSIGNED
 5 = Response entered LOG ASSN (from AUALOTSP)
 6 = Response not entered
 85 = BAD DATA Logically assigned
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

AUOPCLNC 2 1MH TRMT IN OUTPAT MED CLINIC PST 12 MOS
 1 = Response entered
 3 = Response entered LOGICALLY ASSIGNED
 5 = Response entered LOG ASSN (from AUALOTSP)
 6 = Response not entered
 85 = BAD DATA Logically assigned
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

AUOPDTMT 2 1MH TRMT IN DAY TREATMENT PGM PST 12 MOS
 1 = Response entered
 3 = Response entered LOGICALLY ASSIGNED
 6 = Response not entered
 85 = BAD DATA Logically assigned
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	377
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUOPOTOP	2	1MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS		
		1 = Response entered		
		6 = Response not entered		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	378
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUOPYRSP	2	10TH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS		
		1 = An outpatient mental health clinic or center		
		2 = Non-clinic therapist/psychologist/counselor		
		3 = A doctor's office that was not part of a clinic		
		4 = An outpatient medical clinic		
		5 = A partial day hospital or day treatment program		
		7 = Friend(s)/parent of friend		
		8 = Family member(s)/home		
		9 = School or university setting/clinic/center		
		10 = Spiritual or religious advisor		
		11 = Support group/self-help group		
		12 = Clinic or center counseling; mental health unspcfd		
		13 = Therapist/psychologist/counselor; locale unspcfd		
		14 = A doctor's office; location unspecified		
		15 = Work/parents' work/EAP/job training/career counslng		
		16 = Victims assist (inc dom viol shelter/rape crisis)		
		17 = Telephone hotline/crisis line		
		18 = Military facility/VA		
		19 = Emergency room		
		20 = Indian Health Service/BIA		
		21 = Research study/clinic		
		22 = Health professional, not a Dr; non-mental health		
		23 = Hospital/skilled nursing facilty; mntl hlth unspfd		
		24 = Clinic/center/agcy/pgm/class; type/govt/MH unspcfd		
		25 = Domestic batterers program		
		26 = Court-mandated drug program/class		
		27 = Non-profit mental health service grp/organization		
		28 = Social Services/Human Services		
		29 = Halfway house/transition housing		
		30 = Self		
		31 = Mental health hospital; patient status unspecified		
		32 = Crisis counseling/intervention		
		33 = Hospice/grief counseling		
		34 = Acupuncturist or acupressurist		
		35 = Chiropractor		
		36 = Herbalist		
		38 = Massage therapy/body therapy (not chiro)		
		39 = Holistic health/altern med; not otherwise specifd		
		40 = General hospital for MH; inpat or status unspc		
		41 = Pregnancy crisis counseling/family planning		
		42 = Homeopath/naturopath		
		43 = Group counseling, self-help not specified		
		44 = Residential treatment facility		
		45 = God, higher power		
		46 = Safe house		
		47 = Prison or jail		
		48 = Retreats/retreat center		
		49 = Mind/body therapy (e.g., biofeedback)		
		50 = Mentor/sponsor/buddy/peer/mentoring program		
		51 = Other individual, relationship unspecified		
		52 = In-home professional counseling		
		53 = Shelter; abuse/violence unspecified		
		54 = Energy/biofield therapist (e.g., Reiki)		
		55 = Life/personal coach		
		56 = Telephone counseling, hotline/crisis unspecified		
		57 = Office; doctor or therapist office unspecified		
		58 = Faith-based formal program/facility		
		70 = Name of facility/program or description given		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	379
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		71 = Drug or alcohol treatment/counseling specified		
		72 = Reason for seeking help given		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(ADMT16)		During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?		
AUNMMENT	3	1# VISITS TO OUTPATIENT MH CNTR PST 12 MOS		
		RANGE = 1 - 365		
		985 = BAD DATA Logically assigned		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(ADMT17)		During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?		
AUNMTHER	3	1# VISITS TO PRIV THERAPIST'S OFC PST 12 MOS		
		RANGE = 1 - 360		
		985 = BAD DATA Logically assigned		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(ADMT18)		During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?		
AUNMDOC	3	1# VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS		
		RANGE = 1 - 75		
		985 = BAD DATA Logically assigned		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(ADMT19)		During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?		
AUNMCLNC	3	1# VISITS TO OUTPAT MED CLINIC PST 12 MOS		
		RANGE = 1 - 60		
		985 = BAD DATA Logically assigned		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	380
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ADMT20)		During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?		
AUNMDTMT	3	1# VISITS TO DAY TREATMENT PGM PST 12 MOS RANGE = 1 - 75 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(ADMT21)		During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?		
AUNMOTOP	3	1# VISIT OTPT SOME OTHER FACILITY PST 12 MOS RANGE = 1 - 60 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(ADMT22)		Who paid or will pay for the outpatient mental health care you received during the past 12 months?		
AUPOPSLF	2	1OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPOPOFM	2	1OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPOPPHI	2	1OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUPOPMCR	2	1OUTPATIENT MH CARE PAYMENT: MEDICARE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	381
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUOPMCD	2	1OUTPATIENT MH CARE PAYMENT: MEDICAID 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUOPPREH	2	1OUPAT MH CARE PYMNT: REHABILITATION PROG 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUOPEMP	2	1OUTPATIENT MH CARE PAYMENT: EMPLOYER 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUOPMIL	2	1OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUOPPPUB	2	1OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUOPPPRV	2	1OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUOPPFRE	2	1OUTPATIENT MENTAL HEALTH CARE WAS FREE 1 = Response entered 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	382
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(ADMT23)		Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?		
AUPOPMOS	2	1PAYMENT FOR MOST OF OUTPATIENT MH CARE 1 = Self or a family member living with you 2 = A family member who does not live with you 3 = Private health insurance 4 = Medicare 5 = Medicaid 6 = Rehabilitation program 7 = Employer 8 = VA or other military program 9 = Other public source 10 = Other private source 11 = No one paid because the treatment was free 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(ADMT24)		How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		
AUPOPAMT	2	1AMT YOU/FAMILY PAID FOR OUPAT MH CARE 1 = Less than \$100 2 = \$100 to \$200 3 = \$201 to \$500 4 = \$501 to \$900 5 = \$901 to \$1,500 6 = \$1,501 to \$2,000 7 = \$2,001 to \$5,000 8 = More than \$5,000 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(ADMT25)		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question. During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?		
AURXYR	2	1TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS 1 = Yes 2 = No 3 = Yes Logically assigned 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	383
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(ADMT26)		During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?		
AUUNMTYR	2	1NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(ADMT27)		Which of these statements explains why you did not get the mental health treatment or counseling you needed?		
AUUNCOST	2	1NO MH TMT COULDN'T AFFORD COST 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUUNNBR	2	1NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUUNJOB	2	1NO MH TMT CONCERN ABOUT EFFECT ON JOB 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUUNNCOV	2	1NO MH TMT HEALTH INSUR DIDN'T COVER 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

ADULT MENTAL HEALTH TREATMENT			PAGE:	384
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUUNENUF	2	1NO MH TMT NOT ENUF HEALTH INSUR COVERAGE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUUNWHER	2	1NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUUNCFID	2	1NO MH TMT CONCERN ABOUT CONFIDENTIALITY 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
AUUNCMIT	2	1NO MH TMT MIGHT BE COMMITTED/TAKE MEDS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Treatment and Recoded Substance Treatment.

AMHINP2 1 RCVD INPATIENT MENTAL HEALTH TRT IN PST YR
 . = Unknown/Aged 12-17 (AUINPYR=85,94,97,98,99)
 1 = Yes (AUINPYR=1)
 2 = No (AUINPYR=2)

The following variable, AMHOUTP3, is defined as SAS missing if a respondent reported receiving outpatient mental health treatment/counseling in the past year at "Some Other Place" (AUOPTYR=1 and AUOPOTOP=1) only and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRSP=7,8,10,11,22,39,55,56,71,72). In addition to the responses described above, respondents aged 12-17 and those coded as bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=85,94,97,98,99) were also defined as SAS missing. A respondent was assigned a positive response if they indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1) and they did not indicate an alternative source or invalid outpatient location (AUOPYRSP=7,8,10,11,22,39,55,56,71,72) as their only location for outpatient treatment.

AMHOUTP3 1 RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR
 . = Unknown/Aged 12-17 (See comment above)
 1 = Yes (See comment above)
 2 = No (AUOPTYR=2)

AMHRX2 1 RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR
 . = Unknown/Aged 12-17 (AURXYR=3,85,94,97,98,99)
 1 = Yes (AURXYR=1)
 2 = No (AURXYR=2)

AMHTXRC3 1 RCVD ANY MENTAL HEALTH TRT IN PST YR
 . = Unknown/Aged 12-17 (Otherwise)
 1 = Yes (AMHINP2=1 OR AMHOUTP3=1 OR AMHRX2=1)
 2 = No (AMHINP2=2 AND AMHOUTP3=2 AND AMHRX2=2)

The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "unmet need."

AMHTXND2 1 PERCEIVED NEED/DID NOT RCV MH TRT IN PST YR
 . = Unknown/Aged 12-17 (AUUNMTYR=85,94,97,98,99)
 1 = Yes (AUUNMTYR=1)
 2 = No (AUUNMTYR=2)

SOCIAL ENVIRONMENT			PAGE:	386
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN04)		SOCIAL ENVIRONMENT		

		How many times have you moved in the past 5 years?		
SNMOV5YR	3	1# TIMES MOVED IN PAST 5 YEARS		
		RANGE = 0 - 90		
		985 = BAD DATA Logically assigned		
		989 = LEGITIMATE SKIP Logically assigned		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(SEN12A)		During the past 12 months, how many times have you sold illegal drugs?		
SNYSELL	2	1SOLD ILLEGAL DRUGS		
		1 = 0 times		
		2 = 1 or 2 times		
		3 = 3 to 5 times		
		4 = 6 to 9 times		
		5 = 10 or more times		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(SEN12B)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
SNYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
		1 = 0 times		
		2 = 1 or 2 times		
		3 = 3 to 5 times		
		4 = 6 to 9 times		
		5 = 10 or more times		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SOCIAL ENVIRONMENT			PAGE:	387
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN12C)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
SNYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SEN13B)		How do you feel about adults trying marijuana or hashish once or twice?		
SNFAMJEV	2	1HOW YOU FEEL: ADLTS TRYING MJ/HASH 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SENRELAT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.		
SNRLGSVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES 1 = 0 times 2 = 1 to 2 times 3 = 3 to 5 times 4 = 6 to 24 times 5 = 25 to 52 times 6 = More than 52 times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

SOCIAL ENVIRONMENT			PAGE:	388
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(SENREBE1)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.		
		Your religious beliefs are a very important part of your life.		
SNRLGIMP	2	1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT 1 = Strongly Disagree 2 = Disagree 3 = Agree 4 = Strongly Agree 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SENREBE2)		Your religious beliefs influence how you make decisions in your life.		
SNRLDCSN	2	1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS 1 = Strongly Disagree 2 = Disagree 3 = Agree 4 = Strongly Agree 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(SENREBE3)		It is important that your friends share your religious beliefs.		
SNRLFRND	2	1IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS 1 = Strongly Disagree 2 = Disagree 3 = Agree 4 = Strongly Agree 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	389
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE04)		YOUTH EXPERIENCES ----- The next questions are about school and other activities. How many times have you moved in the past 5 years?		
YEMOV5YR	3	1# TIMES MOVED IN PAST 5 YEARS RANGE = 0 - 90 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(YE09)		Have you attended any type of school at any time during the past 12 months?		
YEATNDYR	2	1ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE09A)		Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?		
YEHMSLYR	2	1HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	390
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE10)		Which of the statements below best describes how you felt overall about going to school during the past 12 months?		
YESCHFLT	2	1HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS 1 = You liked going to school a lot 2 = You kind of liked going to school 3 = You didn't like going to school very much 4 = You hated going to school 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE11)		During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?		
YESCHWRK	2	1HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE12)		How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?		
YESCHIMP	2	1HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE 1 = Very important 2 = Somewhat important 3 = Somewhat unimportant 4 = Very unimportant 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	391
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(YE13)		How interesting do you think most of your courses at school during the past 12 months have been?		
YESCHINT	2	1HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS 1 = Very interesting 2 = Somewhat interesting 3 = Somewhat boring 4 = Very boring 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE14)		During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?		
YETCGJOB	2	1HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE15)		What were your grades for the last semester or grading period you completed?		
YELSTGRD	2	1GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED 1 = An "A+", "A" or "A-minus" average 2 = A "B+", "B" or "B-minus" average 3 = A "C+", "C" or "C-minus" average 4 = A "D" or less than a "D" average 5 = My school does not give these grades 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	392
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(YE16A)		How many of the students in your grade at school would you say smoke cigarettes?		
		Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.		
		How many of the students in your grade at school would you say smoke cigarettes?		
YESTSCIG	2	1HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES 1 = None of them 2 = A few of them 3 = Most of them 4 = All of them 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE16B)		How many of the students in your grade at school would you say use marijuana or hashish?		
YESTSMJ	2	1HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH 1 = None of them 2 = A few of them 3 = Most of them 4 = All of them 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE16C)		How many of the students in your grade at school would you say drink alcoholic beverages?		
YESTSALC	2	1HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL 1 = None of them 2 = A few of them 3 = Most of them 4 = All of them 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	393
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE16D)		How many of the students in your grade at school would you say get drunk at least once a week?		
YESTSDNK	2	1HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY 1 = None of them 2 = A few of them 3 = Most of them 4 = All of them 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE06A)		The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household. During the past 12 months, how often did your parents provide help with your homework when you needed it?		
YEPCHKHW	2	1PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE06B)		During the past 12 months, how often did your parents provide help with your homework when you needed it?		
YEPHLPW	2	1PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	394
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE06C)		During the past 12 months, how often did your parents make you do chores around the house?		
YEPCHORE	2	1PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE06D)		During the past 12 months, how often did your parents limit the amount of time you watched TV?		
YEPLMTTV	2	1PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE06E)		During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?		
YEPLMTSN	2	1PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	395
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE06F)		During the past 12 months, how often did your parents let you know when you'd done a good job?		
YEPGDJOB	2	1PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE06G)		During the past 12 months, how often did your parents tell you they were proud of you for something you had done?		
YEPPROUD	2	1TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE 1 = Always 2 = Sometimes 3 = Seldom 4 = Never 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE18A)		During the past 12 months, how many times have you argued or had a fight with at least one of your parents?		
YEYARGUP	2	1ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	396
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE18B)		During the past 12 months, how many times have you gotten into a serious fight at school or work?		
YEYFGTSW	2	1GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE18C)		During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?		
YEYFGTGP	2	1TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE18D)		During the past 12 months, how many times have you carried a handgun?		
YEYHGUN	2	1CARRIED A HANDGUN 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	397
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE18E)		During the past 12 months, how many times have you sold illegal drugs?		
YEYSELL	2	1SOLD ILLEGAL DRUGS 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE18F)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
YEYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE18G)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
YAYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM 1 = 0 times 2 = 1 or 2 times 3 = 3 to 5 times 4 = 6 to 9 times 5 = 10 or more times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	398
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(YE07A)		How do you think your parents would feel about you smoking one or more packs of cigarettes per day?		
YEPPKCIG	2	1HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE07B)		How do you think your parents would feel about you trying marijuana or hashish once or twice?		
YEPMJEV	2	1HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH 1 = Neither Approve or Disapprove 2 = Somewhat Disapprove 3 = Strongly Disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE07B1)		How do you think your parents would feel about you using marijuana or hashish once a month or more?		
YEPMJMO	2	1HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY 1 = Neither Approve or Disapprove 2 = Somewhat Disapprove 3 = Strongly Disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE07C)		How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEPALDLY	2	1HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY 1 = Neither Approve or Disapprove 2 = Somewhat Disapprove 3 = Strongly Disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	399
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(YE19A)		How do you feel about someone your age smoking one or more packs of cigarettes a day?		
YEGPKCIG	2	1HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE19B)		How do you feel about someone your age trying marijuana or hashish once or twice?		
YEGMJJEVR	2	1HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE19B1)		How do you feel about someone your age using marijuana once a month or more?		
YEGMJMO	2	1HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE19C)		How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?		
YEGALDLY	2	1HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	400
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE20A)		How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?		
YEFKPCIG	2	1HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE20B)		How do you think your close friends would feel about you trying marijuana or hashish once or twice?		
YEFMJVR	2	1HOW YOU FEEL FRIENDS USING MJ 1X/MO 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE20B1)		How do you think your close friends would feel about you using marijuana or hashish once a month or more?		
YEFMJMO	2	1HOW YOU FEEL FRIENDS USING MJ MONTHLY 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE20C)		How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEFALDLY	2	1HOW YOU FEEL FRIENDS DRINKING ALC DAILY 1 = Neither approve nor disapprove 2 = Somewhat disapprove 3 = Strongly disapprove 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	401
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE22)		NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.		
		If you wanted to talk to someone about a serious problem, which of the following people would you turn to?		
YETLKNON	2	1THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS 1 = Response entered 6 = Response not entered 11 = Response entered (& other responses entered) 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YETLKPAR	2	1MY MOTHER/FATHER/GUARDIAN 1 = Response entered 6 = Response not entered 11 = Response entered (YETLKNON=11) 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YETLKBGF	2	1MY BOYFRIEND/GIRLFRIEND 1 = Response entered 6 = Response not entered 11 = Response entered (YETLKNON=11) 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YETLKOTA	2	1SOME OTHER ADULT 1 = Response entered 6 = Response not entered 11 = Response entered (YETLKNON=11) 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	402
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YETLKSOP	2	1SOME OTHER PERSON 1 = Response entered 6 = Response not entered 11 = Response entered (YETLKNON=11) 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE08)		Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.		
YEPRTDNG	2	1HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE23B)		During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?		
YEPRBSLV	2	1PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE23C)		During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?		
YEVIOPRV	2	1VIOLENCE PREVENTION PROGRAMS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	403
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE23G)		During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?		
YEDGPRGP	2	1ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE23J)		During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?		
YESLFHLP	2	1AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE23O)		During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?		
YEPRGSTD	2	1PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	404
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE23P)		During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?		
YESCHACT	2	1# OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS 0 = None 1 = One 2 = Two 3 = 3 or more 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE23Q)		During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?		
YECOMACT	2	1# OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS 0 = None 1 = One 2 = Two 3 = 3 or more 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE23R)		During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?		
YEFAIACT	2	1# OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS 0 = None 1 = One 2 = Two 3 = 3 or more 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	405
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE23S)		During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?		
YEOTHACT	2	1# OF OTHER ACT. PARTIC. IN PAST 12 MONTHS 0 = None 1 = One 2 = Two 3 = 3 or more 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE24A)		During the past 12 months have you had a special class about drugs or alcohol in school?		
YEDECLAS	2	1A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE24B)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?		
YEDERGLR	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YE24C)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?		
YEDESPCL	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	406
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YE25)		During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?		
YEPVNTYR	2	1SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YERELATT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.		
YERLGSVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES 1 = 0 times 2 = 1 to 2 times 3 = 3 to 5 times 4 = 6 to 24 times 5 = 25 to 52 times 6 = More than 52 times 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YEREBEL1)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree. Your religious beliefs are a very important part of your life.		
YERLGIMP	2	1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT 1 = Strongly Disagree 2 = Disagree 3 = Agree 4 = Strongly Agree 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH EXPERIENCES			PAGE:	407
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YEREBEL2)		Your religious beliefs influence how you make decisions in your life.		
YERLDCSN	2	1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS 1 = Strongly Disagree 2 = Disagree 3 = Agree 4 = Strongly Agree 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YEREBEL3)		It is important that your friends share your religious beliefs.		
YERLFRND	2	1IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS 1 = Strongly Disagree 2 = Disagree 3 = Agree 4 = Strongly Agree 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED YOUTH EXPERIENCES			PAGE:	408
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	---
		RECODED YOUTH EXPERIENCES		

		NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.		
MVIN5YR2	1	NUM OF TIMES YOUTH MOVED IN PAST 5 YRS . = Otherwise (YEMOV5YR=989,994,997,999) 1 = More than One Time (YEMOV5YR=2 to 90) 2 = None or One Time (YEMOV5YR=0,1)		
SCHFELT	1	HOW YTH FELT: ABT GOING TO SCHL IN PAST YR . = Otherwise (YESCHFLT=89,94,97,98,99) 1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2) 2 = Didn't Like Very Much/Hated (YESCHFLT=3,4)		
TCHGJOB	1	TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR . = Otherwise (YETCGJOB=85,89,94,97,98,99) 1 = Always/Sometimes (YETCGJOB=1,2) 2 = Seldom/Never (YETCGJOB=3,4)		
AVGGRADE	1	GRADE AVG FOR LAST GRADING PERIOD COMPLETED . = Otherwise (YELSTGRD=5,85,94,97,98,99) 1 = D or Lower (YELSTGRD=4) 2 = A, B, or C (YELSTGRD=1,2,3)		
STNDSCIG	1	STUDENTS IN YTH GRADE SMOKE CIGARETTES . = Otherwise (YESTSCIG=85,94,97,98,99) 1 = Most/All (YESTSCIG=3,4) 2 = None/Few (YESTSCIG=1,2)		
STNDSMJ	1	STUDENTS IN YTH GRADE USE MJ/HASHISH . = Otherwise (YESTSMJ=85,89,94,97,98,99) 1 = Most/All (YESTSMJ=3,4) 2 = None/Few (YESTSMJ=1,2)		
STNDALC	1	STUDENTS IN YTH GRADE DRINK ALC BEVERAGES . = Otherwise (YESTSALC=85,89,94,97,98,99) 1 = Most/All (YESTSALC=3,4) 2 = None/Few (YESTSALC=1,2)		
STNDDNK	1	STUDENTS IN YTH GRADE GET DRUNK ONCE/WK . = Otherwise (YESTSDNK=85,89,94,97,98,99) 1 = Most/All (YESTSDNK=3,4) 2 = None/Few (YESTSDNK=1,2)		
PARCHKHW	1	PARENTS CHECK IF HMWK DONE IN PST YR . = Otherwise (YEPCHKHW=85,94,97,98,99) 1 = Always/Sometimes (YEPCHKHW=1,2) 2 = Seldom/Never (YEPCHKHW=3,4)		
PARHLPHW	1	PARENTS HELP W/ HMWK IN PST YR . = Otherwise (YEPHLPHW=85,94,97,98,99) 1 = Always/Sometimes (YEPHLPHW=1,2) 2 = Seldom/Never (YEPHLPHW=3,4)		

Codebook Creation Date: April 24, 2012

RECODED YOUTH EXPERIENCES			PAGE:	409
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
PRCHORE2	1	PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR . = Otherwise (YEPCHORE=85,89,94,97,99) 1 = Always/Sometimes (YEPCHORE=1,2) 2 = Seldom/Never (YEPCHORE=3,4)		
PRLMTTV2	1	PARENTS LIMIT AMT OF TV IN PST YR . = Otherwise (YEPLMTTV=85,89,94,97,99) 1 = Always/Sometimes (YEPLMTTV=1,2) 2 = Seldom/Never (YEPLMTTV=3,4)		
PARLMTSN	1	PARENTS LIMIT TIME OUT ON SCH NIGHT IN PST YR . = Otherwise (YEPLMTSN=85,89,94,97,98,99) 1 = Always/Sometimes (YEPLMTSN=1,2) 2 = Seldom/Never (YEPLMTSN=3,4)		
PRGDJOB2	1	PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR . = Otherwise (YEPGDJOB=85,89,94,97,99) 1 = Always/Sometimes (YEPGDJOB=1,2) 2 = Seldom/Never (YEPGDJOB=3,4)		
PRPROUD2	1	PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR . = Otherwise (YEPPROUD=85,89,94,97,99) 1 = Always/Sometimes (YEPPROUD=1,2) 2 = Seldom/Never (YEPPROUD=3,4)		
ARGUPAR	1	TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR . = Otherwise (YEYARGUP=85,89,94,97,99) 1 = 9 or Fewer (YEYARGUP=1,2,3,4) 2 = 10 or More (YEYARGUP=5)		
YOFIGHT2	1	YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK . = Otherwise (YEYFGTSW=85,89,94,97,99) 1 = One or More Times (YEYFGTSW=2,3,4,5) 2 = None (YEYFGTSW=1)		
YOGRPFT2	1	YOUTH FOUGHT W/ GROUP VS OTHER GROUP . = Otherwise (YEYFGTGP=85,89,94,97,99) 1 = One or More Times (YEYFGTGP=2,3,4,5) 2 = None (YEYFGTGP=1)		
YOHGUN2	1	YOUTH CARRIED A HANDGUN . = Otherwise (YEYHGUN=85,89,94,97,99) 1 = One or More Times (YEYHGUN=2,3,4,5) 2 = None (YEYHGUN=1)		
YOSELL2	1	YOUTH SOLD ILLEGAL DRUGS . = Otherwise (YEYSELL=85,89,94,97,99) 1 = One or More Times (YEYSELL=2,3,4,5) 2 = None (YEYSELL=1)		
YOSTOLE2	1	YOUTH STOLE/TRIED TO STEAL ITEM >\$50 . = Otherwise (YEYSTOLE=85,89,94,97,99) 1 = One or More Times (YEYSTOLE=2,3,4,5) 2 = None (YEYSTOLE=1)		
YOATTAK2	1	YOUTH ATTACKED W/ INTENT TO SERIOUSLY HARM . = Otherwise (YEYATTAK=85,89,94,97,99) 1 = One or More Times (YEYATTAK=2,3,4,5) 2 = None (YEYATTAK=1)		

Codebook Creation Date: April 24, 2012

RECODED YOUTH EXPERIENCES			PAGE:	410
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
PRPKCIG2	1	YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY . = Otherwise (YEPPKCIG=85,89,94,97,99) 1 = Strongly Disapprove (YEPPKCIG=3) 2 = Somewhat Disapprove or Neither (YEPPKCIG=1,2)		
PRMJJEVR2	1	YTH THINK: PARENTS FEEL ABT YTH TRY MJ/HASH . = Otherwise (YEPMJEVR=85,89,94,97,99) 1 = Strongly Disapprove (YEPMJEVR=3) 2 = Somewhat Disapprove or Neither (YEPMJEVR=1,2)		
PRMJMO	1	YTH THINK: PARENTS FEEL ABT YTH USE MJ/HASH MNTHLY . = Otherwise (YEPMJMO=85,89,94,97,99) 1 = Strongly disapprove (YEPMJMO=3) 2 = Somewhat Disapprove or Neither (YEPMJMO=1,2)		
PRALDLY2	1	YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY . = Otherwise (YEPALDLY=85,89,94,97,99) 1 = Strongly Disapprove (YEPALDLY=3) 2 = Somewhat Disapprove or Neither (YEPALDLY=1,2)		
YFLPKCG2	1	HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG . = Otherwise (YEGPKCIG=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEGPKCIG=2,3) 2 = Neither Approve Nor Disapprove (YEGPKCIG=1)		
YFLTMRJ2	1	HOW YTH FEELS: PEERS TRY MJ/HASH . = Otherwise (YEGMJJEVR=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEGMJJEVR=2,3) 2 = Neither Approve Nor Disapprove (YEGMJJEVR=1)		
YFLMJMO	1	HOW YTH FEELS: PEERS USING MJ/HASH MONTHLY . = Otherwise (YEGMJMO=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3) 2 = Neither Approve Nor Disapprove (YEGMJMO=1)		
YFLADLY2	1	HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY . = Otherwise (YEGALDLY=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEGALDLY=2,3) 2 = Neither Approve Nor Disapprove (YEGALDLY=1)		
FRDPCIG2	1	YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY . = Otherwise (YEFPKCIG=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEFPKCIG=2,3) 2 = Neither Approve Nor Disapprove (YEFPKCIG=1)		
FRDMEVR2	1	YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MJ/HASH . = Otherwise (YEFMJJEVR=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEFMJJEVR=2,3) 2 = Neither Approve Nor Disapprove (YEFMJJEVR=1)		
FRDMJMON	1	YTH THINK: CLSE FRNDS FEEL ABT YTH USE MJ/HASH MON . = Otherwise (YEFMJMO=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3) 2 = Neither Approve Nor Disapprove (YEFMJMO=1)		
FRDADLY2	1	YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY . = Otherwise (YEFALDLY=85,89,94,97,99) 1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3) 2 = Neither Approve Nor Disapprove (YEFALDLY=1)		

Codebook Creation Date: April 24, 2012

RECODED YOUTH EXPERIENCES			PAGE:	411
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
<p>The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables, youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), and respondents over the age of 17 (all source variables=99) were coded as SAS missing.</p>				
TALKPROB	1	WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS . = Otherwise (See comment above) 1 = No One (YETLKNON=1) 2 = Someone (YETLKPAR,YETLKBGF,YETLKOTA,or YETLKSOP=1)		
PRTALK3	1	TALKED W/ PARENT ABT DANGER TOB/ALC/DRG . = Otherwise (YEPRTDNG=85,89,94,97,99) 1 = Yes (YEPRTDNG=1) 2 = No (YEPRTDNG=2)		
PRBSOLV2	1	PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP . = Otherwise (YEPRBSLV=85,89,94,97,99) 1 = Yes (YEPRBSLV=1) 2 = No (YEPRBSLV=2)		
PREVIOL2	1	PARTICIPATED IN VIOLENCE PREVENTION PROGRAM . = Otherwise (YEVIOPRV=85,89,94,97,99) 1 = Yes (YEVIOPRV=1) 2 = No (YEVIOPRV=2)		
PRVDRGO2	1	PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL . = Otherwise (YEDGPRGP=85,89,94,97,99) 1 = Yes (YEDGPRGP=1) 2 = No (YEDGPRGP=2)		
GRPCNSL2	1	PARTICIPATED IN PROGRAM TO HELP SUBSTANCE ABUSE . = Otherwise (YESLFHLP=85,89,94,97,99) 1 = Yes (YESLFHLP=1) 2 = No (YESLFHLP=2)		
PREGPGM2	1	PARTICIPATED IN PREG/STD PREV PROGRAM . = Otherwise (YEPRGSTD=85,89,94,97,99) 1 = Yes (YEPRGSTD=1) 2 = No (YEPRGSTD=2)		

Codebook Creation Date: April 24, 2012

RECODED YOUTH EXPERIENCES			PAGE:	412
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		<p>The following variable, YTHACT2, was created by counting the number of positive responses reported over the following 4 youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in 2 or more activities were included in the "2 or More Activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer 2 or more of the 4 youth activity questions with a "yes" or "no" response were coded as SAS missing. To be included in the "None or 1 Activity" category, a youth respondent must have answered 2 or more of the activity questions and reported they participated in either zero or one activity.</p>		
YTHACT2	1	<p>YTH PARTICIPATED IN YOUTH ACTIVITIES</p> <p>. = Otherwise (See comment above)</p> <p>1 = None or 1 Activity (See comment above)</p> <p>2 = 2 or More Activities (2 or more source vars=1)</p>		
DRPRVME3	1	<p>YOUTH SEEN DRUG PREV MSG OUTSIDE SCH</p> <p>. = Otherwise (YEPVNTYR=85,89,94,97,99)</p> <p>1 = Yes (YEPVNTYR=1)</p> <p>2 = No (YEPVNTYR=2)</p>		
ANYEDUC3	1	<p>YOUTH HAD ANY DRUG EDUC IN SCHOOL</p> <p>. = Otherwise</p> <p>1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1)</p> <p>2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2)</p>		
RLGATTD	1	<p>NUM TIMES ATTEND RELIG SERVICES IN PST YR</p> <p>. = Otherwise (YERLGSVC=85,89,94,97,99)</p> <p>1 = 25 or More (YERLGSVC=5,6)</p> <p>2 = Less than 25 (YERLGSVC=1,2,3,4)</p>		
RLGIMPT	1	<p>RELIG BELIEFS VERY IMPORTANT IN LIFE</p> <p>. = Otherwise (YERLGIMP=85,94,97,98,99)</p> <p>1 = Agree/Strongly Agree (YERLGIMP=3,4)</p> <p>2 = Strongly Disagree/Disagree (YERLGIMP=1,2)</p>		
RLGDASN	1	<p>RELIG BELIEFS INFLUENCE LIFE DECISIONS</p> <p>. = Otherwise (YERLDCSN=85,94,97,98,99)</p> <p>1 = Agree/Strongly Agree (YERLDCSN=3,4)</p> <p>2 = Strongly Disagree/Disagree (YERLDCSN=1,2)</p>		
RLGFRND	1	<p>IMPT FOR FRNDS TO SHARE RELIG BELIEFS</p> <p>. = Otherwise (YERLFRND=85,94,97,98,99)</p> <p>1 = Agree/Strongly Agree (YERLFRND=3,4)</p> <p>2 = Strongly Disagree/Disagree (YERLFRND=1,2)</p>		

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	413
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YSU01)		YOUTH MENTAL HEALTH TREATMENT ----- These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs. During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUHOSPYR 2		1STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU02)		During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUHOSPNM 3		1# NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS RANGE = 1 - 365 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(YSU03)		Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
YUHOSUIC 2		1STAYED IN HOSP BEC THOUGHT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	414
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
YUHODEPR	2	1STAYED IN HOSP BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUHOFEAR	2	1STAYED IN HOSP BEC YOU FELT AFRAID/TENSE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUHOBKRU	2	1STAYED IN HOSP BEC BREAKING RULES/ACTING OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUHOEATP	2	1STAYED IN HOSP BEC YOU HAD EATING PROBS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU04)		During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDYR	2	1STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	415
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YSU05)		During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDNM	3	1# NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS RANGE = 1 - 365 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(YSU06)		Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
YURSSUIC	2	1STAYED IN RESID CTR BEC THOT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YURSDEPR	2	1STAYED IN RESID CTR BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YURSFEAR	2	1STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	416
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
YURSBKRU	2	1STAYED IN RESID CTR BEC BRKING RULES/ACT OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YURSEATP	2	1STAYED IN RESID CTR BEC YOU HAD EATING PROBS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU07)		During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCARYR	2	1SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS 1 = Yes 2 = No 4 = No LOGICALLY ASSIGNED 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU08)		During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCARNM	3	1# NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS RANGE = 1 - 365 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	417
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YSU09)		Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?		
YUFCSUIC	2	1STAYED IN FOST CARE BEC THOT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUFCDEPR	2	1STAYED IN FOST CARE BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUFCFEAR	2	1STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUFCBKRU	2	1STAYED IN FOST CARE BEC BRKING RULES/ACT OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUFCEATP	2	1STAYED IN FOST CARE BEC YOU HAD EATING PROBS 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	418
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YSU10)		During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUDYTXR	2	1SPENT TIME IN DAY TRMT PROG PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU11)		During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUDYTXNM	3	1# TIMES VISITED DAY TRMT PROG PAST 12 MOS RANGE = 1 - 366 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(YSU12)		Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUDYSUIC	2	1VISITED DAY TRMT BEC THOT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUDYDEPR	2	1VISITED DAY TRMT BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	419
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
YUDYFEAR	2	1VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUDYBKRU	2	1VISITED DAY TRMT BEC BRKING RULES/ACT OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUDYEATP	2	1VISITED DAY TRMT BEC YOU HAD EATING PROBS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU13)		During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUMHCRYR	2	1RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU14)		During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUMHCRNM	3	1# TIMES VISITED MENT HLTH CLNC PST 12 MOS RANGE = 1 - 366 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	420
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YSU15)		Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUMHSUIC	2	1VISITED MH CLNC BEC THOUGHT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUMHDEPR	2	1VISITED MH CLNC BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUMHFEAR	2	1VISITED MH CLNC BEC YOU FELT AFRAID/TENSE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUMHBKRU	2	1VISITED MH CLNC BEC BREAKING RULES/ACTING OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUMHEATP	2	1VISITED MH CLNC BEC YOU HAD EATING PROBS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	421
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YSU16)		During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTYR	2	1RCVD EMOT TRMT FROM THERAPIST PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU17)		During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTNM	3	1# TIMES VISITED THERAPIST PAST 12 MONTHS RANGE = 1 - 366 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(YSU18)		Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUTPSUIC	2	1VISITED THERAPIST BEC THOT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUTPDEPR	2	1VISITED THERAPIST BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	422
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
YUTPFEAR	2	1VISITED THERAPIST BEC YOU FELT AFRAID/TENSE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUTPBKRU	2	1VISITED THERAPIST BEC BRKING RULES/ACT OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUTPEATP	2	1VISITED THERAPIST BEC YOU HAD EATING PROBS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU19)		During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPYR	2	1RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU20)		During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPNM	3	1# TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS RANGE = 1 - 365 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	423
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(YSU21)		Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?		
YUIHSUIC	2	1SAW IN HOME COUNS BEC THOT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUIHDEPR	2	1SAW IN HOME COUNS BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUIHFEAR	2	1SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUIHBKRU	2	1SAW IN HOME COUNS BEC BRKING RULES/ACT OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUIHEATP	2	1SAW IN HOME COUNS BEC YOU HAD EATING PROBS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	424
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YSU22)		During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFDOCYR	2	1RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(YSU23)		During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFDOCNM	3	1# TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS RANGE = 1 - 52 985 = BAD DATA Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(YSU24)		Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUFDSUIC	2	1SAW FAMLY DOC BEC THOUGHT/TRIED TO KILL SELF 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUFDDPR	2	1SAW FAMLY DOC BEC YOU FELT DEPRESSED 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

YOUTH MENTAL HEALTH TREATMENT			PAGE:	425
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUFDFEAR	2	1SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUFDBKRU	2	1SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
YUFDEATP	2	1SAW FAMLY DOC BEC YOU HAD EATING PROBS 1 = Response entered 3 = Response entered LOGICALLY ASSIGNED 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: April 24, 2012

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	426
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		RECODED YOUTH MENTAL HEALTH TREATMENT		

		NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.		
		The following recoded variables contain information about whether youths received mental health care in the past year from each of 11 specific services for problems with behaviors or emotions that were not caused by alcohol or drugs.		
YHOSP	1	STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR . = Unknown/Aged 18+ (YUHOSPYR=85,94,97,98,99) 0 = No (YUHOSPYR=2) 1 = Yes (YUHOSPYR=1)		
YRESID	1	STAYED IN RESID CTR FOR EMOT TRMT IN PST YR . = Unknown/Aged 18+ (YURSIDYR=85,94,97,98,99) 0 = No (YURSIDYR=2) 1 = Yes (YURSIDYR=1)		
YFOST	1	SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR . = Unknown/Aged 18+ (YUFCARYR=85,89,94,97,98,99) 0 = No (YUFCARYR=2) 1 = Yes (YUFCARYR=1)		
YDAYTRT	1	SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR . = Unknown/Aged 18+ (YUDYTXYR=85,89,94,97,98,99) 0 = No (YUDYTXYR=2) 1 = Yes (YUDYTXYR=1)		
YCLIN	1	RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR . = Unknown/Aged 18+ (YUMHCRYR=85,94,97,98,99) 0 = No (YUMHCRYR=2) 1 = Yes (YUMHCRYR=1)		
YTHER	1	RCVD EMOT TRMT FROM THERAPIST IN PST YR . = Unknown/Aged 18+ (YUTPSTYR=85,89,94,97,98,99) 0 = No (YUTPSTYR=2) 1 = Yes (YUTPSTYR=1)		
YHOME	1	RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR . = Unknown/Aged 18+ (YUIHTPYR=85,89,94,97,98,99) 0 = No (YUIHTPYR=2) 1 = Yes (YUIHTPYR=1)		
YPED	1	RCVD EMOT TRMT FROM FAMLY DOC IN PST YR . = Unknown/Aged 18+ (YUFDOCYR=85,89,94,97,98,99) 0 = No (YUFDOCYR=2) 1 = Yes (YUFDOCYR=1)		

Codebook Creation Date: April 24, 2012

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	427
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		<p>NOTE: The following 5 variables contain information on the general types of mental health services received by youths in the past year for problems with behavior or emotions that were not caused by alcohol or drugs.</p> <p>The following variable, ANYMHIN, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of 3 specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 3 sources of treatment variables: stayed overnight in hospital (YHOSP), stayed in residential treatment facility (YRESID), and spent time in foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the 3 questions were included in the yes category regardless of how many of the 3 questions they answered. Youths who did not report a positive response, but answered all 3 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown category.</p>		
ANYMHIN	1	<p>YTH RCVD SPEC INPATIENT MH SERVICES IN PY</p> <p>. = Unknown/Aged 18+ (Otherwise)</p> <p>0 = No (YHOSP, YRESID, and YFOST=0)</p> <p>1 = Yes (YHOSP, YRESID, or YFOST=1)</p> <p>The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of 4 specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 4 source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment at a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 4 questions were included in the yes category regardless of how many of the 4 questions they answered. Youths who did not report a positive response, but answered all 4 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown category.</p>		
ANYMHOUT	1	<p>YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY</p> <p>. = Unknown/Aged 18+ (Otherwise)</p> <p>0 = No (YDAYTRT, YCLIN, YTHER, and YHOME=0)</p> <p>1 = Yes (YDAYTRT, YCLIN, YTHER, or YHOME=1)</p>		

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	428
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		<p>The following variable, ANYSMH, indicates whether a youth reported receiving specialty mental health services in the past year from any of 7 specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 7 source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in foster care (YFOST), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 7 questions were included in the yes category regardless of how many of the 7 questions they answered. Youths who did not report a positive response, but answered all 7 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown category.</p>		
ANYSMH	1	YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR		
		. = Unknown/Aged 18+ (See comment above)		
		0 = No (All above source variables=0)		
		1 = Yes (Any above source variable=1)		

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	429
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD54)		HOUSEHOLD COMPOSITION (ROSTER)		

		The variables in the household composition (roster) section were created from the questionnaire roster. For each member of the respondent's household, the sex, age, and relationship to the respondent are reported. The result is a grid with rows corresponding to the respondent's household size and columns corresponding to the sex, age, and relationship code for each household member. These characteristics are edited according to logical consistency checks. For example, when a household member could not possibly have a particular relationship to the respondent with a given age (e.g., a 12-year-old respondent older than his grandmother), the age and relationship code are set to bad data. The household composition variables are counts of various ages and relationship-types across the grid. Missing values in these household composition variables are the result of one or more household members having an age or relationship code that is either bad or missing. For two respondents who are members of a pair within a household, no attempt was made to reconcile disagreements in these counts between pair members. Also, if a respondent's information was missing, neither the other pair member's information nor the screener was used to fill in the missing data, which was left to be imputed. The justification for this: the screener interview and interviews of different members of pairs were conducted at different times, and the household composition could conceivably change between interviews. Variables are available in the roster pairs section that reconcile counts between pair members.		
TOTPEOP	2	EDITED TOTAL HH SIZE		
		RANGE = 1 - 25		
		. = MISSING		
HH65	1	# PERSONS AGED >= 65 IN HH		
		RANGE = 0 - 9		
		. = MISSING		
KID17	2	# KIDS IN HH AGED < 18		
		RANGE = 0 - 18		
		. = MISSING		
KIDS	2	# KIDS IN HH AGED < 13		
		RANGE = 0 - 9		
		. = MISSING		
IMOTHER	1	MOTHER IN HH		
		1 = R is 12-17, mother in hh		
		2 = R is 12-17, no mother in hh		
		3 = R is 12-17, don't know whether mother is in hh		
		4 = R is 18 or older		
IFATHER	1	FATHER IN HH		
		1 = R is 12-17, father in hh		
		2 = R is 12-17, no father in hh		
		3 = R is 12-17, don't know whether father is in hh		
		4 = R is 18 or older		

Codebook Creation Date: April 24, 2012

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	430
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
NRBABIES	1	# R'S CHILDREN IN HH AGED <= 2 RANGE = 0 - 4 . = MISSING		
NRPRESCH	1	# R'S CHILDREN IN HH AGED 3-5 INCLUSIVE RANGE = 0 - 4 . = Missing		
NRYUNGCH	1	# R'S CHILDREN IN HH AGED 6-11 INCLUSIVE RANGE = 0 - 6 . = MISSING		
NRTEENS	1	# R'S CHILDREN IN HH AGED 12-17 INCLUSIVE RANGE = 0 - 6 . = MISSING		
NRCH0_17	1	# R'S CHILDREN < 18 IN HOUSEHOLD RANGE = 0 - 9 . = Missing		
NROLDRCH	1	# R'S CHILDREN IN HH AGED 18-20 INCLUSIVE RANGE = 0 - 4 . = MISSING		
NROLDCH	1	# R'S CHILDREN IN HH AGED 21 OR OLDER RANGE = 0 - 5 . = MISSING		
NROOMATE	2	# ROOMMATES/HOUSEMATES IN HH RANGE = 0 - 9 . = MISSING		
FSTRCHLD	1	INDICATOR: R IS FOSTER CHILD AGED 12-14 0 = R is not a foster child aged 12-14 1 = R is a foster child aged 12-14		
IRHHSIZE	2	IMPUTATION-REVISED # PERSONS IN HH RANGE = 1 - 25		
IIHHSIZE	1	IRHHSIZE-IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
IRKID17	2	IMPUTATION-REVISED # KIDS AGED < 18 IN HH RANGE = 0 - 18		
IIKID17	1	IRKID17-IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data		
IRHH65	2	IMPUTATION-REVISED # OF PERSONS IN HH AGED >= 65 RANGE = 0 - 9		

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	431
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		The value of IRHH65 is logically assigned if the value for IRHHSIZE (imputed or not) and the imputed value for IRKID17 requires a specific value for IRHH65 in order for consistency to be maintained.		
IIHH65	1	IRHH65-IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
IRFAMSKP	1	IMPUTATION-REVISED FAMILY IN HH 0 = Resp has other family members in HH 1 = Resp has no other family members in HH		
IIFAMSKP	1	IRFAMSKP-IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data		
IRFAMSZE	2	IMP-REVISED - NO OF R'S FAMILY MEMBERS IN HHLD RANGE = 1 - 20		
IIFAMSZE	1	IRFAMSZE - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically Imputed data		
IRKIDFAM	2	IMP-REV - NO OF R'S FAMILY MBRS IN HH AGED 0-17 RANGE = 0 - 18		
IIKIDFAM	1	IRKIDFAM - IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically Imputed data		
IRHCSPSP	1	IMP REV HHLD CNT: NUMBER OF SPOUSE-SPOUSE PRS HHLD RANGE = 0 - 3		
IIHCSPSP	1	IMP IND HHLD CNT: NMBR SPOUSE-SPOUSE PRS IN HHLD 1 = Questionnaire data 3 = Statistically imputed data		
IRHCSPWC	1	IMP REV HHLD CNT: NMBR SPOUSE-SPOUSE PRS W/ CHLDRN RANGE = 0 - 3		
IIHCSPWC	1	IMP IND HHLD CNT: NMBR SPOUSE-SPOUSE PRS W/ CHLDRN 1 = Questionnaire data 3 = Statistically imputed data		

Codebook Creation Date: April 24, 2012

HEALTH INSURANCE			PAGE:	432
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QHI03)		HEALTH INSURANCE ----- Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care? These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(QHI06)		Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company. Is [SAMPLE MEMBER A] currently covered by private health insurance?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		
(QHI07)		Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP (PRVHLTIN = 2)		

HEALTH INSURANCE			PAGE:	433
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QHI08)		Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?		
		Alcohol abuse or alcoholism?		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes		
		2 = No		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP (PRVHLTIN = 2)		
(QHI09)		Drug abuse?		
HLTINDRG	2	DRUG ABUSE		
		1 = Yes		
		2 = No		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP (PRVHLTIN = 2)		
(QHI10)		Mental or emotional problems?		
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes		
		2 = No		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP (PRVHLTIN = 2)		
(QHI11)		Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?		
HLTINNOS	2	COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)		
		1 = Yes		
		2 = No		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

HEALTH INSURANCE			PAGE:	434
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QHI13)		During the past 12 months, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?		
HLCNOTYR	2	ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QHI14)		During the past 12 months, about how many months were [FILL WEREWAS] without any kind of health insurance or coverage?		
HLCNOTMO	2	PAST 12 MOS, HOW MANY MOS W/O COVERAGE RANGE = 1 - 12 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QHI15)		About how long has it been since [SAMPLE MEMBER] last had any kind of health coverage?		
HLCLAST	2	TIME SINCE LAST HAD HEALTH CARE COVERAGE 1 = Within the past 6 months 2 = More than 6 months ago, but within the past year 3 = More than 1 year ago, but within the past 3 years 4 = More than 3 years ago 5 = Never had coverage 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

HEALTH INSURANCE			PAGE:	435
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QHI17)		Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?		
HLLOSRSN	2	MAIN REASON STOPPED COVERED BY HEALTH INSURANCE 1 = Pers in family w/health ins lost job/chng employer 2 = Lost Medicaid/Med Assist b/c new job/incr income 3 = Lost Medicaid/Med Assist some other reason 4 = Cost is too high/can't afford premiums 5 = Became ineligible because of age or leaving school 6 = Employer does not offer coverage, or not eligible 7 = Got divorced or separated from person w/insurance 8 = Death of spouse or parent 9 = Insurance company refused coverage 10 = Don't need it 11 = Received Medicaid/med insur only while pregnant 12 = Some other reason 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QHI18)		Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?		
HLNVCOST	2	COST TOO HIGH 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
HLNVOFFR	2	EMPLOYER DOESN'T OFFER 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
HLNVREF	2	INSURANCE COMPANY REFUSED COVERAGE 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
HLNVNEED	2	DON'T NEED IT 1 = Response entered 6 = Response not entered 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

HEALTH INSURANCE			PAGE:	436
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLNVSOR	2	<p>NEVER HAD HLTH INS SOME OTHER REASON</p> <p>1 = Response entered</p> <p>6 = Response not entered</p> <p>94 = DON'T KNOW</p> <p>97 = REFUSED</p> <p>98 = BLANK (NO ANSWER)</p> <p>99 = LEGITIMATE SKIP</p> <p>The variables which follow, PINSUR and INSUR, are recoded health insurance variables. PINSUR is a recode of the variable PRVHLTIN. INSUR is a recode of PRVHLTIN plus MEDICARE, MEDICAID, and CHAMPUS.</p> <p>For PINSUR, a respondent is classified as having private health insurance (PINSUR=1) if PRVHLTIN =1, and as not having private health insurance (PINSUR = 2) if PRVHLTIN = 2. If PRVHLTIN does not equal 1 or 2, PINSUR is set to missing (98).</p>		
PINSUR	2	<p>PRIVATE HEALTH INSURANCE</p> <p>1 = Respondent does have private health insurance</p> <p>2 = Respondent does not have private health insurance</p> <p>98 = BLANK (NO ANSWER)</p> <p>For INSUR, a respondent is classified as having any health insurance (INSUR=1) if he/she satisfied ANY of the following conditions.</p> <p>(1) PINSUR=1</p> <p>(2) Covered by Medicare (MEDICARE=1)</p> <p>(3) Covered by Medicaid (answered question QHI02 as yes)</p> <p>(4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1)</p> <p>A respondent is classified as NOT having any health insurance (INSUR=2) if he/she met EVERY one of the following conditions.</p> <p>(1) PINSUR=2</p> <p>(2) Not covered by Medicare (MEDICARE=2)</p> <p>(3) Not covered by Medicaid (answered question QHI02 as no)</p> <p>(4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)</p> <p>If the respondent is not classified as having or not having any health insurance, then he/she is set to missing (INSUR=98).</p>		
INSUR	2	<p>HEALTH INSURANCE</p> <p>1 = Yes, respondent does have health insurance</p> <p>2 = No, respondent does not have health insurance</p> <p>98 = BLANK (NO ANSWER)</p>		

IMPUTED HEALTH INSURANCE			PAGE:	437
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		IMPUTED HEALTH INSURANCE		

IRPINSUR	1	IMPUTATION - REVISED PRIVATE HEALTH INSURANCE 1 = Yes, respondent does have private health insurance 2 = No, respondent does not have private health insur		
IIPINSUR	1	IMPUTATION - INDICATOR IRPINSUR 1 = Questionnaire data 3 = Statistically imputed data This is the imputed version of INSUR. For IRINSUR, a respondent is classified as having any health insurance (IRINSUR=1) if he/she satisfied ANY of the following conditions. (1) PINSUR=1 (2) Covered by Medicare (MEDICARE=1) (3) Covered by Medicaid (answered question QHI02 as yes) (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1) A respondent is classified as NOT having any health insurance (IRINSUR=2) if he/she met EVERY one of the following conditions. (1) PINSUR=2 (2) Not covered by Medicare (MEDICARE=2) (3) Not covered by Medicaid (answered question QHI02 as no) (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)		
IRINSUR	1	IMPUTATION - REVISED HEALTH INSURANCE 1 = Yes, respondent does have health insurance 2 = No, respondent does not have health insurance		
IIINSUR	1	IMPUTATION - INDICATOR IRINSUR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
IRMEDICR	1	IMPUTATION REVISED MEDICARE 1 = Yes, respondent does have medicare 2 = No, respondent does not have medicare		
IIMEDICR	1	IMPUTATION INDICATOR FOR IRMEDICR 1 = Questionnaire data 3 = Statistically imputed data		
IRCHMPUS	1	IMPUTATION REVISED CHAMPUS 1 = Yes, R has Tricare, Champus, VA, Military health 2 = No,R doesn't have Tricare,Chmps,VA,Military health		
ICHMPUS	1	IMPUTATION INDICATOR FOR IRCHMPUS 1 = Questionnaire data 3 = Statistically imputed data		

IMPUTED HEALTH INSURANCE			PAGE:	438
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRPRVHLT	1	IMPUTATION REVISED PRIVATE HEALTH INSURANCE 1 = Yes, R does have private health insurance 2 = No, R does not have private health insurance		
IIPRVHLT	1	IMPUTATION INDICATOR FOR IRPRVHLT 1 = Questionnaire data 3 = Statistically imputed data		

RECODED HEALTH INSURANCE			PAGE:	439
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		RECODED HEALTH INSURANCE		

		NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.		
HLCALLFG	2	FLAG IF EVERY FORM OF HEALTH INS REPORTED 1 = Answered yes to all current health insurance Qs 98 = BLANK (NO ANSWER)		
HLCALL99	2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN 1 = Yes 98 = BLANK (NO ANSWER)		
		NOTE: The following variable, ANYHLTIN, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.		
ANYHLTIN	2	COVERED BY ANY HEALTH INSURANCE - RECODE 1 = Yes 2 = No 4 = No LOGICALLY ASSIGNED 94 = DON'T KNOW 97 = REFUSED 98 = OTHER MISSING		
		For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions. (1) Covered by Private Insurance (IRPRVHLT=1) (2) Covered by Medicare (IRMEDICR=1) (3) Covered by Medicaid/CHIPCOV (IRMCDCHP=1) (4) Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=1) (5) Covered by Other Health Insurance (IROTHHLT=1)		
		A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions. (1) Not Covered by Private Insurance (IRPRVHLT=2) (2) Not Covered by Medicare (IRMEDICR=2) (3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2) (4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2) (5) Not Covered by Other Health Insurance (IROTHHLT=2)		
IRINSUR4	1	IMPUTATION REVISED OVERALL HEALTH INSURANCE 1 = Yes, respondent is covered by health insurance 2 = No, respondent is not covered by health insurance		

RECODED HEALTH INSURANCE		
LABEL	LEN	DESCRIPTION
-----	----	-----
IIINSUR4	1	IMPUTATION INDICATOR FOR IRINSUR4
		1 = Questionnaire data
		3 = Statistically imputed data

PAGE:		440
FREQ		%
----		-

		INCOME		PAGE:	441
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(QI05N)		INCOME			

		In [CURRENT YEAR - 1], did you receive income from wages or pay earned while working at a job or business?			
		In [CURRENT YEAR - 1], did you or your [FAMILY RELATIONSHIP FILL] receive income from wages or pay earned while working at a job or business?			
		In [CURRENT YEAR - 1], did [SAMPLE MEMBER] or you receive income from wages or pay earned while working at a job or business?			
		In [CURRENT YEAR - 1], did [SAMPLE MEMBER] or any of these same family members receive income from wages or pay earned while working at a job or business?			
FAMWAG	2	FAMILY RECEIVE INCOME FROM JOB			
		1 = Yes			
		2 = No			
		85 = BAD DATA Logically assigned			
		94 = DON'T KNOW			
		97 = REFUSED			
		98 = BLANK (NO ANSWER)			
(QI07N)		[IF NO FAMILY MEMBERS IN ROSTER] In [CURRENT YEAR - 1], did you receive food stamps?			
		[IF ONE FAMILY MEMBER IN ROSTER AND HASJOIN NE 1] In [CURRENT YEAR - 1], did you or your [FAMILY RELATIONSHIP FILL] receive food stamps?			
		[IF ONE FAMILY MEMBER IN ROSTER AND HASJOIN=1] In [CURRENT YEAR - 1], did [SAMPLE MEMBER] or you receive food stamps?			
		[IF AT LEAST TWO FAMILY MEMBERS IN ROSTER] In [CURRENT YEAR - 1], did [SAMPLE MEMBER] or any of these same family members receive food stamps?			
FSTAMP	2	FAMILY RECEIVES FOOD STAMPS			
		1 = Yes			
		2 = No			
		85 = BAD DATA Logically assigned			
		94 = DON'T KNOW			
		97 = REFUSED			
		98 = BLANK (NO ANSWER)			

		INCOME		PAGE:	442
LABEL	LEN	DESCRIPTION	FREQ	%	
-----	----	-----	----	----	----
(QI08N)		At any time during [CURRENT YEAR - 1], even for one month, did you receive any cash assistance from a state or county welfare program such as [TANFFILL]? At any time during [CURRENT YEAR - 1], even for one month, did you or your [FAMILY RELATIONSHIP FILL] receive any cash assistance from a state or county welfare program such as [TANFFILL]? At any time during [CURRENT YEAR - 1], even for one month, did [SAMPLE MEMBER] or you receive any cash assistance from a state or county welfare program such as [TANFFILL]? At any time during [CURRENT YEAR - 1], even for one month, did [SAMPLE MEMBER] or any of these same family members receive any cash assistance from a state or county welfare program such as [TANFFILL]?			
FAMPMT	2	FAMILY RECEIVE PUBLIC ASSIST 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			
(QI10N)		In [CURRENT YEAR - 1], because of low income, did you receive any other kind of welfare or public assistance, such as help with getting a job, placement in education or job training programs, or help with transportation, child care, or housing? In [CURRENT YEAR - 1], because of low income, did you or your [FAMILY RELATIONSHIP FILL] receive any other kind of welfare or public assistance, such as help with getting a job, placement in education or job training programs, or help with transportation, child care, or housing? In [CURRENT YEAR - 1], because of low income, did [SAMPLE MEMBER] or you receive any other kind of welfare or public assistance, such as help with getting a job, placement in education or job training programs, or help with transportation, child care, or housing? In [CURRENT YEAR - 1], because of low income, did [SAMPLE MEMBER] or any of these same family members receive any other kind of welfare or public assistance, such as help with getting a job, placement in education or job training programs, or help with transportation, child care, or housing?			
FAMSVC	2	FAMILY REC WELFARE/JOB PLACEMENT/TRANS/CHILD 1 = Yes 2 = No 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)			

Codebook Creation Date: April 24, 2012

INCOME			PAGE:	443
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QI12AN)		For how many months in [CURRENT YEAR - 1] did you or your [FAMILY RELATIONSHIP FILL] receive any type of welfare or public assistance?		
		For how many months in [CURRENT YEAR - 1] did [SAMPLE MEMBER] or you receive any type of welfare or public assistance?		
		For how many months in [CURRENT YEAR - 1] did [SAMPLE MEMBER] or any other family member living here receive any type of welfare or public assistance?		
WELMOS	2	# MONTHS RESP/FAM MEM REC ANY WELFARE ASSIST		
		RANGE = 1 - 12		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(QI20N)		[IF NO FAMILY MEMBERS IN ROSTER] Before taxes and other deductions, was your total personal income from all sources during [CURRENT YEAR - 1] more or less than 20,000 dollars?		
		[IF AT LEAST ONE FAMILY MEMBER IN ROSTER] First I am going to ask about [SAMPLE MEMBER POSS] own personal income, and then I will ask about your family income. Before taxes and other deductions, was [SAMPLE MEMBER POSS] total personal income from all sources during [CURRENT YEAR - 1] more or less than 20,000 dollars?		
		(Income data are important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.)		
PINC1	2	RESPONDENT'S TOTAL INCOME MORE OR LESS THAN 20K		
		1 = \$20,000 or more		
		2 = Less than \$20,000		
		4 = Less than \$20,000 Logically assigned		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

INCOME			PAGE:	444
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QI22)		[IF MORE THAN ONE FAMILY MEMBER IN ROSTER AND (QI20N NE 1)] Before taxes and other deductions, was the total combined family income during [CURRENT YEAR - 1] more or less than 20,000 dollars? (Income data are important in analyzing the health information we collect. For example, the information helps us to learn whether persons in one income group use certain types of medical care services or have conditions more or less often than those in another group.)		
FINC1	2	2TOTAL FAMILY INCOME GROUP IN PREV CALENDAR YR 1 = \$20,000 or more 2 = Less than \$20,000 3 = \$20,000 or more Logically assigned 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QI22)		The following variable FAMINC1, was created by examination of the variables PINC1 and FINC1. If the respondent is the only member in the household, the value of FAMINC1 is same as that of PINC1. If there is more than 1 person in the household, FAMINC1 was assigned a value from FINC1.		
FAMINC1	2	TOT FAM INC > OR < THAN 20K 1 = \$20,000 or more 2 = Less than \$20,000 3 = \$20,000 or more Logically assigned 85 = BAD DATA Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

2The legitimate skip code 99 was assigned if the respondent had no other family members in household or if the corresponding respondent level variable is 1.

Codebook Creation Date: April 24, 2012

IMPUTED INCOME			PAGE:	445
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IMPUTED INCOME		

IRFAMWAG	1	IMP. REVISED - FAM REC INCOME FROM JOB 1 = Yes 2 = No		
IIFAMWAG	1	IRFAMWAG - IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data		
IRFSTAMP	1	IMP. REVISED - RESP/OTH FAM MEM REC FOOD STAMPS 1 = Yes 2 = No		
IIFSTAMP	1	IRFSTAMP - IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data		
IRFAMPMT	1	IMP. REVISED - FAM RECEIVE PUBLIC ASSIST 1 = Yes 2 = No		
IIFAMPMT	1	IRFAMPMT - IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data		
IRFAMSVC	1	IMP. REVISED - FAM REC WELFARE/JOB PL/CHILDCARE 1 = Yes 2 = No		
IIFAMSVC	1	IRFAMSVC - IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data		
IRWELMOS	2	IMP. REVISED - NO.OF MONTHS ON WELFARE RANGE = 1 - 12 99 = LEGITIMATE SKIP		
IIWELMOS	1	IRWELMOS - IMPUTATION INDICATOR 1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP		
IRPINC1	1	IMP.REVISED-RESP'S TOT INCOME > OR < THAN 20K 1 = \$20,000 or more 2 = Less than \$20,000		
IIPINC1	1	IRPINC1 - IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		
IRFINC1	2	2IMP.REVISED-TOT FAM INC > OR < 20K, IRFAMSKP=0 1 = \$20,000 or more 2 = Less than \$20,000 99 = LEGITIMATE SKIP		

2The legitimate skip code 99 was assigned if the respondent had no other family members in household or if the corresponding respondent level variable is 1.

Codebook Creation Date: April 24, 2012

IMPUTED INCOME			PAGE:	446
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IIFINC1	1	IRFINC1 -IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data 9 = LEGITIMATE SKIP		
IRFAMIN1	1	IMP. REVISED-TOT FAM INCOME > OR < 20K 1 = \$20,000 or more 2 = Less than \$20,000		
IIFAMIN1	1	IRFAMIN1 -IMPUTATION INDICATOR 1 = Questionnaire data 2 = Logically assigned data 3 = Statistically imputed data		

RECODED INCOME			PAGE: 447	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		RECODED INCOME		

INCOME	1	TOTAL FAMILY INCOME RECODE		
		1 = LESS THAN \$20,000		
		2 = \$20,000 - \$49,999		
		3 = \$50,000 - \$74,999		
		4 = \$75,000 OR MORE		

INTERVIEW INFORMATION			PAGE:	448
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
INTERVIEW INFORMATION				

QUARTER	1	QUARTER INDICATOR 1 = Quarter 1 2 = Quarter 2 3 = Quarter 3 4 = Quarter 4		
GQTYPE	1	TYPE OF GROUP QUARTER = Not a Group Quarter 1 = Halfway House B = Boarding House C = College Dorm O = Other S = Shelter		

CORE DEMOGRAPHICS			PAGE:	449
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(AGE1)		CORE DEMOGRAPHICS		

<p>NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire (CALCAGE) to be different than the age at the end of the questionnaire (NEWAGE). The final age variable, AGE, is determined using these two variables, in addition to the age calculated from the raw birthdate (AGE1) and the final edited interview date (INTDATE), the age entered in the questionnaire roster (if it exists), and the pre-interview screener age. Priority is given to CALCAGE, NEWAGE, and the age calculated from AGE1 and INTDATE. In the labels for the levels of the variable EIAge, if an age is listed as being consistent with the screener age, and the roster age exists, then it is also consistent with the roster age. If the final age (AGE) does not agree with the originally entered birthdate (AGE1), then the birthdate must also be edited. Note that the edits of AGE and BIRTHDATE implemented since 2000 are more thorough than those used in 1999.</p>				
AGE	3	FINAL EDITED AGE		
		RANGE = 12 - 98		
EIAge	2	AGE INDICATOR		
		1 = NEWAGE (consistent with CALCAGE & INTDATE-AGE1)		
		2 = Age from INTDATE & AGE1 (consistent w/screener age)		
		3 = NEWAGE (consistent with screener age)		
		4 = CALCAGE (consistent with screener age)		
		6 = NEWAGE (consistent with roster age)		
		7 = CALCAGE (consistent with roster age)		
		10 = Roster age (corrected by interviewer)		
BIRMONTH	2	BIRTH MONTH		
		RANGE = 1 - 12		
BIRYEAR	4	BIRTH YEAR		
		RANGE = 1900 - 1997		
(QD07)		Are you now married, widowed, divorced or separated, or have you never married?		
MARITAL	2	CURRENT MARITAL STATUS		
		1 = Married		
		2 = Widowed		
		3 = Divorced or Separated		
		4 = Never Married		
		89 = LEGITIMATE SKIP Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

CORE DEMOGRAPHICS			PAGE:	450
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		(QD08) How many times have you been married?		
NOMARR	2	NUMBER OF TIMES MARRIED RANGE = 1 - 9 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
		(QD09) Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN THE US ARMED FORCES 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
		(QD10) Are you currently on active duty in the armed forces, in a reserves component, or now separated or retired from either reserves or active duty?		
MILSTAT	2	CURRENT MILITARY STATUS 2 = In a reserves component 3 = Now separated/retired from reserves/active duty 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
		(QD11) What is the highest grade or year of school you have completed?		
EDUC	2	HIGHEST GRADE COMPLETED 0 = NEVER ATTENDED SCHOOL 1 = 1st grade completed 2 = 2nd grade completed 3 = 3rd grade completed 4 = 4th grade completed 5 = 5th grade completed 6 = 6th grade completed 7 = 7th grade completed 8 = 8th grade completed 9 = 9th grade completed 10 = 10th grade completed 11 = 11th grade completed 12 = 12th grade completed 13 = College or university/1st year completed 14 = College or university/2nd year completed 15 = College or university/3rd year completed 16 = College or university/4th year completed 17 = College or university/5th or higher year completed 94 = DON'T KNOW 97 = REFUSED		

Codebook Creation Date: April 24, 2012

CORE DEMOGRAPHICS			PAGE:	451
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD12)		This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?		
HEALTH	2	OVERALL HEALTH 1 = Excellent 2 = Very good 3 = Good 4 = Fair 5 = Poor 94 = DON'T KNOW 97 = REFUSED		

IMPUTED CORE DEMOGRAPHICS			PAGE:	452
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		IMPUTED CORE DEMOGRAPHICS		

		Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.		
IRSEX	1	IMPUTATION REVISED GENDER 1 = Male 2 = Female		
IRHOIND	1	IMPUTATION REVISED HISPANIC ORIGIN 1 = Hispanic 2 = Non-Hispanic		
IIHOIND	1	IMPUTATION REVISED HISPANIC ORIGIN INDICATOR 1 = Hispanicity from questionnaire(agree w/specifies) 2 = Logically assigned data 3 = Hispanicity statistically imputed		
		NOTE: The race variable IRNWRACE has been created to reflect the detail of categories in the race questions (represented by the raw variables QD051-QD057, QD04RACE, QD05RACE, QD05ASI1-QD05ASI7, and ASIARACE). For all categories which are not "more than one race," the race listed was the only race selected by the respondent. Note that no separate category exists for Hispanic; they are distributed across the other fifteen levels.		
IRNWRACE	2	IMPUTATION REVISED RACE VARIABLE (15 LEVELS) 1 = White 2 = Black/African American 3 = Native American or Alaska Native 4 = Native Hawaiian 5 = Other Pacific Islander 6 = Native Hawaiian/Other Pacific Islander 7 = Chinese 8 = Filipino 9 = Japanese 10 = Asian Indian 11 = Korean 12 = Vietnamese 13 = Other Asian 14 = Asian multiple categories 15 = More than one race		
IINWRACE	1	IMPUTATION REVISED NEWRACE INDICATOR 1 = From questionnaire response 2 = Logically assigned data 3 = Race assigned w/census data from country of origin 4 = Stat imputation of "Asian" into finer categories 5 = Statistically imputed (unrestricted) 6 = Statistically imputed (restricted)		
IRMARIT	2	IMPUTATION REVISED MARITAL STATUS 1 = Married 2 = Widowed 3 = Divorced or Separated 4 = Never Been Married 99 = LEGITIMATE SKIP Respondent is <= 14 years old		

Codebook Creation Date: April 24, 2012

IMPUTED CORE DEMOGRAPHICS			PAGE:	453
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIMARIT	1	IMPUTATION INDICATOR MARITAL STATUS 1 = Marital status from questionnaire 3 = Marital status statistically imputed 9 = LEGITIMATE SKIP Respondent is <= 14 years old		
IREduc	2	IMPUTATION REVISED EDUCATION 0 = No schooling 1 = First grade 2 = Second grade 3 = Third grade 4 = Fourth grade 5 = Fifth grade 6 = Sixth grade 7 = Seventh grade 8 = Eighth grade 9 = Ninth grade 10 = Tenth grade 11 = Eleventh grade 12 = Twelfth grade 13 = Freshman/13th year 14 = Sophomore/14th year 15 = Junior/15th year 16 = Senior/16th year 17 = Graduate/Professional School (or higher)		
IIEduc	1	IMPUTATION REVISED EDUCATION INDICATOR 1 = Education from questionnaire 3 = Education statistically imputed		

RECODED CORE DEMOGRAPHICS			PAGE:	454
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED CORE DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY 1 = 12-17 Years Old 2 = 18-25 Years Old 3 = 26-34 Years Old 4 = 35 or Older		
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS) 1 = 12-17 Years Old 2 = 18-25 Years Old 3 = 26 or Older		
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS) 1 = 12-17 Years Old 2 = 18-25 Years Old 3 = 26-34 Years Old 4 = 35-49 Years Old 5 = 50 or Older		
CATAG7	1	AGE CATEGORY RECODE (7 LEVELS) 1 = 12-13 Years Old 2 = 14-15 Years Old 3 = 16-17 Years Old 4 = 18-20 Years Old 5 = 21-25 Years Old 6 = 26-34 Years Old 7 = 35 or Older		
CATAG18	1	AGE CATEGORY RECODE (2 LEVELS) 1 = 18 or Older 2 = 12-17 Years Old		
DETALAGE	2	DETAILED AGE CATEGORY RECODE 1 = 12 Years Old 2 = 13 Years Old 3 = 14 Years Old 4 = 15 Years Old 5 = 16 Years Old 6 = 17 Years Old 7 = 18 Years Old 8 = 19 Years Old 9 = 20 Years Old 10 = 21 Years Old 11 = 22 Years Old 12 = 23 Years Old 13 = 24 Years Old 14 = 25 Years Old 15 = 26-29 Years Old 16 = 30-34 Years Old 17 = 35-39 Years Old 18 = 40-44 Years Old 19 = 45-49 Years Old 20 = 50-54 Years Old 21 = 55-59 Years Old 22 = 60-64 Years Old 23 = 65 or Older		

Codebook Creation Date: April 24, 2012

RECODED CORE DEMOGRAPHICS			PAGE:	455
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YTHAGE	1	YOUTH AGE CATEGORY RECODE 1 = 12 or 13 Years Old 2 = 14 or 15 Years Old 3 = 16 or 17 Years Old 4 = 18 or Older		
AGEADULT	1	DETAILED ADULT AGE CATEGORY RECODE 1 = 18-25 Years Old 2 = 26-34 Years Old 3 = 35-49 Years Old 4 = 50 or Older 5 = 12-17 Years Old		
CATAGMH2	1	ADULT AGE CATEGORY RECODE 1 = 18-25 Years Old 2 = 26-49 Years Old 3 = 50 or Older 4 = Otherwise (12-17 Years Old)		
AGEDRNK	1	UNDERAGE DRINKING AGE CATEGORY RECODE 1 = 12-20 Years Old 2 = 21 or Older		
EDUCAGE	1	COLLEGE EDUCATION AGE RECODE 1 = 18-22 Years Old 2 = Otherwise (12-17, 23 or Older)		
COLLAGES	1	COLLEGE ENROLLMENT AGE CATEGORY RECODE 1 = 18 Years Old 2 = 19 Years Old 3 = 20 Years Old 4 = 21 Years Old 5 = 22 Years Old 6 = Otherwise (12-17, 23 or Older)		
PREGAGE2	1	PREGNANCY AGE CATEGORY RECODE 1 = 15-17 Years Old 2 = 18-25 Years Old 3 = 26-44 Years Old 4 = Otherwise (12-14, 45 or Older)		
SEXAGE	1	COMBINED GENDER BY AGE CATEGORY INDICATOR 1 = Males Aged 12-17 (IRSEX=1 and AGE=12-17) 2 = Females Aged 12-17 (IRSEX=2 and AGE=12-17) 3 = Males Aged 18-25 (IRSEX=1 and AGE=18-25) 4 = Females Aged 18-25 (IRSEX=2 and AGE=18-25) 5 = Otherwise		
M15_44	1	MALES AGED 15-44 0 = Otherwise 1 = Males Aged 15-44 (IRSEX=1 and AGE=15-44)		
F15_44	1	FEMALES AGED 15-44 0 = Otherwise 1 = Females Aged 15-44 (IRSEX=2 and AGE=15-44)		
M18_49	1	MALES AGED 18-49 0 = Otherwise 1 = Males Aged 18-49 (IRSEX=1 and AGE=18-49)		

Codebook Creation Date: April 24, 2012

RECODED CORE DEMOGRAPHICS			PAGE:	456
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
F18_49	1	FEMALES AGED 18-49 0 = Otherwise 1 = Females Aged 18-49 (IRSEX=2 and AGE=18-49)		
M_18UP	1	MALES AGED 18 OR OLDER 0 = Otherwise 1 = Males Aged 18 or Older (IRSEX=1 and AGE=18+)		
F_18UP	1	FEMALES AGED 18 OR OLDER 0 = Otherwise 1 = Females Aged 18 or Older (IRSEX=2 and AGE=18+)		
NOTE: NEWRACE1 is a recode using the values from IRNWRACE and IRHOIND. In IRNWRACE, Hispanic respondents are distributed across the 15 levels. In NEWRACE1, which is otherwise identical to IRNWRACE, Hispanic respondents are separated out and given their own level. NEWRACE2 is a recode of NEWRACE1, with some of the finer categories collapsed into broad categories.				
NEWRACE1	2	RACE/HISPANICITY RECODE (16 LEVELS) 1 = NonHisp White (IRNWRACE=1,IRHOIND=2) 2 = NonHisp Black/Afr American (IRNWRACE=2,IRHOIND=2) 3 = NonHisp Natv Amer/AK Native (IRNWRACE=3,IRHOIND=2) 4 = NonHisp Native Hawaiian (IRNWRACE=4,IRHOIND=2) 5 = NonHisp Other Pacific Islr (IRNWRACE=5,IRHOIND=2) 6 = NonHisp Natv Haw/Oth Pac Isl (IRNWRACE=6,IRHOIND=2) 7 = NonHisp Chinese (IRNWRACE=7,IRHOIND=2) 8 = NonHisp Filipino (IRNWRACE=8,IRHOIND=2) 9 = NonHisp Japanese (IRNWRACE=9,IRHOIND=2) 10 = NonHisp Asian Indian (IRNWRACE=10,IRHOIND=2) 11 = NonHisp Korean (IRNWRACE=11,IRHOIND=2) 12 = NonHisp Vietnamese (IRNWRACE=12,IRHOIND=2) 13 = NonHisp Other Asian (IRNWRACE=13,IRHOIND=2) 14 = NonHisp, Asian multiple cat (IRNWRACE=14,IRHOIND=2) 15 = NonHisp, More than one race (IRNWRACE=15,IRHOIND=2) 16 = Hispanic (IRHOIND=1, any value of IRNWRACE)		
NEWRACE2	1	RACE/HISPANICITY RECODE (7 LEVELS) 1 = NonHisp White (NEWRACE1=1) 2 = NonHisp Black/Afr Am (NEWRACE1=2) 3 = NonHisp Native Am/AK Native (NEWRACE1=3) 4 = NonHisp Native HI/Other Pac Isl (NEWRACE1=4-6) 5 = NonHisp Asian (NEWRACE1=7-14) 6 = NonHisp more than one race (NEWRACE1=15) 7 = Hispanic (NEWRACE1=16)		

RECODED CORE DEMOGRAPHICS			PAGE:	457
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		The race categories Non-Hispanic Native Hawaiian and Other Pacific Islander, Non-Hispanic Other Asian, Non-Hispanic more than one race, and Hispanic have been collapsed to form the expanded race category "Other". To obtain counts of all Non-Hispanic cases, the "Other" category would require further recoding to remove the Hispanic (NEWRACE1=16) cases.		
EXPRACE	2	EXPANDED RACE RECODE		
		1 = White, Not Hisp (NEWRACE1=1)		
		2 = Black, Not Hisp (NEWRACE1=2)		
		3 = Am Ind/Ask Native, Not Hisp (NEWRACE1=3)		
		4 = Native Hawaiian, Not Hisp (NEWRACE1=4)		
		5 = Other Pac Isl, Not Hisp (NEWRACE1=5)		
		6 = Chinese, Not Hisp (NEWRACE1=7)		
		7 = Filipino, Not Hisp (NEWRACE1=8)		
		8 = Japanese, Not Hisp (NEWRACE1=9)		
		9 = Asian Indian, Not Hisp (NEWRACE1=10)		
		10 = Korean, Not Hisp (NEWRACE1=11)		
		11 = Vietnamese, Not Hisp (NEWRACE1=12)		
		12 = Other (NEWRACE1=6,13,14,15,16)		
		The race categories Non-Hispanic Other Asian, Non-Hispanic more than one race, and Hispanic have been collapsed to form the expanded race category "Other". To obtain counts of all Non-Hispanic cases, the "Other" category would require further recoding to remove the Hispanic (NEWRACE1=16) cases.		
EXPRACE2	2	EXPANDED RACE RECODE COMB NH NAT HAW/OTH PAC ISL		
		1 = White, Not Hisp (NEWRACE1=1)		
		2 = Black, Not Hisp (NEWRACE1=2)		
		3 = Am Ind/Ask Native, Not Hisp (NEWRACE1=3)		
		4 = Natv Haw/Oth Pac Isl, Not Hisp (NEWRACE1=4,5,6)		
		5 = Chinese, Not Hisp (NEWRACE1=7)		
		6 = Filipino, Not Hisp (NEWRACE1=8)		
		7 = Japanese, Not Hisp (NEWRACE1=9)		
		8 = Asian Indian, Not Hisp (NEWRACE1=10)		
		9 = Korean, Not Hisp (NEWRACE1=11)		
		10 = Vietnamese, Not Hisp (NEWRACE1=12)		
		11 = Other (NEWRACE1=13,14,15,16)		
RACE4	1	RACE RECODE (4 LEVELS)		
		1 = White, Not Hispanic (NEWRACE2=1)		
		2 = Black, Not Hispanic (NEWRACE2=2)		
		3 = Other or Multiple, Not Hispanic (NEWRACE2=3,4,5,6)		
		4 = Hispanic (NEWRACE2=7)		
		NOTE: The following variables, RACEHP and ASIANPI, do not distinguish among ethnic origin (i.e. Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.		
		These variables were created for use in the Healthy People tables to provide comparable data for the Healthy People 2010 Objective (http://www.healthypeople.gov/).		
RACEHP	1	RACE RECODE (6 LEVELS) FOR HEALTHY PEOPLE		
		1 = American Indian or Alaska Native (IRNWRACE=3)		
		2 = Asian only (IRNWRACE=7-14)		
		3 = Natv Haw/Oth Pacific Islander (IRNWRACE=4 ,5 ,6)		
		4 = Black (IRNWRACE=2)		
		5 = White (IRNWRACE=1)		
		6 = Two or more races (IRNWRACE=15)		

Codebook Creation Date: April 24, 2012

RECODED CORE DEMOGRAPHICS			PAGE:	458
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
ASIANPI	1	ASIAN OR PACIFIC ISLANDER RACE FOR HEALTHY PEOPLE 1 = Asian or Pacific Islander (IRNWRACE=4-14) 2 = Otherwise (IRNWRACE=1-3,15) The Hispanic-Origin categories Hispanic Caribbean, other Hispanic, and not Hispanic have been collapsed to form the category "Other". To obtain counts of all Hispanic cases, the "Other" category would require further recoding to remove the not Hispanic (IRHOGRP4=99) cases.		
HISP2	1	HISPANIC-ORIGIN GROUP RECODE 1 = Mexican (IRHOGRP4=2) 2 = Puerto Rican (IRHOGRP4=1) 3 = Central or South American (IRHOGRP4=5) 4 = Cuban (IRHOGRP4=3) 5 = Other (IRHOGRP4=4,6,7,99)		
HISGRP	2	HISPANIC-ORIGIN GROUP RECODE 1 = Puerto Rican (IRHOGRP4=1) 2 = Mexican (IRHOGRP4=2) 3 = Cuban (IRHOGRP4=3) 4 = Other (IRHOGRP4=4,5,6,7) 99 = LEGIT SKIP Not Hispanic (IRHOGRP4=99)		
HISGRP2	1	HISPANIC ORIGIN GROUP RECODE II 1 = Puerto Rican (IRHOGRP4=1) 2 = Mexican (IRHOGRP4=2) 3 = Other Hispanic (IRHOGRP4=3,4,5,6,7) 4 = LEGIT SKIP Not Hispanic (IRHOGRP4=99)		
SEXRACE	1	COMBINED GENDER BY RACE INDICATOR 1 = Male, White, Not Hisp (IRSEX=1 and NEWRACE2=1) 2 = Female, White, Not Hisp (IRSEX=2 and NEWRACE2=1) 3 = Male, Black, Not Hisp (IRSEX=1 and NEWRACE2=2) 4 = Female, Black, Not Hisp (IRSEX=2 and NEWRACE2=2) 5 = Male, Hispanic (IRSEX=1 and IRHOIND=1) 6 = Female, Hispanic (IRSEX=2 and IRHOIND=1) 7 = Male or female, other races (Otherwise)		
EDUCAT2	1	EDUCATION RECODE 1 = Less than high school (IREduc=0-11 and AGE>=18) 2 = High school graduate (IREduc=12 and AGE>=18) 3 = Some college (IREduc=13-15 and AGE>=18) 4 = College graduate (IREduc=16-17 and AGE>=18) 5 = 12 to 17 year olds (AGE=12-17)		

Codebook Creation Date: April 24, 2012

NON-CORE DEMOGRAPHICS			PAGE:	459
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
(QD13)		NON-CORE DEMOGRAPHICS ----- For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer. How many times in the past 12 months have you moved?		
MOVESPYR	3	# TIMES MOVED PAST 12 MONTHS RANGE = 0 - 92 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER)		
(QD14)		Were you born in the United States?		
BORNINUS	2	WERE YOU BORN IN THE US 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

NON-CORE DEMOGRAPHICS			PAGE:	460
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		(QD15) In what country or U.S. territory were you born?		
BORNINOT	3	BORN IN WHAT COUNTRY OR US TERRITORY		
		60 = American Samoa		
		66 = Guam		
		69 = Northern Mariana Islands		
		72 = Puerto Rico		
		78 = U.S. Virgin Islands		
		98 = Outside U.S.		
		100 = Albania		
		102 = Austria		
		103 = Belgium		
		104 = Bulgaria		
		105 = Czechoslovakia		
		106 = Denmark		
		108 = Finland		
		109 = France		
		110 = Germany		
		116 = Greece		
		117 = Hungary		
		118 = Iceland		
		119 = Ireland		
		120 = Italy		
		123 = Luxembourg		
		124 = Malta		
		126 = Netherlands		
		127 = Norway		
		128 = Poland		
		129 = Portugal		
		130 = Azores Islands		
		132 = Romania		
		133 = San Marino		
		134 = Spain		
		136 = Sweden		
		137 = Switzerland		
		138 = United Kingdom		
		139 = England		
		140 = Scotland		
		141 = Wales		
		142 = Northern Ireland		
		147 = Yugoslavia		
		148 = Europe		
		150 = Eastern Europe		
		155 = Czech Republic		
		156 = Slovakia		
		157 = Bosnia and Herzegovina		
		158 = Croatia		
		159 = Macedonia		
		160 = Slovenia		
		161 = Serbia		
		162 = Montenegro		
		180 = Union of Soviet Socialist Republics		
		182 = Estonia		
		183 = Latvia		
		184 = Lithuania		
		185 = Armenia		
		186 = Azerbaijan		
		187 = Belarus		
		188 = Georgia		
		189 = Kazakhstan		
		190 = Kyrgyzstan		
		191 = Moldova		

Codebook Creation Date: April 24, 2012

NON-CORE DEMOGRAPHICS			PAGE:	461
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		192 = Russia		
		193 = Tajikistan		
		194 = Turkmenistan		
		195 = Ukraine		
		196 = Uzbekistan		
		200 = Afghanistan		
		201 = Bahrain		
		202 = Bangladesh		
		203 = Bhutan		
		204 = Brunei		
		205 = Burma, Myanmar		
		206 = Cambodia		
		207 = China		
		208 = Cyprus		
		209 = Hong Kong		
		210 = India		
		211 = Indonesia		
		212 = Iran, Persia		
		213 = Iraq		
		214 = Israel		
		215 = Japan		
		216 = Jordan		
		217 = Korea, not specified		
		218 = South Korea		
		219 = North Korea		
		220 = Kuwait		
		221 = Laos		
		222 = Lebanon		
		223 = Macau		
		224 = Malaysia		
		226 = Mongolia		
		227 = Nepal		
		228 = Oman		
		229 = Pakistan		
		231 = Philippines		
		232 = Qatar		
		233 = Saudi Arabia		
		234 = Singapore		
		236 = Sri Lanka		
		237 = Syria		
		238 = Taiwan		
		239 = Thailand		
		240 = Turkey		
		241 = United Arab Emirates		
		242 = Vietnam		
		243 = Yemen		
		245 = Asia		
		252 = Middle East		
		253 = Palestine		
		256 = West Bank		
		300 = Bermuda		
		301 = Canada		
		310 = Belize		
		311 = Costa Rica		
		312 = El Salvador		
		313 = Guatemala		
		314 = Honduras		
		315 = Mexico		
		316 = Nicaragua		
		317 = Panama		
		318 = Central America		

Codebook Creation Date: April 24, 2012

NON-CORE DEMOGRAPHICS			PAGE:	462
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		331 = Antigua & Barbuda		
		332 = Aruba		
		333 = Bahamas		
		334 = Barbados		
		335 = British Virgin Islands		
		336 = Cayman Islands		
		337 = Cuba		
		338 = Dominica		
		339 = Dominican Republic		
		340 = Grenada		
		341 = Guadeloupe		
		342 = Haiti		
		343 = Jamaica		
		344 = Martinique		
		345 = Montserrat		
		346 = Netherlands Antilles		
		348 = St. Kitts-Nevis		
		349 = St. Lucia		
		350 = St. Vincent & the Grenadines		
		351 = Trinidad & Tobago		
		352 = Turks & Caicos Islands		
		353 = Caribbean		
		355 = British West Indies		
		358 = West Indies		
		360 = Virgin Islands, no other information		
		375 = Argentina		
		376 = Bolivia		
		377 = Brazil		
		378 = Chile		
		379 = Colombia		
		380 = Ecuador		
		383 = Guyana		
		384 = Paraguay		
		385 = Peru		
		386 = Surinam		
		387 = Uruguay		
		388 = Venezuela		
		389 = South America		
		400 = Algeria		
		401 = Angola		
		403 = Benin		
		404 = Botswana		
		406 = Burkina Faso		
		407 = Burundi		
		408 = Cameroon		
		409 = Cape Verde		
		410 = Central African Republic		
		411 = Chad		
		413 = Congo		
		415 = Egypt		
		417 = Ethiopia		
		419 = Gabon		
		420 = Gambia		
		421 = Ghana		
		423 = Guinea		
		425 = Ivory Coast		
		427 = Kenya		
		428 = Lesotho		
		429 = Liberia		
		430 = Libya		
		431 = Madagascar		

Codebook Creation Date: April 24, 2012

NON-CORE DEMOGRAPHICS			PAGE:	463
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		432 = Malawi		
		433 = Mali		
		434 = Mauritania		
		436 = Morocco		
		437 = Mozambique		
		438 = Namibia		
		439 = Niger		
		440 = Nigeria		
		442 = Rwanda		
		443 = Sao Tome & Principe		
		444 = Senegal		
		445 = Mauritius		
		446 = Seychelles		
		447 = Sierra Leone		
		448 = Somalia		
		449 = South Africa		
		451 = Sudan		
		452 = Swaziland		
		453 = Tanzania		
		454 = Togo		
		456 = Tunisia		
		457 = Uganda		
		459 = Zaire		
		460 = Zambia		
		461 = Zimbabwe		
		462 = Africa		
		463 = Central Africa		
		464 = Eastern Africa		
		468 = North Africa		
		469 = Western Africa		
		471 = Eritrea		
		501 = Australia		
		502 = Christmas Island, Indian Ocean		
		507 = Fiji		
		508 = Tahiti		
		509 = Kiribati		
		510 = Marshall Islands		
		511 = Micronesia		
		514 = New Zealand		
		517 = Palau		
		518 = Papua New Guinea		
		520 = Solomon Islands		
		522 = Tonga		
		526 = Western Samoa		
		527 = Oceania		
		528 = Polynesia		
		555 = Abroad, country not reported		
		801 = Born on U.S. military base; outside U.S.		
		985 = BAD DATA Logically assigned		
		989 = LEGITIMATE SKIP Logically assigned		
		994 = DON'T KNOW		
		997 = REFUSED		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

NON-CORE DEMOGRAPHICS			PAGE:	464
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD11)		NOTE: The edited education variables take into account interviewer comments when the highest grade was lower than the current grade. In 2001, these edited education variables took into account interviewer comments when the highest and current grades differed by 2 or more years.		
		The variable EDTEDUC is a supplemental, edited version of the "core" education variable EDUC. In situations where respondents reported being currently enrolled in school (see below), EDTEDUC was edited for consistency with the current reported grade and the respondent's age; no such editing was done for the "core" education variable. Consequently, the values in EDTEDUC could differ from those in EDUC and the imputed education variable IREDUC. In addition, EDTEDUC in subsequent years could be affected by any changes in the content of the "non-core" education variables.		
EDTEDUC	2	HIGHEST GRADE COMPLETED - EDITED VERSION		
		0 = NEVER ATTENDED SCHOOL		
		1 = 1st grade completed		
		2 = 2nd grade completed		
		3 = 3rd grade completed		
		4 = 4th grade completed		
		5 = 5th grade completed		
		6 = 6th grade completed		
		7 = 7th grade completed		
		8 = 8th grade completed		
		9 = 9th grade completed		
		10 = 10th grade completed		
		11 = 11th grade completed		
		12 = 12th grade completed		
		13 = College or university/1st year completed		
		14 = College or university/2nd year completed		
		15 = College or university/3rd year completed		
		16 = College or university/4th year completed		
		17 = College or university/5th or higher year completed		
		25 = 5th grade completed LOGICALLY ASSIGNED		
		26 = 6th grade completed LOGICALLY ASSIGNED		
		27 = 7th grade completed LOGICALLY ASSIGNED		
		28 = 8th grade completed LOGICALLY ASSIGNED		
		29 = 9th grade completed LOGICALLY ASSIGNED		
		30 = 10th grade completed LOGICALLY ASSIGNED		
		31 = 11th grade completed LOGICALLY ASSIGNED		
		32 = 12th grade completed LOGICALLY ASSIGNED		
		33 = College/univ 1st yr completed LOG ASSN		
		34 = College/univ 2nd yr completed LOG ASSN		
		35 = College/univ 3rd yr completed LOG ASSN		
		36 = College/univ 4th yr completed LOG ASSN		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		

NON-CORE DEMOGRAPHICS			PAGE:	465
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD17)		NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.		
		The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.		
SCHENRL	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes		
		2 = No		
		3 = Yes LOGICALLY ASSIGNED (LFSCWHY=778)		
		4 = No LOGICALLY ASSIGNED		
		5 = Yes LOGICALLY ASSIGNED (LFSCWHY=601)		
		11 = Yes (SCHDSKIP = 30)		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		

NON-CORE DEMOGRAPHICS			PAGE:	466
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD18)		NOTE: This variable corresponds to the variable EDUCNOW from 1999 and 2000.		
		What grade or year of school are you now attending? Please tell me the number from the card.		
		What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.		
EDUCATND	2	WHAT GRADE IN NOW/WILL BE IN		
		1 = 1st Grade		
		2 = 2nd grade		
		3 = 3rd grade		
		4 = 4th Grade		
		5 = 5th grade		
		6 = 6th Grade		
		7 = 7th grade		
		8 = 8th Grade		
		9 = 9th grade		
		10 = 10th Grade		
		11 = 11th grade		
		12 = 12th Grade		
		13 = College or university/1st year		
		14 = College or university/2nd Year		
		15 = College or university/3rd year		
		16 = College or university/4th Year		
		17 = College or university/5th or higher year		
		26 = 6th grade LOGICALLY ASSIGNED		
		27 = 7th grade LOGICALLY ASSIGNED		
		28 = 8th grade LOGICALLY ASSIGNED		
		29 = 9th grade LOGICALLY ASSIGNED		
		30 = 10th grade LOGICALLY ASSIGNED		
		31 = 11th grade LOGICALLY ASSIGNED		
		32 = 12th grade LOGICALLY ASSIGNED		
		33 = College/univ 1st yr LOG ASSN		
		85 = BAD DATA Logically assigned		
		89 = LEGITIMATE SKIP Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

NON-CORE DEMOGRAPHICS			PAGE:	467
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD19)		NOTE: The variable SDNTFTPT corresponds to the variable STUDNT that existed in prior years. The name was changed in 2002 because the wording of the question was different for respondents who reported that they were "not" enrolled but were on school break and intended to return to school when their break was over.		
		Are you a full-time student or a part-time student?		
		Will you be a full-time student or a part-time student?		
SDNTFTPT	2	FULL OR PART TIME 1 = FULL-TIME 2 = PART-TIME 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD20)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured?		
SCHDSICK	2	HOW MANY DAYS MISSED SCHOOL FROM SICK RANGE = 1 - 30 0 = None 89 = LEGITIMATE SKIP Logically assigned 90 = SCHOOL NOT IN SESSION 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD21)		During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SCHDSKIP	2	HOW MANY DAYS MISSED SCHOOL FROM SKIPPING RANGE = 1 - 30 0 = None 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD22)		Have you received a high school diploma?		
HSDIPLMA	2	RECEIVED DIPLOMA 1 = Yes 2 = No 3 = Yes LOG ASSN (EDUC=10-12 & LFSCHWHY=603-605) 4 = No LOGICALLY ASSIGNED 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

NON-CORE DEMOGRAPHICS			PAGE:	468
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD23)		Have you received a GED certificate of high school completion?		
HSGED	2	RECEIVED GED 1 = Yes 2 = No 11 = Yes (LFSCHWHY=621) 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD25)		How old were you when you stopped attending school?		
LFTSCHAG	3	AGE WHEN STOPPED ATTENDING SCHOOL RANGE = 5 - 24 985 = BAD DATA Logically assigned 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(QI24)		The last question has to do with telephones in your household. How many different telephone numbers do you have in this household? Please don't include cellular phones in your answer. Also, don't count business numbers or extensions with the same number.		
TELNO	2	# PHONE LINES RANGE = 0 - 20 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER)		

IMPUTED NON-CORE DEMOGRAPHICS			PAGE:	469
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		IMPUTED NON-CORE DEMOGRAPHICS		

IRBORNUS	1	IMPUTATION-REVISED WERE YOU BORN IN THE US		
		1 = Yes		
		2 = No		
IIBORNUS	1	IMPUTATION INDICATOR-WERE YOU BORN IN THE US		
		1 = Questionnaire data		
		2 = Logically assigned data		
		3 = Statistically imputed data		
		IRENTAG2 is analogous to the variable IRENTAGE, which was created in the NSDUHs prior to 2004. In 2004, the question QD16 was replaced with three parts, which essentially asked non-US born respondents to provide more specific time on how long they lived in US. The variable, IRENTAG2, gives the age at which an immigrant to the United States entered this country. It was derived from the respondent's age and the variables LIVUS1YR, LIVUSYRS and LIVUSMOS, which gave the number of years that an immigrant to the U.S. has lived in this country. Any respondents born in the U.S. (IRBORNUS=1) were coded as 999.		
IRENTA_B	12	IMPUTATION-REVISED IMMIGRANT AGE OF ENTRY IN US		
		RANGE = 0.0027378508 - 92.544147844		
		999 = LEGITIMATE SKIP (IRBORNUS=1)		

RECODED NON-CORE DEMOGRAPHICS			PAGE:	470
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED NON-CORE DEMOGRAPHICS				

IMGBFMRJ	1	US BORN/IMMIGRNT ENTERED US PRIOR TO MRJ INIT AGE 1 = Yes (IRENTAG2=999 or IRENTAG2<IRMJAGE) 2 = No (IRENTAG2>=IRMJAGE)		
IMGBF12	1	US BORN/IMMIGRANT ENTERED US PRIOR TO AGE 12 1 = Yes (IRENTAG2=999 or IRENTAG2<12) 2 = No (IRENTAG2>=12)		
		The following variable, YRSLIVUS, provides the number of years a respondent not born in the United States (IRBORNUS=2) has lived in the U.S. The number of years lived in the U.S. was computed by taking the difference between the respondent's continuous age estimate and their entry age into the U.S. (IRENTAG2). The continuous age estimate was computed by taking the difference between the respondent's interview date (INTDATE) and birth date (BRTHDATE).		
YRSLIVUS	1	NUMBER OF YEARS PERSONS NOT US BORN LIVED IN US 1 = Less Than 5 Yrs (See comment above) 2 = At least 5 Yrs but <10 Yrs (See comment above) 3 = 10 Yrs or More (See comment above) 4 = US Born (IRBORNUS=1)		
		A respondent was defined as a full-time college student if they were aged 18 to 22 (AGE=18-22), enrolled in school (SCHENRL=1,11), enrolled at the college level (EDUCATND=13,14,15,16,17,33), and a full-time student (SDNTFTPT=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available.		
COLLENR	1	COLLEGE ENROLLMENT - FULL TIME . = Unknwn Enrollment, Aged 18-22 (SCHENRL=98) 1 = FT College Student Aged 18-22 (See comment above) 2 = Other Persons Aged 18-22 (See comment above) 3 = Persons Aged 12-17, 23 or Older		
		A respondent was defined as a full or part-time college student if they were aged 18 to 22 (AGE=18-22), enrolled in school (SCHENRL=1,11), enrolled at the college level (EDUCATND=13,14,15,16,17,33), and if they were a full-time (SDNTFTPT=1) or part-time (SDNTFTPT=2) student. Otherwise, a respondent was defined as not enrolled in college (SCHENRL=2) or in the category "Other Persons Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).		
COLLENR2	1	COLLEGE ENROLLMENT . = Unknwn Enrollment, Aged 18-22 (SCHENRL=98) 1 = FT College Student Aged 18-22 (See comment above) 2 = PT College Student Aged 18-22 (See comment above) 3 = Not Enrolled Aged 18-22 (See comment above) 4 = Other Persons Aged 18-22 (See comment above) 5 = Persons Aged 12-17, or 23 or Older		

EMPLOYMENT AND WORKPLACE

NOTE: The variable JBSTATR was created from the variables WRKEDWK, WRKHRSUS, WRKNOWRK, WRKNOJOB, WRKEFFRT, and WRKEDYR. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR as not having a job. In addition, respondents who reported that they had no job but were looking for work and did not report that they made specific efforts to find work (WRKNOJOB = 1 and WRKEFFRT not answered as yes) were classified as not in the labor force.

JBSTATR 3 WORK SITUATION IN PAST WEEK - RECODE
 1 = Worked at full-time job, past week
 2 = Worked at part time job, past week
 3 = Has job but out: vacation/sick/temp absence
 4 = Has job but out: layoff, looking for work
 5 = Has job but out: layoff, not looking for work
 6 = Has job but out: waiting to report to new job
 7 = Has job but out: self-employed, no business
 8 = Has job but out: in school/training
 9 = No job: looking for work
 10 = No job: layoff, not looking for work
 11 = No job: keeping house full time
 12 = No job: in school/training
 13 = No job: retired
 14 = No job: disabled for work
 15 = No job: didn't want a job
 190 = Has full-time job, reas for not working unk
 191 = Has part-time job, reas for not working unk
 199 = Has job, no further information
 290 = No job, no further information
 299 = Other, not in labor force
 994 = DON'T KNOW
 997 = REFUSED
 998 = BLANK (NO ANSWER)
 999 = LEGITIMATE SKIP

(QD26) The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

WRKEDWK 2 WORK AT JOB LAST WEEK
 1 = Yes
 2 = No
 4 = No LOGICALLY ASSIGNED
 89 = LEGITIMATE SKIP Logically assigned
 94 = DON'T KNOW
 97 = REFUSED
 98 = BLANK (NO ANSWER)
 99 = LEGITIMATE SKIP

EMPLOYMENT AND WORKPLACE			PAGE:	472
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(QD27)		Even though you did not work at any time last week, did you have a job or business?		
WRKHAVJB	2	DID YOU HAVE A JOB OR BUSINESS 1 = Yes 2 = No 4 = No LOGICALLY ASSIGNED 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD28)		How many hours did you work last week at all jobs or businesses?		
WRKHRSWK	3	HOW MANY HOURS WORKED LAST WEEK RANGE = 1 - 120 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(QD29)		Do you usually work 35 hours or more per week at all jobs or businesses?		
WRKHRSUS	2	USUALLY WORK 35 OR MORE HRS PER WEEK 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(INOC01)		Which of these categories best describes the business or industry in which you work?		
WRKIDSTY	4	TYPE OF BUSINESS/INDUSTRY, CURRENT JOB RANGE = 170 - 9890 9990 = NOT REPORTED/NOT CODABLE 9994 = DON'T KNOW 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		
(INOC04)		What kind of work do you do? That is, what is your occupation?		
WRKOCUPT	4	KIND OF WORK/JOB TITLE, CURRENT JOB RANGE = 10 - 9840 9990 = NOT REPORTED/NOT CODABLE 9994 = DON'T KNOW 9997 = REFUSED 9998 = BLANK (NO ANSWER) 9999 = LEGITIMATE SKIP		

EMPLOYMENT AND WORKPLACE			PAGE:	473
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(INOC06)		Which of these categories best describes the business in which you work?		
WRKBZCAT	2	CATEG THAT BEST DESCR BUSINESS YOU WORK IN 1 = Private for-profit company or business 2 = Private not-for-profit company or business 3 = Local government (city, county, etc.) 4 = State government 5 = Federal government 6 = International or foreign government 7 = Self-employed in an incorporated business 8 = Self-employed in an unincorporated business 9 = Working without pay in a family business/farm 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD30)		Please look at this card and tell me which one of these reasons best describes why you did not work last week. Just give me the number.		
WRKNOWRK	3	REASON FOR NOT WORKING AT JOB - PAST WK 1 = On vacation/sick/furlough/strike/oth temp absence 2 = On layoff and not looking for work 3 = On layoff and looking for work 4 = Waiting to report to a new job 5 = Self-employed and did not have business last week 6 = Going to school/training 7 = Some other reason 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		
(QD31)		Please look at this card and tell me which one of these reasons best describes why you did not have a job or business last week. Just give me the number.		
WRKNOJOB	3	REASON FOR NOT HAVING A JOB - PAST WK 1 = Looking for work 2 = On layoff and not looking for work 3 = Keeping house or caring for children full time 4 = Going to school/training 5 = Retired 6 = Disabled for work 7 = Didn't want a job 8 = Some other reason 989 = LEGITIMATE SKIP Logically assigned 994 = DON'T KNOW 997 = REFUSED 998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP		

EMPLOYMENT AND WORKPLACE			PAGE:	474
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD32)		During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.		
WRKEFFRT	2	PAST 30 DAYS, MAKE EFFORT TO FIND WORK 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD33)		Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?		
WRKEDYR	2	PAST 12 MOS, WORKED AT ANY JOB 1 = Yes 2 = No 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD34)		Have you been self-employed at any time during the past 12 months?		
WRKSLFEM	2	PAST 12 MOS, SELF EMPLOYED 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED (raw var not blank) 5 = Yes LOGICALLY ASSIGNED (from skip pattern) 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD35)		How many different employers, including yourself, have you had in the past 12 months?		
WRKJOBS	2	PAST 12 MOS, HOW MANY EMPLOYERS RANGE = 1 - 52 89 = LEGITIMATE SKIP Logically assigned 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD37)		During the past 12 months, was there ever a time when you did not have at least one job or business?		
WRKUNEMP	2	PAST 12 MOS, TIME WITH NO JOB 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

EMPLOYMENT AND WORKPLACE			PAGE:	475
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD38)		In how many weeks during the past 12 months did you not have at least one job or business?		
WRKUNWKS	2	HOW MANY WKS W/O JOB IN PAST 12 MOS		
		RANGE = 1 - 52		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(INOC07)		Which of these categories best describes the business or industry in which you worked?		
WRKIDSYR	4	TYPE OF BUSINESS/INDUSTRY, JOB IN PAST YEAR		
		RANGE = 170 - 9890		
		9989 = LEGITIMATE SKIP Logically assigned		
		9990 = NOT REPORTED/NOT CODABLE		
		9994 = DON'T KNOW		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
(INOC10)		What kind of work did you do? That is, what was your occupation?		
WRKOCUYR	4	KIND OF WORK/JOB TITLE, JOB IN PAST YEAR		
		RANGE = 10 - 9840		
		9989 = LEGITIMATE SKIP Logically assigned		
		9990 = NOT REPORTED/NOT CODABLE		
		9994 = DON'T KNOW		
		9997 = REFUSED		
		9998 = BLANK (NO ANSWER)		
		9999 = LEGITIMATE SKIP		
(INOC12)		Which of these categories best describes the business in which you worked?		
WRKBZCYR	2	CATEG THAT BEST DESCR BUSINESS YOU WORKED		
		1 = Private for-profit company or business		
		2 = Private not-for-profit company or business		
		3 = Local government (city, county, etc.)		
		4 = State government		
		5 = Federal government		
		6 = International or foreign government		
		7 = Self-employed in an incorporated business		
		8 = Self-employed in an unincorporated business		
		9 = Working without pay in a family business/farm		
		89 = LEGITIMATE SKIP Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

EMPLOYMENT AND WORKPLACE			PAGE:	476
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD40)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30		
		0 = None		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(QD41)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30		
		0 = None		
		85 = BAD DATA Logically assigned		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(QD42)		Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?		
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
		1 = Less than 10 people		
		2 = 10-24 people		
		3 = 25-99 people		
		4 = 100-499 people		
		5 = 500 people or more		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		
(QD43)		At your workplace, is there a written policy about employee use of alcohol or drugs?		
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		1 = Yes		
		2 = No		
		94 = DON'T KNOW		
		97 = REFUSED		
		98 = BLANK (NO ANSWER)		
		99 = LEGITIMATE SKIP		

EMPLOYMENT AND WORKPLACE			PAGE:	477
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD44)		Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH 1 = Only alcohol 2 = Only drugs 3 = Both alcohol and drugs 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD45)		At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?		
WKDRGED	2	AT WORK, GIVEN EDUCATION ON DRUGS/ALC 1 = Yes 2 = No 3 = Don't remember 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD46)		Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?		
DRGPRGM	2	ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD47)		Does your workplace ever test its employees for alcohol use?		
USALCTST	2	WORKPLACE TESTS FOR ALCOHOL USAGE 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
(QD48)		Does your workplace ever test its employees for drug use?		
USDRGTST	2	WORKPLACE TESTS FOR DRUG USAGE 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

EMPLOYMENT AND WORKPLACE			PAGE:	478
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
		(QD49) Does your workplace test its employees for drug or alcohol use as part of the hiring process?		
TSTHIRE	2	TEST FOR DRUG/ALC AS HIRING PROCESS 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
		(QD50) Does your workplace test its employees for drug or alcohol use on a random basis?		
TSTRAND	2	TEST ON RANDOM BASIS 1 = Yes 2 = No 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
		(QD51) According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?		
FIRSTPOS	2	WHAT HAPPENS FIRST TIME CAUGHT 1 = Handled on indiv basis/policy does not spec what 2 = Employee is fired 3 = Employee is referred for treatment or counseling 4 = Nothing happens 5 = Something else happens 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
		(QD52) Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?		
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE 1 = More likely 2 = Less likely 3 = Would it make no difference to you 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

EMPLOYMENT AND WORKPLACE			PAGE:	479
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD53)		Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?		
WORKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY 1 = More likely 2 = Less likely 3 = Would make no difference 94 = DON'T KNOW 97 = REFUSED 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

IMPUTED EMPLOYMENT AND WORKPLACE			PAGE:	480
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		IMPUTED EMPLOYMENT AND WORKPLACE		

		The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.		
EMPSTATY	2	IMPUTATION REVISED EMPLOYMENT STATUS 1 = Employed full time 2 = Employed part time 3 = Unemployed 4 = Other (incl. not in labor force) 99 = 12-14 year olds		
IIEMPSTY	1	IMPUTATION INDICATOR EMPLOYMENT STATUS 1 = Employment status from questionnaire 3 = Employment statistically imputed 9 = 12-14 years old		
II2EMSTY	1	IMPUTATION INDICATOR EMPLOYMENT STATUS (DETAILS) 1 = Employment status from questionnaire 3 = Emp. statistically imputed (unrestricted) 4 = Emp. stat. imp. (restr. to full-time or part-time) 9 = 12-14 years old EMPSTAT4 is a recode of EMPSTATY and AGE. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.		
EMPSTAT4	2	IMPUTATION REVISED EMPLOYMENT STATUS 18+ 1 = Employed full time 2 = Employed part time 3 = Unemployed 4 = Other (incl. not in labor force) 99 = 12-17 year olds		
IIEMPST4	1	IMPUTATION INDICATOR EMPLOYMENT STATUS 18+ 1 = Employment status from questionnaire 3 = Employment statistically imputed 9 = 12-17 years old		
II2EMST4	1	IMP. IND. EMPLOYMENT STATUS 18+ (DETAILS) 1 = Employment status from questionnaire 3 = Emp. statistically imputed (unrestricted) 4 = Emp. stat. imp. (restr. to full-time or part-time) 9 = 12-17 years old		

FI DEBRIEFING QUESTIONS			PAGE:	481
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
(FIDBF01)		FI DEBRIEFING QUESTIONS ----- Did you conduct this interview at the respondent's home - either inside or outside?		
INTATHOM	2	INTERVIEW CONDUCTED INSIDE OR OUTSIDE RESP'S HOME 1 = Yes 2 = No 3 = Yes LOGICALLY ASSIGNED (INTATWHR = 70) 98 = BLANK (NO ANSWER)		
(FIDBF05)		Estimate the respondent's understanding of the interview.		
UNDINT	2	ESTIMATE RESPONDENTS UNDERSTANDING OF INTERVIEW 1 = No difficulty - no language or reading problem 2 = Just a little difficulty - almost no lang/read prb 3 = A fair amount of difficulty - some lang/read prb 4 = A lot of difficulty - considerable lang/read prb 98 = BLANK (NO ANSWER)		
(FIDBF06)		How cooperative has the respondent been?		
COOPINT	2	HOW COOPERATIVE WAS RESP 1 = Very cooperative 2 = Fairly cooperative 3 = Not very cooperative 4 = Openly hostile 98 = BLANK (NO ANSWER)		
(FIDBF07)		Indicate on this scale of 1 through 5 how private the interview was. Please do not count yourself as another person in the room.		
PRIVACY	2	SCALE OF PRIVACY DURING INTERVIEW 1 = Completely private-no one present/able to overhear 2 = Minor distractions 3 = Person(s) in the room or listening about 1/3 time 4 = Serious interruptions of privacy more thn 1/2 time 5 = Constant presence of other person(s) 98 = BLANK (NO ANSWER)		
(FIDBF08)		Not including yourself, other people present or listening to the interview were . . .		
PPRES	2	PARENT(S) 1 = Response entered 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
SPRES	2	SPOUSE 2 = Response entered 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
PARPRES	2	LIVE IN PARTNER/BOY/GIRLFRIEND 3 = Response entered 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

FI DEBRIEFING QUESTIONS			PAGE:	482
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OARPRES	2	OTHER ADULT RELATIVE(S) 4 = Response entered 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
OAPRES	2	OTHER ADULT(S) 5 = Response entered 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
CPRES	2	CHILD(REN) UNDER 15 6 = Response entered 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		
OPRESNSP	2	OTHER (PEOPLE PRESENT/LISTENING DURING INT)SPECIFY 7 = Response entered 98 = BLANK (NO ANSWER) 99 = LEGITIMATE SKIP		

FI DEBRIEFING QUESTIONS			PAGE:	483
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OPRESSPA	3	OTHER PERSON SPECIFIED PRESENT - SPECIFY 1 6 = Field Supervisor/Observer/Another FI 7 = Screening Respondent 9 = Head of Household 10 = Spouse 15 = In-Law (incl step, future, or ex) 20 = Parent/Guardian 30 = Own Child/Own Half Child 33 = Grandchild, Great Grandchild 37 = Child, Relation Unspecified 40 = Sibling 50 = Grandparent/Great+ Grandparent 60 = Live-In Partner 61 = Friend/Roommate/Companion 62 = Tenant/Boarder 71 = Cousin/Cousin's Spouse 82 = Housekeeper/Maid/Caretaker/Butler 83 = Nurse/Health Care Aide/Home Care Worker 84 = Neighbor/Co-Worker/Visitor/Employee/Employer 85 = Landlord/Home Owner 90 = Other Relative, Gender not specified 91 = Other Non-Relative, Gender not specified 92 = Other, Relation and Gender unspecified 110 = Husband 113 = Child's Father 120 = Father/Male Guardian 121 = Step/Adopted/Foster Father (incl future or ex) 130 = Son 131 = Step/Adopted/Foster Son (incl future or ex) 132 = Son-in-Law (incl step, future, or ex) 133 = Grandson, Great Grandson 137 = Male Child, Relation Unspecified 140 = Brother/Half Brother 141 = Step/Adopted/Foster Brother (incl future or ex) 142 = Brother In-Law (incl step, future, or ex) 150 = Grandfather/Great+ Grandfather 161 = Male Fiance/Boyfriend/Roommate/Companion 170 = Uncle/Step Uncle/Great Uncle/Aunt's Husband 172 = Nephew 184 = Male Neighbor/Co-Worker/Visitor/Employee/Employer 185 = Male Landlord/Home Owner 191 = Other Male Non-Relative 192 = Other Male, Relation Unspecified 209 = Female Head of Household 210 = Wife 213 = Child's Mother 220 = Mother/Female Guardian 221 = Step/Adopted/Foster Mother (incl future or ex) 222 = Mother-in-Law (incl step, future, or ex) 230 = Daughter 231 = Step/Adopted/Foster Daughter (incl future or ex) 232 = Daughter-in-Law (incl step, future, or ex) 233 = Granddaughter, Great Granddaughter 237 = Female Child, Relation Unspecified 240 = Sister/Half Sister 241 = Step/Adopted/Foster Sister/Future Step Sister 242 = Sister-in-law (incl step, future, or ex) 250 = Grandmother/Great+ Grandmother 261 = Female Fiancee/Girlfriend/Roommate/Companion 263 = Female Live-In Babysitter 270 = Aunt/Step Aunt/Great Aunt/Uncle's Wife		

Codebook Creation Date: April 24, 2012

FI DEBRIEFING QUESTIONS			PAGE:	484
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		272 = Niece		
		282 = Female Housekeeper/Maid/Caretaker/Butler		
		283 = Female Nurse/Health Care Aide/Home Care Worker		
		284 = Female Neighbor/Co-Worker/Visitor/Employee/Employr		
		285 = Female Landlord/Home Owner		
		290 = Other Female Relative		
		291 = Other Female Non-Relative		
		292 = Other Female, Relation Unspecified		
		315 = In-Laws		
		320 = Parents/Guardians		
		321 = Step/Adopted/Foster Parents (incl future or ex)		
		330 = Own Children/Own Half Children		
		333 = Grandchildren, Great Grandchildren		
		337 = Children, Relation Unspecified		
		340 = Siblings		
		350 = Grandparents/Great+ Grandparents		
		361 = Friends/Roommates/Companions		
		362 = Tenants/Boarders		
		371 = Cousins/Cousins' Spouses		
		382 = Housekeepers/Maids/Caretakers/Butlers		
		383 = Nurses/Health Care Aides/Home Care Workers		
		384 = Neighbors/Co-Workers/Visitors/Employees/Employers		
		390 = Other Relatives, Gender not specified		
		391 = Other Non-Relatives, Gender not specified		
		392 = Others, Relation and Gender Unspecified		
		430 = Sons		
		440 = Brothers/Half Brothers		
		461 = Male Fiances/Boyfriends/Roommates/Companions		
		472 = Nephews		
		491 = Other Male Non-Relatives		
		492 = Other Males, Relation Unspecified		
		522 = Mothers/Step Mothers/Future Mothers In-Law		
		530 = Daughters		
		537 = Female children, Relation Unspecified		
		540 = Sisters/Half Sisters		
		561 = Female Fianceses/Girlfriends/Roommates/Companions		
		572 = Nieces		
		591 = Other Female Non-Relatives		
		900 = NOT A PERSON		
		903 = Self		
		904 = No one else		
		905 = Interruptions/distractions		
		906 = Interview conducted outdoors; no other info		
		985 = BAD DATA Logically assigned		
		994 = DON'T KNOW		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		

Codebook Creation Date: April 24, 2012

FI DEBRIEFING QUESTIONS			PAGE:	485
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OPRESSPB	3	OTHER PERSON SPECIFIED PRESENT - SPECIFY 2 6 = Field Supervisor/Observer/Another FI 8 = Respondent 10 = Spouse 20 = Parent/Guardian 30 = Own Child/Own Half Child 33 = Grandchild 37 = Child, Relation Unspecified 60 = Live-In Partner 61 = Friend/Roommate/Companion 62 = Tenant/Boarder 71 = Cousin/Cousin's Spouse 83 = Nurse/Health Care Aide/Home Care Worker 84 = Neighbor/Co-Worker/Visitor/Employee/Employer 90 = Other Relative, Gender not specified 91 = Other Non-Relative, Gender not specified 92 = Other, Relation and Gender unspecified 110 = Husband 120 = Father/Male Guardian 121 = Step/Adopted/Foster Father (incl future or ex) 130 = Son 140 = Brother/Half Brother 142 = Brother In-Law 150 = Grandfather/Great+ Grandfather 161 = Male Fiance/Boyfriend/Roommate/Companion 172 = Nephew 191 = Other Male Non-Relative 192 = Other Male, Relation Unspecified 210 = Wife 211 = Ex-Wife 213 = Child's Mother 220 = Mother/Female Guardian 222 = Mother/Step Mother/Future Mother In-Law 230 = Daughter 232 = Daughter-in-Law (incl step, future, or ex) 233 = Granddaughter 237 = Female Child, Relation Unspecified 240 = Sister/Half Sister 241 = Step/Adopted/Foster Sister (incl future or ex) 250 = Grandmother/Great+ Grandmother 261 = Female Fiancee/Girlfriend/Roommate/Companion 270 = Aunt/Step Aunt/Great Aunt/Uncle's Wife 272 = Niece 285 = Female Landlord/Home Owner 291 = Other Female Non-Relative 292 = Other Female, Relation Unspecified 320 = Parents/Guardians 330 = Own Children/Own Half Children 337 = Children, Relation Unspecified 340 = Siblings 350 = Grandparents/Great+ Grandparents 361 = Friends/Roommates/Companions 362 = Tenants/Boarders 371 = Cousins/Cousins' Spouses 372 = Sibling's/Sibling In-Law's Children 384 = Neighbors/Co-Workers/Visitors/Employees/Employers 390 = Other Relatives, Gender not specified 391 = Other Non-Relatives, Gender not specified 392 = Others, Relation and Gender Unspecified 430 = Sons 437 = Male children, Relation Unspecified		

Codebook Creation Date: April 24, 2012

FI DEBRIEFING QUESTIONS			PAGE:	486
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		440 = Brothers/Half Brothers		
		492 = Other Males, Relation Unspecified		
		540 = Sisters/Half Sisters		
		592 = Other Females, Relation Unspecified		
		900 = NOT A PERSON		
		905 = Interruptions/distractions		
		906 = Interview conducted outdoors; no other info		
		998 = BLANK (NO ANSWER)		
		999 = LEGITIMATE SKIP		
(FIDBF11)		How often did this respondent let you know what his or her answers were as he or she completed the ACASI portion of the interview?		
CMPTOLD	2	HOW OFTEN DID RESP TELL YOU ANSWERS		
		1 = None of the time - don't know any of the answers		
		2 = A little of the time - I know a few of the answers		
		3 = Some of the time - I know some of the answers		
		4 = A lot of the time - I know a lot of the answers		
		5 = All of the time - I know all of the answers		
		98 = BLANK (NO ANSWER)		

SAMPLE WEIGHTING AND ESTIMATION VARS			PAGE:	487
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		SAMPLE WEIGHTING AND ESTIMATION VARS		

DASWT_3	8	COMBINED 2002-2009 DAS ANALYSIS WEIGHTS		

GEOGRAPHIC			PAGE: 488	
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		GEOGRAPHIC		

REGION	1	CENSUS REGION		
		1 = Northeast		
		2 = Midwest		
		3 = South		
		4 = West		
DIVISION	1	CENSUS DIVISION CODE		
		1 = New England		
		2 = Middle Atlantic		
		3 = East North Central		
		4 = West North Central		
		5 = South Atlantic		
		6 = East South Central		
		7 = West South Central		
		8 = Mountain		
		9 = Pacific		

GEOGRAPHIC			PAGE:	489
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		<p>NOTE: The following variable, STATE, is created at the sampling stage and analysts are advised to use this variable in State-level analyses. The levels of STATE represent the Federal Information Processing Standards (FIPS) State codes for the 50 States and the District of Columbia. The State FIPS codes are numeric values that range from 1 to 56 with 5 values (3, 7, 14, 43, and 52) not assigned to any state. Therefore, the levels of STATE are not consecutive. STATE does not contain any SAS missing values. To use this variable in software which may require a consecutive value variable, this variable should be recoded so that the 51 levels have consecutive values. An alternative (if allowed by the software) would be use STATE as defined with 56 levels, allow the software to generate missing data for the 5 unassigned values, and then delete the missing data from the analysis.</p>		
STATE	2	STATE FIPS CODE (NUMERIC)		
		1 = Alabama		
		2 = Alaska		
		4 = Arizona		
		5 = Arkansas		
		6 = California		
		8 = Colorado		
		9 = Connecticut		
		10 = Delaware		
		11 = District of Columbia		
		12 = Florida		
		13 = Georgia		
		15 = Hawaii		
		16 = Idaho		
		17 = Illinois		
		18 = Indiana		
		19 = Iowa		
		20 = Kansas		
		21 = Kentucky		
		22 = Louisiana		
		23 = Maine		
		24 = Maryland		
		25 = Massachusetts		
		26 = Michigan		
		27 = Minnesota		
		28 = Mississippi		
		29 = Missouri		
		30 = Montana		
		31 = Nebraska		
		32 = Nevada		
		33 = New Hampshire		
		34 = New Jersey		
		35 = New Mexico		
		36 = New York		
		37 = North Carolina		
		38 = North Dakota		
		39 = Ohio		
		40 = Oklahoma		
		41 = Oregon		
		42 = Pennsylvania		
		44 = Rhode Island		
		45 = South Carolina		
		46 = South Dakota		
		47 = Tennessee		
		48 = Texas		

Codebook Creation Date: April 24, 2012

GEOGRAPHIC			PAGE:	490
LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		49 = Utah		
		50 = Vermont		
		51 = Virginia		
		53 = Washington		
		54 = West Virginia		
		55 = Wisconsin		
		56 = Wyoming		
STNAME	20	STATE NAME		
STUSAB	2	STATE US ABBREVIATION		
		<p>The segment-level variable RURORURB is derived from the 2000 Census block-level designation of rural or urban. The Census classifies as urban all blocks located within urbanized areas (UA) and urban clusters (UC). UAs and UCs generally consist of core census block groups or blocks that have a population density of at least 1,000 people per square mile and surrounding census blocks that have an overall density of at least 500 people per square mile. In addition, under certain conditions, less densely settled territory may be part of each UA or UC. In the NSDUH sample, if one or more of the blocks within a segment is urban, the segment is defined as urban. If one hundred percent of the blocks are rural, the segment is defined as rural.</p>		
RURORURB	1	RURAL OR URBAN SEGMENT		
		1 = Rural		
		2 = Urban		

GEOGRAPHIC			PAGE:	491
LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
		<p>NOTE: The Rural/Urban Continuum Codes, also known as Beale Codes, are classifications for all U.S. counties created by the U.S. Department of Agriculture. Rural-Urban Continuum Codes form a classification scheme that distinguishes metro counties by the population size of their metro area, and nonmetro counties by degree of urbanization and adjacency to a metro area or areas. The metro and nonmetro categories have been subdivided into three metro and six nonmetro groupings, resulting in a nine-part county codification. All U.S. counties and county equivalents are grouped according to their official metro-nonmetro status based on the June 2003 statistical area definitions provided by OMB. Metro counties are distinguished by population size of the metro area of which they are part. Nonmetro counties are classified according to the aggregate size of their urban population. Within the three urban size categories, nonmetro counties are further identified by whether or not they have some functional adjacency to a metro area or areas. A nonmetro county is defined as adjacent if it physically adjoins one or more metro areas, and has at least 2 percent of its employed labor force commuting to central metro counties. Nonmetro counties that do not meet these criteria are classed as nonadjacent. Although similar in concept, these 2003 Rural/Urban Continuum Codes are not fully comparable to the ones used prior to 2003.</p>		
RUCC03	1	<p>RURAL/URBAN CONTINUUM CODE</p> <p>1 = Counties in metro areas, pop>=1 million 2 = Counties in metro areas, pop 250,000- 1,000,000 3 = Counties in metro areas, pop<250,000 4 = Urban pop>=20,000, adjacent to metro area 5 = Urban pop>=20,000, not adjacent to metro area 6 = Urban pop 2,500- 19,999, adjacent to metro area 7 = Urban pop 2,500- 19,999, not adjacent to metro 8 = Rural or < 2,500 urban pop, adj to metro 9 = Rural or < 2,500 urban pop, not adj to metro</p> <p>NOTE: COUTYP1 and COUTYP2 are recodes based on the 2003 Rural/Urban Continuum Codes (RUCC03). Although similar in concept, these variables are not fully comparable to recoded variables CNTYTYP1 and CNTYTYP2 used in 2002 and prior years. This is due to the changes that occurred in the way the Rural/Urban Continuum Codes were created in 2003.</p>		
COUTYP1	1	<p>COUNTY TYPE 1</p> <p>1 = Large Metro (RUCC03=1) 2 = Small Metro, 250K or more population (RUCC03=2) 3 = Small Metro, <250K population (RUCC03=3) 4 = Nonmetro, 20K or more urban pop (RUCC03=4,5) 5 = Nonmetro, 2,500- 19,999 urban pop (RUCC03=6,7) 6 = Nonmetro, <2,500 urban pop (RUCC03=8,9)</p>		
COUTYP2	1	<p>COUNTY TYPE 2</p> <p>1 = Large Metro (COUTYP1=1) 2 = Small Metro (COUTYP1=2,3) 3 = Nonmetro (COUTYP1=4,5,6)</p>		
VESTR	5	ANALYSIS STRATUM		
VEREP	2	ANALYSIS REPLICATE		

Codebook Creation Date: April 24, 2012

LABEL	PAGE
----	----
ABDILAL	281
ABILANAL	279
ABILLALC	279
ABODALC	280
ABODANL	280
ABODCOC	280
ABODHAL	280
ABODHER	280
ABODIEM	280
ABODILAL	281
ABODILL	280
ABODINH	280
ABODMRJ	280
ABODPSY	280
ABODSED	280
ABODSTM	280
ABODTRN	280
ABUSEALC	277
ABUSEANL	277
ABUSECOC	277
ABUSEHAL	278
ABUSEHER	278
ABUSEIEM	279
ABUSEILL	279
ABUSEINH	278
ABUSEMRJ	278
ABUSEPSY	279
ABUSESED	278
ABUSESTM	278
ABUSETRN	278
ABUSEXMJ	279
AEROS	53
AEROS2	164
AGE	449
AGEADULT	455
AGEDRNK	455
AL30EST	16
ALBSTWAY	15
ALCAFU	170
ALCAFU2	170
ALCAVGM	172
ALCCUT1X	229
ALCCUTDN	228
ALCCUTEV	229
ALCDAYS	16

LABEL	PAGE
----	----
ALCDOC.....	361
ALCEMCTD.....	231
ALCEMOPB.....	230
ALCEVER.....	14
ALCFLAG.....	156
ALCFMCTD.....	234
ALCFMFPB.....	233
ALCGTOVR.....	227
ALCHOSP.....	361
ALCJAIL.....	361
ALCKPLMT.....	227
ALCLAWTR.....	233
ALCLIMIT.....	227
ALCLOTMT.....	226
ALCLSACT.....	232
ALCLSEFX.....	228
ALCMDAYS.....	171
ALCMHC.....	361
ALCMON.....	156
ALCNDMOR.....	228
ALCPCAUD.....	358
ALCPCARE.....	358
ALCPCORT.....	358
ALCPDANG.....	233
ALCPEMPL.....	358
ALCPFMLY.....	358
ALCPHCTD.....	231
ALCPHLPB.....	231
ALCPINS.....	358
ALCPMILC.....	358
ALCPPUBP.....	358
ALCPSAVE.....	358
ALCREC.....	14
ALCRFIN.....	361
ALCRFOP.....	361
ALCSERP.....	232
ALCSHG.....	361
ALCTRMT.....	356
ALCTRY.....	14
ALCTXER.....	361
ALCWD2SX.....	229
ALCWDSMT.....	230
ALCYDAYS.....	170
ALCYR.....	156
ALCYRTOT.....	15

LABEL	PAGE
----	----
ALDAYPMO.....	16
ALDAYPWK.....	16
ALDAYPYR.....	15
ALDYSFG.....	16
ALFQFLG.....	15
ALFRAME3.....	187
ALLAST3.....	186
ALMONAVE.....	187
ALRECDK.....	186
ALRECRE.....	187
ALTOTFG.....	15
ALWKAVE.....	188
ALYRAVE.....	187
AMDXPHEN.....	168
AMHINP2.....	385
AMHOUTP3.....	385
AMHRX2.....	385
AMHTXND2.....	385
AMHTXRC3.....	385
AMYLNIT.....	51
AMYLNIT2.....	163
AMYTAL.....	125
AMYTAL2.....	169
ANALAGE.....	87
ANALNEWA.....	72
ANALNEWB.....	78
ANALNEWC.....	82
ANALNEWD.....	85
ANALNEWE.....	86
ANALREC.....	87
ANLCARD.....	66
ANLEVER.....	87
ANLFLAG.....	158
ANLFSTYR.....	180
ANLMON.....	158
ANLNOLST.....	70
ANLYR.....	158
ANLYRTOT.....	88
ANYBARB.....	170
ANYEDUC3.....	412
ANYHLTIN.....	439
ANYMHIN.....	427
ANYMHOUT.....	427
ANYSMH.....	428
APPSELDG.....	219

LABEL	PAGE
----	----
ARGUPAR.....	409
ASIANPI.....	458
ATARAX.....	91
ATARAX2.....	166
AUINAHSP.....	371
AUINMEDU.....	370
AUINPGEN.....	370
AUINPSYH.....	370
AUINPYR.....	370
AUINRESD.....	371
AUINSFAC.....	371
AUNMAHSP.....	372
AUNMCLNC.....	379
AUNMDOC.....	379
AUNMDTMT.....	380
AUNMMEDU.....	372
AUNMMENT.....	379
AUNMOTOP.....	380
AUNMPGEN.....	371
AUNMPSYH.....	371
AUNMRESD.....	372
AUNMSFAC.....	372
AUNMTHER.....	379
AUOPCLNC.....	376
AUOPDOC.....	376
AUOPDTMT.....	376
AUOPMENT.....	376
AUOPOTOP.....	377
AUOPTHER.....	376
AUOPTYR.....	375
AUOPYRSP.....	379
AUPINEMP.....	373
AUPINFMP.....	375
AUPINFRE.....	374
AUPINMCD.....	373
AUPINMCR.....	373
AUPINMIL.....	373
AUPINMOS.....	374
AUPINOFM.....	373
AUPINPHI.....	373
AUPINPRV.....	374
AUPINPUB.....	374
AUPINREH.....	373
AUPINSLF.....	372
AUPOPAMT.....	382

LABEL	PAGE
----	----
AUPOPEMP.....	381
AUPOPFRE.....	381
AUOPMCD.....	381
AUOPMCR.....	380
AUOPMIL.....	381
AUOPMOS.....	382
AUPOPOFM.....	380
AUOPPHI.....	380
AUOPPRV.....	381
AUOPPUB.....	381
AUOPPREH.....	381
AUOPSLF.....	380
AURXYR.....	382
AUUNCFID.....	384
AUUNCMIT.....	384
AUUNCOST.....	383
AUUNENUF.....	384
AUUNJOB.....	383
AUUNMTYR.....	383
AUUNNBR.....	383
AUUNNCOV.....	383
AUUNWHER.....	384
AVGGRADE.....	408
BENZOS.....	167
BINGEDRK.....	162
BINGEHVY.....	163
BIRMONTH.....	449
BIRYEAR.....	449
BKAGASLT.....	284
BKARSON.....	285
BKBURGL.....	283
BKDRUG.....	286
BKDRUNK.....	285
BKDRVINF.....	285
BKFRAUD.....	287
BKLARCNY.....	283
BKMURDER.....	285
BKMTHTFT.....	283
BKOTH.....	287
BKOTHOFF.....	288
BKPOSTOB.....	286
BKPROS.....	286
BKRAPE.....	284
BKROB.....	284
BKSEXOFF.....	286

LABEL	PAGE
-----	-----
BKSMASLT.....	284
BOOKED.....	282
BORNINOT.....	460
BORNINUS.....	459
BUSPAR.....	91
BUSPAR2.....	166
BUTISOL.....	125
BUTISOL2.....	169
CATAG18.....	454
CATAG2.....	454
CATAG3.....	454
CATAG7.....	454
CATAGE.....	454
CATAGMH2.....	455
CC30EST.....	23
CCBSTWAY.....	22
CCDAYPMO.....	22
CCDAYPWK.....	23
CCDAYPYR.....	22
CCFQFLG.....	22
CCFRAME3.....	190
CCLAST3.....	189
CCMONAVE.....	190
CCRECDK.....	189
CCRECRE.....	190
CCTOTFG.....	21
CCWKAVE.....	190
CCYRAVE.....	190
CDUFLAG.....	162
CG05.....	183
CG06.....	183
CG06DK.....	183
CG06RE.....	183
CG19.....	184
CG20.....	184
CG20DK.....	185
CG20RE.....	185
CG27.....	183
CG28.....	184
CG28DK.....	184
CG28RE.....	184
CG30EST.....	3
CG36.....	185
CG37.....	185
CG37DK.....	185

LABEL	PAGE
----	----
CG37RE.....	186
CG43.....	186
CGR30USE.....	12
CGRFLAG.....	155
CGRMON.....	155
CGRYR.....	155
CH30EST.....	8
CHAMPUS.....	432
CHEWEVER.....	7
CHEWREC.....	7
CHEWTRY.....	7
CHHYD.....	126
CHHYD2.....	169
CHW30BRN.....	9
CHW30USE.....	8
CHWFLAG.....	155
CHWMON.....	155
CHWYR.....	155
CI30EST.....	12
CIG100LF.....	5
CIG30AV.....	4
CIG30ROL.....	4
CIG30USE.....	3
CIGAFU.....	170
CIGAGE.....	4
CIGALCMO.....	162
CIGAREVR.....	11
CIGARREC.....	12
CIGARTRY.....	11
CIGAVGD.....	172
CIGAVGM.....	172
CIGAVOID.....	221
CIGCRAGP.....	220
CIGCRAVE.....	220
CIGDLYMO.....	4
CIGEVER.....	2
CIGFLAG.....	155
CIGFNLKE.....	222
CIGFNSMK.....	221
CIGINCRS.....	225
CIGINCTL.....	221
CIGINFLU.....	224
CIGIRTBL.....	220
CIGLOTMR.....	226
CIGMDAYS.....	171

LABEL	PAGE
----	----
CIGMON.....	155
CIGNMCHG.....	224
CIGNOINF.....	225
CIGOFRSM.....	2
CIGPDAY.....	172
CIGPLANE.....	222
CIGREC.....	3
CIGREGDY.....	223
CIGREGNM.....	223
CIGREGWK.....	223
CIGRNOUT.....	222
CIGSATIS.....	225
CIGSVLHR.....	224
CIGTRY.....	2
CIGWAKE.....	226
CIGWILYR.....	2
CIGYR.....	155
CKFRAME3.....	191
CKLAST3.....	191
CKMONAVE.....	192
CKRECDK.....	191
CKRECRE.....	191
CKWKAVE.....	192
CKYRAVE.....	192
CLEFLU.....	51
CLEFLU2.....	163
CMPTOLD.....	486
COCAGE.....	21
COCCUTIX.....	242
COCCUTDN.....	242
COCCUTEV.....	242
COCEMCTD.....	244
COCEMOPB.....	244
COCEVER.....	21
COCFLAG.....	156
COCFLBLU.....	242
COCFMCTD.....	246
COCFMFPB.....	246
COCFSTYR.....	179
COCGTOVR.....	240
COCKPLMT.....	241
COCLAWTR.....	246
COCLIMIT.....	241
COCLOTTM.....	240
COCLSACT.....	245

LABEL	PAGE
-----	-----
COCLSEFX.....	241
COCMDAYS.....	171
COCMON.....	156
COCNDMOR.....	241
COCNEEDL.....	207
COCPDANG.....	245
COCPHCTD.....	244
COCPHLPB.....	244
COCREC.....	21
COCSERPB.....	245
COCUS30A.....	23
COCWD2SX.....	243
COCWDSMT.....	243
COCYDAYS.....	171
COCYR.....	156
COCYRTOT.....	21
CODEINE.....	66
CODEINE2.....	164
COLLAGES.....	455
COLLENR.....	470
COLLENR2.....	470
CONDLREC.....	207
COOPINT.....	481
COUTYP1.....	491
COUTYP2.....	491
CPNMTHFG.....	160
CPNMTHMN.....	160
CPNMTHYR.....	160
CPNPSYFG.....	161
CPNPSYMN.....	161
CPNPSYYR.....	161
CPNSTMFG.....	159
CPNSTMMN.....	159
CPNSTMYR.....	159
CPRES.....	482
CR30EST.....	26
CRAKREC.....	24
CRBSTWAY.....	25
CRDAYPMO.....	25
CRDAYPWK.....	26
CRDAYPYR.....	25
CRFQFLG.....	25
CRKAGE.....	24
CRKEVER.....	24
CRKFLAG.....	156

LABEL	PAGE
----	----
CRKFSTYR.....	179
CRKMON.....	157
CRKUS30A.....	26
CRKYR.....	157
CRKYRTOT.....	24
CRTOTFG.....	25
CYLERT.....	106
CYLERT2.....	168
DALMANE.....	126
DALMANE2.....	169
DARVTYL2.....	164
DARVTYLC.....	65
DASWT_3.....	487
DCIGAFU.....	170
DEMEROL.....	66
DEMEROL2.....	164
DEPNDALE.....	273
DEPNDALE.....	274
DEPNDCOC.....	274
DEPNDEAL.....	274
DEPNDEAL.....	274
DEPNDEAL.....	275
DEPNDEAL.....	275
DEPNDEAL.....	274
DEPNDEAL.....	274
DEPNDEAL.....	276
DEPNDEAL.....	274
DEPNDEAL.....	275
DEPNDEAL.....	275
DEPNDEAL.....	276
DETALAGE.....	454
DETAMP.....	107
DETAMP2.....	168
DEXED.....	106
DEXED2.....	168
DIDREX.....	107
DIDREX2.....	168
DIETPIL2.....	167
DIETPILS.....	105
DILAUD.....	67
DILAUD2.....	164
DIVISION.....	488
DNICNSP.....	272
DPILANAL.....	276
DPILLALC.....	276

LABEL	PAGE
----	----
DR5DAY.....	17
DRGDOC.....	362
DRGHOSP.....	362
DRGJAIL.....	362
DRGMHC.....	362
DRGPLCY.....	476
DRGPRGM.....	477
DRGRFIN.....	362
DRGRFOP.....	362
DRGSHG.....	362
DRGTXER.....	362
DRIVALC2.....	291
DRIVALD2.....	291
DRIVDRG2.....	291
DRPRVME3.....	412
DRVALDR.....	289
DRVAONLY.....	289
DRVONLY.....	290
ECSAGE.....	50
ECSFLAG.....	157
ECSFSTYR.....	180
ECSMON.....	158
ECSREC.....	50
ECSTASY.....	31
ECSYR.....	157
EDTEDUC.....	464
EDUC.....	450
EDUCAGE.....	455
EDUCATND.....	466
EDUCCAT2.....	458
EIAGE.....	449
ELGALC_B.....	173
ELGANL_B.....	174
ELGCD2_B.....	173
ELGCGR_B.....	173
ELGCIG_B.....	173
ELGCOC_B.....	173
ELGCRK_B.....	173
ELGECS_B.....	174
ELGHAL_B.....	173
ELGHER_B.....	173
ELGIEM_B.....	175
ELGINH_B.....	174
ELGLSD_B.....	174
ELGMJ_B.....	173

LABEL	PAGE
----	----
ELGMTH_B.....	174
ELGPCP_B.....	174
ELGPSY_B.....	174
ELGSED_B.....	174
ELGSLT_B.....	173
ELGSTM_B.....	174
ELGSUM_B.....	175
ELGTRN_B.....	174
EMPSTAT4.....	480
EMPSTATY.....	480
EQUANIL.....	92
EQUANIL2.....	166
ESKAT.....	107
ESKAT2.....	168
ETHER.....	52
ETHER2.....	163
EXPRACE.....	457
EXPRACE2.....	457
F15_44.....	455
F18_49.....	456
FAMINCL.....	444
FAMPMT.....	442
FAMSVCL.....	442
FAMWAG.....	441
FILEDATE.....	1
FINCL.....	444
FIORICET.....	67
FIORICT2.....	164
FIORINAL.....	67
FIORINL2.....	164
FIRSTPOS.....	478
FLEXERIL.....	92
FLEXERL2.....	166
FLNDILAL.....	365
FLTNDALC.....	364
FLTNDILL.....	365
FRDADLY2.....	410
FRDMEVR2.....	410
FRDMJMON.....	410
FRDPCIG2.....	410
FSTAMP.....	441
FSTRCHLD.....	430
FTNDDNSP.....	272
F_18UP.....	456
GAS.....	52

LABEL	PAGE
----	----
GAS2.....	163
GLUE.....	52
GLUE2.....	163
GNNDCLN.....	208
GNNDGET.....	209
GNNDLSH1.....	208
GNNDLSH2.....	208
GNNDREUS.....	208
GQTYPE.....	448
GRPCNSL2.....	411
GRPHLTIN.....	432
GRSKCOCC.....	218
GRSKCREG.....	218
GRSKD4_5.....	218
GRSKD5WK.....	219
GRSKHREG.....	218
GRSKHTRY.....	218
GRSKLREG.....	218
GRSKLTRY.....	218
GRSKMOCC.....	218
GRSKMREG.....	218
GRSKPKCG.....	218
HAL30USE.....	49
HALCION.....	126
HALCION2.....	169
HALFLAG.....	157
HALFSTYR.....	180
HALLAGE.....	47
HALLREC.....	47
HALMDAYS.....	172
HALMON.....	157
HALNEWA.....	32
HALNEWB.....	38
HALNEWC.....	42
HALNEWD.....	45
HALNEWE.....	46
HALNOLST.....	31
HALYDAYS.....	171
HALYR.....	157
HALYRTOT.....	47
HEALTH.....	451
HEFRAME3.....	193
HELAST3.....	192
HEMONAVE.....	193
HER30USE.....	29

LABEL	PAGE
----	----
HERAGE.....	27
HERCUT1X.....	249
HERCUTDN.....	248
HERCUTEV.....	249
HERECDK.....	192
HERECRE.....	192
HEREMCTD.....	250
HEREMOPB.....	250
HEREVER.....	27
HERFLAG.....	157
HERFMCTD.....	253
HERFMFPB.....	253
HERFSTYR.....	179
HERGTOVR.....	247
HERKPLMT.....	248
HERLAWTR.....	252
HERLIMIT.....	247
HERLOTMT.....	247
HERLSACT.....	251
HERLSEFX.....	248
HERMON.....	157
HERNDMOR.....	248
HERNEEDL.....	206
HERPDANG.....	252
HERPHCTD.....	251
HERPHLPB.....	251
HERREC.....	27
HERSERPB.....	252
HERSMOK2.....	211
HERSMOKE.....	205
HERSNIF2.....	211
HERSNIFF.....	205
HERWD3SX.....	249
HERWDSMT.....	250
HERYR.....	157
HERYRTOT.....	27
HEWKAVE.....	193
HEYRAVE.....	193
HH65.....	429
HISP2.....	458
HISPGRP.....	458
HISPGRP2.....	458
HL30EST.....	49
HLBSTWAY.....	48
HLCALL99.....	439

LABEL	PAGE
-----	-----
HLCALLFG.....	439
HLCLAST.....	434
HLCNOTMO.....	434
HLCNOTYR.....	434
HLDAYPMO.....	48
HLDAYPWK.....	48
HLDAYPYR.....	48
HLFQFLG.....	47
HLLOSRSN.....	435
HLNV COST.....	435
HLNVNEED.....	435
HLNVOFFR.....	435
HLNVREF.....	435
HLNVSOR.....	436
HLTINALC.....	433
HLTINDRG.....	433
HLTIMMNT.....	433
HLTINNOS.....	433
HLTOTFG.....	47
HR30EST.....	29
HRBSTWAY.....	28
HRDAYPMO.....	28
HRDAYPWK.....	28
HRDAYPYR.....	28
HRFQFLG.....	27
HRNDLREC.....	206
HRSMKREC.....	205
HRSNFREC.....	205
HRTOTFG.....	27
HSDIPLMA.....	467
HSGED.....	468
HVYDRK2.....	163
HYDCODOP.....	165
HYDROCD2.....	164
HYDROCOD.....	67
IEMAGE.....	162
IEMFLAG.....	162
IEMFSTYR.....	180
IEMMON.....	162
IEMYR.....	162
IFATHER.....	429
II2ALCD5.....	148
II2ALCFM.....	148
II2ALCFY.....	143
II2ALCRC.....	138

LABEL	PAGE
----	----
II2ANLFY.....	145
II2ANLRC.....	141
II2CGRFM.....	147
II2CGRRC.....	136
II2CHWFM.....	147
II2CHWRC.....	137
II2CIGFM.....	147
II2CIGRC.....	136
II2COCFM.....	149
II2COCFY.....	143
II2COCRC.....	138
II2CRKFM.....	149
II2CRKFY.....	144
II2CRKRC.....	139
II2ECSRC.....	140
II2EMST4.....	480
II2EMSTY.....	480
II2HALFM.....	150
II2HALFY.....	144
II2HALRC.....	139
II2HERFM.....	149
II2HERFY.....	144
II2HERRC.....	139
II2INHFM.....	150
II2INHFY.....	145
II2INHRC.....	140
II2LSDRRC.....	140
II2MJFM.....	149
II2MJFY.....	143
II2MJRC.....	138
II2MTHFY.....	146
II2MTHRC.....	142
II2PCPRC.....	140
II2SEDFY.....	146
II2SEDRC.....	142
II2SLTRC.....	137
II2SNFFM.....	148
II2SNFRC.....	138
II2STMFY.....	145
II2STMRC.....	141
II2TRNRY.....	145
II2TRNRC.....	141
IIALCAGE.....	152
IIALCD5.....	148
IIALCFM.....	148

LABEL	PAGE
----	----
IIALCFY.....	143
IIALCRC.....	138
IIANLAGE.....	153
IIANLFY.....	145
IIANLRC.....	141
IIBORNUS.....	469
IICDUAGE.....	151
IICGAVD.....	267
IICGCRGP.....	267
IICGCRV.....	266
IICGINCR.....	270
IICGINFL.....	269
IICGIRTB.....	266
IICGLMR.....	271
IICGNCG.....	269
IICGNCTL.....	267
IICGNINF.....	270
IICGPLN.....	267
IICGRAGE.....	151
IICGRFM.....	147
IICGRGDY.....	268
IICGRGNM.....	269
IICGRGWK.....	268
IICGROUT.....	268
IICGRRC.....	136
IICGSAT.....	270
IICGSLHR.....	269
IICHMPUS.....	437
IICHWAGE.....	151
IICHWFM.....	147
IICHWRC.....	137
IICIGAGE.....	151
IICIGFM.....	147
IICIGRC.....	136
IICOCAGE.....	152
IICOCFM.....	149
IICOCFY.....	143
IICOCRC.....	138
IICRKAGE.....	152
IICRKFM.....	149
IICRKFY.....	144
IICRKRC.....	139
II ECSAGE.....	153
II ECSRC.....	140
II EDUC.....	453

LABEL	PAGE
-----	-----
IIEMPST4.....	480
IIEMPSTY.....	480
IIFAMIN1.....	446
IIFAMPMT.....	445
IIFAMSKP.....	431
IIFAMSVC.....	445
IIFAMSZE.....	431
IIFAMWAG.....	445
IIFINC1.....	446
IIFSTAMP.....	445
IIHALAGE.....	152
IIHALFM.....	150
IIHALFY.....	144
IIHALRC.....	139
IIHCSPSP.....	431
IIHCSPWC.....	431
IIHERAGE.....	152
IIHERFM.....	149
IIHERFY.....	144
IIHERRC.....	139
IIHH65.....	431
IIHHSIZE.....	430
IIHOIND.....	452
IIINHAGE.....	153
IIINHFM.....	150
IIINHFY.....	144
IIINHRC.....	140
IIINSUR.....	437
IIINSUR4.....	440
IIKID17.....	430
IIKIDFAM.....	431
II LSDAGE.....	152
II LSDRC.....	139
II MARIT.....	453
II MEDICR.....	437
II MJAGE.....	152
II MJFM.....	148
II MJFY.....	143
II MJRC.....	138
II MTHAGE.....	154
II MTHFY.....	146
II MTHRC.....	141
II NWRACE.....	452
II PCPAGE.....	153
II PCPRC.....	140

LABEL	PAGE
-----	-----
IIPINCL.....	445
IIPINSUR.....	437
IIPPLF.....	136
IIPPMN.....	137
IIPRVHLT.....	438
IISEDAGE.....	154
IISEDFY.....	146
IISEDRC.....	142
IISLTAGE.....	151
IISLTRC.....	137
IISNFAGE.....	151
IISNFFM.....	148
IISNFRC.....	137
IISTMAGE.....	153
IISTMFY.....	145
IISTMRC.....	141
IITRNAGE.....	153
IITRNFY.....	145
IITRNRC.....	141
IIWELMOS.....	445
ILLNEED.....	364
ILLPCAID.....	358
ILLPCARE.....	358
ILLPCORT.....	359
ILLPEMPL.....	359
ILLPFMLY.....	359
ILLPINS.....	358
ILLPMILC.....	359
ILLPPUBP.....	358
ILLPSAVE.....	359
ILLTRMT.....	356
IMGBF12.....	470
IMGBFMRJ.....	470
IMOTHER.....	429
IN30EST.....	64
INBESTWAY.....	63
INCOME.....	447
INDAYPMO.....	63
INDAYPWK.....	63
INDAYPYR.....	63
INFQFLG.....	62
INFRAME3.....	196
INHAGE.....	62
INHCUTDN.....	255
INHCUTEV.....	255

LABEL	PAGE
-----	-----
INH DY30A.....	64
INHEMCTD.....	256
INHEMOPB.....	255
INHEVER.....	61
INHFLAG.....	158
INHFMCTD.....	258
INHFMFPB.....	258
INHfstyr.....	180
INHGTOVR.....	254
INHKLMT.....	254
INHlawtr.....	258
INHLIMIT.....	254
INHLOTTM.....	253
INHLsact.....	257
INHLSEFX.....	255
INHMDAYS.....	172
INHMON.....	158
INHNDMOR.....	254
INHNEWA.....	54
INHNEWB.....	58
INHNEWc.....	60
INHNEWd.....	61
INHNEWe.....	61
INHnolst.....	53
INHOSPyr.....	368
INHPDANG.....	257
INHPHCTD.....	256
INHPHLPB.....	256
INHREC.....	62
INHserpb.....	257
INH Ydays.....	171
INH Yr.....	158
INH Yrtot.....	62
INLAST.....	195
INMONAVE.....	196
INRECDK.....	195
INRECRE.....	196
INSUR.....	436
INTATHOM.....	481
INTOTFG.....	62
INWKAVE.....	197
IN Yrave.....	196
IONAMIN.....	107
IONAMIN2.....	168
IRALCAGE.....	151

LABEL	PAGE
-----	-----
IRALCD5.....	148
IRALCFM.....	148
IRALCFY.....	143
IRALCRC.....	138
IRANLAGE.....	153
IRANLFY.....	145
IRANLRC.....	141
IRBORNUS.....	469
IRCDUAGE.....	151
IRCGAVD.....	267
IRCGCRGP.....	266
IRCGCRV.....	266
IRCGINCR.....	270
IRCGINFL.....	269
IRCGIRTB.....	266
IRCGLMR.....	270
IRCGNCG.....	269
IRCGNCTL.....	267
IRCGNINF.....	270
IRCGPLN.....	267
IRCGRAGE.....	151
IRCGRFM.....	147
IRCGRGDY.....	268
IRCGRGNM.....	268
IRCGRGWK.....	268
IRCGROUT.....	268
IRCGRRC.....	136
IRCGSAT.....	270
IRCGSLHR.....	269
IRCHMPUS.....	437
IRCHWAGE.....	151
IRCHWFM.....	147
IRCHWRC.....	137
IRCIGAGE.....	151
IRCIGFM.....	147
IRCIGRC.....	136
IRCOCAGE.....	152
IRCOCFM.....	149
IRCOCFY.....	143
IRCOCRC.....	138
IRCRKAGE.....	152
IRCRKFM.....	149
IRCRKFY.....	143
IRCRKRC.....	139
IRECSAGE.....	153

LABEL	PAGE
-----	-----
IRECSRC.....	140
IREduc.....	453
IRENTA_B.....	469
IRFAMIN1.....	446
IRFAMPMT.....	445
IRFAMSKP.....	431
IRFAMSVC.....	445
IRFAMSZE.....	431
IRFAMWAG.....	445
IRFINCL.....	445
IRFSTAMP.....	445
IRHALAGE.....	152
IRHALFM.....	150
IRHALFY.....	144
IRHALRC.....	139
IRHCSPSP.....	431
IRHCSPWC.....	431
IRHERAGE.....	152
IRHERFM.....	149
IRHERFY.....	144
IRHERRC.....	139
IRHH65.....	430
IRHHSIZE.....	430
IRHOIND.....	452
IRINHAGE.....	153
IRINHFM.....	150
IRINHfy.....	144
IRINHRC.....	140
IRINSUR.....	437
IRINSUR4.....	439
IRKID17.....	430
IRKIDFAM.....	431
IRLSDAGE.....	152
IRLSDRC.....	139
IRMARIT.....	452
IRMEDICR.....	437
IRMJAGE.....	152
IRMJFM.....	148
IRMJFY.....	143
IRMJRC.....	138
IRMTHAGE.....	153
IRMTHFY.....	146
IRMTHRC.....	141
IRNWRACE.....	452
IRPCPAGE.....	153

LABEL	PAGE
-----	-----
IRPCPRC.....	140
IRPINCL.....	445
IRPINSUR.....	437
IRPIPLF.....	136
IRPIPMN.....	136
IRPRVHLT.....	438
IRSEDAGE.....	154
IRSEDFY.....	146
IRSEDRC.....	142
IRSEX.....	452
IRSLTAGE.....	151
IRSLTRC.....	137
IRSNFAGE.....	151
IRSNFFM.....	147
IRSNFRC.....	137
IRSTMAGE.....	153
IRSTMFY.....	145
IRSTMRC.....	141
IRTRNAGE.....	153
IRTRNFY.....	145
IRTRNRC.....	141
IRWELMOS.....	445
JBSTATR.....	471
KID17.....	429
KIDS.....	429
KLONOP12.....	166
KLONOPIN.....	90
LASTTXSP.....	360
LFTSCHAG.....	468
LGAS.....	52
LGAS2.....	164
LIBRIUM.....	92
LIBRIUM2.....	166
LIMBTRL2.....	166
LIMBTROL.....	92
LOCDOC.....	363
LOCHOSP.....	362
LOCJAIL.....	363
LOCMHC.....	363
LOCRFIN.....	363
LOCRFOP.....	363
LOCSHG.....	363
LOCSIZE.....	476
LOCTXER.....	363
LS10.....	195

LABEL	PAGE
----	----
LS16.....	195
LS22.....	195
LSD.....	30
LSDAGE.....	49
LSDFLAG.....	157
LSDFSTYR.....	180
LSDMON.....	157
LSDREC.....	49
LSDYR.....	157
LSFRAME3.....	194
LSLAST.....	193
LSMONAVE.....	194
LSRECDK.....	194
LSRECRE.....	194
LSWKAVE.....	195
LSYRAVE.....	194
M15_44.....	455
M18_49.....	455
MARITAL.....	449
MAZANOR.....	107
MAZANOR2.....	168
MAZINDOL.....	169
MEDMJUSE.....	290
MEPROB.....	92
MEPROB2.....	166
MEPROBPD.....	167
MESC.....	31
MESC2.....	163
METHAGE.....	121
METHAQ.....	124
METHAQ2.....	169
METHDES.....	105
METHDES2.....	167
METHDON.....	67
METHDON2.....	164
METHREC.....	122
MILSTAT.....	450
MILTOWN.....	93
MILTOWN2.....	166
MJAFU.....	170
MJAGE.....	18
MJDAY30A.....	20
MJEVER.....	18
MJFQFLG.....	19
MJFRAME3.....	189

LABEL	PAGE
----	----
MJLAST3.....	188
MJMONAVE.....	189
MJOFLAG.....	161
MJOMON2.....	162
MJOYR2.....	161
MJPBTFRM.....	309
MJPFREGT.....	309
MJPGOT.....	309
MJREC.....	18
MJRECDK.....	188
MJRECRE.....	188
MJWKAVE.....	189
MJYRAVE.....	189
MJYRTOT.....	18
MMBATJOB.....	299
MMBCLOSE.....	299
MMBGIVE.....	300
MMBSELL.....	299
MMBT30DY.....	293
MMBTPYR.....	292
MMBTREC1.....	292
MMBTREC2.....	292
MMBUYWHO.....	299
MMFCLOSE.....	308
MMFGIVE.....	308
MMFKEEP.....	308
MMFREWHO.....	307
MMFSELL.....	308
MMGETMJ.....	292
MMGGIVE.....	307
MMGKEEP.....	307
MMGSELL.....	307
MMJNPCAT.....	295
MMJNPCTB.....	294
MMJNTLOO.....	293
MMJNTNUM.....	293
MMLS10GM.....	296
MMLS5LBS.....	297
MMLSGMS.....	296
MMLSLBS.....	297
MMLSOZS.....	296
MMLSPCAT.....	298
MMLSPCTB.....	297
MMLSUNIT.....	295
MMT30FRQ.....	301

LABEL	PAGE
----	----
MMTCLOSE.....	306
MMTGIVE.....	306
MMTJNTLS.....	301
MMTJNTNM.....	301
MMTJWRCB.....	301
MMTJWRTH.....	302
MMTKEEP.....	306
MMTL10GM.....	303
MMTL5LBS.....	303
MMTLGMS.....	302
MMTLBS.....	303
MMTLOZS.....	303
MMTLUNIT.....	302
MMTLWRCB.....	304
MMTLWRTH.....	305
MMTRADE.....	300
MMTRD30D.....	300
MMTRDREC.....	300
MMTRDWHO.....	305
MMTSELL.....	306
MORPHIN2.....	164
MORPHINE.....	68
MOVESPYR.....	459
MR30EST.....	20
MRBSTWAY.....	19
MRDAYPMO.....	19
MRDAYPWK.....	20
MRDAYPYR.....	19
MRJCUTDN.....	236
MRJCUTEV.....	236
MRJEMCTD.....	237
MRJEMOPB.....	237
MRJFLAG.....	156
MRJFMCTD.....	240
MRJFMFPB.....	239
MRJFSTYR.....	179
MRJGTOVR.....	234
MRJKPLMT.....	235
MRJLAWTR.....	239
MRJLIMIT.....	235
MRJLOTM.....	234
MRJLSACT.....	238
MRJLSEFX.....	236
MRJMDAYS.....	171
MRJMON.....	156

LABEL	PAGE
-----	-----
MRJNDMOR.....	235
MRJPDANG.....	239
MRJPHCTD.....	238
MRJPHLPB.....	237
MRJSERP.....	238
MRJYDAYS.....	170
MRJYR.....	156
MRTOTFG.....	19
MTBSTWAY.....	122
MTDAYPMO.....	123
MTDAYPWK.....	123
MTDAYPYR.....	123
MTFQFLG.....	122
MTHFLAG.....	159
MTHMON.....	159
MTHNEEDL.....	206
MTHYR.....	159
MTHYRTOT.....	122
MTNDLREC.....	207
MTOTFG.....	122
MUSCRELX.....	167
MVIN5YR2.....	408
M_18UP.....	456
NDEFALC.....	365
NDEFIA.....	366
NDEFIL.....	366
NDMRJOB.....	333
NDMRLMCV.....	331
NDMRNBR.....	332
NDMRNHCV.....	331
NDMRNTSP.....	331
NDMROPEN.....	332
NDMRREDY.....	332
NDMRTYPE.....	332
NDMRWHER.....	332
NDSSANS.....	272
NDSSDNS.....	272
NDTMRALC.....	320
NDTMRANL.....	321
NDTMRROC.....	320
NDTMRFT.....	331
NDTMRHAL.....	321
NDTMRHER.....	320
NDTMRINH.....	321
NDTMRMJ.....	320

LABEL	PAGE
-----	-----
NDTMROTH.....	322
NDTMRSED.....	321
NDTMRSTM.....	321
NDTMRTRN.....	321
NDTXALCR.....	322
NDTXANLR.....	324
NDTXCOCR.....	323
NDTXDG1R.....	326
NDTXDG2R.....	327
NDTXDG3R.....	327
NDTXDG4R.....	328
NDTXDG5R.....	328
NDTXEFTR.....	328
NDTXHALR.....	323
NDTXHERR.....	323
NDTXINHR.....	324
NDTXJOB.....	330
NDTXLMCV.....	329
NDTXMJR.....	322
NDTXMORE.....	320
NDTXNBR.....	330
NDTXNEDR.....	319
NDTXNHCV.....	329
NDTXNTSP.....	329
NDTXOPEN.....	330
NDTXREDY.....	330
NDTXSEDR.....	325
NDTXSODR.....	325
NDTXSTMR.....	325
NDTXTRNR.....	324
NDXTYPE.....	329
NDTXWHER.....	330
NEDCOC.....	211
NEDFLG01.....	211
NEDHER.....	211
NEDLRECR.....	210
NEDMTH.....	211
NEDSTM.....	211
NEMBBAR2.....	169
NEMBBARB.....	124
NEWACE1.....	456
NEWACE2.....	456
NILALMON.....	163
NITOXID.....	53
NITOXID2.....	164

LABEL	PAGE
-----	-----
NMERTMT.....	368
NMNGTHSP.....	368
NOBOOKYR.....	282
NODR30A.....	17
NOMARR.....	450
NRBABIES.....	430
NRCH0_17.....	430
NROLDCH.....	430
NROLDRCH.....	430
NROOMATE.....	430
NRPRESCH.....	430
NRTEENS.....	430
NRYUNGCH.....	430
OAPRES.....	482
OARPRES.....	482
OBLA.....	108
OBLA2.....	168
OPRESNSP.....	482
OPRESSPA.....	483
OPRESSPB.....	485
OTHANL.....	165
OTHSER.....	169
OTHSTM.....	168
OTHTRN.....	167
OXYCONTN.....	68
PARCHKHW.....	408
PARHLPHW.....	408
PARLMTSN.....	409
PAROL.....	291
PAROLREL.....	289
PARPRES.....	481
PCP.....	30
PCPAGE.....	50
PCPFLAG.....	157
PCPFSTYR.....	180
PCPMON.....	157
PCPREC.....	50
PCPYR.....	157
PERCTYL2.....	164
PERCTYLX.....	65
PEYOTE.....	30
PEYOTE2.....	163
PHENCOD.....	68
PHENCOD2.....	164
PHENOBAR.....	126

LABEL	PAGE
-----	-----
PHENOB2.....	169
PINC1.....	443
PINSUR.....	436
PIPE30DY.....	13
PIPEVER.....	13
PIPFLAG.....	155
PIPMON.....	155
PLACIDY2.....	169
PLACIDYL.....	126
PLCYCOV.....	477
PLEGINE.....	108
PLEGINE2.....	168
PPRES.....	481
PR09.....	197
PR10.....	198
PR11.....	198
PR12.....	198
PR13.....	198
PRALDY2.....	410
PRBSOLV2.....	411
PRCHORE2.....	409
PRDAYPMO.....	88
PRDAYPWK.....	89
PRDAYPYR.....	88
PREG.....	369
PREG2.....	369
PREGAGE2.....	455
PREGMOS.....	368
PREGNANT.....	368
PREGPGM2.....	411
PRELUDIN.....	108
PRELUDN2.....	168
PREVIOL2.....	411
PRFQFLG.....	88
PRGDJOB2.....	409
PRIVACY.....	481
PRLMTTV2.....	409
PRMJEV2.....	410
PRMJMO.....	410
PROB.....	291
PROBATON.....	289
PROCODNP.....	165
PROPOXY.....	68
PROPOXY2.....	165
PRPKCIG2.....	410

LABEL	PAGE
-----	-----
PRPROUD2.....	409
PRRECDK.....	197
PRRECRE.....	197
PRTALK3.....	411
PRTOTFG.....	88
PRVDRGO2.....	411
PRVHLTIN.....	432
PSILCY.....	31
PSILCY2.....	163
PSYAGE2.....	160
PSYFLAG2.....	160
PSYFSTYR.....	180
PSYMON2.....	160
PSYYR2.....	160
QD041.....	181
QD042.....	181
QD043.....	181
QD044.....	181
QD045.....	181
QD051.....	181
QD052.....	181
QD053.....	181
QD054.....	181
QD055.....	182
QD056.....	182
QD057.....	182
QD05ASI1.....	182
QD05ASI2.....	182
QD05ASI3.....	182
QD05ASI4.....	182
QD05ASI5.....	182
QD05ASI6.....	182
QD05ASI7.....	182
QUARTER.....	448
RACE4.....	457
RACEHP.....	457
RDASID.....	1
RDIFCOC.....	219
RDIFCRK.....	219
RDIFHER.....	219
RDIFLSD.....	219
RDIFMJ.....	219
RECALC_B.....	176
RECANL_B.....	177
RECCD2_B.....	176

LABEL	PAGE
----	----
RECCGR_B.....	176
RECCIG_B.....	176
RECCOC_B.....	176
RECCRK_B.....	176
RECECS_B.....	177
RECHAL_B.....	177
RECHER_B.....	177
RECIEM_B.....	179
RECINH_B.....	177
RECLSD_B.....	177
RECMJ_B.....	176
RECMTH_B.....	177
REPCCP_B.....	177
RECPSY_B.....	178
RECSER_B.....	177
RECSLT_B.....	176
RECSTM_B.....	177
RECSUM_B.....	178
RECTRN_B.....	177
REGION.....	488
RESTTMA2.....	169
RESTTMAZ.....	125
RITMPHE2.....	167
RITMPHEN.....	106
RK5ALDLY.....	214
RK5ALWK.....	214
RKCOCOC.....	214
RKCOCREG.....	214
RKDIFCOC.....	215
RKDIFCRK.....	215
RKDIFHER.....	216
RKDIFLSD.....	215
RKFQDBLT.....	217
RKFQDNDR.....	216
RKFQPBLT.....	216
RKFQRSKY.....	216
RKHERREG.....	213
RKLSDRG.....	213
RKTRYHER.....	213
RKTRYLSD.....	213
RLGATTD.....	412
RLGDCSN.....	412
RLGFRND.....	412
RLGIMPT.....	412
ROHYPNL2.....	166

LABEL	PAGE
-----	-----
ROHYPNOL.....	93
RSKDIFMJ.....	215
RSKMJOCC.....	212
RSKMJREG.....	212
RSKPKCIG.....	212
RSKSELL.....	216
RTDALHAL.....	169
RUCC03.....	491
RURORURB.....	490
SANOREX.....	108
SANOREX2.....	168
SCHDSICK.....	467
SCHDSKIP.....	467
SCHENRL.....	465
SCHFELT.....	408
SDNTFTPT.....	467
SEDAGE.....	133
SEDCARD.....	125
SEDEVER.....	133
SEDFLAG.....	160
SEDFSTYR.....	180
SEDMON.....	160
SEDNEWA.....	128
SEDNEWB.....	131
SEDNEWC.....	132
SEDNEWD.....	132
SEDNEWE.....	133
SEDNOLST.....	127
SEDREC.....	134
SEDYR.....	160
SEDYRTOT.....	134
SERAX.....	93
SERAX2.....	166
SERVICE.....	450
SEXAGE.....	455
SEXRACE.....	458
SK65A.....	68
SK65A2.....	165
SLTREC.....	11
SLTTRY.....	10
SMKFLAG.....	155
SMKMON.....	155
SMKYR.....	155
SN30EST.....	6
SNF30USE.....	6

LABEL	PAGE
----	----
SNFAMJEV.....	387
SNFEVER.....	5
SNFFLAG.....	155
SNFMON.....	156
SNFREC.....	6
SNFYR.....	156
SNMOV5YR.....	386
SNRLDCSN.....	388
SNRLFRND.....	388
SNRLGIMP.....	388
SNRLGSVC.....	387
SNUFTRY.....	5
SNYATTAK.....	387
SNYSELL.....	386
SNYSTOLE.....	386
SOLVENT.....	52
SOLVENT2.....	163
SOMA.....	93
SOMA2.....	167
SPECTALC.....	359
SPECTILL.....	360
SPILANAL.....	360
SPILLALC.....	360
SPPAINT.....	53
SPPAINT2.....	164
SPRES.....	481
ST09.....	200
ST10.....	201
ST11.....	201
ST12.....	201
ST13.....	202
ST19.....	202
ST20.....	202
ST21.....	202
ST22.....	202
ST23.....	203
STADOL.....	69
STADOL2.....	165
STATE.....	490
STBSTWAY.....	120
STDAYPMO.....	121
STDAYPWK.....	121
STDAYPYR.....	120
STFQFLG.....	119
STIMAGE.....	118

LABEL	PAGE
----	----
STIMNEWA.....	110
STIMNEWB.....	114
STIMNEWC.....	116
STIMNEWD.....	117
STIMNEWE.....	117
STIMREC.....	119
STMCARD.....	106
STMEVER.....	118
STMFLAG.....	158
STMFSTYR.....	180
STMMON.....	158
STMNOLST.....	109
STMYDAYS.....	171
STMYR.....	158
STMYRTOT.....	119
STNAME.....	490
STNDALC.....	408
STNDDNK.....	408
STNDSCIG.....	408
STNDSMJ.....	408
STNEEDLR.....	210
STNLRECR.....	210
STRECDK.....	200
STRECRE.....	201
STTOTFG.....	119
STUSAB.....	490
SUMAGE.....	161
SUMFLAG.....	161
SUMMON.....	161
SUMYR.....	161
SV09.....	203
SV10.....	204
SV11.....	204
SV12.....	204
SV13.....	204
SVBSTWAY.....	134
SVDAYPMO.....	135
SVDAYPWK.....	135
SVDAYPYR.....	135
SVFQFLG.....	134
SVRECDK.....	203
SVRECRE.....	203
SVTOTFG.....	134
TALACEN.....	69
TALACEN2.....	165

LABEL	PAGE
----	----
TALKPROB.....	411
TALWIN.....	69
TALWIN2.....	165
TALWINNX.....	69
TALWINX2.....	165
TCHGJOB.....	408
TELNO.....	468
TENUATE.....	108
TENUATE2.....	168
TOBFLAG.....	156
TOBMON.....	156
TOBYR.....	156
TOTCOKE.....	190
TOTCRACK.....	191
TOTDRINK.....	187
TOTHALL.....	194
TOTHERO.....	193
TOTINHAL.....	196
TOTMJ.....	188
TOTPEOP.....	429
TR09.....	199
TR10.....	199
TR11.....	200
TR12.....	200
TR13.....	200
TRAMADL2.....	165
TRAMADOL.....	69
TRAMADP.....	166
TRANAGE.....	101
TRANREC.....	102
TRANXEN2.....	167
TRANXENE.....	93
TRBSTWAY.....	103
TRDAYPMO.....	103
TRDAYPWK.....	104
TRDAYPYR.....	103
TRFQFLG.....	102
TRIMEST.....	369
TRNCARD.....	91
TRNCUTDN.....	261
TRNCUTEV.....	261
TRNEMCTD.....	262
TRNEMOPB.....	261
TRNEVER.....	101
TRNEWA.....	95

LABEL	PAGE
----	----
TRNEWB.....	98
TRNEWC.....	100
TRNEWD.....	100
TRNEWE.....	101
TRNFMCTD.....	265
TRNFMFPB.....	264
TRNFSTYR.....	180
TRNGTOVR.....	259
TRNKPLMT.....	260
TRNLAWTR.....	264
TRNLIMIT.....	259
TRNLOTMT.....	259
TRNLSACT.....	263
TRNLSEFX.....	260
TRNNDMOR.....	260
TRNOLST.....	94
TRNPDANG.....	264
TRNPHCTD.....	262
TRNPHLPB.....	262
TRNSERP.....	263
TRNYRTOT.....	102
TRQFLAG.....	158
TRQMON.....	158
TRQYR.....	158
TRRECDK.....	199
TRRECRE.....	199
TRTOTFG.....	102
TSTHIRE.....	478
TSTRAND.....	478
TUINAL.....	127
TUINAL2.....	169
TXENROLL.....	355
TXEVER.....	310
TXGAPALC.....	366
TXGPILAL.....	367
TXILALEV.....	356
TXILANAL.....	356
TXILLALC.....	356
TXLASREC.....	333
TXLTALC2.....	356
TXLTANL2.....	357
TXLTCOC2.....	356
TXLTHAL2.....	356
TXLTHER2.....	356
TXLTIL2.....	357

LABEL	PAGE
----	----
TXLTINH2.....	356
TXLTMJ2.....	356
TXLTSED2.....	357
TXLTSTM2.....	357
TXLTTRN2.....	357
TXLTYA.....	341
TXLTYALC.....	335
TXLTYANL.....	338
TXLTYB.....	343
TXLTYC.....	344
TXLTYCOC.....	336
TXLTYD.....	345
TXLTYDUR.....	348
TXLTYE.....	345
TXLTYHAL.....	337
TXLTYHER.....	337
TXLTYINH.....	338
TXLTYMJ.....	336
TXLTYMN.....	335
TXLTYOUT.....	347
TXLTYPRM.....	346
TXLTYSED.....	340
TXLTYSOD.....	340
TXLTYSTM.....	339
TXLTYTRN.....	339
TXNDILAL.....	364
TXNEDALC.....	363
TXNOSPEC.....	366
TXPCAIID2.....	357
TXPCARE2.....	357
TXPCORT2.....	357
TXPEMPL2.....	358
TXPFMLY2.....	357
TXPINS2.....	357
TXPMILC2.....	358
TXPPUBP2.....	357
TXPSAVE2.....	357
TXPYCAID.....	350
TXPYCARE.....	349
TXPYCORT.....	352
TXPYEMPL.....	353
TXPYFMLY.....	351
TXPYFRE.....	354
TXPYINS.....	349
TXPYMILC.....	352

LABEL	PAGE
----	----
TXPPUBP.....	350
TXPYSAVE.....	351
TXPYSOS.....	353
TXPYSP.....	354
TXRCVNOW.....	319
TXRNJOB.....	367
TXRNLMCV.....	367
TXRNNBR.....	367
TXRNNHCV.....	367
TXRNNSTP.....	367
TXRNTSP.....	367
TXRNOPEN.....	367
TXRNTYPE.....	367
TXRNWHER.....	367
TXYRADG.....	311
TXYRDCAD.....	315
TXYRDOC.....	314
TXYRDTKO.....	355
TXYRERAD.....	314
TXYREVER.....	310
TXYRHOSP.....	311
TXYRHPAD.....	311
TXYRINAD.....	312
TXYRJAIL.....	315
TXYRJLAD.....	315
TXYRMHAD.....	313
TXYRMHC.....	313
TXYRNMER.....	318
TXYROTAD.....	318
TXYROTSP.....	317
TXYRPOAD.....	313
TXYRRFIN.....	312
TXYRRFOP.....	312
TXYRSGAD.....	316
TXYRSHG.....	316
TXYRSOP.....	316
TXYRTXER.....	314
TXYRVSER.....	318
ULTRAM.....	70
ULTRAM2.....	165
UNDINT.....	481
USALCTST.....	477
USDRGTST.....	477
VALMDIA2.....	166
VALMDIAZ.....	91

LABEL	PAGE
----	----
VEREP.....	491
VESTR.....	491
VICOLOR.....	66
VICOLOR2.....	164
VISTAR.....	94
VISTAR2.....	167
WELMOS.....	443
WKDRGED.....	477
WORKBLAH.....	476
WORKDAYS.....	476
WORKRAND.....	479
WRKBZCAT.....	473
WRKBZCYR.....	475
WRKEDWK.....	471
WRKEDYR.....	474
WRKEFFRT.....	474
WRKHAVJB.....	472
WRKHIRE.....	478
WRKHRSUS.....	472
WRKHRSWK.....	472
WRKIDSTY.....	472
WRKIDSYR.....	475
WRKJOBS.....	474
WRKNOJOB.....	473
WRKNOWRK.....	473
WRKOCUPT.....	472
WRKOCUYR.....	475
WRKSLFEM.....	474
WRKUNEMP.....	474
WRKUNWKS.....	475
XNAXATV2.....	166
XNAXATVN.....	90
YCLIN.....	426
YDAYTRT.....	426
YEATNDYR.....	389
YECOMACT.....	404
YEDECLAS.....	405
YEDERGLR.....	405
YEDESPCL.....	405
YEDGPRGP.....	403
YEFIACT.....	404
YEFALDLY.....	400
YEFMJEVYR.....	400
YEFMJMO.....	400
YEFKPCIG.....	400

LABEL	PAGE
-----	-----
YEGALDLY.....	399
YEGMJEV.....	399
YEGMJMO.....	399
YEGPKCIG.....	399
YEHMSLYR.....	389
YELSTGRD.....	391
YEMOV5YR.....	389
YEOTHACT.....	405
YEPALDLY.....	398
YEPCHKHW.....	393
YEPCHORE.....	394
YEPGDJOB.....	395
YEPHLPBW.....	393
YEPLMTSN.....	394
YEPLMTTV.....	394
YEPMJEV.....	398
YEPMJMO.....	398
YEPKPCIG.....	398
YEPPOUD.....	395
YEPBBSLV.....	402
YEPBGST.....	403
YEPRTDNG.....	402
YEPVNTYR.....	406
YERLDCSN.....	407
YERLFRND.....	407
YERLGIMP.....	406
YERLGSVC.....	406
YESCHACT.....	404
YESCHFLT.....	390
YESCHIMP.....	390
YESCHINT.....	391
YESCHWRK.....	390
YESLFHLP.....	403
YESTSALC.....	392
YESTSCIG.....	392
YESTSDNK.....	393
YESTSMJ.....	392
YETCGJOB.....	391
YETLKBGF.....	401
YETLKNON.....	401
YETLKOTA.....	401
YETLKPAR.....	401
YETLKSOP.....	402
YEVIOPRV.....	402
YFYARGUP.....	395

LABEL	PAGE
-----	-----
YEYATTAK.....	397
YEYFGTGP.....	396
YEYFGTSW.....	396
YEYHGUN.....	396
YEYSELL.....	397
YEYSTOLE.....	397
YFLADLY2.....	410
YFLMJMO.....	410
YFLPKCG2.....	410
YFLTMRJ2.....	410
YFOST.....	426
YHOME.....	426
YHOSP.....	426
YOATTAK2.....	409
YOFIGHT2.....	409
YOGRPFT2.....	409
YOHGUN2.....	409
YOSELL2.....	409
YOSTOLE2.....	409
YPED.....	426
YRESID.....	426
YRPRIND.....	1
YRSLIVUS.....	470
YTHACT2.....	412
YTHAGE.....	455
YTHER.....	426
YUDYBKRU.....	419
YUDYDEPR.....	418
YUDYEATP.....	419
YUDYFEAR.....	419
YUDYSUIC.....	418
YUDYTXNM.....	418
YUDYTXYR.....	418
YUFCARNM.....	416
YUFCARYR.....	416
YUFCBKRU.....	417
YUFCDEPR.....	417
YUFCATP.....	417
YUFCFEAR.....	417
YUFCSUIC.....	417
YUFDBKRU.....	425
YUFDDEPR.....	424
YUFDEATP.....	425
YUFDFEAR.....	425
YUFDOCNM.....	424

LABEL	PAGE
-----	-----
YUFDOCYR.....	424
YUFDSUIC.....	424
YUHOBKRU.....	414
YUHODEPR.....	414
YUHOEATP.....	414
YUHOFEAR.....	414
YUHOSPNM.....	413
YUHOSPYR.....	413
YUHOSUIC.....	413
YUIHBKRU.....	423
YUIHDEPR.....	423
YUIHEATP.....	423
YUIHFEAR.....	423
YUIHSUIC.....	423
YUIHTPNM.....	422
YUIHTPYR.....	422
YUMHBKRU.....	420
YUMHCRNM.....	419
YUMHCRYR.....	419
YUMHDEPR.....	420
YUMHEATP.....	420
YUMHFEAR.....	420
YUMHSUIC.....	420
YURSBKRU.....	416
YURSDEPR.....	415
YURSEATP.....	416
YURSFEAR.....	415
YURSIDNM.....	415
YURSIDYR.....	414
YURSSUIC.....	415
YUTPBKRU.....	422
YUTPDEPR.....	421
YUTPEATP.....	422
YUTPFEAR.....	422
YUTPSTNM.....	421
YUTPSTYR.....	421
YUTPSUIC.....	421

LABEL	PAGE
----	----
RDASID.....	1
YRPRIND.....	1
FILEDATE.....	1
CIGEVER.....	2
CIGOFRSM.....	2
CIGWILYR.....	2
CIGTRY.....	2
CIGREC.....	3
CIG30USE.....	3
CG30EST.....	3
CIG30AV.....	4
CIG30ROL.....	4
CIGDLYMO.....	4
CIGAGE.....	4
CIG100LF.....	5
SNFEVER.....	5
SNUFTRY.....	5
SNFRECE.....	6
SNF30USE.....	6
SN30EST.....	6
CHEWEVER.....	7
CHEWTRY.....	7
CHEWREC.....	7
CHW30USE.....	8
CH30EST.....	8
CHW30BRN.....	9
SLTTRY.....	10
SLTREC.....	11
CIGAREVR.....	11
CIGARTRY.....	11
CIGARREC.....	12
CGR30USE.....	12
CI30EST.....	12
PIPEVER.....	13
PIPE30DY.....	13
ALCEVER.....	14
ALCTRY.....	14
ALCREC.....	14
ALCYRTOT.....	15
ALTOTFG.....	15
ALFQFLG.....	15
ALBSTWAY.....	15
ALDAYPYR.....	15
ALDAYPMO.....	16
ALDAYPWK.....	16

LABEL	PAGE
-----	-----
ALCDAYS.....	16
AL30EST.....	16
ALDYSFG.....	16
NODR30A.....	17
DR5DAY.....	17
MJEVER.....	18
MJAGE.....	18
MJREC.....	18
MJYRTOT.....	18
MRTOTFG.....	19
MJFQFLG.....	19
MRBSTWAY.....	19
MRDAYPYR.....	19
MRDAYPMO.....	19
MRDAYPWK.....	20
MJDAY30A.....	20
MR30EST.....	20
COCEVER.....	21
COCAGE.....	21
COCREC.....	21
COCYRTOT.....	21
CCTOTFG.....	21
CCFQFLG.....	22
CCBSTWAY.....	22
CCDAYPYR.....	22
CCDAYPMO.....	22
CCDAYPWK.....	23
COCUS30A.....	23
CC30EST.....	23
CRKEVER.....	24
CRKAGE.....	24
CRAKREC.....	24
CRKYRTOT.....	24
CRTOTFG.....	25
CRFQFLG.....	25
CRBSTWAY.....	25
CRDAYPYR.....	25
CRDAYPMO.....	25
CRDAYPWK.....	26
CRKUS30A.....	26
CR30EST.....	26
HEREVER.....	27
HERAGE.....	27
HERREC.....	27
HERYRTOT.....	27

LABEL	PAGE
-----	-----
HRTOTFG.....	27
HRFQFLG.....	27
HRBSTWAY.....	28
HRDAYPYR.....	28
HRDAYPMO.....	28
HRDAYPWK.....	28
HER30USE.....	29
HR30EST.....	29
LSD.....	30
PCP.....	30
PEYOTE.....	30
MESC.....	31
PSILCY.....	31
ECSTASY.....	31
HALNOLST.....	31
HALNEWA.....	32
HALNEWB.....	38
HALNEWC.....	42
HALNEWD.....	45
HALNEWE.....	46
HALLAGE.....	47
HALLREC.....	47
HALYRTOT.....	47
HLTOTFG.....	47
HLFQFLG.....	47
HLBSTWAY.....	48
HLDAYPYR.....	48
HLDAYPMO.....	48
HLDAYPWK.....	48
HAL30USE.....	49
HL30EST.....	49
LSDAGE.....	49
LSDREC.....	49
PCPAGE.....	50
PCPREC.....	50
ECSAGE.....	50
ECSREC.....	50
AMYLNIT.....	51
CLEFLU.....	51
GAS.....	52
GLUE.....	52
ETHER.....	52
SOLVENT.....	52
LGAS.....	52
NITOXID.....	53

LABEL	PAGE
-----	-----
SPPAINT.....	53
AEROS.....	53
INHNLST.....	53
INHNEWA.....	54
INHNEWB.....	58
INHNEWC.....	60
INHNEWD.....	61
INHNEWB.....	61
INHEVER.....	61
INHAGE.....	62
INHREC.....	62
INHRTOT.....	62
INTOTFG.....	62
INFQFLG.....	62
INBSTWAY.....	63
INDAYPYR.....	63
INDAYPMO.....	63
INDAYPWK.....	63
INH30A.....	64
IN30EST.....	64
DARVTYLC.....	65
PERCTYLX.....	65
VICOLOR.....	66
ANLCARD.....	66
CODEINE.....	66
DEMEROL.....	66
DILAUD.....	67
FIORICET.....	67
FIORINAL.....	67
HYDROCOD.....	67
METHDON.....	67
MORPHINE.....	68
OXYCONTN.....	68
PHENCOD.....	68
PROPOXY.....	68
SK65A.....	68
STADOL.....	69
TALACEN.....	69
TALWIN.....	69
TALWINNX.....	69
TRAMADOL.....	69
ULTRAM.....	70
ANLNOLST.....	70
ANALNEWA.....	72
ANALNEWB.....	78

LABEL	PAGE
----	----
ANALNEWC.....	82
ANALNEWD.....	85
ANALNEWE.....	86
ANLEVER.....	87
ANALAGE.....	87
ANALREC.....	87
ANLYRTOT.....	88
PRTOTFG.....	88
PRFQFLG.....	88
PRDAYPYR.....	88
PRDAYPMO.....	88
PRDAYPWK.....	89
KLONOPIN.....	90
XNAXATVN.....	90
VALMDIAZ.....	91
TRNCARD.....	91
ATARAX.....	91
BUSPAR.....	91
EQUANIL.....	92
FLEXERIL.....	92
LIBRIUM.....	92
LIMBTROL.....	92
MEPROB.....	92
MILTOWN.....	93
ROHYPNOL.....	93
SERAX.....	93
SOMA.....	93
TRANXENE.....	93
VISTAR.....	94
TRNOLST.....	94
TRNEWA.....	95
TRNEWB.....	98
TRNEWC.....	100
TRNEWD.....	100
TRNEWE.....	101
TRNEVER.....	101
TRANAGE.....	101
TRANREC.....	102
TRNYRTOT.....	102
TRTOTFG.....	102
TRFQFLG.....	102
TRBSTWAY.....	103
TRDAYPYR.....	103
TRDAYPMO.....	103
TRDAYPWK.....	104

LABEL	PAGE
----	----
METHDES.....	105
DIETPILS.....	105
RITMPHEN.....	106
STMCARD.....	106
CYLERT.....	106
DEXED.....	106
DETAMP.....	107
DIDREX.....	107
ESKAT.....	107
IONAMIN.....	107
MAZANOR.....	107
OBLA.....	108
PLEGINE.....	108
PRELUDIN.....	108
SANOREX.....	108
TENUATE.....	108
STMNOLST.....	109
STIMNEWA.....	110
STIMNEWB.....	114
STIMNEWC.....	116
STIMNEWD.....	117
STIMNEWE.....	117
STMEVER.....	118
STIMAGE.....	118
STIMREC.....	119
STMYRTOT.....	119
STTOTFG.....	119
STFQFLG.....	119
STBSTWAY.....	120
STDAYPYR.....	120
STDAYPMO.....	121
STDAYPWK.....	121
METHAGE.....	121
METHREC.....	122
MTHYRTOT.....	122
MTTOTFG.....	122
MTFQFLG.....	122
MTBSTWAY.....	122
MTDAYPYR.....	123
MTDAYPMO.....	123
MTDAYPWK.....	123
METHAQ.....	124
NEMBBARB.....	124
RESTTMAZ.....	125
SEDCARD.....	125

LABEL	PAGE
----	----
AMYTAL.....	125
BUTISOL.....	125
CHHYD.....	126
DALMANE.....	126
HALCION.....	126
PHENOBAR.....	126
PLACIDYL.....	126
TUINAL.....	127
SEDNOLST.....	127
SEDNEWA.....	128
SEDNEWB.....	131
SEDNEWC.....	132
SEDNEWD.....	132
SEDNEWE.....	133
SEDEVER.....	133
SEDAGE.....	133
SEDREC.....	134
SEDYRTOT.....	134
SVTOTFG.....	134
SVFQFLG.....	134
SVBSTWAY.....	134
SVDAYPYR.....	135
SVDAYPMO.....	135
SVDAYPWK.....	135
IRCIGRC.....	136
IICIGRC.....	136
II2CIGRC.....	136
IRCGRRC.....	136
IICGRRC.....	136
II2CGRRC.....	136
IRPIPLF.....	136
IIPIPLF.....	136
IRPIPMN.....	136
IIPIPMN.....	137
IRSLTRC.....	137
IISLTRC.....	137
II2SLTRC.....	137
IRCHWRC.....	137
IICHWRC.....	137
II2CHWRC.....	137
IRSNFRC.....	137
IISNFRC.....	137
II2SNFRC.....	138
IRALCRC.....	138
IIALCRC.....	138

LABEL	PAGE
----	----
II2ALCRC.....	138
IRMJRC.....	138
IIMJRC.....	138
II2MJRC.....	138
IRCOCRC.....	138
IICOCRC.....	138
II2COCRC.....	138
IRCRKRC.....	139
IICRKRC.....	139
II2CRKRC.....	139
IRHERRC.....	139
IIHERRC.....	139
II2HERRC.....	139
IRHALRC.....	139
IIHALRC.....	139
II2HALRC.....	139
IRLSDRC.....	139
IILSDRC.....	139
II2LSDRC.....	140
IRPCPRC.....	140
IIPCPRC.....	140
II2PCPRC.....	140
IRECSRC.....	140
II ECSRC.....	140
II2ECSRC.....	140
IRINHRC.....	140
IIINHRC.....	140
II2INHRC.....	140
IRANLRC.....	141
IIANLRC.....	141
II2ANLRC.....	141
IRTRNRC.....	141
II TRNRC.....	141
II2TRNRC.....	141
IRSTMRC.....	141
IISTMRC.....	141
II2STMRC.....	141
IRMTHRC.....	141
IIMTHRC.....	141
II2MTHRC.....	142
IRSEDRC.....	142
IISEDRC.....	142
II2SEDRC.....	142
IRALCFY.....	143
IIALCFY.....	143

LABEL	PAGE
----	----
II2ALCFY.....	143
IRMJFY.....	143
IIMJFY.....	143
II2MJFY.....	143
IRCOCFY.....	143
IICOCFY.....	143
II2COCFY.....	143
IRCRKFY.....	143
IICRKFY.....	144
II2CRKFY.....	144
IRHERFY.....	144
IHERFY.....	144
II2HERFY.....	144
IRHALFY.....	144
IHALFY.....	144
II2HALFY.....	144
IRINHFY.....	144
IINHFY.....	144
II2INHFY.....	145
IRANLFY.....	145
IIANLFY.....	145
II2ANLFY.....	145
IRTRNFY.....	145
IITRNFY.....	145
II2TRNFY.....	145
IRSTMFY.....	145
IISTMFY.....	145
II2STMFY.....	145
IRMTHFY.....	146
IIMTHFY.....	146
II2MTHFY.....	146
IRSEDFY.....	146
IISEDFY.....	146
II2SEDFY.....	146
IRCIGFM.....	147
IICIGFM.....	147
II2CIGFM.....	147
IRCGRFM.....	147
IICGRFM.....	147
II2CGRFM.....	147
IRCHWFM.....	147
IICHWFM.....	147
II2CHWFM.....	147
IRSNFFM.....	147
IISNFFM.....	148

LABEL	PAGE
-----	-----
II2SNFFM.....	148
IRALCFM.....	148
IIALCFM.....	148
II2ALCFM.....	148
IRALCD5.....	148
IIALCD5.....	148
II2ALCD5.....	148
IRMJFM.....	148
IIMJFM.....	148
II2MJFM.....	149
IRCOCFM.....	149
IICOCFM.....	149
II2COCFM.....	149
IRCRKFM.....	149
IICRKFM.....	149
II2CRKFM.....	149
IRHERFM.....	149
IIHERFM.....	149
II2HERFM.....	149
IRHALFM.....	150
IIHALFM.....	150
II2HALFM.....	150
IRINHFM.....	150
IIINHFM.....	150
II2INHFM.....	150
IRCIGAGE.....	151
IICIGAGE.....	151
IRCDUAGE.....	151
IICDUAGE.....	151
IRCGRAGE.....	151
IICGRAGE.....	151
IRSLTAGE.....	151
IISLTAGE.....	151
IRCHWAGE.....	151
IICHWAGE.....	151
IRSNFAGE.....	151
IISNFAGE.....	151
IRALCAGE.....	151
IIALCAGE.....	152
IRMJAGE.....	152
IIMJAGE.....	152
IRCOCAGE.....	152
IICOCAGE.....	152
IRCRKAGE.....	152
IICRKAGE.....	152

LABEL	PAGE
----	----
IRHERAGE.....	152
IIHERAGE.....	152
IRHALAGE.....	152
IIHALAGE.....	152
IRLSDAGE.....	152
IILSDAGE.....	152
IRPCPAGE.....	153
IIPCPAGE.....	153
IRECSAGE.....	153
IECSAGE.....	153
IRINHAGE.....	153
IIINHAGE.....	153
IRANLAGE.....	153
IIANLAGE.....	153
IRTRNAGE.....	153
IITRNAGE.....	153
IRSTMAGE.....	153
IISTMAGE.....	153
IRMTHAGE.....	153
IIMTHAGE.....	154
IRSEDAGE.....	154
IISEDAGE.....	154
CIGFLAG.....	155
CIGYR.....	155
CIGMON.....	155
CGRFLAG.....	155
CGRYR.....	155
CGRMON.....	155
PIPFLAG.....	155
PIPMON.....	155
SMKFLAG.....	155
SMKYR.....	155
SMKMON.....	155
CHWFLAG.....	155
CHWYR.....	155
CHWMON.....	155
SNFFFLAG.....	155
SNFYR.....	156
SNFMON.....	156
TOBFLAG.....	156
TOBYR.....	156
TOBMON.....	156
ALCFLAG.....	156
ALCYR.....	156
ALCMON.....	156

LABEL	PAGE
----	----
MRJFLAG.....	156
MRJYR.....	156
MRJMON.....	156
COCFLAG.....	156
COCYR.....	156
COCMON.....	156
CRKFLAG.....	156
CRKYR.....	157
CRKMON.....	157
HERFLAG.....	157
HERYR.....	157
HERMON.....	157
HALFLAG.....	157
HALYR.....	157
HALMON.....	157
LSDFLAG.....	157
LSDYR.....	157
LSDMON.....	157
PCPFLAG.....	157
PCPYR.....	157
PCPMON.....	157
ECSFLAG.....	157
ECSYR.....	157
ECSMON.....	158
INHFLAG.....	158
INHYR.....	158
INHMON.....	158
ANLFLAG.....	158
ANLYR.....	158
ANLMON.....	158
TRQFLAG.....	158
TRQYR.....	158
TRQMON.....	158
STMFLAG.....	158
STMYR.....	158
STMMON.....	158
CPNSTMFG.....	159
CPNSTMYR.....	159
CPNSTMMN.....	159
MTHFLAG.....	159
MTHYR.....	159
MTHMON.....	159
CPNMTHFG.....	160
CPNMTHYR.....	160
CPNMTHMN.....	160

LABEL	PAGE
----	----
SEDFLAG.....	160
SEDYR.....	160
SEDMON.....	160
PSYFLAG2.....	160
PSYR2.....	160
PSYMON2.....	160
PSYAGE2.....	160
CPNPSYFG.....	161
CPNPSYR.....	161
CPNPSYMN.....	161
SUMFLAG.....	161
SUMYR.....	161
SUMMON.....	161
SUMAGE.....	161
MJOFLAG.....	161
MJOYR2.....	161
MJOMON2.....	162
IEMFLAG.....	162
IEMYR.....	162
IEMMON.....	162
IEMAGE.....	162
CDUFLAG.....	162
CIGALCMO.....	162
BINGEDRK.....	162
HVYDRK2.....	163
BINGEHVY.....	163
NILALMON.....	163
PEYOTE2.....	163
MESC2.....	163
PSILCY2.....	163
AMYLNIT2.....	163
CLEFLU2.....	163
GAS2.....	163
GLUE2.....	163
ETHER2.....	163
SOLVENT2.....	163
LGAS2.....	164
NITOXID2.....	164
SPPAINT2.....	164
AEROS2.....	164
DARVTYL2.....	164
PERCTYL2.....	164
VICOLOR2.....	164
CODEINE2.....	164
DEMEROL2.....	164

LABEL	PAGE
-----	-----
DILAUD2.....	164
FIORICT2.....	164
FIORINL2.....	164
HYDROCD2.....	164
METHDON2.....	164
MORPHIN2.....	164
PHENCOD2.....	164
PROPOXY2.....	165
SK65A2.....	165
STADOL2.....	165
TALACEN2.....	165
TALWIN2.....	165
TALWINK2.....	165
TRAMADL2.....	165
ULTRAM2.....	165
OTHANL.....	165
PROCODNP.....	165
HYDCODOP.....	165
TRAMADP.....	166
KLONOP12.....	166
XNAXATV2.....	166
VALMDIA2.....	166
ATARAX2.....	166
BUSPAR2.....	166
EQUANIL2.....	166
FLEXERL2.....	166
LIBRIUM2.....	166
LIMBTRL2.....	166
MEPROB2.....	166
MILTOWN2.....	166
ROHYPNL2.....	166
SERAX2.....	166
SOMA2.....	167
TRANXEN2.....	167
VISTAR2.....	167
OTHTRN.....	167
BENZOS.....	167
MEPROBPD.....	167
MUSCRELX.....	167
METHDES2.....	167
DIETPIL2.....	167
RITMPHE2.....	167
CYLERT2.....	168
DEXED2.....	168
DETAMP2.....	168

LABEL	PAGE
----	----
DIDREX2.....	168
ESKAT2.....	168
IONAMIN2.....	168
MAZANOR2.....	168
OBLA2.....	168
PLEGINE2.....	168
PRELUDN2.....	168
SANOREX2.....	168
TENUATE2.....	168
OTHSTM.....	168
AMDXPEN.....	168
MAZINDOL.....	169
METHAQ2.....	169
NEMBBAR2.....	169
RESTTMA2.....	169
AMYTAL2.....	169
BUTISOL2.....	169
CHHYD2.....	169
DALMANE2.....	169
HALCION2.....	169
PHENOBR2.....	169
PLACIDY2.....	169
TUINAL2.....	169
OTHSER.....	169
RTDALHAL.....	169
ANYBARB.....	170
CIGAFU.....	170
DCIGAFU.....	170
ALCAFU.....	170
ALCAFU2.....	170
MJAFU.....	170
ALCYDAYS.....	170
MRJYDAYS.....	170
COCYDAYS.....	171
HALYDAYS.....	171
INHSDAYS.....	171
STMYDAYS.....	171
CIGMDAYS.....	171
ALCMDAYS.....	171
MRJMDAYS.....	171
COCMDAYS.....	171
HALMDAYS.....	172
INHMDAYS.....	172
CIGPDAY.....	172
CIGAVGD.....	172

LABEL	PAGE
----	----
CIGAVGM.....	172
ALCAVGM.....	172
ELGCIG_B.....	173
ELGCD2_B.....	173
ELGCGR_B.....	173
ELGSLT_B.....	173
ELGALC_B.....	173
ELGMJ_B.....	173
ELGCOC_B.....	173
ELGCRK_B.....	173
ELGHER_B.....	173
ELGHAL_B.....	173
ELGLSD_B.....	174
ELGPCP_B.....	174
ELGECS_B.....	174
ELGINH_B.....	174
ELGANL_B.....	174
ELGTRN_B.....	174
ELGSTM_B.....	174
ELGMTH_B.....	174
ELGSED_B.....	174
ELGPSY_B.....	174
ELGSUM_B.....	175
ELGIEM_B.....	175
RECCIG_B.....	176
RECCD2_B.....	176
RECCGR_B.....	176
RECSLT_B.....	176
RECALC_B.....	176
RECMJ_B.....	176
RECCOC_B.....	176
RECCRK_B.....	176
RECHER_B.....	177
RECHAL_B.....	177
RECLSD_B.....	177
RECPCP_B.....	177
RECECS_B.....	177
RECINH_B.....	177
RECANL_B.....	177
RECTRN_B.....	177
RECSTM_B.....	177
RECMTH_B.....	177
RECSED_B.....	177
RECPSY_B.....	178
RECSUM_B.....	178

LABEL	PAGE
-----	-----
RECIEM_B.....	179
MRJFSTYR.....	179
COCFSTYR.....	179
CRKFSTYR.....	179
HERFSTYR.....	179
HALFSTYR.....	180
LSDFSTYR.....	180
PCPFSTYR.....	180
ECSFSTYR.....	180
INHSTYR.....	180
ANLFSTYR.....	180
TRNFSTYR.....	180
STMFSTYR.....	180
SEDFSTYR.....	180
PSYFSTYR.....	180
IEMFSTYR.....	180
QD041.....	181
QD042.....	181
QD043.....	181
QD044.....	181
QD045.....	181
QD051.....	181
QD052.....	181
QD053.....	181
QD054.....	181
QD055.....	182
QD056.....	182
QD057.....	182
QD05ASI1.....	182
QD05ASI2.....	182
QD05ASI3.....	182
QD05ASI4.....	182
QD05ASI5.....	182
QD05ASI6.....	182
QD05ASI7.....	182
CG05.....	183
CG06.....	183
CG06DK.....	183
CG06RE.....	183
CG27.....	183
CG28.....	184
CG28DK.....	184
CG28RE.....	184
CG19.....	184
CG20.....	184

LABEL	PAGE
----	----
CG20DK.....	185
CG20RE.....	185
CG36.....	185
CG37.....	185
CG37DK.....	185
CG37RE.....	186
CG43.....	186
ALLAST3.....	186
ALRECDK.....	186
ALRECRE.....	187
TOTDRINK.....	187
ALFRAME3.....	187
ALYRAVE.....	187
ALMONAVE.....	187
ALWKAVE.....	188
MJLAST3.....	188
MJRECDK.....	188
MJRECRE.....	188
TOTMJ.....	188
MJFRAME3.....	189
MJYRAVE.....	189
MJMONAVE.....	189
MJWKAVE.....	189
CCLAST3.....	189
CCRECDK.....	189
CCRECRE.....	190
TOTCOKE.....	190
CCFRAME3.....	190
CCYRAVE.....	190
CCMONAVE.....	190
CCWKAVE.....	190
CKLAST3.....	191
CKRECDK.....	191
CKRECRE.....	191
TOTCRACK.....	191
CKFRAME3.....	191
CKYRAVE.....	192
CKMONAVE.....	192
CKWKAVE.....	192
HELAST3.....	192
HERECDK.....	192
HERECRE.....	192
TOTHERO.....	193
HEFRAME3.....	193
HEYRAVE.....	193

LABEL	PAGE
-----	-----
HEMNAVE.....	193
HEWKAVE.....	193
LSLAST.....	193
LSRECDK.....	194
LSRECRE.....	194
TOTHALL.....	194
LSFRAME3.....	194
LSYRAVE.....	194
LSMONAVE.....	194
LSWKAVE.....	195
LS10.....	195
LS16.....	195
LS22.....	195
INLAST.....	195
INRECDK.....	195
INRECRE.....	196
TOTINHAL.....	196
INFRAME3.....	196
INYRAVE.....	196
INMONAVE.....	196
INWKAVE.....	197
PR09.....	197
PRRECDK.....	197
PRRECRE.....	197
PR10.....	198
PR11.....	198
PR12.....	198
PR13.....	198
TR09.....	199
TRRECDK.....	199
TRRECRE.....	199
TR10.....	199
TR11.....	200
TR12.....	200
TR13.....	200
ST09.....	200
STRECDK.....	200
STRECRE.....	201
ST10.....	201
ST11.....	201
ST12.....	201
ST13.....	202
ST19.....	202
ST20.....	202
ST21.....	202

LABEL	PAGE
----	----
ST22.....	202
ST23.....	203
SV09.....	203
SVRECDK.....	203
SVRECRE.....	203
SV10.....	204
SV11.....	204
SV12.....	204
SV13.....	204
HERSMOKE.....	205
HRSMKREC.....	205
HERSNIFF.....	205
HRSNFREC.....	205
HERNEEDL.....	206
HRNDLREC.....	206
MTHNEEDL.....	206
MTNDLREC.....	207
COCNEEDL.....	207
CONDLREC.....	207
GNNDREUS.....	208
GNNDLSH1.....	208
GNNDCLN.....	208
GNNDLSH2.....	208
GNNDGET.....	209
STNEEDLR.....	210
STNLRECR.....	210
NEDLRECR.....	210
NEDFLG01.....	211
NEDHER.....	211
NEDCOC.....	211
NEDSTM.....	211
NEDMTH.....	211
HERSMOK2.....	211
HERSNIF2.....	211
RSKPKCIG.....	212
RSKMJOCC.....	212
RSKMJREG.....	212
RKTRYLSD.....	213
RKLSDREG.....	213
RKTRYHER.....	213
RKHERREG.....	213
RKCOCOCC.....	214
RKCOCREG.....	214
RK5ALDLY.....	214
RK5ALWK.....	214

LABEL	PAGE
----	----
RSKDIFMJ.....	215
RKDIFLSD.....	215
RKDIFCOC.....	215
RKDIFCRK.....	215
RKDIFHER.....	216
RSKSELL.....	216
RKFQDNDR.....	216
RKFQRSKY.....	216
RKFQPBTL.....	216
RKFQDBLT.....	217
GRSKPKCG.....	218
GRSKMOCC.....	218
GRSKMREG.....	218
GRSKCOC.....	218
GRSKCREG.....	218
GRSKHTRY.....	218
GRSKHREG.....	218
GRSKLTRY.....	218
GRSKLREG.....	218
GRSKD4_5.....	218
GRSKD5WK.....	219
RDIFMJ.....	219
RDIFCOC.....	219
RDIFCRK.....	219
RDIFHER.....	219
RDIFLSD.....	219
APPSELDR.....	219
CIGIRTL.....	220
CIGCRAVE.....	220
CIGCRAGP.....	220
CIGINCTL.....	221
CIGAVOID.....	221
CIGFNSMK.....	221
CIGFNLKE.....	222
CIGPLANE.....	222
CIGRNOUT.....	222
CIGREGDY.....	223
CIGREGWK.....	223
CIGREGNM.....	223
CIGNMCHG.....	224
CIGSVLHR.....	224
CIGINFLU.....	224
CIGNOINF.....	225
CIGINCRS.....	225
CIGSATIS.....	225

LABEL	PAGE
-----	-----
CIGLOTMR.....	226
CIGWAKE.....	226
ALCLOTTM.....	226
ALCGTOVR.....	227
ALCLIMIT.....	227
ALCKPLMT.....	227
ALCNDMOR.....	228
ALCLSEFX.....	228
ALCCUTDN.....	228
ALCCUTEV.....	229
ALCCUTIX.....	229
ALCWD2SX.....	229
ALCWDSMT.....	230
ALCEMOPB.....	230
ALCEMCTD.....	231
ALCPHLPB.....	231
ALCPHCTD.....	231
ALCLSACT.....	232
ALCSERP.....	232
ALCPDANG.....	233
ALCLAWTR.....	233
ALCFMFPB.....	233
ALCFMCTD.....	234
MRJLOTTM.....	234
MRJGTOVR.....	234
MRJLIMIT.....	235
MRJKPLMT.....	235
MRJNDMOR.....	235
MRJLSEFX.....	236
MRJCUTDN.....	236
MRJCUTEV.....	236
MRJEMOPB.....	237
MRJEMCTD.....	237
MRJPHLPB.....	237
MRJPHCTD.....	238
MRJLSACT.....	238
MRJSERP.....	238
MRJPDANG.....	239
MRJLAWTR.....	239
MRJFMFPB.....	239
MRJFMCTD.....	240
COCLOTTM.....	240
COCGTOVR.....	240
COCLIMIT.....	241
COCKPLMT.....	241

LABEL	PAGE
-----	-----
COCNDMOR.....	241
COCLSEFX.....	241
COCCUTDN.....	242
COCCUTEV.....	242
COCCUT1X.....	242
COCFLBLU.....	242
COCWD2SX.....	243
COCWDSMT.....	243
COCEMOPB.....	244
COCEMCTD.....	244
COCPHLPB.....	244
COCPHCTD.....	244
COCLSACT.....	245
COCSERP.....	245
COCPDANG.....	245
COCLAWTR.....	246
COCFMFPB.....	246
COCFMCTD.....	246
HERLOTTM.....	247
HERGTOVR.....	247
HERLIMIT.....	247
HERKPLMT.....	248
HERNDMOR.....	248
HERLSEFX.....	248
HERCUTDN.....	248
HERCUTEV.....	249
HERCUT1X.....	249
HERWD3SX.....	249
HERWDSMT.....	250
HEREMOPB.....	250
HEREMCTD.....	250
HERPHLPB.....	251
HERPHCTD.....	251
HERLSACT.....	251
HERSERPB.....	252
HERPDANG.....	252
HERLAWTR.....	252
HERFMFPB.....	253
HERFMCTD.....	253
INHLOTTM.....	253
INHGTOVR.....	254
INHLIMIT.....	254
INHKLMT.....	254
INHNDMOR.....	254
INHLEFX.....	255

LABEL	PAGE
-----	-----
INHCUTDN.....	255
INHCUTEV.....	255
INHEMOPB.....	255
INHEMCTD.....	256
INHPLPB.....	256
INHPCCTD.....	256
INHLFACT.....	257
INHSEPB.....	257
INHPDANG.....	257
INHLAWTR.....	258
INHFMFPB.....	258
INHFMCTD.....	258
TRNLOTTM.....	259
TRNGTOVR.....	259
TRNLIMIT.....	259
TRNKPLMT.....	260
TRNNDMOR.....	260
TRNLSEFX.....	260
TRNCUTDN.....	261
TRNCUTEV.....	261
TRNEMOPB.....	261
TRNEMCTD.....	262
TRNPLPB.....	262
TRNPHCTD.....	262
TRNLSACT.....	263
TRNSEPB.....	263
TRNPDANG.....	264
TRNLAWTR.....	264
TRNFMFPB.....	264
TRNFMCTD.....	265
IRCGIRTB.....	266
IICGIRTB.....	266
IRCGCRV.....	266
IICGCRV.....	266
IRCGCRGP.....	266
IICGCRGP.....	267
IRCGNCTL.....	267
IICGNCTL.....	267
IRCGAVD.....	267
IICGAVD.....	267
IRCGPLN.....	267
IICGPLN.....	267
IRCGROUT.....	268
IICGROUT.....	268
IRCGRGDY.....	268

LABEL	PAGE
----	----
IICGRGDY.....	268
IRCGRGWK.....	268
IICGRGWK.....	268
IRCGRGNM.....	268
IICGRGNM.....	269
IRCGNCG.....	269
IICGNCG.....	269
IRCGSLHR.....	269
IICGSLHR.....	269
IRCGINFL.....	269
IICGINFL.....	269
IRCGNINF.....	270
IICGNINF.....	270
IRCGINCR.....	270
IICGINCR.....	270
IRCGSAT.....	270
IICGSAT.....	270
IRCGLMR.....	270
IICGLMR.....	271
NDSSANSP.....	272
NDSSDNSP.....	272
FTNDDNSP.....	272
DNICNSP.....	272
DEPNDA LC.....	273
DEPN DANL.....	274
DEPNDCOC.....	274
DEPN DHAL.....	274
DEPN DHER.....	274
DEPN DINH.....	274
DEPN DMRJ.....	274
DEPN DSED.....	274
DEPN DSTM.....	275
DEPN DTRN.....	275
DEPN DILL.....	275
DEPN DIEM.....	275
DEPN DXMJ.....	276
DEPN DPSY.....	276
DPILLALC.....	276
DPILANAL.....	276
ABUSEALC.....	277
ABUSEANL.....	277
ABUSECOC.....	277
ABUSEHAL.....	278
ABUSEHER.....	278
ABUSEINH.....	278

LABEL	PAGE
----	----
ABUSEMRJ.....	278
ABUSESED.....	278
ABUSESTM.....	278
ABUSETRN.....	278
ABUSEILL.....	279
ABUSEIEM.....	279
ABUSEXMJ.....	279
ABUSEPSY.....	279
ABILLALC.....	279
ABILANAL.....	279
ABODALC.....	280
ABODANL.....	280
ABODCOC.....	280
ABODHAL.....	280
ABODHER.....	280
ABODINH.....	280
ABODMRJ.....	280
ABODSED.....	280
ABODSTM.....	280
ABODTRN.....	280
ABODILL.....	280
ABODIEM.....	280
ABODPSY.....	280
ABODILAL.....	281
ABDILAAL.....	281
BOOKED.....	282
NOBOOKYR.....	282
BKMVTHFT.....	283
BKLARCNY.....	283
BKBURGL.....	283
BKAGASLT.....	284
BKSMASLT.....	284
BKROB.....	284
BKRAPE.....	284
BKMURDER.....	285
BKARSON.....	285
BKDRVINF.....	285
BKDRUNK.....	285
BKPOSTOB.....	286
BKDRUG.....	286
BKPROS.....	286
BKSEXOFF.....	286
BKFRAUD.....	287
BKOTH.....	287
BKOTHOFF.....	288

LABEL	PAGE
----	----
PROBATON.....	289
PAROLREL.....	289
DRVALDR.....	289
DRVAONLY.....	289
DRVONLY.....	290
MEDMJUSE.....	290
DRIVALC2.....	291
DRIVDRG2.....	291
DRIVALD2.....	291
PAROL.....	291
PROB.....	291
MMGETMJ.....	292
MMBTREC1.....	292
MMBTPYR.....	292
MMBTREC2.....	292
MMBT30DY.....	293
MMJNTLOO.....	293
MMJNTNUM.....	293
MMJNPCTB.....	294
MMJNPCAT.....	295
MMLSUNIT.....	295
MMLSGMS.....	296
MMLS10GM.....	296
MMLSOZS.....	296
MMLSLBS.....	297
MMLS5LBS.....	297
MMLSPCTB.....	297
MMLSPCAT.....	298
MMBUYWHO.....	299
MMBATJOB.....	299
MMBCLOSE.....	299
MMBSELL.....	299
MMBGIVE.....	300
MMTRADE.....	300
MMTRD30D.....	300
MMTRDREC.....	300
MMT30FRQ.....	301
MMTJNTLS.....	301
MMTJNTNM.....	301
MMTJWRCB.....	301
MMTJWRTH.....	302
MMTLUNIT.....	302
MMTLGMS.....	302
MMTL10GM.....	303
MMTLOZS.....	303

LABEL	PAGE
----	----
MTLLBS.....	303
MTL5LBS.....	303
MTLWRCB.....	304
MTLWRTH.....	305
MTRDWHO.....	305
MTCLOSE.....	306
MTKEEP.....	306
MTSELL.....	306
MTGIVE.....	306
MMGKEEP.....	307
MMGSELL.....	307
MMGGIVE.....	307
MMFREWHO.....	307
MMFCLOSE.....	308
MMFKEEP.....	308
MMFSELL.....	308
MMFGIVE.....	308
MJPGOT.....	309
MJPBTFRM.....	309
MJPFREGT.....	309
TXEVER.....	310
TXYREVER.....	310
TXYRADG.....	311
TXYRHOSP.....	311
TXYRHPAD.....	311
TXYRRFIN.....	312
TXYRINAD.....	312
TXYRRFOP.....	312
TXYRPOAD.....	313
TXYRMHC.....	313
TXYRMHAD.....	313
TXYRTXER.....	314
TXYRERAD.....	314
TXYRDOC.....	314
TXYRDCAD.....	315
TXYRJAIL.....	315
TXYRJLAD.....	315
TXYRSHG.....	316
TXYRSGAD.....	316
TXYRSOP.....	316
TXYROTSP.....	317
TXYROTAD.....	318
TXYRVSER.....	318
TXYRNMER.....	318
TXRCVNOW.....	319

LABEL	PAGE
----	----
NDTXNEDR.....	319
NDTXMORE.....	320
NDTMRALC.....	320
NDTMRMJ.....	320
NDTMRCOC.....	320
NDTMRHER.....	320
NDTMRHAL.....	321
NDTMRINH.....	321
NDTMRANL.....	321
NDTMRTRN.....	321
NDTMRSTM.....	321
NDTMRSED.....	321
NDTMROTH.....	322
NDTXALCR.....	322
NDTXMJR.....	322
NDTXCOCR.....	323
NDTXHERR.....	323
NDTXHALR.....	323
NDTXINHR.....	324
NDTXANLR.....	324
NDTXTRNR.....	324
NDTXSTMR.....	325
NDTXSEDR.....	325
NDTXSODR.....	325
NDTXDG1R.....	326
NDTXDG2R.....	327
NDTXDG3R.....	327
NDTXDG4R.....	328
NDTXDG5R.....	328
NDTXEFTR.....	328
NDTXNHCV.....	329
NDTXLMCV.....	329
NDTXNTSP.....	329
NDXTYPE.....	329
NDTXREDY.....	330
NDTXOPEN.....	330
NDTXWHER.....	330
NDTXNBR.....	330
NDTXJOB.....	330
NDTMREFT.....	331
NDMRNHCV.....	331
NDMRLMCV.....	331
NDMRNTSP.....	331
NDMRTYPE.....	332
NDMRREDY.....	332

LABEL	PAGE
-----	-----
NDMROPEN.....	332
NDMRWHER.....	332
NDMRNBR.....	332
NDMRJOB.....	333
TXLASREC.....	333
TXLTYMN.....	335
TXLTYALC.....	335
TXLTYMJ.....	336
TXLTYCOC.....	336
TXLTYHER.....	337
TXLTYHAL.....	337
TXLTYINH.....	338
TXLTYANL.....	338
TXLTYTRN.....	339
TXLTYSTM.....	339
TXLTYSED.....	340
TXLTYSOD.....	340
TXLTYA.....	341
TXLTYB.....	343
TXLTYC.....	344
TXLTYD.....	345
TXLTYE.....	345
TXLTYPRM.....	346
TXLTYOUT.....	347
TXLTYDUR.....	348
TXPYINS.....	349
TXPYCARE.....	349
TXPYCAID.....	350
TXPYPUBP.....	350
TXPYSAVE.....	351
TXPYFMLY.....	351
TXPYCORT.....	352
TXPYMILC.....	352
TXPYEMPL.....	353
TXPYSOS.....	353
TXPYSP.....	354
TXPYFRE.....	354
TXENROLL.....	355
TXYRDTXO.....	355
TXILALEV.....	356
ALCTRMT.....	356
ILLTRMT.....	356
TXILLALC.....	356
TXILANAL.....	356
TXLTALC2.....	356

LABEL	PAGE
----	----
TXLTMJ2.....	356
TXLTCOC2.....	356
TXLTHER2.....	356
TXLTHAL2.....	356
TXLTINH2.....	356
TXLTANL2.....	357
TXLTTRN2.....	357
TXLTSTM2.....	357
TXLTSED2.....	357
TXLTILL2.....	357
TXPINS2.....	357
TXPCARE2.....	357
TXPCAID2.....	357
TXPPUBP2.....	357
TXPSAVE2.....	357
TXPFMLY2.....	357
TXPCORT2.....	357
TXPMILC2.....	358
TXPEMPL2.....	358
ALCPINS.....	358
ALCPCARE.....	358
ALCPCAID.....	358
ALCPPUBP.....	358
ALCPSAVE.....	358
ALCPFMLY.....	358
ALCPCORT.....	358
ALCPMILC.....	358
ALCPEMPL.....	358
ILLPINS.....	358
ILLPCARE.....	358
ILLPCAID.....	358
ILLPPUBP.....	358
ILLPSAVE.....	359
ILLPFMLY.....	359
ILLPCORT.....	359
ILLPMILC.....	359
ILLPEMPL.....	359
SPECTALC.....	359
SPECTILL.....	360
SPILLALC.....	360
SPILANAL.....	360
LASTTXSP.....	360
ALCHOSP.....	361
ALCRFIN.....	361
ALCRFOP.....	361

LABEL	PAGE
-----	-----
ALCMHC.....	361
ALCTXER.....	361
ALCDOC.....	361
ALCJAIL.....	361
ALCSHG.....	361
DRGHOSP.....	362
DRGRFIN.....	362
DRGRFOP.....	362
DRGMHC.....	362
DRGTXER.....	362
DRGDOC.....	362
DRGJAIL.....	362
DRGSHG.....	362
LOCHOSP.....	362
LOCRFIN.....	363
LOCRFOP.....	363
LOCMHC.....	363
LOCTXER.....	363
LOCDOC.....	363
LOCJAIL.....	363
LOCSHG.....	363
TXNEDALC.....	363
ILLNEED.....	364
TXNDILAL.....	364
FLTNDALC.....	364
FLTNDILL.....	365
FLNDILAL.....	365
NDEFALC.....	365
NDEFIL.....	366
NDEFIA.....	366
TXGAPALC.....	366
TXNOSPEC.....	366
TXGPILAL.....	367
TXRNNHCV.....	367
TXRNLMCV.....	367
TXRNNTSP.....	367
TXRNTYPE.....	367
TXRNNSTP.....	367
TXRNOPEN.....	367
TXRNWHER.....	367
TXRNNBR.....	367
TXRNJOB.....	367
PREGNANT.....	368
PREGMOS.....	368
NMERTMT.....	368

LABEL	PAGE
----	----
INHOSPYR.....	368
NMNGTHSP.....	368
PREG.....	369
PREG2.....	369
TRIMEST.....	369
AUINPYR.....	370
AUINPSYH.....	370
AUINPGEN.....	370
AUINMEDU.....	370
AUINAHSP.....	371
AUINRESD.....	371
AUINSFAC.....	371
AUNMPSYH.....	371
AUNMPGEN.....	371
AUNMMEDU.....	372
AUNMAHSP.....	372
AUNMRESD.....	372
AUNMSFAC.....	372
AUPINSLF.....	372
AUPINOFM.....	373
AUPINPHI.....	373
AUPINMCR.....	373
AUPINMCD.....	373
AUPINREH.....	373
AUPINEMP.....	373
AUPINMIL.....	373
AUPINPUB.....	374
AUPINPRV.....	374
AUPINFRE.....	374
AUPINMOS.....	374
AUPINFMP.....	375
AUOPTYR.....	375
AUOPMENT.....	376
AUOPTHER.....	376
AUOPDOC.....	376
AUOPCLNC.....	376
AUOPDTMT.....	376
AUOPOTOP.....	377
AUOPYRSP.....	379
AUNMMENT.....	379
AUNMTHER.....	379
AUNMDOC.....	379
AUNMCLNC.....	379
AUNMDTMT.....	380
AUNMOTOP.....	380

LABEL	PAGE
----	----
AUOPPSLF.....	380
AUPOPOFM.....	380
AUOPPPHI.....	380
AUOPMCR.....	380
AUOPMCD.....	381
AUOPPREH.....	381
AUOPEMP.....	381
AUOPMIL.....	381
AUOPPPUB.....	381
AUOPPRV.....	381
AUOPFRE.....	381
AUOPMOS.....	382
AUOPAMT.....	382
AURXYR.....	382
AUUNMTYR.....	383
AUUNCOST.....	383
AUUNNBR.....	383
AUUNJOB.....	383
AUUNNCOV.....	383
AUUNENUF.....	384
AUUNWHER.....	384
AUUNCFID.....	384
AUUNCMIT.....	384
AMHINP2.....	385
AMHOUTP3.....	385
AMHRX2.....	385
AMHTXRC3.....	385
AMHTXND2.....	385
SNMOV5YR.....	386
SNYSELL.....	386
SNYSTOLE.....	386
SNYATTAK.....	387
SNFAMJEV.....	387
SNRLGSVC.....	387
SNRLGIMP.....	388
SNRLDCSN.....	388
SNRLFRND.....	388
YEMOV5YR.....	389
YEATNDYR.....	389
YEHMSLYR.....	389
YESCHFLT.....	390
YESCHWRK.....	390
YESCHIMP.....	390
YESCHINT.....	391
YETCGJOB.....	391

LABEL	PAGE
-----	-----
YELSTGRD.....	391
YESTSCIG.....	392
YESTSMJ.....	392
YESTSALC.....	392
YESTSDNK.....	393
YEPCHKHW.....	393
YEPHLPWH.....	393
YEPCHORE.....	394
YEPLMTTV.....	394
YEPLMTSN.....	394
YEPGDJOB.....	395
YEPPROUD.....	395
YFYARGUP.....	395
YFYFGTSW.....	396
YFYFGTGP.....	396
YFYHGUN.....	396
YFYSELL.....	397
YFYSTOLE.....	397
YFYATTAK.....	397
YEPKPCIG.....	398
YEPMJEV.....	398
YEPMJMO.....	398
YEPALDLY.....	398
YEGKPCIG.....	399
YEGMJEV.....	399
YEGMJMO.....	399
YEGALDLY.....	399
YEFKPCIG.....	400
YEFMJEV.....	400
YEFMJMO.....	400
YEFALDLY.....	400
YETLKNON.....	401
YETLKPAR.....	401
YETLKBGF.....	401
YETLKOTA.....	401
YETLKSOP.....	402
YEPRTDNG.....	402
YEPBBSLV.....	402
YEVIOPRV.....	402
YEDGPRGP.....	403
YESLFHLP.....	403
YEPRGSTD.....	403
YESCHACT.....	404
YECOMACT.....	404
YEFIACT.....	404

LABEL	PAGE
-----	-----
YEOTHACT.....	405
YEDECLAS.....	405
YEDERGLR.....	405
YEDESPCL.....	405
YEPVNTYR.....	406
YERLGSVC.....	406
YERLGIMP.....	406
YERLDCSN.....	407
YERLFRND.....	407
MVIN5YR2.....	408
SCHFELT.....	408
TCHGJOB.....	408
AVGGRADE.....	408
STNDSCIG.....	408
STNDSMJ.....	408
STNDALC.....	408
STNDDNK.....	408
PARCHKHW.....	408
PARHLPHW.....	408
PRCHORE2.....	409
PRLMTTV2.....	409
PARLMTSN.....	409
PRGDJOB2.....	409
PRPROUD2.....	409
ARGUPAR.....	409
YOFIGHT2.....	409
YOGRPFT2.....	409
YOHGUN2.....	409
YOSELL2.....	409
YOSTOLE2.....	409
YOATTAK2.....	409
PRPKCIG2.....	410
PRMJEV2.....	410
PRMJMO.....	410
PRALDLY2.....	410
YFLPKCG2.....	410
YFLTMRJ2.....	410
YFLMJMO.....	410
YFLADLY2.....	410
FRDPCIG2.....	410
FRDMEV2.....	410
FRDMJMON.....	410
FRDADLY2.....	410
TALKPROB.....	411
PRTALK3.....	411

LABEL	PAGE
----	----
PRBSOLV2.....	411
PREVIOL2.....	411
PRVDRGO2.....	411
GRPCNSL2.....	411
PREGPGM2.....	411
YTHACT2.....	412
DRPRVME3.....	412
ANYEDUC3.....	412
RLGATTD.....	412
RLGIMPT.....	412
RLGDCSN.....	412
RLGFRND.....	412
YUHOSPYR.....	413
YUHOSPNM.....	413
YUHOSUIC.....	413
YUHODEPR.....	414
YUHOFEAR.....	414
YUHOBKRU.....	414
YUHOEATP.....	414
YURSIDYR.....	414
YURSIDNM.....	415
YURSSUIC.....	415
YURSDEPR.....	415
YURSFEAR.....	415
YURSBKRU.....	416
YURSEATP.....	416
YUFCARYR.....	416
YUFCARNM.....	416
YUFCSUIC.....	417
YUFCDEPR.....	417
YUFCFEAR.....	417
YUFCBKRU.....	417
YUFCEATP.....	417
YUDYTXYR.....	418
YUDYTXNM.....	418
YUDYSUIC.....	418
YUDYDEPR.....	418
YUDYFEAR.....	419
YUDYBKRU.....	419
YUDYEATP.....	419
YUMHCRYR.....	419
YUMHCRNM.....	419
YUMHSUIC.....	420
YUMHDEPR.....	420
YUMHFEAR.....	420

LABEL	PAGE
-----	-----
YUMHBKRU.....	420
YUMHEATP.....	420
YUTPSTYR.....	421
YUTPSTNM.....	421
YUTPSUIC.....	421
YUTPDEPR.....	421
YUTPFEAR.....	422
YUTPBKRU.....	422
YUTPEATP.....	422
YUIHTPYR.....	422
YUIHTPNM.....	422
YUIHSUIC.....	423
YUIHDEPR.....	423
YUIHFEAR.....	423
YUIHBKRU.....	423
YUIHEATP.....	423
YUFDOCYR.....	424
YUFDOCNM.....	424
YUFDSUIC.....	424
YUFDDPR.....	424
YUFDFEAR.....	425
YUFDBKRU.....	425
YUFDEATP.....	425
YHOSP.....	426
YRESID.....	426
YPOST.....	426
YDAYTRT.....	426
YCLIN.....	426
YTHER.....	426
YHOME.....	426
YPED.....	426
ANYMHIN.....	427
ANYMHOUT.....	427
ANYSMH.....	428
TOTPEOP.....	429
HH65.....	429
KID17.....	429
KIDS.....	429
IMOTHER.....	429
IFATHER.....	429
NRBABIES.....	430
NRPRESCH.....	430
NRYUNGCH.....	430
NRTEENS.....	430
NRCH0_17.....	430

LABEL	PAGE
-----	-----
NROLDCH.....	430
NROLDCH.....	430
NROOMATE.....	430
FSTRCHLD.....	430
IRHHSIZE.....	430
IIHHSIZE.....	430
IRKID17.....	430
IIKID17.....	430
IRHH65.....	430
IIHH65.....	431
IRFAMSKP.....	431
IIFAMSKP.....	431
IRFAMSZE.....	431
IIFAMSZE.....	431
IRKIDFAM.....	431
IIKIDFAM.....	431
IRHCSPSP.....	431
IIHCSPSP.....	431
IRHCSPWC.....	431
IIHCSPWC.....	431
CHAMPUS.....	432
PRVHLTIN.....	432
GRPHLTIN.....	432
HLTINALC.....	433
HLTINDRG.....	433
HLTIMMNT.....	433
HLTINNOS.....	433
HLCNOTYR.....	434
HLCNOTMO.....	434
HLCLAST.....	434
HLLOSRSN.....	435
HLNVCOST.....	435
HLNVOFFR.....	435
HLNVREF.....	435
HLNVNEED.....	435
HLNVSOR.....	436
PINSUR.....	436
INSUR.....	436
IRPINSUR.....	437
IIPINSUR.....	437
IRINSUR.....	437
IIINSUR.....	437
IRMEDICR.....	437
IIMEDICR.....	437
IRCHMPUS.....	437

LABEL	PAGE
----	----
IICHMPUS.....	437
IRPRVHLT.....	438
IIPRVHLT.....	438
HLCALLFG.....	439
HLCALL99.....	439
ANYHLTIN.....	439
IRINSUR4.....	439
IIINSUR4.....	440
FAMWAG.....	441
FSTAMP.....	441
FAMPMT.....	442
FAMSVC.....	442
WELMOS.....	443
PINC1.....	443
FINC1.....	444
FAMINC1.....	444
IRFAMWAG.....	445
IIFAMWAG.....	445
IRFSTAMP.....	445
IIFSTAMP.....	445
IRFAMPMT.....	445
IIFAMPMT.....	445
IRFAMSVC.....	445
IIFAMSVC.....	445
IRWELMOS.....	445
IIWELMOS.....	445
IRPINC1.....	445
IIPINC1.....	445
IRFINC1.....	445
IIFINC1.....	446
IRFAMIN1.....	446
IIFAMIN1.....	446
INCOME.....	447
QUARTER.....	448
GQTYPE.....	448
AGE.....	449
EIAGE.....	449
BIRMONTH.....	449
BIRYEAR.....	449
MARITAL.....	449
NOMARR.....	450
SERVICE.....	450
MILSTAT.....	450
EDUC.....	450
HEALTH.....	451

LABEL	PAGE
----	----
IRSEX.....	452
IRHOIND.....	452
IIHOIND.....	452
IRNWRACE.....	452
IINWRACE.....	452
IRMARIT.....	452
IIMARIT.....	453
IREDUC.....	453
IIEDUC.....	453
CATAGE.....	454
CATAG2.....	454
CATAG3.....	454
CATAG7.....	454
CATAG18.....	454
DETALAGE.....	454
YTHAGE.....	455
AGEADULT.....	455
CATAGMH2.....	455
AGEDRNK.....	455
EDUCAGE.....	455
COLLAGES.....	455
PREGAGE2.....	455
SEXAGE.....	455
M15_44.....	455
F15_44.....	455
M18_49.....	455
F18_49.....	456
M_18UP.....	456
F_18UP.....	456
NEWRACE1.....	456
NEWRACE2.....	456
EXPRACE.....	457
EXPRACE2.....	457
RACE4.....	457
RACEHP.....	457
ASIANPI.....	458
HISP2.....	458
HISPGRP.....	458
HISPGRP2.....	458
SEXRACE.....	458
EDUCCAT2.....	458
MOVESPYR.....	459
BORNINUS.....	459
BORNINOT.....	460
EDTEDUC.....	464

LABEL	PAGE
----	----
SCHENRL.....	465
EDUCATND.....	466
SDNTFTPT.....	467
SCHDSICK.....	467
SCHDSKIP.....	467
HSDIPLMA.....	467
HSGED.....	468
LFTSCHAG.....	468
TELNO.....	468
IRBORNUS.....	469
IIBORNUS.....	469
IRENTA_B.....	469
IMGBFMRJ.....	470
IMGBF12.....	470
YRSLIVUS.....	470
COLLENR.....	470
COLLENR2.....	470
JBSTATR.....	471
WRKEDWK.....	471
WRKHAVJB.....	472
WRKHRSWK.....	472
WRKHRSUS.....	472
WRKIDSTY.....	472
WRKOCUPT.....	472
WRKBZCAT.....	473
WRKNOWRK.....	473
WRKNOJOB.....	473
WRKEFFRT.....	474
WRKEDYR.....	474
WRKSLFEM.....	474
WRKJOBS.....	474
WRKUNEMP.....	474
WRKUNWKS.....	475
WRKIDSYR.....	475
WRKOCUYR.....	475
WRKBZCYR.....	475
WORKDAYS.....	476
WORKBLAH.....	476
LOCSIZE.....	476
DRGPLCY.....	476
PLCYCOV.....	477
WKDRGED.....	477
DRGPRGM.....	477
USALCTST.....	477
USDRGTST.....	477

LABEL	PAGE
-----	-----
TSTHIRE.....	478
TSTRAND.....	478
FIRSTPOS.....	478
WRKHIRE.....	478
WORKRAND.....	479
EMPSTATY.....	480
IIEMPSTY.....	480
II2EMSTY.....	480
EMPSTAT4.....	480
IIEMPST4.....	480
II2EMST4.....	480
INTATHOM.....	481
UNDINT.....	481
COOPINT.....	481
PRIVACY.....	481
PPRES.....	481
SPRES.....	481
PARPRES.....	481
OARPRES.....	482
OAPRES.....	482
CPRES.....	482
OPRESNSP.....	482
OPRESSPA.....	483
OPRESSPB.....	485
CMPTOLD.....	486
DASWT_3.....	487
REGION.....	488
DIVISION.....	488
STATE.....	490
STNAME.....	490
STUSAB.....	490
RURORURB.....	490
RUCC03.....	491
COUTYP1.....	491
COUTYP2.....	491
VESTR.....	491
VEREP.....	491

APPENDIX A

CENSUS REGION/DIVISION/STATE TABLE

APPENDIX A

CENSUS REGION/DIVISION/STATE TABLE

<u>CENSUS REGION</u>	<u>CENSUS DIVISION</u>	<u>STATE NAME</u>	<u>STATE ABBREVIATION</u>
NORTHEAST	NEW ENGLAND	CONNECTICUT	CT
NORTHEAST	NEW ENGLAND	MAINE	ME
NORTHEAST	NEW ENGLAND	MASSACHUSETTS	MA
NORTHEAST	NEW ENGLAND	NEW HAMPSHIRE	NH
NORTHEAST	NEW ENGLAND	RHODE ISLAND	RI
NORTHEAST	NEW ENGLAND	VERMONT	VT
NORTHEAST	MIDDLE ATLANTIC	NEW JERSEY	NJ
NORTHEAST	MIDDLE ATLANTIC	NEW YORK	NY
NORTHEAST	MIDDLE ATLANTIC	PENNSYLVANIA	PA
NORTH CENTRAL	EAST NORTH CENTRAL	ILLINOIS	IL
NORTH CENTRAL	EAST NORTH CENTRAL	INDIANA	IN
NORTH CENTRAL	EAST NORTH CENTRAL	MICHIGAN	MI
NORTH CENTRAL	EAST NORTH CENTRAL	OHIO	OH
NORTH CENTRAL	EAST NORTH CENTRAL	WISCONSIN	WI
NORTH CENTRAL	WEST NORTH CENTRAL	IOWA	IA
NORTH CENTRAL	WEST NORTH CENTRAL	KANSAS	KS
NORTH CENTRAL	WEST NORTH CENTRAL	MINNESOTA	MN
NORTH CENTRAL	WEST NORTH CENTRAL	MISSOURI	MO
NORTH CENTRAL	WEST NORTH CENTRAL	NEBRASKA	NE
NORTH CENTRAL	WEST NORTH CENTRAL	NORTH DAKOTA	ND
NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH DAKOTA	SD
SOUTH	SOUTH ATLANTIC	DELAWARE	DE
SOUTH	SOUTH ATLANTIC	DISTRICT OF COLUMBIA	DC
SOUTH	SOUTH ATLANTIC	FLORIDA	FL
SOUTH	SOUTH ATLANTIC	GEORGIA	GA
SOUTH	SOUTH ATLANTIC	MARYLAND	MD
SOUTH	SOUTH ATLANTIC	NORTH CAROLINA	NC
SOUTH	SOUTH ATLANTIC	SOUTH CAROLINA	SC
SOUTH	SOUTH ATLANTIC	VIRGINIA	VA
SOUTH	SOUTH ATLANTIC	WEST VIRGINIA	WV
SOUTH	EAST SOUTH CENTRAL	ALABAMA	AL
SOUTH	EAST SOUTH CENTRAL	KENTUCKY	KY
SOUTH	EAST SOUTH CENTRAL	MISSISSIPPI	MS
SOUTH	EAST SOUTH CENTRAL	TENNESSEE	TN
SOUTH	WEST SOUTH CENTRAL	ARKANSAS	AR
SOUTH	WEST SOUTH CENTRAL	LOUISIANA	LA
SOUTH	WEST SOUTH CENTRAL	OKLAHOMA	OK
SOUTH	WEST SOUTH CENTRAL	TEXAS	TX
WEST	MOUNTAIN	ARIZONA	AZ
WEST	MOUNTAIN	COLORADO	CO
WEST	MOUNTAIN	IDAHO	ID
WEST	MOUNTAIN	MONTANA	MT
WEST	MOUNTAIN	NEVADA	NV
WEST	MOUNTAIN	NEW MEXICO	NM
WEST	MOUNTAIN	UTAH	UT
WEST	MOUNTAIN	WYOMING	WY
WEST	PACIFIC	ALASKA	AK
WEST	PACIFIC	CALIFORNIA	CA
WEST	PACIFIC	HAWAII	HI
WEST	PACIFIC	OREGON	OR
WEST	PACIFIC	WASHINGTON	WA

APPENDIX D

Occupational Classification System

2003 Census code	Occupation category
Executive, Administrative, and Managerial Occupations	
0010	Chief Executives
0020	General and Operations Managers
0030	Legislators
0040	Advertising and Promotions Managers
0050	Marketing and Sales Managers
0060	Public Relations Managers
0100	Administrative Services Managers
0110	Computer and Information Systems Managers
0120	Financial Managers
0130	Human Resources Managers
0140	Industrial Production Managers
0150	Purchasing Managers
0160	Transportation, Storage, and Distribution Managers
0200	Farm, Ranch, and Other Agricultural Managers
0210	Farmers and Ranchers
0220	Construction Managers
0230	Education Administrators
0300	Engineering Managers
0310	Food Service Managers
0320	Funeral Directors
0330	Gaming Managers
0340	Lodging Managers
0350	Medical and Health Services Managers
0360	Natural Sciences Managers
0400	Postmasters and Mail Superintendents
0410	Property, Real Estate, and Community Association Managers
0420	Social and Community Service Managers
0430	Managers, All Other
Management Related Occupations	
0500	Agents and Business Managers of Artists, Performers, and Athletes
0510	Purchasing Agents and Buyers, Farm Products
0520	Wholesale and Retail Buyers, Except Farm Products
0530	Purchasing Agents, Except Wholesale, Retail, and Farm Products
0540	Claims Adjusters, Appraisers, Examiners, and Investigators
0560	Compliance Officers, Except Agriculture, Constructions, Health and Safety, and Transportation
0600	Cost Estimators
0620	Human Resources, Training, and Labor Relations Specialists
0700	Logisticians
0710	Management Analysts
0720	Meeting and Convention Planners
0730	Other Business Operations Specialists
* Financial Related Occupations	
0800	Accountants and Auditors
0810	Appraisers and Assessors of Real Estate
0820	Budget Analysts
0830	Credit Analysts
0840	Financial Analysts
0850	Personal Finance Advisors
0860	Insurance Underwriters
0900	Financial Examiners
0910	Loan Counselors and Officers
0930	Tax Examiners, Collectors, and Revenue Agents
0940	Tax Preparers

2003 Census code	Occupation category
0950	Financial Specialists, All Other
Mathematical and Computer Scientists	
1000	Computer Scientists and Systems Analysts
1010	Computer Programmers
1020	Computer Software Engineers
1040	Computer Support Specialists
1060	Database Administrators
1100	Network and Computer Systems Administrators
1110	Network Systems and Data Communications Analysts
1200	Actuaries
1210	Mathematicians
1220	Operations Research Analysts
1230	Statisticians
1240	Miscellaneous Mathematical Occupations
Engineers, Architects, and Surveyors	
1300	Architects, Except Naval
1310	Surveyors, Cartographers, and Photogrammetrists
1320	Aerospace Engineers
1330	Agriculture Engineers
1340	Biomedical Engineers
1350	Chemical Engineers
1360	Civil Engineers
1400	Computer Hardware Engineers
1410	Electrical and Electronics Engineers
1420	Environmental Engineers
1430	Industrial Engineers, Including Health and Safety
1440	Marine Engineers and Naval Architects
1450	Materials Engineers
1460	Mechanical Engineers
1500	Mining and Geological Engineers, Including Mining Safety Engineers
1510	Nuclear Engineers
1520	Petroleum Engineers
1530	Engineers, All Other
Engineering and Related Technicians	
1540	Drafters
1550	Engineering Technicians, Except Drafters
1560	Surveying and Mapping Technicians
Physical Scientists	
1600	Agricultural and Food Scientists
1610	Biological Scientists
1640	Conservation Scientists and Foresters
1650	Medical Scientists
1700	Astronomers and Physicists
1710	Atmospheric and Space Scientists
1720	Chemists and Materials Scientists
1740	Environmental Scientists and Geoscientists
1760	Physical Scientists, All Other
Social Scientists and Related Workers	
1800	Economists
1810	Market and Survey Researchers
1820	Psychologists
1830	Sociologists
1840	Urban and Regional Planners
1860	Miscellaneous Social Scientists and Related Workers

2003 Census code	Occupation category
Life, Physical, and Social Science Technicians	
1900	Agriculture and Foods Science Technicians
1910	Biological Technicians
1920	Chemical Technicians
1930	Geological and Petroleum Technicians
1940	Nuclear Technicians
1960	Other Life, Physical, and Social Science Technicians
Counselors, Social, and Religious Workers	
2000	Counselors
2010	Social Workers
2020	Miscellaneous Community and Social Service Specialists
2040	Clergy
2050	Directors, Religious Activities and Education
2060	Religious Workers, All Other
Lawyers, Judges, and Legal Support Workers	
2100	Lawyers
2110	Judges, Magistrates, and Other Judicial Workers
2140	Paralegals and Legal Assistants
2150	Miscellaneous Legal Support Workers
Teachers	
2200	Postsecondary Teachers
2300	Preschool and Kindergarten Teachers
2310	Elementary and Middle School Teachers
2320	Secondary School Teachers
2330	Special Education Teachers
2340	Other Teachers and Instructors
Education, Training, and Library Workers	
2400	Archivists, Curators, and Museum Technicians 25-4010
2430	Librarians 25-4021
2440	Library Technicians 25-4031
2540	Teacher Assistants 25-9041
2550	Other Education, Training, and Library Workers 25-90XX
Entertainers and Performers, Sports and Related Workers	
2600	Artists and Related Workers
2630	Designers
2700	Actors
2710	Producers and Directors
2720	Athletes, Coaches, Umpires, and Related Workers
2740	Dancers and Choreographers
2750	Musicians, Singers, and Related Workers
2760	Entertainers and Performers, Sports and Related Workers, All Other
Media and Communication Workers	
2800	Announcers
2810	News Analysts, Reporters and Correspondents
2820	Public Relations Specialists
2830	Editors
2840	Technical Writers
2850	Writers and Authors
2860	Miscellaneous Media and Communication Workers
2900	Broadcast and Sound Engineering Technicians and Radio Operators

2003 Census code	Occupation category
2910	Photographers
2920	Television, Video, and Motion Picture Camera Operators and Editors
2960	Media and Communication Equipment Workers, All Other
Health Diagnosing and Treating Practitioners	
3000	Chiropractors
3010	Dentists
3030	Dietitians and Nutritionists
3040	Optometrists
3050	Pharmacists
3060	Physicians and Surgeons
3110	Physician Assistants
3120	Podiatrists
3130	Registered Nurses
3140	Audiologists
3150	Occupational Therapists
3160	Physical Therapists
3200	Radiation Therapists
3210	Recreational Therapists
3220	Respiratory Therapists
3230	Speech-Language Pathologists
3240	Therapists, All Other
3250	Veterinarians
3260	Health Diagnosing and Treating Practitioners, All Other
Health Care Technical and Support Occupations	
3300	Clinical Laboratory Technologists and Technicians
3310	Dental Hygienists
3320	Diagnostic Related Technologists and Technicians
3400	Emergency Medical Technicians and Paramedics
3410	Health Diagnosing and Treating Practitioner Support Technicians
3500	Licensed Practical and Licensed Vocational Nurses
3510	Medical Records and Health Information Technicians
3520	Opticians, Dispensing
3530	Miscellaneous Health Technologists and Technicians
3540	Other Healthcare Practitioners and Technical Occupations
3600	Nursing, Psychiatric, and Home Health Aides
3610	Occupational Therapist Assistants and Aides
3620	Physical Therapist Assistants and Aides
3630	Massage Therapists
3640	Dental Assistants
3650	Medical Assistants and Other Healthcare Support Occupations
Protective Service Occupations	
3700	First-Line Supervisors/Managers of Correctional Officers
3710	First-Line Supervisors/Managers of Police and Detectives
3720	First-Line Supervisors/Managers of Fire Fighting and Prevention Workers
3730	Supervisors, Protective Service Workers, All Other
3740	Fire Fighters
3750	Fire Inspectors
3800	Bailiffs, Correctional Officers, and Jailers
3820	Detectives and Criminal Investigators
3830	Fish and Game Wardens

2003 Census code	Occupation category
3840	Parking Enforcement Workers
3850	Police and Sheriff's Patrol Officers
3860	Transit and Railroad Police
3900	Animal Control Workers
3910	Private Detectives and Investigators
3920	Security Guards and Gaming Surveillance Officers
3940	Crossing Guards
3950	Lifeguards and Other Protective Service Workers

Food Preparation and Serving Related Occupations

4000	Chefs and Head Cooks
4010	First-Line Supervisors/Managers of Food Preparation and Serving Workers
4020	Cooks
4030	Food Preparation Workers
4040	Bartenders
4050	Combined Food Preparation and Serving Workers, Including Fast Food
4060	Counter Attendants, Cafeteria, Food Concession, and Coffee Shop
4110	Waiters and Waitresses
4120	Food Servers, Nonrestaurant
4130	Dining Room and Cafeteria Attendants and Bartender Helpers
4140	Dishwashers
4150	Hosts and Hostesses, Restaurant, Lounge, and Coffee Shop
4160	Food Preparation and Serving Related Workers, All Other

Cleaning and Building Service Occupations

4200	First-Line Supervisors/Managers of Housekeeping and Janitorial Workers
4210	First-Line Supervisors/Managers of Landscaping, Lawn Service, and Groundskeeping
4220	Janitors and Building Cleaners
4230	Maids and Housekeeping Cleaners
4240	Pest Control Workers
4250	Grounds Maintenance Workers

Entertainment Attendants and Related Workers

4300	First-Line Supervisors/Managers of Gaming Workers
4320	First-Line Supervisors/Managers of Personal Service Workers
4340	Animal Trainers
4350	Nonfarm Animal Caretakers
4400	Gaming Services Workers
4410	Motion Picture Projectionists
4420	Ushers, Lobby Attendants, and Ticket Takers
4430	Miscellaneous Entertainment Attendants and Related Workers

Funeral Related Occupations

4460	Funeral Service Workers
------	-------------------------

*** Personal Care and Service Workers**

4500	Barbers
4510	Hairdressers, Hairstylists, and Cosmetologists
4520	Miscellaneous Personal Appearance Workers
4530	Baggage Porters, Bellhops, and Concierges
4540	Tour and Travel Guides
4550	Transportation Attendants
4600	Child Care Workers

2003 Census code	Occupation category
4610	Personal and Home Care Aides
4620	Recreation and Fitness Workers
4640	Residential Advisors
4650	Personal Care and Service Workers, All Other

Sales and Related Workers

4700	First-Line Supervisors/Managers of Retail Sales Workers
4710	First-Line Supervisors/Managers of Non-Retail Sales Workers
4720	Cashiers
4740	Counter and Rental Clerks
4750	Parts Salespersons
4760	Retail Salespersons
4800	Advertising Sales Agents
4810	Insurance Sales Agents
4820	Securities, Commodities, and Financial Services Sales Agents
4830	Travel Agents
4840	Sales Representatives, Services, All Other
4850	Sales Representatives, Wholesale and Manufacturing
4900	Models, Demonstrators, and Product Promoters
4920	Real Estate Brokers and Sales Agents
4930	Sales Engineers
4940	Telemarketers
4950	Door-To-Door Sales Workers, News and Street Vendors, and Related Workers
4960	Sales and Related Workers, All Other

Office and Administrative Support Workers (5000-5930)

5000	First-Line Supervisors/Managers of Office and Administrative Support Workers
5010	Switchboard Operators, Including Answering Service
5020	Telephone Operators
5030	Communications Equipment Operators, All Other
5100	Bill and Account Collectors
5110	Billing and Posting Clerks and Machine Operators
5120	Bookkeeping, Accounting, and Auditing Clerks
5130	Gaming Cage Workers
5140	Payroll and Timekeeping Clerks
5150	Procurement Clerks
5160	Tellers
5200	Brokerage Clerks
5210	Correspondence Clerks
5220	Court, Municipal, and License Clerks
5230	Credit Authorizers, Checkers, and Clerks
5240	Customer Service Representatives
5250	Eligibility Interviewers, Government Programs
5260	File Clerks
5300	Hotel, Motel, and Resort Desk Clerks
5310	Interviewers, Except Eligibility and Loan
5320	Library Assistants, Clerical
5330	Loan Interviewers and Clerks
5340	New Accounts Clerks
5350	Order Clerks
5360	Human Resources Assistants, Except Payroll and Timekeeping
5400	Receptionists and Information Clerks
5410	Reservation and Transportation Ticket Agents and Travel Clerks
5420	Information and Record Clerks, All Other
5500	Cargo and Freight Agents
5510	Couriers and Messengers

2003 Census code	Occupation category
5520	Dispatchers
5530	Meter Readers, Utilities
5540	Postal Service Clerks
5550	Postal Service Mail Carriers
5560	Postal Service Mail Sorters, Processors, and Processing Machine Operators
5600	Production, Planning, and Expediting Clerks
5610	Shipping, Receiving, and Traffic Clerks
5620	Stock Clerks and Order Fillers
5630	Weighers, Measurers, Checkers, and Samplers, Recordkeeping
5700	Secretaries and Administrative Assistants
5800	Computer Operators
5810	Data Entry Keyers
5820	Word Processors and Typists
5830	Desktop Publishers
5840	Insurance Claims and Policy Processing Clerks
5850	Mail Clerks and Mail Machine Operators, Except Postal Service
5860	Office Clerks, General
5900	Office Machine Operators, Except Computer
5910	Proofreaders and Copy Markers
5920	Statistical Assistants
5930	Office and Administrative Support Workers, All Other

Farming, Fishing, and Forestry Occupations (6000-6130)

6000	First-Line Supervisors/Managers/Contractors of Farming, Fishing, and Forestry Workers
6010	Agricultural Inspectors
6020	Animal Breeders
6040	Graders and Sorters, Agricultural Products
6050	Other Agricultural Workers
6100	Fishers and Related Fishing Workers
6110	Hunters and Trappers
6120	Forest and Conservation Workers
6130	Logging Workers

Construction Trades and Extraction Workers (6200-6940)

6200	First-Line Supervisor/Managers of Construction Trades and Extraction Workers
6210	Boilermakers
6220	Brickmasons, Blockmasons, and Stonemasons
6230	Carpenters
6240	Carpet, Floor, and Tile Installers and Finishers
6250	Cement Masons, Concrete Finishers, and Terrazzo Workers
6260	Construction Laborers
6300	Paving, Surfacing, and Tamping Equipment Operations
6310	Pile-Driver Operators
6320	Operating Engineers and Other Construction Equipment Operators
6330	Drywall Installers, Ceiling Tile Installers, and Tapers
6350	Electricians
6360	Glaziers
6400	Insulation Workers
6420	Painters, Construction and Maintenance
6430	Paperhangers
6440	Pipelayers, Plumbers, Pipefitters, and Steamfitters
6460	Plasterers and Stucco Masons
6500	Reinforcing Iron and Rebar Workers
6510	Roofers

2003 Census code	Occupation category
6520	Sheet Metal Workers
6530	Structural Iron and Steel Workers
6600	Helpers, Construction Trades
6660	Construction and Building Inspectors
6700	Elevator Installers and Repairers
6710	Fence Erectors
6720	Hazardous Materials Removal Workers
6730	Highway Maintenance Workers 6740 Rail-Track Laying and Maintenance Equipment Operators
6750	Septic Tank Servicers and Sewer Pipe Cleaners
6760	Miscellaneous Constructions and Related Workers
6800	Derrick, Rotary Drill, and Service Unit Operators, Oil, Gas, and Mining
6820	Earth Drillers, Except Oil and Gas
6830	Explosives Workers, Ordnance Handling Experts, and Blasters
6840	Mining Machine Operators
6910	Roof Bolters, Mining
6920	Roustabouts, Oil and Gas
6930	Helpers – Extraction Workers
6940	Other Extraction Workers

Installation, Maintenance, and Repair's Workers

7000	First-Line Supervisors/Managers of Mechanics, Installers, and Repairers
7010	Computer, Automated Teller, and Office Machine Repairers
7020	Radio and Telecommunications Equipment Installers and Repairers
7030	Avionics Technicians
7040	Electric Motor, Power Tool, and Related Repairers 49-2092
7050	Electrical and Electronics Installers and Repairers, Transportation Equipment 49-2093
7100	Electrical and Electronics Repairers, Industrial and Utility 49-2094, 49-2095
7110	Electronic Equipment Installers and Repairers, Motor Vehicles 49-2096
7120	Electronic Home Entertainment Equipment Installers and Repairers
7130	Security and Fire Alarm Systems Installers
7140	Aircraft Mechanics and Service Technicians
7150	Automotive Body and Related Repairers
7160	Automotive Glass Installers and Repairers
7200	Automotive Service Technicians and Mechanics
7210	Bus and Truck Mechanics and Diesel Engine Specialists
7220	Heavy Vehicle and Mobile Equipment Service Technicians and Mechanics
7240	Small Engine Mechanics
7260	Miscellaneous Vehicle and Mobile Equipment Mechanics, Installers, and Repairers
7300	Control and Valve Installers and Repairers
7310	Heating, Air Conditioning, and Refrigeration Mechanics and Installers
7320	Home Appliance Repairers
7330	Industrial and Refractory Machinery Mechanics
7340	Maintenance and Repair Workers, General
7350	Maintenance Workers, Machinery 49-9043
7360	Millwrights 49-9044
7410	Electrical Power-Line Installers and Repairers
7420	Telecommunications Line Installers and Repairers
7430	Precision Instrument and Equipment Repairers
7510	Coin, Vending, and Amusement Machine Servicers and Repairers

2003 Census code	Occupation category
7520	Commercial Divers
7540	Locksmiths and Safe Repairers
7550	Manufactured Building and Mobile Home Installers
7560	Riggers
7600	Signal and Track Switch Repairers
7610	Helpers – Installation, Maintenance, and Repair Workers
7620	Other Installation, Maintenance, and Repair Workers

Production and Operating Workers

7700	First-Line Supervisors/Managers of Production and Operating Workers
7710	Aircraft Structure, Surfaces, Rigging, and Systems Assemblers
7720	Electrical, Electronics, and Electromechanical Assemblers
7730	Engine and Other Machine Assemblers
7740	Structural Metal Fabricators and Fitters
7750	Miscellaneous Assemblers and Fabricators

Food Preparation Occupations

7800	Bakers
7810	Butchers and Other Meat, Poultry, and Fish Processing Workers
7830	Food and Tobacco Roasting, Baking, and Drying Machine Operators and Tenders
7840	Food Batchmakers
7850	Food Cooking Machine Operators and Tenders

Setter, Operators, and Tenders

7900	Computer Control Programmers and Operators
7920	Extruding and Drawing Machine Setters, Operators, and Tenders, Metal and Plastic
7930	Forging Machine Setters, Operators, and Tenders, Metal and Plastic
7940	Rolling Machine Setters, Operators, and Tenders, Metal and Plastic
7950	Cutting, Punching, and Press Machine Setters, Operators, and Tenders, Metal and Plastic
7960	Drilling and Boring Machine Tool Setters, Operators, and Tenders, Metal and Plastic
8000	Grinding, Lapping, Polishing, and Buffing Machine Tool Setters, Operators, and Tenders, Metal and Plastic
8010	Lathe and Turning Machine Tool Setters, Operators and Tenders, Metal and Plastic
8020	Milling and Planing Machine Setters, Operators, and Tenders, Metal and Plastic
8030	Machinists
8040	Metal Furnace and Kiln Operators and Tenders
8060	Model Makers and Patternmakers, Metal and Plastic
8100	Molders and Molding Machine Setters, Operators, and Tenders, Metal and Plastic
8120	Multiple Machine Tool Setters, Operators, and Tenders, Metal and Plastic
8130	Tool and Die Makers
8140	Welding, Soldering, and Brazing Workers
8150	Heat Treating Equipment Setters, Operators, and Tenders, Metal and Plastic
8160	Lay-Out Workers, Metal and Plastic
8200	Plating and Coating Machine Setters, Operators, and Tenders, Metal and Plastic
8210	Tool Grinders, Filers, and Sharpeners

2003 Census code	Occupation category
8220	Metalworkers and Plastic Workers, All Other
8230	Bookbinders and Bindery Workers
8240	Job Printers
8250	Prepress Technicians and Workers
8260	Printing Machine Operators
8300	Laundry and Dry-Cleaning Workers
8310	Pressers, Textile, Garment, and Related Materials
8320	Sewing Machine Operator
8330	Shoe and Leather Workers and Repairers
8340	Shoe Machine Operators and Tenders
8350	Tailors, Dressmakers, and Sewers
8360	Textile Bleaching and Dyeing Machine Operators and Tenders
8400	Textile Cutting Machine Setters, Operators, and Tenders
8410	Textile Knitting and Weaving Machine Setters, Operators, and Tenders
8420	Textile Winding, Twisting, and Drawing Out Machine Setters, Operators, and Tenders
8430	Extruding and Forming Machine Setters, Operators, and Tenders, Synthetic and Glass Fibers 51-6091
8440	Fabric and Apparel Patternmakers
8450	Upholsters
8460	Textile, Apparel, and Furnishings Workers, All Other
8500	Cabinetmakers and Bench Carpenters
8510	Furniture Finishers
8520	Model Makers and Patternmakers, Wood
8530	Sawing Machine Setters, Operators, and Tenders, Wood
8540	Woodworking Machine Setters, Operators, and Tenders, Except Sawing
8550	Woodworkers, All Other
8600	Power Plant Operators
8610	Stationary Engineers and Boiler Operators
8620	Water and Liquid Waste Treatment Plant and System Operators
8630	Miscellaneous Plant and System
8640	Chemical Processing Machine Setters, Operators, and Tenders
8650	Crushing, Grinding, Polishing, Mixing, and Blending Workers
8710	Cutting Workers
8720	Extruding, Forming, Pressing, and Compacting Machine Setters, Operators, and Tenders
8730	Furnace, Kiln, Oven, Drier, and Kettle Operators and Tenders
8740	Inspectors, Testers, Sorters, Samplers, and Weighers
8750	Jewelers and Precious Stone and Metal Workers
8760	Medical, Dental, and Ophthalmic Laboratory Technicians
8800	Packaging and Filling Machine Operators and Tenders
8810	Painting Workers
8830	Photographic Process Workers and Processing Machine Operators
8840	Semiconductor Processors
8850	Cementing and Gluing Machine Operators and Tenders
8860	Cleaning, Washing, and Metal Pickling Equipment Operators and Tenders
8900	Cooling and Freezing Equipment Operators and Tenders
8910	Etchers and Engravers

2003 Census code	Occupation category
8920	Molders, Shapers, and Casters, Except Metal and Plastic
8930	Paper Goods Machine Setters, Operators, and Tenders
8940	Tire Builders
8950	Helpers – Production Workers
8960	Production Workers, All Other

Transportation and Material Moving Workers

9000	Supervisors, Transportation and Material Moving Workers
9030	Aircraft Pilots and Flight Engineers
9040	Air Traffic Controllers and Airfield Operations Specialists
9110	Ambulance Drivers and Attendants, Except Emergency Medical Technicians
9120	Bus Drivers
9130	Driver/Sales Workers and Truck Drivers
9140	Taxi Drivers and Chauffeurs
9150	Motor Vehicle Operators, All Other
9200	Locomotive Engineers and Operators
9230	Railroad Brake, Signal, and Switch Operators
9240	Railroad Conductors and Yardmasters
9260	Subway, Streetcar, and Other Rail Transportation Workers
9300	Sailors and Marine Oilers
9310	Ship and Boat Captains and Operators
9330	Ship Engineers
9340	Bridge and Lock Tenders
9350	Parking Lot Attendants
9360	Service Station Attendants
9410	Transportation Inspectors
9420	Other Transportation Workers
9500	Conveyor Operators and Tenders
9510	Crane and Tower Operators 53-7021
9520	Dredge, Excavating, and Loading Machine Operators 53-7030
9560	Hoist and Winch Operators 53-7041
9600	Industrial Truck and Tractor Operators
9610	Cleaners of Vehicles and Equipment
9620	Laborers and Freight, Stock, and Material Movers, Hand
9630	Machine Feeders and Offbearers
9640	Packers and Packagers, Hand
9650	Pumping Station Operators
9720	Refuse and Recyclable Material Collectors
9730	Shuttle Car Operators
9740	Tank Car, Truck, and Ship Loaders
9750	Material Moving Workers, All Other

Armed Forces (for CPS)

9840	Armed Forces
------	--------------

CPS Special Codes

9970	Problem Referral
9990	Not Reported (Includes Refused, Classified, Blank and all other noncodable)

Military Specific Occupations (for ACS)

9800	Military officer special and tactical operations leaders/managers
9810	First-line enlisted military supervisor/managers
9820	Military enlisted tactical operations and air/weapons specialists and crew members

2003 Census code	Occupation category
9830	Military, rank not specified

ACS Special Codes

9950	Not in Labor Force
9960	Retired
9970	Problem Referral
9990	Uncodable (includes Refused or Classified)

APPENDIX E

Occupational Classification System for Analytic Recodes

2003 Census Code	Occupation category
1	Executive, Administrative, and Managerial Occupations
	Chief Executives General and Operations Managers Legislators Advertising and Promotions Managers Marketing and Sales Managers Public Relations Managers Administrative Services Managers Computer and Information Systems Managers Financial Managers Human Resources Managers Industrial Production Managers Purchasing Managers Transportation, Storage, and Distribution Managers Farm, Ranch, and Other Agricultural Managers Farmers and Ranchers Construction Managers Education Administrators Engineering Managers Food Service Managers Funeral Directors Gaming Managers Lodging Managers Medical and Health Services Managers Natural Sciences Managers Postmasters and Mail Superintendents Property, Real Estate, and Community Association Managers Social and Community Service Managers Managers, All Other
2	Management Related Occupations
	Agents and Business Managers of Artists, Performers, and Athletes Purchasing Agents and Buyers, Farm Products Wholesale and Retail Buyers, Except Farm Products Purchasing Agents, Except Wholesale, Retail, and Farm Products Claims Adjusters, Appraisers, Examiners, and Investigators Compliance Officers, Except Agriculture, Constructions, Health and Safety, and Transportation Cost Estimators Human Resources, Training, and Labor Relations Specialists Logisticians Management Analysts Meeting and Convention Planners Other Business Operations Specialists
3	Financial Related Occupations
	Accountants and Auditors Appraisers and Assessors of Real Estate Budget Analysts Credit Analysts Financial Analysts Personal Finance Advisors Insurance Underwriters Financial Examiners Loan Counselors and Officers Tax Examiners, Collectors, and Revenue Agents

2003 Census Code	Occupation category
	Tax Preparers Financial Specialists, All Other
4	Mathematical and Computer Scientists
	Computer Scientists and Systems Analysts Computer Programmers Computer Software Engineers Computer Support Specialists Database Administrators Network and Computer Systems Administrators Network Systems and Data Communications Analysts Actuaries Mathematicians Operations Research Analysts Statisticians Miscellaneous Mathematical Occupations
5	Engineers, Architects, and Surveyors
	Architects, Except Naval Surveyors, Cartographers, and Photogrammetrists Aerospace Engineers Agriculture Engineers Biomedical Engineers Chemical Engineers Civil Engineers Computer Hardware Engineers Electrical and Electronics Engineers Environmental Engineers Industrial Engineers, Including Health and Safety Marine Engineers and Naval Architects Materials Engineers Mechanical Engineers Mining and Geological Engineers, Including Mining Safety Engineers Nuclear Engineers Petroleum Engineers Engineers, All Other
6	Engineering and Related Technicians
	Drafters Engineering Technicians, Except Drafters Surveying and Mapping Technicians
7	Physical Scientists
	Agricultural and Food Scientists Biological Scientists Conservation Scientists and Foresters Medical Scientists Astronomers and Physicists Atmospheric and Space Scientists Chemists and Materials Scientists Environmental Scientists and Geoscientists Physical Scientists, All Other
8	Social Scientists and Related Workers
	Economists Market and Survey Researchers Psychologists Sociologists Urban and Regional Planners Miscellaneous Social Scientists and Related Workers
9	Life, Physical, and Social Science Technicians

2003 Census Code	Occupation category
	Agriculture and Foods Science Technicians Biological Technicians Chemical Technicians Geological and Petroleum Technicians Nuclear Technicians Other Life, Physical, and Social Science Technicians
10	Counselors, Social, and Religious Workers Counselors Social Workers Miscellaneous Community and Social Service Specialists Clergy Directors, Religious Activities and Education Religious Workers, All Other
11	Lawyers, Judges, and Legal Support Workers Lawyers Judges, Magistrates, and Other Judicial Workers Paralegals and Legal Assistants Miscellaneous Legal Support Workers
12	Teachers Postsecondary Teachers Preschool and Kindergarten Teachers Elementary and Middle School Teachers Secondary School Teachers Special Education Teachers Other Teachers and Instructors
13	Education, Training, and Library Workers Archivists, Curators, and Museum Technicians Librarians Library Technicians Teacher Assistants Other Education, Training, and Library Workers
14	Entertainers and Performers, Sports and Related Workers Artists and Related Workers Designers Actors Producers and Directors Athletes, Coaches, Umpires, and Related Workers Dancers and Choreographers Musicians, Singers, and Related Workers Entertainers and Performers, Sports and Related Workers, All Other
15	Media and Communication Workers Announcers News Analysts, Reporters and Correspondents Public Relations Specialists Editors Technical Writers Writers and Authors Miscellaneous Media and Communication Workers Broadcast and Sound Engineering Technicians and Radio Operators Photographers Television, Video, and Motion Picture Camera Operators and Editors

2003 Census Code	Occupation category
	Media and Communication Equipment Workers, All Other
16	Health Diagnosing and Treating Practitioners Chiropractors Dentists Dietitians and Nutritionists Optometrists Pharmacists Physicians and Surgeons Physician Assistants Podiatrists Registered Nurses Audiologists Occupational Therapists Physical Therapists Radiation Therapists Recreational Therapists Respiratory Therapists Speech-Language Pathologists Therapists, All Other Veterinarians Health Diagnosing and Treating Practitioners, All Other
17	Health Care Technical and Support Occupations Clinical Laboratory Technologists and Technicians Dental Hygienists Diagnostic Related Technologists and Technicians Emergency Medical Technicians and Paramedics Health Diagnosing and Treating Practitioner Support Technicians Licensed Practical and Licensed Vocational Nurses Medical Records and Health Information Technicians Opticians, Dispensing Miscellaneous Health Technologists and Technicians Other Healthcare Practitioners and Technical Occupations Nursing, Psychiatric, and Home Health Aides Occupational Therapist Assistants and Aides Physical Therapist Assistants and Aides Massage Therapists Dental Assistants Medical Assistants and Other Healthcare Support Occupations
18	Protective Service Occupations First-Line Supervisors/Managers of Correctional Officers First-Line Supervisors/Managers of Police and Detectives First-Line Supervisors/Managers of Fire Fighting and Prevention Workers Supervisors, Protective Service Workers, All Other Fire Fighters Fire Inspectors Bailiffs, Correctional Officers, and Jailers Detectives and Criminal Investigators Fish and Game Wardens Parking Enforcement Workers Police and Sheriff's Patrol Officers Transit and Railroad Police

2003 Census Code	Occupation category
	Animal Control Workers Private Detectives and Investigators Security Guards and Gaming Surveillance Officers Crossing Guards Lifeguards and Other Protective Service Workers
19	Food Preparation and Serving Related Occupations Chefs and Head Cooks First-Line Supervisors/Managers of Food Preparation and Serving Workers Cooks Food Preparation Workers Bartenders Combined Food Preparation and Serving Workers, Including Fast Food Counter Attendants, Cafeteria, Food Concession, and Coffee Shop Waiters and Waitresses Food Servers, Nonrestaurant Dining Room and Cafeteria Attendants and Bartender Helpers Dishwashers Hosts and Hostesses, Restaurant, Lounge, and Coffee Shop Food Preparation and Serving Related Workers, All Other
20	Cleaning and Building Service Occupations First-Line Supervisors/Managers of Housekeeping and Janitorial Workers First-Line Supervisors/Managers of Landscaping, Lawn Service, and Groundskeeping Janitors and Building Cleaners Maids and Housekeeping Cleaners Pest Control Workers Grounds Maintenance Workers
21	Entertainment Attendants and Related Workers First-Line Supervisors/Managers of Gaming Workers First-Line Supervisors/Managers of Personal Service Workers Animal Trainers Nonfarm Animal Caretakers Gaming Services Workers Motion Picture Projectionists Ushers, Lobby Attendants, and Ticket Takers Miscellaneous Entertainment Attendants and Related Workers
22	Funeral Related Occupations and Personal Care and Service Workers Funeral Service Workers Barbers Hairdressers, Hairstylists, and Cosmetologists Miscellaneous Personal Appearance Workers Baggage Porters, Bellhops, and Concierges Tour and Travel Guides Transportation Attendants Child Care Workers Personal and Home Care Aides Recreation and Fitness Workers Residential Advisors Personal Care and Service Workers, All Other

2003 Census Code	Occupation category
23	Sales and Related Workers First-Line Supervisors/Managers of Retail Sales Workers First-Line Supervisors/Managers of Non-Retail Sales Workers Cashiers Counter and Rental Clerks Parts Salespersons Retail Salespersons Advertising Sales Agents Insurance Sales Agents Securities, Commodities, and Financial Services Sales Agents Travel Agents Sales Representatives, Services, All Other Sales Representatives, Wholesale and Manufacturing Models, Demonstrators, and Product Promoters Real Estate Brokers and Sales Agents Sales Engineers Telemarketers Door-To-Door Sales Workers, News and Street Vendors, and Related Workers Sales and Related Workers, All Other
24	Office and Administrative Support Workers (5000-5930) First-Line Supervisors/Managers of Office and Administrative Support Workers Switchboard Operators, Including Answering Service Telephone Operators Communications Equipment Operators, All Other Bill and Account Collectors Billing and Posting Clerks and Machine Operators Bookkeeping, Accounting, and Auditing Clerks Gaming Cage Workers Payroll and Timekeeping Clerks Procurement Clerks Tellers Brokerage Clerks Correspondence Clerks Court, Municipal, and License Clerks Credit Authorizers, Checkers, and Clerks Customer Service Representatives Eligibility Interviewers, Government Programs File Clerks Hotel, Motel, and Resort Desk Clerks Interviewers, Except Eligibility and Loan Library Assistants, Clerical Loan Interviewers and Clerks New Accounts Clerks Order Clerks Human Resources Assistants, Except Payroll and Timekeeping Receptionists and Information Clerks Reservation and Transportation Ticket Agents and Travel Clerks Information and Record Clerks, All Other Cargo and Freight Agents Couriers and Messengers Dispatchers Meter Readers, Utilities Postal Service Clerks Postal Service Mail Carriers

2003 Census Code	Occupation category
	Postal Service Mail Sorters, Processors, and Processing Machine Operators Production, Planning, and Expediting Clerks Shipping, Receiving, and Traffic Clerks Stock Clerks and Order Fillers Weighers, Measurers, Checkers, and Samplers, Recordkeeping Secretaries and Administrative Assistants Computer Operators Data Entry Keyers Word Processors and Typists Desktop Publishers Insurance Claims and Policy Processing Clerks Mail Clerks and Mail Machine Operators, Except Postal Service Office Clerks, General Office Machine Operators, Except Computer Proofreaders and Copy Markers Statistical Assistants Office and Administrative Support Workers, All Other
25	Farming, Fishing, and Forestry Occupations (6000-6130) First-Line Supervisors/Managers/Contractors of Farming, Fishing, and Forestry Workers Agricultural Inspectors Animal Breeders Graders and Sorters, Agricultural Products Other Agricultural Workers Fishers and Related Fishing Workers Hunters and Trappers Forest and Conservation Workers Logging Workers
26	Construction Trades and Extraction Workers (6200-6940) First-Line Supervisor/Managers of Construction Trades and Extraction Workers Boilermakers Brickmasons, Blockmasons, and Stonemasons Carpenters Carpet, Floor, and Tile Installers and Finishers Cement Masons, Concrete Finishers, and Terrazzo Workers Construction Laborers Paving, Surfacing, and Tamping Equipment Operators Pile-Driver Operators Operating Engineers and Other Construction Equipment Operators Drywall Installers, Ceiling Tile Installers, and Tapers Electricians Glaziers Insulation Workers Painters, Construction and Maintenance Paperhangers Pipelayers, Plumbers, Pipefitters, and Steamfitters Plasterers and Stucco Masons Reinforcing Iron and Rebar Workers Roofers Sheet Metal Workers Structural Iron and Steel Workers Helpers, Construction Trades Construction and Building Inspectors

2003 Census Code	Occupation category
	Elevator Installers and Repairers Fence Erectors Hazardous Materials Removal Workers Highway Maintenance Workers Rail-Track Laying and Maintenance Equipment Operators Septic Tank Servicers and Sewer Pipe Cleaners Miscellaneous Constructions and Related Workers Derrick, Rotary Drill, and Service Unit Operators, Oil, Gas, and Mining Earth Drillers, Except Oil and Gas Explosives Workers, Ordnance Handling Experts, and Blasters Mining Machine Operators Roof Bolters, Mining Roustabouts, Oil and Gas Helpers – Extraction Workers Other Extraction Workers
27	Installation, Maintenance, and Repair's Workers First-Line Supervisors/Managers of Mechanics, Installers, and Repairers Computer, Automated Teller, and Office Machine Repairers Radio and Telecommunications Equipment Installers and Repairers Avionics Technicians Electric Motor, Power Tool, and Related Repairers Electrical and Electronics Installers and Repairers, Transportation Equipment Electrical and Electronics Repairers, Industrial and Utility Electronic Equipment Installers and Repairers, Motor Vehicles Electronic Home Entertainment Equipment Installers and Repairers Security and Fire Alarm Systems Installers Aircraft Mechanics and Service Technicians Automotive Body and Related Repairers Automotive Glass Installers and Repairers Automotive Service Technicians and Mechanics Bus and Truck Mechanics and Diesel Engine Specialists Heavy Vehicle and Mobile Equipment Service Technicians and Mechanics Small Engine Mechanics Miscellaneous Vehicle and Mobile Equipment Mechanics, Installers, and Repairers Control and Valve Installers and Repairers Heating, Air Conditioning, and Refrigeration Mechanics and Installers Home Appliance Repairers Industrial and Refractory Machinery Mechanics Maintenance and Repair Workers, General Maintenance Workers, Machinery Millwrights Electrical Power-Line Installers and Repairers Telecommunications Line Installers and Repairers Precision Instrument and Equipment Repairers Coin, Vending, and Amusement Machine Servicers and Repairers Commercial Divers Locksmiths and Safe Repairers Manufactured Building and Mobile Home Installers Riggers Signal and Track Switch Repairers

2003 Census Code	Occupation category
	Helpers – Installation, Maintenance, and Repair Workers Other Installation, Maintenance, and Repair Workers
28	Production and Operating Workers First-Line Supervisors/Managers of Production and Operating Workers Aircraft Structure, Surfaces, Rigging, and Systems Assemblers Electrical, Electronics, and Electromechanical Assemblers Engine and Other Machine Assemblers Structural Metal Fabricators and Fitters Miscellaneous Assemblers and Fabricators
29	Food Preparation Occupations Bakers Butchers and Other Meat, Poultry, and Fish Processing Workers Food and Tobacco Roasting, Baking, and Drying Machine Operators and Tenders Food Batchmakers Food Cooking Machine Operators and Tenders
30	Setter, Operators, and Tenders Computer Control Programmers and Operators Extruding and Drawing Machine Setters, Operators, and Tenders, Metal and Plastic Forging Machine Setters, Operators, and Tenders, Metal and Plastic Rolling Machine Setters, Operators, and Tenders, Metal and Plastic Cutting, Punching, and Press Machine Setters, Operators, and Tenders, Metal and Drilling and Boring Machine Tool Setters, Operators, and Tenders, Metal and Plastic Grinding, Lapping, Polishing, and Buffing Machine Tool Setters, Operators, and Tenders, Metal and Plastic Lathe and Turning Machine Tool Setters, Operators and Tenders, Metal and Plastic Milling and Planing Machine Setters, Operators, and Tenders, Metal and Plastic Machinists Metal Furnace and Kiln Operators and Tenders Model Makers and Patternmakers, Metal and Plastic Molders and Molding Machine Setters, Operators, and Tenders, Metal and Plastic Multiple Machine Tool Setters, Operators, and Tenders, Metal and Plastic Tool and Die Makers Welding, Soldering, and Brazing Workers Heat Treating Equipment Setters, Operators, and Tenders, Metal and Plastic Lay-Out Workers, Metal and Plastic Plating and Coating Machine Setters, Operators, and Tenders, Metal and Plastic Tool Grinders, Filers, and Sharpeners Metalworkers and Plastic Workers, All Other Bookbinders and Bindery Workers Job Printers Prepress Technicians and Workers Printing Machine Operators Laundry and Dry-Cleaning Workers

2003 Census Code	Occupation category
	Pressers, Textile, Garment, and Related Materials Sewing Machine Operator Shoe and Leather Workers and Repairers Shoe Machine Operators and Tenders Tailors, Dressmakers, and Sewers Textile Bleaching and Dyeing Machine Operators and Tenders Textile Cutting Machine Setters, Operators, and Tenders Textile Knitting and Weaving Machine Setters, Operators, and Tenders Textile Winding, Twisting, and Drawing Out Machine Setters, Operators, and Tenders Extruding and Forming Machine Setters, Operators, and Tenders, Synthetic and Glass Fibers Fabric and Apparel Patternmakers Upholsters Textile, Apparel, and Furnishings Workers, All Other Cabinetmakers and Bench Carpenters Furniture Finishers Model Makers and Patternmakers, Wood Sawing Machine Setters, Operators, and Tenders, Wood Woodworking Machine Setters, Operators, and Tenders, Except Sawing Woodworkers, All Other Power Plant Operators Stationary Engineers and Boiler Operators Water and Liquid Waste Treatment Plant and System Operators Miscellaneous Plant and System Chemical Processing Machine Setters, Operators, and Tenders Crushing, Grinding, Polishing, Mixing, and Blending Workers Cutting Workers Extruding, Forming, Pressing, and Compacting Machine Setters, Operators, and Tenders Furnace, Kiln, Oven, Drier, and Kettle Operators and Tenders Inspectors, Testers, Sorters, Samplers, and Weighers Jewelers and Precious Stone and Metal Workers Medical, Dental, and Ophthalmic Laboratory Technicians Packaging and Filling Machine Operators and Tenders Painting Workers Photographic Process Workers and Processing Machine Operators Semiconductor Processors Cementing and Gluing Machine Operators and Tenders Cleaning, Washing, and Metal Pickling Equipment Operators and Tenders Cooling and Freezing Equipment Operators and Tenders Etchers and Engravers Molders, Shapers, and Casters, Except Metal and Plastic Paper Goods Machine Setters, Operators, and Tenders Tire Builders Helpers – Production Workers

2003

**Census Occupation category
Code**

Production Workers, All Other

31 Transportation and Material Moving Workers

Supervisors, Transportation and Material Moving
Workers

Aircraft Pilots and Flight Engineers

Air Traffic Controllers and Airfield Operations
Specialists

Ambulance Drivers and Attendants, Except
Emergency Medical Technicians

Bus Drivers

Driver/Sales Workers and Truck Drivers

Taxi Drivers and Chauffeurs

Motor Vehicle Operators, All Other

Locomotive Engineers and Operators

Railroad Brake, Signal, and Switch Operators

Railroad Conductors and Yardmasters

Subway, Streetcar, and Other Rail Transportation
Workers

Sailors and Marine Oilers

Ship and Boat Captains and Operators

Ship Engineers

Bridge and Lock Tenders

Parking Lot Attendants

Service Station Attendants

Transportation Inspectors

Other Transportation Workers

Conveyor Operators and Tenders

Crane and Tower Operators

Dredge, Excavating, and Loading Machine
Operators

Hoist and Winch Operators

Industrial Truck and Tractor Operators

Cleaners of Vehicles and Equipment

Laborers and Freight, Stock, and Material Movers,
Hand

Machine Feeders and Offbearers

Packers and Packagers, Hand

Pumping Station Operators

Refuse and Recyclable Material Collectors

Shuttle Car Operators

Tank Car, Truck, and Ship Loaders

Material Moving Workers, All Other

32 Armed Forces (for CPS)

Armed Forces

33 CPS Special Codes

Problem Referral

Not Reported (Includes Refused, Classified, Blank
and all other noncodable)

34 Military Specific Occupations (for ACS)

Military officer special and tactical operations
leaders/managers

First-line enlisted military supervisor/managers

Military enlisted tactical operations and

air/weapons specialists and crew members

Military, rank not specified

35 ACS Special Codes

Not in Labor Force

Retired

Problem Referral

Uncodable (includes Refused or Classified)

APPENDIX F

Industry Classification System

2003
Census Industry category
code

Agriculture, Forestry, Fishing and Hunting

0170 Crop production
0180 Animal production
0190 Forestry except Logging
0270 Logging
0280 Fishing, hunting, and trapping
0290 Support activities for agriculture and forestry

Mining

0370 Oil and gas extraction
0380 Coal mining
0390 Metal ore mining
0470 Nonmetallic mineral mining and quarrying
0480 Not specified type of mining
0490 Support activities for mining

Utilities

0570 Electric power generation, transmission and distribution
0580 Natural gas distribution
0590 Electric and gas, and other combinations
0670 Water, steam, air conditioning, and irrigation systems
0680 Sewage treatment facilities
0690 Not specified utilities

Construction

0770 Constructions (Includes the cleaning of buildings and dwellings is incidental during construction and immediately after construction)

Food Manufacturing

1070 Animal food, grain and oilseed milling
1080 Sugar and confectionery products
1090 Fruit and vegetable preserving and specialty foods
1170 Dairy products
1180 Animal slaughtering and processing
1190 Retail bakeries
1270 Bakeries, except retail
1280 Seafood and other miscellaneous food
1290 Not specified food industries

Beverage and Tobacco Products Manufacturing

1370 Beverage
1390 Tobacco

Textile Mills and Textile Product Mills

1470 Fiber, yarn, and thread mills
1480 Fabric mills, except knitting
1490 Textile and fabric finishing and coating mills
1570 Carpets and rugs
1590 Textile product mills except carpets and rugs

Apparel Manufacturing

1670 Knitting mills
1680 Cut and sew apparel
1690 Apparel accessories and other apparel

Leather and Allied Product Manufacturing

1770 Footwear
1790 Leather tanning and products, except footwear

2003
Census Industry category
code

Paper Manufacturing

1870 Pulp, paper, and paperboard mills
1880 Paperboard containers and boxes
1890 Miscellaneous paper and pulp products

Printing and Related Support Activities

1990 Printing and related support activities

Petroleum and Coal Products Manufacturing

2070 Petroleum refining
2090 Miscellaneous petroleum and coal products

Chemical Manufacturing

2170 Resin, synthetic rubber and fibers, and filaments
2180 Agricultural chemicals
2190 Pharmaceuticals and medicines
2270 Paint, coating, and adhesives
2280 Soap, cleaning compound, and cosmetics
2290 Industrial and miscellaneous chemicals

Plastics and Rubber Product Manufacturing

2370 Plastics products
2380 Tires
2390 Rubber products, except tires

Nonmetallic Mineral Product Manufacturing

2470 Pottery, ceramics, and related products
2480 Structural clay products
2490 Glass and glass products
2570 Cement, concrete, lime, and gypsum products
2590 Miscellaneous nonmetallic mineral products

Metal Industries

2670 Iron and steel mills and steel products
2680 Aluminum production and processing
2690 Nonferrous metal, except aluminum, production and processing
2770 Foundries
2780 Metal forgings and stampings
2790 Cutlery and hand tools
2870 Structural metals, and tank and shipping containers
2880 Machine shops; turned products; screws, nuts and bolts
2890 Coating, engraving, heat treating and allied activities
2970 Ordnance
2980 Miscellaneous fabricated metal products
2990 Not specified metal industries

Machinery Manufacturing

3070 Agricultural implements
3080 Construction mining and oil field machinery
3090 Commercial and service industry machinery
3170 Metalworking machinery
3180 Engines, turbines, and power transmission equipment
3190 Machinery
3290 Not specified machinery

2003
Census Industry category
code

Computer and Electronic Product Manufacturing

3360 Computer and peripheral equipment
3370 Communications, audio, and video equipment
3380 Navigational, measuring, electrometrical, and control instruments
3390 Electronic components and products

Electrical Equipment, Appliances, and Component Manufacturing

3470 Household appliances
3490 Electrical machinery, equipment, and supplies

Transportation Equipment Manufacturing

3570 Motor vehicles and motor vehicle equipment
3580 Aircraft and parts
3590 Aerospace products and parts
3670 Railroad rolling stock
3680 Ship and boat building
3690 Other transportation equipment

Wood Products, including Furniture, Manufacturing

3770 Sawmills and wood preservation
3780 Veneer, plywood, and engineered wood products
3790 Prefabricated wood buildings and mobile homes
3870 Miscellaneous wood products
3890 Furniture and fixtures

Miscellaneous Manufacturing

3960 Medical equipment and supplies
3970 Toys, amusement, and sporting goods
3980 Miscellaneous manufacturing
3990 Not specified industries

Durable Goods, Wholesalers

4070 Motor vehicles, parts and supplies
4080 Furniture and home furnishing
4090 Lumber and other construction materials
4170 Professional and commercial equipment and supplies
4180 Metals and minerals, except petroleum
4190 Electrical goods
4260 Hardware, plumbing and heating equipment, and supplies
4270 Machinery, equipment, and supplies
4280 Recyclable materials
4290 Miscellaneous durable goods

Nondurable Goods, Wholesalers

4370 Paper and paper products
4380 Drugs, sundries, and chemical and allied products
4390 Apparel, fabrics, and notions
4470 Groceries and related products
4480 Farm product raw materials
4490 Petroleum and petroleum products
4560 Alcoholic beverages
4570 Farm supplies
4580 Miscellaneous nondurable goods
*4585 Wholesale electronic markets, agents, and brokers
4590 Not specified trade

2003
Census Industry category
code

Retail Trade

4670 Automobile dealers
4680 Other motor vehicle dealers
4690 Auto parts, accessories, and tire stores
4770 Furniture and home furnishings stores
4780 Household appliance stores
4790 Radio, TV, and computer stores
4870 Building material and supplies dealers
4880 Hardware stores
4890 Lawn and garden equipment and supplies stores
4970 Grocery stores
4980 Specialty food stores
4990 Beer, wine, and liquor stores
5070 Pharmacies and drug stores
5080 Health and personal care, except drug
5090 Gasoline stations
5170 Clothing and accessories, except shoe
5180 Shoe stores
5190 Jewelry, luggage, and leather goods stores
5270 Sporting goods, camera, and hobby and toy stores
5280 Sewing, needlework and piece goods stores
5290 Music stores
5370 Book stores and news dealers
5380 Department stores and Discount stores
5390 Miscellaneous general merchandise stores
5470 Retail florists
5480 Office supplies and stationary stores
5490 Used merchandise stores
5570 Gift, novelty, and souvenir shops
5580 Miscellaneous stores
5590 Electronic shopping
*5591 Electronic auctions
*5592 Mail order houses
5670 Vending machine operators
5680 Fuel dealers
5690 Other direct selling establishments
5790 Not specified trade

Transportation and Warehousing

6070 Air transportation
6080 Rail transportation
6090 Water transportation
6170 Truck transportation
6180 Bus service and urban transit
6190 Taxi and limousine service
6270 Pipeline transportation
6280 Scenic and sightseeing transportation
6290 Services incidental to transportation
6370 Postal Service
6380 Couriers and messengers
6390 Warehousing and storage

Publishing Industries

6470 Newspaper publishers
6480 Publishing, except newspapers and software
6490 Software publishing
6570 Motion pictures and video industries
6590 Sound recording industries

2003
Census Industry category
code

Broadcasting and Telecommunications

6670 Radio and television broadcasting and cable
*6675 ***Internet and publishing and broadcasting
6680 Wired telecommunications carriers
6690 Other telecommunication services
*6692 ***Internet service providers
*6695 **Data processing, hosting, and related services

Information Services and Data Processing Services

6770 Libraries and archives
6780 Other information services

Finance and Insurance

6870 Banking and related activities
6880 Savings institutions, including credit unions
6890 Non-depository credit and related activities
6970 Securities, commodities, funds, trusts, and other financial investments
6990 Insurance carriers and related activities

Real Estate and Rental and Leasing

7070 Real estate
7080 Automotive equipment rental and leasing
7170 Video tape and disk rental
7180 Other consumer goods rental
7190 Commercial, industrial, and other intangible assets rental and leasing

Professional, Scientific, and Technical Services

7270 Legal services
7280 Accounting, tax preparation, bookkeeping and payroll services
7290 Architectural, engineering, and related services
7370 Specialized design services
7380 Computer systems design and related services
7390 Management, scientific and technical consulting services
7460 Scientific research and development services
7470 Advertising and related services
7480 Veterinary services
7490 Other professional, scientific and technical services

Management, Administrative and Support, and Waste Management Services

7570 Management of companies and enterprises
7580 Employment services
7590 Business support services
7670 Travel arrangements and reservation services
7680 Investigation and security services
7690 **Services to buildings and dwellings (except cleaning during construction and immediately after construction)
7770 Landscaping services
7780 Other administrative, and other support services
7790 Waste management and remediation services

Educational Services

7860 Elementary and secondary school
7870 Colleges, including junior colleges, and universities
7880 Business, technical, and trade schools and training
7890 other schools, instruction and educational services

2003
Census Industry category
code

Health Care

7970 Offices of physicians
7980 Offices of dentists
7990 Office of chiropractors
8070 Offices of optometrists
8080 Offices of other health practitioners
8090 Outpatient care centers
8170 Home health care services
8180 Other health care services
8190 Hospitals
8270 Nursing care facilities
8290 Residential care facilities, without nursing

Social Assistance

8370 Individual and family services
8380 Community food and housing, and emergency services
8390 Vocational rehabilitation services
8470 Child day care services

Arts, Entertainment, and Recreation

8560 Independent artists, performing arts, spectator sports and related industries
8570 Museums, art galleries, historical sites, and similar institutions
8580 Bowling centers
* 8590 Other amusement, gambling, and recreation industries

Accommodations and Food Services

8660 Traveler accommodation
8670 Recreational vehicle parks and camps, and rooming and boarding houses
8680 Restaurants and other food services
8690 Drinking places, alcohol beverages

Repair and Maintenance

8770 Automotive repair and maintenance
8780 Car washes
8790 Electronic and precision equipment repair and maintenance
8870 Commercial and industrial machinery and equipment repair and maintenance
8880 Personal and household goods repair and maintenance
8890 Footwear and leather goods repair

Personal and Laundry Services

8970 Barber shops
8980 Beauty salons
8990 Nail salons and other personal care services
9070 Dry cleaning and laundry services
9080 Funeral homes, cemeteries and crematories
9090 Other personal services

Religious, Grantmaking, Civic, Business, and Similar Organizations

9160 Religious organizations
9170 Civic, social, advocacy organizations and grantmaking and giving services
9180 Labor unions
9190 Business, professional, political and similar organizations

2003
Census Industry category
code

Private Households

9290 Private households

Public Administration

9370 Executive offices and legislative bodies
9380 Public finance activities
9390 Other general government and support
9470 Justice, public order, and safety activities
9480 Administration of human resource programs
9490 Administration of environmental quality and
housing programs
9570 Administration of economic programs and space
research
9590 National security and international affairs

Armed Forces (for CPS only)

9890 Armed Forces

CPS Special Codes

9970 Problem Referral
*9990 Uncodable (includes Refused, Retired, reported
Classified, or Not in Labor Force)

Active Duty Military (for Census and ACS)

9670 U.S. Army
9680 U.S. Air Force
9690 U.S. Navy
9770 U.S. Marines
9780 U.S. Coast Guard
9790 U.S. Armed Forces, Branch Not Specified
9870 Military Reserves or National Guard

APPENDIX G

Industry Classification System for Analytic Recodes

2003 Census Code	Industry category
1	Agriculture, Forestry, Fishing and Hunting Crop production Animal production Forestry except Logging Logging Fishing, hunting, and trapping Support activities for agriculture and forestry
2	Mining Oil and gas extraction Coal mining Metal ore mining Nonmetallic mineral mining and quarrying Not specified type of mining Support activities for mining
3	Utilities Electric power generation, transmission and distribution Natural gas distribution Electric and gas, and other combinations Water, steam, air conditioning, and irrigation systems Sewage treatment facilities Not specified utilities
4	Construction Constructions (Includes the cleaning of buildings and dwellings is incidental during construction and immediately after construction) MANUFACTURING
5	Nondurable Goods Food Manufacturing Animal food, grain and oilseed milling Sugar and confectionery products Fruit and vegetable preserving and specialty foods Dairy products Animal slaughtering and processing Retail bakeries Bakeries, except retail Seafood and other miscellaneous food Not specified food industries Beverage and Tobacco Product Manufacturing Beverage Tobacco Textile Mills and Textile Product Mills Fiber, yarn, and thread mills Fabric mills, except knitting Textile and fabric finishing and coating mills Carpets and rugs Textile product mills except carpets and rugs Apparel Manufacturing Knitting mills Cut and sew apparel Apparel accessories and other apparel Leather and Allied Product Manufacturing Footwear Leather tanning and products, except footwear Paper Manufacturing Pulp, paper, and paperboard mills Paperboard containers and boxes Miscellaneous paper and pulp products Printing and Related Support Activities

2003 Census Code	Industry category
	Printing and related support activities Petroleum and Coal Products Manufacturing Petroleum refining Miscellaneous petroleum and coal products Chemical Manufacturing Resin, synthetic rubber and fibers, and filaments Agricultural chemicals Pharmaceuticals and medicines Paint, coating, and adhesives Soap, cleaning compound, and cosmetics Industrial and miscellaneous chemicals Plastics and Rubber Product Manufacturing Plastics products Tires Rubber products, except tires
6	Durable Goods Nonmetallic Mineral Product Manufacturing Pottery, ceramics, and related products Structural clay products Glass and glass products Cement, concrete, lime, and gypsum products Miscellaneous nonmetallic mineral products Metal Industries Iron and steel mills and steel products Aluminum production and processing Nonferrous metal, except aluminum, production and processing Foundries Metal forgings and stampings Cutlery and hand tools Structural metals, and tank and shipping containers Machine shops; turned products; screws, nuts and bolts Coating, engraving, heat treating and allied activities Ordnance Miscellaneous fabricated metal products Not specified metal industries Machinery Manufacturing Agricultural implements Construction mining and oil field machinery Commercial and service industry machinery Metalworking machinery Engines, turbines, and power transmission equipment Machinery Not specified machinery Computer and Electronic Product Manufacturing Computer and peripheral equipment Communications, audio, and video equipment Navigational, measuring, electrometrical, and control instruments Electronic components and products Electrical Equipment, Appliances, and Component Manufacturing Household appliances Electrical machinery, equipment, and supplies Transportation Equipment Manufacturing Motor vehicles and motor vehicle equipment Aircraft and parts Aerospace products and parts Railroad rolling stock Ship and boat building Other transportation equipment

2003 Census Code	Industry category
	Wood Products, including Furniture, Manufacturing Sawmills and wood preservation Veneer, plywood, and engineered wood products Prefabricated wood buildings and mobile homes Miscellaneous wood products Furniture and fixtures Miscellaneous Manufacturing Medical equipment and supplies Toys, amusement, and sporting goods Miscellaneous manufacturing Not specified industries
	WHOLESALE TRADE
7	Durable Goods, Wholesalers
	Motor vehicles, parts and supplies Furniture and home furnishing Lumber and other construction materials Professional and commercial equipment and supplies Metals and minerals, except petroleum Electrical goods Hardware, plumbing and heating equipment, and supplies Machinery, equipment, and supplies Recyclable materials Miscellaneous durable goods
8	Nondurable Goods, Wholesalers
	Paper and paper products Drugs, sundries, and chemical and allied products Apparel, fabrics, and notions Groceries and related products Farm product raw materials Petroleum and petroleum products Alcoholic beverages Farm supplies Miscellaneous nondurable goods Wholesale electronic markets, agents, and brokers Not specified trade
9	Retail Trade
	Automobile dealers Other motor vehicle dealers Auto parts, accessories, and tire stores Furniture and home furnishings stores Household appliance stores Radio, TV, and computer stores Building material and supplies dealers Hardware stores Lawn and garden equipment and supplies stores Grocery stores Specialty food stores Beer, wine, and liquor stores Pharmacies and drug stores Health and personal care, except drug Gasoline stations Clothing and accessories, except shoe Shoe stores Jewelry, luggage, and leather goods stores Sporting goods, camera, and hobby and toy stores Sewing, needlework and piece goods stores Music stores Book stores and news dealers Department stores and Discount stores

2003 Census Code	Industry category
	Miscellaneous general merchandise stores Retail florists Office supplies and stationary stores Used merchandise stores Gift, novelty, and souvenir shops Miscellaneous stores Electronic shopping Electronic auctions Mail order houses Vending machine operators Fuel dealers Other direct selling establishments Not specified trade
10	Transportation and Warehousing
	Air transportation Rail transportation Water transportation Truck transportation Bus service and urban transit Taxi and limousine service Pipeline transportation Scenic and sightseeing transportation Services incidental to transportation Postal Service Couriers and messengers Warehousing and storage
11	Information And Communication
	Publishing Industries Newspaper publishers Publishing, except newspapers and software Software publishing Motion pictures and video industries Sound recording industries Broadcasting and Telecommunications Radio and television broadcasting and cable Internet and publishing and broadcasting Wired telecommunications carriers Other telecommunication services Internet service providers Data processing, hosting, and related services Information Services and Data Processing Services Libraries and archives Other information services
12	Finance, Insurance, Real Estate, And Rental And Leasing
	Finance and Insurance Banking and related activities Savings institutions, including credit unions Non-depository credit and related activities Securities, commodities, funds, trusts, and other financial investments Insurance carriers and related activities Real Estate and Rental and Leasing Real estate Automotive equipment rental and leasing Video tape and disk rental Other consumer goods rental Commercial, industrial, and other intangible assets rental and leasing

2003 Census Code	Industry category
13	Professional, Scientific, Management, Administrative, And Waste Management Services Professional, Scientific, and Technical Services Legal services Accounting, tax preparation, bookkeeping and payroll services Architectural, engineering, and related services Specialized design services Computer systems design and related services Management, scientific and technical consulting services Scientific research and development services Advertising and related services Veterinary services Other professional, scientific and technical services Management, Administrative and Support, and Waste Management Services Management of companies and enterprises Employment services Business support services Travel arrangements and reservation services Investigation and security services Services to buildings and dwellings (except cleaning during construction and immediately after construction) Landscaping services Other administrative, and other support services Waste management and remediation services
14	Educational, Health And Social Services Educational Services Elementary and secondary school Colleges, including junior colleges, and universities Business, technical, and trade schools and training other schools, instruction and educational services Health Care Offices of physicians Offices of dentists Office of chiropractors Offices of optometrists Offices of other health practitioners Outpatient care centers Home health care services Other health care services Hospitals Nursing care facilities Residential care facilities, without nursing Social Assistance Individual and family services Community food and housing, and emergency services Vocational rehabilitation services Child day care services
15	Arts, Entertainment, Recreation, Accomodations, And Food Services Arts, Entertainment, and Recreation Independent artists, performing arts, spectator sports and related industries Museums, art galleries, historical sites, and similar institutions Bowling centers

2003 Census Code	Industry category
	Other amusement, gambling, and recreation industries Accommodations and Food Services Traveler accommodation Recreational vehicle parks and camps, and rooming and boarding houses Restaurants and other food services Drinking places, alcohol beverages
16	Other Services (Except Public Administration) Repair and Maintenance Automotive repair and maintenance Car washes Electronic and precision equipment repair and maintenance Commercial and industrial machinery and equipment repair and maintenance Personal and household goods repair and maintenance Footwear and leather goods repair Personal and Laundry Services Barber shops Beauty salons Nail salons and other personal care services Dry cleaning and laundry services Funeral homes, cemeteries and crematories Other personal services Religious, Grantmaking, Civic, Business, and Similar Organizations Religious organizations Civic, social, advocacy organizations and grantmaking and giving services Labor unions Business, professional, political and similar organizations Private Households
17	Public Administration Executive offices and legislative bodies Public finance activities Other general government and support Justice, public order, and safety activities Administration of human resource programs Administration of environmental quality and housing programs Administration of economic programs and space research National security and international affairs
18	Armed Forces (for CPS only) Armed Forces CPS Special Codes Problem Referral Uncodable (includes Refused, Retired, reported Classified, or Not in Labor Force) Active Duty Military (for Census and ACS) U.S. Army U.S. Air Force U.S. Navy U.S. Marines U.S. Coast Guard U.S. Armed Forces, Branch Not Specified Military Reserves or National Guard

APPENDIX H

Recoded Substance Dependence and Abuse Variable Documentation

The 2009 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included questions that were designed to measure dependence and abuse of illicit drugs, alcohol, and dependence on nicotine (cigarettes). For nicotine (cigarettes), questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman, Hickcox, Gnys, Paty, & Kassel, 1995; Shiffman, Waters, & Hickcox, 2004) and the Fagerstrom Test of Nicotine Dependence (FTND; Fagerstrom, 1978; Heatherton, Kozlowski, Frecker, & Fagerstrom, 1991). The above-mentioned criteria were first used to measure nicotine dependence in NSDUH in 2003. For substances other than nicotine (cigarettes), which include alcohol, cocaine, heroin, pain relievers, sedatives, marijuana, tranquilizers, stimulants, hallucinogens, and inhalants, dependence and abuse questions were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 4th edition (American Psychiatric Association [APA], 1994). Due to the complexity of defining the dependence and abuse variables, additional details regarding the creation of these variables are included in this appendix.

Given the current editing and imputation procedures, along with the use of both core and noncore questions to determine whether a respondent was asked the dependence and abuse questions, users should be aware of the possible inconsistencies that may exist between the dependence and abuse variables and the imputed substance use and frequency of use variables for selected substances.

Responses from core substance use, frequency of substance use, and noncore substance use questions were used as criteria to determine whether a respondent was asked the alcohol and/or illicit drug dependence and abuse questions. Unknown responses to the core substance use and frequency of substance use questions were imputed. However, the imputation process did not take into account data reported in the noncore CAI modules. Therefore, responses to the dependence and abuse questions that were inconsistent with responses to the imputed substance use or frequency of use questions could exist. These inconsistent responses remained in the edited data and were not excluded in the creation of the dependence and abuse recodes. Since different sets of criteria were used as skip logic for each substance, different types of inconsistencies between the dependence and abuse variables and the imputed substance use and frequency of substance use variables could occur by substance. These inconsistencies are discussed in further detail in the appropriate sections on each substance.

Differences also exist between the methodologies used for determining dependence on nicotine (cigarettes) and for determining dependence on other substances. For example, to classify as nicotine (cigarette) dependent, a respondent must be a past month user of cigarettes. However, to classify as dependent on one of the other substances by *DSM-IV* criteria, a respondent must be a past year user of that substance. A second difference is that the Nicotine Dependence Syndrome Scale (NDSS) questions are imputed in order to optimize the number of respondents who may be classified for nicotine (cigarette) dependence, unlike the *DSM-IV* dependence questions that are used in the nonimputed, edited form.

Nicotine (Cigarette) Dependence

The 2009 NSDUH CAI questions designed to assess nicotine (cigarette) dependence were based on the NDSS and the FTND. To identify patterns of nicotine (cigarette) dependence within the 2009 NSDUH data, variable indicators were created to measure dependence on nicotine through the use of cigarettes. A respondent was defined as being dependent if he or she met either the NDSS or the FTND criteria for dependence.

Nicotine Dependence Syndrome Scale (NDSS):

The conceptual roots of the NDSS are similar to those behind the *DSM-IV* concept of dependence (Edwards & Gross, 1976). The 2009 NSDUH contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
 - a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (IRCGIRTB)
 - b. When you don't smoke for a few hours, you start to crave cigarettes (IRCGCRV)
 - c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (IRCGCRGP)
 - d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (IRCGNCTL)
 - e. You sometimes worry that you will run out of cigarettes (IRCGROUT).
2. Nicotine tolerance
 - a. Since you started smoking, the amount you smoke has increased (IRCGINCR)
 - b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (IRCGSAT)
 - c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (IRCGLMR).
3. Continuous smoking
 - a. You smoke cigarettes fairly regularly throughout the day (IRCGRGDY)
 - b. You smoke about the same amount on weekends as on weekdays (IRCGRGWK)
 - c. You smoke just about the same number of cigarettes from day to day (IRCGRGNM)
 - d. It's hard to say how many cigarettes you smoke per day because the number often changes (IRCGNCG)
 - e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (IRCGSLHR).
4. Behavioral priority (preferring smoking over other reinforcing activities)
 - a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (IRCGAVD)
 - b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (friends question - CIGFNLKE)
 - c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (IRCGPLN).
5. Stereotype (fixed patterns of smoking)
 - a. Do you have any friends who do not smoke cigarettes (friends question - CIGFNSMK)

- b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (IRCGINFL)
- c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (IRCGNINF).

Each of these five domains can be assessed by a separate measure, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., 2004). The NDSS algorithm for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (4b - CIGFNLKE and 5a - CIGFNSMK) were excluded due to higher item nonresponse rates.

For respondents who answered 16 of the 17 NDSS nicotine (cigarette) dependence questions used in the NDSS algorithm, imputation using the 16 answered NDSS items as covariates in a weighted least squares regression model was implemented (Ault et al., 2011).

Responses to items IRCGIRTB, IRCGCRV, IRCGCRGP, IRCGAVD, IRCGPLN, IRCGROUT, IRCGRGDY, IRCGRGWK, IRCGRGNM, IRCGNINF, IRCGINCR, IRCGSAT, and IRCGLMR were coded from 1 to 5 where

- 1= Not at all true of me
- 2= Sometimes true of me
- 3= Moderately true of me
- 4= Very true of me
- 5= Extremely true of me.

Responses to items IRCGNCTL, IRCGNCG, IRCGSLHR, and IRCGINFL were reverse coded from 5 to 1 where

- 5= Not at all true of me
- 4= Sometimes true of me
- 3= Moderately true of me
- 2= Very true of me
- 1= Extremely true of me.

For respondents who reported smoking cigarettes in the past month, the NDSS score, NDSSANSP, was calculated as the sum of the responses to the previous questions divided by 17. The NDSS score was calculated only for those who had responses to all 17 questions after imputation. If a respondent did not have valid responses (based on actual reporting and imputation) to all 17 questions, then his or her NDSS score was defined as missing.

A respondent was defined as nicotine dependent, NDSSDNSP=1, if the NDSS score was greater than or equal to 2.75. If the NDSS score was less than 2.75 or missing, then the respondent was determined to be nondependent, NDSSDNSP=0, based on the NDSS. The threshold of 2.75 was derived by examining the distribution of scores in other samples of smokers who were administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Shiffman, Paty, Kassel, Gnys, & Zettler-Segal, 1994).

Fagerstrom Test of Nicotine Dependence (FTND):

The FTND is a multi-item measure of dependence, but much of its ability to discriminate dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton, Kozlowski, Frecker, Rickert, & Robinson, 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence. A respondent who reported smoking cigarettes in the past month was defined as nicotine dependent based on the FTND, FTNDDNSP, if the first cigarette smoked was within 30 minutes of waking up on the days he or she smoked (CIGWAKE=1 or 2).

Nicotine (Cigarette) Dependence:

Using both the NDSS and the FTND, a respondent was defined as having nicotine (cigarette) dependence in the past month, DNICNSP, if he or she met either the NDSS (NDSSDNSP=1) or FTND (FTNDDNSP=1) criteria for dependence.

DSM-IV Dependence and Abuse

The 2009 NSDUH CAI questions were designed to assess substance dependence and abuse of alcohol and illicit drugs based on the criteria for dependence and abuse in the *DSM-IV* (APA, 1994). For marijuana, inhalants, hallucinogens, and tranquilizers, a respondent was defined as having dependence if he or she met three or more of six standard dependence criteria. A seventh withdrawal criterion was added for alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. A respondent was defined as having dependence if he or she met three or more of seven dependence criteria. For each illicit drug and alcohol, a respondent was defined as having abused that substance if he or she met one or more of four abuse criteria and was determined not to be dependent upon the substance of interest.

For alcohol and marijuana, the criteria used to determine whether a respondent was asked the dependence and abuse questions included past year use of the respective substance and reported use of the respective substance on more than 5 days in the past year. Because respondents were asked the dependence and abuse questions if they reported substance use in the past year, regardless of whether they reported their frequency of substance use in the past year, inconsistencies could occur where the imputed frequency of use variable indicated less frequent use than required for respondents to be asked the dependence and abuse questions originally.

For heroin and cocaine, the criteria included reporting past year use in a core drug module or past year use in the noncore special drugs module. Inconsistencies could occur when core substance use variables indicated no use in the past year but a dependence and abuse variable indicated substance dependence or abuse.

For pain relievers, tranquilizers, and inhalants, the only criterion used was that the respondent reported past year use of the respective substance. Thus, no inconsistencies could occur where the respondent was considered a nonuser of the substance but was dependent on or abusing the substance.

For stimulants, prior to the 2005 NSDUH, the criteria included only reporting past year stimulant use in a core drug module or past year use in the noncore special drugs module. Inconsistencies could occur when either the core or the noncore substance use variables indicated no use in the past year but a dependence and abuse variable indicated substance dependence or abuse. In 2005 and 2006, new questions were added to the noncore special drugs module to identify respondents who had used methamphetamine but had failed to report it in the core prescription stimulant module because they did not think of methamphetamine as a prescription drug. In 2005, new questions were added concerning past year methamphetamine use: "Have you ever, even once, used methamphetamine?" and "Have you ever, even once, used a needle to inject methamphetamine?" In 2006, an additional follow-up consistency question was added to confirm prior responses about methamphetamine use: "Earlier, the computer recorded that you have never used methamphetamine. Which answer is correct?" Persons identified as methamphetamine users in these new questions were also administered the stimulant dependence and abuse questions. However, based on the decisions made during the analysis of the new methamphetamine data,¹ respondents who met the criteria for stimulant dependence or abuse but had reported past year methamphetamine use *only* on these new 2005 and 2006 special drug use questions (i.e., did not indicate methamphetamine use from the core drug module or other questions in the noncore special drugs module) were categorized as NOT having past year stimulant dependence or abuse. In the 2008 NSDUH, the skip logic was further modified

¹ See Section B.4.8 of Appendix B in the 2008 NSDUH national findings for more details on the methamphetamine analysis (Office of Applied Studies, 2009).

allowing respondents who reported using Adderall® in the noncore special drugs section but failed to report it in the core prescription stimulant module to be asked the stimulant dependence and abuse questions. Consistent with the decision made for the new methamphetamine questions, those respondents who met the criteria for stimulant dependence or abuse based only on the new Adderall® questions were also categorized as NOT having past year stimulant dependence or abuse. This decision prevents additional inconsistencies between core and noncore indicators of use. Furthermore, if these same respondents were categorized as not having past year dependence on or abuse of any other substance (e.g., pain relievers, tranquilizers, or sedatives for the psychotherapeutic drug grouping), then they were categorized as NOT having past year dependence on or abuse of psychotherapeutics, illicit drugs, illicit drugs or alcohol, and illicit drugs and alcohol.

For hallucinogens and sedatives, prior to the 2008 NSDUH, the criteria included only reporting past year use in a core drug module. Thus, no inconsistencies could occur where the respondent was considered a nonuser of the substance but was dependent on or abusing the substance. In 2008, questionnaire logic for determining hallucinogen and sedative dependence or abuse was modified. The revised skip logic used information collected in the noncore special drugs module in addition to questions from the core drug modules. Respondents were asked about hallucinogen dependence and abuse if they reported in the noncore special drugs module additionally using Ketamine, DMT, AMT, Foxy, or *Salvia divinorum* and were asked about sedative dependence and abuse if they reported additionally using Ambien®. Consistent with the previous decision to exclude respondents whose methamphetamine use was based solely on responses in a noncore module from being classified as having dependence or abuse, respondents who indicated past year hallucinogen or sedative use based solely on these noncore special drug questions were categorized as NOT having past year dependence or abuse regardless of how they answered the dependence and abuse questions. This decision prevents any inconsistencies between core and noncore indicators of use for these drugs. Further details are provided in Section B.4.3 of Appendix B of the 2009 summary of national findings (Office of Applied Studies, 2010a; 2010b).

A respondent might have provided ambiguous information about past year use of any individual substance, in which case these respondents were not asked the dependence and abuse questions for that substance. Subsequently, these respondents could be imputed to be past year users of the respective substance. In this situation, the dependence and abuse data were unknown. Thus, these respondents were classified as not dependent on or abusing the respective substance, without ever having been asked the dependence and abuse questions.

Listed below are the definitions used for each of the individual dependence and abuse measures, as well as specific notes about inconsistency issues for each measure. Additional variables were created using a combination of these individual dependence and abuse measures and are listed in the main part of the codebook.

Substance Dependence Recodes Defined with Withdrawal Criteria

ALCOHOL:

To be defined with alcohol dependence, DEPNDALC, a respondent must have met three or more of these alcohol dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of alcohol (ALCLOTTM=1 or ALCGTOVR=1)
- (2) Used alcohol more often than intended or was unable to keep set limits on alcohol use (ALCKPLMT=2)
- (3) Needed to use alcohol more than before to get desired effects or noticed that same amount of alcohol use had less effect than before (ALCNDMOR=1 or ALCLSEFX=1)
- (4) Inability to cut down or stop using alcohol every time tried or wanted to (ALCCUTEV=2)
- (5) Continued to use alcohol even though it was causing problems with emotions, nerves, mental health, or physical problems (ALCEMCTD=1 or ALCPHCTD=1)
- (6) Alcohol use reduced or eliminated involvement or participation in important activities (ALCLSACT=1)
- (7) Reported experiencing two or more alcohol withdrawal symptoms at the same time that lasted longer than a day after alcohol use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (ALCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported using alcohol in the past year, regardless of whether he or she reported the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified as dependent on alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with cocaine dependence, DEPNDCOC, a respondent must have met three or more of these cocaine dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of cocaine (COCLOTTM=1 or COCGTOVR=1)
- (2) Used cocaine more often than intended or was unable to keep set limits on cocaine use (COCKPLMT=2)
- (3) Needed to use cocaine more than before to get desired effects or noticed that same amount of cocaine use had less effect than before (COCNDMOR=1 or COCLSEFX=1)
- (4) Inability to cut down or stop using cocaine every time tried or wanted to (COCCUTEV=2)
- (5) Continued to use cocaine even though it was causing problems with emotions, nerves, mental health, or physical problems (COCMCTD=1 or COCPHCTD=1)
- (6) Cocaine use reduced or eliminated involvement or participation in important activities (COCLSACT=1)

- (7) Reported feeling blue or down when trying to stop or cut down using cocaine (COCFLBLU=1) as well as experiencing two or more additional cocaine withdrawal symptoms at the same time that lasted longer than a day after cocaine use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or could not sit still. (COCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified as being dependent on cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HEROIN:

To be defined with heroin dependence, DEPNDHER, a respondent must have met three or more of these heroin dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of heroin (HERLOTTM=1 or HERGTOVR=1)
- (2) Used heroin more often than intended or was unable to keep set limits on heroin use (HERKPLMT=2)
- (3) Needed to use heroin more than before to get desired effects or noticed that same amount of heroin use had less effect than before (HERNDMOR=1 or HERLSEFX=1)
- (4) Inability to cut down or stop using heroin every time tried or wanted to (HERCUTEV=2)
- (5) Continued to use heroin even though it was causing problems with emotions, nerves, mental health, or physical problems (HEREMCTD=1 or HERPHCTD=1)
- (6) Heroin use reduced or eliminated involvement or participation in important activities (HERLSACT=1)
- (7) Reported experiencing three or more heroin withdrawal symptoms at the same time that lasted longer than a day after heroin use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (HERWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year, even if he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified as dependent on heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

PAIN RELIEVERS:

To be defined with pain reliever dependence, DEPNDANL, a respondent must have met three or more of these pain reliever dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of pain relievers (ANLLOTTM=1 or ANLGTOVR=1)

- (2) Used pain relievers more often than intended or was unable to keep set limits on pain reliever use (ANLKPLMT=2)
- (3) Needed to use pain relievers more than before to get desired effects or noticed that same amount of pain reliever use had less effect than before (ANLNDMOR=1 or ANLLSEFX=1)
- (4) Inability to cut down or stop using pain relievers every time tried or wanted to (ANLCUTEV=2)
- (5) Continued to use pain relievers even though they were causing problems with emotions, nerves, mental health, or physical problems (ANLEMCTD=1 or ANLPHCTD=1)
- (6) Pain reliever use reduced or eliminated involvement or participation in important activities (ANLLSACT=1)
- (7) Reported experiencing three or more pain reliever withdrawal symptoms at the same time that lasted longer than a day after pain reliever use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (ANLWDSMT=1).

SEDATIVES:

To be defined with sedative dependence, DEPNDSED, a respondent must have been routed to the dependence and abuse questions in 2009 based on variables in the skip logic that existed in 2007 (SEDDAFLG=98) and must have met three or more of these sedative dependence criteria (i.e., respondents who indicated sedative use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were defined as NOT having past year sedative dependence):

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of sedatives (SEDLOTTM=1 or SEDGTOVR=1)
- (2) Used sedatives more often than intended or was unable to keep set limits on sedative use (SEDKPLMT=2)
- (3) Needed to use sedatives more than before to get desired effects or noticed that same amount of sedative use had less effect than before (SEDNDMOR=1 or SEDLSEFX=1)
- (4) Inability to cut down or stop using sedatives every time tried or wanted to (SEDCUTEV=2)
- (5) Continued to use sedatives even though they were causing problems with emotions, nerves, mental health, or physical problems (SEDEMCTD=1 or SEDPHCTD=1)
- (6) Sedative use reduced or eliminated involvement or participation in important activities (SEDLSACT=1)
- (7) Reported experiencing two or more sedative withdrawal symptoms at the same time that lasted longer than a day after sedative use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping or sleeping more than normal, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (SEDWDSMT=1).

STIMULANTS:

To be defined with stimulant dependence, DEPNDSTM, a respondent must have been routed to the dependence and abuse questions in 2009 based on variables in the skip logic that existed in 2004 (STMDAFLG=98) and must have met three or more of these stimulant dependence criteria (i.e., respondents who did not indicate methamphetamine use or other stimulant use from the core drug module or questions in the noncore special drugs module [other than the questions added in 2005, 2006, and 2008 as mentioned above] and who met three or more of these stimulant dependence criteria were categorized as NOT having past year stimulant dependence):

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of stimulants (STMLOTTM=1 or STMGTOVR=1)
- (2) Used stimulants more often than intended or was unable to keep set limits on stimulant use (STMKPLMT=2)
- (3) Needed to use stimulants more than before to get desired effects or noticed that same amount of stimulant use had less effect than before (STMNDMOR=1 or STMNSEFX=1)
- (4) Inability to cut down or stop using stimulants every time tried or wanted to (STMCUTEV=2)
- (5) Continued to use stimulants even though they were causing problems with emotions, nerves, mental health, or physical problems (STMEMCTD=1 or STMPHCTD=1)
- (6) Stimulant use reduced or eliminated involvement or participation in important activities (STMLSACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using stimulants (STMFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms at the same time that lasted longer than a day after stimulant use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or like could not sit still. (STMWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting stimulants (including methamphetamine) with a needle in the past year, even if he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified as being dependent on stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (CPNSTMYR).

Substance Dependence Recodes Defined without Withdrawal Criteria

HALLUCINOGENS:

To be defined with hallucinogen dependence, DEPNDHAL, a respondent must have been routed to the dependence and abuse questions in 2009 based on variables in the skip logic that existed in 2007 (HALDAFLG=98) and must have met three or more of these hallucinogen dependence criteria (i.e., respondents who indicated hallucinogen use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were defined as NOT having past year hallucinogen dependence):

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of hallucinogens (HALLOTTM=1 or HALGTOVR=1)
- (2) Used hallucinogens more often than intended or was unable to keep set limits on hallucinogen use (HALKPLMT=2)
- (3) Needed to use hallucinogens more than before to get desired effects or noticed that same amount of hallucinogen use had less effect than before (HALNDMOR=1 or HALLSEFX=1)
- (4) Inability to cut down or stop using hallucinogens every time tried or wanted to (HALCUTEV=2)
- (5) Continued to use hallucinogens even though they were causing problems with emotions, nerves, mental health, or physical problems (HALEMCTD=1 or HALPHCTD=1)
- (6) Hallucinogen use reduced or eliminated involvement or participation in important activities (HALLSACT=1).

INHALANTS:

To be defined with inhalant dependence, DEPNDINH, a respondent must have met three or more of these inhalant dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of inhalants (INHLOTTM=1 or INHGTOVR=1)
- (2) Used inhalants more often than intended or was unable to keep set limits on inhalant use (INHKPLMT=2)
- (3) Needed to use inhalants more than before to get desired effects or noticed that same amount of inhalant use had less effect than before (INHNDMOR=1 or INHLSEFX=1)
- (4) Inability to cut down or stop using inhalants every time tried or wanted to (INHCUTEV=2)
- (5) Continued to use inhalants even though they were causing problems with emotions, nerves, mental health, or physical problems (INHEMCTD=1 or INHPHCTD=1)
- (6) Inhalant use reduced or eliminated involvement or participation in important activities (INHLSACT=1).

MARIJUANA:

To be defined with marijuana dependence, DEPNDMRJ, a respondent must have met three or more of these marijuana dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of marijuana (MRJLOTTM=1 or MRJGTOVR=1)

- (2) Used marijuana more often than intended or was unable to keep set limits on marijuana use (MRJKPLMT=2)
- (3) Needed to use marijuana more than before to get desired effects or noticed that same amount of marijuana use had less effect than before (MRJNDMOR=1 or MRJLSEFX=1)
- (4) Inability to cut down or stop using marijuana every time tried or wanted to (MRJCUTEV=2)
- (5) Continued to use marijuana even though it was causing problems with emotions, nerves, mental health, or physical problems (MRJEMCTD=1 or MRJPHCTD=1)
- (6) Marijuana use reduced or eliminated involvement or participation in important activities (MRJLSACT=1).

Note: A respondent could answer the dependence questions if he or she reported using marijuana in the past year, regardless of whether he or she reported the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified as dependent on marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

TRANQUILIZERS:

To be defined with tranquilizer dependence, DEPNDTRN, a respondent must have met three or more of these tranquilizer dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of tranquilizers (TRNLOTTM=1 or TRNGTOVR=1)
- (2) Used tranquilizers more often than intended or was unable to keep set limits on tranquilizer use (TRNKPLMT=2)
- (3) Needed to use tranquilizers more than before to get desired effects or noticed that same amount of tranquilizer use had less effect than before (TRNNDMOR=1 or TRNLSEFX=1)
- (4) Inability to cut down or stop using tranquilizers every time tried or wanted to (TRNCUTEV=2)
- (5) Continued to use tranquilizers even though they were causing problems with emotions, nerves, mental health, or physical problems (TRNEMCTD=1 or TRNPHCTD=1)
- (6) Tranquilizer use reduced or eliminated involvement or participation in important activities (TRNLSACT=1).

Substance Abuse Recodes

ALCOHOL:

To be defined with abuse of alcohol, ABUSEALC, a respondent must have met one or more of these alcohol abuse criteria in the past year and must not have been dependent upon alcohol in the past year (DEPNDA LC=0):

- (1) Serious problems at home, work, or school caused by using alcohol, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ALCSERP B=1)
- (2) Used alcohol regularly and then did something that might have put you in physical danger (ALCPDANG=1)
- (3) Use of alcohol caused you to do things that repeatedly got you in trouble with the law (ALCLAWTR=1)
- (4) Problems with family or friends that were probably caused by using alcohol (ALCFMFPB=1) and continued to use alcohol even though you thought using alcohol caused these problems (ALCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using alcohol in the past year, regardless of whether he or she reported the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified to have abused alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with abuse of cocaine, ABUSECOC, a respondent must have met one or more of these cocaine abuse criteria in the past year and must not have been dependent upon cocaine in the past year (DEPNDCOC=0):

- (1) Serious problems at home, work, or school caused by using cocaine, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(COCSERPB=1)
- (2) Used cocaine regularly and then did something that might have put you in physical danger (COCPDANG=1)
- (3) Use of cocaine caused you to do things that repeatedly got you in trouble with the law (COCLAWTR=1)
- (4) Problems with family or friends probably caused by using cocaine (COCFMFPB=1) and continued to use cocaine even though you thought using cocaine caused these problems (COCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified to have abused cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HALLUCINOGENS:

To be defined with abuse of hallucinogens, ABUSEHAL, a respondent must have been routed to the dependence and abuse questions in 2009 based on variables in the skip logic that existed in 2007 (HALDAFLG=98), must have met one or more of these hallucinogen abuse criteria in the past year (i.e., respondents who indicated hallucinogen use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were categorized as NOT having abused hallucinogens in the past year), and must not have been dependent upon hallucinogens in the past year (DEPNDHAL=0):

- (1) Serious problems at home, work, or school caused by using hallucinogens, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HALSERPB=1)
- (2) Used hallucinogens regularly and then did something that might have put you in physical danger (HALPDANG=1)
- (3) Use of hallucinogens caused you to do things that repeatedly got you in trouble with the law (HALLAWTR=1)
- (4) Problems with family or friends caused by using hallucinogens (HALFMFPB=1) and continued to use hallucinogens even though you thought using hallucinogens caused these problems (HALFMCTD=1).

HEROIN:

To be defined with abuse of heroin, ABUSEHER, a respondent must have met one or more of these heroin abuse criteria in the past year and must not have been dependent upon heroin in the past year (DEPNDHER=0):

- (1) Serious problems at home, work, or school caused by using heroin, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HERSERPB=1)
- (2) Used heroin regularly and then did something that might have put you in physical danger (HERPDANG=1)
- (3) Use of heroin caused you to do things that repeatedly got you in trouble with the law (HERLAWTR=1)
- (4) Problems with family or friends probably caused by using heroin (HERFMFPB=1) and continued to use heroin even though you thought using heroin caused these problems (HERFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year, even if he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified to have abused heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

INHALANTS:

To be defined with abuse of inhalants, ABUSEINH, a respondent must have met one or more of these inhalant abuse criteria in the past year and must not have been dependent upon inhalants in the past year (DEPNDINH=0):

- (1) Serious problems at home, work, or school caused by using inhalants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(INHSERP=1)
- (2) Used inhalants regularly and then did something that might have put you in physical danger (INHPDANG=1)
- (3) Use of inhalants caused you to do things that repeatedly got you in trouble with the law (INHLOWTR=1)
- (4) Problems with family or friends caused by using inhalants (INHFMFPB=1) and continued to use inhalants even though you thought using inhalants caused these problems (INHFMCTD=1).

MARIJUANA:

To be defined with abuse of marijuana, ABUSEMRJ, a respondent must have met one or more of these marijuana abuse criteria in the past year and must not have been dependent upon marijuana in the past year (DEPNDMRJ=0):

- (1) Serious problems at home, work, or school caused by using marijuana, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(MRJSERP=1)
- (2) Used marijuana regularly and then did something that might have put you in physical danger (MRJPDANG=1)
- (3) Use of marijuana caused you to do things that repeatedly got you in trouble with the law (MRJLOWTR=1)
- (4) Problems with family or friends caused by using marijuana (MRJFMFPB=1) and continued to use marijuana even though you thought using marijuana caused these problems (MRJFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using marijuana in the past year, regardless of whether he or she reported the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified to have abused marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

PAIN RELIEVERS:

To be defined with abuse of pain relievers, ABUSEANL, a respondent must have met one or more of these pain reliever abuse criteria in the past year and must not have been dependent upon pain relievers in the past year (DEPNDANL=0):

- (1) Serious problems at home, work, or school caused by using pain relievers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ANLSERP=1)
- (2) Used pain relievers regularly and then did something that might have put you in physical danger (ANLPDANG=1)
- (3) Use of pain relievers caused you to do things that repeatedly got you in trouble with the law (ANLLAWTR=1)
- (4) Problems with family or friends probably caused by using pain relievers (ANLFMFPB=1) and continued to use pain relievers even though you thought using pain relievers caused these problems (ANLFMCTD=1).

SEDATIVES:

To be defined with abuse of sedatives, ABUSESED, a respondent must have been routed to the dependence and abuse questions in 2009 based on variables in the skip logic that existed in 2007 (SEDDAFLG=98), must have met one or more of these sedative abuse criteria in the past year (i.e., respondents who indicated sedative use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were categorized as NOT having abused sedatives in the past year), and must not have been dependent upon sedatives in the past year (DEPNSED=0):

- (1) Serious problems at home, work, or school caused by using sedatives, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(SEDSERP=1)
- (2) Used sedatives regularly and then did something that might have put you in physical danger (SEDPDANG=1)
- (3) Use of sedatives caused you to do things that repeatedly got you in trouble with the law (SEDLAWTR=1)
- (4) Problems with family or friends probably caused by using sedatives (SEDFMFPB=1) and continued to use sedatives even though you thought using sedatives caused these problems (SEDFMCTD=1).

STIMULANTS:

To be defined with abuse of stimulants, ABUSESTM, a respondent must have been routed to the dependence and abuse questions in 2009 based on variables in the skip logic that existed in 2004 (STMDAFLG=98), must have met one or more of these stimulant abuse criteria in the past year (i.e., respondents who did not indicate methamphetamine use or other stimulant use from the core drug module or questions in the noncore special drugs module [other than the questions added in 2005, 2006, and 2008 as mentioned above] and who met one or more of these

stimulant abuse criteria were categorized as NOT having abused stimulants in the past year), and must not have been dependent upon stimulants in the past year (DEPNDSTM=0):

- (1) Serious problems at home, work, or school caused by using stimulants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(STMSERP=1)
- (2) Used stimulants regularly and then did something that might have put you in physical danger (STMPDANG=1)
- (3) Use of stimulants caused you to do things that repeatedly got you in trouble with the law (STMLAWTR=1)
- (4) Problems with family or friends probably caused by using stimulants (STMFMFPB=1) and continued to use stimulants even though you thought that using stimulants caused these problems (STMFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting stimulants (including methamphetamine) with a needle in the past year, even if he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified to have abused stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (CPNSTMYR).

TRANQUILIZERS:

To be defined with abuse of tranquilizers, ABUSETRN, a respondent must have met one or more of these tranquilizer abuse criteria in the past year and must not have been dependent upon tranquilizers in the past year (DEPNDTRN=0):

- (1) Serious problems at home, work, or school caused by using tranquilizers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(TRNSERP=1)
- (2) Used tranquilizers regularly and then did something that might have put you in physical danger (TRNPDANG=1)
- (3) Use of tranquilizers caused you to do things that repeatedly got you in trouble with the law (TRNLAWTR=1)
- (4) Problems with family or friends caused by using tranquilizers (TRNFMFPB=1) and continued to use tranquilizers even though you thought using tranquilizers caused these problems (TRNFMCTD=1).

References

- Ault, K., Barnett-Walker, K., Carpenter, L., Cummiskey, C., Frechtel, P., Laufenberg, J., Martin, P., Moore, A., & Scott, V. (2011). Imputation report [2009]. In *2009 National Survey on Drug Use and Health: Methodological resource book* (Section 11, prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-2004-00022, Deliverable No. 39, RTI/0209009.577.007). Research Triangle Park, NC: RTI International.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (DSM-IV)* (4th ed.). Washington, DC: American Psychiatric Association.
- Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal*, *1*(6017), 1058-1061.
- Fagerstrom, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors*, *3*(3-4), 235-241.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerstrom, K. O. (1991). The Fagerstrom Test for Nicotine Dependence: A revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction*, *86*(9), 1119-1127.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction*, *84*(7), 791-799.
- Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 09-4434, NSDUH Series H-36). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010a). *Results from the 2009 National Survey on Drug Use and Health: Volume I. Summary of national findings* (HHS Publication No. SMA 10-4586Findings, NSDUH Series H-38A). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010b). *Results from the 2009 National Survey on Drug Use and Health: Volume II. Technical appendices and selected prevalence tables* (HHS Publication No. SMA 10-4586Appendices, NSDUH Series H-38B). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.
- Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology*, *2*, 126-142.

Shiffman, S., Waters, A. J., & Hickcox, M. (2004, April). The Nicotine Dependence Syndrome Scale: A multi-dimensional measure of nicotine dependence. *Nicotine and Tobacco Research*, 6(2), 327-348.

APPENDIX I

Recoded Mental Health Variable Documentation

The 2009 National Survey on Drug Use and Health (NSDUH) included a "mental health" module that was designed to provide data on various mental health measures for adults aged 18 or older, such as serious psychological distress (SPD), mental illness (i.e., any mental illness [AMI], serious mental illness [SMI], moderate mental illness [MMI], serious or moderate mental illness [SMMI], and low [i.e., mild] mental illness [LMI]), and suicidal ideation (i.e., thoughts, plans, and attempts).

Estimates of past month SPD, past year mental illness, and past year suicidal ideation and behavior are presented in the 2009 mental health detailed tables (Center for Behavioral Health Statistics and Quality [CBHSQ], 2010a). With the exception of SPD, these measures also are presented in the 2009 mental health findings (CBHSQ, 2010b). The tables and report on mental health are published separately from the 2009 detailed tables (Office of Applied Studies [OAS], 2010a) and the 2009 national findings report (OAS, 2010b; 2010c).

This appendix provides details about changes to the mental health module, the use of the psychological distress and functional impairment scales to measure mental illness, and the development of the 2008-2009 mental illness indicators. In addition, information about the availability of the mental illness variables as well as guidance regarding analysis of these variables including weighting information is provided.

Questionnaire Changes

From 2008 to 2009, the only change within the mental health module was that adult respondents were administered only one functional impairment scale: the abbreviated World Health Organization Disability Assessment Schedule (WHODAS) (Novak, Colpe, Barker, & Gfroerer, 2010). Whereas adult respondents in 2008 were administered, via a split-sample design, one of two impairment scales: the abbreviated WHODAS or the Sheehan Disability Scale (SDS). Other changes to the adult mental health module introduced in 2008 were continued in 2009. This included changes to the K6 questions on nonspecific psychological distress asking about two reference periods, the past 30 days and the month in the past 12 months when the distress was the worst, and new questions on suicidal ideation. See the 2008 Recoded Mental Health Variable Documentation appendix for full details on these changes.

2009 NSDUH Scales Used To Measure Mental Illness

Psychological Distress Scale: K6

The K6 screening instrument for nonspecific psychological distress (Furukawa, Kessler, Slade, & Andrews, 2003; Kessler et al., 2003) included in the computer-assisted interviewing instrument was used to create both past month (SPDMON) and past year (SPDYR) SPD indicators.¹ For both of the time periods, respondents were classified with SPD if a score based on these K6 measures was 13 or greater.

¹ Because of the addition of the 30-day K6 questions in the 2008 NSDUH, the 2008 and 2009 past year K6 and SPD variables are not comparable with past year K6 and SPD variables from previous years and therefore have been renamed.

The two six-item K6 scales gather information regarding how frequently a respondent experienced symptoms of psychological distress during the past 30 days and during a month in the past 12 months when he or she felt more depressed, anxious, or emotionally stressed than in the past 30 days, respectively. Only respondents who indicated that there was a worse month than the past 30 days (DSTWORST=1) were asked about the worst month in the past year other than the past 30 days.

The questions comprising the two K6 scales and the screener question for the worst month scale are provided below, with their associated edited variable names from the mental health module as well as the response categories for each question:

DSTNRV30 During the past 30 days, how often did you feel nervous?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- DK/REF

Response categories are the same for the remaining past month K6 questions:

DSTHOP30 During the past 30 days, how often did you feel hopeless?

DSTRST30 During the past 30 days, how often did you feel restless or fidgety?

DSTCHR30 During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

DSTEFF30 During the past 30 days, how often did you feel that everything was an effort?

DSTNGD30 During the past 30 days, how often did you feel down on yourself, no good, or worthless?

DSTWORST The last questions asked about how you have been feeling during the past 30 days. Now think about **the past 12 months**. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

- 1 Yes
- 2 No

DSTNRV12 Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- DK/REF

Response categories are the same for the remaining worst month K6 questions:

- DSTHOP12** During that same month when you were at your worst emotionally . . .
how often did you feel hopeless?
- DSTRST12** During that same month when you were at your worst emotionally . . .
how often did you feel restless or fidgety?
- DSTCHR12** During that same month when you were at your worst emotionally . . .
how often did you feel so sad or depressed that nothing could cheer you up?
- DSTEFF12** During that same month when you were at your worst emotionally . . .
how often did you feel that everything was an effort?
- DSTNGD12** During that same month when you were at your worst emotionally . . .
how often did you feel down on yourself, no good, or worthless?

Each K6 scale item shown above was transformed so that "All of the time" was coded 4, "Most of the time" was coded 3, "Some of the time" was coded 2, "A little of the time" was coded 1, and "None of the time" was coded 0, along with responses matching "Don't know," refusals, bad data, blanks, and legitimate skips.

A past month distress score (K6SCMON) was calculated by summing these transformed values across the six past 30-day variables (DSTNRV30, DSTHOP30, DSTRST30, DSTCHR30, DSTEFF30, and DSTNGD30) to arrive at a value ranging between 0 and 24. Likewise, a worst month in the past year distress score (K6SCYR) was calculated by summing the transformed values across the six worst month in the past year variables (DSTNRV12, DSTHOP12, DSTRST12, DSTCHR12, DSTEFF12, and DSTNGD12) to arrive at a value ranging between 0 and 24. The worst month in the past year distress score (K6SCYR) has values only for adult respondents who indicated that there was a month in the past year that was worse than the past 30 days (DSTWORST=1). A worst total score (K6SCMAX) was then created that takes on the maximum value of the past month distress score (K6SCMON) and the worst month in the past year distress score (K6SCYR) in order to represent the worst distress score during the past year, regardless of whether this contradicts the response to DSTWORST. For all the K6 score and SPD variables, youths aged 12 to 17 were assigned the standard SAS missing code (.) because the mental health module was not administered to youths.

An alternative worst month in the past year total score variable (WSPDSC2) was created to indicate the worst distress score during the past year. Using the worst month total score (K6SCMAX), the alternative worst month total score (WSPDSC2) is coded 0 when K6SCMAX

has a value from 0 to 7 and WSPDSC2 is assigned a value of 1 to 17 when K6SCMAX has a corresponding value of 8 to 24. This variable was not used in the creation of past month and past year SPD variables but was used in the models to create the mental illness variables discussed later in this document.

Using the past month distress score defined above, adults aged 18 or older are classified as having past month SPD (SPDMON=1) if their distress score is 13 or greater ($K6SCMON \geq 13$), and they are classified as not having past month SPD (SPDMON=0) if their distress score is less than 13 ($K6SCMON < 13$). This cutoff point was chosen because it has been shown to be highly correlated with SMI (Colpe, Epstein, Barker, & Gfroerer, 2009) and is the standard cutoff point used by other surveys. Likewise, past year SPD (SPDYR) is defined the same way as past month SPD by using the total past year score (K6SCMAX) and the same cutoff value of 13.

The use of the two reference periods to create the total past year score that defines past year SPD started with the 2008 NSDUH. From 2005 to 2007, respondents were asked only about distress in the month when they were the most depressed, anxious, or emotionally distressed in the past year. Because of this change, past year K6 and SPD estimates from years prior to 2008 are no longer comparable with estimates from 2008 onwards. To address this comparability issue, an adjusted version of the worst total K6 score and past year SPD variables were created retroactively for survey years 2005 through 2007. These variables were statistically adjusted to make the 2005-2007 past year K6 and SPD estimates comparable with the 2008 and later past year K6 and SPD estimates. The 2005-2007 adjusted variables (K6SMXADJ and SPDYRADJ) can be renamed to match the 2008 and later variables (K6SCMAX and SPDYR) to produce comparable estimates across years as seen in the 2010 mental health detailed tables (CBHSQ, in press). More information about how the statistically adjusted K6 and SPD variables were created can be found in the 2005-2007 codebooks and in the report describing these adjustments (Aldworth, Kott, Yu, Mosquin, & Barnett-Walker, in press).

Functional Impairment Scale: WHODAS

The WHODAS is a scale used to measure functional impairment that consists of a series of items that are used for assessing disturbances in social adjustment and behavior (i.e., functional impairment). A reduced set of 13 WHODAS items (Novak et al., 2010; Rehm et al., 1999) are included in the NSDUH. Responses to this impairment scale were used to create eight variables (one for each of eight daily activities) that were transformed and summed to define the WHODAS total score used in the development of SMI. The questions comprising the abbreviated WHODAS are provided below, with their associated edited variable name from the mental health module as well as the response categories for each question:

The next questions are about how much your emotions, nerves, or mental health caused you to have **difficulties in daily activities**.

In answering, think of the **one month** in the past 12 months when your emotions, nerves, or mental health interfered **most** with your daily activities.

IMPREMEM During that one month when your emotions, nerves or mental health interfered **most** with your daily activities . . .

how much difficulty did you have **remembering to do things you needed to do?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty
- DK/REF

IMPCONCN how much difficulty did you have **concentrating on doing something important when other things were going on around you?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty
- DK/REF

IMPGOUT how much difficulty did you have **going out of the house and getting around on your own?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty
- 5 You didn't leave the house on your own
- DK/REF

IMPGOUTM [IF IMPGOUT = 5] Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

- 1 Yes
- 2 No
- DK/REF

IMPPEOP how much difficulty did you have **dealing with people you did not know well?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty

5 You didn't deal with people you did not know well
DK/REF

IMPPEOPM [IF IMPPEOP = 5] Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

1 Yes
2 No
DK/REF

IMPSOC how much difficulty did you have **participating in social activities, like visiting friends or going to parties?**

1 No difficulty
2 Mild difficulty
3 Moderate difficulty
4 Severe difficulty
5 You didn't participate in social activities
DK/REF

IMPSOCM [IF IMPSOC=5] Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

1 Yes
2 No
DK/REF

IMPHHLD how much difficulty did you have **taking care of household responsibilities?**

1 No difficulty
2 Mild difficulty
3 Moderate difficulty
4 Severe difficulty
5 You didn't take care of household responsibilities
DK/REF

IMPHHLDM [IF IMPHHLD=5] Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

1 Yes
2 No
DK/REF

IMPRESP how much difficulty did you have **taking care of your daily responsibilities at work or school?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty
- 5 You didn't work or go to school
- DK/REF

IMPRESPM [IF IMPRESP=5] Did problems with your emotions, nerves, or mental health keep you from working or going to school?

- 1 Yes
- 2 No
- DK/REF

IMPWORK [IF **IMPRESP** NE 5] During that one month when your emotions, nerves or mental health interfered **most** with your daily activities . . .

how much difficulty did you have **getting your daily work done as quickly as needed?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty
- DK/REF

An original WHODAS total score (WHODASC2) was created to indicate the level of difficulty in performing daily activities due to problems with emotions, nerves, or mental health. Eight variables were created from the above WHODAS questions, where the response categories were transformed such that "severe difficulty" was coded 3, "moderate difficulty" was coded 2, "mild difficulty" was coded 1, and "no difficulty," "don't know," and "refuse" were coded 0. Five of the activities had a fifth response category for not applicable responses, along with a follow-up question to determine the reason the activity was not applicable. For example, the question about difficulties taking care of daily responsibilities at work or school (IMPRESP) has a response category of "you didn't work or go to school." If this category was selected, then another question was asked as to whether respondents' emotions, nerves, or mental health caused them to be unable to go to work or school (IMPRESPM). Respondents with a "yes" response to the follow-up question (IMPRESPM=1) were classified as having severe difficulty and those with a "no" response (IMPRESPM=2) were classified as having no difficulty. One exception to this coding is for the eighth daily activity question (IMPWORK) that asks how much difficulty the respondent had in getting daily work done as quickly as needed. This question was asked of the respondents only if in the previous question they indicated that they went to work or school (IMPRESP=1 to 4). For respondents who were skipped out of the work question, the recoded variable was coded based on the response to the school follow-up question (IMPRESPM).

The transformed scale values were summed across the eight variables created from the WHODAS items (remembering, concentrating, going out of the house on your own, dealing with

people you don't know well, participating in social activities, taking care of household responsibilities, taking care of daily work/school responsibilities, and getting your daily work done as quickly as needed) to arrive at a value ranging between 0 and 24. For both the WHODAS total scores, youths aged 12 to 17 were assigned the standard SAS missing code (.) because the mental health module was not administered to youths.

An alternative WHODAS total score (WHODASC3) was created to indicate the number of daily activities in which a respondent had moderate or severe difficulty performing or did not perform due to problems with emotions, nerves, or mental health. Each of the eight variables created from the WHODAS items shown above was transformed so that responses indicating "moderate difficulty" or "severe difficulty" were coded 1 and responses indicating "mild difficulty" or "no difficulty" were coded 0. If a fifth response category was available and selected (see example above), then another question was asked. A "yes" response to the follow-up question was coded 1 and a "no" response was coded 0. The transformed scale values were summed across the eight WHODAS activities to arrive at a value ranging between 0 and 8. This alternative WHODAS total score was used in the model estimating the mental illness variables.

Development of Mental Illness Indicators in 2008 and 2009

To develop methods for estimating SMI and other measures of mental illness, the 2008 Mental Health Surveillance Study (MHSS) was initiated as part of the 2008 NSDUH design and analysis. Due to limitations on interview time and resources in the NSDUH, it was not possible to administer a full structured diagnostic clinical interview to assess mental illness on all 45,000 adult respondents; therefore, the approach adopted by the Substance Abuse and Mental Health Services Administration was to utilize short screener scales (measuring psychological distress [K6] and functional impairment [WHODAS or SDS]) that could be used in a statistical model to accurately predict whether or not a respondent had mental illness. To create this statistical model, a subsample of approximately 1,500 adult NSDUH participants were recruited for a follow-up clinical interview consisting of a gold standard diagnostic assessment for mental disorders, the Structured Clinical Interview for DSM-IV-TR Axis I Disorder Non-Patient Edition (SCID). Also, in order to determine the optimal scale to measure functional impairment, a split-sample design was incorporated into the full NSDUH data collection in which half of the adult respondents received the WHODAS and half received the SDS. Statistical models using the data from the clinical interviews were then developed for each half-sample in which the short screener scales (the K6 in combination with the WHODAS or the K6 in combination with the SDS) were used as predictors of mental illness. The K6 and impairment data were obtained from the main interview, and the mental illness data were obtained from the SCID, which was administered during the clinical interview. The model parameter estimates were then used to predict SMI in the full 2008 NSDUH sample. For more detailed information on the 2008 MHSS design and analysis, see Colpe et al. (2009) and Aldworth et al. (2009). For the 2009 NSDUH, the WHODAS was retained as the measure of functional impairment for the full NSDUH sample, and a subsample of approximately 500 adult NSDUH participants were administered the follow-up SCID.

The same statistical model and parameter estimates (WHODAS version) that were used to produce estimates of mental illness for the full 2008 NSDUH sample were used for the 2009 NSDUH data. For more information on the 2009 MHSS, see Aldworth et al. (2010).

The model (WHODAS version) used in both 2008 and 2009 to estimate SMI is described as follows. With SMI status based on having a SCID diagnosis plus a Global Assessment of Functioning (GAF) ≤ 50 , the response variable Y is defined so that $Y = 1$ when an SMI diagnosis is positive; otherwise, $Y = 0$. If \mathbf{x} is a vector of realized explanatory variables, then the response probability $\pi = \Pr(Y = 1 | \mathbf{x})$ can be estimated using a weighted logistic regression model. The final 2008 WHODAS calibration model was determined as:

$$\text{logit}(\hat{\pi}) \equiv \log [\hat{\pi} / (1 - \hat{\pi})] = -4.74999920 + 0.20977232 x_k + 0.38388395 x_w,$$

where $\hat{\pi}$ refers to an estimate of the SMI response probability π , x_k represents WSPDSC2, and x_w represents WHODASC3.

This model used two alternative total scores, one based on the K6 (WSPDSC2) and one based on the WHODAS (WHODASC3), which were described earlier. As part of the estimation methods of SMI, responses from the distress and impairment scales were transformed and summed to create total score variables for each scale. Results of the analysis of the data collected through the 2008 MHSS (Aldworth et al., 2009) indicated that the alternative versions of the K6 and WHODAS scores would be used in statistical models to define SMI. Specifically, the alternative past year K6 score (WSPDSC2) was used because the SMI prevalence was typically extremely low for respondents with worst month in the past year K6 scores of less than 8, and the prevalence rates only started increasing only once scores were 8 or greater. Use of the alternative versions of the WHODAS score (WHODASC3) was driven by the idea that a dichotomous measure dividing severely impaired from less severely impaired respondents might fit better than a linear continuous measure. For more details about how these alternative scores were created as well as more details on the original scores, see Aldworth et al. (2009).

Table 1 displays the model specifications. The statistical values shown in the table are slightly different than what was presented in the 2008 mental health codebook appendix due to a minor error subsequently discovered in the analysis program. This variation did not impact the 2008 variables or estimates generated from those variables.

Table 1. Final 2009 Model (same as the 2008 WHODAS model)

Final 2009 Model: WSPDSC2 + WHODASC3						
Term	Beta	Beta SE	T-statistic	P-value	DF	Wald P-value
Intercept	-4.7500	0.3522	-13.4854	0.0000		
WSPDSC2	0.2098	0.0765	2.7439	0.0072	1	0.0072
WHODASC3	0.3839	0.1208	3.1768	0.0020	1	0.0020

DF = degrees of freedom, SE = standard error.

The formula for the predicted probability of SMI (SMIPP) using the model parameter estimates in Table 1 (but expressed with more decimal points) is as follows:

$$\text{SMIPP} = 1 / (1 + \exp[-(-4.74999920 + 0.20977232 * \text{WSPDSC2} + 0.38388395 * \text{WHODASC3})]).$$

If SMIPP is greater than or equal to 0.269719459516744 (SMI cut point), then the respondent is classified as having past year SMI. Table 2 displays the values of the alternative

and original worst K6 total scores for each alternative WHODAS total score that leads to a positive indication of SMI. The values indicate that the worst K6 total score decreases as the alternative WHODAS total score increases. In other words, as the level of psychological distress decreases, the level of impairment needs to correspondingly increase in order for SMI to be predicted.

Table 2. K6 Cut Points for Each WHODAS Total Score

Alternative WHODAS Total Score	Alternative Worst K6 SMI Cut Point	Worst K6 SMI Cut Point
0	17	24
1	17	24
2	15	22
3	13	20
4	11	18
5	9	16
6	7	14
7	6	13
8	4	11

K6 = 6-item psychological distress scale, SMI = serious mental illness, WHODAS = 8-item World Health Organization Disability Assessment Schedule.

As previously discussed, the same model and parameter estimates developed in 2008 were used to produce mental illness estimates in 2009. The MHSS sample size available in 2008 was larger than that collected in 2009 and produced more precise model estimates. Also, an effort was made to control methodological factors that might affect differences in estimates between 2008 and 2009. For example, if a new model was chosen with new terms, parameters, and/or cut point, then potential differences between the 2008 and 2009 SMI estimates could in part be due to differences between models used in the 2 years as well as the true changes in the underlying measure. A goal of the MHSS was to determine whether true changes in mental illness occur over time; therefore, both design and estimation methods were standardized. For more details on the model selection process, see Aldworth et al. (2009).

Variables Available on the Dataset

All of the variables defined above for the K6, SPD, and WHODAS are included on the 2009 data file. For the K6 and SPD, this includes the distress scores (K6SCMON and K6SCYR), both versions of the worst month K6 total score (WSPDSC2 and K6SCMAX), and past month and past year SPD (SPDMON and SPDYR). For the worst month K6 total score, the original version (K6SCMAX) is used in the creation of the SPD variables and the alternative version (WSPDSC2) is used in the creation of the mental illness variables.

From the WHODAS, both versions of the WHODAS total score (WHODASC2 and WHODASC3) are included on the 2009 data file. While the original WHODAS total score (WHODASC2) was not used in the final creation of the mental illness variables, it is included in the dataset. Due to the absence of the SDS questions in the 2009 NSDUH questionnaire, variable recodes associated with the SDS data do not exist on the 2009 data file.

Additionally, measures of mental illness are included on the 2009 data file. For all the mental illness measures defined below, youths aged 12 to 17 were defined as SAS missing (.) because the mental health module was not administered to youths.

SMIPP is included on the 2009 data file and ranges in value from 0.0085774923 to 0.8684361603. Cut points along the range of SMIPP were used to determine the levels of mental illness for each respondent:

- SMI²: If SMIPP is greater than or equal to 0.269719459516744, then the respondent is classified as having past year SMI (SMIYR=1).
- SMMI: If SMIPP is greater than or equal to 0.109653980199994, then the respondent is classified as having past year SMMI (SMMIYR=1).
- AMI: If SMIPP is greater than or equal to 0.024000000000000, then the respondent is classified as having past year AMI (AMIYR=1).
- No Mental Illness: If SMIPP is less than 0.024000000000000, then the respondent is classified as not having past year mental illness (AMIYR=0).

The categories of MMI and LMI were created by subtraction using a combination of the three defined levels of mental illness shown above. Respondents were defined as having past year MMI (MMIYR=1) if they were positive for SMMI (SMMIYR=1) but negative for SMI (SMIYR=0). Respondents were defined as having past year LMI (LMIYR=1) if they were positive for AMI (AMIYR=1) but negative for SMMI (SMMIYR=0).

The categories of SMI, LMI, and MMI were combined to create an overall mental illness indicator (MI_CAT), which is defined so that a respondent with LMI is coded 1, a respondent with MMI is coded 2, and a respondent with SMI is coded 3. Respondents with no past year mental illness are coded 0.

Using Mental Illness Variables in Analysis

Using the SMI Data

When analyzing SMI using 2008 data, both the WHODAS and SDS half-samples can be combined to form single estimates because the two models were selected such that the estimates of SMIPP and SMI would be comparable. In 2009, the WHODAS was implemented as the impairment scale, because an analysis of the 2008 MHSS SCID data indicated that the model using WHODAS and K6 data predicted SMI better than the model using SDS and K6 data. See the 2008 12-month MHSS report for further details (Aldworth et al., 2009).

Using Data for Other Levels of Mental Illness

When analyzing 2008 data for variables associated with all other categories of mental illness except SMI (i.e., AMI, SMMI, MMI, and LMI), only the 2008 WHODAS data should be used. Very few differences in the estimates of AMI and SMMI were found overall and among

² The 2008 and 2009 SMI variables are not comparable with the SMI variables from previous years and have been renamed accordingly.

various demographic domains between the 2009 data and the 2008 WHODAS half-sample, but many differences were found between the 2009 data and the 2008 SDS half-sample. Therefore, it is recommended that analysts use only the 2008 WHODAS half-sample data for 2008 non-SMI estimates (i.e., AMI, SMMI, MMI, and LMI). For more details, see Aldworth et al. (2010).

Weights

The weights that should be used for analyzing mental illness data vary by which measures and survey year of data are being used in the analysis. A standard analysis weight, ANALWT, is available for both the 2008 and 2009 NSDUHs. In addition, for the 2008 NSDUH, an adjusted mental health sample weight, MHSAMPWT, was created so that the WHODAS and SDS half-samples are separately representative of the civilian, noninstitutionalized population aged 18 or older. MHSAMPWT has a value of 0 for 10 respondents who were not included in either half-sample. MHSAMPWT must be used in conjunction with a sample indicator, MHSAMP08, to correctly calculate the half-sample population estimates. When to use the different analysis weights is summarized below.

2008 Data

For 2008 SMI estimates, the standard analysis weight, ANALWT, should be used to combine the WHODAS and SDS half-samples to generate a single estimate. For all other 2008 categories of mental illness (i.e., AMI, SMMI, MMI, and LMI), the adjusted mental health sample weight, MHSAMPWT, should be used in conjunction with the sample indicator in order to subset to only WHODAS data (MHSAMP08=1). Estimates of past year and past month SPD would use ANALWT. If estimates of SMI are based on either half-sample, MHSAMPWT should also be used; however, since MHSAMPWT accounts for the 10 individuals with no SMI data, weighted totals based on MHSAMPWT may be slightly higher than those based on ANALWT.

2009 Data

Analyses of any of the mental illness measures using 2009 data should use ANALWT. Past year and past month SPD would also use ANALWT.

2008 and 2009 Combined Data

When combining 2008 and 2009 data to generate an annual average over the 2-year span for SMI or SPD, a new weight should be created that divides the standard weight (ANALWT) by 2 to correctly estimate weighted population totals.

To generate annual averages using combined data for the other non-SMI mental illness measures (i.e., AMI, SMMI, MMI, and LMI), it is recommended that another alternate weight be created. In such an analysis, only data from the WHODAS half-sample should be used (MHSAMP08=1). For the cases from the 2008 WHODAS half-sample, this alternate weight should have a value of MHSAMPWT/2, and for all cases from 2009, this alternate weight should have a value of ANALWT/2. This will ensure that the correct weight is applied to each year of data. No cases from the SDS half-sample (MHSAMP08=2) should be in analyses that produce non-SMI mental illness estimates based on combined 2008 and 2009 data.

References

- Aldworth, J., Barnett-Walker, K., Chromy, J., Karg, R., Morton, K., Novak, S., & Spagnola, K. (2009). Measuring serious mental illness with the NSDUH: Results of 2008 12-month analysis. In *2008 National Survey on Drug Use and Health: Methodological resource book* (Section 16, prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, Contract No. 283-2004-00022, Mental Health Surveillance Study Deliverable 5, RTI/0209009.423.006.008). Research Triangle Park, NC: RTI International.
- Aldworth, J., Barnett-Walker, K., Chromy, J., Karg, R., Kott, P., & Morton, K. (2010). Measuring serious mental illness with the NSDUH: Results of 2009 12-month analysis. In *2009 National Survey on Drug Use and Health: Methodological resource book* (Section 16, prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, Contract No. 283-2004-00022, Mental Health Surveillance Study Deliverable 5, RTI/0209009.523.006.008). Research Triangle Park, NC: RTI International.
- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (in press). Analysis of Effects of 2008 NSDUH Questionnaire Changes: Methods to Adjust Adult MDE and SPD Estimates and to Estimate SMI in the 2005-2009 Surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality, under Contract No. HHSS283200800004C, RTI/0211838.108.005).
- Center for Behavioral Health Statistics and Quality. (2010a). *Results from the 2009 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2010b). *Results from the 2009 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 10-4609, NSDUH Series H-39). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (in press). *Results from the 2010 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Colpe, L. J., Epstein, J. F., Barker, P. R., & Gfroerer, J. C. (2009). Screening for serious mental illness in the National Survey on Drug Use and Health (NSDUH). *Annals of Epidemiology*, 19(3), 210-211.
- Furukawa, T. A., Kessler, R. C., Slade, T., & Andrews, G. (2003). The performance of the K6 and K10 screening scales for psychological distress in the Australian National Survey of Mental Health and Well-Being. *Psychological Medicine*, 33(2), 357-362.

- Kessler, R. C., Barker, P. R., Colpe, L. J., Epstein, J. F., Gfroerer, J. C., Hiripi, E., Howes, M. J., Normand, S. L., Manderscheid, R. W., Walters, E. E., & Zaslavsky, A. M. (2003). Screening for serious mental illness in the general population. *Archives of General Psychiatry*, 60(2), 184-189.
- Novak, S. P., Colpe, L. J., Barker, P. R., & Gfroerer, J. C. (2010). Development of a brief mental health impairment scale using a nationally representative sample in the USA. *International Journal of Methods in Psychiatric Research*, 19(S1), 49-60.
- Office of Applied Studies. (2010a). *Results from the 2009 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010b). *Results from the 2009 National Survey on Drug Use and Health: Volume I. Summary of national findings* (HHS Publication No. SMA 10-4586Findings, NSDUH Series H-38A). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010c). *Results from the 2009 National Survey on Drug Use and Health: Volume II. Technical appendices and selected prevalence tables* (HHS Publication No. SMA 10-4586Appendices, NSDUH Series H-38B). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Rehm, J., Üstün, T. B., Saxena, S., Nelson, C. B., Chatterji, S., Ivis, F., & Adlaf, E. (1999). On the development and psychometric testing of the WHO screening instrument to assess disablement in the general population. *International Journal of Methods in Psychiatric Research*, 8(2), 110-123.

APPENDIX J

Incidence Documentation

Incidence estimates are used to measure trends in the initiation of substance use using the National Survey on Drug Use and Health (NSDUH) data. Two general types of incidence estimates can be generated using NSDUH data: calendar year incidence and past year incidence. Measures of calendar and past year incidence are different in their conceptualization, calculation, and interpretation.

"Calendar year initiates" refer to the number of substance users reporting that they first used a substance within each prior calendar year (between January 1 and December 31), based on age-at-first-use data collected from all lifetime users. Together with information on the interview date and date of birth, age at first use is used to calculate the calendar year in which initial use occurred. Tabulated across calendar years, these estimates can indicate long-term incidence trends. (To avoid counting initiation that occurred outside the United States, the date of entry into the United States is taken into account for respondents who indicated they were not born in the United States.) Calendar year incidence was first presented in the 1999 NSDUH and continued through the 2004 NSDUH. An example showing how to create indicator variables and calculate calendar year incidence estimates can be found in the 2004 or earlier NSDUH analytic codebooks. Calendar year incidence estimates for periods earlier in the respondents' lives may be subject to substantial memory-related bias, thus potentially distorting the data for earlier years in long-term trend tables (Gfroerer, Hughes, Chromy, Heller, & Packer, 2004).

Because of concerns about the validity of trend estimates of incidence based on long recall periods, an alternative approach to estimating incidence was developed: past year incidence. This approach reflects initial use in the 12 months leading up to the date when a respondent was interviewed and does not take into account whether the respondent initiated substance use while a resident of the United States. Although this new measure will not eliminate reporting biases, the approach should minimize recall bias because its estimates are based on a more recent time period than the previously produced calendar year estimates. The more recent time period also provides more timely data on emerging patterns of use. Another advantage of this approach is that initiation estimates can be analyzed in conjunction with past year prevalence estimates because they reflect the same time period and population of interest (all respondents, not only those initiating in the United States), which provides a more complete and consistent picture of substance users.

Past year incidence was presented for the first time in the 2004 NSDUH and was used along with calendar year incidence. However, beginning with the 2005 NSDUH and continuing in subsequent NSDUHs, only past year incidence estimates have been presented; therefore, the 2009 analytic data file contains indicator variables to generate only this type of incidence estimate.

Estimates of the incidence measure, termed "past year initiation," refer to respondents whose date of first use of a substance was within the 12 months prior to their interview date. This measure is determined by self-reported year and month of first use, an imputed day of first use, self-reported past year use (with the exception of daily cigarette use), and the interview date.

Past year incidence is reported in the 2009 detailed tables (Office of Applied Studies [OAS], 2010a) and the 2009 summary of national findings and technical appendices (OAS, 2010b; 2010c) as the number of new users or initiates of a substance in the past 12 months, as

well as past year incidence rates (i.e., the number of new users among persons at risk for initiation in the past 12 months). The number of initiates in the past year is estimated by computing the number of persons who began using a given substance during the 12-month period immediately prior to their interview. Past year incidence rates, labeled as the "percentage of past year initiates among persons at risk for initiation" in the report, are calculated as the number of persons initiating substance use in the past 12 months divided by the number of persons eligible to initiate (expressed per 100). The two measures are equivalent to the epidemiological definition of incidence, which is the number of new cases that occur during a specified time period (e.g., 12 months) within a population at risk (e.g., those who have not initiated drug use).

Following these remarks is an example of how to compute past year incidence measures. The example contains SAS[®] code¹ to illustrate how to create the numerator and denominator variables that are used to compute cigarette, marijuana, and illicit drug past year incidence estimates. The example also includes SUDAAN[®] code² showing how to create the estimated number of initiates and the rate of initiation (RTI International, 2008). Notes have been included within this code to explain the various steps and how similar code can be used to create indicators and estimates for other substances.

For three substance summary measures (illicit drugs, illicit drugs other than marijuana, and nonmedical use of psychotherapeutics), the date of initiation is defined as the earliest date of initiation among the respective subgroup of substances. The SAS[®] code in the example below identifies which substance among the group was most recently initiated and ensures that the past year use indicator variable corresponding to the specific substance with the earliest date of initiation is used in the creation of the past year recent initiation and eligible-for-initiation variables for substance summary measures.

More detailed information about the estimates of past year initiation, including comparability, possible biases, and their relevance, can be found in Section B.4.1 of Appendix B of the 2009 summary of national findings (OAS, 2010c).

¹ SAS is a registered trademark of SAS Institute Inc.

² SUDAAN is a registered trademark of RTI International (a trade name of Research Triangle Institute).

Past Year Initiation Example

EXAMPLE OF SAS CODE TO COMPUTE ANALYSIS VARIABLES FOR PAST YEAR INITIATION

The following example SAS code creates analysis variables used in the generation of estimates for past year initiation of cigarettes, marijuana, and illicit drugs. Two separate variables are created for each substance; the first variable, ELIGXXXY, denotes whether the respondent was eligible to initiate substance use in the past year, and the second variable, RECXXXY, denotes whether the respondent initiated substance use in the past year. For both variables, XXX indicates the substance abbreviation (CIG = cigarettes, MJ or MRJ = marijuana and SUM = illicit drug) and Y indicates which version of code is used to create the variable (2 = code for specific substance measures and 3 = code for summary substance measures only). These two variables are used in combination to estimate the rate of initiation in the past year.

*****/

```
data INDICAT; /*output dataset to be used in SUDAAN procedure*/
  set DATANAME; /*input dataset containing NSDUH data*/
```

```
/******
SAS code is included below to determine the date of initiation for the
following substance summary measures: illicit drugs (SUM), illicit drugs
other than marijuana (IEM), and non-medical use of psychotherapeutics (PSY).
```

For substance summary measures, the date of initiation is defined as the earliest date of initiation among a group of substances. The group of substances for each summary measure is defined as follows:

Parent	Child
SUM	COC, HER, HAL, INH, ANL, STM, SED, TRN, MJ
IEM	COC, HER, HAL, INH, ANL, STM, SED, TRN
PSY	ANL, STM, SED, TRN

This SAS code identifies which specific substance (child) date of first use (ZZZYFU, ZZZMFU, ZZZDFU) corresponds to the substance summary measure (parent) date of first use (XXXYFU, XXXMFU, XXXDFU) and creates a check variable (XXXCKYR) that indicates the past year recency use (XXXYR) for the specific substance (child) with the earliest initiation date.

The check variable (XXXCKYR) will be used to create the eligibility and initiation variables for the summary measures rather than summary past year recency variables (e.g., SUMYR, IEMYR, PSYR2). Note: A check variable was added to the 2007 NSDUH SAS code to ensure the past year recency use indicator (used to create the eligibility and initiation variables) corresponds to the substance with the earliest date of initiation among the group of substances. Please see the 2007 analytic codebook incidence appendix for details on this change.

Note that the example code below only creates the illicit drug (SUM) summary measure, and does not create illicit drugs other than marijuana (IEM) or nonmedical use of psychotherapeutics (PSY).

*****/

(continued)

Past Year Initiation Example (continued)

```

/*****
  CREATION OF PAST YEAR ILLICIT DRUG CHECK VARIABLE (SUMCKYR)
*****/

*** Define arrays for month, day and year of first use, past year recency and
date of first use, and initialize illicit drug check variable ***;

Array SUM_MFU (*) IRCOCMFU IRHERMFU IRHALMFU IRINHMFU IRANLMFU IRSTMMFU
                IRSEDMFU IRTRNMFU IRMJMFU;

Array SUM_DFU (*) IRCOCDFU IRHERDFU IRHALDFU IRINHDFU IRANLDFU IRSTMDFU
                IRSEDDFU IRTRNDFU IRMJDFU;

Array SUM_YFU (*) IRCOCYFU IRHERYFU IRHALYFU IRINHYFU IRANLYFU IRSTMYFU
                IRSEDYFU IRTRNYFU IRMJYFU;

Array SUM_YR (*) COCYR HERYR HALYR INHYR ANLYR STMYR SEDYR TRQYR MRJYR;

Array F_DATE (*) COCFDATE HERFDATE HALFDATE INHFDATE ANLFDATE STMFDATE
                SEDFDATE TRNFDATE MJFDATE;

SUMCKYR=0;

*** create SAS-stored date for illicit drug summary measure from SUMMFU,
SUMDFU, and SUMYFU ***;

if SUMYFU < 9000 then SUMFDATE=mdy(SUMMFU, SUMDFU, SUMYFU);

*** create variables for each specific drug equal to SAS-stored date of
    XXXMFU, XXXDFU, and XXXYFU ***;

do i= 1 to dim(SUM_MFU);
  if SUM_YFU{i} < 9000 Then Do;

    F_DATE(i)=mdy(SUM_MFU{i}, SUM_DFU{i}, SUM_YFU{i});

    *** set check variable (SUMCKYR) equal to specific drug year
        recency variable that corresponds to earliest first use ***;

    if SUMFDATE=F_DATE(i) and (SUMCKYR ne 1) then SUMCKYR=SUM_YR(i);

  end;
end;
```

(continued)

Past Year Initiation Example (continued)

```
/******  
Define arrays that will create the following past year initiation variables:
```

```
REC:
```

```
    RECCIG2 - Past year Initiate of Cigarette Use  
    RECMJ2  - Past year Initiate of Marijuana Use  
    RECSUM3 - Past year Initiate of Illicit Drug Use
```

```
ELIG:
```

```
    ELIGCIG2 - Eligible to be Past year Initiate of Cigarette Use  
    ELIGMJ2  - Eligible to be Past year Initiate of Marijuana Use  
    ELIGSUM3 - Eligible to be Past year Initiate of Illicit Drug Use
```

```
MFU:
```

```
    IRCIGMFU - Month of First Cigarette Use  
    IRMJMFU  - Month of First Marijuana Use  
    SUMMFU   - Month of First Illicit Drug Use
```

```
DFU:
```

```
    IRCIGDFU - Day of First Cigarette Use  
    IRMJDFU  - Day of First Marijuana Use  
    SUMDFU   - Day of First Illicit Drug Use
```

```
YFU:
```

```
    IRCIGYFU - Year of First Cigarette Use  
    IRMJYFU  - Year of First Marijuana Use  
    SUMYFU   - Year of First Illicit Drug Use
```

```
PY:
```

```
    CIGYR    - Cigarettes - Past Year Use  
    MJRYR    - Marijuana - Past Year Use  
    SUMCKYR  - Illicit Drug - Check variable indicates past year use of a  
                specific illicit drug with earliest initiation date
```

```
*****/
```

```
    array REC (*)  RECCIG2 RECMJ2 RECSUM3;  
    array ELIG (*) ELIGCIG2 ELIGMJ2 ELIGSUM3;  
    array MFU (*)  IRCIGMFU IRMJMFU SUMMFU;  
    array DFU (*)  IRCIGDFU IRMJDFU SUMDFU;  
    array YFU (*)  IRCIGYFU IRMJYFU SUMYFU;  
    array PY (*)   CIGYR MRJYR SUMCKYR;
```

```
    DO I = 1 TO 3;
```

(continued)

Past Year Initiation Example (continued)

```
/*Create the ELIG**** Variable indicating whether a respondent was
eligible for past year initiation*/

/*If the year of first use is greater than 9000 (i.e., respondent
is a lifetime non-user) then they were eligible to be an initiate
in the past year*/

IF YFU{I} >= 9000 THEN ELIG(I) = 1;

/*If the year of first use is less than 9000 (i.e., the
respondent is a lifetime user) then the date of first use needs
to be considered to determine if the respondent was eligible to
initiate in the past year*/

ELSE IF YFU(I) < 9000 THEN DO;

    /*If the difference between the interview date and the
    imputed date of first use is less than or equal to 365 and
    the respondent reported past year use, then the respondent
    initiated in the past year, meaning that the respondent was
    eligible to initiate in the past year. Note: The
    requirement that a respondent self-report past year use
    (with the exception of daily cigarette use) to be a past
    year initiate was first added to the SAS code for the 2005
    NSDUH. Please see the 2005 analytic codebook incidence
    appendix for details on this change */

    IF (INTDATE - MDY(MFU{I}, DFU{I}, YFU{I})) <= 365)
    AND PY(I) = 1 THEN ELIG{I} = 1;

    /*Otherwise the respondent initiated at some period prior
    to the past year and would then be unable to initiate in
    the past year*/

    ELSE ELIG{I} = 2;

END;
```

(continued)

Past Year Initiation Example (continued)

```
/*Create the REC**** Variable indicating whether a respondent was a
past year initiate or not*/

/*Initialize all respondents as having not been a past year
initiate*/

REC{I}=0;

/*If the respondent has a year of first use less than 9000 (i.e.,
the respondent is a lifetime user) then the date of first use is
examined*/

IF YFU{I} < 9000 THEN DO;

    /*If the difference between the interview date and the
    imputed date of first use is less than or equal to 365 and
    respondent reported past year use, then the respondent
    initiated in the past year */

    IF (INTDATE - MDY(MFU{I}, DFU{I}, YFU{I})) <= 365) AND
    PY(I) = 1 THEN REC{I} = 1;

END;

END;
RUN;
```

(continued)

Past Year Initiation Example (continued)

EXAMPLE OF SUDAAN CODE

The following SUDAAN code illustrates how to use the variables created with the SAS code above in order to estimate the initiation rate of Marijuana in the past year. The input variables include the analysis weight (ANALWT), the design-based nesting variables (VESTR and VEREP), and two of the variables created in the above SAS code (ELIGMJ2 and RECMJ2). The output includes the estimated rate of initiation (and its respective standard error) and the estimated number of initiates (and its respective standard error).

NOTE: Estimates for only a single substance are produced with the program below. Estimates for multiple substances can be calculated simultaneously; however, keep in mind that all substance estimates will be calculated over all subgroups, and as a result, many estimates in the output will not necessarily make sense. For example, if estimates are calculated for marijuana and cigarettes, the output will show the number of initiates of marijuana among those eligible to be initiates of cigarettes.

*****/

```
PROC DESCRIPT DATA=INDICAT FILETYPE=SAS DESIGN=WR;
WEIGHT ANALWT;
NEST VESTR VEREP;
VAR RECMJ2;
SUBGROUP ELIGMJ2;
/*ONLY THE FIRST LEVEL OF ELIGMJ2 MATTERS SINCE WE ARE ONLY
  CONCERNED WITH RESPONDENTS ELIGIBLE TO BE INITIATES*/
LEVELS 1;
SETENV COLWIDTH=10 DECWIDTH=4;
PRINT MEAN SEMEAN TOTAL SETOTAL /STYLE=NCHS;
RTITLE "MARIJUANA—ESTIMATES OF PAST YEAR INITIATION";
RUN;
```

References

- Gfroerer, J., Hughes, A., Chromy, J., Heller, D., & Packer, L. (2004, July). Estimating trends in substance use based on reports of prior use in a cross-sectional survey. In S. B. Cohen & J. M. Lepkowski (Eds.), *Eighth Conference on Health Survey Research Methods: Conference proceedings [Peachtree City, GA]* (DHHS Publication No. PHS 04-1013, pp. 29-34). Hyattsville, MD: National Center for Health Statistics. [Available as a PDF at http://www.cdc.gov/nchs/data/misc/proceedings_hsr2004.pdf]
- Office of Applied Studies. (2010a). *Results from the 2009 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010b). *Results from the 2009 National Survey on Drug Use and Health: Volume I. Summary of national findings* (HHS Publication No. SMA 10-4586Findings, NSDUH Series H-38A). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010c). *Results from the 2009 National Survey on Drug Use and Health: Volume II. Technical appendices and selected data tables* (HHS Publication No. SMA 10-4586Appendices, NSDUH Series H-38B). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- RTI International. (2008). *SUDAAN[®] Language Manual, Release 10.0*. Research Triangle Park, NC: RTI International.

APPENDIX L

Recoded Depression Variable Documentation

The 2009 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included two modules, the adult depression module and the adolescent depression module, which were designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. Additional questions to assess impairment levels caused by MDE and treatment received for depression were included at the end of each MDE module.

The 2009 NSDUH CAI questions designed to assess MDE symptoms were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 4th edition (American Psychiatric Association [APA], 1994). More specifically, MDE questions for adults were adapted from the depression section of the National Comorbidity Survey-Replication (NCS-R; Harvard School of Medicine, 2005), and those for adolescents (youths) were adapted from the depression section of the National Comorbidity Survey-Adolescent (NCS-A; Harvard School of Medicine, 2005). To make the modules developmentally appropriate for youths, there are minor wording differences in a few questions between the adult and youth modules. In the NSDUH, a person was defined as having had a lifetime MDE if he or she had five or more of nine symptoms for MDE in the same 2-week period in his or her lifetime, in which at least one of the symptoms was a depressed mood or loss of interest or pleasure in daily activities. A person was defined as having MDE in the past year if he or she had a lifetime MDE and a period of time in the past 12 months when he or she was sad, discouraged, or lost interest (became bored) in most things for 2 weeks or longer, while also having some of the other symptoms for lifetime MDE.

Since the 2005 NSDUH,¹ all adult and youth respondents have been administered separate age-appropriate depression modules. The questions in the adult and adolescent depression modules have not changed, nor have the specifications used to create the MDE recodes. However, in the 2008 NSDUH, changes were implemented in the mental health module administered to adult respondents aged 18 or older, which precedes the adult depression module in the questionnaire. In addition to these changes, adult respondents were administered through a split-sample design one of two impairment scales, an abbreviated World Health Organization Disability Assessment Schedule (WHODAS) or the Sheehan Disability Scale (SDS). See the 2008 Recoded Mental Health Variable Documentation appendix for further details. In 2009, the split sample was removed, and the CAI instrument included only the WHODAS questions.

Due to the changes noted above for the 2008 NSDUH, a context effect² analysis was performed using 2008 data. It was determined that MDE estimates for adults aged 18 or older from 2008 would not be compared with the 2007 and prior year estimates. Thus, no trend estimates are presented in the 2008 detailed tables (Office of Applied Studies [OAS], 2009) for

¹ The depression modules were introduced starting with the 2004 NSDUH. All youth respondents received the adolescent depression module, but only half of the adult respondents received the adult depression module because of a split sample. Further details on the 2004 split sample are provided in Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings* (OAS, 2005).

² The revisions made to the mental health module and the fact that it precedes the adult depression module within the questionnaire could have influenced the adult respondents' answers to subsequent depression-related items. This type of influence is referred to as a context effect.

adult MDE. The adult MDE tables presented in the 2009 mental health detailed tables³ (OAS, in press a) show both 2008 and 2009 estimates.

Additionally, split-sample comparisons were examined to determine how to analyze the 2008 adult data. Because of differences between the two samples, combining the SDS and WHODAS subsamples to produce an overall 2008 adult MDE estimate is not recommended. A confirmatory analysis compared 2009 estimates of adult MDE with those derived from both the WHODAS and SDS half-samples of 2008, and as a consequence, the decision to base 2008 estimates of adult MDE only on the WHODAS half-sample was upheld. Therefore, given the potential for comparability issues, only the WHODAS half-sample (MHSAMP08=1) is used for 2008 adult MDE estimation in both the 2008 detailed tables (OAS, 2009) and the 2009 mental health detailed tables (OAS, in press a). The 2009 adult MDE estimates are for all adults aged 18 or older, since the 2009 NSDUH questionnaire includes only the WHODAS scale. See the 2008 Recoded Depression Variable Documentation for further details on the decisions on the 2008 analyses, and see Appendix B, Section B.4.2, in the 2009 mental health findings and technical appendices (OAS, in press b; in press c) for details on the 2009 analyses.

In 2009, changes were made to the youth mental health service utilization (YMHSU) questions that preceded the questions about adolescent depression. These changes included the replacement of five questions that asked about receipt of special education services and school counseling, and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors.

The presence of new items could have influenced how adolescents responded to the adolescent depression questions and therefore the estimates of adolescent MDE. An analysis was performed that used data from the first 6 months of the 2009 NSDUH that sought to determine whether changes in the YMHSU module affected responses to the first three adolescent depression questions and the lifetime and past year MDE estimates. In order to determine whether potential differences between the 2008 and 2009 surveys were unusual (and therefore due to more than just true changes), comparisons between consecutive years beginning in 2005 were also carried out. For consistency with the 2009 data, comparisons were limited to the first 6 months of data from the other survey years.

The results of the analysis showed these questionnaire changes in 2009 did not appear to affect the estimates of adolescent MDE. Therefore, data on trends in past year MDE from 2004 to 2009 are available for adolescents aged 12 to 17. For more information on the youth analyses results, see Appendix B, Section B.4.2, in the 2009 mental health technical appendices (OAS, in press c).

Weights

Analyses on 2008 data that include only adults from the WHODAS half-sample (MHSAMP08=1), such as the 2008 adult MDE analyses in the 2008 detailed tables (OAS, 2009)

³ Starting with the 2009 NSDUH, all mental health topics (including MDE) were moved to a separate set of mental health detailed tables (OAS, in press a) and a separate mental health findings report (OAS, in press b; in press c).

or in the 2009 mental health detailed tables (OAS, in press a), should be weighted by the analysis weight (MHSAMPWT). (Note that 2008 analyses including only adults from the SDS half-sample (MHSAMP08=2) should also be weighted by MHSAMPWT.) This weight has been poststratified so that each of the half-samples is separately controlled to the census population estimates for the civilian, noninstitutionalized population aged 18 or older. MDE analyses that include either the entire youth sample (i.e., any year) or adult sample (i.e., 2009 data) should be weighted by the standard analysis weight (ANALWT). Generating 2008 adult MDE estimates using the entire adult sample (both WHODAS and SDS half-samples) is not recommended. Therefore, when conducting adult MDE analyses using 2008 data, the data should always be subset by MHSAMP08 (WHODAS=1, SDS=2). To compare or combine 2008 and 2009 adult MDE data, users should create a new weight variable that takes on the value of MHSAMPWT for 2008 respondents and the value of ANALWT for 2009 respondents. When doing this, users should subset the 2008 data to MHSAMP08=1 since the 2009 NSDUH uses WHODAS questions and is comparable only with the 2008 WHODAS sample. Analyses run using youth data need no additional weight or sample adjustments.

MDE variables were renamed in 2008, and a separate set of variables was created each for adults and for youths. Prior to the 2008 NSDUH, data from both adults and youths were used to create a single set of variables. For 2009, there has been no change from the 2008 variable names. Under the new naming convention, all variables begin with "A" for adult MDE and begin with "Y" for adolescent variables. Note that a couple of adolescent variables do not follow this naming convention. Variables where youth and adult data were not combined into a single variable prior to 2008 were not renamed for adolescents since there was no change in variable construction or comparability. In addition, prior to 2008, the combined set of MDE variables were located in the Recoded Adult and Adolescent Depression section of the codebook. Currently, all MDE variables are now located in either the Recoded Adult Depression or Recoded Adolescent Depression sections, respectively.

For adults, the new variable names represent a break in the trend for the estimates. That is, due to the context effects noted earlier, adult variables from 2008 or later should not be compared or combined with variables from 2004 to 2007. For adolescents, despite the new variable names, the 2008 or later MDE data can be compared or combined with MDE data from 2004 to 2007 since there was no change to the youth modules. But in order to do so, either the original or new set of youth MDE variables would need to be renamed to match the other so that the data can be combined. See the 2008 Recoded Depression appendix for sample code on how to rename the 2008 variables back to prior year names.

MDE Variable Specifications

The NSDUH measures the nine attributes (symptoms) associated with MDE from the questions below. These questions are the versions used for adults to define the lifetime adult MDE variable, AMDELT, found in the Recoded Adult Depression section of the codebook. Similar questions were asked of youth respondents and used to define the lifetime youth MDE variable, YMDELT, found in the Recoded Adolescent Depression section.

The questions below, shown with their associated question indicator from the CAI specifications, refer to the worst period of time the respondent has had that stands out in his or

her mind; or, if he or she does not recall a worst period of time, the questions refer to the most recent period of time when the respondent experienced any or all of the following: sadness, discouragement, or lack of interest in most things. **It should be noted that no exclusions were made for MDE caused by medical illness, bereavement, or substance use disorders.**

During that [worst/most recent] period of time...

1. Depressed mood most of the day

- a. ... did you feel sad, empty, or depressed **most of the day nearly every day**? (AD24A)
- b. ... did you feel discouraged about how things were going in your life **most of the day nearly every day**? (AD24C)

A respondent was assigned a positive response to this symptom (D_MDEA1=1) if he or she answered yes to either of the above questions.

2. Markedly diminished interest of pleasure in all or almost all activities most of the day

- a. ... did you lose interest in almost all things like work and hobbies and things you like to do for fun? (AD24E)
- b. ... did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented? (AD24F)

A respondent was assigned a positive response to this symptom (D_MDEA2=1) if he or she answered yes to either of the above questions.

3. Weight

- a. Did you have a much smaller appetite than usual nearly every day during that time? (AD26A)
- b. Did you have a much **larger** appetite than usual nearly every day? (AD26B)
- c. Did you gain weight without trying to during that [worst/most recent] period of time? (AD26C)
 - i. ... because you were growing? (AD26C1)
 - ii. ... because you were pregnant? (AD26C2)
- d. How many pounds did you gain? (AD26D)
- e. Did you lose weight without trying to? (AD26E)
 - i. ... because you were sick or on a diet? (AD26E1)
- f. How many pounds did you lose? (AD26F)

A respondent was assigned a positive response to this symptom (D_MDEA3=1) if he or she answered yes to questions 'a' or 'b' above, or the answer to either question 'd' or 'f' was greater than or equal to 10. (Note that 'd' was only asked if 'c_i' and 'c_{ii}' were not 'yes,' and 'f' was only asked if 'e_i' was not 'yes'.)

4. Insomnia or hypersomnia

- a. Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [worst/most recent] period of time? (AD26G)
- b. During that [worst/most recent] period of time, did you sleep a lot more than usual nearly every night? (AD26H)

A respondent was assigned a positive response to this symptom (D_MDEA4=1) if he or she answered yes to either of the above questions.

5. Psychomotor agitation or retardation

- a. Did you talk or move more slowly than is normal for you nearly every day? (AD26L)
 - i. (if AD26L=1) Did anyone else notice that you were talking or moving slowly? (AD26M)
- b. Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still? (AD26N)
 - i. (if AD26N=1) Did anyone else notice that you were restless? (AD26O)

A respondent was assigned a positive response to this symptom (D_MDEA5=1) if he or she answered yes to either of the above 'a_i' or 'b_i' questions.

6. Fatigue or loss of energy

- a. During that [worst/most recent] period of time, did you feel tired or low in energy nearly every day even when you had not been working very hard? (AD26J)

A respondent was assigned a positive response to this symptom (D_MDEA6=1) if he or she answered yes to the above question.

7. Feelings of worthlessness

- a. Did you feel that you were not as good as other people nearly every day? (AD26U)
- b. Did you feel totally worthless nearly every day? (AD26V)

A respondent was assigned a positive response to this symptom (D_MDEA7=1) if he or she answered yes to question 'b' above.

8. Diminished ability to think or concentrate or indecisiveness

- a. During that [worst/most recent] time period, did your thoughts come much more slowly than usual or seem confused nearly every day? (AD26P)
- b. Did you have a lot more trouble concentrating than usual nearly every day? (AD26R)
- c. Were you unable to make decisions about things you ordinarily have no trouble deciding about? (AD26S)

A respondent was assigned a positive response to this symptom (D_MDEA8=1) if he or she answered yes to any of the above questions.

9. Recurrent thoughts of death or recurrent suicide ideation

- a. Did you often think about death, either your own, someone else's, or death in general? (AD26AA)
- b. During that period, did you ever think it would be better if you were dead? (AD26BB)
- c. Did you think about committing suicide? (AD26CC)
 - i. Did you make a suicide plan? (AD26DD)
 - ii. Did you make a suicide attempt? (AD26EE)

A respondent was assigned a positive response to this symptom (D_MDEA9=1) if he or she answered yes to any of the above questions.

Respondents were classified with lifetime MDE if they had 5 of the 9 above attributes. Respondents who have had MDE in their lifetime (AMDELT=1 for adults and YMDELT=1 for youths) and who have reported that they had a period of depression lasting 2 weeks or longer while also having some of the symptoms mentioned during the past 12 months (ADPB2WK=1 for adults and YOPB2WK=1 for youths) were classified as having past year depression.

Respondents with lifetime MDE and respondents with recurrent thoughts of death or recurrent suicide ideation (D_MDEA9=1 for adults and D_MDEA9Y=1 for youths), regardless of MDE classification, were guided through the remainder of the questionnaire. Note that because of this second criterion, variables for treatment of depression may have values for respondents who were not classified as having lifetime MDE. If the subpopulation of interest is respondents with lifetime MDE or past year MDE, these restrictions should be implemented in the analysis using the appropriate variables.

MDE with Severe Impairment Variable Specifications

Respondents defined as having had MDE in the past year were then asked questions from the SDS to measure the level of functional impairment in major life activities reported to be caused by the MDE in the past 12 months (Leon, Olfson, Portera, Farber, & Sheehan, 1997).


The SDS measures mental health-related impairment in four major life activities or role domains. These four domains are defined separately for adults aged 18 or older and youths aged 12 to 17 to reflect the different roles associated with the two age groups. Each module consists of four questions that are assessed on a 0 to 10 visual analog scale with categories of "none" (0), "mild" (1-3), "moderate" (4-6), "severe" (7-9), and "very severe" (10).

A maximum impairment score (ASDSOVL2 for adults and YSDSOVRL for youths) is then defined as the single highest severity level of role impairment across all four SDS role domains. The four SDS role domain variables were recoded so that no interference = 1, mild = 2, moderate = 3, severe = 4, and very severe = 5. A maximum level of interference over all four domains was then defined (ASDSOVL2 or YSDSOVRL). Ratings greater than or equal to 7 on the scale (ASDSOVL2 or YSDSOVRL=4, 5) were considered severe impairment. Beginning with 2006 data, the NSDUH shows estimates for past year MDE with severe impairment (AMDEIMP=1 for adults and MDEIMPY=1 for youths). The questions pertaining to the four domains are listed below for both adults and youths.

Adult Depression Module: Functional Impairment

AD66a Think about the time in the past 12 months when these problems with your mood were **most severe**.

Using the 0 to 10 scale shown below, where 0 means **no** interference and 10 means very **severe** interference, select the number that describes how much these problems interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.



How much did your [depression symptoms] interfere with your ability to do home management tasks, like cleaning, shopping, and working around the house, apartment, or yard?

AD66b During the time in the past 12 months when your [depression symptoms] were most severe, how much did this interfere with your ability to work?


AD66c How much did your [depression symptoms] interfere with your ability to form and maintain **close** relationships with other people during that period of time?

AD66d How much did [depression symptoms] interfere with your ability to have a social life during that period of time?

Adolescent Depression Module: Functional Impairment

YD66a Think about the time in the past 12 months when these problems with your mood were the **worst**.

Using the 0 to 10 scale shown below, where 0 means **no** problems and 10 means very **severe** problems, select the number that describes how much your [depression symptoms] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.



How much did your [depression symptoms] cause problems with your chores at home?

- YD66b** During the time in the past 12 months when your [depression symptoms] were worst, how much did this cause problems with your ability to do well at school or work?
- YD66c** How much did your [depression symptoms] cause problems with your ability to get along with your family during that time?
- YD66d** How much did your [depression symptoms] cause problems with your ability to have a social life during that time?

References

- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (DSM-IV)* (4th ed.). Washington, DC: American Psychiatric Association.
- Harvard School of Medicine. (2005). *Home page: National Comorbidity Survey (NCS)*. [Web page]. Retrieved June 28, 2008, from <http://www.hcp.med.harvard.edu/ncs/>
- Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105.
- Office of Applied Studies. (2005). *Results from the 2004 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 05-4062, NSDUH Series H-28). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (in press a). *Results from the 2009 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (in press b). *Results from the 2009 National Survey on Drug Use and Health: Volume I. Mental health findings* (HHS Publication No. SMA xx-xxxx, NSDUH Series H-39A). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (in press c). *Results from the 2009 National Survey on Drug Use and Health: Volume II. Mental health technical appendices* (HHS Publication No. SMA xx-xxxx, NSDUH Series H-39B). Rockville, MD: Substance Abuse and Mental Health Services Administration.

APPENDIX M

Variable Map

APPENDIX M

Variable Map for 2009 Analytic Codebook Variables

The purpose of this appendix is to help the user determine the relationship between variables. By searching for a variable listed within the codebook one may find the associated variables used in their creation, called Parent Variables. It should be noted, however, that not all Parent Variables listed in this appendix are included in the codebook.

In particular, many of these Parent Variables may be found in the 2009 Raw Data File and Codebook that was previously delivered to SAMHSA. Thus, if users of this appendix cannot find a Parent Variable on the 2009 Analytic File or in the associated Analytic File Codebook, they may wish to search the 2009 Raw Data File and Codebook.

Raw variables typically (though not always) have a two-letter prefix associated with the corresponding module. For example, the Parent Variables AL01 and ALREF in this appendix are raw variables from the alcohol module that begin with the prefix "AL" and are associated with the edited variable ALCEVER.

In contrast, Parent Variables that underwent editing or recoding will have a mnemonic name associated with them. For example, the Parent Variables ABODALC (abuse of or dependence on alcohol in the past year) and ABODILL (abuse of or dependence on any illicit drug in the past year) are recoded variables that were used to create ABDILAAL (abuse of or dependence on both alcohol and illicit drugs in the past year). Similarly, variables that were statistically imputed will have the prefix "IR" in the variable names. For example, the imputed alcohol recency-of-use variable IRALCRC served as the Parent Variable for ALCFLAG, ALCMON, and ALCYR.

In addition, users of this appendix need to be aware that this appendix may not constitute an exhaustive listing of all variables and the associated relationships with Parent Variables. In particular, not all Parent Variables that were used to create a given variable shown in the left-hand columns may be listed in this appendix.

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
ABDILAAL	ABODALC
	ABODILL
ABILANAL	ABUSEALC
	ABUSEILL
ABILLALC	ABUSEALC
	ABUSEILL
ABODALC	ABUSEALC
	DEPNDAALC
ABODANL	ABUSEANL
	DEPNDAANL
ABODCOC	ABUSECOC
	DEPNDCOC
ABODHAL	ABUSEHAL
	DEPNDDHAL
ABODHER	ABUSEHER
	DEPNDDHER
ABODIEM	ABUSEIEM
	DEPNDDIEM
ABODILAL	ABILLALC
	DPILLALC
ABODILL	ABUSEILL
	DEPNDDILL
ABODINH	ABUSEINH
	DEPNDDINH
ABODMRJ	ABUSEMRJ
	DEPNDDMRJ
ABODPSY	ABUSEPSY
	DEPNDDPSY
ABODSED	ABUSESED
	DEPNDDSED
ABODSTM	ABUSESTM
	DEPNDDSTM
ABODTRN	ABUSETRN
	DEPNDDTRN
ABUSEALC	ALCFMCTD
	ALCFMFPB
	ALCLAWTR

	ALCPDANG
	ALCSERP
	DEPNDAALC
ABUSEANL	ANLFMCTD
	ANLFMFPB
	ANLLAWTR
	ANLPDANG
	ANLSERP
	DEPNDAANL
ABUSECOC	COCFMCTD
	COCFMFPB
	COCLAWTR
	COCPDANG
	COCSERP
	DEPNDCOC
ABUSEHAL	DEPNDDHAL
	HALFMCTD
	HALFMFPB
	HALLAWTR
	HALPDANG
	HALSERP
ABUSEHER	DEPNDDHER
	HERFMCTD
	HERFMFPB
	HERLAWTR
	HERPDANG
	HERSERP
ABUSEIEM	ABUSEANL
	ABUSECOC
	ABUSEHAL
	ABUSEHER
	ABUSEINH
	ABUSEMRJ
	ABUSESED
	ABUSESTM
	ABUSETRN
ABUSEILL	ABUSEANL

	ABUSECOC
	ABUSEHAL
	ABUSEHER
	ABUSEINH
	ABUSEMRJ
	ABUSESED
	ABUSESTM
	ABUSETRN
ABUSEINH	DEPNDDINH
	INHF
	INHF
	INHLAWTR
	INHPDANG
	INHSERP
ABUSEMRJ	DEPNDDMRJ
	MRJFMCTD
	MRJFMFPB
	MRJLAWTR
	MRJPDANG
	MRJSERP
ABUSEPSY	ABUSEANL
	ABUSESED
	ABUSESTM
	ABUSETRN
ABUSESED	DEPNDDSED
	SEDFMCTD
	SEDFMFPB
	SEDLAWTR
	SEDPDANG
	SEDSERP
ABUSESTM	DEPNDDSTM
	STFMCTD
	STFMFPB
	STMLAWTR
	STMPDANG
	STMSEP
ABUSETRN	DEPNDDTRN

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	TRNFMCTD
	TRNFMFPB
	TRNLAWTR
	TRNPDANG
	TRNSERP
ABUSEXMJ	ABUSEANL
	ABUSECOC
	ABUSEHAL
	ABUSEHER
	ABUSEINH
	ABUSEMRJ
	ABUSESED
	ABUSETRN
ACOUNMDE	ADCOUNS
	ADSEEDOC
ADCOUNS	AD86A06
ADDERALL	SD20
ADDEREC	SD25
ADDPDISC	AD01
ADDPLSIN	AD01A
	AD01B
ADDPPEOB	AD21
ADDP2WK	AD12
ADDPREV	ASC21
ADDSCEV	ASC22
ADDSLSIN	AD02
ADFAMDOC	AD86A01
ADHERBAL	AD86A10
ADLOSEV	ASC23
ADLSI2WK	AD09
ADNURSE	AD86A08
ADOCMDE	ADFAMDOC
	ADSEEDOC
ADOTHDOC	AD86A02
ADOTHHL	AD86A11
ADOTHMHP	AD86A07
ADOTHSP	ADP86ASC

VARIABLE	Parent
ADPB2WK	AD38
ADPBAGE	AD37A
	AD37B
ADPBDLYA	AD28A
ADPBINTF	AD28
ADPBNUM	AD52
ADPBRMBR	AD37
ADPSDAYS	AD68
ADPSHMG	AD66A
ADPSRELS	AD66C
ADPSOC	AD66D
ADPSWORK	AD66B
ADPSYCH	AD86A03
ADPSYMD	AD86A04
ADRELIG	AD86A09
ADRX12MO	AD86C
ADRXHLP	AD86E
ADRXNOW	AD86D
ADSEEDOC	AD86
ADSMMDA	DSMMDEA2
ADSOCWRK	AD86A05
ADTMTHLP	AD86F
ADTMTHLP	AD86B
ADWRAGE	AD22A
	AD22C
ADWRCHR	AD18
ADWRCONC	AD26R
ADWRDBTR	AD26BB
ADWRDCSN	AD26S
ADWRDEPR	AD24A
ADWRDIET	AD26E1
ADWRDISC	AD24C
ADWRDLOT	AD26AA
ADWRDST	AD17
ADWRELES	AD26A
ADWREMO	AD26B
ADWRENRG	AD26J

VARIABLE	Parent
ADWRGAIN	AD26C
ADWRGNLB	AD26D
ADWRGROW	AD26C1
ADWRHRS	AD16
ADWRIMP	AD19
ADWRJINO	AD26O
ADWRJITT	AD26N
ADWRLOSE	AD26E
ADWRLSIN	AD24E
ADWRLSLB	AD26F
ADWRNOGD	AD26U
ADWRPLSR	AD24F
ADWRPREG	AD26C2
ADWRPROB	AD22
ADWRSATP	AD26EE
ADWRSLEP	AD26G
ADWRSLNO	AD26M
ADWRSLOW	AD26L
ADWRSMOR	AD26H
ADWRSPLN	AD26DD
ADWRSTHK	AD26CC
ADWRTHOT	AD26P
ADWRWRTH	AD26V
AD_MDEA1	D_MDEA1
AD_MDEA2	D_MDEA2
AD_MDEA3	D_MDEA3
AD_MDEA4	D_MDEA4
AD_MDEA5	D_MDEA5
AD_MDEA6	D_MDEA6
AD_MDEA7	D_MDEA7
AD_MDEA8	D_MDEA8
AD_MDEA9	D_MDEA9
AEROS	IN01J
AEROS2	AEROS
AGE	AGE
	AGE1
	CALCAGE

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	CONFIRM
AGE011	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGE1214	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19

VARIABLE	Parent
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGE1217	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7

VARIABLE	Parent
	ROSAGE8
	ROSAGE9
AGE1220	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGE15P	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGE1825	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6

VARIABLE	Parent
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGE2634	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGE3549	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17

VARIABLE	Parent
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGE50P	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
AGEADULT	AGE
AGEDRNK	AGE
AHBCHMDE	ADHERBAL
	ADSEEDOC
AL30EST	AL06DKRE
	AL30EST
ALBSTWAY	ALFRAME3
ALCAFU	IRALCAGE
ALCAFU2	IRALCAGE
ALCAFU3	IRALCAGE
ALCAGLST	LU08
ALCAVGM	IRALCFM
	NODR30A
ALCCUT1X	DRALC10
ALCCUTDN	DRALC08
ALCCUTEV	DRALC09
ALCDAYS	AL06
	ALCDAYS
ALCDOC	TXYRDCAD
	TXYRDOC
ALCEMCTD	DRALC14
ALCEMOPB	DRALC13
ALCEVER	AL01
	ALREF
ALCFLAG	IRALCRC
ALCFMCTD	DRALC22
ALCFMFPB	DRALC21
ALCGTOVR	DRALC02
ALCHOSP	TXYRHOSP
	TXYRHPAD
ALCJAIL	TXYRJAIL
	TXYRJLAD
ALCKPLMT	DRALC05

VARIABLE	Parent
ALCLAWTR	DRALC20
ALCLIMIT	DRALC04
ALCLOTTM	DRALC01
ALCLSACT	DRALC17
ALCLSEFX	DRALC07
ALCMDAYS	IRALCFM
ALCMFU	AL02C
	AL02D
ALCMHC	TXYRMHAD
	TXYRMHC
ALCMLU	LU08C
	LU08D
ALCMON	IRALCRC
ALCNDMOR	DRALC06
ALCPCAIID	TXLTALC2
	TXPCAIID2
ALCPCARE	TXLTALC2
	TXPCARE2
ALCPCORT	TXLTALC2
	TXPCORT2
ALCPDANG	DRALC19
ALCPEMPL	TXLTALC2
	TXPEMPL2
ALCPFMLY	TXLTALC2
	TXPFMLY2
ALCPHCTD	DRALC16
ALCPHLPB	DRALC15
ALCPINS	TXLTALC2
	TXPINS2
ALCPMILC	TXLTALC2
	TXPMILC2
ALCPPUBP	TXLTALC2
	TXPPUBP2
ALCPSAVE	TXLTALC2
	TXPSAVE2
ALCREC	ALCREC
	ALLAST3

VARIABLE	Parent
	ALRECDK
	ALRECRE
ALCRFIN	TXYRINAD
	TXYRRFIN
ALCRFOP	TXYRPOAD
	TXYRRFOP
ALCSERP	DRALC18
ALCSHG	TXYRSGAD
	TXYRSHG
ALCTRMT	TXYRADG
ALCTRY	AL02
	ALCTRY
ALCTXER	TXYRERAD
	TXYRTXER
ALCWD2SX	DRALC11
ALCWDSMT	DRALC12
ALCYDAYS	IRALCFY
ALCYFU	AL02A
	AL02B
	AL02C
ALCYLU	LU08A
	LU08B
	LU08C
ALCYR	IRALCRC
ALCYRBFR	LU38
ALCYRTOT	ALCYRTOT
	TOTDRINK
ALDAYPMO	ALMONAVE
ALDAYPWK	ALWKAVE
ALDAYPYR	ALYRAVE
ALFRAME3	ALFRAME3
ALLAST3	ALLAST3
ALMONAVE	ALMONAVE
ALRECDK	ALRECDK
ALRECRE	ALRECRE
ALWKAVE	ALWKAVE
ALYRAVE	ALYRAVE

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
AMBIEN	SD21
AMBIREC	SD26
AMDEIMP	AMDEYR
	ASDSOVL2
AMDELT	ADDPPOB
	ADDP2WK
	ADDPREV
	ADDSCEV
	ADLOSEV
	ADLSI2WK
	ADSMMDEA
	ADWRCHR
	ADWRDST
	ADWRHRS
	ADWRIMP
AMDERXO	ARXMDEYR
	ATXMDEYR
AMDETARX	ARXMDEYR
	ATXMDEYR
AMDETXO	ARXMDEYR
	ATXMDEYR
AMDETXRX	ARXMDEYR
	ATXMDEYR
AMDEYR	ADPB2WK
	AMDELT
AMDXPHEN	DETAMP2
	DEXED2
	DIETPIL2
	IONAMIN2
	STIMNEWA
	STIMNEWB
	STIMNEWC
	STIMNEWD
	STIMNEWE
AMHINP2	AUINPYR
AMHOUTP3	ALTONLY
	AUOPTYR

VARIABLE	Parent
AMHRX2	AURXYR
AMHSVTYP	AMHINP2
	AMHOUTP3
	AMHRX2
AMHTXND2	AUUNMTYR
AMHTXRC3	AMHINP2
	AMHOUTP3
	AMHRX2
AMIYR	SMIPP
AMYLNT	IN01A
AMYLNT2	AMYLNT
AMYTAL	SV04A1
AMYTAL2	AMYTAL
	SEDCARD
ANALAGE	PR06
ANALMFU	PR08A
	PR08B
	PRCC09A
ANALMLU	LU17C
	LU17D
ANALNEWA	PR05SC1
ANALNEWB	PR05SC2
ANALNEWC	PR05SC3
ANALNEWD	PR05SC4
ANALNEWE	PR05SC5
ANALREC	ANALREC
	PR09
	PRRECDK
	PRRECRE
ANALWT	ANALWT
ANALYFU	PR07A
	PR07B
	PR08A
	PRCC09
ANALYLU	LU17A
	LU17B
	LU17C

VARIABLE	Parent
ANLAGLST	LU17
ANLCARD	PR04
ANLCUT1X	DRPR10
ANLCUTDN	DRPR08
ANLCUTEV	DRPR09
ANLDEAL2	ANLDEALR
ANLDEALR	LU2708
ANLEMCTD	DRPR14
ANLEMOPB	DRPR13
ANLEVER	PRREF
ANLFF1D2	ANLFFDRS
ANLFF1DR	LU27A01
ANLFFAK2	ANLFFAKE
ANLFFAKE	LU27A03
ANLFFBOT	LU27A06
ANLFFBY2	ANLFFBOT
ANLFFDL2	ANLFFDLR
ANLFFDLR	LU27A08
ANLFFDRS	LU27A02
ANLFFDS2	ANLFFDRS
ANLFFLAS	LU28A
ANLFFLSP	LU28ASC
ANLFFNET	LU27A09
ANLFFNT2	ANLFFNET
ANLFFOSP	LU27ASC
ANLFFOT2	ANLFFOSP
	ANLFFOTH
ANLFFOTH	LU27A10
ANLFFRE2	ANLFFREE
ANLFFREE	LU27A05
ANLFFST2	ANLFFSTL
ANLFFSTL	LU27A04
ANLFFTAK	LU27A07
ANLFFTK2	ANLFFTAK
ANLFLAG	IRANLRC
ANLFMCTD	DRPR22
ANLFMFPB	DRPR21

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
ANLFRBUY	LU2706
ANLFRBY2	ANLFRBUY
ANLFRFE2	ANLFRFRE
ANLFRFRE	LU2705
ANLFRTK2	ANLFRTKE
ANLFRTKE	LU2707
ANLFSTYR	IRANLDFU
	IRANLMFU
	IRANLYFU
	RECANL2
	RECSUM3
ANLGTLAS	LU28
ANLGTOSP	LU28SC
ANLGTQVR	DRPR02
ANLINET	LU2709
ANLINET2	ANLINET
ANLKPLMT	DRPR05
ANLLAWTR	DRPR20
ANLLIMIT	DRPR04
ANLLOTTM	DRPR01
ANLLSACT	DRPR17
ANLLSEFX	DRPR07
ANLLTSC	ANLDEALR
	ANLFRBUY
	ANLFRFRE
	ANLFRTKE
	ANLGTLAS
	ANLGTOSP
	ANLINET
	ANLOTHSP
	ANLOTHWY
	ANLRX1DR
	ANLRXDRS
	ANLRXFAK
	ANLSTOLE
ANLSTOLE	LU2704
ANLWD3SX	DRPR11
ANLWDSMT	DRPR12
ANLYR	IRANLRC
ANURSMDE	ADNURSE
	ADSEEDOC
ANLNDMOR	DRPR06

VARIABLE	Parent
ANLNOLST	PR05
ANLOTHSP	LU27SC
ANLOTHW2	ANLOTHSP
	ANLOTHWY
ANLOTHWY	LU2710
ANLPDANG	DRPR19
ANLPHCTD	DRPR16
ANLPHLPB	DRPR15
ANLRX1D2	ANLRX1DR
ANLRX1DR	LU2701
ANLRXDRS	LU2702
ANLRXDS2	ANLRXDRS
ANLRXFAK	LU2703
ANLRXFK2	ANLRXFAK
ANLSERP	DRPR18
ANLSRCFR	ANLFF1DR
	ANLFFAKE
	ANLFFBOT
	ANLFFDLR
	ANLFFDRS
	ANLFFLAS
	ANLFFLSP
	ANLFFNET
	ANLFFOSP
	ANLFFOTH
	ANLFFREE
	ANLFFSTL
	ANLFFTAK
	ANLGTLAS
	ANLGTOSP
ANLSTOL2	ANLSTOLE
ANLSTOLE	LU2704
ANLWD3SX	DRPR11
ANLWDSMT	DRPR12
ANLYR	IRANLRC
ANURSMDE	ADNURSE
	ADSEEDOC

VARIABLE	Parent
ANXDLIF	LIFANXD
ANXDYR	YRANXD
ANYBARB	AMYTAL2
	BUTISOL2
	NEMBBAR2
	PHENOBR2
	SEDNEWA
	SEDNEWB
	SEDNEWC
	SEDNEWD
	SEDNEWE
	TUINAL2
ANYEDUC3	YEDECLAS
	YEDERGLR
	YEDESPCL
ANYMHIN	YFOST
	YHOSP
	YRESID
ANYMHOUT	YCLIN
	YDAYTRT
	YHOME
	YOTHER
ANYSMH	YCLIN
	YDAYTRT
	YFOST
	YHOME
	YHOSP
	YRESID
	YOTHER
AOMDMDE	ADOTHDOC
	ADSEEDOC
AOMHMDE	ADOTHMHP
	ADOTHSP
	ADSEEDOC
AOTHMDE	ADOTHHLP
	ADOTHSP
	ADSEEDOC

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
APPSELDG	RSKSELL
APSY1MDE	ADPSYCH
	ADSEEDOC
APSY2MDE	ADPSYMD
	ADSEEDOC
ARELMDE	ADRELIG
	ADSEEDOC
ARGUPAR	YEYARGUP
ARXMDEYR	ADRX12MO
ASDSHOM2	ADPSHMG
ASDSOVL2	ASDSHOM2
	ASDSREL2
	ASDSSOC2
	ASDSWRK2
ASDSREL2	ADPSRELS
ASDSSOC2	ADPSSOC
ASDSWRK2	ADPSWORK
ASIAHISP	QD05OTHA
ASIANPI	IRNWRACE
ASIRACE	QD05OTHA
ASMALIF	LIFASMA
ASMAYR	YRASMA
ASOCMDE	ADSEEDOC
	ADSOCWRK
ATARAX	TR04A01
ATARAX2	ATARAX
	TRNCARD
ATXMDEYR	ADSEEDOC
AUALACUP	ADMT29B1
AUALCHIR	ADMT29B2
AUALHERB	ADMT29B3
AUALHLIN	ADMT29B7
AUALINET	ADMT29B5
AUALMASG	ADMT29B8
AUALOTH	ADMT29B9
AUALOTSP	ADMT29BSC
AUALRELG	ADMT29B6

VARIABLE	Parent
AUALSGRP	ADMT29B4
AUALTYR	ADMT29A
AUINAHSP	ADMT024
AUINMEDU	ADMT023
AUINPGEN	ADMT022
AUINPSYH	ADMT021
AUINPYR	ADMT01
	ADMTREF1
AUINRES	ADMT025
AUINSFAC	ADMT026
AUMOTVYR	ADMT30
AUNMAHSP	ADMT07
AUNMCLNC	ADMT19
AUNMDOC	ADMT18
AUNMDTMT	ADMT20
AUNMMEDU	ADMT06
AUNMMENT	ADMT16
AUNMOTOP	ADMT21
AUNMPGEN	ADMT05
AUNMPSYH	ADMT04
AUNMRES	ADMT08
AUNMSFAC	ADMT09
AUNMTHER	ADMT17
AUOPCLNC	ADMT144
AUOPDOC	ADMT143
AUOPDTMT	ADMT145
AUOPMENT	ADMT141
AUOPOTOP	ADMT146
AUOPTHER	ADMT142
AUOPTYR	ADMT13
	ADMTREF2
AUOPYRSP	ADMT15SC
AUPINEMP	ADMT1007
AUPINFMP	ADMT12
AUPINFRE	ADMT1011
AUPINMCD	ADMT1005
AUPINMCR	ADMT1004

VARIABLE	Parent
AUPINMIL	ADMT1008
AUPINMOS	ADMT11
AUPINOFM	ADMT1002
AUPINPHI	ADMT1003
AUPINPRV	ADMT1010
AUPINPUB	ADMT1009
AUPINREH	ADMT1006
AUPINSLF	ADMT1001
AUPOPAMT	ADMT24
AUPOPEMP	ADMT2207
AUPOPFRE	ADMT2211
AUOPPMCD	ADMT2205
AUOPPMCR	ADMT2204
AUOPPMIL	ADMT2208
AUOPPMOS	ADMT23
AUPOPOFM	ADMT2202
AUPOPPHI	ADMT2203
AUOPPPRV	ADMT2210
AUOPPPUB	ADMT2209
AUOPPREH	ADMT2206
AUOPPSLF	ADMT2201
AURXYR	ADMT25
	ADMTREF3
AUUNBUSY	ADMT27A4
AUUNCFID	ADMT277
AUUNCMIT	ADMT278
AUUNNCOST	ADMT271
AUUNENUF	ADMT275
AUUNFOUT	ADMT27A5
AUUNHNDL	ADMT27A2
AUUNJOB	ADMT273
AUUNMTYR	ADMT26
AUUNNBR	ADMT272
AUUNNCOV	ADMT274
AUUNNHLP	ADMT27A3
AUUNNOND	ADMT27A1
AUUNNTSP	ADMT27A6

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
AUUNRIMP	ADM27SC1
AUUNSOR	ADMT279
	ADMT27A7
AUUNWHER	ADMT276
AVGGRADE	YELSTGRD
BENZOS	KLONOP12
	LIBRIUM2
	LIMBTRL2
	ROHYPNL2
	SERAX2
	TRANXEN2
	TRNEWA
	TRNEWB
	TRNEWC
	TRNEWD
	TRNEWE
	VALMDIA2
	XNAXATV2
BINGEDRK	IRALCD5
BINGEHVY	ALCMON
	BINGEDRK
	HVYDRK2
BIRDAY	BRTHDATE
BIRMONTH	BRTHDATE
BIRYEAR	BRTHDATE
BKAGASLT	SP03D
BKARSON	SP03I
BKBURGL	SP03C
BKDRUG	SP03M
BKDRUNK	SP03K
BKDRVINF	SP03J
BKFRAUD	SP03P
BKLARCNY	SP03B
BKMURDER	SP03H
BKMOVTHFT	SP03A
BKOTH	SP03Q
BKOTHOFF	SP03QSC

VARIABLE	Parent
BKPOSTOB	SP03L
BKPROS	SP03N
BKRAPE	SP03G
BKROB	SP03F
BKSEXOFF	SP03O
BKSMASLT	SP03E
BLNT30C1	BL03
BLNT30C2	BL04
BLNT30DY	BL02A
	BL03A
	BL04A
BLNTAGE	BL08
BLNTEVER	BL01
BLNTMFU	BL08C
	BL08D
	BLCC05A
BLNTNOMJ	BL07
BLNTREC	BL02
BLNTYFU	BL08A
	BL08B
	BLCC05
BOOKED	SP01
BORNINOT	QD15SC
BORNINUS	QD14
BRNCGR05	CGR30BRN
	CGRMON
BRNCIG05	CIG30BRN
	CIGMON
BRNSMK05	SLT30BRN
	SMKMON
BRONCLIF	LIFBRONC
BRONCYR	YRBRONC
BRTHDATE	AGE1
BTIME	BTIME
BUSPAR	TR04A02
BUSPAR2	BUSPAR
	TRNCARD

VARIABLE	Parent
BUTISOL	SV04A2
BUTISOL2	BUTISOL
	SEDCARD
CA4FDAGE	CA14
CA4FDDYS	CA13
CA4FDEV	CA12
CA4FDYFU	CA14A
CABNGAGE	CA11
CABNGEV	CA10
CABNGYFU	CA11A
CABPLACE	CA05A
CABUNDAG	CA05B
CABUYFRE	CA03
CABUYWHO	CA05
CADRBAR	CA02B5
CADRCAR	CA02B1
CADREVNT	CA02B6
CADRHOM	CA02B2
CADRKANL	CA0906
CADRKCOC	CA0902
CADRKDRG	CA08
CADRKHAL	CA0904
CADRKHER	CA0903
CADRKINH	CA0905
CADRKMJR	CA0901
CADRKMTH	CA0909
CADRKSED	CA0910
CADRKSTM	CA0908
CADRKTRN	CA0907
CADRLAST	CA01
CADROTH	CA02B8
CADROTHM	CA02B3
CADROTSP	CA02SC
CADRPEOP	CA02A
CADRPUBL	CA02B4
CADRSCHL	CA02B7
CAFRESP	CA07SC

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
CAFREWHO	CA07
CAGVMONY	CA04
CAGVWHO	CA06
CAIDCHIP	CAIDCHIP
	QHI02A
	QHI02V
CATAG18	AGE
CATAG2	AGE
CATAG3	AGE
CATAG6	AGE
CATAG7	AGE
CATAGE	AGE
CATAGMH2	AGE
CC30EST	CC06DKRE
	CC30EST
CCBSTWAY	CCFRAME3
CCDAYPMO	CCMONAVE
CCDAYPWK	CCWKAVE
CCDAYPYR	CCYRAVE
CCFRAME3	CCFRAME3
CCLAST3	CCLAST3
CCMONAVE	CCMONAVE
CCRECDK	CCRECDK
CCRECRE	CCRECRE
CCWKAVE	CCWKAVE
CCYRAVE	CCYRAVE
CDCGMO	CDUFLAG
	CIGMON
CDNOCGMO	CDUFLAG
	CIGMON
CDUFLAG	IRCDUAGE
CG05	CG05
CG06	CG06
CG06DK	CG06DK
CG06RE	CG06RE
CG19	CG19
CG20	CG20

VARIABLE	Parent
CG20DK	CG20DK
CG20RE	CG20RE
CG27	CG27
CG28	CG28
CG28DK	CG28DK
CG28RE	CG28RE
CG30EST	CG07DKRE
	CG30EST
CG36	CG36
CG37	CG37
CG37DK	CG37DK
CG37RE	CG37RE
CG43	CG43
CGR30BRN	CG39
	CG40S11
	CG40S21
	CG40S31
	RCG39
	RRCG39
CGR30USE	CG38
CGRAGLST	LU07
CGRFLAG	IRCGRRC
CGRMON	IRCGRRC
CGRYR	IRCGRRC
CH30EST	CG21DKRE
	CH30EST
CHAMPUS	CHAMPUS
	QHI03
CHDTYP1	DAUTYPE
	SONTYPE
CHDTYP10	DAUTYP10
	SONTYP10
CHDTYP11	DAUTYP11
	SONTYP11
CHDTYP12	DAUTYP12
	SONTYP12
CHDTYP13	DAUTYP13

VARIABLE	Parent
	SONTYP13
CHDTYP14	DAUTYP14
	SONTYP14
CHDTYP15	DAUTYP15
	SONTYP15
CHDTYP16	DAUTYP16
	SONTYP16
CHDTYP17	DAUTYP17
	SONTYP17
CHDTYP18	DAUTYP18
	SONTYP18
CHDTYP19	DAUTYP19
	SONTYP19
CHDTYP2	DAUTYPE2
	SONTYPE2
CHDTYP20	DAUTYP20
	SONTYP20
CHDTYP3	DAUTYPE3
	SONTYPE3
CHDTYP4	DAUTYPE4
	SONTYPE4
CHDTYP5	DAUTYPE5
	SONTYPE5
CHDTYP6	DAUTYPE6
	SONTYPE6
CHDTYP7	DAUTYPE7
	SONTYPE7
CHDTYP8	DAUTYPE8
	SONTYPE8
CHDTYP9	DAUTYPE9
	SONTYPE9
CHEWEVER	CG17
	CGREF2
CHEWMFU	CG18C
	CG18D
	CGCH09A
	CHEWMFU

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
CHEWMLU	LU06C
	LU06D
CHEWREC	CG19
	CG20
	CG20DK
	CG20RE
	CHEWREC
CHEWTRY	CG18
	CHEWTRY
CHEWYFU	CG18A
	CG18B
	CG18C
	CGCH09
	CHEWYFU
CHEWYLU	LU06A
	LU06B
	LU06C
CHHYD	SV04A3
CHHYD2	CHHYD
	SEDCARD
CHW30BRN	CG22
	CG23S11
	CG23S21
	CG23S31
	RCG22
	RRCG22
CHW30USE	CG21
	CHW30USE
CHWAGLST	LU06
CHWFLAG	IRCHWRC
CHWMON	IRCHWRC
CHWYR	IRCHWRC
CI30EST	CG38DKRE
	CI30EST
CIG100LF	CG16A
CIG30AV	CG08
	CG10

VARIABLE	Parent
CIG30BRN	CG11
	CG11A
	CG12S11
	CG12S21
	CG12S31
	RCG11
	RCG11A
	RRCG11
	RRCG11A
CIG30MEN	CGMENTH1
	CGMENTH2
CIG30MLN	CGLNTH
CIG30ROL	CG14
CIG30TPE	CGTAR1
	CGTAR2
CIG30USE	CG07
	CIG30USE
CIGAFU	IRCIGAGE
CIGAGE	CG16
	CIGAGE
CIGAGLST	LU03
CIGALCMO	ALCMON
	CIGMON
CIGAREVR	CG34
	CGREF4
CIGARMFU	CG35C
	CG35D
	CGCR09A
CIGARMLU	LU07C
	LU07D
CIGARREC	CG36
	CG37
	CG37DK
	CG37RE
	CIGARREC
CIGARTRY	CG35
	CIGARTRY

VARIABLE	Parent
CIGARYFU	CG35A
	CG35B
	CG35C
	CGCR09
CIGARYLU	LU07A
	LU07B
	LU07C
CIGAVGD	CIG30AV
CIGAVGM	CIGAVGD
	IRCIGFM
CIGAVOID	DRCGE05
CIGCRAGP	DRCGE03
CIGCRAVE	DRCGE02
CIGDLLST	LU04
CIGDLMFU	CG16M2
	CGCC17A
	CIGDLMFU
CIGDLMLU	LU04C
	LU04D
CIGDLYFU	CG16M1
	CG16Y1
	CG16Y2
	CGCC17
CIGDLYLU	LU04A
	LU04B
	LU04C
CIGDLYMO	CG15
CIGEVER	CG01
	CGREF1
CIGFLAG	IRCIGRC
CIGFNLKE	DRCGE06B
CIGFNSMK	DRCGE06A
CIGINCRS	DRCGE16
CIGINCTL	DRCGE04
CIGINFLU	DRCGE14
CIGIRTLB	DRCGE01
CIGLOTMR	DRCGE18

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
CIGMDAYS	IRCIGFM
CIGMFU	CG04C
	CG04D
	CGCC21A
CIGMLU	LU03C
	LU03D
CIGMON	IRCIGRC
CIGNMCHG	DRCGE12
CIGNOINF	DRCGE15
CIGOFRSM	CG02
CIGPDAY	CIG30AV
	IRCIGFM
CIGPLANE	DRCGE07
CIGREC	AGE
	CG04
	CG04A
	CG04B
	CG04C
	CG04D
	CG05
	CG06
	CG06DK
	CG06RE
	CG16
	CG16M1
	CG16M2
	CG16Y1
	CG16Y2
	CGCC04
	CGCC06
	CGCC09
	CGCC10
	CGCC13
	CGCC17
	CGCC17A
	CGCC21
	CGCC21A

VARIABLE	Parent
	CIGEVER
	CIGREC
CIGREGDY	DRCGE09
CIGREGNM	DRCGE11
CIGREGWK	DRCGE10
CIGRNOUT	DRCGE08
CIGSATIS	DRCGE17
CIGSVLHR	DRCGE13
CIGTRY	CG04
	CIGTRY
CIGWAKE	DRCGE19A
	DRCGE19B
CIGWILYR	CG03
CIGYFU	CG04A
	CG04B
	CG04C
	CGCC21
CIGYLU	LU03A
	LU03B
	LU03C
CIGYR	IRCIGRC
CIGYRBFR	LU37
CIRRLIF	LIFCIRR
CIRRYR	YRCIRR
CKFRAME3	CKFRAME3
CKLAST3	CKLAST3
CKMONAVE	CKMONAVE
CKRECDK	CKRECDK
CKRECRE	CKRECRE
CKWKAVE	CKWKAVE
CKYRAVE	CKYRAVE
CLEFLU	IN01B
CLEFLU2	CLEFLU
CLINVST	YUMHCRNM
	YUMHCRYR
CMPTOLD	FIDBF11
COCAGE	CC02

VARIABLE	Parent
	COCAGE
COCAGLST	LU09
COCCUT1X	DRCC10
COCCUTDN	DRCC08
COCCUTEV	DRCC09
COCEMCTD	DRCC14
COCEMOPB	DRCC13
COCEVER	CC01
	CCREF
COCFLAG	IRCOCRC
COCFLBLU	DRCC10A
COCFMCTD	DRCC22
COCFMFPB	DRCC21
COCFSTYR	IRCOCDFU
	IRCOCMFU
	IRCOCYFU
	RECCOC2
	RECSUM3
COCGTOVR	DRCC02
COCKPLMT	DRCC05
COCLAWTR	DRCC20
COCLIMIT	DRCC04
COCLOTTM	DRCC01
COCLSACT	DRCC17
COCLSEFX	DRCC07
COCMDAYS	IRCOCFM
COCMFU	CC03C
	CC03D
COCMLU	LU09C
	LU09D
COCMON	IRCOCRC
COCNDMOR	DRCC06
COCNEEDL	SD06
COCPDANG	DRCC19
COCPHCTD	DRCC16
COCPHLPB	DRCC15
COCREC	CCLAST3

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	CCRECDK
	CCRECRE
	COCREC
COCSERPB	DRCC18
COCUS30A	CC06
	COCUS30A
COCWD2SX	DRCC11
COCWDSMT	DRCC12
COCYDAYS	IRCOCFY
COCYFU	CC03A
	CC03B
	CC03C
COCYLU	LU09A
	LU09B
	LU09C
COCYR	IRCOCRC
COCYRBFR	LU39
COCYRTOT	COCYRTOT
	TOTCOKE
CODEINE	PR04A01
CODEINE2	ANLCARD
	CODEINE
COLDMEDS	SD22A
COLDREC	SD27
COLDYR1	SD27SC1
COLDYR2	SD27SC2
COLDYR3	SD27SC3
COLDYR4	SD27SC4
COLDYR5	SD27SC5
COLLAGES	AGE
COLLENR	EDUCAGE
	EDUCATND
	SCHENRL
	SDNTFTPT
COLLENR2	EDUCAGE
	EDUCATND
	SCHENRL

VARIABLE	Parent
	SDNTFTPT
CONDLREC	SD07
COOPINT	FIDBF06
COUNTY	COUNTY
COUTYP1	RUCC03
COUTYP2	COUTYP1
CPNMTHFG	IRMTHRC
CPNMTHMN	IRMTHRC
CPNMTHYR	IRMTHRC
CPNNDFLG	COCNEEDL
	HERNEEDL
	OTDGNEDL
	STNEDL06
CPNNDMTH	MTHANEDL
	MTHNEEDL
	MTHREC06
CPNNDSTM	STNEDL06
CPNPSYFG	IRMTHRC
CPNPSYMN	IRMTHRC
CPNPSYYR	IRMTHRC
CPNSTMFG	IRMTHRC
CPNSTMMN	IRMTHRC
CPNSTMYR	IRMTHRC
CPRES	FIDBF086
CR30EST	CK06DKRE
	CR30EST
CRAKREC	CKLAST3
	CKRECDK
	CKRECRE
	CRAKREC
CRBSTWAY	CKFRAME3
CRDAYPMO	CKMONAVE
CRDAYPWK	CKWKAVE
CRDAYPYR	CKYRAVE
CRKAGE	CK02
	CRKAGE
CRKAGLST	LU10

VARIABLE	Parent
CRKEVER	CK01
	CKREF
CRKFLAG	IRCRKRC
CRKFSTYR	IRCRKDFU
	IRCRKMFU
	IRCRKYFU
	RECCRK2
	RECSUM2
CRKMFU	CK03C
	CK03D
CRKMLU	LU10C
	LU10D
CRKMON	IRCRKRC
CRKUS30A	CK06
	CRKUS30A
CRKYFU	CK03A
	CK03B
	CK03C
CRKYL	LU10A
	LU10B
	LU10C
CRKYR	IRCRKRC
CRKYRTOT	CRKYRTOT
	TOTCRACK
CYLERT	ST04A01
CYLERT2	CYLERT
	STMCARD
DALMANE	SV04A4
DALMANE2	DALMANE
	SEDCARD
DARVTYL2	DARVTYLC
DARVTYLC	PR01
DCIGAFU	IRCDUAGE
DCIGMON	IRCIGFM
DEMEROL	PR04A02
DEMEROL2	ANLCARD
	DEMEROL

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
DEPNDALC	ALCCUTEV
	ALCEMCTD
	ALCGTOVR
	ALCKPLMT
	ALCLOTTM
	ALCLSACT
	ALCLSEFX
	ALCNDMOR
	ALCPHCTD
	ALCWDSMT
DEPNDANL	ANLCUTEV
	ANLEMCTD
	ANLGTOVR
	ANLKPLMT
	ANLLOTTM
	ANLLSACT
	ANLLSEFX
	ANLNDMOR
	ANLPHCTD
	ANLWDSMT
DEPNDCOCC	COCCUTEV
	COCEMCTD
	COCFLBLU
	COCGTOVR
	COCKPLMT
	COCLOTTM
	COCLSACT
	COCLSEFX
	COCNDMOR
	COCPHCTD
	COCWDSMT
DEPNDHAL	HALCUTEV
	HALEMCTD
	HALGTOVR
	HALKPLMT
	HALLLOTTM
	HALLSACT

VARIABLE	Parent
	HALLSEFX
	HALNDMOR
	HALPHCTD
DEPNDHER	HERCUTEV
	HEREMCTD
	HERGTOVR
	HERKPLMT
	HERLOTTM
	HERLSACT
	HERLSEFX
	HERNDMOR
	HERPHCTD
	HERWDSMT
DEPNDIEM	DEPNDANL
	DEPNDCOCC
	DEPNDHAL
	DEPNDHER
	DEPNDINH
	DEPNDMRJ
	DEPNDSSED
	DEPNDSTM
	DEPNDTRN
DEPNDILL	DEPNDANL
	DEPNDCOCC
	DEPNDHAL
	DEPNDHER
	DEPNDINH
	DEPNDMRJ
	DEPNDSSED
	DEPNDSTM
	DEPNDTRN
DEPNDINH	INHCUTEV
	INHEMCTD
	INHGTOVR
	INHKPLMT
	INHLOTTM
	INHLSACT

VARIABLE	Parent
	INHLSEFX
	INHNDMOR
	INHPHCTD
DEPNDMRJ	MRJCUTEV
	MRJEMCTD
	MRJGTOVR
	MRJKPLMT
	MRJLOTTM
	MRJLSACT
	MRJLSEFX
	MRJNDMOR
	MRJPHCTD
DEPNDPSY	DEPNDANL
	DEPNDSSED
	DEPNDSTM
	DEPNDTRN
DEPNDSSED	SEDCUTEV
	SEDEMCTD
	SEDGTOVR
	SEDKPLMT
	SEDLOTTM
	SEDLSACT
	SEDLSEFX
	SEDNDMOR
	SEDPHCTD
	SEDWDSMT
DEPNDSTM	STMCUTEV
	STMEMCTD
	STMFLBLU
	STMGTOVR
	STMKPLMT
	STMLOTTM
	STMLSACT
	STMLSEFX
	STMNDMOR
	STMPHCTD
	STMWDSMT

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
DEPNDTRN	TRNCUTEV
	TRNEMCTD
	TRNGTOVR
	TRNKPLMT
	TRNLOTTM
	TRNLSACT
	TRNLSEFX
	TRNNDMOR
	TRNPHCTD
DEPNDXMJ	DEPNDANL
	DEPNDCOC
	DEPNDHAL
	DEPNDHER
	DEPNDINH
	DEPNDMRJ
	DEPNDSER
	DEPNDSTM
	DEPNDTRN
DEPRSLIF	LIFDEPRS
DEPRSYR	YRDEPRS
DETADAGE	AGE
DETALAGE	AGE
DETAMP	ST04A03
DETAMP2	DETAMP
	STMCARD
DEXED	ST04A02
DEXED2	DEXED
	STMCARD
DIABLIF	LIFDIAB
DIABYR	YRDIAB
DIDREX	ST04A04
DIDREX2	DIDREX
	STMCARD
DIETPIL2	DIETPILS
DIETPILS	ST02
DILAUD	PR04A03
DILAUD2	ANLCARD

VARIABLE	Parent
	DILAUD
DIVISION	DIVISION
DNICNSP	FTNDDNSP
	NDSSDNSP
DPILANAL	DEPNDALC
	DEPNDILL
DPILLALC	DEPNDALC
	DEPNDILL
DR5DAY	AL08
	DR5DAY
DRGDOC	TXYRDCAD
	TXYRDOC
DRGHOSP	TXYRHOSP
	TXYRHPAD
DRGJAIL	TXYRJAIL
	TXYRJLAD
DRGMHC	TXYRMHAD
	TXYRMHC
DRGPLCY	QD43
DRGPRGM	QD46
DRGRFIN	TXYRINAD
	TXYRRFIN
DRGRFOP	TXYRPOAD
	TXYRRFOP
DRGSHG	TXYRSGAD
	TXYRSHG
DRGTXER	TXYRERAD
	TXYRTXER
DRIVALC2	DRVALDR
	DRVAONLY
DRIVALD2	DRIVALC2
	DRIVDRG2
DRIVDRG2	DRVALDR
	DRVONLY
	DRVFLAG
DRKANL	CADRKANL
DRKCOC	CADRKCOC

VARIABLE	Parent
DRKHAL	CADRKHAL
DRKHER	CADRKHER
DRKIEM	DRKANL
	DRKCOC
	DRKHAL
	DRKHER
	DRKINH
	DRKMTH
	DRKSED
	DRKSTM
	DRKTRN
	IEMMON
DRKINH	CADRKINH
DRKMRJ	cadrkmrj
DRKMTH	CADRKMTH
	MTHREC06
DRKSED	CADRKSED
DRKSTM	CADRKSTM
DRKSUM	DRKANL
	DRKCOC
	DRKHAL
	DRKHER
	DRKINH
	DRKMRJ
	DRKMTH
	DRKSED
	DRKSTM
	DRKTRN
	SUMMON
DRKTRN	CADRKTRN
DRPRVME3	YEPVNTYR
DRVALDR	SP06A
DRVAONLY	SP06B
DRVONLY	SP06C
DSTCHR12	DSNOCHR
DSTCHR30	NOCHR30
DSTEFF12	DSEFFORT

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
DSTEFF30	EFFORT30
DSTHOP12	DSHOPE
DSTHOP30	HOPE30
DSTNGD12	DSDOWN
DSTNGD30	DOWN30
DSTNRV12	DSNERV1
DSTNRV30	NERVE30
DSTRST12	DSFIDG
DSTRST30	FIDG30
DSTWORST	WORST30
DYTXVST	YUDYTXNM
	YUDYTXYR
ECSAGE	ECSAGE
	LS17
ECSAGLST	LU15
ECSFLAG	IRECSRC
ECSFSTYR	IRECSDFU
	IRECSMFU
	IRECSYFU
	RECECS2
	RECSUM3
ECSMFU	ECSMFU
	LS20
	LS21
ECSMLU	LU15C
	LU15D
ECSMON	IRECSRC
ECSREC	ECSREC
	LS22
ECSTASY	LS01F
	LSREF3
ECSYFU	ECSYFU
	LS18
	LS19
	LS20
ECSYLU	LU15A
	LU15B

VARIABLE	Parent
	LU15C
ECSYR	IRECSRC
EDFAM18	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
EDTEDUC	QD11
EDUC	QD11
EDUCAGE	AGE
EDUCATHP	EDUCCAT2
EDUCATND	QD18
EDUCCAT2	IREduc
ELIGALC2	ALCYR
	INTDATE
	IRALCDFU
	IRALCMFU

VARIABLE	Parent
	IRALCYFU
ELIGANL2	ANLYR
	INTDATE
	IRANLDFU
	IRANLMFU
	IRANLYFU
ELIGCD2	INTDATE
	IRCD2DFU
	IRCD2MFU
	IRCD2YFU
ELIGCGR2	CGRYR
	INTDATE
	IRCGRDFU
	IRCGRMFU
	IRCGRYFU
ELIGCIG2	CIGYR
	INTDATE
	IRCIGDFU
	IRCIGMFU
	IRCIGYFU
ELIGCOC2	COCYR
	INTDATE
	IRCOCDFU
	IRCOCMFU
	IRCOCYFU
ELIGCRK2	CRKYR
	INTDATE
	IRCRKDFU
	IRCRKMFU
	IRCRKYFU
ELIGECS2	ECSYR
	INTDATE
	IRECSDFU
	IRECSMFU
	IRECSYFU
ELIGHAL2	HALYR
	INTDATE

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRHALDFU
	IRHALMFU
	IRHALYFU
ELIGHER2	HERYR
	INTDATE
	IRHERDFU
	IRHERMFU
	IRHERYFU
ELIGIEM3	IEMDFU
	IEMMFU
	IEMYFU
	IEMYR
	INTDATE
ELIGINH2	INHYR
	INTDATE
	IRINHDFU
	IRINHMFU
	IRINHUFU
ELIGLSD2	INTDATE
	IRLSDDFU
	IRLSDMFU
	IRLSDYFU
	LSDYR
ELIGMJ2	INTDATE
	IRMJDFU
	IRMJMFU
	IRMJYFU
	MRJYR
ELIGMTH2	INTDATE
	IRMTHDFU
	IRMTHMFU
	IRMTHYFU
	MTHYR
ELIGOXY2	INTDATE
	IROXYDFU
	IROXYMFU
	IROXYFU

VARIABLE	Parent
	OXYR
ELIGPCP2	INTDATE
	IRPCPDFU
	IRPCPMFU
	IRPCPYFU
	PCPYR
ELIGPSY3	INTDATE
	PSYDFU2
	PSYMFU2
	PSYFU2
	PSYR2
ELIGSED2	INTDATE
	IRSEDDFU
	IRSEDMFU
	IRSEDYFU
	SEDYR
ELIGSLT2	INTDATE
	IRSLTDFU
	IRSLTMFU
	IRSLTYFU
	SMKYR
ELIGSTM2	INTDATE
	IRSTMDFU
	IRSTMMFU
	IRSTMYFU
	STMYR
ELIGSUM3	INTDATE
	SUMDFU
	SUMMFU
	SUMYFU
	SUMYR
ELIGTRN2	INTDATE
	IRTRNDFU
	IRTRNMFU
	IRTRNYFU
	TRQYR
EMPSTAT4	AGE

VARIABLE	Parent
	EMPSTATY
EMPSTATY	JBSTATR
	WRKHSUS
ENCCASE	ENCCASE
ENCSEG	ENCSEG
EQUANIL	TR04A03
EQUANIL2	EQUANIL
	TRNCARD
ESKAT	ST04A05
ESKAT2	ESKAT
	STMCARD
ETHER	IN01E
ETHER2	ETHER
ETIME	ETIME
EXPRACE	NEWACE1
EXPRACE2	NEWACE1
F15_44	AGE
	IRSEX
F18_49	AGE
	IRSEX
FAMINC1	QI20
	QI22
FAMINC2	QI21A
	QI21B
	QI23A
	QI23B
FAMPMT	QI08
	QI08N
	QI09A
	QI09B
FAMSOC	QI01
	QI01N
	QI02
FAMSSI	QI03
	QI03N
	QI04A
	QI04B

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
FAMSVC	QI10
	QI10N
	QI11A
	QI11B
FAMWAG	QI05
	QI05N
	QI06A
	QI06B
FDOCANGR	YUFDANGR
FDOCBRK	YUFDDBKR
FDOCDPR	YUFDDEPR
FDOCEAT	YUFDEATP
FDOCFEA	YUFDPEAR
FDOCFITE	YUFDHITE
FDOCFMLY	YUFDFMLY
	YUFDIMPR
FDOCFRND	YUFDNRND
FDOCMEND	YUFDIMPR
FDOCOTH2	YUFDIMPR
FDOCOTPP	YUFDIMPR
	YUFDOTPP
FDOCSCHL	YUFDSCHL
FDOCSUI	YUFDUI
FIALCDAT	AGE
	IRALCAGE
	IRALCDFU
	IRALCFM
	IRALCMFU
	IRALCRC
	IRALCYFU
FIANLDT	AGE
	IRANLAGE
	IRANLDFU
	IRANLMFU
	IRANLRC
	IRANLYFU
FICGRDAT	AGE

VARIABLE	Parent
	IRCGRAGE
	IRCGRDFU
	IRCGRFM
	IRCGRMFU
	IRCGRRC
	IRCGRYFU
FICHWDAT	AGE
	IRCHWAGE
	IRCHWDFU
	IRCHWFM
	IRCHWMFU
	IRCHWRC
	IRCHWYFU
FICIGDAT	AGE
	IRCIGAGE
	IRCIGDFU
	IRCIGFM
	IRCIGMFU
	IRCIGRC
	IRCIGYFU
FICOCDAT	AGE
	IRCOCAGE
	IRCOCDFU
	IRCOCFM
	IRCOCFY
	IRCOCMFU
	IRCOCRC
	IRCOCYFU
FICRKDAT	AGE
	IRCRKAGE
	IRCRKDFU
	IRCRKFM
	IRCRKFY
	IRCRKMFU
	IRCRKRC
	IRCRKYFU
FIECSDAT	AGE

VARIABLE	Parent
	IRECSAGE
	IRECSDFU
	IRECSMFU
	IRECSRC
	IRECSYFU
FIHALDAT	AGE
	IRHALAGE
	IRHALDFU
	IRHALFM
	IRHALFY
	IRHALMFU
	IRHALRC
	IRHALYFU
FIHERDAT	AGE
	IRHERAGE
	IRHERDFU
	IRHERFM
	IRHERFY
	IRHERMFU
	IRHERRC
	IRHERYFU
FIID	FIID
FIINHDT	AGE
	IRINHAGE
	IRINHDFU
	IRINHFM
	IRINHFY
	IRINHMFU
	IRINHRC
	IRINHYFU
FILSDDAT	AGE
	IRLSDAGE
	IRLSDDFU
	IRLSDMFU
	IRLSDRC
	IRLSDYFU
FIMJDAT	AGE

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRMJAGE
	IRMJDFU
	IRMJFM
	IRMJMFU
	IRMJRC
	IRMJYFU
FIMTHDAT	AGE
	IRMTHAGE
	IRMTHDFU
	IRMTHFY
	IRMTHMFU
	IRMTHRC
	IRMTHYFU
FINC1	QI22
FINC2	QI23A
	QI23B
FIORICET	PR04A04
FIORICT2	ANLCARD
	FIORICET
FIORINAL	PR04A05
FIORINL2	ANLCARD
	FIORINAL
FIOXYDAT	AGE
	IROXYAGE
	IROXYDFU
	IROXYFY
	IROXYMFU
	IROXYRC
	IROXYFYFU
FIPCPDAT	AGE
	IRPCPAGE
	IRPCPDFU
	IRPCPMFU
	IRPCPRC
	IRPCPYFU
FIRSTPOS	QD51
FISEDAT	AGE

VARIABLE	Parent
	IRSEDAGE
	IRSEDDFU
	IRSEDFY
	IRSEDMFU
	IRSEDR
	IRSEDYFU
FISLTDAT	AGE
	IRSLTAGE
	IRSLTDFU
	IRSLTMFU
	IRSLTRC
FISNFDAT	AGE
	IRSNFAGE
	IRSNFDFU
	IRSNNFM
	IRSNNMFU
	IRSNNRC
	IRSNNFYFU
FISTMDAT	AGE
	IRSTMAGE
	IRSTMDFU
	IRSTMFY
	IRSTMMFU
	IRSTMRC
	IRSTMYFU
FITRNDAT	AGE
	IRTRNAGE
	IRTRNDFU
	IRTRNFY
	IRTRNMFU
	IRTRNRC
	IRTRNYFU
FLEXERIL	TR04A04
FLEXERL2	FLEXERIL
	TRNCARD
FLNDILAL	NDTXMORE
	NDTXNEDR

VARIABLE	Parent
FLTNDALC	NDTMRALC
	NDTXALCR
FLTNDILL	NDTMRANL
	NDTMRCOC
	NDTMRHAL
	NDTMRHER
	NDTMRINH
	NDTMRMJ
	NDTMROTH
	NDTMRSED
	NDTMRSTM
	NDTMRTRN
	NDTXANLR
	NDTXCOCR
	NDTXHALR
	NDTXHERR
	NDTXINHR
	NDTXMJR
	NDTXMORE
	NDTXNEDR
	NDTXSEDR
	NDTXSODR
	NDTXSTMR
	NDTXTRNR
FOSTVST	YUFCARNM
	YUFCARYR
FRDADLY2	YEFALDLY
FRDMEVR2	YEFMJEV
FRDMJMON	YEFMJMO
FRDPCIG2	YEFPKCIG
FSTAMP	QI07A
	QI07B
	QI07N
FSTRCHLD	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23

VARIABLE	Parent
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
FTNDDNSP	CIGREC
	CIGWAKE
FUALC18	IRALCAGE
FUALC21	IRALCAGE
FUANL18	IRANLAGE
FUANL21	IRANLAGE
FUCD218	IRCDUAGE
FUCD221	IRCDUAGE
FUCGR18	IRCGRAGE
FUCGR21	IRCGRAGE
FUCIG18	IRCIGAGE
FUCIG21	IRCIGAGE
FUCOC18	IRCOCAGE
FUCOC21	IRCOCAGE
FUCRK18	IRCRKAGE
FUCRK21	IRCRKAGE
FUECS18	IRECSAGE
FUECS21	IRECSAGE
FUHAL18	IRHALAGE
FUHAL21	IRHALAGE
FUHER18	IRHERAGE
FUHER21	IRHERAGE
FUIEM18	IEMAGE
FUIEM21	IEMAGE
FUINH18	IRINHAGE
FUINH21	IRINHAGE
FULSD18	IRLSDAGE
FULSD21	IRLSDAGE

VARIABLE	Parent
FUMJ18	IRMJAGE
FUMJ21	IRMJAGE
FUMTH18	IRMTHAGE
FUMTH21	IRMTHAGE
FUOXY18	IROXYAGE
FUOXY21	IROXYAGE
FUPCP18	IRPCPAGE
FUPCP21	IRPCPAGE
FUPSY18	PSYAGE2
FUPSY21	PSYAGE2
FUSED18	IRSEDAGE
FUSED21	IRSEDAGE
FUSLT18	IRSLTAGE
FUSLT21	IRSLTAGE
FUSTM18	IRSTMAGE
FUSTM21	IRSTMAGE
FUSUM18	SUMAGE
FUSUM21	SUMAGE
FUTRN18	IRTRNAGE
FUTRN21	IRTRNAGE
F_18UP	AGE
	IRSEX
GAS	IN01C
GAS2	GAS
GHB	SD19
GHBREC	SD24
GLUE	IN01D
GLUE2	GLUE
GNNDCLN	SD14
GNNDGET	SD16
	SD16SC
GNNDLSH1	SD13
GNNDLSH2	SD15
GNNDREUS	SD12
GOVTPROG	IRFAMPMT
	IRFAMSSI
	IRFAMSVC

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRFSTAMP
GQTYPE	GQTYPE
GRPCNSL2	YESLFHLP
GRPHLTIN	QHI07
GRSKCOCC	RKCOCOCC
GRSKCREG	RKCOCREG
GRSKD4_5	RK5ALDLY
GRSKD5WK	RK5ALWK
GRSKHREG	RKHERREG
GRSKHTRY	RKTRYHER
GRSKLREG	RKLSDREG
GRSKLTRY	RKTRYLSD
GRSKMOCC	RSKMJOCC
GRSKMREG	RSKMJREG
GRSKPKCG	RSKPKCIG
HAL30USE	HAL30USE
	LS04
	LS30
	LS31
	LS32
HALAGLST	LU12
HALCION	SV04A5
HALCION2	HALCION
	SEDCARD
HALCUTDN	DRLS08
HALCUTEV	DRLS09
HALEMCTD	DRLS14
HALEMOPB	DRLS13
HALFLAG	IRHALRC
HALFMCTD	DRLS22
HALFMFPB	DRLS21
HALFSTYR	IRHALDFU
	IRHALMFU
	IRHALYFU
	RECHAL2
	RECSUM3
HALGTOVR	DRLS02

VARIABLE	Parent
HALKPLMT	DRLS05
HALLAGE	HALLAGE
	LS02
HALLAWTR	DRLS20
HALLIMIT	DRLS04
HALLOTTM	DRLS01
HALLREC	HALLREC
	LSLAST
	LSRECDK
	LSRECRE
HALLSACT	DRLS17
HALLSEFX	DRLS07
HALMDAYS	IRHALFM
HALMFU	LS03C
	LS03D
HALMLU	LU12C
	LU12D
HALMON	IRHALRC
HALNDMOR	DRLS06
HALNEWA	LS01SC1
HALNEWB	LS01SC2
HALNEWC	LS01SC3
HALNEWD	LS01SC4
HALNEWE	LS01SC5
HALNOLST	LS01H
HALPDANG	DRLS19
HALPHCTD	DRLS16
HALPHLPB	DRLS15
HALSERPB	DRLS18
HALYDAYS	IRHALFY
HALYFU	LS03A
	LS03B
	LS03C
HALYLU	LU12A
	LU12B
	LU12C
HALYR	IRHALRC

VARIABLE	Parent
HALYRTOT	HALYRTOT
	TOTHALL
HARTDLIF	LIFHARTD
HARTDYR	YRHARTD
HBPLIF	LIFHBP
HBPYR	YRHBP
HEADFONE	FIDBF04C
HEALTH	QD12
HEALTH2	HEALTH
HEFRAME3	HEFRAME3
HELAST3	HELAST3
HEMONAVE	HEMONAVE
HEOTNDL	SDHEUSE3
HEOTOTH	SDHEUSE4
HEOTSMK	SDHEUSE1
HEOTSNF	SDHEUSE2
HEOTSP	SDHUSESC
HEPATLIF	LIFHEPAT
HEPATYR	YRHEPAT
HER30USE	HE06
	HER30USE
HERAGE	HE02
	HERAGE
HERAGLST	LU11
HERCUT1X	DRHE10
HERCUTDN	DRHE08
HERCUTEV	DRHE09
HERECDK	HERECDK
HERECRE	HERECRE
HEREMCTD	DRHE14
HEREMOPB	DRHE13
HEREVER	HE01
	HEREF
HERFLAG	IRHERRC
HERFMCTD	DRHE22
HERFMFPB	DRHE21
HERFSTYR	IRHERDFU

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRHERMFU
	IRHERYFU
	RECHER2
	RECSUM3
HERGTOVR	DRHE02
HERKPLMT	DRHE05
HERLAWTR	DRHE20
HERLIMIT	DRHE04
HERLOTTM	DRHE01
HERLSACT	DRHE17
HERLSEFX	DRHE07
HERMFU	HE03C
	HE03D
HERMLU	LU11C
	LU11D
HERMON	IRHERRC
HERNDMOR	DRHE06
HERNEEDL	SD08
HERPDANG	DRHE19
HERPHCTD	DRHE16
HERPHLPB	DRHE15
HERREC	HELAST3
	HERECDK
	HERECRE
	HERREC
HERSERPB	DRHE18
HERSMOK2	HERSMOKE
HERSMOKE	SD01
HERSNIF2	HERSNIFF
HERSNIFF	SD03
HERWD3SX	DRHE11
HERWDSMT	DRHE12
HERYFU	HE03A
	HE03B
	HE03C
HERYLU	LU11A
	LU11B

VARIABLE	Parent
	LU11C
HERYR	IRHERRC
HERYRTOT	HERYRTOT
	TOTHERO
HEWKAVE	HEWKAVE
HEYRAVE	HEYRAVE
HH65	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
HHSIZE	TOTPEOP
HISP2	IRHOGRP4
HIVLIF	LIFHIV
HIVYR	YRHIV
HL30EST	HL30EST
	LS04DKRE

VARIABLE	Parent
	LS30DKRE
	LS31DKRE
	LS32DKRE
HLBSTWAY	LSFRAME3
	LSFRAME4
	LSFRAME5
	LSFRAME6
HLCLAST	QHI15
HLCNOTMO	QHI14
HLCNOTYR	QHI13
HLDAYPMO	LSMONAV2
	LSMONAV3
	LSMONAV4
	LSMONAVE
HLDAYPWK	LSWKAV2
	LSWKAV3
	LSWKAV4
	LSWKAVE
HLDAYPYR	LSYRAV2
	LSYRAV3
	LSYRAV4
	LSYRAVE
HLLOSRSN	QHI17
HLNVCOST	QHI181
HLNVNEED	QHI184
HLNVOFFR	QHI182
HLNVREF	QHI183
HLNVSOR	QHI185
HLTINALC	QHI08
HLTINDRG	QHI09
HLTINMNT	QHI10
HLTINNOS	HLTINNOS
	QHI11
HOMEVST	YUIHTPNM
	YUIHTPYR
HOSPVST	YUHOSPNM
	YUHOSPYR

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
HR30EST	HE06DKRE
	HR30EST
HRBSTWAY	HEFRAME3
HRDAYPMO	HEMONAVE
HRDAYPWK	HEWKAVE
HRDAYPYR	HEYRAVE
HRNDLREC	SD09
HRSMKREC	SD02
	SDHEUSE6
HRSNFREC	SD04
	SDHEUSE7
HSDIPLMA	QD22
HSGED	QD23
HVYDRK2	IRALCD5
HYDCODOP	ANALNEWA
	ANALNEWB
	ANALNEWC
	ANALNEWD
	ANALNEWE
	HYDROCD2
	VICOLOR2
HYDROCD2	ANLCARD
	HYDROCOD
HYDROCOD	PR04A06
IEMAGE	IRCOCAGE
	IRHALAGE
	IRHERAGE
	IRINHAGE
	PSYAGE2
IEMDFU	IRCOCDFU
	IRCOCMFU
	IRCOCYFU
	IRHALDFU
	IRHALMFU
	IRHALYFU
	IRHERDFU
	IRHERMFU

	IRHERYFU
	IRINHDFU
	IRINHMFU
	IRINHUFU
	PSYDFU2
	PSYMFU2
	PSYYFU2
IEMFLAG	COCFLAG
	HALFLAG
	HERFLAG
	INHFLAG
	PSYFLAG2
IEMFSTYR	IEMDFU
	IEMMFU
	IEMYFU
	RECIEM3
	RECSUM3
IEMMFU	IRCOCMFU
	IRCOCYFU
	IRHALMFU
	IRHALYFU
	IRHERMFU
	IRHERYFU
	IRINHMFU
	IRINHUFU
	PSYMFU2
	PSYYFU2
IEMMON	COCMON
	HALMON
	HERMON
	INHMON
	PSYMON2
IEMYFU	IRCOCYFU
	IRHALYFU
	IRHERYFU
	IRINHUFU
	PSYYFU2

IEMYR	COCYR
	HALYR
	HERYR
	INHYR
	PSYYR2
IFATHER	MRELAT10
	MRELAT11
	MRELAT12
	MRELAT13
	MRELAT14
	MRELAT15
	MRELAT16
	MRELAT17
	MRELAT18
	MRELAT19
	MRELAT20
	MRELAT21
	MRELAT22
	MRELAT23
	MRELAT24
	MRELAT25
	MRELATO2
	MRELATO3
	MRELATO4
	MRELATO5
	MRELATO6
	MRELATO7
	MRELATO8
	MRELATO9
	MRELATON
	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
II2ALCD5	DR5DAY
II2ALCFM	AL30EST
	ALCDAYS
II2ALCFY	ALCYRTOT
II2ALCRC	ALCREC
II2ANLFY	ANLYRTOT
II2ANLRC	ANALREC
II2CGRFM	CGR30USE
II2CGRRC	CIGARREC
II2CHWFM	CHW30USE
II2CHWRC	CHEWREC
II2CIGFM	CIG30USE
II2CIGRC	CIGREC
II2COCFM	CC30EST
	COCUS30A
II2COCFY	COCYRTOT
II2COCRC	COCREC
II2CRKFM	CR30EST
	CRKUS30A

VARIABLE	Parent
II2CRKFY	CRKYRTOT
II2CRKRC	CRAKREC
II2ECSRC	ECSREC
II2EMST4	AGE
	II2EMSTY
II2EMSTY	JBSTATR
	WRKHRSUS
II2HALFM	HL30EST
II2HALFY	HALYRTOT
II2HALRC	HALLREC
II2HERFM	HER30USE
II2HERFY	HERYRTOT
II2HERRC	HERREC
II2INHFM	IN30EST
	INHDIY30A
II2INHFI	INHYRTOT
II2INHRC	INHREC
II2LSDRC	LSDREC
II2MJFM	MJDAY30A
	MR30EST
II2MJFY	MJYRTOT
II2MJRC	MJREC
II2MTHFY	MTHYRTOT
II2MTHRC	METHREC
II2OXYFY	OXYRTOT
II2OXYRC	OXYCREC
II2PCPRC	PCPREC
II2SEDFY	SEDIYRTOT
II2SEDR	SEDR
II2SLTRC	CHEWREC
	SLTREC
	SNFREC
II2SNFFM	SNF30USE
II2SNFRC	SNFREC
II2STMFY	STMYRTOT
II2STMRC	STIMREC
II2TRNFY	TRNYRTOT

VARIABLE	Parent
II2TRNRC	TRANREC
IIALCAGE	ALCTRY
IIALCD5	DR5DAY
IIALCDFU	ALCTRY
IIALCFM	AL30EST
	ALCDAYS
IIALCFY	ALCYRTOT
IIALCMFU	ALCMFU
IIALCRC	ALCREC
IIALCYFU	ALCYFU
IIANLAGE	ANALAGE
IIANLDFU	AGE
	IRANLAGE
	IRANLMFU
	IRANLRC
	IRANLYFU
IIANLFY	ANLYRTOT
IIANLMFU	ANALMFU
IIANLRC	ANALREC
IIANLYFU	ANALYFU
IIBORNUS	BORNINUS
IICD2DFU	CIGDLMFU
	CIGDLYFU
IICD2MFU	CIGDLMFU
IICD2YFU	CIGDLYFU
IICDUAGE	CIGAGE
IICGRAGE	CIGARTRY
IICGRDFU	CIGARTRY
IICGRFM	CGR30USE
IICGRMFU	CIGARMFU
IICGRRC	CIGARREC
IICGRYFU	CIGARYFU
IICHMPUS	CHAMPUS
IICHWAGE	CHEWTRY
IICHWDFU	CHEWTRY
IICHWFM	CHW30USE
IICHWMFU	CHEWMFU

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
IICHWRC	CHEWREC
IICHWYFU	CHEWYFU
IICIGAGE	CIGTRY
IICIGDFU	CIGTRY
IICIGFM	CIG30USE
IICIGMFU	CIGMFU
IICIGRC	CIGREC
IICIGYFU	CIGYFU
IICOCAGE	COCAGE
IICOCDFU	AGE
	IRCOCAGE
	IRCOCFM
	IRCOCFY
	IRCOCMFU
	IRCOCRC
	IRCOCYFU
IICOCFM	CC30EST
	COCUS30A
IICOCFY	COCYRTOT
IICOCMFU	COCMFU
IICOCRC	COCREC
IICOCYFU	COCYFU
IICRKAGE	CRKAGE
IICRKDFU	AGE
	IRCRKAGE
	IRCRKFM
	IRCRKFY
	IRCRKMFU
	IRCRKRC
	IRCRKYFU
IICRKFM	CR30EST
	CRKUS30A
IICRKFY	CRKYRTOT
IICRKMFU	CRKMFU
IICRKRC	CRAKREC
IICRKYFU	CRKYFU
IIECSAGE	ECSAGE

VARIABLE	Parent
IIECSDFU	AGE
	IRECSAGE
	IRECSMFU
	IRECSRC
	IRECSYFU
IIECSMFU	ECSMFU
IIECSRC	ECSREC
IIECSYFU	ECSYFU
IIEDUC	EDUC
IIEPST4	AGE
	IIEPSTY
IIEPSTY	JBSTATR
	WRKHRSUS
IIFAMIN1	FAMINC1
IIFAMIN2	FAMINC2
IIFAMPMT	FAMPMT
IIFAMSKP	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5

VARIABLE	Parent
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
IIFAMSOC	FAMSOC
IIFAMSSI	FAMSSI
IIFAMSVC	FAMSVC
IIFAMSZE	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
	TOTPEOP
IIFAMWAG	FAMWAG
IIFINC1	FINC1
	IRFAMSKP
IIFINC2	FINC2

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRFAMSKP
IIFMLYSZ	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
	TOTPEOP
IIFSTAMP	FSTAMP
IIHALAGE	HALLAGE
IIHALDFU	AGE
	HALLAGE
	IRHALAGE
	IRHALFM
	IRHALMFU
	IRHALRC
	IRHALYFU
IIHALFM	HL30EST

VARIABLE	Parent
IIHALFY	HALYRTOT
IIHALMFU	HALMFU
IIHALRC	HALLREC
IIHALYFU	HALYFU
IIHCSPSP	HCSPSP
IIHCSPWC	HCSPSPWC
IIHERAGE	HERAGE
IIHERDFU	AGE
	HERAGE
	IRHERAGE
	IRHERFM
	IRHERFY
	IRHERMFU
	IRHERRC
	IRHERYFU
IIHERFM	HER30USE
IIHERFY	HERYRTOT
IIHERMFU	HERMFU
IIHERRC	HERREC
IIHERYFU	HERYFU
IIHH65	HH65
IIHHSIZE	TOTPEOP
IIHPCC14	HCPCC14
IIHPCC17	HCPCC17
IIHPCC20	HCPCC20
IIHPCP14	HCPCP14
IIHPCP17	HCPCP17
IIHPCP20	HCPCP20
IIHS1417	HCS1417
IIHS1725	HCS1725
IIINHAGE	INHAGE
IIINHDFU	INHAGE
IIINHFM	IN30EST
	INH30A
IIINH FY	INHYRTOT
IIINHMFU	INHMFU
IIINHRC	INHREC

VARIABLE	Parent
IIINH FY	INHYFU
IIINSUR	INSUR
IIINSUR3	INSUR3
IIINSUR4	IRCHMPUS
	IRMCDCHP
	IRMEDICR
	IROTHHLT
	IRPRVHLT
IIKDFMLY	KID17
	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
	TOTPEOP
IIKID17	KID17
IIKIDFAM	KID17

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
	TOTPEOP
IILSDAGE	LSDAGE
IILSDDFU	AGE
	IRLSDAGE
	IRLSDMFU
	IRLSDRC
	IRLSDYFU
IILSDMFU	LSDMFU
IILSDRC	LSDREC
IILSDYFU	LSDYFU
IIMARIT	AGE
	MARITAL

VARIABLE	Parent
IIMCDCHP	CAIDCHIP
IIMEDICR	MEDICARE
IIMJAGE	MJAGE
IIMJDFU	MJAGE
IIMJFM	MJDAY30A
	MR30EST
IIMJFY	MJYRTOT
IIMJMFU	MJMFU
IIMJRC	MJREC
IIMJYFU	MJYFU
IIMPCC14	MCPCC14
IIMPCC17	MCPCC17
IIMPCC20	MCPCC20
IIMPCC57	MCPCC57
IIMPCP14	MCPCP14
IIMPCP17	MCPCP17
IIMPCP20	MCPCP20
IIMPCP57	MCPCP57
IIMS1417	MCS1417
IIMS1714	MCS1714
IIMS1725	MCS1725
IIMS2517	MCS2517
IIMTHAGE	METHAGE
IIMTHDFU	AGE
	IRMTHAGE
	IRMTHFY
	IRMTHMFU
	IRMTHRC
	IRMTHYFU
IIMTHFY	MTHYRTOT
IIMTHMFU	METHMFU
IIMTHRC	METHREC
IIMTHYFU	METHYFU
IIOTHHLT	ANYHLTIN
	CAIDCHIP
	CHAMPUS
	IRCHMPUS

VARIABLE	Parent
	IRMCDCHP
	IRMEDICR
	IRPRVHLT
	MEDICARE
	PRVHLTIN
IIOXYAGE	OXYCAGE
IIOXYDFU	AGE
	IROXYAGE
	IROXYFY
	IROXYMFU
	IROXYRC
	IROXYFYFU
IIOXYFY	OXYRTOT
IIOXYMFU	OXYCMFU
IIOXYRC	OXYCREC
IIOXYFYFU	OXYCYFU
IIPCPAGE	PCPAGE
IIPCPDFU	AGE
	IRPCPAGE
	IRPCPMFU
	IRPCPRC
	IRPCPYFU
IIPCPMFU	PCPMFU
IIPCPRC	PCPREC
IIPCPYFU	PCPYFU
IIPINC1	PINC1
IIPINC2	PINC2
IIPINSUR	PINSUR
IIPPLF	PIPEVER
IIPPMN	PIPE30DY
IIPRREL	PAIRREL
IIPRVHLT	PRVHLTIN
IISEDAGE	SEDAGE
IISEDDFU	AGE
	IRSEDAGE
	IRSEDFY
	IRSEDMFU

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRSEDR
	IRSEDYFU
IISEDYF	SEDYRTOT
IISEDMFU	SEDMFU
IISEDRC	SEDREC
IISEDYFU	SEDYFU
IISLTAGE	CHEWTRY
	SLTTRY
	SNUFTRY
IISLTDFU	CHEWTRY
	SLTTRY
	SNUFTRY
IISLTMFU	CHEWMFU
	SLTMFU
	SNUFMFU
IISLTRC	CHEWREC
	SLTREC
	SNFREC
IISLTYFU	CHEWYFU
	SLTYFU
	SNUFYFU
IISNFAGE	SNUFTRY
IISNFDFU	SNUFTRY
IISNFFM	SNF30USE
IISNFMFU	SNUFMFU
IISNFR	SNFREC
IISNFYFU	SNUFYFU
IISTMAGE	STIMAGE
IISTMDFU	AGE
	IRSTMAGE
	IRSTMFY
	IRSTMMFU
	IRSTMRC
	IRSTMYFU
IISTMFY	STMYRTOT
IISTMMFU	STIMMFU
IISTMRC	STIMREC

VARIABLE	Parent
IISTMYFU	STIMYFU
IITRNAGE	TRANAGE
IITRNDFU	AGE
	IRTRNAGE
	IRTRNFY
	IRTRNMFU
	IRTRNRC
	IRTRNYFU
IITRNFY	TRNYRTOT
IITRNMFU	TRANMFU
IITRNRC	TRANREC
IITRNYFU	TRANYFU
IIWELMOS	WELMOS
ILLNEED	ABUSEILL
	DEPNDILL
	SPECTILL
ILLPCAID	TXLTILL2
	TXPCAID2
ILLPCARE	TXLTILL2
	TXPCARE2
ILLPCORT	TXLTILL2
	TXPCORT2
ILLPEMPL	TXLTILL2
	TXPEMPL2
ILLPFMLY	TXLTILL2
	TXPFMLY2
ILLPINS	TXLTILL2
	TXPINS2
ILLPMILC	TXLTILL2
	TXPMILC2
ILLPPUBP	TXLTILL2
	TXPPUBP2
ILLPSAVE	TXLTILL2
	TXPSAVE2
ILLTRMT	TXYRADG
IMGBF12	IRENTAG2
IMGBFMRJ	IRENTAG2

VARIABLE	Parent
	IRMJAGE
IMOTHER	FRELAT10
	FRELAT11
	FRELAT12
	FRELAT13
	FRELAT14
	FRELAT15
	FRELAT16
	FRELAT17
	FRELAT18
	FRELAT19
	FRELAT20
	FRELAT21
	FRELAT22
	FRELAT23
	FRELAT24
	FRELAT25
	FRELATO2
	FRELATO3
	FRELATO4
	FRELATO5
	FRELATO6
	FRELATO7
	FRELATO8
	FRELATO9
	FRELATON
	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
IMPAIR	WHODAS
IMPCONCN	LICONCEN
IMPDYFRQ	IMDAYS
IMPGOUT	LIGOOUT1
IMPGOUTM	LIGOOUT2
IMPHHLD	LIHHRES1
IMPHHLDM	LIHHRES2
IMPPEOP	LISTRAN1
IMPPEOPM	LISTRAN2
IMPREMEM	LIREMEM
IMPRES	LIWKRES1
IMPRESM	LIWKRES2
IMPSOC	LISOC1
IMPSOCM	LISOC2
IMPWEEKS	IMWEEK1
IMPWORK	LIWKQUIC
IMPYDAYS	LIAD68
IN30EST	IN06DKRE
	IN30EST
INBSTWAY	INFRAME3
INCOME	IRFAMIN2
INCOME5	IRFAMIN2
INDAYPMO	INMONAVE

VARIABLE	Parent
INDAYPWK	INWKAVE
INDAYPYR	INYRAVE
INFRAME3	INFRAME3
INHAGE	IN02
	INHAGE
INHAGLST	LU16
INHCUTDN	DRIN08
INHCUTEV	DRIN09
INHDIY30A	IN06
	INHDIY30A
INHEMCTD	DRIN14
INHEMOPB	DRIN13
INHEVER	INREF
INHFLAG	IRINHRC
INHFMCTD	DRIN22
INHFMFPB	DRIN21
INHFTYR	IRINHDFU
	IRINHMFU
	IRINHYFU
	RECINH2
	RECSUM3
INHGTOVR	DRIN02
INHKLPLMT	DRIN05
INHLOWTR	DRIN20
INHLIMIT	DRIN04
INHLOTTM	DRIN01
INHLSACT	DRIN17
INHLSSEFX	DRIN07
INHMDAYS	IRINHFM
INHMFU	IN03C
	IN03D
INHMLU	LU16C
	LU16D
INHMON	IRINHRC
INHNDMOR	DRIN06
INHNEWA	IN01SC1
INHNEWB	IN01SC2

VARIABLE	Parent
INHNEWC	IN01SC3
INHNEWD	IN01SC4
INHNEWE	IN01SC5
INHNLST	IN01L
INHOSPYR	HLTH04
INHDPDANG	DRIN19
INHPHCTD	DRIN16
INHPHLPB	DRIN15
INHREC	INHREC
	INLAST
	INRECDK
	INRECRE
INHSERPB	DRIN18
INHYDAYS	IRINHFIY
INHYFU	IN03A
	IN03B
	IN03C
INHLYU	LU16A
	LU16B
	LU16C
INHYR	IRINHRC
INHYRTOT	INHYRTOT
	TOTINHAL
INLAST	INLAST
INMONAVE	INMONAVE
INRECDK	INRECDK
INRECRE	INRECRE
INSUR	CHAMPUS
	MEDICARE
	PINSUR
INSUR3	CAIDCHIP
	CHAMPUS
	MEDICARE
	PINSUR
INTATHOM	FIDBF01
INTATWHR	FIDBF02
INTDATE	INTDATE

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
INWKAVE	INWKAVE
INYRAVE	INYRAVE
IONAMIN	ST04A06
IONAMIN2	IONAMIN
	STMCARD
IRALCAGE	ALCTRY
IRALCD5	DR5DAY
IRALCDFU	ALCTRY
IRALCFM	ALCDAYS
IRALCFY	ALCYRTOT
IRALCMFU	ALCMFU
IRALCRC	ALCREC
IRALCYFU	ALCYFU
IRANLAGE	ANALAGE
IRANLDFU	AGE
	IRANLAGE
	IRANLMFU
	IRANLRC
	IRANLYFU
IRANLFY	ANLYRTOT
IRANLMFU	ANALMFU
IRANLRC	ANALREC
IRANLYFU	ANALYFU
IRBORNUS	BORNINUS
IRCD2DFU	CIGDLMFU
	CIGDLYFU
IRCD2MFU	CIGDLMFU
IRCD2YFU	CIGDLYFU
IRCDUAGE	CIGAGE
IRCGRAGE	CIGARTRY
IRCGRDFU	CIGARTRY
IRCGRFM	CGR30USE
IRCGRMFU	CIGARMFU
IRCGRRC	CIGARREC
IRCGRYFU	CIGARYFU
IRCHMPUS	CHAMPUS
IRCHWAGE	CHEWTRY

VARIABLE	Parent
IRCHWDFU	CHEWTRY
IRCHWFM	CHW30USE
IRCHWMFU	CHEWMFU
IRCHWRC	CHEWREC
IRCHWYFU	CHEWYFU
IRCIGAGE	CIGTRY
IRCIGDFU	CIGTRY
IRCIGFM	CIG30USE
IRCIGMFU	CIGMFU
IRCIGRC	CIGREC
IRCIGYFU	CIGYFU
IRCOCAGE	COCAGE
IRCOCDFU	AGE
	IRCOCAGE
	IRCOCFM
	IRCOCFY
	IRCOCMFU
	IRCOCRC
	IRCOCYFU
IRCOCFM	CC30EST
	COCUS30A
IRCOCFY	COCYRTOT
IRCOCMFU	COCMFU
IRCOCRC	COCREC
IRCOCYFU	COCYFU
IRCRKAGE	CRKAGE
IRCRKDFU	AGE
	IRCRKAGE
	IRCRKFM
	IRCRKFY
	IRCRKMFU
	IRCRKRC
	IRCRKYFU
IRCRKFM	CR30EST
	CRKUS30A
IRCRKFY	CRKYRTOT
IRCRKMFU	CRKMFU

VARIABLE	Parent
IRCRKRC	CRAKREC
IRCRKYFU	CRKYFU
IRECSAGE	ECSAGE
IRECSDFU	AGE
	IRECSAGE
	IRECSMFU
	IRECSRC
	IRECSYFU
IRECSMFU	ECSMFU
IRECSRC	ECSREC
IRECSYFU	ECSYFU
IREDC	EDUC
IRFAMIN1	FAMINC1
	IRFINC1
	IRPINC1
IRFAMIN2	FAMINC2
	IRFINC2
	IRPINC2
IRFAMPMT	FAMPMT
	IROFMPMT
	IRPPMT
IRFAMSKP	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
IRFAMSOC	FAMSOC
	IROFMSOC
	IRPSOC
IRFAMSSI	FAMSSI
	IROFMSSI
	IRPSSI
IRFAMSVC	FAMSVC
	IROFMSVC
	IRPSVC
IRFAMSZE	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3

VARIABLE	Parent
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
	TOTPEOP
IRFAMWAG	FAMWAG
	IROFMWAG
	IRPWAG
IRFINC1	FINC1
	IRFAMSKP
IRFINC2	FINC2
	IRFAMSKP
IRFMLYSZ	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7

VARIABLE	Parent
	ROSRLT8
	ROSRLT9
	TOTPEOP
IRFSTAMP	FSTAMP
IRHALAGE	HALLAGE
IRHALDFU	AGE
	HALLAGE
	IRHALAGE
	IRHALFM
	IRHALMFU
	IRHALRC
	IRHALYFU
IRHALFM	HL30EST
IRHALFY	HALYRTOT
IRHALMFU	HALMFU
IRHALRC	HALLREC
IRHALYFU	HALYFU
IRHCSPSP	HCSPSP
IRHCSPWC	HCSPSPWC
IRHERAGE	HERAGE
IRHERDFU	AGE
	HERAGE
	IRHERAGE
	IRHERFM
	IRHERFY
	IRHERMFU
	IRHERRC
	IRHERYFU
IRHERFM	HER30USE
IRHERFY	HERYRTOT
IRHERMFU	HERMFU
IRHERRC	HERREC
IRHERYFU	HERYFU
IRHH65	HH65
IRHHSIZE	TOTPEOP
IRHOGRP4	ASIAHISP
	IRHOIND

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	QD041
	QD042
	QD043
	QD044
	QD045
	QD04HISP
	QD05HISP
IRHPCC14	HCPCC14
IRHPCC17	HCPCC17
IRHPCC20	HCPCC20
IRHPCP14	HCPCP14
IRHPCP17	HCPCP17
IRHPCP20	HCPCP20
IRHS1417	HCS1417
IRHS1725	HCS1725
IRINHAGE	INHAGE
IRINHDFU	INHAGE
IRINHFM	IN30EST
	INHDI30A
IRINHFI	INHYRTOT
IRINHMFI	INHMFI
IRINHRC	INHREC
IRINHYFU	INHYFU
IRINSUR	INSUR
IRINSUR3	INSUR3
IRINSUR4	IRCHMPUS
	IRMCDCHP
	IRMEDICR
	IROTHHLT
	IRPRVHLT
IRKDFMLY	KID17
	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14

VARIABLE	Parent
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
	TOTPEOP
IRKID17	KID17
IRKIDFAM	KID17
	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22

VARIABLE	Parent
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6
	ROSRLT7
	ROSRLT8
	ROSRLT9
	TOTPEOP
IRLSDAGE	LSDAGE
IRLSDDFU	AGE
	IRLSDAGE
	IRLSDMFI
	IRLSDRC
	IRLSDYFU
IRLSDMFI	LSDMFI
IRLSDRC	LSDREC
IRLSDYFU	LSDYFU
IRMARIT	AGE
	MARITAL
IRMCDCHP	CAIDCHIP
IRMEDICR	MEDICARE
IRMJAGE	MJAGE
IRMJDFU	MJAGE
IRMJFM	MJDAY30A
	MR30EST
IRMJFI	MJYRTOT
IRMJMFU	MJMFU
IRMJRC	MJREC
IRMJYFU	MJYFU
IRMTHAGE	METHAGE
IRMTHDFU	AGE
	IRMTHAGE
	IRMTHFI
	IRMTHMFU

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRMTHRC
	IRMTHYFU
IRMTHFY	MTHYRTOT
IRMTHMFU	METHMFU
IRMTHRC	METHREC
IRMTHYFU	METHYFU
IROTHHLT	ANYHLTIN
	CAIDCHIP
	CHAMPUS
	IRCHMPUS
	IRMCDCHP
	IRMEDICR
	IRPRVHLT
	MEDICARE
	PRVHLTIN
IROXYAGE	OXYCAGE
IROXYDFU	AGE
	IROXYAGE
	IROXYFY
	IROXYMFU
	IROXYRC
	IROXYFU
IROXYFY	OXYRTOT
IROXYMFU	OXYCMFU
IROXYRC	OXYCREC
IROXYFU	OXYCYFU
IRPCPAGE	PCPAGE
IRPCPDFU	AGE
	IRPCPAGE
	IRPCPMFU
	IRPCPRC
	IRPCPYFU
IRPCPMFU	PCPMFU
IRPCPRC	PCPREC
IRPCPYFU	PCPYFU
IRPINC1	PINC1
IRPINC2	PINC2

VARIABLE	Parent
IRPINSUR	PINSUR
IRPIPLF	PIPEVER
IRPIPMN	PIPE30DY
IRPRVHLT	PRVHLTIN
IRSEDAGE	SEDAGE
IRSEDDFU	AGE
	IRSEDAGE
	IRSEDFY
	IRSEDMFU
	IRSEDRC
	IRSEDYFU
IRSEDFY	SEDYRTOT
IRSEDMFU	SEDMFU
IRSEDRC	SEDREC
IRSEDYFU	SEDYFU
IRSLTAGE	CHEWTRY
	SLTRY
	SNUFTRY
IRSLTDFU	CHEWTRY
	SLTRY
	SNUFTRY
IRSLTMFU	CHEWMFU
	SLTMFU
	SNUFMFU
IRSLTRC	CHEWREC
	SLTREC
	SNFREC
IRSLTYFU	CHEWYFU
	SLTYFU
	SNUFYFU
IRSNFAGE	SNUFTRY
IRSNFDFU	SNUFTRY
IRSNFFM	SNF30USE
IRSNFMFU	SNUFMFU
IRSNFRC	SNFREC
IRSNFYFU	SNUFYFU
IRSTMAGE	STIMAGE

VARIABLE	Parent
IRSTMDFU	AGE
	IRSTMAGE
	IRSTMFY
	IRSTMMFU
	IRSTMRC
	IRSTMYFU
IRSTMFY	STMYRTOT
IRSTMMFU	STIMMFU
IRSTMRC	STIMREC
IRSTMYFU	STIMYFU
IRTRNAGE	TRANAGE
IRTRNDFU	AGE
	IRTRNAGE
	IRTRNFY
	IRTRNMFU
	IRTRNRC
	IRTRNYFU
IRTRNFY	TRNYRTOT
IRTRNMFU	TRANMFU
IRTRNRC	TRANREC
IRTRNYFU	TRANYFU
IRWELMOS	IRFAMPMT
	IRFAMSVC
	WELMOS
K6SCMAX	DSTWORST
	K6SCMON
	K6SCYR
K6SCMON	DSTCHR30
	DSTEFF30
	DSTHOP30
	DSTNGD30
	DSTNRV30
	DSTRST30
K6SCYR	DSTCHR12
	DSTEFF12
	DSTHOP12
	DSTNGD12

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	DSTNRV12
	DSTRST12
KETAMINE	SD23A
KETAREC	SD28
KID17	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
KIDS	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16

VARIABLE	Parent
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
KLONOP12	KLONOPIN
KLONOPIN	TR01
LANGVER	LANGVER
LASTTXSP	TXLTMYN
LFSCHWHY	QD24
	QD24SC
LFTSCHAG	QD25
LGAS	IN01G
LGAS2	LGAS
LIBRIUM	TR04A05
LIBRIUM2	LIBRIUM
	TRNCARD
LIFANXD	CHKLST01
LIFASMA	CHKLST02
LIFBRONC	CHKLST03
LIFCIRR	CHKLST04
LIFDEPRS	CHKLST05
LIFDIAB	CHKLST06
LIFHARTD	CHKLST07
LIFHBP	CHKLST09

VARIABLE	Parent
LIFHEPAT	CHKLST08
LIFHIV	CHKLST10
LIFLUNCA	CHKLST11
LIFNONE	CHKLST21
LIFPANCRA	CHKLST12
LIFPNEU	CHKLST13
LIFSINUS	CHKLST15
LIFSLPAP	CHKLST16
LIFSTDS	CHKLST14
LIFSTROK	CHKLST17
LIFTINN	CHKLST18
LIFTUBRC	CHKLST19
LIFULCER	CHKLST20
LIMBTRL2	LIMBTROL
	TRNCARD
LIMBTROL	TR04A06
LIVST2YA	QD13B
LIVSTYRA	QD13A
LIVUS1YR	QD16A
LIVUSMOS	QD16C
LIVUSYRS	QD16B
LMIYR	AMIYR
	SMMIYR
LOCDOC	TXYRDOC
LOCHOSP	TXYRHOSP
LOCJAIL	TXYRJAIL
LOCMHC	TXYRMHC
LOCRFIN	TXYRRFIN
LOCRFOP	TXYRRFOP
LOCSHG	TXYRSHG
LOCSIZE	QD42
LOCTXER	TXYRTXER
LS10	LS10
LS16	LS16
LS22	LS22
LSD	LS01A
	LSREF1

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
LSDAGE	LS05
	LSDAGE
LSDAGLST	LU13
LSDFLAG	IRLSDRC
LSDFSTYR	IRLSDDFU
	IRLSDMFU
	IRLSDYFU
	RECLSD2
	RECSUM3
LSDMFU	LS08
	LS09
LSDMLU	LU13C
	LU13D
LSDMON	IRLSDRC
LSDREC	LS10
	LSDREC
LSDYFU	LS06
	LS07
	LS08
LSDYLU	LU13A
	LU13B
	LU13C
LSDYR	IRLSDRC
LSFRAME3	LSFRAME3
LSLAST	LSLAST
LSMONAVE	LSMONAVE
LSRECDK	LSRECDK
LSRECRE	LSRECRE
LSWKAVE	LSWKAVE
LSYRAVE	LSYRAVE
LUNCALIF	LIFLUNCA
LUNCAYR	YRLUNCA
M15_44	AGE
	IRSEX
M18_49	AGE
	IRSEX
MARITAL	QD07

VARIABLE	Parent
MAZANOR	ST04A07
MAZANOR2	MAZANOR
	STMCARD
MAZINDOL	MAZANOR2
	SANOREX2
MDEIMPY	YMDEYR
	YSDSOVRL
MEDICARE	MEDICARE
	QHI01
	QHI01V
MEDMJUSE	SP09
MEPROB	TR04A07
MEPROB2	MEPROB
	TRNCARD
MEPROBPD	EQUANIL2
	MEPROB2
	MILTOWN2
	TRNEWA
	TRNEWB
	TRNEWC
	TRNEWD
	TRNEWE
MESC	LS01D
MESC2	MESC
METHAGE	METHAGE
	ST14
METHAQ	SV01
METHAQ2	METHAQ
METHDES	ST01
	STREF1
METHDES2	METHDES
METHDEXM	RITMPHE2
	STIMNEWA
	STIMNEWB
	STIMNEWC
	STIMNEWD
	STIMNEWE

VARIABLE	Parent
METHDON	PR04A07
METHDON2	ANLCARD
	METHDON
METHMFU	ST17
	ST18
	STCC26A
METHMLU	LU20C
	LU20D
METHREC	METHREC
	ST19
METHYFU	ST15
	ST16
	ST17
	STCC26
METHYLU	LU20A
	LU20B
	LU20C
MHASPTR2	AMHTXRC3
	CATAG18
	SPILLALC
MHLCLNC2	AMHOUTP3
	AUOPCLNC
MHLDOC2	AMHOUTP3
	AUOPDOC
MHLDTMT2	AMHOUTP3
	AUOPDTMT
MHLMNT2	AMHOUTP3
	AUOPMENT
MHLOTH2	AMHOUTP3
	AUOPOTOP
	AUOPYRSP
MHLSCHL2	AMHOUTP3
	AUOPOTOP
	AUOPYRSP
MHLTHER2	AMHOUTP3
	AUOPTHER
MHNSPTR2	AMHTXRC3

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	CATAG18
	SPILLALC
MHOSPTR2	AMHTXRC3
	CATAG18
	SPILLALC
MHPDEMP2	AMHOUTP3
	AUPOPEMP
MHPDFRE2	AMHOUTP3
	AUPOPFRE
MHPDMCD2	AMHOUTP3
	AUOPMCD
MHPDMCR2	AMHOUTP3
	AUOPMCR
MHPDMIL2	AMHOUTP3
	AUOPMIL
MHPDOFM2	AMHOUTP3
	AUPOPOFM
MHPDPHI2	AMHOUTP3
	AUOPPHI
MHPDPRV2	AMHOUTP3
	AUOPPRV
MHPDPUB2	AMHOUTP3
	AUOPPUB
MHPDREH2	AMHOUTP3
	AUOPPREH
MHPDSL2F2	AMHOUTP3
	AUOPSLF
MHRCFID2	AMHTXND2
	AUUNCFID
MHRCMIT2	AMHTXND2
	AUUNCMIT
MHRCOST2	AMHTXND2
	AUUNCOST
MHRENUF2	AMHTXND2
	AUUNENUF
MHRFOUT2	AMHTXND2
	AUUNFOUT

VARIABLE	Parent
MHRHAND2	AMHTXND2
	AUUNHNDL
MHRJOBS2	AMHTXND2
	AUUNJOB
MHRNBR2S	AMHTXND2
	AUUNNBR
MHRNCOV2	AMHTXND2
	AUUNNCOV
MHRNOHP2	AMHTXND2
	AUUNNHLP
MHRNOND2	AMHTXND2
	AUUNNOND
MHRSO2H2	AMHTXND2
	AUUNRIMP
	AUUNSOR
MHRTIME2	AMHTXND2
	AUUNBUSY
MHRTRAN2	AMHTXND2
	AUUNNTSP
MHRWHER2	AMHTXND2
	AUUNWHER
MHSUIHOS	MHSUIMED
	SUICHOSP
MHSUIMED	MHSUITRY
	SUICMED
MHSUIPLN	MHSUITHK
	SUICPLAN
MHSUITHK	SUIC2HKN
MHSUITRY	MHSUITHK
	SUICTRY
MILSTAT	QD10
MILTOWN	TR04A08
MILTOWN2	MILTOWN
	TRNCARD
MI_CAT	LMIYR
	MMIYR
	SMIYR

VARIABLE	Parent
MJAFU	IRMJAGE
MJAGE	MJ02
	MJAGE
MJDAY30A	MJ06
	MJDAY30A
MJEVER	MJ01
	MJREF
MJFRAME3	MJFRAME3
MJLAST3	MJLAST3
MJMFU	MJ03C
	MJ03D
MJMONAVE	MJMONAVE
MJOFLAG	ANLFLAG
	COCFLAG
	HALFLAG
	HERFLAG
	INHFLAG
	MRJFLAG
	SEDFLAG
	STMFLAG
	TRQFLAG
MJOMON2	ANL2MON
	COC2MON
	HAL2MON
	HER2MON
	INH2MON
	MRJ2MON
	SED2MON
	STM2MON
	TRQ2MON
MJOYR2	ANLYR
	COCYR
	HALYR
	HERYR
	INHYR
	MRJYR
	SEDYR

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	STMYR
	TRQYR
MJPBTFRM	MMBUYWHO
MJPBTPL2	MMBPLACE
	MMBPLOSP
	MMBTPYR
	MMGETMJ
MJPFREGT	MMFREWHO
MJPFRL2	MMBTPYR
	MMFPLACE
	MMFPLOSP
	MMGETMJ
	MMTRADE
MJPGOT	MMGETMJ
MJPRIOR	MRJYRBFR
MJPRIYR	MJPRIOR
	MRJYR
MJPRNOYR	MJPRIOR
	MRJYR
MJREC	MJLAST3
	MJREC
	MJRECDK
	MJRECRE
MJRECDK	MJRECDK
MJRECRE	MJRECRE
MJWKAVE	MJWKAVE
MJYFU	MJ03A
	MJ03B
	MJ03C
MJYRAVE	MJYRAVE
MJYRTOT	MJYRTOT
	TOTMJ
MMBATJOB	MJE28
MMBCLOSE	MJE29
MMBGIVE	MJE31
MMBPLACE	MJE27
MMBPLOSP	MJE27SC

VARIABLE	Parent
MMBSELL	MJE30
MMBT30DY	MJE05
MMBTPYR	MJE03
MMBTREC1	MJE02
MMBTREC2	MJE04
MMBUYWHO	MJE26
MMFCLOSE	MJE67
MMFGIVE	MJE70
MMFKEEP	MJE68
MMFPLACE	MJE66
MMFPLOSP	MJE66SC
MMFREWHO	MJE65
MMFSELL	MJE69
MMGETMJ	MJE01
MMGGIVE	MJE64
MMGKEEP	MJE62
MMGSELL	MJE63
MMIYR	SMIYR
	SMMIYR
MMJNPCAT	MJE08
	MJE09
	MJE10
	MJE11
	MJE12
	MJE13
MMJNPCTB	MJE08
MMJNTLOO	MJE06
MMJNTNUM	MJE07
MMLS10GM	MJE16
MMLS5LBS	MJE19
MMLSGMS	MJE15
MMLSLBS	MJE18
MMLSOZS	MJE17
MMLSPCAT	MJE20
	MJE21
	MJE22
	MJE23

VARIABLE	Parent
	MJE24
	MJE25
MMLSPCTB	MJE20
MMLSUNIT	MJE14
MMT30FRQ	MJE35
MMTCLOSE	MJE58
MMTGIVE	MJE61
MMTJNTLS	MJE36
MMTJNTNM	MJE37
MMTJWRCB	MJE38
MMTJWRTH	MJE38
	MJE39
	MJE40
	MJE41
	MJE42
	MJE43
MMTKEEP	MJE59
MMTL10GM	MJE46
MMTL5LBS	MJE49
MMTLGMS	MJE45
MMTLLBS	MJE48
MMTLOZS	MJE47
MMTLUNIT	MJE44
MMTLWRCB	MJE50
MMTLWRTH	MJE50
	MJE51
	MJE52
	MJE53
	MJE54
	MJE55
MMTPLACE	MJE57
MMTPLOSP	MJE57SC
MMTRADE	MJE32
MMTRD30D	MJE33
MMTRDREC	MJE34
MMTRDWHO	MJE56
MMTSELL	MJE60

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
MORPHIN2	ANLCARD
	MORPHINE
MORPHINE	PR04A08
MOVESPYR	QD13
MR30EST	MJ06DKRE
	MR30EST
MRBSTWAY	MJFRAME3
MRDAYPMO	MJMONAVE
MRDAYPWK	MJWKAVE
MRDAYPYR	MJYRAVE
MRJAGLST	LU02
MRJCUTDN	DRMJ08
MRJCUTEV	DRMJ09
MRJEMCTD	DRMJ14
MRJEMOPB	DRMJ13
MRJFLAG	IRMJRC
MRJFMCTD	DRMJ22
MRJFMFPB	DRMJ21
MRJFSTYR	IRMJDFU
	IRMJMFU
	IRMJYFU
	RECMJ2
	RECSUM3
MRJGTOVR	DRMJ02
MRJKPLMT	DRMJ05
MRJLAWTR	DRMJ20
MRJLIMIT	DRMJ04
MRJLOTTM	DRMJ01
MRJLSACT	DRMJ17
MRJLSEFX	DRMJ07
MRJMDAYS	IRMJFM
MRJMLU	LU02C
	LU02D
MRJMON	IRMJRC
MRJNDMOR	DRMJ06
MRJPDANG	DRMJ19
MRJPHCTD	DRMJ16

VARIABLE	Parent
MRJPHLPB	DRMJ15
MRJSERP	DRMJ18
MRJYDAYS	IRMJFY
MRJYLU	LU02A
	LU02B
	LU02C
MRJYR	IRMJRC
MRJYRBFR	LU01
MTABSTWY	SDME06
MTADYPMO	SDME08
MTADYPWK	SDME09
MTADYPYR	SDME07
MTANDLRC	SD18B
MTBSTWAY	ST20
MTDAYPMO	MTDAYPMO
	ST22
MTDAYPWK	MTDAYPWK
	ST23
MTDAYPYR	MTDAYPYR
	ST21
MTHAAGE	SDME01
MTHAGLST	LU20
MTHAMFU	SDME04
	SDME05
MTHAMP	SD17A
MTHANEDL	SD18A
MTHAREC	SD17B
MTHAYFU	SDME02
	SDME03
MTHDEAL2	CPNMTHMN
	MTHDEALR
MTHDEALR	LU334
MTHEVCK	SD17A1
	SD17ALT
MTHFFBOT	LU33A2
MTHFFBY2	CPNMTHMN
	MTHFFBOT

VARIABLE	Parent
MTHFFDL2	CPNMTHMN
	MTHFFDLR
MTHFFDLR	LU33A4
MTHFFLAS	LU34A
MTHFFLSP	LU34ASC
MTHFFNET	LU33A5
MTHFFNT2	CPNMTHMN
	MTHFFNET
MTHFFOSP	LU33ASC
MTHFFOT2	CPNMTHMN
	MTHFFOSP
	MTHFFOTH
MTHFFOTH	LU33A6
MTHFFRE2	CPNMTHMN
	MTHFFREE
MTHFFREE	LU33A1
MTHFFTAK	LU33A3
MTHFFTK2	CPNMTHMN
	MTHFFTAK
MTHFLAG	IRMTHRC
MTHFRBUY	LU332
MTHFRBY2	CPNMTHMN
	MTHFRBUY
MTHFRFE2	CPNMTHMN
	MTHFRFRE
MTHFRFRE	LU331
MTHFRTK2	CPNMTHMN
	MTHFRTKE
MTHFRTKE	LU333
MTHGTLAS	LU34
MTHGTOSP	LU34SC
MTHINET	LU335
MTHINET2	CPNMTHMN
	MTHINET
MTHLTSC2	METHREC
	MTHDEALR
	MTHFRBUY

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	MTHFRFRE
	MTHFRTKE
	MTHGTLAS
	MTHGTOSP
	MTHINET
	MTHOTHSP
	MTHOTHWY
MTHMON	IRMTHRC
MTHNEEDL	SD10A
MTHNORSN	SD17A2
MTHNOSP	SD17ASC
MTHOTHSP	LU33SC
MTHOTHW2	CPNMTHMN
	MTHINET
	MTHOTHSP
MTHOTHWY	LU336
MTHSRCFR	MTHFFBOT
	MTHFFDLR
	MTHFFNET
	MTHFFOSP
	MTHFFOTH
	MTHFFREE
	MTHFFTAK
	MTHGTLAS
	MTHGTOSP
MTHYR	IRMTHRC
MTNDLREC	SD10B
MUSCRELX	FLEXERL2
	SOMA2
	TRNEWA
	TRNEWB
	TRNEWC
	TRNEWD
	TRNEWE
MVIN5YR2	YEMOV5YR
MXMJPNLT	SP07
MXMJSURE	SP08

VARIABLE	Parent
M_18UP	AGE
	IRSEX
NDEFALC	FLTNDALC
	NDTMREFT
	NDTXEFTR
NDEFIA	FLNDILAL
	NDTMREFT
	NDTXEFTR
NDEFIL	FLTNDILL
	NDTMREFT
	NDTXEFTR
NDMRBUSY	TX23B4
NDMRFOUT	TX23B5
NDMRHNDL	TX23B2
NDMRJOB	TX23A09
NDMRLMCV	TX23A02
NDMRNBR	TX23A08
NDMRNHCV	TX23A01
NDMRNHLP	TX23B3
NDMRNOND	TX23B1
NDMRNTSP	TX23A03
NDMROPEN	TX23A06
NDMRREDY	TX23A05
NDMRRIMP	TX23SC
NDMRSOR	TX23A10
	TX23B6
NDMRTYPE	TX23A04
NDMRWHER	TX23A07
NDSSANSPP	IRCGAVD
	IRCGCRGP
	IRCGCRV
	IRCGINCR
	IRCGINFL
	IRCGIRTB
	IRCGLMR
	IRCGNCG
	IRCGNCTL

VARIABLE	Parent
	IRCGNINF
	IRCGPLN
	IRCGRGDY
	IRCGRGNM
	IRCGRGWK
	IRCGROUT
	IRCGSAT
	IRCGSLHR
NDSSDNSP	NDSSANSPP
NDTMRALC	TX1001
NDTMRANL	TX1007
NDTMRCOC	TX1003
NDTMREFT	TX23
NDTMRHAL	TX1005
NDTMRHER	TX1004
NDTMRINH	TX1006
NDTMRMJ	TX1002
NDTMROTH	TX1011
NDTMRSED	TX1010
NDTMRSTM	TX1009
NDTMRTRN	TX1008
NDTXALCR	TX11
NDTXANLR	TX17
NDTXBUSY	TX22B4
NDTXCOCR	TX13
NDTXDG1R	TX21SC1
NDTXDG2R	TX21SC2
NDTXDG3R	TX21SC3
NDTXDG4R	TX21SC4
NDTXDG5R	TX21SC5
NDTXEFTR	TX22
NDTXFOUT	TX22B5
NDTXHALR	TX15
NDTXHERR	TX14
NDTXHNDL	TX22B2
NDTXINHR	TX16
NDTXJOB	TX22A09

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
NDTXLMCV	TX22A02
NDTXMJR	TX12
NDTXMORE	TX09
NDTXNBR	TX22A08
NDTXNEDR	TX08
NDTXNHCV	TX22A01
NDTXNHLP	TX22B3
NDTXNOND	TX22B1
NDTXNTSP	TX22A03
NDTXOPEN	TX22A06
NDTXREDY	TX22A05
NDTXRIMP	TX22SC
NDTXSEDR	TX20
NDTXSODR	TX21
NDTXSOR	TX22A10
	TX22B6
NDTXSTMR	TX19
NDTXTRNR	TX18
NDTXTYPE	TX22A04
NDTXWHER	TX22A07
NEDCOC	COCNEEDL
NEDFLG01	COCNEEDL
	HERNEEDL
	OTDGNEDL
	STNEEDLR
NEDHER	HERNEEDL
NEDMTH	MTHNEEDL
NEDSTM	STNEEDLR
NEMBBAR2	NEMBBARB
NEMBBARB	SV02
NEWRA1	IRHOIND
	IRNWRACE
NEWRA2	IRHOIND
	IRNWRACE
NILALMON	ALCMON
	SUMMON
NITOXID	IN01H

VARIABLE	Parent
NITOXID2	NITOXID
NMERTMT	HLTH03
NMHSPT2	AMHTXRC3
	CATAG18
	SPILLALC
NMNGTHSP	HLTH05
NOBOOKYR	SP02
	SP03s
NODR30A	AL07
NOMARR	QD08
NRBABIES	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
NRCH0_17	NRBABIES
	NRPRESCH

VARIABLE	Parent
	NRTEENS
	NRYUNGCH
NROLDCH	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
NROLDCH	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
NROOMATE	ROSRLT1
	ROSRLT10
	ROSRLT11
	ROSRLT12
	ROSRLT13
	ROSRLT14
	ROSRLT15
	ROSRLT16
	ROSRLT17
	ROSRLT18
	ROSRLT19
	ROSRLT2
	ROSRLT20
	ROSRLT21
	ROSRLT22
	ROSRLT23
	ROSRLT24
	ROSRLT25
	ROSRLT3
	ROSRLT4
	ROSRLT5
	ROSRLT6

VARIABLE	Parent
	ROSRLT7
	ROSRLT8
	ROSRLT9
NRPRESCH	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
NRTEENS	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17

VARIABLE	Parent
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
NRYUNGCH	ROSAGE1
	ROSAGE10
	ROSAGE11
	ROSAGE12
	ROSAGE13
	ROSAGE14
	ROSAGE15
	ROSAGE16
	ROSAGE17
	ROSAGE18
	ROSAGE19
	ROSAGE2
	ROSAGE20
	ROSAGE21
	ROSAGE22
	ROSAGE23
	ROSAGE24
	ROSAGE25
	ROSAGE3
	ROSAGE4
	ROSAGE5

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSAGE6
	ROSAGE7
	ROSAGE8
	ROSAGE9
NSMIDPA2	ABODILAL
	SPD_UADJ
NSMNDPA2	ABODILAL
	SPD_UADJ
OAPRES	FIDBF085
OARPRES	FIDBF084
OBLA	ST04A08
OBLA2	OBLA
	STMCARD
OBSERVER	OBSERVER
OPRESNSP	FIDBF087
OPRESSPA	FIDB9SC1
OPRESSPB	FIDB9SC2
OSTNEEDL	SD10C
OSTNLREC	SD11
OTDGNDLA	SD05SC1
OTDGNDLB	SD05SC2
OTDGNDLC	SD05SC3
OTDGNDLD	SD05SC4
OTDGNDLE	SD05SC5
OTDGNEDL	SD05
OTHANL	ANLCARD
	ANLNOLST
OTHINS	IRCHMPUS
	IRMEDICR
	IROTHHLT
OTHSED	SEDCARD
	SEDNOLST
OTHSTM	STMCARD
	STMNOLST
OTHTRN	TRNCARD
	TRNOLST
OXBSTWAY	PR20

VARIABLE	Parent
OXDAYPMO	PR22
OXDAYPWK	PR23
OXDAYPYR	PR21
OXYAGLST	LU17E
OXYCAGE	PR14
OXYCMFU	PR17
	PR18
	PRCC22A
OXYCMLU	LU17H
	LU17I
OXYCOP2	ANALNEWA
	ANALNEWB
	ANALNEWC
	ANALNEWD
	ANALNEWE
	OXYFLAG
	PERCTYL2
OXYCONTN	PR04A09
OXYCREC	PR19
OXYCYFU	PR15
	PR16
	PR17
	PRCC22
OXYCYLU	LU17F
	LU17G
	LU17H
OXYFLAG	IROXYRC
OXYFSTYR	IROXYDFU
	IROXYMFU
	IROXYFYFU
	RECOXY2
	RECSUM3
OXYMON	IROXYRC
OXYR	IROXYRC
PAIRRESP	AGE
PAIRSEL	AGE
PANCRLIF	LIFPANC

VARIABLE	Parent
PANCRYR	YRPANCR
PARCHKHW	YEPCHKHW
PARHLPHW	YEPHLPHW
PARLMTSN	YEPLMTSN
PAROL	PAROLREL
PAROLREL	SP05
PARPRES	FIDBF083
PCP	LS01B
	LSREF2
PCPAGE	LS11
	PCPAGE
PCPAGLST	LU14
PCPFLAG	IRPCPRC
PCPFSTYR	IRPCPDFU
	IRPCPMFU
	IRPCPYFU
	RECPCP2
	RECSUM3
PCPMFU	LS14
	LS15
	PCPMFU
PCPMLU	LU14C
	LU14D
PCPMON	IRPCPRC
PCPREC	LS16
	PCPREC
PCPYFU	LS12
	LS13
	LS14
	PCPYFU
PCPYLU	LU14A
	LU14B
	LU14C
PCPYR	IRPCPRC
PDEN	PDEN
PDEN2	PDEN2
PERCTYL2	PERCTYLX

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
PERCTYLX	PR02
PEYOTE	LS01C
PEYOTE2	PEYOTE
PHENCOD	PR04A10
PHENCOD2	ANLCARD
	PHENCOD
PHENOBAR	SV04A6
PHENOBR2	PHENOBAR
	SEDCARD
PINC1	QI20
	QI20N
PINC2	QI21A
	QI21B
PINSUR	PRVHLTIN
PIPE30DY	CG43
	PIPE30DY
PIPEVER	CG42
	CGREF5
	PIPEVER
PIPFLAG	IRPIPLF
PIPMON	IRPIPMN
PLACIDY2	PLACIDYL
	SEDCARD
PLACIDYL	SV04A7
PLACNAME	PLACNAME
PLCYCOV	QD44
PLEGINE	ST04A09
PLEGINE2	PLEGINE
	STMCARD
PNEULIF	LIFPNEU
PNEUYR	YRPNEU
POVERTY2	IRFAMIN2
	IRFMLYSZ
	IRKDFMLY
PPRES	FIDBF081
PR09	PR09
PR10	PR10

VARIABLE	Parent
PR11	PR11
PR12	PR12
PR13	PR13
PR19	PR19
PR20	PR20
PR21	PR21
PR22	PR22
PR23	PR23
PRALDLY2	YEGALDLY
PRBSOLV2	YEPBRLSV
PRBSTWAY	PR10
	PR10A
PRCHORE2	YEPCHORE
PRDAYPMO	PR12
	PR12A
	PRDAYPMO
PRDAYPWK	PR13
	PR13A
	PRDAYPWK
PRDAYPYR	PR11
	PR11A
	PRDAYPYR
PREG	AGE1
	IRSEX
	PREGNANT
PREG2	AGE1
	IRSEX
	PREGNANT
PREGAGE2	AGE
PREGMOS	HLTH02
PREGNANT	HLTH01
PREGPGM2	YEPRGSTD
PRELUDIN	ST04A10
PRELUDN2	PRELUDIN
	STMCARD
PREVIOL2	YEVIOPRV
PRGDJOB2	YEPGDJOB

VARIABLE	Parent
PRIVACY	FIDBF07
PRLMTTV2	YEPLMTTV
PRMJEV2	YEGMJEV2
PRMJMO	YEGMJMO
PRNTYP1	FTHRTYPE
	MTHRTYPE
PRNTYP10	FTHRTY10
	MTHRTY10
PRNTYP11	FTHRTY11
	MTHRTY11
PRNTYP12	FTHRTY12
	MTHRTY12
PRNTYP13	FTHRTY13
	MTHRTY13
PRNTYP14	FTHRTY14
	MTHRTY14
PRNTYP15	FTHRTY15
	MTHRTY15
PRNTYP16	FTHRTY16
	MTHRTY16
PRNTYP17	FTHRTY17
	MTHRTY17
PRNTYP18	FTHRTY18
	MTHRTY18
PRNTYP19	FTHRTY19
	MTHRTY19
PRNTYP2	FTHRTYP2
	MTHRTYP2
PRNTYP20	FTHRTY20
	MTHRTY20
PRNTYP3	FTHRTYP3
	MTHRTYP3
PRNTYP4	FTHRTYP4
	MTHRTYP4
PRNTYP5	FTHRTYP5
	MTHRTYP5
PRNTYP6	FTHRTYP6

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	MTHRTYP6
PRNTYP7	FTHRTYP7
	MTHRTYP7
PRNTYP8	FTHRTYP8
	MTHRTYP8
PRNTYP9	FTHRTYP9
	MTHRTYP9
PROB	PROBATON
PROBATON	SP04
PROCODNP	ANALNEWA
	ANALNEWB
	ANALNEWC
	ANALNEWD
	ANALNEWE
	CODEINE2
	DARVTYL2
	PHENCOD2
	PROPOXY2
	SK65A2
PROPOXY	PR04A11
PROPOXY2	ANLCARD
	PROPOXY
PRPKCIG2	YEGPKCIG
PRPROUD2	YEPPROUD
PRRECDK	PRRECDK
PRRECRE	PRRECRE
PRTALK3	YEPRTDNG
PRVDRGO2	YEDGPRGP
PRVHLTIN	PRVHLTIN
	QHI06
PRXABLE2	QP01
PRXHOME2	QP03
PRXJOIN2	QP04
PRXRELAT	QP02
PRXYANS2	HASJOIN
PSILCY	LS01E
PSILCY2	PSILCY

VARIABLE	Parent
PSYAGE2	IRANLAGE
	IRSEDAGE
	IRSTMAGE
	IRTRNAGE
PSYDFU2	IRANLDFU
	IRANLMFU
	IRANLYFU
	IRSEDDFU
	IRSEDMFU
	IRSEDYFU
	IRSTMDFU
	IRSTMMFU
	IRSTMYFU
	IRTRNDFU
	IRTRNMFU
	IRTRNYFU
PSYFLAG2	IRANLRC
	IRSEDRRC
	IRSTMRC
	IRTRNRC
PSYFSTYR	PSYDFU2
	PSYMFU2
	PSYYFU2
	RECPSY3
	RECSUM3
PSYMFU2	IRANLMFU
	IRANLYFU
	IRSEDMFU
	IRSEDYFU
	IRSTMMFU
	IRSTMYFU
	IRTRNMFU
	IRTRNYFU
PSYMON2	IRANLRC
	IRSEDRRC
	IRSTMRC
	IRTRNRC

VARIABLE	Parent
PSYYFU2	IRANLYFU
	IRSEDYFU
	IRSTMYFU
	IRTRNYFU
PSYYR2	IRANLRC
	IRSEDRRC
	IRSTMRC
	IRTRNRC
PXBDAY	PE01
PXBMONTH	PE01
PXBYR	PE01
PXCHALC	PE02C
PXCHCIG	PE02
PXCHCOC	PE02E
PXCHINH	PE02F
PXCHMRJ	PE02D
PXCHSNUF	PE02B
PXDRUGED	PE05C
PXKIDYR	PE03
PXLTLINF	PE05B
PXPRVLRN	PE05D
PXSERDIS	PE04
PXWHATS	PE05A
QD041	QD04
QD042	QD04
QD043	QD04
QD044	QD04
QD045	QD04
QD046	QD04
QD047	QD04
QD04HISP	QD04OTHR
QD04RACE	QD04OTHR
QD051	QD05
QD052	QD05
QD053	QD05
QD054	QD05
QD055	QD05

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
QD056	QD05
QD057	QD05
QD05ASI1	QD05ASIA
QD05ASI2	QD05ASIA
QD05ASI3	QD05ASIA
QD05ASI4	QD05ASIA
QD05ASI5	QD05ASIA
QD05ASI6	QD05ASIA
QD05ASI7	QD05ASIA
QD05HISP	QD05OTHR
QD05RACE	QD05OTHR
QUARTER	QUARTER
QUESTID	QUESTID
RACE4	NEWRACE2
RACEHP	IRNWRACE
RDIFCOC	RKDIFCOC
RDIFCRK	RKDIFCRK
RDIFHER	RKDIFHER
RDIFLSD	RKDIFLSD
RDIFMJ	RSKDIFMJ
RECALC2	ALCYR
	INTDATE
	IRALCDFU
	IRALCMFU
	IRALCYFU
RECANL2	ANLYR
	INTDATE
	IRANLDFU
	IRANLMFU
	IRANLYFU
RECCD2	INTDATE
	IRCD2DFU
	IRCD2MFU
	IRCD2YFU
RECCGR2	CGRYR
	INTDATE
	IRCGRDFU

VARIABLE	Parent
	IRCGRMFU
	IRCGRYFU
RECCIG2	CIGYR
	INTDATE
	IRCIGDFU
	IRCIGMFU
	IRCIGYFU
RECCOC2	COCYR
	INTDATE
	IRCOCDFU
	IRCOCMFU
	IRCOCYFU
RECCRK2	CRKYR
	INTDATE
	IRCRKDFU
	IRCRKMFU
	IRCRKYFU
RECECS2	ECSYR
	INTDATE
	IRECSDFU
	IRECSMFU
	IRECSYFU
RECHAL2	HALYR
	INTDATE
	IRHALDFU
	IRHALMFU
	IRHALYFU
RECHER2	HERYR
	INTDATE
	IRHERDFU
	IRHERMFU
	IRHERYFU
RECIEM3	IEMDFU
	IEMMFU
	IEMYFU
	IEMYR
	INTDATE

VARIABLE	Parent
RECINH2	INHYR
	INTDATE
	IRINHDFU
	IRINHMFU
	IRINHYFU
RECLSD2	INTDATE
	IRLSDDFU
	IRLSDMFU
	IRLSDYFU
	LSDYR
RECMJ2	INTDATE
	IRMJDFU
	IRMJMFU
	IRMJYFU
	MRJYR
RECMTH2	INTDATE
	IRMTHDFU
	IRMTHMFU
	IRMTHYFU
	MTHYR
RECOXY2	INTDATE
	IROXYDFU
	IROXYMFU
	IROXYFU
	OXYR
RECPCP2	INTDATE
	IRPCPDFU
	IRPCPMFU
	IRPCPYFU
	PCPYR
RECPSY3	INTDATE
	PSYDFU2
	PSYMFU2
	PSYYFU2
	PSYYR2
RECS2	INTDATE
	IRSEDDFU

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IRSEDMFU
	IRSEDYFU
	SEDYR
RECSLT2	INTDATE
	IRSLTDFU
	IRSLTMFU
	IRSLTYFU
	SMKYR
RECSTM2	INTDATE
	IRSTMDFU
	IRSTMMFU
	IRSTMYFU
	STMYR
RECSUM3	INTDATE
	SUMDFU
	SUMMFU
	SUMYFU
	SUMYR
RECTRN2	INTDATE
	IRTRNDFU
	IRTRNMFU
	IRTRNYFU
	TRQYR
REGION	REGION
RESIDVST	YURSIDNM
	YURSIDYR
RESTTMA2	RESTTMAZ
RESTTMAZ	SV03
RITMPHE2	RITMPHEN
RITMPHEN	ST03
RK5ALDLY	RK01J
RK5ALWK	RK01K
RKCOCOC	RK01H
RKCOCREG	RK01I
RKDIFCOC	RK02C
RKDIFCRK	RK02D
RKDIFHER	RK02E

VARIABLE	Parent
RKDIFLSD	RK02B
RKFQDBLT	RK04D
RKFQDNDR	RK04A
RKFQPBLT	RK04C
RKFQRSKY	RK04B
RKHERREG	RK01G
RKLSDREG	RK01E
RKTRYHER	RK01F
RKTRYLSD	RK01D
RLGATTD	YERLGSVC
RLGDCSN	YERLDCSN
RLGFRND	YERLFRND
RLGIMPT	YERLGIMP
ROHYPNL2	ROHYPNOL
	TRNCARD
ROHYPNOL	TR04A09
ROSAGE1	CHAGEMON
	PERAGEYR
ROSAGE10	CHAGEM10
	PERAGE10
ROSAGE11	CHAGEM11
	PERAGE11
ROSAGE12	CHAGEM12
	PERAGE12
ROSAGE13	CHAGEM13
	PERAGE13
ROSAGE14	CHAGEM14
	PERAGE14
ROSAGE15	CHAGEM15
	PERAGE15
ROSAGE16	CHAGEM16
	PERAGE16
ROSAGE17	CHAGEM17
	PERAGE17
ROSAGE18	CHAGEM18
	PERAGE18
ROSAGE19	CHAGEM19

VARIABLE	Parent
	PERAGE19
ROSAGE2	CHAGEMO2
	PERAGEY2
ROSAGE20	CHAGEM20
	PERAGE20
ROSAGE3	CHAGEMO3
	PERAGEY3
ROSAGE4	CHAGEMO4
	PERAGEY4
ROSAGE5	CHAGEMO5
	PERAGEY5
ROSAGE6	CHAGEMO6
	PERAGEY6
ROSAGE7	CHAGEMO7
	PERAGEY7
ROSAGE8	CHAGEMO8
	PERAGEY8
ROSAGE9	CHAGEMO9
	PERAGEY9
ROSM1	MBRSELCT
ROSM10	MBRSEL10
	ROSM10
ROSM11	MBRSEL11
	ROSM11
ROSM12	MBRSEL12
	ROSM12
ROSM13	MBRSEL13
	ROSM13
ROSM14	MBRSEL14
	ROSM14
ROSM15	MBRSEL15
	ROSM15
ROSM16	MBRSEL16
	ROSM16
ROSM17	MBRSEL17
	ROSM17
ROSM18	MBRSEL18

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSM18
ROSM19	MBRSEL19
	ROSM19
ROSM2	MBRSEL2
	ROSM2
ROSM20	MBRSEL20
	ROSM20
ROSM3	MBRSEL3
	ROSM3
ROSM4	MBRSEL4
	ROSM4
ROSM5	MBRSEL5
	ROSM5
ROSM6	MBRSEL6
	ROSM6
ROSM7	MBRSEL7
	ROSM7
ROSM8	MBRSEL8
	ROSM8
ROSM9	MBRSEL9
	ROSM9
ROSRLT1	FRELATON
	MRELATON
	ROSRLT1
ROSRLT10	FRELAT10
	MRELAT10
	ROSRLT10
ROSRLT11	FRELAT11
	MRELAT11
	ROSRLT11
ROSRLT12	FRELAT12
	MRELAT12
	ROSRLT12
ROSRLT13	FRELAT13
	MRELAT13
	ROSRLT13
ROSRLT14	FRELAT14

VARIABLE	Parent
	MRELAT14
	ROSRLT14
ROSRLT15	FRELAT15
	MRELAT15
	ROSRLT15
ROSRLT16	FRELAT16
	MRELAT16
	ROSRLT16
ROSRLT17	FRELAT17
	MRELAT17
	ROSRLT17
ROSRLT18	FRELAT18
	MRELAT18
	ROSRLT18
ROSRLT19	FRELAT19
	MRELAT19
	ROSRLT19
ROSRLT2	FRELAT2
	MRELAT2
	ROSRLT2
ROSRLT20	FRELAT20
	MRELAT20
	ROSRLT20
ROSRLT3	FRELAT3
	MRELAT3
	ROSRLT3
ROSRLT4	FRELAT4
	MRELAT4
	ROSRLT4
ROSRLT5	FRELAT5
	MRELAT5
	ROSRLT5
ROSRLT6	FRELAT6
	MRELAT6
	ROSRLT6
ROSRLT7	FRELAT7

VARIABLE	Parent
	MRELAT7
	ROSRLT7
ROSRLT8	FRELAT8
	MRELAT8
	ROSRLT8
ROSRLT9	FRELAT9
	MRELAT9
	ROSRLT9
ROSSEX1	CHMONSEX
	CHYRSEX
	PERSEX
	PERYRSEX
	ROSSEX1
ROSSEX10	CHMONS10
	CHYRSE10
	PERSEX10
	PERYRS10
	ROSSEX10
ROSSEX11	CHMONS11
	CHYRSE11
	PERSEX11
	PERYRS11
	ROSSEX11
ROSSEX12	CHMONS12
	CHYRSE12
	PERSEX12
	PERYRS12
	ROSSEX12
ROSSEX13	CHMONS13
	CHYRSE13
	PERSEX13
	PERYRS13
	ROSSEX13
ROSSEX14	CHMONS14
	CHYRSE14
	PERSEX14
	PERYRS14

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	ROSSEX14
ROSSEX15	CHMONS15
	CHYRSE15
	PERSEX15
	PERYRS15
	ROSSEX15
ROSSEX16	CHMONS16
	CHYRSE16
	PERSEX16
	PERYRS16
	ROSSEX16
ROSSEX17	CHMONS17
	CHYRSE17
	PERSEX17
	PERYRS17
	ROSSEX17
ROSSEX18	CHMONS18
	CHYRSE18
	PERSEX18
	PERYRS18
	ROSSEX18
ROSSEX19	CHMONS19
	CHYRSE19
	PERSEX19
	PERYRS19
	ROSSEX19
ROSSEX2	CHMONSE2
	CHYRSEX2
	PERSEX2
	PERYRSE2
	ROSSEX2
ROSSEX20	CHMONS20
	CHYRSE20
	PERSEX20
	PERYRS20
	ROSSEX20
ROSSEX3	CHMONSE3

VARIABLE	Parent
	CHYRSEX3
	PERSEX3
	PERYRSE3
	ROSSEX3
ROSSEX4	CHMONSE4
	CHYRSEX4
	PERSEX4
	PERYRSE4
	ROSSEX4
ROSSEX5	CHMONSE5
	CHYRSEX5
	PERSEX5
	PERYRSE5
	ROSSEX5
ROSSEX6	CHMONSE6
	CHYRSEX6
	PERSEX6
	PERYRSE6
	ROSSEX6
ROSSEX7	CHMONSE7
	CHYRSEX7
	PERSEX7
	PERYRSE7
	ROSSEX7
ROSSEX8	CHMONSE8
	CHYRSEX8
	PERSEX8
	PERYRSE8
	ROSSEX8
ROSSEX9	CHMONSE9
	CHYRSEX9
	PERSEX9
	PERYRSE9
	ROSSEX9
RSKDIFMJ	RK02A
RSKMJOCC	RK01B
RSKMJREG	RK01C

VARIABLE	Parent
RSKPKCIG	RK01A
RSKSELL	RK03
RSNMRJMO	BL06
RSNOMRJ	BL05
RTDALHAL	DALMANE2
	HALCION2
	RESTTMA2
RURORURB	RURORURB
SALVDIV	SD23C
SALVREC	SD30
SANOREX	ST04A11
SANOREX2	SANOREX
	STMCARD
SCHDSICK	QD20
SCHDSKIP	QD21
SCHENRL	QD17
SCHFELT	YESCHFLT
SDNTFTPT	QD19
SEDAGE	SEDAGE
	SV06
SEDAGLST	LU21
SEDCARD	SV04
SEDCUT1X	DRSV10
SEDCUTDN	DRSV08
SEDCUTEV	DRSV09
SEDDEAL2	SEDDEALR
SEDDEALR	LU3508
SEDEMCTD	DRSV14
SEDEMOPB	DRSV13
SEDEVER	SVREF
SEDDFF1D2	SEDDFF1DR
SEDDFF1DR	LU35A01
SEDDFFAK2	SEDDFFAKE
SEDDFFAKE	LU35A03
SEDDFFBOT	LU35A06
SEDDFFBY2	SEDDFFBOT
SEDDFFDL2	SEDDFFDLR

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
SEDDFDLR	LU35A08
SEDDFDRS	LU35A02
SEDDFDS2	SEDDFDRS
SEDDFLAS	LU36A
SEDDFLSP	LU36ASC
SEDDFNET	LU35A09
SEDDFNT2	SEDDFNET
SEDDFOSP	LU35ASC
SEDDFOT2	SEDDFOSP
	SEDDFOTH
SEDDFOTH	LU35A10
SEDDFRE2	SEDDFREE
SEDDFREE	LU35A05
SEDDFST2	SEDDFSTL
SEDDFSTL	LU35A04
SEDDFTAK	LU35A07
SEDDFTK2	SEDDFTAK
SEDDFLAG	IRSEDR
SEDDMCTD	DRSV22
SEDDMFPB	DRSV21
SEDDFRBUY	LU3506
SEDDFRBY2	SEDDFRBUY
SEDDRFE2	SEDDRFRE
SEDDRFRE	LU3505
SEDDRTK2	SEDDRTKE
SEDDRTKE	LU3507
SEDDSTYR	IRSEDDFU
	IRSEDDMFU
	IRSEDDYFU
	RECS2
	RECSUM3
SEDDGTLAS	LU36
SEDDGTOSP	LU36SC
SEDDGTOVR	DRSV02
SEDDINET	LU3509
SEDDINET2	SEDDINET
SEDDKPLMT	DRSV05

VARIABLE	Parent
SEDLAWTR	DRSV20
SEDLIMIT	DRSV04
SEDLLOTTM	DRSV01
SEDLFACT	DRSV17
SEDLSEFX	DRSV07
SEDLTSC	SEDDALR
	SEDDFRBUY
	SEDDFRFRE
	SEDDFRTKE
	SEDDGTLAS
	SEDDGTOSP
	SEDDINET
	SEDDOTHSP
	SEDDOTHWY
	SEDDRX1DR
	SEDDRXDRS
	SEDDRXFAK
	SEDDSTOLE
SEDDMFU	SV08A
	SV08B
	SVCC09A
SEDDMLU	LU21C
	LU21D
SEDDMON	IRSEDR
SEDDNDMOR	DRSV06
SEDDNEWA	SV05SC1
SEDDNEWB	SV05SC2
SEDDNEWC	SV05SC3
SEDDNEWD	SV05SC4
SEDDNEWE	SV05SC5
SEDDNOLST	SV05
SEDDOTHSP	LU35SC
SEDDOTHW2	SEDDOTHSP
	SEDDOTHWY
SEDDOTHWY	LU3510
SEDDPDANG	DRSV19
SEDDPHCTD	DRSV16

VARIABLE	Parent
SEDDPLPB	DRSV15
SEDDREC	SEDDREC
	SV09
	SVRECDK
	SVRECRE
SEDDRX1D2	SEDDRX1DR
SEDDRX1DR	LU3501
SEDDRXDRS	LU3502
SEDDRXDS2	SEDDRXDRS
SEDDRXFAK	LU3503
SEDDRXFK2	SEDDRXFAK
SEDDSERPB	DRSV18
SEDDSRCFR	SEDDF1DR
	SEDDFAKE
	SEDDFBOT
	SEDDFDLR
	SEDDFDRS
	SEDDFLAS
	SEDDFLSP
	SEDDFNET
	SEDDFOSP
	SEDDFOTH
	SEDDFREE
	SEDDFSTL
	SEDDFTAK
	SEDDGTLAS
	SEDDGTOSP
SEDDSTOL2	SEDDSTOLE
SEDDSTOLE	LU3504
SEDDWD1SX	DRSV11
SEDDWDSMT	DRSV12
SEDDYFU	SV07A
	SV07B
	SV08A
	SVCC09
SEDDYLU	LU21A
	LU21B

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	LU21C
SEDYR	IRSEDRC
SEGID	SEGID
SERAX	TR04A10
SERAX2	SERAX
	TRNCARD
SERVICE	QD09
SEXAGE	CATAGE
	IRSEX
SEXRACE	IRHOIND
	IRSEX
	NEWRACE2
SIBTYP1	BTHRTYPE
	SISTYPE
SIBTYP10	BTHRTY10
	SISTYP10
SIBTYP11	BTHRTY11
	SISTYP11
SIBTYP12	BTHRTY12
	SISTYP12
SIBTYP13	BTHRTY13
	SISTYP13
SIBTYP14	BTHRTY14
	SISTYP14
SIBTYP15	BTHRTY15
	SISTYP15
SIBTYP16	BTHRTY16
	SISTYP16
SIBTYP17	BTHRTY17
	SISTYP17
SIBTYP18	BTHRTY18
	SISTYP18
SIBTYP19	BTHRTY19
	SISTYP19
SIBTYP2	BTHRTYP2
	SISTYPE2
SIBTYP20	BTHRTY20

VARIABLE	Parent
	SISTYP20
SIBTYP3	BTHRTYP3
	SISTYPE3
SIBTYP4	BTHRTYP4
	SISTYPE4
SIBTYP5	BTHRTYP5
	SISTYPE5
SIBTYP6	BTHRTYP6
	SISTYPE6
SIBTYP7	BTHRTYP7
	SISTYPE7
SIBTYP8	BTHRTYP8
	SISTYPE8
SIBTYP9	BTHRTYP9
	SISTYPE9
SIMHANGR	YUFCANGR
	YUHOANGR
	YURSANGR
SIMHBRK	YUFCBKRU
	YUHOBKRU
	YURSBKRU
SIMHDPR	YUFCDEPR
	YUHODEPR
	YURSDPR
SIMHEAT	YUFCEATP
	YUHOEATP
	YURSEATP
SIMHFEA	YUFCFEAR
	YUHOFEAR
	YURSFAR
SIMHFITE	YUFCFITE
	YUHOHITE
	YURSFITE
SIMHFMLY	YUFCFMLY
	YUFCIMPR
	YUHOFMLY
	YUHOIMPR

VARIABLE	Parent
	YURSFMLY
	YURSIMPR
SIMHFRND	YUFCFRND
	YUHOFRND
	YURSFRRND
SIMHMEND	YUFCIMPR
	YUHOIMPR
	YURSIMPR
SIMHOTH2	YUFCIMPR
	YUHOIMPR
	YURSIMPR
SIMHOTPP	YUFCIMPR
	YUFCOTPP
	YUHOIMPR
	YUHOOTPP
	YURSIMPR
	YURSOTPP
SIMHSCHL	YUFCSCHL
	YUHOSCHL
	YURSSCHL
SIMHSUI	YUFCSUIC
	YUHOSUIC
	YURSSUIC
SINUSLIF	LIFSINUS
SINUSYR	YRSINUS
SK65A	PR04A12
SK65A2	ANLCARD
	SK65A
SKPX1217	FIPE2
SKPX2PER	FIPE1
SKPXPRNT	FIPE3
SLPAPLIF	LIFSLPAP
SLPAPYR	YRSLPAP
SLT30FAV	CG33A
	CG33B
	CG33C
	CG33D

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
SMHANGR	YUDYANGR
	YUFCANGR
	YUHOANGR
	YUMHANGR
	YURSANGR
	YUTPANGR
SMHBRK	YUDYBKRU
	YUFCBKRU
	YUHOBKRU
	YUMHBKRU
	YURSBKRU
	YUTPBKRU
SMHDPR	YUDYDEPR
	YUFCDEPR
	YUHODEPR
	YUMHDEPR
	YURSDEPR
	YUTPDEPR
SMHEAT	YUDYEATP
	YUFCEATP
	YUHOEATP
	YUMHEATP
	YURSEATP
	YUTPEATP
SMHFEA	YUDYFEAR
	YUFCFEAR
	YUHOFEAR
	YUMHFEAR
	YURSFEAR
	YUTPFEAR
SMHFITE	YUDYFITE
	YUFCFITE
	YUHOFITE
	YUMHFITE
	YURSFITE
	YUTPFITE
SMHFMLY	YUDYFMLY

VARIABLE	Parent
	YUFCFMLY
	YUFCIMPR
	YUHOFMLY
	YUHOIMPR
	YUIHFMLY
	YUIHIMPR
	YUMHFMLY
	YUMHIMPR
	YURSFMLY
	YURSIMPR
	YUTPFMLY
	YUTPIMPR
SMHFRND	YUDYFRND
	YUFCFRND
	YUHOFRND
	YUMHFRND
	YURSFRRND
	YUTPFRND
SMHMEND	YUDYIMPR
	YUFCIMPR
	YUHOIMPR
	YUMHIMPR
	YURSIMPR
	YUTPIMPR
SMHOTH2	YUDYIMPR
	YUFCIMPR
	YUHOIMPR
	YUIHIMPR
	YUMHIMPR
	YURSIMPR
	YUTPIMPR
SMHOTPP	YUDYIMPR
	YUDYOTPP
	YUFCIMPR
	YUFCOTPP
	YUHOIMPR
	YUHOOTPP

VARIABLE	Parent
	YUIHIMPR
	YUIHOTPP
	YUMHIMPR
	YUMHOTPP
	YURSIMPR
	YURSOTPP
	YUTPIMPR
	YUTPOTPP
SMHSCHL	YUDYSCHL
	YUFCSCHL
	YUHOSCHL
	YUMHSCHL
	YURSSCHL
	YUTPSCHL
SMHSUI	YUDYSUIC
	YUFCSUIC
	YUHOSUIC
	YUMHSUIC
	YURSSUIC
	YUTPSUIC
SMHVST	YUDYTXNM
	YUDYTXNR
	YUFCARNM
	YUFCARYR
	YUHOSPNM
	YUHOSPYR
	YUIHTPNM
	YUIHTPYR
	YUMHCRNM
	YUMHCRYR
	YURSIDNM
	YURSIDYR
	YUTPSTNM
	YUTPSTYR
SMIPP	WHODASC3
	WSPDSC2
SMIYR	SMIPP

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
SMKFLAG	IRSLTRC
SMKMON	IRSLTRC
SMKYR	IRSLTRC
SMMIYR	SMIPP
SN30EST	CG29DKRE
	SN30EST
SNF30BRN	CG30
	CG31S11
	CG31S21
	CG31S31
	RCG30
	RRCG30
SNF30USE	CG29
	SNF30USE
SNFAGLST	LU05
SNFAMJEV	SEN13B
SNFEVER	CG25
	CGREF3
SNFFLAG	IRSNFRC
SNFMON	IRSNFRC
SNFREC	CG27
	CG28
	CG28DK
	CG28RE
	SNFREC
SNFYR	IRSNFRC
SNMOV5YR	SEN04
SNRLDCSN	SENREBE2
SNRLFRND	SENREBE3
SNRLGIMP	SENREBE1
SNRLGSVC	SENRELAT
SNUFMFU	CG26C
	CG26D
	CGSN09A
	SNUFMFU
SNUFMLU	LU05C
	LU05D

VARIABLE	Parent
SNUFTRY	CG26
	SNUFTRY
SNUFYFU	CG26A
	CG26B
	CG26C
	CGSN09
	SNUFYFU
SNUFYLU	LU05A
	LU05B
	LU05C
SNYATTAK	SEN12C
SNYSELL	SEN12A
SNYSTOLE	SEN12B
SOLVENT	IN01F
SOLVENT2	SOLVENT
SOMA	TR04A11
SOMA2	SOMA
	TRNCARD
SOMHANGR	YUDYANGR
	YUIHANGR
	YUMHANGR
	YUTPANGR
SOMHBRK	YUDYBKRU
	YUIHBKRU
	YUMHBKRU
	YUTPBKRU
SOMHDPR	YUDYDEPR
	YUIHDEPR
	YUMHDEPR
	YUTPDEPR
SOMHEAT	YUDYEATP
	YUIHEATP
	YUMHEATP
	YUTPEATP
SOMHFEA	YUDYFEAR
	YUFCFEAR
	YUHOFEAR

VARIABLE	Parent
	YUMHFEAR
SOMHFITE	YUDYFMLY
	YUIHFMLY
	YUMHFMLY
	YUTPFMLY
SOMHFMLY	YUDYFMLY
	YUDYIMPR
	YUIHFMLY
	YUIHIMPR
	YUMHFMLY
	YUMHIMPR
	YUTPFMLY
SOMHFRND	YUDYFRND
	YUIHFRND
	YUMHFRND
	YUTPFRND
SOMHMEND	YUDYIMPR
	YUIHIMPR
	YUMHIMPR
	YUTPIMPR
SOMHOTH2	YUDYFMLY
	YUDYIMPR
	YUIHFMLY
	YUIHIMPR
	YUMHFMLY
	YUMHIMPR
	YUTPFMLY
	YUTPIMPR
SOMHOTPP	YUDYIMPR
	YUDYOTPP
	YUIHIMPR
	YUIHOTPP
	YUMHIMPR
	YUMHOTPP
	YUTPIMPR
	YUTPOTPP
SOMHSCHL	YUDYSCHL

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	YUIHSCHL
	YUMHSCHL
	YUTPSCHL
SOMHSUI	YUDYSUIC
	YUIHSUIC
	YUMHSUIC
	YUTPSUIC
SPDMON	K6SCMON
SPDYR	K6SCMAX
SPECTALC	TXYRADG
	TXYRHOSP
	TXYRHPAD
	TXYRINAD
	TXYRMHAD
	TXYRMHC
	TXYROTAD
	TXYROTSP
	TXYRPOAD
	TXYRRFIN
	TXYRRFOP
SPECTILL	TXYRADG
	TXYRHOSP
	TXYRHPAD
	TXYRINAD
	TXYRMHAD
	TXYRMHC
	TXYROTAD
	TXYROTSP
	TXYRPOAD
	TXYRRFIN
	TXYRRFOP
SPILANAL	SPECTALC
	SPECTILL
SPILLALC	TXYREVER
	TXYRHOSP
	TXYRMHC
	TXYROTSP

VARIABLE	Parent
	TXYRRFIN
	TXYRRFOP
SPINVST	YUFCARNM
	YUFCARYR
	YUHOSPNM
	YUHOSPYR
	YURSIDNM
	YURSIDYR
SPOUTVST	YUDYTXNM
	YUDYTXYR
	YUIHTPNM
	YUIHTPYR
	YUMHCRNM
	YUMHCRYR
	YUTPSTNM
	YUTPSTYR
SPPAINT	IN01I
SPPAINT2	SPPAINT
SPRES	FIDBF082
ST09	ST09
ST10	ST10
ST11	ST11
ST12	ST12
ST13	ST13
ST19	ST19
ST20	ST20
ST21	ST21
ST22	ST22
ST23	ST23
STADOL	PR04A13
STADOL2	ANLCARD
	STADOL
STATE	STATE
STATELOC	FIPE4
STBSTWAY	ST10
	ST10A
STDAYPMO	ST12

VARIABLE	Parent
	ST12A
	STDAYPMO
STDAYPWK	ST13
	ST13A
	STDAYPWK
STDAYPYR	ST11
	ST11A
	STDAYPYR
STDLSIF	LIFSTDS
STDSYR	YRSTDS
STIMAGE	ST06
	STIMAGE
STIMMFU	ST08A
	ST08B
	STCC22A
STIMMLU	LU19C
	LU19D
STIMNEWA	ST05SC1
STIMNEWB	ST05SC2
STIMNEWC	ST05SC3
STIMNEWD	ST05SC4
STIMNEWE	ST05SC5
STIMREC	ST09
	STIMREC
	STRECDK
	STRECRE
STIMYFU	ST07A
	ST07B
	ST08A
	STCC22
STIMYLU	LU19A
	LU19B
	LU19C
STMAGLST	LU19
STMCARD	ST04
STMCUT1X	DRST10
STMCUTDN	DRST08

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
STMCUTEV	DRST09
STMDEAL2	STMDEALR
STMDEALR	LU3108
STMEMCTD	DRST14
STMEMOPB	DRST13
STMEVER	STREF2
STMFF1D2	STMFF1DR
STMFF1DR	LU31A01
STMFFAK2	STMFFAKE
STMFFAKE	LU31A03
STMFFBOT	LU31A06
STMFFBY2	STMFFBOT
STMFFDL2	STMFFDLR
STMFFDLR	LU31A08
STMFFDRS	LU31A02
STMFFDS2	STMFFDRS
STMFFLAS	LU32A
STMFFLSP	LU32ASC
STMFFNET	LU31A09
STMFFNT2	STMFFNET
STMFFOSP	LU31ASC
STMFFOT2	STMFFOSP
	STMFFOTH
STMFFOTH	LU31A10
STMFFRE2	STMFFREE
STMFFREE	LU31A05
STMFFST2	STMFFSTL
STMFFSTL	LU31A04
STMFFTAK	LU31A07
STMFFTK2	STMFFTAK
STMFLAG	IRSTMRC
STMFLBLU	DRST10A
STMFMCTD	DRST22
STMFMFPB	DRST21
STMFRBUY	LU3106
STMFRBY2	STMFRBUY
STMFRFE2	STMFRFRE

VARIABLE	Parent
STMFRFRE	LU3105
STMFRTK2	STMFRTK2
STMFRTK2	LU3107
STMFSTYR	IRSTMDFU
	IRSTMMFU
	IRSTMYFU
	RECSTM2
	RECSUM3
STMGTLAS	LU32
STMGTOSP	LU32SC
STMGTOVR	DRST02
STMINET	LU3109
STMINET2	STMINET
STMKPLMT	DRST05
STMLAWTR	DRST20
STMLIMIT	DRST04
STMLOTTM	DRST01
STMLSACT	DRST17
STMLSEFX	DRST07
STMLTSC	STMDEALR
	STMFRBUY
	STMFRFRE
	STMFRTK2
	STMGTLAS
	STMGTOSP
	STMINET
	STMOTHSP
	STMOTHWY
	STMRX1DR
	STMRXDRS
	STMRXFAK
	STMSTOLE
STMMON	IRSTMRC
STMNDMOR	DRST06
STMNOLST	ST05
STMOTHSP	LU31SC
STMOTHW2	STMOTHSP

VARIABLE	Parent
	STMOTHWY
STMOTHWY	LU3110
STMPDANG	DRST19
STMPHCTD	DRST16
STMPHLPB	DRST15
STMRX1D2	STMRX1DR
STMRX1DR	LU3101
STMRXDRS	LU3102
STMRXDS2	STMRXDRS
STMRXFAK	LU3103
STMRXFK2	STMRXFAK
STMSERP	DRST18
STMSRCFR	STMFF1DR
	STMFFAKE
	STMFFBOT
	STMFFDLR
	STMFFDRS
	STMFFLAS
	STMFFLSP
	STMFFNET
	STMFFOSP
	STMFFOTH
	STMFFREE
	STMFFSTL
	STMFFTAK
	STMGTLAS
	STMGTOSP
STMSTOL2	STMSTOLE
STMSTOLE	LU3104
STMWD2SX	DRST11
STMWDSMT	DRST12
STMYDAYS	IRSTMFY
STMYR	IRSTMRC
STNAME	STNAME
STNDALC	YESTSALC
STNDNKN	YESTSDNKN
STNDSCIG	YESTSCIG

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
STNDSMJ	YESTSMJ
STRECDK	STRECDK
STRECRE	STRECRE
STROKLIF	LIFSTROK
STROKYR	YRSTROK
STUSAB	STUSAB
SUICHOSP	SUI05
SUICMED	SUI04
SUICPLAN	SUI02
SUICTHNK	SUI01
SUICTRY	SUI03
SUMAGE	IEMAGE
	IRMJAGE
SUMDFU	IEMDFU
	IEMMFU
	IEMYFU
	IRMJDFU
	IRMJMFU
	IRMJYFU
SUMFLAG	ANLFLAG
	COCFLAG
	HALFLAG
	HERFLAG
	INHFLAG
	MRJFLAG
	SEDFLAG
	STMFLAG
	TRQFLAG
SUMMFU	IEMMFU
	IEMYFU
	IRMJMFU
	IRMJYFU
SUMMON	ANLMON
	COCMON
	HALMON
	HERMON
	INHMON

VARIABLE	Parent
	MRJMON
	SEDMON
	STMMON
	TRQMON
SUMYFU	IEMYFU
	IRMJYFU
SUMYR	ANLYR
	COCYR
	HALYR
	HERYR
	INH YR
	MRJYR
	SEDYR
	STMYR
	TRQYR
SV09	SV09
SV10	SV10
SV11	SV11
SV12	SV12
SV13	SV13
SVBSTWAY	SV10
SVDAYPMO	SV12
	SVDAYPMO
SVDAYPWK	SV13
	SVDAYPWK
SVDAYPYR	SV11
	SVDAYPYR
SVRECDK	SVRECDK
SVRECRE	SVRECRE
TALACEN	PR04A14
TALACEN2	ANLCARD
	TALACEN
TALKPROB	YETLKBGF
	YETLKOTA
	YETLKPAR
	YETLKSOP
TALWIN	PR04A15

VARIABLE	Parent
TALWIN2	ANLCARD
	TALWIN
TALWINNX	PR04A16
TALWINX2	ANLCARD
	TALWINNX
TCHGJOB	YETCGJOB
TELNO	QI24
TENUATE	ST04A12
TENUATE2	STMCARD
	TENUATE
THERVST	YUTPSTNM
	YUTPSTYR
TINNLIF	LIFTINN
TINNYR	YRTINN
TOBFLAG	CGRFLAG
	CIGFLAG
	PIPFLAG
	SMKFLAG
TOBMON	CGRMON
	CIGMON
	PIPMON
	SMKMON
TOBYR	CGRYR
	CIGYR
	PIPMON
	SMKYR
TOTCOKE	TOTCOKE
TOTCRACK	TOTCRACK
TOTDRINK	TOTDRINK
TOTHALL	TOTHALL
TOTHERO	TOTHERO
TOTINHAL	TOTINHAL
TOTMJ	TOTMJ
TOTPEOP	QD54
TR09	TR09
TR10	TR10
TR11	TR11

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
TR12	TR12
TR13	TR13
TRAMADL2	ANLCARD
	TRAMADOL
TRAMADOL	PR04A17
TRAMADP	ANALNEWA
	ANALNEWB
	ANALNEWC
	ANALNEWD
	ANALNEWE
	TRAMADL2
	ULTRAM2
TRANAGE	TR06
TRANMFU	TR08A
	TR08B
	TRCC09A
TRANMLU	LU18C
	LU18D
TRANREC	TR09
	TRANREC
	TRRECDK
	TRRECRE
TRANXEN2	TRANXENE
	TRNCARD
TRANXENE	TR04A12
TRANYPFU	TR07A
	TR07B
	TR08A
	TRCC09
TRANULU	LU18A
	LU18B
	LU18C
TRBSTWAY	TR10
TRDAYPMO	TR12
	TRDAYPMO
TRDAYPWK	TR13
	TRDAYPWK

VARIABLE	Parent
TRDAYPYR	TR11
	TRDAYPYR
TRIMEST	PREG
	PREGMOS
TRNAGLST	LU18
TRNCARD	TR04
TRNCUTDN	DRTR08
TRNCUTEV	DRTR09
TRNDEAL2	TRNDEALR
TRNDEALR	LU2908
TRNEMCTD	DRTR14
TRNEMOPB	DRTR13
TRNEVER	TRREF
TRNEWA	TR05SC1
TRNEWB	TR05SC2
TRNEWC	TR05SC3
TRNEWD	TR05SC4
TRNEWE	TR05SC5
TRNFF1D2	TRNFF1DR
TRNFF1DR	LU29A01
TRNFFAK2	TRNFFAKE
TRNFFAKE	LU29A03
TRNFFBOT	LU29A06
TRNFFBY2	TRNFFBOT
TRNFFDL2	TRNFFDLR
TRNFFDLR	LU29A08
TRNFFDRS	LU29A02
TRNFFDS2	TRNFFDRS
TRNFFLAS	LU30A
TRNFFLSP	LU30ASC
TRNFFNET	LU29A09
TRNFFNT2	TRNFFNET
TRNFFOSP	LU29ASC
TRNFFOT2	TRNFFOSP
	TRNFFOTH
TRNFFOTH	LU29A10
TRNFFRE2	TRNFFREE

VARIABLE	Parent
TRNFFREE	LU29A05
TRNFFST2	TRNFFSTL
TRNFFSTL	LU29A04
TRNFFTAK	LU29A07
TRNFFTK2	TRNFFTAK
TRNFMCTD	DRTR22
TRNFMFPB	DRTR21
TRNFRBUY	LU2906
TRNFRBY2	TRNFRBUY
TRNFRFE2	TRNFRFRE
TRNFRFRE	LU2905
TRNFRTK2	TRNFRTKE
TRNFRTKE	LU2907
TRNFSTYR	IRTRNDFU
	IRTRNMFU
	IRTRNYFU
	RECSUM3
	RECTRN2
TRNGTLAS	LU30
TRNGTOSP	LU30SC
TRNGTOVR	DRTR02
TRNINET	LU2909
TRNINET2	TRNINET
TRNKPLMT	DRTR05
TRNLAWTR	DRTR20
TRNLIMIT	DRTR04
TRNLOTTM	DRTR01
TRNLSACT	DRTR17
TRNLSEFX	DRTR07
TRNLTSC	TRNDEALR
	TRNFRBUY
	TRNFRFRE
	TRNFRTKE
	TRNGTLAS
	TRNGTOSP
	TRNINET
	TRNOTHSP

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	TRNOTHWY
	TRNRX1DR
	TRNRXDRS
	TRNRXFAK
	TRNSTOLE
TRNNDMOR	DRTR06
TRNOLST	TR05
TRNOTHSP	LU29SC
TRNOTHW2	TRNOTHSP
	TRNOTHWY
TRNOTHWY	LU2910
TRNPDANG	DRTR19
TRNPHCTD	DRTR16
TRNPHLPB	DRTR15
TRNRX1D2	TRNRX1DR
TRNRX1DR	LU2901
TRNRXDRS	LU2902
TRNRXDS2	TRNRXDRS
TRNRXFAK	LU2903
TRNRXFK2	TRNRXFAK
TRNSERP	DRTR18
TRNSRCFR	TRNFF1DR
	TRNFFAKE
	TRNFFBOT
	TRNFFDLR
	TRNFFDRS
	TRNFFFLAS
	TRNFFFLSP
	TRNFFNET
	TRNFFOSP
	TRNFFOTH
	TRNFFREE
	TRNFFSTL
	TRNFFTAK
	TRNGTLAS
	TRNGTOSP
TRNSTOL2	TRNSTOLE

VARIABLE	Parent
TRNSTOLE	LU2904
TRQFLAG	IRTRNRC
TRQMON	IRTRNRC
TRQYR	IRTRNRC
TRRECDK	TRRECDK
TRRECRE	TRRECRE
TRYPREC	SD29
TRYPTMN	SD23B
TSTHIRE	QD49
TSTRAND	QD50
TUBRCLIF	LIFTUBRC
TUBRCYR	YRTUBRC
TUINAL	SV04A8
TUINAL2	SEDCARD
	TUINAL
TWNTYP1	BTWNTYPE
	FTWNTYPE
TWNTYP10	BTWNTY10
	FTWNTY10
TWNTYP11	BTWNTY11
	FTWNTY11
TWNTYP12	BTWNTY12
	FTWNTY12
TWNTYP13	BTWNTY13
	FTWNTY13
TWNTYP14	BTWNTY14
	FTWNTY14
TWNTYP15	BTWNTY15
	FTWNTY15
TWNTYP16	BTWNTY16
	FTWNTY16
TWNTYP17	BTWNTY17
	FTWNTY17
TWNTYP18	BTWNTY18
	FTWNTY18
TWNTYP19	BTWNTY19
	FTWNTY19

VARIABLE	Parent
TWNTYP2	BTWNTYP2
	FTWNTYP2
TWNTYP20	BTWNTY20
	FTWNTY20
TWNTYP3	BTWNTYP3
	FTWNTYP3
TWNTYP4	BTWNTYP4
	FTWNTYP4
TWNTYP5	BTWNTYP5
	FTWNTYP5
TWNTYP6	BTWNTYP6
	FTWNTYP6
TWNTYP7	BTWNTYP7
	FTWNTYP7
TWNTYP8	BTWNTYP8
	FTWNTYP8
TWNTYP9	BTWNTYP9
	FTWNTYP9
TX12MSHG	TX52
TX12SGAD	TX53
TXALCDAG	TX47A
TXALCDEV	TX47
TXALONAG	TX45A
TXALONEV	TX45
TXDRGAAG	TX48A
TXDRGAEV	TX48
TXDRONAG	TX46A
TXDRONEV	TX46
TXENROLL	TX43
TXEVER	TX01
TXGAPALC	SPECTALC
	TXNEDALC
TXGPILAL	SPILLALC
	TXNDILAL
TXILALEV	TXEVER
TXILANAL	TXYRADG
TXILLALC	TXYREVER

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
TXLASREC	TX24
TXLTALC2	TXLTYALC
TXLTANL2	TXLTYANL
TXLTCOC2	TXLTYCOC
TXLTHAL2	TXLTYHAL
TXLTHER2	TXLTYHER
TXLTILL2	TXLTANL2
	TXLTCOC2
	TXLTHAL2
	TXLTHER2
	TXLTINH2
	TXLTMJ2
	TXLTSED2
	TXLTSTM2
	TXLTTRN2
TXLTINH2	TXLTYINH
TXLTMJ2	TXLTYMJ
TXLTSED2	TXLTYSED
TXLTSTM2	TXLTYSTM
TXLTTRN2	TXLTYTRN
TXLTYA	TX36SC1
TXLTYALC	TX26
TXLTYANL	TX32
TXLTYB	TX36SC2
TXLTYC	TX36SC3
TXLTYCOC	TX28
TXLTYD	TX36SC4
TXLTYDUR	TX39
	TX40DAY1
	TX40DAY2
	TX41MON1
	TX41MON2
	TX41YR1
	TX41YR2
TXLTYE	TX36SC5
TXLTYHAL	TX30
TXLTYHER	TX29

VARIABLE	Parent
TXLTYINH	TX31
TXLTYMJ	TX27
TXLTYMN	TX25
	TX25SC
TXLTYOUT	TX38
	TX38SC
TXLTYPRM	TX37
TXLTYSED	TX35
TXLTYSOD	TX36
TXLTYSTM	TX34
TXLTYTRN	TX33
TXNDILAL	ABILLALC
	DPILLALC
	SPILLALC
TXNEDALC	ABUSEALC
	DEPNALC
	SPECTALC
TXNOSPEC	ILLNEED
	SPECTILL
TXPCAID2	TXPYCAID
TXPCARE2	TXPYCARE
TXPCORT2	TXPYCORT
TXPEMPL2	TXPYEMPL
TXPFMLY2	TXPYFMLY
TXPINS2	TXPYINS
TXPMILC2	TXPYMILC
TXPPUBP2	TXPPUBP
TXPSAVE2	TXPYSAVE
TXPYCAID	TX42C
TXPYCARE	TX42B
TXPYCORT	TX42G
TXPYEMPL	TX42I
TXPYFMLY	TX42F
TXPYFRE	TX42K
TXPYINS	TX42A
TXPYMILC	TX42H
TXPPUBP	TX42D

VARIABLE	Parent
TXPYSAVE	TX42E
TXPYSOS	TX42J
TXPYSP	TX42SC
TXRCVNOW	TX07
TXRNBUSY	FLNDILAL
	NDMRBUSY
	NDTXBUSY
TXRNFOUT	FLNDILAL
	NDMRFOUT
	NDTXFOUT
TXRNHNDL	FLNDILAL
	NDMRHNDL
	NDTXHNDL
TXRNJOB	FLNDILAL
	NDMRJOB
	NDTXJOB
TXRNLMCV	FLNDILAL
	NDMRLMCV
	NDTXLMCV
TXRNNBR	FLNDILAL
	NDMRNBR
	NDTXNBR
TXRNNHCV	FLNDILAL
	NDMRNHCV
	NDTXNHCV
TXRNNHLP	FLNDILAL
	NDMRNHLP
	NDTXNHLP
TXRNNOND	FLNDILAL
	NDMRNOND
	NDTXNOND
TXRNNSTP	FLNDILAL
	NDMRREDY
	NDTXREDY
TXRNNTSP	FLNDILAL
	NDMRNTSP
	NDTXNTSP

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
TXRNOPEN	FLNDILAL
	NDMROPEN
	NDTXOPEN
TXRNOTHR	FLNDILAL
	NDMRRIMP
	NDTXRIMP
TXRNTYPE	FLNDILAL
	NDMRTYPE
	NDTXTYPE
TXRNWHER	FLNDILAL
	NDMRWHER
	NDTXWHER
TXYADAAG	TX51
TXYADDAG	TX51A
TXYALAGE	TX49
TXYALDAG	TX49B
TXYALDRG	TX49A
TXYDRAAG	TX50B
TXYDRAGE	TX50
TXYDRALC	TX50A
TXYRADG	TX03
TXYRDCAD	TX04F1
TXYRDOC	TX04F
TXYRDTXO	TX44
TXYRERAD	TX04E1
TXYREVER	TX02
TXYRHOSP	TX04A
TXYRHPAD	TX04A1
TXYRINAD	TX04B1
TXYRJAIL	TX04G
TXYRJLAD	TX04G1
TXYRMHAD	TX04D1
TXYRMHC	TX04D
TXYRNMER	TX06
TXYROTAD	TX04I1
TXYROTSP	TX04SC
TXYRPOAD	TX04C1

VARIABLE	Parent
TXYRRFIN	TX04B
TXYRRFOP	TX04C
TXYRSGAD	TX04H1
TXYRSHG	TX04H
TXYRSOP	TX04I
TXYRTXER	TX04E
TXYRVSER	TX05
UADBAR	CADRBAR
UADBUND	CABUNDAG
UADBWHO	CABUYWHO
UADCAG	CAGVWHO
UADCAR	CADRCAR
UADEVNT	CADREVNT
UADFRD	CAFRESP
	CAFREWHO
UADFWHO	CAFRESP
	CAFREWHO
UADHOME	CADRHOM
UADMONY	CAGVMONY
UADOTHM	CADROTHM
UADOTSP	CADROTSP
UADPAID	CABUYFRE
UADPEOP	CADRPEOP
UADPLACE	CABPLACE
UADPUBL	CADRPUBL
UADROTH	CADROTH
	CADROTSP
UADSCHL	CADRSCHL
ULCERLIF	LIFULCER
ULCERYR	YRULCER
ULTRAM	PR04A18
ULTRAM2	ANLCARD
	ULTRAM
UNDINT	FIDBF05
USALCTST	QD47
USDRGTST	QD48
USEACM	LU25

VARIABLE	Parent
USEALCG	LU22
USEALMJ	LU24
USEMJCG	LU23
USENEXT	LU26
VALMDIA2	VALMDIAZ
VALMDIAZ	TR03
VEREP	VEREP
VESTR	VESTR
VICOLOR	PR03
VICOLOR2	VICOLOR
VISTAR	TR04A13
VISTAR2	TRNCARD
	VISTAR
WELMOS	QI12A
	QI12AN
	QI12B
	QI12BN
WHODASC2	IMPCONCN
	IMPGOUT
	IMPGOUTM
	IMPHHLD
	IMPHHLDM
	IMPPEOP
	IMPPEOPM
	IMPREMEM
	IMPRESPI
	IMPRESPI
	IMPSOC
	IMPSOCM
	IMPWORK
WHODASC3	IMPCONCN
	IMPGOUT
	IMPGOUTM
	IMPHHLD
	IMPHHLDM
	IMPPEOP
	IMPPEOPM

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
	IMPREMEM
	IMPRES
	IMPRES
	IMPSOC
	IMPSOC
	IMPWORK
WKDRGED	QD45
WORKBLAH	QD41
WORKDAYS	QD40
WORKRAND	QD53
WRKBZCAT	INOC06
WRKBZCYR	INOC12
WRKEDWK	QD26
	WRKEDWK
WRKEDYR	QD33
	WRKEDYR
WRKEFFRT	QD32
	WRKEFFRT
WRKHAVJB	QD27
WRKHIRE	QD52
WRKHRSUS	QD29
	WRKHRSUS
WRKHRSWK	QD28
WRKIDSTY	INOCIND1
WRKIDSYR	INOCIND2
WRKJOBS	QD35
	QD36
WRKLSTMN	QD39B
WRKLSTYR	QD39A
WRKNOJOB	QD31
	WRKNOJOB
WRKNOWRK	QD30
	WRKNOWRK
WRKOCUPT	INOCOCC1
WRKOCUYR	INOCOCC2
WRKSLFEM	QD34
WRKUNEMP	QD37

VARIABLE	Parent
WRKUNWKS	QD38
WSPDSC2	K6SCMAX
XNAXATV2	XNAXATVN
XNAXATVN	TR02
YCLIN	YUMHCRYR
YCOUNMDE	ADCOUNS
	ADSEEDOC
	YOCOUNS
	YOSEEDOC
YDAYTRT	YUDYTXR
YDOCMDE	YOFAMDOC
	YOSEEDOC
YEATNDYR	YE09
YECOMACT	YE23Q
YEDECLAS	YE24A
YEDERGLR	YE24B
YEDESPCL	YE24C
YEDGPRGP	YE23G
YEFIACT	YE23R
YEFALDLY	YE20C
YEFMJVR	YE20B
YEFMJMO	YE20B1
YEFKPCIG	YE20A
YEGALDLY	YE19C
YEGMJVR	YE19B
YEGMJMO	YE19B1
YEGKPCIG	YE19A
YEHMSLYR	YE09A
YELSTGRD	YE15
YEMOV5YR	YE04
YEOTHACT	YE23S
YEPALDLY	YE07C
YEPCHKHW	YE06A
YEPCHORE	YE06C
YEPGDJOB	YE06F
YEPHLPHW	YE06B
YEPLMTSN	YE06E

VARIABLE	Parent
YEPLMTTV	YE06D
YEPMJVR	YE07B
YEPMJMO	YE07B1
YEPKPCIG	YE07A
YEPPOUD	YE06G
YEPBSLV	YE23B
YEPGSTD	YE23O
YEPRTDNG	YE08
YEPVNTYR	YE25
YERLDCSN	YEREBEL2
YERLFRND	YEREBEL3
YERLGIMP	YEREBEL1
YERLGSVC	YERELATT
YESCHACT	YE23P
YESCHFLT	YE10
YESCHIMP	YE12
YESCHINT	YE13
YESCHWRK	YE11
YESLFHLP	YE23J
YESTSALC	YE16C
YESTSCIG	YE16A
YESTSDNK	YE16D
YESTSMJ	YE16B
YETCGJOB	YE14
YETLKBGF	YE223
YETLKNON	YE221
YETLKOTA	YE224
YETLKPAR	YE222
YETLKSOP	YE225
YEVIOPRV	YE23C
YEYARGUP	YE18A
YEYATTAK	YE18G
YEYFGTGP	YE18C
YEYFGTSW	YE18B
YEYHGUN	YE18D
YEYSELL	YE18E
YEYSTOLE	YE18F

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
YFLADLY2	YEGALDLY
YFLMJMO	YEGMJMO
YFLPKCG2	YEGPKCIG
YFLTMRJ2	YEGMJJEVR
YFOST	YUFCARYR
YHBMCHMDE	YOHERBAL
	YOSEEDOC
YHOME	YUIHTPYR
YHOSP	YUHOSPYR
YMDELT	YODPPROB
	YODPR2WK
	YODPREV
	YODSCEV
	YODSMMDE
	YOLOSEV
	YOLSI2WK
	YOWRCHR
	YOWRDST
	YOWRHRS
	YOWRIMP
YMDERXO	YRXMDEYR
	YTXMDEYR
YMDETARX	YRXMDEYR
	YTXMDEYR
YMDETXO	YRXMDEYR
	YTXMDEYR
YMDETXRX	YRXMDEYR
	YTXMDEYR
YMDEYR	YMDELT
	YOPB2WK
YNURSMDE	YONURSE
	YOSEEDOC
YOATTAK2	YEYATTAK
YOCOUNS	YD86A06
YODPDISC	YD01
YODPLSIN	YD01A
	YD01B

VARIABLE	Parent
YODPPROB	YD21
YODPR2WK	YD12
YODPREV	YDS21
YODSCEV	YDS22
YODSLSIN	YD02
YODSMMDE	DSMMDEAY
YOFAMDOC	YD86A01
YOFIGHT2	YEYFGTSW
YOGRPFT2	YEYFGTGP
YOHERBAL	YD86A10
YOHGUN2	YEYHGUN
YOLOSEV	YDS23
YOLSI2WK	YD09
YOMDMDE	YOOTHDOC
	YOSEEDOC
YOMHMDE	YOOTHMHP
	YOOTHSP
	YOSEEDOC
YONURSE	YD86A08
YOOTHDOC	YD86A02
YOOTHHLP	YD86A11
YOOTHMHP	YD86A07
YOOTHSP	YDP86ASC
YOPB2WK	YD38
YOPBAGE	YD37A
	YD37B
YOPBDLYA	YD28A
YOPBINTF	YD28
YOPBNUM	YD52
YOPBRMBR	YD37
YOPSDAYS	YD68
YOPSHMGT	YD66A
YOPSRELS	YD66C
YOPSSOC	YD66D
YOPSWORK	YD66B
YOPSYCH	YD86A03
YOPSYMD	YD86A04

VARIABLE	Parent
YORELIG	YD86A09
YORX12MO	YD86C
YORXHLP	YD86E
YORXNOW	YD86D
YOSEEDOC	YD86
YOSELL2	YEYSELL
YOSOCWRK	YD86A05
YOSTOLE2	YEYSTOLE
YOTHMDE	YOOTHHLP
	YOOTHSP
	YOSEEDOC
YOTMTHLP	YD86F
YOTMTNOW	YD86B
YOWRAGE	YD22A
	YD22C
YOWRCHR	YD18
YOWRCONC	YD26R
YOWRDBTR	YD26BB
YOWRDCSN	YD26S
YOWRDEPR	YD24A
YOWRDIET	YD26E1
YOWRDISC	YD24C
YOWRDLOT	YD26AA
YOWRDST	YD17
YOWRELES	YD26A
YOWREMOD	YD26B
YOWRENRG	YD26J
YOWRGAIN	YD26C
YOWRGNLB	YD26D
YOWRGROW	YD26C1
YOWRHRS	YD16
YOWRIMP	YD19
YOWRJINO	YD26O
YOWRJITT	YD26N
YOWRLOSE	YD26E
YOWRLSIN	YD24E
YOWRLSLB	YD26F

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
YOWRNOGD	YD26U
YOWRPLSR	YD24F
YOWRPREG	YD26C2
YOWRPROB	YD22
YOWRSATP	YD26EE
YOWRSLEP	YD26G
YOWRSLNO	YD26M
YOWRSLOW	YD26L
YOWRSMOR	YD26H
YOWRSPLN	YD26DD
YOWRSTHK	YD26CC
YOWRTHOT	YD26P
YOWRWRTH	YD26V
YO_MDEA1	D_MDEA1Y
YO_MDEA2	D_MDEA2Y
YO_MDEA3	D_MDEA3Y
YO_MDEA4	D_MDEA4Y
YO_MDEA5	D_MDEA5Y
YO_MDEA6	D_MDEA6Y
YO_MDEA7	D_MDEA7Y
YO_MDEA8	D_MDEA8Y
YO_MDEA9	D_MDEA9Y
YPED	YUFDOCYR
YPSY1MDE	YOPSYCH
	YOSEEDOC
YPSY2MDE	YOPSYMD
	YOSEEDOC
YRANXD	CHK12M01
YRASMA	CHK12M02
YRBRONC	CHK12M03
YRCIRR	CHK12M04
YRDEPRS	CHK12M05
YRDIAB	CHK12M06
YRELMDE	YORELIG
	YOSEEDOC
YRESID	YURSIDYR
YRHARTD	CHK12M07

VARIABLE	Parent
YRHBP	CHK12M09
YRHEPAT	CHK12M08
YRHIV	CHK12M10
YRLUNCA	CHK12M11
YRNONE	CHK12M21
YRPANCR	CHK12M12
YRPNEU	CHK12M13
YRSINUS	CHK12M15
YRSLIVUS	CONTAGE
	IRBORNUS
	IRENTAG2
YRSLPAP	CHK12M16
YRSTDS	CHK12M14
YRSTROK	CHK12M17
YRTINN	CHK12M18
YRTUBRC	CHK12M19
YRULCER	CHK12M20
YRXMDEYR	YORX12MO
YSDSHOME	YOPSHMGT
YSDSOVRL	YSDSHOME
	YSDSREL
	YSDSSOC
	YSDSWRK
YSDSREL	YOPSRELS
YSDSSOC	YOPSSOC
YSDSWRK	YOPSWORK
YSOCMDE	YOSEEDOC
	YOSOCWRK
YTHACT2	YECOMACT
	YEFAIACT
	YEOTHACT
	YESCHACT
YTHAGE	AGE
YTHER	YUTPSTYR
YTXMDEYR	YOSEEDOC
YUDYANGR	YSU12A1
YUDYBKRU	YSU124

VARIABLE	Parent
YUDYDEPR	YSU122
YUDYEATP	YSU125
YUDYFEAR	YSU123
YUDYFITE	YSU12A2
YUDYFMLY	YSU12A3
YUDYFRND	YSU12A4
YUDYIMPR	YSU12SC1
YUDYOTPP	YSU12A5
YUDYSCHL	YSU12A6
YUDYSOR	YSU126
	YSU12A7
YUDYSUIC	YSU121
YUDYTXNM	YSU11
YUDYTXYR	YSU10
YUFCANGR	YSU09A1
YUFCARNM	YSU08
YUFCARYR	YSU07
YUFCBKRU	YSU094
YUFCDEPR	YSU092
YUFCEATP	YSU095
YUFCFEAR	YSU093
YUFCFITE	YSU09A2
YUFCFMLY	YSU09A3
YUFCFRND	YSU09A4
YUFCIMPR	YSU09SC1
YUFCOTPP	YSU09A5
YUFCSCHL	YSU09A6
YUFCSOR	YSU096
	YSU09A7
YUFCSUIC	YSU091
YUFDANGR	YSU24A1
YUFDBKRU	YSU244
YUFDDDEPR	YSU242
YUFDEATP	YSU245
YUFDFEAR	YSU243
YUFDFITE	YSU24A2
YUFDFMLY	YSU24A3

2009 NSDUH
VARIABLE MAP WITH PARENT VARIABLES

VARIABLE	Parent
YUFDFRND	YSU24A4
YUFDIMPR	YSU24SC1
YUFDOCNM	YSU23
YUFDOCYR	YSU22
YUFDOTPP	YSU24A5
YUFDSCHL	YSU24A6
YUFDSOR	YSU246
	YSU24A7
YUFDSUIC	YSU241
YUHOANGR	YSU03A1
YUHOBKRU	YSU034
YUHODEPR	YSU032
YUHOEATP	YSU035
YUHOFEAR	YSU033
YUHOHITE	YSU03A2
YUHOFMLY	YSU03A3
YUHOFRND	YSU03A4
YUHOIMPR	YSU03SC1
YUHOOTPP	YSU03A5
YUHOSCHL	YSU03A6
YUHOSOR	YSU036
	YSU03A7
YUHOSPNM	YSU02
YUHOSPYR	YSU01
YUHOSUIC	YSU031
YUIHANGR	YSU21A1
YUIHBKRU	YSU214
YUIHDEPR	YSU212
YUIHEATP	YSU215
YUIHFEAR	YSU213
YUIHFITE	YSU21A2
YUIHFMLY	YSU21A3
YUIHFRND	YSU21A4
YUIHIMPR	YSU21SC1
YUIHOTPP	YSU21A5
YUIHSCHL	YSU21A6
YUIHSOR	YSU216

VARIABLE	Parent
	YSU21A7
YUIHSUIC	YSU211
YUIHTPNM	YSU20
YUIHTPYR	YSU19
YUMHANGR	YSU15A1
YUMHBKRU	YSU154
YUMHCRNM	YSU14
YUMHCRYR	YSU13
YUMHDEPR	YSU152
YUMHEATP	YSU155
YUMHFEAR	YSU153
YUMHFITE	YSU15A2
YUMHFMLY	YSU15A3
YUMHFRND	YSU15A4
YUMHIMPR	YSU15SC1
YUMHOTPP	YSU15A5
YUMHSCHL	YSU15A6
YUMHSOR	YSU156
	YSU15A7
YUMHSUIC	YSU151
YURSANGR	YSU06A1
YURSBKRU	YSU064
YURSDEPR	YSU062
YURSEATP	YSU065
YURSFEAR	YSU063
YURSFITE	YSU06A2
YURSFMLY	YSU06A3
YURSFRND	YSU06A4
YURSIDNM	YSU05
YURSIDYR	YSU04
YURSIMPR	YSU06SC1
YURSOTPP	YSU06A5
YURSSCHL	YSU06A6
YURSSOR	YSU066
	YSU06A7
YURSSUIC	YSU061
YUTPANGR	YSU18A1

VARIABLE	Parent
YUTPBKRU	YSU184
YUTPDEPR	YSU182
YUTPEATP	YSU185
YUTPFEAR	YSU183
YUTPFITE	YSU18A2
YUTPFMLY	YSU18A3
YUTPFRND	YSU18A4
YUTPIMPR	YSU18SC1
YUTPOTPP	YSU18A5
YUTPSCHL	YSU18A6
YUTPSOR	YSU186
	YSU18A7
YUTPSTNM	YSU17
YUTPSTYR	YSU16
YUTPSUIC	YSU181

APPENDIX N

Key Mental Health Variables

Several changes were made to the 2004 and 2008 National Survey on Drug Use and Health (NSDUH) questionnaires that affected mental health measures such as serious mental illness (SMI), serious psychological distress (SPD), and lifetime and past year major depressive episode (MDE). For several of these measures, these changes resulted in noncomparable measures that caused breaks in the trends. For some of these variables, adjusted measures were created that allowed comparisons of estimates across the years where the changes were made. Refer to Aldworth, Kott, Yu, Mosquin, and Barnett-Walker (in press) for further details.

Starting with the 2010 NSDUH, this appendix was included in the codebook to aid users when considering mental health measures across time. It provides several tables that list a set of the most commonly used mental health measures and their availability from 2002 to 2010. These tables also show whether there are comparable or adjusted measures available for the years indicated. Table 1 lists key mental health measures for youths aged 12 to 17, Table 2 lists key mental health measures for adults aged 18 or older, and Table 3 lists the mental health measures that have adjusted versions that allow for the comparisons of estimates across the years where changes were made. These tables may be updated and included in 2011 or subsequent NSDUH codebooks as other comparable measures are developed.

Table 1. Key Mental Health Measures for Persons Aged 12 to 17: 2002-2010

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Lifetime Major Depressive Episode (MDELT, YMDELT)			*	*	*	*	X	X
Past Year Major Depressive Episode (MDEYR, YMDEYR)			*	*	*	*	X	X
MDE with Severe Role Impairment (MDEIMPY)					X	X	X	X
Received Treatment for MDE from MD in Past Year (TXMDEYR, YTXMDEYR)			*	*	*	*	X	X
Received Treatment for MDE from Prescription Drugs in Past Year (RXMDEYR, YRXMDEYR)			*	*	*	*	X	X
Received Treatment for MDE from Either MD or Prescription Drugs in Past Year (MDETXXRX, YMDETXXRX)			*	*	*	*	X	X
Received Treatment for MDE from MD Only (MDET XO, YMDET XO)			*	*	*	*	X	X
Received Treatment for MDE from Prescription Drugs Only (MDER XO, YMDER XO)			*	*	*	*	X	X
Received Treatment in Inpatient Specialty Mental Health Setting (ANYMHIN)	X	X	X	X	X	X	X	X
Received Treatment in Outpatient Specialty Mental Health Setting (ANYMHOUT)	X	X	X	X	X	X	X	X
Received Treatment in Specialty Mental Health Setting (ANYSMH)	X	X	X	X	X	X	X	X
Received Treatment in Education Setting (ANYMHED, ANYMHED2)	–	–	–	–	–	–	–	X
Received Treatment in General Medical Setting (YPED)	X	X	X	X	X	X	X	X
Received Treatment in Juvenile Justice Setting (YJAIL)								X
Number of Visits for Inpatient Specialty MH Services (SPINVST)					X	X	X	X
Number of Visits for Outpatient Specialty MH Services (SPOUTVST)					X	X	X	X
Number of Visits for Specialty MH Services (SMHVST)					X	X	X	X
Received Specialty MH Services for Feeling Depressed (SMHDPR)					X	X	X	X
Received Specialty MH Services because of Problems with Home or Family (SMHFMLY)					X	X	X	X
Received Specialty MH Services because of Breaking Rules (SMHBRK)					X	X	X	X

Table 1. Key Mental Health Measures for Persons Aged 12 to 17: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Specialty MH Services because Thought about or Attempted Suicide (SMHSUI)					X	X	X	X
Received Specialty MH Services because Felt Very Afraid and Tense (SMHFEA)					X	X	X	X
Received Specialty MH Services because of Problems at School (SMHSCHL)					X	X	X	X
Received Specialty MH Services because of Trouble Controlling Anger (SMHANGR)					X	X	X	X
Received Specialty MH Services because of Problems with Friends (SMHFRND)					X	X	X	X
Received Specialty MH Services because of Problems with Other People (SMHOTPP)					X	X	X	X
Received Specialty MH Services because of Eating Problems (SMHEAT)					X	X	X	X
Received Specialty MH Services because of Getting into Physical Fights (SMHFITE)					X	X	X	X
Received Specialty MH Services because of Diagnosed Mental Disorder (SMHMEND)					X	X	X	X

MD = medical doctor, MDE = major depressive episode, MH = mental health.

NOTE: The letter X indicates that the measure is available for the year(s) shown. An asterisk (*) indicates that a comparable measure to 2008 and later years is available for the year(s) shown. An en dash (–) indicates that a comparable measure to 2008 and later years is not available, but this measure can be used for the previous year(s) shown. An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT, should be used for all measures and years.

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on July 20, 2011.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Treatment for MDE from MD in Past Year (TXMDEYR, ATXMDEYR)			–	–	–	–	X	X
Received Treatment for MDE from Prescription Drugs in Past Year (RXMDEYR, ARXMDEYR)			–	–	–	–	X	X
Received Treatment for MDE from Either MD or Prescription Drugs in Past Year (MDETXRX, AMDETXRX)			–	–	–	–	X	X
Received Treatment for MDE from MD Only (MDETXO, AMDETXO)			–	–	–	–	X	X
Received Treatment for MDE from Prescription Drugs Only (MDERXO, AMDERXO)			–	–	–	–	X	X
Received Treatment for MDE from General Practitioner (DOCMDE, ADOCMDE)			–	–	–	–	X	X
Received Treatment for MDE from Other MD (OMDMDE, AOMDMDE)			–	–	–	–	X	X
Received Treatment for MDE from Psychologist (PSY1MDE, APSY1MDE)			–	–	–	–	X	X
Received Treatment for MDE from Psychiatrist (PSY2MDE, APSY2MDE)			–	–	–	–	X	X
Received Treatment for MDE from Social Worker (SOCMDE, ASOCMDE)			–	–	–	–	X	X
Received Treatment for MDE from Counselor (COUNMDE, ACOUNMDE)			–	–	–	–	X	X
Received Treatment for MDE from Other MH Professional (OMHMDE, AOMHMDE)			–	–	–	–	X	X
Received Treatment for MDE from Nurse/Occupational Therapist (NURSMDE, ANURSMDE)			–	–	–	–	X	X
Received Treatment for MDE from Religious Advisor (RELMDE, ARELMDE)			–	–	–	–	X	X
Received Treatment for MDE from Another Healer (HBMDE, AHBMDE)			–	–	–	–	X	X
Received Treatment for MDE from Other Professional (OTHMDE, AOTHMDE)			–	–	–	–	X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Any Mental Health Treatment in Past Year (AMHTXRC3)	X	X	X	X	X	X	X	X
Received Inpatient MH Treatment in Past Year (AMHINP2)	X	X	X	X	X	X	X	X
Received Outpatient MH Treatment in Past Year (AMHOUTP3)	X	X	X	X	X	X	X	X
Received Prescription Meds MH Treatment in Past Year (AMHRX2)	X	X	X	X	X	X	X	X
Perceived Need but Did Not Receive MH Treatment in Past Year (AMHTXND2)	X	X	X	X	X	X	X	X
Received Outpatient MH Treatment at MH Clinic/Center in Past Year (MHLMNT2, MHLMNT3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Private Therapist in Past Year (MHLTHER2, MHLTHER3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Non-Clinic Doctor's Office in Past Year (MHLDOC2, MHLDOC3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Medical Clinic in Past Year (MHLCLNC2, MHLCLNC3) ¹		*	*	*	*	*	*	X
Respondent or Other Family Member Paid for Outpatient MH Treatment in Past Year (MHPDRLF2)		X	X	X	X	X	X	X
Private Health Insurance Paid for Outpatient MH Treatment in Past Year (MHPDPHI2)		X	X	X	X	X	X	X
Medicare Paid for Outpatient MH Treatment in Past Year (MHPDMCR2)		X	X	X	X	X	X	X
Medicaid Paid for Outpatient MH Treatment in Past Year (MHPDMCD2)		X	X	X	X	X	X	X
Employer Paid for Outpatient MH Treatment in Past Year (MHPDEMP2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Could Not Afford Cost (MHRCOST2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Thought Could Handle Problem without Treatment (MHRHAND2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Know Where To Go (MHRWHER2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Have Time (MHRTIME2)		X	X	X	X	X	X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Did Not Receive MH Treatment because Did Not Think Treatment Would Help (MHRNOHP2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because of Concerns about Confidentiality (MHRCFID2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Insurance Did Not Pay Enough (MHRENUF2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Think Treatment Was Needed (MHRNOND2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Fear of Neighbors Negative Opinion (MHRNBR2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Fear of Being Committed (MHRCMIT2)		X	X	X	X	X	X	X
Suicidal Thoughts in Past Year (MHSUITHK)							X	X
Suicidal Plans in Past Year (MHSUIPLN)							X	X
Suicidal Attempts in Past Year (MHSUITRY)							X	X
<i>Received Medical Attention for Suicide Attempt in Past Year (MHSUIMED)</i>							X	X
<i>Stayed in Hospital for Suicide Attempt in Past Year (MHSUIHOS)</i>							X	X
K6 Total Score in Past Month (K6SCMON)							X	X
Past Month Serious Psychological Distress Indicator (SPDMON)							X	X
K6 Total Score in Worst Month of Past Year (K6SCYR)							X	X
Alternative Worst K6 Total Score (WSPDSC2)							X	X
WHODAS Total Score (WHODASC2)							X	X
Alternative WHODAS Total Score (WHODASC3)							X	X
Predicted Serious Mental Illness Probability (SMIPP)							X	X
Serious Mental Illness in Past Year (SMIYR)							X	X
Any Mental Illness in Past Year (AMIYR)							X	X
Mild Mental Illness Indicator (LMIYR)							X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Moderate Mental Illness Indicator (MMIYR)							X	X
Serious or Moderate Mental Illness Indicator (SMMIYR)							X	X
Categorical Mental Illness Indicator (MI_CAT)							X	X

K6 = six-item nonspecific psychological distress scale, MD = medical doctor, MDE = major depressive episode, MH = mental health, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

NOTE: The letter X indicates that the measure is available for the year(s) shown. An asterisk (*) indicates that a comparable measure with 2008 and later years is available for the year(s) shown. An en dash (–) indicates that a comparable measure with 2008 and later years is not available, but this measure can be used for the previous year(s) shown. An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT, should be used for all measures and years, with the following exceptions: For AMIYR, SMMIYR, MMIYR, and LMIYR in 2008, the mental health half-sample analysis weight, MHSAMPWT, should be used in conjunction with the sample indicator that subsets to the 2008 WHODAS half-sample data (MHSAMP08=1).

NOTE: Italicized MH measures indicate variables that were excluded from the Public Use File (PUF); an italicized letter X indicates the measure's current exclusion from the public use file (PUF) for the year(s) indicated (however, excluded variables are expected to be present in future updates of the data files).

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on July 20, 2011.

¹ Respondents who reported receiving no outpatient mental health treatment are coded as No for 2009, but are coded as missing for previous years.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

Table 3. Comparable Versions of Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010

Mental Health Measure	Years Available				
	2002-2003	2004	2005-2007	2008	2009-2010
Lifetime Major Depressive Episode			AJAMDELT	AJAMDELT	AMDELT
Past Year Major Depressive Episode			AJAMDEYR	AJAMDEYR	AMDEYR
K6 Total Score in Worst Month of Past Year Based on Long Form Module	SMI_SUM	SPD_ASCR			
K6 Total Score in Worst Month of Past Year Based on Short Form Module		SPD_RSCR	SPD_USCR		
Worst K6 Total Score in Past Year ¹			K6SMXADJ	K6SCMAX	K6SCMAX
Past Year Serious Psychological Distress ² Indicator Based on Long Form Module	SMI	SPD_ADJ, SPD_UADJ ³			
Past Year Serious Psychological Distress Indicator Based on Short Form Module		SPD_RADJ	SPD_UADJ		
Past Year Serious Psychological Distress Indicator Based on Worst K6 Total Score			SPDYRADJ	SPDYR	SPDYR

K6 = six-item nonspecific psychological distress scale.

NOTE: All variables within a row are comparable across the years indicated, even if they have different names.

NOTE: The standard analysis weight, ANALWT, should be used for all measures and years, except as indicated in footnote 3 below.

NOTE: This table lists only the mental health measures with adjusted versions for comparability across years.

NOTE: This table was finalized on July 20, 2011.

¹ Worst K6 Total Score in Past Year is the maximum of K6 Total Score in Past Month (K6SCMON) and K6 Total Score in Worst Month of Past Year (K6SCYR).

² In the 2002 and 2003 NSDUHs, serious psychological distress was referred to as serious mental illness.

³ SPD_UADJ, restricted to the 2004 Sample A (Long Form), was used in the 2004 NSDUH detailed tables (Office of Applied Studies, 2005). SPD_ADJ was created so that comparisons of serious psychological distress based on the long form can be made between 2002, 2003, and the full 2004 sample. The standard analysis weight, ANALWT, should be used for SPD_ADJ, but for SPD_UADJ in 2004, the Sample A analysis weight, SPDWGHT, should be used in conjunction with the sample indicator that subsets to the 2004 Sample A data (ADLTSAMP=1).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (in press). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality, under Contract No. HHSS283200800004C, RTI/0211838.108.005).
- Office of Applied Studies. (2005, September). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. [Available at <http://oas.samhsa.gov/WebOnly.htm>]

