

TABLE OF CONTENTS

TABLE OF CONTENTS

IDENTIFICATION	3
SELF-ADMINISTERED SUBSTANCE USE SECTIONS	13
TOBACCO	13
ALCOHOL	29
MARIJUANA	34
COCAINE	38
CRACK	42
HEROIN	46
HALLUCINOGENS	71
INHALANTS	99
METHAMPHETAMINE	108
PAIN RELIEVERS SCREENER	112
TRANQUILIZERS SCREENER	113
STIMULANTS SCREENER	114
SEDATIVES SCREENER	115
PAIN RELIEVERS	116
TRANQUILIZERS	152
STIMULANTS	174
SEDATIVES	202
IMPUTED SUBSTANCE USE	227
RECENCY OF DRUG USE	227
PAST YEAR FREQUENCY OF USE	239
PAST MONTH FREQUENCY OF USE	244
AGE/DATE OF FIRST DRUG USE	255
RECODED DRUG USE	291
OTHER SELF-ADMINISTERED SECTIONS	364
SPECIAL DRUGS	364
SPECIALTY CIGARETTES	365
RECODED SPECIAL DRUGS	367
RECODED SPECIALTY CIGARETTES	373
RISK/AVAILABILITY	374
RECODED RISK/AVAILABILITY	383
BLUNTS	387
SUBSTANCE DEPENDENCE AND ABUSE	425
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE	490
MARIJUANA PURCHASES	499
RECODED MARIJUANA PURCHASES	518
RECODED SUBSTANCE DEPENDENCE AND ABUSE	524
SPECIAL TOPICS	537
RECODED SPECIAL TOPICS	539
PRIOR SUBSTANCE USE	590
SUBSTANCE TREATMENT	612
RECODED PRIOR SUBSTANCE USE	671
RECODED SUBSTANCE TREATMENT	678
DRUG TREATMENT	691
RECODED DRUG TREATMENT	737
PREGNANCY AND HEALTH CARE	761
RECODED PREGNANCY AND HEALTH CARE	777
ADULT MENTAL HEALTH TREATMENT	778
RECODED ADULT MENTAL HEALTH TREATMENT	798
SOCIAL AND NEIGHBORHOOD ENVIRONMENT	806
MENTAL HEALTH	809
YOUTH EXPERIENCES	833
RECODED YOUTH EXPERIENCES	852
RECODED MENTAL HEALTH	871
ADULT DEPRESSION	877
RECODED ADULT DEPRESSION	902
YOUTH MENTAL HEALTH TREATMENT	924
RECODED YOUTH MENTAL HEALTH TREATMENT	948
ADOLESCENT DEPRESSION	968
RECODED ADULT AND ADOLESCENT DEPRESSION	987
RECODED ADOLESCENT DEPRESSION	992
CONSUMPTION OF ALCOHOL	1005
RECODED CONSUMPTION OF ALCOHOL	1020

TABLE OF CONTENTS

INTERVIEW INFORMATION1025
 INCOME AND INSURANCE.....1026
 DEMOGRAPHICS1027
 DEMOGRAPHICS1027
 IMPUTED DEMOGRAPHICS1033
 EMPLOYMENT1043
 RECODED DEMOGRAPHICS.....1049
 EMPLOYMENT AND WORKPLACE1052
 IMPUTED EMPLOYMENT.....1058
 HOUSEHOLD COMPOSITION (ROSTER).....1061
 IMPUTED EMPLOYMENT AND WORKPLACE.....1062
 PROXY INFORMATION.....1063
 INCOME.....1070
 IMPUTED INCOME AND INSURANCE1072
 FI DEBRIEFING QUESTIONS.....1073
 GEOGRAPHIC1074
 COUNTY1074
 GEOGRAPHIC1075
 COUNTY1075
 SEGMENT1076
 SEGMENT1077
 BLOCK.....1078
 INDEX1080

IDENTIFICATION

IDENTIFICATION

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2. It should be noted that this variable was referred to as QUESTID in prior years.

QUESTID2 Len : 7 RESPONDENT IDENTIFICATION

YEAR Len : 4 YEAR IN WHICH DATA WAS COLLECTED

The following variable, FILEDATE, represents the date the SAS data file was created.

FILEDATE Len : 10 CREATION DATE OF THE DATA FILE

During the past 30 days, what type of cigarettes did you smoke most often?

CIG30TYP Len : 2 WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Lights.....	22023	2.63
2 = Ultra Lights.....	4195	0.50
3 = Full Flavor	18683	2.23
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED CIGARETTES.....	67026	8.01
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52410	6.26
94 = DON'T KNOW	161	0.02
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER)	391	0.05

These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.

Have you ever used snuff, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

SNFEVER Len : 2 EVER USED SNUFF

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	100372	12.00
2 = No.....	621933	74.33
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	319	0.04
97 = REFUSED	26	0.00

How old were you the first time you used snuff?

SNUFTRY Len : 3 AGE WHEN FIRST USED SNUFF

	Freq	Pct
RANGE = 1 - 75.....	98200	11.74
-9 = Data not collected for this year.....	114043	13.63
985 = BAD DATA Logically assigned	1178	0.14
991 = NEVER USED SNUFF	621933	74.33
994 = DON'T KNOW	789	0.09
997 = REFUSED	234	0.03
998 = BLANK (NO ANSWER).....	319	0.04

IDENTIFICATION

Did you first use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use snuff?

SNUFYFU	Len : 4 YEAR OF FIRST SNUFF USE - RECODE		
	RANGE = 2000 - 2014	Freq	Pct
	-9 = Data not collected for this year	11883	1.42
	9985 = BAD DATA Logically assigned	114043	13.63
	9989 = LEGITIMATE SKIP Logically assigned	1486	0.18
	9991 = NEVER USED SNUFF	687	0.08
	9994 = DON'T KNOW	621933	74.33
	9997 = REFUSED	824	0.10
	9998 = BLANK (NO ANSWER)	241	0.03
	9999 = LEGITIMATE SKIP	1004	0.12
		84595	10.11

In what month in [CURRENT YEAR] did you first use snuff?

In what month in [YEAR FROM CG26a or CG26b] did you first use snuff?

SNUFMFU	Len : 2 MONTH OF FIRST SNUFF USE - RECODE		
	-9 = Data not collected for this year	Freq	Pct
	1 = January	114043	13.63
	2 = February	921	0.11
	3 = March	757	0.09
	4 = April	907	0.11
	5 = May	811	0.10
	6 = June	808	0.10
	7 = July	1265	0.15
	8 = August	1192	0.14
	9 = September	926	0.11
	10 = October	934	0.11
	11 = November	980	0.12
	12 = December	853	0.10
	85 = BAD DATA Logically assigned	674	0.08
	89 = LEGITIMATE SKIP Logically assigned	1479	0.18
	91 = NEVER USED SNUFF	687	0.08
	94 = DON'T KNOW	621933	74.33
	97 = REFUSED	1660	0.20
	98 = BLANK (NO ANSWER)	261	0.03
	99 = LEGITIMATE SKIP	1010	0.12
		84595	10.11

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used snuff, even once?

How long has it been since you last used snuff?

SNFREC	Len : 2 TIME SINCE LAST USED SNUFF		
	-9 = Data not collected for this year	Freq	Pct
	1 = Within the past 30 days	114043	13.63
	2 = More than 30 days ago but within the past 12 mos	24303	2.90
	3 = More than 12 months ago but within the past 3 yrs	13505	1.61
	4 = More than 3 years ago	14101	1.69
	8 = Used at some point in the past 12 mos LOG ASSN	46371	5.54
	9 = Used at some point in the lifetime LOG ASSN	68	0.01
	11 = Used in the past 30 days LOGICALLY ASSIGNED	43	0.01
	14 = Used more than 12 months ago LOG ASSN	10	0.00
	19 = Used more than 30 days ago LOG ASSN	803	0.10
	29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	627	0.07
	39 = Used within the past 3 years LOGICALLY ASSIGNED	536	0.06
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED SNUFF	3	0.00
	97 = REFUSED	621933	74.33
	98 = BLANK (NO ANSWER)	26	0.00
		319	0.04

IDENTIFICATION

During the past 30 days, that is since [DATEFILL], on how many days did you use snuff?

SNF30USE	Len : 2 HOW MANY DAYS USED SNUFF PAST 30 DAYS		
	RANGE = 1 - 30	Freq	Pct
	-9 = Data not collected for this year	24079	2.88
	85 = BAD DATA Logically assigned	114043	13.63
	91 = NEVER USED SNUFF	2	0.00
	93 = DID NOT USE SNUFF IN THE PAST 30 DAYS	621933	74.33
	94 = DON'T KNOW	75943	9.08
	97 = REFUSED	188	0.02
	98 = BLANK (NO ANSWER)	62	0.01
		446	0.05

What is your best estimate of the number of days you used snuff during the past 30 days?

SN30EST	Len : 2 BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS		
	-9 = Data not collected for this year	Freq	Pct
	1 = 1 or 2 days	114043	13.63
	2 = 3 to 5 days	41	0.00
	3 = 6 to 9 days	24	0.00
	4 = 10 to 19 days	28	0.00
	5 = 20 to 29 days	41	0.00
	6 = All 30 days	22	0.00
	91 = NEVER USED SNUFF	29	0.00
	93 = DID NOT USE SNUFF IN THE PAST 30 DAYS	621933	74.33
	94 = DON'T KNOW	75943	9.08
	97 = REFUSED	16	0.00
	98 = BLANK (NO ANSWER)	49	0.01
	99 = LEGITIMATE SKIP	448	0.05
		24079	2.88

IDENTIFICATION

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

SNF30BR2

Len : 4 SNUFF BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
201 = Beech-Nut.....	3	0.00
206 = Levi Garrett.....	22	0.00
208 = Red Man chewing tobacco.....	45	0.01
216 = Blackbull.....	3	0.00
230 = Stoker chewing tobacco	17	0.00
301 = Copenhagen	6891	0.82
302 = Gold River	37	0.00
303 = Happy Days	32	0.00
304 = Hawken.....	142	0.02
305 = Kodiak.....	1108	0.13
306 = Redwood.....	34	0.00
307 = Silver Creek.....	84	0.01
308 = Skoal.....	7083	0.85
309 = Timber Wolf	831	0.10
312 = Cougar	48	0.01
313 = Dental	3	0.00
315 = Navy	3	0.00
316 = Red Seal.....	780	0.09
317 = Rooster.....	54	0.01
320 = Tube Rose.....	3	0.00
321 = Garrett snuff.....	14	0.00
326 = Kayak.....	46	0.01
332 = Grizzly	5452	0.65
337 = General snuff	4	0.00
338 = Longhorn	186	0.02
341 = Husky.....	87	0.01
349 = Camel Snus	360	0.04
351 = Red Man snuff.....	124	0.01
355 = Marlboro snus	61	0.01
363 = Stoker's snuff	36	0.00
1999 = Cigarette; brand otherwise unspecified	8	0.00
2999 = Chewing tobacco; brand otherwise unspecified	65	0.01
3999 = Snuff; brand otherwise unspecified.....	426	0.05
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	4	0.00
5999 = Pipe tobacco; brand otherwise unspecified	1	0.00
6999 = Unknown tobacco or non-tobacco product.....	1	0.00
7999 = Not a tobacco product.....	9	0.00
8999 = Tobacco replacement or tobacco-like product.....	1	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	4	0.00
9900 = Not a brand	1	0.00
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED SNUFF	621933	74.33
9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS	75943	9.08
9994 = DON'T KNOW	148	0.02
9997 = REFUSED	67	0.01
9998 = BLANK (NO ANSWER).....	446	0.05

The next questions are only about chewing tobacco.

Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.

Have you ever used chewing tobacco, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

CHEWEVER

Len : 2 EVER USED CHEW EVEN ONCE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	82735	9.89
2 = No.....	639802	76.47
85 = BAD DATA Logically assigned	5	0.00
94 = DON'T KNOW	95	0.01
97 = REFUSED	16	0.00

IDENTIFICATION

How old were you the first time you used chewing tobacco?

CHEWTRY	Len : 3 AGE WHEN FIRST USED CHEW		
	RANGE = 1 - 80	Freq	Pct
	-9 = Data not collected for this year	80994	9.68
	985 = BAD DATA Logically assigned	114043	13.63
	991 = NEVER USED CHEWING TOBACCO	897	0.11
	994 = DON'T KNOW	639802	76.47
	997 = REFUSED	764	0.09
	998 = BLANK (NO ANSWER).....	101	0.01
		95	0.01

Did you first use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use chewing tobacco?

CHEWYFU	Len : 4 YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
	RANGE = 2000 - 2014	Freq	Pct
	-9 = Data not collected for this year	7446	0.89
	9985 = BAD DATA Logically assigned	114043	13.63
	9989 = LEGITIMATE SKIP Logically assigned	1061	0.13
	9991 = NEVER USED CHEWING TOBACCO	392	0.05
	9994 = DON'T KNOW	639802	76.47
	9997 = REFUSED	792	0.09
	9998 = BLANK (NO ANSWER).....	109	0.01
	9999 = LEGITIMATE SKIP.....	631	0.08
		72420	8.66

In what month in [CURRENT YEAR] did you first use chewing tobacco?

In what month in [YEAR FROM CG18a or CG18b] did you first use chewing tobacco?

CHEWMFU	Len : 2 MONTH OF FIRST CHEWING TOBACCO USE - RECODE		
	-9 = Data not collected for this year	Freq	Pct
	1 = January.....	114043	13.63
	2 = February.....	605	0.07
	3 = March.....	474	0.06
	4 = April	602	0.07
	5 = May.....	517	0.06
	6 = June.....	510	0.06
	7 = July	840	0.10
	8 = August	773	0.09
	9 = September	557	0.07
	10 = October	565	0.07
	11 = November	555	0.07
	12 = December.....	516	0.06
	85 = BAD DATA Logically assigned	370	0.04
	89 = LEGITIMATE SKIP Logically assigned	1056	0.13
	91 = NEVER USED CHEWING TOBACCO	392	0.05
	94 = DON'T KNOW	639802	76.47
	97 = REFUSED	1338	0.16
	98 = BLANK (NO ANSWER)	125	0.01
	99 = LEGITIMATE SKIP.....	636	0.08
		72420	8.66

IDENTIFICATION

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?

How long has it been since you last used chewing tobacco?

CHEWREC Len : 2 TIME SINCE LAST USED CHEWING TOBACCO

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days	11253	1.34
2 = More than 30 days ago but within the past 12 mos	10337	1.24
3 = More than 12 months ago but within the past 3 yrs	12398	1.48
4 = More than 3 years ago	47224	5.64
8 = Used at some point in the past 12 mos LOG ASSN	40	0.00
9 = Used at some point in the lifetime LOG ASSN	34	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED	6	0.00
14 = Used more than 12 months ago LOG ASSN	635	0.08
19 = Used more than 30 days ago LOG ASSN	450	0.05
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	351	0.04
39 = Used within the past 3 years LOGICALLY ASSIGNED	7	0.00
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED CHEWING TOBACCO	639802	76.47
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER)	95	0.01

During the past 30 days, that is since [DATEFILL], on how many days did you use chewing tobacco?

CHW30USE Len : 2 HOW MANY DAYS USED CHEW IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	11119	1.33
-9 = Data not collected for this year	114043	13.63
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED CHEWING TOBACCO	639802	76.47
93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS	71395	8.53
94 = DON'T KNOW	119	0.01
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	184	0.02

What is your best estimate of the number of days you used chewing tobacco during the past 30 days?

CH30EST Len : 2 PAST 30 DAY ESTIMATE OF CHEWING TOBACCO

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = 1 or 2 days	41	0.00
2 = 3 to 5 days	21	0.00
3 = 6 to 9 days	23	0.00
4 = 10 to 19 days	14	0.00
5 = 20 to 29 days	7	0.00
6 = All 30 days	12	0.00
91 = NEVER USED CHEWING TOBACCO	639802	76.47
93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS	71395	8.53
94 = DON'T KNOW	9	0.00
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER)	187	0.02
99 = LEGITIMATE SKIP	11119	1.33

IDENTIFICATION

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CHW30BR2

Len : 4 CHEW BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
201 = Beech-Nut.....	1111	0.13
202 = Chattanooga Chew.....	172	0.02
203 = Day's Work	116	0.01
204 = Granger.....	90	0.01
205 = H.B. Scott.....	23	0.00
206 = Levi Garrett.....	1743	0.21
207 = Red Fox	152	0.02
208 = Red Man chewing tobacco.....	3571	0.43
209 = Taylor's Pride.....	108	0.01
210 = Totems	3	0.00
211 = Work Horse.....	40	0.00
212 = Apple Jack	4	0.00
216 = Blackbull.....	20	0.00
218 = Cannonball.....	4	0.00
220 = Lancaster.....	30	0.00
222 = Morgan's	6	0.00
223 = Peachy Big Leaf.....	3	0.00
225 = Trophy	3	0.00
228 = Southern Pride	10	0.00
230 = Stoker chewing tobacco.....	32	0.00
241 = Tennessee Chew	9	0.00
248 = Star chewing tobacco.....	13	0.00
301 = Copenhagen	787	0.09
304 = Hawken.....	7	0.00
305 = Kodiak	138	0.02
308 = Skoal.....	1124	0.13
309 = Timber Wolf	46	0.01
316 = Red Seal.....	23	0.00
317 = Rooster.....	10	0.00
326 = Kayak.....	6	0.00
332 = Grizzly	711	0.08
338 = Longhorn	42	0.01
341 = Husky.....	14	0.00
349 = Camel Snus	154	0.02
355 = Marlboro snus.....	17	0.00
1999 = Cigarette; brand otherwise unspecified	8	0.00
2999 = Chewing tobacco; brand otherwise unspecified	593	0.07
3999 = Snuff; brand otherwise unspecified.....	111	0.01
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	3	0.00
6999 = Unknown tobacco or non-tobacco product.....	1	0.00
7999 = Not a tobacco product.....	5	0.00
8999 = Tobacco replacement or tobacco-like product.....	2	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	1	0.00
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED CHEWING TOBACCO	639802	76.47
9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS	71395	8.53
9994 = DON'T KNOW	150	0.02
9997 = REFUSED	53	0.01
9998 = BLANK (NO ANSWER).....	184	0.02

NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BRN are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BRN, and SNF30BRN. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.

SLTTRY

Len : 3 AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE

	Freq	Pct
RANGE = 1 - 80.....	121476	14.52
-9 = Data not collected for this year	114043	13.63
985 = BAD DATA Logically assigned	185	0.02
991 = NEVER USED SMOKELESS TOBACCO.....	597368	71.40
994 = DON'T KNOW	1254	0.15
997 = REFUSED	310	0.04
998 = BLANK (NO ANSWER).....	2060	0.25

IDENTIFICATION

SLTYFU

Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	13400	1.60
-9 = Data not collected for this year	114043	13.63
9985 = BAD DATA Logically assigned	1357	0.16
9989 = LEGITIMATE SKIP Logically assigned	724	0.09
9991 = NEVER USED SMOKELESS TOBACCO	597368	71.40
9994 = DON'T KNOW	1298	0.16
9997 = REFUSED	319	0.04
9998 = BLANK (NO ANSWER)	2186	0.26
9999 = LEGITIMATE SKIP	106001	12.67

SLTMFU

Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = January	1037	0.12
2 = February	848	0.10
3 = March	1019	0.12
4 = April	923	0.11
5 = May	911	0.11
6 = June	1489	0.18
7 = July	1378	0.16
8 = August	1028	0.12
9 = September	1032	0.12
10 = October	1096	0.13
11 = November	956	0.11
12 = December	727	0.09
85 = BAD DATA Logically assigned	1357	0.16
89 = LEGITIMATE SKIP Logically assigned	724	0.09
91 = NEVER USED SMOKELESS TOBACCO	597368	71.40
94 = DON'T KNOW	2048	0.24
97 = REFUSED	346	0.04
98 = BLANK (NO ANSWER)	2365	0.28
99 = LEGITIMATE SKIP	106001	12.67

SLTREC

Len : 2 TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days	28590	3.42
2 = More than 30 days ago but within the past 12 mos	15929	1.90
3 = More than 12 months ago but within the past 3 yrs	16944	2.03
4 = More than 3 years ago	60587	7.24
8 = Used at some point in the past 12 mos LOG ASSN	99	0.01
9 = Used at some point in the lifetime LOG ASSN	85	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	15	0.00
14 = Used more than 12 months ago LOG ASSN	1079	0.13
19 = Used more than 30 days ago LOG ASSN	846	0.10
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	747	0.09
39 = Used within the past 3 years LOGICALLY ASSIGNED	4	0.00
91 = NEVER USED SMOKELESS TOBACCO	597368	71.40
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER)	331	0.04

IDENTIFICATION

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

SLT30BR2

Len : 4 SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
201 = Beech-Nut.....	415	0.05
202 = Chattanooga Chew.....	78	0.01
203 = Day's Work	67	0.01
204 = Granger.....	36	0.00
205 = H.B. Scott.....	6	0.00
206 = Levi Garrett.....	676	0.08
207 = Red Fox	51	0.01
208 = Red Man chewing tobacco.....	1382	0.17
209 = Taylor's Pride.....	46	0.01
211 = Work Horse.....	9	0.00
212 = Apple Jack	3	0.00
216 = Blackbull.....	19	0.00
218 = Cannonball.....	4	0.00
220 = Lancaster.....	12	0.00
222 = Morgan's	3	0.00
225 = Trophy	3	0.00
228 = Southern Pride	10	0.00
230 = Stoker chewing tobacco.....	39	0.00
241 = Tennessee Chew	3	0.00
248 = Star chewing tobacco.....	10	0.00
255 = Iqmik	3	0.00
301 = Copenhagen.....	6987	0.84
302 = Gold River	28	0.00
303 = Happy Days	23	0.00
304 = Hawken.....	136	0.02
305 = Kodiak	1159	0.14
306 = Redwood.....	22	0.00
307 = Silver Creek	83	0.01
308 = Skoal.....	7560	0.90
309 = Timber Wolf.....	825	0.10
312 = Cougar	48	0.01
316 = Red Seal.....	766	0.09
317 = Rooster.....	60	0.01
320 = Tube Rose.....	3	0.00
321 = Garrett snuff.....	13	0.00
326 = Kayak.....	55	0.01
332 = Grizzly	5714	0.68
337 = General snuff	5	0.00
338 = Longhorn	217	0.03
341 = Husky.....	96	0.01
347 = Skruf.....	3	0.00
349 = Camel Snus.....	442	0.05
351 = Red Man snuff.....	51	0.01
355 = Marlboro snus.....	76	0.01
363 = Stoker's snuff	33	0.00
805 = Smokey Mountain (non-tobacco, herbal) snuff.....	3	0.00
1999 = Cigarette; brand otherwise unspecified	13	0.00
2999 = Chewing tobacco; brand otherwise unspecified	440	0.05
3999 = Snuff; brand otherwise unspecified.....	418	0.05
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	7	0.00
5999 = Pipe tobacco; brand otherwise unspecified	1	0.00
6999 = Unknown tobacco or non-tobacco product.....	2	0.00
7999 = Not a tobacco product	9	0.00
8999 = Tobacco replacement or tobacco-like product.....	3	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	2	0.00
9900 = Not a brand	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED SMOKELESS TOBACCO.....	597368	71.40
9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	96132	11.49
9994 = DON'T KNOW	206	0.02
9997 = REFUSED	81	0.01
9998 = BLANK (NO ANSWER).....	686	0.08

IDENTIFICATION

The computer recorded that the chewing tobacco you used most often during the past 30 days was [CG22/RCG22/RRCG22 FILL] and that the snuff you used most often during the past 30 days was [CG30/RCG30/RRCG30 FILL]. Which of these two brands did you use most often during the past 30 days?

SLT30FAV

Len : 2 WHICH BRAND CHEW OR SNUFF USED MOST

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Brand reported from CHW30BR2	5826	0.70
2 = Brand reported from SNF30BR2	22612	2.70
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED SMOKELESS TOBACCO	597368	71.40
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	96132	11.49
94 = DON'T KNOW	9	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	673	0.08

TOBACCO

SELF-ADMINISTERED SUBSTANCE USE SECTIONS

TOBACCO

These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.

Have you ever smoked part or all of a cigarette?

CIGEVER	Len : 1	EVER SMOKED A CIGARETTE		
		1 = Yes.....	450794	53.88
		2 = No.....	385902	46.12

If one of your best friends offered you a cigarette, would you smoke it?

CIGOFRSM	Len : 2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG		
		1 = Definitely Yes.....	275	0.03
		2 = Probably Yes.....	2312	0.28
		3 = Probably Not.....	27167	3.25
		4 = Definitely Not.....	167653	20.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	88	0.01
		97 = REFUSED.....	100	0.01
		98 = BLANK (NO ANSWER).....	9	0.00
		99 = LEGITIMATE SKIP.....	639091	76.38

At any time during the next 12 months do you think you will smoke a cigarette?

CIGWILYR	Len : 2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS		
		1 = Definitely Yes.....	210	0.03
		2 = Probably Yes.....	1902	0.23
		3 = Probably Not.....	24597	2.94
		4 = Definitely Not.....	170670	20.40
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	155	0.02
		97 = REFUSED.....	60	0.01
		98 = BLANK (NO ANSWER).....	9	0.00
		99 = LEGITIMATE SKIP.....	639091	76.38

How old were you the first time you smoked part or all of a cigarette?

CIGTRY	Len : 3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 1 - 68.....	444701	53.15
		985 = BAD DATA Logically assigned.....	3351	0.40
		991 = NEVER USED CIGARETTES.....	385902	46.12
		994 = DON'T KNOW.....	2325	0.28
		997 = REFUSED.....	417	0.05

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

CIGYFU	Len : 4	YEAR OF FIRST CIGARETTE USE - RECODE		
		RANGE = 2000 - 2016.....	29476	3.52
		9985 = BAD DATA Logically assigned.....	3767	0.45
		9989 = LEGITIMATE SKIP Logically assigned.....	2004	0.24
		9991 = NEVER USED CIGARETTES.....	385902	46.12
		9994 = DON'T KNOW.....	2402	0.29
		9997 = REFUSED.....	449	0.05
		9998 = BLANK (NO ANSWER).....	2127	0.25
		9999 = LEGITIMATE SKIP.....	410569	49.07

TOBACCO

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

CIGMFU Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	2335	0.28
2 = February.....	1665	0.20
3 = March.....	2106	0.25
4 = April.....	1917	0.23
5 = May.....	2031	0.24
6 = June.....	3439	0.41
7 = July.....	3217	0.38
8 = August.....	2320	0.28
9 = September.....	2242	0.27
10 = October.....	2371	0.28
11 = November.....	2001	0.24
12 = December.....	1749	0.21
85 = BAD DATA Logically assigned.....	3745	0.45
89 = LEGITIMATE SKIP Logically assigned.....	2004	0.24
91 = NEVER USED CIGARETTES.....	385902	46.12
94 = DON'T KNOW.....	4406	0.53
97 = REFUSED.....	528	0.06
98 = BLANK (NO ANSWER).....	2149	0.26
99 = LEGITIMATE SKIP.....	410569	49.07

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days - that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?

How long has it been since you last smoked part or all of a cigarette?

CIGREC Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	Freq	Pct
1 = Within the past 30 days.....	201810	24.12
2 = More than 30 days ago but within the past 12 mos.....	47294	5.65
3 = More than 12 months ago but within the past 3 yrs.....	42453	5.07
4 = More than 3 years ago.....	153615	18.36
8 = Used at some point in the past 12 mos LOG ASSN.....	169	0.02
9 = Used at some point in the lifetime LOG ASSN.....	154	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	26	0.00
14 = Used more than 12 months ago LOG ASSN.....	2562	0.31
19 = Used more than 30 days ago LOG ASSN.....	1442	0.17
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	1243	0.15
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	26	0.00
91 = NEVER USED CIGARETTES.....	385902	46.12

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

CIG30USE Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	199964	23.90
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED CIGARETTES.....	385902	46.12
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	248609	29.71
94 = DON'T KNOW.....	1596	0.19
97 = REFUSED.....	250	0.03
98 = BLANK (NO ANSWER).....	368	0.04

TOBACCO

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

CG30EST

Len : 2 BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	209	0.02
2 = 3 to 5 days.....	207	0.02
3 = 6 to 9 days.....	219	0.03
4 = 10 to 19 days.....	314	0.04
5 = 20 to 29 days.....	203	0.02
6 = All 30 days.....	450	0.05
91 = NEVER USED CIGARETTES.....	385902	46.12
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	248609	29.71
94 = DON'T KNOW	160	0.02
97 = REFUSED	84	0.01
98 = BLANK (NO ANSWER)	375	0.04
99 = LEGITIMATE SKIP.....	199964	23.90

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

CIG30AV

Len : 2 AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	Freq	Pct
1 = Less than one cigarette per day	21932	2.62
2 = 1 cigarette per day.....	23854	2.85
3 = 2 to 5 cigarettes per day	55490	6.63
4 = 6 to 15 cigarettes per day (about 1/2 pack).....	52634	6.29
5 = 16 to 25 cigarettes per day (about 1 pack).....	36056	4.31
6 = 26 to 35 cigarettes per day (about 1 1/2 packs).....	8082	0.97
7 = More than 35 cigs per day (abt 2 packs or more)	3312	0.40
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED CIGARETTES.....	385902	46.12
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	248609	29.71
94 = DON'T KNOW	118	0.01
97 = REFUSED	172	0.02
98 = BLANK (NO ANSWER)	529	0.06

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CIG30BR2

Len : 4 CIG BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
101 = Basic	4170	0.50
102 = Benson & Hedges	829	0.10
103 = Cambridge	27	0.00
104 = Camel.....	24253	2.90
105 = Capri	644	0.08
106 = Carlton	141	0.02
107 = Doral	2364	0.28
109 = GPC	1027	0.12
110 = Kent	140	0.02
111 = Kool.....	4507	0.54
112 = Marlboro	90974	10.87
113 = Merit	334	0.04
114 = Misty.....	1142	0.14
115 = Monarch.....	306	0.04
116 = Montclair	42	0.01
117 = More	113	0.01
118 = Newport	34554	4.13
119 = Pall Mall	4543	0.54
120 = Parliament.....	3633	0.43
121 = Private Label.....	67	0.01
122 = Salem	1449	0.17
123 = Vantage.....	118	0.01
124 = Viceroy	95	0.01
125 = Virginia Slims.....	1676	0.20
126 = Winston.....	2090	0.25
127 = Alpine	19	0.00
130 = Best Value.....	127	0.02
132 = Bugler (roll-your-own).....	450	0.05
134 = Chesterfield.....	7	0.00
137 = Eve.....	41	0.00
141 = L & M.....	1106	0.13
142 = Lucky Strike	146	0.02
144 = Maverick.....	703	0.08
145 = Max.....	3	0.00
146 = Now	23	0.00
147 = Old Gold	338	0.04
148 = Players	23	0.00
149 = Pyramid.....	618	0.07
150 = Raleigh.....	3	0.00
152 = Saratoga	32	0.00
157 = Tareyton.....	14	0.00
158 = Top (roll-your-own).....	893	0.11
160 = True	47	0.01
161 = American Spirit.....	3666	0.44
162 = Austin	8	0.00
163 = Bali Hai cigarettes.....	10	0.00
164 = Bali-Shag (roll-your-own).....	30	0.00
169 = Bronson.....	32	0.00
171 = Checkers	7	0.00
172 = Cimarron.....	8	0.00
173 = Clove; brand unspecified	76	0.01
174 = Dave's	4	0.00
175 = Djarum cigarettes, Djarum Splash	475	0.06
176 = Drum rolling tobacco.....	58	0.01
177 = Du Maurier	3	0.00
178 = Dunhill cigarettes.....	46	0.01
179 = Eagle.....	106	0.01
180 = Export A	6	0.00
183 = First Class	23	0.00
184 = Gauloises	8	0.00
185 = Generic cigarettes; brand unspecified	8	0.00
186 = Gold Coast	47	0.01
189 = Hi-Value	7	0.00
190 = Jacks	56	0.01
193 = Kamel Red	32	0.00
194 = Legend	3	0.00
196 = Mainstreet	10	0.00
199 = Meridian	9	0.00
404 = Black & Mild	406	0.05
419 = Phillies	13	0.00

TOBACCO

423 = Swisher Sweets	186	0.02
428 = Winchester	6	0.00
429 = Al Capone	9	0.00
443 = Cohiba cigars	3	0.00
492 = Prime Time Little Cigars	135	0.02
507 = Red River	9	0.00
508 = Southern Steel	6	0.00
511 = Red Cap pipe tobacco	6	0.00
519 = Buoy pipe tobacco	4	0.00
521 = Bacco pipe tobacco	8	0.00
522 = Sparrow pipe tobacco	4	0.00
525 = 1839 pipe tobacco	3	0.00
701 = Marijuana	3	0.00
810 = Electronic/smokeless cigarette; otherwise unspcfd	25	0.00
814 = blu	8	0.00
815 = Real Deal	4	0.00
1001 = Nat Sherman cigarettes	98	0.01
1005 = Private Stock	4	0.00
1008 = Rave cigarettes	49	0.01
1010 = Rothman	3	0.00
1011 = Sampoerna	13	0.00
1012 = Seven Stars/Mild Sevens	8	0.00
1017 = Sundance	27	0.00
1018 = USA Gold	2811	0.34
1020 = Waves	110	0.01
1021 = Yours	7	0.00
1022 = Bailey	13	0.00
1023 = Sport	23	0.00
1025 = Ultra Buy	3	0.00
1027 = Mustang	6	0.00
1029 = Tourney	120	0.01
1035 = Cherokee	7	0.00
1037 = DTC	27	0.00
1038 = Samson rolling tobacco	3	0.00
1040 = Smokin Joes cigarettes	29	0.00
1041 = Sonoma	538	0.06
1044 = Worth	19	0.00
1048 = Carnival	135	0.02
1050 = USA	106	0.01
1055 = Geranimo	3	0.00
1061 = Signature	7	0.00
1064 = Seneca, cigarette company brand unspcfd	542	0.06
1067 = Amsterdam Shag (roll-your-own)	3	0.00
1069 = Zig-Zag (roll-your-own)	22	0.00
1073 = Grand	45	0.01
1076 = Highway	3	0.00
1082 = Tahoe	56	0.01
1083 = Liggett Select	532	0.06
1086 = Smoker Friendly cigarettes	25	0.00
1089 = Grand Prix	116	0.01
1091 = Dreams	13	0.00
1092 = Native	161	0.02
1093 = Roger	89	0.01
1094 = Shield	40	0.00
1097 = Winner	6	0.00
1100 = Kite (roll-your-own)	3	0.00
1106 = Niagara	10	0.00
1108 = Nobel cigarettes	9	0.00
1110 = Eclipse	7	0.00
1112 = Kentucky's Best	66	0.01
1120 = Durant	3	0.00
1121 = Quality	10	0.00
1123 = CT	31	0.00
1126 = GT-One	121	0.01
1128 = Double Diamond cigarettes	21	0.00
1134 = Bronco	129	0.02
1138 = Tucson	13	0.00
1139 = 305's cigarettes	321	0.04
1145 = Coronas cigarettes	4	0.00
1146 = Optiva	6	0.00
1147 = Westport	10	0.00
1153 = Marathon	3	0.00
1165 = Scenic 101	5	0.00
1166 = Davidoff cigarettes	6	0.00
1168 = Jade	4	0.00

TOBACCO

1170 = McClintock (roll-your-own).....	6	0.00
1174 = Unify.....	3	0.00
1176 = Cowboys.....	3	0.00
1177 = Silvers.....	11	0.00
1178 = Charter.....	6	0.00
1179 = Quest.....	12	0.00
1180 = Berkeley.....	3	0.00
1182 = Golden Beach.....	10	0.00
1184 = Sky Dancer.....	62	0.01
1198 = Homer.....	4	0.00
1211 = Echo cigarettes.....	51	0.01
1212 = Euro.....	8	0.00
1214 = Midnight Special (roll-your-own).....	8	0.00
1216 = Romy.....	4	0.00
1219 = Brave, The.....	20	0.00
1221 = Cheyenne cigarettes.....	100	0.01
1223 = Axis.....	3	0.00
1227 = Gambler (roll-your-own).....	169	0.02
1232 = Sandia.....	7	0.00
1238 = Way.....	5	0.00
1247 = Buffalo cigarettes.....	3	0.00
1268 = Decade.....	91	0.01
1269 = D Best One.....	4	0.00
1276 = Fortuna.....	87	0.01
1277 = Berley.....	9	0.00
1283 = Rouseco Golden Harvest (roll-your-own).....	39	0.00
1287 = Wild Horse cigarettes.....	64	0.01
1289 = 4Aces (roll-your-own).....	7	0.00
1296 = King Mountain.....	37	0.00
1304 = Ace.....	4	0.00
1308 = Peter Stokkebye (roll-your own).....	10	0.00
1310 = Union.....	3	0.00
1313 = Criss cross (roll-your-own).....	37	0.00
1314 = Premier (roll-your-own).....	9	0.00
1318 = Signal cigarettes.....	21	0.00
1320 = 1839 cigarettes.....	16	0.00
1324 = Kentucky Select (roll-your-own).....	25	0.00
1326 = Exeter.....	37	0.00
1329 = Smoker's Choice cigarettes.....	19	0.00
1335 = Good stuff (roll-your-own).....	61	0.01
1340 = Palermo.....	7	0.00
1341 = Galaxy Pro.....	3	0.00
1344 = Edgefield.....	25	0.00
1346 = Largo cigarette.....	6	0.00
1349 = Ohm rolling tobacco.....	9	0.00
1359 = Timeless Time.....	62	0.01
1361 = Time.....	68	0.01
1365 = Golden Deer.....	3	0.00
1372 = Wings.....	3	0.00
1376 = Crown.....	29	0.00
1377 = Cayuga.....	3	0.00
1391 = West.....	3	0.00
1409 = Mevius.....	3	0.00
1998 = Roll-your-own cigarette; brand unspecified.....	257	0.03
1999 = Cigarette; brand otherwise unspecified.....	2221	0.27
2999 = Chewing tobacco; brand otherwise unspecified.....	2	0.00
3999 = Snuff; brand otherwise unspecified.....	4	0.00
4192 = Smoker's Choice little cigars.....	16	0.00
4207 = Racer little cigars.....	3	0.00
4243 = Dean's Lil' Cigars.....	3	0.00
4287 = Dark Horse little cigars.....	6	0.00
4295 = Santa Fe little cigars.....	15	0.00
4306 = Red Buck little cigars.....	3	0.00
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	247	0.03
5999 = Pipe tobacco; brand otherwise unspecified.....	121	0.01
6999 = Unknown tobacco or non-tobacco product.....	3	0.00
7999 = Not a tobacco product.....	10	0.00
8999 = Tobacco replacement or tobacco-like product.....	27	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	24	0.00
9985 = BAD DATA Logically assigned.....	7	0.00
9991 = NEVER USED CIGARETTES.....	385902	46.12
9993 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	248609	29.71
9994 = DON'T KNOW.....	1328	0.16
9997 = REFUSED.....	207	0.02
9998 = BLANK (NO ANSWER).....	368	0.04

TOBACCO

NOTE: The variable CIG30TPE corresponds to the variable CIG30TYP that existed prior to 2005. The name was changed due to the addition of a new level in 2005 for "Mediums." For this reason, data from CIG30TPE may not be comparable with data from CIG30TYP in prior years.

During the past 30 days, what type of cigarettes did you smoke most often?

CIG30TPE	Len : 2 WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Lights	59607	7.12
	2 = Ultra Lights	9648	1.15
	3 = Mediums	14096	1.68
	4 = Full Flavor	70283	8.40
	91 = NEVER USED CIGARETTES	318876	38.11
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	196199	23.45
	94 = DON'T KNOW	1178	0.14
	97 = REFUSED	143	0.02
	98 = BLANK (NO ANSWER)	1755	0.21

NOTE: Prior to 2004, the question corresponding to CIG30MEN asked whether respondents smoked menthol or regular cigarettes most often. In 2004, the question was changed to the yes/no question shown below, but the variable name stayed as CIG30MEN. This change in question content does not affect trend comparisons for 2004 onward. However, data in CIG30MEN for 2004 onward are not likely to be comparable with data in CIG30MEN for 2002 and 2003.

Were the cigarettes you smoked during the past 30 days menthol?

CIG30MEN	Len : 2 MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS		
		Freq	Pct
	1 = Yes	76170	9.10
	2 = No	122809	14.68
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED CIGARETTES	385902	46.12
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	248609	29.71
	94 = DON'T KNOW	1010	0.12
	97 = REFUSED	43	0.01
	98 = BLANK (NO ANSWER)	2146	0.26

What length were the Marlboro cigarettes you smoked most often during the past 30 days? Were they shorts, regulars (also known as king-sized), or 100s?

CIG30MLN	Len : 2 MARLBORO CIG SMOKED PAST 30 DAYS SHORT, REG, 100'S		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Shorts	23732	2.84
	2 = Regulars or king-sized	31267	3.74
	3 = 100s	13856	1.66
	91 = NEVER USED CIGARETTES	318876	38.11
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	196200	23.45
	94 = DON'T KNOW	340	0.04
	97 = REFUSED	9	0.00
	98 = BLANK (NO ANSWER)	1722	0.21
	99 = LEGITIMATE SKIP	85783	10.25

During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?

CIG30RO2	Len : 2 HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS		
		Freq	Pct
	1 = Yes	29397	3.51
	2 = No	172224	20.58
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	72	0.01
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED CIGARETTES	385902	46.12
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	248609	29.71
	94 = DON'T KNOW	74	0.01
	97 = REFUSED	42	0.01
	98 = BLANK (NO ANSWER)	369	0.04

TOBACCO

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

CIGDLYMO	Len : 2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS		
			Freq	Pct
		1 = Yes.....	120725	14.43
		2 = No.....	221749	26.50
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	108110	12.92
		91 = NEVER USED CIGARETTES.....	385902	46.12
		94 = DON'T KNOW.....	143	0.02
		97 = REFUSED.....	67	0.01

How old were you when you first started smoking cigarettes every day?

CIGAGE	Len : 3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
			Freq	Pct
		RANGE = 1 - 68.....	227156	27.15
		985 = BAD DATA Logically assigned.....	238	0.03
		991 = NEVER USED CIGARETTES.....	385902	46.12
		994 = DON'T KNOW.....	1280	0.15
		997 = REFUSED.....	228	0.03
		998 = BLANK (NO ANSWER).....	143	0.02
		999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY).....	221749	26.50

Did you first start smoking cigarettes every day in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

CIGDLYFU	Len : 4	YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE		
			Freq	Pct
		RANGE = 2000 - 2016.....	12337	1.47
		9985 = BAD DATA Logically assigned.....	627	0.07
		9989 = LEGITIMATE SKIP Logically assigned.....	1151	0.14
		9991 = NEVER USED CIGARETTES.....	385902	46.12
		9994 = DON'T KNOW.....	1339	0.16
		9997 = REFUSED.....	246	0.03
		9998 = BLANK (NO ANSWER).....	266	0.03
		9999 = LEGITIMATE SKIP.....	434828	51.97

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

CIGDLMFU	Len : 2	MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE		
			Freq	Pct
		1 = January.....	1411	0.17
		2 = February.....	876	0.10
		3 = March.....	974	0.12
		4 = April.....	781	0.09
		5 = May.....	941	0.11
		6 = June.....	1384	0.17
		7 = July.....	994	0.12
		8 = August.....	1005	0.12
		9 = September.....	985	0.12
		10 = October.....	824	0.10
		11 = November.....	777	0.09
		12 = December.....	585	0.07
		85 = BAD DATA Logically assigned.....	627	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	1151	0.14
		91 = NEVER USED CIGARETTES.....	385902	46.12
		94 = DON'T KNOW.....	2106	0.25
		97 = REFUSED.....	277	0.03
		98 = BLANK (NO ANSWER).....	268	0.03
		99 = LEGITIMATE SKIP.....	434828	51.97

TOBACCO

Have you smoked at least 100 cigarettes in your entire life?

CIG100LF	Len : 2 HAVE YOU SMOKED 100 CIGS IN YOUR LIFE	Freq	Pct
	1 = Yes.....	159627	19.08
	2 = No.....	196420	23.48
	3 = Yes LOGICALLY ASSIGNED.....	23	0.00
	5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	93386	11.16
	91 = NEVER USED CIGARETTES.....	385902	46.12
	94 = DON'T KNOW.....	1249	0.15
	97 = REFUSED.....	89	0.01

The next questions are about your use of "smokeless" tobacco such as snuff, dip, chewing tobacco, or "snus."

Have you ever used "smokeless" tobacco, even once?

SMKLSSEVR	Len : 2 EVER USED SMOKELESS TOBACCO	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	18484	2.21
	2 = No.....	95478	11.41
	94 = DON'T KNOW.....	76	0.01
	97 = REFUSED.....	5	0.00

How old were you the first time you used "smokeless" tobacco?

SMKLSSTRY	Len : 3 AGE WHEN FIRST USED SMOKELESS TOBACCO	Freq	Pct
	RANGE = 1 - 78.....	18127	2.17
	-9 = Data not collected for this year.....	722653	86.37
	985 = BAD DATA Logically assigned.....	177	0.02
	991 = NEVER USED SMOKELESS TOBACCO.....	95478	11.41
	994 = DON'T KNOW.....	145	0.02
	997 = REFUSED.....	40	0.00
	998 = BLANK (NO ANSWER).....	76	0.01

Did you first use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

SMKLSSYFU	Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE	Freq	Pct
	RANGE = 2013 - 2016.....	1471	0.18
	-9 = Data not collected for this year.....	722653	86.37
	9985 = BAD DATA Logically assigned.....	221	0.03
	9989 = LEGITIMATE SKIP Logically assigned.....	113	0.01
	9991 = NEVER USED SMOKELESS TOBACCO.....	95478	11.41
	9994 = DON'T KNOW.....	148	0.02
	9997 = REFUSED.....	41	0.00
	9998 = BLANK (NO ANSWER).....	180	0.02
	9999 = LEGITIMATE SKIP.....	16391	1.96

TOBACCO

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

In what month in [YEAR FROM CG26a or CG26b] did you first use "smokeless" tobacco?

SMKLSSMFU Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	123	0.01
2 = February.....	108	0.01
3 = March.....	108	0.01
4 = April.....	96	0.01
5 = May.....	92	0.01
6 = June.....	183	0.02
7 = July.....	170	0.02
8 = August.....	124	0.01
9 = September.....	83	0.01
10 = October.....	102	0.01
11 = November.....	104	0.01
12 = December.....	91	0.01
85 = BAD DATA Logically assigned.....	221	0.03
89 = LEGITIMATE SKIP Logically assigned.....	113	0.01
91 = NEVER USED "smokeless" tobacco.....	95478	11.41
94 = DON'T KNOW.....	231	0.03
97 = REFUSED.....	45	0.01
98 = BLANK (NO ANSWER).....	180	0.02
99 = LEGITIMATE SKIP.....	16391	1.96

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used "smokeless" tobacco, even once?

How long has it been since you last used "smokeless" tobacco?

SMKLSSREC Len : 2 TIME SINCE LAST USED SMOKELESS TOBACCO

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Within the past 30 days.....	4264	0.51
2 = More than 30 days ago but within the past 12 mos.....	2035	0.24
3 = More than 12 months ago but within the past 3 yrs.....	2391	0.29
4 = More than 3 years ago.....	9469	1.13
8 = Used at some point in the past 12 mos LOG ASSN.....	12	0.00
9 = Used at some point in the lifetime LOG ASSN.....	12	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	4	0.00
14 = Used more than 12 months ago LOG ASSN.....	130	0.02
19 = Used more than 30 days ago LOG ASSN.....	73	0.01
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	94	0.01
91 = NEVER USED SMOKELESS TOBACCO.....	95478	11.41
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	76	0.01

During the past 30 days, that is since [DATEFILL], on how many days did you use "smokeless" tobacco?

SMKLSS30N Len : 2 HOW MANY DAYS USED SMOKELESS TOBACCO PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	4235	0.51
-9 = Data not collected for this year.....	722653	86.37
91 = NEVER USED SMOKELESS TOBACCO.....	95478	11.41
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	14192	1.70
94 = DON'T KNOW.....	27	0.00
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	104	0.01

TOBACCO

What is your best estimate of the number of days you used "smokeless" tobacco during the past 30 days?

SMKLSS30E	Len : 2 BEST EST. HOW MANY DAYS USED SMKLSS TOB PST 30 DYS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = 1 or 2 days	7	0.00
	2 = 3 to 5 days	3	0.00
	3 = 6 to 9 days	3	0.00
	4 = 10 to 19 days	3	0.00
	5 = 20 to 29 days	3	0.00
	6 = All 30 days	6	0.00
	91 = NEVER USED SMOKELESS TOBACCO	95478	11.41
	93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	14192	1.70
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	104	0.01
	99 = LEGITIMATE SKIP	4235	0.51

The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.

Have you ever smoked part or all of any type of cigar?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

CIGAREVR	Len : 2 EVER SMOKED PART OR ALL OF CIGAR	Freq	Pct
	1 = Yes	260634	31.15
	2 = No	575913	68.83
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	123	0.01
	97 = REFUSED	23	0.00

How old were you the first time you smoked part or all of any type of cigar?

CIGARTRY	Len : 3 AGE WHEN FIRST SMOKED CIGAR	Freq	Pct
	RANGE = 1 - 80	254724	30.44
	985 = BAD DATA Logically assigned	2579	0.31
	991 = NEVER USED CIGARS	575913	68.83
	994 = DON'T KNOW	3210	0.38
	997 = REFUSED	147	0.02
	998 = BLANK (NO ANSWER)	123	0.01

Did you first smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

CIGARYFU	Len : 4 YEAR OF FIRST CIGAR USE - RECODE	Freq	Pct
	RANGE = 2000 - 2016	31931	3.82
	9985 = BAD DATA Logically assigned	3616	0.43
	9989 = LEGITIMATE SKIP Logically assigned	1713	0.20
	9991 = NEVER USED CIGARS	575913	68.83
	9994 = DON'T KNOW	3303	0.39
	9997 = REFUSED	161	0.02
	9998 = BLANK (NO ANSWER)	1572	0.19
	9999 = LEGITIMATE SKIP	218487	26.11

TOBACCO

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar?

CIGARMFU Len : 2 MONTH OF FIRST CIGAR USE - RECODE

	Freq	Pct
1 = January.....	2582	0.31
2 = February.....	1770	0.21
3 = March.....	2131	0.25
4 = April.....	2175	0.26
5 = May.....	2341	0.28
6 = June.....	3901	0.47
7 = July.....	3758	0.45
8 = August.....	2512	0.30
9 = September.....	2200	0.26
10 = October.....	2225	0.27
11 = November.....	2043	0.24
12 = December.....	1990	0.24
85 = BAD DATA Logically assigned.....	3595	0.43
89 = LEGITIMATE SKIP Logically assigned.....	1713	0.20
91 = NEVER USED CIGARS.....	575913	68.83
94 = DON'T KNOW.....	5533	0.66
97 = REFUSED.....	234	0.03
98 = BLANK (NO ANSWER).....	1593	0.19
99 = LEGITIMATE SKIP.....	218487	26.11

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

How long has it been since you last smoked part or all of any type of cigar?

CIGARREC Len : 2 TIME SINCE LAST SMOKED CIGAR

	Freq	Pct
1 = Within the past 30 days.....	53894	6.44
2 = More than 30 days ago but within the past 12 mos.....	54743	6.54
3 = More than 12 months ago but within the past 3 yrs.....	51975	6.21
4 = More than 3 years ago.....	95513	11.42
8 = Used at some point in the past 12 mos LOG ASSN.....	137	0.02
9 = Used at some point in the lifetime LOG ASSN.....	128	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	27	0.00
14 = Used more than 12 months ago LOG ASSN.....	1719	0.21
19 = Used more than 30 days ago LOG ASSN.....	1278	0.15
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	1207	0.14
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	13	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED CIGARS.....	575913	68.83
97 = REFUSED.....	23	0.00
98 = BLANK (NO ANSWER).....	123	0.01

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar?

CGR30USE Len : 2 HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	53367	6.38
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED CIGARS.....	575913	68.83
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	206435	24.67
94 = DON'T KNOW.....	474	0.06
97 = REFUSED.....	76	0.01
98 = BLANK (NO ANSWER).....	429	0.05

TOBACCO

What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?

CI30EST

Len : 2 BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	166	0.02
2 = 3 to 5 days.....	102	0.01
3 = 6 to 9 days.....	69	0.01
4 = 10 to 19 days.....	65	0.01
5 = 20 to 29 days.....	20	0.00
6 = All 30 days.....	15	0.00
91 = NEVER USED CIGARS	575913	68.83
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	206435	24.67
94 = DON'T KNOW	65	0.01
97 = REFUSED	48	0.01
98 = BLANK (NO ANSWER)	431	0.05
99 = LEGITIMATE SKIP.....	53367	6.38

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CGR30BR2

Len : 4 CIGAR BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
104 = Camel.....	14	0.00
112 = Marlboro.....	425	0.05
118 = Newport.....	49	0.01
401 = Antonio y Cleopatra.....	228	0.03
402 = Backwoods.....	1558	0.19
403 = Bering.....	12	0.00
404 = Black & Mild.....	17303	2.07
405 = Captain Black.....	222	0.03
406 = Casa Silva.....	5	0.00
407 = Cuesta-Rey.....	68	0.01
408 = Dutch Masters.....	1809	0.22
409 = El Producto.....	97	0.01
410 = Erik Filter.....	4	0.00
411 = Garcia y Vega.....	1082	0.13
412 = Havatampa.....	225	0.03
413 = King Edward.....	301	0.04
414 = La Corona.....	237	0.03
415 = Little Nippers.....	62	0.01
416 = Macanudos.....	982	0.12
417 = Muriel.....	68	0.01
418 = Partagas.....	179	0.02
419 = Phillies.....	2668	0.32
420 = Rigoletto.....	10	0.00
422 = Roi-Tan.....	11	0.00
423 = Swisher Sweets.....	9883	1.18
424 = Tijuana Smalls.....	113	0.01
425 = Universal.....	4	0.00
426 = White Owl.....	1965	0.23
427 = William Penn.....	4	0.00
428 = Winchester.....	217	0.03
429 = Al Capone.....	1060	0.13
431 = Arturo Fuente.....	608	0.07
432 = Ashton.....	73	0.01
434 = Baccarat.....	16	0.00
437 = Blackstone.....	169	0.02
439 = Blunts; brand unspecified.....	6	0.00
443 = Cohiba cigars.....	1164	0.14
444 = Cojimar.....	3	0.00
448 = Cuban cigars; brand unspecified.....	354	0.04
449 = Cubana; brand unspecified.....	24	0.00
451 = Davidoff cigars.....	26	0.00
452 = Don Diego.....	8	0.00
458 = Dunhill cigars.....	6	0.00
460 = El Rey del Mundo.....	3	0.00
462 = Grenadiers.....	7	0.00
464 = H. Upmann.....	16	0.00
465 = Habana/Havana cigars; brand unspecified.....	53	0.01
469 = Hoya De Monterrey.....	9	0.00
476 = La Gloria Cubana.....	17	0.00
479 = La Flor Dominicana.....	3	0.00
484 = Middleton; Black and Mild unspecified.....	4	0.00
486 = Montecristo.....	561	0.07
488 = Optimo.....	51	0.01
490 = Padron.....	54	0.01
492 = Prime Time Little Cigars.....	476	0.06
493 = Prince Albert cigars.....	7	0.00
494 = Punch.....	242	0.03
495 = Puros Indios.....	3	0.00
496 = Romeo y Julieta.....	1026	0.12
497 = Royal Jamaica.....	3	0.00
1221 = Cheyenne cigarettes.....	5	0.00
1999 = Cigarette; brand otherwise unspecified.....	104	0.01
4001 = Sweets; brand unspecified.....	3	0.00
4003 = Te Amo.....	5	0.00
4005 = Thompson.....	135	0.02
4006 = Tiparillo.....	4	0.00
4016 = Dominican cigars; brand unspecified.....	32	0.00
4018 = Nat Sherman cigars.....	4	0.00
4020 = Onyx.....	7	0.00
4022 = Excalibur.....	3	0.00

TOBACCO

4027 = Nicaraguan cigars; brand unspecified	3	0.00
4036 = La Finca	3	0.00
4045 = Havana Honey	31	0.00
4050 = Fuente	17	0.00
4051 = Avo	6	0.00
4054 = Acid	318	0.04
4064 = Djarum cigarillos	150	0.02
4072 = K. Hansotia Gurhka	38	0.00
4083 = C.A.O.	104	0.01
4084 = Tatiana	15	0.00
4110 = Drew Estates	38	0.00
4116 = Sosa	3	0.00
4130 = Smokin Joe's cigars	3	0.00
4135 = Sinatra	3	0.00
4136 = Markers Mark	18	0.00
4155 = Smoker Friendly cigars	7	0.00
4175 = Perdomo	12	0.00
4192 = Smoker's Choice little cigars	57	0.01
4203 = Omega little cigars	3	0.00
4207 = Racer little cigars	6	0.00
4209 = Heaven	3	0.00
4212 = Diesel	4	0.00
4236 = Hats Off	4	0.00
4237 = Rocky Patels	82	0.01
4242 = Pom Pom cigarillos	3	0.00
4243 = Dean's Lil' Cigars	16	0.00
4245 = Oliva O	27	0.00
4265 = Cheyenne little cigars	221	0.03
4266 = Java	3	0.00
4282 = Vendetta little cigars	3	0.00
4283 = Supreme Blend little cigars	7	0.00
4295 = Santa Fe little cigars	46	0.01
4306 = Red Buck little cigars	15	0.00
4308 = Stampede little cigars	3	0.00
4311 = Kahlua	11	0.00
4312 = Golden Harvest little cigars	10	0.00
4313 = Richwood little cigars	3	0.00
4328 = Remington little cigars	6	0.00
4344 = Kristoff	3	0.00
4347 = Game	61	0.01
4350 = Double Diamond cigars	8	0.00
4357 = NUb	7	0.00
4360 = Director's Club little cigars	3	0.00
4361 = Good Times	19	0.00
4366 = Wrangler little cigars	3	0.00
4367 = Clipper little cigars	17	0.00
4375 = 1839 cigars	12	0.00
4376 = Smoker's Best cigars	6	0.00
4391 = Zig Zag cigarillos	42	0.01
4410 = Wild Horse cigars	3	0.00
4411 = Alec Bradley	7	0.00
4419 = Room101 305s	9	0.00
4420 = Entourage	3	0.00
4434 = 38 Special little cigars	3	0.00
4454 = Criss Cross cigars	7	0.00
4455 = Talon	6	0.00
4458 = 305's cigars	16	0.00
4465 = Tatuaje	3	0.00
4476 = Seneca cigar	4	0.00
4496 = Jackpot cigars	8	0.00
4513 = My Father	3	0.00
4998 = Homemade cigars	3	0.00
4999 = Cigar/Cigarillo; brand otherwise unspecified	3740	0.45
5999 = Pipe tobacco; brand otherwise unspecified	3	0.00
6999 = Unknown tobacco or non-tobacco product	3	0.00
7999 = Not a tobacco product	3	0.00
8999 = Tobacco replacement or tobacco-like product	2	0.00
9000 = Did not confirm after 3 passes thru brand Qs	3	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED CIGARS	575913	68.83
9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS	206435	24.67
9994 = DON'T KNOW	2291	0.27
9997 = REFUSED	155	0.02
9998 = BLANK (NO ANSWER)	429	0.05

TOBACCO

These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

PIPEVER Len : 2 EVER SMOKED PIPE TOBACCO

	Freq	Pct
1 = Yes.....	74346	8.89
2 = No.....	762200	91.10
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	128	0.02
97 = REFUSED.....	21	0.00

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

PIPE30DY Len : 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS

	Freq	Pct
1 = Yes.....	8170	0.98
2 = No.....	66154	7.91
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PIPE TOBACCO.....	762200	91.10
94 = DON'T KNOW.....	16	0.00
97 = REFUSED.....	26	0.00
98 = BLANK (NO ANSWER).....	128	0.02

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

NODR30A Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90.....	303209	36.24
-9 = Data not collected for this year.....	114043	13.63
975 = AT LEAST 5 Logically assigned.....	12690	1.52
985 = BAD DATA Logically assigned.....	3018	0.36
991 = NEVER USED ALCOHOL.....	201569	24.09
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	190993	22.83
994 = DON'T KNOW.....	1377	0.16
997 = REFUSED.....	499	0.06
998 = BLANK (NO ANSWER).....	9298	1.11

During the past 30 days, that is since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

DR5DAY Len : 2 # DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS

	Freq	Pct
RANGE = 0 - 30.....	313030	37.41
-9 = Data not collected for this year.....	114043	13.63
80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	652	0.08
85 = BAD DATA Logically assigned.....	3019	0.36
91 = NEVER USED ALCOHOL.....	201569	24.09
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	190993	22.83
94 = DON'T KNOW.....	3164	0.38
97 = REFUSED.....	928	0.11
98 = BLANK (NO ANSWER).....	9298	1.11

ALCOHOL

ALCOHOL

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink" we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink. Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

ALCEVER Len : 2 EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Yes.....	602930	72.06
2 = No.....	233514	27.91
85 = BAD DATA Logically assigned.....	19	0.00
94 = DON'T KNOW.....	149	0.02
97 = REFUSED.....	84	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

ALCTRY Len : 3 AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
RANGE = 1 - 90.....	594072	71.00
985 = BAD DATA Logically assigned.....	1987	0.24
991 = NEVER USED ALCOHOL.....	233514	27.91
994 = DON'T KNOW.....	5811	0.69
997 = REFUSED.....	1163	0.14
998 = BLANK (NO ANSWER).....	149	0.02

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

ALCYFU Len : 4 YEAR OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2000 - 2016.....	60945	7.28
9985 = BAD DATA Logically assigned.....	5756	0.69
9989 = LEGITIMATE SKIP Logically assigned.....	3149	0.38
9991 = NEVER USED ALCOHOL.....	233514	27.91
9994 = DON'T KNOW.....	6004	0.72
9997 = REFUSED.....	1221	0.15
9998 = BLANK (NO ANSWER).....	247	0.03
9999 = LEGITIMATE SKIP.....	525860	62.85

ALCOHOL

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

ALCMFU	Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE		
		Freq	Pct
	1 = January.....	6698	0.80
	2 = February.....	2953	0.35
	3 = March.....	3720	0.44
	4 = April.....	3290	0.39
	5 = May.....	4009	0.48
	6 = June.....	6781	0.81
	7 = July.....	7427	0.89
	8 = August.....	4446	0.53
	9 = September.....	3628	0.43
	10 = October.....	4050	0.48
	11 = November.....	3727	0.45
	12 = December.....	6405	0.77
	85 = BAD DATA Logically assigned.....	5738	0.69
	89 = LEGITIMATE SKIP Logically assigned.....	3149	0.38
	91 = NEVER USED ALCOHOL.....	233514	27.91
	94 = DON'T KNOW.....	9656	1.15
	97 = REFUSED.....	1380	0.16
	98 = BLANK (NO ANSWER).....	265	0.03
	99 = LEGITIMATE SKIP.....	525860	62.85

How long has it been since you last drank an alcoholic beverage?

ALCREC	Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		Freq	Pct
	1 = Within the past 30 days.....	372068	44.47
	2 = More than 30 days ago but within the past 12 mos.....	128325	15.34
	3 = More than 12 months ago.....	91987	10.99
	8 = Used at some point in the past 12 mos LOG ASSN.....	5411	0.65
	9 = Used at some point in the lifetime LOG ASSN.....	5002	0.60
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	137	0.02
	85 = BAD DATA Logically assigned.....	19	0.00
	91 = NEVER USED ALCOHOL.....	233514	27.91
	97 = REFUSED.....	84	0.01
	98 = BLANK (NO ANSWER).....	149	0.02

ALCYRTOT	Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 365.....	499788	59.73
	985 = BAD DATA Logically assigned.....	1741	0.21
	991 = NEVER USED ALCOHOL.....	233514	27.91
	993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	91987	10.99
	994 = DON'T KNOW.....	3527	0.42
	997 = REFUSED.....	1002	0.12
	998 = BLANK (NO ANSWER).....	5137	0.61

ALTOTFG	Len : 2 TRIMMING INDICATOR FOR ALCYRTOT		
		Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	94	0.01
	2 = Trimmed relative to the 30-day freq.....	4478	0.54
	3 = Trimmed relative to estimated 30-day freq.....	15	0.00
	98 = BLANK (NO ANSWER).....	832109	99.45

ALFQFLG	Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	12123	1.45
	98 = BLANK (NO ANSWER).....	824573	98.55

ALCOHOL

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

ALBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL

	Freq	Pct
1 = Prefer to answer in days per week.....	165546	19.79
2 = Prefer to answer in days per month.....	179401	21.44
3 = Prefer to answer in days per year.....	150435	17.98
11 = Prefer to ans in days per wk LOG ASSN.....	770	0.09
12 = Prefer to ans in days per mo LOG ASSN.....	1302	0.16
13 = Prefer to ans in days per yr LOG ASSN.....	5065	0.61
85 = BAD DATA Logically assigned.....	1695	0.20
91 = NEVER USED ALCOHOL.....	233514	27.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	91987	10.99
94 = DON'T KNOW.....	1293	0.15
97 = REFUSED.....	551	0.07
98 = BLANK (NO ANSWER).....	5137	0.61

On how many days in the past 12 months did you drink an alcoholic beverage?

ALDAYPYR Len : 3 NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 366.....	154934	18.52
985 = BAD DATA Logically assigned.....	923	0.11
989 = LEGITIMATE SKIP Logically assigned.....	2345	0.28
991 = NEVER USED ALCOHOL.....	233514	27.91
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	91987	10.99
994 = DON'T KNOW.....	1838	0.22
997 = REFUSED.....	528	0.06
998 = BLANK (NO ANSWER).....	5953	0.71
999 = LEGITIMATE SKIP.....	344674	41.19

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

ALDAYPMO Len : 2 # DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	179828	21.49
85 = BAD DATA Logically assigned.....	457	0.05
89 = LEGITIMATE SKIP Logically assigned.....	819	0.10
91 = NEVER USED ALCOHOL.....	233514	27.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	91987	10.99
94 = DON'T KNOW.....	2492	0.30
97 = REFUSED.....	686	0.08
98 = BLANK (NO ANSWER).....	6482	0.77
99 = LEGITIMATE SKIP.....	320431	38.30

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

ALDAYPWK Len : 2 # DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	165028	19.72
85 = BAD DATA Logically assigned.....	380	0.05
91 = NEVER USED ALCOHOL.....	233514	27.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	91987	10.99
94 = DON'T KNOW.....	3470	0.41
97 = REFUSED.....	977	0.12
98 = BLANK (NO ANSWER).....	6580	0.79
99 = LEGITIMATE SKIP.....	334760	40.01

ALCOHOL

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

ALCDAYS	Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
	RANGE = 1 - 30	Freq	Pct
	85 = BAD DATA Logically assigned	366873	43.85
	91 = NEVER USED ALCOHOL	7198	0.86
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	233514	27.91
	94 = DON'T KNOW	220312	26.33
	97 = REFUSED	1992	0.24
	98 = BLANK (NO ANSWER)	646	0.08
		6161	0.74

What is your best estimate of the number of days you drank alcohol during the past 30 days?

AL30EST	Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
	1 = 1 or 2 days	Freq	Pct
	2 = 3 to 5 days	822	0.10
	3 = 6 to 9 days	499	0.06
	4 = 10 to 19 days	406	0.05
	5 = 20 to 29 days	321	0.04
	6 = All 30 days	92	0.01
	85 = BAD DATA Logically assigned	40	0.00
	91 = NEVER USED ALCOHOL	26	0.00
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	233514	27.91
	94 = DON'T KNOW	220312	26.33
	97 = REFUSED	230	0.03
	98 = BLANK (NO ANSWER)	262	0.03
	99 = LEGITIMATE SKIP	13468	1.61
		366704	43.83

ALDYSFG	Len : 2 REVISION INDICATOR FOR ALCDAYS		
	1 = Edited for consistency with ALCYRTOT or DR5DAY	Freq	Pct
	98 = BLANK (NO ANSWER)	251	0.03
		836445	99.97

NOTE: Beginning in 2015, level 975 was updated to "AT LEAST 4 or 5 Logically assigned" to reflect the change in the threshold for binge alcohol use among female respondents from 5 or more drinks on an occasion prior to 2015 to 4 or more drinks on an occasion in 2015. See the note below for ALCBNG30D.

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

ALCUS30D	Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS		
	RANGE = 1 - 90	Freq	Pct
	-9 = Data not collected for this year	48605	5.81
	975 = AT LEAST 4 OR 5 Logically assigned	722653	86.37
	985 = BAD DATA Logically assigned	2109	0.25
	991 = NEVER USED ALCOHOL	437	0.05
	993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	31945	3.82
	994 = DON'T KNOW	29319	3.50
	997 = REFUSED	188	0.02
	998 = BLANK (NO ANSWER)	86	0.01
		1354	0.16

ALCOHOL

NOTE: Beginning in 2015, female respondents were asked ALCBNG30D to report the number of days that they had 4 or more drinks on the same occasion in the past 30 days. As in prior years, male respondents in 2015 were asked for ALCBNG30D to report the number of days that they had 5 or more drinks on the same occasion in the past 30 days.

During the past 30 days, that is since [DATEFILL], on how many days did you have [4 or more]/[5 or more] drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

ALCBNG30D	Len : 2 # DAYS HAD FOUR/FIVE OR MORE DRINKS PAST 30 DYS	Freq	Pct
	RANGE = 0 - 30	50377	6.02
	-9 = Data not collected for this year.....	722653	86.37
	80 = NO OCCAS OF 4+ or 5+ DRINKS PST 30 DAYS Log assn.....	77	0.01
	85 = BAD DATA Logically assigned	437	0.05
	91 = NEVER USED ALCOHOL.....	31945	3.82
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	29319	3.50
	94 = DON'T KNOW	391	0.05
	97 = REFUSED	143	0.02
	98 = BLANK (NO ANSWER)	1354	0.16

MARIJUANA

MARIJUANA

The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

Have you ever, even once, used marijuana or hashish?

MJEVER	Len : 2	EVER USED MARIJUANA/HASHISH		
			Freq	Pct
		1 = Yes.....	338026	40.40
		2 = No.....	498152	59.54
		85 = BAD DATA Logically assigned	7	0.00
		94 = DON'T KNOW	156	0.02
		97 = REFUSED	355	0.04

How old were you the first time you used marijuana or hashish?

MJAGE	Len : 3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
			Freq	Pct
		RANGE = 1 - 80.....	335427	40.09
		985 = BAD DATA Logically assigned	883	0.11
		991 = NEVER USED MARIJUANA	498152	59.54
		994 = DON'T KNOW	1381	0.17
		997 = REFUSED	697	0.08
		998 = BLANK (NO ANSWER).....	156	0.02

Did you first use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

MJYFU	Len : 4	YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE		
			Freq	Pct
		RANGE = 2000 - 2016	30997	3.70
		9985 = BAD DATA Logically assigned	2895	0.35
		9989 = LEGITIMATE SKIP Logically assigned	1756	0.21
		9991 = NEVER USED MARIJUANA.....	498152	59.54
		9994 = DON'T KNOW	1502	0.18
		9997 = REFUSED	716	0.09
		9998 = BLANK (NO ANSWER).....	198	0.02
		9999 = LEGITIMATE SKIP.....	300480	35.91

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or hashish?

MJMFU	Len : 2	MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		
			Freq	Pct
		1 = January.....	2665	0.32
		2 = February.....	1968	0.24
		3 = March.....	2271	0.27
		4 = April	2413	0.29
		5 = May.....	2143	0.26
		6 = June.....	3420	0.41
		7 = July	3080	0.37
		8 = August	2369	0.28
		9 = September	2170	0.26
		10 = October	2439	0.29
		11 = November	1993	0.24
		12 = December.....	1920	0.23
		85 = BAD DATA Logically assigned	2888	0.35
		89 = LEGITIMATE SKIP Logically assigned	1756	0.21
		91 = NEVER USED MARIJUANA	498152	59.54
		94 = DON'T KNOW	3552	0.42
		97 = REFUSED	812	0.10
		98 = BLANK (NO ANSWER)	205	0.02
		99 = LEGITIMATE SKIP.....	300480	35.91

MARIJUANA

How long has it been since you last used marijuana or hashish?

MJREC	Len : 2 TIME SINCE LAST USED MARIJUANA/HASHISH		
		Freq	Pct
	1 = Within the past 30 days.....	85158	10.18
	2 = More than 30 days ago but within the past 12 mos	58910	7.04
	3 = More than 12 months ago	188516	22.53
	8 = Used at some point in the past 12 mos LOG ASSN.....	2656	0.32
	9 = Used at some point in the lifetime LOG ASSN.....	2728	0.33
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	58	0.01
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED MARIJUANA	498152	59.54
	97 = REFUSED	355	0.04
	98 = BLANK (NO ANSWER)	156	0.02

MJYRTOT	Len : 3 TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 365	143514	17.15
	985 = BAD DATA Logically assigned	1693	0.20
	991 = NEVER USED MARIJUANA	498152	59.54
	993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	188516	22.53
	994 = DON'T KNOW	1189	0.14
	997 = REFUSED	751	0.09
	998 = BLANK (NO ANSWER).....	2881	0.34

MRTOTFG	Len : 2 TRIMMING INDICATOR FOR MJYRTOT		
		Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	148	0.02
	2 = Trimmed relative to the 30-day freq	3740	0.45
	3 = Trimmed relative to estimated 30-day freq	12	0.00
	98 = BLANK (NO ANSWER)	832796	99.53

MJQFLG	Len : 2 TRIMMED MJYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use	6507	0.78
	98 = BLANK (NO ANSWER)	830189	99.22

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

MRBSTWAY	Len : 2 EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		Freq	Pct
	1 = Prefer to answer in days per week.....	50992	6.09
	2 = Prefer to answer in days per month.....	36877	4.41
	3 = Prefer to answer in days per year	54926	6.56
	11 = Prefer to ans in days per wk LOG ASSN	247	0.03
	12 = Prefer to ans in days per mo LOG ASSN.....	343	0.04
	13 = Prefer to ans in days per yr LOG ASSN	1131	0.14
	85 = BAD DATA Logically assigned	1689	0.20
	91 = NEVER USED MARIJUANA	498152	59.54
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	188516	22.53
	94 = DON'T KNOW	376	0.04
	97 = REFUSED	566	0.07
	98 = BLANK (NO ANSWER)	2881	0.34

MARIJUANA

On how many days in the past 12 months did you use marijuana or hashish?

MRDAYPYR	Len : 3 # DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
	RANGE = 1 - 366	Freq	Pct
	985 = BAD DATA Logically assigned	55882	6.68
	989 = LEGITIMATE SKIP Logically assigned	244	0.03
	991 = NEVER USED MARIJUANA	671	0.08
	993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	498152	59.54
	994 = DON'T KNOW	188516	22.53
	997 = REFUSED	543	0.06
	998 = BLANK (NO ANSWER).....	579	0.07
	999 = LEGITIMATE SKIP.....	4321	0.52
		87788	10.49

On average, how many days did you use marijuana or hashish each month during the past 12 months?

MRDAYPMO	Len : 2 # DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE = 1 - 31	Freq	Pct
	85 = BAD DATA Logically assigned	36929	4.41
	89 = LEGITIMATE SKIP Logically assigned	436	0.05
	91 = NEVER USED MARIJUANA	259	0.03
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	498152	59.54
	94 = DON'T KNOW	188516	22.53
	97 = REFUSED	762	0.09
	98 = BLANK (NO ANSWER)	635	0.08
	99 = LEGITIMATE SKIP.....	4145	0.50
		106862	12.77

On average, how many days did you use marijuana or hashish each week during the past 12 months?

MRDAYPWK	Len : 2 # DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE = 1 - 7	Freq	Pct
	85 = BAD DATA Logically assigned	50703	6.06
	91 = NEVER USED MARIJUANA	1016	0.12
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	498152	59.54
	94 = DON'T KNOW	188516	22.53
	97 = REFUSED	1179	0.14
	98 = BLANK (NO ANSWER)	746	0.09
	99 = LEGITIMATE SKIP.....	3573	0.43
		92811	11.09

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

MJDAY30A	Len : 2 # DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
	RANGE = 1 - 30	Freq	Pct
	85 = BAD DATA Logically assigned	84291	10.07
	91 = NEVER USED MARIJUANA	1181	0.14
	93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	498152	59.54
	94 = DON'T KNOW	247426	29.57
	97 = REFUSED	633	0.08
	98 = BLANK (NO ANSWER)	589	0.07
		4424	0.53

MARIJUANA

What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?

MR30EST

Len : 2 BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	135	0.02
2 = 3 to 5 days.....	136	0.02
3 = 6 to 9 days.....	109	0.01
4 = 10 to 19 days.....	145	0.02
5 = 20 to 29 days.....	85	0.01
6 = All 30 days.....	78	0.01
91 = NEVER USED MARIJUANA	498152	59.54
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	247426	29.57
94 = DON'T KNOW	66	0.01
97 = REFUSED	476	0.06
98 = BLANK (NO ANSWER)	5609	0.67
99 = LEGITIMATE SKIP.....	84279	10.07

COCAINE

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

COCEVER	Len : 2	EVER USED COCAINE		
			Freq	Pct
		1 = Yes.....	97605	11.67
		2 = No.....	738754	88.29
		85 = BAD DATA Logically assigned	5	0.00
		94 = DON'T KNOW	159	0.02
		97 = REFUSED	173	0.02

How old were you the first time you used cocaine, in any form?

COCAGE	Len : 3	AGE WHEN FIRST USED COCAINE		
			Freq	Pct
		RANGE = 1 - 71	96751	11.56
		985 = BAD DATA Logically assigned	281	0.03
		991 = NEVER USED COCAINE	738754	88.29
		994 = DON'T KNOW	468	0.06
		997 = REFUSED	283	0.03
		998 = BLANK (NO ANSWER).....	159	0.02

Did you first use cocaine in any form in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use cocaine in any form in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use cocaine in any form?

COCYFU	Len : 4	YEAR OF FIRST COCAINE USE - RECODE		
			Freq	Pct
		RANGE = 2000 - 2016	9208	1.10
		9985 = BAD DATA Logically assigned	1030	0.12
		9989 = LEGITIMATE SKIP Logically assigned	884	0.11
		9991 = NEVER USED COCAINE	738754	88.29
		9994 = DON'T KNOW	509	0.06
		9997 = REFUSED	307	0.04
		9998 = BLANK (NO ANSWER).....	182	0.02
		9999 = LEGITIMATE SKIP	85822	10.26

In what month in [CURRENT YEAR] did you first use cocaine in any form?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

COCMFU	Len : 2	MONTH OF FIRST COCAINE USE - RECODE		
			Freq	Pct
		1 = January.....	938	0.11
		2 = February.....	691	0.08
		3 = March.....	757	0.09
		4 = April	633	0.08
		5 = May.....	608	0.07
		6 = June.....	871	0.10
		7 = July	839	0.10
		8 = August	614	0.07
		9 = September	632	0.08
		10 = October	735	0.09
		11 = November	682	0.08
		12 = December.....	619	0.07
		85 = BAD DATA Logically assigned	1030	0.12
		89 = LEGITIMATE SKIP Logically assigned	884	0.11
		91 = NEVER USED COCAINE	738754	88.29
		94 = DON'T KNOW	1062	0.13
		97 = REFUSED	343	0.04
		98 = BLANK (NO ANSWER)	182	0.02
		99 = LEGITIMATE SKIP	85822	10.26

COCAINE

How long has it been since you last used cocaine?

COCREC	Len : 2 TIME SINCE LAST USED COCAINE		
		Freq	Pct
	1 = Within the past 30 days.....	7089	0.85
	2 = More than 30 days ago but within the past 12 mos	14978	1.79
	3 = More than 12 months ago	73448	8.78
	8 = Used at some point in the past 12 mos LOG ASSN.....	481	0.06
	9 = Used at some point in the lifetime LOG ASSN.....	1051	0.13
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	271	0.03
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	287	0.03
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED COCAINE	738754	88.29
	97 = REFUSED	173	0.02
	98 = BLANK (NO ANSWER)	159	0.02

COCYRTOT	Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365	22357	2.67
	985 = BAD DATA Logically assigned	190	0.02
	991 = NEVER USED COCAINE	738754	88.29
	993 = DID NOT USE COCAINE IN THE PAST 12 MOS	73448	8.78
	994 = DON'T KNOW	120	0.01
	997 = REFUSED	210	0.03
	998 = BLANK (NO ANSWER).....	1617	0.19

CCTOTFG	Len : 2 TRIMMING INDICATOR FOR COCYRTOT		
		Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	4	0.00
	2 = Trimmed relative to the 30-day freq	89	0.01
	98 = BLANK (NO ANSWER)	836603	99.99

CCFQLG	Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use	1373	0.16
	98 = BLANK (NO ANSWER)	835323	99.84

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CCBSTWAY	Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE		
		Freq	Pct
	1 = Prefer to answer in days per week.....	2948	0.35
	2 = Prefer to answer in days per month.....	4694	0.56
	3 = Prefer to answer in days per year	13885	1.66
	11 = Prefer to ans in days per wk LOG ASSN	16	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	31	0.00
	13 = Prefer to ans in days per yr LOG ASSN	146	0.02
	21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	317	0.04
	22 = Prefer to ans in days per mo (CRBSTWAY=2,12)	239	0.03
	23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	197	0.02
	85 = BAD DATA Logically assigned	187	0.02
	91 = NEVER USED COCAINE	738754	88.29
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	73448	8.78
	94 = DON'T KNOW	29	0.00
	97 = REFUSED	188	0.02
	98 = BLANK (NO ANSWER)	1617	0.19

COCAINE

On how many days in the past 12 months did you use cocaine?

CCDAYPYR	Len : 3 # DAYS USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 365	Freq	Pct
	985 = BAD DATA Logically assigned	14207	1.70
	989 = LEGITIMATE SKIP Logically assigned	58	0.01
	991 = NEVER USED COCAINE	221	0.03
	993 = DID NOT USE COCAINE IN THE PAST 12 MOS	738754	88.29
	994 = DON'T KNOW	73448	8.78
	997 = REFUSED	44	0.01
	998 = BLANK (NO ANSWER).....	193	0.02
	999 = LEGITIMATE SKIP.....	1747	0.21
		8024	0.96

On average, how many days did you use cocaine each month during the past 12 months?

CCDAYPMO	Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 31	Freq	Pct
	85 = BAD DATA Logically assigned	4930	0.59
	89 = LEGITIMATE SKIP Logically assigned	56	0.01
	91 = NEVER USED COCAINE	128	0.02
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	738754	88.29
	94 = DON'T KNOW	73448	8.78
	97 = REFUSED	73	0.01
	98 = BLANK (NO ANSWER)	196	0.02
	99 = LEGITIMATE SKIP.....	1751	0.21
		17360	2.07

On average, how many days did you use cocaine each week during the past 12 months?

CCDAYPWK	Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 7	Freq	Pct
	85 = BAD DATA Logically assigned	3220	0.38
	89 = LEGITIMATE SKIP Logically assigned	76	0.01
	91 = NEVER USED COCAINE	22	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	738754	88.29
	94 = DON'T KNOW	73448	8.78
	97 = REFUSED	119	0.01
	98 = BLANK (NO ANSWER)	210	0.03
	99 = LEGITIMATE SKIP.....	1732	0.21
		19115	2.28

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

COCUS30A	Len : 2 # DAYS USED COCAINE PAST 30 DAYS		
	RANGE = 1 - 30	Freq	Pct
	85 = BAD DATA Logically assigned	7049	0.84
	91 = NEVER USED COCAINE	234	0.03
	93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	738754	88.29
	94 = DON'T KNOW	88713	10.60
	97 = REFUSED	28	0.00
	98 = BLANK (NO ANSWER)	189	0.02
		1729	0.21

COCAINE

What is your best estimate of the number of days you used cocaine during the past 30 days?

CC30EST

Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	13	0.00
2 = 3 to 5 days.....	2	0.00
3 = 6 to 9 days.....	3	0.00
4 = 10 to 19 days.....	3	0.00
5 = 20 to 29 days.....	1	0.00
12 = 3 to 5 days (from CR30EST)	2	0.00
91 = NEVER USED COCAINE	738754	88.29
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	88713	10.60
94 = DON'T KNOW	9	0.00
97 = REFUSED	184	0.02
98 = BLANK (NO ANSWER)	1965	0.23
99 = LEGITIMATE SKIP.....	7047	0.84

CRACK

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

CRKEVER	Len : 2	EVER USED CRACK		
			Freq	Pct
		1 = Yes.....	23915	2.86
		2 = No.....	73656	8.80
		81 = NEVER USED COCAINE Logically assigned.....	8	0.00
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED COCAINE (COCEVER=2).....	738746	88.29
		94 = DON'T KNOW.....	28	0.00
		97 = REFUSED.....	181	0.02
		98 = BLANK (NO ANSWER).....	159	0.02

How old were you the first time you used 'crack'?

CRKAGE	Len : 3	AGE WHEN FIRST USED CRACK		
			Freq	Pct
		RANGE = 1 - 75.....	23686	2.83
		981 = NEVER USED CRACK Logically assigned.....	8	0.00
		985 = BAD DATA Logically assigned.....	59	0.01
		991 = NEVER USED CRACK.....	812402	97.10
		994 = DON'T KNOW.....	149	0.02
		997 = REFUSED.....	205	0.02
		998 = BLANK (NO ANSWER).....	187	0.02

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

CRKYFU	Len : 4	YEAR OF FIRST CRACK USE - RECODE		
			Freq	Pct
		RANGE = 2000 - 2016.....	1762	0.21
		9981 = NEVER USED CRACK Logically assigned.....	8	0.00
		9985 = BAD DATA Logically assigned.....	223	0.03
		9989 = LEGITIMATE SKIP Logically assigned.....	152	0.02
		9991 = NEVER USED CRACK.....	812402	97.10
		9994 = DON'T KNOW.....	159	0.02
		9997 = REFUSED.....	214	0.03
		9998 = BLANK (NO ANSWER).....	193	0.02
		9999 = LEGITIMATE SKIP.....	21583	2.58

CRACK

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

CRKMFU	Len : 2 MONTH OF FIRST CRACK USE - RECODE		
		Freq	Pct
	1 = January.....	184	0.02
	2 = February.....	137	0.02
	3 = March.....	156	0.02
	4 = April.....	107	0.01
	5 = May.....	148	0.02
	6 = June.....	158	0.02
	7 = July.....	165	0.02
	8 = August.....	126	0.02
	9 = September.....	130	0.02
	10 = October.....	150	0.02
	11 = November.....	108	0.01
	12 = December.....	86	0.01
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	223	0.03
	89 = LEGITIMATE SKIP Logically assigned.....	152	0.02
	91 = NEVER USED CRACK.....	812402	97.10
	94 = DON'T KNOW.....	259	0.03
	97 = REFUSED.....	221	0.03
	98 = BLANK (NO ANSWER).....	193	0.02
	99 = LEGITIMATE SKIP.....	21583	2.58

How long has it been since you last used 'crack'?

CRAKREC	Len : 2 TIME SINCE LAST USED CRACK		
		Freq	Pct
	1 = Within the past 30 days.....	1357	0.16
	2 = More than 30 days ago but within the past 12 mos.....	2454	0.29
	3 = More than 12 months ago.....	19757	2.36
	8 = Used at some point in the past 12 mos LOG ASSN.....	125	0.01
	9 = Used at some point in the lifetime LOG ASSN.....	216	0.03
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	6	0.00
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED CRACK.....	812402	97.10
	97 = REFUSED.....	181	0.02
	98 = BLANK (NO ANSWER).....	187	0.02

CRKYRTOT	Len : 3 TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365.....	3814	0.46
	981 = NEVER USED CRACK Logically assigned.....	8	0.00
	985 = BAD DATA Logically assigned.....	57	0.01
	991 = NEVER USED CRACK.....	812402	97.10
	993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	19757	2.36
	994 = DON'T KNOW.....	30	0.00
	997 = REFUSED.....	195	0.02
	998 = BLANK (NO ANSWER).....	433	0.05

CRTOTFG	Len : 2 TRIMMING INDICATOR FOR CRKYRTOT		
		Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	7	0.00
	2 = Trimmed relative to the 30-day freq.....	37	0.00
	98 = BLANK (NO ANSWER).....	836652	99.99

CRFQLG	Len : 2 TRIMMED CRKYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	301	0.04
	98 = BLANK (NO ANSWER).....	836395	99.96

CRACK

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CRBSTWAY	Len : 2 EASIEST WAY TO TELL US # DAYS USED CRACK	Freq	Pct
	1 = Prefer to answer in days per week.....	935	0.11
	2 = Prefer to answer in days per month.....	945	0.11
	3 = Prefer to answer in days per year.....	1939	0.23
	11 = Prefer to ans in days per wk LOG ASSN.....	5	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	4	0.00
	13 = Prefer to ans in days per yr LOG ASSN.....	16	0.00
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	57	0.01
	91 = NEVER USED CRACK.....	812402	97.10
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	19757	2.36
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	186	0.02
	98 = BLANK (NO ANSWER).....	433	0.05

On how many days in the past 12 months did you use 'crack'?

CRDAYPYR	Len : 3 # DAYS USED CRACK PAST 12 MONTHS	Freq	Pct
	RANGE = 1 - 365.....	1948	0.23
	981 = NEVER USED CRACK Logically assigned.....	8	0.00
	985 = BAD DATA Logically assigned.....	5	0.00
	989 = LEGITIMATE SKIP Logically assigned.....	14	0.00
	991 = NEVER USED CRACK.....	812402	97.10
	993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	19757	2.36
	994 = DON'T KNOW.....	12	0.00
	997 = REFUSED.....	190	0.02
	998 = BLANK (NO ANSWER).....	485	0.06
	999 = LEGITIMATE SKIP.....	1875	0.22

On average, how many days did you use 'crack' each month during the past 12 months?

CRDAYPMO	Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS	Freq	Pct
	RANGE = 1 - 31.....	944	0.11
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	26	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	91 = NEVER USED CRACK.....	812402	97.10
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	19757	2.36
	94 = DON'T KNOW.....	15	0.00
	97 = REFUSED.....	191	0.02
	98 = BLANK (NO ANSWER).....	465	0.06
	99 = LEGITIMATE SKIP.....	2881	0.34

On average, how many days did you use 'crack' each week during the past 12 months?

CRDAYPWK	Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS	Freq	Pct
	RANGE = 1 - 7.....	921	0.11
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	27	0.00
	91 = NEVER USED CRACK.....	812402	97.10
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	19757	2.36
	94 = DON'T KNOW.....	30	0.00
	97 = REFUSED.....	195	0.02
	98 = BLANK (NO ANSWER).....	464	0.06
	99 = LEGITIMATE SKIP.....	2892	0.35

CRACK

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

CRKUS30A Len : 2 # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	1346	0.16
81 = NEVER USED CRACK Logically assigned.....	8	0.00
85 = BAD DATA Logically assigned	48	0.01
91 = NEVER USED CRACK	812402	97.10
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	22211	2.65
94 = DON'T KNOW	7	0.00
97 = REFUSED	185	0.02
98 = BLANK (NO ANSWER)	489	0.06

What is your best estimate of the number of days you used 'crack' during the past 30 days?

CR30EST Len : 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	3	0.00
2 = 3 to 5 days.....	4	0.00
81 = NEVER USED CRACK Logically assigned.....	8	0.00
91 = NEVER USED CRACK	812402	97.10
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	22211	2.65
97 = REFUSED	186	0.02
98 = BLANK (NO ANSWER)	537	0.06
99 = LEGITIMATE SKIP.....	1345	0.16

HEROIN

HEROIN

These next questions are about heroin.

Have you ever, even once, used heroin?

HEREVER Len : 2 EVER USED HEROIN

	Freq	Pct
1 = Yes.....	11894	1.42
2 = No.....	824305	98.52
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	431	0.05
97 = REFUSED	64	0.01

How old were you the first time you used heroin?

HERAGE Len : 3 AGE WHEN FIRST USED HEROIN

	Freq	Pct
RANGE = 1 - 59	11755	1.40
985 = BAD DATA Logically assigned	51	0.01
991 = NEVER USED HEROIN	824305	98.52
994 = DON'T KNOW	66	0.01
997 = REFUSED	88	0.01
998 = BLANK (NO ANSWER).....	431	0.05

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

HERYFU Len : 4 YEAR OF FIRST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2000 - 2016	1399	0.17
9985 = BAD DATA Logically assigned	170	0.02
9989 = LEGITIMATE SKIP Logically assigned	150	0.02
9991 = NEVER USED HEROIN	824305	98.52
9994 = DON'T KNOW	69	0.01
9997 = REFUSED	90	0.01
9998 = BLANK (NO ANSWER).....	434	0.05
9999 = LEGITIMATE SKIP	10079	1.20

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

HERMFU Len : 2 MONTH OF FIRST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	144	0.02
2 = February.....	112	0.01
3 = March.....	110	0.01
4 = April	107	0.01
5 = May.....	110	0.01
6 = June.....	103	0.01
7 = July	139	0.02
8 = August	126	0.02
9 = September.....	92	0.01
10 = October	107	0.01
11 = November	93	0.01
12 = December.....	87	0.01
85 = BAD DATA Logically assigned	170	0.02
89 = LEGITIMATE SKIP Logically assigned	150	0.02
91 = NEVER USED HEROIN.....	824305	98.52
94 = DON'T KNOW	133	0.02
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER)	434	0.05
99 = LEGITIMATE SKIP.....	10079	1.20

HEROIN

How long has it been since you last used heroin?

HERREC	Len : 2 TIME SINCE LAST USED HEROIN		
		Freq	Pct
	1 = Within the past 30 days.....	1008	0.12
	2 = More than 30 days ago but within the past 12 mos	1523	0.18
	3 = More than 12 months ago	9031	1.08
	8 = Used at some point in the past 12 mos LOG ASSN	162	0.02
	9 = Used at some point in the lifetime LOG ASSN.....	161	0.02
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	9	0.00
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED HEROIN.....	824305	98.52
	97 = REFUSED	64	0.01
	98 = BLANK (NO ANSWER)	431	0.05

HERYRTOT	Len : 3 TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365	2525	0.30
	985 = BAD DATA Logically assigned	146	0.02
	991 = NEVER USED HEROIN.....	824305	98.52
	993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9031	1.08
	994 = DON'T KNOW	23	0.00
	997 = REFUSED	73	0.01
	998 = BLANK (NO ANSWER).....	593	0.07

HRTOTFG	Len : 2 TRIMMING INDICATOR FOR HERYRTOT		
		Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	6	0.00
	2 = Trimmed relative to the 30-day freq	85	0.01
	98 = BLANK (NO ANSWER)	836605	99.99

HRFQFLG	Len : 2 TRIMMED HERYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use	279	0.03
	98 = BLANK (NO ANSWER)	836417	99.97

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HRBSTWAY	Len : 2 EASIEST WAY TO TELL US # DAYS USED HEROIN		
		Freq	Pct
	1 = Prefer to answer in days per week.....	726	0.09
	2 = Prefer to answer in days per month.....	555	0.07
	3 = Prefer to answer in days per year	1242	0.15
	11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	3	0.00
	13 = Prefer to ans in days per yr LOG ASSN	15	0.00
	85 = BAD DATA Logically assigned	145	0.02
	91 = NEVER USED HEROIN.....	824305	98.52
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9031	1.08
	94 = DON'T KNOW	12	0.00
	97 = REFUSED	68	0.01
	98 = BLANK (NO ANSWER)	593	0.07

HEROIN

On how many days in the past 12 months did you use heroin?

HRDAYPYR Len : 3 # DAYS USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	1249	0.15
985 = BAD DATA Logically assigned	15	0.00
989 = LEGITIMATE SKIP Logically assigned	4	0.00
991 = NEVER USED HEROIN	824305	98.52
993 = DID NOT USE HEROIN IN THE PAST 12 MOS	9031	1.08
994 = DON'T KNOW	18	0.00
997 = REFUSED	70	0.01
998 = BLANK (NO ANSWER)	723	0.09
999 = LEGITIMATE SKIP	1281	0.15

On average, how many days did you use heroin each month during the past 12 months?

HRDAYPMO Len : 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	557	0.07
85 = BAD DATA Logically assigned	41	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED HEROIN	824305	98.52
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	9031	1.08
94 = DON'T KNOW	15	0.00
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER)	698	0.08
99 = LEGITIMATE SKIP	1974	0.24

On average, how many days did you use heroin each week during the past 12 months?

HRDAYPWK Len : 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	719	0.09
85 = BAD DATA Logically assigned	90	0.01
91 = NEVER USED HEROIN	824305	98.52
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	9031	1.08
94 = DON'T KNOW	23	0.00
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER)	649	0.08
99 = LEGITIMATE SKIP	1806	0.22

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

HER30USE Len : 2 # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	996	0.12
85 = BAD DATA Logically assigned	25	0.00
91 = NEVER USED HEROIN	824305	98.52
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	10554	1.26
94 = DON'T KNOW	9	0.00
97 = REFUSED	67	0.01
98 = BLANK (NO ANSWER)	740	0.09

What is your best estimate of the number of days you used heroin during the past 30 days?

HR30EST Len : 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	5	0.00
2 = 3 to 5 days	2	0.00
3 = 6 to 9 days	2	0.00
4 = 10 to 19 days	2	0.00
91 = NEVER USED HEROIN	824305	98.52
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	10554	1.26
94 = DON'T KNOW	2	0.00
97 = REFUSED	64	0.01
98 = BLANK (NO ANSWER)	765	0.09
99 = LEGITIMATE SKIP	995	0.12

HEROIN

Have you ever, even once, used 'Ecstasy,' also known as MDMA?

ECSTASY	Len : 2 EVER USED 'ECSTASY' (MDMA)		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	49999	5.98
	2 = No.....	52546	6.28
	3 = Yes LOGICALLY ASSIGNED.....	17	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS	619338	74.02
	94 = DON'T KNOW	673	0.08
	97 = REFUSED	71	0.01

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

HALNOLST	Len : 2 EVER USED OTHER HALLUCINOGEN		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	13977	1.67
	2 = No.....	88368	10.56
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS	619338	74.02
	94 = DON'T KNOW	848	0.10
	97 = REFUSED	113	0.01

HEROIN

HALNEWA

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
105 = Placidyl, Ethchlorvynol.....	1	0.00
110 = Tuinal.....	1	0.00
112 = Restoril, Temazepam.....	2	0.00
113 = Halcion, Triazolam.....	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	27	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	10	0.00
123 = Unisom <OTC>.....	7	0.00
124 = Yellow jackets.....	6	0.00
129 = Reds.....	1	0.00
130 = Phenergan, Promethazine.....	9	0.00
140 = Seldane.....	1	0.00
142 = Belladonna.....	25	0.00
145 = Red devil(s).....	7	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	10	0.00
174 = Ambien, Stilnox, Zolpidem.....	26	0.00
177 = Bean.....	5	0.00
178 = Quetiapine, Seroquel.....	2	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladonna plant/flower/root, deadly nightshade.....	4	0.00
197 = Topamax, Topiramate.....	1	0.00
201 = Valium, Diazepam.....	14	0.00
206 = Tranxene, Clorazepate, Tranxilium.....	1	0.00
207 = Ativan, Lorazepam, Orfidal.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	52	0.01
216 = Atarax, Hydroxyzine.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
227 = Thorazine.....	1	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	5	0.00
267 = Marezine.....	10	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	14	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
278 = Benzodiazepines.....	1	0.00
280 = Ketaset.....	2	0.00
291 = Celexa, Citalopram.....	1	0.00
318 = Ritalin, Methylphenidate.....	8	0.00
320 = Dextroamphetamine.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	190	0.02
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED.....	1	0.00
326 = White cross.....	3	0.00
327 = Black beauties, black beauty.....	8	0.00
328 = Pink hearts.....	2	0.00
332 = Ephedrine.....	1	0.00
334 = Crossroads, cross tops.....	1	0.00
339 = Amphetamines.....	2	0.00
345 = Black molly.....	1	0.00
348 = Crystal.....	24	0.00
351 = Cathinone, cat, khat, Q'at.....	1	0.00
354 = Vivarin <OTC>.....	1	0.00
355 = Crystal meth, crystal methamphetamine.....	71	0.01
363 = Bam(s).....	1	0.00
374 = Christmas tree(s).....	1	0.00
376 = TAC.....	2	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	2	0.00
386 = Herbal ecstasy.....	2	0.00
395 = Black cats.....	1	0.00
407 = Demerol, Meperidine.....	2	0.00
408 = Dilaudid, Hydromorphone.....	2	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	3	0.00
411 = Talwin.....	1	0.00
415 = Codeine.....	19	0.00
417 = Morphine, Roxanol.....	22	0.00
418 = Methadone, Dolophine.....	10	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	9	0.00
423 = Percocet.....	15	0.00
427 = Darvocet, Davocet-N.....	2	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	51	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00

HEROIN

465 = Actiq, Fentanyl, Duragesic, Sublimaze	3	0.00
501 = Gasoline or lighter fluids.....	108	0.01
502 = Spray paints	44	0.01
503 = Other aerosol sprays.....	41	0.00
504 = Shoeshine liquid, glue, or toluene	58	0.01
505 = Lacquer thinner or other paint solvents.....	17	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	44	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	27	0.00
508 = Nitrous oxide, "whippits," dentist gas	179	0.02
509 = Correction fluids, degreasers, cleaning fluids	3	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	68	0.01
511 = Markers, felt-tip pens, ink pens.....	23	0.00
512 = Incense.....	11	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	23	0.00
517 = Tolyol	1	0.00
518 = Acetone, nail polish remover	3	0.00
519 = Helium.....	11	0.00
520 = Old paint, paint	37	0.00
524 = White-Out	7	0.00
525 = Butane.....	7	0.00
528 = Whipped-cream can.....	4	0.00
531 = Candy, powdered candy, sugar	2	0.00
540 = PAM	3	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	3	0.00
554 = Insect killer (e.g., Raid).....	1	0.00
566 = Smoked tea from Lipton tea bag	12	0.00
568 = Tally.....	1	0.00
569 = Peganento	2	0.00
590 = Canned air, compressed air	5	0.00
592 = Computer air duster, computer cleaner, dust-off	134	0.02
599 = Potpourri	3	0.00
601 = LSD ("acid").....	665	0.08
602 = Peyote	14	0.00
603 = Mescaline.....	48	0.01
604 = Psilocybin (mushrooms), sclerotia, shrooms	673	0.08
605 = PCP ("angel dust," phencyclidine).....	35	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	81	0.01
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1043	0.12
609 = Jimson weed	64	0.01
610 = Crystal T	4	0.00
611 = Greens.....	1	0.00
612 = Happy stick, sherm, sherman, shermstick	23	0.00
614 = MDA, Methylenedioxy amphetamine	72	0.01
615 = Homemade drugs	5	0.00
616 = DET, Dimethyltryptamine, DMT.....	702	0.08
617 = Morning glory seeds, morning glory tendrils, ricea.....	101	0.01
618 = Acid paper, blotter (acid)	41	0.00
621 = Red dragon.....	1	0.00
622 = Microdot(s), green microdot, purple microdot	87	0.01
624 = Orange sunshine, sunshine, yellow sunshine.....	18	0.00
625 = Window, window pane, 4-way pane, 4-way	38	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	40	0.00
629 = Rocket Fuel.....	1	0.00
633 = Mr. Natural	2	0.00
635 = Ginseng seeds, ginseng weed.....	2	0.00
636 = DOM, STP.....	18	0.00
637 = Purple haze	18	0.00
639 = Nutmeg, Mace.....	41	0.00
640 = Purple pyramid.....	2	0.00
645 = Thai stick	1	0.00
648 = Designer drugs	2	0.00
650 = Datura stramonium, daytura, thorn apple.....	32	0.00
651 = Mellow Yellow	1	0.00
654 = Eve.....	2	0.00
658 = Special K, Ketamine	381	0.05
659 = Boat	3	0.00
660 = Bufotenin, toad, toad licking.....	7	0.00
663 = Animal tranquilizer, horse tranquilizer	11	0.00
678 = Banana peels	5	0.00
679 = Hell bells.....	17	0.00
683 = Yage.....	3	0.00
691 = Maximum impact.....	2	0.00
695 = Angel's trumpet.....	29	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	180	0.02
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	5	0.00

HEROIN

703 = Opium.....	128	0.02
705 = Speed Ball (heroin + cocaine).....	1	0.00
707 = Black tar heroin.....	1	0.00
709 = Poppy.....	9	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	10	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	56	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	135	0.02
804 = Hashish.....	8	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	6	0.00
806 = Crack, rock.....	5	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00
809 = Pills.....	23	0.00
810 = Freebase.....	1	0.00
814 = Caffeine <OTC>.....	1	0.00
815 = Coffee <OTC>.....	2	0.00
824 = Steroids.....	1	0.00
829 = Robitussin DM <OTC>.....	169	0.02
834 = Loveboat.....	2	0.00
840 = Over-the-counter-cough med(contents unspec) <OTC>.....	4	0.00
843 = Cold medicine, cold tablets <OTC>.....	15	0.00
844 = Blood pressure medication.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	74	0.01
852 = Formaldehyde, wak, whack (embalming fluid).....	15	0.00
857 = Wicki stick.....	4	0.00
866 = Boomers.....	2	0.00
875 = Buds.....	1	0.00
876 = Glass.....	4	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	174	0.02
900 = Not a drug.....	12	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	31	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>.....	175	0.02
1007 = Robitussin PM <OTC>.....	2	0.00
1010 = Diprivan, Propofol.....	1	0.00
1011 = Lunesta.....	1	0.00
1013 = Ambien CR.....	2	0.00
1020 = Hyoscine, Levo-duboisine, Scopolamine.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	2	0.00
2002 = Muscle relaxers.....	2	0.00
2003 = Zanies, zannies, zans, zany bars.....	4	0.00
2007 = R2.....	2	0.00
3023 = Adderall.....	26	0.00
3024 = Yohimbe.....	1	0.00
3026 = Bupropion, Wellbutrin, Zyban.....	2	0.00
3044 = Caffeine pills <OTC>.....	2	0.00
3047 = Sudafed <OTC>.....	3	0.00
3050 = Mini thins.....	2	0.00
3051 = Betel nut, beetlenut.....	1	0.00
3052 = Speed; otherwise unspecified.....	81	0.01
3064 = Ephedra, Ma Huang.....	2	0.00
3077 = Concerta.....	1	0.00
3081 = P2P, Phenyl-2-propanone.....	1	0.00
3089 = Christina, Tina.....	2	0.00
3116 = MCAT, Mephedrone.....	9	0.00
3117 = Methedrone.....	2	0.00
3119 = MDPV, Methylenedioxypropylvalerone.....	3	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine.....	1	0.00
4007 = Happy pills.....	1	0.00
4043 = Tramadol.....	1	0.00
4044 = Hydrocodone.....	19	0.00
4046 = Oxycodone or unspecified oxycodone products.....	7	0.00
4067 = OxyContin.....	42	0.01
4077 = Tee's.....	2	0.00
5001 = Bleach.....	1	0.00
5004 = Ink print, paper.....	1	0.00
5006 = Brake fluid.....	1	0.00
5009 = Robo.....	2	0.00
5017 = Oil, lubricant; otherwise unspecified.....	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	5	0.00
5028 = Carburetor cleaner, engine cleaner.....	5	0.00
5032 = Nitrogen.....	1	0.00
5035 = Brake cleaner.....	1	0.00
5045 = Cleaner; not otherwise specified.....	1	0.00
5049 = Hand sanitizer/cleaner; contents unspecified.....	1	0.00
5053 = Electronics cleaner.....	6	0.00
5055 = PVC.....	3	0.00

HEROIN

5077 = Resistol	5	0.00
5083 = Ethyl chloride.....	2	0.00
5088 = Jungle juice.....	1	0.00
5090 = PVC Cleaner.....	1	0.00
5091 = Germ-X.....	2	0.00
5098 = Axe/Axe deodorant; aerosol unspecified.....	2	0.00
5100 = TCE, Trichlorethylene	2	0.00
5174 = Belt dressing	1	0.00
5175 = Acetylene chloride.....	1	0.00
6005 = Sassafras, sassafras tea.....	7	0.00
6016 = Nas.....	3	0.00
6019 = Black dust, black duct.....	1	0.00
6026 = KJ.....	2	0.00
6029 = DXM.....	344	0.04
6031 = Strychnine.....	1	0.00
6035 = Campana (flower).....	1	0.00
6037 = Fry	3	0.00
6043 = Diviner's sage, Salvia divinorum.....	2034	0.24
6044 = Gel caps, gel tabs.....	22	0.00
6047 = Water	4	0.00
6048 = Dex	15	0.00
6051 = Tryptamine, not otherwise specified.....	2	0.00
6054 = Spiny apples.....	1	0.00
6055 = Liberty caps	1	0.00
6056 = Wet	19	0.00
6061 = 5-MeO-DMT.....	13	0.00
6062 = Madderwort, wormwood.....	12	0.00
6064 = Marigold buttons.....	4	0.00
6070 = DTP	1	0.00
6073 = Rolls.....	3	0.00
6074 = LSA	106	0.01
6077 = San Pedro.....	9	0.00
6078 = Trumpet flowers/seeds; type unspecified	3	0.00
6079 = Sugar cubes.....	3	0.00
6082 = Ammonia	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	127	0.02
6086 = Flakes.....	1	0.00
6087 = Ibogaine	1	0.00
6091 = Ergot, rye mold	3	0.00
6092 = TCP.....	4	0.00
6094 = Mushrooms, specifically not psilocybin.....	2	0.00
6095 = Super cool, super kool.....	1	0.00
6096 = Bananadine	2	0.00
6098 = Dust; not otherwise specified	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	14	0.00
6102 = Absinthe.....	86	0.01
6103 = Ayahuasca, Yahe	45	0.01
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	48	0.01
6109 = 2, 5-Dimethoxyamphetamine, DMA.....	5	0.00
6110 = Mad dog.....	1	0.00
6112 = 2C-T-2	9	0.00
6113 = Candy flip	2	0.00
6114 = Molly; not otherwise specified.....	174	0.02
6115 = Foxy.....	19	0.00
6116 = Nepenthes	1	0.00
6118 = Adrenochrome	4	0.00
6119 = Scoop.....	3	0.00
6120 = Lucky seven	1	0.00
6121 = Cactus; specifically not peyote.....	2	0.00
6122 = MMDA	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	192	0.02
6127 = Skittles	12	0.00
6130 = 5-MeO-DiPT, foxy methoxy.....	11	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	9	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	3	0.00
6135 = 5-MeO-AMT.....	7	0.00
6136 = Spook.....	2	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	114	0.01
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.00
6140 = MIPT, N-methyl-N-isopropyltryptamine	1	0.00
6141 = DPT, Dipropyltryptamine	3	0.00
6143 = 2C-X.....	1	0.00
6144 = DiPT, Di-isopropyl-tryptamine	3	0.00
6145 = Scooby snacks.....	1	0.00

HEROIN

6146 = 5-MeO; otherwise unspecified	1	0.00
6147 = Phenethylamines; otherwise unspecified	2	0.00
6153 = Asthmador	1	0.00
6154 = 2,5-Dimethoxy-4-methylphenethylamine, 2C-D	1	0.00
6155 = 5-MeO-T, 5-methoxytryptamine	1	0.00
6157 = Taters	1	0.00
6160 = Wacky Weed	1	0.00
6163 = Devil's trumpet	1	0.00
6165 = PMMA, Paramethoxymethamphetamine	1	0.00
6166 = BZP, Benzylpiperazine	2	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	3	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	10	0.00
6170 = Moonflower/pod; otherwise unspecified	12	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	3	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	11	0.00
6174 = bk-MDMA, Methylone	3	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	2	0.00
6180 = 2C-BCB, TCB-2	1	0.00
6181 = 4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	5	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	33	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	4	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C	7	0.00
6190 = 2,5-dimethoxy-4-fluorobenzaldehyde, 2C-F	1	0.00
6191 = CI-400, Eticyclidine, PCE	1	0.00
6192 = 5-MeO-MiPT	1	0.00
6193 = Fungus; otherwise unspecified	1	0.00
6194 = MDMA derivative; otherwise unspecified	2	0.00
6196 = Changa	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.00
6199 = LAH, LSH, Lysergic acid hydroxyethylamide	1	0.00
8007 = Gabapentin, Neurontin	2	0.00
8008 = Antidepressant; type unspecified	3	0.00
8009 = Allergy pills/antihistamine; type unspecified	3	0.00
8011 = Herb, flower, plant; type unspecified	49	0.01
8012 = Coriciden <OTC>	200	0.02
8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
8058 = Cough medicine/syrup; type unspecified	113	0.01
8085 = Anti-psychotics/schizophrenic; type unspcfd	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
8100 = Kava Kava <OTC>	5	0.00
8105 = Sustiva	1	0.00
8110 = Over-the-counter drug/pills; type unspecified<OTC>	12	0.00
8115 = Vicks 44 <OTC>	2	0.00
8118 = Smoking; not otherwise specified	4	0.00
8127 = Damiana <OTC>	2	0.00
8157 = Colirio	1	0.00
8163 = Ditropan	1	0.00
8172 = Cortisone	1	0.00
8179 = Artemesia	1	0.00
8191 = L-Dopa	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	10	0.00
8197 = Chronic	2	0.00
8203 = Bar; otherwise unspecified	7	0.00
8214 = Robo, robo tripping	7	0.00
8216 = Red Dawn GHR Release <OTC>	1	0.00
8223 = Chocolate	1	0.00
8227 = Sativa; otherwise unspecified	9	0.00
8231 = Tussin medication, no other information	2	0.00
8232 = Rat/rodent poison; contents unspecified	2	0.00
8237 = Kratom	1	0.00
8241 = Chemotherapy; drug unspecified	1	0.00
8249 = DMG, N,N-Dimethylglycine HCl	1	0.00
8254 = Green hornet	1	0.00
8260 = Dextromine	1	0.00
8271 = Catnip <OTC>	1	0.00
8276 = Bitter grass, Calea zacatechichi, Dream herb	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	104	0.01
8293 = Lean (Promethazine w/codeine mixed w/Sprite)	5	0.00
8294 = Stevia <OTC>	3	0.00
8298 = Jack3d <OTC>	1	0.00

HEROIN

8301 = Bath salts, otherwise unspecified	16	0.00
8306 = Flu medication; no other information.....	1	0.00
8309 = Mucinex <OTC>.....	1	0.00
8315 = Synthetic cannabis; otherwise unspecified.....	4	0.00
8324 = Lamb's ear.....	1	0.00
8327 = 7H.....	1	0.00
8328 = Metamine.....	1	0.00
8329 = Artane, Parkopan	1	0.00
8351 = 6-APB, Benzo Fury.....	1	0.00
8358 = Kanna powder, sceletium tortuosom.....	1	0.00
9985 = BAD DATA Logically assigned	105	0.01
9991 = NEVER USED HALLUCINOGENS	619338	74.02
9997 = REFUSED	510	0.06
9998 = BLANK (NO ANSWER).....	2610	0.31
9999 = LEGITIMATE SKIP.....	88368	10.56

HEROIN

HALNEWB

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
110 = Tuinal.....	2	0.00
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal.....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	6	0.00
123 = Unisom <OTC>.....	1	0.00
124 = Yellow jackets.....	3	0.00
129 = Reds.....	1	0.00
130 = Phenergan, Promethazine.....	1	0.00
142 = Belladonna.....	7	0.00
157 = Barbiturates.....	1	0.00
171 = NyQuil <OTC>.....	5	0.00
174 = Ambien, Stilnox, Zolpidem.....	5	0.00
176 = Melatonin <OTC>.....	1	0.00
178 = Quetiapine, Seroquel.....	1	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladonna plant/flower/root, deadly nightshade.....	2	0.00
201 = Valium, Diazepam.....	6	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	7	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
237 = Dormicum, Hypnovel, Midazolam, Versed.....	1	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
245 = Tryptophan.....	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	2	0.00
267 = Marezine.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
280 = Ketaset.....	1	0.00
301 = Dexedrine.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	21	0.00
327 = Black beauties, black beauty.....	4	0.00
339 = Amphetamines.....	1	0.00
345 = Black molly.....	1	0.00
348 = Crystal.....	2	0.00
355 = Crystal meth, crystal methamphetamine.....	9	0.00
374 = Christmas tree(s).....	2	0.00
382 = Footballs, purple footballs.....	1	0.00
386 = Herbal ecstasy.....	1	0.00
407 = Demerol, Meperidine.....	1	0.00
408 = Dilaudid, Hydromorphone.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	2	0.00
415 = Codeine.....	4	0.00
417 = Morphine, Roxanol.....	2	0.00
418 = Methadone, Dolophine.....	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	3	0.00
423 = Percocet.....	4	0.00
424 = Fioricet.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	15	0.00
473 = Pyridium.....	1	0.00
496 = Ultram.....	1	0.00
501 = Gasoline or lighter fluids.....	16	0.00
502 = Spray paints.....	6	0.00
503 = Other aerosol sprays.....	9	0.00
504 = Shoeshine liquid, glue, or toluene.....	11	0.00
505 = Lacquer thinner or other paint solvents.....	5	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	6	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	22	0.00
509 = Correction fluids, degreasers, cleaning fluids.....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	10	0.00
511 = Markers, felt-tip pens, ink pens.....	9	0.00
512 = Incense.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	7	0.00
519 = Helium.....	1	0.00
520 = Old paint, paint.....	10	0.00
524 = White-Out.....	4	0.00
525 = Butane.....	2	0.00
526 = Nail polish.....	2	0.00
528 = Whipped-cream can.....	3	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
566 = Smoked tea from Lipton tea bag.....	1	0.00
571 = Black jack.....	2	0.00

HEROIN

592 = Computer air duster, computer cleaner, dust-off	21	0.00
601 = LSD ("acid")	81	0.01
602 = Peyote	4	0.00
603 = Mescaline	12	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	49	0.01
605 = PCP ("angel dust," phencyclidine)	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	17	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	141	0.02
609 = Jimson weed	11	0.00
612 = Happy stick, sherm, sherman, shermstick	2	0.00
614 = MDA, Methylenedioxy amphetamine	27	0.00
615 = Homemade drugs	1	0.00
616 = DET, Dimethyltryptamine, DMT	135	0.02
617 = Morning glory seeds, morning glory tendrils, ricea	34	0.00
618 = Acid paper, blotter (acid)	13	0.00
622 = Microdot(s), green microdot, purple microdot	16	0.00
624 = Orange sunshine, sunshine, yellow sunshine	5	0.00
625 = Window, window pane, 4-way pane, 4-way	11	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	10	0.00
635 = Ginseng seeds, ginseng weed	1	0.00
636 = DOM, STP	7	0.00
637 = Purple haze	2	0.00
639 = Nutmeg, Mace	18	0.00
648 = Designer drugs	1	0.00
650 = Datura stramonium, daytura, thorn apple	15	0.00
654 = Eve	1	0.00
658 = Special K, Ketamine	67	0.01
659 = Boat	1	0.00
660 = Bufotenin, toad, toad licking	3	0.00
663 = Animal tranquilizer, horse tranquilizer	3	0.00
679 = Hell bells	2	0.00
695 = Angel's trumpet	3	0.00
698 = 2C-B, Bromo mescaline, Nexus	75	0.01
702 = Heroin	1	0.00
703 = Opium	21	0.00
705 = Speed Ball (heroin + cocaine)	1	0.00
707 = Black tar heroin	2	0.00
709 = Poppy	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	7	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	24	0.00
804 = Hashish	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	2	0.00
806 = Crack, rock	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	4	0.00
809 = Pills	4	0.00
813 = Cigarettes, tobacco (type unspecified)	1	0.00
824 = Steroids	1	0.00
829 = Robitussin DM <OTC>	39	0.00
834 = Loveboat	1	0.00
843 = Cold medicine, cold tablets <OTC>	21	0.00
847 = GHB, NSC, gamma hydroxybutyrate	14	0.00
852 = Formaldehyde, wak, whack (embalming fluid)	8	0.00
875 = Buds	1	0.00
876 = Glass	3	0.00
883 = Dextromethorphan hydrobromide <OTC>	31	0.00
900 = Not a drug	3	0.00
1001 = Benadryl, Diphenhydramine <OTC>	8	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	34	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
2003 = Zanies, zannies, zans, zany bars	2	0.00
3017 = Dayquil <OTC>	1	0.00
3023 = Adderall	3	0.00
3026 = Bupropion, Wellbutrin, Zyban	1	0.00
3037 = Effexor	1	0.00
3052 = Speed; otherwise unspecified	12	0.00
3090 = Provigil, Modafinil	1	0.00
3107 = Guarana <OTC>	1	0.00
3116 = MCAT, Mephedrone	2	0.00
3119 = MDPV, Methylenedioxypropylone	2	0.00
4007 = Happy pills	1	0.00
4044 = Hydrocodone	4	0.00
4046 = Oxycodone or unspecified oxycodone products	3	0.00
4047 = Roxicet	1	0.00
4067 = OxyContin	12	0.00

HEROIN

4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
5017 = Oil, lubricant; otherwise unspecified.....	1	0.00
5035 = Brake cleaner	1	0.00
5045 = Cleaner; not otherwise specified	1	0.00
5053 = Electronics cleaner.....	1	0.00
5055 = PVC	1	0.00
5077 = Resistol	1	0.00
5078 = Axe body spray.....	1	0.00
5083 = Ethyl chloride.....	1	0.00
5091 = Germ-X.....	1	0.00
5097 = Lysol; aerosol unspecified	1	0.00
5098 = Axe/Axe deodorant; aerosol unspecified.....	1	0.00
6005 = Sassafras, sassafras tea.....	5	0.00
6010 = Atrepabelladona (flower)	1	0.00
6015 = Crysta.....	1	0.00
6016 = Nas.....	1	0.00
6020 = Chocolate.....	1	0.00
6029 = DXM.....	93	0.01
6043 = Diviner's sage, Salvia divinorum.....	199	0.02
6044 = Gel caps, gel tabs	9	0.00
6047 = Water	2	0.00
6048 = Dex	4	0.00
6049 = Locoseeds, locoweed seeds	1	0.00
6051 = Tryptamine, not otherwise specified	3	0.00
6055 = Liberty caps	1	0.00
6056 = Wet	1	0.00
6060 = Ololiuhqui.....	1	0.00
6061 = 5-MeO-DMT.....	7	0.00
6062 = Madderwort, wormwood.....	5	0.00
6064 = Marigold buttons.....	1	0.00
6070 = DTP	1	0.00
6074 = LSA	43	0.01
6077 = San Pedro.....	6	0.00
6078 = Trumpet flowers/seeds; type unspecified	1	0.00
6079 = Sugar cubes.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	16	0.00
6087 = Ibogaine	1	0.00
6088 = Brugmansia.....	2	0.00
6091 = Ergot, rye mold	1	0.00
6094 = Mushrooms, specifically not psilocybin.....	1	0.00
6096 = Bananadine	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	6	0.00
6102 = Absinthe.....	13	0.00
6103 = Ayahuasca, Yahe	16	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	12	0.00
6106 = Paramethoxyamphetamine, PMA.....	1	0.00
6109 = 2, 5-Dimethoxyamphetamine, DMA.....	1	0.00
6111 = Syrian rue.....	1	0.00
6112 = 2C-T-2	10	0.00
6114 = Molly; not otherwise specified.....	23	0.00
6115 = Foxy.....	12	0.00
6117 = Dragon (with color; not blue/red).....	1	0.00
6121 = Cactus; specifically not peyote.....	2	0.00
6123 = Mighty Quinn.....	1	0.00
6124 = Mormon tea.....	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	65	0.01
6127 = Skittles.....	3	0.00
6130 = 5-MeO-DiPT, foxy methoxy	3	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	12	0.00
6133 = Acorus calamus, sweet flag.....	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	1	0.00
6135 = 5-MeO-AMT.....	7	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	51	0.01
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.00
6144 = DiPT, Di-isopropyl-tryptamine	4	0.00
6146 = 5-MeO; otherwise unspecified	1	0.00
6147 = Phenethylamines; otherwise unspecified.....	1	0.00
6152 = Cigarette dipped in embalming fluid.....	1	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	2	0.00
6162 = 4-MeO-DMT.....	1	0.00
6166 = BZP, Benzylpiperazine	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	5	0.00
6170 = Moonflower/pod; otherwise unspecified.....	1	0.00

HEROIN

6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	4	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	3	0.00
6174 = bk-MDMA, Methylone.....	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly.....	1	0.00
6180 = 2C-BCB, TCB-2.....	2	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	2	0.00
6183 = 5-MeO-DALT, N,N-diallyl-5-methoxytryptamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	14	0.00
6187 = Mugwort.....	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C.....	1	0.00
6193 = Fungus; otherwise unspecified.....	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide.....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine.....	1	0.00
8002 = Zantac.....	1	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	8	0.00
8012 = Coriciden <OTC>.....	44	0.01
8058 = Cough medicine/syrup; type unspecified.....	28	0.00
8085 = Anti-psychotics/schizophrenic; type unspcfd.....	1	0.00
8100 = Kava Kava <OTC>.....	2	0.00
8132 = Liquid D-bol.....	1	0.00
8141 = Gamma butyrolactone, GBL.....	1	0.00
8203 = Bar; otherwise unspecified.....	3	0.00
8214 = Robo, robo tripping.....	4	0.00
8223 = Chocolate.....	1	0.00
8227 = Sativa; otherwise unspecified.....	2	0.00
8273 = Goofballs.....	1	0.00
8280 = Mucinex-DM <OTC>.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	33	0.00
8287 = CP 55,940.....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8294 = Stevia <OTC>.....	1	0.00
8301 = Bath salts, otherwise unspecified.....	1	0.00
8314 = Cloud 10 Ultra.....	1	0.00
8318 = AM-2201.....	1	0.00
8359 = Sarsaparilla.....	1	0.00
9985 = BAD DATA Logically assigned.....	48	0.01
9991 = NEVER USED HALLUCINOGENS.....	619338	74.02
9997 = REFUSED.....	125	0.01
9998 = BLANK (NO ANSWER).....	12559	1.50
9999 = LEGITIMATE SKIP.....	88368	10.56

HEROIN

HALNEWC

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
130 = Phenergan, Promethazine.....	1	0.00
142 = Belladonna	2	0.00
145 = Red devil(s).....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	3	0.00
178 = Quetiapine, Seroquel.....	1	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladonna plant/flower/root, deadly nightshade	2	0.00
201 = Valium, Diazepam	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	3	0.00
234 = Flexeril, Cyclobenzaprine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	1	0.00
280 = Ketaset	1	0.00
318 = Ritalin, Methylphenidate.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
382 = Footballs, purple footballs.....	1	0.00
407 = Demerol, Meperidine.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
415 = Codeine.....	2	0.00
423 = Percocet	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	0.00
442 = Ibuprofen	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays.....	2	0.00
504 = Shoeshine liquid, glue, or toluene	3	0.00
505 = Lacquer thinner or other paint solvents.....	1	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	3	0.00
511 = Markers, felt-tip pens, ink pens.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
518 = Acetone, nail polish remover	1	0.00
520 = Old paint, paint	1	0.00
524 = White-Out	1	0.00
525 = Butane.....	1	0.00
526 = Nail polish.....	1	0.00
531 = Candy, powdered candy, sugar	1	0.00
566 = Smoked tea from Lipton tea bag	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	5	0.00
601 = LSD ("acid").....	20	0.00
603 = Mescaline.....	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	11	0.00
605 = PCP ("angel dust," phencyclidine).....	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	5	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	47	0.01
609 = Jimson weed	2	0.00
612 = Happy stick, sherm, sherman, shermstick	2	0.00
614 = MDA, Methylenedioxy amphetamine	12	0.00
616 = DET, Dimethyltryptamine, DMT.....	35	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	5	0.00
618 = Acid paper, blotter (acid).....	5	0.00
622 = Microdot(s), green microdot, purple microdot	3	0.00
623 = Mickey, mickey mouse club, mickey mousers	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine.....	3	0.00
625 = Window, window pane, 4-way pane, 4-way	2	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.00
636 = DOM, STP	4	0.00
637 = Purple haze	1	0.00
639 = Nutmeg, Mace.....	7	0.00
645 = Thai stick	1	0.00
648 = Designer drugs	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	8	0.00
652 = ALD-52.....	2	0.00
658 = Special K, Ketamine	17	0.00
660 = Bufotenin, toad, toad licking.....	3	0.00
663 = Animal tranquilizer, horse tranquilizer	1	0.00
679 = Hell bells.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	19	0.00
703 = Opium.....	3	0.00

HEROIN

705 = Speed Ball (heroin + cocaine).....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	3	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
809 = Pills.....	1	0.00
829 = Robitussin DM <OTC>	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	2	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	7	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	2	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	9	0.00
900 = Not a drug	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	3	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	12	0.00
2001 = Sanoma, Soma, Carisoprodol.....	1	0.00
3023 = Adderall	5	0.00
3037 = Effexor.....	1	0.00
3052 = Speed; otherwise unspecified.....	3	0.00
4044 = Hydrocodone.....	1	0.00
4067 = OxyContin	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	2	0.00
5077 = Resistol	2	0.00
5100 = TCE, Trichlorethylene	1	0.00
6020 = Chocolate	1	0.00
6029 = DXM.....	37	0.00
6043 = Diviner's sage, Salvia divinorum.....	57	0.01
6044 = Gel caps, gel tabs	2	0.00
6048 = Dex	2	0.00
6061 = 5-MeO-DMT.....	5	0.00
6062 = Madderwort, wormwood.....	2	0.00
6064 = Marigold buttons.....	1	0.00
6071 = Sinicuichi	1	0.00
6074 = LSA	20	0.00
6077 = San Pedro	4	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	4	0.00
6087 = Ibogaine	1	0.00
6094 = Mushrooms, specifically not psilocybin.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	5	0.00
6102 = Absinthe.....	4	0.00
6103 = Ayahuasca, Yahe	5	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	11	0.00
6106 = Paramethoxyamphetamine, PMA.....	1	0.00
6112 = 2C-T-2	7	0.00
6113 = Candy flip	1	0.00
6114 = Molly; not otherwise specified.....	8	0.00
6115 = Foxy.....	1	0.00
6117 = Dragon (with color; not blue/red).....	1	0.00
6122 = MMDA	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	25	0.00
6130 = 5-MeO-DiPT, foxy methoxy	2	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	5	0.00
6133 = Acorus calamus, sweet flag.....	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca	1	0.00
6135 = 5-MeO-AMT.....	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	20	0.00
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.00
6148 = Mimosa tree bark	1	0.00
6154 = 2,5-Dimethoxy-4-methylphenethylamine, 2C-D.....	2	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T.....	1	0.00
6161 = Thujone.....	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	3	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	2	0.00
6174 = bk-MDMA, Methyloine	2	0.00
6175 = 4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT.....	1	0.00
6179 = 4-Hydroxy-MIPT	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	4	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	3	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C.....	2	0.00
6192 = 5-MeO-MiPT	1	0.00

HEROIN

8011 = Herb, flower, plant; type unspecified	2	0.00
8012 = Coriciden <OTC>	4	0.00
8058 = Cough medicine/syrup; type unspecified	7	0.00
8082 = Robinul	1	0.00
8166 = White girl	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	2	0.00
8203 = Bar; otherwise unspecified	1	0.00
8214 = Robo, robo tripping	1	0.00
8223 = Chocolate	1	0.00
8278 = Bufotoxin	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	3	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
8310 = DMAA, Methylhexanamine	1	0.00
8315 = Synthetic cannabis; otherwise unspecified	1	0.00
8318 = AM-2201	1	0.00
9985 = BAD DATA Logically assigned	15	0.00
9991 = NEVER USED HALLUCINOGENS	619338	74.02
9997 = REFUSED	117	0.01
9998 = BLANK (NO ANSWER)	14149	1.69
9999 = LEGITIMATE SKIP	88368	10.56

HEROIN

HALNEWD

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
174 = Ambien, Stilnox, Zolpidem.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
245 = Tryptophan.....	1	0.00
415 = Codeine.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
423 = Percocet.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00
501 = Gasoline or lighter fluids.....	2	0.00
502 = Spray paints.....	1	0.00
503 = Other aerosol sprays.....	2	0.00
504 = Shoeshine liquid, glue, or toluene.....	4	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	3	0.00
526 = Nail polish.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	1	0.00
601 = LSD ("acid").....	7	0.00
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	5	0.00
605 = PCP ("angel dust," phencyclidine).....	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	3	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	21	0.00
614 = MDA, Methylenedioxy amphetamine.....	6	0.00
616 = DET, Dimethyltryptamine, DMT.....	18	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	3	0.00
622 = Microdot(s), green microdot, purple microdot.....	2	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	2	0.00
636 = DOM, STP.....	2	0.00
637 = Purple haze.....	1	0.00
639 = Nutmeg, Mace.....	2	0.00
650 = Datura stramonium, daytura, thorn apple.....	1	0.00
658 = Special K, Ketamine.....	6	0.00
695 = Angel's trumpet.....	3	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	17	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
829 = Robitussin DM <OTC>.....	3	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	2	0.00
900 = Not a drug.....	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	2	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	2	0.00
2012 = Geodon, Ziprasidone.....	1	0.00
2024 = Muscoril, Myoril, Neoflax, Thiocolchicoside.....	1	0.00
3023 = Adderall.....	2	0.00
6005 = Sassafras, sassafras tea.....	2	0.00
6023 = Euphoria.....	1	0.00
6029 = DXM.....	12	0.00
6043 = Diviner's sage, Salvia divinorum.....	17	0.00
6048 = Dex.....	1	0.00
6060 = Ololiuhqui.....	1	0.00
6061 = 5-MeO-DMT.....	7	0.00
6074 = LSA.....	7	0.00
6077 = San Pedro.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	5	0.00
6087 = Ibogaine.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	2	0.00
6103 = Ayahuasca, Yahe.....	2	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	4	0.00
6112 = 2C-T-2.....	1	0.00
6114 = Molly; not otherwise specified.....	1	0.00
6115 = Foxy.....	4	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	18	0.00
6130 = 5-MeO-DIPT, foxy methoxy.....	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	2	0.00
6134 = Anadenanthera colubrina, cohoba, vilca.....	1	0.00
6135 = 5-MeO-AMT.....	1	0.00
6137 = Harmaline.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	6	0.00
6156 = TMA, Trimethoxyamphetamine.....	2	0.00
6158 = Mulberry seeds/plant.....	1	0.00
6167 = 4-HO-DMT, Psilocin.....	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00

HEROIN

6174 = bk-MDMA, Methylone	2	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5.....	2	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8012 = Coriciden <OTC>	1	0.00
8058 = Cough medicine/syrup; type unspecified	3	0.00
8100 = Kava Kava <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	2	0.00
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED HALLUCINOGENS	619338	74.02
9997 = REFUSED	117	0.01
9998 = BLANK (NO ANSWER).....	14563	1.74
9999 = LEGITIMATE SKIP.....	88368	10.56

HEROIN

HALNEWE

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
215 = Vistaril	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	1	0.00
351 = Cathinone, cat, khat, Q'at	1	0.00
414 = Propoxyphene	1	0.00
501 = Gasoline or lighter fluids	1	0.00
502 = Spray paints	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
511 = Markers, felt-tip pens, ink pens	1	0.00
524 = White-Out	1	0.00
601 = LSD ("acid")	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	1	0.00
605 = PCP ("angel dust," phencyclidine)	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	11	0.00
609 = Jimson weed	1	0.00
614 = MDA, Methylenedioxy amphetamine	1	0.00
616 = DET, Dimethyltryptamine, DMT	13	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	3	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
639 = Nutmeg, Mace	1	0.00
658 = Special K, Ketamine	7	0.00
698 = 2C-B, Bromo mescaline, Nexus	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
829 = Robitussin DM <OTC>	1	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	2	0.00
3023 = Adderall	1	0.00
3024 = Yohimbe	1	0.00
3052 = Speed; otherwise unspecified	1	0.00
6029 = DXM	3	0.00
6043 = Diviner's sage, Salvia divinorum	12	0.00
6061 = 5-MeO-DMT	1	0.00
6074 = LSA	7	0.00
6077 = San Pedro	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6102 = Absinthe	1	0.00
6103 = Ayahuasca, Yahe	3	0.00
6115 = Foxy	1	0.00
6118 = Adrenochrome	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	4	0.00
6130 = 5-MeO-DiPT, foxy methoxy	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	7	0.00
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.00
6141 = DPT, Dipropyltryptamine	1	0.00
6146 = 5-MeO; otherwise unspecified	3	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	1	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.00
6174 = bk-MDMA, Methylone	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8343 = Agapanthus, Lily of the Nile	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED HALLUCINOGENS	619338	74.02
9997 = REFUSED	113	0.01
9998 = BLANK (NO ANSWER)	14710	1.76
9999 = LEGITIMATE SKIP	88368	10.56

HEROIN

How old were you the first time you used [LSFILL]?

HALLAGE	Len : 3 AGE WHEN FIRST USED HALLUCINOGENS		
	RANGE = 1 - 74	Freq	Pct
	-9 = Data not collected for this year	99643	11.91
	985 = BAD DATA Logically assigned	114043	13.63
	991 = NEVER USED HALLUCINOGENS	408	0.05
	994 = DON'T KNOW	619338	74.02
	997 = REFUSED	688	0.08
	998 = BLANK (NO ANSWER).....	309	0.04
		2267	0.27

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

HALYFU	Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE		
	RANGE = 2000 - 2014	Freq	Pct
	-9 = Data not collected for this year	11980	1.43
	9985 = BAD DATA Logically assigned	114043	13.63
	9989 = LEGITIMATE SKIP Logically assigned	1440	0.17
	9991 = NEVER USED HALLUCINOGENS	1463	0.17
	9994 = DON'T KNOW	619338	74.02
	9997 = REFUSED	753	0.09
	9998 = BLANK (NO ANSWER).....	323	0.04
	9999 = LEGITIMATE SKIP.....	2289	0.27
		85067	10.17

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

HALMFU	Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE		
	-9 = Data not collected for this year	Freq	Pct
	1 = January.....	114043	13.63
	2 = February.....	1090	0.13
	3 = March.....	839	0.10
	4 = April	991	0.12
	5 = May.....	926	0.11
	6 = June.....	843	0.10
	7 = July	1244	0.15
	8 = August	1262	0.15
	9 = September	863	0.10
	10 = October	766	0.09
	11 = November	1011	0.12
	12 = December.....	794	0.09
	85 = BAD DATA Logically assigned	677	0.08
	89 = LEGITIMATE SKIP Logically assigned	1437	0.17
	91 = NEVER USED HALLUCINOGENS	1463	0.17
	94 = DON'T KNOW	619338	74.02
	97 = REFUSED	1386	0.17
	98 = BLANK (NO ANSWER)	362	0.04
	99 = LEGITIMATE SKIP.....	2294	0.27
		85067	10.17

HEROIN

How long has it been since you last used [LSFILL]?

HALLREC Len : 2 TIME SINCE LAST USED HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	5748	0.69
2 = More than 30 days ago but within the past 12 mos	16656	1.99
3 = More than 12 months ago	75282	9.00
8 = Used at some point in the past 12 mos LOG ASSN.....	764	0.09
9 = Used at some point in lifetime LOG ASSN	2006	0.24
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	294	0.04
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	251	0.03
85 = BAD DATA Logically assigned	9	0.00
91 = NEVER USED HALLUCINOGENS	619338	74.02
97 = REFUSED	38	0.00
98 = BLANK (NO ANSWER)	2267	0.27

HALYRTOT Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	23076	2.76
-9 = Data not collected for this year.....	114043	13.63
983 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn	1	0.00
985 = BAD DATA Logically assigned	214	0.03
991 = NEVER USED HALLUCINOGENS	619338	74.02
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	75281	9.00
994 = DON'T KNOW	161	0.02
997 = REFUSED	78	0.01
998 = BLANK (NO ANSWER).....	4504	0.54

HLTOTFG Len : 2 TRIMMING INDICATOR FOR HALYRTOT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Trimmed to 365 days (no further editing).....	2	0.00
2 = Trimmed relative to the 30-day freq	40	0.00
98 = BLANK (NO ANSWER)	722611	86.36

HLFQFLG Len : 2 TRIMMED HALYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Trimmed to be consistent with mo/yr of 1st use	1587	0.19
98 = BLANK (NO ANSWER)	721066	86.18

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HLBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Prefer to answer in days per week.....	2350	0.28
2 = Prefer to answer in days per month.....	3685	0.44
3 = Prefer to answer in days per year	16914	2.02
11 = Prefer to ans in days per wk LOG ASSN.....	18	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	29	0.00
13 = Prefer to ans in days per yr LOG ASSN	203	0.02
83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned	214	0.03
91 = NEVER USED HALLUCINOGENS	619338	74.02
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	75281	9.00
94 = DON'T KNOW	56	0.01
97 = REFUSED	60	0.01
98 = BLANK (NO ANSWER)	4504	0.54

HEROIN

On how many days in the past 12 months did you use [LSFILL]?

HLDAYPYR	Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 365	Freq	Pct
	-9 = Data not collected for this year	17128	2.05
	985 = BAD DATA Logically assigned	114043	13.63
	989 = LEGITIMATE SKIP Logically assigned	161	0.02
	991 = NEVER USED HALLUCINOGENS	58	0.01
	993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	619338	74.02
	994 = DON'T KNOW	75282	9.00
	997 = REFUSED	83	0.01
	998 = BLANK (NO ANSWER)	65	0.01
	999 = LEGITIMATE SKIP	4514	0.54
		6024	0.72

On average, how many days did you use [LSFILL] each month during the past 12 months?

HLDAYPMO	Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 31	Freq	Pct
	-9 = Data not collected for this year	3675	0.44
	83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn	114043	13.63
	85 = BAD DATA Logically assigned	1	0.00
	89 = LEGITIMATE SKIP Logically assigned	33	0.00
	91 = NEVER USED HALLUCINOGENS	18	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	619338	74.02
	94 = DON'T KNOW	75281	9.00
	97 = REFUSED	114	0.01
	98 = BLANK (NO ANSWER)	73	0.01
	99 = LEGITIMATE SKIP	4685	0.56
		19435	2.32

On average, how many days did you use [LSFILL] each week during the past 12 months?

HLDAYPWK	Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 7	Freq	Pct
	-9 = Data not collected for this year	2316	0.28
	85 = BAD DATA Logically assigned	114043	13.63
	91 = NEVER USED HALLUCINOGENS	40	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	619338	74.02
	94 = DON'T KNOW	75282	9.00
	97 = REFUSED	160	0.02
	98 = BLANK (NO ANSWER)	78	0.01
	99 = LEGITIMATE SKIP	4679	0.56
		20760	2.48

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

HAL30USE	Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS		
	RANGE = 1 - 30	Freq	Pct
	-9 = Data not collected for this year	5748	0.69
	85 = BAD DATA Logically assigned	114043	13.63
	90 = NOT ASKED THE QUESTION Logically assigned	310	0.04
	91 = NEVER USED HALLUCINOGENS	24	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	619338	74.02
	94 = DON'T KNOW	92189	11.02
	97 = REFUSED	49	0.01
	98 = BLANK (NO ANSWER)	51	0.01
		4944	0.59

HEROIN

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

HL30EST Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = 1 or 2 days	23	0.00
2 = 3 to 5 days.....	8	0.00
3 = 6 to 9 days.....	5	0.00
4 = 10 to 19 days.....	5	0.00
5 = 20 to 29 days.....	2	0.00
6 = All 30 days.....	5	0.00
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED HALLUCINOGENS	619338	74.02
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	92189	11.02
94 = DON'T KNOW	11	0.00
97 = REFUSED	42	0.01
98 = BLANK (NO ANSWER)	5272	0.63
99 = LEGITIMATE SKIP.....	5745	0.69

Now think only about 'Ecstasy.' How old were you the first time you used 'Ecstasy,' also known as MDMA?

ECSAGE Len : 3 AGE WHEN FIRST USED ECSTASY

	Freq	Pct
RANGE = 1 - 67	49423	5.91
-9 = Data not collected for this year	114043	13.63
985 = BAD DATA Logically assigned	150	0.02
991 = NEVER USED ECSTASY	671884	80.30
994 = DON'T KNOW	187	0.02
997 = REFUSED	126	0.02
998 = BLANK (NO ANSWER).....	883	0.11

Did you first use 'Ecstasy' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

ECSYFU Len : 4 YEAR OF FIRST ECSTASY USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	8617	1.03
-9 = Data not collected for this year	114043	13.63
9985 = BAD DATA Logically assigned	529	0.06
9989 = LEGITIMATE SKIP Logically assigned	305	0.04
9991 = NEVER USED ECSTASY	671884	80.30
9994 = DON'T KNOW	217	0.03
9997 = REFUSED	132	0.02
9998 = BLANK (NO ANSWER).....	1223	0.15
9999 = LEGITIMATE SKIP.....	39746	4.75

HEROIN

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy'?

ECSMFU Len : 2 MONTH OF FIRST ECSTASY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = January.....	790	0.09
2 = February.....	584	0.07
3 = March.....	724	0.09
4 = April.....	622	0.07
5 = May.....	628	0.08
6 = June.....	873	0.10
7 = July.....	903	0.11
8 = August.....	637	0.08
9 = September.....	614	0.07
10 = October.....	727	0.09
11 = November.....	557	0.07
12 = December.....	507	0.06
85 = BAD DATA Logically assigned.....	551	0.07
89 = LEGITIMATE SKIP Logically assigned.....	305	0.04
91 = NEVER USED ECSTASY.....	671884	80.30
94 = DON'T KNOW.....	614	0.07
97 = REFUSED.....	158	0.02
98 = BLANK (NO ANSWER).....	1229	0.15
99 = LEGITIMATE SKIP.....	39746	4.75

How long has it been since you last used 'Ecstasy,' also known as MDMA?

ECSREC Len : 2 TIME SINCE LAST USED ECSTASY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Within the past 30 days.....	2924	0.35
2 = More than 30 days ago but within the past 12 mos.....	9656	1.15
3 = More than 12 months ago.....	36281	4.34
8 = Used at some point in the past 12 mos LOG ASSN.....	163	0.02
9 = Used at some point in the lifetime LOG ASSN.....	986	0.12
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	6	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED ECSTASY.....	671884	80.30
97 = REFUSED.....	71	0.01
98 = BLANK (NO ANSWER).....	679	0.08

HALLUCINOGENS

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

- LSD, also called 'acid'
- PCP, also called 'angel dust' or phencyclidine
- Peyote
- Mescaline
- Psilocybin
- 'Ecstasy,' also called MDMA

Have you ever, even once, used LSD, also called "acid"?

LSD	Len : 2 EVER USED LSD ("ACID")		
		Freq	Pct
	1 = Yes.....	64960	7.76
	2 = No.....	54569	6.52
	3 = Yes LOGICALLY ASSIGNED.....	48	0.01
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	716387	85.62
	94 = DON'T KNOW.....	628	0.08
	97 = REFUSED.....	95	0.01

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

PCP	Len : 2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		Freq	Pct
	1 = Yes.....	15537	1.86
	2 = No.....	104045	12.44
	3 = Yes LOGICALLY ASSIGNED.....	13	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	716387	85.62
	94 = DON'T KNOW.....	636	0.08
	97 = REFUSED.....	69	0.01

Have you ever, even once, used peyote?

PEYOTE	Len : 2 EVER USED PEYOTE		
		Freq	Pct
	1 = Yes.....	12425	1.49
	2 = No.....	106883	12.77
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	716387	85.62
	94 = DON'T KNOW.....	898	0.11
	97 = REFUSED.....	91	0.01

Have you ever, even once, used mescaline?

MESC	Len : 2 EVER USED Mescaline		
		Freq	Pct
	1 = Yes.....	16511	1.97
	2 = No.....	102677	12.27
	3 = Yes LOGICALLY ASSIGNED.....	10	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	716387	85.62
	94 = DON'T KNOW.....	1010	0.12
	97 = REFUSED.....	92	0.01

HALLUCINOGENS

Have you ever, even once, used psilocybin, found in mushrooms?

PSILCY	Len : 2	EVER USED PSILOCYBIN (MUSHROOMS)		
			Freq	Pct
		1 = Yes.....	66374	7.93
		2 = No.....	51856	6.20
		3 = Yes LOGICALLY ASSIGNED.....	575	0.07
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED HALLUCINOGENS.....	716387	85.62
		94 = DON'T KNOW.....	1370	0.16
		97 = REFUSED.....	125	0.01

Have you ever, even once, used 'Ecstasy' or 'Molly,' also known as MDMA?

ECSTMOLLY	Len : 2	EVER USED 'ECSTASY' OR 'MOLLY' (MDMA)		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Yes.....	8896	1.06
		2 = No.....	7965	0.95
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	97049	11.60
		94 = DON'T KNOW.....	124	0.01
		97 = REFUSED.....	8	0.00

Have you ever, even once, used Ketamine, also called 'Special K' or 'Super K'?

KETMINESK	Len : 2	EVER USED KETAMINE		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Yes.....	1479	0.18
		2 = No.....	15344	1.83
		91 = NEVER USED KETAMINE.....	97049	11.60
		94 = DON'T KNOW.....	161	0.02
		97 = REFUSED.....	10	0.00

Have you ever, even once, used any of the following:

DMT, also called dimethyltryptamine,
 AMT, also called alpha-methyltryptamine, or
 Foxy, also called 5-MeO-DIPT?

DMTAMTFXY	Len : 2	EVER USED DMT, AMT, FOXY		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Yes.....	1183	0.14
		2 = No.....	15628	1.87
		3 = Yes LOGICALLY ASSIGNED.....	3	0.00
		91 = NEVER USED DMT, AMT, FOXY.....	97049	11.60
		94 = DON'T KNOW.....	170	0.02
		97 = REFUSED.....	10	0.00

Have you ever, even once, used Salvia divinorum?

SALVIADIV	Len : 2	EVER USED SALVIA DIVINORUM		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Yes.....	2817	0.34
		2 = No.....	13957	1.67
		3 = Yes LOGICALLY ASSIGNED.....	4	0.00
		91 = NEVER USED SALVIA DIVINORUM.....	97049	11.60
		94 = DON'T KNOW.....	203	0.02
		97 = REFUSED.....	13	0.00

HALLUCINOGENS

NOTE: HALLUCOTH was assigned a code of 5 (see documentation below) when either of the following occurred: (a) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy, ketamine, DMT/AMT/Foxy, or Salvia divinorum but the respondent reported more recent use of any hallucinogen than was reported for these six hallucinogens; or (b) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy but the respondent reported earlier initiation of any hallucinogen than was reported for these three hallucinogens.

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

HALLUCOTH	Len : 2 EVER USED OTHER HALLUCINOGEN	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	1368	0.16
	2 = No.....	15347	1.83
	5 = Yes (specific hallucinogen unknown) LOG ASSN.....	111	0.01
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	94 = DON'T KNOW	156	0.02
	97 = REFUSED	12	0.00

HALLUCINOGENS

HALLUCOT1

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
130 = Promethazine.....	1	0.00
142 = Belladonna.....	7	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien.....	9	0.00
209 = Xanax.....	13	0.00
319 = Cylert.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	22	0.00
327 = Black beauties, black beauty.....	2	0.00
348 = Crystal.....	1	0.00
355 = Crystal meth, crystal methamphetamine.....	2	0.00
415 = Codeine pills.....	3	0.00
417 = Morphine.....	3	0.00
434 = Vicodin.....	2	0.00
501 = Gasoline or lighter fluids.....	11	0.00
503 = Other aerosol sprays.....	2	0.00
504 = Shoeshine liquid, glue, or toluene.....	2	0.00
505 = Lacquer thinner or other paint solvents.....	3	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush".....	2	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	20	0.00
509 = Correction fluids, degreasers, cleaning fluids.....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	7	0.00
511 = Markers, felt-tip pens, ink pens.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	2	0.00
519 = Helium.....	1	0.00
520 = Old paint, paint.....	2	0.00
525 = Butane.....	1	0.00
590 = Canned air, compressed air.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	13	0.00
601 = LSD ("acid").....	107	0.01
602 = Peyote.....	4	0.00
603 = Mescaline.....	3	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	104	0.01
605 = PCP ("angel dust," phencyclidine).....	6	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	9	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	156	0.02
609 = Jimson weed.....	4	0.00
614 = MDA, Methylenedioxy amphetamine.....	4	0.00
616 = DET, Dimethyltryptamine, DMT.....	8	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	10	0.00
618 = Acid paper, blotter (acid).....	3	0.00
622 = Microdot(s), green microdot, purple microdot.....	8	0.00
624 = Orange sunshine, sunshine, yellow sunshine.....	1	0.00
625 = Window, window pane, 4-way pane, 4-way.....	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	8	0.00
635 = Ginseng seeds, ginseng weed.....	1	0.00
636 = DOM, STP.....	2	0.00
639 = Nutmeg, Mace.....	8	0.00
648 = Designer drugs.....	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	4	0.00
658 = Special K, Ketamine.....	2	0.00
659 = Boat.....	1	0.00
679 = Hell bells.....	3	0.00
695 = Angel's trumpet.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	50	0.01
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703 = Opium, otherwise unspecified.....	9	0.00
707 = Black tar heroin.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	18	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
806 = Crack, rock.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
829 = Robitussin DM <OTC>.....	14	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	3	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	24	0.00
894 = Depakene, Depakote, Valproic acid.....	1	0.00
900 = Not a drug.....	3	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	7	0.00

HALLUCINOGENS

2003 = Zanies, zannies, zans, zany bars.....	4	0.00
2501 = Alprazolam	1	0.00
3023 = Adderall	3	0.00
3052 = Speed, otherwise unspecified.....	4	0.00
3119 = MDPV, Methylenedioxypropylvalerone	2	0.00
4044 = Hydrocodone.....	3	0.00
4067 = OxyContin	2	0.00
4109 = Suboxone	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
5004 = Ink print, paper.....	1	0.00
5045 = Cleaner, not otherwise specified	1	0.00
5055 = PVC	1	0.00
5077 = Resistol	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	1	0.00
5100 = TCE, Trichlorethylene	1	0.00
5104 = Shoe cleaner, otherwise unspecified	1	0.00
5171 = Mouthwash	1	0.00
6005 = Sassafras, sassafras tea.....	6	0.00
6029 = DXM.....	35	0.00
6030 = Root	1	0.00
6043 = Diviner's sage, Salvia divinorum.....	5	0.00
6044 = Gel caps, gel tabs	2	0.00
6048 = Dex	1	0.00
6049 = Locoseeds, locoweed seeds.....	1	0.00
6056 = Wet	1	0.00
6061 = 5-MeO-DMT.....	1	0.00
6062 = Madderwort, wormwood.....	3	0.00
6074 = LSA	18	0.00
6077 = San Pedro.....	6	0.00
6081 = Shabu	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	14	0.00
6092 = TCP.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	1	0.00
6102 = Absinthe.....	7	0.00
6103 = Ayahuasca, Yahe	31	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
6112 = 2C-T-2	1	0.00
6114 = Molly, not otherwise specified.....	2	0.00
6121 = Cactus, specifically not peyote.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	55	0.01
6132 = Amanita mushrooms, fly agaric, muscimol.....	3	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	19	0.00
6145 = Scooby snacks.....	1	0.00
6146 = 5-MeO, otherwise unspecified	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	4	0.00
6170 = Moonflower/pod, otherwise unspecified.....	2	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	9	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	2	0.00
6174 = bk-MDMA, Methyline	2	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly.....	1	0.00
6179 = 4-Hydroxy-MIPT	1	0.00
6181 = 4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine.....	2	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	4	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	34	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	5	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	3	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine.....	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD.....	2	0.00
6203 = NBOMe; otherwise unspecified	4	0.00
6204 = Hallucinogen from toothpaste.....	1	0.00
6205 = Owsley, white owsley	1	0.00
6206 = Blue Egyptian lotus, blue lotus	2	0.00
6207 = 2C-B-Fly, 2C-Bromo-Fly.....	1	0.00
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine.....	1	0.00
6210 = Beta-keto 2C-B, Bk-2C-B.....	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8012 = Coriciden <OTC>	6	0.00
8028 = Bactine <OTC>.....	1	0.00
8058 = Cough medicine/syrup, type unspecified	9	0.00
8118 = Smoke/smoking, not otherwise specified	2	0.00
8166 = White girl.....	1	0.00
8203 = Bar, otherwise unspecified.....	3	0.00

HALLUCINOGENS

8214 = Robo, robo tripping.....	1	0.00
8216 = Red Dawn GHR Release <OTC>.....	1	0.00
8237 = Kratom.....	2	0.00
8280 = Mucinex-DM <OTC>.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	47	0.01
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	11	0.00
8301 = Bath salts, otherwise unspecified.....	9	0.00
8315 = Synthetic cannabis, otherwise unspecified.....	4	0.00
8329 = Artane, Parkopan.....	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone.....	2	0.00
8379 = Dabs/dabbing.....	3	0.00
8513 = Amitriptyline, Elavil.....	1	0.00
8535 = Risperdal, Risperdol, Resperidone.....	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>.....	14	0.00
9985 = BAD DATA Logically assigned.....	22	0.00
9991 = NEVER USED HALLUCINOGENS.....	97049	11.60
9997 = REFUSED.....	63	0.01
9998 = BLANK (NO ANSWER).....	370	0.04
9999 = LEGITIMATE SKIP.....	15347	1.83

HALLUCINOGENS

HALLUCOT2

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
130 = Promethazine	1	0.00
174 = Ambien	1	0.00
209 = Xanax.....	5	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
407 = Demerol.....	1	0.00
415 = Codeine pills.....	1	0.00
501 = Gasoline or lighter fluids.....	2	0.00
503 = Other aerosol sprays.....	2	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	4	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	1	0.00
528 = Whipped-cream can.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	2	0.00
601 = LSD ("acid").....	5	0.00
602 = Peyote.....	1	0.00
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	4	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	18	0.00
609 = Jimson weed.....	1	0.00
612 = Happy stick, sherm, sherman, shermstick.....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	7	0.00
618 = Acid paper, blotter (acid).....	2	0.00
622 = Microdot(s), green microdot, purple microdot.....	2	0.00
625 = Window, window pane, 4-way pane, 4-way.....	1	0.00
636 = DOM, STP.....	2	0.00
639 = Nutmeg, Mace.....	4	0.00
679 = Hell bells.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	17	0.00
703 = Opium, otherwise unspecified.....	4	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00
829 = Robitussin DM <OTC>.....	3	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	3	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
3023 = Adderall.....	1	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
3132 = 4-FA, 4-Fluoroamphetamine.....	1	0.00
4046 = Oxycodone.....	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	1	0.00
5055 = PVC.....	1	0.00
6005 = Sassafras, sassafras tea.....	1	0.00
6029 = DXM.....	7	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6056 = Wet.....	1	0.00
6061 = 5-MeO-DMT.....	1	0.00
6074 = LSA.....	4	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	2	0.00
6103 = Ayahuasca, Yahe.....	4	0.00
6112 = 2C-T-2.....	1	0.00
6121 = Cactus, specifically not peyote.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	18	0.00
6127 = Skittles.....	1	0.00
6138 = 2C-E, 2,5-Dimethoxy-4-ethyl-phenethylamine.....	10	0.00
6141 = DPT, Dipropyltryptamine.....	1	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T.....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	2	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly.....	2	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	3	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	8	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb.....	2	0.00
6192 = 5-MeO-MiPT.....	1	0.00
6203 = NBOMe; otherwise unspecified.....	1	0.00
6209 = 1P-LSD.....	1	0.00
8012 = Coriciden <OTC>.....	2	0.00
8058 = Cough medicine/syrup, type unspecified.....	5	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd.....	1	0.00
8214 = Robo, robo tripping.....	1	0.00

HALLUCINOGENS

8231 = Tussin medication, no other information.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	8	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
8514 = Compazine, Prochlorperazine	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.00
8550 = Geodon, Ziprasidone.....	1	0.00
9985 = BAD DATA Logically assigned	8	0.00
9991 = NEVER USED HALLUCINOGENS	97049	11.60
9997 = REFUSED	14	0.00
9998 = BLANK (NO ANSWER).....	1412	0.17
9999 = LEGITIMATE SKIP.....	15347	1.83

HALLUCOT3

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	3	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	9	0.00
609 = Jimson weed	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
636 = DOM, STP	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	5	0.00
702 = Heroin.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
829 = Robitussin DM <OTC>	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	2	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3131 = 5-MAPB	2	0.00
4043 = Tramadol.....	1	0.00
6029 = DXM.....	2	0.00
6038 = Triplets, trips.....	1	0.00
6074 = LSA	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	2	0.00
6130 = 5-MeO-DiPT, foxy methoxy	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	7	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6174 = bk-MDMA, Methylone	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	3	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	3	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	4	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine.....	1	0.00
6201 = 4-HO-DET, CZ-74, Ethocin.....	1	0.00
6203 = NBOMe; otherwise unspecified	2	0.00
8058 = Cough medicine/syrup, type unspecified	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8505 = Quetiapine, Seroquel.....	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED HALLUCINOGENS	97049	11.60
9997 = REFUSED	13	0.00
9998 = BLANK (NO ANSWER).....	1560	0.19
9999 = LEGITIMATE SKIP.....	15347	1.83

HALLUCINOGENS

HALLUCOT4

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	3	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	1	0.00
618 = Acid paper, blotter (acid)	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
6074 = LSA	1	0.00
6115 = Foxy	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	1	0.00
6135 = 5-MeO-AMT.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	2	0.00
6174 = bk-MDMA, Methylone	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimi-5	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide	1	0.00
6211 = 6-MAPB	1	0.00
8012 = Coriciden <OTC>	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8301 = Bath salts, otherwise unspecified	1	0.00
9991 = NEVER USED HALLUCINOGENS	97049	11.60
9997 = REFUSED	12	0.00
9998 = BLANK (NO ANSWER).....	1607	0.19
9999 = LEGITIMATE SKIP	15347	1.83

HALLUCOTS

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
3119 = MDPV, Methylenedioxypropylvalerone	1	0.00
6029 = DXM.....	2	0.00
6074 = LSA	1	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6202 = 4-Acetoxy-MET, 4-AcO-MET, Metacetin	1	0.00
9991 = NEVER USED HALLUCINOGENS	97049	11.60
9997 = REFUSED	12	0.00
9998 = BLANK (NO ANSWER).....	1624	0.19
9999 = LEGITIMATE SKIP	15347	1.83

How old were you the first time you used [LSFILL]?

HALLUCAGE

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 69	16299	1.95
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	42	0.01
991 = NEVER USED HALLUCINOGENS	97049	11.60
994 = DON'T KNOW	126	0.02
997 = REFUSED	54	0.01
998 = BLANK (NO ANSWER).....	473	0.06

HALLUCEVR

Len : 2 RC - EVER USED HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	16517	1.97
91 = NEVER USED HALLUCINOGENS	97049	11.60
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	473	0.06

HALLUCINOGENS

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

HALLUCYFU	Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE		
	RANGE = 2013 - 2016	Freq	Pct
	-9 = Data not collected for this year	1450	0.17
	9985 = BAD DATA Logically assigned	722653	86.37
	9989 = LEGITIMATE SKIP Logically assigned	164	0.02
	9991 = NEVER USED HALLUCINOGENS	212	0.03
	9994 = DON'T KNOW	97049	11.60
	9997 = REFUSED	129	0.02
	9998 = BLANK (NO ANSWER)	56	0.01
	9999 = LEGITIMATE SKIP	475	0.06
		14508	1.73

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

HALLUCMFU	Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE		
	-9 = Data not collected for this year	Freq	Pct
	1 = January	722653	86.37
	2 = February	109	0.01
	3 = March	106	0.01
	4 = April	117	0.01
	5 = May	93	0.01
	6 = June	95	0.01
	7 = July	187	0.02
	8 = August	164	0.02
	9 = September	137	0.02
	10 = October	84	0.01
	11 = November	111	0.01
	12 = December	88	0.01
	85 = BAD DATA Logically assigned	79	0.01
	89 = LEGITIMATE SKIP Logically assn	164	0.02
	91 = NEVER USED HALLUCINOGENS	212	0.03
	94 = DON'T KNOW	97049	11.60
	97 = REFUSED	203	0.02
	98 = BLANK (NO ANSWER)	62	0.01
	99 = LEGITIMATE SKIP	475	0.06
		14508	1.73

How long has it been since you last used [LSFILL]?

HALLUCREC	Len : 2 TIME SINCE LAST USED HALLUCINOGENS		
	-9 = Data not collected for this year	Freq	Pct
	1 = Within the past 30 days	722653	86.37
	2 = More than 30 days ago but within the past 12 mos	766	0.09
	3 = More than 12 months ago	2122	0.25
	8 = Used at some point in the past 12 mos LOG ASSN	13126	1.57
	9 = Used at some point in lifetime LOG ASSN	103	0.01
	11 = Used in the past 30 days LOGICALLY ASSIGNED	301	0.04
	12 = Used >30 days ago but within pst 12 mos LOG ASSN	43	0.01
	13 = More than 12 months ago LOGICALLY ASSIGNED	53	0.01
	91 = NEVER USED HALLUCINOGENS	3	0.00
	97 = REFUSED	97049	11.60
	98 = BLANK (NO ANSWER)	4	0.00
		473	0.06

HALLUCINOGENS

HALLUCYFQ Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	2989	0.36
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	37	0.00
991 = NEVER USED HALLUCINOGENS	97049	11.60
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	13129	1.57
994 = DON'T KNOW	24	0.00
997 = REFUSED	8	0.00
998 = BLANK (NO ANSWER)	807	0.10

HALTOTFG Len : 2 TRIMMING INDICATOR FOR HALLUCYFQ

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
2 = Trimmed relative to the 30-day freq	10	0.00
98 = BLANK (NO ANSWER)	114033	13.63

HALFQFLG Len : 2 TRIMMED HALLUCYFQ IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Trimmed to be consistent with mo/yr of 1st use	165	0.02
98 = BLANK (NO ANSWER)	113878	13.61

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HALLEASWY Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Prefer to answer in days per week	283	0.03
2 = Prefer to answer in days per month	413	0.05
3 = Prefer to answer in days per year	2282	0.27
11 = Prefer to ans in days per wk LOG ASSN	3	0.00
12 = Prefer to ans in days per mo LOG ASSN	3	0.00
13 = Prefer to ans in days per yr LOG ASSN	23	0.00
85 = BAD DATA Logically assigned	37	0.00
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	13129	1.57
94 = DON'T KNOW	9	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	807	0.10

On how many days in the past 12 months did you use [LSFILL]?

HALLDYSYR Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	2305	0.28
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	33	0.00
989 = LEGITIMATE SKIP Logically assigned	6	0.00
991 = NEVER USED HALLUCINOGENS	97049	11.60
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	13129	1.57
994 = DON'T KNOW	12	0.00
997 = REFUSED	6	0.00
998 = BLANK (NO ANSWER)	807	0.10
999 = LEGITIMATE SKIP	696	0.08

HALLUCINOGENS

On average, how many days did you use [LSFILL] each month during the past 12 months?

HALLDYPMO	Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 30	Freq	Pct
	-9 = Data not collected for this year	412	0.05
	85 = BAD DATA Logically assigned	722653	86.37
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	91 = NEVER USED HALLUCINOGENS	3	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	97049	11.60
	94 = DON'T KNOW	13129	1.57
	97 = REFUSED	15	0.00
	98 = BLANK (NO ANSWER)	7	0.00
	99 = LEGITIMATE SKIP	837	0.10
		2584	0.31

On average, how many days did you use [LSFILL] each week during the past 12 months?

HALLDYPWK	Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 7	Freq	Pct
	-9 = Data not collected for this year	276	0.03
	85 = BAD DATA Logically assigned	722653	86.37
	91 = NEVER USED HALLUCINOGENS	5	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	97049	11.60
	94 = DON'T KNOW	13129	1.57
	97 = REFUSED	24	0.00
	98 = BLANK (NO ANSWER)	8	0.00
	99 = LEGITIMATE SKIP	839	0.10
		2713	0.32

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

HALLUC30N	Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS		
	RANGE = 1 - 30	Freq	Pct
	-9 = Data not collected for this year	773	0.09
	83 = DID NOT USE HALLUCINOGENS IN PAST 30 DAYS Log assn.....	722653	86.37
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED HALLUCINOGENS	45	0.01
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	97049	11.60
	94 = DON'T KNOW	15303	1.83
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1	0.00
		868	0.10

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

HALLUC30E	Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS		
	-9 = Data not collected for this year	Freq	Pct
	1 = 1 or 2 days	722653	86.37
	2 = 3 to 5 days.....	2	0.00
	4 = 10 to 19 days.....	1	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED HALLUCINOGENS	4	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	97049	11.60
	94 = DON'T KNOW	15304	1.83
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	1	0.00
	99 = LEGITIMATE SKIP	909	0.11
		771	0.09

HALLUCINOGENS

Now think only about LSD. How old were you the first time you used LSD?

LSDAGE	Len : 3 AGE WHEN FIRST USED LSD		
	RANGE = 1 - 67	Freq	Pct
	985 = BAD DATA Logically assigned	63882	7.64
	991 = NEVER USED LSD	116	0.01
	994 = DON'T KNOW	770956	92.14
	997 = REFUSED	614	0.07
	998 = BLANK (NO ANSWER).....	373	0.04
		755	0.09

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

LSDYFU	Len : 4 YEAR OF FIRST LSD USE - RECODE		
	RANGE = 2000 - 2016	Freq	Pct
	9985 = BAD DATA Logically assigned	4632	0.55
	9989 = LEGITIMATE SKIP Logically assigned	454	0.05
	9991 = NEVER USED LSD	169	0.02
	9994 = DON'T KNOW	770956	92.14
	9997 = REFUSED	643	0.08
	9998 = BLANK (NO ANSWER).....	386	0.05
	9999 = LEGITIMATE SKIP.....	835	0.10
		58621	7.01

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

LSDMFU	Len : 2 MONTH OF FIRST LSD USE - RECODE		
	1 = January.....	Freq	Pct
	2 = February.....	398	0.05
	3 = March.....	297	0.04
	4 = April	359	0.04
	5 = May.....	321	0.04
	6 = June.....	310	0.04
	7 = July	510	0.06
	8 = August	518	0.06
	9 = September	365	0.04
	10 = October	292	0.03
	11 = November	387	0.05
	12 = December.....	316	0.04
	85 = BAD DATA Logically assigned	244	0.03
	89 = LEGITIMATE SKIP Logically assigned.....	476	0.06
	91 = NEVER USED LSD	169	0.02
	94 = DON'T KNOW	770956	92.14
	97 = REFUSED	900	0.11
	98 = BLANK (NO ANSWER)	417	0.05
	99 = LEGITIMATE SKIP.....	840	0.10
		58621	7.01

Now think only about LSD. How long has it been since you last used LSD?

LSDREC	Len : 2 TIME SINCE LAST USED LSD		
	1 = Within the past 30 days.....	Freq	Pct
	2 = More than 30 days ago but within the past 12 mos	1240	0.15
	3 = More than 12 months ago	5009	0.60
	8 = Used at some point in the past 12 mos LOG ASSN	57723	6.90
	9 = Used at some point in the lifetime LOG ASSN.....	186	0.02
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	840	0.10
	85 = BAD DATA Logically assigned	10	0.00
	91 = NEVER USED LSD	2	0.00
	97 = REFUSED	770956	92.14
	98 = BLANK (NO ANSWER)	95	0.01
		635	0.08

HALLUCINOGENS

Now think only about PCP. How old were you the first time you used PCP?

PCPAGE	Len : 3 AGE WHEN FIRST USED PCP	Freq	Pct
	RANGE = 1 - 63	15021	1.80
	985 = BAD DATA Logically assigned	55	0.01
	991 = NEVER USED PCP	820432	98.06
	994 = DON'T KNOW	314	0.04
	997 = REFUSED	202	0.02
	998 = BLANK (NO ANSWER).....	672	0.08

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

PCPYFU	Len : 4 YEAR OF FIRST PCP USE - RECODE	Freq	Pct
	RANGE = 2000 - 2016	941	0.11
	9985 = BAD DATA Logically assigned	155	0.02
	9989 = LEGITIMATE SKIP Logically assigned	45	0.01
	9991 = NEVER USED PCP	820432	98.06
	9994 = DON'T KNOW	324	0.04
	9997 = REFUSED	205	0.02
	9998 = BLANK (NO ANSWER).....	708	0.08
	9999 = LEGITIMATE SKIP.....	13886	1.66

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

PCPMFU	Len : 2 MONTH OF FIRST PCP USE - RECODE	Freq	Pct
	1 = January.....	103	0.01
	2 = February.....	67	0.01
	3 = March.....	78	0.01
	4 = April	73	0.01
	5 = May.....	60	0.01
	6 = June.....	95	0.01
	7 = July	87	0.01
	8 = August	73	0.01
	9 = September.....	42	0.01
	10 = October	66	0.01
	11 = November	68	0.01
	12 = December.....	52	0.01
	85 = BAD DATA Logically assigned	162	0.02
	89 = LEGITIMATE SKIP Logically assigned.....	45	0.01
	91 = NEVER USED PCP.....	820432	98.06
	94 = DON'T KNOW	387	0.05
	97 = REFUSED	210	0.03
	98 = BLANK (NO ANSWER)	710	0.08
	99 = LEGITIMATE SKIP.....	13886	1.66

How long has it been since you last used PCP?

PCPREC	Len : 2 TIME SINCE LAST USED PCP	Freq	Pct
	1 = Within the past 30 days.....	239	0.03
	2 = More than 30 days ago but within the past 12 mos	838	0.10
	3 = More than 12 months ago	14066	1.68
	8 = Used at some point in the past 12 mos LOG ASSN	47	0.01
	9 = Used at some point in the lifetime LOG ASSN.....	357	0.04
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED PCP.....	820432	98.06
	97 = REFUSED	69	0.01
	98 = BLANK (NO ANSWER)	643	0.08

HALLUCINOGENS

Now think only about 'Ecstasy or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

ECSTMOAGE Len : 3 AGE WHEN FIRST USED ECSTASY OR MOLLY

	Freq	Pct
RANGE = 2 - 60	8798	1.05
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	23	0.00
991 = NEVER USED ECSTASY OR MOLLY	105014	12.55
994 = DON'T KNOW	40	0.00
997 = REFUSED	20	0.00
998 = BLANK (NO ANSWER).....	148	0.02

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

ECSTMOYFU Len : 4 YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2013 - 2016	935	0.11
-9 = Data not collected for this year	722653	86.37
9985 = BAD DATA Logically assigned	75	0.01
9989 = LEGITIMATE SKIP Logically assn	44	0.01
9991 = NEVER USED ECSTASY OR MOLLY	105014	12.55
9994 = DON'T KNOW	42	0.01
9997 = REFUSED	21	0.00
9998 = BLANK (NO ANSWER).....	192	0.02
9999 = LEGITIMATE SKIP.....	7720	0.92

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

ECSTMOMFU Len : 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = January.....	69	0.01
2 = February.....	59	0.01
3 = March.....	93	0.01
4 = April	65	0.01
5 = May.....	59	0.01
6 = June.....	126	0.02
7 = July	100	0.01
8 = August	61	0.01
9 = September	59	0.01
10 = October	82	0.01
11 = November	48	0.01
12 = December.....	57	0.01
85 = BAD DATA Logically assigned	79	0.01
89 = LEGITIMATE SKIP Logically assn.....	44	0.01
91 = NEVER USED ECSTASY OR MOLLY	105014	12.55
94 = DON'T KNOW	92	0.01
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER)	193	0.02
99 = LEGITIMATE SKIP.....	7720	0.92

HALLUCINOGENS

How long has it been since you last used 'Ecstasy' or 'Molly,' also known as MDMA?

ECSTMOREC	Len : 2 TIME SINCE LAST USED ECSTASY OR MOLLY		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	351	0.04
	2 = More than 30 days ago but within the past 12 mos	1210	0.14
	3 = More than 12 months ago	7165	0.86
	8 = Used at some point in the past 12 mos LOG ASSN	22	0.00
	9 = Used at some point in the lifetime LOG ASSN	147	0.02
	11 = Used in the past 30 days LOGICALLY ASSIGNED	2	0.00
	91 = NEVER USED ECSTASY OR MOLLY	105014	12.55
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	124	0.01

How long has it been since you last used Ketamine?

KETMINREC	Len : 2 TIME SINCE LAST USED KETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	50	0.01
	2 = More than 30 days ago but within the past 12 mos	129	0.02
	3 = More than 12 months ago	1280	0.15
	8 = Used at some point in the past 12 mos LOG ASSN	6	0.00
	9 = Used at some point in the lifetime LOG ASSN	11	0.00
	12 = Used >30 days ago but within pst 12 mos LOG ASSN	3	0.00
	91 = NEVER USED KETAMINE	112393	13.43
	97 = REFUSED	10	0.00
	98 = BLANK (NO ANSWER)	161	0.02

How long has it been since you last used DMT, AMT or Foxy?

DAMTFXREC	Len : 2 TIME SINCE LAST USED DMT/AMT/FOXY		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	40	0.00
	2 = More than 30 days ago but within the past 12 mos	150	0.02
	3 = More than 12 months ago	967	0.12
	8 = Used at some point in the past 12 mos LOG ASSN	6	0.00
	9 = Used at some point in the lifetime LOG ASSN	19	0.00
	12 = Used >30 days ago but within pst 12 mos LOG ASSN	4	0.00
	91 = NEVER USED DMT/AMT/FOXY	112677	13.47
	97 = REFUSED	10	0.00
	98 = BLANK (NO ANSWER)	170	0.02

How long has it been since you last used Salvia divinorum?

SALVIAREC	Len : 2 TIME SINCE LAST USED SALVIA DIVINORUM		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	22	0.00
	2 = More than 30 days ago but within the past 12 mos	89	0.01
	3 = More than 12 months ago	2675	0.32
	8 = Used at some point in the past 12 mos LOG ASSN	7	0.00
	9 = Used at some point in the lifetime LOG ASSN	13	0.00
	11 = Used in the past 30 days LOGICALLY ASSIGNED	2	0.00
	12 = Used >30 days ago but within pst 12 mos LOG ASSN	13	0.00
	91 = NEVER USED SALVIA DIVINORUM	111006	13.27
	97 = REFUSED	13	0.00
	98 = BLANK (NO ANSWER)	203	0.02

HALLUCINOGENS

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

AEROS

Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	10855	1.30
2 = No.....	63802	7.63
3 = Yes LOGICALLY ASSIGNED.....	153	0.02
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED INHALANTS	647483	77.39
94 = DON'T KNOW	272	0.03
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER)	5	0.00

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

INHNLST

Len : 2 EVER USED OTHER INHALANTS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	7307	0.87
2 = No.....	67396	8.06
85 = BAD DATA Logically assigned	12	0.00
91 = NEVER USED INHALANTS	647483	77.39
94 = DON'T KNOW	359	0.04
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER)	5	0.00

HALLUCINOGENS

INHNEWA

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
112 = Restoril, Temazepam	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
304 = Benzedrine.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	8	0.00
348 = Crystal	1	0.00
355 = Crystal meth, crystal methamphetamine	1	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	64	0.01
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	1	0.00
501 = Gasoline or lighter fluids.....	52	0.01
502 = Spray paints	11	0.00
503 = Other aerosol sprays.....	374	0.04
504 = Shoeshine liquid, glue, or toluene	116	0.01
505 = Lacquer thinner or other paint solvents.....	16	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	77	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	11	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	85	0.01
509 = Correction fluids, degreasers, cleaning fluids	13	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	302	0.04
511 = Markers, felt-tip pens, ink pens.....	1605	0.19
512 = Incense.....	4	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	214	0.03
518 = Acetone, nail polish remover	136	0.02
519 = Helium.....	305	0.04
520 = Old paint, paint	16	0.00
521 = Propane.....	5	0.00
522 = Liquid TV (MTV), TV tuner, TV11Y.....	1	0.00
523 = Matches.....	1	0.00
524 = White-Out	198	0.02
525 = Butane.....	1	0.00
526 = Nail polish.....	153	0.02
528 = Whipped-cream can	161	0.02
529 = Moth balls.....	1	0.00
531 = Candy, powdered candy, sugar	15	0.00
534 = Deodorant	18	0.00
537 = Air horn, canned air horn, condensed horn	4	0.00
539 = Scotch-Gard.....	16	0.00
540 = PAM	50	0.01
542 = Brasso, lens cleaner, spirits of ammonia	4	0.00
543 = Liquid oxygen, oxygen	11	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO	2	0.00
546 = Leather protector, suede protector;aerosol unspcfd.....	4	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	63	0.01
551 = Oven cleaner	1	0.00
553 = Pixie sticks.....	7	0.00
554 = Insect killer (e.g., Raid).....	3	0.00
558 = Kool Aid	2	0.00
560 = Diswashing detergent, laundry detergent, soap.....	7	0.00
563 = Acetylene	1	0.00
567 = Pertussin spray <OTC>.....	2	0.00
569 = Peganento	2	0.00
571 = Black jack	1	0.00
573 = Furniture polish.....	2	0.00
580 = Medusa	1	0.00
582 = WD-40	6	0.00
586 = Carbon from empty soft drink bottle.....	4	0.00
587 = Mineral ice.....	1	0.00
588 = Antifreeze	1	0.00
589 = Tire shine/tire cleaner	1	0.00
590 = Canned air, compressed air	44	0.01
591 = Air brush propellant, air brush cartridge	4	0.00
592 = Computer air duster, computer cleaner, dust-off	1262	0.15
594 = Starting fluid	12	0.00
595 = Chlorine	2	0.00
598 = Ethylene dichloride	1	0.00
599 = Potpourri	7	0.00
601 = LSD ("acid")	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
626 = Jet fuel	1	0.00

HALLUCINOGENS

637 = Purple haze	1	0.00
639 = Nutmeg, Mace.....	2	0.00
658 = Special K, Ketamine	4	0.00
691 = Maximum impact.....	4	0.00
702 = Heroin.....	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	51	0.01
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	41	0.00
809 = Pills.....	5	0.00
813 = Cigarettes, tobacco (type unspecified)	3	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	2	0.00
829 = Robitussin DM <OTC>	1	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
900 = Not a drug.....	2	0.00
3007 = Nasal inhalant	4	0.00
3023 = Adderall	3	0.00
3047 = Sudafed <OTC>.....	1	0.00
3052 = Speed; otherwise unspecified.....	1	0.00
3190 = Primatene Mist <OTC>.....	1	0.00
4046 = Oxycodone or unspecified oxycodone products.....	1	0.00
5001 = Bleach	8	0.00
5003 = Methane	1	0.00
5004 = Ink print, paper.....	4	0.00
5006 = Brake fluid	2	0.00
5017 = Oil, lubricant; otherwise unspecified.....	2	0.00
5020 = Wet cement	1	0.00
5021 = Octane booster	6	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	16	0.00
5024 = Candle, citronella candle.....	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	16	0.00
5032 = Nitrogen.....	4	0.00
5035 = Brake cleaner	6	0.00
5036 = Wart remover.....	1	0.00
5037 = Wood filler, wood putty	2	0.00
5042 = Fuels other than gasoline.....	5	0.00
5043 = Carbona.....	3	0.00
5044 = Powdered cleansers; e.g. Ajax, Comet, Boraxo.....	4	0.00
5045 = Cleaner; not otherwise specified	15	0.00
5046 = Glass/window cleaner	2	0.00
5049 = Hand sanitizer/cleaner; contents unspecified.....	53	0.01
5050 = Burned rubber	1	0.00
5051 = Hair chemicals	3	0.00
5052 = Silly String.....	4	0.00
5053 = Electronics cleaner.....	16	0.00
5054 = Gum freezer, gum remover	2	0.00
5057 = Argon.....	1	0.00
5062 = Amazing Elastic Plastic	2	0.00
5063 = Drano/drain cleaner; aerosol unspecified	3	0.00
5064 = Erasers	2	0.00
5065 = Nail polish dryer, quick drying treatment for nail.....	2	0.00
5066 = Simply Green	1	0.00
5067 = Wet Ones wipes	1	0.00
5069 = Febreze	3	0.00
5070 = Silicone	2	0.00
5071 = Purell	3	0.00
5073 = Goof off	1	0.00
5074 = Floor wax stripper.....	2	0.00
5075 = Pine-sol	5	0.00
5076 = Water/stain repellent; type unspecified	5	0.00
5077 = Resistol	4	0.00
5078 = Axe body spray	22	0.00
5079 = Shellac	1	0.00
5082 = Chalk dust.....	1	0.00
5083 = Ethyl chloride.....	2	0.00
5084 = Dry cleaning fluid/solvent.....	4	0.00
5085 = Toilet bowl hook-ons	2	0.00
5087 = Tennis balls, ping pong balls.....	1	0.00
5088 = Jungle juice.....	4	0.00
5089 = Tattoo Goo Color Guard Spray	1	0.00
5090 = PVC Cleaner.....	2	0.00
5091 = Germ-X.....	12	0.00
5093 = Goo Gone.....	1	0.00
5095 = "The Works" shower cleaner.....	1	0.00
5097 = Lysol; aerosol unspecified	6	0.00

HALLUCINOGENS

5098 = Axe/Axe deodorant; aerosol unspecified.....	30	0.00
5101 = Difluoroethane.....	1	0.00
5102 = Xylene; otherwise unspecified.....	2	0.00
5103 = Shoe dye.....	1	0.00
5104 = Shoe cleaner; otherwise unspecified.....	2	0.00
5105 = Sulfur; otherwise unspecified.....	1	0.00
5106 = Carbon tetrachloride.....	1	0.00
5107 = Alcanfor, camphor.....	1	0.00
5108 = Tag body spray.....	1	0.00
5110 = Graffiti eraser.....	1	0.00
5111 = Homemade napalm.....	1	0.00
5112 = Lotion (body, hand); contents unspecified.....	1	0.00
5114 = Green gas propellant.....	1	0.00
5117 = Turpentine.....	1	0.00
5118 = Spray adhesive.....	1	0.00
5119 = Battery acid.....	1	0.00
5120 = Ignition spray.....	1	0.00
5121 = Tetrafluoroethane.....	1	0.00
5122 = Leather cleaner.....	1	0.00
5123 = Fixative.....	1	0.00
5126 = Rubber rejuvenator.....	1	0.00
5129 = Smoke bomb.....	1	0.00
5130 = Glow stick.....	1	0.00
5170 = Baby powder.....	1	0.00
5171 = Mouthwash.....	1	0.00
5172 = Shampoo.....	1	0.00
5173 = Tire inflator/sealer; aerosol unspecified.....	1	0.00
5174 = Belt dressing.....	1	0.00
6009 = Sulfur match smoke.....	1	0.00
6016 = Nas.....	2	0.00
6018 = Air horn.....	2	0.00
6043 = Diviner's sage, Salvia divinorum.....	1	0.00
6052 = Acrylic resin.....	1	0.00
6082 = Ammonia.....	1	0.00
6089 = Cake.....	1	0.00
6098 = Dust; not otherwise specified.....	1	0.00
6127 = Skittles.....	1	0.00
6136 = Spook.....	1	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	4	0.00
8016 = Icy Hot <OTC>.....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	118	0.01
8028 = Bactine <OTC>.....	3	0.00
8056 = Vicks VapoRub/inhaler <OTC>.....	12	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8118 = Smoking; not otherwise specified.....	9	0.00
8127 = Damiana <OTC>.....	1	0.00
8170 = Muscle stimulator spray; contents unspecified.....	1	0.00
8174 = Betadine, Efodine, Iodine <OTC>.....	1	0.00
8177 = Face/body cleanser; contents unspecified.....	2	0.00
8194 = Afrin <OTC>.....	1	0.00
8202 = Intal, Nasalcrom.....	1	0.00
8227 = Sativa; otherwise unspecified.....	1	0.00
8229 = ADHD/ADD medication; otherwise unspfd.....	1	0.00
8251 = Orange oil.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	5	0.00
8292 = Cigarettes baked/smoked with toothpaste.....	1	0.00
8301 = Bath salts, otherwise unspecified.....	1	0.00
8315 = Synthetic cannabis; otherwise unspecified.....	1	0.00
9985 = BAD DATA Logically assigned.....	40	0.00
9991 = NEVER USED INHALANTS.....	647483	77.39
9997 = REFUSED.....	285	0.03
9998 = BLANK (NO ANSWER).....	1296	0.15
9999 = LEGITIMATE SKIP.....	67396	8.06

HALLUCINOGENS

INHNEWB

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
351 = Cathinone, cat, khat, Q'at.....	1	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	6	0.00
501 = Gasoline or lighter fluids.....	9	0.00
502 = Spray paints.....	2	0.00
503 = Other aerosol sprays.....	56	0.01
504 = Shoeshine liquid, glue, or toluene.....	15	0.00
505 = Lacquer thinner or other paint solvents.....	1	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	8	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	53	0.01
511 = Markers, felt-tip pens, ink pens.....	161	0.02
512 = Incense.....	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	13	0.00
518 = Acetone, nail polish remover.....	31	0.00
519 = Helium.....	18	0.00
520 = Old paint, paint.....	6	0.00
521 = Propane.....	1	0.00
524 = White-Out.....	40	0.00
525 = Butane.....	2	0.00
526 = Nail polish.....	38	0.00
528 = Whipped-cream can.....	15	0.00
531 = Candy, powdered candy, sugar.....	3	0.00
534 = Deodorant.....	1	0.00
537 = Air horn, canned air horn, condensed horn.....	2	0.00
540 = PAM.....	3	0.00
542 = Brasso, lens cleaner, spirits of ammonia.....	1	0.00
543 = Liquid oxygen, oxygen.....	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	11	0.00
553 = Pixie sticks.....	1	0.00
554 = Insect killer (e.g., Raid).....	1	0.00
560 = Diswashing detergent, laundry detergent, soap.....	3	0.00
582 = WD-40.....	1	0.00
586 = Carbon from empty soft drink bottle.....	1	0.00
590 = Canned air, compressed air.....	5	0.00
592 = Computer air duster, computer cleaner, dust-off.....	77	0.01
601 = LSD ("acid").....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	1	0.00
637 = Purple haze.....	1	0.00
691 = Maximum impact.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	6	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
806 = Crack, rock.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	6	0.00
809 = Pills.....	1	0.00
900 = Not a drug.....	2	0.00
3051 = Betel nut, beetlenut.....	1	0.00
5001 = Bleach.....	1	0.00
5003 = Methane.....	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	3	0.00
5024 = Candle, citronella candle.....	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	3	0.00
5035 = Brake cleaner.....	1	0.00
5045 = Cleaner; not otherwise specified.....	5	0.00
5049 = Hand sanitizer/cleaner; contents unspecified.....	7	0.00
5051 = Hair chemicals.....	1	0.00
5053 = Electronics cleaner.....	3	0.00
5055 = PVC.....	1	0.00
5060 = Crayons.....	1	0.00
5061 = Lip balm, lip gloss.....	1	0.00
5064 = Erasers.....	2	0.00
5068 = Smoke from a fire.....	1	0.00
5069 = Febreze.....	2	0.00
5071 = Purell.....	1	0.00
5075 = Pine-sol.....	3	0.00
5077 = Resistol.....	1	0.00
5078 = Axe body spray.....	2	0.00
5082 = Chalk dust.....	1	0.00
5087 = Tennis balls, ping pong balls.....	1	0.00

HALLUCINOGENS

5091 = Germ-X.....	4	0.00
5097 = Lysol; aerosol unspecified	1	0.00
5098 = Axe/Axe deodorant; aerosol unspecified.....	7	0.00
5108 = Tag body spray	1	0.00
5109 = Antifungal product; aerosol unspecified	1	0.00
5110 = Graffiti eraser.....	1	0.00
5112 = Lotion (body, hand); contents unspecified	1	0.00
5113 = Disinfectant; contents unspecified	1	0.00
5124 = Bromine	1	0.00
6009 = Sulfur match smoke	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	10	0.00
8056 = Vicks VapoRub/inhaler <OTC>	2	0.00
8058 = Cough medicine/syrup; type unspecified	1	0.00
8118 = Smoking; not otherwise specified	3	0.00
8127 = Damiana <OTC>	1	0.00
8177 = Face/body cleanser; contents unspecified.....	1	0.00
9985 = BAD DATA Logically assigned	35	0.00
9991 = NEVER USED INHALANTS	647483	77.39
9997 = REFUSED	115	0.01
9998 = BLANK (NO ANSWER).....	6923	0.83
9999 = LEGITIMATE SKIP	67396	8.06

HALLUCINOGENS

INHNEWC

Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
501 = Gasoline or lighter fluids.....	3	0.00
502 = Spray paints.....	2	0.00
503 = Other aerosol sprays.....	8	0.00
504 = Shoeshine liquid, glue, or toluene.....	2	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush".....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	16	0.00
511 = Markers, felt-tip pens, ink pens.....	22	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
518 = Acetone, nail polish remover.....	9	0.00
519 = Helium.....	2	0.00
520 = Old paint, paint.....	1	0.00
521 = Propane.....	1	0.00
524 = White-Out.....	4	0.00
526 = Nail polish.....	9	0.00
528 = Whipped-cream can.....	1	0.00
531 = Candy, powdered candy, sugar.....	2	0.00
540 = PAM.....	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
551 = Oven cleaner.....	1	0.00
568 = Tally.....	1	0.00
582 = WD-40.....	1	0.00
590 = Canned air, compressed air.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	10	0.00
594 = Starting fluid.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	4	0.00
809 = Pills.....	1	0.00
5004 = Ink print, paper.....	1	0.00
5017 = Oil, lubricant; otherwise unspecified.....	1	0.00
5035 = Brake cleaner.....	1	0.00
5045 = Cleaner; not otherwise specified.....	1	0.00
5049 = Hand sanitizer/cleaner; contents unspecified.....	1	0.00
5053 = Electronics cleaner.....	1	0.00
5069 = Febreze.....	1	0.00
5080 = Tetrachloroethene.....	1	0.00
5082 = Chalk dust.....	1	0.00
5097 = Lysol; aerosol unspecified.....	1	0.00
6082 = Ammonia.....	1	0.00
8016 = Icy Hot <OTC>.....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator.....	2	0.00
8056 = Vicks VapoRub/inhaler <OTC>.....	1	0.00
9985 = BAD DATA Logically assigned.....	8	0.00
9991 = NEVER USED INHALANTS.....	647483	77.39
9997 = REFUSED.....	96	0.01
9998 = BLANK (NO ANSWER).....	7545	0.90
9999 = LEGITIMATE SKIP.....	67396	8.06

HALLUCINOGENS

INHNEWD

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
123 = Unisom <OTC>	1	0.00
501 = Gasoline or lighter fluids	1	0.00
503 = Other aerosol sprays	1	0.00
504 = Shoeshine liquid, glue, or toluene	1	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	3	0.00
511 = Markers, felt-tip pens, ink pens	5	0.00
519 = Helium	2	0.00
520 = Old paint, paint	1	0.00
521 = Propane	1	0.00
526 = Nail polish	3	0.00
573 = Furniture polish	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
809 = Pills	1	0.00
5035 = Brake cleaner	1	0.00
5064 = Erasers	1	0.00
5071 = Purell	1	0.00
8282 = Salt, sodium chloride <OTC>	1	0.00
9985 = BAD DATA Logically assigned	4	0.00
9991 = NEVER USED INHALANTS	647483	77.39
9997 = REFUSED	91	0.01
9998 = BLANK (NO ANSWER)	7651	0.91
9999 = LEGITIMATE SKIP	67396	8.06

INHNEWE

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
504 = Shoeshine liquid, glue, or toluene	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.00
511 = Markers, felt-tip pens, ink pens	3	0.00
518 = Acetone, nail polish remover	1	0.00
519 = Helium	1	0.00
573 = Furniture polish	1	0.00
5035 = Brake cleaner	1	0.00
8118 = Smoking; not otherwise specified	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED INHALANTS	647483	77.39
9997 = REFUSED	91	0.01
9998 = BLANK (NO ANSWER)	7669	0.92
9999 = LEGITIMATE SKIP	67396	8.06

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were coded as 91.

INNEVER

Len : 2 EVER USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes	73944	8.84
91 = NEVER USED INHALANTS	647483	77.39
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	1215	0.15

HALLUCINOGENS

How old were you the first time you used any inhalant for kicks or to get high?

INHAGE	Len : 3 AGE WHEN FIRST USED INHALANTS		
	RANGE = 1 - 66.....	Freq	Pct
	-9 = Data not collected for this year.....	70073	8.37
	985 = BAD DATA Logically assigned.....	114043	13.63
	991 = NEVER USED INHALANTS.....	679	0.08
	994 = DON'T KNOW.....	647483	77.39
	997 = REFUSED.....	2222	0.27
	998 = BLANK (NO ANSWER).....	992	0.12
		1204	0.14

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

INHYFU	Len : 4 YEAR OF FIRST INHALANT USE - RECODE		
	RANGE = 2000 - 2014.....	Freq	Pct
	-9 = Data not collected for this year.....	9161	1.09
	9985 = BAD DATA Logically assigned.....	114043	13.63
	9989 = LEGITIMATE SKIP Logically assigned.....	1831	0.22
	9991 = NEVER USED INHALANTS.....	606	0.07
	9994 = DON'T KNOW.....	647483	77.39
	9997 = REFUSED.....	2289	0.27
	9998 = BLANK (NO ANSWER).....	1030	0.12
	9999 = LEGITIMATE SKIP.....	1221	0.15
		59032	7.06

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

INHMFU	Len : 2 MONTH OF FIRST INHALANT USE - RECODE		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = January.....	114043	13.63
	2 = February.....	820	0.10
	3 = March.....	608	0.07
	4 = April.....	737	0.09
	5 = May.....	650	0.08
	6 = June.....	594	0.07
	7 = July.....	811	0.10
	8 = August.....	856	0.10
	9 = September.....	608	0.07
	10 = October.....	656	0.08
	11 = November.....	689	0.08
	12 = December.....	585	0.07
	85 = BAD DATA Logically assigned.....	485	0.06
	89 = LEGITIMATE SKIP Logically assigned.....	1807	0.22
	91 = NEVER USED INHALANTS.....	606	0.07
	94 = DON'T KNOW.....	647483	77.39
	97 = REFUSED.....	3292	0.39
	98 = BLANK (NO ANSWER).....	1089	0.13
	99 = LEGITIMATE SKIP.....	1245	0.15
		59032	7.06

HALLUCINOGENS

How long has it been since you last used any inhalant for kicks or to get high?

INHREC Len : 2 TIME SINCE LAST USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	3321	0.40
2 = More than 30 days ago but within the past 12 mos	9083	1.09
3 = More than 12 months ago	58592	7.00
8 = Used at some point in the past 12 mos LOG ASSN	301	0.04
9 = Used at some point in lifetime LOG ASSN	2628	0.31
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	19	0.00
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED INHALANTS	647483	77.39
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	1203	0.14

INHYRTOT Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	12189	1.46
-9 = Data not collected for this year	114043	13.63
985 = BAD DATA Logically assigned.....	132	0.02
991 = NEVER USED INHALANTS	647483	77.39
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
994 = DON'T KNOW	307	0.04
997 = REFUSED	120	0.01
998 = BLANK (NO ANSWER).....	3830	0.46

INTOTFG Len : 2 TRIMMING INDICATOR FOR INHYRTOT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Trimmed to 365 days (no further editing).....	3	0.00
2 = Trimmed relative to the 30-day freq	35	0.00
98 = BLANK (NO ANSWER)	722615	86.37

INFQLG Len : 2 TRIMMED INHYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Trimmed to be consistent with mo/yr of 1st use	1483	0.18
98 = BLANK (NO ANSWER)	721170	86.19

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

INBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Prefer to answer in days per week.....	1875	0.22
2 = Prefer to answer in days per month.....	2541	0.30
3 = Prefer to answer in days per year	7542	0.90
11 = Prefer to ans in days per wk LOG ASSN	35	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	93	0.01
13 = Prefer to ans in days per yr LOG ASSN	308	0.04
85 = BAD DATA Logically assigned.....	131	0.02
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	152	0.02
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER)	3830	0.46

HALLUCINOGENS

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

INDAYPYR Len : 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	7782	0.93
-9 = Data not collected for this year	114043	13.63
985 = BAD DATA Logically assigned	88	0.01
989 = LEGITIMATE SKIP Logically assigned	134	0.02
991 = NEVER USED INHALANTS	647483	77.39
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
994 = DON'T KNOW	211	0.03
997 = REFUSED	79	0.01
998 = BLANK (NO ANSWER).....	3874	0.46
999 = LEGITIMATE SKIP.....	4410	0.53

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

INDAYPMO Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	2570	0.31
-9 = Data not collected for this year	114043	13.63
85 = BAD DATA Logically assigned	18	0.00
89 = LEGITIMATE SKIP Logically assigned	35	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	260	0.03
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER)	3943	0.47
99 = LEGITIMATE SKIP.....	9657	1.15

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

INDAYPWK Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	1837	0.22
-9 = Data not collected for this year	114043	13.63
85 = BAD DATA Logically assigned	27	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	306	0.04
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER)	3936	0.47
99 = LEGITIMATE SKIP.....	10352	1.24

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

INH DY30A Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	3132	0.37
-9 = Data not collected for this year	114043	13.63
85 = BAD DATA Logically assigned	248	0.03
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	67675	8.09
94 = DON'T KNOW	146	0.02
97 = REFUSED	54	0.01
98 = BLANK (NO ANSWER)	3915	0.47

HALLUCINOGENS

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

IN30EST

Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = 1 or 2 days	79	0.01
2 = 3 to 5 days.....	27	0.00
3 = 6 to 9 days.....	18	0.00
4 = 10 to 19 days.....	13	0.00
5 = 20 to 29 days.....	5	0.00
6 = All 30 days.....	5	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	67675	8.09
94 = DON'T KNOW	30	0.00
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	4166	0.50
99 = LEGITIMATE SKIP.....	3121	0.37

INHALANTS

INHALANTS

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.

The questions use the term 'inhalant' to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

- Amyl nitrite, 'poppers,' locker room odorizers, or 'rush'
- Correction fluid, degreaser, or cleaning fluid
- Gasoline or lighter fluid
- Glue, shoe polish, or toluene
- Halothane, ether, or other paint solvents
- Lighter gases, such as butane or propane
- Nitrous oxide or 'whippits'
- Spray paints
- Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

AMYLNIT	Len : 2	EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.		
			Freq	Pct
		1 = Yes.....	20265	2.42
		2 = No.....	66193	7.91
		3 = Yes LOGICALLY ASSIGNED.....	27	0.00
		85 = BAD DATA Logically assigned.....	15	0.00
		91 = NEVER USED INHALANTS.....	749645	89.60
		94 = DON'T KNOW.....	456	0.05
		97 = REFUSED.....	95	0.01

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

CLEFLU	Len : 2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
			Freq	Pct
		1 = Yes.....	9392	1.12
		2 = No.....	77037	9.21
		3 = Yes LOGICALLY ASSIGNED.....	203	0.02
		85 = BAD DATA Logically assigned.....	15	0.00
		91 = NEVER USED INHALANTS.....	749645	89.60
		94 = DON'T KNOW.....	314	0.04
		97 = REFUSED.....	89	0.01
		98 = BLANK (NO ANSWER).....	1	0.00

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

GAS	Len : 2	EVER INHALED GASOLINE OR LIGHTER FLUID		
			Freq	Pct
		1 = Yes.....	17274	2.06
		2 = No.....	69322	8.29
		3 = Yes LOGICALLY ASSIGNED.....	29	0.00
		85 = BAD DATA Logically assigned.....	15	0.00
		91 = NEVER USED INHALANTS.....	749645	89.60
		94 = DON'T KNOW.....	292	0.03
		97 = REFUSED.....	116	0.01
		98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

GLUE	Len : 2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
			Freq	Pct
		1 = Yes.....	17705	2.12
		2 = No.....	68846	8.23
		3 = Yes LOGICALLY ASSIGNED.....	68	0.01
		85 = BAD DATA Logically assigned.....	15	0.00
		91 = NEVER USED INHALANTS.....	749645	89.60
		94 = DON'T KNOW.....	299	0.04
		97 = REFUSED.....	115	0.01
		98 = BLANK (NO ANSWER).....	3	0.00

INHALANTS

Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?

ETHER	Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		Freq	Pct
	1 = Yes.....	3943	0.47
	2 = No.....	82609	9.87
	3 = Yes LOGICALLY ASSIGNED.....	11	0.00
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED INHALANTS.....	749645	89.60
	94 = DON'T KNOW.....	402	0.05
	97 = REFUSED.....	68	0.01
	98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?

SOLVENT	Len : 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		Freq	Pct
	1 = Yes.....	8241	0.98
	2 = No.....	78413	9.37
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED INHALANTS.....	749645	89.60
	94 = DON'T KNOW.....	303	0.04
	97 = REFUSED.....	72	0.01
	98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?

LGAS	Len : 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		Freq	Pct
	1 = Yes.....	5031	0.60
	2 = No.....	81640	9.76
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED INHALANTS.....	749645	89.60
	94 = DON'T KNOW.....	283	0.03
	97 = REFUSED.....	74	0.01
	98 = BLANK (NO ANSWER).....	4	0.00

Have you ever, even once, inhaled nitrous oxide or 'whippits' for kicks or to get high?

NITOXID	Len : 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'		
		Freq	Pct
	1 = Yes.....	40432	4.83
	2 = No.....	46078	5.51
	3 = Yes LOGICALLY ASSIGNED.....	57	0.01
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED INHALANTS.....	749645	89.60
	94 = DON'T KNOW.....	394	0.05
	97 = REFUSED.....	71	0.01
	98 = BLANK (NO ANSWER).....	4	0.00

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for kicks or to get high?

FELTMARKR	Len : 2 EVER INHALED FELT-TIP PENS/MARKERS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	4437	0.53
	2 = No.....	7300	0.87
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED INHALANTS.....	102162	12.21
	94 = DON'T KNOW.....	106	0.01
	97 = REFUSED.....	27	0.00

INHALANTS

Have you ever, even once, inhaled spray paints for kicks or to get high?

SPPAINT	Len : 2	EVER INHALED SPRAY PAINTS		
			Freq	Pct
		1 = Yes.....	12031	1.44
		2 = No.....	74600	8.92
		3 = Yes LOGICALLY ASSIGNED.....	5	0.00
		85 = BAD DATA Logically assigned.....	15	0.00
		91 = NEVER USED INHALANTS.....	749645	89.60
		94 = DON'T KNOW.....	291	0.03
		97 = REFUSED.....	104	0.01
		98 = BLANK (NO ANSWER).....	5	0.00

Have you ever, even once, inhaled computer keyboard cleaner, also known as air duster, for kicks or to get high?

AIRDUSTER	Len : 2	EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Yes.....	1720	0.21
		2 = No.....	10103	1.21
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED INHALANTS.....	102162	12.21
		94 = DON'T KNOW.....	40	0.00
		97 = REFUSED.....	13	0.00

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

OTHAEROS	Len : 2	EVER INHALED OTHER AEROSOL SPRAYS		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Yes.....	704	0.08
		2 = No.....	11110	1.33
		3 = Yes LOGICALLY ASSIGNED.....	14	0.00
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED INHALANTS.....	102162	12.21
		94 = DON'T KNOW.....	38	0.00
		97 = REFUSED.....	12	0.00

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

INHALOTH	Len : 2	EVER USED OTHER INHALANTS		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Yes.....	408	0.05
		2 = No.....	11383	1.36
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED INHALANTS.....	102162	12.21
		94 = DON'T KNOW.....	76	0.01
		97 = REFUSED.....	11	0.00

INHALANTS

INHALOT1

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
355 = Crystal meth, crystal methamphetamine	1	0.00
377 = Albuterol	6	0.00
501 = Gasoline or lighter fluids.....	4	0.00
502 = Spray paints	1	0.00
503 = Other aerosol sprays.....	39	0.00
504 = Shoeshine liquid, glue, or toluene	6	0.00
505 = Lacquer thinner or other paint solvents.....	2	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	6	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	3	0.00
508 = Nitrous oxide, "whippits," dentist gas	18	0.00
509 = Correction fluids, degreasers, cleaning fluids	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	40	0.00
511 = Markers, felt-tip pens, ink pens.....	18	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	22	0.00
518 = Acetone, nail polish remover	13	0.00
519 = Helium	25	0.00
524 = White-Out	8	0.00
526 = Nail polish.....	7	0.00
528 = Whipped-cream can.....	15	0.00
531 = Candy, powdered candy, sugar	2	0.00
534 = Deodorant	3	0.00
537 = Air horn, canned air horn, condensed horn	1	0.00
539 = Scotch-Gard.....	2	0.00
540 = PAM	8	0.00
542 = Brasso, lens cleaner, spirits of ammonia	2	0.00
543 = Liquid oxygen, oxygen	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	5	0.00
582 = WD-40.....	1	0.00
591 = Air brush propellant, air brush cartridge	1	0.00
592 = Computer air duster, computer cleaner, dust-off	5	0.00
599 = Potpourri	1	0.00
691 = Maximum impact.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	9	0.00
804 = Hashish	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.00
815 = Coffee <OTC>.....	1	0.00
2002 = Muscle relaxers	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3055 = Clenbuterol	1	0.00
5004 = Ink print, paper.....	1	0.00
5017 = Oil, lubricant, otherwise unspecified.....	2	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	3	0.00
5027 = Benzene	1	0.00
5028 = Carburetor cleaner, engine cleaner.....	2	0.00
5035 = Brake cleaner	1	0.00
5040 = Methanol.....	1	0.00
5043 = Carbona.....	1	0.00
5045 = Cleaner, not otherwise specified	3	0.00
5046 = Glass/window cleaner	2	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	12	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	3	0.00
5069 = Febreze	1	0.00
5076 = Water/stain repellent, type unspecified	1	0.00
5078 = Axe body spray	2	0.00
5091 = Germ-X.....	1	0.00
5097 = Lysol, aerosol unspecified.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	1	0.00
5104 = Shoe cleaner, otherwise unspecified	1	0.00
5131 = Hunting/fishing deodorizer	1	0.00
5132 = Chewing gum remover.....	1	0.00
5133 = Air conditioner cleaner, aerosol unspecified.....	1	0.00
5135 = Rubber roof remover.....	1	0.00
5136 = WariActiv	1	0.00
5137 = Handi Wipes	1	0.00
5138 = Glade PlugIns.....	1	0.00
5140 = Rat Shampoo.....	1	0.00
5141 = Gun smoke, gun powder	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	12	0.00
8028 = Bactine <OTC>.....	1	0.00
8056 = Vicks VapoRub/inhaler <OTC>	4	0.00

INHALANTS

8118 = Smoke/smoking, not otherwise specified	4	0.00
8177 = Face/body cleanser, contents unspecified.....	1	0.00
8209 = Red Bull Energy Drink <OTC>.....	1	0.00
8257 = Hoodia product/supplement <OTC>.....	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8365 = Pen vaporizer; contents unspecified.....	1	0.00
8373 = Electronic cigarette	1	0.00
8377 = New Skin <OTC>.....	1	0.00
8381 = Vapor/vape juice; route of use unspcfd	1	0.00
9985 = BAD DATA Logically assigned	16	0.00
9991 = NEVER USED INHALANTS	102162	12.21
9997 = REFUSED	35	0.00
9998 = BLANK (NO ANSWER).....	80	0.01
9999 = LEGITIMATE SKIP.....	11383	1.36

INHALOT2

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays.....	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	5	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
518 = Acetone, nail polish remover	4	0.00
519 = Helium	1	0.00
520 = Old paint, paint	1	0.00
528 = Whipped-cream can	1	0.00
531 = Candy, powdered candy, sugar	2	0.00
543 = Liquid oxygen, oxygen	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
626 = Jet fuel	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
5045 = Cleaner, not otherwise specified	1	0.00
5075 = Pine-sol	1	0.00
5078 = Axe body spray	1	0.00
5091 = Germ-X.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	2	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	2	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8373 = Electronic cigarette	1	0.00
9985 = BAD DATA Logically assigned	6	0.00
9991 = NEVER USED INHALANTS	102162	12.21
9997 = REFUSED	11	0.00
9998 = BLANK (NO ANSWER).....	449	0.05
9999 = LEGITIMATE SKIP.....	11383	1.36

INHALOT3

Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
520 = Old paint, paint	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
5108 = Tag body spray	1	0.00
8373 = Electronic cigarette	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED INHALANTS	102162	12.21
9997 = REFUSED	11	0.00
9998 = BLANK (NO ANSWER).....	480	0.06
9999 = LEGITIMATE SKIP.....	11383	1.36

INHALOT4

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED INHALANTS	102162	12.21
9997 = REFUSED	11	0.00
9998 = BLANK (NO ANSWER).....	486	0.06
9999 = LEGITIMATE SKIP.....	11383	1.36

INHALANTS

INHALOTS

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
9991 = NEVER USED INHALANTS	102162	12.21
9997 = REFUSED	11	0.00
9998 = BLANK (NO ANSWER).....	487	0.06
9999 = LEGITIMATE SKIP	11383	1.36

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, FELTMARKR, SPPAINT, AIRDUSTER, OTHAEROS, or INHALOTH. This variable also was coded as 91 if all of the above variables were coded as 91.

INHALEVER

Len : 2 EVER USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	11619	1.39
91 = NEVER USED INHALANTS	102162	12.21
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	260	0.03

How old were you the first time you used any inhalant for kicks or to get high?

INHALAGE

Len : 3 AGE WHEN FIRST USED INHALANTS

	Freq	Pct
RANGE = 1 - 54	10862	1.30
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	75	0.01
991 = NEVER USED INHALANTS	102162	12.21
994 = DON'T KNOW	484	0.06
997 = REFUSED	203	0.02
998 = BLANK (NO ANSWER).....	257	0.03

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

INHALYFU

Len : 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2013 - 2016	800	0.10
-9 = Data not collected for this year	722653	86.37
9985 = BAD DATA Logically assigned	193	0.02
9989 = LEGITIMATE SKIP Logically assn.....	55	0.01
9991 = NEVER USED INHALANTS	102162	12.21
9994 = DON'T KNOW	492	0.06
9997 = REFUSED	206	0.02
9998 = BLANK (NO ANSWER).....	262	0.03
9999 = LEGITIMATE SKIP	9873	1.18

INHALANTS

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

INHALMFU	Len : 2 MONTH OF FIRST INHALANT USE - RECODE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = January.....	77	0.01
	2 = February.....	36	0.00
	3 = March.....	61	0.01
	4 = April	63	0.01
	5 = May.....	58	0.01
	6 = June.....	60	0.01
	7 = July	66	0.01
	8 = August	50	0.01
	9 = September.....	51	0.01
	10 = October	69	0.01
	11 = November	58	0.01
	12 = December.....	40	0.00
	85 = BAD DATA Logically assigned	188	0.02
	89 = LEGITIMATE SKIP Logically assn.....	55	0.01
	91 = NEVER USED INHALANTS	102162	12.21
	94 = DON'T KNOW	597	0.07
	97 = REFUSED	212	0.03
	98 = BLANK (NO ANSWER)	267	0.03
	99 = LEGITIMATE SKIP.....	9873	1.18

How long has it been since you last used any inhalant for kicks or to get high?

INHALREC	Len : 2 TIME SINCE LAST USED INHALANTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days.....	362	0.04
	2 = More than 30 days ago but within the past 12 mos	840	0.10
	3 = More than 12 months ago	10002	1.20
	8 = Used at some point in the past 12 mos LOG ASSN.....	36	0.00
	9 = Used at some point in lifetime LOG ASSN	374	0.04
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	5	0.00
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	257	0.03

INHALYFQ	Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365	1158	0.14
	-9 = Data not collected for this year	722653	86.37
	985 = BAD DATA Logically assigned	20	0.00
	991 = NEVER USED INHALANTS	102162	12.21
	993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	994 = DON'T KNOW	54	0.01
	997 = REFUSED	17	0.00
	998 = BLANK (NO ANSWER).....	630	0.08

INH TOTFG	Len : 2 TRIMMING INDICATOR FOR INHALYFQ		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Trimmed to 365 days (no further editing).....	1	0.00
	2 = Trimmed relative to the 30-day freq	4	0.00
	98 = BLANK (NO ANSWER)	114038	13.63

INH FQFLG	Len : 2 TRIMMED INHALYFQ IF R USED < 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Trimmed to be consistent with mo/yr of 1st use	108	0.01
	98 = BLANK (NO ANSWER)	113935	13.62

INHALANTS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

INHEASWY	Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Prefer to answer in days per week.....	184	0.02
	2 = Prefer to answer in days per month.....	241	0.03
	3 = Prefer to answer in days per year	720	0.09
	11 = Prefer to ans in days per wk LOG ASSN.....	6	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	6	0.00
	13 = Prefer to ans in days per yr LOG ASSN	34	0.00
	85 = BAD DATA Logically assigned	20	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	29	0.00
	97 = REFUSED	9	0.00
	98 = BLANK (NO ANSWER)	630	0.08

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

INHDSYSR	Len : 3 # DAYS USED INHALANT PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 245	741	0.09
	-9 = Data not collected for this year	722653	86.37
	985 = BAD DATA Logically assigned	11	0.00
	989 = LEGITIMATE SKIP Logically assigned	10	0.00
	991 = NEVER USED INHALANTS	102162	12.21
	993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	994 = DON'T KNOW	37	0.00
	997 = REFUSED	14	0.00
	998 = BLANK (NO ANSWER).....	639	0.08
	999 = LEGITIMATE SKIP.....	427	0.05

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

INHDPMO	Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 31	237	0.03
	-9 = Data not collected for this year	722653	86.37
	85 = BAD DATA Logically assigned	5	0.00
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	44	0.01
	97 = REFUSED	17	0.00
	98 = BLANK (NO ANSWER)	645	0.08
	99 = LEGITIMATE SKIP.....	925	0.11

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

INHDPWK	Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 7	180	0.02
	-9 = Data not collected for this year	722653	86.37
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	54	0.01
	97 = REFUSED	17	0.00
	98 = BLANK (NO ANSWER)	646	0.08
	99 = LEGITIMATE SKIP.....	978	0.12

INHALANTS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

INHAL30N Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	342	0.04
-9 = Data not collected for this year	722653	86.37
85 = BAD DATA Logically assigned	31	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	10842	1.30
94 = DON'T KNOW	14	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	644	0.08

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

INHAL30ES Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = 1 or 2 days	11	0.00
2 = 3 to 5 days	1	0.00
3 = 6 to 9 days	1	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	10842	1.30
94 = DON'T KNOW	3	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	676	0.08
99 = LEGITIMATE SKIP	340	0.04

METHAMPHETAMINE

METHAMPHETAMINE

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected.

Have you ever, even once, used methamphetamine?

METHAMEVR Len : 2 EVER USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	5117	0.61
2 = No.....	108776	13.00
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	141	0.02
97 = REFUSED	8	0.00

How old were you the first time you used methamphetamine?

METHAMAGE Len : 3 AGE 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 1 - 61	5066	0.61
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	12	0.00
991 = NEVER USED METHAMPHETAMINE	108776	13.00
994 = DON'T KNOW	35	0.00
997 = REFUSED	13	0.00
998 = BLANK (NO ANSWER).....	141	0.02

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

METHAMYFU Len : 4 YEAR 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2013 - 2016	237	0.03
-9 = Data not collected for this year	722653	86.37
9985 = BAD DATA Logically assigned	31	0.00
9989 = LEGITIMATE SKIP Logically assigned	17	0.00
9991 = NEVER USED METHAMPHETAMINE.....	108776	13.00
9994 = DON'T KNOW	35	0.00
9997 = REFUSED	13	0.00
9998 = BLANK (NO ANSWER).....	143	0.02
9999 = LEGITIMATE SKIP.....	4791	0.57

METHAMPHETAMINE

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

METHAMMFU	Len : 2 MONTH 1ST USED METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = January.....	17	0.00
	2 = February.....	21	0.00
	3 = March.....	11	0.00
	4 = April.....	16	0.00
	5 = May.....	16	0.00
	6 = June.....	32	0.00
	7 = July.....	23	0.00
	8 = August.....	16	0.00
	9 = September.....	20	0.00
	10 = October.....	22	0.00
	11 = November.....	18	0.00
	12 = December.....	11	0.00
	85 = BAD DATA Logically assigned.....	31	0.00
	89 = LEGITIMATE SKIP Logically assn.....	17	0.00
	91 = NEVER USED METHAMPHETAMINE.....	108776	13.00
	94 = DON'T KNOW.....	49	0.01
	97 = REFUSED.....	13	0.00
	98 = BLANK (NO ANSWER).....	143	0.02
	99 = LEGITIMATE SKIP.....	4791	0.57

How long has it been since you last used methamphetamine?

METHAMREC	Len : 2 TIME SINCE LAST USED METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	295	0.04
	2 = More than 30 days ago but within the past 12 mos.....	412	0.05
	3 = More than 12 months ago.....	4353	0.52
	8 = Used at some point in the past 12 mos LOG ASSN.....	24	0.00
	9 = Used at some point in lifetime LOG ASSN.....	31	0.00
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED METHAMPHETAMINE.....	108776	13.00
	97 = REFUSED.....	8	0.00
	98 = BLANK (NO ANSWER).....	141	0.02

METHAMYFQ	Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365.....	702	0.08
	-9 = Data not collected for this year.....	722653	86.37
	985 = BAD DATA Logically assigned.....	21	0.00
	991 = NEVER USED METHAMPHETAMINE.....	108776	13.00
	993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4353	0.52
	994 = DON'T KNOW.....	9	0.00
	997 = REFUSED.....	10	0.00
	998 = BLANK (NO ANSWER).....	172	0.02

METOTFG	Len : 2 TRIMMING INDICATOR FOR METHAMYFQ		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Trimmed to 365 days (no further editing).....	2	0.00
	2 = Trimmed relative to the 30-day freq.....	15	0.00
	98 = BLANK (NO ANSWER).....	114026	13.63

MEFQLG	Len : 2 TRIMMED METHAMYFQ IF R USED < 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Trimmed to be consistent with mo/yr of 1st use.....	42	0.01
	98 = BLANK (NO ANSWER).....	114001	13.63

METHAMPHETAMINE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

METHEASWY Len : 2 EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Prefer to answer in days per week.....	198	0.02
2 = Prefer to answer in days per month.....	184	0.02
3 = Prefer to answer in days per year	328	0.04
11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
13 = Prefer to ans in days per yr LOG ASSN	1	0.00
85 = BAD DATA Logically assigned	21	0.00
91 = NEVER USED METHAMPHETAMINE	108776	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4353	0.52
94 = DON'T KNOW	1	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	172	0.02

On how many days in the past 12 months did you use methamphetamine?

METHDYSYR Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	327	0.04
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	2	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED METHAMPHETAMINE	108776	13.00
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4353	0.52
994 = DON'T KNOW	2	0.00
997 = REFUSED	9	0.00
998 = BLANK (NO ANSWER).....	191	0.02
999 = LEGITIMATE SKIP.....	382	0.05

On average, how many days did you use methamphetamine each month during the past 12 months?

METHDYPMO Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	183	0.02
-9 = Data not collected for this year.....	722653	86.37
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	108776	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4353	0.52
94 = DON'T KNOW	2	0.00
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER)	187	0.02
99 = LEGITIMATE SKIP.....	525	0.06

On average, how many days did you use methamphetamine each week during the past 12 months?

METHDYPWK Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	192	0.02
-9 = Data not collected for this year.....	722653	86.37
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED METHAMPHETAMINE	108776	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4353	0.52
94 = DON'T KNOW	9	0.00
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER)	180	0.02
99 = LEGITIMATE SKIP.....	510	0.06

METHAMPHETAMINE

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

METHAM30N Len : 2 # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	293	0.04
-9 = Data not collected for this year	722653	86.37
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED METHAMPHETAMINE	108776	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	4765	0.57
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	193	0.02

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

METHAM30E Len : 2 BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
3 = 6 to 9 days	1	0.00
5 = 20 to 29 days	1	0.00
91 = NEVER USED METHAMPHETAMINE	108776	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	4765	0.57
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	199	0.02
99 = LEGITIMATE SKIP	293	0.04

PAIN RELIEVERS SCREENER

PAIN RELIEVERS SCREENER

Please look at the names and pictures of the pain relievers shown below.

In the **past 12 months**, which, if any, of these pain relievers have you used?

OXCNANYR	Len : 2 ANY OXYCONTIN USE PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	3863	0.46
	2 = No (not entered).....	4671	0.56
	5 = Yes LOGICALLY ASSIGNED.....	2	0.00
	81 = NEVER USED PAIN RLVRs Logically assigned	447	0.05
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED PAIN RELIEVERS	50014	5.98
	93 = DID NOT USE IN THE PAST 12 MOS.....	26279	3.14
	94 = DON'T KNOW	370	0.04
	95 = I have not used any of these Pain Relievers in the past 12 months.....	28218	3.37
	97 = REFUSED	97	0.01
	98 = BLANK (NO ANSWER)	77	0.01

Have you **ever**, even once, used **any prescription pain reliever**?

Remember, do **not** report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

PNRANYLIF	Len : 2 ANY PAIN RELIEVER USE IN LIFETIME		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	26032	3.11
	2 = No.....	50461	6.03
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	36590	4.37
	94 = DON'T KNOW	839	0.10
	97 = REFUSED	47	0.01
	98 = BLANK (NO ANSWER)	74	0.01

NOTE: PNRANYREC was created from responses in VICOANYR to PNOTANYR for any past year use of pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

PNRANYREC	Len : 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	36590	4.37
	2 = More than 12 months ago	25709	3.07
	9 = Used at some point in the lifetime LOG ASSN.....	323	0.04
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	570	0.07
	91 = NEVER USED PAIN RELIEVERS	50461	6.03
	98 = BLANK (NO ANSWER)	390	0.05

TRANQUILIZERS SCREENER

TRANQUILIZERS SCREENER

Have you **ever**, even once, used **any prescription tranquilizer**?

TRQANYLIF	Len : 2 ANY TRANQUILIZER USE IN LIFETIME		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	7722	0.92
	2 = No.....	91730	10.96
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	13752	1.64
	94 = DON'T KNOW	677	0.08
	97 = REFUSED	53	0.01
	98 = BLANK (NO ANSWER)	109	0.01

NOTE: TRQANYREC was created from responses in XNAXANYR to TRQOTANYR for any past year use of tranquilizers and from TRQANYLIF for any lifetime use of tranquilizers.

TRQANYREC	Len : 2 RC - MOST RECENT ANY TRANQUILIZER USE (RECODE)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	13752	1.64
	2 = More than 12 months ago	7672	0.92
	9 = Used at some point in the lifetime LOG ASSN.....	50	0.01
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	492	0.06
	91 = NEVER USED TRANQUILIZERS.....	91730	10.96
	98 = BLANK (NO ANSWER)	347	0.04

STIMULANTS SCREENER

STIMULANTS SCREENER

Have you **ever**, even once, used **any prescription stimulant**?

Remember, do not include "over-the-counter" stimulants such as Dexatrim, No-Doz, Hydroxycut, or 5-Hour Energy.

STMANYLIF	Len : 2 ANY STIMULANT USE IN LIFETIME		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	5575	0.67
	2 = No.....	98357	11.76
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	9584	1.15
	94 = DON'T KNOW	387	0.05
	97 = REFUSED	49	0.01
	98 = BLANK (NO ANSWER)	91	0.01

NOTE: STMANYREC was created from responses in ADRLANYR to STMOTANYR for any past year use of stimulants and from STMANYLIF for any lifetime use of stimulants.

STMANYREC	Len : 2 RC - MOST RECENT ANY STIMULANT USE (RECODE)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	9584	1.15
	2 = More than 12 months ago	5550	0.66
	9 = Used at some point in the lifetime LOG ASSN.....	25	0.00
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	244	0.03
	91 = NEVER USED STIMULANTS.....	98357	11.76
	98 = BLANK (NO ANSWER)	283	0.03

SEDATIVES SCREENER

SEDATIVES SCREENER

Have you **ever**, even once, used **any prescription sedative**?

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl.

SEDANYLIF	Len : 2 ANY SEDATIVE USE IN LIFETIME		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	6309	0.75
	2 = No.....	100969	12.07
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	6068	0.73
	94 = DON'T KNOW	549	0.07
	97 = REFUSED	55	0.01
	98 = BLANK (NO ANSWER)	93	0.01

NOTE: SEDANYREC was created from responses in AMBIANYR to SEDOTANYR for any past year use of sedatives and from SEDANYLIF for any lifetime use of sedatives.

SEDANYREC	Len : 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	6068	0.73
	2 = More than 12 months ago	6277	0.75
	9 = Used at some point in the lifetime LOG ASSN.....	32	0.00
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	353	0.04
	91 = NEVER USED SEDATIVES	100969	12.07
	98 = BLANK (NO ANSWER)	344	0.04

PAIN RELIEVERS

PAIN RELIEVERS

Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:

- the drug was not prescribed for you, or
- you took the drug only for the experience or feeling it caused.

These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.

Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.

Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?

DARVTYLC

Len : 2 EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	57076	6.82
2 = No.....	58717	7.02
3 = Yes LOGICALLY ASSIGNED.....	80	0.01
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW	1452	0.17
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER)	19	0.00

Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?

PERCTYLX

Len : 2 EVER USED PERCOCET, PERCODAN, OR TYLOX

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	40231	4.81
2 = No.....	76310	9.12
3 = Yes LOGICALLY ASSIGNED.....	198	0.02
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW	635	0.08
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER)	19	0.00

Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?

VICOLOR

Len : 2 EVER USED VICODIN, LORTAB, OR LORCET

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	70120	8.38
2 = No.....	46264	5.53
3 = Yes LOGICALLY ASSIGNED.....	308	0.04
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW	671	0.08
97 = REFUSED	117	0.01
98 = BLANK (NO ANSWER)	20	0.00

PAIN RELIEVERS

Please look at the pain relievers shown below the red line on Card A.

Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?

ANLCARD Len : 2 EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	52359	6.26
2 = No.....	63355	7.57
3 = Yes LOGICALLY ASSIGNED.....	777	0.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW.....	840	0.10
97 = REFUSED	147	0.02
98 = BLANK (NO ANSWER)	22	0.00

Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CODEINE Len : 2 EVER USED CODEINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	24355	2.91
3 = Response entered LOGICALLY ASSIGNED	120	0.01
6 = Response not entered	27612	3.30
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED	515	0.06
98 = BLANK (NO ANSWER)	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

DEMEROL Len : 2 EVER USED DEMEROL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	7011	0.84
3 = Response entered LOGICALLY ASSIGNED	67	0.01
6 = Response not entered	45009	5.38
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED	515	0.06
98 = BLANK (NO ANSWER)	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

DILAUD Len : 2 EVER USED DILAUDID NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	3213	0.38
3 = Response entered LOGICALLY ASSIGNED	80	0.01
6 = Response not entered	48794	5.83
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED	515	0.06
98 = BLANK (NO ANSWER)	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

PAIN RELIEVERS

FIORICET

Len : 2 EVER USED FIORICET NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	1307	0.16
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	50769	6.07
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

FIORINAL

Len : 2 EVER USED FIORINAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	889	0.11
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
6 = Response not entered.....	51192	6.12
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

HYDROCOD

Len : 2 EVER USED HYDROCODONE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	31113	3.72
3 = Response entered LOGICALLY ASSIGNED.....	327	0.04
6 = Response not entered.....	20647	2.47
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	874	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

METHDON

Len : 2 EVER USED METHADONE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	7739	0.92
3 = Response entered LOGICALLY ASSIGNED.....	92	0.01
6 = Response not entered.....	44256	5.29
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

MORPHINE

Len : 2 EVER USED MORPHINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	11472	1.37
3 = Response entered LOGICALLY ASSIGNED.....	189	0.02
6 = Response not entered.....	40426	4.83
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

PAIN RELIEVERS

OXYCONTN

Len : 2 EVER USED OXYCONTIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	20587	2.46
3 = Response entered LOGICALLY ASSIGNED.....	344	0.04
6 = Response not entered.....	31158	3.72
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	513	0.06
98 = BLANK (NO ANSWER).....	875	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

PHENCOD

Len : 2 EVER USED PHENAPHEN WITH CODEINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	2520	0.30
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	49564	5.92
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

PROPOXY

Len : 2 EVER USED PROPOXYPHENE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	1163	0.14
3 = Response entered LOGICALLY ASSIGNED.....	9	0.00
6 = Response not entered.....	50915	6.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	875	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

SK65A

Len : 2 EVER USED SK65 NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	285	0.03
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
6 = Response not entered.....	51796	6.19
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

STADOL

Len : 2 EVER USED STADOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	396	0.05
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	51680	6.18
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

PAIN RELIEVERS

TALACEN

Len : 2 EVER USED TALACEN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	244	0.03
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
6 = Response not entered.....	51837	6.20
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

TALWIN

Len : 2 EVER USED TALWIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	625	0.07
3 = Response entered LOGICALLY ASSIGNED.....	14	0.00
6 = Response not entered.....	51448	6.15
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

TALWINNX

Len : 2 EVER USED TALWINNX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	261	0.03
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	51825	6.19
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	680	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

TRAMADOL

Len : 2 EVER USED TRAMADOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	5277	0.63
3 = Response entered LOGICALLY ASSIGNED.....	81	0.01
6 = Response not entered.....	46729	5.58
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	875	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

ULTRAM

Len : 2 EVER USED ULTRAM NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	4252	0.51
3 = Response entered LOGICALLY ASSIGNED.....	29	0.00
6 = Response not entered.....	47806	5.71
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.57

PAIN RELIEVERS

Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?

ANLNOLST

Len : 2 EVER USED ANY OTHER PAIN RELIEVER NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	19937	2.38
2 = No.....	95244	11.38
4 = No LOGICALLY ASSIGNED	791	0.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW	1306	0.16
97 = REFUSED	199	0.02
98 = BLANK (NO ANSWER)	23	0.00

PAIN RELIEVERS

ANALNEWA

Len : 4 OTHER PAIN RELIEVER - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
105 = Placidyl, Ethchlorvynol.....	16	0.00
108 = Nembutal	5	0.00
109 = Seconal	29	0.00
110 = Tuinal.....	17	0.00
112 = Restoril, Temazepam	6	0.00
113 = Halcion, Triazolam	4	0.00
115 = Phenobarbital	9	0.00
116 = Methaqualone, Sopor, Quaalude	216	0.03
118 = Pentobarbital, Pentothal, Sodium pentothal	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	34	0.00
124 = Yellow jackets	6	0.00
129 = Reds.....	9	0.00
130 = Phenergan, Promethazine.....	42	0.01
131 = Haldol, Haloperidol	4	0.00
137 = 7-14.....	2	0.00
138 = Mandrax, Mandrix [see also 116]	2	0.00
140 = Seldane	1	0.00
141 = Dilantin	2	0.00
142 = Belladona.....	1	0.00
146 = Bently, Dicyclomine	2	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	3	0.00
173 = Wafers.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	74	0.01
176 = Melatonin <OTC>	1	0.00
177 = Bean.....	1	0.00
178 = Quetiapine, Seroquel.....	59	0.01
180 = Tylenol P.M. <OTC>.....	5	0.00
186 = Butalbital	6	0.00
189 = Sonata, Zaleplon	1	0.00
191 = Blues.....	3	0.00
197 = Topamax, Topiramate.....	6	0.00
201 = Valium, Diazepam	960	0.11
202 = Librium, Chlordiazepoxide HCl.....	4	0.00
206 = Tranxene, Clorazepate, Tranxilium.....	1	0.00
207 = Ativan, Lorazepam, Orfidal	58	0.01
209 = Xanax, Alprazolam, Tafil, Xanax bars	1677	0.20
211 = BuSpar, Buspirone	9	0.00
216 = Atarax, Hydroxyzine.....	4	0.00
220 = Meprobamate	2	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	4	0.00
223 = Carbacot, Marbaxin, Methocarbamol, Robaxin	15	0.00
225 = Desyrel, Trazodone hydrochloride.....	32	0.00
227 = Thorazine.....	7	0.00
228 = Amitriptyline, Elavil	24	0.00
230 = Compazine, Prochlorperazine	2	0.00
234 = Flexeril, Cyclobenzaprine	251	0.03
240 = Lithium carbonate, Lithonate.....	10	0.00
241 = Prozac, Fluoxetine	37	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	210	0.03
247 = Adapin, Doxepin, Sinequan	1	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor.....	4	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	32	0.00
271 = Sertraline hydrochloride, Zoloft.....	33	0.00
278 = Benzodiazepines	4	0.00
282 = Clozapine, Clozaril	2	0.00
283 = Paroxetine, Paxil	11	0.00
285 = Risperdal, Risperdol, Risperidone	1	0.00
288 = Baclofen.....	6	0.00
289 = Olanzapine, Zyprexa	2	0.00
290 = Metaxalone, Skelaxin.....	28	0.00
291 = Celexa, Citalopram	6	0.00
295 = Mirtazapine, Remeron.....	2	0.00
298 = Acepromazine, PromAce	1	0.00
301 = Dexedrine	6	0.00
304 = Benzedrine	2	0.00
307 = Tenuate, Diethylpropion	1	0.00
309 = Benzphetamine, Didrex.....	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine.....	3	0.00
318 = Ritalin, Methylphenidate.....	130	0.02
322 = Methamphetamine ("ice" or "crank"), Meth.....	5	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00

PAIN RELIEVERS

326 = White cross	1	0.00
327 = Black beauties, black beauty	11	0.00
332 = Ephedrine.....	4	0.00
336 = Diet pills/medications/drugs; otherwise unspfd	6	0.00
339 = Amphetamines	6	0.00
343 = Nitroglycerine.....	1	0.00
344 = Bennies	2	0.00
345 = Black molly.....	2	0.00
352 = Lemons	1	0.00
369 = Artane	1	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	2	0.00
380 = Pink ladies.....	2	0.00
382 = Footballs, purple footballs.....	3	0.00
385 = Little pink one.....	1	0.00
401 = Darvon.....	18	0.00
403 = SK-65.....	4	0.00
405 = Levo-Dromoran	2	0.00
406 = Percodan, Roxiprin	13	0.00
407 = Demerol, Meperidine	67	0.01
408 = Dilaudid, Hydromorphone	75	0.01
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	130	0.02
410 = Phenaphen with Codeine, Phenaphen 3.....	3	0.00
411 = Talwin.....	10	0.00
412 = Talwin NX.....	2	0.00
413 = Talacen	3	0.00
414 = Propoxyphene	9	0.00
415 = Codeine.....	130	0.02
417 = Morphine, Roxanol	185	0.02
418 = Methadone, Dolophine.....	80	0.01
419 = Stadol, Stadol NS.....	9	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	435	0.05
421 = USED ANALGESIC, DON'T KNOW NAME	1916	0.23
422 = Motrin.....	358	0.04
423 = Percocet	372	0.04
424 = Fioricet.....	8	0.00
425 = Advil <OTC>.....	87	0.01
426 = Fiorinal	4	0.00
427 = Darvocet, Davocet-N	55	0.01
430 = Aspirin, Ecotrin, Empirin <OTC>	21	0.00
431 = Tylox	27	0.00
433 = Paregoric.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1044	0.12
435 = Tylenol, Tylenol Extra-Strength <OTC>	95	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen	209	0.02
439 = 222, Canadian 222	5	0.00
442 = Ibuprofen	941	0.11
443 = Dolobid.....	1	0.00
444 = Aspirin with Codeine, Empirin 3, Empirin 4.....	2	0.00
445 = Dolex, Norgesic Forte.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	7	0.00
454 = Novocain, Procaine.....	1	0.00
455 = Fiorinal with Codeine	2	0.00
458 = Finalin, Mepergan, Mepergan Fortis, Meprozone.....	39	0.00
462 = Norflex.....	1	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze	172	0.02
466 = Midol <OTC>.....	7	0.00
468 = Excedrin <OTC>	7	0.00
470 = Cafergot.....	3	0.00
472 = Indocin, Indomethacin	5	0.00
476 = Duradrin, Isocom, Midrin	15	0.00
477 = Melumbrina, Neo-Melumbrina	8	0.00
480 = Robitussin AC (with Codeine), Cheratussin AC	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	18	0.00
490 = Nalbuphine, Nubain.....	5	0.00
496 = Ultram.....	19	0.00
498 = Mefenamic acid, Ponstan, Ponstel.....	1	0.00
499 = Aleve <OTC>	12	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
603 = Mescaline.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	5	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
640 = Purple pyramid.....	1	0.00
651 = Mellow Yellow	1	0.00
658 = Special K, Ketamine	9	0.00

PAIN RELIEVERS

662 = Kanepolin	1	0.00
663 = Animal tranquilizer, horse tranquilizer	7	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	3	0.00
702 = Heroin	3	0.00
703 = Opium	5	0.00
704 = Dope	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	9	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	23	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	11	0.00
805 = Cocaine, coca, cocaina, coke, perico	2	0.00
809 = Pills	1	0.00
819 = Inderal, Propranalol	2	0.00
820 = Penicillin	35	0.00
821 = Amoxicillin, Ampicillin, Pentrexly	48	0.01
824 = Steroids	3	0.00
828 = Tetracycline	3	0.00
829 = Robitussin DM <OTC>	2	0.00
837 = Paris 400	1	0.00
843 = Cold medicine, cold tablets <OTC>	2	0.00
844 = Blood pressure medication	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>	3	0.00
858 = Antibiotic	17	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
894 = Depakene, Depakote, Valproic acid	2	0.00
895 = Tagamet, Cimetidine	1	0.00
896 = Catapres, Clonidine	6	0.00
900 = Not a drug	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>	6	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	4	0.00
1003 = Donnatal	1	0.00
1006 = Trileptal, Oxcarbazepine	2	0.00
1008 = Rohr 714, Rorer 714	4	0.00
1010 = Diprivan, Propofol	1	0.00
1016 = Phenazepam	1	0.00
1018 = Advil PM <OTC>	2	0.00
1021 = Seroquel XR	1	0.00
2001 = Sanoma, Soma, Carisoprodol	375	0.04
2002 = Muscle relaxers	135	0.02
2003 = Zanies, zannies, zans, zany bars	41	0.00
2007 = R2	1	0.00
2010 = Buscopan, Espacil	1	0.00
2011 = Lexapro	7	0.00
2012 = Geodon, Ziprasidone	2	0.00
2013 = Levsin, Hyoscyamine	1	0.00
2014 = Robaxisal, Methoxisal	1	0.00
2015 = Flexodin	1	0.00
2016 = Xanax XR	2	0.00
2018 = 4 Bar, Quad Bar	2	0.00
2019 = Soma Compound	1	0.00
2023 = Tandrilax	1	0.00
3004 = Black cadillac	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine)	1	0.00
3018 = Up-johns	1	0.00
3023 = Adderall	422	0.05
3026 = Bupropion, Wellbutrin, Zyban	7	0.00
3037 = Effexor	3	0.00
3040 = Hyper pills	1	0.00
3046 = Adrenalin, Epinephrine	1	0.00
3050 = Mini thins	1	0.00
3052 = Speed; otherwise unspecified	19	0.00
3077 = Concerta	8	0.00
3087 = Strattera	1	0.00
3090 = Provigil, Modafinil	4	0.00
3094 = Dexmethylphenidate, Focalin	2	0.00
3099 = Asenlix, Clobenzorex	1	0.00
3102 = Methylin	1	0.00
3106 = Sedalmerk	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse	11	0.00
3115 = Isometheptene	1	0.00
3118 = alli weight loss pills <OTC>	1	0.00
4001 = Actron, Ketoprofen, Orudis, Oruvail	3	0.00
4002 = Imitrex, Sumatriptan	17	0.00
4005 = Etodolac, Lodine	3	0.00
4007 = Happy pills	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol	5	0.00

PAIN RELIEVERS

4022 = Buprenex.....	2	0.00
4029 = Feldine, Piroxicam.....	1	0.00
4031 = Cough medicine with Codeine.....	30	0.00
4033 = Vicoprofen.....	17	0.00
4035 = Nabumetone, Relafen.....	10	0.00
4037 = Kadian, MS Contin.....	10	0.00
4038 = Propacet.....	1	0.00
4039 = Daypro.....	4	0.00
4041 = Maxalt.....	5	0.00
4043 = Tramadol.....	69	0.01
4044 = Hydrocodone.....	333	0.04
4045 = Dolgic, Phrenillin Forte, Sedapap.....	2	0.00
4046 = Oxycodone or unspecified oxycodone products.....	477	0.06
4047 = Roxicet.....	98	0.01
4048 = Motrin IB <OTC>.....	1	0.00
4049 = Headache power <OTC>.....	1	0.00
4051 = Celebrex.....	22	0.00
4052 = Endocet.....	21	0.00
4054 = Zomax.....	1	0.00
4055 = Vioxx.....	44	0.01
4056 = Cataflam, Diclofenac, Voltaren.....	21	0.00
4057 = Mejoral.....	2	0.00
4058 = Totem poles.....	2	0.00
4059 = Zomig, Zolmitriptan.....	4	0.00
4061 = Oramorph SR.....	1	0.00
4064 = Epidrin.....	1	0.00
4065 = Roxicodone.....	58	0.01
4067 = OxyContin.....	339	0.04
4069 = Benflogin.....	1	0.00
4071 = Syncol.....	1	0.00
4073 = Temgesic.....	1	0.00
4076 = OTC Pain reliever; not otherwise specified <OTC>.....	1	0.00
4078 = Spasmaproxyn.....	1	0.00
4080 = Morphidex.....	1	0.00
4081 = Avamigran.....	1	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin.....	3	0.00
4083 = Ultracet.....	26	0.00
4086 = Parafon Forte.....	3	0.00
4087 = Torbugesic/Torbutrol (veterinary butorphanol).....	1	0.00
4088 = Synthetic heroin.....	1	0.00
4089 = Brompton's solution/mixture.....	1	0.00
4091 = K4.....	3	0.00
4092 = Pain reliever lotion, rub; not specified.....	3	0.00
4093 = Tylex, Solpadeine.....	4	0.00
4094 = Tombstones.....	1	0.00
4095 = Dihydrocodeine.....	2	0.00
4096 = Bextra, Valdecoxib.....	6	0.00
4097 = Tussionex.....	11	0.00
4100 = Excedrin Migraine <OTC>.....	1	0.00
4101 = Myprodol.....	2	0.00
4102 = Mobic, Meloxicam.....	2	0.00
4103 = Terpin Hydrate with Codeine.....	1	0.00
4104 = Dolo-Neurobion.....	1	0.00
4105 = Hydrocodone with APAP; otherwise unspecified.....	2	0.00
4108 = Homemade analgesics.....	2	0.00
4109 = Suboxone.....	107	0.01
4110 = Avinza.....	4	0.00
4111 = Clinoril, Sulinac.....	2	0.00
4114 = Nimesulide.....	1	0.00
4115 = Pantopon.....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	16	0.00
4117 = Oxy-IR.....	4	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine, Subutex.....	18	0.00
4120 = Numorphan, Opana, Oxymorphone.....	143	0.02
4121 = Dorflex.....	2	0.00
4122 = Combiflam.....	4	0.00
4123 = Dolorex.....	1	0.00
4124 = Relpax.....	2	0.00
4125 = Hycodan, Hydromet, Tussiongon.....	3	0.00
4126 = Panafen Plus.....	1	0.00
4127 = Panadeine.....	1	0.00
4132 = Embeda.....	1	0.00
4135 = Arcoxia, Etoricoxib.....	1	0.00
4136 = Sedalmex <OTC>.....	1	0.00

PAIN RELIEVERS

4137 = Nucynta.....	3	0.00
4143 = Vicotuss	2	0.00
4145 = Daprisal.....	1	0.00
5105 = Sulfur; otherwise unspecified.....	1	0.00
6029 = DXM.....	6	0.00
6044 = Gel caps, gel tabs	1	0.00
6048 = Dex	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	3	0.00
6114 = Molly; not otherwise specified.....	3	0.00
6127 = Skittles	3	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	2	0.00
8002 = Zantac	43	0.01
8007 = Gabapentin, Neurontin.....	39	0.00
8008 = Antidepressant; type unspecified	9	0.00
8009 = Allergy pills/antihistamine; type unspecified	10	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	8	0.00
8012 = Coriciden <OTC>.....	6	0.00
8015 = Bengay <OTC>.....	1	0.00
8017 = Buscapina.....	2	0.00
8018 = Claritromicina	1	0.00
8019 = Azithromycin, Z-pack, Zithromax	1	0.00
8020 = Allegra, Altiva	7	0.00
8021 = Cipro, Ciprofloxacin, Cliloxam.....	2	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	3	0.00
8025 = Alavert D, Claritin D, or similar <OTC>	4	0.00
8029 = Flexall <OTC>.....	2	0.00
8030 = Tums <OTC>.....	2	0.00
8032 = Prilosec, Mopral.....	4	0.00
8033 = Heart medication; type unspecified.....	1	0.00
8035 = Prednisone	6	0.00
8044 = Cephelaxin, Keflex	4	0.00
8045 = Gas-X <OTC>, Mylicon <OTC>.....	1	0.00
8052 = Bactrim, Septra	2	0.00
8058 = Cough medicine/syrup; type unspecified	26	0.00
8062 = Mylanta <OTC>.....	1	0.00
8065 = Tylenol Cold Medication <OTC>.....	1	0.00
8066 = Viagra	1	0.00
8071 = Augmentin	2	0.00
8085 = Anti-psychotics/schizophrenic; type unspcfd.....	4	0.00
8094 = Pepto Bismol <OTC>	2	0.00
8097 = Tizanidine, Zanaflex	3	0.00
8114 = Lidocaine	8	0.00
8117 = Hydrocortisone	4	0.00
8119 = Regal medicated oil.....	1	0.00
8120 = Diflucan	1	0.00
8126 = Valtrex	1	0.00
8134 = Glucophage, Metformin.....	2	0.00
8135 = Verapamil	1	0.00
8136 = Montekulast, Singulair.....	2	0.00
8140 = Anamine	1	0.00
8142 = Conex Plus.....	1	0.00
8144 = Clarinex, Desloratadine.....	1	0.00
8150 = Biolex wound gel <OTC>.....	1	0.00
8153 = Nexium	2	0.00
8156 = Flumethasone.....	1	0.00
8162 = Prevacid	2	0.00
8168 = Fluoride.....	1	0.00
8172 = Cortisone.....	1	0.00
8182 = Clindamycin.....	1	0.00
8184 = Ondansetron, Periset, Zofran.....	1	0.00
8186 = Lomotil	2	0.00
8190 = Benegal	1	0.00
8196 = Hirudoid.....	1	0.00
8198 = Handle bars, handlebars	4	0.00
8199 = Neurobion	1	0.00
8200 = Dan(s), Dan Dan(s); no other information.....	2	0.00
8201 = Watson(s); no other information	4	0.00
8203 = Bar; otherwise unspecified.....	17	0.00
8205 = Tylenol Allergy <OTC>	1	0.00
8210 = Mylan(s); no other information.....	1	0.00
8213 = Ranitidine.....	1	0.00
8217 = Anti-diarrhea medication; type unspecified	1	0.00
8218 = Attention deficit disorder meds; type unspcfd.....	1	0.00
8225 = Cymbalta, Duloxetine	5	0.00
8229 = ADHD/ADD medication; otherwise unspfd.....	5	0.00

PAIN RELIEVERS

8230 = Advair	1	0.00
8235 = Benzonatate, Tessalon.....	1	0.00
8236 = Lyrica, Pregabalin.....	8	0.00
8242 = Albucid	1	0.00
8243 = Guaiifenex.....	1	0.00
8245 = Human growth hormone (HGH).....	1	0.00
8246 = Phenoxyl.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8255 = Sulfuride	1	0.00
8274 = Terramycin.....	1	0.00
8281 = Antiseptic; type unspecified.....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	3	0.00
8296 = Acetazolamide, Diamox.....	1	0.00
8297 = TussiCaps.....	1	0.00
8306 = Flu medication; no other information.....	1	0.00
8323 = Benzathine benzylpenicillin, Penadur.....	1	0.00
8330 = Bipolar disorder medication; type unspecified.....	1	0.00
8333 = Moringa	1	0.00
8342 = Nalone, Naloxone, Narcan	1	0.00
8345 = Dolo-Doceplex D.....	1	0.00
8346 = Duralex	1	0.00
8356 = Tigan, Trimethobenzamide	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
9985 = BAD DATA Logically assigned	204	0.02
9989 = LEGITIMATE SKIP Logically assigned	791	0.09
9991 = NEVER USED PAIN RELIEVERS	604055	72.20
9997 = REFUSED	745	0.09
9998 = BLANK (NO ANSWER).....	6048	0.72
9999 = LEGITIMATE SKIP.....	95244	11.38

PAIN RELIEVERS

ANALNEWB

Len : 4 OTHER PAIN RELIEVER - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
105 = Placidyl, Ethchlorvynol.....	6	0.00
106 = Doriden.....	1	0.00
109 = Seconal.....	8	0.00
110 = Tuinal.....	5	0.00
112 = Restoril, Temazepam.....	2	0.00
113 = Halcion, Triazolam.....	1	0.00
114 = Amobarbital.....	1	0.00
115 = Phenobarbital.....	4	0.00
116 = Methaqualone, Sopor, Quaalude.....	31	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	8	0.00
124 = Yellow jackets.....	3	0.00
129 = Reds.....	5	0.00
130 = Phenergan, Promethazine.....	10	0.00
137 = 7-14.....	3	0.00
138 = Mandrax, Mandrix [see also 116].....	2	0.00
141 = Dilantin.....	1	0.00
146 = Bently, Dicyclomine.....	1	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	3	0.00
174 = Ambien, Stilnox, Zolpidem.....	17	0.00
178 = Quetiapine, Seroquel.....	19	0.00
180 = Tylenol P.M. <OTC>.....	5	0.00
191 = Blues.....	1	0.00
195 = Lotusate, Talbutal.....	1	0.00
197 = Topamax, Topiramate.....	4	0.00
201 = Valium, Diazepam.....	203	0.02
202 = Librium, Chlordiazepoxide HCl.....	1	0.00
207 = Ativan, Lorazepam, Orfidal.....	18	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	264	0.03
211 = BuSpar, Buspirone.....	2	0.00
215 = Vistaril.....	1	0.00
216 = Atarax, Hydroxyzine.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	2	0.00
223 = Carbacot, Marbaxin, Methocarbamol, Robaxin.....	1	0.00
224 = Triavil.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	9	0.00
227 = Thorazine.....	1	0.00
228 = Amitriptyline, Elavil.....	8	0.00
234 = Flexeril, Cyclobenzaprine.....	57	0.01
241 = Prozac, Fluoxetine.....	5	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	77	0.01
250 = Aventyl, Nortab, Nortriptyline, Pamelor.....	1	0.00
262 = Prolixin.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	8	0.00
271 = Sertraline hydrochloride, Zoloft.....	6	0.00
283 = Paroxetine, Paxil.....	1	0.00
290 = Metaxalone, Skelaxin.....	2	0.00
291 = Celexa, Citalopram.....	2	0.00
295 = Mirtazapine, Remeron.....	1	0.00
309 = Benzphetamine, Didrex.....	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine.....	1	0.00
318 = Ritalin, Methylphenidate.....	37	0.00
327 = Black beauties, black beauty.....	4	0.00
331 = Blancs, whites.....	2	0.00
334 = Crossroads, cross tops.....	1	0.00
336 = Diet pills/medications/drugs; otherwise unspfd.....	2	0.00
339 = Amphetamines.....	2	0.00
364 = Pseudoephedrine <OTC>.....	1	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	2	0.00
382 = Footballs, purple footballs.....	1	0.00
401 = Darvon.....	3	0.00
403 = SK-65.....	1	0.00
406 = Percodan, Roxiprin.....	7	0.00
407 = Demerol, Meperidine.....	8	0.00
408 = Dilaudid, Hydromorphone.....	14	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	27	0.00
411 = Talwin.....	2	0.00
413 = Talacen.....	2	0.00
414 = Propoxyphene.....	1	0.00
415 = Codeine.....	35	0.00
417 = Morphine, Roxanol.....	46	0.01
418 = Methadone, Dolophine.....	22	0.00

PAIN RELIEVERS

419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	86	0.01
421 = USED ANALGESIC, DON'T KNOW NAME.....	201	0.02
422 = Motrin.....	58	0.01
423 = Percocet.....	83	0.01
424 = Fioricet.....	2	0.00
425 = Advil <OTC>.....	53	0.01
426 = Fiorinal.....	1	0.00
427 = Darvocet, Davocet-N.....	14	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	12	0.00
431 = Tylox.....	5	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	248	0.03
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	71	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	17	0.00
439 = 222, Canadian 222.....	1	0.00
442 = Ibuprofen.....	122	0.01
447 = Synalgos, Synalgos DC.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	4	0.00
454 = Novocain, Procaine.....	1	0.00
458 = Finalin, Mepergan, Mepergan Fortis, Meprozine.....	2	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	31	0.00
466 = Midol <OTC>.....	8	0.00
468 = Excedrin <OTC>.....	4	0.00
470 = Cafergot.....	1	0.00
476 = Duradrin, Isocom, Midrin.....	1	0.00
477 = Melumbrina, Neo-Melumbrina.....	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol.....	4	0.00
490 = Nalbuphine, Nubain.....	2	0.00
496 = Ultram.....	6	0.00
498 = Mefenamic acid, Ponstan, Ponstel.....	2	0.00
499 = Aleve <OTC>.....	11	0.00
658 = Special K, Ketamine.....	3	0.00
673 = Orange.....	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703 = Opium.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	5	0.00
802 = THC, cannabiniol, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	3	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820 = Penicillin.....	6	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	5	0.00
829 = Robitussin DM <OTC>.....	3	0.00
843 = Cold medicine, cold tablets <OTC>.....	2	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
858 = Antibiotic.....	1	0.00
865 = Diuretics, water pills.....	2	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
896 = Catapres, Clonidine.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	7	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	1	0.00
1008 = Rohr 714, Rorer 714.....	1	0.00
1011 = Lunesta.....	2	0.00
2001 = Sanoma, Soma, Carisoprodol.....	90	0.01
2002 = Muscle relaxers.....	27	0.00
2003 = Zanies, zannies, zans, zany bars.....	10	0.00
2010 = Buscopan, Espacil.....	1	0.00
2011 = Lexapro.....	3	0.00
2016 = Xanax XR.....	1	0.00
2018 = 4 Bar, Quad Bar.....	1	0.00
2025 = Clobazam.....	1	0.00
3007 = Nasal inhalant.....	1	0.00
3023 = Adderall.....	73	0.01
3026 = Bupropion, Wellbutrin, Zyban.....	4	0.00
3037 = Effexor.....	2	0.00
3044 = Caffeine pills <OTC>.....	1	0.00
3047 = Sudafed <OTC>.....	1	0.00
3050 = Mini thins.....	1	0.00
3052 = Speed; otherwise unspecified.....	3	0.00
3077 = Concerta.....	3	0.00
3086 = Adderall XR.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	3	0.00
4002 = Imitrex, Sumatriptan.....	4	0.00
4007 = Happy pills.....	2	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol.....	1	0.00
4023 = Pamprin <OTC>.....	2	0.00

PAIN RELIEVERS

4031 = Cough medicine with Codeine.....	3	0.00
4033 = Vicoprofen.....	3	0.00
4034 = Lilly red.....	1	0.00
4035 = Nabumetone, Relafen.....	1	0.00
4037 = Kadian, MS Contin.....	3	0.00
4039 = Daypro.....	1	0.00
4041 = Maxalt.....	1	0.00
4043 = Tramadol.....	10	0.00
4044 = Hydrocodone.....	57	0.01
4046 = Oxycodone or unspecified oxycodone products.....	62	0.01
4047 = Roxicet.....	15	0.00
4048 = Motrin IB <OTC>.....	2	0.00
4049 = Headache power <OTC>.....	2	0.00
4051 = Celebrex.....	2	0.00
4052 = Endocet.....	6	0.00
4055 = Vioxx.....	4	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	3	0.00
4057 = Mejoral.....	1	0.00
4058 = Totem poles.....	2	0.00
4060 = Ansaïd, Flurbiprofen, Majezik.....	1	0.00
4065 = Roxicodone.....	8	0.00
4067 = OxyContin.....	76	0.01
4076 = OTC Pain reliever; not otherwise specified <OTC>.....	1	0.00
4082 = Analgin, Dipyron, Metamizol, Metamizole, Prodolin.....	1	0.00
4083 = Ultracet.....	5	0.00
4091 = K4.....	1	0.00
4093 = Tylex, Solpadeine.....	1	0.00
4096 = Bextra, Valdecoxib.....	1	0.00
4097 = Tussionex.....	3	0.00
4104 = Dolo-Neurobion.....	1	0.00
4106 = Atroveran.....	1	0.00
4109 = Suboxone.....	22	0.00
4114 = Nimesulide.....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
4119 = Buprenorphine, Subutex.....	7	0.00
4120 = Numorphan, Opana, Oxymorphone.....	32	0.00
4122 = Combiflam.....	1	0.00
4129 = Naproxen Sodium 220 mg <OTC>.....	1	0.00
4133 = Tramadol extended release, not otherwise spcfd.....	1	0.00
4140 = Opana ER (extended release).....	1	0.00
4144 = Bancap HC.....	1	0.00
6029 = DXM.....	2	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6048 = Dex.....	1	0.00
6076 = Lemon 714.....	3	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	4	0.00
6114 = Molly; not otherwise specified.....	4	0.00
6127 = Skittles.....	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine.....	1	0.00
8002 = Zantac.....	10	0.00
8004 = Guaifenesin.....	1	0.00
8007 = Gabapentin, Neurontin.....	8	0.00
8008 = Antidepressant; type unspecified.....	3	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	3	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	2	0.00
8012 = Coriciden <OTC>.....	8	0.00
8013 = Maalox <OTC>.....	1	0.00
8014 = Throat spray/lozenge; type unspecified <OTC>.....	1	0.00
8020 = Allegra, Altiva.....	3	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8025 = Alavert D, Claritin D, or similar <OTC>.....	1	0.00
8027 = Alavert, Claritin, Loratadine <OTC>.....	2	0.00
8029 = Flexall <OTC>.....	1	0.00
8030 = Tums <OTC>.....	1	0.00
8035 = Prednisone.....	2	0.00
8055 = Flonase.....	1	0.00
8058 = Cough medicine/syrup; type unspecified.....	6	0.00
8067 = Testosterone.....	1	0.00
8068 = Hemorrhoid cream.....	1	0.00
8094 = Pepto Bismol <OTC>.....	1	0.00
8097 = Tizanidine, Zanaflex.....	4	0.00
8107 = Diovan, Valsartan.....	1	0.00
8114 = Lidocaine.....	1	0.00
8135 = Verapamil.....	1	0.00
8136 = Montekulast, Singulair.....	3	0.00

PAIN RELIEVERS

8155 = Telithromycin	1	0.00
8169 = TheraFlu <OTC>	1	0.00
8173 = Chlorhexidine, Exidine	1	0.00
8184 = Ondansetron, Periset, Zofran.....	2	0.00
8198 = Handle bars, handlebars	1	0.00
8203 = Bar; otherwise unspecified.....	3	0.00
8210 = Mylan(s); no other information	1	0.00
8213 = Ranitidine.....	1	0.00
8233 = Keppra, Levetiracetam.....	1	0.00
8234 = Lamisil.....	1	0.00
8239 = Drotaverine, Drotin.....	1	0.00
8267 = Quinine	1	0.00
8274 = Terramycin.....	1	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8290 = Dependal-M, Furazolidone, Furoxone	1	0.00
8305 = Anti-anxiety medications; type unspecified	2	0.00
8306 = Flu medication; no other information.....	1	0.00
8320 = Abraxane.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
9985 = BAD DATA Logically assigned	121	0.01
9989 = LEGITIMATE SKIP Logically assigned	186	0.02
9991 = NEVER USED PAIN RELIEVERS	604055	72.20
9997 = REFUSED	269	0.03
9998 = BLANK (NO ANSWER).....	18257	2.18
9999 = LEGITIMATE SKIP.....	95849	11.46

PAIN RELIEVERS

ANALNEWC

Len : 4 OTHER PAIN RELIEVER - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
105 = Placidyl, Ethchlorvynol.....	3	0.00
108 = Nembutal	1	0.00
109 = Seconal	4	0.00
110 = Tuinal.....	4	0.00
113 = Halcion, Triazolam	1	0.00
116 = Methaqualone, Sopor, Quaalude	9	0.00
117 = Chloral hydrate, Noctec	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
130 = Phenergan, Promethazine.....	2	0.00
137 = 7-14.....	4	0.00
145 = Red devil(s).....	1	0.00
146 = Bentlyl, Dicyclomine	1	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	7	0.00
176 = Melatonin <OTC>	1	0.00
178 = Quetiapine, Seroquel.....	2	0.00
191 = Blues	1	0.00
201 = Valium, Diazepam	52	0.01
202 = Librium, Chlordiazepoxide HCl.....	2	0.00
207 = Ativan, Lorazepam, Orfidal	8	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	82	0.01
212 = Miltown	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
223 = Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	3	0.00
228 = Amitriptyline, Elavil	1	0.00
234 = Flexeril, Cyclobenzaprine	8	0.00
241 = Prozac, Fluoxetine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	24	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	6	0.00
278 = Benzodiazepines	1	0.00
283 = Paroxetine, Paxil	1	0.00
298 = Acepromazine, PromAce	1	0.00
301 = Dexedrine	1	0.00
318 = Ritalin, Methylphenidate.....	12	0.00
326 = White cross	1	0.00
327 = Black beauties, black beauty.....	2	0.00
332 = Ephedrine.....	1	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	1	0.00
382 = Footballs, purple footballs.....	1	0.00
403 = SK-65.....	1	0.00
406 = Percodan, Roxiprin	3	0.00
407 = Demerol, Meperidine.....	6	0.00
408 = Dilaudid, Hydromorphone	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	9	0.00
411 = Talwin.....	1	0.00
413 = Talacen	1	0.00
414 = Propoxyphene	1	0.00
415 = Codeine.....	20	0.00
417 = Morphine, Roxanol	15	0.00
418 = Methadone, Dolophine.....	9	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	30	0.00
421 = USED ANALGESIC, DON'T KNOW NAME	60	0.01
422 = Motrin.....	17	0.00
423 = Percocet	25	0.00
424 = Fioricet.....	1	0.00
425 = Advil <OTC>.....	17	0.00
426 = Fiorinal	2	0.00
427 = Darvocet, Davocet-N	6	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	5	0.00
431 = Tylox	5	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	49	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	29	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	8	0.00
442 = Ibuprofen	24	0.00
458 = Finalin, Mepergan, Mepergan Fortis, Meprozone.....	2	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	8	0.00
466 = Midol <OTC>.....	5	0.00
468 = Excedrin <OTC>	1	0.00
476 = Duradrin, Isocom, Midrin	1	0.00

PAIN RELIEVERS

496 = Ultram.....	2	0.00
499 = Aleve <OTC>	6	0.00
820 = Penicillin	2	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
829 = Robitussin DM <OTC>	2	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	24	0.00
2002 = Muscle relaxers	3	0.00
2003 = Zanies, zannies, zans, zany bars.....	7	0.00
3007 = Nasal inhalant	1	0.00
3017 = Dayquil <OTC>.....	1	0.00
3023 = Adderall	23	0.00
3026 = Bupropion, Wellbutrin, Zyban	3	0.00
3052 = Speed; otherwise unspecified.....	2	0.00
3086 = Adderall XR.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol, Tegretol.....	1	0.00
4027 = Rorer.....	2	0.00
4037 = Kadian, MS Contin	1	0.00
4043 = Tramadol.....	4	0.00
4044 = Hydrocodone.....	17	0.00
4046 = Oxycodone or unspecified oxycodone products.....	18	0.00
4047 = Roxicet.....	1	0.00
4048 = Motrin IB <OTC>.....	1	0.00
4052 = Endocet.....	1	0.00
4057 = Mejoral	1	0.00
4058 = Totem poles	1	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin	23	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.00
4083 = Ultracet	1	0.00
4088 = Synthetic heroin	1	0.00
4099 = Anacin <OTC>	1	0.00
4109 = Suboxone	2	0.00
4119 = Buprenorphine, Subutex.....	3	0.00
4120 = Numorphan, Opana, Oxymorphone	8	0.00
4141 = Alfenta, Alfentanil	1	0.00
4145 = Daprisal.....	1	0.00
6029 = DXM.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8002 = Zantac	3	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	1	0.00
8012 = Coriciden <OTC>	2	0.00
8019 = Azithromycin, Z-pack, Zithromax	1	0.00
8020 = Allegra, Altiva	6	0.00
8027 = Alavert, Claritin, Loratadine <OTC>.....	1	0.00
8033 = Heart medication; type unspecified.....	1	0.00
8035 = Prednisone	1	0.00
8055 = Flonase.....	1	0.00
8058 = Cough medicine/syrup; type unspecified	2	0.00
8153 = Nexium	1	0.00
8172 = Cortisone.....	1	0.00
8182 = Clindamycin.....	1	0.00
8189 = Furosemide, Lasix.....	1	0.00
8198 = Handle bars, handlebars	1	0.00
8203 = Bar; otherwise unspecified.....	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8274 = Terramycin.....	1	0.00
8299 = Broncolin <OTC>.....	1	0.00
8313 = Medithane.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
9985 = BAD DATA Logically assigned	40	0.00
9989 = LEGITIMATE SKIP Logically assigned	46	0.01
9991 = NEVER USED PAIN RELIEVERS	604055	72.20
9997 = REFUSED	230	0.03
9998 = BLANK (NO ANSWER).....	20381	2.44
9999 = LEGITIMATE SKIP.....	95989	11.47

PAIN RELIEVERS

ANALNEWD

Len : 4 OTHER PAIN RELIEVER - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
109 = Seconal.....	1	0.00
110 = Tuinal.....	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	2	0.00
137 = 7-14.....	1	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	2	0.00
178 = Quetiapine, Seroquel.....	1	0.00
201 = Valium, Diazepam.....	17	0.00
207 = Ativan, Lorazepam, Orfidal.....	3	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	24	0.00
215 = Vistaril.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
234 = Flexeril, Cyclobenzaprine.....	4	0.00
241 = Prozac, Fluoxetine.....	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	10	0.00
288 = Baclofen.....	1	0.00
318 = Ritalin, Methylphenidate.....	5	0.00
407 = Demerol, Meperidine.....	2	0.00
408 = Dilaudid, Hydromorphone.....	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	4	0.00
411 = Talwin.....	2	0.00
414 = Propoxyphene.....	1	0.00
415 = Codeine.....	7	0.00
417 = Morphine, Roxanol.....	5	0.00
418 = Methadone, Dolophine.....	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	12	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	16	0.00
422 = Motrin.....	5	0.00
423 = Percocet.....	7	0.00
425 = Advil <OTC>.....	10	0.00
427 = Darvocet, Davocet-N.....	4	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	3	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	6	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442 = Ibuprofen.....	12	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	1	0.00
466 = Midol <OTC>.....	1	0.00
496 = Ultram.....	4	0.00
499 = Aleve <OTC>.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
1008 = Rohr 714, Rorer 714.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	7	0.00
2002 = Muscle relaxers.....	1	0.00
2003 = Zanies, zannies, zans, zany bars.....	1	0.00
3023 = Adderall.....	4	0.00
3026 = Bupropion, Wellbutrin, Zyban.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol.....	1	0.00
4033 = Vicoprofen.....	1	0.00
4043 = Tramadol.....	3	0.00
4044 = Hydrocodone.....	7	0.00
4046 = Oxycodone or unspecified oxycodone products.....	3	0.00
4048 = Motrin IB <OTC>.....	1	0.00
4052 = Endocet.....	2	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	1	0.00
4067 = OxyContin.....	7	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin.....	1	0.00
4083 = Ultracet.....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine, Subutex.....	1	0.00
4120 = Numorphan, Opana, Oxymorphone.....	2	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine.....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
8020 = Allegra, Altiva.....	1	0.00

PAIN RELIEVERS

8030 = Tums <OTC>.....	1	0.00
8035 = Prednisone	1	0.00
8047 = Pepcid AC <OTC>.....	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8114 = Lidocaine	1	0.00
8200 = Dan(s), Dan Dan(s); no other information.....	1	0.00
8225 = Cymbalta, Duloxetine	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
9985 = BAD DATA Logically assigned	19	0.00
9989 = LEGITIMATE SKIP Logically assigned	14	0.00
9991 = NEVER USED PAIN RELIEVERS	604055	72.20
9997 = REFUSED	208	0.02
9998 = BLANK (NO ANSWER).....	20984	2.51
9999 = LEGITIMATE SKIP.....	96021	11.48

PAIN RELIEVERS

ANALNEWWE

Len : 4 OTHER PAIN RELIEVER - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
110 = Tuinal.....	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	2	0.00
129 = Reds.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	2	0.00
201 = Valium, Diazepam.....	11	0.00
207 = Ativan, Lorazepam, Orfidal.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	9	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
234 = Flexeril, Cyclobenzaprine.....	3	0.00
241 = Prozac, Fluoxetine.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
406 = Percodan, Roxiprin.....	1	0.00
408 = Dilaudid, Hydromorphone.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
415 = Codeine.....	3	0.00
417 = Morphine, Roxanol.....	4	0.00
418 = Methadone, Dolophine.....	1	0.00
419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	6	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	4	0.00
422 = Motrin.....	1	0.00
423 = Percocet.....	3	0.00
425 = Advil <OTC>.....	3	0.00
426 = Fiorinal.....	1	0.00
427 = Darvocet, Davocet-N.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	6	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	2	0.00
442 = Ibuprofen.....	2	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	1	0.00
466 = Midol <OTC>.....	2	0.00
496 = Ultram.....	1	0.00
658 = Special K, Ketamine.....	1	0.00
806 = Crack, rock.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	5	0.00
3023 = Adderall.....	3	0.00
4044 = Hydrocodone.....	9	0.00
4046 = Oxycodone or unspecified oxycodone products.....	1	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin.....	1	0.00
4109 = Suboxone.....	3	0.00
4139 = Bute tabs, Phenylbutazone.....	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine.....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8025 = Alavert D, Claritin D, or similar <OTC>.....	1	0.00
8042 = Alka Seltzer <OTC>.....	1	0.00
8097 = Tizanidine, Zanaflex.....	2	0.00
8201 = Watson(s); no other information.....	1	0.00
8313 = Medithane.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
9985 = BAD DATA Logically assigned.....	12	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	8	0.00
9991 = NEVER USED PAIN RELIEVERS.....	604055	72.20
9997 = REFUSED.....	203	0.02
9998 = BLANK (NO ANSWER).....	21150	2.53
9999 = LEGITIMATE SKIP.....	96027	11.48

PAIN RELIEVERS

The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVTYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

ANLEVER Len : 2 EVER USED PAIN RELIEVERS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	114943	13.74
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
91 = NEVER USED PAIN RELIEVERS	604055	72.20
97 = REFUSED	25	0.00
98 = BLANK (NO ANSWER)	2548	0.30

How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALAGE Len : 3 AGE WHEN FIRST USED PAIN RELIEVERS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 82.....	108539	12.97
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
985 = BAD DATA Logically assigned	850	0.10
991 = NEVER USED PAIN RELIEVERS	604055	72.20
994 = DON'T KNOW	4238	0.51
997 = REFUSED	1377	0.16
998 = BLANK (NO ANSWER).....	2512	0.30

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALYFU Len : 4 YEAR OF FIRST PAIN RELIEVER USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	18771	2.24
-9 = Data not collected for this year.....	114043	13.63
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
9985 = BAD DATA Logically assigned	2361	0.28
9989 = LEGITIMATE SKIP Logically assigned	1139	0.14
9991 = NEVER USED PAIN RELIEVERS	604055	72.20
9994 = DON'T KNOW	4338	0.52
9997 = REFUSED	1419	0.17
9998 = BLANK (NO ANSWER).....	2591	0.31
9999 = LEGITIMATE SKIP.....	86897	10.39

PAIN RELIEVERS

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR07a or PR07b] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALMFU Len : 2 MONTH OF FIRST PAIN RELIEVER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = January.....	1776	0.21
2 = February.....	1334	0.16
3 = March.....	1504	0.18
4 = April	1326	0.16
5 = May.....	1218	0.15
6 = June.....	1671	0.20
7 = July	1461	0.17
8 = August	1374	0.16
9 = September.....	1405	0.17
10 = October	1542	0.18
11 = November	1389	0.17
12 = December.....	1169	0.14
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	2352	0.28
89 = LEGITIMATE SKIP Logically assigned	1139	0.14
91 = NEVER USED PAIN RELIEVERS	604055	72.20
94 = DON'T KNOW	5863	0.70
97 = REFUSED	1496	0.18
98 = BLANK (NO ANSWER)	2600	0.31
99 = LEGITIMATE SKIP.....	86897	10.39

How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALREC Len : 2 TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	19302	2.31
2 = More than 30 days ago but within the past 12 mos	29859	3.57
3 = More than 12 months ago	61569	7.36
8 = Used at some point in the past 12 mos LOG ASSN.....	547	0.07
9 = Used at some point in lifetime LOG ASSN	3546	0.42
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	104	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	16	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	40	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
97 = REFUSED	25	0.00
98 = BLANK (NO ANSWER)	2508	0.30

NOTE: The variables ANLYRTOT, PRBSTWAY, PRDAYPYR, PRDAYPMO, and PRDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any pain reliever more than 12 months ago but subsequently reported more recent use of any pain reliever or OxyContin.

ANLYRTOT Len : 3 TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	48269	5.77
-9 = Data not collected for this year	114043	13.63
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
985 = BAD DATA Logically assigned	412	0.05
991 = NEVER USED PAIN RELIEVERS	604055	72.20
993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
994 = DON'T KNOW	908	0.11
997 = REFUSED	265	0.03
998 = BLANK (NO ANSWER).....	6093	0.73

PAIN RELIEVERS

PRTOTFG	Len : 2 TRIMMING INDICATOR FOR ANLYRTOT		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Trimmed to 365 days (no further editing)	5	0.00
	98 = BLANK (NO ANSWER)	722648	86.37

PRFQLG	Len : 2 TRIMMED ANLYRTOT IF R USED < 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Trimmed to be consistent with mo/yr of 1st use	3409	0.41
	98 = BLANK (NO ANSWER)	719244	85.96

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?

PRBSTWAY	Len : 2 EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Prefer to answer in days per week	8929	1.07
	2 = Prefer to answer in days per month	12996	1.55
	3 = Prefer to answer in days per year	25639	3.06
	11 = Prefer to ans in days per wk LOG ASSN	126	0.02
	12 = Prefer to ans in days per mo LOG ASSN	185	0.02
	13 = Prefer to ans in days per yr LOG ASSN	574	0.07
	21 = Prefer to ans in days per wk (OXBSTWAY=1,11)	187	0.02
	22 = Prefer to ans in days per mo (OXBSTWAY=2,12)	199	0.02
	23 = Prefer to ans in days per yr (OXBSTWAY=3,13)	95	0.01
	81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.13
	85 = BAD DATA Logically assigned	410	0.05
	91 = NEVER USED PAIN RELIEVERS	604055	72.20
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
	94 = DON'T KNOW	392	0.05
	97 = REFUSED	122	0.01
	98 = BLANK (NO ANSWER)	6093	0.73

On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPYR	Len : 3 # DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365	26131	3.12
	-9 = Data not collected for this year	114043	13.63
	981 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.13
	985 = BAD DATA Logically assigned	113	0.01
	989 = LEGITIMATE SKIP Logically assigned	371	0.04
	991 = NEVER USED PAIN RELIEVERS	604055	72.20
	993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
	994 = DON'T KNOW	538	0.06
	997 = REFUSED	153	0.02
	998 = BLANK (NO ANSWER)	6390	0.76
	999 = LEGITIMATE SKIP	22251	2.66

PAIN RELIEVERS

On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPMO Len : 2 # DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	13152	1.57
-9 = Data not collected for this year	114043	13.63
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.13
85 = BAD DATA Logically assigned	110	0.01
89 = LEGITIMATE SKIP Logically assigned	213	0.03
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	723	0.09
97 = REFUSED	197	0.02
98 = BLANK (NO ANSWER)	6392	0.76
99 = LEGITIMATE SKIP	35160	4.20

On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPWK Len : 2 # DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	8986	1.07
-9 = Data not collected for this year	114043	13.63
81 = NEVER USED PAIN RELIEVERS Logically assigned	1082	0.13
85 = BAD DATA Logically assigned	206	0.02
89 = LEGITIMATE SKIP Logically assigned	32	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	908	0.11
97 = REFUSED	265	0.03
98 = BLANK (NO ANSWER)	6299	0.75
99 = LEGITIMATE SKIP	39251	4.69

NOTE: Although the Food and Drug Administration (FDA) did not approve OxyContin for medical use in the United States until late 1995, no editing was done to OXYCAGE when respondents reported first using OxyContin at ages that would indicate nonmedical use prior to FDA approval. Although no editing was done for these cases, caution is advised in interpreting data from these respondents, and particularly the farther that OXYCAGE would be from first use in 1995.

Now think only about your use of Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused. How old were you the first time you used Oxycontin in either of these ways?

How old were you the first time you used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCAGE Len : 3 AGE WHEN FIRST USED OXYCONTIN NONMEDICALLY

	Freq	Pct
RANGE = 1 - 66	18501	2.21
-9 = Data not collected for this year	223352	26.69
981 = NEVER USED OXYCONTIN Logically assigned	26891	3.21
985 = BAD DATA Logically assigned	85	0.01
991 = NEVER USED OXYCONTIN	565663	67.61
994 = DON'T KNOW	194	0.02
997 = REFUSED	446	0.05
998 = BLANK (NO ANSWER)	1564	0.19

PAIN RELIEVERS

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCYFU Len : 4 YEAR OF FIRST OXYCONTIN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	3799	0.45
-9 = Data not collected for this year.....	223352	26.69
9981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.21
9985 = BAD DATA Logically assigned	378	0.05
9989 = LEGITIMATE SKIP Logically assigned	166	0.02
9991 = NEVER USED OXYCONTIN	565663	67.61
9994 = DON'T KNOW	208	0.02
9997 = REFUSED	447	0.05
9998 = BLANK (NO ANSWER).....	1569	0.19
9999 = LEGITIMATE SKIP.....	14223	1.70

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR15 or PR16] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCMFU Len : 2 MONTH OF FIRST OXYCONTIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	223352	26.69
1 = January.....	370	0.04
2 = February.....	281	0.03
3 = March.....	286	0.03
4 = April	247	0.03
5 = May.....	236	0.03
6 = June.....	327	0.04
7 = July	339	0.04
8 = August	273	0.03
9 = September.....	296	0.04
10 = October	296	0.04
11 = November	283	0.03
12 = December.....	223	0.03
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.21
85 = BAD DATA Logically assigned	390	0.05
89 = LEGITIMATE SKIP Logically assigned	166	0.02
91 = NEVER USED OXYCONTIN	565663	67.61
94 = DON'T KNOW	515	0.06
97 = REFUSED	461	0.06
98 = BLANK (NO ANSWER)	1578	0.19
99 = LEGITIMATE SKIP.....	14223	1.70

PAIN RELIEVERS

How long has it been since you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCREC Len : 2 TIME SINCE LAST USED OXYCONTIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Within the past 30 days	1588	0.19
2 = More than 30 days ago but within the past 12 mos	4373	0.52
3 = More than 12 months ago	12313	1.47
8 = Used at some point in the past 12 mos LOG ASSN	166	0.02
9 = Used at some point in lifetime LOG ASSN	583	0.07
11 = Used in the past 30 days LOGICALLY ASSIGNED	18	0.00
81 = NEVER USED OXYCONTIN Logically assigned	26891	3.21
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED OXYCONTIN	565663	67.61
97 = REFUSED	421	0.05
98 = BLANK (NO ANSWER)	1326	0.16

OXYRTOT Len : 3 TOTAL # DAYS USED OXYCONTIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	5910	0.71
-9 = Data not collected for this year	223352	26.69
981 = NEVER USED OXYCONTIN Logically assigned	26891	3.21
985 = BAD DATA Logically assigned	99	0.01
991 = NEVER USED OXYCONTIN	565663	67.61
993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.47
994 = DON'T KNOW	43	0.01
997 = REFUSED	438	0.05
998 = BLANK (NO ANSWER)	1987	0.24

OXTOTFG Len : 2 TRIMMING INDICATOR FOR OXYRTOT

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Trimmed to 365 days (no further editing)	1	0.00
98 = BLANK (NO ANSWER)	613343	73.31

OXFQFLG Len : 2 TRIMMED OXYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Trimmed to be consistent with mo/yr of 1st use	659	0.08
98 = BLANK (NO ANSWER)	612685	73.23

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used OxyContin in either of these ways?

OXBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED OXYCONTIN

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Prefer to answer in days per week	1042	0.12
2 = Prefer to answer in days per month	1522	0.18
3 = Prefer to answer in days per year	3329	0.40
11 = Prefer to ans in days per wk LOG ASSN	3	0.00
12 = Prefer to ans in days per mo LOG ASSN	9	0.00
13 = Prefer to ans in days per yr LOG ASSN	31	0.00
22 = Prefer to ans in days per mo (PRBSTWAY=2,12)	1	0.00
23 = Prefer to ans in days per yr (PRBSTWAY=3,13)	4	0.00
81 = NEVER USED OXYCONTIN Logically assigned	26891	3.21
85 = BAD DATA Logically assigned	99	0.01
91 = NEVER USED OXYCONTIN	565663	67.61
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.47
94 = DON'T KNOW	22	0.00
97 = REFUSED	428	0.05
98 = BLANK (NO ANSWER)	1987	0.24

PAIN RELIEVERS

On how many days in the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPYR Len : 3 # DAYS USED OXYCONTIN "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	3355	0.40
-9 = Data not collected for this year.....	223352	26.69
981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.21
985 = BAD DATA Logically assigned.....	28	0.00
989 = LEGITIMATE SKIP Logically assigned.....	12	0.00
991 = NEVER USED OXYCONTIN	565663	67.61
993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.47
994 = DON'T KNOW	30	0.00
997 = REFUSED	429	0.05
998 = BLANK (NO ANSWER).....	2058	0.25
999 = LEGITIMATE SKIP.....	2565	0.31

On average, how many days each month during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPMO Len : 2 # DAYS PER MO USED OXYCONTIN "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	1525	0.18
-9 = Data not collected for this year.....	223352	26.69
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.21
85 = BAD DATA Logically assigned	21	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED OXYCONTIN	565663	67.61
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.47
94 = DON'T KNOW	34	0.00
97 = REFUSED	432	0.05
98 = BLANK (NO ANSWER)	2065	0.25
99 = LEGITIMATE SKIP.....	4397	0.53

On average, how many days each week during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPWK Len : 2 # DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	1030	0.12
-9 = Data not collected for this year.....	223352	26.69
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.21
85 = BAD DATA Logically assigned	50	0.01
91 = NEVER USED OXYCONTIN	565663	67.61
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	12313	1.47
94 = DON'T KNOW	43	0.01
97 = REFUSED	438	0.05
98 = BLANK (NO ANSWER)	2036	0.24
99 = LEGITIMATE SKIP.....	4880	0.58

PAIN RELIEVERS

The next question asks about using **prescription pain relievers** in any way a **doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way a **doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

PNRNMLIF	Len : 2	EVER USED PAIN RELIEVER NOT DIRECTED BY DR		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	6280	0.75
		2 = No.....	50162	6.00
		5 = Yes LOGICALLY ASSIGNED (from skip pattern)	5980	0.71
		85 = BAD DATA Logically assigned	62	0.01
		91 = NEVER USED/MISUSED PAIN RELIEVERS	50461	6.03
		94 = DON'T KNOW	69	0.01
		97 = REFUSED	29	0.00
		98 = BLANK (NO ANSWER)	1000	0.12

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

OXCNNMYR	Len : 2	USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	968	0.12
		2 = No.....	748	0.09
		5 = Yes LOGICALLY ASSIGNED (OXCNNYYR NE 1)	2	0.00
		81 = NEVER MISUSED PAIN RLVRs Logically assigned	2	0.00
		85 = BAD DATA Logically assigned	3	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS	100621	12.03
		93 = DID NOT USE IN THE PAST 12 MONTHS	11449	1.37
		94 = DON'T KNOW	4	0.00
		97 = REFUSED	9	0.00
		98 = BLANK (NO ANSWER)	237	0.03

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

OXCNNMAGE	Len : 3	AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR		
			Freq	Pct
		RANGE = 1 - 65	948	0.11
		-9 = Data not collected for this year	722653	86.37
		981 = NEVER USED PAIN RLVRs Logically assigned	2	0.00
		991 = NEVER USED/MISUSED PAIN RELIEVERS	100621	12.03
		993 = DID NOT USE IN THE PAST 12 MONTHS	12197	1.46
		994 = DON'T KNOW	11	0.00
		997 = REFUSED	9	0.00
		998 = BLANK (NO ANSWER).....	255	0.03

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

OXCNNMYFU	Len : 4	YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR		
			Freq	Pct
		RANGE = 2013 - 2016	290	0.03
		-9 = Data not collected for this year	722653	86.37
		9981 = NEVER USED PAIN RLVRs Logically assigned	2	0.00
		9985 = BAD DATA Logically assigned	6	0.00
		9989 = LEGITIMATE SKIP Logically assigned	7	0.00
		9991 = NEVER USED/MISUSED PAIN RELIEVERS	100621	12.03
		9993 = DID NOT USE IN THE PAST 12 MONTHS.....	12197	1.46
		9998 = BLANK (NO ANSWER).....	275	0.03
		9999 = LEGITIMATE SKIP.....	645	0.08

PAIN RELIEVERS

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

OXCNNMMFU Len : 2 MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	29	0.00
2 = February.....	27	0.00
3 = March.....	24	0.00
4 = April.....	19	0.00
5 = May.....	20	0.00
6 = June.....	27	0.00
7 = July.....	27	0.00
8 = August.....	21	0.00
9 = September.....	20	0.00
10 = October.....	24	0.00
11 = November.....	13	0.00
12 = December.....	24	0.00
81 = NEVER USED PAIN RLVRs Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100621	12.03
93 = DID NOT USE IN THE PAST 12 MONTHS.....	12197	1.46
94 = DON'T KNOW.....	15	0.00
98 = BLANK (NO ANSWER).....	275	0.03
99 = LEGITIMATE SKIP.....	645	0.08

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables for VICODINMYR through PNRLVOTNMYR, and PNRLVNM30DY.

PNRNMREC Len : 2 RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Within the past 30 days.....	1754	0.21
2 = More than 30 days ago but within the past 12 mos.....	4200	0.50
3 = More than 12 months ago.....	6195	0.74
8 = Misused at some point in past 12 mos LOG ASSN.....	26	0.00
9 = Misused at some point in lifetime LOG ASSN.....	85	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn.....	696	0.08
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
98 = BLANK (NO ANSWER).....	464	0.06

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

PNRNMINIT Len : 2 PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Past year initiate.....	1256	0.15
2 = Not a past year initiate.....	417	0.05
4 = Not past yr initiate LOG ASSN (from skip pattern).....	4269	0.51
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN).....	696	0.08
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6195	0.74
94 = DON'T KNOW.....	18	0.00
97 = REFUSED.....	20	0.00
98 = BLANK (NO ANSWER).....	549	0.07

PAIN RELIEVERS

NOTE: The variables PNRNMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

PNRNMAGE Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES

	Freq	Pct
RANGE = 11 - 83	1070	0.13
-9 = Data not collected for this year.....	722653	86.37
983 = NOT A PAST YEAR INITIATE Log assn.....	696	0.08
991 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
993 = NOT A PAST YEAR INITIATE.....	10881	1.30
998 = BLANK (NO ANSWER).....	773	0.09

PNRNMYFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES

	Freq	Pct
RANGE = 2014 - 2016	1066	0.13
-9 = Data not collected for this year.....	722653	86.37
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	696	0.08
9991 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
9993 = NOT A PAST YEAR INITIATE.....	10881	1.30
9998 = BLANK (NO ANSWER).....	777	0.09

PNRNMMFU Len : 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	95	0.01
2 = February.....	77	0.01
3 = March.....	94	0.01
4 = April.....	81	0.01
5 = May.....	89	0.01
6 = June.....	77	0.01
7 = July.....	81	0.01
8 = August.....	81	0.01
9 = September.....	81	0.01
10 = October.....	89	0.01
11 = November.....	82	0.01
12 = December.....	88	0.01
83 = NOT A PAST YEAR INITIATE Logically assigned.....	696	0.08
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = NOT A PAST YEAR INITIATE.....	10881	1.30
98 = BLANK (NO ANSWER).....	828	0.10

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

PNRNM30D Len : 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	1602	0.19
2 = No.....	4200	0.50
5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1).....	152	0.02
83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn.....	94	0.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6797	0.81
94 = DON'T KNOW.....	6	0.00
97 = REFUSED.....	20	0.00
98 = BLANK (NO ANSWER).....	541	0.06

PAIN RELIEVERS

During the past 30 days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

PNRNM30FQ	Len : 2 # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS	Freq	Pct
	RANGE = 1 - 30	1732	0.21
	-9 = Data not collected for this year	722653	86.37
	83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	37	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS	100623	12.03
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	11054	1.32
	94 = DON'T KNOW	17	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	575	0.07

What is your best estimate of the number of days you used [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] during the past 30 days?

PNRNM30ES	Len : 2 EST # DAYS USED PAIN RLVR NOT DIRECTED PST 30 DYS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = 1 or 2 days	3	0.00
	2 = 3 to 5 days	8	0.00
	3 = 6 to 9 days	4	0.00
	4 = 10 to 19 days	2	0.00
	5 = 20 to 29 days	1	0.00
	83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	1	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS	100623	12.03
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	11090	1.33
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	575	0.07
	99 = LEGITIMATE SKIP	1732	0.21

NOTE: Responses of "yes" in PNRNM30AL were assigned a code of 11 when respondents reported that they misused pain relievers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when PNRNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

PNRNM30AL	Len : 2 USED PAIN RLVR NOT DIRECTED BY DR W/ALC PST 30 DYS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes	564	0.07
	2 = No	648	0.08
	11 = Yes (ALCREC=8)	1	0.00
	83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	11	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS	100623	12.03
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	11080	1.32
	94 = DON'T KNOW	3	0.00
	98 = BLANK (NO ANSWER)	588	0.07
	99 = LEGITIMATE SKIP	525	0.06

PAIN RELIEVERS

Which of these statements describe your use of it/them at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

PNRWYNORX Len : 2 USED PAIN RLVR W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	3724	0.45
2 = No (not entered).....	2044	0.24
83 = DID NOT MISUSE PAIN RELIEVERS IN PST 30 days Log assn.....	57	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6834	0.82
94 = DON'T KNOW.....	104	0.01
97 = REFUSED.....	108	0.01
98 = BLANK (NO ANSWER).....	548	0.07

PNRWYGAMT Len : 2 USED PAIN RLVR IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	1244	0.15
2 = No (not entered).....	4524	0.54
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn.....	19	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6872	0.82
94 = DON'T KNOW.....	104	0.01
97 = REFUSED.....	108	0.01
98 = BLANK (NO ANSWER).....	544	0.07

PNRWYOFTN Len : 2 USED PAIN RLVR MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	873	0.10
2 = No (not entered).....	4895	0.59
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS logically assigned.....	16	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6875	0.82
94 = DON'T KNOW.....	104	0.01
97 = REFUSED.....	108	0.01
98 = BLANK (NO ANSWER).....	547	0.07

PNRWYLNGR Len : 2 USED PAIN RLVR LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	733	0.09
2 = No (not entered).....	5035	0.60
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	18	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6873	0.82
94 = DON'T KNOW.....	104	0.01
97 = REFUSED.....	108	0.01
98 = BLANK (NO ANSWER).....	548	0.07

PNRWYOTWY Len : 2 USED PAIN RLVR OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	1364	0.16
2 = No (not entered).....	4404	0.53
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	34	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6857	0.82
94 = DON'T KNOW.....	104	0.01
97 = REFUSED.....	108	0.01
98 = BLANK (NO ANSWER).....	546	0.07

PAIN RELIEVERS

Now think about the last time you used [PRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [PRLASTFILL2] the last time?

PNRRSPAIN	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RLV PAIN		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	3824	0.46
	2 = No (not entered).....	2029	0.24
	3 = Yes LOGICALLY ASSIGNED.....	51	0.01
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	86	0.01
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6805	0.81
	94 = DON'T KNOW.....	36	0.00
	97 = REFUSED.....	40	0.00
	98 = BLANK (NO ANSWER).....	547	0.07
PNRRSRELX	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RELAX		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	1634	0.20
	2 = No (not entered).....	4267	0.51
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	12	0.00
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6879	0.82
	94 = DON'T KNOW.....	36	0.00
	97 = REFUSED.....	40	0.00
	98 = BLANK (NO ANSWER).....	544	0.07
PNRRSEXPT	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO EXPERIMENT		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	509	0.06
	2 = No (not entered).....	5390	0.64
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	5	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6886	0.82
	94 = DON'T KNOW.....	36	0.00
	97 = REFUSED.....	40	0.00
	98 = BLANK (NO ANSWER).....	547	0.07
PNRRSHIGH	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO GET HIGH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	1459	0.17
	2 = No (not entered).....	4438	0.53
	3 = Yes LOGICALLY ASSIGNED.....	7	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	4	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6887	0.82
	94 = DON'T KNOW.....	36	0.00
	97 = REFUSED.....	40	0.00
	98 = BLANK (NO ANSWER).....	548	0.07

PAIN RELIEVERS

PNRRSSLEP

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR SLEEP

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	937	0.11
2 = No (not entered).....	4962	0.59
3 = Yes LOGICALLY ASSIGNED.....	5	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	17	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	6874	0.82
94 = DON'T KNOW.....	36	0.00
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	548	0.07

PNRRSEMOT

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	724	0.09
2 = No (not entered).....	5177	0.62
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	7	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	6884	0.82
94 = DON'T KNOW.....	36	0.00
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	548	0.07

PNRRSDGFX

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	173	0.02
2 = No (not entered).....	5730	0.68
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	3	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	6888	0.82
94 = DON'T KNOW.....	36	0.00
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	548	0.07

PNRRSHOOK

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	195	0.02
2 = No (not entered).....	5706	0.68
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	5	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	6886	0.82
94 = DON'T KNOW.....	36	0.00
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	548	0.07

PNRRSSOR

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	259	0.03
2 = No (not entered).....	5645	0.67
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	11	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	6880	0.82
94 = DON'T KNOW.....	36	0.00
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	547	0.07

PAIN RELIEVERS

Please type in the other reason you used [PRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

PNRRSOTRS2 Len : 3 REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = To relieve physical pain	64	0.01
2 = To relax or relieve tension	5	0.00
3 = To experiment or to see what it's/they're like	6	0.00
4 = To feel good or get high.....	10	0.00
5 = To help with my sleep.....	7	0.00
6 = To help me with my feelings or emotions.....	7	0.00
7 = To increase/decrease effects of some other drug.....	1	0.00
8 = Because I am "hooked" or I have to have it/them	5	0.00
10 = To help me concentrate.....	4	0.00
11 = To help me be alert or stay awake.....	4	0.00
13 = I used it/them for some other reason	26	0.00
14 = For cold/flu/fever/sick; pain not specified.....	8	0.00
16 = Suicide attempt/suicidal thoughts	19	0.00
18 = Peer pressure/friends/feel cool	10	0.00
19 = To increase my energy level	12	0.00
26 = To replace another/other drug(s) I am addicted to.....	22	0.00
72 = OTC use reported.....	1	0.00
983 = DID NOT USE PAIN REL IN THE PAST 12 MOS Logically assigned.....	8	0.00
985 = BAD DATA (logically assigned).....	29	0.00
991 = NEVER USED PAIN RELIEVERS	100623	12.03
993 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6883	0.82
994 = DON'T KNOW	7	0.00
997 = REFUSED	13	0.00
998 = BLANK (no answer).....	624	0.07
999 = LEGITIMATE SKIP.....	5645	0.67

Which was the main reason you used [PRLASTFILL2] the last time?

PNRRSMAN Len : 2 MAIN REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = To relieve physical pain	796	0.10
2 = To relax or relieve tension	293	0.04
3 = To experiment or to see what it was/they were like	80	0.01
4 = To feel good or get high.....	398	0.05
5 = To help with my sleep.....	104	0.01
6 = To help me with my feelings or emotions.....	171	0.02
7 = To increase or decrease the effect(s) of some other drug	24	0.00
8 = Because I am 'hooked' or I have to have it/them	77	0.01
9 = The other reason I reported	19	0.00
11 = To relieve physical pain LOGICALLY ASSIGNED	7	0.00
14 = To feel good or get high LOGICALLY ASSIGNED	2	0.00
15 = To help with my sleep LOGICALLY ASSIGNED	2	0.00
16 = To help with feelings/emotions LOGICALLY ASSIGNED	2	0.00
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	15	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	6876	0.82
94 = DON'T KNOW	3	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	625	0.07
99 = LEGITIMATE SKIP.....	3921	0.47

NOTE: PNRNORXFG is set to 1 when respondents reported that the only way they misused pain relievers in the past year was without a prescription. These respondents also reported that the last pain reliever they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

PNRNORXFG Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST PNR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	324	0.04
98 = BLANK (NO ANSWER)	113719	13.59

TRANQUILIZERS

TRANQUILIZERS

These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."

Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.

Please look at Card B carefully as you answer the next questions.

Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

KLONOPIN Len : 2 EVER USED KLONOPIN OR CLONAZEPAM

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	15639	1.87
2 = No	45798	5.47
3 = Yes LOGICALLY ASSIGNED.....	15	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW	509	0.06
97 = REFUSED	116	0.01
98 = BLANK (NO ANSWER)	30	0.00

Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

XNAXATVN Len : 2 EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	39362	4.70
2 = No	22004	2.63
3 = Yes LOGICALLY ASSIGNED.....	41	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW	554	0.07
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER)	31	0.00

Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

VALMDIAZ Len : 2 EVER USED VALIUM OR DIAZEPAM

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	34195	4.09
2 = No	27229	3.25
3 = Yes LOGICALLY ASSIGNED.....	30	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW	517	0.06
97 = REFUSED	104	0.01
98 = BLANK (NO ANSWER)	32	0.00

TRANQUILIZERS

Please look at the tranquilizers shown below the red line on Card B.

Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?

TRNCARD Len : 2 EVER USED ANY TRANQ BELOW RED LINE ON CARD B

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	18039	2.16
2 = No.....	43250	5.17
3 = Yes LOGICALLY ASSIGNED.....	129	0.02
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	552	0.07
97 = REFUSED.....	105	0.01
98 = BLANK (NO ANSWER).....	32	0.00

Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

ATARAX Len : 2 EVER USED ATARAX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered.....	760	0.09
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	16835	2.01
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	592	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

BUSPAR Len : 2 EVER USED BUSPAR NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered.....	2332	0.28
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	15254	1.82
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	594	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

EQUANIL Len : 2 EVER USED EQUANIL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered.....	262	0.03
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17332	2.07
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

TRANQUILIZERS

FLEXERIL

Len : 2 EVER USED FLEXERIL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	7417	0.89
3 = Response entered LOGICALLY ASSIGNED.....	46	0.01
6 = Response not entered.....	10134	1.21
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

LIBRIUM

Len : 2 EVER USED LIBRIUM NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	1444	0.17
3 = Response entered LOGICALLY ASSIGNED.....	14	0.00
6 = Response not entered.....	16139	1.93
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

LIMBTROL

Len : 2 EVER USED LIMBTROL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	309	0.04
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17285	2.07
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

MEPROB

Len : 2 EVER USED MEPROBAMATE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	391	0.05
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17203	2.06
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

MILTOWN

Len : 2 EVER USED MILTOWN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	220	0.03
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	17376	2.08
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

TRANQUILIZERS

ROHYPNOL

Len : 2 EVER USED ROHYPNOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	1158	0.14
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	16428	1.96
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

SERAX

Len : 2 EVER USED SERAX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	355	0.04
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	17240	2.06
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

SOMA

Len : 2 EVER USED SOMA NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	9652	1.15
3 = Response entered LOGICALLY ASSIGNED.....	70	0.01
6 = Response not entered.....	7875	0.94
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

TRANXENE

Len : 2 EVER USED TRANXENE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	407	0.05
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17187	2.05
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

VISTAR

Len : 2 EVER USED VISTARIL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	909	0.11
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	16677	1.99
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW.....	398	0.05
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	5.17

TRANQUILIZERS

Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?

TRNOLST

Len : 2 EVER USED ANY OTHER TRANQUILIZER NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	4006	0.48
2 = No.....	57064	6.82
4 = No LOGICALLY ASSIGNED	14	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW	850	0.10
97 = REFUSED	140	0.02
98 = BLANK (NO ANSWER)	33	0.00

TRANQUILIZERS

TRNEWA

Len : 4 OTHER TRANQUILIZER - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
101 = Butisol	1	0.00
105 = Placidyl, Ethchlorvynol.....	9	0.00
108 = Nembutal	2	0.00
109 = Seconal	26	0.00
110 = Tuinal.....	10	0.00
111 = Dalmane, Flurazepam.....	3	0.00
112 = Restoril, Temazepam	20	0.00
113 = Halcion, Triazolam	13	0.00
115 = Phenobarbital.....	18	0.00
116 = Methaqualone, Sopor, Quaalude.....	207	0.02
117 = Chloral hydrate, Noctec	2	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	7	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	1	0.00
122 = Over-the-counter sleep aid; not specified <OTC>.....	1	0.00
124 = Yellow jackets	1	0.00
129 = Reds.....	10	0.00
130 = Phenergan, Promethazine.....	3	0.00
131 = Haldol, Haloperidol	6	0.00
137 = 7-14.....	4	0.00
138 = Mandrax, Mandrix [see also 116]	8	0.00
142 = Belladona	1	0.00
156 = Sodium barbital.....	1	0.00
157 = Barbiturates.....	5	0.00
174 = Ambien, Stilnox, Zolpidem.....	87	0.01
178 = Quetiapine, Seroquel.....	114	0.01
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital	1	0.00
189 = Sonata, Zaleplon	3	0.00
191 = Blues	1	0.00
201 = Valium, Diazepam	117	0.01
202 = Librium, Chlordiazepoxide HCL.....	14	0.00
203 = Limbitrol.....	3	0.00
205 = Serax, Oxazepam	3	0.00
206 = Tranxene, Clorazepate, Tranxilium.....	3	0.00
207 = Ativan, Lorazepam, Orfidal	36	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	214	0.03
211 = BuSpar, Buspirone.....	10	0.00
212 = Miltown	1	0.00
213 = Equanil.....	3	0.00
214 = Deprol.....	1	0.00
215 = Vistaril.....	8	0.00
216 = Atarax, Hydroxyzine.....	2	0.00
220 = Meprobamate	4	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	72	0.01
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	476	0.06
223 = Carbacot, Marbaxin, Methocarbamol, Robaxin	11	0.00
225 = Desyrel, Trazodone hydrochloride.....	76	0.01
226 = Stelazine, Trifluoperazine HCL.....	3	0.00
227 = Thorazine	27	0.00
228 = Amitriptyline, Elavil.....	22	0.00
229 = Librax	3	0.00
232 = Mellaril	3	0.00
234 = Flexeril, Cyclobenzaprine	49	0.01
237 = Dormicum, Hypnovel, Midazolam, Versed	1	0.00
240 = Lithium carbonate, Lithonate.....	7	0.00
241 = Prozac, Fluoxetine	21	0.00
245 = Tryptophan.....	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	34	0.00
247 = Adapin, Doxepin, Sinequan	2	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	10	0.00
271 = Sertraline hydrochloride, Zoloft.....	20	0.00
278 = Benzodiazepines	1	0.00
280 = Ketaset.....	3	0.00
282 = Clozapine, Clozaril	1	0.00
283 = Paroxetine, Paxil.....	8	0.00
285 = Risperdal, Risperdol, Resperidone.....	12	0.00
288 = Baclofen.....	5	0.00
289 = Olanzapine, Zyprexa.....	3	0.00
290 = Metaxalone, Skelaxin.....	16	0.00
291 = Celexa, Citalopram	2	0.00

TRANQUILIZERS

293 = Anafranil, Clomipramine	1	0.00
295 = Mirtazapine, Remeron.....	4	0.00
298 = Acepromazine, PromAce	2	0.00
301 = Dexedrine	3	0.00
305 = Biphentamine.....	1	0.00
311 = Preludin.....	1	0.00
318 = Ritalin, Methylphenidate.....	13	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
327 = Black beauties, black beauty	4	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	1	0.00
351 = Cathinone, cat, khat, Q'at	3	0.00
374 = Christmas tree(s).....	2	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	1	0.00
406 = Percodan, Roxiprin	2	0.00
407 = Demerol, Meperidine	2	0.00
408 = Dilaudid, Hydromorphone	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
413 = Talacen	1	0.00
415 = Codeine.....	3	0.00
417 = Morphine, Roxanol	4	0.00
418 = Methadone, Dolophine.....	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	4	0.00
422 = Motrin.....	4	0.00
423 = Percocet	3	0.00
425 = Advil <OTC>.....	1	0.00
427 = Darvocet, Davocet-N	3	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
431 = Tylox	2	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	6	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	5	0.00
442 = Ibuprofen	11	0.00
462 = Norflex.....	1	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	1	0.00
477 = Melumbrina, Neo-Melumbrina	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
496 = Ultram.....	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
603 = Mescaline.....	1	0.00
658 = Special K, Ketamine	388	0.05
663 = Animal tranquilizer, horse tranquilizer	41	0.00
703 = Opium.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820 = Penicillin.....	4	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	2	0.00
828 = Tetracycline	4	0.00
844 = Blood pressure medication.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	2	0.00
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
873 = Contraceptives, Ferutal, Ortho Novum	1	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
896 = Catapres, Clonidine.....	4	0.00
1006 = Trileptal, Oxcarbazepine	2	0.00
1008 = Rohr 714, Rorer 714	2	0.00
1009 = Mogadon, Nitrazepam.....	1	0.00
1011 = Lunesta	3	0.00
1013 = Ambien CR.....	2	0.00
1018 = Advil PM <OTC>	1	0.00
1021 = Seroquel XR	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	75	0.01
2002 = Muscle relaxers	28	0.00
2003 = Zanies, zannies, zans, zany bars.....	3	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil	9	0.00
2005 = Insidon, Opipramol	1	0.00
2007 = R2	1	0.00
2008 = 747.....	2	0.00
2010 = Buscopan, Espacil.....	1	0.00
2011 = Lexapro.....	8	0.00
2012 = Geodon, Ziprasidone.....	1	0.00
2018 = 4 Bar, Quad Bar	1	0.00
2021 = Lidone, Moban, Molindone.....	1	0.00
2022 = Tetrazepam	1	0.00
2026 = Sedoxil.....	1	0.00

TRANQUILIZERS

2027 = Homemade tranquilizers	1	0.00
2029 = Etizolam.....	1	0.00
3023 = Adderall	53	0.01
3026 = Bupropion, Wellbutrin, Zyban	1	0.00
3037 = Effexor.....	4	0.00
3052 = Speed; otherwise unspecified.....	2	0.00
3077 = Concerta.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol,Tegretol.....	3	0.00
4024 = Reynol.....	1	0.00
4027 = Rorer.....	2	0.00
4033 = Vicoprofen.....	1	0.00
4035 = Nabumetone, Relafen.....	2	0.00
4043 = Tramadol.....	6	0.00
4044 = Hydrocodone.....	3	0.00
4046 = Oxycodone or unspecified oxycodone products.....	1	0.00
4051 = Celebrex.....	2	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	1	0.00
4057 = Mejoral	1	0.00
4067 = OxyContin	8	0.00
4077 = Tee's.....	1	0.00
4082 = Analgin, Dipyron, Metamizol, Metamizole, Prodolin	4	0.00
4091 = K4	1	0.00
4098 = Banamine	1	0.00
4104 = Dolo-Neurobion	2	0.00
4109 = Suboxone	2	0.00
4120 = Numorphan, Opana, Oxymorphone	2	0.00
6076 = Lemon 714.....	2	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6114 = Molly; not otherwise specified.....	2	0.00
8002 = Zantac	1	0.00
8007 = Gabapentin, Neurontin.....	10	0.00
8008 = Antidepressant; type unspecified	2	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	1	0.00
8035 = Prednisone	1	0.00
8052 = Bactrim, Septra	1	0.00
8066 = Viagra	1	0.00
8085 = Anti-psychotics/schizophrenic; type unspcfd.....	1	0.00
8097 = Tizanidine, Zanaflex	12	0.00
8117 = Hydrocortisone	1	0.00
8141 = Gamma butyrolactone, GBL.....	1	0.00
8144 = Clarinex, Desloratadine.....	1	0.00
8172 = Cortisone.....	1	0.00
8195 = Anti-seizures; type unspecified	1	0.00
8198 = Handle bars, handlebars	2	0.00
8203 = Bar; otherwise unspecified.....	5	0.00
8225 = Cymbalta, Duloxetine	2	0.00
8228 = Boldo	1	0.00
8229 = ADHD/ADD medication; otherwise unspfd.....	1	0.00
8233 = Keppra, Levetiracetam.....	1	0.00
8236 = Lyrica, Pregabalin.....	1	0.00
8247 = Abilify, Aripiprazole.....	3	0.00
8279 = Coumadin, Warfarin	1	0.00
8284 = Desvenlafaxine, Prestiq.....	1	0.00
8317 = Namenda.....	1	0.00
8326 = Dalay.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	48	0.01
9989 = LEGITIMATE SKIP Logically assigned	14	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	78.94
9997 = REFUSED	235	0.03
9998 = BLANK (NO ANSWER).....	1990	0.24
9999 = LEGITIMATE SKIP.....	57064	6.82

TRANQUILIZERS

TRNEWB

Len : 4 OTHER TRANQUILIZER - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
105 = Placidyl, Ethchlorvynol.....	5	0.00
108 = Nembutal	3	0.00
109 = Seconal	7	0.00
110 = Tuinal.....	3	0.00
112 = Restoril, Temazepam	1	0.00
113 = Halcion, Triazolam	1	0.00
115 = Phenobarbital	2	0.00
116 = Methaqualone, Sopor, Quaalude	13	0.00
117 = Chloral hydrate, Noctec	1	0.00
119 = Secobarbital.....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
124 = Yellow jackets	2	0.00
129 = Reds	3	0.00
130 = Phenergan, Promethazine.....	1	0.00
131 = Haldol, Haloperidol	1	0.00
137 = 7-14.....	6	0.00
138 = Mandrax, Mandrix [see also 116]	2	0.00
174 = Ambien, Stilnox, Zolpidem.....	5	0.00
178 = Quetiapine, Seroquel.....	9	0.00
188 = Estazolam, Prosom.....	1	0.00
189 = Sonata, Zaleplon	1	0.00
201 = Valium, Diazepam	31	0.00
202 = Librium, Chlordiazepoxide HCl.....	1	0.00
205 = Serax, Oxazepam	1	0.00
207 = Ativan, Lorazepam, Orfidal	5	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	18	0.00
211 = BuSpar, Buspirone.....	2	0.00
212 = Miltown	1	0.00
215 = Vistaril.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	10	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	36	0.00
223 = Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	10	0.00
227 = Thorazine.....	3	0.00
228 = Amitriptyline, Elavil	1	0.00
234 = Flexeril, Cyclobenzaprine	10	0.00
237 = Dormicum, Hypnovel, Midazolam, Versed	1	0.00
241 = Prozac, Fluoxetine	5	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	14	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	1	0.00
271 = Sertraline hydrochloride, Zoloft.....	2	0.00
278 = Benzodiazepines	2	0.00
280 = Ketaset	5	0.00
283 = Paroxetine, Paxil	1	0.00
285 = Risperdal, Risperdol, Risperidone	2	0.00
289 = Olanzapine, Zyprexa	2	0.00
291 = Celexa, Citalopram	2	0.00
296 = Novoxapam.....	1	0.00
312 = Ionamin.....	1	0.00
318 = Ritalin, Methylphenidate.....	5	0.00
374 = Christmas tree(s).....	1	0.00
401 = Darvon	1	0.00
407 = Demerol, Meperidine	1	0.00
411 = Talwin.....	1	0.00
415 = Codeine.....	1	0.00
417 = Morphine, Roxanol	1	0.00
418 = Methadone, Dolophine.....	1	0.00
422 = Motrin.....	3	0.00
423 = Percocet	2	0.00
425 = Advil <OTC>.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	3	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	1	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
442 = Ibuprofen	1	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze	1	0.00
658 = Special K, Ketamine	22	0.00
663 = Animal tranquilizer, horse tranquilizer	17	0.00
703 = Opium.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
896 = Catapres, Clonidine.....	1	0.00

TRANQUILIZERS

1006 = Trileptal, Oxcarbazepine.....	1	0.00
1009 = Mogadon, Nitrazepam.....	1	0.00
1011 = Lunesta	2	0.00
2001 = Sanoma, Soma, Carisoprodol.....	8	0.00
2002 = Muscle relaxers	1	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotamil	1	0.00
2008 = 747	1	0.00
2011 = Lexapro.....	2	0.00
2017 = Motival	1	0.00
3017 = Dayquil <OTC>	1	0.00
3023 = Adderall	5	0.00
3026 = Bupropion, Wellbutrin, Zyban	1	0.00
3052 = Speed; otherwise unspecified.....	1	0.00
3086 = Adderall XR.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol.....	1	0.00
4043 = Tramadol.....	1	0.00
4047 = Roxicet.....	1	0.00
4058 = Totem poles	1	0.00
4067 = OxyContin	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6149 = Tiletamine.....	1	0.00
8007 = Gabapentin, Neurontin.....	2	0.00
8012 = Coriciden <OTC>	1	0.00
8017 = Buscapina.....	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
8098 = Potassium chloride.....	1	0.00
8203 = Bar; otherwise unspecified.....	1	0.00
8210 = Mylan(s); no other information	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8289 = Ear drops; contents unspecified.....	1	0.00
8326 = Dalay.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	31	0.00
9989 = LEGITIMATE SKIP Logically assigned	4	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	78.94
9997 = REFUSED	148	0.02
9998 = BLANK (NO ANSWER).....	4510	0.54
9999 = LEGITIMATE SKIP.....	57074	6.82

TRANQUILIZERS

TRNEWC

Len : 4 OTHER TRANQUILIZER - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
108 = Nembutal	1	0.00
109 = Seconal	2	0.00
110 = Tuinal.....	1	0.00
115 = Phenobarbital	1	0.00
116 = Methaqualone, Sopor, Quaalude	3	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	1	0.00
129 = Reds.....	1	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	4	0.00
201 = Valium, Diazepam	12	0.00
202 = Librium, Chlordiazepoxide HCl.....	2	0.00
205 = Serax, Oxazepam	1	0.00
207 = Ativan, Lorazepam, Orfidal	3	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	5	0.00
215 = Vistaril	1	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	17	0.00
223 = Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.00
227 = Thorazine	1	0.00
234 = Flexeril, Cyclobenzaprine	3	0.00
241 = Prozac, Fluoxetine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	4	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
289 = Olanzapine, Zyprexa	1	0.00
417 = Morphine, Roxanol	1	0.00
418 = Methadone, Dolophine.....	1	0.00
422 = Motrin.....	1	0.00
425 = Advil <OTC>.....	2	0.00
431 = Tylox	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
658 = Special K, Ketamine	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
896 = Catapres, Clonidine.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	3	0.00
2002 = Muscle relaxers	1	0.00
2017 = Motival	1	0.00
3023 = Adderall	2	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
8203 = Bar; otherwise unspecified.....	1	0.00
8285 = Mirapex, Pramipexole.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	14	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	78.94
9997 = REFUSED	145	0.02
9998 = BLANK (NO ANSWER).....	4785	0.57
9999 = LEGITIMATE SKIP.....	57078	6.82

TRANQUILIZERS

TRNEWD

Len : 4 OTHER TRANQUILIZER - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
110 = Tuinal.....	2	0.00
113 = Halcion, Triazolam	1	0.00
116 = Methaqualone, Sopor, Quaalude	4	0.00
174 = Ambien, Stilnox, Zolpidem.....	1	0.00
201 = Valium, Diazepam	3	0.00
207 = Ativan, Lorazepam, Orfidal	2	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
211 = BuSpar, Buspirone	1	0.00
215 = Vistaril	1	0.00
216 = Atarax, Hydroxyzine.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	3	0.00
234 = Flexeril, Cyclobenzaprine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	2	0.00
290 = Metaxalone, Skelaxin.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
658 = Special K, Ketamine	4	0.00
8012 = Coriciden <OTC>	2	0.00
8309 = Mucinex <OTC>.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	8	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	78.94
9997 = REFUSED	143	0.02
9998 = BLANK (NO ANSWER).....	4856	0.58
9999 = LEGITIMATE SKIP.....	57078	6.82

TRNEWE

Len : 4 OTHER TRANQUILIZER - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
112 = Restoril, Temazepam	1	0.00
113 = Halcion, Triazolam	1	0.00
116 = Methaqualone, Sopor, Quaalude	2	0.00
201 = Valium, Diazepam	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	2	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	1	0.00
658 = Special K, Ketamine	2	0.00
663 = Animal tranquilizer, horse tranquilizer	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	4	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	78.94
9997 = REFUSED	140	0.02
9998 = BLANK (NO ANSWER).....	4881	0.58
9999 = LEGITIMATE SKIP.....	57078	6.82

The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLONOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

TRNEVER

Len : 2 EVER USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	60708	7.26
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
97 = REFUSED	39	0.00
98 = BLANK (NO ANSWER)	1373	0.16

TRANQUILIZERS

How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANAGE

Len : 3 AGE WHEN FIRST USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 85	58912	7.04
-9 = Data not collected for this year	114043	13.63
981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
985 = BAD DATA Logically assigned	334	0.04
991 = NEVER USED TRANQUILIZERS	660447	78.94
994 = DON'T KNOW	1145	0.14
997 = REFUSED	369	0.04
998 = BLANK (NO ANSWER).....	1360	0.16

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRAN7FU

Len : 4 YEAR OF FIRST TRANQUILIZER USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	9242	1.10
-9 = Data not collected for this year	114043	13.63
9981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
9985 = BAD DATA Logically assigned	942	0.11
9989 = LEGITIMATE SKIP Logically assigned	460	0.05
9991 = NEVER USED TRANQUILIZERS	660447	78.94
9994 = DON'T KNOW	1183	0.14
9997 = REFUSED	380	0.05
9998 = BLANK (NO ANSWER).....	1393	0.17
9999 = LEGITIMATE SKIP	48520	5.80

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM TR07a or TR07b] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANMFU

Len : 2 MONTH OF FIRST TRANQUILIZER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = January.....	818	0.10
2 = February.....	697	0.08
3 = March.....	792	0.09
4 = April	666	0.08
5 = May.....	691	0.08
6 = June.....	849	0.10
7 = July	807	0.10
8 = August	659	0.08
9 = September	667	0.08
10 = October	714	0.09
11 = November	632	0.08
12 = December.....	554	0.07
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	939	0.11
89 = LEGITIMATE SKIP Logically assigned	460	0.05
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
94 = DON'T KNOW	1857	0.22
97 = REFUSED	402	0.05
98 = BLANK (NO ANSWER)	1396	0.17
99 = LEGITIMATE SKIP.....	48520	5.80

TRANQUILIZERS

How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANREC Len : 2 TIME SINCE LAST USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	6767	0.81
2 = More than 30 days ago but within the past 12 mos	13368	1.60
3 = More than 12 months ago	39324	4.70
8 = Used at some point in the past 12 mos LOG ASSN	125	0.01
9 = Used at some point in lifetime LOG ASSN	1112	0.13
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	12	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
97 = REFUSED	39	0.00
98 = BLANK (NO ANSWER)	1359	0.16

TRNYRTOT Len : 3 TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	19902	2.38
-9 = Data not collected for this year	114043	13.63
981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
985 = BAD DATA Logically assigned	153	0.02
991 = NEVER USED TRANQUILIZERS.....	660447	78.94
993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
994 = DON'T KNOW	179	0.02
997 = REFUSED	91	0.01
998 = BLANK (NO ANSWER).....	2471	0.30

TRTOTFG Len : 2 TRIMMING INDICATOR FOR TRNYRTOT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Trimmed to 365 days (no further editing).....	1	0.00
98 = BLANK (NO ANSWER)	722652	86.37

TRFQFLG Len : 2 TRIMMED TRNYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Trimmed to be consistent with mo/yr of 1st use	1502	0.18
98 = BLANK (NO ANSWER)	721151	86.19

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?

TRBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Prefer to answer in days per week.....	3060	0.37
2 = Prefer to answer in days per month.....	5295	0.63
3 = Prefer to answer in days per year	11491	1.37
11 = Prefer to ans in days per wk LOG ASSN.....	21	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	45	0.01
13 = Prefer to ans in days per yr LOG ASSN	136	0.02
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	153	0.02
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
94 = DON'T KNOW	62	0.01
97 = REFUSED	62	0.01
98 = BLANK (NO ANSWER)	2471	0.30

TRANQUILIZERS

On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPYR Len : 3 # DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	11591	1.39
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
985 = BAD DATA Logically assigned	37	0.00
989 = LEGITIMATE SKIP Logically assigned	56	0.01
991 = NEVER USED TRANQUILIZERS.....	660447	78.94
993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
994 = DON'T KNOW	95	0.01
997 = REFUSED	65	0.01
998 = BLANK (NO ANSWER).....	2587	0.31
999 = LEGITIMATE SKIP.....	8365	1.00

On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPMO Len : 2 # DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	5284	0.63
-9 = Data not collected for this year.....	114043	13.63
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	46	0.01
89 = LEGITIMATE SKIP Logically assigned	21	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
94 = DON'T KNOW	136	0.02
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	2578	0.31
99 = LEGITIMATE SKIP.....	14651	1.75

On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPWK Len : 2 # DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	3027	0.36
-9 = Data not collected for this year.....	114043	13.63
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	70	0.01
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
94 = DON'T KNOW	179	0.02
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER)	2554	0.31
99 = LEGITIMATE SKIP.....	16875	2.02

TRANQUILIZERS

The next question asks about using **prescription tranquilizers** in any way **a doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way **a doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription tranquilizer in any way **a doctor did not direct you to use it?**

TRQNMLIF	Len : 2	EVER USED TRANQUILIZER NOT DIRECTED BY DR		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	2039	0.24
		2 = No	16236	1.94
		5 = Yes LOGICALLY ASSIGNED (from skip pattern)	3154	0.38
		85 = BAD DATA Logically assigned	94	0.01
		91 = NEVER USED/MISUSED TRANQUILIZERS	91730	10.96
		94 = DON'T KNOW	23	0.00
		97 = REFUSED	17	0.00
		98 = BLANK (NO ANSWER)	750	0.09

NOTE: The variable TRQNMREC is a recoded variable that was created from TRQNMLIF, the 12-month misuse variables for XANAXNMYR through TRANQOTNMYR, and TRANQNM30DY.

TRQNMREC	Len : 2	RC - MOST RECENT TRANQUILIZER MISUSE (RECODE)		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Within the past 30 days.....	1015	0.12
		2 = More than 30 days ago but within the past 12 mos	2129	0.25
		3 = More than 12 months ago	2034	0.24
		8 = Misused at some point in past 12 mos LOG ASSN.....	10	0.00
		9 = Misused at some point in lifetime LOG ASSN	5	0.00
		83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	510	0.06
		91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
		98 = BLANK (NO ANSWER)	374	0.04

NOTE: TRQNMINIT is "reverse coded" from the answers in TRL03. TRL03=1 (yes) was recoded to 2 in TRQNMINIT because this answer means that the respondent misused tranquilizers before the past 12 months (and therefore is not a past year initiate for misuse of tranquilizers). TRL03=2 (no) was recoded to 1 in TRQNMINIT because this answer means that the respondent did not misuse tranquilizers before the past 12 months (and therefore is a past year initiate for misuse of tranquilizers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription tranquilizer in a way a doctor did not direct you to use it?

TRQNMINT	Len : 2	PAST YEAR INITIATE FOR ANY TRANQUILIZER MISUSE		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Past year initiate.....	906	0.11
		2 = Not a past year initiate	196	0.02
		4 = Not past yr initiate LOG ASSN (from skip pattern).....	2036	0.24
		83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	510	0.06
		91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	2034	0.24
		94 = DON'T KNOW	11	0.00
		97 = REFUSED	5	0.00
		98 = BLANK (NO ANSWER)	379	0.05

TRANQUILIZERS

NOTE: The variables TRQNMAGE, TRQNMYSFU, and TRQNMMSFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of tranquilizers in the 12 months prior to being interviewed (TRQNMINIT=1).

TRQNMAGE Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 12 - 68	875	0.10
-9 = Data not collected for this year.....	722653	86.37
983 = NOT A PAST YEAR INITIATE Log assn.....	510	0.06
991 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
993 = NOT A PAST YEAR INITIATE.....	4266	0.51
998 = BLANK (NO ANSWER).....	426	0.05

TRQNMYSFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 2014 - 2016	871	0.10
-9 = Data not collected for this year.....	722653	86.37
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	510	0.06
9991 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
9993 = NOT A PAST YEAR INITIATE	4266	0.51
9998 = BLANK (NO ANSWER).....	430	0.05

TRQNMMSFU Len : 2 RC - MO 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	81	0.01
2 = February.....	57	0.01
3 = March.....	65	0.01
4 = April	69	0.01
5 = May.....	62	0.01
6 = June.....	88	0.01
7 = July	69	0.01
8 = August	58	0.01
9 = September.....	73	0.01
10 = October	89	0.01
11 = November	70	0.01
12 = December.....	52	0.01
83 = NOT A PAST YEAR INITIATE Logically assigned	510	0.06
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = NOT A PAST YEAR INITIATE	4266	0.51
98 = BLANK (NO ANSWER)	468	0.06

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

TRQNM30D Len : 2 USED TRANQ NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	927	0.11
2 = No.....	2129	0.25
5 = Yes LOGICALLY ASSIGNED.....	88	0.01
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	5	0.00
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	2539	0.30
94 = DON'T KNOW	2	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	374	0.04

TRANQUILIZERS

During the past 30 days, on how many days did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

TRQNM30FQ Len : 2 # DAYS USED TRANQ NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	1001	0.12
-9 = Data not collected for this year	722653	86.37
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	4671	0.56
94 = DON'T KNOW	10	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	387	0.05

What is your best estimate of the number of days you used [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] during the past 30 days?

TRQNM30ES Len : 2 EST # DAYS USED TRANQ NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = 1 or 2 days	3	0.00
2 = 3 to 5 days	2	0.00
4 = 10 to 19 days	1	0.00
6 = All 30 days	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	4673	0.56
94 = DON'T KNOW	5	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	389	0.05
99 = LEGITIMATE SKIP	1001	0.12

NOTE: Responses of "yes" in TRQNM30AL were assigned a code of 11 when respondents reported that they misused tranquilizers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when TRQNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

TRQNM30AL Len : 2 USED TRANQ NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	384	0.05
2 = No	398	0.05
11 = Yes (ALCREC=8)	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	4673	0.56
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	394	0.05
99 = LEGITIMATE SKIP	225	0.03

Which of these statements describe your use of [TRNAMEFILL] at any time in the past 12 months?

TRQWYNORX Len : 2 USED TRANQ W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	2320	0.28
2 = No (not entered)	770	0.09
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	3	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	2541	0.30
94 = DON'T KNOW	28	0.00
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER)	377	0.05

TRANQUILIZERS

TRQWYGAMT	Len : 2 USED TRANQ IN GREATER AMTS THAN RX PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	458	0.05
	2 = No (not entered).....	2632	0.31
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
	94 = DON'T KNOW.....	28	0.00
	97 = REFUSED	36	0.00
	98 = BLANK (NO ANSWER)	375	0.04

TRQWYOFTN	Len : 2 USED TRANQ MORE OFTEN THAN RX PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	252	0.03
	2 = No (not entered).....	2838	0.34
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
	94 = DON'T KNOW.....	28	0.00
	97 = REFUSED	36	0.00
	98 = BLANK (NO ANSWER)	378	0.05

TRQWYLNDR	Len : 2 USED TRANQ LONGER THAN RX PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	140	0.02
	2 = No (not entered).....	2950	0.35
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	2	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2542	0.30
	94 = DON'T KNOW.....	28	0.00
	97 = REFUSED	36	0.00
	98 = BLANK (NO ANSWER)	378	0.05

TRQWYOTWY	Len : 2 USED TRANQ OTHER WAY NOT DIRECTED PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	604	0.07
	2 = No (not entered).....	2486	0.30
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	2	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2542	0.30
	94 = DON'T KNOW.....	28	0.00
	97 = REFUSED	36	0.00
	98 = BLANK (NO ANSWER)	378	0.05

Now think about the last time you used [TRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [TRLASTFILL2] the last time?

TRQRSRELX	Len : 2 USED LAST TRANQ (NOT DIRECTED) TO RELAX		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	1835	0.22
	2 = No (not entered).....	1276	0.15
	3 = Yes LOGICALLY ASSIGNED.....	20	0.00
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2541	0.30
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER)	379	0.05

TRANQUILIZERS

TRQRSEXPT	Len : 2 USED LAST TRANQ (NOT DIRECTED) TO EXPERIMENT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	446	0.05
	2 = No (not entered).....	2679	0.32
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER)	377	0.05

TRQRSHIGH	Len : 2 USED LAST TRANQ (NOT DIRECTED) TO GET HIGH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	826	0.10
	2 = No (not entered).....	2300	0.27
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER)	377	0.05

TRQRSSLEP	Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR SLEEP		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	979	0.12
	2 = No (not entered).....	2150	0.26
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2542	0.30
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER)	379	0.05

TRQRSEMOT	Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR EMOTIONS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	743	0.09
	2 = No (not entered).....	2383	0.28
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER)	379	0.05

TRQRSDGFX	Len : 2 USED LAST TRANQ (NOT DIRECTED) OTH DRUG EFFECT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	155	0.02
	2 = No (not entered).....	2975	0.36
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER)	379	0.05

TRANQUILIZERS

TRQRSHOOK

Len : 2 USED LAST TRANQ (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	33	0.00
2 = No (not entered).....	3097	0.37
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
94 = DON'T KNOW.....	9	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER)	379	0.05

TRQRSSOR

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	157	0.02
2 = No (not entered).....	2974	0.36
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2542	0.30
94 = DON'T KNOW.....	9	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER)	378	0.05

Please type in the other reason you used [TRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

TRQRSOTRS2

Len : 3 REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = To relieve physical pain.....	35	0.00
2 = To relax or relieve tension	33	0.00
3 = To experiment or to see what it's/they're like	6	0.00
4 = To feel good or get high.....	6	0.00
5 = To help with my sleep.....	4	0.00
6 = To help me with my feelings or emotions.....	10	0.00
7 = To increase/decrease effects of some other drug.....	1	0.00
8 = Because I am "hooked" or I have to have it/them	1	0.00
13 = I used it/them for some other reason	28	0.00
14 = For cold/flu/fever/sick; pain not specified.....	3	0.00
16 = Suicide attempt/suicidal thoughts	13	0.00
22 = To prevent/treat anxiety/panic attacks.....	4	0.00
26 = To replace another/other drug(s) I am addicted to.....	6	0.00
983 = DID NOT USE TRANQ IN THE PAST 12 MOS Logically assigned.....	1	0.00
985 = BAD DATA (logically assigned).....	3	0.00
991 = NEVER USED TRANQUILIZERS.....	107966	12.90
993 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2543	0.30
994 = DON'T KNOW	3	0.00
997 = REFUSED	2	0.00
998 = BLANK (no answer).....	401	0.05
999 = LEGITIMATE SKIP.....	2974	0.36

TRANQUILIZERS

Which was the main reason you used [TRLASTFILL2] the last time?

TRQRSMAIN	Len : 2 MAIN REASON USED LAST TRANQ (NOT DIRECTED)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = To relax or relieve tension	460	0.05
	2 = To experiment or to see what it was/they were like	58	0.01
	3 = To feel good or get high.....	178	0.02
	4 = To help with my sleep.....	186	0.02
	5 = To help me with my feelings or emotions.....	213	0.03
	6 = To increase or decrease the effect(s) of some other drug	32	0.00
	7 = Because I am 'hooked' or I have to have it/them	4	0.00
	8 = The other reason I reported	21	0.00
	11 = To relax or relieve tension LOGICALLY ASSIGNED.....	8	0.00
	14 = To help with my sleep LOGICALLY ASSIGNED	1	0.00
	15 = To help with feelings/emotions LOGICALLY ASSIGNED	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS	107966	12.90
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2544	0.30
	94 = DON'T KNOW	1	0.00
	98 = BLANK (NO ANSWER)	402	0.05
	99 = LEGITIMATE SKIP.....	1966	0.23

NOTE: TRQNORXFG is set to 1 when respondents reported that the only way they misused tranquilizers in the past year was without a prescription. These respondents also reported that the last tranquilizer they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

TRQNORXFG	Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST TRANQ		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	58	0.01
	98 = BLANK (NO ANSWER)	113985	13.62

STIMULANTS

STIMULANTS

These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.

Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.

Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

METHDES

Len : 2 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	25557	3.05
2 = No.....	29040	3.47
3 = Yes LOGICALLY ASSIGNED.....	15	0.00
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW	501	0.06
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER)	37	0.00

Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphedamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?

DIETPILS

Len : 2 EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	15708	1.88
2 = No.....	38813	4.64
3 = Yes LOGICALLY ASSIGNED.....	84	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW	478	0.06
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER)	37	0.00

Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?

RITMPHEN

Len : 2 EVER USED RITALIN OR METHYLPHENIDATE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	21596	2.58
2 = No.....	32980	3.94
3 = Yes LOGICALLY ASSIGNED.....	15	0.00
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW	484	0.06
97 = REFUSED	123	0.01
98 = BLANK (NO ANSWER)	37	0.00

STIMULANTS

Please look at the stimulants shown below the red line on Card C.

Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?

STM CARD Len : 2 EVER USED ANY STIMULANT BELOW RED LINE ON CARD C

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	7991	0.96
2 = No.....	46472	5.55
3 = Yes LOGICALLY ASSIGNED.....	49	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW.....	569	0.07
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER)	39	0.00

Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CYLERT Len : 2 EVER USED CYLERT NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	576	0.07
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	6899	0.82
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW.....	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	618	0.07
99 = LEGITIMATE SKIP.....	46472	5.55

DEXED Len : 2 EVER USED DEXEDRINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	4176	0.50
3 = Response entered LOGICALLY ASSIGNED	19	0.00
6 = Response not entered	3282	0.39
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW.....	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	620	0.07
99 = LEGITIMATE SKIP.....	46472	5.55

DETAMP Len : 2 EVER USED DEXTROAMPHETAMINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	2032	0.24
3 = Response entered LOGICALLY ASSIGNED	8	0.00
6 = Response not entered	5437	0.65
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW.....	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	619	0.07
99 = LEGITIMATE SKIP.....	46472	5.55

STIMULANTS

DIDREX

Len : 2 EVER USED DIDREX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	436	0.05
6 = Response not entered	7041	0.84
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	620	0.07
99 = LEGITIMATE SKIP	46472	5.55

ESKAT

Len : 2 EVER USED ESKATROL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	325	0.04
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered	7149	0.85
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	620	0.07
99 = LEGITIMATE SKIP	46472	5.55

IONAMIN

Len : 2 EVER USED IONAMIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	603	0.07
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered	6868	0.82
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	620	0.07
99 = LEGITIMATE SKIP	46472	5.55

MAZANOR

Len : 2 EVER USED MAZANOR NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	200	0.02
6 = Response not entered	7277	0.87
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	619	0.07
99 = LEGITIMATE SKIP	46472	5.55

OBLA

Len : 2 EVER USED OBEDRIN-LA NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	86	0.01
6 = Response not entered	7391	0.88
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	620	0.07
99 = LEGITIMATE SKIP	46472	5.55

STIMULANTS

PLEGINE

Len : 2 EVER USED PLEGINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	159	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	7316	0.87
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	619	0.07
99 = LEGITIMATE SKIP	46472	5.55

PRELUDIN

Len : 2 EVER USED PRELUDIN NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	730	0.09
3 = Response entered LOGICALLY ASSIGNED	12	0.00
6 = Response not entered	6735	0.80
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	619	0.07
99 = LEGITIMATE SKIP	46472	5.55

SANOREX

Len : 2 EVER USED SANOREX NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	363	0.04
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	7110	0.85
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	620	0.07
99 = LEGITIMATE SKIP	46472	5.55

TENUATE

Len : 2 EVER USED TENUATE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	315	0.04
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered	7159	0.86
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED STIMULANTS	667239	79.75
94 = DON'T KNOW	408	0.05
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	620	0.07
99 = LEGITIMATE SKIP	46472	5.55

STIMULANTS

Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?

STMNOLST

Len : 2 EVER USED ANY OTHER STIMULANT NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	8831	1.06
2 = No.....	45377	5.42
4 = No LOGICALLY ASSIGNED	69	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW	777	0.09
97 = REFUSED	141	0.02
98 = BLANK (NO ANSWER)	40	0.00

STIMULANTS

STIMNEWA

Len : 4 OTHER STIMULANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
105 = Placidyl, Ethchlorvynol.....	1	0.00
109 = Seconal	1	0.00
111 = Dalmane, Flurazepam	1	0.00
116 = Methaqualone, Sopor, Quaalude	7	0.00
124 = Yellow jackets	50	0.01
129 = Reds.....	4	0.00
137 = 7-14.....	1	0.00
139 = Black widows	4	0.00
142 = Belladonna	1	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	4	0.00
178 = Quetiapine, Seroquel.....	8	0.00
201 = Valium, Diazepam	7	0.00
207 = Ativan, Lorazepam, Orfidal	5	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	20	0.00
213 = Equanil.....	1	0.00
216 = Atarax, Hydroxyzine	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	3	0.00
227 = Thorazine.....	1	0.00
234 = Flexeril, Cyclobenzaprine	2	0.00
235 = Imipramine.....	1	0.00
240 = Lithium carbonate, Lithonate.....	8	0.00
241 = Prozac, Fluoxetine	10	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	11	0.00
283 = Paroxetine, Paxil	1	0.00
285 = Risperdal, Risperdol, Risperidone	1	0.00
291 = Celexa, Citalopram	2	0.00
295 = Mirtazapine, Remeron.....	1	0.00
301 = Dexedrine	22	0.00
302 = Dexamyl	3	0.00
303 = Eskatrol.....	3	0.00
304 = Benzedrine.....	5	0.00
305 = Biphentamine.....	3	0.00
306 = Desoxyn	3	0.00
307 = Tenuate, Diethylpropion	3	0.00
310 = Plegine	2	0.00
311 = Preludin.....	11	0.00
312 = Ionamin.....	6	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine	106	0.01
314 = Pondimin, Fenfluramine	1	0.00
316 = Sanorex	4	0.00
317 = Mazanor.....	1	0.00
318 = Ritalin, Methylphenidate.....	72	0.01
319 = Cylert	3	0.00
320 = Dextroamphetamine.....	7	0.00
321 = Methedrine.....	5	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	70	0.01
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	128	0.02
325 = USED STIMULANT, DON'T KNOW NAME.....	656	0.08
326 = White cross	152	0.02
327 = Black beauties, black beauty	174	0.02
328 = Pink hearts	22	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	31	0.00
330 = Blue birds, blue jays, blue robins, speckled bird	5	0.00
331 = Blancs, whites.....	19	0.00
332 = Ephedrine.....	82	0.01
333 = 357 Magnum, Magnum 44 <OTC>.....	2	0.00
334 = Crossroads, cross tops.....	76	0.01
336 = Diet pills/medications/drugs; otherwise unspfd	29	0.00
339 = Amphetamines	15	0.00
342 = Purple hearts	1	0.00
344 = Bennies	7	0.00
345 = Black molly.....	33	0.00
346 = Marax.....	1	0.00
347 = Phenylpropanolamine <OTC>	2	0.00
348 = Crystal	4	0.00
349 = Bontril, Melfiat, Phendimetrazine	3	0.00
351 = Cathinone, cat, khat, Q'at	1	0.00
352 = Lemons	1	0.00
353 = No-Doz <OTC>.....	1	0.00
354 = Vivarin <OTC>.....	1	0.00

STIMULANTS

355 = Crystal meth, crystal methamphetamine	16	0.00
356 = Dexies	1	0.00
358 = 20/20	1	0.00
359 = Criss cross.....	1	0.00
374 = Christmas tree(s)	17	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin.....	8	0.00
380 = Pink ladies.....	4	0.00
382 = Footballs, purple footballs.....	3	0.00
396 = Black RJs, RJ8	1	0.00
406 = Percodan, Roxiprin	1	0.00
407 = Demerol, Meperidine	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	2	0.00
415 = Codeine.....	2	0.00
417 = Morphine, Roxanol	4	0.00
418 = Methadone, Dolophine.....	3	0.00
419 = Stadol, Stadol NS.....	1	0.00
422 = Motrin.....	2	0.00
423 = Percocet	5	0.00
427 = Darvocet, Davocet-N	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	10	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	3	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
442 = Ibuprofen	7	0.00
458 = Finalin, Mepergan, Mepergan Fortis, Meprozone.....	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
496 = Ultram.....	1	0.00
601 = LSD ("acid")	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	6	0.00
614 = MDA, Methylenedioxy amphetamine	1	0.00
629 = Rocket Fuel.....	1	0.00
635 = Ginseng seeds, ginseng weed	1	0.00
637 = Purple haze	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	1	0.00
658 = Special K, Ketamine	4	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
802 = THC, cannabinoil, marinol, tetrahydrocannabinol	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	12	0.00
806 = Crack, rock.....	1	0.00
809 = Pills.....	1	0.00
814 = Caffeine <OTC>	2	0.00
824 = Steroids	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
858 = Antibiotic	1	0.00
873 = Contraceptives, Ferutal, Ortho Novum	1	0.00
876 = Glass	4	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
896 = Catapres, Clonidine.....	1	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	2	0.00
2002 = Muscle relaxers.....	2	0.00
2011 = Lexapro.....	2	0.00
3001 = Brown and clear	3	0.00
3004 = Black cadillac.....	3	0.00
3006 = Green amps.....	1	0.00
3007 = Nasal inhalant	1	0.00
3008 = Miniwhites	1	0.00
3009 = Ephedrone, Methcathinone	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine).....	12	0.00
3018 = Up-johns	1	0.00
3023 = Adderall	4877	0.58
3026 = Bupropion, Wellbutrin, Zyban	4	0.00
3027 = Energy pills.....	4	0.00
3028 = Blackbirds.....	1	0.00
3030 = Red hearts	1	0.00
3035 = Blacks	1	0.00
3036 = Ripped fuel <OTC>	1	0.00
3037 = Effexor.....	2	0.00
3041 = Desbutal.....	3	0.00
3042 = 30-30.....	1	0.00
3044 = Caffeine pills <OTC>	1	0.00
3046 = Adrenalin, Epinephrine	3	0.00
3049 = Truck driver's speed	1	0.00
3050 = Mini thins.....	17	0.00
3052 = Speed; otherwise unspecified.....	127	0.02

STIMULANTS

3055 = Clenbuterol	3	0.00
3060 = Hydroxycut <OTC>	2	0.00
3064 = Ephedra, Ma Huang	12	0.00
3069 = DextroStat	3	0.00
3077 = Concerta	135	0.02
3078 = Blue and clears	4	0.00
3079 = Orlistat, Xenical	1	0.00
3080 = Meridia, Sibutramine	4	0.00
3082 = Fat burner; not otherwise specified	1	0.00
3083 = Redotex	2	0.00
3084 = Cartwheels	1	0.00
3086 = Adderall XR	19	0.00
3087 = Strattera	11	0.00
3088 = Super Stingers <OTC>	1	0.00
3089 = Christina, Tina	1	0.00
3090 = Provigil, Modafinil	29	0.00
3092 = Metadate CD	1	0.00
3093 = Supercaps	1	0.00
3094 = Dexmethylphenidate, Focalin	37	0.00
3096 = Yaba	1	0.00
3097 = Bamadex	1	0.00
3099 = Asenlix, Clobenzorex	2	0.00
3102 = Methylin	4	0.00
3103 = RedLine <OTC>	1	0.00
3104 = Slimquick <OTC>	1	0.00
3105 = Affinato	1	0.00
3110 = Dexfenfluramine, Redux	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse	188	0.02
3112 = Metadate	3	0.00
3114 = Ritalin LA	2	0.00
3116 = MCAT, Mephedrone	3	0.00
3119 = MDPV, Methylenedioxypropylvalerone	2	0.00
3121 = Obitrol	1	0.00
3122 = Armodafinil, Nuvigil	3	0.00
3124 = Focalin XR	1	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine	1	0.00
3130 = IFA-Norex	1	0.00
3187 = Greenies	1	0.00
4007 = Happy pills	1	0.00
4044 = Hydrocodone	2	0.00
4046 = Oxycodone or unspecified oxycodone products	1	0.00
4047 = Roxicet	1	0.00
4057 = Mejoral	1	0.00
4064 = Epidrin	1	0.00
4067 = OxyContin	4	0.00
4069 = Benflogin	1	0.00
4102 = Mobic, Meloxicam	1	0.00
4116 = Phenergan with codeine, promethazine with codeine	1	0.00
4138 = Sprix	1	0.00
6029 = DXM	1	0.00
6048 = Dex	1	0.00
6076 = Lemon 714	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6113 = Candy flip	1	0.00
6114 = Molly; not otherwise specified	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	1	0.00
8002 = Zantac	2	0.00
8008 = Antidepressant; type unspecified	4	0.00
8009 = Allergy pills/antihistamine; type unspecified	1	0.00
8010 = Zyrtec, Cetirizine <OTC>	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8012 = Coriciden <OTC>	2	0.00
8020 = Allegra, Altiva	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	8	0.00
8025 = Alavert D, Claritin D, or similar <OTC>	1	0.00
8026 = Powder	1	0.00
8031 = Sugar pills	1	0.00
8058 = Cough medicine/syrup; type unspecified	1	0.00
8061 = Entex LA	1	0.00
8066 = Viagra	6	0.00
8093 = Stacker 2/Stacker 3 <OTC>	3	0.00
8108 = Atenonol	1	0.00
8113 = Test 250, Test 400 <OTC>	1	0.00
8132 = Liquid D-bol	1	0.00
8136 = Montekulast, Singulair	3	0.00

STIMULANTS

8149 = Desenfriol <OTC>	1	0.00
8171 = Dietary supplements; otherwise unspecified	1	0.00
8180 = Avonex	1	0.00
8203 = Bar; otherwise unspecified.....	1	0.00
8229 = ADHD/ADD medication; otherwise unspfd.....	16	0.00
8238 = Decongestant; type unspecified.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8252 = Humatrope	1	0.00
8262 = Green tea/green tea supplement <OTC>	1	0.00
8288 = Azor	1	0.00
8295 = Tenex	1	0.00
8301 = Bath salts, otherwise unspecified	2	0.00
8322 = Horny goat weed.....	1	0.00
8331 = Diophenyl-T.....	1	0.00
8334 = OxyElite Pro	1	0.00
8335 = Metatabs	1	0.00
8345 = Dolo-Doceplex D.....	1	0.00
8350 = Maqui.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned	165	0.02
9985 = BAD DATA Logically assigned	46	0.01
9989 = LEGITIMATE SKIP Logically assigned	69	0.01
9991 = NEVER USED STIMULANTS.....	667239	79.75
9997 = REFUSED	246	0.03
9998 = BLANK (NO ANSWER).....	1770	0.21
9999 = LEGITIMATE SKIP.....	45377	5.42

STIMULANTS

STIMNEWB

Len : 4 OTHER STIMULANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
115 = Phenobarbital.....	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	2	0.00
124 = Yellow jackets.....	19	0.00
129 = Reds.....	3	0.00
145 = Red devil(s).....	1	0.00
171 = NyQuil <OTC>.....	2	0.00
174 = Ambien, Stilnox, Zolpidem.....	1	0.00
177 = Bean.....	1	0.00
201 = Valium, Diazepam.....	3	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	5	0.00
234 = Flexeril, Cyclobenzaprine.....	1	0.00
241 = Prozac, Fluoxetine.....	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
285 = Risperdal, Risperdol, Risperidone.....	2	0.00
290 = Metaxalone, Skelaxin.....	1	0.00
291 = Celexa, Citalopram.....	1	0.00
301 = Dexedrine.....	5	0.00
304 = Benzedrine.....	1	0.00
306 = Desoxyn.....	2	0.00
307 = Tenuate, Diethylpropion.....	1	0.00
311 = Preludin.....	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine.....	14	0.00
318 = Ritalin, Methylphenidate.....	16	0.00
319 = Cylert.....	1	0.00
320 = Dextroamphetamine.....	3	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	8	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED.....	21	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	56	0.01
326 = White cross.....	22	0.00
327 = Black beauties, black beauty.....	31	0.00
328 = Pink hearts.....	6	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	5	0.00
331 = Blancs, whites.....	3	0.00
332 = Ephedrine.....	12	0.00
333 = 357 Magnum, Magnum 44 <OTC>.....	5	0.00
334 = Crossroads, cross tops.....	13	0.00
335 = Dexatrim <OTC>.....	1	0.00
336 = Diet pills/medications/drugs; otherwise unspfd.....	6	0.00
339 = Amphetamines.....	14	0.00
345 = Black molly.....	3	0.00
348 = Crystal.....	2	0.00
349 = Bontril, Melfiat, Phendimetrazine.....	1	0.00
352 = Lemons.....	1	0.00
353 = No-Doz <OTC>.....	2	0.00
355 = Crystal meth, crystal methamphetamine.....	4	0.00
358 = 20/20.....	3	0.00
359 = Criss cross.....	1	0.00
364 = Pseudoephedrine <OTC>.....	2	0.00
374 = Christmas tree(s).....	12	0.00
379 = Hearts.....	1	0.00
380 = Pink ladies.....	1	0.00
385 = Little pink one.....	1	0.00
415 = Codeine.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
442 = Ibuprofen.....	1	0.00
458 = Finalin, Mepergan, Mepergan Fortis, Meprozone.....	1	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol.....	1	0.00
603 = Mescaline.....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
815 = Coffee <OTC>.....	1	0.00
876 = Glass.....	1	0.00
894 = Depakene, Depakote, Valproic acid.....	1	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	1	0.00
1013 = Ambien CR.....	1	0.00
2003 = Zanies, zannies, zans, zany bars.....	1	0.00
3001 = Brown and clear.....	4	0.00
3004 = Black cadillac.....	1	0.00

STIMULANTS

3008 = Miniwhites	1	0.00
3018 = Up-johns	1	0.00
3023 = Adderall	295	0.04
3028 = Blackbirds	1	0.00
3041 = Desbutal	1	0.00
3044 = Caffeine pills <OTC>	2	0.00
3046 = Adrenalin, Epinephrine	1	0.00
3050 = Mini thins	5	0.00
3052 = Speed; otherwise unspecified	17	0.00
3055 = Clenbuterol	1	0.00
3056 = Xenadrine <OTC>	2	0.00
3060 = Hydroxycut <OTC>	2	0.00
3077 = Concerta	102	0.01
3086 = Adderall XR	4	0.00
3087 = Strattera	10	0.00
3090 = Provigil, Modafinil	5	0.00
3094 = Dexmethylphenidate, Focalin	18	0.00
3105 = Affinato	1	0.00
3108 = Wellbutrin XL	1	0.00
3110 = Dexfenfluramine, Redux	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse	130	0.02
3112 = Metadate	1	0.00
3119 = MDPV, Methylenedioxypropylvalerone	1	0.00
3122 = Armodafinil, Nuvigil	1	0.00
3123 = Adrafinil, Olmifon	1	0.00
4044 = Hydrocodone	1	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4067 = OxyContin	1	0.00
4104 = Dolo-Neurobion	1	0.00
4107 = Panlor	1	0.00
4109 = Suboxone	1	0.00
6029 = DXM	1	0.00
6048 = Dex	1	0.00
6114 = Molly; not otherwise specified	2	0.00
8009 = Allergy pills/antihistamine; type unspecified	1	0.00
8012 = Coriciden <OTC>	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	2	0.00
8058 = Cough medicine/syrup; type unspecified	1	0.00
8066 = Viagra	2	0.00
8093 = Stacker 2/Stacker 3 <OTC>	5	0.00
8132 = Liquid D-bol	1	0.00
8137 = 5-HTP, 5-hydroxytryptophan <OTC>	1	0.00
8152 = Thermogenics; otherwise unspecified <OTC>	1	0.00
8176 = TrimSpa <OTC>	1	0.00
8194 = Afrin <OTC>	1	0.00
8203 = Bar; otherwise unspecified	1	0.00
8229 = ADHD/ADD medication; otherwise unspfd	1	0.00
8247 = Abilify, Aripiprazole	1	0.00
8252 = Humatrope	1	0.00
8273 = Goofballs	1	0.00
8316 = Piracetam	1	0.00
8350 = Maqui	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned	165	0.02
9985 = BAD DATA Logically assigned	38	0.00
9989 = LEGITIMATE SKIP Logically assigned	12	0.00
9991 = NEVER USED STIMULANTS	667239	79.75
9997 = REFUSED	157	0.02
9998 = BLANK (NO ANSWER)	8617	1.03
9999 = LEGITIMATE SKIP	45434	5.43

STIMULANTS

STIMNEWC

Len : 4 OTHER STIMULANT - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
124 = Yellow jackets.....	1	0.00
129 = Reds.....	2	0.00
171 = NyQuil <OTC>.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
241 = Prozac, Fluoxetine.....	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine.....	1	0.00
318 = Ritalin, Methylphenidate.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED.....	5	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	9	0.00
326 = White cross.....	6	0.00
327 = Black beauties, black beauty.....	7	0.00
328 = Pink hearts.....	4	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	1	0.00
332 = Ephedrine.....	4	0.00
334 = Crossroads, cross tops.....	1	0.00
336 = Diet pills/medications/drugs; otherwise unspfd.....	1	0.00
337 = White molly.....	1	0.00
339 = Amphetamines.....	1	0.00
344 = Bennies.....	1	0.00
348 = Crystal.....	1	0.00
355 = Crystal meth, crystal methamphetamine.....	1	0.00
374 = Christmas tree(s).....	4	0.00
379 = Hearts.....	1	0.00
396 = Black RJs, RJ8.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
814 = Caffeine <OTC>.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine).....	1	0.00
3023 = Adderall.....	67	0.01
3024 = Yohimbe.....	1	0.00
3036 = Ripped fuel <OTC>.....	1	0.00
3037 = Effexor.....	1	0.00
3052 = Speed; otherwise unspecified.....	1	0.00
3060 = Hydroxycut <OTC>.....	1	0.00
3069 = DextroStat.....	1	0.00
3077 = Concerta.....	15	0.00
3087 = Strattera.....	6	0.00
3090 = Provigil, Modafinil.....	1	0.00
3094 = Dexmethylphenidate, Focalin.....	3	0.00
3102 = Methylin.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	20	0.00
3112 = Metadate.....	3	0.00
3187 = Greenies.....	1	0.00
4067 = OxyContin.....	1	0.00
6069 = Peach.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
8066 = Viagra.....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>.....	1	0.00
8132 = Liquid D-bol.....	1	0.00
8140 = Anamine.....	1	0.00
8229 = ADHD/ADD medication; otherwise unspfd.....	1	0.00
8258 = Vivonex <OTC>.....	1	0.00
8280 = Mucinex-DM <OTC>.....	1	0.00
8310 = DMAA, Methylhexanamine.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned.....	14	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
9991 = NEVER USED STIMULANTS.....	667239	79.75
9997 = REFUSED.....	144	0.02
9998 = BLANK (NO ANSWER).....	9435	1.13
9999 = LEGITIMATE SKIP.....	45444	5.43

STIMULANTS

STIMNEWD

Len : 4 OTHER STIMULANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
124 = Yellow jackets	2	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
305 = Biphphetamine.....	1	0.00
309 = Benzphetamine. Didrex.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	4	0.00
326 = White cross	1	0.00
327 = Black beauties, black beauty.....	2	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	1	0.00
330 = Blue birds, blue jays, blue robins, speckled bird.....	1	0.00
332 = Ephedrine.....	1	0.00
349 = Bontril, Melfiat, Phendimetrazine.....	1	0.00
353 = No-Doz <OTC>.....	1	0.00
356 = Dexies.....	1	0.00
417 = Morphine, Roxanol.....	1	0.00
423 = Percocet.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
3023 = Adderall.....	23	0.00
3050 = Mini thins.....	1	0.00
3052 = Speed; otherwise unspecified.....	1	0.00
3055 = Clenbuterol.....	1	0.00
3060 = Hydroxycut <OTC>.....	1	0.00
3077 = Concerta.....	3	0.00
3086 = Adderall XR.....	1	0.00
3087 = Strattera.....	1	0.00
3094 = Dexmethylphenidate, Focalin.....	2	0.00
3102 = Methylin.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	6	0.00
3128 = Jet-Alert <OTC>.....	1	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>.....	1	0.00
8117 = Hydrocortisone.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned.....	9	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
9991 = NEVER USED STIMULANTS.....	667239	79.75
9997 = REFUSED.....	142	0.02
9998 = BLANK (NO ANSWER).....	9582	1.15
9999 = LEGITIMATE SKIP.....	45444	5.43

STIMNEWE

Len : 4 OTHER STIMULANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
201 = Valium, Diazepam.....	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	3	0.00
327 = Black beauties, black beauty.....	1	0.00
328 = Pink hearts.....	1	0.00
332 = Ephedrine.....	1	0.00
374 = Christmas tree(s).....	2	0.00
411 = Talwin.....	1	0.00
415 = Codeine.....	1	0.00
3023 = Adderall.....	11	0.00
3046 = Adrenalin, Epinephrine.....	1	0.00
3064 = Ephedra, Ma Huang.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	3	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned.....	3	0.00
9991 = NEVER USED STIMULANTS.....	667239	79.75
9997 = REFUSED.....	141	0.02
9998 = BLANK (NO ANSWER).....	9628	1.15
9999 = LEGITIMATE SKIP.....	45446	5.43

STIMULANTS

The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

STMEVER Len : 2 EVER USED STIMULANTS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	53825	6.43
81 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	41	0.00
98 = BLANK (NO ANSWER).....	1382	0.17

How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMAGE Len : 3 AGE WHEN FIRST USED STIMULANTS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 76.....	52364	6.26
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	233	0.03
991 = NEVER USED STIMULANTS.....	667239	79.75
994 = DON'T KNOW.....	893	0.11
997 = REFUSED.....	338	0.04
998 = BLANK (NO ANSWER).....	1421	0.17

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMYFU Len : 4 YEAR OF FIRST STIMULANT USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014.....	6415	0.77
-9 = Data not collected for this year.....	114043	13.63
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned.....	714	0.09
9989 = LEGITIMATE SKIP Logically assigned.....	441	0.05
9991 = NEVER USED STIMULANTS.....	667239	79.75
9994 = DON'T KNOW.....	922	0.11
9997 = REFUSED.....	345	0.04
9998 = BLANK (NO ANSWER).....	1442	0.17
9999 = LEGITIMATE SKIP.....	44970	5.37

STIMULANTS

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST07a or ST07b] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMFU

Len : 2 MONTH OF FIRST STIMULANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = January.....	570	0.07
2 = February.....	464	0.06
3 = March.....	538	0.06
4 = April	492	0.06
5 = May.....	561	0.07
6 = June.....	518	0.06
7 = July	460	0.05
8 = August	429	0.05
9 = September.....	486	0.06
10 = October	496	0.06
11 = November	490	0.06
12 = December.....	472	0.06
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	712	0.09
89 = LEGITIMATE SKIP Logically assigned	441	0.05
91 = NEVER USED STIMULANTS.....	667239	79.75
94 = DON'T KNOW	1339	0.16
97 = REFUSED	367	0.04
98 = BLANK (NO ANSWER)	1444	0.17
99 = LEGITIMATE SKIP.....	44970	5.37

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMREC

Len : 2 TIME SINCE LAST USED STIMULANTS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	4843	0.58
2 = More than 30 days ago but within the past 12 mos	8791	1.05
3 = More than 12 months ago	38706	4.63
8 = Used at some point in the past 12 mos LOG ASSN.....	223	0.03
9 = Used at some point in lifetime LOG ASSN	1073	0.13
11 = Used in the past 30 days LOGICALLY ASSIGNED	123	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	66	0.01
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
97 = REFUSED	42	0.01
98 = BLANK (NO ANSWER)	1368	0.16

NOTE: The variables STMYRTOT, STBSTWAY, STDAYPYR, STDAYPMO, and STDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any stimulant more than 12 months ago but subsequently reported more recent use of any stimulant or methamphetamine.

STMYRTOT

Len : 3 TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	13625	1.63
-9 = Data not collected for this year	114043	13.63
981 = NEVER USED STIMULANTS Logically assigned	165	0.02
985 = BAD DATA Logically assigned	151	0.02
990 = NOT ASKED THE QUESTION Logically assigned.....	4	0.00
991 = NEVER USED STIMULANTS.....	667239	79.75
993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.63
994 = DON'T KNOW	163	0.02
997 = REFUSED	75	0.01
998 = BLANK (NO ANSWER).....	2525	0.30

STIMULANTS

STTOTFG Len : 2 TRIMMING INDICATOR FOR STMYRTOT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Trimmed to 365 days (no further editing).....	4	0.00
98 = BLANK (NO ANSWER)	722649	86.37

STFQFLG Len : 2 TRIMMED STMYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Trimmed to be consistent with mo/yr of 1st use	1218	0.15
98 = BLANK (NO ANSWER)	721435	86.22

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?

STBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED STIMULANT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Prefer to answer in days per week.....	2272	0.27
2 = Prefer to answer in days per month.....	3404	0.41
3 = Prefer to answer in days per year	7385	0.88
11 = Prefer to ans in days per wk LOG ASSN.....	19	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	37	0.00
13 = Prefer to ans in days per yr LOG ASSN	78	0.01
21 = Prefer to ans in days per wk (MTBSTWAY=1,11).....	180	0.02
22 = Prefer to ans in days per mo (MTBSTWAY=2,12).....	192	0.02
23 = Prefer to ans in days per yr (MTBSTWAY=3,13).....	172	0.02
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	151	0.02
90 = NOT ASKED THE QUESTION Logically assigned.....	4	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.63
94 = DON'T KNOW	71	0.01
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER)	2525	0.30

On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPYR Len : 3 # DAYS USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	7595	0.91
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED STIMULANTS Logically assigned	165	0.02
985 = BAD DATA Logically assigned	36	0.00
989 = LEGITIMATE SKIP Logically assigned.....	181	0.02
990 = NOT ASKED THE QUESTION Logically assigned.....	4	0.00
991 = NEVER USED STIMULANTS.....	667239	79.75
993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.63
994 = DON'T KNOW	103	0.01
997 = REFUSED	61	0.01
998 = BLANK (NO ANSWER).....	2640	0.32
999 = LEGITIMATE SKIP.....	5923	0.71

STIMULANTS

On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPMO Len : 2 # DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31	3603	0.43
-9 = Data not collected for this year.....	114043	13.63
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	53	0.01
89 = LEGITIMATE SKIP Logically assigned	93	0.01
90 = NOT ASKED THE QUESTION Logically assigned	4	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.63
94 = DON'T KNOW	127	0.02
97 = REFUSED	67	0.01
98 = BLANK (NO ANSWER)	2623	0.31
99 = LEGITIMATE SKIP.....	9973	1.19

On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPWK Len : 2 # DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	2427	0.29
-9 = Data not collected for this year.....	114043	13.63
81 = NEVER USED STIMULANTS Logically assigned	165	0.02
85 = BAD DATA Logically assigned	80	0.01
89 = LEGITIMATE SKIP Logically assigned	20	0.00
90 = NOT ASKED THE QUESTION Logically assigned	4	0.00
91 = NEVER USED STIMULANTS.....	667239	79.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.63
94 = DON'T KNOW	163	0.02
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER)	2596	0.31
99 = LEGITIMATE SKIP.....	11178	1.34

Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?

METHAGE Len : 3 AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE

	Freq	Pct
RANGE = 1 - 60	24991	2.99
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned	97	0.01
991 = NEVER USED METHAMPHETAMINE	696279	83.22
994 = DON'T KNOW	380	0.05
997 = REFUSED	189	0.02
998 = BLANK (NO ANSWER).....	552	0.07

STIMULANTS

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHYFU Len : 4 YEAR OF FIRST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	1858	0.22
-9 = Data not collected for this year.....	114043	13.63
9981 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
9985 = BAD DATA Logically assigned	248	0.03
9989 = LEGITIMATE SKIP Logically assigned	92	0.01
9991 = NEVER USED METHAMPHETAMINE.....	696279	83.22
9994 = DON'T KNOW	397	0.05
9997 = REFUSED	197	0.02
9998 = BLANK (NO ANSWER).....	565	0.07
9999 = LEGITIMATE SKIP.....	22852	2.73

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST15 or ST16] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHMFU Len : 2 MONTH OF FIRST METHAMPHETAMINE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = January.....	177	0.02
2 = February.....	120	0.01
3 = March.....	163	0.02
4 = April	130	0.02
5 = May.....	149	0.02
6 = June.....	173	0.02
7 = July	169	0.02
8 = August	169	0.02
9 = September	127	0.02
10 = October	155	0.02
11 = November	121	0.01
12 = December.....	87	0.01
81 = NEVER USED METHAMPHETAMINE Logically assigned	165	0.02
85 = BAD DATA Logically assigned	248	0.03
89 = LEGITIMATE SKIP Logically assigned.....	92	0.01
91 = NEVER USED METHAMPHETAMINE	696279	83.22
94 = DON'T KNOW	504	0.06
97 = REFUSED	206	0.02
98 = BLANK (NO ANSWER)	567	0.07
99 = LEGITIMATE SKIP.....	22852	2.73

STIMULANTS

How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?

METHREC Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	1587	0.19
2 = More than 30 days ago but within the past 12 mos	2806	0.34
3 = More than 12 months ago	20628	2.47
8 = Used at some point in the past 12 mos LOG ASSN.....	106	0.01
9 = Used at some point in lifetime LOG ASSN	441	0.05
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	4	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED METHAMPHETAMINE	696279	83.22
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER)	544	0.07

MTHYRTOT Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	4351	0.52
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	76	0.01
991 = NEVER USED METHAMPHETAMINE	696279	83.22
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.47
994 = DON'T KNOW	44	0.01
997 = REFUSED	97	0.01
998 = BLANK (NO ANSWER).....	1013	0.12

MTTOTFG Len : 2 TRIMMING INDICATOR FOR MTHYRTOT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Trimmed to 365 days (no further editing).....	1	0.00
98 = BLANK (NO ANSWER)	722652	86.37

MTFQFLG Len : 2 TRIMMED MTHYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Trimmed to be consistent with mo/yr of 1st use	394	0.05
98 = BLANK (NO ANSWER)	722259	86.32

Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?

MTBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Prefer to answer in days per week.....	979	0.12
2 = Prefer to answer in days per month.....	1242	0.15
3 = Prefer to answer in days per year	2111	0.25
11 = Prefer to ans in days per wk LOG ASSN.....	6	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	6	0.00
13 = Prefer to ans in days per yr LOG ASSN	25	0.00
23 = Prefer to ans in days per yr (STBSTWAY=3,13).....	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	76	0.01
91 = NEVER USED METHAMPHETAMINE	696279	83.22
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.47
94 = DON'T KNOW	26	0.00
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER)	1013	0.12

STIMULANTS

On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPYR Len : 3 # DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	2129	0.25
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	16	0.00
989 = LEGITIMATE SKIP Logically assigned.....	12	0.00
991 = NEVER USED METHAMPHETAMINE	696279	83.22
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.47
994 = DON'T KNOW	34	0.00
997 = REFUSED	96	0.01
998 = BLANK (NO ANSWER).....	1073	0.13
999 = LEGITIMATE SKIP.....	2221	0.27

On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPMO Len : 2 # DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS

	Freq	Pct
RANGE = 1 - 31	1241	0.15
-9 = Data not collected for this year.....	114043	13.63
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	25	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
91 = NEVER USED METHAMPHETAMINE	696279	83.22
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.47
94 = DON'T KNOW	40	0.00
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER)	1064	0.13
99 = LEGITIMATE SKIP.....	3108	0.37

On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPWK Len : 2 # DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS

	Freq	Pct
RANGE = 1 - 7	981	0.12
-9 = Data not collected for this year.....	114043	13.63
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	35	0.00
91 = NEVER USED METHAMPHETAMINE	696279	83.22
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.47
94 = DON'T KNOW	44	0.01
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER)	1054	0.13
99 = LEGITIMATE SKIP.....	3370	0.40

STIMULANTS

The next question asks about using **prescription stimulants** in any way a **doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way a **doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription stimulant in any way a doctor did not direct you to use it?

STMNMLIF Len : 2 EVER USED STIMULANT NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	2256	0.27
2 = No.....	9404	1.12
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	3455	0.41
85 = BAD DATA Logically assigned	73	0.01
91 = NEVER USED/MISUSED STIMULANTS	98357	11.76
94 = DON'T KNOW	28	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	458	0.05

NOTE: The variable STMNMLIF is a recoded variable that was created from STMNMLIF, the 12-month misuse variables for ADDERALNMYR through STIMOTNMYR, and STIMNM30DY.

STMNMREC Len : 2 RC - MOST RECENT STIMULANT MISUSE (RECODE)

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Within the past 30 days.....	1030	0.12
2 = More than 30 days ago but within the past 12 mos	2417	0.29
3 = More than 12 months ago	2242	0.27
8 = Misused at some point in past 12 mos LOG ASSN.....	8	0.00
9 = Misused at some point in lifetime LOG ASSN	14	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	264	0.03
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
98 = BLANK (NO ANSWER)	307	0.04

NOTE: STMNMINIT is "reverse coded" from the answers in STL03. STL03=1 (yes) was recoded to 2 in STMNMINIT because this answer means that the respondent misused stimulants before the past 12 months (and therefore is not a past year initiate for misuse of stimulants). STL03=2 (no) was recoded to 1 in STMNMINIT because this answer means that the respondent did not misuse stimulants before the past 12 months (and therefore is a past year initiate for misuse of stimulants).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription stimulant in a way a doctor did not direct you to use it?

STMNMINIT Len : 2 PAST YEAR INITIATE FOR ANY STIMULANT MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Past year initiate.....	914	0.11
2 = Not a past year initiate	222	0.03
4 = Not past yr initiate LOG ASSN (from skip pattern).....	2304	0.28
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	264	0.03
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	2242	0.27
94 = DON'T KNOW	8	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	321	0.04

STIMULANTS

NOTE: The variables STMNMAGE, STMNMYFU, and STMNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of stimulants in the 12 months prior to being interviewed (STMNMINIT=1).

STMNMAGE Len : 3 RC - AGE 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 12 - 64	886	0.11
-9 = Data not collected for this year.....	722653	86.37
983 = NOT A PAST YEAR INITIATE Log assn.....	264	0.03
991 = NEVER USED/MISUSED STIMULANTS	107761	12.88
993 = NOT A PAST YEAR INITIATE.....	4768	0.57
998 = BLANK (NO ANSWER).....	364	0.04

STMNMYFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 2014 - 2016	885	0.11
-9 = Data not collected for this year.....	722653	86.37
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	264	0.03
9991 = NEVER USED/MISUSED STIMULANTS	107761	12.88
9993 = NOT A PAST YEAR INITIATE	4768	0.57
9998 = BLANK (NO ANSWER).....	365	0.04

STMNMMFU Len : 2 RC - MONTH 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	70	0.01
2 = February.....	49	0.01
3 = March.....	84	0.01
4 = April	65	0.01
5 = May.....	92	0.01
6 = June.....	72	0.01
7 = July	61	0.01
8 = August	55	0.01
9 = September.....	70	0.01
10 = October	83	0.01
11 = November	70	0.01
12 = December.....	85	0.01
83 = NOT A PAST YEAR INITIATE Logically assigned	264	0.03
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
93 = NOT A PAST YEAR INITIATE	4768	0.57
98 = BLANK (NO ANSWER)	394	0.05

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

STMNM30D Len : 2 USED STIMULANT NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	949	0.11
2 = No.....	2417	0.29
5 = Yes LOGICALLY ASSIGNED.....	81	0.01
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	4	0.00
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	2502	0.30
94 = DON'T KNOW	3	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	314	0.04

STIMULANTS

During the past 30 days, on how many days did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

STMNM30FQ Len : 2 # DAYS USED STIMULANT NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	1026	0.12
-9 = Data not collected for this year	722653	86.37
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	4921	0.59
94 = DON'T KNOW	3	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	326	0.04

What is your best estimate of the number of days you used [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] during the past 30 days?

STMNM30ES Len : 2 EST # DAYS USED STIMULANT NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
2 = 3 to 5 days.....	1	0.00
4 = 10 to 19 days.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	4923	0.59
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	329	0.04
99 = LEGITIMATE SKIP.....	1026	0.12

During the past 30 days, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

STMNM30AL Len : 2 USED STIMULANT NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	411	0.05
2 = No.....	464	0.06
83 = DID NOT MISUSE PAST 30 DAYS Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	4921	0.59
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	332	0.04
99 = LEGITIMATE SKIP.....	151	0.02

Which of these statements describe your use of it/them at any time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

STMWYNORX Len : 2 USED STIMULANT W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	2756	0.33
2 = No (not entered).....	634	0.08
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	3	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2503	0.30
94 = DON'T KNOW	25	0.00
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	317	0.04

STIMULANTS

STMWYGAMT	Len : 2 USED STIMULANT IN GREATER AMTS THAN RX PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	376	0.04
	2 = No (not entered).....	3014	0.36
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2504	0.30
	94 = DON'T KNOW	25	0.00
	97 = REFUSED	40	0.00
	98 = BLANK (NO ANSWER)	320	0.04

STMWYOFTN	Len : 2 USED STIMULANT MORE OFTEN THAN RX PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	211	0.03
	2 = No (not entered).....	3179	0.38
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2504	0.30
	94 = DON'T KNOW	25	0.00
	97 = REFUSED	40	0.00
	98 = BLANK (NO ANSWER)	319	0.04

STMWYLNGR	Len : 2 USED STIMULANT LONGER THAN RX PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	99	0.01
	2 = No (not entered).....	3291	0.39
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	3	0.00
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2503	0.30
	94 = DON'T KNOW	25	0.00
	97 = REFUSED	40	0.00
	98 = BLANK (NO ANSWER)	318	0.04

STMWYOTWY	Len : 2 USED STIMULANT OTHER WAY NOT DIRECTED PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	592	0.07
	2 = No (not entered).....	2798	0.33
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2504	0.30
	94 = DON'T KNOW	25	0.00
	97 = REFUSED	40	0.00
	98 = BLANK (NO ANSWER)	321	0.04

At any time in the past 12 months, did you ever use a needle to inject [STNAMEFILL] ?

STMNDLYR	Len : 2 USED STIMULANT WITH A NEEDLE PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	51	0.01
	2 = No.....	3401	0.41
	83 = DID NOT MISUSE STIM IN THE PST 12M LOG ASSN	4	0.00
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2502	0.30
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	314	0.04

STIMULANTS

STMNDLREC	Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	14	0.00
	2 = More than 30 days ago but within the past 12 months	11	0.00
	12 = More than 30 dys ago but in pst 12 mo (STMNMREC=2)	26	0.00
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	2506	0.30
	98 = BLANK (NO ANSWER)	327	0.04
	99 = LEGITIMATE SKIP	3396	0.41

Now think about the last time you used [STLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [STLASTFILL2] the last time?

STMRSWGHT	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO LOSE WEIGHT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes	270	0.03
	2 = No (not entered)	3164	0.38
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	2504	0.30
	94 = DON'T KNOW	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	317	0.04

STMRSCONC	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO CONCENTRATE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes	1810	0.22
	2 = No (not entered)	1622	0.19
	3 = Yes LOGICALLY ASSIGNED	2	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	2505	0.30
	94 = DON'T KNOW	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	318	0.04

STMRSALRT	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO BE ALERT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes	1657	0.20
	2 = No (not entered)	1775	0.21
	3 = Yes LOGICALLY ASSIGNED	2	0.00
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	2504	0.30
	94 = DON'T KNOW	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	318	0.04

STIMULANTS

STMRSSTDY	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO STUDY		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	1254	0.15
	2 = No (not entered).....	2179	0.26
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	1	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2505	0.30
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	319	0.04

STMRSXPT	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO EXPERIMENT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	403	0.05
	2 = No (not entered).....	3027	0.36
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2506	0.30
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	319	0.04

STMRSHIGH	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO GET HIGH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	594	0.07
	2 = No (not entered).....	2834	0.34
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2506	0.30
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	318	0.04

STMRSDGFX	Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTH DRUG EFFECT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	112	0.01
	2 = No (not entered).....	3320	0.40
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2505	0.30
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	319	0.04

STMRSHOOK	Len : 2 USED LAST STIMULANT (NOT DIRECTED) BECAUSE HOOKED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	35	0.00
	2 = No (not entered).....	3399	0.41
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS	107761	12.88
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2506	0.30
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	318	0.04

STIMULANTS

STMRSOR

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	128	0.02
2 = No (not entered).....	3306	0.40
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2505	0.30
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	8	0.00
98 = BLANK (NO ANSWER).....	319	0.04

Please type in the other reason you used [STLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

STMRSOTRS2

Len : 3 REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = To relieve physical pain.....	8	0.00
2 = To relax or relieve tension.....	3	0.00
3 = To experiment or to see what it's/they're like.....	4	0.00
4 = To feel good or get high.....	9	0.00
5 = To help with my sleep.....	3	0.00
6 = To help me with my feelings or emotions.....	4	0.00
7 = To increase/decrease effects of some other drug.....	3	0.00
8 = Because I am "hooked" or I have to have it/them.....	1	0.00
10 = To help me concentrate.....	3	0.00
11 = To help me be alert or stay awake.....	4	0.00
12 = To help me study.....	2	0.00
13 = I used it/them for some other reason.....	36	0.00
15 = To get work/chores done, not studying.....	9	0.00
18 = Peer pressure/friends/feel cool.....	4	0.00
19 = To increase my energy level.....	11	0.00
20 = To try out for medical condition.....	4	0.00
25 = To make sex more pleasurable.....	3	0.00
34 = Symptom relief, otherwise unspecified.....	3	0.00
983 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	1	0.00
985 = BAD DATA (logically assigned).....	5	0.00
991 = NEVER USED STIMULANTS.....	107761	12.88
993 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2505	0.30
994 = DON'T KNOW.....	3	0.00
997 = REFUSED.....	5	0.00
998 = BLANK (no answer).....	343	0.04
999 = LEGITIMATE SKIP.....	3306	0.40

Which was the main reason you used [STLASTFILL2] the last time?

STMRSMAIN

Len : 2 MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = To help me lose weight.....	42	0.01
2 = To help me concentrate.....	447	0.05
3 = To help me be alert or stay awake.....	402	0.05
4 = To help me study.....	489	0.06
5 = To experiment or to see what it was/they were like.....	62	0.01
6 = To feel good or get high.....	160	0.02
7 = To increase or decrease the effect(s) of some other drug.....	18	0.00
8 = Because I am 'hooked' or I have to have it/them.....	1	0.00
9 = The other reason I reported.....	13	0.00
12 = To help me concentrate LOGICALLY ASSIGNED.....	1	0.00
16 = To feel good or get high LOGICALLY ASSIGNED.....	1	0.00
17 = To increase/ decrease the effect(s) of other drug LOG ASSN.....	1	0.00
83 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	107761	12.88
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2504	0.30
98 = BLANK (NO ANSWER).....	341	0.04
99 = LEGITIMATE SKIP.....	1795	0.21

STIMULANTS

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

STMNORXFG	Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	56	0.01
	98 = BLANK (NO ANSWER)	113987	13.62

SEDATIVES

SEDATIVES

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Somnex, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

METHAQ Len : 2 EVER USED METHAQUALONE, SOPOR, OR QUAALUDE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	8178	0.98
2 = No.....	8079	0.97
3 = Yes LOGICALLY ASSIGNED	20	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	651	0.08
97 = REFUSED	137	0.02
98 = BLANK (NO ANSWER)	43	0.01

Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?

NEMBBARB Len : 2 EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3664	0.44
2 = No.....	12668	1.51
3 = Yes LOGICALLY ASSIGNED	5	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	598	0.07
97 = REFUSED	130	0.02
98 = BLANK (NO ANSWER)	43	0.01

Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

RESTTMAZ Len : 2 EVER USED RESTORIL OR TEMAZEPAM

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2523	0.30
2 = No.....	13818	1.65
3 = Yes LOGICALLY ASSIGNED	2	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	599	0.07
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER)	44	0.01

SEDATIVES

Please look at the sedatives shown below the red line on Card D.

Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?

SEDCARD Len : 2 EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	4688	0.56
2 = No.....	11541	1.38
3 = Yes LOGICALLY ASSIGNED.....	42	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	664	0.08
97 = REFUSED	128	0.02
98 = BLANK (NO ANSWER)	45	0.01

Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

AMYTAL Len : 2 EVER USED AMYTAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	469	0.06
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	4058	0.49
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER)	714	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

BUTISOL Len : 2 EVER USED BUTISOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	307	0.04
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	4223	0.50
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER)	715	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

CHHYD Len : 2 EVER USED CHLORAL HYDRATE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	335	0.04
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	4194	0.50
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	147	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER)	714	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

SEDATIVES

DALMANE

Len : 2 EVER USED DALMANE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	622	0.07
3 = Response entered LOGICALLY ASSIGNED.....	13	0.00
6 = Response not entered.....	3896	0.47
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	705266	84.29
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	714	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

HALCION

Len : 2 EVER USED HALCION NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	1067	0.13
3 = Response entered LOGICALLY ASSIGNED.....	14	0.00
6 = Response not entered.....	3450	0.41
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	84.29
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	715	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

PHENOBAR

Len : 2 EVER USED PHENOBARBITAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	1880	0.22
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	2640	0.32
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	84.29
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	715	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

PLACIDYL

Len : 2 EVER USED PLACIDYL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	904	0.11
3 = Response entered LOGICALLY ASSIGNED.....	7	0.00
6 = Response not entered.....	3620	0.43
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	84.29
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	715	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

TUINAL

Len : 2 EVER USED TUINAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	1051	0.13
3 = Response entered LOGICALLY ASSIGNED.....	5	0.00
6 = Response not entered.....	3475	0.42
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	705266	84.29
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	716	0.09
99 = LEGITIMATE SKIP.....	11541	1.38

SEDATIVES

Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?

SEDNOLST

Len : 2 EVER USED ANY OTHER SEDATIVE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3521	0.42
2 = No.....	12514	1.50
4 = No LOGICALLY ASSIGNED	14	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	883	0.11
97 = REFUSED	130	0.02
98 = BLANK (NO ANSWER)	46	0.01

SEDATIVES

SEDNEWA

Len : 4 OTHER SEDATIVES - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
101 = Butisol	2	0.00
103 = Amytal	3	0.00
105 = Placidyl, Ethchlorvynol.....	7	0.00
106 = Doriden	4	0.00
107 = Noludar	1	0.00
108 = Nembutal	2	0.00
109 = Seconal	13	0.00
110 = Tuinal.....	4	0.00
111 = Dalmane, Flurazepam	10	0.00
112 = Restoril, Temazepam	6	0.00
113 = Halcion, Triazolam	14	0.00
115 = Phenobarbital.....	11	0.00
116 = Methaqualone, Sopor, Quaalude	36	0.00
117 = Chloral hydrate, Noctec	2	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	94	0.01
121 = USED SEDATIVE, DON'T KNOW NAME	601	0.07
123 = Unisom <OTC>	2	0.00
124 = Yellow jackets	4	0.00
129 = Reds	7	0.00
130 = Phenergan, Promethazine.....	4	0.00
131 = Haldol, Haloperidol	1	0.00
137 = 7-14.....	3	0.00
138 = Mandrax, Mandrix [see also 116]	4	0.00
145 = Red devil(s).....	2	0.00
153 = Luminal.....	1	0.00
156 = Sodium barbital.....	1	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	990	0.12
176 = Melatonin <OTC>	2	0.00
178 = Quetiapine, Seroquel.....	191	0.02
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital	4	0.00
188 = Estazolam, Prosom.....	2	0.00
189 = Sonata, Zaleplon	14	0.00
195 = Lotusate, Talbutal	1	0.00
197 = Topamax, Topiramate	1	0.00
198 = Seducaps	1	0.00
201 = Valium, Diazepam	57	0.01
202 = Librium, Chlordiazepoxide HCl.....	1	0.00
205 = Serax, Oxazepam	1	0.00
206 = Tranxene, Clorazepate, Tranxilium.....	2	0.00
207 = Ativan, Lorazepam, Orfidal	19	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	64	0.01
211 = BuSpar, Buspirone	1	0.00
216 = Atarax, Hydroxyzine	3	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.00
225 = Desyrel, Trazodone hydrochloride.....	162	0.02
227 = Thorazine	4	0.00
228 = Amitriptyline, Elavil.....	34	0.00
232 = Mellaril	4	0.00
234 = Flexeril, Cyclobenzaprine	6	0.00
237 = Dormicum, Hypnovel, Midazolam, Versed	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	14	0.00
247 = Adapin, Doxepin, Sinequan	4	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	11	0.00
271 = Sertraline hydrochloride, Zoloft	11	0.00
278 = Benzodiazepines	3	0.00
280 = Ketaset	1	0.00
282 = Clozapine, Clozaril	1	0.00
283 = Paroxetine, Paxil	3	0.00
285 = Risperdal, Risperdol, Risperidone	1	0.00
289 = Olanzapine, Zyprexa	2	0.00
290 = Metaxalone, Skelaxin.....	1	0.00
291 = Celexa, Citalopram	3	0.00
295 = Mirtazapine, Remeron.....	11	0.00
298 = Acepromazine, PromAce	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine	1	0.00
318 = Ritalin, Methylphenidate.....	2	0.00
319 = Cylert	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00

SEDATIVES

326 = White cross	1	0.00
327 = Black beauties, black beauty	5	0.00
339 = Amphetamines	1	0.00
345 = Black molly.....	1	0.00
352 = Lemons	1	0.00
380 = Pink ladies.....	1	0.00
396 = Black RJs, RJ8	1	0.00
401 = Darvon	2	0.00
406 = Percodan, Roxiprin	1	0.00
407 = Demerol, Meperidine	2	0.00
408 = Dilaudid, Hydromorphone	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	4	0.00
411 = Talwin.....	1	0.00
415 = Codeine.....	11	0.00
417 = Morphine, Roxanol.....	8	0.00
418 = Methadone, Dolophine.....	3	0.00
419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	7	0.00
422 = Motrin.....	1	0.00
423 = Percocet	2	0.00
427 = Darvocet, Davocet-N	2	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	4	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
442 = Ibuprofen	4	0.00
444 = Aspirin with Codeine, Empirin 3, Empirin 4.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
458 = Finalin, Mepergan, Mepergan Fortis, Meprozone.....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
618 = Acid paper, blotter (acid).....	1	0.00
658 = Special K, Ketamine	32	0.00
663 = Animal tranquilizer, horse tranquilizer	1	0.00
702 = Heroin.....	1	0.00
703 = Opium.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	3	0.00
858 = Antibiotic	1	0.00
894 = Depakene, Depakote, Valproic acid.....	1	0.00
896 = Catapres, Clonidine.....	6	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	6	0.00
1004 = Valerian <OTC>	1	0.00
1005 = Imovane, Zopiclone	2	0.00
1006 = Trileptal, Oxcarbazepine.....	1	0.00
1008 = Rohr 714, Rorer 714	1	0.00
1009 = Mogadon, Nitrazepam.....	1	0.00
1011 = Lunesta	49	0.01
1012 = Brevital, Methohexital	1	0.00
1013 = Ambien CR.....	15	0.00
1017 = Ramelteon, Rozerem.....	1	0.00
1018 = Advil PM <OTC>.....	4	0.00
1020 = Hyoscine, Levo-duboisine, Scopolamine	1	0.00
1028 = Dormidina	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	12	0.00
2002 = Muscle relaxers	8	0.00
2003 = Zanies, zannies, zans, zany bars.....	4	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil	3	0.00
2011 = Lexapro.....	1	0.00
2012 = Geodon, Ziprasidone.....	2	0.00
2019 = Soma Compound.....	2	0.00
3004 = Black cadillac.....	1	0.00
3023 = Adderall	11	0.00
3026 = Bupropion, Wellbutrin, Zyban	4	0.00
3052 = Speed; otherwise unspecified.....	2	0.00
3077 = Concerta.....	1	0.00
3082 = Fat burner; not otherwise specified	1	0.00
3091 = Black bombers	1	0.00
3106 = Sedalmerk	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol.....	3	0.00
4024 = Reynol.....	1	0.00
4031 = Cough medicine with Codeine	3	0.00

SEDATIVES

4043 = Tramadol.....	6	0.00
4044 = Hydrocodone.....	7	0.00
4045 = Dolgic, Phrenillin Forte, Sedapap.....	2	0.00
4046 = Oxycodone or unspecified oxycodone products.....	5	0.00
4054 = Zomax.....	1	0.00
4055 = Vioxx.....	1	0.00
4058 = Totem poles.....	1	0.00
4067 = OxyContin.....	1	0.00
4083 = Ultracet.....	1	0.00
4109 = Suboxone.....	2	0.00
4112 = Saridone.....	1	0.00
4125 = Hycodan, Hydromet, Tussigon.....	1	0.00
6029 = DXM.....	1	0.00
6114 = Molly; not otherwise specified.....	1	0.00
6131 = Mandrakes.....	1	0.00
8002 = Zantac.....	3	0.00
8007 = Gabapentin, Neurontin.....	4	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	3	0.00
8011 = Herb, flower, plant; type unspecified.....	1	0.00
8020 = Allegra, Altiva.....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8058 = Cough medicine/syrup; type unspecified.....	5	0.00
8094 = Pepto Bismol <OTC>.....	1	0.00
8117 = Hydrocortisone.....	1	0.00
8211 = Precose.....	1	0.00
8213 = Ranitidine.....	1	0.00
8237 = Kratom.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8338 = Bumex, Bumetanide, Burinex.....	1	0.00
8341 = Apokyn, Apomorphine, Ixense, Spontane, Uprima.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	45	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	14	0.00
9991 = NEVER USED SEDATIVES.....	705266	84.29
9997 = REFUSED.....	211	0.03
9998 = BLANK (NO ANSWER).....	1501	0.18
9999 = LEGITIMATE SKIP.....	12514	1.50

SEDATIVES

SEDNEWB

Len : 4 OTHER SEDATIVES - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
103 = Amytal.....	1	0.00
109 = Seconal.....	1	0.00
110 = Tuinal.....	1	0.00
111 = Dalmane, Flurazepam.....	4	0.00
112 = Restoril, Temazepam.....	1	0.00
113 = Halcion, Triazolam.....	3	0.00
115 = Phenobarbital.....	3	0.00
116 = Methaqualone, Sopor, Quaalude.....	3	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	12	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	27	0.00
123 = Unisom <OTC>.....	1	0.00
127 = Nytol <OTC>.....	1	0.00
129 = Reds.....	1	0.00
130 = Phenergan, Promethazine.....	2	0.00
131 = Haldol, Haloperidol.....	2	0.00
137 = 7-14.....	1	0.00
171 = NyQuil <OTC>.....	2	0.00
174 = Ambien, Stilnox, Zolpidem.....	65	0.01
178 = Quetiapine, Seroquel.....	24	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
189 = Sonata, Zaleplon.....	9	0.00
201 = Valium, Diazepam.....	9	0.00
207 = Ativan, Lorazepam, Orfidal.....	2	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	8	0.00
225 = Desyrel, Trazodone hydrochloride.....	26	0.00
228 = Amitriptyline, Elavil.....	2	0.00
234 = Flexeril, Cyclobenzaprine.....	1	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
271 = Sertraline hydrochloride, Zoloft.....	2	0.00
285 = Risperdal, Risperdol, Risperidone.....	2	0.00
289 = Olanzapine, Zyprexa.....	1	0.00
295 = Mirtazapine, Remeron.....	1	0.00
327 = Black beauties, black beauty.....	2	0.00
401 = Darvon.....	1	0.00
408 = Dilaudid, Hydromorphone.....	1	0.00
415 = Codeine.....	2	0.00
417 = Morphine, Roxanol.....	1	0.00
418 = Methadone, Dolophine.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet.....	1	0.00
424 = Fioricet.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00
601 = LSD ("acid").....	1	0.00
658 = Special K, Ketamine.....	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
858 = Antibiotic.....	1	0.00
896 = Catapres, Clonidine.....	1	0.00
900 = Not a drug.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	2	0.00
1006 = Trileptal, Oxcarbazepine.....	1	0.00
1011 = Lunesta.....	19	0.00
1013 = Ambien CR.....	4	0.00
1018 = Advil PM <OTC>.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	2	0.00
2002 = Muscle relaxers.....	3	0.00
2011 = Lexapro.....	1	0.00
3023 = Adderall.....	1	0.00
4046 = Oxycodone or unspecified oxycodone products.....	1	0.00
8002 = Zantac.....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8094 = Pepto Bismol <OTC>.....	1	0.00
8136 = Montekulast, Singulair.....	1	0.00
8211 = Precose.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	24	0.00

SEDATIVES

9989 = LEGITIMATE SKIP Logically assigned	1	0.00
9991 = NEVER USED SEDATIVES	705266	84.29
9997 = REFUSED	140	0.02
9998 = BLANK (NO ANSWER).....	4138	0.49
9999 = LEGITIMATE SKIP.....	12527	1.50

SEDNEWC

Len : 4 OTHER SEDATIVES - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
111 = Dalmane, Flurazepam	1	0.00
112 = Restoril, Temazepam	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	3	0.00
121 = USED SEDATIVE, DON'T KNOW NAME	5	0.00
174 = Ambien, Stilnox, Zolpidem.....	18	0.00
178 = Quetiapine, Seroquel.....	8	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital	1	0.00
188 = Estazolam, Prosom.....	1	0.00
189 = Sonata, Zaleplon	1	0.00
201 = Valium, Diazepam	4	0.00
207 = Ativan, Lorazepam, Orfidal	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	2	0.00
225 = Desyrel, Trazodone hydrochloride	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril.....	2	0.00
247 = Adapin, Doxepin, Sinequan	1	0.00
285 = Risperdal, Risperdol, Risperidone	3	0.00
289 = Olanzapine, Zyprexa	1	0.00
415 = Codeine.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
423 = Percocet	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
900 = Not a drug.....	1	0.00
1011 = Lunesta	4	0.00
4043 = Tramadol.....	1	0.00
4067 = OxyContin	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned	9	0.00
9991 = NEVER USED SEDATIVES	705266	84.29
9997 = REFUSED	132	0.02
9998 = BLANK (NO ANSWER).....	4380	0.52
9999 = LEGITIMATE SKIP.....	12528	1.50

SEDNEWD

Len : 4 OTHER SEDATIVES - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
111 = Dalmane, Flurazepam	1	0.00
116 = Methaqualone, Sopor, Quaalude	3	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	0.00
121 = USED SEDATIVE, DON'T KNOW NAME	3	0.00
174 = Ambien, Stilnox, Zolpidem.....	10	0.00
189 = Sonata, Zaleplon	1	0.00
201 = Valium, Diazepam	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	2	0.00
1011 = Lunesta	1	0.00
2019 = Soma Compound.....	1	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	1	0.00
8338 = Bumex, Bumetanide, Burinex	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned	5	0.00
9991 = NEVER USED SEDATIVES	705266	84.29
9997 = REFUSED	131	0.02
9998 = BLANK (NO ANSWER).....	4425	0.53
9999 = LEGITIMATE SKIP.....	12528	1.50

SEDATIVES

SEDNEWE

Len : 4 OTHER SEDATIVES - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
110 = Tuinal.....	1	0.00
121 = USED SEDATIVE, DON'T KNOW NAME	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	5	0.00
189 = Sonata, Zaleplon	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
3023 = Adderall	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epiol, Tegretol.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned	6	0.00
9991 = NEVER USED SEDATIVES	705266	84.29
9997 = REFUSED	130	0.02
9998 = BLANK (NO ANSWER).....	4441	0.53
9999 = LEGITIMATE SKIP.....	12528	1.50

The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

SEDEVER

Len : 2 EVER USED SEDATIVES NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	15394	1.84
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	2	0.00
97 = REFUSED	46	0.01
98 = BLANK (NO ANSWER)	1674	0.20

How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDAGE

Len : 3 AGE WHEN FIRST USED SEDATIVES NONMEDICALLY

	Freq	Pct
RANGE = 1 - 80.....	14744	1.76
-9 = Data not collected for this year.....	114043	13.63
981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
985 = BAD DATA Logically assigned	79	0.01
991 = NEVER USED SEDATIVES	705266	84.29
994 = DON'T KNOW	453	0.05
997 = REFUSED	175	0.02
998 = BLANK (NO ANSWER).....	1665	0.20

SEDATIVES

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDYFU

Len : 4 YEAR OF FIRST SEDATIVE USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014	1512	0.18
-9 = Data not collected for this year	114043	13.63
9981 = NEVER USED SEDATIVES Logically assigned	271	0.03
9985 = BAD DATA Logically assigned	193	0.02
9989 = LEGITIMATE SKIP Logically assigned	80	0.01
9991 = NEVER USED SEDATIVES	705266	84.29
9994 = DON'T KNOW	459	0.05
9997 = REFUSED	176	0.02
9998 = BLANK (NO ANSWER)	1681	0.20
9999 = LEGITIMATE SKIP	13015	1.56

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM SV07a or SV07b] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDMFU

Len : 2 MONTH OF FIRST SEDATIVE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = January	152	0.02
2 = February	107	0.01
3 = March	120	0.01
4 = April	120	0.01
5 = May	103	0.01
6 = June	113	0.01
7 = July	107	0.01
8 = August	113	0.01
9 = September	111	0.01
10 = October	106	0.01
11 = November	115	0.01
12 = December	104	0.01
81 = NEVER USED SEDATIVES Logically assigned	271	0.03
85 = BAD DATA Logically assigned	192	0.02
89 = LEGITIMATE SKIP Logically assigned	80	0.01
91 = NEVER USED SEDATIVES	705266	84.29
94 = DON'T KNOW	596	0.07
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER)	1682	0.20
99 = LEGITIMATE SKIP	13015	1.56

SEDATIVES

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDREC	Len : 2 TIME SINCE LAST USED SEDATIVES NONMEDICALLY		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Within the past 30 days.....	992	0.12
	2 = More than 30 days ago but within the past 12 mos	1818	0.22
	3 = More than 12 months ago	12252	1.46
	8 = Used at some point in the past 12 mos LOG ASSN.....	17	0.00
	9 = Used at some point in lifetime LOG ASSN	312	0.04
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
	81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
	85 = BAD DATA Logically assigned	10	0.00
	91 = NEVER USED SEDATIVES	705266	84.29
	97 = REFUSED	48	0.01
	98 = BLANK (NO ANSWER)	1664	0.20

SEDYRTOT	Len : 3 TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 364	2738	0.33
	-9 = Data not collected for this year.....	114043	13.63
	981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
	985 = BAD DATA Logically assigned	30	0.00
	991 = NEVER USED SEDATIVES	705266	84.29
	993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.46
	994 = DON'T KNOW	60	0.01
	997 = REFUSED	56	0.01
	998 = BLANK (NO ANSWER).....	1980	0.24

SVTOTFG	Len : 2 TRIMMING INDICATOR FOR SEDYRTOT		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	98 = BLANK (NO ANSWER)	722653	86.37

SVFQFLG	Len : 2 TRIMMED SEDYRTOT IF R USED < 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Trimmed to be consistent with mo/yr of 1st use	264	0.03
	98 = BLANK (NO ANSWER)	722389	86.34

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?

SVBSTWAY	Len : 2 EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Prefer to answer in days per week.....	510	0.06
	2 = Prefer to answer in days per month.....	730	0.09
	3 = Prefer to answer in days per year	1490	0.18
	11 = Prefer to ans in days per wk LOG ASSN.....	9	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	13	0.00
	13 = Prefer to ans in days per yr LOG ASSN	33	0.00
	81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
	85 = BAD DATA Logically assigned	30	0.00
	91 = NEVER USED SEDATIVES	705266	84.29
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.46
	94 = DON'T KNOW	19	0.00
	97 = REFUSED	50	0.01
	98 = BLANK (NO ANSWER)	1980	0.24

SEDATIVES

On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPYR Len : 3 # DAYS USED SEDATIVE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 270	1511	0.18
-9 = Data not collected for this year	114043	13.63
981 = NEVER USED SEDATIVES Logically assigned	271	0.03
985 = BAD DATA Logically assigned	11	0.00
989 = LEGITIMATE SKIP Logically assigned	20	0.00
991 = NEVER USED SEDATIVES	705266	84.29
993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.46
994 = DON'T KNOW	28	0.00
997 = REFUSED	53	0.01
998 = BLANK (NO ANSWER)	1999	0.24
999 = LEGITIMATE SKIP	1242	0.15

On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPMO Len : 2 # DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	728	0.09
-9 = Data not collected for this year	114043	13.63
81 = NEVER USED SEDATIVES Logically assigned	271	0.03
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	9	0.00
91 = NEVER USED SEDATIVES	705266	84.29
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.46
94 = DON'T KNOW	44	0.01
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER)	2004	0.24
99 = LEGITIMATE SKIP	2021	0.24

On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPWK Len : 2 # DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	499	0.06
-9 = Data not collected for this year	114043	13.63
81 = NEVER USED SEDATIVES Logically assigned	271	0.03
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED SEDATIVES	705266	84.29
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	12252	1.46
94 = DON'T KNOW	60	0.01
97 = REFUSED	56	0.01
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	2239	0.27

SEDATIVES

The next question asks about using **prescription sedatives** in any way a **doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way a **doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it/li>
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

SEDNMLIF Len : 2 EVER USED SEDATIVE NOT DIRECTED BY DR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	1655	0.20
2 = No.....	10010	1.20
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	661	0.08
85 = BAD DATA Logically assigned	76	0.01
91 = NEVER USED/MISUSED SEDATIVES	100969	12.07
94 = DON'T KNOW	32	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	633	0.08

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables for AMBIENMYR through SEDTVOTNMYR, and SEDTVNM30DY.

SEDNMREC Len : 2 RC - MOST RECENT SEDATIVE MISUSE (RECODE)

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Within the past 30 days.....	197	0.02
2 = More than 30 days ago but within the past 12 mos	463	0.06
3 = More than 12 months ago	1645	0.20
8 = Misused at some point in past 12 mos LOG ASSN.....	1	0.00
9 = Misused at some point in lifetime LOG ASSN	10	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	383	0.05
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
98 = BLANK (NO ANSWER)	365	0.04

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

SEDNMINIT Len : 2 PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Past year initiate.....	179	0.02
2 = Not a past year initiate	59	0.01
4 = Not past yr initiate LOG ASSN (from skip pattern).....	419	0.05
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	383	0.05
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	1645	0.20
94 = DON'T KNOW	3	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	375	0.04

SEDATIVES

NOTE: The variables SEDNMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

SEDNMAGE Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 12 - 94	169	0.02
-9 = Data not collected for this year.....	722653	86.37
983 = NOT A PAST YEAR INITIATE Log assn.....	383	0.05
991 = NEVER USED/MISUSED SEDATIVES	110979	13.26
993 = NOT A PAST YEAR INITIATE.....	2123	0.25
998 = BLANK (NO ANSWER).....	389	0.05

SEDNMYFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 2014 - 2016	170	0.02
-9 = Data not collected for this year.....	722653	86.37
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	383	0.05
9991 = NEVER USED/MISUSED SEDATIVES	110979	13.26
9993 = NOT A PAST YEAR INITIATE	2123	0.25
9998 = BLANK (NO ANSWER).....	388	0.05

SEDNMMFU Len : 2 RC - MO 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	12	0.00
2 = February.....	13	0.00
3 = March.....	16	0.00
4 = April	13	0.00
5 = May.....	13	0.00
6 = June.....	9	0.00
7 = July	12	0.00
8 = August	15	0.00
9 = September.....	18	0.00
10 = October.....	9	0.00
11 = November	23	0.00
12 = December.....	12	0.00
83 = NOT A PAST YEAR INITIATE Logically assigned	383	0.05
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = NOT A PAST YEAR INITIATE	2123	0.25
98 = BLANK (NO ANSWER)	393	0.05

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

SEDNM30D Len : 2 USED SEDATIVE NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	181	0.02
2 = No.....	463	0.06
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	16	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	12	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	2016	0.24
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	369	0.04

SEDATIVES

During the past 30 days, on how many days did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

SEDNM30FQ Len : 2 # DAYS USED SEDATIVE NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	195	0.02
-9 = Data not collected for this year	722653	86.37
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	5	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	2486	0.30
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	375	0.04

What is your best estimate of the number of days you used [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] during the past 30 days?

SEDNM30ES Len : 2 EST # DAYS USED SEDATIVE NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = 1 or 2 days	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	2491	0.30
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	376	0.04
99 = LEGITIMATE SKIP	195	0.02

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

SEDNM30AL Len : 2 USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	47	0.01
2 = No	88	0.01
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	2490	0.30
98 = BLANK (NO ANSWER)	378	0.05
99 = LEGITIMATE SKIP	60	0.01

Which of these statements describe your use of [SVNAMEFILL] at any time in the past 12 months?

SEDWYNORX Len : 2 USED SEDATIVE W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	446	0.05
2 = No (not entered)	195	0.02
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	6	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2022	0.24
94 = DON'T KNOW	13	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	371	0.04

SEDWYGAMT Len : 2 USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	121	0.01
2 = No (not entered)	520	0.06
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	5	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2023	0.24
94 = DON'T KNOW	13	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	374	0.04

SEDATIVES

SEDWYOFTN	Len : 2 USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	65	0.01
	2 = No (not entered).....	576	0.07
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2026	0.24
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	7	0.00
	98 = BLANK (NO ANSWER)	374	0.04

SEDWYLNGR	Len : 2 USED SEDATIVE LONGER THAN RX PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	32	0.00
	2 = No (not entered).....	609	0.07
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2028	0.24
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	7	0.00
	98 = BLANK (NO ANSWER)	373	0.04

SEDWYOTWY	Len : 2 USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	82	0.01
	2 = No (not entered).....	559	0.07
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	2	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2026	0.24
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED	7	0.00
	98 = BLANK (NO ANSWER)	373	0.04

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

SEDNMLAST	Len : 2 LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Ambien.....	351	0.04
	2 = Ambien CR.....	27	0.00
	3 = Zolpidem (generic)	85	0.01
	4 = Extended-release zolpidem (generic).....	4	0.00
	5 = Lunesta or eszopiclone.....	22	0.00
	6 = Sonata or zaleplon.....	5	0.00
	7 = Halcion	4	0.00
	8 = Restoril	8	0.00
	9 = Flurazepam (generic), also known as Dalmane.....	1	0.00
	10 = Temazepam (generic)	22	0.00
	11 = Triazolam (generic).....	18	0.00
	12 = Butisol	3	0.00
	13 = Seconal	2	0.00
	14 = Phenobarbital (generic).....	10	0.00
	15 = Some other sedative	99	0.01
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	12	0.00
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2016	0.24
	98 = BLANK (NO ANSWER)	369	0.04

SEDATIVES

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

SEDRSRELX	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	187	0.02
	2 = No (not entered).....	468	0.06
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	5	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	2023	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED.....	1	0.00
	98 = BLANK (NO ANSWER).....	372	0.04

SEDRSEXPT	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	63	0.01
	2 = No (not entered).....	593	0.07
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	2028	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED.....	1	0.00
	98 = BLANK (NO ANSWER).....	372	0.04

SEDRSHIGH	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	100	0.01
	2 = No (not entered).....	556	0.07
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	2028	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED.....	1	0.00
	98 = BLANK (NO ANSWER).....	374	0.04

SEDRSSLEP	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	483	0.06
	2 = No (not entered).....	169	0.02
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	9	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	2019	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED.....	1	0.00
	98 = BLANK (NO ANSWER).....	373	0.04

SEDRSEMOT	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	74	0.01
	2 = No (not entered).....	581	0.07
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	2	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	2026	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED.....	1	0.00
	98 = BLANK (NO ANSWER).....	374	0.04

SEDATIVES

SEDRSDGFX	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	14	0.00
	2 = No (not entered).....	641	0.08
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2028	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	374	0.04

SEDRSHOOK	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	5	0.00
	2 = No (not entered).....	651	0.08
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2028	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	374	0.04

SEDRSSOR	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTHER REASON		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	29	0.00
	2 = No (not entered).....	627	0.07
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	1	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2027	0.24
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	374	0.04

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

SEDRSOTRS2	Len : 3 REASON USED LAST SEDATIVE (NOT DIRECTED)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	2 = To relax or relieve tension	1	0.00
	5 = To help with my sleep.....	5	0.00
	6 = To help me with my feelings or emotions.....	1	0.00
	7 = To increase/decrease effects of some other drug.....	1	0.00
	13 = I used it/them for some other reason.....	7	0.00
	16 = Suicide attempt/suicidal thoughts	11	0.00
	983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned.....	1	0.00
	985 = BAD DATA (logically assigned).....	1	0.00
	991 = NEVER USED SEDATIVES	110979	13.26
	993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2027	0.24
	997 = REFUSED	2	0.00
	998 = BLANK (no answer).....	380	0.05
	999 = LEGITIMATE SKIP.....	627	0.07

SEDATIVES

Which was the main reason you used [SVLASTFILL2] the last time?

SEDRSMIN	Len : 2 MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = To relax or relieve tension	27	0.00
	2 = To experiment or to see what it was/they were like	15	0.00
	3 = To feel good or get high.....	23	0.00
	4 = To help with my sleep.....	76	0.01
	5 = To help me with my feelings or emotions.....	14	0.00
	6 = To increase or decrease the effect(s) of some other drug	3	0.00
	8 = The other reason I reported	5	0.00
	14 = To help with my sleep LOGICALLY ASSIGNED	1	0.00
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	5	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES	110979	13.26
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	2023	0.24
	98 = BLANK (NO ANSWER)	380	0.05
	99 = LEGITIMATE SKIP	491	0.06

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

SEDNORXFG	Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	22	0.00
	98 = BLANK (NO ANSWER)	114021	13.63

IRSLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days.....	28669	3.43
	2 = More than 30 days ago but within the past 12 mos	16724	2.00
	3 = More than 12 months ago but within the past 3 yrs.....	18153	2.17
	4 = More than 3 years ago.....	61398	7.34
	9 = Never used smokeless tobacco.....	597709	71.44

IISLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	719424	85.98
	2 = Logically assigned data.....	20	0.00
	3 = Statistically imputed data.....	3209	0.38

IISLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	719424	85.98
	2 = Logically assigned data.....	20	0.00
	3 = Statistically imputed data - lifetime use imputed	366	0.04
	4 = Statistically imputed data - edited recency = 9.....	78	0.01
	5 = Statistically imputed data - edited recency = 8.....	89	0.01
	6 = Statistically imputed data - edited recency = 19.....	845	0.10
	7 = Statistically imputed data - edited recency = 14.....	1080	0.13
	8 = Statistically imputed data - edited recency = 29.....	747	0.09
	9 = Statistically imputed data - edited recency = 39.....	4	0.00

IRCHWRC	Len : 1 CHEWING TOBACCO RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days.....	11292	1.35
	2 = More than 30 days ago but within the past 12 mos	10739	1.28
	3 = More than 12 months ago but within the past 3 yrs.....	13045	1.56
	4 = More than 3 years ago.....	47679	5.70
	9 = Never used chewing tobacco.....	639898	76.48

SEDATIVES

IICHWRC Len : 1 CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	721014	86.17
2 = Logically assigned data	8	0.00
3 = Statistically imputed data	1631	0.19

I12CHWRC Len : 1 CHEWING TOBACCO RECENCY - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	721014	86.17
2 = Logically assigned data	8	0.00
3 = Statistically imputed data - lifetime use imputed	116	0.01
4 = Statistically imputed data - edited recency = 9	34	0.00
5 = Statistically imputed data - edited recency = 8	38	0.00
6 = Statistically imputed data - edited recency = 19	450	0.05
7 = Statistically imputed data - edited recency = 14	635	0.08
8 = Statistically imputed data - edited recency = 29	351	0.04
9 = Statistically imputed data - edited recency = 39	7	0.00

IRSNFRC Len : 1 SNUFF RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days	24372	2.91
2 = More than 30 days ago but within the past 12 mos	14105	1.69
3 = More than 12 months ago but within the past 3 yrs	15020	1.80
4 = More than 3 years ago	46907	5.61
9 = Never used snuff	622249	74.37

IISNFRC Len : 1 SNUFF RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	720213	86.08
2 = Logically assigned data	14	0.00
3 = Statistically imputed data	2426	0.29

I12SNFRC Len : 1 SNUFF RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	720213	86.08
2 = Logically assigned data	14	0.00
3 = Statistically imputed data - lifetime use imputed	348	0.04
4 = Statistically imputed data - edited recency = 9	43	0.01
5 = Statistically imputed data - edited recency = 8	65	0.01
6 = Statistically imputed data - edited recency = 19	626	0.07
7 = Statistically imputed data - edited recency = 14	803	0.10
8 = Statistically imputed data - edited recency = 29	536	0.06
9 = Statistically imputed data - edited recency = 39	5	0.00

IRHALRC Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days	6459	0.77
2 = More than 30 days ago but within the past 12 mos	17998	2.15
3 = More than 12 months ago	76603	9.16
9 = Never used hallucinogens	621593	74.29

I1HALRC Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	717024	85.70
2 = Logically assigned data	562	0.07
3 = Statistically imputed data	5067	0.61

SEDATIVES

I2HALRC	Len : 1 HALLUCINOGEN RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	717024	85.70
	2 = Logically assigned data	562	0.07
	3 = Statistically imputed data - lifetime use imputed	2314	0.28
	4 = Statistically imputed data - edited recency = 9	2003	0.24
	5 = Statistically imputed data - edited recency = 8	750	0.09
IRECSRC	Len : 1 ECSTASY RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days	3108	0.37
	2 = More than 30 days ago but within the past 12 mos	10102	1.21
	3 = More than 12 months ago	36828	4.40
	9 = Never used ecstasy	672615	80.39
IIECSRC	Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	720745	86.14
	2 = Logically assigned data	9	0.00
	3 = Statistically imputed data	1899	0.23
I2ECSRC	Len : 1 ECSTASY RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	720745	86.14
	2 = Logically assigned data	9	0.00
	3 = Statistically imputed data - lifetime use imputed	753	0.09
	4 = Statistically imputed data - edited recency = 9	984	0.12
	5 = Statistically imputed data - edited recency = 8	162	0.02
IRINHRC	Len : 1 INHALANT RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days	3671	0.44
	2 = More than 30 days ago but within the past 12 mos	9994	1.19
	3 = More than 12 months ago	60350	7.21
	9 = Never used inhalants	648638	77.52
IINHRC	Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	718479	85.87
	2 = Logically assigned data	25	0.00
	3 = Statistically imputed data	4149	0.50
I2INHRC	Len : 1 INHALANT RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	718479	85.87
	2 = Logically assigned data	25	0.00
	3 = Statistically imputed data - lifetime use imputed	1226	0.15
	4 = Statistically imputed data - edited recency = 9	2628	0.31
	5 = Statistically imputed data - edited recency = 8	295	0.04
IRANLRC	Len : 1 PAIN RELIEVER RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days	20385	2.44
	2 = More than 30 days ago but within the past 12 mos	31334	3.74
	3 = More than 12 months ago	63392	7.58
	9 = Never used pain relievers	607542	72.61

SEDATIVES

I2ANLRC	Len : 1 PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	714785	85.43
	2 = Logically assigned data	1215	0.15
	3 = Statistically imputed data	6653	0.80
I2ANLRC	Len : 1 PAIN RELIEVER RECENCY - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	714785	85.43
	2 = Logically assigned data	1215	0.15
	3 = Statistically imputed data - lifetime use imputed	2573	0.31
	4 = Statistically imputed data - edited recency = 9	3545	0.42
	5 = Statistically imputed data - edited recency = 8	535	0.06
IROXYRC	Len : 1 OXYCONTIN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Within the past 30 days	1721	0.21
	2 = More than 30 days ago but within the past 12 mos	4664	0.56
	3 = More than 12 months ago	12784	1.53
	9 = Never used OxyContin	594175	71.01
IIOXYRC	Len : 1 OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Questionnaire data	609915	72.90
	2 = Logically assigned data	933	0.11
	3 = Statistically imputed data	2496	0.30
I2OXYRC	Len : 1 OXYCONTIN RECENCY - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Questionnaire data	609915	72.90
	2 = Logically assigned data	933	0.11
	3 = Statistically imputed data - lifetime use imputed	1748	0.21
	4 = Statistically imputed data - edited recency = 9	583	0.07
	5 = Statistically imputed data - edited recency = 8	165	0.02
IRTRNRC	Len : 1 TRANQUILIZER RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days	6998	0.84
	2 = More than 30 days ago but within the past 12 mos	13849	1.66
	3 = More than 12 months ago	39938	4.77
	9 = Never used tranquilizers	661868	79.10
IITRNRC	Len : 1 TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	719906	86.04
	2 = Logically assigned data	104	0.01
	3 = Statistically imputed data	2643	0.32
I2TRNRC	Len : 1 TRANQUILIZER RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	719906	86.04
	2 = Logically assigned data	104	0.01
	3 = Statistically imputed data - lifetime use imputed	1412	0.17
	4 = Statistically imputed data - edited recency = 9	1112	0.13
	5 = Statistically imputed data - edited recency = 8	119	0.01

SEDATIVES

IRSTMRC	Len : 1	STIMULANT RECENCY - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Within the past 30 days	5189	0.62
		2 = More than 30 days ago but within the past 12 mos	9297	1.11
		3 = More than 12 months ago	39401	4.71
		9 = Never used stimulants	668766	79.93
IISTMRC	Len : 1	STIMULANT RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	719579	86.00
		2 = Logically assigned data	359	0.04
		3 = Statistically imputed data	2715	0.32
I2STMRC	Len : 1	STIMULANT RECENCY - DETAILED IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	719579	86.00
		2 = Logically assigned data	359	0.04
		3 = Statistically imputed data - lifetime use imputed	1425	0.17
		4 = Statistically imputed data - edited recency = 9	1071	0.13
		5 = Statistically imputed data - edited recency = 8	219	0.03
IRMTHRC	Len : 1	METHAMPHETAMINE RECENCY - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Within the past 30 days	1674	0.20
		2 = More than 30 days ago but within the past 12 mos	2982	0.36
		3 = More than 12 months ago	20945	2.50
		9 = NEVER USED METHAMPHETAMINE	697052	83.31
IIMTHRC	Len : 1	METHAMPHETAMINE RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	721301	86.21
		2 = Logically assigned data	171	0.02
		3 = Statistically imputed data	1181	0.14
I2MTHRC	Len : 1	METHAMPHETAMINE RECENCY - DETAILED IMP INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	721300	86.21
		2 = Logically assigned data	171	0.02
		3 = Statistically imputed data - lifetime use imputed	637	0.08
		4 = Statistically imputed data - edited recency = 9	440	0.05
		5 = Statistically imputed data - edited recency = 8	105	0.01
IRSEDRC	Len : 1	SEDATIVE RECENCY - IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Within the past 30 days	1043	0.12
		2 = More than 30 days ago but within the past 12 mos	1915	0.23
		3 = More than 12 months ago	12480	1.49
		9 = Never used sedatives	707215	84.52
IISEDRC	Len : 1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	720328	86.09
		2 = Logically assigned data	274	0.03
		3 = Statistically imputed data	2051	0.25

SEDATIVES

I2SEDRC

Len : 1 SEDATIVE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	720328	86.09
2 = Logically assigned data.....	274	0.03
3 = Statistically imputed data - lifetime use imputed	1722	0.21
4 = Statistically imputed data - edited recency = 9.....	312	0.04
5 = Statistically imputed data - edited recency = 8.....	17	0.00

RECENCY OF DRUG USE

IMPUTED SUBSTANCE USE

RECENCY OF DRUG USE

IRCIIRC	Len : 1 CIGARETTE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	201983	24.14
	2 = More than 30 days ago but within the past 12 mos	48699	5.82
	3 = More than 12 months ago but within the past 3 yrs.....	44810	5.36
	4 = More than 3 years ago.....	155302	18.56
	9 = Never smoked cigarettes.....	385902	46.12

IICIIRC	Len : 1 CIGARETTE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	831074	99.33
	2 = Logically assigned data.....	36	0.00
	3 = Statistically imputed data.....	5586	0.67

II2CIIRC	Len : 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	831074	99.33
	2 = Logically assigned data.....	36	0.00
	4 = Statistically imputed data - edited recency = 9.....	154	0.02
	5 = Statistically imputed data - edited recency = 8.....	161	0.02
	6 = Statistically imputed data - edited recency = 19.....	1440	0.17
	7 = Statistically imputed data - edited recency = 14.....	2562	0.31
	8 = Statistically imputed data - edited recency = 29.....	1243	0.15
	9 = Statistically imputed data - edited recency = 39.....	26	0.00

IRCGRRC	Len : 1 CIGAR RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	54034	6.46
	2 = More than 30 days ago but within the past 12 mos	56264	6.72
	3 = More than 12 months ago but within the past 3 yrs.....	53952	6.45
	4 = More than 3 years ago.....	96433	11.53
	9 = Never smoked cigars.....	576013	68.84

IICGRRC	Len : 1 CIGAR RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	832038	99.44
	2 = Logically assigned data.....	35	0.00
	3 = Statistically imputed data.....	4623	0.55

II2CGRRC	Len : 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	832038	99.44
	2 = Logically assigned data.....	35	0.00
	3 = Statistically imputed data - lifetime use imputed	149	0.02
	4 = Statistically imputed data - edited recency = 9.....	128	0.02
	5 = Statistically imputed data - edited recency = 8.....	131	0.02
	6 = Statistically imputed data - edited recency = 19.....	1276	0.15
	7 = Statistically imputed data - edited recency = 14.....	1719	0.21
	8 = Statistically imputed data - edited recency = 29.....	1207	0.14
	9 = Statistically imputed data - edited recency = 39.....	13	0.00

IRIPLF	Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED		
		Freq	Pct
	1 = Ever used pipes.....	74363	8.89
	9 = Never smoked pipes.....	762333	91.11

IIIPLF	Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	836544	99.98
	3 = Statistically imputed data.....	152	0.02

RECENCY OF DRUG USE

IRIPMN	Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED	Freq	Pct
	1 = Within the past 30 days.....	8173	0.98
	2 = More than 30 days ago but within lifetime.....	66190	7.91
	9 = Never smoked pipes.....	762333	91.11
IIPIMN	Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	123061	14.71
	3 = Statistically imputed data.....	172	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	713463	85.27
IRSMKLSREC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days.....	4277	0.51
	2 = More than 30 days ago but within the past 12 mos	2128	0.25
	3 = More than 12 months ago but within the past 3 yrs.....	2517	0.30
	4 = More than 3 years ago.....	9569	1.14
	9 = NEVER USED SMOKELESS TOBACCO.....	95552	11.42
ISMKLSREC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113637	13.58
	2 = Logically assigned data.....	4	0.00
	3 = Statistically imputed data - lifetime use imputed	81	0.01
	4 = Statistically imputed data - edited recency = 9.....	12	0.00
	5 = Statistically imputed data - edited recency = 8.....	12	0.00
	6 = Statistically imputed data - edited recency = 19.....	73	0.01
	7 = Statistically imputed data - edited recency = 14.....	130	0.02
	8 = Statistically imputed data - edited recency = 29.....	94	0.01
IRALCRC	Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED	Freq	Pct
	1 = Within the past 30 days.....	377167	45.08
	2 = More than 30 days ago but within the past 12 mos	132523	15.84
	3 = More than 12 months ago	93350	11.16
	9 = Never used alcohol	233656	27.93
IALCRC	Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	825894	98.71
	2 = Logically assigned data.....	162	0.02
	3 = Statistically imputed data.....	10640	1.27
I2ALCRC	Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	825894	98.71
	2 = Logically assigned data.....	162	0.02
	3 = Statistically imputed data - lifetime use imputed	252	0.03
	4 = Statistically imputed data - edited recency = 9.....	5001	0.60
	5 = Statistically imputed data - edited recency = 8.....	5387	0.64
IRMJRC	Len : 1 MARIJUANA RECENCY - IMPUTATION REVISED	Freq	Pct
	1 = Within the past 30 days.....	87428	10.45
	2 = More than 30 days ago but within the past 12 mos	61042	7.30
	3 = More than 12 months ago	189789	22.68
	9 = Never used marijuana	498437	59.57

RECENCY OF DRUG USE

IIMJRC	Len : 1 MARIJUANA RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	830736	99.29
	2 = Logically assigned data.....	69	0.01
	3 = Statistically imputed data.....	5891	0.70
I2MJRC	Len : 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	830736	99.29
	2 = Logically assigned data.....	69	0.01
	3 = Statistically imputed data - lifetime use imputed	518	0.06
	4 = Statistically imputed data - edited recency = 9.....	2725	0.33
	5 = Statistically imputed data - edited recency = 8.....	2648	0.32
IRCOCRC	Len : 1 COCAINE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	7675	0.92
	2 = More than 30 days ago but within the past 12 mos	15930	1.90
	3 = More than 12 months ago	74050	8.85
	9 = Never used cocaine.....	739041	88.33
IICOCRC	Len : 1 COCAINE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	834269	99.71
	2 = Logically assigned data.....	564	0.07
	3 = Statistically imputed data.....	1863	0.22
I2COCRC	Len : 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	834269	99.71
	2 = Logically assigned data.....	564	0.07
	3 = Statistically imputed data - lifetime use imputed	337	0.04
	4 = Statistically imputed data - edited recency = 9.....	1050	0.13
	5 = Statistically imputed data - edited recency = 8.....	476	0.06
IRCRKRC	Len : 1 CRACK RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	1413	0.17
	2 = More than 30 days ago but within the past 12 mos	2589	0.31
	3 = More than 12 months ago	19928	2.38
	9 = Never used crack.....	812766	97.14
IICRKRC	Len : 1 CRACK RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	835970	99.91
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data.....	712	0.09
I2CRKRC	Len : 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	835970	99.91
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data - lifetime use imputed	371	0.04
	4 = Statistically imputed data - edited recency = 9.....	216	0.03
	5 = Statistically imputed data - edited recency = 8.....	125	0.01
IRHERRC	Len : 1 HEROIN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	1092	0.13
	2 = More than 30 days ago but within the past 12 mos	1660	0.20
	3 = More than 12 months ago	9149	1.09
	9 = Never used heroin	824795	98.58

RECENCY OF DRUG USE

IIHERRC	Len : 1 HEROIN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	835867	99.90
	2 = Logically assigned data.....	10	0.00
	3 = Statistically imputed data.....	819	0.10
II2HERRC	Len : 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	835867	99.90
	2 = Logically assigned data.....	10	0.00
	3 = Statistically imputed data - lifetime use imputed	497	0.06
	4 = Statistically imputed data - edited recency = 9.....	161	0.02
	5 = Statistically imputed data - edited recency = 8.....	161	0.02
IRHALLUCREC	Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days.....	867	0.10
	2 = More than 30 days ago but within the past 12 mos	2350	0.28
	3 = More than 12 months ago	13320	1.59
	9 = NEVER USED HALLUCINOGENS	97506	11.65
IIHALLUCREC	Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113063	13.51
	2 = Logically assigned data.....	99	0.01
	3 = Statistically imputed data - lifetime use imputed	477	0.06
	4 = Statistically imputed data - edited recency = 9.....	301	0.04
	5 = Statistically imputed data - edited recency = 8.....	103	0.01
IRLSDRC	Len : 1 LSD RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	1362	0.16
	2 = More than 30 days ago but within the past 12 mos	5345	0.64
	3 = More than 12 months ago	58337	6.97
	9 = Never used LSD.....	771652	92.23
IILSDRC	Len : 1 LSD RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	834928	99.79
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data.....	1754	0.21
II2LSDRC	Len : 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	834928	99.79
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data - lifetime use imputed	732	0.09
	4 = Statistically imputed data - edited recency = 9.....	839	0.10
	5 = Statistically imputed data - edited recency = 8.....	183	0.02
IRPCPRC	Len : 1 PCP RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	266	0.03
	2 = More than 30 days ago but within the past 12 mos	927	0.11
	3 = More than 12 months ago	14381	1.72
	9 = Never used PCP	821122	98.14
IIPCPRC	Len : 1 PCP RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	835575	99.87
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data.....	1118	0.13

RECENCY OF DRUG USE

I2PCPRC	Len : 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	835575	99.87
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data - lifetime use imputed	714	0.09
	4 = Statistically imputed data - edited recency = 9.....	357	0.04
	5 = Statistically imputed data - edited recency = 8.....	47	0.01
IRECSTMOREC	Len : 1 ECSTASY RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	371	0.04
	2 = More than 30 days ago but within the past 12 mos	1260	0.15
	3 = More than 12 months ago	7272	0.87
	9 = NEVER USED ECS	105140	12.57
IIECSTMOREC	Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	113740	13.59
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data - lifetime use imputed	132	0.02
	4 = Statistically imputed data - edited recency = 9.....	147	0.02
	5 = Statistically imputed data - edited recency = 8.....	22	0.00
IRKETMINREC	Len : 1 KETAMINE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	54	0.01
	2 = More than 30 days ago but within the past 12 mos	140	0.02
	3 = More than 12 months ago	1285	0.15
	9 = NEVER USED KETAMINE	112564	13.45
IIKETMINREC	Len : 1 KETAMINE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	113852	13.61
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data - lifetime use imputed	171	0.02
	4 = Statistically imputed data - edited recency = 9.....	11	0.00
	5 = Statistically imputed data - edited recency = 8.....	6	0.00
IRDAMTFXREC	Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	42	0.01
	2 = More than 30 days ago but within the past 12 mos	161	0.02
	3 = More than 12 months ago	985	0.12
	9 = NEVER USED DMT/AMT/FOXY	112855	13.49
IIDAMTFXREC	Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	113834	13.61
	2 = Logically assigned data.....	4	0.00
	3 = Statistically imputed data - lifetime use imputed	180	0.02
	4 = Statistically imputed data - edited recency = 9.....	19	0.00
	5 = Statistically imputed data - edited recency = 8.....	6	0.00
IRSALVIAREC	Len : 1 SALVIA RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	25	0.00
	2 = More than 30 days ago but within the past 12 mos	109	0.01
	3 = More than 12 months ago	2691	0.32
	9 = NEVER USED SALVIA	111218	13.29

RECENCY OF DRUG USE

IISALVIAREC	Len : 1 SALVIA RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113792	13.60
	2 = Logically assigned data	15	0.00
	3 = Statistically imputed data - lifetime use imputed	216	0.03
	4 = Statistically imputed data - edited recency = 9	13	0.00
	5 = Statistically imputed data - edited recency = 8	7	0.00

IRINHALREC	Len : 1 INHALANT RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	401	0.05
	2 = More than 30 days ago but within the past 12 mos	934	0.11
	3 = More than 12 months ago	10299	1.23
	9 = NEVER USED INHALANTS	102409	12.24

IIINHALREC	Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113366	13.55
	2 = Logically assigned data	5	0.00
	3 = Statistically imputed data - lifetime use imputed	262	0.03
	4 = Statistically imputed data - edited recency = 9	374	0.04
	5 = Statistically imputed data - edited recency = 8	36	0.00

IRMETHAMREC	Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	307	0.04
	2 = More than 30 days ago but within the past 12 mos	436	0.05
	3 = More than 12 months ago	4376	0.52
	9 = NEVER USED METHAMPHETAMINE	108924	13.02

IIMETHAMREC	Len : 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113836	13.61
	2 = Logically assigned data	2	0.00
	3 = Statistically imputed data - lifetime use imputed	150	0.02
	4 = Statistically imputed data - edited recency = 9	31	0.00
	5 = Statistically imputed data - edited recency = 8	24	0.00

NOTE: The following 10 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

IRPNRANYREC	Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	36907	4.41
	2 = More than 12 months ago	25961	3.10
	9 = NEVER USED PAIN RELIEVERS	51175	6.12

IIPNRANYREC	Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	112760	13.48
	3 = Statistically imputed data - lifetime use imputed	960	0.11
	4 = Statistically imputed data - edited recency = 9	323	0.04

RECENCY OF DRUG USE

IROXCANYR	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	3892	0.47
	9 = Did not use in the past 12 months	110151	13.16
IIOXCANYR	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113045	13.51
	2 = Logically assigned data	449	0.05
	3 = Statistically imputed data - any use imputed	549	0.07
IIRTRQANYREC	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	13829	1.65
	2 = More than 12 months ago	7732	0.92
	9 = NEVER USED TRANQUILIZERS	92482	11.05
IITRQANYREC	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113154	13.52
	3 = Statistically imputed data - lifetime use imputed	839	0.10
	4 = Statistically imputed data - edited recency = 9	50	0.01
IIRSTMANYREC	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	9616	1.15
	2 = More than 12 months ago	5581	0.67
	9 = NEVER USED STIMULANTS	98846	11.81
IISTMANYREC	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113491	13.56
	3 = Statistically imputed data - lifetime use imputed	527	0.06
	4 = Statistically imputed data - edited recency = 9	25	0.00
IRSEDANYREC	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 12 months	6102	0.73
	2 = More than 12 months ago	6326	0.76
	9 = NEVER USED SEDATIVES	101615	12.14
IISEDANYREC	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113314	13.54
	3 = Statistically imputed data - lifetime use imputed	697	0.08
	4 = Statistically imputed data - edited recency = 9	32	0.00

RECENCY OF DRUG USE

NOTE: The following 10 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

IRPNRMREC	Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	1785	0.21
	2 = More than 30 days ago but within the past 12 mos	4248	0.51
	3 = More than 12 months ago	6274	0.75
	9 = NEVER MISUSED PAIN RELIEVERS	101736	12.16
IIPNRNMREC	Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	112772	13.48
	3 = Statistically imputed data - any use rec imputed	399	0.05
	4 = Stat imp data - any use rec known, misuse unknown	65	0.01
	5 = Statistically imputed data - edited recency = 9.....	85	0.01
	6 = Statistically imputed data - edited recency = 8.....	26	0.00
	7 = Stat imp data - did not misuse py, life unknown	696	0.08
IROXCNNMYR	Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Misused in the past 12 months.....	976	0.12
	9 = Did not misuse in the past 12 months	113067	13.51
IIOXCNNMYR	Len : 1 OXYCONTIN MISUSE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	113786	13.60
	2 = Logically assigned data.....	4	0.00
	3 = Statistically imputed data.....	253	0.03
IRTRQNMREC	Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	1025	0.12
	2 = More than 30 days ago but within the past 12 mos	2148	0.26
	3 = More than 12 months ago	2045	0.24
	9 = NEVER MISUSED TRANQUILIZERS.....	108825	13.01
IITRQNMREC	Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	113144	13.52
	3 = Statistically imputed data - any use rec imputed	350	0.04
	4 = Stat imp data - any use rec known, misuse unknown	24	0.00
	5 = Statistically imputed data - edited recency = 9.....	5	0.00
	6 = Statistically imputed data - edited recency = 8.....	10	0.00
	7 = Stat imp data - did not misuse py, life unknown	510	0.06
IRSTMNMREC	Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	1041	0.12
	2 = More than 30 days ago but within the past 12 mos	2433	0.29
	3 = More than 12 months ago	2266	0.27
	9 = NEVER MISUSED STIMULANTS.....	108303	12.94

RECENCY OF DRUG USE

IISTMNMREC	Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113450	13.56
	3 = Statistically imputed data - any use rec imputed	286	0.03
	4 = Stat imp data - any use rec known, misuse unknown	21	0.00
	5 = Statistically imputed data - edited recency = 9	14	0.00
	6 = Statistically imputed data - edited recency = 8	8	0.00
	7 = Stat imp data - did not misuse py, life unknown	264	0.03
IRSEDNMREC	Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Within the past 30 days	198	0.02
	2 = More than 30 days ago but within the past 12 mos	464	0.06
	3 = More than 12 months ago	1670	0.20
	9 = NEVER MISUSED SEDATIVES	111711	13.35
IISEDNMREC	Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	113284	13.54
	3 = Statistically imputed data - any use rec imputed	347	0.04
	4 = Stat imp data - any use rec known, misuse unknown	18	0.00
	5 = Statistically imputed data - edited recency = 9	10	0.00
	6 = Statistically imputed data - edited recency = 8	1	0.00
	7 = Stat imp data - did not misuse py, life unknown	383	0.05
IRHALFY	Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	24457	2.92
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED HALLUCINOGENS	621593	74.29
	993 = DID NOT USE HALLUCINOGENS PAST YEAR	76603	9.16
IHALFY	Len : 1 HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	73158	8.74
	2 = Logically assigned data	1353	0.16
	3 = Statistically imputed data	4954	0.59
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	643188	76.87
I2HALFY	Len : 1 HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	73158	8.74
	2 = Logically assigned data	1354	0.16
	3 = Statistically imputed data - lifetime use imputed	2314	0.28
	4 = Statistically imputed data - lifetime use known	2639	0.32
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	643188	76.87
IRINHFY	Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	13665	1.63
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED INHALANTS	648638	77.52
	993 = DID NOT USE INHALANTS PAST YEAR	60350	7.21
IINHFY	Len : 1 INHALANT FREQUENCY PAST YEAR - IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	63547	7.59
	2 = Logically assigned data	1268	0.15
	3 = Statistically imputed data	4389	0.52
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	653449	78.10

RECENCY OF DRUG USE

I2INH FY	Len : 1 INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	63547	7.59
	2 = Logically assigned data	1268	0.15
	3 = Statistically imputed data - lifetime use imputed	1226	0.15
	4 = Statistically imputed data - lifetime use known	3163	0.38
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	653449	78.10
IRANL FY	Len : 3 PAIN RELIEVER FREQ PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	51719	6.18
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED PAIN RELIEVERS	607542	72.61
	993 = DID NOT USE PAIN RELIEVERS PAST YEAR	63392	7.58
IIANL FY	Len : 1 PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	94698	11.32
	2 = Logically assigned data	3346	0.40
	3 = Statistically imputed data	7678	0.92
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	616931	73.73
I2ANL FY	Len : 1 PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	94698	11.32
	2 = Logically assigned data	3346	0.40
	3 = Statistically imputed data - lifetime use imputed	2573	0.31
	4 = Statistically imputed data - lifetime use known	5105	0.61
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	616931	73.73
IROXY FY	Len : 3 OXYCONTIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	6385	0.76
	-9 = Data not collected for this year	223352	26.69
	991 = NEVER USED OXYCONTIN	594175	71.01
	993 = DID NOT USE OXYCONTIN PAST YEAR	12784	1.53
IIOXY FY	Len : 1 OXYCONTIN FREQ PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Questionnaire data	5251	0.63
	2 = Logically assigned data	659	0.08
	3 = Statistically imputed data	2567	0.31
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	604867	72.29
I2OXY FY	Len : 1 OXYCONTIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Questionnaire data	5251	0.63
	2 = Logically assigned data	659	0.08
	3 = Statistically imputed data - lifetime use imputed	1749	0.21
	4 = Statistically imputed data - lifetime use known	818	0.10
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	604867	72.29
IRTRN FY	Len : 3 TRANQUILIZER FREQ PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365	20847	2.49
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED TRANQUILIZERS	661868	79.10
	993 = DID NOT USE TRANQUILIZERS PAST YEAR	39938	4.77

RECENCY OF DRUG USE

IITRNFY	Len : 1	TRANQUILIZER FREQ PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	71055	8.49
		2 = Logically assigned data	1261	0.15
		3 = Statistically imputed data	2894	0.35
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	647443	77.38
I2TRNFY	Len : 1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	71055	8.49
		2 = Logically assigned data	1261	0.15
		3 = Statistically imputed data - lifetime use imputed	1412	0.17
		4 = Statistically imputed data - lifetime use known	1482	0.18
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	647443	77.38
IRSTMFY	Len : 3	STIMULANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365	14486	1.73
		-9 = Data not collected for this year	114043	13.63
		991 = NEVER USED STIMULANTS	668766	79.93
		993 = DID NOT USE STIMULANTS PAST YEAR	39401	4.71
IISTMFY	Len : 1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	64796	7.74
		2 = Logically assigned data	1432	0.17
		3 = Statistically imputed data	2917	0.35
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	653508	78.11
I2STMFY	Len : 1	STIM FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	64796	7.74
		2 = Logically assigned data	1432	0.17
		3 = Statistically imputed data - lifetime use imputed	1425	0.17
		4 = Statistically imputed data - lifetime use known	1492	0.18
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	653508	78.11
IRMTHFY	Len : 3	METH FREQUENCY PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365	4656	0.56
		-9 = Data not collected for this year	114043	13.63
		991 = NEVER USED METHAMPHETAMINE	697052	83.31
		993 = DID NOT USE METHAMPHETAMINE PAST YEAR	20945	2.50
IIMTHFY	Len : 1	METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	57475	6.87
		2 = Logically assigned data	314	0.04
		3 = Statistically imputed data	1229	0.15
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	663635	79.32
I2MTHFY	Len : 1	METH FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	57474	6.87
		2 = Logically assigned data	314	0.04
		3 = Statistically imputed data - lifetime use imputed	637	0.08
		4 = Statistically imputed data - lifetime use known	593	0.07
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	663635	79.32

RECENCY OF DRUG USE

IRSEDFY

Len : 3 SEDATIVE FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 364	2958	0.35
-9 = Data not collected for this year	114043	13.63
991 = NEVER USED SEDATIVES	707215	84.52
993 = DID NOT USE SEDATIVES PAST YEAR	12480	1.49

IISEDFY

Len : 1 SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	56195	6.72
2 = Logically assigned data	228	0.03
3 = Statistically imputed data	2126	0.25
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	664104	79.37

II2SEDFY

Len : 1 SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	56195	6.72
2 = Logically assigned data	228	0.03
3 = Statistically imputed data - lifetime use imputed	1722	0.21
4 = Statistically imputed data - lifetime use known	404	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	664104	79.37

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

IRALCFY	Len : 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365	Freq	Pct
	991 = NEVER USED ALCOHOL.....	509690	60.92
	993 = DID NOT USE ALCOHOL PAST YEAR	233656	27.93
		93350	11.16
IIALCFY	Len : 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	505742	60.45
	3 = Statistically imputed data.....	14455	1.73
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	11407	1.36
		305092	36.46
I2ALCFY	Len : 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	505742	60.45
	3 = Statistically imputed data - lifetime use imputed	14455	1.73
	4 = Statistically imputed data - lifetime use known.....	252	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	11155	1.33
		305092	36.46
IRMJFY	Len : 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365	Freq	Pct
	991 = NEVER USED MARIJUANA	148470	17.74
	993 = DID NOT USE MARIJUANA PAST YEAR	498437	59.57
		189789	22.68
IIMJFY	Len : 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	178745	21.36
	3 = Statistically imputed data.....	8886	1.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	6514	0.78
		642551	76.80
I2MJFY	Len : 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	178745	21.36
	3 = Statistically imputed data - lifetime use imputed	8886	1.06
	4 = Statistically imputed data - lifetime use known.....	518	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	5996	0.72
		642551	76.80
IRCOCFY	Len : 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365	Freq	Pct
	991 = NEVER USED COCAINE	23605	2.82
	993 = DID NOT USE COCAINE PAST YEAR.....	739041	88.33
		74050	8.85
IICOCFY	Len : 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	72558	8.67
	3 = Statistically imputed data.....	1845	0.22
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	2137	0.26
		760156	90.85

PAST YEAR FREQUENCY OF USE

I2COCFY	Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	72558	8.67
	2 = Logically assigned data.....	1845	0.22
	3 = Statistically imputed data - lifetime use imputed	337	0.04
	4 = Statistically imputed data - lifetime use known.....	1800	0.22
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	760156	90.85
IRCRKFY	Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 365	4002	0.48
	991 = NEVER USED CRACK	812766	97.14
	993 = DID NOT USE CRACK PAST YEAR.....	19928	2.38
IICRKFY	Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	57199	6.84
	2 = Logically assigned data.....	259	0.03
	3 = Statistically imputed data.....	714	0.09
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	778524	93.05
I2CRKFY	Len : 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	57199	6.84
	2 = Logically assigned data.....	259	0.03
	3 = Statistically imputed data - lifetime use imputed	371	0.04
	4 = Statistically imputed data - lifetime use known.....	343	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	778524	93.05
IRHERFY	Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 365	2752	0.33
	991 = NEVER USED HEROIN.....	824795	98.58
	993 = DID NOT USE HEROIN PAST YEAR	9149	1.09
IIHERFY	Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	56117	6.71
	2 = Logically assigned data.....	317	0.04
	3 = Statistically imputed data.....	835	0.10
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	779427	93.16
I2HERFY	Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	56117	6.71
	2 = Logically assigned data.....	317	0.04
	3 = Statistically imputed data - lifetime use imputed	497	0.06
	4 = Statistically imputed data - lifetime use known.....	338	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	779427	93.16
IRHALLUCYFQ	Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 365	3217	0.38
	-9 = Data not collected for this year.....	722653	86.37
	991 = NEVER USED HALLUCINOGENS	97506	11.65
	993 = DID NOT USE HALLUCINOGENS PAST YEAR	13320	1.59
IIHALLUCYFQ	Len : 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	2814	0.34
	2 = Logically assigned data.....	175	0.02
	3 = Statistically imputed data - lifetime use imputed	477	0.06
	4 = Statistically imputed data - lifetime use known.....	399	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	110178	13.17

PAST YEAR FREQUENCY OF USE

IRINHLYFQ	Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365	Freq	Pct
	-9 = Data not collected for this year	1335	0.16
	991 = NEVER USED INHALANTS	722653	86.37
	993 = DID NOT USE INHALANTS PAST YEAR	102409	12.24
		10299	1.23
IINHLYFQ	Len : 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	2 = Logically assigned data	1049	0.13
	3 = Statistically imputed data - lifetime use imputed	109	0.01
	4 = Statistically imputed data - lifetime use known	262	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	459	0.05
		112164	13.41
IRMETHAMYFQ	Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365	Freq	Pct
	-9 = Data not collected for this year	743	0.09
	991 = NEVER USED METHAMPHETAMINE	722653	86.37
	993 = DID NOT USE METHAMPHETAMINE PAST YEAR	108924	13.02
		4376	0.52
IIMETHAMYFQ	Len : 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	2 = Logically assigned data	646	0.08
	3 = Statistically imputed data - lifetime use imputed	56	0.01
	4 = Statistically imputed data - lifetime use known	150	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	62	0.01
		113129	13.52
IRCHWFM	Len : 2 CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED		
	RANGE = 1 - 30	Freq	Pct
	-9 = Data not collected for this year	11292	1.35
	91 = NEVER USED CHEWING TOBACCO	114043	13.63
	93 = DID NOT USE CHEWING TOBACCO PAST MONTH	639898	76.48
		71463	8.54
IICHWFM	Len : 1 CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	2 = Logically assigned data	64429	7.70
	3 = Statistically imputed data	118	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	219	0.03
		657887	78.63
I2CHWFM	Len : 1 CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	2 = Logically assigned data	64429	7.70
	3 = Statistically imputed data - lifetime use imputed	118	0.01
	4 = Statistically imputed data - lifetime use known	116	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	103	0.01
		657887	78.63
IRSNFFM	Len : 2 SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30	Freq	Pct
	-9 = Data not collected for this year	24372	2.91
	91 = NEVER USED SNUFF	114043	13.63
	93 = DID NOT USE SNUFF PAST MONTH	622249	74.37
		76032	9.09

PAST YEAR FREQUENCY OF USE

IISNFFM	Len : 1 SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	76424	9.13
	2 = Logically assigned data	185	0.02
	3 = Statistically imputed data	513	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	645531	77.15
IISNFFM	Len : 1 SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	76424	9.13
	2 = Logically assigned data	185	0.02
	3 = Statistically imputed data - lifetime use imputed	348	0.04
	4 = Statistically imputed data - lifetime use known	165	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	645531	77.15
IRALCD5	Len : 2 5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
		Freq	Pct
	RANGE = 0 - 30	325063	38.85
	-9 = Data not collected for this year	114043	13.63
	91 = NEVER USED ALCOHOL	201698	24.11
	93 = DID NOT USE ALCOHOL PAST MONTH	195892	23.41
IIALCD5	Len : 1 5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	341787	40.85
	2 = Logically assigned data	825	0.10
	3 = Statistically imputed data	16408	1.96
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	363633	43.46
IIALCD5	Len : 1 5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	341787	40.85
	2 = Logically assigned data	825	0.10
	3 = Statistically imputed data - lifetime use imputed	220	0.03
	4 = Statistically imputed data - lifetime use known	16188	1.93
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	363633	43.46
IRHALFM	Len : 2 HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	6459	0.77
	-9 = Data not collected for this year	114043	13.63
	91 = NEVER USED HALLUCINOGENS	621593	74.29
	93 = DID NOT USE HALLUCINOGENS PAST MONTH	94601	11.31
IHALFM	Len : 1 HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	58834	7.03
	2 = Logically assigned data	67	0.01
	3 = Statistically imputed data	5306	0.63
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	658446	78.70
I2HALFM	Len : 1 HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	58834	7.03
	2 = Logically assigned data	67	0.01
	3 = Statistically imputed data - lifetime use imputed	2314	0.28
	4 = Statistically imputed data - lifetime use known	2992	0.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	658446	78.70

PAST YEAR FREQUENCY OF USE

IRINHFM	Len : 2 INHALANT FREQUENCY PAST MONTH - IMP REVISED	Freq	Pct
	RANGE = 1 - 30	3671	0.44
	-9 = Data not collected for this year	114043	13.63
	91 = NEVER USED INHALANTS	648638	77.52
	93 = DID NOT USE INHALANTS PAST MONTH	70344	8.41
IINHFMM	Len : 1 INHALANT FREQUENCY PAST MONTH - IMP INDICATOR	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	56597	6.76
	2 = Logically assigned data	158	0.02
	3 = Statistically imputed data	4225	0.50
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	661673	79.08
I2INHFM	Len : 1 INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	56597	6.76
	2 = Logically assigned data	158	0.02
	3 = Statistically imputed data - lifetime use imputed	1226	0.15
	4 = Statistically imputed data - lifetime use known	2999	0.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	661673	79.08

PAST MONTH FREQUENCY OF USE

PAST MONTH FREQUENCY OF USE

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

IRCIGFM	Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30.....	201983	24.14
	91 = NEVER USED CIGARETTES.....	385902	46.12
	93 = DID NOT USE CIGARETTES PAST MONTH.....	248811	29.74
IICIGFM	Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	239027	28.57
	2 = Logically assigned data.....	1602	0.19
	3 = Statistically imputed data.....	619	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	595448	71.17
IICIGFM	Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	239027	28.57
	2 = Logically assigned data.....	1602	0.19
	4 = Statistically imputed data - lifetime use known.....	619	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	595448	71.17
IRCGRFM	Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30.....	54034	6.46
	91 = NEVER USED CIGARS.....	576013	68.84
	93 = DID NOT USE CIGARS PAST MONTH.....	206649	24.70
IICGRFM	Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	103760	12.40
	2 = Logically assigned data.....	437	0.05
	3 = Statistically imputed data.....	544	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	731955	87.48
IICGRFM	Len : 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	103760	12.40
	2 = Logically assigned data.....	437	0.05
	3 = Statistically imputed data - lifetime use imputed.....	149	0.02
	4 = Statistically imputed data - lifetime use known.....	395	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	731955	87.48
IRSMKLSS30N	Len : 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30.....	4277	0.51
	-9 = Data not collected for this year.....	722653	86.37
	91 = NEVER USED SMOKELESS TOBACCO.....	95552	11.42
	93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH.....	14214	1.70
IISMKLSS30N	Len : 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data.....	4235	0.51
	2 = Logically assigned data.....	25	0.00
	3 = Statistically imputed data - lifetime use imputed.....	81	0.01
	4 = Statistically imputed data - lifetime use known.....	32	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	109670	13.11

PAST MONTH FREQUENCY OF USE

IRALCFM	Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	377167	45.08
	91 = NEVER USED ALCOHOL	233656	27.93
	93 = DID NOT USE ALCOHOL PAST MONTH	225873	27.00

IIALCFM	Len : 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	395458	47.26
	2 = Logically assigned data	2379	0.28
	3 = Statistically imputed data	13962	1.67
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	424897	50.78

I2ALCFM	Len : 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	395458	47.26
	2 = Logically assigned data	2379	0.28
	3 = Statistically imputed data - lifetime use imputed	252	0.03
	4 = Statistically imputed data - lifetime use known	13710	1.64
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	424897	50.78

"Binge" Alcohol Frequency, IRALCBNG30D, is defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol frequency was defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, IRALCBNG30D is comparable to the version of this variable created from 2002-2014, IRALCD5, among males but not overall or among females.

IRALCBNG30D	Len : 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 0 - 30	52104	6.23
	-9 = Data not collected for this year	722653	86.37
	91 = NEVER USED ALCOHOL	31958	3.82
	93 = DID NOT USE ALCOHOL PAST MONTH	29981	3.58

IIALCBNG30D	Len : 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	50338	6.02
	2 = Logically assigned data	116	0.01
	3 = Statistically imputed data - recency of use imputed	1374	0.16
	4 = Statistically imputed data - recency of use known	951	0.11
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	61264	7.32

IRMJFM	Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	87428	10.45
	91 = NEVER USED MARIJUANA	498437	59.57
	93 = DID NOT USE MARIJUANA PAST MONTH	250831	29.98

IIMJFM	Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	132434	15.83
	2 = Logically assigned data	722	0.09
	3 = Statistically imputed data	6150	0.74
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	697390	83.35

I2MJFM	Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	132434	15.83
	2 = Logically assigned data	722	0.09
	3 = Statistically imputed data - lifetime use imputed	518	0.06
	4 = Statistically imputed data - lifetime use known	5632	0.67
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	697390	83.35

PAST MONTH FREQUENCY OF USE

IRCOCFM	Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30	Freq	Pct
	91 = NEVER USED COCAINE	7675	0.92
	93 = DID NOT USE COCAINE PAST MONTH	739041	88.33
		89980	10.75
IICOCFM	Len : 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data	60109	7.18
	3 = Statistically imputed data	259	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	2157	0.26
		774171	92.53
I2COCFM	Len : 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data	60109	7.18
	3 = Statistically imputed data - lifetime use imputed	259	0.03
	4 = Statistically imputed data - lifetime use known	337	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	1820	0.22
		774171	92.53
IRCRKFM	Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30	Freq	Pct
	91 = NEVER USED CRACK	1413	0.17
	93 = DID NOT USE CRACK PAST MONTH	812766	97.14
		22517	2.69
IICRKFM	Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data	55235	6.60
	3 = Statistically imputed data	12	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	721	0.09
		780728	93.31
I2CRKFM	Len : 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data	55235	6.60
	3 = Statistically imputed data - lifetime use imputed	12	0.00
	4 = Statistically imputed data - lifetime use known	371	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	350	0.04
		780728	93.31
IRHERFM	Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30	Freq	Pct
	91 = NEVER USED HEROIN	1092	0.13
	93 = DID NOT USE HEROIN PAST MONTH	824795	98.58
		10809	1.29
IHERFM	Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data	54988	6.57
	3 = Statistically imputed data	14	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	830	0.10
		780864	93.33
I2HERFM	Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data	54988	6.57
	3 = Statistically imputed data - lifetime use imputed	14	0.00
	4 = Statistically imputed data - lifetime use known	497	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	333	0.04
		780864	93.33

PAST MONTH FREQUENCY OF USE

IRHALLUC30N	Len : 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	867	0.10
	-9 = Data not collected for this year	722653	86.37
	91 = NEVER USED HALLUCINOGENS	97506	11.65
	93 = DID NOT USE HALLUCINOGENS PAST MONTH	15670	1.87
IHALLUC30N	Len : 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	770	0.09
	2 = Logically assigned data	6	0.00
	3 = Statistically imputed data - lifetime use imputed	477	0.06
	4 = Statistically imputed data - lifetime use known	437	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	112353	13.43
IRINHAL30N	Len : 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	401	0.05
	-9 = Data not collected for this year	722653	86.37
	91 = NEVER USED INHALANTS	102409	12.24
	93 = DID NOT USE INHALANTS PAST MONTH	11233	1.34
IINHAL30N	Len : 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	337	0.04
	2 = Logically assigned data	16	0.00
	3 = Statistically imputed data - lifetime use imputed	262	0.03
	4 = Statistically imputed data - lifetime use known	424	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	113004	13.51
IRMETHAM30N	Len : 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	307	0.04
	-9 = Data not collected for this year	722653	86.37
	91 = NEVER USED METHAMPHETAMINE	108924	13.02
	93 = DID NOT USE METHAMPHETAMINE PAST MONTH	4812	0.58
IIMETHAM30N	Len : 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	293	0.04
	2 = Logically assigned data	2	0.00
	3 = Statistically imputed data - lifetime use imputed	150	0.02
	4 = Statistically imputed data - lifetime use known	57	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	113541	13.57
IRPNRNM30FQ	Len : 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	1785	0.21
	-9 = Data not collected for this year	722653	86.37
	91 = NEVER MISUSED PAIN RELIEVERS	101736	12.16
	93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH	10522	1.26
IIPNRNM30FQ	Len : 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	1729	0.21
	2 = Logically assigned data	21	0.00
	3 = Statistically imputed data - lifetime misuse imputed	464	0.06
	4 = Statistically imputed data - lifetime misuse known	115	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	111714	13.35

PAST MONTH FREQUENCY OF USE

IRTRQNM30FQ	Len : 2	TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30	1025	0.12
		-9 = Data not collected for this year	722653	86.37
		91 = NEVER MISUSED TRANQUILIZERS	108825	13.01
		93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH	4193	0.50
IITRQNM30FQ	Len : 1	TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	1001	0.12
		2 = Logically assigned data	8	0.00
		3 = Statistically imputed data - lifetime misuse imputed	374	0.04
		4 = Statistically imputed data - lifetime misuse known	21	0.00
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	112639	13.46
IRSTMNM30FQ	Len : 2	STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30	1041	0.12
		-9 = Data not collected for this year	722653	86.37
		91 = NEVER MISUSED STIMULANTS	108303	12.94
		93 = DID NOT MISUSE STIMULANTS PAST MONTH	4699	0.56
IISTMNM30FQ	Len : 1	STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	1026	0.12
		2 = Logically assigned data	2	0.00
		3 = Statistically imputed data - lifetime misuse imputed	307	0.04
		4 = Statistically imputed data - lifetime misuse known	24	0.00
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	112684	13.47
IRSEDNM30FQ	Len : 2	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 30	198	0.02
		-9 = Data not collected for this year	722653	86.37
		91 = NEVER MISUSED SEDATIVES	111711	13.35
		93 = DID NOT MISUSE SEDATIVES PAST MONTH	2134	0.26
IISEDNM30FQ	Len : 1	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	194	0.02
		2 = Logically assigned data	2	0.00
		3 = Statistically imputed data - lifetime misuse imputed	365	0.04
		4 = Statistically imputed data - lifetime misuse known	12	0.00
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	113470	13.56
IRSLTAGE	Len : 3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
			Freq	Pct
		RANGE = 1 - 80	124944	14.93
		-9 = Data not collected for this year	114043	13.63
		991 = NEVER USED	597709	71.44
IISLTAGE	Len : 1	IRSLTAGE IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	165269	19.75
		3 = Statistically imputed data	3809	0.46
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER	553575	66.16

PAST MONTH FREQUENCY OF USE

IRSLTYFU	Len : 4 IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE		
	RANGE = 1916 - 2014	Freq	Pct
	-9 = Data not collected for this year	124944	14.93
	9999 = NEVER USED.....	114043	13.63
		597709	71.44
IISLTYFU	Len : 1 IRSLTYFU IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	3 = Statistically imputed data.....	56501	6.75
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	107203	12.81
		558949	66.80
IRCHWAGE	Len : 3 IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
	RANGE = 1 - 80	Freq	Pct
	-9 = Data not collected for this year	82755	9.89
	991 = NEVER USED.....	114043	13.63
		639898	76.48
IICHWAGE	Len : 1 IRCHWAGE IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	3 = Statistically imputed data.....	128112	15.31
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	1857	0.22
		592684	70.84
IRCHWYFU	Len : 4 IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE		
	RANGE = 1917 - 2014	Freq	Pct
	-9 = Data not collected for this year	82755	9.89
	9999 = NEVER USED.....	114043	13.63
		639898	76.48
IICHWYFU	Len : 1 IRCHWYFU IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	3 = Statistically imputed data.....	54564	6.52
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	75405	9.01
		592684	70.84
IRSNFAGE	Len : 3 IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
	RANGE = 1 - 75	Freq	Pct
	-9 = Data not collected for this year	100404	12.00
	991 = NEVER USED.....	114043	13.63
		622249	74.37
IISNFAGE	Len : 1 IRSNFAGE IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	3 = Statistically imputed data.....	144277	17.24
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	2520	0.30
		575856	68.82
IRSNFYFU	Len : 4 IMPUTATION-REVISED SNUFF YEAR OF FIRST USE		
	RANGE = 1916 - 2014	Freq	Pct
	-9 = Data not collected for this year	100404	12.00
	9999 = NEVER USED.....	114043	13.63
		622249	74.37
IISNFYFU	Len : 1 IRSNFYFU IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	3 = Statistically imputed data.....	57960	6.93
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	88837	10.62
		575856	68.82

PAST MONTH FREQUENCY OF USE

IRHALAGE	Len : 3 IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 74.....	101060	12.08
	-9 = Data not collected for this year.....	114043	13.63
	991 = NEVER USED.....	621593	74.29
IHALAGE	Len : 1 IRHALAGE IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Questionnaire data.....	144120	17.22
	2 = Logically assigned data.....	990	0.12
	3 = Statistically imputed data.....	3516	0.42
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	574027	68.61
IRHALYFU	Len : 4 IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1935 - 2014.....	101060	12.08
	-9 = Data not collected for this year.....	114043	13.63
	9999 = NEVER USED.....	621593	74.29
IHALYFU	Len : 1 IRHALYFU IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Questionnaire data.....	57287	6.85
	2 = Logically assigned data.....	165	0.02
	3 = Statistically imputed data.....	91174	10.90
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	574027	68.61
IRECSAGE	Len : 3 IMPUTATION-REVISED ECSTASY AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 67.....	50038	5.98
	-9 = Data not collected for this year.....	114043	13.63
	991 = NEVER USED.....	672615	80.39
IIECSAGE	Len : 1 IRECSAGE IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Questionnaire data.....	99692	11.91
	2 = Logically assigned data.....	15	0.00
	3 = Statistically imputed data.....	1280	0.15
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	621666	74.30
IRECSYFU	Len : 4 IMPUTATION-REVISED ECSTASY YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1956 - 2014.....	50038	5.98
	-9 = Data not collected for this year.....	114043	13.63
	9999 = NEVER USED.....	672615	80.39
IIECSYFU	Len : 1 IRECSYFU IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Questionnaire data.....	58831	7.03
	2 = Logically assigned data.....	4	0.00
	3 = Statistically imputed data.....	42152	5.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	621666	74.30
IRINHAGE	Len : 3 IMPUTATION-REVISED INHALANTS AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 66.....	74015	8.85
	-9 = Data not collected for this year.....	114043	13.63
	991 = NEVER USED.....	648638	77.52

PAST MONTH FREQUENCY OF USE

IINHAGE	Len : 1 IRINHAGE IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	117299	14.02
	3 = Statistically imputed data	5097	0.61
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	600257	71.74
IRINHYFU	Len : 4 IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1920 - 2014	74015	8.85
	-9 = Data not collected for this year	114043	13.63
	9999 = NEVER USED.....	648638	77.52
IINHIFYU	Len : 1 IRINHYFU IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	56387	6.74
	3 = Statistically imputed data	66009	7.89
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	600257	71.74
IRANLAGE	Len : 3 IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 82.....	115111	13.76
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED.....	607542	72.61
IANLAGE	Len : 1 IRANLAGE IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	153995	18.41
	2 = Logically assigned data.....	171	0.02
	3 = Statistically imputed data.....	8977	1.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	559510	66.87
IRANLYFU	Len : 4 IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1921 - 2014	115111	13.76
	-9 = Data not collected for this year	114043	13.63
	9999 = NEVER USED.....	607542	72.61
IANLYFU	Len : 1 IRANLYFU IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	64264	7.68
	2 = Logically assigned data.....	134	0.02
	3 = Statistically imputed data.....	98745	11.80
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	559510	66.87
<p>NOTE: See the note preceding the OXYCAGE variable. No special editing or imputation procedures were done to prevent IROXYFU from having a value earlier than 1995, even though OxyContin was not approved for medical use by the US Food and Drug Administration until 1995. Caution is advised in interpreting OxyContin age/date of first use data from respondents with IROXYFU<1995.</p>			
IROXYAGE	Len : 3 IMPUTATION-REVISED OXYCONTIN AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 66.....	19169	2.29
	-9 = Data not collected for this year	223352	26.69
	991 = NEVER USED.....	594175	71.01

PAST MONTH FREQUENCY OF USE

IIOXYAGE	Len : 1 IROXYAGE IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Questionnaire data	18483	2.21
	2 = Logically assigned data.....	25	0.00
	3 = Statistically imputed data.....	2282	0.27
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	592554	70.82
IROXYFU	Len : 4 IMPUTATION-REVISED OXYCONTIN YEAR FIRST USE		
		Freq	Pct
	RANGE = 1948 - 2014	19169	2.29
	-9 = Data not collected for this year	223352	26.69
	9999 = NEVER USED.....	594175	71.01
IIOXYFU	Len : 1 IROXYFU IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Questionnaire data	3788	0.45
	2 = Logically assigned data.....	11	0.00
	3 = Statistically imputed data.....	16991	2.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	592554	70.82
IRTRNAGE	Len : 3 IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 85.....	60785	7.26
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED.....	661868	79.10
IIRTRNAGE	Len : 1 IIRTRNAGE IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	108598	12.98
	2 = Logically assigned data.....	5	0.00
	3 = Statistically imputed data.....	3208	0.38
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	610842	73.01
IRTRNYFU	Len : 4 IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1918 - 2014	60785	7.26
	-9 = Data not collected for this year	114043	13.63
	9999 = NEVER USED.....	661868	79.10
IIRTRNYFU	Len : 1 IIRTRNYFU IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	58928	7.04
	2 = Logically assigned data.....	5	0.00
	3 = Statistically imputed data.....	52878	6.32
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	610842	73.01
IRSTMAGE	Len : 3 IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 76.....	53887	6.44
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED.....	668766	79.93
IIRSTMAGE	Len : 1 IIRSTMAGE IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Questionnaire data	101364	12.11
	2 = Logically assigned data.....	285	0.03
	3 = Statistically imputed data.....	2884	0.34
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	618120	73.88

PAST MONTH FREQUENCY OF USE

IRSTMYFU	Len : 4 IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE		
	RANGE = 1923 - 2014	Freq	Pct
	-9 = Data not collected for this year	53887	6.44
	9999 = NEVER USED.....	114043	13.63
		668766	79.93
IISTMYFU	Len : 1 IRSTMYFU IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	2 = Logically assigned data.....	55660	6.65
	3 = Statistically imputed data.....	20	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	48853	5.84
		618120	73.88
IRMTHAGE	Len : 3 IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE		
	RANGE = 1 - 60	Freq	Pct
	-9 = Data not collected for this year	25601	3.06
	991 = NEVER USED.....	114043	13.63
		697052	83.31
IIMTHAGE	Len : 1 IRMTHAGE IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	2 = Logically assigned data.....	76465	9.14
	3 = Statistically imputed data.....	38	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	1212	0.14
		644938	77.08
IRMTHYFU	Len : 4 IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE		
	RANGE = 1936 - 2014	Freq	Pct
	-9 = Data not collected for this year	25601	3.06
	9999 = NEVER USED.....	114043	13.63
		697052	83.31
IIMTHYFU	Len : 1 IRMTHYFU IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	2 = Logically assigned data.....	53341	6.38
	3 = Statistically imputed data.....	23	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	24351	2.91
		644938	77.08
IRSEDAGE	Len : 3 IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE		
	RANGE = 1 - 80	Freq	Pct
	-9 = Data not collected for this year	15438	1.85
	991 = NEVER USED.....	114043	13.63
		707215	84.52
IISEDAGE	Len : 1 IRSEDAGE IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	114043	13.63
	2 = Logically assigned data.....	67176	8.03
	3 = Statistically imputed data.....	13	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	2372	0.28
		653092	78.06
IRSEDFU	Len : 4 IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE		
	RANGE = 1919 - 2014	Freq	Pct
	-9 = Data not collected for this year	15438	1.85
	9999 = NEVER USED.....	114043	13.63
		707215	84.52

PAST MONTH FREQUENCY OF USE

IISEDYFU

Len : 1 IRSEDYFU IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Questionnaire data	53944	6.45
2 = Logically assigned data.....	13	0.00
3 = Statistically imputed data.....	15604	1.86
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	653092	78.06

AGE/DATE OF FIRST DRUG USE

AGE/DATE OF FIRST DRUG USE

IRCIAGE	Len : 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 68.....	Freq	Pct
	991 = NEVER USED.....	450794	53.88
		385902	46.12
IICIGAGE	Len : 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	2 = Logically assigned data.....	465772	55.67
	3 = Statistically imputed data.....	245	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	6092	0.73
		364587	43.57
IRCIYFU	Len : 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1913 - 2016.....	Freq	Pct
	9999 = NEVER USED.....	450794	53.88
		385902	46.12
IICIGYFU	Len : 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	2 = Logically assigned data.....	50745	6.06
	3 = Statistically imputed data.....	46	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	421318	50.35
		364587	43.57
IRCDUAGE	Len : 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 68.....	Freq	Pct
	991 = NEVER USED.....	228910	27.36
	993 = NEVER A DAILY USER.....	385902	46.12
		221884	26.52
IICDUAGE	Len : 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	2 = Logically assigned data.....	264496	31.61
	3 = Statistically imputed data.....	10	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	1886	0.23
		570304	68.16
IRCD2YFU	Len : 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED		
	RANGE = 1917 - 2016.....	Freq	Pct
	9993 = NEVER A DAILY USER.....	228910	27.36
	9999 = NEVER USED.....	221884	26.52
		385902	46.12
IICD2YFU	Len : 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	2 = Logically assigned data.....	49676	5.94
	3 = Statistically imputed data.....	8	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	216708	25.90
		570304	68.16
IRCGRAGE	Len : 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 80.....	Freq	Pct
	991 = NEVER USED.....	260683	31.16
		576013	68.84
IICGRAGE	Len : 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	290109	34.67
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	6059	0.72
		540528	64.60

AGE/DATE OF FIRST DRUG USE

IRCGRYFU	Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1908 - 2016	Freq	Pct
	260683	260683	31.16
	9999 = NEVER USED.....	576013	68.84
IICGRYFU	Len : 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	67316	67316	8.05
	3 = Statistically imputed data.....	228852	27.35
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	540528	64.60
IRSMKLSSTRY	Len : 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 78	Freq	Pct
	18491	18491	2.21
	-9 = Data not collected for this year	722653	86.37
	991 = NEVER USED.....	95552	11.42
IISMKLSSTRY	Len : 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	722653	722653	86.37
	1 = Questionnaire data	18126	2.17
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	438	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	95478	11.41
IRSMKLSYFU	Len : 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1932 - 2016	Freq	Pct
	18491	18491	2.21
	-9 = Data not collected for this year	722653	86.37
	9999 = NEVER USED.....	95552	11.42
IISMKLSYFU	Len : 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	722653	722653	86.37
	1 = Questionnaire data	1471	0.18
	3 = Statistically imputed data.....	17094	2.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	95478	11.41
IRALCAGE	Len : 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 90.....	Freq	Pct
	603040	603040	72.07
	991 = NEVER USED.....	233656	27.93
IIALCAGE	Len : 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	608106	608106	72.68
	3 = Statistically imputed data.....	9110	1.09
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	219480	26.23
IRALCYFU	Len : 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1911 - 2016	Freq	Pct
	603040	603040	72.07
	9999 = NEVER USED.....	233656	27.93
IIALCYFU	Len : 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	74979	74979	8.96
	3 = Statistically imputed data.....	542237	64.81
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	219480	26.23

AGE/DATE OF FIRST DRUG USE

IRMJAGE	Len : 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 80.....	338259	40.43
	991 = NEVER USED.....	498437	59.57
IIMJAGE	Len : 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	367108	43.88
	3 = Statistically imputed data.....	3117	0.37
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	466471	55.75
IRMJYFU	Len : 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1933 - 2016.....	338259	40.43
	9999 = NEVER USED.....	498437	59.57
IIMJYFU	Len : 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	62678	7.49
	3 = Statistically imputed data.....	307547	36.76
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	466471	55.75
IRCOAGE	Len : 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 71.....	97655	11.67
	991 = NEVER USED.....	739041	88.33
IICOAGE	Len : 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	142787	17.07
	2 = Logically assigned data.....	1328	0.16
	3 = Statistically imputed data.....	1191	0.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	691390	82.63
IRCOYFU	Len : 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1941 - 2016.....	97655	11.67
	9999 = NEVER USED.....	739041	88.33
IICOYFU	Len : 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	56554	6.76
	2 = Logically assigned data.....	18	0.00
	3 = Statistically imputed data.....	88734	10.61
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	691390	82.63
IRCRKAGE	Len : 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 75.....	23930	2.86
	991 = NEVER USED.....	812766	97.14
IICRKAGE	Len : 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	76029	9.09
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	599	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	760066	90.84
IRCRKYFU	Len : 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1941 - 2016.....	23930	2.86
	9999 = NEVER USED.....	812766	97.14

AGE/DATE OF FIRST DRUG USE

IICRKYFU	Len : 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54105	6.47
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	22524	2.69
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	760066	90.84
IRHERAGE	Len : 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 59.....	11901	1.42
	991 = NEVER USED.....	824795	98.58
IHERAGE	Len : 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	65094	7.78
	3 = Statistically imputed data.....	636	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	770966	92.14
IRHERYFU	Len : 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1947 - 2016.....	11901	1.42
	9999 = NEVER USED.....	824795	98.58
IHERYFU	Len : 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54738	6.54
	3 = Statistically imputed data.....	10992	1.31
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	770966	92.14
IRHALLUCAGE	Len : 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 69.....	16537	1.98
	-9 = Data not collected for this year.....	722653	86.37
	991 = NEVER USED.....	97506	11.65
IHALLUCAGE	Len : 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	16083	1.92
	2 = Logically assigned data.....	217	0.03
	3 = Statistically imputed data.....	694	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	97049	11.60
IRHALLUCYFU	Len : 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1940 - 2016.....	16537	1.98
	-9 = Data not collected for this year.....	722653	86.37
	9999 = NEVER USED.....	97506	11.65
IHALLUCYFU	Len : 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	1429	0.17
	2 = Logically assigned data.....	22	0.00
	3 = Statistically imputed data.....	15543	1.86
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	97049	11.60
IRLSDAGE	Len : 3 LSD AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 67.....	65044	7.77
	991 = NEVER USED.....	771652	92.23

AGE/DATE OF FIRST DRUG USE

IILSDAGE	Len : 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	112111	13.40
	2 = Logically assigned data.....	79	0.01
	3 = Statistically imputed data.....	1766	0.21
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	722740	86.38
IRLSDYFU	Len : 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1936 - 2016	65044	7.77
	9999 = NEVER USED.....	771652	92.23
IILSDYFU	Len : 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	52843	6.32
	2 = Logically assigned data.....	5	0.00
	3 = Statistically imputed data.....	61108	7.30
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	722740	86.38
IRPCPAGE	Len : 3 PCP AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 63	15574	1.86
	991 = NEVER USED.....	821122	98.14
IIPCAGE	Len : 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	67610	8.08
	2 = Logically assigned data.....	24	0.00
	3 = Statistically imputed data.....	1195	0.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	767867	91.77
IRPCPYFU	Len : 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1945 - 2016	15574	1.86
	9999 = NEVER USED.....	821122	98.14
IIPCYFU	Len : 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	53506	6.39
	3 = Statistically imputed data.....	15323	1.83
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	767867	91.77
IRECSTMOAGE	Len : 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 2 - 60	8903	1.06
	-9 = Data not collected for this year	722653	86.37
	991 = NEVER USED.....	105140	12.57
IECSTMOAGE	Len : 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Questionnaire data	8798	1.05
	3 = Statistically imputed data.....	231	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	105014	12.55
IRECSTMOYFU	Len : 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1970 - 2016	8903	1.06
	-9 = Data not collected for this year	722653	86.37
	9999 = NEVER USED.....	105140	12.57

AGE/DATE OF FIRST DRUG USE

IIECSTMOYFU	Len : 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	935	0.11
	3 = Statistically imputed data	8094	0.97
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	105014	12.55
IRINHALAGE	Len : 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 54	11634	1.39
	-9 = Data not collected for this year	722653	86.37
	991 = NEVER USED.....	102409	12.24
IINHALAGE	Len : 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	10862	1.30
	3 = Statistically imputed data	1019	0.12
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	102162	12.21
IRINHALYFU	Len : 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1940 - 2016	11634	1.39
	-9 = Data not collected for this year	722653	86.37
	9999 = NEVER USED.....	102409	12.24
IINHALYFU	Len : 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	800	0.10
	3 = Statistically imputed data	11081	1.32
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	102162	12.21
IRMETHAMAGE	Len : 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 61	5119	0.61
	-9 = Data not collected for this year	722653	86.37
	991 = NEVER USED.....	108924	13.02
IIMETHAMAGE	Len : 1 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	5066	0.61
	3 = Statistically imputed data	201	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	108776	13.00
IRMETHAMYFU	Len : 4 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1950 - 2016	5119	0.61
	-9 = Data not collected for this year	722653	86.37
	9999 = NEVER USED.....	108924	13.02
IIMETHAMYFU	Len : 1 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data	237	0.03
	3 = Statistically imputed data	5030	0.60
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	108776	13.00

AGE/DATE OF FIRST DRUG USE

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

IRPNRNMINIT	Len : 2 PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Past year initiate.....	1289	0.15
	2 = Not a past year initiate	4744	0.57
	91 = NEVER MISUSED.....	101736	12.16
	93 = NO PAST YEAR MISUSE.....	6274	0.75
IIPNRNMINIT	Len : 2 PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire Data	113456	13.56
	3 = Statistically imputed - recency known	22	0.00
	4 = Statistically imputed - recency imputed	565	0.07
IIRTRQNMINT	Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Past year initiate.....	918	0.11
	2 = Not a past year initiate	2255	0.27
	91 = NEVER MISUSED.....	108825	13.01
	93 = NO PAST YEAR MISUSE.....	2045	0.24
IITRQNMINT	Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire Data	113648	13.58
	3 = Statistically imputed - recency known	12	0.00
	4 = Statistically imputed - recency imputed	383	0.05
IIRSTMNMINT	Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Past year initiate.....	923	0.11
	2 = Not a past year initiate	2551	0.30
	91 = NEVER MISUSED.....	108303	12.94
	93 = NO PAST YEAR MISUSE.....	2266	0.27
IISTMNMINT	Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire Data	113707	13.59
	3 = Statistically imputed - recency known	14	0.00
	4 = Statistically imputed - recency imputed	322	0.04
IIRSEDNMINT	Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Past year initiate.....	182	0.02
	2 = Not a past year initiate	480	0.06
	91 = NEVER MISUSED.....	111711	13.35
	93 = NO PAST YEAR MISUSE.....	1670	0.20
IISEDNMINT	Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire Data	113664	13.58
	3 = Statistically imputed - recency known	3	0.00
	4 = Statistically imputed - recency imputed	376	0.04

AGE/DATE OF FIRST DRUG USE

IRPNRNMYFU	Len : 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 2014 - 2016	Freq	Pct
	-9 = Data not collected for this year	1289	0.15
	9993 = NOT A PAST YEAR INITIATE	722653	86.37
	9999 = NEVER MISUSED.....	11018	1.32
		101736	12.16
IIPNRNMYFU	Len : 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	1066	0.13
	4 = Statistically imputed data - Past year initiation known.....	587	0.07
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	190	0.02
		112200	13.41
IRPNRNMAGE	Len : 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 11 - 88	Freq	Pct
	-9 = Data not collected for this year	1289	0.15
	993 = NOT A PAST YEAR INITIATE.....	722653	86.37
	999 = NEVER MISUSED.....	11018	1.32
		101736	12.16
IIPNRNMAGE	Len : 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	1070	0.13
	4 = Statistically imputed data - Past year initiation known.....	587	0.07
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	186	0.02
		112200	13.41
IRTRQNMYSFU	Len : 4 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 2014 - 2016	Freq	Pct
	-9 = Data not collected for this year	918	0.11
	9993 = NOT A PAST YEAR INITIATE	722653	86.37
	9999 = NEVER MISUSED.....	4300	0.51
		108825	13.01
IITRQNMYSFU	Len : 1 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	871	0.10
	4 = Statistically imputed data - Past year initiation known.....	395	0.05
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	35	0.00
		112742	13.47
IRTRQNMAGE	Len : 3 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 11 - 75	Freq	Pct
	-9 = Data not collected for this year	918	0.11
	993 = NOT A PAST YEAR INITIATE.....	722653	86.37
	999 = NEVER MISUSED.....	4300	0.51
		108825	13.01
IITRQNMAGE	Len : 1 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	875	0.10
	4 = Statistically imputed data - Past year initiation known.....	395	0.05
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	31	0.00
		112742	13.47

AGE/DATE OF FIRST DRUG USE

IRSTMNMVYFU	Len : 4 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 2014 - 2016	Freq	Pct
	-9 = Data not collected for this year	923	0.11
	9993 = NOT A PAST YEAR INITIATE	722653	86.37
	9999 = NEVER MISUSED.....	4817	0.58
		108303	12.94
IISTMNMVYFU	Len : 1 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	885	0.11
	4 = Statistically imputed data - Past year initiation known.....	336	0.04
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	29	0.00
		112793	13.48
IRSTMNMAGE	Len : 3 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 11 - 71	Freq	Pct
	-9 = Data not collected for this year	923	0.11
	993 = NOT A PAST YEAR INITIATE.....	722653	86.37
	999 = NEVER MISUSED.....	4817	0.58
		108303	12.94
IISTMNMAGE	Len : 1 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	886	0.11
	4 = Statistically imputed data - Past year initiation known.....	336	0.04
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	28	0.00
		112793	13.48
IRSEDNMVYFU	Len : 4 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 2014 - 2016	Freq	Pct
	-9 = Data not collected for this year	182	0.02
	9993 = NOT A PAST YEAR INITIATE	722653	86.37
	9999 = NEVER MISUSED.....	2150	0.26
		111711	13.35
IISEDNMVYFU	Len : 1 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	170	0.02
	4 = Statistically imputed data - Past year initiation known.....	379	0.05
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	9	0.00
		113485	13.56
IRSEDNMAGE	Len : 3 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED		
	RANGE = 12 - 94	Freq	Pct
	-9 = Data not collected for this year	182	0.02
	993 = NOT A PAST YEAR INITIATE.....	722653	86.37
	999 = NEVER MISUSED.....	2150	0.26
		111711	13.35
IISEDNMAGE	Len : 1 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year	Freq	Pct
	1 = Questionnaire data	722653	86.37
	3 = Statistically imputed data - Past year initiation imputed	169	0.02
	4 = Statistically imputed data - Past year initiation known.....	379	0.05
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	10	0.00
		113485	13.56
OXYCONT2	Len : 1 EVER USED OXYCONTIN		
	-9 = Data not collected for this year	Freq	Pct
	0 = No/Unknown (OXYCONTN=6,81,91,94,97,98,99)	671785	80.29
	1 = Yes (OXYCONTN=1,3).....	161791	19.34
		3120	0.37

AGE/DATE OF FIRST DRUG USE

The following variable, OXYCODOP, was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYCONT2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046,4047,4052,4065,4068,4072)).

OXYCODOP	Len : 1 OXYCODONE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	0 = No/Unknown (Otherwise).....	155446	18.58
	1 = Yes (See comment above)	9465	1.13
NOUSEFL	Len : 1 NO LIFETIME USE OF MRJ/IEM/CIG/ALC		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	174699	20.88
	1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=0).....	46117	5.51
NOUSEYR	Len : 1 NO PAST YEAR USE OF MRJ/IEM/CIG/ALC		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	150182	17.95
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=0).....	70634	8.44
NOUSEMO	Len : 1 NO PAST MONTH USE OF MRJ/IEM/CIG/ALC		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	120690	14.42
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=0)	100126	11.97
CIGONFL	Len : 1 LIFETIME CIGARETTE USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	214794	25.67
	1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=0 AND CIGFLAG=1).....	6022	0.72
CIGONYR	Len : 1 PAST YEAR CIGARETTE USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	212518	25.40
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=0)	8298	0.99
CIGONMO	Len : 1 PAST MONTH CIGARETTE USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	206134	24.64
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=0)	14682	1.75
ALCONFL	Len : 1 LIFETIME ALCOHOL USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	192200	22.97
	1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=0 AND ALCFLAG=1).....	28616	3.42
ALCONYR	Len : 1 PAST YEAR ALCOHOL USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	161663	19.32
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=1).....	59153	7.07
ALCONMO	Len : 1 PAST MONTH ALCOHOL USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	170593	20.39
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=1)	50223	6.00

AGE/DATE OF FIRST DRUG USE

MRJONFL	Len : 1 LIFETIME MARIJUANA USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220365	26.34
	1 = Yes (MRJFLAG=1 AND IEMFLAG, CIGFLAG, & ALCFLAG=0)	451	0.05
MRJONYR	Len : 1 PAST YEAR MARIJUANA USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219994	26.29
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=0)	822	0.10
MRJONMO	Len : 1 PAST MONTH MARIJUANA USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219554	26.24
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=0)	1262	0.15
IEMONFL	Len : 1 LIFETIME ILLICIT DRG OTHER THAN MRJ USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	217178	25.96
	1 = Yes (IEMFLAG=1 AND CIGFLAG, ALCFLAG, & MRJFLAG=0)	3638	0.43
IEMONYR	Len : 1 PAST YEAR ILLICIT DRG OTHER THAN MRJ USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	218057	26.06
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=0)	2759	0.33
IEMONMO	Len : 1 PAST MONTH ILLICIT DRG OTHER THAN MRJ USE ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	218945	26.17
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=0)	1871	0.22
CGALONFL	Len : 1 LIFETIME USE OF CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	186490	22.29
	1 = Yes (CIGFLAG & ALCFLAG=1 AND MRJFLAG & IEMFLAG=0)	34326	4.10
CGALONYR	Len : 1 PAST YEAR USE OF CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	188993	22.59
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=1)	31823	3.80
CGALONMO	Len : 1 PAST MONTH USE OF CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	193280	23.10
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=1)	27536	3.29
MJCGONFL	Len : 1 LIFETIME USE OF MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219874	26.28
	1 = Yes (MRJFLAG & CIGFLAG=1 AND IEMFLAG & ALCFLAG=0)	942	0.11

AGE/DATE OF FIRST DRUG USE

MJCGONYR	Len : 1 PAST YEAR USE OF MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219883	26.28
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=0)	933	0.11
MJCGONMO	Len : 1 PAST MONTH USE OF MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219091	26.19
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=0)	1725	0.21
MJALONFL	Len : 1 LIFETIME USE OF MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	216115	25.83
	1 = Yes (MRJFLAG & ALCFLAG=1 AND IEMFLAG & CIGFLAG=0)	4701	0.56
MJALONYR	Len : 1 PAST YEAR USE OF MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	214293	25.61
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=1)	6523	0.78
MJALONMO	Len : 1 PAST MONTH USE OF MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	216546	25.88
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=1)	4270	0.51
MJIEONFL	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH THAN MRJ ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220691	26.38
	1 = Yes (MRJFLAG & IEMFLAG=1 AND CIGFLAG & ALCFLAG=0)	125	0.01
MJIEONYR	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH THAN MRJ ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220627	26.37
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=0)	189	0.02
MJIEONMO	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH THAN MRJ ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220643	26.37
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=0)	173	0.02
IECGONFL	Len : 1 LIFETIME USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219915	26.28
	1 = Yes (IEMFLAG & CIGFLAG=1 AND ALCFLAG & MRJFLAG=0)	901	0.11
IECGONYR	Len : 1 PAST YEAR USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220189	26.32
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=0)	627	0.07

AGE/DATE OF FIRST DRUG USE

IECGONMO	Len : 1 PAST MONTH USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220227	26.32
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=0)	589	0.07
IEALONFL	Len : 1 LIFETIME USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	216250	25.85
	1 = Yes (ALCFLAG & IEMFLAG=1 AND CIGFLAG & MRJFLAG=0).....	4566	0.55
IEALONYR	Len : 1 PAST YEAR USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	216729	25.90
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=1)	4087	0.49
IEALONMO	Len : 1 PAST MONTH USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219352	26.22
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=1)	1464	0.17
MCAONFL	Len : 1 LIFETIME USE OF MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	191245	22.86
	1 = Yes (CIGFLAG, ALCFLAG, & MRJFLAG=1 AND IEMFLAG=0).....	29571	3.53
MCAONYR	Len : 1 PAST YEAR USE OF MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	207654	24.82
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=1)	13162	1.57
MCAONMO	Len : 1 PAST MONTH USE OF MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	212108	25.35
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=1)	8708	1.04
MICONFL	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220328	26.33
	1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=1 AND ALCFLAG=0).....	488	0.06
MICONYR	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220425	26.34
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=0)	391	0.05
MICONMO	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	220353	26.34
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=0)	463	0.06

AGE/DATE OF FIRST DRUG USE

MIAONFL	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	217772	26.03
	1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=1 AND CIGFLAG=0)	3044	0.36
MIAONYR	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	217945	26.05
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=1)	2871	0.34
MIAONMO	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	219753	26.26
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=1)	1063	0.13
ICAONFL	Len : 1 LIFETIME USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	213797	25.55
	1 = Yes (IEMFLAG, CIGFLAG, & ALCFLAG=1 AND MRJFLAG=0)	7019	0.84
ICAONYR	Len : 1 PAST YEAR USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	216310	25.85
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=1)	4506	0.54
ICAONMO	Len : 1 PAST MONTH USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	218696	26.14
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=1)	2120	0.25
ALLUSEFL	Len : 1 LIFETIME USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	170527	20.38
	1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=1)	50289	6.01
ALLUSEYR	Len : 1 PAST YEAR USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	206778	24.71
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=1)	14038	1.68
ALLUSEMO	Len : 1 PAST MONTH USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No (Otherwise)	216275	25.85
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=1)	4541	0.54

AGE/DATE OF FIRST DRUG USE

The variable CIGCOMPNY was created from the variable CIG30BRN. It indicates the companies that owned the labels of the cigarette brands that respondents reported using most often in the past 30 days. For brands that were sold to another company during the survey year, CIGCOMPNY reflects which company owned the brand label for the majority of the year.

NOTE: Beginning with the 2003 NSDUH, respondents who reported that a Forsyth Tobacco Company cigarette brand was the brand they smoked most often in the past 30 days were coded in CIGCOMPNY as smoking an RJ Reynolds cigarette brand. Data file users who wish to compare data from CIGCOMPNY in 2002 with the corresponding variable in 2003 (or subsequent years) should treat codes of 8 in CIGCOMPNY in 2002 as equivalent to codes of 2.

CIGCOMPNY Len : 2 CIG COMPANY FOR BRAND PAST 30 DYS - RECODE

	Freq	Pct
-9 = Data not collected for this year	615880	73.61
1 = Philip Morris.....	33401	3.99
2 = R.J. Reynolds (subsidiary Reynolds American, Inc.).....	11507	1.38
3 = Lorillard.....	9786	1.17
4 = Brown and Williamson	1641	0.20
5 = Liggett	291	0.03
6 = Commonwealth Brands.....	715	0.09
7 = Santa Fe Natural Tob Co (of Reynolds American)	355	0.04
8 = Forsyth Tobacco Co (a division of R.J. Reynolds).....	56	0.01
9 = Top Tobacco, L.P.	67	0.01
70 = SOME OTHER BRAND/COMPANY	1564	0.19
80 = CIG BRAND/COMPANY NOT SPECIFIED	286	0.03
85 = BAD DATA Log assn.....	7	0.00
90 = NOT A CIGARETTE BRAND	246	0.03
91 = NEVER USED CIGARETTES.....	91258	10.91
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	69133	8.26
94 = DON'T KNOW	325	0.04
97 = REFUSED	50	0.01
98 = BLANK (NO ANSWER)	128	0.02

MTHYDAYS Len : 1 # OF DAYS USED METHAMPHETAMINE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	615880	73.61
1 = 1-11 Days (IRMTHFY=1-11).....	857	0.10
2 = 12-49 Days (IRMTHFY=12-49).....	514	0.06
3 = 50-99 Days (IRMTHFY=50-99).....	241	0.03
4 = 100-299 Days (IRMTHFY=100-299).....	439	0.05
5 = 300-365 Days (IRMTHFY=300-365).....	61	0.01
6 = Non User or No Past Year Use (IRMTHFY=991,993)	218704	26.14

SMKFLAG Len : 1 SMOKELESS TOBACCO - EVER USED

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = Never used (IRSLTRC = 9).....	597709	71.44
1 = Ever used (IRSLTRC = 1-4).....	124944	14.93

SMKYR Len : 1 SMOKELESS TOBACCO - PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = Did not use in the past year (IRSLTRC = 3,4,9).....	677260	80.94
1 = Used within the past year (IRSLTRC = 1,2).....	45393	5.43

SMKMON Len : 1 SMOKELESS TOBACCO - PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = Did not use in the past month (IRSLTRC = 2-4,9).....	693984	82.94
1 = Used within the past month (IRSLTRC = 1).....	28669	3.43

AGE/DATE OF FIRST DRUG USE

CHWFLAG	Len : 1 CHEWING TOBACCO - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never Used (IRCHWRC = 9).....	639898	76.48
	1 = Ever Used (IRCHWRC = 1-4).....	82755	9.89
CHWYR	Len : 1 CHEWING TOBACCO - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRCHWRC = 3,4,9).....	700622	83.74
	1 = Used within the past year (IRCHWRC = 1,2).....	22031	2.63
CHWMON	Len : 1 CHEWING TOBACCO - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRCHWRC = 2-4,9).....	711361	85.02
	1 = Used within the past month (IRCHWRC = 1).....	11292	1.35
SNFFLAG	Len : 1 SNUFF - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRSNFRC = 9).....	622249	74.37
	1 = Ever used (IRSNFRC = 1-4).....	100404	12.00
SNFYR	Len : 1 SNUFF - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRSNFRC = 3,4,9).....	684176	81.77
	1 = Used within the past year (IRSNFRC = 1,2).....	38477	4.60
SNFMON	Len : 1 SNUFF - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRSNFRC = 2-4,9).....	698281	83.46
	1 = Used within the past month (IRSNFRC = 1).....	24372	2.91
HALFLAG	Len : 1 HALLUCINOGENS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRHALRC = 9).....	621593	74.29
	1 = Ever used (IRHALRC = 1-3).....	101060	12.08
HALYR	Len : 1 HALLUCINOGENS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRHALRC = 3,9).....	698196	83.45
	1 = Used within the past year (IRHALRC = 1,2).....	24457	2.92
HALMON	Len : 1 HALLUCINOGENS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRHALRC = 2-3,9).....	716194	85.60
	1 = Used within the past month (IRHALRC = 1).....	6459	0.77
ECSFLAG	Len : 1 ECSTASY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRECSRC = 9).....	672615	80.39
	1 = Ever used (IRECSRC = 1-3).....	50038	5.98

AGE/DATE OF FIRST DRUG USE

ECSYR	Len : 1 ECSTASY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRECSRC = 3,9).....	709443	84.79
	1 = Used within the past year (IRECSRC = 1,2).....	13210	1.58
ECSMON	Len : 1 ECSTASY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRECSRC = 2-3,9).....	719545	86.00
	1 = Used within the past month (IRECSRC = 1).....	3108	0.37
INHFLAG	Len : 1 INHALANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRINHRC = 9).....	648638	77.52
	1 = Ever used (IRINHRC = 1-3).....	74015	8.85
INHYR	Len : 1 INHALANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRINHRC = 3,9).....	708988	84.74
	1 = Used within the past year (IRINHRC = 1,2).....	13665	1.63
INHMON	Len : 1 INHALANTS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRINHRC = 2-3,9).....	718982	85.93
	1 = Used within the past month (IRINHRC = 1).....	3671	0.44
ANLFLAG	Len : 1 PAIN RELIEVERS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRANLRC = 9).....	607542	72.61
	1 = Ever used (IRANLRC = 1-3).....	115111	13.76
ANLYR	Len : 1 PAIN RELIEVERS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRANLRC = 3,9).....	670934	80.19
	1 = Used within the past year (IRANLRC = 1,2).....	51719	6.18
ANLMON	Len : 1 PAIN RELIEVERS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRANLRC = 2-3,9).....	702268	83.93
	1 = Used within the past month (IRANLRC = 1).....	20385	2.44
OXYFLAG	Len : 1 OXYCONTIN - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	223352	26.69
	0 = Never Used (IROXYRC = 9).....	594175	71.01
	1 = Ever Used (IROXYRC = 1-3).....	19169	2.29
OXYR	Len : 1 OXYCONTIN - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	223352	26.69
	0 = Did not use in the past year (IROXYRC = 3,9).....	606959	72.54
	1 = Used within the past year (IROXYRC = 1,2).....	6385	0.76

AGE/DATE OF FIRST DRUG USE

OXYMON	Len : 1 OXYCONTIN - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	223352	26.69
	0 = Did not use in the past month (IROXYRC = 2-3,9).....	611623	73.10
	1 = Used within the past month (IROXYRC = 1).....	1721	0.21
TRQFLAG	Len : 1 TRANQUILIZERS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRTRNRC = 9).....	661868	79.10
	1 = Ever used (IRTRNRC = 1-3).....	60785	7.26
TRQYR	Len : 1 TRANQUILIZERS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRTRNRC = 3,9).....	701806	83.88
	1 = Used within the past year (IRTRNRC = 1,2).....	20847	2.49
TRQMON	Len : 1 TRANQUILIZERS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRTRNRC = 2-3,9).....	715655	85.53
	1 = Used within the past month (IRTRNRC = 1).....	6998	0.84
STMFLAG	Len : 1 STIMULANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRSTMRC = 9).....	668766	79.93
	1 = Ever used (IRSTMRC = 1-3).....	53887	6.44
STMYR	Len : 1 STIMULANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRSTMRC = 3,9).....	708167	84.64
	1 = Used within the past year (IRSTMRC = 1,2).....	14486	1.73
STMMON	Len : 1 STIMULANTS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRSTMRC = 2-3,9).....	717464	85.75
	1 = Used within the past month (IRSTMRC = 1).....	5189	0.62

The following three variables (CPNSTMFG, CPNSTMYR, CPNSTMMN), like the preceding three variables (STMFLAG, STMYR, STMMON), report lifetime, past year, and past month stimulant use. However, whereas STMFLAG, STMYR, and STMMON used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHYR, and CPNMTHMN. For details on the core-plus-noncore methamphetamine variables, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

CPNSTMFG	Len : 1 CPN STIMULANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never Used.....	662979	79.24
	1 = Ever Used.....	59674	7.13
CPNSTMYR	Len : 1 CPN STIMULANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year.....	707175	84.52
	1 = Used within the past year.....	15478	1.85

AGE/DATE OF FIRST DRUG USE

CPNSTMMN	Len : 1 CPN STIMULANTS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month.....	717102	85.71
	1 = Used within the past month.....	5551	0.66

The following three variables (MTHFLAG, MTHYR, MTHMON), report recency of use for methamphetamine using only core data from the Stimulants module of the questionnaire, unlike the next three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), which use additional methamphetamine use data from the Special Drugs module. Methamphetamine use data were first added to the Special Drugs module in 2005, then were augmented in 2006 to include further clarifications. For details, please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings Report.

MTHFLAG	Len : 1 METHAMPHETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never Used (IRMTHRC = 9).....	697052	83.31
	1 = Ever Used (IRMTHRC = 1-3).....	25601	3.06

MTHYR	Len : 1 METHAMPHETAMINE - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRMTHRC = 3,9).....	717997	85.81
	1 = Used within the past year (IRMTHRC = 1,2).....	4656	0.56

MTHMON	Len : 1 METHAMPHETAMINE - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRMTHRC = 2-3,9).....	720979	86.17
	1 = Used within the past month (IRMTHRC = 1).....	1674	0.20

The following three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), like the preceding three variables (MTHFLAG, MTHYR, MTHMON), report lifetime, past year, and past month methamphetamine use. However, MTHFLAG, MTHYR, and MTHMON are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the noncore Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new noncore Special Drugs items were used to construct the final CPNMTHFG, CPNMTHYR, and CPNMTHMN variables. For details, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

CPNMTHFG	Len : 1 CPN METHAMPHETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never Used.....	689929	82.46
	1 = Ever Used.....	32724	3.91

CPNMTHYR	Len : 1 CPN METHAMPHETAMINE - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year.....	716954	85.69
	1 = Used within the past year.....	5699	0.68

CPNMTHMN	Len : 1 CPN METHAMPHETAMINE - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month.....	720634	86.13
	1 = Used within the past month.....	2019	0.24

SEDFLAG	Len : 1 SEDATIVES - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (IRSEDRC = 9).....	707215	84.52
	1 = Ever used (IRSEDRC = 1-3).....	15438	1.85

AGE/DATE OF FIRST DRUG USE

SEDYR	Len : 1 SEDATIVES - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (IRSEDRC = 3,9).....	719695	86.02
	1 = Used within the past year (IRSEDRC = 1,2).....	2958	0.35

SEDMON	Len : 1 SEDATIVES - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (IRSEDRC = 2-3,9).....	721610	86.25
	1 = Used within the past month (IRSEDRC = 1).....	1043	0.12

PSYFLAG2	Len : 1 ANY PSYCHOTHERAPEUTICS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (ALL SOURCE VARIABLES = 0).....	571787	68.34
	1 = Ever used (ANY SOURCE VARIABLE = 1).....	150866	18.03

PSYYR2	Len : 1 ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use within past year (ALL SOURCE VARS = 0).....	657370	78.57
	1 = Used in past year (ANY SOURCE VARIABLE = 1).....	65283	7.80

PSYMON2	Len : 1 ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in past month (ALL SOURCE VARS = 0).....	695876	83.17
	1 = Used in past month (ANY SOURCE VARIABLE = 1).....	26777	3.20

The following four "any psychotherapeutics" variables were created by examination of the age and date of first use variables for sedatives, tranquilizers, stimulants, and analgesics.

PSYAGE2	Len : 3 ANY PSYCHOTHERAPEUTICS - AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 85.....	150866	18.03
	-9 = Data not collected for this year.....	114043	13.63
	991 = NEVER USED.....	571787	68.34

PSYFU2	Len : 4 ANY PSYCHOTHERAPEUTICS - YEAR FIRST USE		
		Freq	Pct
	RANGE = 1918 - 2014.....	150866	18.03
	-9 = Data not collected for this year.....	114043	13.63
	9999 = NEVER USED.....	571787	68.34

The following three variables (CPNPSYFG, CPNPSYR, CPNPSYMN), like the preceding three variables (PSYFLAG2, PSYYR2, PSYMON2), report lifetime, past year, and past month psychotherapeutic use. However, whereas PSYFLAG2, PSYYR2, and PSYMON2 use only core data, CPNPSYFG, CPNPSYR, CPNPSYMN use core plus noncore data.

CPNPSYFG	Len : 1 CPN PSYCHOTHERAPEUTIC - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never Used (ALL SOURCE VARS = 0).....	569340	68.05
	1 = Ever Used (ANY SOURCE VARIABLE = 1).....	153313	18.32

CPNPSYR	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past year (ALL SOURCE VARS = 0).....	656869	78.51
	1 = Used within the past year (ANY SOURCE VAR = 1).....	65784	7.86

AGE/DATE OF FIRST DRUG USE

CPNPSYMN	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in the past month (ALL SOURCE VARS=0).....	695628	83.14
	1 = Used within the past month (ANY SOURCE VAR=1).....	27025	3.23

SUMFLAG	Len : 1 ANY ILLICIT DRUG - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used (ALL SOURCE VARIABLES = 0).....	384012	45.90
	1 = Ever used (ANY SOURCE VARIABLE = 1).....	338641	40.47

SUMYR	Len : 1 ANY ILLICIT DRUG - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in past year (ALL SOURCE VARS = 0).....	559063	66.82
	1 = Used in past year (ANY SOURCE VARIABLE = 1).....	163590	19.55

SUMMON	Len : 1 ANY ILLICIT DRUG - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Did not use in past month (ALL SOURCE VARS = 0).....	629663	75.26
	1 = Used in past month (ANY SOURCE VARIABLE = 1).....	92990	11.11

The following four "any illicit drug" variables were created by examination of the age and date of first use variables for hallucinogens, heroin, marijuana, cocaine, inhalants, sedatives, tranquilizers, stimulants, and analgesics.

SUMAGE	Len : 3 ANY ILLICIT DRUG - AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 85.....	338641	40.47
	-9 = Data not collected for this year.....	114043	13.63
	991 = NEVER USED.....	384012	45.90

SUMYFU	Len : 4 ANY ILLICIT DRUG - YEAR FIRST USE		
		Freq	Pct
	RANGE = 1918 - 2014.....	338641	40.47
	-9 = Data not collected for this year.....	114043	13.63
	9999 = NEVER USED.....	384012	45.90

MJFLAG	Len : 1 MARIJUANA ONLY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used MJ/has used both MJ & anothr illct drug.....	602006	71.95
	1 = Marijuana is only (illicit) drug ever used.....	120647	14.42

MJOYR2	Len : 1 MARIJUANA ONLY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = MJ not used past yr/Used MJ & othr drug past yr.....	648169	77.47
	1 = Marijuana is only (illicit) drug in past year.....	74484	8.90

MJOMON2	Len : 1 MARIJUANA ONLY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = MJ not used past mnth/Used MJ & othr drug past mo.....	666807	79.70
	1 = Marijuana only (illicit) drug in past month.....	55846	6.67

IEMFLAG	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = Never used drug/used only marijuana.....	504659	60.32
	1 = Illicit drug except for marijuana are ever used.....	217994	26.05

AGE/DATE OF FIRST DRUG USE

IEMYR	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR USED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = Never used drug/used only marijuana past year	633547	75.72
	1 = Illicit drug except for marijuana used past year	89106	10.65

IEMMON	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH USED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = Never used drug/used only marijuana past month.....	685509	81.93
	1 = Illicit drug except for marijuana used past month	37144	4.44

The following four "any illicit drug except for marijuana" variables were created by examination of the age and date of first use variables for hallucinogens, heroin, cocaine, inhalants, and "any psychotherapeutics."

IEMAGE	Len : 3 ILLICIT DRUG EXCEPT FOR MARIJUANA - AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 85	217994	26.05
	-9 = Data not collected for this year	114043	13.63
	991 = NEVER USED.....	504659	60.32

IEMYFU	Len : 4 ILLICIT DRUG OTHER THAN MARIJUANA - YEAR FIRST USE		
		Freq	Pct
	RANGE = 1918 - 2014	217994	26.05
	-9 = Data not collected for this year	114043	13.63
	9999 = NEVER USED.....	504659	60.32

"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

BINGEDRK	Len : 1 BINGE ALCOHOL USE PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = Never/No "Binge" alcohol use (IRALCD5 = 0,91,93).....	540072	64.55
	1 = "Binge" alcohol use (IRALCD5 = 1-30).....	182581	21.82

Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

HVYDRK2	Len : 1 HEAVY ALCOHOL USE PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = Never/No heavy alcohol use (IRALCD5 = 0-4,91,93).....	667206	79.74
	1 = Heavy alcohol use (IRALCD5 = 5-30)	55447	6.63

The following variable, BINGEHVY, was created by examination of past month binge alcohol use (BINGEDRK), past month heavy alcohol use (HVYDRK2), and past month alcohol use (ALCMON). To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.

BINGEHVY	Len : 1 LEVEL OF ALCOHOL USE IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Heavy Alcohol Use (HVYDRK2=1)	55447	6.63
	2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0)	127134	15.19
	3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0)	142482	17.03
	4 = Did Not Use Alcohol in Past Month (All source=0)	397590	47.52

ILTOALMN	Len : 1 ILLICIT DRUG, TOBACCO PRD, OR ALC PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	555287	66.37
	0 = No Drug, Tob, or Alc Past Mon Use (Otherwise).....	127991	15.30
	1 = Drg/Tob or Alc PM Use (SUMMON, TOBMON or ALCMON=1).....	153418	18.34

AGE/DATE OF FIRST DRUG USE

ILALMON	Len : 1 ILLICIT DRUG OR ALCOHOL PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	555287	66.37
	0 = No Drug or Alc Past Mon Use (Otherwise)	146352	17.49
	1 = Drug or Alc Past Mon Use (SUMMON=1 or ALCMON=1)	135057	16.14
NILALMON	Len : 1 NO ILLICIT DRUG OR ALCOHOL USE IN THE PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = Alc or Drg Use (Otherwise)	346195	41.38
	1 = No Alc or Drg Use (ALCMON=0 & SUMMON=0)	376458	44.99
ILANDALC	Len : 1 ILLICIT DRUG AND ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	726265	86.80
	0 = No/Unknown (SUMYR=0 or ALCYR=0)	89334	10.68
	1 = Yes (SUMYR=1 and ALCYR=1)	21097	2.52
ILORALC	Len : 1 ILLICIT DRUG OR ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	726265	86.80
	0 = No/Unknown (SUMYR=0 and ALCYR=0)	40339	4.82
	1 = Yes (SUMYR=1 or ALCYR=1)	70092	8.38
AEROS2	Len : 1 EVER INHALED OTHER AEROSOL SPRAYS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise)	711645	85.05
	1 = Yes (AEROS=1,3)	11008	1.32
DARVTYL2	Len : 1 EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise)	665497	79.54
	1 = Yes (DARVTYLC=1,3)	57156	6.83
PERCTYL2	Len : 1 EVER USED PERCOCET, PERCODAN, TYLOX		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise)	682224	81.54
	1 = Yes (PERCTYLX=1,3)	40429	4.83
VICOLOR2	Len : 1 EVER USED VICODIN, LORTAB, LORCET		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise)	652225	77.95
	1 = Yes (VICOLOR=1,3)	70428	8.42
CODEINE2	Len : 1 EVER USED CODEINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise)	698178	83.44
	1 = Yes (ANLCARD and CODEINE=1,3)	24475	2.93
DEMEROL2	Len : 1 EVER USED DEMEROL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise)	715575	85.52
	1 = Yes (ANLCARD and DEMEROL=1,3)	7078	0.85

AGE/DATE OF FIRST DRUG USE

DILAUD2	Len : 1 EVER USED DILAUDID		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	719360	85.98
	1 = Yes (ANLCARD and DILAUD=1,3)	3293	0.39
FIORICT2	Len : 1 EVER USED FIORICET		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721335	86.21
	1 = Yes (ANLCARD and FIORICET=1,3).....	1318	0.16
FIORINL2	Len : 1 EVER USED FIORINAL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721758	86.26
	1 = Yes (ANLCARD and FIORINAL=1,3).....	895	0.11
HYDROCD2	Len : 1 EVER USED HYDROCODONE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	691213	82.61
	1 = Yes (ANLCARD and HYDROCOD=1,3).....	31440	3.76
METHDON2	Len : 1 EVER USED METHADONE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	714822	85.43
	1 = Yes (ANLCARD and METHDON=1,3).....	7831	0.94
MORPHIN2	Len : 1 EVER USED MORPHINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	710992	84.98
	1 = Yes (ANLCARD and MORPHINE=1,3).....	11661	1.39
PHENCOD2	Len : 1 EVER USED PHENAPHEN WITH CODEINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720130	86.07
	1 = Yes (ANLCARD and PHENCOD=1,3).....	2523	0.30
PROPOXY2	Len : 1 EVER USED PROPOXYPHENE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721481	86.23
	1 = Yes (ANLCARD and PROPOXY=1,3).....	1172	0.14
SK65A2	Len : 1 EVER USED SK65		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722362	86.34
	1 = Yes (ANLCARD and SK65A=1,3).....	291	0.03
STADOL2	Len : 1 EVER USED STADOL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722246	86.32
	1 = Yes (ANLCARD and STADOL=1,3).....	407	0.05

AGE/DATE OF FIRST DRUG USE

TALACEN2	Len : 1 EVER USED TALACEN		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722403	86.34
	1 = Yes (ANLCARD and TALACEN=1,3).....	250	0.03
TALWIN2	Len : 1 EVER USED TALWIN		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722014	86.29
	1 = Yes (ANLCARD and TALWIN=1,3).....	639	0.08
TALWINX2	Len : 1 EVER USED TALWIN NX		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722390	86.34
	1 = Yes (ANLCARD and TALWINNX=1,3).....	263	0.03
TRAMADL2	Len : 1 EVER USED TRAMADOL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	717295	85.73
	1 = Yes (ANLCARD and TRAMADOL=1,3).....	5358	0.64
ULTRAM2	Len : 1 EVER USED ULTRAM		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	718372	85.86
	1 = Yes (ANLCARD and ULTRAM=1,3).....	4281	0.51
OTHANL	Len : 1 EVER USED OTHER PAIN RELIEVERS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	660205	78.91
	1 = Yes (ANLCARD or ANLNOLST=1,3).....	62448	7.46

The following variable, PROCODNP, was assigned a positive response if a respondent indicated ever using darvocet, darvon, or tylenol with codeine (DARVYL2=1), codeine (CODEINE2=1), phenaphen with codeine (PHENCOD2=1), propoxyphene (PROPOXY2=1), SK-65 (SK65A2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (404, 439, 444, 447, 455, 480, 4031, 4038, 4078, 4093, 4095, 4101, 4103, 4116, 4126, 4127, 8293)).

PROCODNP	Len : 1 PROPOXYPHENE/CODEINE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	657808	78.62
	1 = Yes (See comment above)	64845	7.75

The following variable, OXYCODP2, is similar to the variable OXYCODOP which was created in previous NSDUHs. The only difference is the use of the imputed variable OXYFLAG instead of the edited variable OXYCONT2 in determining lifetime use of OxyContin. OXYCODP2 was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYFLAG=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046, 4047, 4052, 4065, 4072, 4117)).

OXYCODP2	Len : 1 OXYCODONE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	0 = No/Unknown (Otherwise).....	571587	68.31
	1 = Yes (See comment above)	41757	4.99

AGE/DATE OF FIRST DRUG USE

The following variable, HYDCODOP, was assigned a positive response if a respondent indicated ever using vicodin, lortab, or lorcet (VICOLOR2=1), hydrocodone (HYDROCD2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4033, 4097, 4105, 4125, 4143, 4144)).

HYDCODOP	Len : 1 HYDROCODONE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	646329	77.25
	1 = Yes (See comment above)	76324	9.12

The following variable, TRAMADP, was assigned a positive response if a respondent indicated ever using tramadol (TRAMADL2=1), ultram (ULTRAM2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4083, 4133)).

TRAMADP	Len : 1 TRAMADOL PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	714693	85.42
	1 = Yes (See comment above)	7960	0.95

KLONOP12	Len : 1 EVER USED KLONOPIN OR CLONAZEPAM		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	706999	84.50
	1 = Yes (KLONOPIN=1,3).....	15654	1.87

XNAXATV2	Len : 1 EVER USED XANAX, ALPRAZOLAM, ATIVAN		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	683250	81.66
	1 = Yes (XNAXATVN=1,3).....	39403	4.71

VALMDIA2	Len : 1 EVER USED VALIUM OR DIAZEPAM		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	688428	82.28
	1 = Yes (VALMDIAZ=1,3).....	34225	4.09

ATARAX2	Len : 1 EVER USED ATARAX		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721891	86.28
	1 = Yes (TRNCARD and ATARAX=1,3).....	762	0.09

BUSPAR2	Len : 1 EVER USED BUSPAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720310	86.09
	1 = Yes (TRNCARD and BUSPAR=1,3).....	2343	0.28

EQUANIL2	Len : 1 EVER USED EQUANIL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722388	86.34
	1 = Yes (TRNCARD and EQUANIL=1,3).....	265	0.03

FLEXERL2	Len : 1 EVER USED FLEXERIL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	715190	85.48
	1 = Yes (TRNCARD and FLEXERIL=1,3).....	7463	0.89

AGE/DATE OF FIRST DRUG USE

LIBRIUM2	Len : 1 EVER USED LIBRIUM		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721195	86.20
	1 = Yes (TRNCARD and LIBRIUM=1,3).....	1458	0.17
LIMBTRL2	Len : 1 EVER USED LIMBITROL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722341	86.33
	1 = Yes (TRNCARD and LIMBTRL=1,3).....	312	0.04
MEPROB2	Len : 1 EVER USED MEPROBAMATE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722259	86.32
	1 = Yes (TRNCARD and MEPROB=1,3).....	394	0.05
MILTOWN2	Len : 1 EVER USED MILTOWN		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722432	86.34
	1 = Yes (TRNCARD and MILTOWN=1,3).....	221	0.03
ROHYPNL2	Len : 1 EVER USED ROHYPNOL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721484	86.23
	1 = Yes (TRNCARD and ROHYPNL=1,3).....	1169	0.14
SERAX2	Len : 1 EVER USED SERAX		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722296	86.33
	1 = Yes (TRNCARD and SERAX=1,3).....	357	0.04
SOMA2	Len : 1 EVER USED SOMA		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	712931	85.21
	1 = Yes (TRNCARD and SOMA=1,3).....	9722	1.16
TRANXEN2	Len : 1 EVER USED TRANXENE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722243	86.32
	1 = Yes (TRNCARD and TRANXENE=1,3).....	410	0.05
VISTAR2	Len : 1 EVER USED VISTARIL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721733	86.26
	1 = Yes (TRNCARD and VISTAR=1,3).....	920	0.11
OTHTRN	Len : 1 EVER USED OTHER TRANQUILIZERS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	702205	83.93
	1 = Yes (TRNCARD or TRNOLST=1,3).....	20448	2.44

AGE/DATE OF FIRST DRUG USE

The following variable, BENZOS, was assigned a positive response if a respondent indicated ever using klonopin or clonazepam (KLONOPI2=1), xanax, alprazolam, ativan, or lorazepam (XNAXATV2=1), valium or diazepam (VALMDIA2=1), librium (LIBRIUM2=1), limbitrol (LIMBTRL2=1), rohypnol (ROHYPNL2=1), serax (SERAX2=1), tranxene (TRANXEN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (229, 237, 278, 296, 2004, 2022, 2026)).

BENZOS	Len : 1 BENZODIAZEPINE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	665771	79.57
	1 = Yes (See comment above)	56882	6.80

The following variable, MEPROBPD, was assigned a positive response if a respondent indicated ever using equanil (EQUANIL2=1), meprobamate (MEPROB2=1), or miltown (MILTOWN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (214)).

MEPROBPD	Len : 1 MEPROBAMATE PRODUCTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721914	86.28
	1 = Yes (See comment above)	739	0.09

The following variable, MUSCRELX, was assigned a positive response if a respondent indicated ever using flexeril (FLEXERL2=1), soma (SOMA2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (223, 288, 290, 462, 2002, 2006)).

MUSCRELX	Len : 1 MUSCLE RELAXANTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	708436	84.67
	1 = Yes (See comment above)	14217	1.70

METHDES2	Len : 1 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	697081	83.31
	1 = Yes (METHDES=1,3)	25572	3.06

DIETPIL2	Len : 1 EVER USED DIET PILLS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	706861	84.48
	1 = Yes (DIETPILS=1,3).....	15792	1.89

RITMPHE2	Len : 1 EVER USED RITALIN/METHYLPHENIDATE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	701042	83.79
	1 = Yes (RITMPHEN=1,3).....	21611	2.58

CYLERT2	Len : 1 EVER USED CYLERT		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722075	86.30
	1 = Yes (STMCARD and CYLERT=1,3).....	578	0.07

DEXED2	Len : 1 EVER USED DEXEDRINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	718458	85.87
	1 = Yes (STMCARD and DEXED=1,3).....	4195	0.50

AGE/DATE OF FIRST DRUG USE

DETAMP2	Len : 1	EVER USED DEXTROAMPHETAMINE		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	720613	86.13
	1 = Yes (STMCARD and DETAMP=1,3)	2040	0.24	
DIDREX2	Len : 1	EVER USED DIDREX		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722217	86.32
	1 = Yes (STMCARD and DIDREX=1,3).....	436	0.05	
ESKAT2	Len : 1	EVER USED ESKATROL		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722325	86.33
	1 = Yes (STMCARD and ESKAT=1,3).....	328	0.04	
IONAMIN2	Len : 1	EVER USED IONAMIN		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722044	86.30
	1 = Yes (STMCARD and IONAMIN=1,3).....	609	0.07	
MAZANOR2	Len : 1	EVER USED MAZANOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722453	86.35
	1 = Yes (STMCARD and MAZANOR=1,3).....	200	0.02	
OBLA2	Len : 1	EVER USED OBEDRIN-LA		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722567	86.36
	1 = Yes (STMCARD and OBLA=1,3).....	86	0.01	
PLEGINE2	Len : 1	EVER USED PLEGINE		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722492	86.35
	1 = Yes (STMCARD and PLEGINE=1,3).....	161	0.02	
PRELUDN2	Len : 1	EVER USED PRELUDIN		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	721911	86.28
	1 = Yes (STMCARD and PRELUDIN=1,3).....	742	0.09	
SANOREX2	Len : 1	EVER USED SANOREX		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722286	86.33
	1 = Yes (STMCARD and SANOREX=1,3).....	367	0.04	
TENUATE2	Len : 1	EVER USED TENUATE		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722335	86.33
	1 = Yes (STMCARD and TENUATE=1,3)	318	0.04	

AGE/DATE OF FIRST DRUG USE

OTHSTM	Len : 1	EVER USED OTHER STIMULANTS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	707317	84.54
		1 = Yes (STMCARD or STMNOLST=1,3).....	15336	1.83

The following variable, AMDXPHEN, was assigned a positive response if a respondent indicated ever using prescription diet pills (DIETPIL2=1), dexedrine (DEXED2=1), dextroamphetamine (DETAMP2=1), ionamin (IONAMIN2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (302, 309, 3015, 3023, 3069, 3086, 3097, 3111)).

AMDXPHEN	Len : 1	AMPHETAMINE, DEXTROAMPHETAMINE, & PHENTERMINE PROD		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	699749	83.63
		1 = Yes (See comment above)	22904	2.74

The following variable, MAZINDOL, was assigned a positive response if a respondent indicated ever using mazanor (MAZANOR2=1), sanorex (SANOREX2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (317)).

MAZINDOL	Len : 1	MAZINDOL PRODUCTS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722145	86.31
		1 = Yes (See comment above)	508	0.06

The following variable, METHDEXM, was assigned a positive response if a respondent indicated ever using ritalin (RITMPHE2=1) or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (3077, 3092, 3094, 3102, 3112, 3114, 3124)).

METHDEXM	Len : 1	METHYLPHENIDATE/DEXMETHYLPHENIDATE PRODUCTS		
			Freq	Pct
		-9 = Data not collected for this year	278954	33.34
		0 = No/Unknown (Otherwise).....	541229	64.69
		1 = Yes (See comment above)	16513	1.97

METHAQ2	Len : 1	EVER USED METHAQUALONE, SOPOR, QUALLUDE		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	714455	85.39
		1 = Yes (METHAQ=1,3)	8198	0.98

NEMBBAR2	Len : 1	EVER USED BARBITURATES		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	718984	85.93
		1 = Yes (NEMBBARB=1,3).....	3669	0.44

RESTTMA2	Len : 1	EVER USED RESTORIL OR TEMAZEPAM		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	720128	86.07
		1 = Yes (RESTTMAZ=1,3)	2525	0.30

AMYTAL2	Len : 1	EVER USED AMYTAL		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	722180	86.31
		1 = Yes (SEDCARD and AMYTAL=1,3)	473	0.06

AGE/DATE OF FIRST DRUG USE

BUTISOL2	Len : 1 EVER USED BUTISOL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722345	86.33
	1 = Yes (SEDCARD and BUTISOL=1,3)	308	0.04
CHHYD2	Len : 1 EVER USED CHLORAL HYDRATE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722316	86.33
	1 = Yes (SEDCARD and CHHYD=1,3)	337	0.04
DALMANE2	Len : 1 EVER USED DALMANE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722018	86.29
	1 = Yes (SEDCARD and DALMANE=1,3)	635	0.08
HALCION2	Len : 1 EVER USED HALCION		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721572	86.24
	1 = Yes (SEDCARD and HALCION=1,3)	1081	0.13
PHENOBR2	Len : 1 EVER USED PHENOBARBITAL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720762	86.14
	1 = Yes (SEDCARD and PHENOBAR=1,3)	1891	0.23
PLACIDY2	Len : 1 EVER USED PLACIDYL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721742	86.26
	1 = Yes (SEDCARD and PLACIDYL=1,3).....	911	0.11
TUINAL2	Len : 1 EVER USED TUINAL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721597	86.24
	1 = Yes (SEDCARD and TUINAL=1,3)	1056	0.13
OTHSED	Len : 1 EVER USED OTHER SEDATIVES		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	714976	85.45
	1 = Yes (SEDCARD or SEDNOLST=1,3)	7677	0.92
RTDALHAL	Len : 1 TEMAZEPAM, FLURAZEPAM, OR TRIAZOLAM		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	718994	85.93
	1 = Yes (RESTTMA2=1 or DALMANE2=1 or HALCION2=1).....	3659	0.44

The following variable, ANYBARB, was assigned a positive response if a respondent indicated ever using barbiturates (NEMBBAR2=1), amytal (AMYTAL2=1), butisol (BUTISOL2=1), phenobarbital (PHENOBR2=1), tuinal (TUINAL2=1), or other-specific drug responses that are not asked about explicitly in the Sedatives module but fall into this category (SEDNEWA, SEDNEWB, SEDNEWC, SEDNEWD, or SEDNEWE in (153, 156, 186, 195, 1012)).

ANYBARB	Len : 1 ANY BARBITURATES		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	717491	85.75
	1 = Yes (See comment above)	5162	0.62

AGE/DATE OF FIRST DRUG USE

HALYDAYS Len : 1 # OF DAYS USED HALLUCINOGENS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = 1-11 Days (IRHALFY=1-11).....	17791	2.13
2 = 12-49 Days (IRHALFY=12-49).....	4020	0.48
3 = 50-99 Days (IRHALFY=50-99).....	1550	0.19
4 = 100-299 Days (IRHALFY=100-299).....	972	0.12
5 = 300-365 Days (IRHALFY=300-365).....	124	0.01
6 = Non User or No Past Year Use (IRHALFY=991,993).....	698196	83.45

INHVDAYS Len : 1 # OF DAYS USED INHALANTS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = 1-11 Days (IRINHfy=1-11).....	8707	1.04
2 = 12-49 Days (IRINHfy=12-49).....	2821	0.34
3 = 50-99 Days (IRINHfy=50-99).....	1113	0.13
4 = 100-299 Days (IRINHfy=100-299).....	926	0.11
5 = 300-365 Days (IRINHfy=300-365).....	98	0.01
6 = Non User or No Past Year Use (IRINHfy=991,993).....	708988	84.74

STMYDAYS Len : 1 # OF DAYS USED STIMULANTS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = 1-11 Days (IRSTMFY=1-11).....	6838	0.82
2 = 12-49 Days (IRSTMFY=12-49).....	3531	0.42
3 = 50-99 Days (IRSTMFY=50-99).....	1480	0.18
4 = 100-299 Days (IRSTMFY=100-299).....	2255	0.27
5 = 300-365 Days (IRSTMFY=300-365).....	382	0.05
6 = Non User or No Past Year Use (IRSTMFY=991,993).....	708167	84.64

HALMDAYS Len : 1 # OF DAYS USED HALLUCINOGENS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = 1-2 Days (IRHALFM=1-2).....	4685	0.56
2 = 3-5 Days (IRHALFM=3-5).....	1106	0.13
3 = 6-19 Days (IRHALFM=6-19).....	508	0.06
4 = 20-30 Days (IRHALFM=20-30).....	160	0.02
5 = Non User or No Past Month Use (IRHALFM=91,93).....	716194	85.60

INHMDAYS Len : 1 # OF DAYS USED INHALANTS IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = 1-2 Days (IRINHFM=1-2).....	2256	0.27
2 = 3-5 Days (IRINHFM=3-5).....	754	0.09
3 = 6-19 Days (IRINHFM=6-19).....	494	0.06
4 = 20-30 Days (IRINHFM=20-30).....	167	0.02
5 = Non User or No Past Month Use (IRINHFM=91,93).....	718982	85.93

The following variable, ALCAVGM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (NODR30A). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or NODR30A=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (NODR30A=985, 994, 997, 998) or logically assigned to 5 or more (NODR30A=975).

ALCAVGM Len : 4 NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH

	Freq	Pct
RANGE = 1 - 2700.....	303209	36.24
. = Not Used/Unknown (See comment above).....	419444	50.13
-9 = Data not collected for this year.....	114043	13.63

FUSLT18 Len : 1 FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18

	Freq	Pct
-9 = Data not collected for this year.....	168122	20.09
1 = Yes (IRSLTAGE<18).....	79470	9.50
2 = No (IRSLTAGE>=18).....	589104	70.41

AGE/DATE OF FIRST DRUG USE

FUSLT21	Len : 1 FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRSLTAGE<21)	102047	12.20
	2 = No (IRSLTAGE>=21)	566527	67.71
FUHAL18	Len : 1 FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRHALAGE<18)	47082	5.63
	2 = No (IRHALAGE>=18)	621492	74.28
FUHAL21	Len : 1 FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRHALAGE<21)	76199	9.11
	2 = No (IRHALAGE>=21)	592375	70.80
FUECS18	Len : 1 FIRST USED ECSTASY PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRECSAGE<18)	16707	2.00
	2 = No (IRECSAGE>=18)	651867	77.91
FUECS21	Len : 1 FIRST USED ECSTASY PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRECSAGE<21)	33351	3.99
	2 = No (IRECSAGE>=21)	635223	75.92
FUINH18	Len : 1 FIRST USED INHALANTS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRINHAGE<18)	48934	5.85
	2 = No (IRINHAGE>=18)	619640	74.06
FUINH21	Len : 1 FIRST USED INHALANTS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRINHAGE<21)	60590	7.24
	2 = No (IRINHAGE>=21)	607984	72.66
FUANL18	Len : 1 FIRST USED PAIN RELIEVERS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRANLAGE<18)	54287	6.49
	2 = No (IRANLAGE>=18)	614287	73.42
FUANL21	Len : 1 FIRST USED PAIN RELIEVERS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRANLAGE<21)	79975	9.56
	2 = No (IRANLAGE>=21)	588599	70.35
FUOXY18	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Yes (IROXYAGE<18)	8178	0.98
	2 = No (IROXYAGE>=18)	605166	72.33

AGE/DATE OF FIRST DRUG USE

FUOXY21	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 21		
	-9 = Data not collected for this year	223352	26.69
	1 = Yes (IROXYAGE<21)	13526	1.62
	2 = No (IROXYAGE>=21)	599818	71.69
FUTRN18	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 18		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRTRNAGE<18)	23332	2.79
	2 = No (IRTRNAGE>=18)	645242	77.12
FUTRN21	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 21		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRTRNAGE<21)	38045	4.55
	2 = No (IRTRNAGE>=21)	630529	75.36
FUSTM18	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 18		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRSTMAGE<18)	24584	2.94
	2 = No (IRSTMAGE>=18)	643990	76.97
FUSTM21	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 21		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRSTMAGE<21)	38318	4.58
	2 = No (IRSTMAGE>=21)	630256	75.33
FUMTH18	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRMTHAGE<18)	10650	1.27
	2 = No (IRMTHAGE>=18)	657924	78.63
FUMTH21	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRMTHAGE<21)	17089	2.04
	2 = No (IRMTHAGE>=21)	651485	77.86
FUSED18	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 18		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRSEDAGE<18)	6563	0.78
	2 = No (IRSEDAGE>=18)	662011	79.12
FUSED21	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 21		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IRSEDAGE<21)	10047	1.20
	2 = No (IRSEDAGE>=21)	658527	78.71
FUPSY18	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 18		
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (PSYAGE2<18)	72221	8.63
	2 = No (PSYAGE2>=18)	596353	71.27

AGE/DATE OF FIRST DRUG USE

FUPSY21	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (PSYAGE2<21).....	105950	12.66
	2 = No (PSYAGE2>=21).....	562624	67.24

FUSUM18	Len : 1 FIRST USED ILLICIT DRUGS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (SUMAGE<18).....	223639	26.73
	2 = No (SUMAGE>=18).....	444935	53.18

FUSUM21	Len : 1 FIRST USED ILLICIT DRUGS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (SUMAGE<21).....	280256	33.50
	2 = No (SUMAGE>=21).....	388318	46.41

FUIEM18	Len : 1 FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IEMAGE<18).....	120050	14.35
	2 = No (IEMAGE>=18).....	548524	65.56

FUIEM21	Len : 1 FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Yes (IEMAGE<21).....	165062	19.73
	2 = No (IEMAGE>=21).....	503512	60.18

Note: Starting in 2017, the following variable for the past year misuse of any other pain reliever, PNROTHPYMU2, is based on the edited variable for the misuse of any other pain reliever as well as the write-in data for the specific other pain relievers that respondents specified that they misused in the past year. Respondents are excluded from PNROTHPYMU2 if the only pain relievers that they specified in their write-in responses corresponded to other pain reliever subtypes(e.g., hydrocodone products). Thus, PNROTHPYMU2 does not count these respondents as past year misusers of "any other" pain reliever. The variable in 2015 and 2016 for past year misuse of any other pain reliever products, PNROTNMYR3, was based only on the edited misuse of any other pain reliever variable.

PNROTHPYMU2	Len : 1 RC-OTHER PAIN RELIEVER PRODUCTS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113630	13.58
	1 = Yes (See comment above).....	413	0.05

Note: Starting in 2017, the following variable for the past year misuse of any other sedative, SEDOTHPYMU2, is based on the edited variable for the misuse of any other sedative as well as the write-in data for the specific other sedatives that respondents specified that they misused in the past year. Respondents are excluded from SEDOTHPYMU2 if the only sedatives that they specified in their write-in responses corresponded to other sedative subtypes(e.g., zolpidem products). Thus, SEDOTHPYMU2 does not count these respondents as past year misusers of "any other" sedative. The variable in 2015 and 2016 for past year misuse of any other sedative products, SEDOTNMYR3, was based only on the edited misuse of any other sedative variable.

SEDOTHPYMU2	Len : 1 RC-OTHER SEDATIVE PRODUCTS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113917	13.62
	1 = Yes (See comment above).....	126	0.02

AGE/DATE OF FIRST DRUG USE

Note: Starting in 2017, the following variable for the past year misuse of any other stimulant, STMOTHPYMU2, is based on the edited variable for the misuse of any other stimulant as well as the write-in data for the specific other stimulants that respondents specified that they misused in the past year. Respondents are excluded from STMOTHPYMU2 if the only stimulants that they specified in their write-in responses corresponded to other stimulant subtypes(e.g., amphetamine or methylphenidate products). Thus, STMOTHPYMU2 does not count these respondents as past year misusers of "any other" stimulant. The variable in 2015 and 2016 for past year misuse of any other stimulant products, STMOTNMYR3, was based only on the edited misuse of any other stimulant variable.

STMOTHPYMU2 Len : 1 RC-OTHER STIMULANT PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	114008	13.63
1 = Yes (See comment above)	35	0.00

Note: Starting in 2017, the following variable for the past year misuse of any other tranquilizer, TRQOTHPYMU2, is based on the edited variable for the misuse of any other tranquilizer as well as the write-in data for the specific other tranquilizers that respondents specified that they misused in the past year. Respondents are excluded from TRQOTHPYMU2 if the only tranquilizers that they specified in their write-in responses corresponded to other tranquilizer subtypes(e.g., benzodiazepine tranquilizers). Thus, TRQOTHPYMU2 does not count these respondents as past year misusers of "any other" tranquilizer. The variable in 2015 and 2016 for past year misuse of any other tranquilizer products, TRQOTNMYR3, was based only on the edited misuse of any other tranquilizer variable.

TRQOTHPYMU2 Len : 1 RC-OTHER TRANQUILIZER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113959	13.62
1 = Yes (See comment above)	84	0.01

RECODED DRUG USE

RECODED DRUG USE

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

CIGFLAG	Len : 1 RC-CIGARETTES - EVER USED		
	0 = Never used (IRCIGRC = 9)	Freq	Pct
	1 = Ever used (IRCIGRC = 1-4)	385902	46.12
		450794	53.88
CIGYR	Len : 1 RC-CIGARETTES - PAST YEAR USE		
	0 = Did not use in the past year (IRCIGRC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRCIGRC = 1,2)	586014	70.04
		250682	29.96
CIGMON	Len : 1 RC-CIGARETTES - PAST MONTH USE		
	0 = Did not use in the past month (IRCIGRC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRCIGRC = 1)	634713	75.86
		201983	24.14
CGRFLAG	Len : 1 RC-CIGARS - EVER USED		
	0 = Never used (IRCGRRC = 9)	Freq	Pct
	1 = Ever used (IRCGRRC = 1-4)	576013	68.84
		260683	31.16
CGRYR	Len : 1 RC-CIGARS - PAST YEAR USE		
	0 = Did not use in the past year (IRCGRRC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRCGRRC = 1,2)	726398	86.82
		110298	13.18
CGRMON	Len : 1 RC-CIGARS - PAST MONTH USE		
	0 = Did not use in the past month (IRCGRRC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRCGRRC = 1)	782662	93.54
		54034	6.46
PIPFLAG	Len : 1 RC-PIPES - EVER USED		
	0 = Never Used (IRPIPLF = 9)	Freq	Pct
	1 = Ever Used (IRPIPLF = 1)	762333	91.11
		74363	8.89
PIPMON	Len : 1 RC-PIPES - PAST MONTH USE		
	0 = Did not use in the past month (IRPIP MN = 2,9)	Freq	Pct
	1 = Used within the past month (IRPIP MN = 1)	828523	99.02
		8173	0.98
SMKLSSFLAG	Len : 1 RC-SMOKELESS TOBACCO - EVER USED		
	-9 = Data not collected for this year	Freq	Pct
	0 = Never Used (IRSMKLSSREC = 9)	722653	86.37
	1 = Ever Used (IRSMKLSSREC = 1-4)	95552	11.42
		18491	2.21
SMKLSSYR	Len : 1 RC-SMOKELESS TOBACCO - PAST YEAR USE		
	-9 = Data not collected for this year	Freq	Pct
	0 = Did not use in the past year (IRSMKLSSREC = 3,4,9)	722653	86.37
	1 = Used within the past year (IRSMKLSSREC = 1,2)	107638	12.86
		6405	0.77

RECODED DRUG USE

SMKLSSMON	Len : 1 RC-SMOKELESS TOBACCO - PAST MONTH USE		
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past month (IRSMKLSSREC= 2-4,9).....	109766	13.12
	1 = Used within the past month (IRSMKLSSREC = 1).....	4277	0.51
TOBFLAG	Len : 1 RC-ANY TOBACCO - EVER USED		
	0 = Never Used (ALL SOURCE VARIABLES = 0)	344731	41.20
	1 = Ever Used (ANY SOURCE VARIABLE = 1).....	491965	58.80
TOBYR	Len : 1 RC-ANY TOBACCO - PAST YEAR USE		
	0 = Did not use in the past year (ALL SOURCE VARS = 0).....	537365	64.22
	1 = Used within the past year (ANY SOURCE VAR = 1).....	299331	35.78
TOBMON	Len : 1 RC-ANY TOBACCO - PAST MONTH USE		
	0 = Did not use in the past month (ALL SOURCE VARS =0)	598280	71.51
	1 = Used within the past month (ANY SOURCE VAR = 1).....	238416	28.49
ALCFLAG	Len : 1 RC-ALCOHOL - EVER USED		
	0 = Never used (IRALCRC = 9)	233656	27.93
	1 = Ever used (IRALCRC = 1-3)	603040	72.07
ALCYR	Len : 1 RC-ALCOHOL - PAST YEAR USE		
	0 = Did not use in the past year (IRALCRC = 3,9)	327006	39.08
	1 = Used within the past year (IRALCRC = 1,2)	509690	60.92
ALCMON	Len : 1 RC-ALCOHOL - PAST MONTH USE		
	0 = Did not use in the past month (IRALCRC = 2-3,9).....	459529	54.92
	1 = Used within the past month (IRALCRC = 1).....	377167	45.08
MRJFLAG	Len : 1 RC-MARIJUANA - EVER USED		
	0 = Never used (IRMJRC = 9).....	498437	59.57
	1 = Ever used (IRMJRC = 1-3).....	338259	40.43
MRJYR	Len : 1 RC-MARIJUANA - PAST YEAR USE		
	0 = Did not use in the past year (IRMJRC = 3,9).....	688226	82.26
	1 = Used within the past year (IRMJRC = 1,2)	148470	17.74
MRJMON	Len : 1 RC-MARIJUANA - PAST MONTH USE		
	0 = Did not use in the past month (IRMJRC = 2-3,9)	749268	89.55
	1 = Used within the past month (IRMJRC = 1).....	87428	10.45
COCFLAG	Len : 1 RC-COCAINE - EVER USED		
	0 = Never used (IRCOCRC = 9).....	739041	88.33
	1 = Ever used (IRCOCRC = 1-3).....	97655	11.67
COCYR	Len : 1 RC-COCAINE - PAST YEAR USE		
	0 = Did not use in the past year (IRCOCRC = 3,9).....	813091	97.18
	1 = Used within the past year (IRCOCRC = 1,2).....	23605	2.82

RECODED DRUG USE

COCMON	Len : 1 RC-COCAINE - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRCOCRC = 2-3,9)	829021	99.08
	1 = Used within the past month (IRCOCRC = 1).....	7675	0.92
CRKFLAG	Len : 1 RC-"CRACK" - EVER USED		
		Freq	Pct
	0 = Never used (IRCRKRC = 9).....	812766	97.14
	1 = Ever used (IRCRKRC = 1-3).....	23930	2.86
CRKYR	Len : 1 RC-"CRACK" - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRCRKRC = 3,9).....	832694	99.52
	1 = Used within the past year (IRCRKRC = 1,2).....	4002	0.48
CRKMON	Len : 1 RC-"CRACK" - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRCRKRC = 2-3,9)	835283	99.83
	1 = Used within the past month (IRCRKRC = 1).....	1413	0.17
HERFLAG	Len : 1 RC-HEROIN - EVER USED		
		Freq	Pct
	0 = Never used (IRHERRC = 9)	824795	98.58
	1 = Ever used (IRHERRC = 1-3).....	11901	1.42
HERYR	Len : 1 RC-HEROIN - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRHERRC = 3,9)	833944	99.67
	1 = Used within the past year (IRHERRC = 1,2).....	2752	0.33
HERMON	Len : 1 RC-HEROIN - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRHERRC = 2-3,9).....	835604	99.87
	1 = Used within the past month (IRHERRC = 1).....	1092	0.13
HALLUCFLAG	Len : 1 RC-HALLUCINOGENS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never used (IRHALLUCREC = 9).....	97506	11.65
	1 = Ever used (IRHALLUCREC = 1-3).....	16537	1.98
HALLUCYR	Len : 1 RC-HALLUCINOGENS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past year (IRHALLUCREC = 3,9).....	110826	13.25
	1 = Used within the past year (IRHALLUCREC = 1,2).....	3217	0.38
HALLUCMON	Len : 1 RC-HALLUCINOGENS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past month (IRHALLUCREC= 2-3,9).....	113176	13.53
	1 = Used within the past month (IRHALLUCREC = 1)	867	0.10
LSDFLAG	Len : 1 RC-LSD - EVER USED		
		Freq	Pct
	0 = Never used (IRLSDRC = 9).....	771652	92.23
	1 = Ever used (IRLSDRC = 1-3).....	65044	7.77
LSDYR	Len : 1 RC-LSD - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRLSDRC = 3,9).....	829989	99.20
	1 = Used within the past year (IRLSDRC = 1,2).....	6707	0.80

RECODED DRUG USE

LSDMON	Len : 1 RC-LSD - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRLSDRC = 2-3,9)	835334	99.84
	1 = Used within the past month (IRLSDRC = 1)	1362	0.16
PCPFLAG	Len : 1 RC-PCP - EVER USED		
		Freq	Pct
	0 = Never used (IRPCPRC = 9)	821122	98.14
	1 = Ever used (IRPCPRC = 1-3)	15574	1.86
PCPYR	Len : 1 RC-PCP - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRPCPRC = 3,9)	835503	99.86
	1 = Used within the past year (IRPCPRC = 1,2)	1193	0.14
PCPMON	Len : 1 RC-PCP - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRPCPRC = 2-3,9)	836430	99.97
	1 = Used within the past month (IRPCPRC = 1)	266	0.03
ECSTMOFLAG	Len : 1 RC-ECSTASY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (IRECSTMOREC = 9)	105140	12.57
	1 = Ever used (IRECSTMOREC = 1-3)	8903	1.06
ECSTMOYR	Len : 1 RC-ECSTASY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past year (IRECSTMOREC = 3,9)	112412	13.44
	1 = Used within the past year (IRECSTMOREC = 1,2)	1631	0.19
ECSTMOMON	Len : 1 RC-ECSTASY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past month (IRECSTMOREC= 2-3,9)	113672	13.59
	1 = Used within the past month (IRECSTMOREC = 1)	371	0.04
DAMTFXFLAG	Len : 1 RC-DMT/AMT/FOXY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (IRDAMTFXREC = 9)	112855	13.49
	1 = Ever used (IRDAMTFXREC = 1-3)	1188	0.14
DAMTFXYR	Len : 1 RC-DMT/AMT/FOXY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past year (IRDAMTFXREC = 3,9)	113840	13.61
	1 = Used within the past year (IRDAMTFXREC = 1,2)	203	0.02
DAMTFXMON	Len : 1 RC-DMT/AMT/FOXY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past month (IRDAMTFXREC= 2-3,9)	114001	13.63
	1 = Used within the past month (IRDAMTFXREC = 1)	42	0.01
KETMINFLAG	Len : 1 RC-KETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (IRKETMINREC = 9)	112564	13.45
	1 = Ever used (IRKETMINREC = 1-3)	1479	0.18

RECODED DRUG USE

KETMINYR	Len : 1 RC-KETAMINE - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past year (IRKETMINREC = 3,9)	113849	13.61
	1 = Used within the past year (IRKETMINREC = 1,2)	194	0.02
KETMINMON	Len : 1 RC-KETAMINE - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past month (IRKETMINREC= 2-3,9).....	113989	13.62
	1 = Used within the past month (IRKETMINREC = 1).....	54	0.01
SALVIAFLAG	Len : 1 RC-SALVIA - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (IRSALVIAREC = 9)	111218	13.29
	1 = Ever used (IRSALVIAREC = 1-3)	2825	0.34
SALVIAYR	Len : 1 RC-SALVIA - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past year (IRSALVIAREC = 3,9)	113909	13.61
	1 = Used within the past year (IRSALVIAREC = 1,2)	134	0.02
SALVIAMON	Len : 1 RC-SALVIA - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past month (IRSALVIAREC= 2-3,9).....	114018	13.63
	1 = Used within the past month (IRSALVIAREC = 1).....	25	0.00
INHALFLAG	Len : 1 RC-INHALANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (IRINHALREC = 9).....	102409	12.24
	1 = Ever used (IRINHALREC = 1-3)	11634	1.39
INHAILYR	Len : 1 RC-INHALANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past year (IRINHALREC = 3,9)	112708	13.47
	1 = Used within the past year (IRINHALREC = 1,2)	1335	0.16
INHALMON	Len : 1 RC-INHALANTS - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past month (IRINHALREC = 2-3,9).....	113642	13.58
	1 = Used within the past month (IRINHALREC = 1).....	401	0.05
METHAMFLAG	Len : 1 RC-METHAMPHETAMINE - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (IRMETHAMREC = 9)	108924	13.02
	1 = Ever used (IRMETHAMREC = 1-3)	5119	0.61
METHAMYR	Len : 1 RC-METHAMPHETAMINE - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in the past year (IRMETHAMREC = 3,9)	113300	13.54
	1 = Used within the past year (IRMETHAMREC = 1,2)	743	0.09

RECODED DRUG USE

METHAMMON	Len : 1 RC-METHAMPHETAMINE - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past month (IRMETHAMREC= 2-3,9).....	113736	13.59
	1 = Used within the past month (IRMETHAMREC = 1).....	307	0.04

NOTE: The following 11 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

PNRANYFLAG	Len : 1 RC-ANY PAIN RELIEVER - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never used (IRPNRANYREC = 9).....	51175	6.12
	1 = Ever used (IRPNRANYREC = 1-2).....	62868	7.51

PNRANYR	Len : 1 RC-ANY PAIN RELIEVER - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past year (IRPNRANYREC = 2,9).....	77136	9.22
	1 = Used within the past year (IRPNRANYREC = 1).....	36907	4.41

OXYCNANYR	Len : 1 RC-OXYCONTIN - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past year (IROXCNANYR = 9).....	110151	13.16
	1 = Used within the past year (IROXCNANYR = 1).....	3892	0.47

TRQANYFLAG	Len : 1 RC-ANY TRANQUILIZERS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never used (IRTRQANYREC = 9).....	92482	11.05
	1 = Ever used (IRTRQANYREC = 1-2).....	21561	2.58

TRQANYR	Len : 1 RC-ANY TRANQUILIZERS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past year (IRTRQANYREC = 2,9).....	100214	11.98
	1 = Used within the past year (IRTRQANYREC = 1).....	13829	1.65

STMANYFLAG	Len : 1 RC-ANY STIMULANTS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never used (IRSTMANYREC = 9).....	98846	11.81
	1 = Ever used (IRSTMANYREC = 1-2).....	15197	1.82

STMANYR	Len : 1 RC-ANY STIMULANTS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past year (IRSTMANYREC = 2,9).....	104427	12.48
	1 = Used within the past year (IRSTMANYREC = 1).....	9616	1.15

SEDANYFLAG	Len : 1 RC-ANY SEDATIVES - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never used (IRSEDANYREC = 9).....	101615	12.14
	1 = Ever used (IRSEDANYREC = 1-2).....	12428	1.49

SEDANYR	Len : 1 RC-ANY SEDATIVES - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not use in the past year (IRSEDANYREC = 2,9).....	107941	12.90
	1 = Used within the past year (IRSEDANYREC = 1).....	6102	0.73

RECODED DRUG USE

PSYANYFLAG	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (All source variables = 0).....	45496	5.44
	1 = Ever used (Any source variable = 1).....	68547	8.19

PSYANYR	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use within pst year (All source variables =0).....	67948	8.12
	1 = Used in past year (Any source variable = 1).....	46095	5.51

NOTE: The following 19 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

PNRNMFLAG	Len : 1 RC-PAIN RELIEVERS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never misused (IRPNRMREC = 9).....	101736	12.16
	1 = Ever misused (IRPNRMREC = 1-3).....	12307	1.47

PNRNMYSR	Len : 1 RC-PAIN RELIEVERS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not misuse in the past year (IRPNRMREC = 3,9).....	108010	12.91
	1 = Misused within the past year (IRPNRMREC = 1,2).....	6033	0.72

PNRNMMON	Len : 1 RC-PAIN RELIEVERS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not misuse in the pst mon (IRPNRMREC = 2-3,9).....	112258	13.42
	1 = Misused within the past month (IRPNRMREC = 1).....	1785	0.21

OXYCNSMYR	Len : 1 RC-OXYCONTIN - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not misuse in the past year (IROXCNSMYR = 9).....	113067	13.51
	1 = Misused within the past year (IROXCNSMYR = 1).....	976	0.12

TRQNMFLAG	Len : 1 RC-TRANQUILIZERS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never misused (IRTRQNMREC = 9).....	108825	13.01
	1 = Ever misused (IRTRQNMREC = 1-3).....	5218	0.62

TRQNSMYR	Len : 1 RC-TRANQUILIZERS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not misuse in the past year (IRTRQNMREC = 3,9).....	110870	13.25
	1 = Misused within the past year (IRTRQNMREC = 1,2).....	3173	0.38

TRQNMMON	Len : 1 RC-TRANQUILIZERS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not misuse in the pst mon (IRTRQNMREC = 2-3,9).....	113018	13.51
	1 = Misused within the past month (IRTRQNMREC = 1).....	1025	0.12

STMNFLAG	Len : 1 RC-STIMULANTS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never misused (IRSTMNREC = 9).....	108303	12.94
	1 = Ever misused (IRSTMNREC = 1-3).....	5740	0.69

RECODED DRUG USE

STMNMYR	Len : 1 RC-STIMULANTS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not misuse in the past year (IRSTMNMREC = 3,9).....	110569	13.21
	1 = Misused within the past year (IRSTMNMREC = 1,2).....	3474	0.42
STMNMMON	Len : 1 RC-STIMULANTS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not misuse in the pst mon (IRSTMNMREC = 2-3,9).....	113002	13.51
	1 = Misused within the past month (IRSTMNMREC = 1).....	1041	0.12
SEDNMFLAG	Len : 1 RC-SEDATIVES - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never misused (IRSEDNMREC = 9).....	111711	13.35
	1 = Ever misused (IRSEDNMREC = 1-3).....	2332	0.28
SEDNMYR	Len : 1 RC-SEDATIVES - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not misuse in the past year (IRSEDNMREC = 3,9).....	113381	13.55
	1 = Misused within the past year (IRSEDNMREC = 1,2).....	662	0.08
SEDNMMON	Len : 1 RC-SEDATIVES - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not misuse in the pst mon (IRSEDNMREC = 2-3,9).....	113845	13.61
	1 = Misused within the past month (IRSEDNMREC = 1).....	198	0.02
PSYCHFLAG	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER MISUSED		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never misused (All source variables = 0).....	97858	11.70
	1 = Ever misused (Any source variable = 1).....	16185	1.93
PSYCHYR	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not misuse within pst year (All source variables = 0).....	104310	12.47
	1 = Misused in past year (Any source variable = 1).....	9733	1.16
PSYCHMON	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Did not misuse in past month (All source variables = 0).....	110794	13.24
	1 = Misused in past month (Any source variable = 1).....	3249	0.39
OPINMYR	Len : 1 RC-OPIOIDS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (HERYR=0 and PNRNMYR=0).....	107880	12.89
	1 = Yes (HERYR=1 or PNRNMYR=1).....	6163	0.74
OPINMMON	Len : 1 RC-OPIOIDS - PAST MONTH MISUSE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (HERMON=0 and PNRNMMON=0).....	112141	13.40
	1 = Yes (HERMON=1 or PNRNMMON=1).....	1902	0.23

RECODED DRUG USE

HERPNRYR	Len : 1 RC-HEROIN USE AND/OR PAIN RELIEVER MISUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Heroin use and no pain rel misuse (HERYR=1 and PNRNMYR=0).....	130	0.02
	2 = Pain rel misuse and no heroin use (HERYR=0 and PNRNMYR=1).....	5690	0.68
	3 = Heroin use and pain rel misuse (HERYR=1 and PNRNMYR=1).....	343	0.04
	4 = No heroin use and no pain rel misuse (HERYR=0 and PNRNMYR=0)	107880	12.89
ILLFLAG	Len : 1 RC-ANY ILLICIT DRUG - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used (All source variables = 0).....	59613	7.12
	1 = Ever used (Any source variable = 1).....	54430	6.51
ILLYR	Len : 1 RC-ANY ILLICIT DRUG - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in past year (All source variables = 0).....	88415	10.57
	1 = Used in past year (Any source variable = 1)	25628	3.06
ILLMON	Len : 1 RC-ANY ILLICIT DRUG - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Did not use in past month (All source variables = 0)	99272	11.86
	1 = Used in past month (Any source variable = 1).....	14771	1.77
MJONLYFLAG	Len : 1 RC-MARIJUANA ONLY - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used MJ/has used both MJ & anothr illct drug	91931	10.99
	1 = Marijuana is only (illicit) drug ever used	22112	2.64
MJONLYYR	Len : 1 RC-MARIJUANA ONLY - PAST YEAR USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = MJ not used past yr/Used MJ & othr drug past yr.....	101328	12.11
	1 = Marijuana is only (illicit) drug in past year	12715	1.52
MJONLYMON	Len : 1 RC-MARIJUANA ONLY - PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = MJ not used past mnth/Used MJ & othr drug past mo	104001	12.43
	1 = Marijuana only (illicit) drug in past month	10042	1.20
ILLEMFLAG	Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used drug/used only marijuana.....	81725	9.77
	1 = Illicit drug except for marijuana are ever used	32318	3.86
ILLEMYR	Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used drug/used only marijuana past year	101130	12.09
	1 = Illicit drug except for marijuana used past year	12913	1.54
ILLEMMON	Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = Never used drug/used only marijuana past month.....	109314	13.06
	1 = Illicit drug except for marijuana used past month	4729	0.57

RECODED DRUG USE

CDUFLAG	Len : 1 RC-CIGARETTES DAILY - EVER USED		
		Freq	Pct
	0 = Never Used/Never Used Daily (Otherwise).....	607786	72.64
	1 = Ever Used (IRCDUAGE=1-90).....	228910	27.36
DCIGMON	Len : 1 RC-PAST MONTH DAILY CIGARETTE USE		
		Freq	Pct
	-9 = Data not collected for this year.....	109309	13.06
	0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93).....	636000	76.01
	1 = Used Daily in the Past Month (IRCIGFM=30).....	91387	10.92
CDCGMO	Len : 1 RC-EVER USED CIG DAILY AND PAST MONTH CIG USE		
		Freq	Pct
	0 = No (Otherwise).....	682843	81.61
	1 = Yes (CDUFLAG=1 and CIGMON=1).....	153853	18.39
CDNOCGMO	Len : 1 RC-EVER USED CIG DAILY AND NO PAST MONTH CIG USE		
		Freq	Pct
	0 = No (Otherwise).....	761639	91.03
	1 = Yes (CDUFLAG=1 and CIGMON=0).....	75057	8.97
CIGALCMO	Len : 1 RC-PAST MONTH CIGARETTE/ALCOHOL USE		
		Freq	Pct
	1 = Past Mon Use of Cig & Alc (CIGMON=1 & ALCMON=1).....	141217	16.88
	2 = Past Mon Use of Cig & No Alc (CIGMON=1 & ALCMON=0).....	60766	7.26
	3 = Past Mon Use of Alc & No Cig (CIGMON=0 & ALCMON=1).....	235950	28.20
	4 = No Past Mon Use of Cig/Alc (CIGMON=0 & ALCMON=0).....	398763	47.66

"Binge" Alcohol Use, BNGDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on at least one day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol use was defined as drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, BNGDRKMON is comparable to the version of this variable created from 2002-2014, BINGEDRK, among males but not overall or among females.

BNGDRKMON	Len : 1 RC-BINGE ALCOHOL USE PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never/No "Binge" alc use (IRALCBNG30D = 0,91,93).....	85197	10.18
	1 = "Binge" alcohol use (IRALCBNG30D = 1-30).....	28846	3.45

Heavy Alcohol Use, HVYDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users. Prior to 2015, heavy alcohol use was defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days for everyone, regardless of sex. Therefore, HVYDRKMON is comparable to the version of this variable created from 2002-2014, HVYDRK2, among males but not overall or among females.

HVYDRKMON	Len : 1 RC-HEAVY ALCOHOL USE PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = Never/No heavy alc use (IRALCBNG30D = 0-4,91,93).....	106758	12.76
	1 = Heavy alcohol use (IRALCBNG30D = 5-30).....	7285	0.87

The following variable, BNGHVYMON, was created by examination of past month binge alcohol use (BNGDRKMON), past month heavy alcohol use (HVYDRKMON), and past month alcohol use (ALCMON). To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.

BNGHVYMON	Len : 1 RC-LEVEL OF ALCOHOL USE IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Heavy alcohol use (HVYDRKMON=1).....	7285	0.87
	2 = "Binge" but not heavy use (BNGDRKMON=1 & HVYDRKMON=0).....	21561	2.58
	3 = Past month but not "binge" (ALCMON=1 & BNGDRKMON=0).....	23258	2.78
	4 = Did not use alcohol in past month (All source=0).....	61939	7.40

RECODED DRUG USE

ILTOBALCMN	Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALC PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No drug, tob, or alc past mon use (Otherwise)	51217	6.12
	1 = Drug, tob, or alc past mon use (ILLMON, TOBMON or ALCMON=1)	62826	7.51
ILLALCMON	Len : 1 RC-ILLCIT DRUG OR ALCOHOL PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No Drug or Alc Past Mon Use (Otherwise)	58182	6.95
	1 = Drug or Alc Past Mon Use (ILLMON=1 or ALCMON=1)	55861	6.68
TOBALCMN	Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL PAST MONTH USE		
		Freq	Pct
	-9 = Data not collected for this year	441244	52.74
	0 = No Tob or Alc Past Mon Use (Otherwise)	185613	22.18
	1 = Tob or Alc Past Mon Use (TOBMON=1 or ALCMON=1)	209839	25.08
ILLANDALC	Len : 1 RC-ILLCIT DRUG AND ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No drug or alc past year use (Otherwise)	91990	10.99
	1 = Drug and alc past year use (ILLYR=1 and ALCYR=1)	22053	2.64
ILLORALC	Len : 1 RC-ILLCIT DRUG OR ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No drug and alc past year use (Otherwise)	41307	4.94
	1 = Drug or alc past year use (ILLYR=1 or ALCYR=1)	72736	8.69
ILLALCFLG	Len : 1 RC-ILLCIT DRUG OR ALCOHOL - EVER USED		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No drug or alc lifetime use (Otherwise)	28198	3.37
	1 = Drug or alc lifetime use (ILLFLAG=1 or ALCFLAG=1)	85845	10.26
PEYOTE2	Len : 1 RC-EVER USED PEYOTE		
		Freq	Pct
	0 = No/Unknown (Otherwise)	824268	98.51
	1 = Yes (PEYOTE=1,3)	12428	1.49
MESC2	Len : 1 RC-EVER USED MESCALINE		
		Freq	Pct
	0 = No/Unknown (Otherwise)	820175	98.03
	1 = Yes (MESC=1,3)	16521	1.97
PSILCY2	Len : 1 RC-EVER USED PSILOCYBIN (MUSHROOMS)		
		Freq	Pct
	0 = No/Unknown (Otherwise)	769747	92.00
	1 = Yes (PSILCY=1,3)	66949	8.00
AMYLNIT2	Len : 1 RC-EVER INHALED AMYL NITRITE, "POPPERS", RUSH, ETC.		
		Freq	Pct
	0 = No/Unknown (Otherwise)	816404	97.57
	1 = Yes (AMYLNIT=1,3)	20292	2.43
CLEFLU2	Len : 1 RC-EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		Freq	Pct
	0 = No/Unknown (Otherwise)	827101	98.85
	1 = Yes (CLEFLU=1,3)	9595	1.15

RECODED DRUG USE

GAS2	Len : 1 RC-EVER INHALED GASOLINE OR LIGHTER FLUID		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (GAS=1,3).....	819393	97.93
		17303	2.07
GLUE2	Len : 1 RC-EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (GLUE=1,3).....	818923	97.88
		17773	2.12
ETHER2	Len : 1 RC-EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (ETHER=1,3).....	832742	99.53
		3954	0.47
SOLVENT2	Len : 1 RC-EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (SOLVENT=1,3).....	828451	99.01
		8245	0.99
LGAS2	Len : 1 RC-EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (LGAS=1,3).....	831661	99.40
		5035	0.60
NITOXID2	Len : 1 RC-EVER INHALED NITROUS OXIDE OR "WHIPPITS"		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (NITOXID=1,3).....	796207	95.16
		40489	4.84
FELTMARKR2	Len : 1 RC-EVER USED FELT-TIP PENS/MARKERS TO GET HIGH		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/Unknown (Otherwise).....	722653	86.37
	1 = Yes (FELTMARKR=1,3).....	109598	13.10
		4445	0.53
SPPAINT2	Len : 1 RC-EVER INHALED SPRAY PAINTS		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (SPPAINT=1,3).....	824660	98.56
		12036	1.44
AIRDUSTER2	Len : 1 RC-EVER USED COMPUTER CLEANER/AIR DUSTER TO GET HIGH		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/Unknown (Otherwise).....	722653	86.37
	1 = Yes (AIRDUSTER=1,3).....	112321	13.42
		1722	0.21
OTHAEROS2	Len : 1 RC-EVER USED OTHER AEROSOL SPRAY		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No/Unknown (Otherwise).....	722653	86.37
	1 = Yes (OTHAEROS=1,3).....	113325	13.54
		718	0.09

RECODED DRUG USE

The following variable for any past year use of Hydrocodone Products, HYDCPDAPYU, was assigned a positive response if a respondent indicated any past year use of Vicodin (VICOANYR=1, 3, 5), Lortab (LTABANYR=1, 3, 5), Norco (NRCOANYR=1, 3, 5), Zohydro ER (ZOHYANYR=1, 3, 5), generic hydrocodone (HYCDANYR=1, 3, 5), or past year misuse of other pain relievers that contain hydrocodone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (434, 4033, 4036, 4044, 4097, 4105, 4125, 4143, 4144, 4501, 4502, 4503, 4504)).

HYDCPDAPYU Len : 1 RC-HYDROCODONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	93381	11.16
1 = Yes (See comment above)	20662	2.47

ZOHYANYR2 Len : 1 RC-ZOHYDRO ER - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown	113842	13.61
1 = Yes.....	201	0.02

The following variable for any past year use of Oxycodone Products, OXCOPDAPYU, was assigned a positive response if a respondent indicated any past year use of OxyContin (OXYCNANYR=1), Percocet (PRCTANYR=1, 3, 5), Percodan (PRDNANYR=1, 3, 5), Roxicodone (ROXIANYR=1, 3, 5), or generic oxycodone (OXYDANYR=1, 3, 5), or past year misuse of other pain relievers that contain oxycodone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (406, 423, 431, 4046, 4047, 4052, 4065, 4067, 4068, 4072, 4117, 4505)).

OXCOPDAPYU Len : 1 RC-OXYCODONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	102938	12.30
1 = Yes (See comment above)	11105	1.33

The following variable for any past year use of Tramadol Products, TRAMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ultram (ULTMANYR=1, 3, 5), Ultram ER (ULERANYR=1, 3, 5), Ultracet (ULCTANYR=1, 3, 5), generic tramadol (TMDLANYYR=1, 3, 5), or generic extended-release tramadol (TMERANYR=1, 3, 5), or past year misuse of other pain relievers that contain tramadol (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (496, 4043, 4083, 4133, 4134)).

TRAMPDAPYU Len : 1 RC-TRAMADOL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	107620	12.86
1 = Yes (See comment above)	6423	0.77

The following variable for any past year use of Morphine Products, MORPPDAPYU, was assigned a positive response if a respondent indicated any past year use of Avinza (AVNZANYR=1, 3, 5), Kadian (KADNANYR=1, 3, 5), MS Contin (MSCTANYR=1, 3, 5), generic morphine (MRPHANYR=1, 3, 5), or generic extended-release morphine (MRERANYR=1, 3, 5), or past year misuse of other pain relievers that contain morphine (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (417, 4037, 4061, 4080, 4110, 4132, 4153, 4507)).

MORPPDAPYU Len : 1 RC-MORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	111151	13.28
1 = Yes (See comment above)	2892	0.35

The following variable for any past year use of Fentanyl Products, FENTPDAPYU, was assigned a positive response if a respondent indicated any past year use of Duragesic (DURGANYR=1, 3, 5), Fentora (FNRAANYR=1, 3, 5), or generic fentanyl (FNTLANYYR=1, 3, 5), or past year misuse of other pain relievers that contain fentanyl (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (465, 4508, 4509)).

FENTPDAPYU Len : 1 RC-FENTANYL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113288	13.54
1 = Yes (See comment above)	755	0.09

RECODED DRUG USE

The following variable for any past year use of Buprenorphine Products, BUPRPDAPYU, was assigned a positive response if a respondent indicated any past year use of Suboxone (SBOXANYR=1, 3, 5), or generic buprenorphine (BUPRANYR=1, 3, 5), or buprenorphine plus naloxone (BUNLANYR=1, 3, 5), or past year misuse of other pain relievers that contain buprenorphine (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (4022, 4073, 4109, 4119, 4148, 4150)).

BUPRPDAPYU Len : 1 RC-BUPRENORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	112913	13.50
1 = Yes (See comment above)	1130	0.14

The following variable for any past year use of Oxymorphone Products, OXYMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Opana (OPANANYR=1, 3, 5), Opana ER (OPERANYR=1, 3, 5), generic oxymorphone (OXMPANYR=1, 3, 5), or generic extended-release oxymorphone (OXERANYR=1, 3, 5), or past year misuse of other pain relievers that contain oxymorphone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (4120, 4140, 4510)).

OXYMPDAPYU Len : 1 RC-OXYMORPHONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113504	13.57
1 = Yes (See comment above)	539	0.06

The following variable for any past year use of Demerol Products, DEMEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Demerol (DMRLANYR=1, 3, 5), or past year misuse of other pain relievers that contain demerol (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (407)).

DEMEPDAPYU Len : 1 RC-DEMEROL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113522	13.57
1 = Yes (See comment above)	521	0.06

The following variable for any past year use of Hydromorphone Products, HYDMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Dilaudid or generic hydromorphone (DLHMANYR=1, 3, 5), or Exalgo or generic extended-release hydromorphone (EXHMANYR=1, 3, 5), or past year misuse of other pain relievers that contain hydromorphone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (408)).

HYDMPDAPYU Len : 1 RC-HYDROMORPHONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113226	13.53
1 = Yes (See comment above)	817	0.10

The following variable for any past year use of Methadone Products, MTDNPDAPYU, was assigned a positive response if a respondent indicated any past year use of Methadone (MTDNANYR=1, 3, 5), or past year misuse of other pain relievers that contain methadone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (418, 4512)).

MTDNPDAPYU Len : 1 RC-METHADONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113425	13.56
1 = Yes (See comment above)	618	0.07

PNROTANYR2 Len : 1 RC-OTHER PAIN RELIEVER- ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown	103990	12.43
1 = Yes.....	10053	1.20

RECODED DRUG USE

The following variable for any past year use of Benzodiazepine Tranquilizers, TRBENZAPYU, was assigned a positive response if a respondent indicated any past year use of *alprazolam products* (Xanax (XNAXANYR=1, 3, 5), Xanax XR (XNXRANYR=1, 3, 5), generic alprazolam (APZMANYR=1, 3, 5), generic extended-release alprazolam (APXRANYR=1, 3, 5)), *lorazepam products* (Ativan (ATVNANYR=1, 3, 5), generic lorazepam (LRZMANYR=1, 3, 5)), *clonazepam products* (Klonopin (KLPNANYR=1, 3, 5), generic clonazepam (CLZMANYR=1, 3, 5)), diazepam products (Valium (VALMANYR=1, 3, 5), or generic diazepam (DIZMANYR=1, 3, 5)), or past year misuse of other benzodiazepine tranquilizers (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 219, 229, 237, 246, 266, 268, 276, 278, 296, 2004, 2016, 2022, 2025, 2026, 2029, 2030, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508)).

TRBENZAPYU Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	103152	12.33
1 = Yes (See comment above)	10891	1.30

The following variable for any past year use of Alprazolam Products, ALPRPDAPYU, was assigned a positive response if a respondent indicated any past year use of Xanax (XNAXANYR=1, 3, 5), Xanax XR (XNXRANYR=1, 3, 5), generic alprazolam (APZMANYR=1, 3, 5), or generic extended-release alprazolam (APXRANYR=1, 3, 5), or past year misuse of other tranquilizers that contain alprazolam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (209, 2016, 2501, 2502)).

ALPRPDAPYU Len : 1 RC-ALPRAZOLAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	107063	12.80
1 = Yes (See comment above)	6980	0.83

The following variable for any past year use of Lorazepam Products, LORAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ativan (ATVNANYR=1, 3, 5), or generic lorazepam (LRZMANYR=1, 3, 5), or past year misuse of other tranquilizers that contain lorazepam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (207, 2503)).

LORAPDAPYU Len : 1 RC-LORAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	111391	13.31
1 = Yes (See comment above)	2652	0.32

The following variable for any past year use of Clonazepam Products, CLONPDAPYU, was assigned a positive response if a respondent indicated any past year use of Klonopin (KLPNANYR=1, 3, 5), or generic clonazepam (CLZMANYR=1, 3, 5), or past year misuse of other tranquilizers that contain clonazepam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (246, 2504, 2505)).

CLONPDAPYU Len : 1 RC-CLONAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	111504	13.33
1 = Yes (See comment above)	2539	0.30

The following variable for any past year use of Diazepam Products, DIAZPDAPYU, was assigned a positive response if a respondent indicated any past year use of Valium (VALMANYR=1, 3, 5), or generic diazepam (DIZMANYR=1, 3, 5), or past year misuse of other tranquilizers that contain diazepam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (201, 2506)).

DIAZPDAPYU Len : 1 RC-DIAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	111515	13.33
1 = Yes (See comment above)	2528	0.30

RECODED DRUG USE

The following variable for any past year use of Muscle Relaxants, MUSRLXAPYU, was assigned a positive response if a respondent indicated any past year use of cyclobenzaprine [also known as Flexeril] (CYBNANYR=1, 3, 5), Soma (SOMAANYR=1, 3, 5), or past year misuse of other muscle relaxants (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (223, 234, 288, 290, 2001, 2002, 2006, 2014, 2019, 2023, 2024, 2028, 2509, 2510)).

MUSRLXAPYU Len : 1 RC-MUSCLE RELAXANTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	111628	13.34
1 = Yes (See comment above)	2415	0.29

The following variable for any past year use of Cyclobenzaprine Products, CYCLPDAPYU, was assigned a positive response if a respondent indicated any past year use of Flexeril (CYBNANYR=1, 3, 5), or past year misuse of other muscle relaxants that contain cyclobenzaprine (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (234, 2509)).

CYCLPDAPYU Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	112286	13.42
1 = Yes (See comment above)	1757	0.21

The following variable for any past year use of Carisoprodol Products, SOMAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Soma (SOMAANYR=1, 3, 5), or past year misuse of other muscle relaxants that contain carisoprodol (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (2001, 2019, 2023, 2510)).

SOMAPDAPYU Len : 1 RC-SOMA PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113290	13.54
1 = Yes (See comment above)	753	0.09

TRQOTANYR2 Len : 1 RC-OTHER TRANQUILIZER- ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown	111916	13.38
1 = Yes.....	2127	0.25

The following variable for any past year use of Amphetamine or Methylphenidate Products, AMMEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Adderall (ADRLANYR=1, 3, 5), Adderall XR (ADXRANYR=1, 3, 5), Dexedrine (DEXDANYR=1, 3, 5), Vyvanse (VYVNANYR=1, 3, 5), generic dextroamphetamine (DXAMANYR=1, 3, 5), generic amphetamine-dextroamphetamine combinations (MAXRANYR=1, 3, 5), Ritalin (RTLANYR=1, 3, 5), Ritalin LA (RTLAANYR=1, 3, 5), Concerta (CNCTANYR=1, 3, 5), Daytrana (DYTRANYR=1, 3, 5), Metadate CD (MTCADANYR=1, 3, 5), Metadate ER (MTERANYR=1, 3, 5), Focalin (FOCAANYR=1, 3, 5), Focalin XR (FOXANYR=1, 3, 5), generic methylphenidate (MPHDANYR=1, 3, 5), generic extended-release methylphenidate (MPXRANYR=1, 3, 5), generic dexmethylphenidate (DMPDANYR=1, 3, 5), or generic extended-release dexmethylphenidate (DMERANYR=1, 3, 5), or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (301, 318, 320, 3023, 3069, 3077, 3086, 3092, 3094, 3102, 3111, 3112, 3114, 3124, 3501, 3502, 3503)). Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMMEPDAPYU Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	106079	12.68
1 = Yes (See comment above)	7964	0.95

RECODED DRUG USE

The following variable for any past year use of Amphetamine Products, AMPHETAPYU, was assigned a positive response if a respondent indicated any past year use of Adderall (ADRLANYR=1, 3, 5), Adderall XR (ADXRANYR=1, 3, 5), Dexedrine (DEXDANYR=1, 3, 5), Vyvanse (VYVNANYR=1, 3, 5), generic dextroamphetamine (DXAMANYR=1, 3, 5), generic amphetamine-dextroamphetamine combinations (MADXANYR=1, 3, 5), or generic extended-release amphetamine-dextroamphetamine combinations (MAXRANYR=1, 3, 5), or past year misuse of other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (301, 320, 3023, 3069, 3086, 3111, 3501)). Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMPHETAPYU Len : 1 RC-AMPHETAMINE - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	107128	12.80
1 = Yes (See comment above).....	6915	0.83

The following variable for any past year use of Methylphenidate Products, METHPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ritalin (RTLANYR=1, 3, 5), Ritalin LA (RTLAANYR=1, 3, 5), Concerta (CNCTANYR=1, 3, 5), Daytrana (DYTRANYR=1, 3, 5), Metadate CD (MTCDAANYR=1, 3, 5), Metadate ER (MTERANYR=1, 3, 5), Focalin (FOCAANYR=1, 3, 5), Focalin XR (FOXRANYR=1, 3, 5), generic methylphenidate (MPHDANYR=1, 3, 5), generic extended-release methylphenidate (MPXRANYR=1, 3, 5), generic dexmethylphenidate (DMPDANYR=1, 3, 5), or generic extended-release dexmethylphenidate (DMERANYR=1, 3, 5), or past year misuse of other stimulants that contain methylphenidate (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (318, 3077, 3092, 3102, 3112, 3114, 3124, 3502, 3503, 3094)).

METHPDAPYU Len : 1 RC-METHYLPHENIDATE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	111674	13.35
1 = Yes (See comment above).....	2369	0.28

The following variable for any past year use of Anorectic (weight loss) stimulants, ANOSTMAPYU, was assigned a positive response if a respondent indicated any past year use of Didrex (DDRANYR=1, 3, 5), benzphetamine (BENZANYR=1, 3, 5), Tenuate (TENUANYR=1, 3, 5), diethylpropion (DPROANYR=1, 3, 5), phendimetrazine (PHDIANYR=1, 3, 5), or phentermine (PHNTANYR=1, 3, 5), or past year misuse of other stimulants that are prescribed for weight loss (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (303, 304, 305, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 323, 336, 347, 349, 366, 383, 3015, 3038, 3099, 3110, 3504, 3505, 3506, 3507)).

ANOSTMAPYU Len : 1 RC-ANORECTIC STIMULANTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113076	13.51
1 = Yes (See comment above).....	967	0.12

The following variable for any past year use of Provigil Products, PROVPDAPYU, was assigned a positive response if a respondent indicated any past year use of Provigil (PRVGANYR=1, 3, 5), or past year misuse of other stimulants that contain Provigil (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (3090, 3508)).

PROVPDAPYU Len : 1 RC-PROVIGIL PRODUCTS- ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113855	13.61
1 = Yes (See comment above).....	188	0.02

STMOTANYR2 Len : 1 RC-OTHER STIMULANT - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown.....	112734	13.47
1 = Yes.....	1309	0.16

RECODED DRUG USE

The following variable for any past year use of Zolpidem Products, ZOLPPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ambien (AMBIANYR=1, 3, 5), Ambien CR (AMCRANYR=1, 3, 5), generic zolpidem (ZLPDANYR=1, 3, 5), or extended-release generic zolpidem (ZLXRANYR=1, 3, 5), or past year misuse of other sedatives that contain zolpidem (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (174, 1013, 1031, 1501)).

ZOLPPDAPYU Len : 1 RC-ZOLPIDEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	110542	13.21
1 = Yes (See comment above)	3501	0.42

The following variable for any past year use of Eszopiclone Products, ESZOPDAPYU, was assigned a positive response if a respondent indicated any past year use of Lunesta or generic eszopiclone (LNESANYR=1, 3, 5), or past year misuse of other sedatives that contain eszopiclone (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (1011)).

ESZOPDAPYU Len : 1 RC-ESZOPICLONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113655	13.58
1 = Yes (See comment above)	388	0.05

The following variable for any past year use of Zaleplon Products, ZALEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Sonata or generic zaleplon (SNZLANYYR=1, 3, 5), or past year misuse of other sedatives that contain zaleplon (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (189)).

ZALEPDAPYU Len : 1 RC-ZALEPLON PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113924	13.62
1 = Yes (See comment above)	119	0.01

The following variable for any past year use of Benzodiazepine Sedatives, SVBENZAPYU, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane] (FLAZANYR=1, 3, 5), temazepam products [Restoril (RSTLANYYR=1, 3, 5), or generic temazepam (TMAZANYR=1, 3, 5)], or triazolam [Halcion (HLCNANYR=1, 3, 5) or generic triazolam (TRZOANYR=1, 3, 5)], or past year misuse of other benzodiazepine sedatives (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (111, 112, 113, 188, 1502, 1503, 1504)).

SVBENZAPYU Len : 1 RC-BENZODIAZEPINE SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113383	13.55
1 = Yes (See comment above)	660	0.08

The following variable for any past year use of Triazolam Products, TRIAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Halcion (HLCNANYR=1, 3, 5), or generic triazolam (TRZOANYR=1, 3, 5), or past year misuse of other sedatives that contain tirazolam (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (112, 1504)).

TRIAPDAPYU Len : 1 RC-TRIAZOLAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113786	13.60
1 = Yes (See comment above)	257	0.03

RECODED DRUG USE

The following variable for any past year use of Temazepam Products, TEMAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Restoril (RSTLANYYR=1, 3, 5), or generic temazepam (TMAZANYR=1, 3, 5), or past year misuse of other sedatives that contain temazepam (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (113, 1503)).

TEMAPDAPYU Len : 1 RC-TEMAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113656	13.58
1 = Yes (See comment above)	387	0.05

The following variable for any past year use of Flurazepam Products, FLURPDAPYU, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane] (FLAZANYR=1, 3, 5), or past year misuse of other sedatives that contain flurazepam (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (111, 1502)).

FLURPDAPYU Len : 1 RC-FLURAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113997	13.62
1 = Yes (See comment above)	46	0.01

The following variable for any past year use of Barbiturates, BARBITAPYU, was assigned a positive response if a respondent indicated any past year use of Butisol (BUTIANYYR=1, 3, 5), Seconal (SECOANYR=1, 3, 5), or phenobarbital (PBARANYR=1, 3, 5), or past year misuse of other barbiturates (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (101, 102, 103, 104, 108, 109, 110, 114, 115, 118, 119, 152, 153, 154, 156, 157, 186, 195, 1003, 1012)).

BARBITAPYU Len : 1 RC-BARBITURATES - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113887	13.61
1 = Yes (See comment above)	156	0.02

SEDOTANYR2 Len : 1 RC-OTHER SEDATIVE - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown	111856	13.37
1 = Yes.....	2187	0.26

The following variable for past year misuse of Hydrocodone Products, HYDCPDYMU, was assigned a positive response if a respondent indicated past year misuse of Vicodin (VICONMYR=1, 3, 5), Lortab (LTABNMYR=1, 3, 5), Norco (NRCONMYR=1, 3, 5), Zohydro ER (ZOHYNMYR=1, 3, 5), generic hydrocodone (HYCDNMYR=1, 3, 5), or other pain relievers that contain hydrocodone (from PNRONTNSP1, PNRONTNSP2, PNRONTNSP3, PNRONTNSP4, or PNRONTNSP5 in (434, 4033, 4036, 4044, 4097, 4105, 4125, 4143, 4144, 4501, 4502, 4503, 4504)).

HYDCPDYMU Len : 1 RC-HYDROCODONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	110611	13.22
1 = Yes (See comment above)	3432	0.41

RECODED DRUG USE

The following variable for past year misuse of Oxycodone Products, OXCOPDPYMU, was assigned a positive response if a respondent indicated past year misuse of OxyContin (OXYCNNMYR=1), Percocet (PRCTNMYR=1, 3, 5), Percodan (PRDNNMYR=1, 3, 5), Roxicodone (ROXINMYR=1, 3, 5), generic oxycodone (OXYDNMYR=1, 3, 5), or other pain relievers that contain oxycodone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (406, 423, 431, 4046, 4047, 4052, 4065, 4067, 4068, 4072, 4117, 4505)).

OXCOPDPYMU Len : 1 RC-OXYCODONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	111796	13.36
1 = Yes (See comment above)	2247	0.27

The following variable for past year misuse of Tramadol Products, TRAMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ultram (ULTMNMYR=1, 3, 5), Ultram ER (ULERNMYR=1, 3, 5), Ultracet (ULCTNMYR=1, 3, 5), generic tramadol (TMDLNMYR=1, 3, 5), generic extended-release tramadol (TMERNMYR=1, 3, 5), or other pain relievers that contain tramadol (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (496, 4043, 4083, 4133, 4134)).

TRAMPDPYMU Len : 1 RC-TRAMADOL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113197	13.53
1 = Yes (See comment above)	846	0.10

The following variable for past year misuse of Morphine Products, MORPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Avinza (AVNZNMYR=1, 3, 5), Kadian (KADNNMYR=1, 3, 5), MS Contin (MSCTNMYR=1, 3, 5), generic morphine (MRPHNMYR=1, 3, 5), generic extended-release morphine (MRERNMYR=1, 3, 5), or other pain relievers that contain morphine (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (417, 4037, 4061, 4080, 4110, 4132, 4153, 4507)).

MORPPDPYMU Len : 1 RC-MORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113671	13.59
1 = Yes (See comment above)	372	0.04

The following variable for past year misuse of Fentanyl Products, FENTPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Duragesic (DURGNMYR=1, 3, 5), Fentora (FNRANMYR=1, 3, 5), generic fentanyl (FNTLNMYR=1, 3, 5), or other pain relievers that contain fentanyl (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (465, 4508, 4509)).

FENTPDPYMU Len : 1 RC-FENTANYL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113890	13.61
1 = Yes (See comment above)	153	0.02

The following variable for past year misuse of Buprenorphine Products, BUPRPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Suboxone (SBOXNMYR=1, 3, 5), generic buprenorphine (BUPRNMYR=1, 3, 5), or buprenorphine plus naloxone (BUNLNMYR =1, 3, 5), or other pain relievers that contain buprenorphine (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (4022, 4073, 4109, 4119, 4148, 4150)).

BUPRPDPYMU Len : 1 RC-BUPRENORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113636	13.58
1 = Yes (See comment above)	407	0.05

RECODED DRUG USE

The following variable for past year misuse of Oxymorphone Products, OXYMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Opana (OPANNMYR=1, 3, 5), Opana ER (OPERNMYR=1, 3, 5), generic oxymorphone (OXMPNMYR=1, 3, 5), generic extended-release oxymorphone (OXERNMYR=1, 3, 5), or other pain relievers that contain oxymorphone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (4120, 4140, 4510)).

OXYMPDPYMU Len : 1 RC-OXYMORPHONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113846	13.61
1 = Yes (See comment above)	197	0.02

The following variable for past year misuse of Demerol Products, DEMEPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Demerol (DMRLNMYR=1, 3, 5), or other pain relievers that contain demerol (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (407)).

DEMEPDPYMU Len : 1 RC-DEMOROL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113990	13.62
1 = Yes (See comment above)	53	0.01

The following variable for past year misuse of Hydromorphone Products, HYDMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone (DLHMNMYR=1, 3, 5), Exalgo or generic extended-release hydromorphone (EXHMNMYR=1, 3, 5), or other pain relievers that contain hydromorphone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (408)).

HYDMPDPYMU Len : 1 RC-HYDROMORPHONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113912	13.61
1 = Yes (See comment above)	131	0.02

The following variable for past year misuse of Methadone Products, MTDNPDYMU, was assigned a positive response if a respondent indicated past year misuse of Methadone (MTDNNMYR=1, 3, 5), or other pain relievers that contain methadone (from PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, or PNROTNSP5 in (418, 4512)).

MTDNPDYMU Len : 1 RC-METHADONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113818	13.60
1 = Yes (See comment above)	225	0.03

Note: The following variable for past year misuse of other pain reliever products, PNROTMYR3, was based only on the edited misuse of any other pain reliever variable. PNROTMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other pain reliever estimates are based on a revised variable, PNROTHPYMU2, which took into account the other-specify write-in data.

PNROTMYR3 Len : 1 RC-OTHER PAIN RELIEVER- PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113556	13.57
1 = Yes.....	487	0.06

RECODED DRUG USE

The following variable for past year misuse of Benzodiazepine Tranquilizers, TRBENZPYMU, was assigned a positive response if a respondent indicated past year misuse of *alprazolam products* (Xanax (XNAXNMYR=1, 3, 5), Xanax XR (XNXRNMYR=1, 3, 5), generic alprazolam (APZMNMYSR=1, 3, 5), generic extended-release alprazolam (APXRNMYSR=1, 3, 5)), *lorazepam products* (Ativan (ATVNNMYR=1, 3, 5) or generic lorazepam (LRZMNMYSR=1, 3, 5)), *clonazepam products* (Klonopin (KLPNNMYR=1, 3, 5), generic clonazepam (CLZMNMYSR=1, 3, 5)), or diazepam products (Valium (VALMNMYSR=1, 3, 5), generic diazepam (DIZMNMYSR=1, 3, 5)), or other benzodiazepine tranquilizers (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 219, 229, 237, 246, 266, 268, 276, 278, 296, 2004, 2016, 2022, 2025, 2026, 2029, 2030, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508)).

TRBENZPYMU Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	111108	13.28
1 = Yes (See comment above)	2935	0.35

The following variable for past year misuse of Alprazolam Products, ALPRDPYMU, was assigned a positive response if a respondent indicated past year misuse of Xanax (XNAXNMYR=1, 3, 5), Xanax XR (XNXRNMYR=1, 3, 5), generic alprazolam (APZMNMYSR=1, 3, 5), generic extended-release alprazolam (APXRNMYSR=1, 3, 5), or other tranquilizers that contain alprazolam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (209, 2016, 2501, 2502)).

ALPRDPYMU Len : 1 RC-ALPRAZOLAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	111667	13.35
1 = Yes (See comment above)	2376	0.28

The following variable for past year misuse of Lorazepam Products, LORAPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ativan (ATVNNMYR=1, 3, 5), generic lorazepam (LRZMNMYSR=1, 3, 5), or other tranquilizers that contain lorazepam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (207, 2503)).

LORAPDPYMU Len : 1 RC-LORAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113681	13.59
1 = Yes (See comment above)	362	0.04

The following variable for past year misuse of Clonazepam Products, CLONPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Klonopin (KLPNNMYR=1, 3, 5), generic clonazepam (CLZMNMYSR=1, 3, 5), or other tranquilizers that contain clonazepam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (246, 2504, 2505)).

CLONPDPYMU Len : 1 RC-CLONAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113427	13.56
1 = Yes (See comment above)	616	0.07

The following variable for past year misuse of Diazepam Products, DIAZPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Valium (VALMNMYSR=1, 3, 5), generic diazepam (DIZMNMYSR=1, 3, 5), or other tranquilizers that contain diazepam (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (201, 2506)).

DIAZPDPYMU Len : 1 RC-DIAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113533	13.57
1 = Yes (See comment above)	510	0.06

RECODED DRUG USE

The following variable for past year misuse of Muscle Relaxants, MUSRLXPYMU, was assigned a positive response if a respondent indicated past year misuse of cyclobenzaprine [also known as Flexeril] (CYBNNMYR=1, 3, 5), Soma (SOMANMYR=1, 3, 5), or other muscle relaxants (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (223, 234, 288, 290, 2001, 2002, 2006, 2014, 2019, 2023, 2024, 2028, 2509, 2510)).

MUSRLXPYMU Len : 1 RC-MUSCLE RELAXANTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113725	13.59
1 = Yes (See comment above)	318	0.04

The following variable for past year misuse of Cyclobenzaprine Products, CYCLDPYMU, was assigned a positive response if a respondent indicated past year misuse of Flexeril (CYBNNMYR=1, 3, 5), or other muscle relaxants that contain cyclobenzaprine (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (234, 2509)).

CYCLDPYMU Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113914	13.61
1 = Yes (See comment above)	129	0.02

The following variable for past year misuse of Carisoprodol Products, SOMAPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Soma (SOMANMYR=1, 3, 5), or other muscle relaxants that contain carisoprodol (from TRQOTNSP1, TRQOTNSP2, TRQOTNSP3, TRQOTNSP4, or TRQOTNSP5 in (2001, 2019, 2023, 2510)).

SOMAPDPYMU Len : 1 RC-SOMA PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113845	13.61
1 = Yes (See comment above)	198	0.02

Note: The following variable for past year misuse of other tranquilizer products, TRQOTNMYR3, was based only on the edited misuse of any other tranquilizer variable. TRQOTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other tranquilizer estimates are based on a revised variable, TRQOTHPYMU2, which took into account the other-specify write-in data.

TRQOTNMYR3 Len : 1 RC-OTHER TRANQUILIZER- PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113945	13.62
1 = Yes.....	98	0.01

The following variable for past year misuse of Amphetamine or Methylphenidate Products, AMMEPDAPYU, was assigned a positive response if a respondent indicated past year misuse of Adderall (ADRLNMYR=1, 3, 5), Adderall XR (ADXRNMYR=1, 3, 5), Dexedrine (DEXDNMYR=1, 3, 5), Vyvanse (VYVNNMYR=1, 3, 5), generic dextroamphetamine (DXAMNMYR=1, 3, 5), generic amphetamine-dextroamphetamine combinations (MADXNMYR=1, 3, 5), generic extended-release amphetamine-dextroamphetamine combinations (MAXRNMYR=1, 3, 5), Ritalin (RTLNNMYR=1, 3, 5), Ritalin LA (RTLANMYR=1, 3, 5), Concerta (CNCTNMYR=1, 3, 5), Daytrana (DYTRNMYR=1, 3, 5), Metadate CD (MTCNMYR=1, 3, 5), Metadate ER (MTERNMYR=1, 3, 5), Focalin (FOCANMYR=1, 3, 5), Focalin XR (FOXRNMYR=1, 3, 5), generic methylphenidate (MPHDNMYR=1, 3, 5), generic extended-release methylphenidate (MPXRNMYR=1, 3, 5), generic dexmethylphenidate (DMPDNMYR=1, 3, 5), or generic extended-release dexmethylphenidate (DMERNMYR=1, 3, 5), or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (301, 318, 320, 3023, 3069, 3077, 3086, 3092, 3094, 3102, 3111, 3112, 3114, 3124, 3501, 3502, 3503)). Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMMEPDAPYU Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	110676	13.23
1 = Yes (See comment above)	3367	0.40

RECODED DRUG USE

The following variable for past year misuse of Amphetamine Products, AMPHETPYMU, was assigned a positive response if a respondent indicated past year misuse of Adderall (ADRLNMYR=1, 3, 5), Adderall XR (ADXRNMYR=1, 3, 5), Dexedrine (DEXDNMYR=1, 3, 5), Vyvanse (VYVNNMYR=1, 3, 5), generic dextroamphetamine (DXAMNMYR=1, 3, 5), generic amphetamine-dextroamphetamine combinations (MADXNMYR=1, 3, 5), generic extended-release amphetamine-dextroamphetamine combinations (MAXRNMYR=1, 3, 5), or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (301, 320, 3023, 3069, 3086, 3111, 3501)). Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMPHETPYMU Len : 1 RC-AMPHETAMINE - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	110855	13.25
1 = Yes (See comment above).....	3188	0.38

The following variable for past year misuse of Methylphenidate Products, METHDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ritalin (RTLNNMYR=1, 3, 5), Ritalin LA (RTLANMYR=1, 3, 5), Concerta (CNCTNMYR=1, 3, 5), Daytrana (DYTRNMYR=1, 3, 5), Metadate CD (MTCDNMYR=1, 3, 5), Metadate ER (MTERNMYR=1, 3, 5), Focalin (FOCANMYR=1, 3, 5), Focalin XR (FOXRNMYR=1, 3, 5), generic methylphenidate (MPHDNMYR=1, 3, 5), generic extended-release methylphenidate (MPXRNMYR=1, 3, 5), generic dexmethylphenidate (DMPDNMYR=1, 3, 5), generic extended-release dexmethylphenidate (DMERNMYR=1, 3, 5), or other stimulants that contain methylphenidate (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (318, 3077, 3092, 3102, 3112, 3114, 3124, 3502, 3503, 3094)).

METHDPYMU Len : 1 RC-METHYLPHENIDATE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113400	13.55
1 = Yes (See comment above).....	643	0.08

The following variable for past year misuse of Anorectic (weight loss) stimulants, ANOSTMPYMU, was assigned a positive response if a respondent indicated past year misuse of Didrex (DDRXNMYR=1, 3, 5), benzphetamine (BENZNMYR=1, 3, 5), Tenuate (TENUNMYR=1, 3, 5), diethylpropion (DPRONMYR=1, 3, 5), phendimetrazine (PHDINMYR=1, 3, 5), phentermine (PHNTNMYR=1, 3, 5), or other stimulants that are prescribed for weight loss (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (303, 304, 305, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 323, 336, 347, 349, 366, 383, 3015, 3038, 3099, 3110, 3504, 3505, 3506, 3507)).

ANOSTMPYMU Len : 1 RC-ANORECTIC STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113957	13.62
1 = Yes (See comment above).....	86	0.01

The following variable for past year misuse of Provigil Products, PROVPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Provigil (PRVGNMYR=1, 3, 5), or other stimulants that contain Provigil (from STMOTNSP1, STMOTNSP2, STMOTNSP3, STMOTNSP4, or STMOTNSP5 in (3090, 3508)).

PROVPDPYMU Len : 1 RC-PROVIGIL PRODUCTS- PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	114004	13.63
1 = Yes (See comment above).....	39	0.00

Note: The following variable for past year misuse of other stimulant products, STMOTNMYR3, was based only on the edited misuse of any other stimulant variable. STMOTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other stimulant estimates are based on a revised variable, STMOTHPYMU2, which took into account the other-specify write-in data.

STMOTNMYR3 Len : 1 RC-OTHER STIMULANT - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown.....	113993	13.62
1 = Yes.....	50	0.01

RECODED DRUG USE

The following variable for past year misuse of Zolpidem Products, ZOLPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ambien (AMBINMYR=1, 3, 5), Ambien CR (AMCRNMYR=1, 3, 5), generic zolpidem (ZLPDNMYR=1, 3, 5), extended-release generic zolpidem (ZLXRNMYR=1, 3, 5), or other sedatives that contain zolpidem (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (174, 1013, 1031, 1501)).

ZOLPPDPYMU	Len : 1 RC-ZOLPIDEM PRODUCTS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown	113559	13.57
	1 = Yes (See comment above)	484	0.06

The following variable for past year misuse of Eszopiclone Products, ESZOPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Lunesta or generic eszopiclone (LNESNMYR=1, 3, 5), or other sedatives that contain eszopiclone (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (1011)).

ESZOPDPYMU	Len : 1 RC-ESZOPICLONE PRODUCTS - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	114001	13.63
	1 = Yes (See comment above)	42	0.01

Note: The following variable for past year misuse of other sedative products, SEDOTNMYR3, was based only on the edited misuse of any other sedative variable. SEDOTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other sedative estimates are based on a revised variable, SEDOTHPYMU2, which took into account the other-specify write-in data.

SEDOTNMYR3	Len : 1 RC-OTHER SEDATIVE - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown	113913	13.61
	1 = Yes.....	130	0.02

The following variable for past year misuse of Benzodiazepine Sedatives, SVBENZPYMU, was assigned a positive response if a respondent indicated past year misuse of flurazepam [also known as Dalmane] (FLAZNMYR=1, 3, 5), temazepam products [Restoril (RSTLNMYR=1, 3, 5) or generic temazepam (TMAZNMYR=1, 3, 5)], or triazolam [Halcion (HLCNNMYR=1, 3, 5), generic triazolam (TRZONMYR=1, 3, 5)], or other benzodiazepine sedatives (from SEDOTNSP1, SEDOTNSP2, SEDOTNSP3, SEDOTNSP4, or SEDOTNSP5 in (111, 112, 113, 188, 1502, 1503, 1504)).

SVBENZPYMU	Len : 1 RC-BENZODIAZEPINE SEDATIVES - PAST YEAR MISUSE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113981	13.62
	1 = Yes (See comment above)	62	0.01

CIGAFU	Len : 1 RC-CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE		
		Freq	Pct
	1 = 14 Years or Younger (IRCIGAGE=1-14).....	194837	23.29
	2 = 15-17 Years Old (IRCIGAGE=15-17).....	153309	18.32
	3 = 18 Years or Older (IRCIGAGE=18+).....	102648	12.27
	4 = Non Users (IRCIGAGE=991).....	385902	46.12

DCIGAFU	Len : 1 RC-DAILY CIG AGE OF FIRST USE - CATEGORIZED RECODE		
		Freq	Pct
	1 = 14 Years or Younger (IRCDUAGE=1-14)	42844	5.12
	2 = 15-17 Years Old (IRCDUAGE=15-17)	86932	10.39
	3 = 18 Years or Older (IRCDUAGE=18+)	99134	11.85
	4 = Non Users or Non Daily Users (IRCDUAGE=991,993).....	607786	72.64

ALCAFU	Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE		
		Freq	Pct
	1 = 14 Years or Younger (IRALCAGE=1-14).....	182847	21.85
	2 = 15-17 Years Old (IRALCAGE=15-17).....	234837	28.07
	3 = 18 Years or Older (IRALCAGE=18+).....	185356	22.15
	4 = Non Users (IRALCAGE=991).....	233656	27.93

RECODED DRUG USE

ALCAFU2	Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 2		
		Freq	Pct
	1 = 13 Years or Younger (IRALCAGE=1-13).....	120020	14.34
	2 = 14-17 Years Old (IRALCAGE=14-17).....	297664	35.58
	3 = 18-20 Years Old (IRALCAGE=18-20).....	119453	14.28
	4 = 21 Years or Older (IRALCAGE=21+).....	65903	7.88
	5 = Non Users (IRALCAGE=991).....	233656	27.93
ALCAFU3	Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 3		
		Freq	Pct
	-9 = Data not collected for this year.....	109309	13.06
	1 = 14 Years or Younger (IRALCAGE=1-14).....	154171	18.43
	2 = 15-17 Years Old (IRALCAGE=15-17).....	203144	24.28
	3 = 18-20 Years Old (IRALCAGE=18-20).....	105453	12.60
	4 = 21 Years or Older (IRALCAGE=21+).....	59443	7.10
	5 = Non Users (IRALCAGE=991).....	205176	24.52
MJAFU	Len : 1 RC-MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE		
		Freq	Pct
	1 = 14 Years or Younger (IRMJAGE=1-14).....	96009	11.47
	2 = 15-17 Years Old (IRMJAGE=15-17).....	138416	16.54
	3 = 18 Years or Older (IRMJAGE=18+).....	103834	12.41
	4 = Non Users (IRMJAGE=991).....	498437	59.57
ALCYDAYS	Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRALCFY=1-11).....	129647	15.50
	2 = 12-49 Days (IRALCFY=12-49).....	138408	16.54
	3 = 50-99 Days (IRALCFY=50-99).....	81565	9.75
	4 = 100-299 Days (IRALCFY=100-299).....	140204	16.76
	5 = 300-365 Days (IRALCFY=300-365).....	19866	2.37
	6 = Non User or No Past Year Use (IRALCFY=991,993).....	327006	39.08
MRJYDAYS	Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRMJFY=1-11).....	47023	5.62
	2 = 12-49 Days (IRMJFY=12-49).....	28041	3.35
	3 = 50-99 Days (IRMJFY=50-99).....	14811	1.77
	4 = 100-299 Days (IRMJFY=100-299).....	35944	4.30
	5 = 300-365 Days (IRMJFY=300-365).....	22651	2.71
	6 = Non User or No Past Year Use (IRMJFY=991,993).....	688226	82.26
COCYDAYS	Len : 1 RC-# OF DAYS USED COCAINE IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRCOCFY=1-11).....	13723	1.64
	2 = 12-49 Days (IRCOCFY=12-49).....	5159	0.62
	3 = 50-99 Days (IRCOCFY=50-99).....	2184	0.26
	4 = 100-299 Days (IRCOCFY=100-299).....	2197	0.26
	5 = 300-365 Days (IRCOCFY=300-365).....	342	0.04
	6 = Non User or No Past Year Use (IRCOCFY=991,993).....	813091	97.18
HALLNDAYR	Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-11 Days (IRHALLUCYFQ=1-11).....	2415	0.29
	2 = 12-49 Days (IRHALLUCYFQ=12-49).....	458	0.05
	3 = 50-99 Days (IRHALLUCYFQ=50-99).....	208	0.02
	4 = 100-299 Days (IRHALLUCYFQ=100-299).....	116	0.01
	5 = 300-365 Days (IRHALLUCYFQ=300-365).....	20	0.00
	6 = Non User or No Past Year Use (IRHALLUCYFQ=991,993).....	110826	13.25

RECODED DRUG USE

INHNDAYYR	Len : 1 RC-# OF DAYS USED INHALANTS IN PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-11 Days (IRINHLYFQ=1-11).....	818	0.10
	2 = 12-49 Days (IRINHLYFQ=12-49).....	271	0.03
	3 = 50-99 Days (IRINHLYFQ=50-99).....	152	0.02
	4 = 100-299 Days (IRINHLYFQ=100-299).....	84	0.01
	5 = 300-365 Days (IRINHLYFQ=300-365).....	10	0.00
	6 = Non User or No Past Year Use (IRINHLYFQ=991,993).....	112708	13.47
METHNDAYYR	Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-11 Days (IRMETHAMYFQ=1-11).....	254	0.03
	2 = 12-49 Days (IRMETHAMYFQ=12-49).....	135	0.02
	3 = 50-99 Days (IRMETHAMYFQ=50-99).....	79	0.01
	4 = 100-299 Days (IRMETHAMYFQ=100-299).....	203	0.02
	5 = 300-365 Days (IRMETHAMYFQ=300-365).....	72	0.01
	6 = Non User or No Past Year Use (IRMETHAMYFQ=991,993).....	113300	13.54
CIGMDAYS	Len : 1 RC-# OF DAYS USED CIGARETTES IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRCIGFM=1-2).....	24856	2.97
	2 = 3-5 Days (IRCIGFM=3-5).....	18354	2.19
	3 = 6-19 Days (IRCIGFM=6-19).....	26387	3.15
	4 = 20-29 Days (IRCIGFM=20-29).....	24201	2.89
	5 = 30 Days (IRCIGFM=30).....	108185	12.93
	6 = Non User or No Past Month Use (IRCIGFM=91,93).....	634713	75.86
ALCMDAYS	Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRALCFM=1-2).....	115685	13.83
	2 = 3-5 Days (IRALCFM=3-5).....	105783	12.64
	3 = 6-19 Days (IRALCFM=6-19).....	112617	13.46
	4 = 20-30 Days (IRALCFM=20-30).....	43082	5.15
	5 = Non User or No Past Month Use (IRALCFM=91,93).....	459529	54.92
MRJMDAYS	Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRMJFM=1-2).....	21043	2.52
	2 = 3-5 Days (IRMJFM=3-5).....	14532	1.74
	3 = 6-19 Days (IRMJFM=6-19).....	19146	2.29
	4 = 20-30 Days (IRMJFM=20-30).....	32707	3.91
	5 = Non User or No Past Month Use (IRMJFM=91,93).....	749268	89.55
COCMDAYS	Len : 1 RC-# OF DAYS USED COCAINE IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRCOCFM=1-2).....	4214	0.50
	2 = 3-5 Days (IRCOCFM=3-5).....	1730	0.21
	3 = 6-19 Days (IRCOCFM=6-19).....	1200	0.14
	4 = 20-30 Days (IRCOCFM=20-30).....	531	0.06
	5 = Non User or No Past Month Use (IRCOCFM=91,93).....	829021	99.08
HALLNDAYPM	Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-2 Days (IRHALLUC30N=1-2).....	664	0.08
	2 = 3-5 Days (IRHALLUC30N=3-5).....	119	0.01
	3 = 6-19 Days (IRHALLUC30N=6-19).....	69	0.01
	4 = 20-30 Days (IRHALLUC30N=20-30).....	15	0.00
	5 = Non User or No Past Month Use (IRHALLUC30N=91,93).....	113176	13.53

RECODED DRUG USE

INHNDAYPM	Len : 1 RC-# OF DAYS USED INHALANTS IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-2 Days (IRINHAL30N=1-2).....	254	0.03
	2 = 3-5 Days (IRINHAL30N=3-5).....	83	0.01
	3 = 6-19 Days (IRINHAL30N=6-19).....	45	0.01
	4 = 20-30 Days (IRINHAL30N=20-30).....	19	0.00
	5 = Non User or No Past Month Use (IRINHAL30N=91,93).....	113642	13.58
METHNDAYPM	Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-2 Days (IRMETHAM30N=1-2).....	73	0.01
	2 = 3-5 Days (IRMETHAM30N=3-5).....	64	0.01
	3 = 6-19 Days (IRMETHAM30N=6-19).....	71	0.01
	4 = 20-30 Days (IRMETHAM30N=20-30).....	99	0.01
	5 = Non User or No Past Month Use (IRMETHAM30N=91,93).....	113736	13.59
PNRNDAYPM	Len : 1 RC-# OF DAYS MISUSED PAIN RELIEVERS IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-2 Days (IRPNRNM30FQ=1-2).....	765	0.09
	2 = 3-5 Days (IRPNRNM30FQ=3-5).....	462	0.06
	3 = 6-19 Days (IRPNRNM30FQ=6-19).....	360	0.04
	4 = 20-30 Days (IRPNRNM30FQ=20-30).....	198	0.02
	5 = Non User or No Past Month Misuser (IRPNRNM30FQ=91,93).....	112258	13.42
TRQNDAYPM	Len : 1 RC-# OF DAYS MISUSED TRANQUILIZERS IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-2 Days (IRTRQNM30FQ=1-2).....	543	0.06
	2 = 3-5 Days (IRTRQNM30FQ=3-5).....	251	0.03
	3 = 6-19 Days (IRTRQNM30FQ=6-19).....	179	0.02
	4 = 20-30 Days (IRTRQNM30FQ=20-30).....	52	0.01
	5 = Non User or No Past Month Misuser (IRTRQNM30FQ=91,93).....	113018	13.51
STMNDAYPM	Len : 1 RC-# OF DAYS MISUSED STIMULANTS IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-2 Days (IRSTMNM30FQ=1-2).....	566	0.07
	2 = 3-5 Days (IRSTMNM30FQ=3-5).....	269	0.03
	3 = 6-19 Days (IRSTMNM30FQ=6-19).....	157	0.02
	4 = 20-30 Days (IRSTMNM30FQ=20-30).....	49	0.01
	5 = Non User or No Past Month Misuser (IRSTMNM30FQ=91,93).....	113002	13.51
SEDNDAYPM	Len : 1 RC-# OF DAYS MISUSED SEDATIVES IN PAST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = 1-2 Days (IRSEDNM30FQ=1-2).....	104	0.01
	2 = 3-5 Days (IRSEDNM30FQ=3-5).....	44	0.01
	3 = 6-19 Days (IRSEDNM30FQ=6-19).....	39	0.00
	4 = 20-30 Days (IRSEDNM30FQ=20-30).....	11	0.00
	5 = Non User or No Past Month Misuser (IRSEDNM30FQ=91,93).....	113845	13.61
CIGPDAY	Len : 1 RC-# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS		
		Freq	Pct
	1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30).....	23526	2.81
	2 = 6-15 (CIG30AV=4 and IRCIGFM=30).....	41852	5.00
	3 = 16-25 (CIG30AV=5 and IRCIGFM=30).....	32696	3.91
	4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30).....	9951	1.19
	5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30).....	160	0.02
	6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93).....	728511	87.07

RECODED DRUG USE

CIG1PACK Len : 1 RC-SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)

	Freq	Pct
. = No daily use/not reported (CIGPDAY=5,6).....	200273	23.94
-9 = Data not collected for this year.....	612222	73.17
0 = Smoked <1 pack per day (CIGPDAY=1,2).....	15583	1.86
1 = Smoked 1+ pack per day (CIGPDAY=3,4).....	8618	1.03

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

CIGAVGD Len : 4 RC-AVG NUMBER OF CIGARETTES SMOKED PER DAY

	Freq	Pct
. = Not Used/Unknown (Otherwise).....	635336	75.93
0.5 = Less than 1 cigarette (CIG30AV=1)	21932	2.62
1 = 1 cigarette (CIG30AV=2)	23854	2.85
3.5 = 2 to 5 cigarettes (CIG30AV=3).....	55490	6.63
10.5 = 6 to 15 cigarettes (CIG30AV=4).....	52634	6.29
20.5 = 16 to 25 cigarettes (CIG30AV=5).....	36056	4.31
30.5 = 26 to 35 cigarettes (CIG30AV=6).....	8082	0.97
50 = More than 35 cigarettes (CIG30AV=7).....	3312	0.40

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

CIGAVGM Len : 6 RC-NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH

	Freq	Pct
RANGE = 0.5 - 1500	201360	24.07
. = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93).....	635336	75.93

The following variable, ALCNUMDKPM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (ALCUS30D). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or ALCUS30D=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (ALCUS30D=985, 994, 997, 998) or logically assigned to 5 or more (ALCUS30D=975).

ALCNUMDKPM Len : 4 RC-NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH

	Freq	Pct
RANGE = 1 - 2250	48605	5.81
. = Not Used/Unknown (See comment above).....	65438	7.82
-9 = Data not collected for this year.....	722653	86.37

FUCIG18 Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 18

	Freq	Pct
-9 = Data not collected for this year.....	54079	6.46
1 = Yes (IRCIGAGE<18)	320987	38.36
2 = No (IRCIGAGE>=18)	461630	55.17

FUCIG21 Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 21

	Freq	Pct
-9 = Data not collected for this year.....	54079	6.46
1 = Yes (IRCIGAGE<21)	392152	46.87
2 = No (IRCIGAGE>=21)	390465	46.67

FUCD218 Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 18

	Freq	Pct
-9 = Data not collected for this year.....	54079	6.46
1 = Yes (IRCDUAGE<18).....	119360	14.27
2 = No (IRCDUAGE>=18).....	663257	79.27

FUCD221 Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 21

	Freq	Pct
-9 = Data not collected for this year.....	54079	6.46
1 = Yes (IRCDUAGE<21).....	183000	21.87
2 = No (IRCDUAGE>=21).....	599617	71.66

RECODED DRUG USE

FUCGR18	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRCGRAGE<18).....	111419	13.32
	2 = No (IRCGRAGE>=18).....	671198	80.22
FUCGR21	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRCGRAGE<21).....	182398	21.80
	2 = No (IRCGRAGE>=21).....	600219	71.74
FUSMKLSS18	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRSMKLSSTRY<18).....	10939	1.31
	2 = No (IRSMKLSSTRY>=18).....	103104	12.32
FUSMKLSS21	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRSMKLSSTRY<21).....	15280	1.83
	2 = No (IRSMKLSSTRY>=21).....	98763	11.80
FUALC18	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRALCAGE<18).....	387739	46.34
	2 = No (IRALCAGE>=18).....	394878	47.19
FUALC21	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRALCAGE<21).....	500262	59.79
	2 = No (IRALCAGE>=21).....	282355	33.75
FUMJ18	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRMJAGE<18).....	218603	26.13
	2 = No (IRMJAGE>=18).....	564014	67.41
FUMJ21	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRMJAGE<21).....	283413	33.87
	2 = No (IRMJAGE>=21).....	499204	59.66
FUCOC18	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRCOAGE<18).....	28791	3.44
	2 = No (IRCOAGE>=18).....	753826	90.10
FUCOC21	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Yes (IRCOAGE<21).....	59524	7.11
	2 = No (IRCOAGE>=21).....	723093	86.42

RECODED DRUG USE

FUCRK18	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 18		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRCRKAGE<18).....	54079	6.46
	2 = No (IRCRKAGE>=18).....	777230	92.89
FUCRK21	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 21		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRCRKAGE<21).....	11314	1.35
	2 = No (IRCRKAGE>=21).....	771303	92.18
FUHER18	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 18		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRHERAGE<18).....	3155	0.38
	2 = No (IRHERAGE>=18).....	779462	93.16
FUHER21	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 21		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRHERAGE<21).....	6511	0.78
	2 = No (IRHERAGE>=21).....	776106	92.76
FUHALLUC18	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRHALLUCAGE<18).....	6851	0.82
	2 = No (IRHALLUCAGE>=18).....	107192	12.81
FUHALLUC21	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRHALLUCAGE<21).....	12470	1.49
	2 = No (IRHALLUCAGE>=21).....	101573	12.14
FULSD18	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 18		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRLSDAGE<18).....	29692	3.55
	2 = No (IRLSDAGE>=18).....	752925	89.99
FULSD21	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 21		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRLSDAGE<21).....	48710	5.82
	2 = No (IRLSDAGE>=21).....	733907	87.71
FUPCP18	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 18		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRPCPAGE<18).....	7612	0.91
	2 = No (IRPCPAGE>=18).....	775005	92.63
FUPCP21	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 21		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes (IRPCPAGE<21).....	11434	1.37
	2 = No (IRPCPAGE>=21).....	771183	92.17

RECODED DRUG USE

FUECSTMO18	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRECSTMOAGE<18)	2330	0.28
	2 = No (IRECSTMOAGE>=18)	111713	13.35
FUECSTMO21	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRECSTMOAGE<21)	5446	0.65
	2 = No (IRECSTMOAGE>=21)	108597	12.98
FUINHAL18	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRINHALAGE<18)	8167	0.98
	2 = No (IRINHALAGE>=18)	105876	12.65
FUINHAL21	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRINHALAGE<21)	10173	1.22
	2 = No (IRINHALAGE>=21)	103870	12.41
FUMETHAM18	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRMETHAMAGE<18)	1657	0.20
	2 = No (IRMETHAMAGE>=18)	112386	13.43
FUMETHAM21	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRMETHAMAGE<21)	3027	0.36
	2 = No (IRMETHAMAGE>=21)	111016	13.27
FUPNRNM18	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRPNRNMAGE<18)	499	0.06
	2 = No (IRPNRNMAGE>=18)	113544	13.57
FUPNRNM21	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRPNRNMAGE<21)	702	0.08
	2 = No (IRPNRNMAGE>=21)	113341	13.55
FUTRQNM18	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRTRQNMAGE<18)	291	0.03
	2 = No (IRTRQNMAGE>=18)	113752	13.60
FUTRQNM21	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRTRQNMAGE<21)	493	0.06
	2 = No (IRTRQNMAGE>=21)	113550	13.57

RECODED DRUG USE

FUSTMNM18	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRSTMNMAGE<18).....	316	0.04
	2 = No (IRSTMNMAGE>=18).....	113727	13.59
FUSTMNM21	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRSTMNMAGE<21).....	586	0.07
	2 = No (IRSTMNMAGE>=21).....	113457	13.56
FUSEDNM18	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 18		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRSEDNMAGE<18).....	56	0.01
	2 = No (IRSEDNMAGE>=18).....	113987	13.62
FUSEDNM21	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 21		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (IRSEDNMAGE<21).....	84	0.01
	2 = No (IRSEDNMAGE>=21).....	113959	13.62

RECODED DRUG USE

The following main reason for misusing pain relievers, PNRRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing pain relievers for their last misuse. Respondents could report more than one reason for misusing pain relievers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in PNRRSMMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to relieve physical pain (PNRRSMMAIN=1,11), reported only one reason which was to relieve physical pain (PNRRSMMAIN=99 and PNRRSPAIN=1), or reported some other reason as their only reason but specified that this other reason was to relieve physical pain (PNRRSMMAIN=99 and PNRRSPAIN=3).
2. Main reason is to relax or relieve tension (PNRRSMMAIN=2,12), reported only one reason which was to relax or relieve tension (PNRRSMMAIN=99 and PNRRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (PNRRSMMAIN=99 and PNRRSRELX=3).
3. Main reason is to experiment or see what it's like (PNRRSMMAIN=3,13), reported only one reason which was to experiment or see what it's like (PNRRSMMAIN=99 and PNRRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (PNRRSMMAIN=99 and PNRRSEXPT=3).
4. Main reason is to feel good or get high (PNRRSMMAIN=4,14), reported only one reason which was to feel good or get high (PNRRSMMAIN=99 and PNRRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (PNRRSMMAIN=99 and PNRRSHIGH=3).
5. Main reason is to help with sleep (PNRRSMMAIN=5,15), reported only one reason which was to help with sleep (PNRRSMMAIN=99 and PNRRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (PNRRSMMAIN=99 and PNRRSSLEP=3).
6. Main reason is to help with feelings or emotions (PNRRSMMAIN=6,16), reported only one reason which was to help with feelings or emotions (PNRRSMMAIN=99 and PNRRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (PNRRSMMAIN=99 and PNRRSEMOT=3).
7. Main reason is to increase/decrease effects of other drugs (PNRRSMMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (PNRRSMMAIN=99 and PNRRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (PNRRSMMAIN=99 and PNRRSDGFX=3).
8. Main reason is because hooked or have to have drug (PNRRSMMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (PNRRSMMAIN=99 and PNRRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (PNRRSMMAIN=99 and PNRRSHOOK=3).
9. Main reason is some other reason (PNRRSMMAIN=9), or reported only one reason which was a valid other reason listed for pain relievers other than those defined above based on the write in data (PNRRSMMAIN=99 and PNRRSSOR=1 and PNRRSOTRS=9-71). Values of 1-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for pain relievers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (PNRRSMMAIN=85,94,97,98 or all nine reasons either have "no" or missing responses) or respondent reported only one reason and the other pain reliever reason was not a valid reason (PNRRSMMAIN=99 and PNRRSSOR=1 and PNRRSOTRS=72,985,994,997).

PNRRMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING PAIN RELIEVERS LAST EPISODE

	Freq	Pct
. = Unknown (See comment above)	663	0.08
-9 = Data not collected for this year	722653	86.37
1 = Relieve physical pain (see comment above)	3333	0.40
2 = Relax or relieve tension (see comment above).....	623	0.07
3 = Experiment/see what like (see comment above)	246	0.03
4 = Feel good/get high (see comment above).....	898	0.11
5 = Help with sleep (see comment above).....	233	0.03
6 = Help with feelings or emotions (see comment above).....	248	0.03
7 = Inc/dec effects oth drg (see comment above)	64	0.01
8 = Hooked or have to have drug (see comment above).....	139	0.02
9 = Some other reason (see comment above)	82	0.01
10 = Did not misuse in pst 12 mos (PNRRSMMAIN=83,91,93).....	107514	12.85

RECODED DRUG USE

The following main reason for misusing tranquilizers, TRQMAINRSN, is defined based on answers to questions about respondents' reasons for misusing tranquilizers for their last misuse. Respondents could report more than one reason for misusing tranquilizers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in TRQRSMMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (TRQRSMMAIN=1,11), reported only one reason which was to relax or relieve tension (TRQRSMMAIN=99 and TRQRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (TRQRSMMAIN=99 and TRQRSRELX=3).
2. Main reason is to experiment or see what it's like (TRQRSMMAIN=2,12), reported only one reason which was to experiment or see what it's like (TRQRSMMAIN=99 and TRQRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (TRQRSMMAIN=99 and TRQRSEXPT=3).
3. Main reason is to feel good or get high (TRQRSMMAIN=3,13), reported only one reason which was to feel good or get high (TRQRSMMAIN=99 and TRQRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (TRQRSMMAIN=99 and TRQRSHIGH=3).
4. Main reason is to help with sleep (TRQRSMMAIN=4,14), reported only one reason which was to help with sleep (TRQRSMMAIN=99 and TRQRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (TRQRSMMAIN=99 and TRQRSSLEP=3).
5. Main reason is to help with feelings or emotions (TRQRSMMAIN=5,15), reported only one reason which was to help with feelings or emotions (TRQRSMMAIN=99 and TRQRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (TRQRSMMAIN=99 and TRQRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (TRQRSMMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (TRQRSMMAIN=99 and TRQRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (TRQRSMMAIN=99 and TRQRSDGFX=3).
7. Main reason is because hooked or have to have drug (TRQRSMMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (TRQRSMMAIN=99 and TRQRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (TRQRSMMAIN=99 and TRQRSHOOK=3).
8. Main reason is some other reason (TRQRSMMAIN=8), or reported only one reason which was a valid other reason listed for tranquilizer other than those defined above based on the write in data (TRQRSMMAIN=99 and TRQRSSOR=1 and TRQRSOTRS=1, 9-71). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for tranquilizers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (TRQRSMMAIN=85,94,98 or all eight reasons either have "no" or missing responses) or respondent reported only one reason and the other tranquilizer reason was not a valid reason (TRQRSMMAIN=99 and TRQRSSOR=1 and TRQRSOTRS=985,994,997).

TRQMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING TRANQUILIZERS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	410	0.05
-9 = Data not collected for this year.....	722653	86.37
1 = Relax or relieve tension (see comment above).....	1329	0.16
2 = Experiment/see what like (see comment above).....	268	0.03
3 = Feel good/get high (see comment above).....	498	0.06
4 = Help with sleep (see comment above).....	523	0.06
5 = Help with feelings or emotions (see comment above).....	364	0.04
6 = Inc/dec effects oth drg (see comment above).....	51	0.01
7 = Hooked or have to have drug (see comment above).....	10	0.00
8 = Some other reason (see comment above).....	80	0.01
9 = Did not misuse in pst 12 mos (TRQRSMMAIN=83,91,93).....	110510	13.21

RECODED DRUG USE

The following main reason for misusing stimulants, STMMAINRSN, is defined based on answers to questions about respondents' reasons for misusing stimulants for their last misuse. Respondents could report more than one reason for misusing stimulants the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in STMRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to help lose weight (STMRSMAIN=1,11), reported only one reason which was to help lose weight (STMRSMAIN=99 and STMRSWGHT=1), or reported some other reason as their only reason but specified that this other reason was to help lose weight (STMRSMAIN=99 and STMRSWGHT=3).
2. Main reason is to help concentrate (STMRSMAIN=2,12), reported only one reason which was to help concentrate (STMRSMAIN=99 and STMRSCONC=1), or reported some other reason as their only reason but specified that this other reason was to help concentrate (STMRSMAIN=99 and STMRSCONC=3).
3. Main reason is to help be alert or stay awake (STMRSMAIN=3,13), reported only one reason which was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=1), or reported some other reason as their only reason but specified that this other reason was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=3).
4. Main reason is to help study (STMRSMAIN=4,14), reported only one reason which was to help study (STMRSMAIN=99 and STMRSSTDY=1), or reported some other reason as their only reason but specified that this other reason was to help study (STMRSMAIN=99 and STMRSSTDY=3).
5. Main reason is to experiment or see what it's like (STMRSMAIN=5,15), reported only one reason which was to experiment or see what it's like (STMRSMAIN=99 and STMRSXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (STMRSMAIN=99 and STMRSXPT=3).
6. Main reason is to feel good or get high (STMRSMAIN=6,16), reported only one reason which was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=3).
7. Main reason is to increase/decrease effects of other drugs (STMRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDFX=3).
8. Main reason is because hooked or have to have the drug (STMRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=3).
9. Main reason is some other reason (STMRSMAIN=9), or reported only one reason which was a valid other reason listed for stimulant other than those defined above based on the write in data (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS=1,2,5,6,14-71). Values of 3,4, and 7-12 that are in the specific other reason level are write in responses that do not correspond to reasons listed for stimulants but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (STMRSMAIN=85,94,98 or all nine reasons either have "no" or missing responses) or respondent reported only one reason and the other reason was not a valid reason (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS = 985,994,997,998).

STMMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING STIMULANTS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	354	0.04
-9 = Data not collected for this year	722653	86.37
1 = Help lose weight (see comment above).....	120	0.01
2 = Help concentrate (see comment above).....	934	0.11
3 = Help be alert or stay awake (see comment above)	900	0.11
4 = Help study (see comment above)	780	0.09
5 = Experiment/see what like (see comment above)	192	0.02
6 = Feel good/get high (see comment above).....	368	0.04
7 = Inc/dec effects oth drg (see comment above)	52	0.01
8 = Hooked or have to have drug (see comment above).....	5	0.00
9 = Some other reason (see comment above).....	71	0.01
10 = Did not misuse in pst 12 mos (STMRSMAIN=83,91,93)	110267	13.18

RECODED DRUG USE

The following main reason for misusing sedatives, SEDMAINRSN, is defined based on answers to questions about respondents' reasons for misusing sedatives for their last misuse. Respondents could report more than one reason for misusing sedatives the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in SEDRSMAN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (SEDRSMAN=1,11), reported only one reason which was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=3).
2. Main reason is to experiment or see what it's like (SEDRSMAN=2,12), reported only one reason which was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=3).
3. Main reason is to feel good or get high (SEDRSMAN=3,13), reported only one reason which was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=3).
4. Main reason is to help with sleep (SEDRSMAN=4,14), reported only one reason which was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=3).
5. Main reason is to help with feelings or emotions (SEDRSMAN=5,15), reported only one reason which was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (SEDRSMAN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=3).
7. Main reason is because hooked or have to have the drug (SEDRSMAN=7,17), reported only one reason which was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=3).
8. Main reason is some other reason (SEDRSMAN=8), or reported only one reason which was a valid other reason listed for sedative other than those defined above based on the write in data (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS=1, 9-33). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for sedatives but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (SEDRSMAN=85,94,98 or all eight reasons either have "no" or missing responses) or respondent reported only one reason and the other reason was not a valid reason (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS=985,994,997).

SEDMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING SEDATIVES LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	383	0.05
-9 = Data not collected for this year.....	722653	86.37
1 = Relax or relieve tension (see comment above).....	90	0.01
2 = Experiment/see what like (see comment above).....	34	0.00
3 = Feel good/get high (see comment above).....	54	0.01
4 = Help with sleep (see comment above).....	426	0.05
5 = Help with feelings or emotions (see comment above).....	23	0.00
6 = Inc/dec effects oth drg (see comment above).....	8	0.00
7 = Hooked or have to have drug (see comment above).....	1	0.00
8 = Some other reason (see comment above).....	17	0.00
9 = Did not misuse in pst 12 mos (SEDRSMAN=83,91,93).....	113007	13.51

RECODED DRUG USE

NOTE: Due to the 2015 questionnaire redesign, measures of the source of respondent's most recent misuse of prescription drugs were either removed due to data availability issues or were created differently and renamed due to a break in trend.

The variable for the source of last use of methamphetamine (MTHLTSC4) will not be created since methamphetamine is no longer included with the other prescription drugs and the source questions were removed. Additionally, questions asking about the sources of each prescription drug in the past 30 days were removed, resulting in a change in the creation method of the remaining source of last use variables: SRCPNRNM2 (previously ANLLTS2), SRCTRQNM2 (previously TRNLTS2), SRCSTMNM2 (previously STMLTS2), and SRCSEDNM2 (SEDLTS2). Other questionnaire changes that contributed to a trend break for the source of a respondent's most recent misuse of prescription drugs were that the questions were relocated from the Prior Substance Use module to modules pertaining to the use of the specific drug and two response options were removed.

In 2015, four variables pertain to the source of a respondent's most recent misuse of prescription pain relievers (SRCPNRNM2), prescription tranquilizers (SRCTRQNM2), prescription stimulants (SRCSTMNM2), and prescription sedatives (SRCSEDNM2) within the past year.

For each variable there are 8 mutually exclusive categories for specific sources, and a missing category for respondents with no past year misuse or unknown responses to the source questions. The categories for the specific sources take into account responses from a single question asking about a single, most recent source of misuse among respondents who misused in the past year.

Based on the following conditions, a respondent was classified in one of the following 9 categories (including System missing) for the source of most recent prescription drug misuse in the past year for the variables, SRCPNRNM2, SRCTRQNM2, SRCSTMNM2, and SRCSEDNM2:

1. Got From One Doctor
2. Got From More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing) No Past Year Misuse/Unknown/Invalid Source

SRCPNRNM2 Len : 2 RC-SOURCE OF PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	108344	12.95
-9 = Data not collected for this year	722653	86.37
1 = Got From One Doctor	1673	0.20
2 = Got From More Than One Doctor	85	0.01
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	49	0.01
4 = Got From Friend or Relative for Free	2359	0.28
5 = Bought from Friend or Relative	603	0.07
6 = Took from Friend or Relative without Asking	250	0.03
7 = Bought from Drug Dealer or Other Stranger	389	0.05
8 = Got Some Other Way	291	0.03

SRCTRQNM2 Len : 2 RC-SOURCE OF TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	111006	13.27
-9 = Data not collected for this year	722653	86.37
1 = Got From One Doctor	473	0.06
2 = Got From More Than One Doctor	21	0.00
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	8	0.00
4 = Got From Friend or Relative for Free	1555	0.19
5 = Bought from Friend or Relative	443	0.05
6 = Took from Friend or Relative without Asking	115	0.01
7 = Bought from Drug Dealer or Other Stranger	300	0.04
8 = Got Some Other Way	122	0.01

RECODED DRUG USE

SRCSTMNM2

Len : 2 RC-SOURCE OF STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source.....	110699	13.23
-9 = Data not collected for this year.....	722653	86.37
1 = Got From One Doctor.....	352	0.04
2 = Got From More Than One Doctor.....	24	0.00
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy.....	12	0.00
4 = Got From Friend or Relative for Free.....	1853	0.22
5 = Bought from Friend or Relative.....	730	0.09
6 = Took from Friend or Relative without Asking.....	124	0.01
7 = Bought from Drug Dealer or Other Stranger.....	163	0.02
8 = Got Some Other Way.....	86	0.01

SRCSEDNM2

Len : 2 RC-SOURCE OF SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source.....	113400	13.55
-9 = Data not collected for this year.....	722653	86.37
1 = Got From One Doctor.....	160	0.02
2 = Got From More Than One Doctor.....	9	0.00
4 = Got From Friend or Relative for Free.....	348	0.04
5 = Bought from Friend or Relative.....	49	0.01
6 = Took from Friend or Relative without Asking.....	43	0.01
7 = Bought from Drug Dealer or Other Stranger.....	19	0.00
8 = Got Some Other Way.....	15	0.00

RECODED DRUG USE

NOTE: Due to the 2015 questionnaire redesign, measures of the source of a friend's or relative's most recent misuse of prescription drugs were either removed due to data availability or were created differently and renamed due to a break in trend.

The variable for the source of last use of methamphetamine (MTHSRCF2) will not be created since methamphetamine is no longer included with the other prescription drugs and the source questions were removed. Additionally, questions asking about friend's or relative's sources of each prescription drug in the past 30 days were removed, resulting in a change in the creation method of the remaining source of last use variables: SRCFRPNRNM (previously ANLSRCF2), SRCFRTRQNM (previously TRNSRCF2), SRCFRSTMNM (previously STMSRCF2), and SRCFRSEDNM (SEDSRCF2). Other questionnaire changes that contributed to a trend break for the source of a friend's or relative's most recent misuse of prescription drugs were that the questions were relocated from the Prior Substance Use module to modules pertaining to the use of the specific drug and two response options were removed.

In the 2015 and later years questionnaire, a respondent who misused prescription drugs in the past year was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following four variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (SRCFRPNRNM), prescription tranquilizers (SRCFRTRQNM), prescription stimulants (SRCFRSTMNM), and prescription sedatives (SRCFRSEDNM) within the past year.

For each variable there are 8 mutually exclusive categories for specific sources that the friend/relative obtained the drug from and a missing category for respondents who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free and respondents with unknown or invalid values.

Based on the following conditions, a respondent was classified in one of the following 9 categories (including System missing) for the source of most recent prescription drug use in the past year for the variables, SRCFRPNRNM, SRCFRTRQNM, SRCFRSTMNM, and SRCFRSEDNM:

1. Got from One Doctor (XXXGOTLAS=4 and XXXFFGOT=1, 11)
2. Got from More Than One Doctor (XXXGOTLAS=4 and XXXFFGOT=2, 12)
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy(XXXGOTLAS=4 and XXXFFGOT=3, 13)
4. Got From Friend or Relative for Free (XXXGOTLAS=4 and XXXFFGOT=4, 14)
5. Bought from Friend or Relative (XXXGOTLAS=4 and XXXFFGOT=5, 15)
6. Took from Friend or Relative without Asking (XXXGOTLAS=4 and XXXFFGOT=6, 16)
7. Bought from Drug Dealer or Other Stranger (XXXGOTLAS=4 and XXXFFGOT=7, 17)
8. Got Some Other Way (XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=valid "other" response, levels 9-38, 71)

(System Missing) No Past Year Misuse or Valid Source of Most Recent Misuse Not from Friend or Relative for Free /Unknown/Invalid Source (XXXGOTLAS not=4 or [XXXGOTLAS=4 and XXXFFGOT=94, 97, 98]) or [XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=70, 72-75, 85, 94, 97, 98])

SRCFRPNRNM	Len : 2	RC-SOURCE OF FRIEND/RELATIVE PAIN RELIEVER FOR LAST MISUSE		
			Freq	Pct
	.	= No PY Misuse/Not from Fr,Rel/Unkwn/Invalid Source	111883	13.37
	-9	= Data not collected for this year.....	722653	86.37
	1	= Got from One Doctor.....	1754	0.21
	2	= Got from More Than One Doctor	35	0.00
	3	= Stole from Dr Office, Clinic, Hospital,or Pharmacy	23	0.00
	4	= Got from Friend or Relative for Free	118	0.01
	5	= Bought from Friend or Relative	90	0.01
	6	= Took from Friend or Relative without Asking	43	0.01
	7	= Bought from Drug Dealer or Other Stranger.....	57	0.01
	8	= Got Some Other Way.....	40	0.00

SRCFRTRQNM	Len : 2	RC-SOURCE OF FRIEND/RELATIVE TRANQUILIZERS FOR LAST MISUSE		
			Freq	Pct
	.	= No PY Misuse/Not from Fr,Rel/Unkwn/Invalid Source	112631	13.46
	-9	= Data not collected for this year.....	722653	86.37
	1	= Got from One Doctor.....	1068	0.13
	2	= Got from More Than One Doctor	20	0.00
	3	= Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.00
	4	= Got from Friend or Relative for Free	111	0.01
	5	= Bought from Friend or Relative	109	0.01
	6	= Took from Friend or Relative without Asking	12	0.00
	7	= Bought from Drug Dealer or Other Stranger.....	71	0.01
	8	= Got Some Other Way.....	18	0.00

RECODED DRUG USE

SRCFRSTMNM Len : 2 RC-SOURCE OF FRIEND/RELATIVE STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	112306	13.42
-9 = Data not collected for this year	722653	86.37
1 = Got from One Doctor	1411	0.17
2 = Got from More Than One Doctor	51	0.01
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
4 = Got from Friend or Relative for Free	110	0.01
5 = Bought from Friend or Relative	96	0.01
6 = Took from Friend or Relative without Asking	11	0.00
7 = Bought from Drug Dealer or Other Stranger	47	0.01
8 = Got Some Other Way	9	0.00

SRCFRSEDNM Len : 2 RC-SOURCE OF FRIEND/RELATIVE SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	113717	13.59
-9 = Data not collected for this year	722653	86.37
1 = Got from One Doctor	284	0.03
2 = Got from More Than One Doctor	13	0.00
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.00
4 = Got from Friend or Relative for Free	9	0.00
5 = Bought from Friend or Relative	4	0.00
6 = Took from Friend or Relative without Asking	3	0.00
7 = Bought from Drug Dealer or Other Stranger	7	0.00
8 = Got Some Other Way	3	0.00

NOTE: The following four variables show collapsed levels for the source of friend or relative's most recent misuse of prescription pain relievers (SRCCLFRPNR), prescription tranquilizers (SRCCLFRTRQ), prescription stimulants (SRCCLFRSTM), and prescription sedatives (SRCCLFRSED) within the past year.

SRCCLFRPNR Len : 1 RC-COLLAPSED SOURCE OF FRND/REL PAIN RLVRS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	111883	13.37
-9 = Data not collected for this year	722653	86.37
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRPNRNM=1,2,3)	1812	0.22
2 = Got From Friend/Relative (SRCFRPNRNM=4,5,6)	251	0.03
3 = Got From Another Source (SRCFRPNRNM=7,8)	97	0.01

SRCCLFRTRQ Len : 1 RC-COLLAPSED SOURCE OF FRND/REL TRANQLZRS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	112631	13.46
-9 = Data not collected for this year	722653	86.37
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRTRQNM=1,2,3)	1091	0.13
2 = Got From Friend/Relative (SRCFRTRQNM=4,5,6)	232	0.03
3 = Got From Another Source (SRCFRTRQNM=7,8)	89	0.01

SRCCLFRSTM Len : 1 RC-COLLAPSED SOURCE OF FRND/REL STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	112306	13.42
-9 = Data not collected for this year	722653	86.37
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSTMNM=1,2,3)	1464	0.17
2 = Got From Friend/Relative (SRCFRSTMNM=4,5,6)	217	0.03
3 = Got From Another Source (SRCFRSTMNM=7,8)	56	0.01

SRCCLFRSED Len : 1 RC-COLLAPSED SOURCE OF FRND/REL SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	113717	13.59
-9 = Data not collected for this year	722653	86.37
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSEDNM=1,2,3)	300	0.04
2 = Got From Friend/Relative (SRCFRSEDNM=4,5,6)	16	0.00
3 = Got From Another Source (SRCFRSEDNM=7,8)	10	0.00

RECODED DRUG USE

NOTE: MTHNEEDL and MTNDLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

MTHNEEDL Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2919	0.35
2 = No.....	22596	2.70
3 = Yes LOGICALLY ASSIGNED.....	214	0.03
4 = No LOGICALLY ASSIGNED	12	0.00
81 = NEVER USED METHAMPHETAMINE Log assn	165	0.02
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED METHAMPHETAMINE	696090	83.20
94 = DON'T KNOW	6	0.00
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER)	548	0.07

How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

MTNDLREC Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METH

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	236	0.03
2 = More than 30 days ago but within the past 12 mos	376	0.04
3 = More than 12 months ago	2299	0.27
9 = At some point in the lifetime LOG ASSN.....	201	0.02
13 = More than 12 months ago LOGICALLY ASSIGNED.....	21	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED METHAMPHETAMINE	696090	83.20
93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	22608	2.70
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER)	560	0.07

NOTE: Questions corresponding to MTHAMP through MTADYPWK were follow-up questions that were asked only of respondents who had not previously reported lifetime nonmedical use of methamphetamine in the core STIMULANTS module.

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected. Have you ever, even once, used methamphetamine?

MTHAMP Len : 2 EVER USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Yes.....	8070	0.96
2 = No	528963	63.22
3 = Yes LOGICALLY ASSIGNED.....	11	0.00
4 = No LOGICALLY ASSIGNED	2038	0.24
85 = BAD DATA Logically assigned	20	0.00
94 = DON'T KNOW	371	0.04
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER)	118	0.01
99 = LEGITIMATE SKIP (METHDES=1)	18031	2.16

RECODED DRUG USE

How long has it been since you last used methamphetamine?

MTHAREC Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Within the past 30 days	342	0.04
2 = More than 30 days ago but within the past 12 mos	811	0.10
3 = More than 12 months ago	6887	0.82
8 = At some point in the past 12 months LOG ASN	10	0.00
9 = At some point in the lifetime LOG ASN	28	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	2038	0.24
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	528963	63.22
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER)	496	0.06
99 = LEGITIMATE SKIP (METHDES=1)	18031	2.16

Have you ever, even once, used a needle to inject methamphetamine?

MTHANEDL Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Yes	772	0.09
2 = No	7291	0.87
3 = Yes LOGICALLY ASSIGNED	15	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	2038	0.24
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	528963	63.22
94 = DON'T KNOW	2	0.00
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER)	496	0.06
99 = LEGITIMATE SKIP (METHDES=1)	18031	2.16

How long has it been since you last used a needle to inject methamphetamine?

MTHANDLRC Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METHAMP

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Within the past 30 days	45	0.01
2 = More than 30 days ago but within the past 12 mos	75	0.01
3 = More than 12 months ago	646	0.08
9 = At some point in the lifetime LOG ASN	15	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED	6	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	2038	0.24
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	528963	63.22
93 = USED METH BUT NEVER W/NEEDLE (MTHANEDL=2)	7291	0.87
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER)	498	0.06
99 = LEGITIMATE SKIP (METHDES=1)	18031	2.16

Earlier, the computer recorded that you have never used Methamphetamine, Desoxyn or Methedrine. Which answer is correct?

MTHEVCK Len : 2 COMPUTER RECORDED NEVER USED METH, CORRECT

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = I have never used Methamp/Desoxyn/Meth	2038	0.24
2 = I last used Methamphetamine [SD17B FILL]	6669	0.80
85 = BAD DATA Logically assigned	109	0.01
89 = LEGITIMATE SKIP Logically assigned	13	0.00
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	462	0.06
99 = LEGITIMATE SKIP	492543	58.87

RECODED DRUG USE

Why did you report earlier that you had never used Methamphetamine?

MTHNORSN	Len : 2 REASON REPORTED NEVER USED METHAMP	Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Didnt think of Methamphetamine as prescrip drug	4319	0.52
	2 = Made a mistake when I answered the earlier quest	2034	0.24
	3 = Some other reason.....	264	0.03
	11 = Didnt think of Methamphetamine as Rx drug LOG ASSN	7	0.00
	12 = Made a mistake when answered earlier ques LOG ASSN	30	0.00
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	9	0.00
	98 = BLANK (NO ANSWER)	574	0.07
	99 = LEGITIMATE SKIP.....	494594	59.11

MTHNOSP	Len : 2 OTHER REASON NEVER USED METHAMPHETAMINE	Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Didnt think of Methamphetamine as prescrip drug	7	0.00
	2 = Made a mistake when I answered the earlier quest	30	0.00
	4 = Didnt recognize crank/crystal/ice/speed as mthamp.....	63	0.01
	5 = Didnt recognize earlier names/knew mth by another	22	0.00
	6 = Didnt think of mthamp as a pill/powder; Rx unspcfd.....	40	0.00
	7 = Got scared/didn't want to admit use earlier	4	0.00
	8 = Thought the question related to injection	3	0.00
	9 = Misunderstood earlier quest; reason unspecified.....	29	0.00
	10 = Used methamphetamine only rarely/long time ago	8	0.00
	11 = Used it without my knowledge/was forced to use	3	0.00
	12 = It was combined with another drug	3	0.00
	13 = Used someone else's pill/drug	1	0.00
	70 = Reported use of a prescribed stimulant	14	0.00
	85 = BAD DATA Logically assigned	39	0.00
	94 = DON'T KNOW	12	0.00
	97 = REFUSED	31	0.00
	98 = BLANK (NO ANSWER)	581	0.07
	99 = LEGITIMATE SKIP.....	500947	59.87

NOTE: A small number of respondents who reported in the core STIMULANTS module that did not know whether they ever used methamphetamine nonmedically were not asked the question corresponding to MTHAAGE. These cases were assigned a code of 990 (see below).

How old were you the first time you used Methamphetamine?

MTHAAGE	Len : 3 AGE WHEN FIRST USED METHAMPHETAMINE	Freq	Pct
	RANGE = 1 - 60	5733	0.69
	-9 = Data not collected for this year	389894	46.60
	981 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.21
	985 = BAD DATA Logically assigned	2	0.00
	990 = NOT ASKED THE QUESTION Logically assigned.....	14	0.00
	991 = NEVER USED METHAMPHETAMINE	424932	50.79
	994 = DON'T KNOW	42	0.01
	997 = REFUSED	105	0.01
	998 = BLANK (NO ANSWER).....	510	0.06
	999 = LEGITIMATE SKIP.....	13695	1.64

RECODED DRUG USE

Did you first use Methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine?

MTHAYFU Len : 4 YEAR OF FIRST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2005 - 2014	424	0.05
-9 = Data not collected for this year	389894	46.60
9981 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.21
9985 = BAD DATA Logically assigned	10	0.00
9989 = LEGITIMATE SKIP Logically assigned	20	0.00
9991 = NEVER USED METHAMPHETAMINE	424932	50.79
9994 = DON'T KNOW	43	0.01
9997 = REFUSED	106	0.01
9998 = BLANK (NO ANSWER)	526	0.06
9999 = LEGITIMATE SKIP	18972	2.27

In what month in [CURRENT YEAR] did you first use Methamphetamine?

In what month in [YEAR FROM SDME02 or SDME03] did you first use Methamphetamine?

MTHAMFU Len : 2 MONTH OF FIRST METHAMPHETAMINE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	389894	46.60
1 = January	33	0.00
2 = February	27	0.00
3 = March	35	0.00
4 = April	33	0.00
5 = May	26	0.00
6 = June	40	0.00
7 = July	40	0.00
8 = August	33	0.00
9 = September	31	0.00
10 = October	36	0.00
11 = November	31	0.00
12 = December	32	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.21
85 = BAD DATA Logically assigned	10	0.00
89 = LEGITIMATE SKIP Logically assigned	20	0.00
91 = NEVER USED METHAMPHETAMINE	424932	50.79
94 = DON'T KNOW	68	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER)	526	0.06
99 = LEGITIMATE SKIP	18972	2.27

MTHAYTOT Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	708	0.08
-9 = Data not collected for this year	389894	46.60
981 = NEVER USED METHAMPHETAMINE Logically assigned	1769	0.21
991 = NEVER USED METHAMPHETAMINE	424932	50.79
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	5151	0.62
994 = DON'T KNOW	11	0.00
997 = REFUSED	100	0.01
998 = BLANK (NO ANSWER)	436	0.05
999 = LEGITIMATE SKIP	13695	1.64

MTAFQFLG Len : 2 TRIMMED MTHAYTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year	389894	46.60
1 = Trimmed to be consistent with mo/yr of 1st use	72	0.01
98 = BLANK (NO ANSWER)	446730	53.39

RECODED DRUG USE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine?

MTABSTWY Len : 2 EASIEST WAY TO TELL US # DAYS USED METH

	Freq	Pct
-9 = Data not collected for this year	389894	46.60
1 = Prefer to answer in days per week.....	134	0.02
2 = Prefer to answer in days per month.....	169	0.02
3 = Prefer to answer in days per year	400	0.05
11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
13 = Prefer to ans in days per yr LOG ASSN	7	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.21
91 = NEVER USED METHAMPHETAMINE	424932	50.79
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.62
94 = DON'T KNOW	9	0.00
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER)	436	0.05
99 = LEGITIMATE SKIP.....	13695	1.64

On how many days in the past 12 months did you use Methamphetamine?

MTADYPYR Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	405	0.05
-9 = Data not collected for this year.....	389894	46.60
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.21
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED METHAMPHETAMINE	424932	50.79
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.62
994 = DON'T KNOW	9	0.00
997 = REFUSED	99	0.01
998 = BLANK (NO ANSWER).....	438	0.05
999 = LEGITIMATE SKIP.....	13996	1.67

On average, how many days each month during the past 12 months did you use Methamphetamine?

MTADYPMO Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	169	0.02
-9 = Data not collected for this year.....	389894	46.60
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.21
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED METHAMPHETAMINE	424932	50.79
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.62
94 = DON'T KNOW	10	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER)	438	0.05
99 = LEGITIMATE SKIP.....	14232	1.70

On average, how many days each week during the past 12 months did you use Methamphetamine?

MTADYPWK Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	134	0.02
-9 = Data not collected for this year.....	389894	46.60
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.21
91 = NEVER USED METHAMPHETAMINE	424932	50.79
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.62
94 = DON'T KNOW	12	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER)	436	0.05
99 = LEGITIMATE SKIP.....	14269	1.71

RECODED DRUG USE

NOTE: OSTNEEDL and OSTNLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject (any other stimulant / a stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

OSTNEEDL Len : 2 EVER USED NEEDLE TO INJECT (OTHER) STIMULANT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1662	0.20
2 = No.....	38009	4.54
3 = Yes LOGICALLY ASSIGNED.....	68	0.01
81 = NEVER USED STIMULANTS Log assn.....	165	0.02
85 = BAD DATA Logically assigned.....	13	0.00
89 = LEGITIMATE SKIP Logically assigned.....	48	0.01
91 = NEVER USED STIMULANTS.....	667057	79.73
94 = DON'T KNOW.....	20	0.00
97 = REFUSED.....	53	0.01
98 = BLANK (NO ANSWER).....	1584	0.19
99 = LEGITIMATE SKIP.....	13974	1.67

How long has it been since you last used a needle to inject (any other stimulant / any stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

OSTNLREC Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT (OTH) STIM

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Within the past 30 days.....	152	0.02
2 = More than 30 days ago but within the past 12 mos	222	0.03
3 = More than 12 months ago.....	1278	0.15
9 = At some point in the lifetime LOG ASSN.....	43	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED.....	35	0.00
81 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED STIMULANTS.....	667057	79.73
93 = USED STIM/OTHR STIMULANT BUT NEVER WITH A NEEDLE.....	38008	4.54
97 = REFUSED.....	53	0.01
98 = BLANK (NO ANSWER).....	1615	0.19
99 = LEGITIMATE SKIP.....	14019	1.68

Adderall is a prescription stimulant that comes in tablet or capsule form. Adderall tablets and capsules are shown below. Have you ever, even once, used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused?

ADDERALL Len : 2 EVER USED ADDERALL THAT WAS NOT PRESCRIBED

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Yes.....	26362	3.15
2 = No.....	475006	56.77
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	345	0.04
97 = REFUSED.....	85	0.01
98 = BLANK (NO ANSWER).....	38	0.00

Ambien is a prescription sedative or sleeping pill that comes in tablet form. Ambien tablets are shown below. Have you ever, even once, used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused?

AMBIEN Len : 2 EVER USED AMBIEN THAT WAS NOT PRESCRIBED

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Yes.....	11842	1.42
2 = No.....	489522	58.51
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	363	0.04
97 = REFUSED.....	70	0.01
98 = BLANK (NO ANSWER).....	38	0.00

RECODED DRUG USE

Earlier, the computer asked you questions about your use of hallucinogens. These drugs often cause people to see or experience things that are not real. The next questions are about hallucinogens you were not specifically asked about earlier.

Have you ever, even once, used Ketamine, also called "Special K" or "Super K"?

KETAMINE	Len : 2	EVER USED KETAMINE		
			Freq	Pct
		-9 = Data not collected for this year	334859	40.02
		1 = Yes.....	5590	0.67
		2 = No.....	495462	59.22
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	677	0.08
		97 = REFUSED	68	0.01
		98 = BLANK (NO ANSWER)	39	0.00

Have you ever, even once, used any of the following: DMT, also called dimethyltryptamine, AMT, also called alpha-methyltryptamine, or Foxy, also called 5-MeO-DIPT?

TRYPTMN	Len : 2	EVER USED DMT, AMT, FOXY		
			Freq	Pct
		-9 = Data not collected for this year	334859	40.02
		1 = Yes.....	3448	0.41
		2 = No.....	497460	59.46
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	811	0.10
		97 = REFUSED	78	0.01
		98 = BLANK (NO ANSWER)	39	0.00

Have you ever, even once, used Salvia divinorum?

SALVDIV	Len : 2	EVER USED SALVIA DIVINORUM		
			Freq	Pct
		-9 = Data not collected for this year	334859	40.02
		1 = Yes.....	15135	1.81
		2 = No.....	485572	58.03
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	1011	0.12
		97 = REFUSED	79	0.01
		98 = BLANK (NO ANSWER)	39	0.00

Earlier, the computer recorded that you have used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Adderall in either of these ways?

ADDEREC	Len : 2	TIME SINCE LAST USED ADDERALL		
			Freq	Pct
		-9 = Data not collected for this year	334859	40.02
		1 = Within the past 30 days.....	3334	0.40
		2 = More than 30 days ago but within the past 12 mos	7877	0.94
		3 = More than 12 months ago	15084	1.80
		8 = Used at some point in the past 12 mos LOG ASSN	2	0.00
		9 = At some point in the lifetime LOG ASSN.....	65	0.01
		91 = NEVER USED ADDERALL	475006	56.77
		97 = REFUSED	85	0.01
		98 = BLANK (NO ANSWER)	384	0.05

Earlier the computer recorded that you have used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Ambien in either of these ways?

AMBIREC	Len : 2	TIME SINCE LAST USED AMBIEN		
			Freq	Pct
		-9 = Data not collected for this year	334859	40.02
		1 = Within the past 30 days.....	1027	0.12
		2 = More than 30 days ago but within the past 12 mos	3180	0.38
		3 = More than 12 months ago	7573	0.91
		8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
		9 = At some point in the lifetime LOG ASSN.....	62	0.01
		91 = NEVER USED AMBIEN	489522	58.51
		97 = REFUSED	70	0.01
		98 = BLANK (NO ANSWER)	402	0.05

RECODED DRUG USE

Earlier, the computer recorded that you have used Ketamine. How long has it been since you last used Ketamine?

KETAREC		Len : 2	TIME SINCE LAST USED KETAMINE	Freq	Pct
-9	= Data not collected for this year	334859	40.02		
1	= Within the past 30 days	190	0.02		
2	= More than 30 days ago but within the past 12 mos	628	0.08		
3	= More than 12 months ago	4729	0.57		
9	= Used at some point in the lifetime LOG ASSN	43	0.01		
91	= NEVER USED KETAMINE	495462	59.22		
97	= REFUSED	68	0.01		
98	= BLANK (NO ANSWER)	717	0.09		

Earlier, the computer recorded that you have used DMT, AMT, or Foxy. How long has it been since you last used any of these drugs?

TRYPREC		Len : 2	TIME SINCE LAST USED DMT/AMT/FOXY	Freq	Pct
-9	= Data not collected for this year	334859	40.02		
1	= Within the past 30 days	198	0.02		
2	= More than 30 days ago but within the past 12 mos	764	0.09		
3	= More than 12 months ago	2467	0.29		
9	= Used at some point in the lifetime LOG ASSN	19	0.00		
91	= NEVER USED DMT/AMT/FOXY	497460	59.46		
97	= REFUSED	78	0.01		
98	= BLANK (NO ANSWER)	851	0.10		

Earlier, the computer recorded that you have used Salvia divinorum. How long has it been since you last used Salvia divinorum?

SALVREC		Len : 2	TIME SINCE LAST USED SALVIA DIVINORUM	Freq	Pct
-9	= Data not collected for this year	334859	40.02		
1	= Within the past 30 days	655	0.08		
2	= More than 30 days ago but within the past 12 mos	3206	0.38		
3	= More than 12 months ago	11244	1.34		
9	= Used at some point in the lifetime LOG ASSN	30	0.00		
91	= NEVER USED SALVIA DIVINORUM	485572	58.03		
97	= REFUSED	79	0.01		
98	= BLANK (NO ANSWER)	1051	0.13		

The last two questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

COLDMEDS		Len : 2	TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH	Freq	Pct
-9	= Data not collected for this year	220816	26.39		
1	= Yes	25758	3.08		
2	= No	589527	70.46		
85	= BAD DATA Logically assigned	1	0.00		
94	= DON'T KNOW	390	0.05		
97	= REFUSED	154	0.02		
98	= BLANK (NO ANSWER)	50	0.01		

Earlier, the computer recorded that you have taken a non-prescription cough or cold medicine just to get high. How long has it been since you last took one of these cough or cold medicines to get high?

COLDREC		Len : 2	TIME SINCE LAST USED COUGH/COLD MED	Freq	Pct
-9	= Data not collected for this year	220816	26.39		
1	= Within the past 30 days	1999	0.24		
2	= More than 30 days ago but within the past 12 mos	5330	0.64		
3	= More than 12 months ago	17960	2.15		
9	= At some point in the lifetime LOG ASSN	469	0.06		
91	= NEVER USED COUGH/COLD MED	589527	70.46		
97	= REFUSED	154	0.02		
98	= BLANK (NO ANSWER)	441	0.05		

RECODED DRUG USE

COLDYR1

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	26.39
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	24	0.00
123.0 = Unisom <OTC>.....	2	0.00
127.0 = Nytol, no other information <OTC>.....	2	0.00
130.0 = Phenergan, Promethazine.....	132	0.02
136.0 = Dimetapp, no other information <OTC>.....	11	0.00
148.0 = Actifed <OTC>.....	1	0.00
171.0 = NyQuil, no other information <OTC>.....	1705	0.20
171.1 = NyQuil cold medicine; no other information <OTC>.....	3	0.00
171.2 = NyQuil D <OTC>.....	1	0.00
171.3 = NyQuil Cold and Flu <OTC>.....	3	0.00
171.4 = NyQuil with Mountain Dew.....	1	0.00
171.5 = ZzzQuil <OTC>.....	10	0.00
171.6 = NyQuil Cough <OTC>.....	1	0.00
174.0 = Ambien, Zolpidem.....	3	0.00
178.0 = Quetiapine, Seroquel.....	3	0.00
180.0 = Tylenol P.M. <OTC>.....	57	0.01
181.0 = Excedrin P.M. <OTC>.....	2	0.00
185.0 = Tylenol Simply Sleep <OTC>.....	1	0.00
209.0 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
246.0 = Klonopin, Clonazepam, Rivotril.....	1	0.00
285.0 = Risperdal, Risperdol, Risperidone.....	1	0.00
301.0 = Dexedrine.....	1	0.00
320.0 = Dextroamphetamine.....	1	0.00
332.0 = Ephedrine.....	1	0.00
335.0 = Dexatrim <OTC>.....	1	0.00
353.0 = No-Doz <OTC>.....	1	0.00
364.0 = Pseudoephedrine <OTC>.....	5	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	12	0.00
415.0 = Codeine.....	251	0.03
422.0 = Motrin, no other information <OTC>.....	15	0.00
422.1 = Children's Motrin <OTC>.....	1	0.00
425.0 = Advil, no other information <OTC>.....	90	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	17	0.00
432.0 = Rufen.....	1	0.00
434.0 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	8	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>.....	314	0.04
436.0 = Bufferin <OTC>.....	1	0.00
438.0 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442.0 = Ibuprofen.....	32	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	10	0.00
466.0 = Midol <OTC>.....	3	0.00
468.0 = Excedrin; no other information <OTC>.....	9	0.00
477.0 = Melumbrina, Neo-Melumbrina.....	2	0.00
480.0 = Robitussin AC with Codeine (Schedule V).....	3	0.00
499.0 = Aleve <OTC>.....	4	0.00
501.0 = Gasoline or lighter fluids.....	1	0.00
505.0 = Lacquer thinner or other paint solvents.....	1	0.00
511.0 = Markers, felt-tip pens, ink pens.....	1	0.00
616.0 = DET, Dimethyltryptamine, DMT.....	2	0.00
801.0 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
803.0 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
815.0 = Coffee <OTC>.....	1	0.00
821.0 = Amoxicillin, Ampicillin.....	6	0.00
828.0 = Tetracycline.....	1	0.00
829.0 = Robitussin, no other information <OTC>.....	754	0.09
829.1 = Robitussin DM <OTC>.....	22	0.00
829.2 = Robitussin Maximum Strength <OTC>.....	5	0.00
829.3 = Robotussin Cough and Cold <OTC>.....	1	0.00
829.4 = Robitussin PM <OTC>.....	3	0.00
829.5 = Robotussin Cough, no other information <OTC>.....	7	0.00
829.6 = Robotussin CoughGels <OTC>.....	5	0.00
829.8 = Robitussin Long-acting Cough.....	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>.....	177	0.02
840.1 = Night cough med/syrup/drops; brand unspcfd.....	2	0.00
841.0 = Allerest, Contact <OTC>.....	3	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	50	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	6	0.00
847.0 = GHB, NSC.....	1	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	2	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	19	0.00
899.0 = Bromophen.....	1	0.00
900.0 = Not a drug.....	1	0.00

RECORDED DRUG USE

1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	188	0.02
1002.0 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	8	0.00
1013.0 = Sleepinal <OTC>	1	0.00
1014.0 = Advil PM <OTC>	5	0.00
1015.0 = Motrin PM <OTC>	1	0.00
2016.0 = Tandene	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	100	0.01
3017.1 = DayQuil Cough <OTC>	1	0.00
3017.2 = DayQuil Cold & Flu <OTC>	1	0.00
3023.0 = Adderall	7	0.00
3047.0 = Sudafed, no other information <OTC>	46	0.01
3047.1 = Sudafed PE <OTC>	2	0.00
3052.0 = Speed; otherwise unspecified	1	0.00
3101.0 = Sedalmerck	1	0.00
4023.0 = Pamprin <OTC>	1	0.00
4031.0 = Cough medicine with Codeine <OTC>	23	0.00
4044.0 = Hydrocodone	60	0.01
4046.0 = Oxycodone	2	0.00
4067.0 = Oxycontin	2	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>	6	0.00
4097.0 = Tussionex	15	0.00
4100.0 = Excedrin Migraine <OTC>	2	0.00
4111.0 = Histinex; no other information	1	0.00
4111.1 = Histinex HC	1	0.00
4112.0 = Atuss	1	0.00
4113.0 = Hydrotussin	1	0.00
4113.1 = Hydro-Tussin HC	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	107	0.01
4114.1 = Promethazine VC with Codeine	4	0.00
4116.0 = Hycodan, Hydromet, Tussion	2	0.00
4117.0 = Biogrip	1	0.00
4118.0 = Calpol	1	0.00
5171.0 = Mouthwash	1	0.00
6029.0 = DXM <OTC>	34	0.00
6042.0 = Super K	1	0.00
6043.0 = Diviner's sage, salvia divinorum	2	0.00
6048.0 = Dex	3	0.00
6066.0 = Purple rain	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	186	0.02
6115.0 = Foxy	1	0.00
6127.0 = Skittles <OTC>	5	0.00
8004.0 = Guaifenesin	2	0.00
8006.0 = Laxative <OTC>	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	6	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	9	0.00
8011.0 = Herb, flower, plant; type unspecified <OTC>	2	0.00
8012.0 = Coriciden, no other information <OTC>	309	0.04
8012.1 = Coricidin Cough and Cold <OTC>	123	0.01
8012.3 = Coricidin HBP Cold & Flu <OTC>	1	0.00
8012.4 = Coricidin HBP Cough & Cold <OTC>	2	0.00
8014.0 = Throat spray; type unspecified <OTC>	3	0.00
8019.0 = Azithromycin, Z-pack, Zithromax	1	0.00
8020.0 = Allegra, Altiva	3	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	5	0.00
8025.1 = Alavert D, Claritin D <OTC>	7	0.00
8027.0 = Loratadine, including house brands <OTC>	1	0.00
8030.0 = Tums <OTC>	2	0.00
8038.0 = Coldact	3	0.00
8042.0 = Alka Seltzer, no other information <OTC>	7	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	4	0.00
8042.3 = Alka-Seltzer Plus Flu <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information	2	0.00
8052.0 = Bactrim, Septra	1	0.00
8056.0 = Vicks, no other information <OTC>	42	0.01
8056.1 = Vicks 44 <OTC>	15	0.00
8056.2 = Vicks VapoRub <OTC>	3	0.00
8056.4 = Vicks throat spray <OTC>	1	0.00
8056.5 = Vicks cough medication, no other info <OTC>	4	0.00
8056.6 = Vicks 44D <OTC>	3	0.00
8056.7 = Vicks Formula 44 Custom Care Dry Cough	4	0.00
8058.0 = Cough medicine/syrup; type unspecified	1	0.00
8064.0 = Triaminic, no other information <OTC>	3	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	39	0.00
8070.0 = Advil Cold and Sinus <OTC>	6	0.00
8076.0 = Winstrol	1	0.00

RECORDED DRUG USE

8091.0 = Benzedrex <OTC>	1	0.00
8094.0 = Pepto Bismol <OTC>	6	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	154	0.02
8123.0 = Tylenol Sinus medication, no other info <OTC>	2	0.00
8125.0 = Comtrex <OTC>	1	0.00
8138.0 = Chlorphenamine maleate, Chlorpheniramine <OTC>	1	0.00
8146.0 = Tabcin <OTC>	2	0.00
8147.0 = Tylenol Flu medication, no other info <OTC>	2	0.00
8169.0 = TheraFlu <OTC>	49	0.01
8169.1 = Theraflu Warming <OTC>	1	0.00
8172.0 = Cortisone	1	0.00
8192.0 = Delsym <OTC>	118	0.01
8194.0 = Afrin <OTC>	2	0.00
8200.0 = Tylenol Cold and Flu medication, no othr info <OTC>	13	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	15	0.00
8201.1 = Tylenol Cough and Sore Throat Nighttime <OTC>	1	0.00
8201.2 = Tylenol Cough and Cold medication; no other info	2	0.00
8202.0 = Tussin, no other information	48	0.01
8202.2 = Wal-Tussin, no other information <OTC>	6	0.00
8202.3 = Tussin with hydrocodone	1	0.00
8202.5 = Co-Tussin	1	0.00
8202.6 = Tussin DM, no other information <OTC>	7	0.00
8202.7 = Q-Tussin CF <OTC>	1	0.00
8202.8 = Tussin with codeine; no other information	2	0.00
8202.9 = HC Tussin, no other information	1	0.00
8203.0 = Sinus medication, no other information <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	59	0.01
8205.1 = Mucinex DM <OTC>	11	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8208.0 = Robo, robo tripping	6	0.00
8209.0 = Ricola <OTC>	1	0.00
8210.0 = Chloraseptic medication, no other info <OTC>	2	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>	14	0.00
8212.0 = Zicam medication, no other information <OTC>	4	0.00
8212.2 = Zicam Cough Max <OTC>	2	0.00
8213.0 = Bromaxefed/Bromfed, no other information	1	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>	6	0.00
8215.0 = CVS Cough & Cold <OTC>	1	0.00
8217.0 = Broncolin <OTC>	7	0.00
8221.0 = D'Cold; otherwise unspecified <OTC>	1	0.00
8222.0 = Dexalone <OTC>	2	0.00
8223.0 = Afrinex <OTC>	1	0.00
8225.0 = Tylenol Cold Multi-symptom; no other info	1	0.00
8227.0 = Bronkaid	3	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	35	0.00
8231.0 = Mar-Cof	1	0.00
8232.1 = CareOne Tussin Maximum Strength	1	0.00
8233.0 = Galcodine	1	0.00
8234.0 = Pancof	1	0.00
8235.0 = Aleve Sinus and Cold <OTC>	1	0.00
8236.0 = Sucrets; no other information <OTC>	1	0.00
8238.0 = Cheratussin <OTC>	6	0.00
8240.0 = Lagundi	1	0.00
8241.0 = Wal-Tussin Cough Softgels <OTC>	1	0.00
8242.0 = Metamucil <OTC>	1	0.00
8245.0 = Advair	1	0.00
8248.0 = Bromhexin	1	0.00
8249.0 = XL-3	5	0.00
8250.0 = Coldarin <OTC>	2	0.00
8251.0 = DMC, Dimethocaine, Larocaine	1	0.00
8253.0 = Tamiflu	1	0.00
8254.0 = Flanax; no other information <OTC>	3	0.00
8256.0 = Dexomine	1	0.00
8257.0 = Histiacil NF	1	0.00
8258.0 = Tukol <OTC>	5	0.00
8259.0 = Viro-Grip	1	0.00
8260.0 = Tylenol Allergy; no other information <OTC>	1	0.00
8261.0 = Rompe Pecho <OTC>	1	0.00
8264.0 = Nurofen	1	0.00
8265.0 = Codral	1	0.00
8266.0 = Tobacco; type or form unspecified	1	0.00
8267.0 = Hyland's Defend; otherwise unspecified <OTC>	1	0.00
8268.0 = Broncomax	1	0.00
8269.0 = Prednisolone	1	0.00

RECODED DRUG USE

8272.0 = Banlangen Keli <OTC>	1	0.00
8273.0 = Q-Tussin <OTC>	1	0.00
8274.0 = Terpin hydrate.....	1	0.00
8275.0 = Vaseline <OTC>.....	1	0.00
8276.0 = 5-Hour Energy <OTC>	1	0.00
8278.0 = Coristina.....	1	0.00
9985.0 = BAD DATA Logically assigned	513	0.06
9991.0 = NEVER USED COUGH/COLD MED	589527	70.46
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	17960	2.15
9994.0 = DON'T KNOW	632	0.08
9997.0 = REFUSED	413	0.05
9998.0 = BLANK (NO ANSWER).....	916	0.11

RECODED DRUG USE

COLDYR2

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	26.39
101.0 = Butisol.....	1	0.00
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	7	0.00
130.0 = Phenergan, Promethazine.....	28	0.00
136.0 = Dimetapp, no other information <OTC>.....	5	0.00
171.0 = NyQuil, no other information <OTC>.....	260	0.03
171.5 = ZzzQuil <OTC>.....	3	0.00
171.6 = NyQuil Cough <OTC>.....	1	0.00
174.0 = Ambien, Zolpidem.....	1	0.00
176.0 = Melatonin <OTC>.....	1	0.00
178.0 = Quetiapine, Seroquel.....	4	0.00
180.0 = Tylenol P.M. <OTC>.....	25	0.00
185.0 = Tylenol Simply Sleep <OTC>.....	1	0.00
209.0 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
332.0 = Ephedrine.....	1	0.00
335.0 = Dexatrim <OTC>.....	1	0.00
364.0 = Pseudoephedrine <OTC>.....	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	3	0.00
415.0 = Codeine.....	48	0.01
417.0 = Morphine, Roxanol.....	1	0.00
422.0 = Motrin, no other information <OTC>.....	12	0.00
425.0 = Advil, no other information <OTC>.....	40	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	5	0.00
434.0 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>.....	82	0.01
435.1 = Tylenol Arthritis Pain <OTC>.....	1	0.00
435.2 = Tylenol Meltaways <OTC>.....	1	0.00
442.0 = Ibuprofen.....	16	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	2	0.00
466.0 = Midol <OTC>.....	1	0.00
468.0 = Excedrin; no other information <OTC>.....	4	0.00
477.0 = Melumbrina, Neo-Melumbrina.....	1	0.00
480.0 = Robitussin AC with Codeine (Schedule V).....	1	0.00
499.0 = Aleve <OTC>.....	7	0.00
658.0 = Special K, Ketamine.....	1	0.00
807.0 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820.0 = Penicillin.....	1	0.00
821.0 = Amoxicillin, Ampicillin.....	1	0.00
828.0 = Tetracycline.....	1	0.00
829.0 = Robitussin, no other information <OTC>.....	210	0.03
829.1 = Robitussin DM <OTC>.....	3	0.00
829.3 = Robotussin Cough and Cold <OTC>.....	1	0.00
829.4 = Robitussin PM <OTC>.....	2	0.00
829.5 = Robotussin Cough, no other information <OTC>.....	1	0.00
829.6 = Robotussin CoughGels <OTC>.....	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>.....	48	0.01
840.1 = Night cough med/syrup/drops; brand unspcfd.....	4	0.00
841.0 = Allerest, Contact <OTC>.....	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	65	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	3	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	2	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	2	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	71	0.01
1002.0 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	3	0.00
1014.0 = Advil PM <OTC>.....	3	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	56	0.01
3017.1 = DayQuil Cough <OTC>.....	1	0.00
3047.0 = Sudafed, no other information <OTC>.....	15	0.00
3047.1 = Sudafed PE <OTC>.....	2	0.00
3101.0 = Sedalmerck.....	1	0.00
4031.0 = Cough medicine with Codeine <OTC>.....	5	0.00
4044.0 = Hydrocodone.....	10	0.00
4046.0 = Oxycodone.....	1	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>.....	3	0.00
4077.0 = Tee's.....	1	0.00
4097.0 = Tussionex.....	1	0.00
4113.0 = Hydrotussin.....	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	19	0.00
4116.0 = Hycodan, Hydromet, Tussionex.....	2	0.00
5061.0 = Lip balm, lip gloss.....	1	0.00
6029.0 = DXM <OTC>.....	11	0.00
6048.0 = Dex.....	1	0.00

RECORDED DRUG USE

6083.0 = CCC, "Triple C," C3 <OTC>.....	28	0.00
6127.0 = Skittles <OTC>.....	2	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	4	0.00
8010.0 = Zyrtec, Cetirizine <OTC>.....	4	0.00
8012.0 = Coriciden, no other information <OTC>.....	41	0.00
8012.1 = Coricidin Cough and Cold <OTC>.....	17	0.00
8013.0 = Maalox <OTC>.....	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	4	0.00
8038.0 = Coldact.....	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	1	0.00
8042.2 = Alka-Seltzer Plus Night-Time Cold <OTC>.....	1	0.00
8042.4 = Alka-Seltzer Plus; no other information.....	1	0.00
8051.1 = Sinex Severe nasal spray <OTC>.....	1	0.00
8056.0 = Vicks, no other information <OTC>.....	19	0.00
8056.1 = Vicks 44 <OTC>.....	8	0.00
8056.7 = Vicks Formula 44 Custom Care Dry Cough.....	1	0.00
8058.0 = Cough medicine/syrup; type unspecified	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	11	0.00
8065.1 = Tylenol Cold Relief Nighttime <OTC>	1	0.00
8070.0 = Advil Cold and Sinus <OTC>.....	1	0.00
8091.0 = Benzedrex <OTC>.....	1	0.00
8094.0 = Pepto Bismol <OTC>	1	0.00
8098.0 = Potassium chloride.....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	44	0.01
8123.0 = Tylenol Sinus medication, no other info <OTC>.....	8	0.00
8123.1 = Tylenol Congestion medication, no other info <OTC>.....	1	0.00
8125.0 = Comtrex <OTC>.....	2	0.00
8146.0 = Tabcin <OTC>.....	1	0.00
8169.0 = TheraFlu <OTC>	15	0.00
8169.1 = Theraflu Warming <OTC>	1	0.00
8192.0 = Delsym <OTC>	30	0.00
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	1	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	5	0.00
8202.0 = Tussin, no other information.....	15	0.00
8202.1 = Hy-vee brand Tussin <OTC>.....	1	0.00
8202.2 = Wal-Tussin, no other information <OTC>.....	2	0.00
8202.4 = CVS Tussin, no other information <OTC>	1	0.00
8202.6 = Tussin DM, no other information <OTC>.....	2	0.00
8203.0 = Sinus medication, no other information <OTC>.....	3	0.00
8204.0 = Flu medication, no other information <OTC>.....	7	0.00
8205.0 = Mucinex, no other information <OTC>.....	21	0.00
8205.1 = Mucinex DM <OTC>	5	0.00
8205.2 = Mucinex expectorant, extended-release <OTC>.....	1	0.00
8205.3 = Mucinex DM Maximum Strength <OTC>.....	1	0.00
8206.0 = Advil Allergy Sinus <OTC>.....	1	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8207.0 = Vita-Grip <OTC>	1	0.00
8208.0 = Robo, robo tripping.....	3	0.00
8209.0 = Ricola <OTC>	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	3	0.00
8212.0 = Zicam medication, no other information <OTC>.....	3	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>.....	3	0.00
8216.0 = Advil Cold, no other information <OTC>.....	2	0.00
8217.0 = Broncolin <OTC>.....	4	0.00
8221.0 = D'Cold; otherwise unspecified <OTC>.....	2	0.00
8222.0 = Dexalone <OTC>.....	1	0.00
8225.0 = Tylenol Cold Multi-symptom; no other info	1	0.00
8227.0 = Bronkaid	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	16	0.00
8229.0 = Tri-Vent; no other information.....	1	0.00
8231.0 = Mar-Cof	1	0.00
8234.0 = Pancof	1	0.00
8237.0 = 666 Cold Preparation <OTC>	1	0.00
8239.0 = Dilotab <OTC>.....	1	0.00
8241.1 = Wal-Tussin Cough and Cold <OTC>.....	1	0.00
8243.0 = Prescription Tussin; no other information.....	1	0.00
8244.0 = Wal-Flu <OTC>.....	2	0.00
8247.0 = Olynth	1	0.00
8252.0 = Walgreens Cold and Flu; no other information <OTC>.....	1	0.00
8253.0 = Tamiflu	1	0.00
8255.0 = Dallery <OTC>.....	1	0.00
8258.0 = Tukol <OTC>	4	0.00
8263.0 = Bio Electro Day <OTC>	1	0.00
8270.0 = Flovent.....	1	0.00
8271.0 = Benzonatate.....	1	0.00

RECODED DRUG USE

8276.0 = 5-Hour Energy <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	137	0.02
9991.0 = NEVER USED COUGH/COLD MED	589527	70.46
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	17960	2.15
9994.0 = DON'T KNOW	105	0.01
9997.0 = REFUSED	185	0.02
9998.0 = BLANK (NO ANSWER).....	6459	0.77

RECODED DRUG USE

COLDYR3

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	26.39
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	2	0.00
130.0 = Phenergan, Promethazine.....	10	0.00
171.0 = NyQuil, no other information <OTC>	49	0.01
171.5 = ZzzQuil <OTC>.....	2	0.00
176.0 = Melatonin <OTC>.....	1	0.00
180.0 = Tylenol P.M. <OTC>.....	1	0.00
364.0 = Pseudoephedrine <OTC>.....	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.00
415.0 = Codeine.....	16	0.00
425.0 = Advil, no other information <OTC>	9	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	5	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	21	0.00
435.2 = Tylenol Meltaways <OTC>	1	0.00
442.0 = Ibuprofen	6	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	4	0.00
466.0 = Midol <OTC>.....	2	0.00
468.0 = Excedrin; no other information <OTC>.....	2	0.00
499.0 = Aleve <OTC>	4	0.00
605.0 = PCP ("angel dust," phencyclidine)	1	0.00
820.0 = Penicillin.....	1	0.00
828.0 = Tetracycline	1	0.00
829.0 = Robitussin, no other information <OTC>	34	0.00
829.3 = Robotussin Cough and Cold <OTC>	1	0.00
829.6 = Robotussin CoughGels <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	15	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	15	0.00
900.0 = Not a drug.....	2	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	12	0.00
3017.0 = Dayquil medication, no other information <OTC>	14	0.00
3047.0 = Sudafed, no other information <OTC>	6	0.00
3101.0 = Sedalmerck	1	0.00
4067.0 = Oxycontin	1	0.00
4077.0 = Tee's.....	1	0.00
4097.0 = Tussionex.....	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	3	0.00
6029.0 = DXM <OTC>.....	3	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	7	0.00
8010.0 = Zyrtec, Cetirizine <OTC>.....	3	0.00
8012.0 = Coriciden, no other information <OTC>.....	13	0.00
8012.1 = Coricidin Cough and Cold <OTC>	4	0.00
8012.3 = Coricidin HBP Cold & Flu <OTC>	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	1	0.00
8038.0 = Coldact.....	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	1	0.00
8042.5 = Alka-Seltzer Plus Sinus <OTC>	1	0.00
8050.0 = Tavist, no other information <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>.....	3	0.00
8056.1 = Vicks 44 <OTC>.....	2	0.00
8056.2 = Vicks VapoRub <OTC>.....	1	0.00
8056.5 = Vicks cough medication, no other info <OTC>	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	5	0.00
8069.0 = Decadron, Dexameth, Dexamethasone.....	1	0.00
8070.0 = Advil Cold and Sinus <OTC>.....	1	0.00
8094.0 = Pepto Bismol <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	15	0.00
8123.0 = Tylenol Sinus medication, no other info <OTC>	2	0.00
8169.0 = TheraFlu <OTC>	5	0.00
8192.0 = Delsym <OTC>	12	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	1	0.00
8202.0 = Tussin, no other information	4	0.00
8203.0 = Sinus medication, no other information <OTC>	2	0.00
8204.0 = Flu medication, no other information <OTC>.....	4	0.00
8205.0 = Mucinex, no other information <OTC>	6	0.00
8205.1 = Mucinex DM <OTC>	2	0.00
8205.3 = Mucinex DM Maximum Strength <OTC>.....	1	0.00
8208.0 = Robo, robo tripping.....	2	0.00
8212.0 = Zicam medication, no other information <OTC>.....	1	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>.....	1	0.00
8216.0 = Advil Cold, no other information <OTC>.....	1	0.00
8217.0 = Broncolin <OTC>	1	0.00
8220.0 = Cola soft drinks.....	1	0.00

RECORDED DRUG USE

8226.0 = Hydro-DP.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	2	0.00
8238.0 = Cheratussin <OTC>	1	0.00
8246.0 = Orofar	1	0.00
8258.0 = Tukol <OTC>	2	0.00
8262.0 = St. Joseph Cough and Cold <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	65	0.01
9991.0 = NEVER USED COUGH/COLD MED	589527	70.46
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	17960	2.15
9994.0 = DON'T KNOW	22	0.00
9997.0 = REFUSED	167	0.02
9998.0 = BLANK (NO ANSWER).....	7771	0.93

COLDYR4

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
-9.0 = Data not collected for this year	220816	26.39
130.0 = Phenergan, Promethazine.....	1	0.00
171.0 = NyQuil, no other information <OTC>	10	0.00
171.5 = ZzzQuil <OTC>.....	1	0.00
180.0 = Tylenol P.M. <OTC>.....	1	0.00
301.0 = Dexedrine.....	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
415.0 = Codeine.....	3	0.00
425.0 = Advil, no other information <OTC>	4	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	5	0.00
442.0 = Ibuprofen	2	0.00
468.0 = Excedrin; no other information <OTC>.....	1	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	6	0.00
829.1 = Robitussin DM <OTC>.....	1	0.00
829.6 = Robotussin CoughGels <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>	7	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	4	0.00
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	1	0.00
900.0 = Not a drug.....	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	6	0.00
3017.0 = Dayquil medication, no other information <OTC>	4	0.00
3023.0 = Adderall	1	0.00
3047.0 = Sudafed, no other information <OTC>	1	0.00
3060.0 = Hydroxycut <OTC>.....	1	0.00
4044.0 = Hydrocodone.....	1	0.00
4046.0 = Oxycodone.....	1	0.00
6029.0 = DXM <OTC>.....	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	4	0.00
8012.0 = Coriciden, no other information <OTC>.....	4	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	1	0.00
8050.0 = Tavist, no other information <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	2	0.00
8056.2 = Vicks VapoRub <OTC>.....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	7	0.00
8169.0 = TheraFlu <OTC>	4	0.00
8192.0 = Delsym <OTC>	1	0.00
8202.0 = Tussin, no other information	2	0.00
8203.0 = Sinus medication, no other information <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>.....	1	0.00
8205.0 = Mucinex, no other information <OTC>	4	0.00
8206.0 = Advil Allergy Sinus <OTC>	1	0.00
8206.2 = Advil Sinus, no other information <OTC>.....	1	0.00
8210.0 = Chloraseptic medication, no other info <OTC>	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	2	0.00
8212.0 = Zicam medication, no other information <OTC>.....	1	0.00
8212.1 = Zicam Cough medication, no other info <OTC>.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8258.0 = Tukol <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	30	0.00
9991.0 = NEVER USED COUGH/COLD MED	589527	70.46
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	17960	2.15
9994.0 = DON'T KNOW	5	0.00
9997.0 = REFUSED	157	0.02
9998.0 = BLANK (NO ANSWER).....	8089	0.97

RECODED DRUG USE

COLDYR5

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
-9.0 = Data not collected for this year	220816	26.39
171.0 = NyQuil, no other information <OTC>	6	0.00
415.0 = Codeine.....	2	0.00
425.0 = Advil, no other information <OTC>	1	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	1	0.00
499.0 = Aleve <OTC>	1	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	3	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>	3	0.00
840.1 = Night cough med/syrup/drops; brand unspcfd.....	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	2	0.00
3017.0 = Dayquil medication, no other information <OTC>	2	0.00
3047.0 = Sudafed, no other information <OTC>	1	0.00
3047.1 = Sudafed PE <OTC>	1	0.00
6044.0 = Gel caps, gel tabs	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	5	0.00
8192.0 = Delsym <OTC>	1	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	1	0.00
8202.0 = Tussin, no other information	3	0.00
9985.0 = BAD DATA Logically assigned	16	0.00
9991.0 = NEVER USED COUGH/COLD MED	589527	70.46
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	17960	2.15
9997.0 = REFUSED	154	0.02
9998.0 = BLANK (NO ANSWER).....	8184	0.98

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription- type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG

Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Specified use only of prescrip-type drugs, past yr.....	661	0.08
2 = Bad data or blank in COLDYR1-COLDYR5.....	315	0.04
98 = BLANK (OTHERWISE)	614904	73.49

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

GHB

Len : 2 EVER USED GHB

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Yes.....	3023	0.36
2 = No	611828	73.12
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	843	0.10
97 = REFUSED	133	0.02
98 = BLANK (NO ANSWER)	51	0.01

Earlier, the computer recorded that you have used GHB. How long has it been since you last used GHB?

GHBREC

Len : 2 TIME SINCE LAST USED GHB

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Within the past 30 days.....	86	0.01
2 = More than 30 days ago but within the past 12 mos	235	0.03
3 = More than 12 months ago	2682	0.32
8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
9 = At some point in the lifetime LOG ASSN.....	20	0.00
91 = NEVER USED GHB	611828	73.12
97 = REFUSED	133	0.02
98 = BLANK (NO ANSWER)	895	0.11

RECODED DRUG USE

Have you ever, even once, used a needle to inject cocaine?

COCNEEDL	Len : 2	EVER USED NEEDLE TO INJECT COCAINE		
			Freq	Pct
		1 = Yes.....	5214	0.62
		2 = No.....	92320	11.03
		3 = Yes LOGICALLY ASSIGNED.....	66	0.01
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		94 = DON'T KNOW.....	8	0.00
		97 = REFUSED.....	202	0.02
		98 = BLANK (NO ANSWER).....	163	0.02

How long has it been since you last used a needle to inject cocaine?

CONDLREC	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
			Freq	Pct
		1 = Within the past 30 days.....	218	0.03
		2 = More than 30 days ago but within the past 12 mos.....	519	0.06
		3 = More than 12 months ago.....	4462	0.53
		9 = At some point in the lifetime LOG ASSN.....	53	0.01
		MISSING = 11.....	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	27	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	92320	11.03
		97 = REFUSED.....	202	0.02
		98 = BLANK (NO ANSWER).....	176	0.02

These next questions are about the different ways that certain drugs can be used.

Have you ever, even once, smoked heroin?

HERSMOKE	Len : 2	EVER SMOKED HEROIN		
			Freq	Pct
		1 = Yes.....	4303	0.51
		2 = No.....	7442	0.89
		3 = Yes LOGICALLY ASSIGNED.....	130	0.02
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED HEROIN.....	824268	98.51
		94 = DON'T KNOW.....	10	0.00
		97 = REFUSED.....	71	0.01
		98 = BLANK (NO ANSWER).....	469	0.06

How long has it been since you last smoked heroin?

HRSMKREC	Len : 2	TIME SINCE LAST SMOKED HEROIN		
			Freq	Pct
		1 = Within the past 30 days.....	219	0.03
		2 = More than 30 days ago but within the past 12 mos.....	502	0.06
		3 = More than 12 months ago.....	3693	0.44
		9 = At some point in the lifetime LOG ASSN.....	11	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	8	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	824268	98.51
		93 = USED HEROIN BUT NEVER SMOKED IT.....	7442	0.89
		97 = REFUSED.....	71	0.01
		98 = BLANK (NO ANSWER).....	481	0.06

RECODED DRUG USE

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

HERSNIFF			Freq	Pct
Len : 2		EVER SNIFFED HEROIN		
1	= Yes	8227	0.98
2	= No	3438	0.41
3	= Yes LOGICALLY ASSIGNED	215	0.03
85	= BAD DATA Logically assigned	3	0.00
91	= NEVER USED HEROIN	824268	98.51
94	= DON'T KNOW	2	0.00
97	= REFUSED	74	0.01
98	= BLANK (NO ANSWER)	469	0.06

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

HRSNFREC			Freq	Pct
Len : 2		TIME SINCE LAST SNIFFED HEROIN		
1	= Within the past 30 days	579	0.07
2	= More than 30 days ago but within the past 12 mos	1184	0.14
3	= More than 12 months ago	6653	0.80
9	= At some point in the lifetime LOG ASSN	13	0.00
13	= More than 12 months ago LOGICALLY ASSIGNED	13	0.00
85	= BAD DATA Logically assigned	2	0.00
91	= NEVER USED HEROIN	824268	98.51
93	= USED HEROIN BUT NEVER SNIFFED IT	3438	0.41
97	= REFUSED	74	0.01
98	= BLANK (NO ANSWER)	472	0.06

Have you ever, even once, used a needle to inject heroin?

HERNEEDL			Freq	Pct
Len : 2		EVER USED NEEDLE TO INJECT HEROIN		
1	= Yes	5067	0.61
2	= No	6734	0.80
3	= Yes LOGICALLY ASSIGNED	114	0.01
85	= BAD DATA Logically assigned	3	0.00
91	= NEVER USED HEROIN	824268	98.51
94	= DON'T KNOW	1	0.00
97	= REFUSED	77	0.01
98	= BLANK (NO ANSWER)	432	0.05

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

HEOTSMK			Freq	Pct
Len : 2		HOW USED HEROIN: SMOKED IT		
1	= Response entered	129	0.02
3	= Response entered LOGICALLY ASSIGNED	1	0.00
6	= Response not entered	526	0.06
85	= BAD DATA Logically assigned	1	0.00
91	= NEVER USED HEROIN	824268	98.51
94	= DON'T KNOW	16	0.00
97	= REFUSED	91	0.01
98	= BLANK (NO ANSWER)	477	0.06
99	= LEGITIMATE SKIP	11187	1.34

HEOTSNF			Freq	Pct
Len : 2		HOW USED HEROIN: SNIFFED IT		
1	= Response entered	214	0.03
3	= Response entered LOGICALLY ASSIGNED	1	0.00
6	= Response not entered	441	0.05
85	= BAD DATA Logically assigned	1	0.00
91	= NEVER USED HEROIN	824268	98.51
94	= DON'T KNOW	16	0.00
97	= REFUSED	91	0.01
98	= BLANK (NO ANSWER)	477	0.06
99	= LEGITIMATE SKIP	11187	1.34

RECODED DRUG USE

HEOTNDL

Len : 2 HOW USED HEROIN: INJECTED IT WITH A NEEDLE

	Freq	Pct
1 = Response entered	72	0.01
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	582	0.07
91 = NEVER USED HEROIN.....	824268	98.51
94 = DON'T KNOW	16	0.00
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER)	478	0.06
99 = LEGITIMATE SKIP	11187	1.34

HEOTOTH

Len : 2 HOW USED HEROIN: SOME OTHER WAY

	Freq	Pct
1 = Response entered	260	0.03
6 = Response not entered	396	0.05
91 = NEVER USED HEROIN.....	824268	98.51
94 = DON'T KNOW	16	0.00
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER)	478	0.06
99 = LEGITIMATE SKIP	11187	1.34

HEOTSP

Len : 2 HOW USED HEROIN: SPECIFY

	Freq	Pct
1 = You smoked heroin.....	1	0.00
2 = You sniffed or "snorted" heroin	1	0.00
3 = You injected heroin with a needle.....	2	0.00
5 = You took it orally/by mouth/in pill form.....	130	0.02
6 = You sniffed or "snorted" in liquid/melted form.....	31	0.00
7 = You took it ocularly; form unspecified	1	0.00
10 = You combined it w/Ecstasy (no othr drug mentioned).....	43	0.01
13 = You combined it w/marijuana (no othr drg mentiond).....	3	0.00
15 = You combined it w/some other drug; not specified.....	3	0.00
16 = You sniffed/snorted/huffed it; pwdr/liquid unspfd.....	5	0.00
17 = You combined it with OxyContin	3	0.00
18 = You combined w/an analgesic; not otherwise spcfd.....	1	0.00
19 = Another analgesic mentiond; combo w/heroin unspcfd.....	4	0.00
21 = You combined it with cocaine.....	1	0.00
23 = You took it rectally	1	0.00
24 = Acknowledged use; how unspecified	4	0.00
27 = You combined it w/Molly	1	0.00
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED HEROIN.....	824268	98.51
94 = DON'T KNOW	3	0.00
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER)	499	0.06
99 = LEGITIMATE SKIP.....	11583	1.38

How long has it been since you last used a needle to inject heroin?

HRNDLREC

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Within the past 30 days.....	547	0.07
2 = More than 30 days ago but within the past 12 mos	728	0.09
3 = More than 12 months ago	3850	0.46
9 = At some point in the lifetime LOG ASSN.....	45	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED.....	11	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HEROIN.....	824268	98.51
93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	6734	0.80
97 = REFUSED	77	0.01
98 = BLANK (NO ANSWER)	435	0.05

RECODED DRUG USE

Have you ever, even once, used a needle to inject Methamphetamine?

METHNEEDL¹ Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	703	0.08
2 = No.....	4407	0.53
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
94 = DON'T KNOW	2	0.00
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER)	142	0.02

How long has it been since you last used a needle to inject Methamphetamine?

METHNDLRC¹ Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Within the past 30 days.....	75	0.01
2 = More than 30 days ago but within the past 12 mos	91	0.01
3 = More than 12 months ago	536	0.06
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	4	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	4407	0.53
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER)	145	0.02

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you or that you took only for the experience or feeling it caused?

OTDGNEDL Len : 2 EVER USED NEEDLE TO INJECT ANY OTHER DRUG

	Freq	Pct
1 = Yes.....	4314	0.52
2 = No.....	831887	99.43
4 = No LOGICALLY ASSIGNED	10	0.00
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW	250	0.03
97 = REFUSED	171	0.02
98 = BLANK (NO ANSWER)	63	0.01

RECODED DRUG USE

OTDGNDLA

Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	8	0.00
108 = Nembutal	3	0.00
109 = Seconal	22	0.00
110 = Tuinal.....	16	0.00
111 = Dalmane.....	1	0.00
112 = Restoril	1	0.00
115 = Phenobarbital	5	0.00
116 = Methaqualone, Sopor, Quaalude	11	0.00
117 = Chloral hydrate, Noctec	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	5	0.00
121 = USED SEDATIVE, DON'T KNOW NAME	1	0.00
123 = Unisom <OTC>	1	0.00
124 = Yellow jackets	2	0.00
129 = Reds.....	3	0.00
130 = Promethazine	2	0.00
MISSING = 131	2	0.00
MISSING = 141	1	0.00
145 = Red devil(s).....	1	0.00
157 = Barbiturates.....	6	0.00
174 = Ambien	3	0.00
176 = Melatonin <OTC>	1	0.00
MISSING = 193.....	1	0.00
201 = Valium	30	0.00
202 = Librium	1	0.00
207 = Ativan.....	9	0.00
209 = Xanax.....	42	0.01
211 = BuSpar.....	1	0.00
215 = Vistaril.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	5	0.00
MISSING = 227.....	2	0.00
MISSING = 228.....	1	0.00
237 = Midazolam	1	0.00
246 = Klonopin.....	22	0.00
MISSING = 271	1	0.00
MISSING = 280.....	2	0.00
301 = Dexedrine	2	0.00
306 = Desoxyn	2	0.00
311 = Preludin.....	22	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin	38	0.00
320 = Dextroamphetamine.....	1	0.00
321 = Methedrine.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	324	0.04
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	1	0.00
326 = White cross	2	0.00
331 = Blancs, whites.....	1	0.00
332 = Ephedrine.....	2	0.00
335 = Dexatrim <OTC>.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	3	0.00
345 = Black molly.....	1	0.00
348 = Crystal	17	0.00
355 = Crystal meth, crystal methamphetamine	45	0.01
380 = Pink ladies.....	1	0.00
401 = Darvon	3	0.00
406 = Percodan	11	0.00
407 = Demerol.....	53	0.01
408 = Dilaudid, Hydromorphone	234	0.03
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	2	0.00
411 = Talwin.....	13	0.00
415 = Codeine pills.....	7	0.00
417 = Morphine	300	0.04
418 = Methadone	29	0.00
419 = Stadol, Stadol NS.....	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	4	0.00
423 = Percocet	51	0.01
426 = Fiorinal	1	0.00
427 = Darvocet, Davocet-N	2	0.00
431 = Tylox	2	0.00
433 = Paregoric.....	2	0.00
434 = Vicodin	10	0.00

RECODED DRUG USE

435 = Tylenol, Tylenol Extra-Strength <OTC>	5	0.00
442 = Ibuprofen	1	0.00
454 = Novocain, Procaine	2	0.00
457 = T's and blues, tee's and b's, tops and bottoms	9	0.00
458 = Mepergan, Mepergan Fortis	4	0.00
465 = Fentanyl	20	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
490 = Nalbuphine, Nubain	14	0.00
507 = Halothane, ether, or other anesthetics; chloroform	2	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
566 = Smoked tea from Lipton tea bag	1	0.00
601 = LSD ("acid")	42	0.01
603 = Mescaline	5	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	1	0.00
605 = PCP ("angel dust," phencyclidine)	31	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	30	0.00
614 = MDA, Methylenedioxy amphetamine	17	0.00
616 = DET, Dimethyltryptamine, DMT	1	0.00
658 = Special K, Ketamine	70	0.01
663 = Animal tranquilizer, horse tranquilizer	3	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	6	0.00
702 = Heroin	375	0.04
703 = Opium, otherwise unspecified	6	0.00
704 = Dope	2	0.00
705 = Speed Ball (heroin + cocaine)	4	0.00
706 = Smack	1	0.00
707 = Black tar heroin	2	0.00
709 = Poppy	1	0.00
711 = Shirka	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	78	0.01
802 = THC, cannabinal, marinol, tetrahydrocannabinol	15	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
805 = Cocaine, coca, cocaina, coke, perico	232	0.03
806 = Crack, rock	31	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	13	0.00
809 = Pills	2	0.00
813 = Cigarettes, tobacco (type unspecified)	1	0.00
814 = Caffeine <OTC>	1	0.00
818 = Nicotine	2	0.00
820 = Penicillin	10	0.00
821 = Amoxicillin, Ampicillin, Pentrexly	1	0.00
824 = Steroids	245	0.03
829 = Robitussin DM <OTC>	1	0.00
843 = Cold medicine, cold tablets <OTC>	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>	12	0.00
876 = Glass	4	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	2	0.00
1010 = Diprivan	1	0.00
2001 = Soma	1	0.00
2002 = Muscle relaxers	1	0.00
2010 = Buscopan, Espacil	1	0.00
3023 = Adderall	17	0.00
3046 = Adrenalin, Epinephrine	5	0.00
3052 = Speed, otherwise unspecified	67	0.01
3094 = Dexmethylphenidate, Focalin	2	0.00
3102 = Methylin	1	0.00
3111 = Vyvanse	1	0.00
3112 = Metadate, not otherwise specified	1	0.00
3502 = Methylphenidate	1	0.00
4002 = Imitrex	4	0.00
4037 = MS Contin	2	0.00
4043 = Tramadol	3	0.00
4044 = Hydrocodone	6	0.00
4046 = Oxycodone	113	0.01
4047 = Roxicet	8	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4065 = Roxicodone	24	0.00
4067 = OxyContin	583	0.07
4073 = Temgesic	2	0.00
4077 = Tee's	1	0.00
4091 = K4	1	0.00
4098 = Banamine	1	0.00
4109 = Suboxone	56	0.01

RECODED DRUG USE

4119 = Buprenorphine	5	0.00
4120 = Opana.....	25	0.00
4131 = Diconal, Dipipanone	1	0.00
4150 = Subutex	7	0.00
4501 = Lortab	1	0.00
4503 = Lorcet, Lorcet Plus, Lorcet-HD.....	1	0.00
4505 = Oxycodone product, unspecified.....	11	0.00
4510 = Oxymorphone	1	0.00
5001 = Bleach	1	0.00
5018 = B-12 (Spanish).....	1	0.00
5042 = Fuels other than gasoline.....	1	0.00
5171 = Mouthwash	1	0.00
6029 = DXM.....	1	0.00
6044 = Gel caps, gel tabs	1	0.00
6081 = Shabu	1	0.00
6114 = Molly, not otherwise specified	5	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8066 = Viagra	1	0.00
8067 = Testosterone	92	0.01
8069 = Decadron, Dexamethasone.....	1	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	19	0.00
8076 = Winstrol	9	0.00
8079 = Insulin	11	0.00
8081 = Primobolan.....	2	0.00
8083 = Testosterone cyprionate	5	0.00
8088 = Dianabol	9	0.00
8090 = Sustanon, Sostanon	12	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8103 = Testosterona 200, Testosterone 300.....	4	0.00
8110 = Over-the-counter drug/pills, type unspecified	1	0.00
8112 = hCG, Human Chorionic Gonadotropin.....	6	0.00
8113 = Test 250, Test 400 <OTC>	3	0.00
8114 = Lidocaine	3	0.00
8124 = Deca-diabolin.....	2	0.00
8129 = Equipoise, Equipoise.....	2	0.00
8132 = Liquid D-bol	3	0.00
8134 = Glucophage, Metformin.....	1	0.00
8151 = Flu shot, otherwise unspecified.....	3	0.00
8158 = Lipitor	1	0.00
8164 = Testosterone propionate	1	0.00
8165 = Anavar	1	0.00
8167 = Triiodothyronine, Triiodothyronine, T3	1	0.00
8172 = Cortisone.....	1	0.00
8184 = Ondansetron, Periset, Zofran.....	2	0.00
8187 = Xylocaine.....	2	0.00
8188 = Anadrol.....	2	0.00
8189 = Furosemide, Lasix.....	1	0.00
8199 = Neurobion	2	0.00
8206 = Delatestryl, Testosterone enanthate.....	10	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	4	0.00
8221 = Omnadren	2	0.00
8236 = Lyrica, Pregabalin.....	1	0.00
8244 = Superdrol <OTC>	1	0.00
8245 = Human growth hormone (HGH)	5	0.00
8252 = Humatrope	1	0.00
8272 = Tri Tren 150, Triple Trenbolone Blend	1	0.00
8282 = Salt, sodium chloride <OTC>	1	0.00
8291 = Ritz and Ts, Ts and rits, Ts and Rs.....	1	0.00
8301 = Bath salts, otherwise unspecified	6	0.00
8336 = Peridan.....	2	0.00
8353 = Hormone, otherwise unspecified.....	1	0.00
8355 = EPO, Erythropoietin.....	1	0.00
8367 = Peptides.....	1	0.00
8383 = Edex	1	0.00
8510 = Desyrel, Trazodone hydrochloride.....	1	0.00
8541 = Mirtazapine, Remeron.....	1	0.00
9985 = BAD DATA Logically assigned	110	0.01
9989 = LEGITIMATE SKIP Logically assigned	10	0.00
9994 = DON'T KNOW	163	0.02
9997 = REFUSED	271	0.03
9998 = BLANK (NO ANSWER).....	316	0.04
9999 = LEGITIMATE SKIP	831887	99.43

RECODED DRUG USE

OTDGNLDB

Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
103 = Amytal	1	0.00
105 = Placidyl, Ethchlorvynol.....	2	0.00
108 = Nembutal	1	0.00
109 = Seconal	8	0.00
110 = Tuinal.....	7	0.00
115 = Phenobarbital	1	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
123 = Unisom <OTC>	1	0.00
129 = Reds.....	1	0.00
130 = Promethazine	1	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien	1	0.00
177 = Bean.....	1	0.00
MISSING = 178.....	1	0.00
201 = Valium	20	0.00
207 = Ativan	2	0.00
209 = Xanax.....	25	0.00
215 = Vistaril.....	1	0.00
216 = Atarax	1	0.00
MISSING = 225.....	1	0.00
234 = Flexeril.....	1	0.00
246 = Klonopin.....	2	0.00
301 = Dexedrine	1	0.00
304 = Benzedrine.....	1	0.00
306 = Desoxyn.....	4	0.00
309 = Didrex.....	1	0.00
311 = Preludin.....	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin	24	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	76	0.01
327 = Black beauties, black beauty.....	1	0.00
332 = Ephedrine.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	2	0.00
348 = Crystal	7	0.00
355 = Crystal meth, crystal methamphetamine	6	0.00
363 = Bam(s).....	1	0.00
377 = Albuterol.....	1	0.00
406 = Percodan	2	0.00
407 = Demerol.....	15	0.00
408 = Dilaudid, Hydromorphone	98	0.01
411 = Talwin.....	3	0.00
415 = Codeine pills.....	6	0.00
417 = Morphine	135	0.02
418 = Methadone	19	0.00
419 = Stadol, Stadol NS.....	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	3	0.00
423 = Percocet	14	0.00
427 = Darvocet, Davocet-N.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin	6	0.00
458 = Mepergan, Mepergan Fortis.....	4	0.00
465 = Fentanyl.....	12	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	4	0.00
490 = Nalbuphine, Nubain.....	1	0.00
496 = Ultram.....	1	0.00
511 = Markers, felt-tip pens, ink pens.....	1	0.00
601 = LSD ("acid").....	12	0.00
603 = Mescaline.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	11	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
658 = Special K, Ketamine	6	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	3	0.00
702 = Heroin.....	83	0.01
703 = Opium, otherwise unspecified.....	2	0.00
704 = Dope	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	21	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	122	0.01
806 = Crack, rock.....	9	0.00

RECODED DRUG USE

807 = Alcohol, beer, ethanol, EtOH, pink champagne	5	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
820 = Penicillin	2	0.00
824 = Steroids	25	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
876 = Glass	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	2	0.00
2002 = Muscle relaxers	1	0.00
3009 = Ephedrone, Methcathinone	1	0.00
3023 = Adderall	10	0.00
3035 = Blacks	1	0.00
3052 = Speed, otherwise unspecified	15	0.00
3055 = Clenbuterol	1	0.00
3094 = Dexmethylphenidate, Focalin	1	0.00
3111 = Vyvanse	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epiitol, Tegretol.....	1	0.00
4037 = MS Contin.....	1	0.00
4043 = Tramadol.....	2	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	32	0.00
4047 = Roxicet.....	7	0.00
4065 = Roxicodone.....	11	0.00
4067 = OxyContin	131	0.02
4073 = Temgesic.....	1	0.00
4091 = K4	1	0.00
4095 = Dihydrocodeine.....	1	0.00
4109 = Suboxone	22	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine	3	0.00
4120 = Opana.....	19	0.00
4150 = Subutex	3	0.00
4505 = Oxycodone product, unspecified.....	6	0.00
4510 = Oxymorphone	1	0.00
5048 = MEK, Methyl ethyl ketone.....	1	0.00
6015 = Crysta.....	1	0.00
6114 = Molly, not otherwise specified.....	2	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6141 = DPT, Dipropyltryptamine	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8026 = Powder.....	1	0.00
8067 = Testosterone	6	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	7	0.00
8076 = Winstrol	5	0.00
8079 = Insulin	2	0.00
8083 = Testosterone cyprionate	3	0.00
8090 = Sustanon, Sustenon	6	0.00
8113 = Test 250, Test 400 <OTC>	1	0.00
8122 = Trenbol	2	0.00
8129 = Equipoise, Equipoise.....	2	0.00
8132 = Liquid D-bol	2	0.00
8138 = Chlorphenamine maleate, Chlorpheniramine <OTC>.....	1	0.00
8151 = Flu shot, otherwise unspecified.....	2	0.00
8160 = Teveten, Eprosartan	1	0.00
8164 = Testosterone propionate	1	0.00
8172 = Cortisone.....	1	0.00
8188 = Anadrol	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	2	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	9	0.00
8245 = Human growth hormone (HGH)	2	0.00
8250 = Boldenone.....	1	0.00
8301 = Bath salts, otherwise unspecified	2	0.00
9985 = BAD DATA Logically assigned	62	0.01
9989 = LEGITIMATE SKIP Logically assigned	1	0.00
9994 = DON'T KNOW	33	0.00
9997 = REFUSED	194	0.02
9998 = BLANK (NO ANSWER).....	3311	0.40
9999 = LEGITIMATE SKIP.....	831896	99.43

RECODED DRUG USE

OTDGNLDC

Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
108 = Nembutal	2	0.00
109 = Seconal	2	0.00
110 = Tuinal.....	3	0.00
115 = Phenobarbital	2	0.00
119 = Secobarbital	1	0.00
130 = Promethazine	3	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien	2	0.00
MISSING = 178.....	1	0.00
201 = Valium.....	8	0.00
207 = Ativan.....	1	0.00
209 = Xanax.....	8	0.00
234 = Flexeril.....	1	0.00
246 = Klonopin.....	3	0.00
278 = Benzodiazepines	1	0.00
MISSING = 280.....	1	0.00
301 = Dexedrine	1	0.00
306 = Desoxyn.....	1	0.00
311 = Preludin.....	6	0.00
318 = Ritalin	6	0.00
321 = Methedrine.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	32	0.00
339 = Amphetamines, otherwise unspecified.....	1	0.00
348 = Crystal	2	0.00
355 = Crystal meth, crystal methamphetamine	1	0.00
382 = Footballs, purple footballs.....	1	0.00
406 = Percodan	1	0.00
407 = Demerol	14	0.00
408 = Dilaudid, Hydromorphone	42	0.01
411 = Talwin.....	3	0.00
415 = Codeine pills.....	6	0.00
417 = Morphine	55	0.01
418 = Methadone	15	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	2	0.00
423 = Percocet	10	0.00
434 = Vicodin	1	0.00
465 = Fentanyl.....	6	0.00
490 = Nalbuphine, Nubain.....	2	0.00
601 = LSD ("acid").....	6	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	3	0.00
658 = Special K, Ketamine	5	0.00
702 = Heroin.....	18	0.00
703 = Opium, otherwise unspecified.....	1	0.00
704 = Dope	1	0.00
705 = Speed Ball (heroin + cocaine).....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	9	0.00
802 = THC, cannabinoil, marinol, tetrahydrocannabinol	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	43	0.01
806 = Crack, rock.....	8	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
814 = Caffeine <OTC>.....	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids	3	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
1022 = Atropine.....	1	0.00
1501 = Zolpidem.....	1	0.00
2001 = Soma.....	1	0.00
3023 = Adderall	6	0.00
3052 = Speed, otherwise unspecified.....	5	0.00
3116 = MCAT, Mephedrone.....	1	0.00
4037 = MS Contin.....	2	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	11	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin	46	0.01
4109 = Suboxone	6	0.00
4119 = Buprenorphine	2	0.00
4120 = Opana.....	1	0.00
4130 = Dalgan, Dezocine.....	1	0.00
4140 = Opana ER (extended release).....	1	0.00
4505 = Oxycodone product, unspecified.....	1	0.00

RECODED DRUG USE

6044 = Gel caps, gel tabs	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspfd	1	0.00
8067 = Testosterone	2	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	3	0.00
8076 = Winstrol	1	0.00
8083 = Testosterone cyprionate	1	0.00
8088 = Dianabol	1	0.00
8090 = Sustanon, Sostanon	2	0.00
8129 = Equipoise, Equipoise.....	2	0.00
8153 = Nexium	1	0.00
8164 = Testosterone propionate	1	0.00
8165 = Anavar	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8325 = Drostanolone propionate, Masteron	1	0.00
8503 = Dilantin.....	1	0.00
9985 = BAD DATA Logically assigned	30	0.00
9994 = DON'T KNOW	9	0.00
9997 = REFUSED	173	0.02
9998 = BLANK (NO ANSWER).....	4120	0.49
9999 = LEGITIMATE SKIP	831897	99.43

RECODED DRUG USE

OTDGNLDD

Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
110 = Tuinal.....	1	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
130 = Promethazine	1	0.00
174 = Ambien	1	0.00
201 = Valium	3	0.00
207 = Ativan	4	0.00
209 = Xanax.....	4	0.00
246 = Klonopin	1	0.00
MISSING = 280.....	1	0.00
311 = Preludin.....	1	0.00
318 = Ritalin	3	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	12	0.00
406 = Percodan	1	0.00
407 = Demerol	6	0.00
408 = Dilaudid, Hydromorphone	17	0.00
415 = Codeine pills.....	3	0.00
417 = Morphine	25	0.00
418 = Methadone	6	0.00
423 = Percocet	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin	1	0.00
458 = Mepergan, Mepergan Fortis.....	1	0.00
465 = Fentanyl.....	5	0.00
601 = LSD ("acid").....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
658 = Special K, Ketamine	1	0.00
702 = Heroin.....	8	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	10	0.00
806 = Crack, rock.....	9	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids	1	0.00
2030 = Versed.....	1	0.00
3023 = Adderall	2	0.00
3035 = Blacks	1	0.00
3046 = Adrenalin, Epinephrine	1	0.00
3052 = Speed, otherwise unspecified.....	3	0.00
MISSING = 3121.....	1	0.00
4037 = MS Contin.....	1	0.00
4043 = Tramadol.....	1	0.00
4046 = Oxycodone.....	5	0.00
4065 = Roxicodone.....	5	0.00
4067 = OxyContin	15	0.00
4109 = Suboxone	6	0.00
4119 = Buprenorphine	1	0.00
4120 = Opana.....	2	0.00
4137 = Nucynta.....	1	0.00
4507 = Kadian.....	1	0.00
4510 = Oxymorphone	1	0.00
6174 = bk-MDMA, Methylone	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	1	0.00
8076 = Winstrol	1	0.00
8113 = Test 250, Test 400 <OTC>	1	0.00
8164 = Testosterone propionate	1	0.00
8212 = Finaplix Gold, Trenbolone QV75, Trenbolone	2	0.00
8245 = Human growth hormone (HGH)	1	0.00
9985 = BAD DATA Logically assigned	17	0.00
9994 = DON'T KNOW	2	0.00
9997 = REFUSED	175	0.02
9998 = BLANK (NO ANSWER).....	4407	0.53
9999 = LEGITIMATE SKIP.....	831897	99.43

RECODED DRUG USE

OTDGNLLE

Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
201 = Valium.....	2	0.00
209 = Xanax.....	2	0.00
MISSING = 228.....	1	0.00
237 = Midazolam.....	1	0.00
246 = Klonopin.....	1	0.00
318 = Ritalin.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
407 = Demerol.....	6	0.00
408 = Dilaudid, Hydromorphone.....	5	0.00
415 = Codeine pills.....	1	0.00
417 = Morphine.....	12	0.00
418 = Methadone.....	1	0.00
419 = Stadol, Stadol NS.....	1	0.00
423 = Percocet.....	3	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
465 = Fentanyl.....	4	0.00
601 = LSD ("acid").....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
658 = Special K, Ketamine.....	1	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	3	0.00
806 = Crack, rock.....	1	0.00
820 = Penicillin.....	1	0.00
3023 = Adderall.....	1	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
4044 = Hydrocodone.....	2	0.00
4046 = Oxycodone.....	3	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin.....	7	0.00
4109 = Suboxone.....	6	0.00
4119 = Buprenorphine.....	1	0.00
4142 = Remifentanyl.....	1	0.00
4505 = Oxycodone product, unspecified.....	2	0.00
8079 = Insulin.....	2	0.00
9985 = BAD DATA Logically assigned.....	10	0.00
9994 = DON'T KNOW.....	2	0.00
9997 = REFUSED.....	172	0.02
9998 = BLANK (NO ANSWER).....	4528	0.54
9999 = LEGITIMATE SKIP.....	831897	99.43

How long has it been since you last used a needle to inject [any other drug / any drug] that was not prescribed for you?

OTDGNLRC¹

Len : 2 TIME SINCE LAST USED A NEEDLE TO INJECT OTHER DRUG

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Within the past 30 days.....	83	0.01
2 = More than 30 days ago but within the past 12 months.....	85	0.01
3 = More than 12 months ago.....	466	0.06
9 = At some point in the lifetime LOG ASSN.....	10	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	6	0.00
81 = NEVER USED (OTHER) DRUG Logically assigned.....	2	0.00
91 = NEVER USED ANY (OTHER) DRUG.....	113270	13.54
97 = REFUSED.....	46	0.01
98 = BLANK (NO ANSWER).....	75	0.01

RECODED DRUG USE

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

GNNDRUS Len : 2 LAST TIME REUSED NEEDLE USED BEFORE

	Freq	Pct
1 = Yes.....	3716	0.44
2 = No.....	6928	0.83
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	62	0.01
97 = REFUSED.....	197	0.02
98 = BLANK (NO ANSWER).....	327	0.04
99 = LEGITIMATE SKIP.....	825434	98.65

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

GNNDSLH1 Len : 2 LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE

	Freq	Pct
1 = Yes.....	1889	0.23
2 = No.....	8774	1.05
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	49	0.01
97 = REFUSED.....	191	0.02
98 = BLANK (NO ANSWER).....	327	0.04
99 = LEGITIMATE SKIP.....	825434	98.65

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

GNNDCLEN Len : 2 USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE

	Freq	Pct
1 = Yes.....	2617	0.31
2 = No.....	8022	0.96
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	61	0.01
97 = REFUSED.....	203	0.02
98 = BLANK (NO ANSWER).....	327	0.04
99 = LEGITIMATE SKIP.....	825434	98.65

The last time you used a needle for injecting drugs, did someone else use the needle after you?

GNNDSLH2 Len : 2 SOMEONE ELSE USED LAST NEEDLE AFTER YOU

	Freq	Pct
1 = Yes.....	2043	0.24
2 = No.....	8538	1.02
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	129	0.02
97 = REFUSED.....	193	0.02
98 = BLANK (NO ANSWER).....	327	0.04
99 = LEGITIMATE SKIP.....	825434	98.65

SPECIAL DRUGS

OTHER SELF-ADMINISTERED SECTIONS

SPECIAL DRUGS

This note applies to variables in this section marked by a¹.

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

GNNDGET2	Len : 2 HOW DID YOU GET THE NEEDLE LAST TIME	Freq	Pct
	1 = Bought the needle from a pharmacy	5346	0.64
	2 = Got the needle from a needle exchange.....	610	0.07
	3 = Bought the needle on the street	903	0.11
	4 = Got the needle in a shooting gallery.....	101	0.01
	5 = Got the needle some other way	466	0.06
	41 = Given by/stole frm friend/acquaint of frnd/nonrel.....	1782	0.21
	42 = Given by, stolen from a relative.....	221	0.03
	43 = Given by, stolen from someone, relation unspecfd	481	0.06
	44 = From drug dealer/came with drugs.....	81	0.01
	45 = Found it/got from a waste can/trash	16	0.00
	46 = Given by, stolen frm med facility/professionl/lab	201	0.02
	47 = Given by, stolen from work	54	0.01
	48 = Given by, stolen from a pharmacy or store	18	0.00
	49 = Bought, given, stolen from place/location unspecfd	136	0.02
	52 = Given by, stolen from vet facility/professional	11	0.00
	54 = Shared needle with friends/other acquaintances.....	20	0.00
	56 = Given/stolen/bought from farm/pet store/supplier.....	26	0.00
	58 = Got it at a party	3	0.00
	59 = Bought it online/on the Internet	45	0.01
	60 = Got it at home; no other information.....	13	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
	90 = NOT ASKED THE QUESTION Logically assigned	22	0.00
	94 = DON'T KNOW	109	0.01
	97 = REFUSED	260	0.03
	98 = BLANK (NO ANSWER)	327	0.04
	99 = LEGITIMATE SKIP.....	825434	98.65

SPECIALTY CIGARETTES

SPECIALTY CIGARETTES

The next questions are about bidis, or "beedies," which are small brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread.

Have you ever smoked part or all of a bidi?

BIDIEVER	Len : 2	1EVER SMOKED A BIDI		
			Freq	Pct
		-9 = Data not collected for this year	727387	86.94
		1 = Yes.....	8069	0.96
		2 = No	101106	12.08
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	104	0.01
		97 = REFUSED	18	0.00
		98 = BLANK (NO ANSWER)	11	0.00

NOTE: BIDIREC was created from the two questions shown below.

Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a bidi?

How long has it been since you last smoked part or all of a bidi?

BIDIREC	Len : 2	1TIME SINCE LAST SMOKED BIDI		
			Freq	Pct
		-9 = Data not collected for this year	727387	86.94
		1 = Within the past 30 days	608	0.07
		2 = More than 30 days ago but within the past 12 mos	824	0.10
		3 = More than 12 months ago but within the past 3 yrs.....	2313	0.28
		4 = More than 3 years ago.....	4211	0.50
		9 = Used at some point in the lifetime LOG ASSN.....	15	0.00
		19 = Used more than 30 days ago LOG ASSN	98	0.01
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED BIDIS	101106	12.08
		97 = REFUSED	18	0.00
		98 = BLANK (NO ANSWER)	115	0.01

During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a bidi?

BIDI30US	Len : 2	1HOW MANY DAYS SMOKED BIDI PAST 30 DAYS		
			Freq	Pct
		RANGE = 1 - 30.....	590	0.07
		-9 = Data not collected for this year.....	727387	86.94
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED BIDIS	101106	12.08
		93 = DID NOT USE BIDIS IN THE PAST 30 DAYS	7446	0.89
		94 = DON'T KNOW	8	0.00
		97 = REFUSED	28	0.00
		98 = BLANK (NO ANSWER)	130	0.02

The next questions are about clove cigarettes, which are cigarettes containing tobacco and clove flavoring. Some common brands of clove cigarettes are Djarum, Gudang Garam, and Sampoerna.

Have you ever smoked part or all of a clove cigarette?

CLOVEVER	Len : 2	1EVER SMOKED A CLOVE CIGARETTE		
			Freq	Pct
		-9 = Data not collected for this year	727387	86.94
		1 = Yes.....	13348	1.60
		2 = No	95828	11.45
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW	102	0.01
		97 = REFUSED	19	0.00
		98 = BLANK (NO ANSWER)	11	0.00

SPECIALTY CIGARETTES

NOTE: CLOVREC was created from the two questions shown below.

Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a clove cigarette?

How long has it been since you last smoked part or all of a clove cigarette?

CLOVREC	Len : 2	1TIME SINCE LAST SMOKED CLOVE CIGARETTE		
			Freq	Pct
		-9 = Data not collected for this year	727387	86.94
		1 = Within the past 30 days.....	1350	0.16
		2 = More than 30 days ago but within the past 12 mos	1870	0.22
		3 = More than 12 months ago but within the past 3 yrs.....	3543	0.42
		4 = More than 3 years ago.....	6554	0.78
		9 = Used at some point in the lifetime LOG ASSN.....	9	0.00
		19 = Used more than 30 days ago LOG ASSN	22	0.00
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CLOVE CIGARETTES	95828	11.45
		97 = REFUSED	19	0.00
		98 = BLANK (NO ANSWER)	113	0.01

During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a clove cigarette?

CLOV30US	Len : 2	1HOW MANY DAYS SMOKE CLOVE CIGARETTE PAST 30 DAYS		
			Freq	Pct
		RANGE = 1 - 30	1343	0.16
		-9 = Data not collected for this year.....	727387	86.94
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CLOVE CIGARETTES	95828	11.45
		93 = DID NOT USE CLOVE CIGARETTES IN THE PAST 30 DAYS.....	11989	1.43
		94 = DON'T KNOW	7	0.00
		97 = REFUSED	19	0.00
		98 = BLANK (NO ANSWER)	122	0.01

RECODED SPECIAL DRUGS

RECODED SPECIAL DRUGS

This note applies to variables in this section marked by a¹.

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables STNEEDLR, STNLRECR, and NEDLRECR were created to be consistent with data from corresponding variables prior to 2005. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR. The variables STNEDL06, STNLRC06, and NDLREC06 also took into account data from the methamphetamine variables MTHANEDL, MTANDLRC, and MTHEVCK from the SPECIAL DRUGS module. STNEDL06 was derived from STNEEDLR and MTHANEDL. STNLRC06 was derived from STNLRECR and MTANDLRC. NDLREC06 was derived from NEDLRECR and STNLRC06.

STNEEDLR	Len : 2 EVER USED NEEDLE TO INJECT STIMULANT - RECODE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	4020	0.48
	2 = No.....	49905	5.96
	81 = NEVER USED STIMULANTS Logically assigned	165	0.02
	91 = NEVER USED STIMULANTS.....	667057	79.73
	97 = REFUSED	102	0.01
	98 = MISSING (BUT NOT REFUSED).....	1404	0.17

STNLRECR	Len : 2 MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days.....	313	0.04
	2 = More than 30 days ago but within the past 12 mos	502	0.06
	3 = More than 12 months ago	2904	0.35
	8 = At some point in the past 12 months LOG ASSN.....	9	0.00
	9 = At some point in the lifetime LOG ASSN.....	246	0.03
	13 = More than 12 months ago LOGICALLY ASSIGNED.....	46	0.01
	81 = NEVER USED STIMULANTS Logically assigned	165	0.02
	91 = NEVER USED STIMULANTS.....	667057	79.73
	93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	49904	5.96
	97 = REFUSED	102	0.01
	98 = MISSING (BUT NOT REFUSED).....	1405	0.17

NEDLRECR	Len : 2 MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within the past 30 days.....	724	0.09
	2 = More than 30 days ago but within the past 12 mos	997	0.12
	3 = More than 12 months ago	5806	0.69
	8 = At some point in the past 12 months LOG ASSN.....	30	0.00
	9 = At some point in the lifetime LOG ASSN.....	332	0.04
	13 = More than 12 months ago LOGICALLY ASSIGNED.....	27	0.00
	81 = NEVER USED COC/HER/STM W/NEEDLE Log assn	163	0.02
	91 = NEVER USED COC/HER/STM WITH A NEEDLE	712539	85.16
	97 = REFUSED	274	0.03
	98 = MISSING (BUT NOT REFUSED).....	1761	0.21

RECODED SPECIAL DRUGS

STNEDL06 Len : 2 EVER USE NEEDL TO INJECT STIM (INCL METH 06 DATA)

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Yes.....	3082	0.37
2 = No.....	35899	4.29
81 = NEVER USED STIMULANTS Logically assigned.....	89	0.01
91 = NEVER USED STIMULANTS.....	461719	55.18
97 = REFUSED.....	66	0.01
98 = MISSING (BUT NOT REFUSED).....	982	0.12

STNLRC06 Len : 2 MOST RECENT USE STIM W/NEEDLE (INCL METH 06 DATA)

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Within the past 30 days.....	235	0.03
2 = More than 30 days ago but within the past 12 mos.....	376	0.04
3 = More than 12 months ago.....	2304	0.28
8 = At some point in the past 12 months LOG ASSN.....	14	0.00
9 = At some point in the lifetime LOG ASSN.....	122	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED.....	31	0.00
81 = NEVER USED STIMULANTS Logically assigned.....	89	0.01
91 = NEVER USED STIMULANTS (AND MTHAMP=2).....	461719	55.18
93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	35899	4.29
97 = REFUSED.....	66	0.01
98 = MISSING (BUT NOT REFUSED).....	982	0.12

NDLREC06 Len : 2 MOST RECENT COC/HER/STM W/NEDL (INC METH 06 DATA)

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Within the past 30 days.....	541	0.06
2 = More than 30 days ago but within the past 12 mos.....	716	0.09
3 = More than 12 months ago.....	4172	0.50
8 = At some point in the past 12 months LOG ASSN.....	24	0.00
9 = At some point in the lifetime LOG ASSN.....	185	0.02
13 = More than 12 months ago LOGICALLY ASSIGNED.....	24	0.00
81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	90	0.01
91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	494650	59.12
97 = REFUSED.....	191	0.02
98 = MISSING (BUT NOT REFUSED).....	1244	0.15

NOTE: The following eight variables indicate whether a respondent has ever used a needle to inject any drug, heroin, cocaine, stimulants, or methamphetamine.

NOTE: NEDFLG01, NEDSTM, and NEDMTH are based only on data from the methamphetamine questions in the Stimulants module of the core questionnaire. In 2005, new methamphetamine items were added to the non-core Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription Stimulants module. These were augmented in 2006 to include clarifications. The new non-core Special Drugs items were used to create CPNNDFLG, CPNNDSTM, and CPNNDMTH. For details, please see Appendix B.4.8 of the 2008 National Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

A respondent was defined as having used a needle to inject drugs based on the core questions, NEDFLG01, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the Stimulants module (STNEEDLR), or any other drug (OTDGNEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

NEDFLG01 Len : 1 EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
0 = Never Used/Unknown (Otherwise).....	713803	85.31
1 = Ever Used (Any source variable=1,3).....	8850	1.06

A respondent was defined as having used a needle to inject drugs based on the core-plus-noncore questions, CPNNDFLG, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the stimulants or special drugs module (STNEDL06), or any other drug (OTDGNEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

CPNNDFLG Len : 1 CPN: EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
0 = Never Used/Unknown (Otherwise).....	495602	59.23
1 = Ever Used (Any source variable=1,3).....	6235	0.75

RECODED SPECIAL DRUGS

NEDSTM	Len : 1 EVER USED A NEEDLE TO INJECT STIMULANT		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	718633	85.89
	1 = Yes (STNEEDLR=1,3).....	4020	0.48

CPNNDSTM	Len : 1 CPN: EVER USED A NEEDLE TO INJECT STIMULANT		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No/Unknown (Otherwise).....	498755	59.61
	1 = Yes (STNEDL06=1).....	3082	0.37

NEDMTH	Len : 1 EVER USED A NEEDLE TO INJECT METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	719520	86.00
	1 = Yes (MTHNEEDL=1,3)	3133	0.37

The following variable, CPNNDMTH, was defined as ever using a needle to inject methamphetamine if a respondent reported methamphetamine use in the core stimulant module (MTHNEEDL in (1, 3)) or if they reported methamphetamine use in the noncore special drugs module because they did not consider methamphetamine to be a prescription drug, and they reported using a needle to inject methamphetamine (MTHANEDL in (1, 3)).

CPNNDMTH	Len : 1 CPN: EVER USED A NEEDLE TO INJECT METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No/Unknown (Otherwise).....	499299	59.68
	1 = Yes (See comment above)	2538	0.30

ADDEFLGR	Len : 1 LIFETIME NONMEDICAL USE OF ADDERALL		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	475475	56.83
	1 = Yes (ADDEREC=1,2,3,8,9).....	26362	3.15

ADDEYRR	Len : 1 PAST YEAR NONMEDICAL USE OF ADDERALL		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	490624	58.64
	1 = Yes (ADDEREC=1,2,8)	11213	1.34

ADDEMONR	Len : 1 PAST MONTH NONMEDICAL USE OF ADDERALL		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	498503	59.58
	1 = Yes (ADDEREC=1)	3334	0.40

AMBIFLGR	Len : 1 LIFETIME NONMEDICAL USE OF AMBIEN		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	489994	58.56
	1 = Yes (AMBIREC=1,2,3,8,9)	11843	1.42

AMBIYRR	Len : 1 PAST YEAR NONMEDICAL USE OF AMBIEN		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	497629	59.48
	1 = Yes (AMBIREC=1,2,8)	4208	0.50

AMBIMONR	Len : 1 PAST MONTH NONMEDICAL USE OF AMBIEN		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	500810	59.86
	1 = Yes (AMBIREC=1)	1027	0.12

RECODED SPECIAL DRUGS

KETAFLGR	Len : 1 LIFETIME USE OF KETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	496247	59.31
	1 = Yes (KETAREC=1,2,3,8,9)	5590	0.67
KETAYRR	Len : 1 PAST YEAR USE OF KETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	501019	59.88
	1 = Yes (KETAREC=1,2,8)	818	0.10
KETAMONR	Len : 1 PAST MONTH USE OF KETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	501647	59.96
	1 = Yes (KETAREC=1)	190	0.02
SALVFLGR	Len : 1 LIFETIME USE OF SALVIA DIVINORUM		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	486702	58.17
	1 = Yes (SALVREC=1,2,3,8,9)	15135	1.81
SALVYRR	Len : 1 PAST YEAR USE OF SALVIA DIVINORUM		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	497976	59.52
	1 = Yes (SALVREC=1,2,8)	3861	0.46
SALVMONR	Len : 1 PAST MONTH USE OF SALVIA DIVINORUM		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	501182	59.90
	1 = Yes (SALVREC=1)	655	0.08
TRYPFLGR	Len : 1 LIFETIME USE OF DMT, AMT, FOXY		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	498389	59.57
	1 = Yes (TRYPREC=1,2,3,8,9)	3448	0.41
TRYPYRR	Len : 1 PAST YEAR USE OF DMT, AMT, FOXY		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	500875	59.86
	1 = Yes (TRYPREC=1,2,8)	962	0.11
TRYPMONR	Len : 1 PAST MONTH USE OF DMT, AMT, FOXY		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	0 = No (Otherwise)	501639	59.95
	1 = Yes (TRYPREC=1)	198	0.02

RECODED SPECIAL DRUGS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

ANYNDLREC¹	Len : 2 RC-MOST RECENT USE OF ANY DRUG WITH A NEEDLE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	207	0.02
	2 = More than 30 days ago but within the past 12 mos	187	0.02
	3 = More than 12 months ago	1217	0.15
	8 = At some point in the past 12 months LOG ASSN.....	1	0.00
	9 = At some point in the lifetime LOG ASSN.....	14	0.00
	13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
	81 = NEVER USED COC/HER/STM W/NEEDLE Log assn	2	0.00
	91 = NEVER USED COC/HER/STM WITH A NEEDLE	112272	13.42
	97 = REFUSED	68	0.01
	98 = MISSING (BUT NOT REFUSED).....	74	0.01

CHMNDLREC¹	Len : 2 RC-MOST RECENT USE OF COC/HER/METH WITH A NEEDLE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Within the past 30 days.....	181	0.02
	2 = More than 30 days ago but within the past 12 mos	171	0.02
	3 = More than 12 months ago	1083	0.13
	9 = At some point in the lifetime LOG ASSN.....	5	0.00
	13 = More than 12 months ago LOGICALLY ASSIGNED.....	11	0.00
	91 = NEVER USED COC/HER/STM WITH A NEEDLE	112344	13.43
	97 = REFUSED	33	0.00
	98 = MISSING (BUT NOT REFUSED).....	215	0.03

ANYNEEDL	Len : 1 RC-EVER USED NEEDLE TO INJECT DRUGS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	112416	13.44
	1 = Yes (ANYNDLREC=1,2,3,8,9,13).....	1627	0.19

NEDHER	Len : 1 RC-EVER USED A NEEDLE TO INJECT HEROIN		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	831515	99.38
	1 = Yes (HERNEEDL=1,3)	5181	0.62

NEDCOC	Len : 1 RC-EVER USED A NEEDLE TO INJECT COCAINE		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	831416	99.37
	1 = Yes (COCNEEDL=1,3)	5280	0.63

METHNEEDL2	Len : 1 RC-EVER USED NEEDLE TO INJECT METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113336	13.55
	1 = Yes (METHNEEDL=1,3).....	707	0.08

HERSMOK2	Len : 1 RC-EVER SMOKED HEROIN		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	832263	99.47
	1 = Yes (HERSMOKE=1,3)	4433	0.53

HERSNIF2	Len : 1 RC-EVER SNIFFED HEROIN		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	828254	98.99
	1 = Yes (HERSNIFF=1,3)	8442	1.01

RECODED SPECIAL DRUGS

COLDFLGR	Len : 1 RC-LIFETIME USE OF NON-RX COUGH OR COLD MEDICINES		
		Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	0 = No (Otherwise)	590122	70.53
	1 = Yes (COLDREC=1,2,3,8,9).....	25758	3.08
COLDYRR	Len : 1 RC-PAST YEAR USE OF NON-RX COUGH OR COLD MEDICINES		
		Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	0 = No (Otherwise)	609527	72.85
	1 = Yes (COLDREC=1,2,8 and OTCFLAG=98).....	6353	0.76
COLDMONR	Len : 1 RC-PAST MONTH USE OF NON-RX COUGH OR COLD MEDICINES		
		Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	0 = No (Otherwise)	614179	73.41
	1 = Yes (COLDREC=1 and OTCFLAG=98).....	1701	0.20
GHBFLGR	Len : 1 RC-LIFETIME USE OF GHB		
		Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	0 = No (Otherwise)	612856	73.25
	1 = Yes (GHBREC=1,2,3,8,9)	3024	0.36
GHBYRR	Len : 1 RC-PAST YEAR USE OF GHB		
		Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	0 = No (Otherwise)	615558	73.57
	1 = Yes (GHBREC=1,2,8).....	322	0.04
GHBMONR	Len : 1 RC-PAST MONTH USE OF GHB		
		Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	0 = No (Otherwise)	615794	73.60
	1 = Yes (GHBREC=1).....	86	0.01

RECODED SPECIALTY CIGARETTES

RECODED SPECIALTY CIGARETTES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

BIDIMONR	Len : 1 BIDIS - PAST MONTH USE		
	-9 = Data not collected for this year	Freq	Pct
	0 = No Use Pst Mon/Unk (BIDIREC=2-4,9,19,85,91,97,98).....	727387	86.94
	1 = Used in Past Month (BIDIREC=1)	108701	12.99
		608	0.07
BIDIYRR	Len : 1 BIDIS - PAST YEAR USE		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No Use Pst Yr/Unk (BIDIREC=3,4,9,19,85,91,97,98)	727387	86.94
	1 = Used in Past Year (BIDIREC=1,2)	107877	12.89
		1432	0.17
BIDIFLGR	Len : 1 BIDIS - LIFETIME USE		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = Never Used/Unknown (BIDIREC=85,91,97,98)	727387	86.94
	1 = Ever used (BIDIREC=1,2,3,4,9,19).....	101240	12.10
		8069	0.96
CLOVMONR	Len : 1 CLOVES - PAST MONTH USE		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = No Use Pst Mon/Unk (CLOVREC=2-4,9,19,85,91,97,98).....	727387	86.94
	1 = Used in Past Month (CLOVREC=1).....	107959	12.90
		1350	0.16
CLOVYRR	Len : 1 CLOVES - PAST YEAR USE		
	-9 = Data not collected for this year	Freq	Pct
	0 = No Use Pst Yr/Unk (CLOVREC=3,4,9,19,85,91,97,98).....	727387	86.94
	1 = Used in Past Year (CLOVREC=1,2).....	106089	12.68
		3220	0.38
CLOVFLGR	Len : 1 CLOVES - LIFETIME USE		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = Never Used/Unknown (CLOVREC=85,91,97,98).....	727387	86.94
	1 = Ever used (CLOVREC=1,2,3,4,9,19)	95961	11.47
		13348	1.60
SPCGMONR	Len : 1 SPECIALTY CIGARETTES - PAST MONTH USE		
	-9 = Data not collected for this year	Freq	Pct
	0 = No use Pst Mon/Unknown (BIDIMONR=0 and CLOVMONR=0).....	727387	86.94
	1 = Used in Past Month (BIDIMONR=1 or CLOVMONR=1)	107488	12.85
		1821	0.22
SPCGYRR	Len : 1 SPECIALTY CIGARETTES - PAST YEAR USE		
	-9 = Data not collected for this year	Freq	Pct
	0 = No use Pst Yr/Unknown (BIDIYRR=0 and CLOVYRR=0).....	727387	86.94
	1 = Used in Past Year (BIDIYRR=1 or CLOVYRR=1)	105160	12.57
		4149	0.50
SPCGFLGR	Len : 1 SPECIALTY CIGARETTES - LIFETIME USE		
	-9 = Data not collected for this year	Freq	Pct
	0 = Never Used/Unknown (BIDIFLGR=0 and CLOVFLGR=0)	727387	86.94
	1 = Ever used (BIDIFLGR=1 or CLOVFLGR=1)	92070	11.00
		17239	2.06

RISK/AVAILABILITY

RISK/AVAILABILITY

This note applies to variables in this section marked by a¹.

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

RSKPKCIG Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = No risk	14191	1.70
2 = Slight risk	39788	4.76
3 = Moderate risk	171906	20.55
4 = Great risk	491919	58.79
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	4005	0.48
97 = REFUSED	788	0.09
98 = BLANK (NO ANSWER)	53	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

RSKMJOCC Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = No risk	110548	13.21
2 = Slight risk	205312	24.54
3 = Moderate risk	190175	22.73
4 = Great risk	207330	24.78
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	8553	1.02
97 = REFUSED	679	0.08
98 = BLANK (NO ANSWER)	53	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

RSKMJREG Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = No risk	74923	8.95
2 = Slight risk	146731	17.54
3 = Moderate risk	193445	23.12
4 = Great risk	298617	35.69
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	8215	0.98
97 = REFUSED	665	0.08
98 = BLANK (NO ANSWER)	54	0.01

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

RKTRYLSD Len : 2 RISK TRYING LSD ONCE OR TWICE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = No risk	18261	2.18
2 = Slight risk	88917	10.63
3 = Moderate risk	157369	18.81
4 = Great risk	436044	52.11
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	21069	2.52
97 = REFUSED	934	0.11
98 = BLANK (NO ANSWER)	56	0.01

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

RKLSDREG Len : 2 RISK USING LSD ONCE OR TWICE A WEEK		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = No risk		7806	0.93
2 = Slight risk		22458	2.68
3 = Moderate risk		95835	11.45
4 = Great risk		575144	68.74
85 = BAD DATA Logically assigned		3	0.00
94 = DON'T KNOW		20422	2.44
97 = REFUSED		929	0.11
98 = BLANK (NO ANSWER)		56	0.01

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

RKTRYHER Len : 2 RISK TRYING HEROIN ONCE OR TWICE		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = No risk		10254	1.23
2 = Slight risk		53737	6.42
3 = Moderate risk		119207	14.25
4 = Great risk		526938	62.98
85 = BAD DATA Logically assigned		3	0.00
94 = DON'T KNOW		11670	1.39
97 = REFUSED		787	0.09
98 = BLANK (NO ANSWER)		57	0.01

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

RKHERRREG Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = No risk		6273	0.75
2 = Slight risk		11810	1.41
3 = Moderate risk		52296	6.25
4 = Great risk		640534	76.56
85 = BAD DATA Logically assigned		3	0.00
94 = DON'T KNOW		10936	1.31
97 = REFUSED		744	0.09
98 = BLANK (NO ANSWER)		57	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

RKCOCOCC Len : 2 RISK USING COCAINE ONCE A MONTH		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = No risk		14006	1.67
2 = Slight risk		79462	9.50
3 = Moderate risk		173504	20.74
4 = Great risk		444640	53.14
85 = BAD DATA Logically assigned		3	0.00
94 = DON'T KNOW		10312	1.23
97 = REFUSED		668	0.08
98 = BLANK (NO ANSWER)		58	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

RKCOCREG Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = No risk		6700	0.80
2 = Slight risk		18898	2.26
3 = Moderate risk		81217	9.71
4 = Great risk		605580	72.38
85 = BAD DATA Logically assigned		3	0.00
94 = DON'T KNOW		9520	1.14
97 = REFUSED		677	0.08
98 = BLANK (NO ANSWER)		58	0.01

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

RK5ALDLY Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = No risk	9937	1.19
2 = Slight risk	57772	6.90
3 = Moderate risk	187157	22.37
4 = Great risk	462782	55.31
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	4330	0.52
97 = REFUSED	614	0.07
98 = BLANK (NO ANSWER)	58	0.01

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

RK5ALWK Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = No risk	26538	3.17
2 = Slight risk	145196	17.35
3 = Moderate risk	272464	32.56
4 = Great risk	273042	32.63
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	4802	0.57
97 = REFUSED	550	0.07
98 = BLANK (NO ANSWER)	58	0.01

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

RSKDIFMJ Len : 2 HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Probably impossible	99192	11.86
2 = Very difficult	74570	8.91
3 = Fairly difficult	91070	10.88
4 = Fairly easy	202080	24.15
5 = Very easy	234762	28.06
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	18671	2.23
97 = REFUSED	2241	0.27
98 = BLANK (NO ANSWER)	64	0.01

How difficult or easy would it be for you to get some LSD, if you wanted some?

RKDIFLSD Len : 2 HOW DIFFICULT TO GET LSD

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Probably impossible	245086	29.29
2 = Very difficult	165839	19.82
3 = Fairly difficult	151967	18.16
4 = Fairly easy	85895	10.27
5 = Very easy	31638	3.78
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	39927	4.77
97 = REFUSED	2233	0.27
98 = BLANK (NO ANSWER)	65	0.01

RISK/AVAILABILITY

How difficult or easy would it be for you to get some cocaine, if you wanted some?

RKDIFCOC	Len : 2 HOW DIFFICULT TO GET COCAINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Probably impossible.....	203510	24.32
	2 = Very difficult	149535	17.87
	3 = Fairly difficult.....	135360	16.18
	4 = Fairly easy	126534	15.12
	5 = Very easy	74181	8.87
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	31342	3.75
	97 = REFUSED	2122	0.25
	98 = BLANK (NO ANSWER)	66	0.01

How difficult or easy would it be for you to get some 'crack', if you wanted some?

RKDIFCRK	Len : 2 HOW DIFFICULT TO GET "CRACK"		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Probably impossible.....	224278	26.81
	2 = Very difficult	157957	18.88
	3 = Fairly difficult.....	126073	15.07
	4 = Fairly easy	106250	12.70
	5 = Very easy	72966	8.72
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	32957	3.94
	97 = REFUSED	2103	0.25
	98 = BLANK (NO ANSWER)	66	0.01

How difficult or easy would it be for you to get some heroin, if you wanted some?

RKDIFHER	Len : 2 HOW DIFFICULT TO GET HEROIN		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Probably impossible.....	274544	32.81
	2 = Very difficult	177273	21.19
	3 = Fairly difficult.....	120504	14.40
	4 = Fairly easy	70885	8.47
	5 = Very easy	41645	4.98
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	35664	4.26
	97 = REFUSED	2069	0.25
	98 = BLANK (NO ANSWER)	66	0.01

In the past 30 days, has anyone approached you to sell you an illegal drug?

RSKSELL	Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	90350	10.80
	2 = No.....	631257	75.45
	85 = BAD DATA Logically assigned	17	0.00
	94 = DON'T KNOW	590	0.07
	97 = REFUSED	373	0.04
	98 = BLANK (NO ANSWER)	66	0.01

RISK/AVAILABILITY

How often do you get a real kick out of doing things that are a little dangerous?

RKFQDNGR Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = Never		283223	33.85
2 = Seldom.....		225913	27.00
3 = Sometimes		175336	20.96
4 = Always.....		32822	3.92
85 = BAD DATA Logically assigned		3	0.00
94 = DON'T KNOW		4041	0.48
97 = REFUSED		1249	0.15
98 = BLANK (NO ANSWER)		66	0.01

How often do you like to test yourself by doing something a little risky?

RKFQRSKY Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = Never		281880	33.69
2 = Seldom.....		261560	31.26
3 = Sometimes		152299	18.20
4 = Always.....		23882	2.85
85 = BAD DATA Logically assigned		3	0.00
94 = DON'T KNOW		2175	0.26
97 = REFUSED		787	0.09
98 = BLANK (NO ANSWER)		67	0.01

NOTE: The risk and availability data were revisited using the 2016 NSDUH data to determine comparability stemming from a questionnaire redesign that occurred in the 2015 NSDUH. The variables in this section are considered to be comparable between 2015 and 2016 but not comparable to the 2014 NSDUH or prior years. The 2016 variables are renamed and the 2015 variables will be renamed to match the 2016 names when the files are updated in the future.

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

RSKCIGPKD ¹ Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY		Freq	Pct
-9 = Data not collected for this year		722653	86.37
1 = No risk		3541	0.42
2 = Slight risk.....		6133	0.73
3 = Moderate risk.....		24378	2.91
4 = Great risk		79010	9.44
94 = DON'T KNOW		826	0.10
97 = REFUSED		142	0.02
98 = BLANK (NO ANSWER)		13	0.00

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

RSKMRJMON ¹ Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH		Freq	Pct
-9 = Data not collected for this year		722653	86.37
1 = No risk		28869	3.45
2 = Slight risk.....		32379	3.87
3 = Moderate risk.....		24275	2.90
4 = Great risk		26889	3.21
94 = DON'T KNOW		1453	0.17
97 = REFUSED		165	0.02
98 = BLANK (NO ANSWER)		13	0.00

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

RSKMRJWK¹ Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	23545	2.81
2 = Slight risk	27783	3.32
3 = Moderate risk	26057	3.11
4 = Great risk	35011	4.18
94 = DON'T KNOW	1487	0.18
97 = REFUSED	147	0.02
98 = BLANK (NO ANSWER)	13	0.00

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

RSKLSDTRY¹ Len : 2 RISK TRYING LSD ONCE OR TWICE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	4033	0.48
2 = Slight risk	13699	1.64
3 = Moderate risk	23222	2.78
4 = Great risk	69625	8.32
94 = DON'T KNOW	3253	0.39
97 = REFUSED	198	0.02
98 = BLANK (NO ANSWER)	13	0.00

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

RSKLSDWK¹ Len : 2 RISK USING LSD ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	1945	0.23
2 = Slight risk	4387	0.52
3 = Moderate risk	16159	1.93
4 = Great risk	88089	10.53
94 = DON'T KNOW	3257	0.39
97 = REFUSED	193	0.02
98 = BLANK (NO ANSWER)	13	0.00

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

RSKHERTRY¹ Len : 2 RISK TRYING HEROIN ONCE OR TWICE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	1781	0.21
2 = Slight risk	5586	0.67
3 = Moderate risk	13884	1.66
4 = Great risk	90761	10.85
94 = DON'T KNOW	1874	0.22
97 = REFUSED	143	0.02
98 = BLANK (NO ANSWER)	14	0.00

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

RSKHERWK¹ Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	1400	0.17
2 = Slight risk	1409	0.17
3 = Moderate risk	6231	0.74
4 = Great risk	103054	12.32
94 = DON'T KNOW	1793	0.21
97 = REFUSED	142	0.02
98 = BLANK (NO ANSWER)	14	0.00

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

RSKCOCMON¹ Len : 2 RISK USING COCAINE ONCE A MONTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	2589	0.31
2 = Slight risk	10769	1.29
3 = Moderate risk	23194	2.77
4 = Great risk	75551	9.03
94 = DON'T KNOW	1783	0.21
97 = REFUSED	143	0.02
98 = BLANK (NO ANSWER)	14	0.00

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

RSKCOCWK¹ Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	1470	0.18
2 = Slight risk	3034	0.36
3 = Moderate risk	12090	1.44
4 = Great risk	95579	11.42
94 = DON'T KNOW	1712	0.20
97 = REFUSED	144	0.02
98 = BLANK (NO ANSWER)	14	0.00

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

RSKBNGDLY¹ Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	1823	0.22
2 = Slight risk	8737	1.04
3 = Moderate risk	28415	3.40
4 = Great risk	74019	8.85
94 = DON'T KNOW	911	0.11
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER)	14	0.00

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

RSKBNGWK¹ Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = No risk	4093	0.49
2 = Slight risk	21046	2.52
3 = Moderate risk	40298	4.82
4 = Great risk	47509	5.68
94 = DON'T KNOW	958	0.11
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER)	14	0.00

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

DIFGETMRJ¹ Len : 2 HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Probably impossible	17160	2.05
2 = Very difficult	11937	1.43
3 = Fairly difficult	14181	1.69
4 = Fairly easy	31000	3.71
5 = Very easy	36193	4.33
94 = DON'T KNOW	3034	0.36
97 = REFUSED	522	0.06
98 = BLANK (NO ANSWER)	16	0.00

RISK/AVAILABILITY

How difficult or easy would it be for you to get some LSD, if you wanted some?

DIFGETLSD¹ Len : 2 HOW DIFFICULT TO GET LSD

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Probably impossible.....	44625	5.33
2 = Very difficult	26827	3.21
3 = Fairly difficult.....	21046	2.52
4 = Fairly easy	10885	1.30
5 = Very easy.....	4317	0.52
94 = DON'T KNOW	5815	0.69
97 = REFUSED	512	0.06
98 = BLANK (NO ANSWER)	16	0.00

How difficult or easy would it be for you to get some cocaine, if you wanted some?

DIFGETCOC¹ Len : 2 HOW DIFFICULT TO GET COCAINE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Probably impossible.....	39922	4.77
2 = Very difficult	25419	3.04
3 = Fairly difficult.....	19601	2.34
4 = Fairly easy	15545	1.86
5 = Very easy.....	8137	0.97
94 = DON'T KNOW	4892	0.58
97 = REFUSED	511	0.06
98 = BLANK (NO ANSWER)	16	0.00

How difficult or easy would it be for you to get some 'crack', if you wanted some?

DIFGETCRK¹ Len : 2 HOW DIFFICULT TO GET "CRACK"

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Probably impossible.....	44753	5.35
2 = Very difficult	26794	3.20
3 = Fairly difficult.....	17235	2.06
4 = Fairly easy	12135	1.45
5 = Very easy.....	7383	0.88
94 = DON'T KNOW	5214	0.62
97 = REFUSED	513	0.06
98 = BLANK (NO ANSWER)	16	0.00

How difficult or easy would it be for you to get some heroin, if you wanted some?

DIFGETHER¹ Len : 2 HOW DIFFICULT TO GET HEROIN

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Probably impossible.....	48497	5.80
2 = Very difficult	26808	3.20
3 = Fairly difficult.....	15793	1.89
4 = Fairly easy	10393	1.24
5 = Very easy.....	6752	0.81
94 = DON'T KNOW	5273	0.63
97 = REFUSED	511	0.06
98 = BLANK (NO ANSWER)	16	0.00

In the past 30 days, has anyone approached you to sell you an illegal drug?

APPDRGMON¹ Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	9730	1.16
2 = No.....	104101	12.44
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	92	0.01
97 = REFUSED	101	0.01
98 = BLANK (NO ANSWER)	16	0.00

RISK/AVAILABILITY

How often do you get a real kick out of doing things that are a little dangerous?

RSKYFQDGR¹	Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Never	52061	6.22
	2 = Seldom.....	33609	4.02
	3 = Sometimes	22740	2.72
	4 = Always.....	4221	0.50
	94 = DON'T KNOW	1065	0.13
	97 = REFUSED	331	0.04
	98 = BLANK (NO ANSWER)	16	0.00

How often do you like to test yourself by doing something a little risky?

RSKYFQTES¹	Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Never	52336	6.26
	2 = Seldom.....	38622	4.62
	3 = Sometimes	19370	2.32
	4 = Always.....	2955	0.35
	94 = DON'T KNOW	515	0.06
	97 = REFUSED	229	0.03
	98 = BLANK (NO ANSWER)	16	0.00

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

RKFQPBLT	Len : 2 WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR		
		Freq	Pct
	1 = Never	29163	3.49
	2 = Seldom.....	44649	5.34
	3 = Sometimes	119616	14.30
	4 = Always.....	642332	76.77
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	472	0.06
	97 = REFUSED	378	0.05
	98 = BLANK (NO ANSWER)	83	0.01

How often do you wear a seatbelt when you drive a car?

RKFQDBLT	Len : 2 WEAR A SEATBELT WHEN YOU DRIVE A CAR		
		Freq	Pct
	1 = Never	25030	2.99
	2 = Seldom.....	27787	3.32
	3 = Sometimes	63443	7.58
	4 = Always.....	523797	62.60
	5 = I don't drive.....	195208	23.33
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	761	0.09
	97 = REFUSED	583	0.07
	98 = BLANK (NO ANSWER)	84	0.01

RECODED RISK/AVAILABILITY

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

GRSKPKCG	Len : 1 RC UNKCOM-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
	. = Unknown (Otherwise).....	Freq	Pct
		4849	0.58
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RSKPKCIG=1,2,3).....	225885	27.00
	1 = Great Risk (RSKPKCIG=4).....	491919	58.79

GRSKMOCC	Len : 1 RC UNKCOM-GREAT RISK: USE MARIJUANA ONCE A MONTH		
	. = Unknown (Otherwise).....	Freq	Pct
		9288	1.11
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RSKMJOCC=1,2,3).....	506035	60.48
	1 = Great Risk (RSKMJOCC=4).....	207330	24.78

GRSKMREG	Len : 1 RC UNKCOM-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	Freq	Pct
		8937	1.07
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RSKMJREG=1,2,3).....	415099	49.61
	1 = Great Risk (RSKMJREG=4).....	298617	35.69

GRSKCOCC	Len : 1 RC UNKCOM-GREAT RISK: USE COCAINE ONCE A MONTH		
	. = Unknown (Otherwise).....	Freq	Pct
		11041	1.32
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKCOCOCC=1,2,3).....	266972	31.91
	1 = Great Risk (RKCOCOCC=4).....	444640	53.14

GRSKCREG	Len : 1 RC UNKCOM-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	Freq	Pct
		10258	1.23
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKCOCREG=1,2,3).....	106815	12.77
	1 = Great Risk (RKCOCREG=4).....	605580	72.38

GRSKHTRY	Len : 1 RC UNKCOM-GREAT RISK: TRYING HEROIN ONCE OR TWICE		
	. = Unknown (Otherwise).....	Freq	Pct
		12517	1.50
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKTRYHER=1,2,3).....	183198	21.90
	1 = Great Risk (RKTRYHER=4).....	526938	62.98

GRSKHREG	Len : 1 RC UNKCOM-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	Freq	Pct
		11740	1.40
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKHERREG=1,2,3).....	70379	8.41
	1 = Great Risk (RKHERREG=4).....	640534	76.56

GRSKLTRY	Len : 1 RC UNKCOM-GREAT RISK: TRYING LSD ONCE OR TWICE		
	. = Unknown (Otherwise).....	Freq	Pct
		22062	2.64
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKTRYLSD=1,2,3).....	264547	31.62
	1 = Great Risk (RKTRYLSD=4).....	436044	52.11

RECODED RISK/AVAILABILITY

GRSKLREG	Len : 1 RC UNKCOM-GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise).....	21410	2.56
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKLSDREG=1,2,3).....	126099	15.07
1 = Great Risk (RKLSDREG=4).....	575144	68.74	
GRSKD4_5	Len : 1 RC UNKCOM-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
		Freq	Pct
	. = Unknown (Otherwise).....	5005	0.60
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RK5ALDLY=1,2,3).....	254866	30.46
1 = Great Risk (RK5ALDLY=4).....	462782	55.31	
GRSKD5WK	Len : 1 RC UNKCOM-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise).....	5413	0.65
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RK5ALWK=1,2,3).....	444198	53.09
1 = Great Risk (RK5ALWK=4).....	273042	32.63	
RDIFMJ	Len : 1 RC UNKCOM-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	20979	2.51
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RSKDIFMJ=1,2,3).....	264832	31.65
1 = Fairly or Very Easy (RSKDIFMJ=4,5).....	436842	52.21	
RDIFCOC	Len : 1 RC UNKCOM-COCAINE FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	33533	4.01
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKDIFCOC=1,2,3).....	488405	58.37
1 = Fairly or Very Easy (RKDIFCOC=4,5).....	200715	23.99	
RDIFCRK	Len : 1 RC UNKCOM-CRACK FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	35129	4.20
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKDIFCRK=1,2,3).....	508308	60.75
1 = Fairly or Very Easy (RKDIFCRK=4,5).....	179216	21.42	
RDIFHER	Len : 1 RC UNKCOM-HEROIN FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	37802	4.52
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKDIFHER=1,2,3).....	572321	68.40
1 = Fairly or Very Easy (RKDIFHER=4,5).....	112530	13.45	
RDIFLSD	Len : 1 RC UNKCOM-LSD FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	42228	5.05
	-9 = Data not collected for this year.....	114043	13.63
	0 = Otherwise (RKDIFLSD=1,2,3).....	562892	67.28
1 = Fairly or Very Easy (RKDIFLSD=4,5).....	117533	14.05	
APPSELDG	Len : 1 RC UNKCOM-APPROACHED BY SOMEONE SELLING DRUGS		
		Freq	Pct
	. = Unknown (Otherwise).....	1046	0.13
	-9 = Data not collected for this year.....	114043	13.63
	0 = No (RSKSELL=2).....	631257	75.45
1 = Yes (RSKSELL=1,3).....	90350	10.80	

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: The risk and availability data were revisited using the 2016 NSDUH data to determine comparability stemming from a questionnaire redesign that occurred in the 2015 NSDUH. The variables in this section are considered to be comparable between 2015 and 2016 but not comparable to the 2014 NSDUH or prior years. The 2016 variables are renamed and the 2015 variables will be renamed to match the 2016 names when the files are updated in the future.

GRSKCIGPKD	Len : 1 RC-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	981	0.12
	0 = Otherwise (RSKCIGPKD=1,2,3).....	722653	86.37
	1 = Great Risk (RSKCIGPKD=4).....	34052	4.07
		79010	9.44

GRSKMRJMON	Len : 1 RC-GREAT RISK: USE MARIJUANA ONCE A MONTH		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	1631	0.19
	0 = Otherwise (RSKMRJMON=1,2,3).....	722653	86.37
	1 = Great Risk (RSKMRJMON=4).....	85523	10.22
		26889	3.21

GRSKMRJWK	Len : 1 RC-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	1647	0.20
	0 = Otherwise (RSKMRJWK=1,2,3).....	722653	86.37
	1 = Great Risk (RSKMRJWK=4).....	77385	9.25
		35011	4.18

GRSKCOCMON	Len : 1 RC-GREAT RISK: USE COCAINE ONCE A MONTH		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	1940	0.23
	0 = Otherwise (RSKCOCMON=1,2,3).....	722653	86.37
	1 = Great Risk (RSKCOCMON=4).....	36552	4.37
		75551	9.03

GRSKCOCWK	Len : 1 RC-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	1870	0.22
	0 = Otherwise (RSKCOCWK=1,2,3).....	722653	86.37
	1 = Great Risk (RSKCOCWK=4).....	16594	1.98
		95579	11.42

GRSKHERTRY	Len : 1 RC-GREAT RISK: TRYING HEROIN ONCE OR TWICE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	2031	0.24
	0 = Otherwise (RSKHERTRY=1,2,3).....	722653	86.37
	1 = Great Risk (RSKHERTRY=4).....	21251	2.54
		90761	10.85

GRSKHERWK	Len : 1 RC-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	1949	0.23
	0 = Otherwise (RSKHERWK=1,2,3).....	722653	86.37
	1 = Great Risk (RSKHERWK=4).....	9040	1.08
		103054	12.32

GRSKLSDTRY	Len : 1 RC-GREAT RISK: TRYING LSD ONCE OR TWICE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	3464	0.41
	0 = Otherwise (RSKLSLSDTRY=1,2,3).....	722653	86.37
	1 = Great Risk (RSKLSLSDTRY=4).....	40954	4.89
		69625	8.32

RECODED RISK/AVAILABILITY

GRSKLSDWK	Len : 1 RC-GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise).....	3463	0.41
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (RSKLSWDK=1,2,3).....	22491	2.69
1 = Great Risk (RSKLSWDK=4).....	88089	10.53	
GRSKBNGDLY	Len : 1 RC-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
		Freq	Pct
	. = Unknown (Otherwise).....	1049	0.13
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (RSKBNGDLY=1,2,3).....	38975	4.66
1 = Great Risk (RSKBNGDLY=4).....	74019	8.85	
GRSKBNGWK	Len : 1 RC-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
		Freq	Pct
	. = Unknown (Otherwise).....	1097	0.13
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (RSKBNGWK=1,2,3).....	65437	7.82
1 = Great Risk (RSKBNGWK=4).....	47509	5.68	
DIFOBTRMJ	Len : 1 RC-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	3572	0.43
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (DIFGETMRJ=1,2,3).....	43278	5.17
1 = Fairly or Very Easy (DIFGETMRJ=4,5).....	67193	8.03	
DIFOBTCOC	Len : 1 RC-COCAINE FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	5419	0.65
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (DIFGETCOC=1,2,3).....	84942	10.15
1 = Fairly or Very Easy (DIFGETCOC=4,5).....	23682	2.83	
DIFOBTCRK	Len : 1 RC-CRACK FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	5743	0.69
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (DIFGETCRK=1,2,3).....	88782	10.61
1 = Fairly or Very Easy (DIFGETCRK=4,5).....	19518	2.33	
DIFOBTHER	Len : 1 RC-HEROIN FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	5800	0.69
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (DIFGETHER=1,2,3).....	91098	10.89
1 = Fairly or Very Easy (DIFGETHER=4,5).....	17145	2.05	
DIFOBTLSD	Len : 1 RC-LSD FAIRLY OR VERY EASY TO OBTAIN		
		Freq	Pct
	. = Unknown (Otherwise).....	6343	0.76
	-9 = Data not collected for this year.....	722653	86.37
	0 = Otherwise (DIFGETLSD=1,2,3).....	92498	11.06
1 = Fairly or Very Easy (DIFGETLSD=4,5).....	15202	1.82	
APPDRGMON2	Len : 1 RC-APPROACHED BY SOMEONE SELLING DRUGS		
		Freq	Pct
	. = Unknown (Otherwise).....	212	0.03
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (APPDRGMON=2).....	104101	12.44
1 = Yes (APPDRGMON=1,3).....	9730	1.16	

BLUNTS

BLUNTS

This note applies to variables in this section marked by a¹.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Have you ever smoked part or all of a cigar with marijuana in it?

BLNTEVER	Len : 2	EVER SMOKED CIGAR WITH MARIJUANA IN IT		
			Freq	Pct
		-9 = Data not collected for this year.....	109309	13.06
		1 = Yes.....	156794	18.74
		2 = No.....	565183	67.55
		4 = No LOGICALLY ASSIGNED.....	251	0.03
		11 = Yes (see note).....	4075	0.49
		85 = BAD DATA Logically assigned.....	5	0.00
		94 = DON'T KNOW.....	497	0.06
		97 = REFUSED.....	505	0.06
		98 = BLANK (NO ANSWER).....	77	0.01

How old were you the first time you smoked part or all of a cigar with marijuana in it?

BLNTAGE	Len : 3	AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT		
			Freq	Pct
		RANGE = 1 - 76.....	147747	17.66
		-9 = Data not collected for this year.....	164911	19.71
		981 = NEVER USED BLUNTS Logically assigned.....	222	0.03
		985 = BAD DATA Logically assigned.....	51	0.01
		991 = NEVER USED BLUNTS.....	520956	62.26
		994 = DON'T KNOW.....	1434	0.17
		997 = REFUSED.....	830	0.10
		998 = BLANK (NO ANSWER).....	545	0.07

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

BLNTYFU	Len : 4	YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE		
			Freq	Pct
		RANGE = 2003 - 2016.....	21518	2.57
		-9 = Data not collected for this year.....	164911	19.71
		9981 = NEVER USED BLUNTS Logically assigned.....	222	0.03
		9985 = BAD DATA Logically assigned.....	444	0.05
		9989 = LEGITIMATE SKIP Logically assigned.....	775	0.09
		9991 = NEVER USED BLUNTS.....	520956	62.26
		9994 = DON'T KNOW.....	1545	0.18
		9997 = REFUSED.....	854	0.10
		9998 = BLANK (NO ANSWER).....	596	0.07
		9999 = LEGITIMATE SKIP.....	124875	14.92

BLUNTS

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

BLNTMFU Len : 2 MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	164911	19.71
1 = January.....	1871	0.22
2 = February.....	1362	0.16
3 = March.....	1539	0.18
4 = April.....	1654	0.20
5 = May.....	1456	0.17
6 = June.....	2487	0.30
7 = July.....	2196	0.26
8 = August.....	1625	0.19
9 = September.....	1428	0.17
10 = October.....	1648	0.20
11 = November.....	1443	0.17
12 = December.....	1292	0.15
81 = NEVER USED BLUNTS Logically assigned.....	222	0.03
85 = BAD DATA Logically assigned.....	444	0.05
89 = LEGITIMATE SKIP Logically assigned.....	775	0.09
91 = NEVER USED BLUNTS.....	520956	62.26
94 = DON'T KNOW.....	2876	0.34
97 = REFUSED.....	905	0.11
98 = BLANK (NO ANSWER).....	731	0.09
99 = LEGITIMATE SKIP.....	124875	14.92

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

BLNTREC Len : 2 TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Within the past 30 days.....	38835	4.64
2 = More than 30 days ago but within the past 12 mos.....	35030	4.19
3 = More than 12 months ago.....	82415	9.85
9 = Used at some point in lifetime LOG ASSN.....	1063	0.13
12 = More than 30 dys ago but in pst 12 mos (see note).....	2251	0.27
19 = More than 30 days ago LOGICALLY ASSIGNED.....	1272	0.15
81 = NEVER USED BLUNTS Logically assigned.....	251	0.03
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED BLUNTS.....	565183	67.55
97 = REFUSED.....	505	0.06
98 = BLANK (NO ANSWER).....	575	0.07

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

BLRECFL2 Len : 2 INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA

	Freq	Pct
-9 = Data not collected for this year.....	164911	19.71
1 = Incidence data suggest more recent use.....	1881	0.22
98 = BLANK (NO ANSWER).....	669904	80.07

BLUNTS

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

BLNT30DY Len : 2 # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	38287	4.58
-9 = Data not collected for this year	109309	13.06
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED BLUNTS	565434	67.58
93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS	120968	14.46
94 = DON'T KNOW	346	0.04
97 = REFUSED	588	0.07
98 = BLANK (NO ANSWER)	1763	0.21

The answer to the last question and an earlier question disagree. Which is correct?

BLNT30C1 Len : 2 BL02/MJ01 DISAGREE, WHICH IS CORRECT

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = I have never used marijuana or hashish.....	251	0.03
2 = I smoked cigar w/mj in it during the past 30 days.....	490	0.06
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	1100	0.13
99 = LEGITIMATE SKIP.....	725537	86.71

The answer to the last question and an earlier question disagree. Which answer is correct?

BLNT30C2 Len : 2 BL02 AND MJ RECENCY DISAGREE, WHICH IS CORRECT

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = I last used marijuana or hashish [MJREC FILL].....	1342	0.16
2 = I smoked cigar w/mj in it during the past 30 days.....	1401	0.17
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	5	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1954	0.23
99 = LEGITIMATE SKIP.....	722680	86.37

Why did you report earlier that you had never used marijuana or hashish?

RSNOMRJ Len : 2 WHY REPORT EARLIER THAT NEVER USED MJ OR HASHISH

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = I didn't consider a "blunt" to be mj or hashish.....	168	0.02
2 = I made mistake answering earlier question about mj.....	271	0.03
3 = Some other reason.....	44	0.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1105	0.13
99 = LEGITIMATE SKIP.....	725788	86.74

Why did you report earlier that you did not use marijuana or hashish during the past 30 days?

RSNMRJMO Len : 2 WHY REPRT EARLIER NOT USE MJ OR HASH PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = I didn't consider a "blunt" to be mj or hashish.....	257	0.03
2 = I made mistake answering earlier question about mj.....	1025	0.12
3 = Some other reason.....	103	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	1961	0.23
99 = LEGITIMATE SKIP.....	724022	86.53

BLUNTS

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

BLNTNOMJ	Len : 2 SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS	Freq	Pct
-9	= Data not collected for this year	109309	13.06
1	= Yes.....	7106	0.85
2	= No.....	5479	0.65
3	= Yes LOGICALLY ASSIGNED.....	15	0.00
5	= Yes LOGICALLY ASSIGNED (from skip pattern)	33566	4.01
14	= USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY.....	12704	1.52
24	= USED BLUNTS PST 30 DY/NEVER USED CIGARS	13365	1.60
91	= NEVER USED CIGARS/BLUNTS	442704	52.91
93	= DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS.....	208755	24.95
94	= DON'T KNOW	5	0.00
97	= REFUSED	3	0.00
98	= BLANK (NO ANSWER)	3685	0.44

NOTE: Past year marijuana users could answer MEDMJYR and MEDMJALL as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use. For more information, please see the appendix titled "Medical Marijuana Variables" and the variables MEDMJFLG and MEDMJCST.

Earlier, you reported using marijuana in the past year. Was any of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

MEDMJYR	Len : 2 ANY MJ USE RECMDED BY DR IN PAST 12 MONTHS	Freq	Pct
-9	= Data not collected for this year	612222	73.17
1	= Yes.....	2912	0.35
2	= No.....	38005	4.54
83	= DID NOT USE MJ OR BLUNT IN THE PST 12 MOS Logically assigned.....	1	0.00
85	= BAD DATA Logically assigned	1	0.00
91	= NEVER USED MARIJUANA OR BLUNTS.....	129284	15.45
93	= DID NOT USE MJ OR BLUNTS PST 12 MOS.....	53015	6.34
94	= DON'T KNOW	18	0.00
97	= REFUSED	90	0.01
98	= BLANK (NO ANSWER)	1148	0.14

Was all of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

MEDMJALL	Len : 2 ALL MJ USE RECMDED BY DR IN PAST 12 MONTHS	Freq	Pct
-9	= Data not collected for this year	612222	73.17
1	= Yes.....	1624	0.19
2	= No.....	1277	0.15
83	= DID NOT USE MJ OR BLUNT IN THE PST 12 MOS Logically assigned.....	1	0.00
85	= BAD DATA Logically assigned	3	0.00
91	= NEVER USED MARIJUANA OR BLUNTS.....	129284	15.45
93	= DID NOT USE MJ OR BLUNTS PST 12 MOS.....	53015	6.34
94	= DON'T KNOW	5	0.00
97	= REFUSED	93	0.01
98	= BLANK (NO ANSWER)	1167	0.14
99	= LEGITIMATE SKIP.....	38005	4.54

BLUNTS

NOTE: MEDMJST2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons was in effect at the time of the interview. The entire sample was classified into two categories. MEDMJST2 was coded as 1 if the respondent was in a State where a law allowing the use of marijuana for medical reasons was in effect on or before the interview date. MEDMJST2 was coded as 2 if (a) the respondent was in a State that did not have a law allowing the use of marijuana for medical reasons at any time during the survey year; or (b) the respondent was in a State where a law allowing the use of marijuana for medical reasons went into effect during the survey year but after the interview date.

MEDMJST2 Len : 1 STATE MEDICAL MJ LAW STATUS AT TIME OF INTERVIEW

	Freq	Pct
-9 = Data not collected for this year	612222	73.17
1 = In State where MJ approvd for med use before intvw	99690	11.91
2 = Not in State MJ approvd for med use/by intvw date	124784	14.91

NOTE: HALDAFLG is a flag variable that indicates differences in how the hallucinogen variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year users from the core HALLUCINOGENS module were routed into the corresponding questions, and how these hallucinogen variables were edited this year. Editing this year took into account logic that routed past year users of ketamine (from KETAREC), the tryptamines DMT, AMT, and 5-MeO-DIPT/"Foxy" (from TRYPREC), and Salvia divinorum (from SALVREC) into these dependence and abuse questions for hallucinogens.

HALDAFLG Len : 2 EDITING FLAG FOR HALLUC DEPENDENCE & ABUSE VARS

	Freq	Pct
-9 = Data not collected for this year	444943	53.18
1 = Never used based on 07/Now: Not past yr user	2470	0.30
2 = Not past yr user based on 07/Now: Blank	5	0.00
3 = Never used based on 07/Now: Blank	850	0.10
4 = Blank based on 07/Now: Past yr user	54	0.01
5 = Not past yr user based on 07/Now: Past yr user	649	0.08
6 = Never used based on 07/Now: Past yr user	893	0.11
98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW)	386832	46.23

Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?

HALLOTTM Len : 2 SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes	1888	0.23
2 = No	23343	2.79
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	77098	9.21
94 = DON'T KNOW	35	0.00
97 = REFUSED	62	0.01
98 = BLANK (NO ANSWER)	5095	0.61

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?

HALGTOVR Len : 2 MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes	627	0.07
2 = No	22696	2.71
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	77098	9.21
94 = DON'T KNOW	48	0.01
97 = REFUSED	69	0.01
98 = BLANK (NO ANSWER)	5096	0.61
99 = LEGITIMATE SKIP	1888	0.23

BLUNTS

During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?

HALLIMIT	Len : 2 SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	5564	0.66
	2 = No.....	19564	2.34
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	90	0.01
	97 = REFUSED	110	0.01
	98 = BLANK (NO ANSWER)	5095	0.61

Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?

HALKPLMT	Len : 2 ABLE TO KEEP LIMIT OR USE MORE HALLUC PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Usually kept to the limits set.....	5213	0.62
	2 = Often used more than intended	345	0.04
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	112	0.01
	98 = BLANK (NO ANSWER)	5191	0.62
	99 = LEGITIMATE SKIP.....	19564	2.34

During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?

HALNDMOR	Len : 2 NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1697	0.20
	2 = No	23434	2.80
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	83	0.01
	97 = REFUSED	114	0.01
	98 = BLANK (NO ANSWER)	5095	0.61

During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?

HALLSEFX	Len : 2 USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1008	0.12
	2 = No	22349	2.67
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	133	0.02
	97 = REFUSED	141	0.02
	98 = BLANK (NO ANSWER)	5098	0.61
	99 = LEGITIMATE SKIP.....	1697	0.20

BLUNTS

During the past 12 months, did you want to or try to cut down or stop using hallucinogens?

HALCUTDN	Len : 2 WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	6847	0.82
	2 = No.....	18172	2.17
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	138	0.02
	97 = REFUSED	171	0.02
	98 = BLANK (NO ANSWER)	5095	0.61

During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?

HALCUTEV	Len : 2 ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	6489	0.78
	2 = No.....	345	0.04
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	175	0.02
	98 = BLANK (NO ANSWER)	5239	0.63
	99 = LEGITIMATE SKIP.....	18172	2.17

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?

HALEMOPB	Len : 2 HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	2170	0.26
	2 = No.....	22919	2.74
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	107	0.01
	97 = REFUSED	132	0.02
	98 = BLANK (NO ANSWER)	5095	0.61

Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

HALEMCTD	Len : 2 CONTD TO USE HALLUC DESPITE EMOT PRBS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	975	0.12
	2 = No.....	1193	0.14
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED HALLUCINOGENS	615125	73.52
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	132	0.02
	98 = BLANK (NO ANSWER)	5207	0.62
	99 = LEGITIMATE SKIP.....	22919	2.74

BLUNTS

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?

HALPHLPB Len : 2 ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	492	0.06
2 = No.....	23636	2.82
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
94 = DON'T KNOW	104	0.01
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER)	5097	0.61
99 = LEGITIMATE SKIP.....	975	0.12

Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?

HALPHCTD Len : 2 CONTD TO USE HALLUC DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	120	0.01
2 = No.....	370	0.04
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
94 = DON'T KNOW	2	0.00
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER)	5204	0.62
99 = LEGITIMATE SKIP.....	24611	2.94

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?

HALLSACT Len : 2 LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1107	0.13
2 = No.....	23991	2.87
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
94 = DON'T KNOW	90	0.01
97 = REFUSED	140	0.02
98 = BLANK (NO ANSWER)	5095	0.61

Sometimes people who use hallucinogens have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?

HALSERPB Len : 2 HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1030	0.12
2 = No.....	24086	2.88
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
94 = DON'T KNOW	87	0.01
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER)	5095	0.61

BLUNTS

During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?

HALPDANG Len : 2 USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1409	0.17
2 = No	23731	2.84
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
94 = DON'T KNOW	80	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER)	5095	0.61

During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?

HALLAWTR Len : 2 USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	417	0.05
2 = No	24724	2.95
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
94 = DON'T KNOW	77	0.01
97 = REFUSED	110	0.01
98 = BLANK (NO ANSWER)	5095	0.61

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?

HALFMFPB Len : 2 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1077	0.13
2 = No	24061	2.88
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
94 = DON'T KNOW	76	0.01
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER)	5095	0.61

Did you continue to use hallucinogens even though you thought this caused problems with family or friends?

HALFMCTD Len : 2 CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	588	0.07
2 = No	489	0.06
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED HALLUCINOGENS	615125	73.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	9.21
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER)	5175	0.62
99 = LEGITIMATE SKIP.....	24061	2.88

BLUNTS

Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?

INHLOTTM Len : 2 SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	787	0.09
2 = No.....	11866	1.42
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	36	0.00
97 = REFUSED	45	0.01
98 = BLANK (NO ANSWER)	3831	0.46

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?

INHGTOVR Len : 2 MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	275	0.03
2 = No.....	11559	1.38
85 = BAD DATA Logically assigned	11	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	60	0.01
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER)	3833	0.46
99 = LEGITIMATE SKIP.....	787	0.09

During the past 12 months, did you try to set limits on how often or how much inhalants you would use?

INHLIMIT Len : 2 SET LIMITS ON INHALANT USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2937	0.35
2 = No.....	9544	1.14
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	138	0.02
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER)	3831	0.46

Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?

INHKLPLMT Len : 2 ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Usually kept to the limits set.....	2709	0.32
2 = Often used more than intended	213	0.03
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	10	0.00
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER)	3980	0.48
99 = LEGITIMATE SKIP.....	9544	1.14

BLUNTS

During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?

INHNDMOR	Len : 2	NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	779	0.09
		2 = No.....	11753	1.40
		85 = BAD DATA Logically assigned	13	0.00
		91 = NEVER USED INHALANTS	647483	77.39
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
		94 = DON'T KNOW	93	0.01
		97 = REFUSED	109	0.01
		98 = BLANK (NO ANSWER)	3831	0.46

During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?

INHLSEFX	Len : 2	USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	914	0.11
		2 = No.....	10676	1.28
		85 = BAD DATA Logically assigned	12	0.00
		91 = NEVER USED INHALANTS	647483	77.39
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
		94 = DON'T KNOW	224	0.03
		97 = REFUSED	141	0.02
		98 = BLANK (NO ANSWER)	3832	0.46
		99 = LEGITIMATE SKIP.....	779	0.09

During the past 12 months, did you want to or try to cut down or stop using inhalants?

INHCUTDN	Len : 2	WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	4875	0.58
		2 = No.....	7397	0.88
		85 = BAD DATA Logically assigned	13	0.00
		91 = NEVER USED INHALANTS	647483	77.39
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
		94 = DON'T KNOW	232	0.03
		97 = REFUSED	230	0.03
		98 = BLANK (NO ANSWER)	3831	0.46

During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?

INHCUTEV	Len : 2	ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	4543	0.54
		2 = No.....	305	0.04
		85 = BAD DATA Logically assigned	7	0.00
		91 = NEVER USED INHALANTS	647483	77.39
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
		94 = DON'T KNOW	15	0.00
		97 = REFUSED	242	0.03
		98 = BLANK (NO ANSWER)	4069	0.49
		99 = LEGITIMATE SKIP.....	7397	0.88

BLUNTS

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?

INHEMOPB	Len : 2 INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	865	0.10
	2 = No.....	11607	1.39
	85 = BAD DATA Logically assigned	13	0.00
	91 = NEVER USED INHALANTS	647483	77.39
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
	94 = DON'T KNOW	128	0.02
	97 = REFUSED	134	0.02
	98 = BLANK (NO ANSWER)	3831	0.46

Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

INHEMCTD	Len : 2 CONTD TO USE INHALANTS DESPITE EMOT PRBS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	371	0.04
	2 = No.....	488	0.06
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED INHALANTS	647483	77.39
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	137	0.02
	98 = BLANK (NO ANSWER)	3968	0.47
	99 = LEGITIMATE SKIP.....	11607	1.39

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?

INHPHLPB	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	347	0.04
	2 = No.....	11789	1.41
	85 = BAD DATA Logically assigned	10	0.00
	91 = NEVER USED INHALANTS	647483	77.39
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
	94 = DON'T KNOW	115	0.01
	97 = REFUSED	112	0.01
	98 = BLANK (NO ANSWER)	3834	0.46
	99 = LEGITIMATE SKIP.....	371	0.04

Did you continue to use inhalants even though you thought this was causing you to have physical problems?

INHPHCTD	Len : 2 CONTD TO USE INHALANTS DESPITE PHYS PRBS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	75	0.01
	2 = No.....	268	0.03
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED INHALANTS	647483	77.39
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	113	0.01
	98 = BLANK (NO ANSWER)	3958	0.47
	99 = LEGITIMATE SKIP.....	12160	1.45

BLUNTS

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?

INHLSACT Len : 2 LESS ACTIVITIES B/C OF INH USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	517	0.06
2 = No.....	11993	1.43
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	111	0.01
97 = REFUSED	113	0.01
98 = BLANK (NO ANSWER)	3831	0.46

Sometimes people who use inhalants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?

INHSEPRB Len : 2 INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	608	0.07
2 = No.....	11917	1.42
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	98	0.01
97 = REFUSED	111	0.01
98 = BLANK (NO ANSWER)	3831	0.46

During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?

INHDPDANG Len : 2 USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	623	0.07
2 = No.....	11932	1.43
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	77	0.01
97 = REFUSED	102	0.01
98 = BLANK (NO ANSWER)	3831	0.46

During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?

INHLOWTR Len : 2 USING INH CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	218	0.03
2 = No.....	12342	1.48
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	95	0.01
98 = BLANK (NO ANSWER)	3831	0.46

BLUNTS

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?

INHFMFPB Len : 2 USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	571	0.07
2 = No.....	11995	1.43
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	89	0.01
98 = BLANK (NO ANSWER)	3831	0.46

Did you continue to use inhalants even though you thought this caused problems with family or friends?

INHFMCTD Len : 2 CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	249	0.03
2 = No.....	318	0.04
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED INHALANTS	647483	77.39
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	58592	7.00
94 = DON'T KNOW	1	0.00
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER)	3919	0.47
99 = LEGITIMATE SKIP.....	11995	1.43

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?

ANLLOTTM Len : 2 SPENT MON/MORE GETTING/USNG PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	8010	0.96
2 = No.....	41654	4.98
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	98	0.01
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER)	6071	0.73

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?

ANLGTQVR Len : 2 MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	906	0.11
2 = No.....	40750	4.87
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	13	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	94	0.01
97 = REFUSED	98	0.01
98 = BLANK (NO ANSWER)	6076	0.73
99 = LEGITIMATE SKIP.....	8010	0.96

BLUNTS

During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?

ANLLIMIT Len : 2 SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	12725	1.52
2 = No.....	36709	4.39
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	231	0.03
97 = REFUSED	193	0.02
98 = BLANK (NO ANSWER)	6071	0.73

Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?

ANLKPLMT Len : 2 ABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Usually kept to the limits set.....	10285	1.23
2 = Often used more than intended	2414	0.29
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	20	0.00
97 = REFUSED	199	0.02
98 = BLANK (NO ANSWER)	6316	0.75
99 = LEGITIMATE SKIP.....	36709	4.39

During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?

ANLNDMOR Len : 2 NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	7937	0.95
2 = No.....	41570	4.97
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	174	0.02
97 = REFUSED	177	0.02
98 = BLANK (NO ANSWER)	6071	0.73

During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?

ANLLSEFX Len : 2 USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2957	0.35
2 = No.....	38399	4.59
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	352	0.04
97 = REFUSED	213	0.03
98 = BLANK (NO ANSWER)	6075	0.73
99 = LEGITIMATE SKIP.....	7937	0.95

BLUNTS

During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?

ANLCUTDN Len : 2 WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	16151	1.93
2 = No.....	32921	3.93
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	426	0.05
97 = REFUSED	360	0.04
98 = BLANK (NO ANSWER)	6071	0.73

During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?

ANLCUTEV Len : 2 ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	13922	1.66
2 = No.....	2175	0.26
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	33	0.00
97 = REFUSED	381	0.05
98 = BLANK (NO ANSWER)	6511	0.78
99 = LEGITIMATE SKIP.....	32921	3.93

During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?

ANLCUT1X Len : 2 CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	10413	1.24
2 = No.....	24734	2.96
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	435	0.05
97 = REFUSED	354	0.04
98 = BLANK (NO ANSWER)	6075	0.73
99 = LEGITIMATE SKIP.....	13922	1.66

BLUNTS

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

ANLWD3SX Len : 2 HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	7441	0.89
2 = No.....	16837	2.01
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	7.36
94 = DON'T KNOW.....	42	0.01
97 = REFUSED.....	369	0.04
98 = BLANK (NO ANSWER).....	6517	0.78
99 = LEGITIMATE SKIP.....	24734	2.96

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

ANLWDSMT Len : 2 HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	4810	0.57
2 = No.....	2619	0.31
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	7.36
94 = DON'T KNOW.....	10	0.00
97 = REFUSED.....	371	0.04
98 = BLANK (NO ANSWER).....	6561	0.78
99 = LEGITIMATE SKIP.....	41571	4.97

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?

ANLEMOPB Len : 2 PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	5208	0.62
2 = No.....	44216	5.28
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	61569	7.36
94 = DON'T KNOW.....	216	0.03
97 = REFUSED.....	218	0.03
98 = BLANK (NO ANSWER).....	6071	0.73

BLUNTS

Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

ANLEMCTD	Len : 2	CONTD TO USE PN RLVR DESPITE EMOT PRBS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	3256	0.39
		2 = No.....	1942	0.23
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED PAIN RELIEVERS	604055	72.20
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
		94 = DON'T KNOW	7	0.00
		97 = REFUSED	221	0.03
		98 = BLANK (NO ANSWER)	6303	0.75
		99 = LEGITIMATE SKIP.....	44216	5.28

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?

ANLPHLPB	Len : 2	ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	1076	0.13
		2 = No.....	45129	5.39
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
		85 = BAD DATA Logically assigned	16	0.00
		91 = NEVER USED PAIN RELIEVERS	604055	72.20
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
		94 = DON'T KNOW	198	0.02
		97 = REFUSED	199	0.02
		98 = BLANK (NO ANSWER)	6073	0.73
		99 = LEGITIMATE SKIP.....	3256	0.39

Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?

ANLPHCTD	Len : 2	CONTD TO USE PN RLVR DESPITE PHYS PRBS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	387	0.05
		2 = No.....	687	0.08
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED PAIN RELIEVERS	604055	72.20
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
		97 = REFUSED	201	0.02
		98 = BLANK (NO ANSWER)	6286	0.75
		99 = LEGITIMATE SKIP.....	48385	5.78

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?

ANLLSACT	Len : 2	LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	3513	0.42
		2 = No.....	45969	5.49
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
		85 = BAD DATA Logically assigned	18	0.00
		91 = NEVER USED PAIN RELIEVERS	604055	72.20
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
		94 = DON'T KNOW	168	0.02
		97 = REFUSED	208	0.02
		98 = BLANK (NO ANSWER)	6071	0.73

BLUNTS

Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?

ANLSERP Len : 2 PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3104	0.37
2 = No.....	46410	5.55
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	144	0.02
97 = REFUSED	200	0.02
98 = BLANK (NO ANSWER)	6071	0.73

During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?

ANLPDANG Len : 2 USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3188	0.38
2 = No.....	46341	5.54
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	148	0.02
97 = REFUSED	181	0.02
98 = BLANK (NO ANSWER)	6071	0.73

During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?

ANLLAWTR Len : 2 USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1020	0.12
2 = No.....	48546	5.80
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	116	0.01
97 = REFUSED	176	0.02
98 = BLANK (NO ANSWER)	6071	0.73

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?

ANLFMFPB Len : 2 USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3255	0.39
2 = No.....	46325	5.54
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED PAIN RELIEVERS	604055	72.20
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
94 = DON'T KNOW	117	0.01
97 = REFUSED	161	0.02
98 = BLANK (NO ANSWER)	6071	0.73

BLUNTS

Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?

ANLFMCTD	Len : 2 CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	2210	0.26
	2 = No.....	1038	0.12
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.13
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED PAIN RELIEVERS	604055	72.20
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	61569	7.36
	94 = DON'T KNOW	7	0.00
	97 = REFUSED	161	0.02
	98 = BLANK (NO ANSWER)	6203	0.74
	99 = LEGITIMATE SKIP.....	46325	5.54

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?

TRNLOTTM	Len : 2 SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1418	0.17
	2 = No.....	18779	2.24
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
	94 = DON'T KNOW	34	0.00
	97 = REFUSED	78	0.01
	98 = BLANK (NO ANSWER)	2473	0.30

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?

TRNGTOVR	Len : 2 MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	281	0.03
	2 = No.....	18494	2.21
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	85 = BAD DATA Logically assigned	12	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
	94 = DON'T KNOW	33	0.00
	97 = REFUSED	83	0.01
	98 = BLANK (NO ANSWER)	2475	0.30
	99 = LEGITIMATE SKIP.....	1418	0.17

During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?

TRNLIMIT	Len : 2 SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	3711	0.44
	2 = No.....	16403	1.96
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
	94 = DON'T KNOW	80	0.01
	97 = REFUSED	115	0.01
	98 = BLANK (NO ANSWER)	2473	0.30

BLUNTS

Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?

TRNKPLMT	Len : 2 ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS		Freq	Pct
	-9 = Data not collected for this year.....		114043	13.63
	1 = Usually kept to the limits set.....		3283	0.39
	2 = Often used more than intended.....		421	0.05
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		86	0.01
	85 = BAD DATA Logically assigned.....		3	0.00
	91 = NEVER USED TRANQUILIZERS.....		660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		39324	4.70
	94 = DON'T KNOW.....		4	0.00
	97 = REFUSED.....		118	0.01
	98 = BLANK (NO ANSWER).....		2564	0.31
	99 = LEGITIMATE SKIP.....		16403	1.96

During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?

TRNNDMOR	Len : 2 NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS		Freq	Pct
	-9 = Data not collected for this year.....		114043	13.63
	1 = Yes.....		1636	0.20
	2 = No.....		18505	2.21
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		86	0.01
	85 = BAD DATA Logically assigned.....		14	0.00
	91 = NEVER USED TRANQUILIZERS.....		660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		39324	4.70
	94 = DON'T KNOW.....		60	0.01
	97 = REFUSED.....		108	0.01
	98 = BLANK (NO ANSWER).....		2473	0.30

During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?

TRNLSEFX	Len : 2 USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS		Freq	Pct
	-9 = Data not collected for this year.....		114043	13.63
	1 = Yes.....		705	0.08
	2 = No.....		17755	2.12
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		86	0.01
	85 = BAD DATA Logically assigned.....		12	0.00
	91 = NEVER USED TRANQUILIZERS.....		660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		39324	4.70
	94 = DON'T KNOW.....		89	0.01
	97 = REFUSED.....		124	0.01
	98 = BLANK (NO ANSWER).....		2475	0.30
	99 = LEGITIMATE SKIP.....		1636	0.20

During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?

TRNCUTDN	Len : 2 WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS		Freq	Pct
	-9 = Data not collected for this year.....		114043	13.63
	1 = Yes.....		5261	0.63
	2 = No.....		14784	1.77
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		86	0.01
	85 = BAD DATA Logically assigned.....		14	0.00
	91 = NEVER USED TRANQUILIZERS.....		660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....		39324	4.70
	94 = DON'T KNOW.....		114	0.01
	97 = REFUSED.....		150	0.02
	98 = BLANK (NO ANSWER).....		2473	0.30

BLUNTS

During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?

TRNCUTEV	Len : 2 ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	4821	0.58
	2 = No.....	436	0.05
	81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	151	0.02
	98 = BLANK (NO ANSWER)	2597	0.31
	99 = LEGITIMATE SKIP.....	14784	1.77

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?

TRNEMOPB	Len : 2 TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1453	0.17
	2 = No.....	18670	2.23
	81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
	94 = DON'T KNOW	74	0.01
	97 = REFUSED	112	0.01
	98 = BLANK (NO ANSWER)	2473	0.30

Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

TRNEMCTD	Len : 2 CONTD TO USE TRN DESPITE EMOT PRBS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	862	0.10
	2 = No.....	588	0.07
	81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	112	0.01
	98 = BLANK (NO ANSWER)	2558	0.31
	99 = LEGITIMATE SKIP.....	18670	2.23

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?

TRNPHLPB	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	277	0.03
	2 = No.....	18988	2.27
	81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
	85 = BAD DATA Logically assigned	11	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	78.94
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
	94 = DON'T KNOW	72	0.01
	97 = REFUSED	110	0.01
	98 = BLANK (NO ANSWER)	2476	0.30
	99 = LEGITIMATE SKIP.....	862	0.10

BLUNTS

Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?

TRNPHCTD	Len : 2	CONTD TO USE TRN DESPITE PHYS PRBS	Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	86	0.01
		2 = No.....	190	0.02
		81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
		91 = NEVER USED TRANQUILIZERS.....	660447	78.94
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	110	0.01
		98 = BLANK (NO ANSWER)	2559	0.31
		99 = LEGITIMATE SKIP.....	19850	2.37

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?

TRNLSACT	Len : 2	LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS	Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	1017	0.12
		2 = No.....	19122	2.29
		81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
		85 = BAD DATA Logically assigned	14	0.00
		91 = NEVER USED TRANQUILIZERS.....	660447	78.94
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
		94 = DON'T KNOW	59	0.01
		97 = REFUSED	111	0.01
		98 = BLANK (NO ANSWER)	2473	0.30

Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?

TRNSERP	Len : 2	TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS	Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	952	0.11
		2 = No.....	19187	2.29
		81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
		85 = BAD DATA Logically assigned	14	0.00
		91 = NEVER USED TRANQUILIZERS.....	660447	78.94
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
		94 = DON'T KNOW	61	0.01
		97 = REFUSED	109	0.01
		98 = BLANK (NO ANSWER)	2473	0.30

BLUNTS

During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?

TRNPDANG Len : 2 USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1164	0.14
2 = No.....	18992	2.27
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
94 = DON'T KNOW	48	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER)	2473	0.30

During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?

TRNLAWTR Len : 2 USING TRN CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	399	0.05
2 = No.....	19766	2.36
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
94 = DON'T KNOW	45	0.01
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER)	2473	0.30

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?

TRNFMFPB Len : 2 USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1043	0.12
2 = No.....	19117	2.28
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
94 = DON'T KNOW	51	0.01
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER)	2474	0.30

Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?

TRNFMCTD Len : 2 CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	664	0.08
2 = No.....	379	0.05
81 = NEVER USED TRANQUILIZERS Logically assigned	86	0.01
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	78.94
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.70
97 = REFUSED	97	0.01
98 = BLANK (NO ANSWER)	2537	0.30
99 = LEGITIMATE SKIP	19117	2.28

BLUNTS

NOTE: The logic for asking the stimulant dependence and abuse questions was updated in 2003 to administer these questions to lifetime stimulant users who reported past year use of methamphetamine with a needle but had not already reported past year stimulant use anywhere else in the interview.

Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?

STMLOTTM Len : 2 SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2011	0.24
2 = No.....	18155	2.17
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	42	0.01
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER)	3126	0.37

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?

STMGTOVR Len : 2 MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	373	0.04
2 = No.....	17771	2.12
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	8	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	51	0.01
97 = REFUSED	75	0.01
98 = BLANK (NO ANSWER)	3129	0.37
99 = LEGITIMATE SKIP.....	2011	0.24

During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?

STMLIMIT Len : 2 SET LIMITS ON STIMULANT USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3979	0.48
2 = No.....	16101	1.92
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	92	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER)	3127	0.37

BLUNTS

Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?

STMKPLMT Len : 2 ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Usually kept to the limits set.....	3364	0.40
2 = Often used more than intended	609	0.07
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	3	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	4	0.00
97 = REFUSED	110	0.01
98 = BLANK (NO ANSWER)	3227	0.39
99 = LEGITIMATE SKIP.....	16101	1.92

During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?

STMNDMOR Len : 2 NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2070	0.25
2 = No.....	18021	2.15
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	81	0.01
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER)	3127	0.37

During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?

STMLSEFX Len : 2 USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	835	0.10
2 = No.....	17136	2.05
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	9	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	118	0.01
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER)	3130	0.37
99 = LEGITIMATE SKIP.....	2070	0.25

During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?

STMCTDN Len : 2 WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	5416	0.65
2 = No.....	14584	1.74
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	133	0.02
97 = REFUSED	146	0.02
98 = BLANK (NO ANSWER)	3128	0.37

BLUNTS

During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?

STM CUTEV Len : 2 ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	4827	0.58
2 = No.....	579	0.07
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	3	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	5	0.00
97 = REFUSED	151	0.02
98 = BLANK (NO ANSWER)	3269	0.39
99 = LEGITIMATE SKIP.....	14584	1.74

During the past 12 months, did you cut down or stop using prescription stimulants at least one time?

STM CUT1X Len : 2 CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3192	0.38
2 = No.....	11968	1.43
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	9	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	142	0.02
97 = REFUSED	150	0.02
98 = BLANK (NO ANSWER)	3130	0.37
99 = LEGITIMATE SKIP.....	4827	0.58

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?

STM FLBLU Len : 2 WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2040	0.24
2 = No.....	5956	0.71
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	3	0.00
90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	14	0.00
97 = REFUSED	159	0.02
98 = BLANK (NO ANSWER)	3278	0.39
99 = LEGITIMATE SKIP.....	11968	1.43

BLUNTS

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWD2SX Len : 2 HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	1724	0.21
2 = No.....	314	0.04
81 = NEVER USED STIMULANTS Logically assigned.....	157	0.02
85 = BAD DATA Logically assigned.....	2	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	159	0.02
98 = BLANK (NO ANSWER).....	3293	0.39
99 = LEGITIMATE SKIP.....	17924	2.14

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWDSMT Len : 2 HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	1473	0.18
2 = No.....	250	0.03
81 = NEVER USED STIMULANTS Logically assigned.....	157	0.02
85 = BAD DATA Logically assigned.....	2	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	159	0.02
98 = BLANK (NO ANSWER).....	3295	0.39
99 = LEGITIMATE SKIP.....	18238	2.18

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?

STMEMOPB Len : 2 STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	2225	0.27
2 = No.....	17815	2.13
81 = NEVER USED STIMULANTS Logically assigned.....	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW.....	103	0.01
97 = REFUSED.....	136	0.02
98 = BLANK (NO ANSWER).....	3128	0.37

BLUNTS

Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

STEMMCTD Len : 2 CONTD TO USE STM DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1347	0.16
2 = No.....	877	0.10
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	4	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	1	0.00
97 = REFUSED	136	0.02
98 = BLANK (NO ANSWER)	3238	0.39
99 = LEGITIMATE SKIP.....	17815	2.13

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?

STMPHLPB Len : 2 ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	407	0.05
2 = No.....	18296	2.19
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	8	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	100	0.01
97 = REFUSED	129	0.02
98 = BLANK (NO ANSWER)	3131	0.37
99 = LEGITIMATE SKIP.....	1347	0.16

Did you continue to use prescription stimulants even though this was causing you to have physical problems?

STMPHCTD Len : 2 CONTD TO USE STM DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	131	0.02
2 = No.....	275	0.03
81 = NEVER USED STIMULANTS Logically assigned	157	0.02
85 = BAD DATA Logically assigned	1	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	77.75
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
94 = DON'T KNOW	1	0.00
97 = REFUSED	129	0.02
98 = BLANK (NO ANSWER)	3238	0.39
99 = LEGITIMATE SKIP.....	19643	2.35

BLUNTS

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?

STMLSACT	Len : 2 LESS ACTIVITIES B/C OF STM USE PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1183	0.14
	2 = No.....	18888	2.26
	81 = NEVER USED STIMULANTS Logically assigned	157	0.02
	85 = BAD DATA Logically assigned	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	77.75
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
	94 = DON'T KNOW	84	0.01
	97 = REFUSED	124	0.01
	98 = BLANK (NO ANSWER)	3128	0.37

Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?

STMSERP	Len : 2 STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1095	0.13
	2 = No.....	18986	2.27
	81 = NEVER USED STIMULANTS Logically assigned	157	0.02
	85 = BAD DATA Logically assigned	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	77.75
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
	94 = DON'T KNOW	84	0.01
	97 = REFUSED	114	0.01
	98 = BLANK (NO ANSWER)	3128	0.37

During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?

STMPDANG	Len : 2 USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1046	0.13
	2 = No.....	19057	2.28
	81 = NEVER USED STIMULANTS Logically assigned	157	0.02
	85 = BAD DATA Logically assigned	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	77.75
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
	94 = DON'T KNOW	64	0.01
	97 = REFUSED	112	0.01
	98 = BLANK (NO ANSWER)	3128	0.37

BLUNTS

During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?

STMLAWTR	Len : 2 USING STM CAUSE PRBS WITH LAW PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	437	0.05
	2 = No.....	19671	2.35
	81 = NEVER USED STIMULANTS Logically assigned	157	0.02
	85 = BAD DATA Logically assigned	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	77.75
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
	94 = DON'T KNOW	59	0.01
	97 = REFUSED	112	0.01
	98 = BLANK (NO ANSWER)	3128	0.37

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?

STMFMFPB	Len : 2 USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1214	0.15
	2 = No.....	18893	2.26
	81 = NEVER USED STIMULANTS Logically assigned	157	0.02
	85 = BAD DATA Logically assigned	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	77.75
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
	94 = DON'T KNOW	64	0.01
	97 = REFUSED	108	0.01
	98 = BLANK (NO ANSWER)	3128	0.37

Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?

STMFMCTD	Len : 2 CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	837	0.10
	2 = No.....	376	0.04
	81 = NEVER USED STIMULANTS Logically assigned	157	0.02
	85 = BAD DATA Logically assigned	7	0.00
	90 = NOT ASKED THE QUESTION Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	77.75
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.80
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	108	0.01
	98 = BLANK (NO ANSWER)	3196	0.38
	99 = LEGITIMATE SKIP.....	18893	2.26

BLUNTS

NOTE: STMDAFLG is a flag variable that indicates differences in how the stimulant variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on logic in earlier years and how these stimulant variables were edited this year. In 2004, past year users were routed into the corresponding questions if they reported past year nonmedical use of prescription stimulants or methamphetamine in the core stimulants module or if they reported in the SPECIAL DRUGS module that they used methamphetamine or other stimulants with a needle (from MTNDLREC and OSTLNREC, respectively). Beginning in 2005 (and continuing this year), past year methamphetamine users from the SPECIAL DRUGS variables MTHAREC and MTANDLRC also were asked about stimulant dependence or abuse. STMDAFLG is coded as 1 through 6 if the inclusion of MTHAREC and MTANDLRC changed the outcome for editing of the stimulant dependence or abuse variables. This year, respondents who reported past year nonmedical use of Adderall (from ADDEREC) were eligible to be asked these questions as well. STMDAFLG is coded as 11 through 16 if the inclusion of ADDEREC changed the outcome for editing of these variables.

STMDAFLG Len : 2 EDITING FLAG FOR STIM DEPENDENCE & ABUSE VARS

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Never used based on 04/Now: Not past yr user.....	5381	0.64
2 = Not past yr user based on 04/Now: Blank.....	1	0.00
3 = Never used based on 04/Now: Blank.....	371	0.04
4 = Blank based on 04/Now: Past yr user.....	40	0.00
5 = Not past yr user based on 04/Now: Past yr user.....	120	0.01
6 = Never used based on 04/Now: Past yr user.....	846	0.10
11 = Never used based on 07/Now: Not past yr user.....	5654	0.68
12 = Not past yr user based on 07/Now: Blank.....	2	0.00
13 = Never used based on 07/Now: Blank.....	197	0.02
14 = Blank based on 07/Now: Past yr user.....	62	0.01
15 = Not past yr user based on 07/Now: Past yr user.....	876	0.10
16 = Never used based on 07/Now: Past yr user.....	4103	0.49
98 = BLANK (NO DIFF BETWEEN 04 VARIABLES & NOW).....	540089	64.55

NOTE: SEDDAFLG is a flag variable that indicates differences in how the sedative variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year nonmedical users from the core SEDATIVES module were routed into the corresponding questions, and how these sedative variables were edited this year. Editing this year took into account logic that routed past year nonmedical users of Ambien (from AMBIREC) into these dependence and abuse questions for sedatives.

SEDDAFLG Len : 2 EDITING FLAG FOR SEDATIVE DEPENDENCE & ABUSE VARS

	Freq	Pct
-9 = Data not collected for this year.....	444943	53.18
1 = Never used based on 07/Now: Not past yr user.....	4947	0.59
2 = Not past yr user based on 07/Now: Blank.....	1	0.00
3 = Never used based on 07/Now: Blank.....	196	0.02
4 = Blank based on 07/Now: Past yr user.....	26	0.00
5 = Not past yr user based on 07/Now: Past yr user.....	260	0.03
6 = Never used based on 07/Now: Past yr user.....	2394	0.29
98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW).....	383929	45.89

Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?

SEDL0TTM Len : 2 SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	458	0.05
2 = No.....	5018	0.60
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES.....	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	16938	2.02
94 = DON'T KNOW.....	20	0.00
97 = REFUSED.....	40	0.00
98 = BLANK (NO ANSWER).....	2172	0.26

BLUNTS

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?

SEDGTOVR Len : 2 MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	137	0.02
2 = No.....	4879	0.58
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	17	0.00
97 = REFUSED	45	0.01
98 = BLANK (NO ANSWER)	2174	0.26
99 = LEGITIMATE SKIP.....	458	0.05

During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?

SEDLIMIT Len : 2 SET LIMITS ON SEDATIVE USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1086	0.13
2 = No.....	4361	0.52
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	36	0.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER)	2172	0.26

Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?

SEDKPLMT Len : 2 ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Usually kept to the limits set.....	928	0.11
2 = Often used more than intended	154	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	2.02
94 = DON'T KNOW	2	0.00
97 = REFUSED	55	0.01
98 = BLANK (NO ANSWER)	2213	0.26
99 = LEGITIMATE SKIP.....	4361	0.52

During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?

SEDNMOR Len : 2 NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	584	0.07
2 = No.....	4877	0.58
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	28	0.00
97 = REFUSED	47	0.01
98 = BLANK (NO ANSWER)	2172	0.26

BLUNTS

During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?

SEDLSEFX Len : 2 USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	262	0.03
2 = No.....	4584	0.55
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	50	0.01
97 = REFUSED	56	0.01
98 = BLANK (NO ANSWER)	2174	0.26
99 = LEGITIMATE SKIP.....	584	0.07

During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?

SEDCUTDN Len : 2 WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1503	0.18
2 = No.....	3914	0.47
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	52	0.01
97 = REFUSED	67	0.01
98 = BLANK (NO ANSWER)	2172	0.26

During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?

SEDCUTEV Len : 2 ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	1330	0.16
2 = No.....	166	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	2.02
94 = DON'T KNOW	5	0.00
97 = REFUSED	69	0.01
98 = BLANK (NO ANSWER)	2229	0.27
99 = LEGITIMATE SKIP.....	3914	0.47

During the past 12 months, did you cut down or stop using prescription sedatives at least one time?

SEDCUT1X Len : 2 CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	810	0.10
2 = No.....	3275	0.39
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	52	0.01
97 = REFUSED	69	0.01
98 = BLANK (NO ANSWER)	2173	0.26
99 = LEGITIMATE SKIP.....	1330	0.16

BLUNTS

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDWDISX Len : 2 HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	706	0.08
2 = No.....	1428	0.17
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	2.02
94 = DON'T KNOW	4	0.00
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER)	2226	0.27
99 = LEGITIMATE SKIP.....	3275	0.39

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDWDSMT Len : 2 HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	511	0.06
2 = No.....	194	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	2.02
94 = DON'T KNOW	1	0.00
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER)	2231	0.27
99 = LEGITIMATE SKIP.....	4703	0.56

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?

SEDEMOPB Len : 2 SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	578	0.07
2 = No.....	4860	0.58
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	45	0.01
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER)	2172	0.26

BLUNTS

Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

SEDEMCTD	Len : 2	CONTD TO USE SED DESPITE EMOT PRBS	Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	330	0.04
		2 = No.....	245	0.03
		81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
		85 = BAD DATA Logically assigned	3	0.00
		91 = NEVER USED SEDATIVES	697742	83.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	2.02
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	55	0.01
		98 = BLANK (NO ANSWER)	2220	0.27
		99 = LEGITIMATE SKIP.....	4860	0.58

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?

SEDPHLPB	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS	Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	134	0.02
		2 = No.....	4985	0.60
		81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
		85 = BAD DATA Logically assigned	3	0.00
		91 = NEVER USED SEDATIVES	697742	83.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
		94 = DON'T KNOW	36	0.00
		97 = REFUSED	51	0.01
		98 = BLANK (NO ANSWER)	2175	0.26
		99 = LEGITIMATE SKIP.....	330	0.04

Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?

SEDPHCTD	Len : 2	CONTD TO USE SED DESPITE PHYS PRBS	Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	38	0.00
		2 = No.....	96	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
		91 = NEVER USED SEDATIVES	697742	83.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	2.02
		97 = REFUSED	51	0.01
		98 = BLANK (NO ANSWER)	2214	0.26
		99 = LEGITIMATE SKIP.....	5315	0.64

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?

SEDLFACT	Len : 2	LESS ACTIVITIES B/C OF SED USE PAST 12 MOS	Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	412	0.05
		2 = No.....	5042	0.60
		81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
		83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
		85 = BAD DATA Logically assigned	6	0.00
		91 = NEVER USED SEDATIVES	697742	83.39
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
		94 = DON'T KNOW	30	0.00
		97 = REFUSED	52	0.01
		98 = BLANK (NO ANSWER)	2172	0.26

BLUNTS

Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?

SEDSERP Len : 2 SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	401	0.05
2 = No.....	5061	0.60
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	22	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER)	2172	0.26

During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?

SEDPDANG Len : 2 USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	370	0.04
2 = No.....	5088	0.61
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	25	0.00
97 = REFUSED	53	0.01
98 = BLANK (NO ANSWER)	2172	0.26

During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?

SEDLAWTR Len : 2 USING SED CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	165	0.02
2 = No.....	5298	0.63
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	21	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER)	2172	0.26

BLUNTS

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?

SEDFMFPB Len : 2 USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	378	0.05
2 = No.....	5084	0.61
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16938	2.02
94 = DON'T KNOW	28	0.00
97 = REFUSED	46	0.01
98 = BLANK (NO ANSWER)	2172	0.26

Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?

SEDFMCTD Len : 2 CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	251	0.03
2 = No.....	125	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED SEDATIVES	697742	83.39
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	16939	2.02
94 = DON'T KNOW	1	0.00
97 = REFUSED	47	0.01
98 = BLANK (NO ANSWER)	2203	0.26
99 = LEGITIMATE SKIP.....	5084	0.61

SUBSTANCE DEPENDENCE AND ABUSE

SUBSTANCE DEPENDENCE AND ABUSE

This note applies to variables in this section marked by a¹.

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

CIGIRTB	Len : 2	NEED TO SMOKE TO FEEL LESS IRRITABLE		
			Freq	Pct
		1 = Not at all true	58765	7.02
		2 = Somewhat true	49250	5.89
		3 = Moderately true	37085	4.43
		4 = Very true	35920	4.29
		5 = Extremely true	20427	2.44
		85 = BAD DATA Logically assigned	14	0.00
		91 = NEVER USED CIGARETTES	385008	46.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
		94 = DON'T KNOW	497	0.06
		97 = REFUSED	199	0.02
		98 = BLANK (NO ANSWER)	504	0.06

When you don't smoke for a few hours, you start to crave cigarettes.

CIGCRAVE	Len : 2	START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS		
			Freq	Pct
		1 = Not at all true	64899	7.76
		2 = Somewhat true	41796	5.00
		3 = Moderately true	27665	3.31
		4 = Very true	41476	4.96
		5 = Extremely true	25907	3.10
		85 = BAD DATA Logically assigned	14	0.00
		91 = NEVER USED CIGARETTES	385008	46.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
		94 = DON'T KNOW	245	0.03
		97 = REFUSED	154	0.02
		98 = BLANK (NO ANSWER)	505	0.06

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

CIGCRAGP	Len : 2	CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL		
			Freq	Pct
		1 = Not at all true	88988	10.64
		2 = Somewhat true	39132	4.68
		3 = Moderately true	28608	3.42
		4 = Very true	27536	3.29
		5 = Extremely true	17398	2.08
		85 = BAD DATA Logically assigned	14	0.00
		91 = NEVER USED CIGARETTES	385008	46.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
		94 = DON'T KNOW	310	0.04
		97 = REFUSED	170	0.02
		98 = BLANK (NO ANSWER)	505	0.06

SUBSTANCE DEPENDENCE AND ABUSE

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

CIGINCTL			
Len : 2 FEEL A SENSE OF CONTROL OVER YOUR SMOKING			
		Freq	Pct
1 = Not at all true		51760	6.19
2 = Somewhat true		52648	6.29
3 = Moderately true		29964	3.58
4 = Very true		28981	3.46
5 = Extremely true		38225	4.57
85 = BAD DATA Logically assigned		14	0.00
91 = NEVER USED CIGARETTES		385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		249027	29.76
94 = DON'T KNOW		380	0.05
97 = REFUSED		184	0.02
98 = BLANK (NO ANSWER)		505	0.06

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

CIGAVOID			
Len : 2 TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING			
		Freq	Pct
1 = Not at all true		132712	15.86
2 = Somewhat true		29254	3.50
3 = Moderately true		18693	2.23
4 = Very true		12442	1.49
5 = Extremely true		8196	0.98
85 = BAD DATA Logically assigned		14	0.00
91 = NEVER USED CIGARETTES		385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		249027	29.76
94 = DON'T KNOW		635	0.08
97 = REFUSED		210	0.03
98 = BLANK (NO ANSWER)		505	0.06

Do you have any friends who do not smoke cigarettes?

CIGFNSMK			
Len : 2 HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES			
		Freq	Pct
1 = Yes		188864	22.57
2 = No		13118	1.57
85 = BAD DATA Logically assigned		14	0.00
91 = NEVER USED CIGARETTES		385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		249027	29.76
94 = DON'T KNOW		84	0.01
97 = REFUSED		76	0.01
98 = BLANK (NO ANSWER)		505	0.06

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

CIGFNLKE			
Len : 2 CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE			
		Freq	Pct
1 = Not at all true		144783	17.30
2 = Somewhat true		21592	2.58
3 = Moderately true		11458	1.37
4 = Very true		6626	0.79
5 = Extremely true		3992	0.48
85 = BAD DATA Logically assigned		11	0.00
91 = NEVER USED CIGARETTES		385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS		249027	29.76
94 = DON'T KNOW		273	0.03
97 = REFUSED		215	0.03
98 = BLANK (NO ANSWER)		593	0.07
99 = LEGITIMATE SKIP		13118	1.57

SUBSTANCE DEPENDENCE AND ABUSE

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

CIGPLANE	Len : 2 RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING		
		Freq	Pct
	1 = Not at all true	169047	20.20
	2 = Somewhat true	13717	1.64
	3 = Moderately true.....	7448	0.89
	4 = Very true.....	5963	0.71
	5 = Extremely true	5164	0.62
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES.....	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	249027	29.76
	94 = DON'T KNOW	576	0.07
	97 = REFUSED	226	0.03
	98 = BLANK (NO ANSWER)	506	0.06

You sometimes worry that you will run out of cigarettes.

CIGRNOUT	Len : 2 SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS		
		Freq	Pct
	1 = Not at all true	103566	12.38
	2 = Somewhat true	42163	5.04
	3 = Moderately true.....	21417	2.56
	4 = Very true.....	20932	2.50
	5 = Extremely true	13692	1.64
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES.....	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	249027	29.76
	94 = DON'T KNOW	209	0.02
	97 = REFUSED	161	0.02
	98 = BLANK (NO ANSWER)	507	0.06

You smoke cigarettes fairly regularly throughout the day.

CIGREGDY	Len : 2 SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY		
		Freq	Pct
	1 = Not at all true	69620	8.32
	2 = Somewhat true	35537	4.25
	3 = Moderately true.....	26287	3.14
	4 = Very true.....	41009	4.90
	5 = Extremely true	29318	3.50
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES.....	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	249027	29.76
	94 = DON'T KNOW	192	0.02
	97 = REFUSED	177	0.02
	98 = BLANK (NO ANSWER)	507	0.06

You smoke about the same amount on weekends as on weekdays.

CIGREGWK	Len : 2 SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS		
		Freq	Pct
	1 = Not at all true	72708	8.69
	2 = Somewhat true	36813	4.40
	3 = Moderately true.....	26658	3.19
	4 = Very true.....	39225	4.69
	5 = Extremely true	26093	3.12
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES.....	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	249027	29.76
	94 = DON'T KNOW	425	0.05
	97 = REFUSED	218	0.03
	98 = BLANK (NO ANSWER)	507	0.06

SUBSTANCE DEPENDENCE AND ABUSE

You smoke just about the same number of cigarettes from day to day.

CIGREGNM	Len : 2 SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY		
		Freq	Pct
	1 = Not at all true	61450	7.34
	2 = Somewhat true	35151	4.20
	3 = Moderately true	29359	3.51
	4 = Very true	47058	5.62
	5 = Extremely true	28500	3.41
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
	94 = DON'T KNOW	379	0.05
	97 = REFUSED	243	0.03
	98 = BLANK (NO ANSWER)	507	0.06

It's hard to say how many cigarettes you smoke per day because the number often changes.

CIGNMCHG	Len : 2 NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES		
		Freq	Pct
	1 = Not at all true	73775	8.82
	2 = Somewhat true	49843	5.96
	3 = Moderately true	27312	3.26
	4 = Very true	30086	3.60
	5 = Extremely true	20347	2.43
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
	94 = DON'T KNOW	500	0.06
	97 = REFUSED	277	0.03
	98 = BLANK (NO ANSWER)	507	0.06

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

CIGSVLHR	Len : 2 HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER		
		Freq	Pct
	1 = Not at all true	103544	12.38
	2 = Somewhat true	38913	4.65
	3 = Moderately true	26260	3.14
	4 = Very true	21141	2.53
	5 = Extremely true	11321	1.35
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
	94 = DON'T KNOW	646	0.08
	97 = REFUSED	315	0.04
	98 = BLANK (NO ANSWER)	507	0.06

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

CIGINFLU	Len : 2 # OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS		
		Freq	Pct
	1 = Not at all true	37865	4.53
	2 = Somewhat true	36643	4.38
	3 = Moderately true	36630	4.38
	4 = Very true	51141	6.11
	5 = Extremely true	39089	4.67
	85 = BAD DATA Logically assigned	14	0.00
	91 = NEVER USED CIGARETTES	385008	46.02
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
	94 = DON'T KNOW	481	0.06
	97 = REFUSED	290	0.03
	98 = BLANK (NO ANSWER)	508	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

CIGNOINF Len : 2 SMOKING NOT AFFECTED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	78448	9.38
2 = Somewhat true	50109	5.99
3 = Moderately true	34494	4.12
4 = Very true	24229	2.90
5 = Extremely true	13886	1.66
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED CIGARETTES	385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
94 = DON'T KNOW	637	0.08
97 = REFUSED	336	0.04
98 = BLANK (NO ANSWER)	508	0.06

Since you started smoking, the amount you smoke has increased.

CIGINCRS Len : 2 AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING

	Freq	Pct
1 = Not at all true	71589	8.56
2 = Somewhat true	38943	4.65
3 = Moderately true	27904	3.34
4 = Very true	34909	4.17
5 = Extremely true	28171	3.37
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED CIGARETTES	385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
94 = DON'T KNOW	358	0.04
97 = REFUSED	265	0.03
98 = BLANK (NO ANSWER)	508	0.06

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

CIGSATIS Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED

	Freq	Pct
1 = Not at all true	105149	12.57
2 = Somewhat true	36153	4.32
3 = Moderately true	25243	3.02
4 = Very true	20445	2.44
5 = Extremely true	14545	1.74
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED CIGARETTES	385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
94 = DON'T KNOW	335	0.04
97 = REFUSED	269	0.03
98 = BLANK (NO ANSWER)	508	0.06

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

CIGLOTMR Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING

	Freq	Pct
1 = Not at all true	105809	12.65
2 = Somewhat true	39781	4.75
3 = Moderately true	25661	3.07
4 = Very true	17570	2.10
5 = Extremely true	12075	1.44
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED CIGARETTES	385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
94 = DON'T KNOW	891	0.11
97 = REFUSED	352	0.04
98 = BLANK (NO ANSWER)	508	0.06

SUBSTANCE DEPENDENCE AND ABUSE

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

CIGWAKE Len : 2 HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG

	Freq	Pct
1 = Within the first 5 minutes after you wake up	34577	4.13
2 = Between 6 and 30 minutes after you wake up	50153	5.99
3 = Between 31 and 60 minutes after you wake up	32192	3.85
4 = More than 60 minutes after you wake up	78826	9.42
85 = BAD DATA Logically assigned	14	0.00
91 = NEVER USED CIGARETTES	385008	46.02
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	249027	29.76
94 = DON'T KNOW	3300	0.39
97 = REFUSED	2907	0.35
98 = BLANK (NO ANSWER)	692	0.08

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?

ALCLOTTM Len : 2 SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS

	Freq	Pct
1 = Yes	84149	10.06
2 = No	330748	39.53
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
85 = BAD DATA Logically assigned	37	0.00
91 = NEVER USED ALCOHOL	233514	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	179570	21.46
94 = DON'T KNOW	338	0.04
97 = REFUSED	304	0.04
98 = BLANK (NO ANSWER)	5891	0.70

During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?

ALCGTOVR Len : 2 MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS

	Freq	Pct
1 = Yes	8827	1.05
2 = No	321987	38.48
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
85 = BAD DATA Logically assigned	27	0.00
91 = NEVER USED ALCOHOL	233514	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	179570	21.46
94 = DON'T KNOW	278	0.03
97 = REFUSED	297	0.04
98 = BLANK (NO ANSWER)	5902	0.71
99 = LEGITIMATE SKIP	84149	10.06

During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?

ALCLIMIT Len : 2 SET LIMITS ON ALCOHOL USE PAST 12 MONTHS

	Freq	Pct
1 = Yes	152048	18.17
2 = No	262264	31.35
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
85 = BAD DATA Logically assigned	37	0.00
91 = NEVER USED ALCOHOL	233514	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	179570	21.46
94 = DON'T KNOW	690	0.08
97 = REFUSED	535	0.06
98 = BLANK (NO ANSWER)	5893	0.70

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often drink more than you intended to?

ALCKPLMT	Len : 2	ABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	130328	15.58
		2 = Often drank more than intended.....	21598	2.58
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
		85 = BAD DATA Logically assigned	16	0.00
		91 = NEVER USED ALCOHOL.....	233514	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
		94 = DON'T KNOW	71	0.01
		97 = REFUSED	586	0.07
		98 = BLANK (NO ANSWER)	6604	0.79
		99 = LEGITIMATE SKIP.....	262264	31.35

During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?

ALCNDMOR	Len : 2	NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes.....	50718	6.06
		2 = No.....	363904	43.49
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
		85 = BAD DATA Logically assigned	37	0.00
		91 = NEVER USED ALCOHOL.....	233514	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
		94 = DON'T KNOW	475	0.06
		97 = REFUSED	440	0.05
		98 = BLANK (NO ANSWER)	5893	0.70

During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?

ALCLSEFX	Len : 2	DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	42738	5.11
		2 = No.....	319743	38.21
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
		85 = BAD DATA Logically assigned	28	0.00
		91 = NEVER USED ALCOHOL.....	233514	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
		94 = DON'T KNOW	1693	0.20
		97 = REFUSED	645	0.08
		98 = BLANK (NO ANSWER)	5902	0.71
		99 = LEGITIMATE SKIP.....	50718	6.06

During the past 12 months, did you want to or try to cut down or stop drinking alcohol?

ALCCUTDN	Len : 2	WANT/TRY TO CUT DOWN/STOP DRNKG PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	127720	15.26
		2 = No.....	285604	34.13
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
		85 = BAD DATA Logically assigned	37	0.00
		91 = NEVER USED ALCOHOL.....	233514	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
		94 = DON'T KNOW	1173	0.14
		97 = REFUSED	1040	0.12
		98 = BLANK (NO ANSWER)	5893	0.70

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?

ALCCUTEV	Len : 2	ABLE TO CUT/STOP DRNGK EVERY TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	109463	13.08
		2 = No.....	18067	2.16
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
		85 = BAD DATA Logically assigned	17	0.00
		91 = NEVER USED ALCOHOL.....	233514	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
		94 = DON'T KNOW	118	0.01
		97 = REFUSED	1112	0.13
		98 = BLANK (NO ANSWER)	7086	0.85
		99 = LEGITIMATE SKIP.....	285604	34.13

During the past 12 months, did you cut down or stop drinking at least one time?

ALCCUTIX	Len : 2	CUT DOWN OR STOP DRNGK AT LEAST ONCE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	103361	12.35
		2 = No.....	200117	23.92
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
		85 = BAD DATA Logically assigned	21	0.00
		91 = NEVER USED ALCOHOL.....	233514	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
		94 = DON'T KNOW	1463	0.17
		97 = REFUSED	1133	0.14
		98 = BLANK (NO ANSWER)	5909	0.71
		99 = LEGITIMATE SKIP.....	109463	13.08

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

ALCWD2SX	Len : 2	HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	27073	3.24
		2 = No.....	185223	22.14
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
		85 = BAD DATA Logically assigned	24	0.00
		91 = NEVER USED ALCOHOL.....	233514	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
		94 = DON'T KNOW	327	0.04
		97 = REFUSED	1334	0.16
		98 = BLANK (NO ANSWER)	7369	0.88
		99 = LEGITIMATE SKIP.....	200117	23.92

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

ALCWDSMT	Len : 2 HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS		Freq	Pct
	1 = Yes.....		13516	1.62
	2 = No.....		13517	1.62
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		11	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		27	0.00
	97 = REFUSED		1347	0.16
	98 = BLANK (NO ANSWER)		7709	0.92
	99 = LEGITIMATE SKIP.....		385340	46.05

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?

ALCEMOPB	Len : 2 ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		Freq	Pct
	1 = Yes.....		34462	4.12
	2 = No.....		379951	45.41
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		37	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		586	0.07
	97 = REFUSED		538	0.06
	98 = BLANK (NO ANSWER)		5893	0.70

Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?

ALCEMCTD	Len : 2 CONTD TO DRINK ALC DESPITE EMOT PRBS		Freq	Pct
	1 = Yes.....		20789	2.48
	2 = No.....		13626	1.63
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		7	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		30	0.00
	97 = REFUSED		555	0.07
	98 = BLANK (NO ANSWER)		6509	0.78
	99 = LEGITIMATE SKIP.....		379951	45.41

During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?

ALCPHLPB	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS		Freq	Pct
	1 = Yes.....		11326	1.35
	2 = No.....		382491	45.71
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		30	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		478	0.06
	97 = REFUSED		453	0.05
	98 = BLANK (NO ANSWER)		5900	0.71
	99 = LEGITIMATE SKIP.....		20789	2.48

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?

ALCPHCTD	Len : 2 CONTD TO DRINK ALC DESPITE PHYS PRBS		Freq	Pct
	1 = Yes.....		4832	0.58
	2 = No.....		6477	0.77
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		2	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		12	0.00
	97 = REFUSED		458	0.05
	98 = BLANK (NO ANSWER)		6406	0.77
	99 = LEGITIMATE SKIP.....		403280	48.20

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?

ALCLSACT	Len : 2 LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS		Freq	Pct
	1 = Yes.....		24289	2.90
	2 = No.....		390369	46.66
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		37	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		376	0.04
	97 = REFUSED		501	0.06
	98 = BLANK (NO ANSWER)		5895	0.70

Sometimes people who drink alcohol have serious problems at home, work or school - such as:

- Neglecting their children
- Missing work or school
- Doing a poor job at work or school
- Losing a job or dropping out of school

During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?

ALCSERP	Len : 2 ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		Freq	Pct
	1 = Yes.....		17924	2.14
	2 = No.....		396778	47.42
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		37	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		325	0.04
	97 = REFUSED		507	0.06
	98 = BLANK (NO ANSWER)		5896	0.70

During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?

ALCPDANG	Len : 2 DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS		Freq	Pct
	1 = Yes.....		49005	5.86
	2 = No.....		365719	43.71
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn		2145	0.26
	85 = BAD DATA Logically assigned		37	0.00
	91 = NEVER USED ALCOHOL.....		233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		179570	21.46
	94 = DON'T KNOW		331	0.04
	97 = REFUSED		479	0.06
	98 = BLANK (NO ANSWER)		5896	0.70

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?

ALCLAWTR	Len : 2 DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS	Freq	Pct
	1 = Yes.....	9416	1.13
	2 = No.....	405434	48.46
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
	85 = BAD DATA Logically assigned	37	0.00
	91 = NEVER USED ALCOHOL.....	233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
	94 = DON'T KNOW	233	0.03
	97 = REFUSED	451	0.05
	98 = BLANK (NO ANSWER)	5896	0.70

During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?

ALCFMFPB	Len : 2 DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS	Freq	Pct
	1 = Yes.....	29572	3.53
	2 = No.....	385304	46.05
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
	85 = BAD DATA Logically assigned	37	0.00
	91 = NEVER USED ALCOHOL.....	233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
	94 = DON'T KNOW	227	0.03
	97 = REFUSED	430	0.05
	98 = BLANK (NO ANSWER)	5897	0.70

Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?

ALCFMCTD	Len : 2 CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS	Freq	Pct
	1 = Yes.....	18758	2.24
	2 = No.....	10774	1.29
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	2145	0.26
	85 = BAD DATA Logically assigned	8	0.00
	91 = NEVER USED ALCOHOL.....	233514	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	179570	21.46
	94 = DON'T KNOW	20	0.00
	97 = REFUSED	450	0.05
	98 = BLANK (NO ANSWER)	6153	0.74
	99 = LEGITIMATE SKIP.....	385304	46.05

Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?

MRJLOTTM	Len : 2 SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS	Freq	Pct
	1 = Yes.....	51036	6.10
	2 = No.....	58987	7.05
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn	840	0.10
	85 = BAD DATA Logically assigned	15	0.00
	91 = NEVER USED MARIJUANA	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW	80	0.01
	97 = REFUSED	508	0.06
	98 = BLANK (NO ANSWER)	3065	0.37

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?

MRJGTOVR Len : 2 MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS

	Freq	Pct
1 = Yes.....	1769	0.21
2 = No.....	57228	6.84
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	9	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	90	0.01
97 = REFUSED.....	488	0.06
98 = BLANK (NO ANSWER).....	3071	0.37
99 = LEGITIMATE SKIP.....	51036	6.10

During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?

MRJLIMIT Len : 2 SET LIMITS ON MARIJUANA USE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	40526	4.84
2 = No.....	69441	8.30
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	124	0.01
97 = REFUSED.....	520	0.06
98 = BLANK (NO ANSWER).....	3065	0.37

Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?

MRJKPLMT Len : 2 ABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS

	Freq	Pct
1 = Usually kept to the limits set.....	31876	3.81
2 = Often used more than intended.....	8591	1.03
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	37	0.00
97 = REFUSED.....	542	0.06
98 = BLANK (NO ANSWER).....	3198	0.38
99 = LEGITIMATE SKIP.....	69441	8.30

During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?

MRJNDMOR Len : 2 NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
1 = Yes.....	28035	3.35
2 = No.....	81932	9.79
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	120	0.01
97 = REFUSED.....	524	0.06
98 = BLANK (NO ANSWER).....	3065	0.37

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?

MRJLSEFX Len : 2 USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
1 = Yes.....	10039	1.20
2 = No.....	71724	8.57
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	273	0.03
97 = REFUSED.....	540	0.06
98 = BLANK (NO ANSWER).....	3070	0.37
99 = LEGITIMATE SKIP.....	28035	3.35

During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?

MRJCUTDN Len : 2 WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS

	Freq	Pct
1 = Yes.....	46557	5.56
2 = No.....	63300	7.57
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	174	0.02
97 = REFUSED.....	580	0.07
98 = BLANK (NO ANSWER).....	3065	0.37

During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?

MRJCUTEV Len : 2 ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS

	Freq	Pct
1 = Yes.....	39291	4.70
2 = No.....	7230	0.86
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	21	0.00
97 = REFUSED.....	595	0.07
98 = BLANK (NO ANSWER).....	3248	0.39
99 = LEGITIMATE SKIP.....	63300	7.57

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?

MRJEMOPB Len : 2 MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
1 = Yes.....	12113	1.45
2 = No.....	97801	11.69
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED MARIJUANA.....	498152	59.54
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
94 = DON'T KNOW.....	179	0.02
97 = REFUSED.....	518	0.06
98 = BLANK (NO ANSWER).....	3065	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

MRJEMCTD	Len : 2 CONTD USING MARIJUANA DESPITE EMOT PRBS	Freq	Pct
	1 = Yes.....	7907	0.95
	2 = No.....	4188	0.50
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW.....	10	0.00
	97 = REFUSED.....	526	0.06
	98 = BLANK (NO ANSWER).....	3253	0.39
	99 = LEGITIMATE SKIP.....	97801	11.69

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?

MRJPHLPB	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS	Freq	Pct
	1 = Yes.....	3344	0.40
	2 = No.....	98711	11.80
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW.....	146	0.02
	97 = REFUSED.....	503	0.06
	98 = BLANK (NO ANSWER).....	3071	0.37
	99 = LEGITIMATE SKIP.....	7907	0.95

Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?

MRJPHCTD	Len : 2 CONTD TO USE MARIJUANA DESPITE PHYS PRBS	Freq	Pct
	1 = Yes.....	1769	0.21
	2 = No.....	1573	0.19
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	97 = REFUSED.....	505	0.06
	98 = BLANK (NO ANSWER).....	3226	0.39
	99 = LEGITIMATE SKIP.....	106618	12.74

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?

MRJLSACT	Len : 2 LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS	Freq	Pct
	1 = Yes.....	13603	1.63
	2 = No.....	96406	11.52
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW.....	106	0.01
	97 = REFUSED.....	496	0.06
	98 = BLANK (NO ANSWER).....	3065	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?

MRJSERP	Len : 2 MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		Freq	Pct
	1 = Yes.....	9327	1.11
	2 = No.....	100680	12.03
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW.....	96	0.01
	97 = REFUSED.....	508	0.06
	98 = BLANK (NO ANSWER).....	3065	0.37

During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?

MRJPDANG	Len : 2 USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		Freq	Pct
	1 = Yes.....	8871	1.06
	2 = No.....	101140	12.09
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW.....	100	0.01
	97 = REFUSED.....	499	0.06
	98 = BLANK (NO ANSWER).....	3066	0.37

During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?

MRJLAWTR	Len : 2 USING MJ CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	4149	0.50
	2 = No.....	105896	12.66
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW.....	74	0.01
	97 = REFUSED.....	491	0.06
	98 = BLANK (NO ANSWER).....	3066	0.37

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?

MRJFMFPB	Len : 2 USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	1 = Yes.....	10091	1.21
	2 = No.....	99944	11.95
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED MARIJUANA.....	498152	59.54
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
	94 = DON'T KNOW.....	90	0.01
	97 = REFUSED.....	485	0.06
	98 = BLANK (NO ANSWER).....	3066	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?

MRJFMCTD	Len : 2	CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS		
			Freq	Pct
		1 = Yes.....	7419	0.89
		2 = No.....	2651	0.32
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	840	0.10
		85 = BAD DATA Logically assigned.....	5	0.00
		91 = NEVER USED MARIJUANA.....	498152	59.54
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	224013	26.77
		94 = DON'T KNOW.....	8	0.00
		97 = REFUSED.....	498	0.06
		98 = BLANK (NO ANSWER).....	3166	0.38
		99 = LEGITIMATE SKIP.....	99944	11.95

Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?

COCLOTTM	Len : 2	SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	3793	0.45
		2 = No.....	19358	2.31
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	17	0.00
		97 = REFUSED.....	208	0.02
		98 = BLANK (NO ANSWER).....	1247	0.15

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?

COCGTOVR	Len : 2	MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	766	0.09
		2 = No.....	18582	2.22
		85 = BAD DATA Logically assigned.....	5	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	21	0.00
		97 = REFUSED.....	214	0.03
		98 = BLANK (NO ANSWER).....	1249	0.15
		99 = LEGITIMATE SKIP.....	3793	0.45

During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?

COCLIMIT	Len : 2	SET LIMITS ON COCAINE USE PAST 12 MONTHS		
			Freq	Pct
		1 = Yes.....	8197	0.98
		2 = No.....	14902	1.78
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	41	0.00
		97 = REFUSED.....	236	0.03
		98 = BLANK (NO ANSWER).....	1247	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?

COCKPLMT	Len : 2 ABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS		
		Freq	Pct
	1 = Usually kept to the limits set.....	6227	0.74
	2 = Often used more than intended	1968	0.24
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED COCAINE	738717	88.29
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	73349	8.77
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	237	0.03
	98 = BLANK (NO ANSWER)	1293	0.15
	99 = LEGITIMATE SKIP.....	14902	1.78

During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?

COCNDMOR	Len : 2 NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes.....	3580	0.43
	2 = No.....	19521	2.33
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED COCAINE	738717	88.29
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	73349	8.77
	94 = DON'T KNOW	41	0.00
	97 = REFUSED	234	0.03
	98 = BLANK (NO ANSWER)	1247	0.15

During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?

COCLSEFX	Len : 2 USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	1278	0.15
	2 = No.....	18179	2.17
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED COCAINE	738717	88.29
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	73349	8.77
	94 = DON'T KNOW	89	0.01
	97 = REFUSED	250	0.03
	98 = BLANK (NO ANSWER)	1249	0.15
	99 = LEGITIMATE SKIP.....	3580	0.43

During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?

COCCUTDN	Len : 2 WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	10785	1.29
	2 = No.....	12263	1.47
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED COCAINE	738717	88.29
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	73349	8.77
	94 = DON'T KNOW	68	0.01
	97 = REFUSED	260	0.03
	98 = BLANK (NO ANSWER)	1247	0.15

During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?

COCCUTEV	Len : 2 ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	9336	1.12
	2 = No.....	1438	0.17
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED COCAINE	738717	88.29
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	73349	8.77
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	266	0.03
	98 = BLANK (NO ANSWER)	1321	0.16
	99 = LEGITIMATE SKIP.....	12263	1.47

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?

COCCUT1X	Len : 2 CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS		
	1 = Yes.....	Freq	Pct
	2 = No.....	5096	0.61
	85 = BAD DATA Logically assigned.....	8598	1.03
	91 = NEVER USED COCAINE.....	6	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	738717	88.29
	94 = DON'T KNOW.....	73349	8.77
	97 = REFUSED.....	84	0.01
	98 = BLANK (NO ANSWER).....	262	0.03
	99 = LEGITIMATE SKIP.....	1248	0.15
		9336	1.12

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?

COCFLBLU	Len : 2 WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS		
	1 = Yes.....	Freq	Pct
	2 = No.....	3319	0.40
	85 = BAD DATA Logically assigned.....	11100	1.33
	91 = NEVER USED COCAINE.....	2	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	738717	88.29
	94 = DON'T KNOW.....	73349	8.77
	97 = REFUSED.....	9	0.00
	98 = BLANK (NO ANSWER).....	266	0.03
	99 = LEGITIMATE SKIP.....	1336	0.16
		8598	1.03

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

COCWD2SX	Len : 2 HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS		
	1 = Yes.....	Freq	Pct
	2 = No.....	2671	0.32
	85 = BAD DATA Logically assigned.....	646	0.08
	91 = NEVER USED COCAINE.....	2	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	738717	88.29
	94 = DON'T KNOW.....	73349	8.77
	97 = REFUSED.....	268	0.03
	98 = BLANK (NO ANSWER).....	1345	0.16
	99 = LEGITIMATE SKIP.....	19698	2.35

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

COCWDSMT	Len : 2 HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS		
	1 = Yes.....	Freq	Pct
	2 = No.....	2107	0.25
	85 = BAD DATA Logically assigned.....	564	0.07
	91 = NEVER USED COCAINE.....	2	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	738717	88.29
	94 = DON'T KNOW.....	73349	8.77
	97 = REFUSED.....	266	0.03
	98 = BLANK (NO ANSWER).....	1347	0.16
	99 = LEGITIMATE SKIP.....	20344	2.43

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?

COCEMOPB	Len : 2	COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	3734	0.45
		2 = No.....	19350	2.31
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	54	0.01
		97 = REFUSED.....	238	0.03
		98 = BLANK (NO ANSWER).....	1247	0.15

Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

COCEMCTD	Len : 2	CONTD TO USE COC DESPITE EMOT PRBS		
			Freq	Pct
		1 = Yes.....	2154	0.26
		2 = No.....	1575	0.19
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	3	0.00
		97 = REFUSED.....	240	0.03
		98 = BLANK (NO ANSWER).....	1306	0.16
		99 = LEGITIMATE SKIP.....	19350	2.31

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?

COCPHLPB	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS		
			Freq	Pct
		1 = Yes.....	847	0.10
		2 = No.....	20100	2.40
		85 = BAD DATA Logically assigned.....	5	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	47	0.01
		97 = REFUSED.....	228	0.03
		98 = BLANK (NO ANSWER).....	1249	0.15
		99 = LEGITIMATE SKIP.....	2154	0.26

Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?

COCPHCTD	Len : 2	CONTD TO USE COC DESPITE PHYS PRBS		
			Freq	Pct
		1 = Yes.....	308	0.04
		2 = No.....	539	0.06
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		97 = REFUSED.....	228	0.03
		98 = BLANK (NO ANSWER).....	1301	0.16
		99 = LEGITIMATE SKIP.....	22254	2.66

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?

COCLSACT	Len : 2	LESS ACTIVITIES B/C OF COC USE PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	2937	0.35
		2 = No.....	20156	2.41
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	41	0.00
		97 = REFUSED.....	242	0.03
		98 = BLANK (NO ANSWER).....	1247	0.15

Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?

COCSERP	Len : 2	COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2553	0.31
		2 = No.....	20546	2.46
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	43	0.01
		97 = REFUSED.....	234	0.03
		98 = BLANK (NO ANSWER).....	1247	0.15

During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?

COCPDANG	Len : 2	USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
			Freq	Pct
		1 = Yes.....	2561	0.31
		2 = No.....	20545	2.46
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	41	0.00
		97 = REFUSED.....	229	0.03
		98 = BLANK (NO ANSWER).....	1247	0.15

During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?

COCLAWTR	Len : 2	USING COC CAUSE PRBS WITH LAW PAST 12 MOS		
			Freq	Pct
		1 = Yes.....	961	0.11
		2 = No.....	22149	2.65
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED COCAINE.....	738717	88.29
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	73349	8.77
		94 = DON'T KNOW.....	38	0.00
		97 = REFUSED.....	228	0.03
		98 = BLANK (NO ANSWER).....	1247	0.15

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?

COCFMFPB	Len : 2 USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
	1 = Yes.....	Freq	Pct
	2 = No.....	2863	0.34
	85 = BAD DATA Logically assigned.....	20250	2.42
	91 = NEVER USED COCAINE.....	7	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	738717	88.29
	94 = DON'T KNOW.....	73349	8.77
	97 = REFUSED.....	38	0.00
	98 = BLANK (NO ANSWER).....	225	0.03
		1247	0.15

Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?

COCFMCTD	Len : 2 CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS		
	1 = Yes.....	Freq	Pct
	2 = No.....	1941	0.23
	85 = BAD DATA Logically assigned.....	921	0.11
	91 = NEVER USED COCAINE.....	2	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	738717	88.29
	94 = DON'T KNOW.....	73349	8.77
	97 = REFUSED.....	1	0.00
	98 = BLANK (NO ANSWER).....	225	0.03
	99 = LEGITIMATE SKIP.....	1290	0.15
		20250	2.42

NOTE: The heroin variables in the SUBSTANCE DEPENDENCE AND ABUSE module take into account information from follow-up questions that were added to the SPECIAL DRUGS module in 2002 for the variables HRSMKREC and HRSNFREC. Respondents who had not previously reported heroin use in the past 12 months but who reported on follow-up that they smoked or sniffed heroin in the past 12 months were asked the heroin questions in the SUBSTANCE DEPENDENCE AND ABUSE module.

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?

HERLOTTM	Len : 2 SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS		
	1 = Yes.....	Freq	Pct
	2 = No.....	1346	0.16
	85 = BAD DATA Logically assigned.....	1703	0.20
	91 = NEVER USED HEROIN.....	1	0.00
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	824268	98.51
	94 = DON'T KNOW.....	8692	1.04
	97 = REFUSED.....	5	0.00
	98 = BLANK (NO ANSWER).....	77	0.01
		604	0.07

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?

HERGTOVR	Len : 2 MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO		
	1 = Yes.....	Freq	Pct
	2 = No.....	161	0.02
	85 = BAD DATA Logically assigned.....	1540	0.18
	91 = NEVER USED HEROIN.....	1	0.00
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	824268	98.51
	94 = DON'T KNOW.....	8692	1.04
	97 = REFUSED.....	7	0.00
	98 = BLANK (NO ANSWER).....	77	0.01
	99 = LEGITIMATE SKIP.....	604	0.07
		1346	0.16

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much heroin you would use?

HERLIMIT	Len : 2 SET LIMITS ON HEROIN USE PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	1552	0.19
	2 = No.....	1489	0.18
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	8	0.00
	97 = REFUSED.....	82	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

Were you able to keep to the limits you set, or did you often use heroin more than you intended to?

HERKPLMT	Len : 2 ABLE TO KEEP LIMIT OR USE MORE HEROIN PST 12 MOS		
		Freq	Pct
	1 = Usually kept to the limits set.....	722	0.09
	2 = Often used more than intended.....	829	0.10
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	97 = REFUSED.....	83	0.01
	98 = BLANK (NO ANSWER).....	613	0.07
	99 = LEGITIMATE SKIP.....	1489	0.18

During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?

HERNDMOR	Len : 2 NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes.....	1326	0.16
	2 = No.....	1711	0.20
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	10	0.00
	97 = REFUSED.....	84	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?

HERLSEFX	Len : 2 USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes.....	183	0.02
	2 = No.....	1520	0.18
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	15	0.00
	97 = REFUSED.....	87	0.01
	98 = BLANK (NO ANSWER).....	604	0.07
	99 = LEGITIMATE SKIP.....	1326	0.16

During the past 12 months, did you want to or try to cut down or stop using heroin?

HERCUTDN	Len : 2 WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS		
		Freq	Pct
	1 = Yes.....	1920	0.23
	2 = No.....	1120	0.13
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	82	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?

HERCUTEV	Len : 2	ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1199	0.14
		2 = No.....	719	0.09
		91 = NEVER USED HEROIN.....	824268	98.51
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	83	0.01
		98 = BLANK (NO ANSWER).....	614	0.07
		99 = LEGITIMATE SKIP.....	1120	0.13

During the past 12 months, did you cut down or stop using heroin at least one time?

HERCUTIX	Len : 2	CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS		
			Freq	Pct
		1 = Yes.....	939	0.11
		2 = No.....	902	0.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	824268	98.51
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
		94 = DON'T KNOW.....	9	0.00
		97 = REFUSED.....	82	0.01
		98 = BLANK (NO ANSWER).....	604	0.07
		99 = LEGITIMATE SKIP.....	1199	0.14

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

HERWD3SX	Len : 2	HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		1 = Yes.....	1474	0.18
		2 = No.....	658	0.08
		91 = NEVER USED HEROIN.....	824268	98.51
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
		94 = DON'T KNOW.....	6	0.00
		97 = REFUSED.....	82	0.01
		98 = BLANK (NO ANSWER).....	614	0.07
		99 = LEGITIMATE SKIP.....	902	0.11

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

HERWDSMT	Len : 2 HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS	Freq	Pct
	1 = Yes.....	1298	0.16
	2 = No.....	176	0.02
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	97 = REFUSED.....	82	0.01
	98 = BLANK (NO ANSWER).....	620	0.07
	99 = LEGITIMATE SKIP.....	1560	0.19

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?

HEREMOPB	Len : 2 HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS	Freq	Pct
	1 = Yes.....	1302	0.16
	2 = No.....	1738	0.21
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED.....	78	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

HEREMCTD	Len : 2 CONTD TO USE HEROIN DESPITE EMOT PRBS	Freq	Pct
	1 = Yes.....	1032	0.12
	2 = No.....	269	0.03
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	97 = REFUSED.....	79	0.01
	98 = BLANK (NO ANSWER).....	618	0.07
	99 = LEGITIMATE SKIP.....	1738	0.21

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?

HERPHLPB	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS	Freq	Pct
	1 = Yes.....	166	0.02
	2 = No.....	1839	0.22
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED.....	81	0.01
	98 = BLANK (NO ANSWER).....	604	0.07
	99 = LEGITIMATE SKIP.....	1032	0.12

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use heroin even though you thought it was causing you to have physical problems?

HERPHCTD	Len : 2 CONTD TO USE HEROIN DESPITE PHYS PRBS	Freq	Pct
	1 = Yes.....	71	0.01
	2 = No.....	95	0.01
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	97 = REFUSED.....	81	0.01
	98 = BLANK (NO ANSWER).....	617	0.07
	99 = LEGITIMATE SKIP.....	2871	0.34

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?

HERLSACT	Len : 2 LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS	Freq	Pct
	1 = Yes.....	1187	0.14
	2 = No.....	1855	0.22
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	10	0.00
	97 = REFUSED.....	79	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

Sometimes people who use heroin have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?

HERSERPB	Len : 2 HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS	Freq	Pct
	1 = Yes.....	1037	0.12
	2 = No.....	2008	0.24
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	77	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?

HERPDANG	Len : 2 USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS	Freq	Pct
	1 = Yes.....	926	0.11
	2 = No.....	2115	0.25
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	12	0.00
	97 = REFUSED.....	78	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?

HERLAWTR	Len : 2 USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS	Freq	Pct
	1 = Yes.....	514	0.06
	2 = No.....	2528	0.30
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	11	0.00
	97 = REFUSED.....	78	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?

HERFMFPB	Len : 2 USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS	Freq	Pct
	1 = Yes.....	1167	0.14
	2 = No.....	1876	0.22
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	94 = DON'T KNOW.....	8	0.00
	97 = REFUSED.....	80	0.01
	98 = BLANK (NO ANSWER).....	604	0.07

Did you continue to use heroin even though you thought it caused problems with family or friends?

HERFMCTD	Len : 2 CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS	Freq	Pct
	1 = Yes.....	973	0.12
	2 = No.....	194	0.02
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	824268	98.51
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	8692	1.04
	97 = REFUSED.....	80	0.01
	98 = BLANK (NO ANSWER).....	612	0.07
	99 = LEGITIMATE SKIP.....	1876	0.22

Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy" or "Molly", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?

HALULOTTM ¹	Len : 2 SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	200	0.02
	2 = No.....	2870	0.34
	91 = NEVER USED HALLUCINOGENS.....	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	94 = DON'T KNOW.....	3	0.00
	97 = REFUSED.....	18	0.00
	98 = BLANK (NO ANSWER).....	774	0.09

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?

HALUGTOVR ¹	Len : 2 MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	78	0.01
	2 = No.....	2790	0.33
	91 = NEVER USED HALLUCINOGENS.....	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	94 = DON'T KNOW.....	7	0.00
	97 = REFUSED.....	16	0.00
	98 = BLANK (NO ANSWER).....	774	0.09
	99 = LEGITIMATE SKIP.....	200	0.02

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?

HALULIMIT¹	Len : 2 SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	684	0.08
	2 = No.....	2380	0.28
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	774	0.09

Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?

HALUKPLMT¹	Len : 2 ABLE TO KEEP LIMIT OR USE MORE HALLUC PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Usually kept to the limits set.....	657	0.08
	2 = Often used more than intended	27	0.00
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	782	0.09
	99 = LEGITIMATE SKIP.....	2380	0.28

During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?

HALUNDMOR¹	Len : 2 NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	173	0.02
	2 = No.....	2893	0.35
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	94 = DON'T KNOW	10	0.00
	97 = REFUSED	15	0.00
	98 = BLANK (NO ANSWER)	774	0.09

During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?

HALULSEFX¹	Len : 2 USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	119	0.01
	2 = No.....	2766	0.33
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	94 = DON'T KNOW	12	0.00
	97 = REFUSED	21	0.00
	98 = BLANK (NO ANSWER)	774	0.09
	99 = LEGITIMATE SKIP.....	173	0.02

During the past 12 months, did you want to or try to cut down or stop using hallucinogens?

HALUCUTDN¹	Len : 2 WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	684	0.08
	2 = No.....	2372	0.28
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	24	0.00
	98 = BLANK (NO ANSWER)	774	0.09

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?

HALUCUTEV¹ Len : 2 ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	661	0.08
2 = No.....	23	0.00
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
97 = REFUSED	24	0.00
98 = BLANK (NO ANSWER)	785	0.09
99 = LEGITIMATE SKIP.....	2372	0.28

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?

HALUEMOPB¹ Len : 2 HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	227	0.03
2 = No.....	2840	0.34
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
94 = DON'T KNOW	6	0.00
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER)	774	0.09

Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

HALUEMCTD¹ Len : 2 CONTD TO USE HALLUC DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	87	0.01
2 = No.....	137	0.02
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
94 = DON'T KNOW	2	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	780	0.09
99 = LEGITIMATE SKIP.....	2840	0.34

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?

HALUPHLPB¹ Len : 2 ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	54	0.01
2 = No.....	2924	0.35
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
94 = DON'T KNOW	7	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	774	0.09
99 = LEGITIMATE SKIP.....	87	0.01

Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?

HALUPHCTD¹ Len : 2 CONTD TO USE HALLUC DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	13	0.00
2 = No.....	41	0.00
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	781	0.09
99 = LEGITIMATE SKIP.....	3011	0.36

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?

HALULSACT¹ Len : 2 LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	105	0.01
2 = No.....	2958	0.35
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
94 = DON'T KNOW	7	0.00
97 = REFUSED	21	0.00
98 = BLANK (NO ANSWER)	774	0.09

Sometimes people who use hallucinogens have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?

HALUSERPB¹ Len : 2 HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	92	0.01
2 = No.....	2974	0.36
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
94 = DON'T KNOW	6	0.00
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	774	0.09

During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?

HALUPDANG¹ Len : 2 USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	127	0.02
2 = No.....	2937	0.35
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
94 = DON'T KNOW	6	0.00
97 = REFUSED	21	0.00
98 = BLANK (NO ANSWER)	774	0.09

During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?

HALULAWTR¹ Len : 2 USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	49	0.01
2 = No.....	3015	0.36
91 = NEVER USED HALLUCINOGENS	97049	11.60
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
94 = DON'T KNOW	7	0.00
97 = REFUSED	20	0.00
98 = BLANK (NO ANSWER)	774	0.09

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?

HALUFMPB¹	Len : 2 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	98	0.01
	2 = No.....	2968	0.35
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	774	0.09

Did you continue to use hallucinogens even though you thought this caused problems with family or friends?

HALUFMCTD¹	Len : 2 CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	42	0.01
	2 = No.....	56	0.01
	91 = NEVER USED HALLUCINOGENS	97049	11.60
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	13129	1.57
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	780	0.09
	99 = LEGITIMATE SKIP.....	2968	0.35

Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?

INHLOTTM¹	Len : 2 SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	54	0.01
	2 = No.....	1178	0.14
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	631	0.08

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?

INHLGTOVR¹	Len : 2 MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	23	0.00
	2 = No.....	1151	0.14
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	7	0.00
	97 = REFUSED	9	0.00
	98 = BLANK (NO ANSWER)	631	0.08
	99 = LEGITIMATE SKIP.....	54	0.01

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much inhalants you would use?

INHLLIMIT¹	Len : 2 SET LIMITS ON INHALANT USE PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	235	0.03
	2 = No.....	972	0.12
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	631	0.08

Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?

INHLKPLMT¹	Len : 2 ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Usually kept to the limits set.....	214	0.03
	2 = Often used more than intended	20	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	97 = REFUSED	20	0.00
	98 = BLANK (NO ANSWER)	652	0.08
	99 = LEGITIMATE SKIP.....	972	0.12

During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?

INHLNDMOR¹	Len : 2 NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	64	0.01
	2 = No.....	1156	0.14
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	12	0.00
	97 = REFUSED	12	0.00
	98 = BLANK (NO ANSWER)	631	0.08

During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?

INHLLSEFX¹	Len : 2 USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	72	0.01
	2 = No.....	1068	0.13
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	23	0.00
	97 = REFUSED	17	0.00
	98 = BLANK (NO ANSWER)	633	0.08
	99 = LEGITIMATE SKIP.....	64	0.01

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using inhalants?

INHLCUTDN¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	403	0.05
	2 = No.....	788	0.09
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	31	0.00
	97 = REFUSED	22	0.00
	98 = BLANK (NO ANSWER)	631	0.08

During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?

INHLCUTEV¹	Len : 2 ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	375	0.04
	2 = No.....	24	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	24	0.00
	98 = BLANK (NO ANSWER)	665	0.08
	99 = LEGITIMATE SKIP.....	788	0.09

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?

INHLEMOPB¹	Len : 2 INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	83	0.01
	2 = No.....	1130	0.14
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	94 = DON'T KNOW	15	0.00
	97 = REFUSED	16	0.00
	98 = BLANK (NO ANSWER)	631	0.08

Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

INHLEMCTD¹	Len : 2 CONTD TO USE INHALANTS DESPITE EMOT PRBS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	31	0.00
	2 = No.....	52	0.01
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED INHALANTS	102162	12.21
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
	97 = REFUSED	16	0.00
	98 = BLANK (NO ANSWER)	649	0.08
	99 = LEGITIMATE SKIP.....	1130	0.14

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?

INHLPHLPB¹ Len : 2 ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	34	0.00
2 = No.....	1148	0.14
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
94 = DON'T KNOW	16	0.00
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER)	631	0.08
99 = LEGITIMATE SKIP.....	31	0.00

Did you continue to use inhalants even though you thought this was causing you to have physical problems?

INHLPHCTD¹ Len : 2 CONTD TO USE INHALANTS DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	8	0.00
2 = No.....	26	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER)	651	0.08
99 = LEGITIMATE SKIP.....	1179	0.14

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?

INHLLSACT¹ Len : 2 LESS ACTIVITIES B/C OF INH USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	51	0.01
2 = No.....	1161	0.14
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
94 = DON'T KNOW	16	0.00
97 = REFUSED	16	0.00
98 = BLANK (NO ANSWER)	631	0.08

Sometimes people who use inhalants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?

INHLSERP¹ Len : 2 INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	44	0.01
2 = No.....	1176	0.14
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
94 = DON'T KNOW	10	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER)	631	0.08

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?

INHLPDANG¹ Len : 2 USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	41	0.00
2 = No.....	1182	0.14
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
94 = DON'T KNOW	7	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER)	631	0.08

During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?

INHLLAWTR¹ Len : 2 USING INH CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	13	0.00
2 = No.....	1211	0.14
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
94 = DON'T KNOW	10	0.00
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER)	631	0.08

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?

INHLFMFPB¹ Len : 2 USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	42	0.01
2 = No.....	1183	0.14
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
94 = DON'T KNOW	9	0.00
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER)	631	0.08

Did you continue to use inhalants even though you thought this caused problems with family or friends?

INHLFMCTD¹ Len : 2 CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	18	0.00
2 = No.....	24	0.00
91 = NEVER USED INHALANTS	102162	12.21
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	10002	1.20
97 = REFUSED	10	0.00
98 = BLANK (NO ANSWER)	644	0.08
99 = LEGITIMATE SKIP.....	1183	0.14

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of methamphetamine during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using methamphetamine?

METHLOTTM¹ Len : 2 SPENT MONTH/MORE GETTING/USING METH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	309	0.04
2 = No.....	441	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
97 = REFUSED.....	9	0.00
98 = BLANK (NO ANSWER).....	172	0.02

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the methamphetamine you used?

METHGTOVR¹ Len : 2 MONTH+ SPENT GETTING OVER METH EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	45	0.01
2 = No.....	392	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	10	0.00
98 = BLANK (NO ANSWER).....	172	0.02
99 = LEGITIMATE SKIP.....	309	0.04

During the past 12 months, did you try to set limits on how often or how much methamphetamine you would use?

METHLIMIT¹ Len : 2 SET LIMITS ON METH USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	335	0.04
2 = No.....	408	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	11	0.00
98 = BLANK (NO ANSWER).....	172	0.02

Were you able to keep to the limits you set, or did you often use methamphetamine more than you intended to?

METHKPLMT¹ Len : 2 ABLE TO KEEP LIMITS OR USED MORE METH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Usually kept to the limits set.....	201	0.02
2 = Often used more than intended.....	132	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.00
98 = BLANK (NO ANSWER).....	177	0.02
99 = LEGITIMATE SKIP.....	408	0.05

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more methamphetamine than you used to in order to get the effect you wanted?

METHNDMOR¹ Len : 2 NEEDED MORE METH TO GET SAME EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	260	0.03
2 = No.....	486	0.06
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	2	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	172	0.02

During the past 12 months, did you notice that using the same amount of methamphetamine had less effect on you than it used to?

METHLSEFX¹ Len : 2 USING SAME AMT METH HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	58	0.01
2 = No.....	428	0.05
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	2	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	173	0.02
99 = LEGITIMATE SKIP.....	260	0.03

During the past 12 months, did you want to or try to cut down or stop using methamphetamine?

METHCUTDN¹ Len : 2 WANT/TRY TO CUT DOWN/STOP USING METH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	454	0.05
2 = No.....	289	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	4	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	172	0.02

During the past 12 months, were you able to cut down or stop using methamphetamine every time you wanted to or tried to?

METHCUTEV¹ Len : 2 ABLE TO CUT/STOP USING METH EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	347	0.04
2 = No.....	106	0.01
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
97 = REFUSED	13	0.00
98 = BLANK (NO ANSWER)	177	0.02
99 = LEGITIMATE SKIP.....	289	0.03

During the past 12 months, did you cut down or stop using methamphetamine at least one time?

METHCUTIX¹ Len : 2 CUT DOWN OR STOP USING METH AT LEAST 1X PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	183	0.02
2 = No.....	212	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	4	0.00
97 = REFUSED	13	0.00
98 = BLANK (NO ANSWER)	172	0.02
99 = LEGITIMATE SKIP.....	347	0.04

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using methamphetamine?

METHFLBLU¹	Len : 2	WHEN CUT DOWN ON METH, FELT BLUE PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	267	0.03
		2 = No.....	262	0.03
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED METHAMPHETAMINE	108774	13.00
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	13	0.00
		98 = BLANK (NO ANSWER)	176	0.02
		99 = LEGITIMATE SKIP.....	212	0.03

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using methamphetamine?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

METHWD2SX¹	Len : 2	HAD 2+ METH WITHDRAWAL SYMPTOMS PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	254	0.03
		2 = No.....	13	0.00
		91 = NEVER USED METHAMPHETAMINE	108774	13.00
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
		97 = REFUSED	13	0.00
		98 = BLANK (NO ANSWER)	178	0.02
		99 = LEGITIMATE SKIP.....	474	0.06

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using methamphetamine?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

METHWDSMT¹	Len : 2	HAD 2+ METH WDRAW SYM AT SAME TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	235	0.03
		2 = No.....	18	0.00
		91 = NEVER USED METHAMPHETAMINE	108774	13.00
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	13	0.00
		98 = BLANK (NO ANSWER)	178	0.02
		99 = LEGITIMATE SKIP.....	487	0.06

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of methamphetamine?

METHEMOPB¹	Len : 2	METH CAUSE PROBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	328	0.04
		2 = No.....	415	0.05
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED METHAMPHETAMINE	108774	13.00
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
		94 = DON'T KNOW	4	0.00
		97 = REFUSED	12	0.00
		98 = BLANK (NO ANSWER)	172	0.02

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use methamphetamine even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

METHEMCTD¹ Len : 2 CONTD TO USE METH DESPITE EMOT PROBS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	222	0.03
2 = No.....	106	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	176	0.02
99 = LEGITIMATE SKIP.....	415	0.05

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of methamphetamine?

METHPHLPB¹ Len : 2 ANY PHYS PROBS CAUSED/WORSND BY METH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	56	0.01
2 = No.....	467	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	3	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	172	0.02
99 = LEGITIMATE SKIP.....	222	0.03

Did you continue to use methamphetamine even though you thought it was causing you to have physical problems?

METHPHCTD¹ Len : 2 CONTD TO USE METH DESPITE PHYS PROBS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	29	0.00
2 = No.....	27	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	175	0.02
99 = LEGITIMATE SKIP.....	689	0.08

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using methamphetamine cause you to give up or spend less time doing these types of important activities?

METHLSACT¹ Len : 2 LESS ACTIVITIES B/C OF METH USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	274	0.03
2 = No.....	471	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	2	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	172	0.02

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use methamphetamine have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using methamphetamine cause you to have serious problems like this either at home, work, or school?

METHSERPB¹ Len : 2 METH CAUSE SERS PROBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	236	0.03
2 = No.....	508	0.06
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	3	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	172	0.02

During the past 12 months, did you regularly use methamphetamine and then do something where using methamphetamine might have put you in physical danger?

METHPDANG¹ Len : 2 USING METH AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	189	0.02
2 = No.....	556	0.07
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	3	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	172	0.02

During the past 12 months, did using methamphetamine cause you to do things that repeatedly got you in trouble with the law?

METHLAWTR¹ Len : 2 USING METH CAUSE PROBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	102	0.01
2 = No.....	643	0.08
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	2	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	172	0.02

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of methamphetamine?

METHFMFPB¹ Len : 2 USING METH CAUSE PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	260	0.03
2 = No.....	485	0.06
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	108774	13.00
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
94 = DON'T KNOW	3	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	172	0.02

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use methamphetamine even though you thought it caused problems with family or friends?

METHFMCTD¹	Len : 2	CONTD TO USE METH DESPITE PROBS W/FAMILY/FRIENDS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	188	0.02
		2 = No.....	72	0.01
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED METHAMPHETAMINE	108774	13.00
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	4337	0.52
		97 = REFUSED	11	0.00
		98 = BLANK (NO ANSWER)	175	0.02
		99 = LEGITIMATE SKIP.....	485	0.06

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in prescription pain relievers that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [PRFILL2] in a way a doctor did not direct you to use [PRNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of time getting or using prescription pain relievers?

PNRLLOTTM¹	Len : 2	SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	856	0.10
		2 = No.....	5094	0.61
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
		85 = BAD DATA Logically assigned	8	0.00
		91 = NEVER USED PAIN RELIEVERS	100623	12.03
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
		94 = DON'T KNOW	11	0.00
		97 = REFUSED	19	0.00
		98 = BLANK (NO ANSWER)	541	0.06

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?

PNRLGTOVR¹	Len : 2	MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	151	0.02
		2 = No.....	4941	0.59
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
		85 = BAD DATA Logically assigned	8	0.00
		91 = NEVER USED PAIN RELIEVERS	100623	12.03
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
		94 = DON'T KNOW	13	0.00
		97 = REFUSED	19	0.00
		98 = BLANK (NO ANSWER)	541	0.06
		99 = LEGITIMATE SKIP.....	856	0.10

During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?

PNRLLIMIT¹	Len : 2	SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	1687	0.20
		2 = No.....	4238	0.51
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
		85 = BAD DATA Logically assigned	8	0.00
		91 = NEVER USED PAIN RELIEVERS	100623	12.03
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
		94 = DON'T KNOW	29	0.00
		97 = REFUSED	26	0.00
		98 = BLANK (NO ANSWER)	541	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?

PNRLKPLMT¹	Len : 2 ABLE TO KEEP LIMIT/USE MORE PN RLVR PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Usually kept to the limits set.....	1319	0.16
	2 = Often used more than intended	366	0.04
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
	91 = NEVER USED PAIN RELIEVERS	100623	12.03
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	27	0.00
	98 = BLANK (NO ANSWER)	578	0.07
	99 = LEGITIMATE SKIP.....	4238	0.51

During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?

PNRLNDMOR¹	Len : 2 NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	1014	0.12
	2 = No.....	4918	0.59
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
	85 = BAD DATA Logically assigned	8	0.00
	91 = NEVER USED PAIN RELIEVERS	100623	12.03
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
	94 = DON'T KNOW	22	0.00
	97 = REFUSED	26	0.00
	98 = BLANK (NO ANSWER)	541	0.06

During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?

PNRLSEFX¹	Len : 2 USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	385	0.05
	2 = No.....	4523	0.54
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED PAIN RELIEVERS	100623	12.03
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
	94 = DON'T KNOW	29	0.00
	97 = REFUSED	29	0.00
	98 = BLANK (NO ANSWER)	542	0.06
	99 = LEGITIMATE SKIP.....	1014	0.12

During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?

PNRLCUTDN¹	Len : 2 WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	2061	0.25
	2 = No.....	3834	0.46
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
	85 = BAD DATA Logically assigned	8	0.00
	91 = NEVER USED PAIN RELIEVERS	100623	12.03
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
	94 = DON'T KNOW	42	0.01
	97 = REFUSED	43	0.01
	98 = BLANK (NO ANSWER)	541	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?

PNRLCUTEV¹	Len : 2	ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	1749	0.21
		2 = No.....	310	0.04
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
		91 = NEVER USED PAIN RELIEVERS	100623	12.03
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	43	0.01
		98 = BLANK (NO ANSWER)	591	0.07
		99 = LEGITIMATE SKIP.....	3834	0.46

During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?

PNRLCUTIX¹	Len : 2	CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	1235	0.15
		2 = No.....	2919	0.35
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
		85 = BAD DATA Logically assigned	8	0.00
		91 = NEVER USED PAIN RELIEVERS	100623	12.03
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
		94 = DON'T KNOW	37	0.00
		97 = REFUSED	40	0.00
		98 = BLANK (NO ANSWER)	541	0.06
		99 = LEGITIMATE SKIP.....	1749	0.21

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

PNRLWD3SX¹	Len : 2	HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	977	0.12
		2 = No.....	1999	0.24
		83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
		91 = NEVER USED PAIN RELIEVERS	100623	12.03
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
		94 = DON'T KNOW	5	0.00
		97 = REFUSED	43	0.01
		98 = BLANK (NO ANSWER)	586	0.07
		99 = LEGITIMATE SKIP.....	2919	0.35

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

PNRLWDSMT¹ Len : 2 HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	720	0.09
2 = No.....	255	0.03
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
91 = NEVER USED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	6195	0.74
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	43	0.01
98 = BLANK (NO ANSWER).....	591	0.07
99 = LEGITIMATE SKIP.....	4918	0.59

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?

PNRLEMOPB¹ Len : 2 PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	738	0.09
2 = No.....	5191	0.62
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	6195	0.74
94 = DON'T KNOW.....	19	0.00
97 = REFUSED.....	32	0.00
98 = BLANK (NO ANSWER).....	541	0.06

Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

PNRLEMCTD¹ Len : 2 CONTD TO USE PN RLVR DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	475	0.06
2 = No.....	262	0.03
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
91 = NEVER USED PAIN RELIEVERS.....	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	6195	0.74
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	32	0.00
98 = BLANK (NO ANSWER).....	568	0.07
99 = LEGITIMATE SKIP.....	5191	0.62

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?

PNRPLHLPB¹ Len : 2 ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	144	0.02
2 = No.....	5313	0.63
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED PAIN RELIEVERS	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
94 = DON'T KNOW	19	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER)	541	0.06
99 = LEGITIMATE SKIP.....	475	0.06

Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?

PNRPLHCTD¹ Len : 2 CONTD TO USE PN RLVR DESPITE PHYS PRBS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	52	0.01
2 = No.....	92	0.01
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
91 = NEVER USED PAIN RELIEVERS	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER)	568	0.07
99 = LEGITIMATE SKIP.....	5788	0.69

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?

PNRLLSACT¹ Len : 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	529	0.06
2 = No.....	5405	0.65
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	696	0.08
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED PAIN RELIEVERS	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
94 = DON'T KNOW	20	0.00
97 = REFUSED	26	0.00
98 = BLANK (NO ANSWER)	541	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?

PNRLSERPB¹ Len : 2 PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	434	0.05
2 = No.....	5508	0.66
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED PAIN RELIEVERS	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
94 = DON'T KNOW	17	0.00
97 = REFUSED	21	0.00
98 = BLANK (NO ANSWER)	541	0.06

During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?

PNRLPDANG¹ Len : 2 USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	337	0.04
2 = No.....	5610	0.67
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED PAIN RELIEVERS	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
94 = DON'T KNOW	12	0.00
97 = REFUSED	21	0.00
98 = BLANK (NO ANSWER)	541	0.06

During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?

PNRLLAWTR¹ Len : 2 USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	148	0.02
2 = No.....	5799	0.69
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED PAIN RELIEVERS	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
94 = DON'T KNOW	13	0.00
97 = REFUSED	20	0.00
98 = BLANK (NO ANSWER)	541	0.06

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?

PNRLFMFPB¹ Len : 2 USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	441	0.05
2 = No.....	5508	0.66
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED PAIN RELIEVERS	100623	12.03
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
94 = DON'T KNOW	11	0.00
97 = REFUSED	20	0.00
98 = BLANK (NO ANSWER)	541	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?

PNRFLMCTD¹	Len : 2 CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	321	0.04
	2 = No.....	120	0.01
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	696	0.08
	91 = NEVER USED PAIN RELIEVERS	100623	12.03
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	6195	0.74
	97 = REFUSED	20	0.00
	98 = BLANK (NO ANSWER)	560	0.07
	99 = LEGITIMATE SKIP.....	5508	0.66

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in prescription tranquilizers that you used in any way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [TRFILL2] in a way a doctor did not direct you to use [TRNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?

TRQLLOTTM¹	Len : 2 SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	253	0.03
	2 = No.....	2886	0.34
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED TRANQUILIZERS.....	107966	12.90
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	11	0.00
	98 = BLANK (NO ANSWER)	374	0.04

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?

TRQLGTOVR¹	Len : 2 MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	65	0.01
	2 = No.....	2822	0.34
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED TRANQUILIZERS.....	107966	12.90
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	11	0.00
	98 = BLANK (NO ANSWER)	376	0.04
	99 = LEGITIMATE SKIP.....	253	0.03

During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?

TRQLLIMIT¹	Len : 2 SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	717	0.09
	2 = No.....	2417	0.29
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED TRANQUILIZERS.....	107966	12.90
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	14	0.00
	98 = BLANK (NO ANSWER)	374	0.04

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?

TRQLKPLMT¹ Len : 2 ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Usually kept to the limits set.....	629	0.08
2 = Often used more than intended	87	0.01
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER)	383	0.05
99 = LEGITIMATE SKIP.....	2417	0.29

During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?

TRQLNDMOR¹ Len : 2 NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	337	0.04
2 = No.....	2800	0.33
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
94 = DON'T KNOW	6	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	374	0.04

During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?

TRQLLSEFT¹ Len : 2 USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	114	0.01
2 = No.....	2677	0.32
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
94 = DON'T KNOW	11	0.00
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER)	375	0.04
99 = LEGITIMATE SKIP.....	337	0.04

During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?

TRQLCUTDN¹ Len : 2 WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	937	0.11
2 = No.....	2187	0.26
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
94 = DON'T KNOW	12	0.00
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER)	374	0.04

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?

TRQLCUTEV¹	Len : 2	ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	846	0.10
		2 = No.....	91	0.01
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	107966	12.90
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
		97 = REFUSED	18	0.00
		98 = BLANK (NO ANSWER)	389	0.05
		99 = LEGITIMATE SKIP.....	2187	0.26

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?

TRQLEMOPB¹	Len : 2	TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	296	0.04
		2 = No.....	2836	0.34
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
		85 = BAD DATA Logically assigned	5	0.00
		91 = NEVER USED TRANQUILIZERS.....	107966	12.90
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
		94 = DON'T KNOW	9	0.00
		97 = REFUSED	13	0.00
		98 = BLANK (NO ANSWER)	374	0.04

Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

TRQLEMCTD¹	Len : 2	CONTD TO USE TRN DESPITE EMOT PRBS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	162	0.02
		2 = No.....	133	0.02
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	107966	12.90
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
		97 = REFUSED	14	0.00
		98 = BLANK (NO ANSWER)	387	0.05
		99 = LEGITIMATE SKIP.....	2836	0.34

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?

TRQLPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	59	0.01
		2 = No.....	2914	0.35
		83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
		85 = BAD DATA Logically assigned	4	0.00
		91 = NEVER USED TRANQUILIZERS.....	107966	12.90
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
		94 = DON'T KNOW	6	0.00
		97 = REFUSED	13	0.00
		98 = BLANK (NO ANSWER)	375	0.04
		99 = LEGITIMATE SKIP.....	162	0.02

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?

TRQLPHCTD¹	Len : 2 CONTD TO USE TRN DESPITE PHYS PRBS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	16	0.00
	2 = No.....	43	0.01
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
	91 = NEVER USED TRANQUILIZERS.....	107966	12.90
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
	97 = REFUSED	13	0.00
	98 = BLANK (NO ANSWER)	385	0.05
	99 = LEGITIMATE SKIP.....	3076	0.37

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?

TRQLLSACT¹	Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	187	0.02
	2 = No.....	2950	0.35
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED TRANQUILIZERS.....	107966	12.90
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	13	0.00
	98 = BLANK (NO ANSWER)	374	0.04

Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?

TRQLSERPB¹	Len : 2 TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	173	0.02
	2 = No.....	2969	0.35
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED TRANQUILIZERS.....	107966	12.90
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	11	0.00
	98 = BLANK (NO ANSWER)	374	0.04

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?

TRQLPDANG¹ Len : 2 USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	190	0.02
2 = No.....	2949	0.35
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
94 = DON'T KNOW	4	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	374	0.04

During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?

TRQLLAWTR¹ Len : 2 USING TRN CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	74	0.01
2 = No.....	3068	0.37
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
94 = DON'T KNOW	1	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	374	0.04

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?

TRQLFMFPB¹ Len : 2 USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	176	0.02
2 = No.....	2964	0.35
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
94 = DON'T KNOW	2	0.00
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	374	0.04

Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?

TRQLFMCTD¹ Len : 2 CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	109	0.01
2 = No.....	67	0.01
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	510	0.06
91 = NEVER USED TRANQUILIZERS.....	107966	12.90
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2034	0.24
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	381	0.05
99 = LEGITIMATE SKIP.....	2964	0.35

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [STFILL2] in a way a doctor did not direct you to use [STNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?

STIMLOTTM¹ Len : 2 SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	343	0.04
2 = No.....	3106	0.37
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
94 = DON'T KNOW	3	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	314	0.04

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?

STIMGTOVR¹ Len : 2 MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	51	0.01
2 = No.....	3056	0.37
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	315	0.04
99 = LEGITIMATE SKIP.....	343	0.04

During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?

STIMLIMIT¹ Len : 2 SET LIMITS ON STIMULANT USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	760	0.09
2 = No.....	2682	0.32
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
94 = DON'T KNOW	7	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	314	0.04

Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?

STIMKPLMT¹ Len : 2 ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Usually kept to the limits set.....	671	0.08
2 = Often used more than intended	89	0.01
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	328	0.04
99 = LEGITIMATE SKIP.....	2682	0.32

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?

STIMNDMOR¹	Len : 2 NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	365	0.04
	2 = No.....	3082	0.37
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2242	0.27
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	6	0.00
	98 = BLANK (NO ANSWER)	314	0.04

During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?

STIMLSEFX¹	Len : 2 USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	136	0.02
	2 = No.....	2941	0.35
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2242	0.27
	94 = DON'T KNOW	7	0.00
	97 = REFUSED	6	0.00
	98 = BLANK (NO ANSWER)	315	0.04
	99 = LEGITIMATE SKIP.....	365	0.04

During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?

STIMCUTDN¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	879	0.11
	2 = No.....	2563	0.31
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2242	0.27
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	7	0.00
	98 = BLANK (NO ANSWER)	314	0.04

During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?

STIMCUTEV¹	Len : 2 ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	800	0.10
	2 = No.....	78	0.01
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2242	0.27
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	327	0.04
	99 = LEGITIMATE SKIP.....	2563	0.31

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using prescription stimulants at least one time?

STIMCUTIX¹	Len : 2 CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	656	0.08
	2 = No.....	1986	0.24
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	314	0.04
	99 = LEGITIMATE SKIP.....	800	0.10

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?

STIMFLBLU¹	Len : 2 WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	292	0.03
	2 = No.....	1162	0.14
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	326	0.04
	99 = LEGITIMATE SKIP.....	1986	0.24

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STIMWD2SX¹	Len : 2 HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	248	0.03
	2 = No.....	44	0.01
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	328	0.04
	99 = LEGITIMATE SKIP.....	3148	0.38

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STIMWDSMT¹ Len : 2 HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	191	0.02
2 = No.....	56	0.01
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	8	0.00
98 = BLANK (NO ANSWER).....	328	0.04
99 = LEGITIMATE SKIP.....	3192	0.38

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?

STIMEMOPB¹ Len : 2 STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	330	0.04
2 = No.....	3115	0.37
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	314	0.04

Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

STIMEMCTD¹ Len : 2 CONTD TO USE STM DESPITE EMOT PRBS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	210	0.03
2 = No.....	120	0.01
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	326	0.04
99 = LEGITIMATE SKIP.....	3115	0.37

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?

STIMPHLPB¹ Len : 2 ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	51	0.01
2 = No.....	3184	0.38
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	6	0.00
98 = BLANK (NO ANSWER).....	314	0.04
99 = LEGITIMATE SKIP.....	210	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription stimulants even though this was causing you to have physical problems?

STIMPHCTD¹	Len : 2 CONTD TO USE STM DESPITE PHYS PRBS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	16	0.00
	2 = No.....	35	0.00
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
	97 = REFUSED	6	0.00
	98 = BLANK (NO ANSWER)	325	0.04
	99 = LEGITIMATE SKIP.....	3394	0.41

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?

STIMLSACT¹	Len : 2 LESS ACTIVITIES B/C OF STM USE PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	126	0.02
	2 = No.....	3321	0.40
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
	94 = DON'T KNOW.....	3	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	314	0.04

Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?

STIMSERPB¹	Len : 2 STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	114	0.01
	2 = No.....	3335	0.40
	83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED STIMULANTS.....	107761	12.88
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	314	0.04

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?

STIMPDANG¹ Len : 2 USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	81	0.01
2 = No.....	3368	0.40
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	314	0.04

During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?

STIMLAWTR¹ Len : 2 USING STM CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	31	0.00
2 = No.....	3418	0.41
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	314	0.04

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?

STIMFMFPB¹ Len : 2 USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	120	0.01
2 = No.....	3330	0.40
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	314	0.04

Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?

STIMFMCTD¹ Len : 2 CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	92	0.01
2 = No.....	28	0.00
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	264	0.03
91 = NEVER USED STIMULANTS.....	107761	12.88
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2242	0.27
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	321	0.04
99 = LEGITIMATE SKIP.....	3330	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [SVFILL2] in a way a doctor did not direct you to use [SVNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?

SEDVLOTM¹ Len : 2 SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	50	0.01
2 = No.....	608	0.07
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	369	0.04

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?

SEDVGTOR¹ Len : 2 MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	16	0.00
2 = No.....	593	0.07
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	369	0.04
99 = LEGITIMATE SKIP.....	50	0.01

During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?

SEDVLIMIT¹ Len : 2 SET LIMITS ON SEDATIVE USE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	149	0.02
2 = No.....	508	0.06
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	369	0.04

Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?

SEDVKPLM¹ Len : 2 ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Usually kept to the limits set.....	126	0.02
2 = Often used more than intended	23	0.00
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	377	0.05
99 = LEGITIMATE SKIP.....	508	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?

SEDVNDMOR¹ Len : 2 NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	74	0.01
2 = No.....	586	0.07
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	369	0.04

During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?

SEDLSEFX¹ Len : 2 USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	34	0.00
2 = No.....	550	0.07
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	370	0.04
99 = LEGITIMATE SKIP.....	74	0.01

During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?

SEDCUTDN¹ Len : 2 WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	180	0.02
2 = No.....	480	0.06
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	369	0.04

During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?

SEDCUTEV¹ Len : 2 ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	153	0.02
2 = No.....	26	0.00
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	110979	13.26
93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	374	0.04
99 = LEGITIMATE SKIP.....	480	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using prescription sedatives at least one time?

SEDVCUT1X¹	Len : 2 CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	116	0.01
	2 = No.....	386	0.05
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	370	0.04
	99 = LEGITIMATE SKIP.....	153	0.02

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDVWD1SX¹	Len : 2 HAD 2+ SED WITHDRAWAL SYMPTOM PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	69	0.01
	2 = No.....	200	0.02
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	377	0.05
	99 = LEGITIMATE SKIP.....	386	0.05

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDVWDSMT¹	Len : 2 HAD 2+ SED WDRAW SYM AT SAME TIME PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	45	0.01
	2 = No.....	24	0.00
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	378	0.05
	99 = LEGITIMATE SKIP.....	586	0.07

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?

SEDVEMOPB¹	Len : 2 SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	62	0.01
	2 = No.....	595	0.07
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	369	0.04

Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

SEDVEMCTD¹	Len : 2 CONTD TO USE SED DESPITE EMOT PRBS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	38	0.00
	2 = No.....	24	0.00
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	376	0.04
	99 = LEGITIMATE SKIP.....	595	0.07

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?

SEDVPHLPB¹	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	14	0.00
	2 = No.....	606	0.07
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	370	0.04
	99 = LEGITIMATE SKIP.....	38	0.00

Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?

SEDVPHCTD¹	Len : 2 CONTD TO USE SED DESPITE PHYS PRBS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	5	0.00
	2 = No.....	9	0.00
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	375	0.04
	99 = LEGITIMATE SKIP.....	644	0.08

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?

SEDVLSACT¹	Len : 2 LESS ACTIVITIES B/C OF SED USE PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	46	0.01
	2 = No.....	611	0.07
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1645	0.20
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	369	0.04

Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?

SEDVSRPB¹	Len : 2 SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	44	0.01
	2 = No.....	614	0.07
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	369	0.04

During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?

SEDVPDANG¹	Len : 2 USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	37	0.00
	2 = No.....	620	0.07
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	369	0.04

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?

SEDVLAWTR¹	Len : 2 USING SED CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	8	0.00
	2 = No.....	648	0.08
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	369	0.04

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?

SEDFMFPB¹	Len : 2 USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	36	0.00
	2 = No.....	620	0.07
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	369	0.04

Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?

SEDFMCTD¹	Len : 2 CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	20	0.00
	2 = No.....	16	0.00
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	383	0.05
	91 = NEVER USED SEDATIVES	110979	13.26
	93 = DID NOT USE IN THE PAST 12 MOS.....	1645	0.20
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	377	0.05
	99 = LEGITIMATE SKIP.....	620	0.07

The next set of variables (through the end of this section) are summary dependence and abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recoded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because they do not have missing values. Instead, respondents with missing values are classified as not having dependence and/or not having abuse. The construction of all dependence and abuse variables is described in more detail in Appendix H.

DEPENDHAL	Len : 2 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed.....	155	0.02
	-9 = Data not collected for this year	722653	86.37
	0 = No.....	2992	0.36
	1 = Yes.....	70	0.01
	91 = NEVER USED HALLUCINOGENS	97506	11.65
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	13320	1.59

SUBSTANCE DEPENDENCE AND ABUSE

DEPENDINH	Len : 2 INHALANT DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed.....	127	0.02
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	1176	0.14
	1 = Yes.....	32	0.00
	91 = NEVER USED INHALANTS.....	102409	12.24
	93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS.....	10299	1.23

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered missing for DEPENDMTH and ABUPOSMTH, but were considered past year nonusers for their imputation-revised counterparts.

DEPENDMTH	Len : 2 METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed.....	27	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	443	0.05
	1 = Yes.....	299	0.04
	91 = NEVER USED METHAMPHETAMINE.....	108924	13.02
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	4350	0.52

DEPENDPNR	Len : 2 PRESCRIPTION PAIN RELIEVER DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed.....	126	0.02
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	5170	0.62
	1 = Yes.....	737	0.09
	91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS.....	101736	12.16
	93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS.....	6274	0.75

DEPENDTRQ	Len : 2 PRESCRIPTION TRANQUILIZER DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed.....	42	0.01
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	2953	0.35
	1 = Yes.....	178	0.02
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS.....	108825	13.01
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	2045	0.24

DEPENDSTM	Len : 2 PRESCRIPTION STIMULANT DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed.....	31	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	3225	0.39
	1 = Yes.....	218	0.03
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS.....	108303	12.94
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS.....	2266	0.27

DEPENDSED	Len : 2 PRESCRIPTION SEDATIVE DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	. = Missing: Past year use known or imputed.....	5	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	608	0.07
	1 = Yes.....	49	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIVES.....	111711	13.35
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	1670	0.20

SUBSTANCE DEPENDENCE AND ABUSE

The next set of variables (through the end of this section) are summary abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. These variables include missing values while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recoded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because they do not have missing values. Instead, respondents with missing values are classified as not having abuse. The construction of all dependence and abuse variables is described in more detail in Appendix H.

Please note that these abuse variables are unaffected by whether the respondent was defined with dependence (the DEPENDxxx variables), and therefore they do not follow the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). They simply indicate whether the respondent met one or more of the four abuse criteria (i.e., whether they "test positive" for abuse). Details can be found in Appendix H.

ABUPOSHAL Len : 2 HALLUCINOGEN ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	154	0.02
-9 = Data not collected for this year.....	722653	86.37
0 = No.....	2866	0.34
1 = Yes.....	197	0.02
91 = NEVER USED HALLUCINOGENS	97506	11.65
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	13320	1.59

ABUPOSINH Len : 2 INHALANT ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	119	0.01
-9 = Data not collected for this year.....	722653	86.37
0 = No.....	1141	0.14
1 = Yes.....	75	0.01
91 = NEVER USED INHALANTS	102409	12.24
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	10299	1.23

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered missing for DEPENDMTH and ABUPOSMTH, but were considered past year nonusers for their imputation-revised counterparts.

ABUPOSMTH Len : 2 METHAMPHETAMINE ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	27	0.00
-9 = Data not collected for this year.....	722653	86.37
0 = No.....	423	0.05
1 = Yes.....	319	0.04
91 = NEVER USED METHAMPHETAMINES	108924	13.02
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTH.....	4350	0.52

ABUPOSPNR Len : 2 PRESCRIPTION PAIN RELIEVER ABUSE IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	92	0.01
-9 = Data not collected for this year.....	722653	86.37
0 = No.....	5279	0.63
1 = Yes.....	662	0.08
91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS	101736	12.16
93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS.....	6274	0.75

SUBSTANCE DEPENDENCE AND ABUSE

ABUPOSTRQ	Len : 2 PRESCRIPTION TRANQUILIZER ABUSE IN THE PAST YEAR	Freq	Pct
	. = Missing: Past year use known or imputed.....	36	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	2830	0.34
	1 = Yes.....	307	0.04
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS.....	108825	13.01
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	2045	0.24
ABUPOSSTM	Len : 2 PRESCRIPTION STIMULANT ABUSE IN THE PAST YEAR	Freq	Pct
	. = Missing: Past year use known or imputed.....	26	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	3259	0.39
	1 = Yes.....	189	0.02
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS.....	108303	12.94
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS.....	2266	0.27
ABUPOSESD	Len : 2 PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR	Freq	Pct
	. = Missing: Past year use known or imputed.....	6	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No.....	586	0.07
	1 = Yes.....	70	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIIVES.....	111711	13.35
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	1670	0.20

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: What follows are the imputation-revised versions of the 17 nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had a missing value. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non-integer values into integers) when doing cross-tabulations.

IRCGIRTB Len : 12 NEED TO SMOKE TO FEEL LESS IRRITABLE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5	201671	24.10
85 = BAD DATA.....	14	0.00
91 = NEVER USED	385008	46.02
93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
94 = DON'T KNOW	318	0.04
97 = REFUSED	154	0.02
98 = BLANK/ DID NOT ANSWER.....	504	0.06

IICGIRTB Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	201447	24.08
2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	224	0.03
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	976	0.12

IRCGCRV Len : 12 CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS - IMPUTATION REVISED

	Freq	Pct
RANGE = 0.9478157963 - 5	201768	24.11
85 = BAD DATA.....	14	0.00
91 = NEVER USED	385008	46.02
93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
94 = DON'T KNOW	229	0.03
97 = REFUSED	145	0.02
98 = BLANK/ DID NOT ANSWER.....	505	0.06

IICGCRV Len : 2 CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS - IMP IND

	Freq	Pct
1 = Questionnaire data	201743	24.11
2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	25	0.00
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	879	0.11

IRCGCRGP Len : 12 CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 5	201724	24.11
85 = BAD DATA.....	14	0.00
91 = NEVER USED	385008	46.02
93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
94 = DON'T KNOW	262	0.03
97 = REFUSED	156	0.02
98 = BLANK/ DID NOT ANSWER.....	505	0.06

IICGCRGP Len : 2 CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL - IMP IND

	Freq	Pct
1 = Questionnaire data	201662	24.10
2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	62	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	923	0.11

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRCGNCTL	Len : 12 FEEL A SENSE OF CNTRL OVER SMOKING - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 5.....	201683	24.10
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED.....	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW.....	293	0.04
	97 = REFUSED.....	166	0.02
	98 = BLANK/ DID NOT ANSWER.....	505	0.06
IICGNCTL	Len : 2 FEEL A SENSE OF CNTRL OVER SMOKING - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	201578	24.09
	2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	14	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	105	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	634035	75.78
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	964	0.12
IRCGAVD	Len : 12 TEND TO AVOID PLACES DON'T ALLOW SMOKING - IMP REV		
		Freq	Pct
	RANGE = 1 - 5.....	201563	24.09
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED.....	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW.....	402	0.05
	97 = REFUSED.....	177	0.02
	98 = BLANK/ DID NOT ANSWER.....	505	0.06
IICGAVD	Len : 2 TEND TO AVOID PLACES DON'T ALLOW SMOKING - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	201297	24.06
	2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	14	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	266	0.03
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	634035	75.78
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	1084	0.13
IRCGPLN	Len : 12 NO TRAVEL BY AIRPLANE B/C NO SMOKING - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 0.7332307667 - 5.....	201657	24.10
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED.....	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW.....	306	0.04
	97 = REFUSED.....	178	0.02
	98 = BLANK/ DID NOT ANSWER.....	506	0.06
IICGPLN	Len : 2 NO TRAVEL BY AIRPLANE B/C NO SMOKING - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	201339	24.06
	2 = Logically assn, not imputed, <16 ndss vars nonmsng.....	14	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	318	0.04
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	634035	75.78
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	990	0.12
IRCGROUT	Len : 12 WORRY THAT YOU WILL RUN OUT OF CIGS - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 0.8572766252 - 5.....	201790	24.12
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED.....	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW.....	196	0.02
	97 = REFUSED.....	154	0.02
	98 = BLANK/ DID NOT ANSWER.....	507	0.06

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IICGROUT	Len : 2	WORRY THAT YOU WILL RUN OUT OF CIGS - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	201770	24.12
		2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
		3 = Statistically imputed, other 16 ndss vars nonmsng	20	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	857	0.10
IRCGRGDY	Len : 12	SMOKE CIGS REGULARLY THROUGH DAY - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 0.7421446555 - 5	201790	24.12
		85 = BAD DATA	14	0.00
		91 = NEVER USED	385008	46.02
		93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76
		94 = DON'T KNOW	181	0.02
		97 = REFUSED	169	0.02
		98 = BLANK/ DID NOT ANSWER	507	0.06
IICGRGDY	Len : 2	SMOKE CIGS REGULARLY THROUGH DAY - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	201771	24.12
		2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
		3 = Statistically imputed, other 16 ndss vars nonmsng	19	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	857	0.10
IRCGRGWK	Len : 12	SMOKE SAME ON WEEKENDS AND WEEKDAYS - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 0.9783341594 - 5	201616	24.10
		85 = BAD DATA	14	0.00
		91 = NEVER USED	385008	46.02
		93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76
		94 = DON'T KNOW	322	0.04
		97 = REFUSED	202	0.02
		98 = BLANK/ DID NOT ANSWER	507	0.06
IICGRGWK	Len : 2	SMOKE SAME ON WEEKENDS AND WEEKDAYS - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	201497	24.08
		2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
		3 = Statistically imputed, other 16 ndss vars nonmsng	119	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1031	0.12
IRCGRGNM	Len : 12	SMOKE SAME # OF CIGS FROM DAY TO DAY - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 0.8693181775 - 5	201613	24.10
		85 = BAD DATA	14	0.00
		91 = NEVER USED	385008	46.02
		93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76
		94 = DON'T KNOW	306	0.04
		97 = REFUSED	221	0.03
		98 = BLANK/ DID NOT ANSWER	507	0.06
IICGRGNM	Len : 2	SMOKE SAME # OF CIGS FROM DAY TO DAY - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	201518	24.08
		2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
		3 = Statistically imputed, other 16 ndss vars nonmsng	95	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1034	0.12

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRCGNCG	Len : 12 # CIGS SMOKE PER DAY OFTEN CHANGES - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 5	201498	24.08
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW	388	0.05
	97 = REFUSED	254	0.03
98 = BLANK/ DID NOT ANSWER.....	507	0.06	
IICGNCG	Len : 2 # CIGS SMOKE PER DAY OFTEN CHANGES - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	201363	24.07
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	135	0.02
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1149	0.14
IRCGSLHR	Len : 12 HAVE LOT CIGS IN HR, NO CIGS TIL LATER - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 0.9097778459 - 5	201421	24.07
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW	446	0.05
	97 = REFUSED	273	0.03
98 = BLANK/ DID NOT ANSWER.....	507	0.06	
IICGSLHR	Len : 2 HAVE LOT CIGS IN HR, NO CIGS TIL LATER -IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	201179	24.04
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	242	0.03
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1226	0.15
IRCGINFL	Len : 12 # CIGS SMOKE A DAY INFLU BY OTH THINGS - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 5.4834387735	201453	24.08
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW	414	0.05
	97 = REFUSED	272	0.03
98 = BLANK/ DID NOT ANSWER.....	508	0.06	
IICGINFL	Len : 2 # CIGS SMOKE A DAY INFLU BY OTH THINGS - IMP IND		
		Freq	Pct
	1 = Questionnaire data	201368	24.07
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	85	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1194	0.14
IRCGNINF	Len : 12 SMOKING NOT AFFECTED BY OTH THINGS - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 5	201332	24.06
	85 = BAD DATA.....	14	0.00
	91 = NEVER USED	385008	46.02
	93 = DID NOT USE CIGARETTES PAST MONTH.....	249027	29.76
	94 = DON'T KNOW	503	0.06
	97 = REFUSED	304	0.04
98 = BLANK/ DID NOT ANSWER.....	508	0.06	

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IICGNINF	Len : 2 SMOKING NOT AFFECTED BY OTH THINGS - IMPUTATION INDICATOR	<table border="0"> <thead> <tr> <th></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>1 = Questionnaire data</td> <td style="text-align: right;">201166</td> <td style="text-align: right;">24.04</td> </tr> <tr> <td>2 = Logically assn, not imputed, <16 ndss vars nonmsng</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>3 = Statistically imputed, other 16 ndss vars nonmsng</td> <td style="text-align: right;">166</td> <td style="text-align: right;">0.02</td> </tr> <tr> <td>9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS</td> <td style="text-align: right;">634035</td> <td style="text-align: right;">75.78</td> </tr> <tr> <td>98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG</td> <td style="text-align: right;">1315</td> <td style="text-align: right;">0.16</td> </tr> </tbody> </table>		Freq	Pct	1 = Questionnaire data	201166	24.04	2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00	3 = Statistically imputed, other 16 ndss vars nonmsng	166	0.02	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1315	0.16						
	Freq	Pct																								
1 = Questionnaire data	201166	24.04																								
2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00																								
3 = Statistically imputed, other 16 ndss vars nonmsng	166	0.02																								
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78																								
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1315	0.16																								
IRCGINCR	Len : 12 AMT OF SMOKING INCR. SINCE START SMOKING - IMP REV	<table border="0"> <thead> <tr> <th></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>RANGE = 0.9633297384 - 5</td> <td style="text-align: right;">201595</td> <td style="text-align: right;">24.09</td> </tr> <tr> <td>85 = BAD DATA</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>91 = NEVER USED</td> <td style="text-align: right;">385008</td> <td style="text-align: right;">46.02</td> </tr> <tr> <td>93 = DID NOT USE CIGARETTES PAST MONTH</td> <td style="text-align: right;">249027</td> <td style="text-align: right;">29.76</td> </tr> <tr> <td>94 = DON'T KNOW</td> <td style="text-align: right;">292</td> <td style="text-align: right;">0.03</td> </tr> <tr> <td>97 = REFUSED</td> <td style="text-align: right;">252</td> <td style="text-align: right;">0.03</td> </tr> <tr> <td>98 = BLANK/ DID NOT ANSWER</td> <td style="text-align: right;">508</td> <td style="text-align: right;">0.06</td> </tr> </tbody> </table>		Freq	Pct	RANGE = 0.9633297384 - 5	201595	24.09	85 = BAD DATA	14	0.00	91 = NEVER USED	385008	46.02	93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76	94 = DON'T KNOW	292	0.03	97 = REFUSED	252	0.03	98 = BLANK/ DID NOT ANSWER	508	0.06
	Freq	Pct																								
RANGE = 0.9633297384 - 5	201595	24.09																								
85 = BAD DATA	14	0.00																								
91 = NEVER USED	385008	46.02																								
93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76																								
94 = DON'T KNOW	292	0.03																								
97 = REFUSED	252	0.03																								
98 = BLANK/ DID NOT ANSWER	508	0.06																								
IICGINCR	Len : 2 AMT OF SMOKING INCR. SINCE START SMOKING - IMP IND	<table border="0"> <thead> <tr> <th></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>1 = Questionnaire data</td> <td style="text-align: right;">201516</td> <td style="text-align: right;">24.08</td> </tr> <tr> <td>2 = Logically assn, not imputed, <16 ndss vars nonmsng</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>3 = Statistically imputed, other 16 ndss vars nonmsng</td> <td style="text-align: right;">79</td> <td style="text-align: right;">0.01</td> </tr> <tr> <td>9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS</td> <td style="text-align: right;">634035</td> <td style="text-align: right;">75.78</td> </tr> <tr> <td>98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG</td> <td style="text-align: right;">1052</td> <td style="text-align: right;">0.13</td> </tr> </tbody> </table>		Freq	Pct	1 = Questionnaire data	201516	24.08	2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00	3 = Statistically imputed, other 16 ndss vars nonmsng	79	0.01	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1052	0.13						
	Freq	Pct																								
1 = Questionnaire data	201516	24.08																								
2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00																								
3 = Statistically imputed, other 16 ndss vars nonmsng	79	0.01																								
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78																								
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1052	0.13																								
IRCGSAT	Len : 12 NEED TO SMOKE A LOT MORE TO BE SATISFIED - IMP REV	<table border="0"> <thead> <tr> <th></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>RANGE = 0.7829261033 - 5</td> <td style="text-align: right;">201589</td> <td style="text-align: right;">24.09</td> </tr> <tr> <td>85 = BAD DATA</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>91 = NEVER USED</td> <td style="text-align: right;">385008</td> <td style="text-align: right;">46.02</td> </tr> <tr> <td>93 = DID NOT USE CIGARETTES PAST MONTH</td> <td style="text-align: right;">249027</td> <td style="text-align: right;">29.76</td> </tr> <tr> <td>94 = DON'T KNOW</td> <td style="text-align: right;">293</td> <td style="text-align: right;">0.04</td> </tr> <tr> <td>97 = REFUSED</td> <td style="text-align: right;">257</td> <td style="text-align: right;">0.03</td> </tr> <tr> <td>98 = BLANK/ DID NOT ANSWER</td> <td style="text-align: right;">508</td> <td style="text-align: right;">0.06</td> </tr> </tbody> </table>		Freq	Pct	RANGE = 0.7829261033 - 5	201589	24.09	85 = BAD DATA	14	0.00	91 = NEVER USED	385008	46.02	93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76	94 = DON'T KNOW	293	0.04	97 = REFUSED	257	0.03	98 = BLANK/ DID NOT ANSWER	508	0.06
	Freq	Pct																								
RANGE = 0.7829261033 - 5	201589	24.09																								
85 = BAD DATA	14	0.00																								
91 = NEVER USED	385008	46.02																								
93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76																								
94 = DON'T KNOW	293	0.04																								
97 = REFUSED	257	0.03																								
98 = BLANK/ DID NOT ANSWER	508	0.06																								
IICGSAT	Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED - IMP IND	<table border="0"> <thead> <tr> <th></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>1 = Questionnaire data</td> <td style="text-align: right;">201535</td> <td style="text-align: right;">24.09</td> </tr> <tr> <td>2 = Logically assn, not imputed, <16 ndss vars nonmsng</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>3 = Statistically imputed, other 16 ndss vars nonmsng</td> <td style="text-align: right;">54</td> <td style="text-align: right;">0.01</td> </tr> <tr> <td>9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS</td> <td style="text-align: right;">634035</td> <td style="text-align: right;">75.78</td> </tr> <tr> <td>98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG</td> <td style="text-align: right;">1058</td> <td style="text-align: right;">0.13</td> </tr> </tbody> </table>		Freq	Pct	1 = Questionnaire data	201535	24.09	2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00	3 = Statistically imputed, other 16 ndss vars nonmsng	54	0.01	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1058	0.13						
	Freq	Pct																								
1 = Questionnaire data	201535	24.09																								
2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00																								
3 = Statistically imputed, other 16 ndss vars nonmsng	54	0.01																								
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78																								
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1058	0.13																								
IRCGLMR	Len : 12 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING - IMP REV	<table border="0"> <thead> <tr> <th></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>RANGE = 0.9249015017 - 5</td> <td style="text-align: right;">201394</td> <td style="text-align: right;">24.07</td> </tr> <tr> <td>85 = BAD DATA</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>91 = NEVER USED</td> <td style="text-align: right;">385008</td> <td style="text-align: right;">46.02</td> </tr> <tr> <td>93 = DID NOT USE CIGARETTES PAST MONTH</td> <td style="text-align: right;">249027</td> <td style="text-align: right;">29.76</td> </tr> <tr> <td>94 = DON'T KNOW</td> <td style="text-align: right;">458</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>97 = REFUSED</td> <td style="text-align: right;">287</td> <td style="text-align: right;">0.03</td> </tr> <tr> <td>98 = BLANK/ DID NOT ANSWER</td> <td style="text-align: right;">508</td> <td style="text-align: right;">0.06</td> </tr> </tbody> </table>		Freq	Pct	RANGE = 0.9249015017 - 5	201394	24.07	85 = BAD DATA	14	0.00	91 = NEVER USED	385008	46.02	93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76	94 = DON'T KNOW	458	0.05	97 = REFUSED	287	0.03	98 = BLANK/ DID NOT ANSWER	508	0.06
	Freq	Pct																								
RANGE = 0.9249015017 - 5	201394	24.07																								
85 = BAD DATA	14	0.00																								
91 = NEVER USED	385008	46.02																								
93 = DID NOT USE CIGARETTES PAST MONTH	249027	29.76																								
94 = DON'T KNOW	458	0.05																								
97 = REFUSED	287	0.03																								
98 = BLANK/ DID NOT ANSWER	508	0.06																								
IICGLMR	Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING - IMP IND	<table border="0"> <thead> <tr> <th></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>1 = Questionnaire data</td> <td style="text-align: right;">200896</td> <td style="text-align: right;">24.01</td> </tr> <tr> <td>2 = Logically assn, not imputed, <16 ndss vars nonmsng</td> <td style="text-align: right;">14</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>3 = Statistically imputed, other 16 ndss vars nonmsng</td> <td style="text-align: right;">498</td> <td style="text-align: right;">0.06</td> </tr> <tr> <td>9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS</td> <td style="text-align: right;">634035</td> <td style="text-align: right;">75.78</td> </tr> <tr> <td>98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG</td> <td style="text-align: right;">1253</td> <td style="text-align: right;">0.15</td> </tr> </tbody> </table>		Freq	Pct	1 = Questionnaire data	200896	24.01	2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00	3 = Statistically imputed, other 16 ndss vars nonmsng	498	0.06	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1253	0.15						
	Freq	Pct																								
1 = Questionnaire data	200896	24.01																								
2 = Logically assn, not imputed, <16 ndss vars nonmsng	14	0.00																								
3 = Statistically imputed, other 16 ndss vars nonmsng	498	0.06																								
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	634035	75.78																								
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	1253	0.15																								

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

The next set of variables (through the end of this section) are imputation-revised summary dependence and abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. The analogous versions of these variables that include missing values are described in the "Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recoded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because respondents with missing values are classified as not having dependence and/or not having abuse. The construction of all dependence and abuse variables is described in more detail in Appendix H.

IRDEPENDHAL Len : 2 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR - IMP REV

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No	3139	0.38
1 = Yes.....	78	0.01
91 = NEVER USED HALLUCINOGENS	97506	11.65
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	13320	1.59

IIDEPENDHAL Len : 2 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR - IMP IND

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Questionnaire data	3062	0.37
3 = Statistically imputed data.....	155	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	110826	13.25

IRDEPENDINH Len : 2 INHALANT DEPENDENCE IN THE PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No	1298	0.16
1 = Yes.....	37	0.00
91 = NEVER USED INHALANTS	102409	12.24
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	10299	1.23

IIDEPENDINH Len : 2 INHALANT DEPENDENCE IN THE PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Questionnaire data	1208	0.14
3 = Statistically imputed data.....	127	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	112708	13.47

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

IRDEPENDMTH Len : 2 METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR - IMP REV

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No	456	0.05
1 = Yes.....	306	0.04
91 = NEVER USED METHAMPHETAMINE	108924	13.02
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	4357	0.52

IIDEPENDMTH Len : 2 METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR - IMP IND

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Questionnaire data	742	0.09
3 = Statistically imputed data: past year user of meth.....	20	0.00
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	113281	13.54

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRDEPENDPNR	Len : 2	PRESCRIP PAIN RELIEVER DEPENDENCE IN THE PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	5287	0.63
		1 = Yes.....	746	0.09
		91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS	101736	12.16
		93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS.....	6274	0.75
IIDEPENDPNR	Len : 2	PRESCRIP PAIN RELIEVER DEPENDENCE IN PAST YR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	5907	0.71
		3 = Statistically imputed data.....	126	0.02
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	108010	12.91
IRDEPENDTRQ	Len : 2	PRESCRIP TRANQUILIZER DEPENDENCE IN PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	2990	0.36
		1 = Yes.....	183	0.02
		91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS	108825	13.01
		93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	2045	0.24
IIDEPENDTRQ	Len : 2	PRESCRIP TRANQUILIZER DEPENDENCE IN PAST YR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	3131	0.37
		3 = Statistically imputed data.....	42	0.01
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	110870	13.25
IRDEPENDSTM	Len : 2	PRESCRIP STIMULANT DEPENDENCE IN PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	3253	0.39
		1 = Yes.....	221	0.03
		91 = NEVER MISUSED PRESCRIPTION STIMULANTS	108303	12.94
		93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS	2266	0.27
IIDEPENDSTM	Len : 2	PRESCRIP STIMULANT DEPENDENCE IN PAST YEAR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	3443	0.41
		3 = Statistically imputed data.....	31	0.00
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	110569	13.21
IRDEPENDSED	Len : 2	PRESCRIP SEDATIVE DEPENDENCE IN PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	612	0.07
		1 = Yes.....	50	0.01
		91 = NEVER MISUSED PRESCRIPTION SEDATIVES	111711	13.35
		93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS	1670	0.20
IIDEPENDSED	Len : 2	PRESCRIP SEDATIVE DEPENDENCE IN PAST YEAR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	657	0.08
		3 = Statistically imputed data.....	5	0.00
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	113381	13.55

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

The next set of variables (through the end of this section) are imputation-revised summary abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. The analogous variables that include missing values are described in the "Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recoded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because respondents with missing values are classified as not having abuse. The construction of all dependence and abuse variables is described in more detail in Appendix H.

Please note that these abuse variables are unaffected by whether the respondent was defined with dependence (the IRDEPENDxxx variables), and therefore they do not follow the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). They simply indicate whether the respondent met one or more of the four abuse criteria (i.e., whether they "test positive" for abuse). Details can be found in Appendix H.

IRABUPOSHAL Len : 2 HALLUCINOGEN ABUSE IN THE PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No.....	3003	0.36
1 = Yes.....	214	0.03
91 = NEVER USED HALLUCINOGENS	97506	11.65
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	13320	1.59

IIABUPOSHAL Len : 2 HALLUCINOGEN ABUSE IN THE PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Questionnaire data	3063	0.37
3 = Statistically imputed data.....	154	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	110826	13.25

IRABUPOSINH Len : 2 INHALANT ABUSE IN THE PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No.....	1247	0.15
1 = Yes.....	88	0.01
91 = NEVER USED INHALANTS	102409	12.24
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	10299	1.23

IIABUPOSINH Len : 2 INHALANT ABUSE IN THE PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Questionnaire data	1216	0.15
3 = Statistically imputed data.....	119	0.01
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	112708	13.47

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

IRABUPOSMTH Len : 2 METHAMPHETAMINE ABUSE IN THE PAST YEAR - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No.....	436	0.05
1 = Yes.....	326	0.04
91 = NEVER USED METHAMPHETAMINE	108924	13.02
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	4357	0.52

IIABUPOSMTH Len : 2 METHAMPHETAMINE ABUSE IN THE PAST YEAR - IMP IND

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Questionnaire data	742	0.09
3 = Statistically imputed data: past year user of meth.....	20	0.00
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	113281	13.54

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRABUOSPNR	Len : 2	PRESCRIP PAIN RELIEVER ABUSE IN PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	5356	0.64
		1 = Yes	677	0.08
		91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS	101736	12.16
		93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS	6274	0.75
IIABUOSPNR	Len : 2	PRESCRIP PAIN RELIEVER ABUSE IN PAST YEAR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	5941	0.71
		3 = Statistically imputed data	92	0.01
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	108010	12.91
IRABUOSTRQ	Len : 2	PRESCRIP TRANQUILIZER ABUSE IN PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	2861	0.34
		1 = Yes	312	0.04
		91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS	108825	13.01
		93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS	2045	0.24
IIABUOSTRQ	Len : 2	PRESCRIP TRANQUILIZER ABUSE IN THE PAST YEAR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	3137	0.37
		3 = Statistically imputed data	36	0.00
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	110870	13.25
IRABUOSSTM	Len : 2	PRESCRIPTION STIMULANT ABUSE IN THE PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	3283	0.39
		1 = Yes	191	0.02
		91 = NEVER MISUSED PRESCRIPTION STIMULANTS	108303	12.94
		93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS	2266	0.27
IIABUOSSTM	Len : 2	PRESCRIP STIMULANT ABUSE IN THE PAST YEAR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	3448	0.41
		3 = Statistically imputed data	26	0.00
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	110569	13.21
IRABUOSSED	Len : 2	PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR - IMP REV		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		0 = No	590	0.07
		1 = Yes	72	0.01
		91 = NEVER MISUSED PRESCRIPTION SEDATIVES	111711	13.35
		93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS	1670	0.20
IIABUOSSED	Len : 2	PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR - IMP IND		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Questionnaire data	656	0.08
		3 = Statistically imputed data	6	0.00
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER	113381	13.55

MARIJUANA PURCHASES

MARIJUANA PURCHASES

This note applies to variables in this section marked by a¹.

Now think about the last time you used marijuana. How did you get this marijuana?

MMGETMJ	Len : 2	HOW DID YOU GET LAST MARIJUANA USED		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = You bought it	52533	6.28
		2 = You traded something else for it	1560	0.19
		3 = You got it for free or shared someone else's	69882	8.35
		4 = You grew it yourself	1091	0.13
		85 = BAD DATA Logically assigned	16	0.00
		91 = NEVER USED MARIJUANA	432250	51.66
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
		94 = DON'T KNOW	510	0.06
		97 = REFUSED	1295	0.15
		98 = BLANK (NO ANSWER)	2529	0.30

How long has it been since you last bought any marijuana?

MMBTREC1	Len : 2	TIME SINCE YOU LAST BOUGHT MARIJUANA		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Within past 30 days -- that is, since [DATEFILL]	32465	3.88
		2 = More than 30 days ago, but within the past 12 mos	14981	1.79
		3 = More than 12 months ago	4899	0.59
		85 = BAD DATA Logically assigned	7	0.00
		91 = NEVER USED MARIJUANA	432250	51.66
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
		94 = DON'T KNOW	80	0.01
		97 = REFUSED	855	0.10
		98 = BLANK (NO ANSWER)	3414	0.41
		99 = LEGITIMATE SKIP	72715	8.69

During the past 12 months, that is, since [DATEFILL], did you buy any marijuana?

MMBTPLYR	Len : 2	BOUGHT MARIJUANA PAST 12 MONTHS		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes.....	20417	2.44
		2 = No.....	52980	6.33
		85 = BAD DATA Logically assigned	9	0.00
		91 = NEVER USED MARIJUANA	432250	51.66
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
		94 = DON'T KNOW	121	0.01
		97 = REFUSED	820	0.10
		98 = BLANK (NO ANSWER)	2536	0.30
		99 = LEGITIMATE SKIP	52533	6.28

How long has it been since you last bought any marijuana?

MMBTREC2	Len : 2	TIME SINCE YOU LAST BOUGHT MARIJUANA		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Within past 30 days -- that is, since [DATEFILL]	7554	0.90
		2 = More than 30 days ago, but within the past 12 mos	12751	1.52
		91 = NEVER USED MARIJUANA	432250	51.66
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
		94 = DON'T KNOW	42	0.01
		97 = REFUSED	817	0.10
		98 = BLANK (NO ANSWER)	2739	0.33
		99 = LEGITIMATE SKIP	105513	12.61

MARIJUANA PURCHASES

During the past 30 days, that is, since [DATEFILL], on how many days did you buy marijuana?

MMBT30DY	Len : 2 # DAYS BOUGHT MARIJUANA PAST 30 DAYS		
	RANGE = 1 - 30	Freq	Pct
	-9 = Data not collected for this year	39530	4.72
	85 = BAD DATA Logically assigned	114043	13.63
	91 = NEVER USED MARIJUANA	7	0.00
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	432250	51.66
	94 = DON'T KNOW	160987	19.24
	97 = REFUSED	397	0.05
	98 = BLANK (NO ANSWER)	947	0.11
	99 = LEGITIMATE SKIP	2924	0.35
		85611	10.23

Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?

MMJNTLOO	Len : 2 LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE		
	-9 = Data not collected for this year	Freq	Pct
	1 = You bought joints	114043	13.63
	2 = You bought the marijuana in loose form.....	2613	0.31
	85 = BAD DATA Logically assigned	69928	8.36
	91 = NEVER USED MARIJUANA	7	0.00
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	432250	51.66
	94 = DON'T KNOW	160987	19.24
	97 = REFUSED	91	0.01
	98 = BLANK (NO ANSWER)	985	0.12
	99 = LEGITIMATE SKIP	3577	0.43
		52215	6.24

How many joints did you buy the last time you bought marijuana?

MMJNTNUM	Len : 3 # MARIJUANA JOINTS BOUGHT LAST TIME		
	RANGE = 1 - 500	Freq	Pct
	-9 = Data not collected for this year	2591	0.31
	985 = BAD DATA Logically assigned	114043	13.63
	991 = NEVER USED MARIJUANA	5	0.00
	993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	432250	51.66
	994 = DON'T KNOW	160987	19.24
	997 = REFUSED	18	0.00
	998 = BLANK (NO ANSWER).....	989	0.12
	999 = LEGITIMATE SKIP	3670	0.44
		122143	14.60

How much did you pay for the joints/joint you bought this last time?

MMJNPCTB	Len : 2 AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT		
	-9 = Data not collected for this year	Freq	Pct
	1 = Less than \$5.00	114043	13.63
	2 = \$5.00 to \$10.99	834	0.10
	3 = \$11.00 to \$20.99	1027	0.12
	4 = \$21.00 to \$50.99	387	0.05
	5 = \$51.00 to \$100.99	206	0.02
	6 = \$101.00 to \$150.99	56	0.01
	7 = \$151.00 to \$200.99	16	0.00
	8 = \$201.00 to \$250.99	14	0.00
	9 = \$251.00 to \$300.99	9	0.00
	10 = \$301.00 to \$500.99	3	0.00
	11 = \$501.00 to \$1000.99	8	0.00
	12 = More than \$1000.99.....	15	0.00
	85 = BAD DATA Logically assigned	17	0.00
	91 = NEVER USED MARIJUANA	5	0.00
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	432250	51.66
	94 = DON'T KNOW	160987	19.24
	97 = REFUSED	18	0.00
	98 = BLANK (NO ANSWER)	988	0.12
	99 = LEGITIMATE SKIP	3670	0.44
		122143	14.60

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?

MMJNPCAT

Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Less than \$5.00	834	0.10
2 = \$5.00 to \$10.99	1027	0.12
3 = \$11.00 to \$20.99	387	0.05
41 = \$21.00 to \$30.99	120	0.01
42 = \$31.00 to \$40.99	47	0.01
43 = \$41.00 to \$50.99	39	0.00
50 = \$51.00 to \$100.99 (No further detail).....	2	0.00
51 = \$51.00 to \$60.99	32	0.00
52 = \$61.00 to \$70.99	5	0.00
53 = \$71.00 to \$80.99	8	0.00
54 = \$81.00 to \$90.99	3	0.00
55 = \$91.00 to \$100.99	6	0.00
61 = \$101.00 to \$110.99	7	0.00
62 = \$111.00 to \$120.99	2	0.00
63 = \$121.00 to \$130.99	5	0.00
64 = \$131.00 to \$140.99	1	0.00
65 = \$141.00 to \$150.99	1	0.00
70 = \$151.00 to \$200.99	14	0.00
80 = \$201.00 to \$250.99	9	0.00
90 = \$251.00 to \$300.99	3	0.00
101 = \$301.00 to \$350.99	5	0.00
102 = \$351.00 to \$400.99	1	0.00
104 = \$451.00 to \$500.99	2	0.00
111 = \$501.00 to \$550.99	6	0.00
112 = \$551.00 to \$600.99	1	0.00
113 = \$601.00 to 650.99	1	0.00
115 = \$701.00 to \$750.99	2	0.00
119 = \$901.00 to \$950.99	1	0.00
120 = \$951.00 to \$1000.99	4	0.00
121 = More than \$1000.99	17	0.00
985 = BAD DATA Logically assigned	5	0.00
991 = NEVER USED MARIJUANA	432250	51.66
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
994 = DON'T KNOW	18	0.00
997 = REFUSED	988	0.12
998 = BLANK (NO ANSWER).....	3670	0.44
999 = LEGITIMATE SKIP.....	122143	14.60

Now we want to know how much marijuana you bought the last time you bought marijuana.

Do you want to give your answer in grams, ounces, or pounds?

MMLSUNIT

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Grams	50758	6.07
2 = Ounces	16292	1.95
3 = Pounds	1202	0.14
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	958	0.11
97 = REFUSED	1703	0.20
98 = BLANK (NO ANSWER)	3673	0.44
99 = LEGITIMATE SKIP.....	54828	6.55

MARIJUANA PURCHASES

The last time you bought marijuana, how many grams did you buy?

MMLSGMS	Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = At least 1 but less than 5 grams.....	32471	3.88
	2 = At least 5 but less than 10 grams.....	13839	1.65
	3 = 10 grams or more.....	4040	0.48
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED MARIJUANA.....	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW.....	333	0.04
	97 = REFUSED.....	1778	0.21
	98 = BLANK (NO ANSWER).....	4631	0.55
	99 = LEGITIMATE SKIP.....	72322	8.64

How many grams of marijuana did you buy?

MMLS10GM	Len : 3 AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS	Freq	Pct
	RANGE = 10 - 99.....	3931	0.47
	-9 = Data not collected for this year.....	114043	13.63
	985 = BAD DATA Logically assigned.....	1	0.00
	991 = NEVER USED MARIJUANA.....	432250	51.66
	993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	994 = DON'T KNOW.....	78	0.01
	997 = REFUSED.....	1809	0.22
	998 = BLANK (NO ANSWER).....	4965	0.59
	999 = LEGITIMATE SKIP.....	118632	14.18

The last time you bought marijuana, how many ounces did you buy?

MMLSOZS	Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = At least 1/8, but less than 1/4 of an ounce.....	4312	0.52
	2 = At least 1/4 but less than 1/3 of an ounce.....	2337	0.28
	3 = At least 1/3 but less than 1/2 of an ounce.....	863	0.10
	4 = At least 1/2 but less than 1 ounce.....	3346	0.40
	5 = At least 1 but less than 5 ounces.....	4397	0.53
	6 = At least 5 but less than 10 ounces.....	528	0.06
	7 = At least 10 but less than 16 ounces.....	324	0.04
	91 = NEVER USED MARIJUANA.....	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW.....	140	0.02
	97 = REFUSED.....	1748	0.21
	98 = BLANK (NO ANSWER).....	4633	0.55
	99 = LEGITIMATE SKIP.....	106788	12.76

The last time you bought marijuana, how many pounds did you buy?

MMLSLBS	Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = At least 1 but less than 2 pounds.....	543	0.06
	2 = At least 2 but less than 3 pounds.....	168	0.02
	3 = At least 3 but less than 4 pounds.....	87	0.01
	4 = At least 4 but less than 5 pounds.....	60	0.01
	5 = 5 or more pounds.....	333	0.04
	91 = NEVER USED MARIJUANA.....	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW.....	7	0.00
	97 = REFUSED.....	1707	0.20
	98 = BLANK (NO ANSWER).....	4633	0.55
	99 = LEGITIMATE SKIP.....	121878	14.57

MARIJUANA PURCHASES

How many pounds of marijuana did you buy?

MMLS5LBS		Len : 3 AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS	
		Freq	Pct
RANGE = 5 - 99		326	0.04
-9 = Data not collected for this year		114043	13.63
991 = NEVER USED MARIJUANA		432250	51.66
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	19.24
994 = DON'T KNOW		2	0.00
997 = REFUSED		1712	0.20
998 = BLANK (NO ANSWER).....		4640	0.55
999 = LEGITIMATE SKIP.....		122736	14.67

How much did you pay for the marijuana you bought this last time?

MMLSPCTB		Len : 2 AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME	
		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = Less than \$5.00		2971	0.36
2 = \$5.00 to \$10.99		13300	1.59
3 = \$11.00 to \$20.99		15578	1.86
4 = \$21.00 to \$50.99		21256	2.54
5 = \$51.00 to \$100.99		8665	1.04
6 = \$101.00 to \$150.99		2515	0.30
7 = \$151.00 to \$200.99		1260	0.15
8 = \$201.00 to \$250.99		783	0.09
9 = \$251.00 to \$300.99		609	0.07
10 = \$301.00 to \$500.99		895	0.11
11 = \$501.00 to \$1000.99		548	0.07
12 = More than \$1000.99		513	0.06
85 = BAD DATA Logically assigned		2	0.00
91 = NEVER USED MARIJUANA		432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	19.24
94 = DON'T KNOW		373	0.04
97 = REFUSED		1647	0.20
98 = BLANK (NO ANSWER)		3673	0.44
99 = LEGITIMATE SKIP		54828	6.55

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?

MMLSPCAT

Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Less than \$5.00	2971	0.36
2 = \$5.00 to \$10.99	13300	1.59
3 = \$11.00 to \$20.99	15578	1.86
40 = \$21.00 to \$50.99 (No further detail)	32	0.00
41 = \$21.00 to \$30.99	8846	1.06
42 = \$31.00 to \$40.99	5853	0.70
43 = \$41.00 to \$50.99	6525	0.78
50 = \$51.00 to \$100.99 (No further detail)	18	0.00
51 = \$51.00 to \$60.99	4427	0.53
52 = \$61.00 to \$70.99	1067	0.13
53 = \$71.00 to \$80.99	1089	0.13
54 = \$81.00 to \$90.99	589	0.07
55 = \$91.00 to \$100.99	1475	0.18
60 = \$101.00 to \$150.99 (No further detail)	10	0.00
61 = \$101.00 to \$110.99	690	0.08
62 = \$111.00 to \$120.99	656	0.08
63 = \$121.00 to \$130.99	394	0.05
64 = \$131.00 to \$140.99	223	0.03
65 = \$141.00 to \$150.99	542	0.06
70 = \$151.00 to \$200.99	1260	0.15
80 = \$201.00 to \$250.99	783	0.09
90 = \$251.00 to \$300.99	609	0.07
100 = \$301.00 to \$500.99 (No further detail)	5	0.00
101 = \$301.00 to \$350.99	351	0.04
102 = \$351.00 to \$400.99	250	0.03
103 = \$401.00 to \$450.99	149	0.02
104 = \$451.00 to \$500.99	140	0.02
110 = \$501.00 to \$1000.99 (No further detail)	2	0.00
111 = \$501.00 to \$550.99	119	0.01
112 = \$551.00 to \$600.99	44	0.01
113 = \$601.00 to \$650.99	37	0.00
114 = \$651.00 to \$700.99	26	0.00
115 = \$701.00 to \$750.99	36	0.00
116 = \$751.00 to \$800.99	34	0.00
117 = \$801.00 to \$850.99	33	0.00
118 = \$851.00 to \$900.99	41	0.00
119 = \$901.00 to \$950.99	44	0.01
120 = \$951.00 to \$1000.99	132	0.02
121 = More than \$1000.99	513	0.06
985 = BAD DATA Logically assigned	2	0.00
991 = NEVER USED MARIJUANA	432250	51.66
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	160987	19.24
994 = DON'T KNOW	373	0.04
997 = REFUSED	1647	0.20
998 = BLANK (NO ANSWER)	3673	0.44
999 = LEGITIMATE SKIP	54828	6.55

The last time you bought marijuana, who did you buy it from?

MMBUYWHO

Len : 2 WHO SOLD YOU LAST MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = A friend	55390	6.62
2 = A relative or family member	2922	0.35
3 = Someone I had just met or didn't know well	11960	1.43
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	160987	19.24
94 = DON'T KNOW	469	0.06
97 = REFUSED	2876	0.34
98 = BLANK (NO ANSWER)	3577	0.43
99 = LEGITIMATE SKIP	52215	6.24

MARIJUANA PURCHASES

The last time you bought marijuana, where were you when you bought it?

MMBPLACE	Len : 2 WHERE YOU WERE LAST TIME BOUGHT MARIJUANA	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Inside a public bldg, such as a store, restaurant.....	3381	0.40
	2 = Inside a school building.....	1782	0.21
	3 = Outside on school property.....	1197	0.14
	4 = Inside a home, apartment, or dorm.....	36384	4.35
	5 = Outside in a public area, such as a parking lot.....	14699	1.76
	6 = Some other place.....	7717	0.92
	11 = Inside a public building LOGICALLY ASSIGNED.....	581	0.07
	12 = Inside a school building LOGICALLY ASSIGNED.....	1	0.00
	13 = Outside on school property LOGICALLY ASSIGNED.....	2	0.00
	14 = Inside a home, apartment, or dorm LOG ASSN.....	2289	0.27
	15 = Outside in a public area LOGICALLY ASSIGNED.....	2327	0.28
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED MARIJUANA.....	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW.....	484	0.06
	97 = REFUSED.....	2773	0.33
	98 = BLANK (NO ANSWER).....	3577	0.43
	99 = LEGITIMATE SKIP.....	52215	6.24

MMBPLOS2	Len : 2 OTHER PLACE BOUGHT MJ THE LAST TIME	Freq	Pct
	-9 = Data not collected for this year.....	278954	33.34
	1 = Inside a public bldg (eg store/restaurant/arena).....	582	0.07
	2 = Inside a school building.....	1	0.00
	3 = Outside on school property.....	2	0.00
	4 = Inside a home, apartment, or dorm.....	2289	0.27
	5 = Outside in public area (eg parkng lot/street/park).....	2327	0.28
	6 = Some other place.....	74	0.01
	7 = At respondent's workplace.....	173	0.02
	8 = At a party, location not specified.....	83	0.01
	9 = From friend(s)/family; no other information.....	155	0.02
	10 = In respondent's car/motor vhcle;location not spfd.....	67	0.01
	11 = In someone else's car/mtr vhcle;location not spfd.....	29	0.00
	12 = In a car/motor vehicle; owner or location unspcfd.....	471	0.06
	13 = At school, no other information.....	41	0.00
	14 = Outside on private property (home, yard, apt).....	320	0.04
	15 = Medical marijuana dispensary/club.....	268	0.03
	16 = In a private/designtd locatn/place; otherwise unspd.....	61	0.01
	19 = Restroom/bathroom, location unspecified.....	10	0.00
	20 = At a workplace; otherwise unspecified.....	9	0.00
	21 = In/on a bus/train/plane/pub transport.....	17	0.00
	22 = At concert/festival/sports event; location unspec.....	40	0.00
	23 = A building; otherwise unspecified.....	64	0.01
	24 = Individual/person; otherwise unspecified.....	77	0.01
	25 = In a hotel/motel room (or public area unspcfd).....	10	0.00
	28 = In public; outside or inside unspecified.....	4	0.00
	70 = Specific city/state/country or vacation.....	698	0.08
	85 = BAD DATA Logically assigned.....	496	0.06
	91 = NEVER USED MARIJUANA.....	335002	40.04
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	123132	14.72
	94 = DON'T KNOW.....	465	0.06
	97 = REFUSED.....	3399	0.41
	98 = BLANK (NO ANSWER).....	3165	0.38
	99 = LEGITIMATE SKIP.....	84211	10.06

MARIJUANA PURCHASES

The last time you bought marijuana were you at work at your job or business?

MMBATJOB	Len : 2 AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	2078	0.25
	2 = No.....	57065	6.82
	3 = Do not work at a job or business.....	10331	1.23
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	177	0.02
	97 = REFUSED	1641	0.20
	98 = BLANK (NO ANSWER)	3572	0.43
	99 = LEGITIMATE SKIP.....	54546	6.52

The last time you bought marijuana, where did you buy it?

MMBCLOSE	Len : 2 HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Near where you are now living	29670	3.55
	2 = Somewhere else	41258	4.93
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	276	0.03
	97 = REFUSED	2413	0.29
	98 = BLANK (NO ANSWER)	3577	0.43
	99 = LEGITIMATE SKIP.....	52215	6.24

Did you sell any of the marijuana you bought this last time?

MMBSELL	Len : 2 SELL ANY MARIJUANA BOUGHT LAST TIME		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	6978	0.83
	2 = No.....	65070	7.78
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	80	0.01
	97 = REFUSED	1489	0.18
	98 = BLANK (NO ANSWER)	3577	0.43
	99 = LEGITIMATE SKIP.....	52215	6.24

Did you give away or share any of the marijuana you bought this last time?

MMBGIVE	Len : 2 GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	49307	5.89
	2 = No.....	22898	2.74
	85 = BAD DATA Logically assigned	7	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	78	0.01
	97 = REFUSED	1334	0.16
	98 = BLANK (NO ANSWER)	3577	0.43
	99 = LEGITIMATE SKIP.....	52215	6.24

MARIJUANA PURCHASES

During the past 12 months, that is, since [DATEFILL], did you trade something for marijuana?

MMTRADE	Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	824	0.10
	2 = No.....	51164	6.12
	85 = BAD DATA Logically assigned	6	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	7	0.00
	97 = REFUSED	756	0.09
	98 = BLANK (NO ANSWER)	2891	0.35
	99 = LEGITIMATE SKIP.....	73768	8.82

During the past 30 days, that is, since [DATEFILL], did you trade something for marijuana?

MMTRD30D	Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	291	0.03
	2 = No.....	532	0.06
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	97 = REFUSED	748	0.09
	98 = BLANK (NO ANSWER)	3509	0.42
	99 = LEGITIMATE SKIP.....	124336	14.86

How long has it been since you last traded something for marijuana?

MMTRDREC	Len : 2 TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Within past 30 days -- that is, since [DATEFILL]	133	0.02
	2 = More than 30 days ago, but within the past 12 mos	476	0.06
	3 = More than 12 months ago	188	0.02
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	13	0.00
	97 = REFUSED	755	0.09
	98 = BLANK (NO ANSWER)	3507	0.42
	99 = LEGITIMATE SKIP.....	124341	14.86

During the past 30 days, that is, since [DATEFILL], on how many days did you trade something for marijuana?

MMT30FRQ	Len : 2 # DAYS TRADED FOR MARIJUANA PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	417	0.05
	-9 = Data not collected for this year	114043	13.63
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	750	0.09
	98 = BLANK (NO ANSWER)	3531	0.42
	99 = LEGITIMATE SKIP.....	124714	14.91

MARIJUANA PURCHASES

Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?

MMTJNTLS Len : 2 LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = You got joints	213	0.03
2 = You got the marijuana in loose form.....	1206	0.14
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	8	0.00
97 = REFUSED	753	0.09
98 = BLANK (NO ANSWER)	3527	0.42
99 = LEGITIMATE SKIP.....	123706	14.79

How many joints did you get the last time you traded something for marijuana?

MMTJNTNM Len : 3 # MARIJUANA JOINTS TRADED FOR LAST TIME

	Freq	Pct
RANGE = 1 - 400	213	0.03
-9 = Data not collected for this year	114043	13.63
991 = NEVER USED MARIJUANA	432250	51.66
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
997 = REFUSED	747	0.09
998 = BLANK (NO ANSWER).....	3544	0.42
999 = LEGITIMATE SKIP.....	124912	14.93

How much do you think the marijuana in these joints/this joint was worth?

MMTJWRCB Len : 2 AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Less than \$5.00.....	62	0.01
2 = \$5.00 to \$10.99	79	0.01
3 = \$11.00 to \$20.99	28	0.00
4 = \$21.00 to \$50.99	22	0.00
5 = \$51.00 to \$100.99	6	0.00
6 = \$101.00 to \$150.99	2	0.00
7 = \$151.00 to \$200.99	1	0.00
8 = \$201.00 to \$250.99	1	0.00
10 = \$301.00 to \$500.99	1	0.00
11 = \$501.00 to \$1000.99	2	0.00
12 = More than \$1000.99	3	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	5	0.00
97 = REFUSED	748	0.09
98 = BLANK (NO ANSWER)	3544	0.42
99 = LEGITIMATE SKIP.....	124912	14.93

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?

MMTJWRTH

Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Less than \$5.00	62	0.01
2 = \$5.00 to \$10.99	79	0.01
3 = \$11.00 to \$20.99	28	0.00
40 = \$21.00 to \$50.99 (No further detail)	1	0.00
41 = \$21.00 to \$30.99	8	0.00
42 = \$31.00 to \$40.99	7	0.00
43 = \$41.00 to \$50.99	6	0.00
51 = \$51.00 to \$60.99	5	0.00
52 = \$61.00 to \$70.99	1	0.00
61 = \$101.00 to \$110.99	1	0.00
62 = \$111.00 to \$120.99	1	0.00
70 = \$151.00 to \$200.99	1	0.00
80 = \$201.00 to \$250.99	1	0.00
103 = \$401.00 to \$450.99	1	0.00
113 = \$601.00 to 650.99	1	0.00
120 = \$951.00 to \$1000.99	1	0.00
121 = More than \$1000.99	3	0.00
991 = NEVER USED MARIJUANA	432250	51.66
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
994 = DON'T KNOW	5	0.00
997 = REFUSED	748	0.09
998 = BLANK (NO ANSWER).....	3544	0.42
999 = LEGITIMATE SKIP.....	124912	14.93

Now we want to know how much marijuana you got the last time you traded something for marijuana.

Do you want to give your answer in grams, ounces, or pounds?

MMTLUNIT

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Grams	692	0.08
2 = Ounces	430	0.05
3 = Pounds	40	0.00
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	27	0.00
97 = REFUSED	764	0.09
98 = BLANK (NO ANSWER)	3541	0.42
99 = LEGITIMATE SKIP.....	123919	14.81

The last time you traded something for marijuana, how many grams did you get?

MMTLGMS

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = At least 1 but less than 5 grams.....	480	0.06
2 = At least 5 but less than 10 grams.....	157	0.02
3 = 10 grams or more	40	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	8	0.00
97 = REFUSED	771	0.09
98 = BLANK (NO ANSWER)	3571	0.43
99 = LEGITIMATE SKIP.....	124389	14.87

MARIJUANA PURCHASES

The last time you traded something for marijuana, how many ounces did you get?

MMTLOZS

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = At least 1/8, but less than 1/4 of an ounce.....	72	0.01
2 = At least 1/4 but less than 1/3 of an ounce.....	232	0.03
3 = At least 1/3 but less than 1/2 of an ounce.....	12	0.00
4 = At least 1/2 but less than 1 ounce.....	36	0.00
5 = At least 1 but less than 5 ounces	49	0.01
6 = At least 5 but less than 10 ounces	9	0.00
7 = At least 10 but less than 16 ounces	13	0.00
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	6	0.00
97 = REFUSED	765	0.09
98 = BLANK (NO ANSWER)	3568	0.43
99 = LEGITIMATE SKIP.....	124651	14.90

How much do you think the marijuana you got this last time was worth?

MMTLWRCB

Len : 2 AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Less than \$5.00	143	0.02
2 = \$5.00 to \$10.99	360	0.04
3 = \$11.00 to \$20.99	194	0.02
4 = \$21.00 to \$50.99	221	0.03
5 = \$51.00 to \$100.99	108	0.01
6 = \$101.00 to \$150.99	25	0.00
7 = \$151.00 to \$200.99	22	0.00
8 = \$201.00 to \$250.99	19	0.00
9 = \$251.00 to \$300.99	9	0.00
10 = \$301.00 to \$500.99	15	0.00
11 = \$501.00 to \$1000.99	18	0.00
12 = More than \$1000.99	27	0.00
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	33	0.00
97 = REFUSED	759	0.09
98 = BLANK (NO ANSWER)	3541	0.42
99 = LEGITIMATE SKIP.....	123919	14.81

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?

MMTLWRTH

Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Less than \$5.00.....	143	0.02
2 = \$5.00 to \$10.99.....	360	0.04
3 = \$11.00 to \$20.99.....	194	0.02
41 = \$21.00 to \$30.99.....	106	0.01
42 = \$31.00 to \$40.99.....	55	0.01
43 = \$41.00 to \$50.99.....	60	0.01
51 = \$51.00 to \$60.99.....	56	0.01
52 = \$61.00 to \$70.99.....	15	0.00
53 = \$71.00 to \$80.99.....	14	0.00
54 = \$81.00 to \$90.99.....	9	0.00
55 = \$91.00 to \$100.99.....	14	0.00
60 = \$101.00 to \$150.99 (No further detail).....	2	0.00
61 = \$101.00 to \$110.99.....	4	0.00
62 = \$111.00 to \$120.99.....	4	0.00
63 = \$121.00 to \$130.99.....	4	0.00
64 = \$131.00 to \$140.99.....	4	0.00
65 = \$141.00 to \$150.99.....	7	0.00
70 = \$151.00 to \$200.99.....	22	0.00
80 = \$201.00 to \$250.99.....	19	0.00
90 = \$251.00 to \$300.99.....	9	0.00
101 = \$301.00 to \$350.99.....	8	0.00
102 = \$351.00 to \$400.99.....	3	0.00
103 = \$401.00 to \$450.99.....	1	0.00
104 = \$451.00 to \$500.99.....	3	0.00
111 = \$501.00 to \$550.99.....	3	0.00
112 = \$551.00 to \$600.99.....	2	0.00
113 = \$601.00 to \$650.99.....	1	0.00
114 = \$651.00 to \$700.99.....	1	0.00
116 = \$751.00 to \$800.99.....	2	0.00
117 = \$801.00 to \$850.99.....	1	0.00
120 = \$951.00 to \$1000.99.....	8	0.00
121 = More than \$1000.99.....	27	0.00
985 = BAD DATA Logically assigned.....	3	0.00
991 = NEVER USED MARIJUANA.....	432250	51.66
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
994 = DON'T KNOW.....	33	0.00
997 = REFUSED.....	759	0.09
998 = BLANK (NO ANSWER).....	3541	0.42
999 = LEGITIMATE SKIP.....	123919	14.81

The last time you traded something for marijuana, who did you get it from?

MMTRDWHO

Len : 2 WHO GAVE YOU LAST MARIJUANA TRADED FOR

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = A friend.....	1073	0.13
2 = A relative or family member.....	267	0.03
3 = Someone I had just met or didn't know well.....	238	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED MARIJUANA.....	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW.....	21	0.00
97 = REFUSED.....	790	0.09
98 = BLANK (NO ANSWER).....	3506	0.42
99 = LEGITIMATE SKIP.....	123518	14.76

MARIJUANA PURCHASES

The last time you traded something for marijuana, where were you when you got it?

MMTPPLACE	Len : 2 WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Inside a public bldg, such as a store, restaurant.....	124	0.01
	2 = Inside a school building.....	237	0.03
	3 = Outside on school property.....	53	0.01
	4 = Inside a home, apartment, or dorm.....	595	0.07
	5 = Outside in a public area, such as a parking lot.....	223	0.03
	6 = Some other place.....	217	0.03
	11 = Inside a public building LOGICALLY ASSIGNED.....	11	0.00
	14 = Inside a home, apartment, or dorm LOG ASSN.....	47	0.01
	15 = Outside in a public area LOGICALLY ASSIGNED.....	62	0.01
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED MARIJUANA.....	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW.....	25	0.00
	97 = REFUSED.....	795	0.10
	98 = BLANK (NO ANSWER).....	3506	0.42
	99 = LEGITIMATE SKIP.....	123518	14.76

MMTPLOS2	Len : 2 OTHER PLACE TRADED FOR MJ THE LAST TIME	Freq	Pct
	-9 = Data not collected for this year.....	278954	33.34
	1 = Inside a public bldg (eg store/restaurant/arena).....	11	0.00
	4 = Inside a home, apartment, or dorm.....	47	0.01
	5 = Outside in public area (eg parkng lot/street/park).....	62	0.01
	6 = Some other place.....	41	0.00
	12 = In a car/motor vehicle; owner or location unspcfd.....	3	0.00
	70 = Specific city/state/country or vacation.....	17	0.00
	85 = BAD DATA Logically assigned.....	25	0.00
	91 = NEVER USED MARIJUANA.....	335002	40.04
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	123132	14.72
	94 = DON'T KNOW.....	23	0.00
	97 = REFUSED.....	640	0.08
	98 = BLANK (NO ANSWER).....	2718	0.32
	99 = LEGITIMATE SKIP.....	96021	11.48

The last time you traded something for marijuana, where did you get it?

MMTCLOSE	Len : 2 HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Near where you are now living.....	555	0.07
	2 = Somewhere else.....	1012	0.12
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED MARIJUANA.....	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW.....	24	0.00
	97 = REFUSED.....	798	0.10
	98 = BLANK (NO ANSWER).....	3506	0.42
	99 = LEGITIMATE SKIP.....	123518	14.76

The last time you traded something for marijuana, did you keep it all for yourself?

MMTKEEP	Len : 2 KEEP ALL OF LAST MARIJUANA TRADED FOR	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	529	0.06
	2 = No.....	1060	0.13
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED MARIJUANA.....	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW.....	19	0.00
	97 = REFUSED.....	781	0.09
	98 = BLANK (NO ANSWER).....	3506	0.42
	99 = LEGITIMATE SKIP.....	123518	14.76

MARIJUANA PURCHASES

Did you sell any of the marijuana you got this last time?

MMTSELL	Len : 2 SELL ANY MARIJUANA YOU TRADED FOR LAST TIME		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	102	0.01
	2 = No.....	955	0.11
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	783	0.09
	98 = BLANK (NO ANSWER)	3525	0.42
	99 = LEGITIMATE SKIP.....	124047	14.83

Did you give away any of the marijuana you got this last time?

MMTGIVE	Len : 2 GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	507	0.06
	2 = No.....	545	0.07
	85 = BAD DATA Logically assigned	3	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	786	0.09
	98 = BLANK (NO ANSWER)	3525	0.42
	99 = LEGITIMATE SKIP.....	124047	14.83

The last time you grew marijuana, did you keep it all for yourself?

MMGKEEP	Len : 2 KEEP ALL MARIJUANA LAST TIME YOU GREW IT		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	294	0.04
	2 = No.....	212	0.03
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	97 = REFUSED	750	0.09
	98 = BLANK (NO ANSWER)	3425	0.41
	99 = LEGITIMATE SKIP.....	124735	14.91

Did you sell any of the marijuana you grew this last time?

MMGSELL	Len : 2 SELL ANY MARIJUANA LAST TIME YOU GREW IT		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	73	0.01
	2 = No.....	139	0.02
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	97 = REFUSED	750	0.09
	98 = BLANK (NO ANSWER)	3425	0.41
	99 = LEGITIMATE SKIP.....	125029	14.94

The last time you grew marijuana, did you give any of it away for free?

MMGGIVE	Len : 2 GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	118	0.01
	2 = No.....	92	0.01
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	97 = REFUSED	752	0.09
	98 = BLANK (NO ANSWER)	3425	0.41
	99 = LEGITIMATE SKIP.....	125029	14.94

MARIJUANA PURCHASES

The last time you got marijuana for free, who did you get it from?

MMFREWHO	Len : 2 WHO GAVE YOU LAST FREE MARIJUANA	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = A friend.....	41436	4.95
	2 = A relative or family member	4982	0.60
	3 = Someone I had just met or didn't know well	2854	0.34
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	155	0.02
	97 = REFUSED	1379	0.16
	98 = BLANK (NO ANSWER)	3500	0.42
	99 = LEGITIMATE SKIP	75105	8.98

The last time you got marijuana for free, where were you when you got it?

MMFPLACE	Len : 2 WHERE WERE YOU LAST TIME GOT FREE MARIJUANA	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Inside a public bldg, such as a store, restaurant.....	1284	0.15
	2 = Inside a school building	616	0.07
	3 = Outside on school property	837	0.10
	4 = Inside a home, apartment, or dorm.....	31553	3.77
	5 = Outside in a public area, such as a parking lot	6160	0.74
	6 = Some other place.....	5689	0.68
	11 = Inside a public building LOGICALLY ASSIGNED.....	176	0.02
	12 = Inside a school building LOGICALLY ASSIGNED	1	0.00
	13 = Outside on school property LOGICALLY ASSIGNED	3	0.00
	14 = Inside a home, apartment, or dorm LOG ASSN.....	1670	0.20
	15 = Outside in a public area LOGICALLY ASSIGNED.....	1224	0.15
	85 = BAD DATA Logically assigned	5	0.00
	91 = NEVER USED MARIJUANA	432250	51.66
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
	94 = DON'T KNOW	307	0.04
	97 = REFUSED	1286	0.15
	98 = BLANK (NO ANSWER)	3500	0.42
	99 = LEGITIMATE SKIP	75105	8.98

MARIJUANA PURCHASES

MMFPLOS2

Len : 2 OTHER PLACE GOT MJ FOR FREE THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Inside a public bldg (eg store/restaurant/arena).....	176	0.02
2 = Inside a school building	1	0.00
3 = Outside on school property	3	0.00
4 = Inside a home, apartment, or dorm.....	1670	0.20
5 = Outside in public area (eg parkng lot/street/park)	1224	0.15
6 = Some other place.....	69	0.01
7 = At respondent's workplace	113	0.01
8 = At a party, location not specified	391	0.05
9 = From friend(s)/family; no other information	157	0.02
10 = In respondent's car/motor vhcle;location not spfd	14	0.00
11 = In someone else's car/mtr vhcle;location not spfd	117	0.01
12 = In a car/motor vehicle; owner or location unspcfd	503	0.06
13 = At school, no other information	32	0.00
14 = Outside on private property (home, yard, apt).....	318	0.04
16 = In a private/designtd locatn/place; otherwise unspd	8	0.00
17 = On a boat/raft/yacht/water vessel	20	0.00
22 = At concert/festival/sports event; location unspec	91	0.01
23 = A building; otherwise unspecified.....	47	0.01
24 = Individual/person; otherwise unspecified.....	48	0.01
25 = In a hotel/motel room (or public area unspcfd)	88	0.01
28 = In public; outside or inside unspecified.....	3	0.00
70 = Specific city/state/country or vacation	299	0.04
85 = BAD DATA Logically assigned	176	0.02
91 = NEVER USED MARIJUANA	335002	40.04
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	123132	14.72
94 = DON'T KNOW	338	0.04
97 = REFUSED	1453	0.17
98 = BLANK (NO ANSWER)	2941	0.35
99 = LEGITIMATE SKIP	89308	10.67

The last time you got marijuana for free, where did you get it?

MMFCLOSE

Len : 2 HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Near where you are now living	19783	2.36
2 = Somewhere else	29395	3.51
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	313	0.04
97 = REFUSED	1315	0.16
98 = BLANK (NO ANSWER)	3500	0.42
99 = LEGITIMATE SKIP	75105	8.98

The last time you got marijuana for free, did you keep it all for yourself?

MMFKEEP

Len : 2 KEEP ALL MARIJUANA GOT LAST TIME FOR FREE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	4529	0.54
2 = No.....	45166	5.40
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED MARIJUANA	432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	19.24
94 = DON'T KNOW	102	0.01
97 = REFUSED	1009	0.12
98 = BLANK (NO ANSWER)	3500	0.42
99 = LEGITIMATE SKIP	75105	8.98

MARIJUANA PURCHASES

Did you sell any of the marijuana you got this last time?

MMFSELL		Len : 2 SELL ANY MARIJUANA GOT LAST TIME FOR FREE	
		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = Yes.....		637	0.08
2 = No.....		44499	5.32
85 = BAD DATA Logically assigned		5	0.00
91 = NEVER USED MARIJUANA		432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	19.24
94 = DON'T KNOW		5	0.00
97 = REFUSED		1034	0.12
98 = BLANK (NO ANSWER)		3602	0.43
99 = LEGITIMATE SKIP.....		79634	9.52

Did you give away any of the marijuana you got this last time?

MMFGIVE		Len : 2 GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE	
		Freq	Pct
-9 = Data not collected for this year		114043	13.63
1 = Yes.....		16026	1.92
2 = No.....		28922	3.46
85 = BAD DATA Logically assigned		5	0.00
91 = NEVER USED MARIJUANA		432250	51.66
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	19.24
94 = DON'T KNOW		102	0.01
97 = REFUSED		1125	0.13
98 = BLANK (NO ANSWER)		3602	0.43
99 = LEGITIMATE SKIP.....		79634	9.52

For more information on the following variable, MJPBTPLC, see note above MJPBTFRM.

MJPBTPLC		Len : 1 LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT	
		Freq	Pct
-9 = Data not collected for this year		671785	80.29
1 = Inside a Public Building (MMBPLACE=1).....		812	0.10
2 = Outside in Public Area (MMBPLACE=5).....		2881	0.34
3 = Inside School (MMBPLACE=2).....		459	0.05
4 = Outside on School Property (MMBPLACE=3)		281	0.03
5 = Inside Home/Apt/Dorm (MMBPLACE=4).....		8334	1.00
6 = Some Other Place (MMBPLACE=6).....		2927	0.35
7 = Location Unspecified (MMBPLACE=94,97,98)		1434	0.17
8 = Nevr Use MJ/Didn't Buy Last MJ (MMBPLACE=91,93,99)		147783	17.66

For more information on the following variable, MJPFREPL, see note above MJPFREGT.

MJPFREPL		Len : 1 LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED	
		Freq	Pct
-9 = Data not collected for this year		671785	80.29
1 = Inside a Public Building (MMFPLACE=1)		333	0.04
2 = Outside in Public Area (MMFPLACE=5).....		1342	0.16
3 = Inside School (MMFPLACE=2).....		165	0.02
4 = Outside on School Property (MMFPLACE=3).....		197	0.02
5 = Inside Home/Apt/Dorm (MMFPLACE=4).....		7571	0.90
6 = Some Other Place (MMFPLACE=6)		2412	0.29
7 = Location Unspecified (MMFPLACE=94,97,98).....		1149	0.14
8 = Nevr Use MJ/Didn't Get Free MJ (MMFPLACE=91,93,99)		151742	18.14

MARIJUANA PURCHASES

The following variable, MJPBTPL2, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOSP). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTPL2=6, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write-in response was classified as a valid other-specify source (MMBPLOSP=7, 14, 15, 17, 18, 21, 25, 26). MJPBTPL2 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

MJPBTPL2	Len : 1	LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT	Freq	Pct
.		Didn't Buy Last MJ or MJ in PY (See comment above)	451465	53.96
-9		Data not collected for this year	334225	39.95
1		Inside a Public Building (MMBPLACE=1,11)	2759	0.33
2		Outside in Public Area (MMBPLACE=5,15)	12819	1.53
3		Inside School (MMBPLACE=2,12)	1235	0.15
4		Outside on School Property (MMBPLACE=3,13)	849	0.10
5		Inside Home/Apt/Dorm (MMBPLACE=4,14)	27243	3.26
6		Some Other Place (See comment above)	665	0.08
7		Location Unspecified (Otherwise)	5436	0.65

RECODED MARIJUANA PURCHASES

RECODED MARIJUANA PURCHASES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

MJPGOT Len : 1 METHOD OF OBTAINING LAST USED MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Bought it (MMGETMJ=1).....	52533	6.28
2 = Traded for it (MMGETMJ=2).....	1560	0.19
3 = Got it for Free/Shared (MMGETMJ=3).....	69882	8.35
4 = Grew it Yourself (MMGETMJ=4).....	1091	0.13
5 = Method Unspecified (Otherwise).....	4350	0.52
6 = Never Used MJ (MMGETMJ=91,93).....	593237	70.90

The following "source of last used marijuana bought" variable, MJPBTFRM, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought marijuana (MMBTPYR) in the past year are included in the "Source Unspecified" level, MJPBTFRM=4. To produce estimates among respondents who reported last obtaining marijuana by buying it or buying marijuana in the past year, the analysis should be restricted to MMGETMJ=1 or MMBTPYR=1.

MJPBTFRM Len : 1 SOURCE OF LAST USED MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Friend (MMBUYWHO=1).....	55390	6.62
2 = Relative or Family Member (MMBUYWHO=2).....	2922	0.35
3 = Someone Just Met/Did Not Know (MMBUYWHO=3).....	11960	1.43
4 = Source Unspecified (Otherwise).....	6929	0.83
5 = Nevr Use MJ/Didn't Buy Last MJ (MMBUYWHO=91,93,99).....	645452	77.14

The following variable, MJPBTPL3, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOSP). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTPL3=7, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write-in response was classified as a valid other-specify source other than "Medical Marijuana Dispensary/Club" (MMBPLOSP=7, 14, 17, 18, 21, 25, 26). MJPBTPL3 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

MJPBTPL3 Len : 1 LOCATION WHERE LAST USED MRJ WAS BOUGHT (8 LEVELS)

	Freq	Pct
. = Didn't Buy Last MJ or MJ in PY (See comment above)	147755	17.66
-9 = Data not collected for this year.....	670997	80.20
1 = Inside a Public Building (MMBPLACE=1,11).....	1079	0.13
2 = Outside in Public Area (MMBPLACE=5,15).....	4403	0.53
3 = Inside School (MMBPLACE=2,12).....	308	0.04
4 = Outside on School Property (MMBPLACE=3,13).....	254	0.03
5 = Inside Home/Apt/Dorm (MMBPLACE=4,14).....	9541	1.14
6 = Medical Mrj Dispensary (MMBPLACE=6 & MMBPLOS2=15).....	200	0.02
7 = Some Other Place (See comment above).....	173	0.02
8 = Location Unspecified (Otherwise).....	1986	0.24

RECODED MARIJUANA PURCHASES

The following "source of last used free marijuana" variable, MJPFREGT, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought (MMBTPYR) or traded something (MMTRADE) for marijuana in the past year are included in the "Source Unspecified" level, MJPFREGT=4. This differs from the "location where last used free marijuana was received" variable, MJPFRL2, where these unknown cases are defined as SAS missing (MJPFRL2=.). To produce estimates among respondents who reported obtaining their last used marijuana for free and reported not buying or not trading something for marijuana in the past year, the analysis should be restricted to MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2.

MJPFREGT Len : 1 SOURCE OF LAST USED FREE MARIJUANA

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Friend (MMFREWHO=1)	41436	4.95
2 = Relative or Family Member (MMFREWHO=2).....	4982	0.60
3 = Someone Just Met/Did Not Know (MMFREWHO=3).....	2854	0.34
4 = Source Unspecified (Otherwise)	5039	0.60
5 = Nev'r Use MJ/Didn't Get Free MJ (MMFREWHO=91,93,99)	668342	79.88

The following variable, MJPFRL2, was assigned a positive response if the respondent reported getting their last used marijuana for free and reported not buying or trading something for marijuana in the past 12 months (MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2) and reported the corresponding location of getting the marijuana for free as noted in the level statements below (MMFPLACE/MMFPLOSP). MJPFRL2 was assigned missing if at least one of the three criteria mentioned above was not met. A respondent was defined as getting their last used marijuana for free from "Some Other Place", MJPFRL2=6, if the location where the respondent reported being the last time he or she got marijuana for free was some other place (MMFPLACE=6) and their write-in response was classified as a valid other-specify source (MMFPLOSP=7, 14, 15, 17, 18, 21, 25, 26).

MJPFRL2 Len : 1 LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED

	Freq	Pct
. = Didn't Get Free MJ (See comment above)	519876	62.13
-9 = Data not collected for this year	278954	33.34
1 = Inside a Public Building (MMFPLACE=1,11)	1127	0.13
2 = Outside in Public Area (MMFPLACE=5,15).....	6042	0.72
3 = Inside School (MMFPLACE=2,12).....	452	0.05
4 = Outside on School Property (MMFPLACE=3,13).....	643	0.08
5 = Inside Home/Apt/Dorm (MMFPLACE=4,14).....	25652	3.07
6 = Some Other Place (See comment above)	560	0.07
7 = Location Unspecified (Otherwise)	3390	0.41

DEPDANL Len : 1 PAIN RELIEVER DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = No/Unknown (Otherwise).....	717308	85.73
1 = Yes (See comment above DEPNDALC).....	5345	0.64

A respondent was defined with dependence on hallucinogens, DEPNDHAL, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported hallucinogen dependence based on the Special Drugs module questions added in 2008 were defined as not having dependence on hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPDHAL Len : 1 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = No/Unknown (Otherwise).....	721755	86.26
1 = Yes (See comment above)	898	0.11

DEPDINH Len : 1 INHALANT DEPENDENCE IN THE PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = No/Unknown (Otherwise).....	722236	86.32
1 = Yes (See comment above DEPNDALC).....	417	0.05

RECODED MARIJUANA PURCHASES

A respondent was defined with dependence on sedatives, DEPNDSED, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported sedative dependence based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not having dependence on sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPNDSED	Len : 1 SEDATIVE DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	722307	86.33
	1 = Yes (See comment above)	346	0.04

A respondent was defined with dependence on stimulants, DEPNDSTM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported stimulant dependence based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not having dependence on stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPNDSTM	Len : 1 STIMULANT DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	721274	86.21
	1 = Yes (See comment above)	1379	0.16

DEPNDTRN	Len : 1 TRANQUILIZER DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	721721	86.26
	1 = Yes (See comment above DEPNDALC).....	932	0.11

A respondent was defined as having illicit drug dependence, DEPNDILL=1, if the respondent was classified as dependent (see dependence criteria listed above DEPNDALC) on any of these following substances: marijuana (DEPNDRMJ), hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOCC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedatives (DEPNDRSED).

DEPNDRILL	Len : 1 ILLICIT DRUG DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	699677	83.62
	1 = Yes (Any source variable listed above=1)	22976	2.75

A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM=1, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOCC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedatives (DEPNDRSED). A respondent's marijuana dependency status is not considered in the creation of this variable.

DEPNDRIEM	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	712395	85.14
	1 = Yes (Any source variable listed above=1)	10258	1.23

A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXJM=1, if the respondent was classified as being not marijuana dependent (DEPNDRMJ=0), but being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOCC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedatives (DEPNDRSED).

DEPNDRXJM	Len : 1 ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	714559	85.40
	1 = Yes (DEPNDRMJ=0 & any other source variable=1)	8094	0.97

RECODED MARIJUANA PURCHASES

DEPNPSY	Len : 1 PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	715943	85.57
	1 = Yes (DEPNDRN, DEPNDANL, DEPNDSTM, or DEPNDSED=1).....	6710	0.80

DPILLALC	Len : 1 ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (DEPNDRILL=0 and DEPNDALC=0).....	676192	80.82
	1 = Yes (DEPNDRILL=1 or DEPNDALC=1)	46461	5.55

DPILANAL	Len : 1 ILLICIT DRUG AND ALCOHOL DEPENDENCE IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (DEPNDRILL=0 or DEPNDALC=0)	716643	85.65
	1 = Yes (DEPNDRILL=1 and DEPNDALC=1)	6010	0.72

ABUSEANL	Len : 1 PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720336	86.09
	1 = Yes (Any one of above criteria and DEPNDANL=0).....	2317	0.28

A respondent was defined with abuse of hallucinogens, ABUSEHAL, if the respondent was classified as abusing (see criteria listed above ABUSEALC) hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported abusing hallucinogens based on the Special Drugs module questions added in 2008 were defined as not abusing hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

ABUSEHAL	Len : 1 HALLUCINOGEN ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721203	86.20
	1 = Yes (Any one of above criteria and DEPNDHAL=0).....	1450	0.17

ABUSEINH	Len : 1 INHALANT ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721808	86.27
	1 = Yes (Any one of above criteria and DEPNDINH=0)	845	0.10

A respondent was defined with abuse of sedatives, ABUSESED, if the respondent was classified as abusing (see criteria listed above ABUSEALC) sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported abusing sedatives based on the Special Drugs module questions added in 2008 were defined as not abusing sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

ABUSESED	Len : 1 SEDATIVE ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722467	86.35
	1 = Yes (Any one of above criteria and DEPNDSED=0).....	186	0.02

A respondent was defined with abuse of stimulants, ABUSESTM, if the respondent was classified as abusing (see criteria listed above ABUSEALC) stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported abusing stimulants based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not abusing stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

ABUSESTM	Len : 1 STIMULANT ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722020	86.29
	1 = Yes (Any one of above criteria and DEPNDSTM=0).....	633	0.08

RECORDED MARIJUANA PURCHASES

ABUSETRN	Len : 1 TRANQUILIZER ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721537	86.24
	1 = Yes (Any one of above criteria and DEPNDTRN=0).....	1116	0.13

Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

ABUSEILL	Len : 1 ILLICIT DRUG ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	710571	84.93
	1 = Yes (Any source variable above=1 & DEPNDILL=0).....	12082	1.44

Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.

ABUSEIEM	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	717407	85.74
	1 = Yes (Any source variable above=1 & DEPNDIEM=0).....	5246	0.63

Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as not abusing marijuana (ABUSEMRJ=0), but abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

ABUSEXMJ	Len : 1 ILLICIT DRUG EXCLUDING MARIJUANA ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	717712	85.78
	1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0).....	4941	0.59

Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUSESTM), or sedatives (ABUSESED).

ABUSEPSY	Len : 1 NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	719551	86.00
	1 = Yes (Any source variable above=1 & DEPNDPSY=0).....	3102	0.37

ABILLALC	Len : 1 ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0).....	675032	80.68
	1 = Yes (ABUSEILL=1 or ABUSEALC=1).....	47621	5.69

ABILANAL	Len : 1 ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	719344	85.97
	1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0).....	3309	0.40

ABODANL	Len : 1 PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0).....	714991	85.45
	1 = Yes (ABUSEANL=1 or DEPNDANL=1).....	7662	0.92

RECORDED MARIJUANA PURCHASES

ABODHAL	Len : 1 HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0).....	720305	86.09
	1 = Yes (ABUSEHAL=1 or DEPNDHAL=1).....	2348	0.28
ABODINH	Len : 1 INHALANT ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0).....	721391	86.22
	1 = Yes (ABUSEINH=1 or DEPNDINH=1).....	1262	0.15
ABOSED	Len : 1 SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSESED=0 and DEPNDSED=0).....	722121	86.31
	1 = Yes (ABUSESED=1 or DEPNDSED=1).....	532	0.06
ABODSTM	Len : 1 STIMULANT ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSESTM=0 and DEPNDSTM=0).....	720641	86.13
	1 = Yes (ABUSESTM=1 or DEPNDSTM=1).....	2012	0.24
ABODTRN	Len : 1 TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0).....	720605	86.13
	1 = Yes (ABUSETRN=1 or DEPNDTRN=1).....	2048	0.24
ABODILL	Len : 1 ILLICIT DRUG ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0).....	687595	82.18
	1 = Yes (ABUSEILL=1 or DEPNDILL=1).....	35058	4.19
ABODIEM	Len : 1 ILLICIT DRUG OTHER THAN MRJ ABUSE OR DEP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSEIEM=0 and DEPNDIEM=0).....	707149	84.52
	1 = Yes (ABUSEIEM=1 or DEPNDIEM=1).....	15504	1.85
ABODPSY	Len : 1 PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0).....	712841	85.20
	1 = Yes (ABUSEPSY=1 or DEPNDPSY=1).....	9812	1.17
ABODILAL	Len : 1 ILLICIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABILLALC=0 and DPILLALC=0).....	635004	75.89
	1 = Yes (ABILLALC=1 or DPILLALC=1).....	87649	10.48
ABDILAAL	Len : 1 ILLICIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (ABODILL=0 or ABODALC=0).....	706901	84.49
	1 = Yes (ABODILL=1 and ABODALC=1).....	15752	1.88

RECODED SUBSTANCE DEPENDENCE AND ABUSE

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.

NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who reported smoking cigarettes in the past month. The NDSS score, NDSSANSP, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who had a valid response (based on actual reporting and imputation) to all 17 questions. Respondents who did not have valid responses (based on actual reporting and imputation) for all 17 questions were coded as SAS missing. Based on the NDSS score, a respondent was defined as having nicotine dependence, NDSSDNSP=1, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDNSP=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent reported smoking cigarettes in the past month. Based on the NDSS and the FTND, a respondent who reported smoking cigarettes was defined as having nicotine dependence in the past month, DNICNSP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

NDSSANSP	Len : 12 RC-NDSS SCORE		
	RANGE = 1 - 5	Freq	Pct
	. = Unknown (See comment above)	200100	23.92
		636596	76.08
NDSSDNSP	Len : 1 RC-NICOTINE DEPENDENCE BASED ON NDSS SCORE		
	0 = No/Unknown (NDSSANSP<2.75 or missing)	Freq	Pct
	1 = Yes (NDSSANSP>=2.75)	763795	91.29
		72901	8.71
FTNDDNSP	Len : 1 RC-NICOTINE DEPENDENCE BASED ON FTND SCALE		
	0 = No (Otherwise)	Freq	Pct
	1 = Yes (CIGWAKE=1 or 2)	752049	89.88
		84647	10.12
DNICNSP	Len : 1 RC-NICOTINE DEPENDENCE IN PAST MONTH		
	0 = No (NDSSDNSP=0 and FTNDDNSP=0)	Freq	Pct
	1 = Yes (NDSSDNSP=1 or FTNDDNSP=1)	733126	87.62
		103570	12.38

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual drug dependence variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPNDRMJ, DEPNDINH, DEPNDHAL, DEPNDTRN) if the respondent reported a positive response to three or more of the following six dependence criteria:

1. Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance (XXXLOTTM=1 or XXXGTOVR=1)
2. Unable to keep set limits on substance use or used more often than intended (XXXKPLMT=2)
3. Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before (XXXNDMOR=1 or XXXLSEFX=1)
4. Unable to cut down or stop using the substance every time he or she tried or wanted to (XXXCUTEV=2)
5. Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems (XXXEMCTD=1 or XXXPHCTD=1)
6. Reduced or gave up participation in important activities due to substance use (XXXLSACT=1)

An additional question pertaining to withdrawal symptoms was asked for the following six drugs: alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using (XXXWDSMT=1). The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, or stimulant dependence (DEPNDALC, DEPNDANL, DEPNDCCOC, DEPNDHER, DEPNDSED, DEPNDSTM) if the respondent reported a positive response to three or more of the seven dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

DEPNDALC	Len : 1 RC-ALCOHOL DEPENDENCE - PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	803577	96.04
	1 = Yes (See comment above)	33119	3.96
DEPNDRMJ	Len : 1 RC-MARIJUANA DEPENDENCE - PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	820115	98.02
	1 = Yes (See comment above DEPNDALC).....	16581	1.98
DEPNDCCOC	Len : 1 RC-COCAINE DEPENDENCE - PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	833446	99.61
	1 = Yes (See comment above DEPNDALC).....	3250	0.39
DEPNDHER	Len : 1 RC-HEROIN DEPENDENCE - PAST YEAR	Freq	Pct
	0 = No/Unknown (Otherwise).....	835270	99.83
	1 = Yes (See comment above DEPNDALC).....	1426	0.17
DEPNDRPYHAL	Len : 1 RC-HALLUCINOGEN DEPENDENCE - PAST YEAR	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRDEPENDHAL=0,91,93).....	113965	13.62
	1 = Yes (IRDEPENDHAL=1)	78	0.01
DEPNDRPYINH	Len : 1 RC-INHALANT DEPENDENCE - PAST YEAR	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRDEPENDINH=0,91,93).....	114006	13.63
	1 = Yes (IRDEPENDINH=1).....	37	0.00
DEPNDRPYMTH	Len : 1 RC-METHAMPHETAMINE DEPENDENCE - PAST YEAR	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRDEPENDMTH=0,91,93).....	113737	13.59
	1 = Yes (IRDEPENDMTH=1).....	306	0.04

RECODED SUBSTANCE DEPENDENCE AND ABUSE

DEPNPYPNR	Len : 1 RC-PAIN RELIEVER DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRDEPENDPNR=0,91,93)	113297	13.54
	1 = Yes (IRDEPENDPNR=1)	746	0.09

DEPNPYTRQ	Len : 1 RC-TRANQUILIZER DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRDEPENDTRQ=0,91,93)	113860	13.61
	1 = Yes (IRDEPENDTRQ=1)	183	0.02

DEPNPYSTM	Len : 1 RC-STIMULANT DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRDEPENDSTM=0,91,93)	113822	13.60
	1 = Yes (IRDEPENDSTM=1)	221	0.03

DEPNPYSED	Len : 1 RC-SEDATIVE DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRDEPENDSED=0,91,93)	113993	13.62
	1 = Yes (IRDEPENDSED=1)	50	0.01

DEPNPYPSY	Len : 1 RC-PSYCHOTHERAPEUTIC DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (Otherwise)	113021	13.51
	1 = Yes (DEPNPYTRQ, DEPNPYPNR, DEPNPYSTM, or DEPNPYSED=1)	1022	0.12

A respondent was defined as having illicit drug dependence, DEPNDPYILL, if the respondent was classified as dependent (see dependence criteria listed above DEPNDALC) on any of these following substances: marijuana (DEPNDMRJ), hallucinogens (DEPNPYHAL), inhalants (DEPNPYINH), methamphetamine (DEPNPYMTH), tranquilizers (DEPNPYTRQ), cocaine (DEPNDCOC), heroin (DEPNHER), pain relievers (DEPNPYPNR), stimulants (DEPNPYSTM), or sedatives (DEPNPYSED).

DEPNPYILL	Len : 1 RC-ILLCIT DRUG DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise)	110928	13.26
	1 = Yes (Any source variable listed above=1)	3115	0.37

A respondent was defined as having illicit drug other than marijuana dependence, DEPNDPYIEM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNPYHAL), inhalants (DEPNPYINH), methamphetamine (DEPNPYMTH), tranquilizers (DEPNPYTRQ), cocaine (DEPNDCOC), heroin (DEPNHER), pain relievers (DEPNPYPNR), stimulants (DEPNPYSTM), or sedatives (DEPNSED). A respondent's marijuana dependency status is not considered in the creation of this variable.

DEPNPYIEM	Len : 1 RC-ILLCIT DRUG OTHER THAN MARIJUANA DEP - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise)	112391	13.43
	1 = Yes (Any source variable listed above=1)	1652	0.20

DPPYILLALC	Len : 1 RC-ILLCIT DRUG OR ALCOHOL DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (DEPNPYILL=0 and DEPNDALC=0)	107935	12.90
	1 = Yes (DEPNPYILL=1 or DEPNDALC=1)	6108	0.73

DPPYILANAL	Len : 1 RC-ILLCIT DRUG AND ALCOHOL DEPENDENCE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (DEPNPYILL=0 or DEPNDALC=0)	113412	13.55
	1 = Yes (DEPNPYILL=1 and DEPNDALC=1)	631	0.08

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The following abuse variables were defined based on the abuse criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual substance abuse variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEHAL, ABUSEINH, ABUSEANL, ABUSETRN, ABUSESTM, ABUSESED) if they reported a positive response to one or more of the following four abuse criteria and was determined not to be dependent upon the substance of interest:

1. Respondent reported having serious problems due to substance use at home, work or school (XXXSERPB=1)
2. Respondent reported using substance regularly and then did something where substance use might have put them in physical danger (XXXPDANG=1)
3. Respondent reported substance use causing actions that repeatedly got them in trouble with the law (XXXLAWTR=1)
4. Respondent reported having problems caused by substance use with family or friends (XXXFMFPB=1) and continued to use substance even though it was thought to be causing problems with family and friends (XXXFMCTD=1)

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

In addition, because the dependence and abuse variables are mutually exclusive with dependence taking precedence (i.e., dependence is determined first and respondents are only classified as having abused if they are not already classified as dependent, regardless of responses to the abuse questions), it is possible for the variables showing abuse of a combination of substances to not correspond with the abuse status of those individual substances. For example, a respondent who is classified as having abused cocaine in the past year may be classified as not having abused illicit drugs because they were dependent on marijuana and already classified as being dependent on illicit drugs.

ABUSEALC	Len : 1 RC-ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	794102	94.91
	1 = Yes (Any one of above criteria and DEPNDALC=0).....	42594	5.09

ABUSEMRJ	Len : 1 RC-MARIJUANA ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	826295	98.76
	1 = Yes (Any one of above criteria and DEPNDMRJ=0).....	10401	1.24

ABUSECOC	Len : 1 RC-COCAINE ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	835088	99.81
	1 = Yes (Any one of above criteria and DEPNDCOC=0).....	1608	0.19

ABUSEHER	Len : 1 RC-HEROIN ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	836496	99.98
	1 = Yes (Any one of above criteria and DEPNDHER=0).....	200	0.02

ABUSEPYHAL	Len : 1 RC-HALLUCINOGEN ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (IRABUPOSHAL=0,91,93 or DEPNDPYHAL=1).....	113880	13.61
	1 = Yes (IRABUPOSHAL=1 and DEPNDPYHAL=0).....	163	0.02

ABUSEPYINH	Len : 1 RC-INHALANT ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (IRABUPOSINH=0,91,93 or DEPNDPYINH=1).....	113979	13.62
	1 = Yes (IRABUPOSINH=1 and DEPNDPYINH=0).....	64	0.01

ABUSEPYMTH	Len : 1 RC-METHAMPHETAMINE ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (IRABUPOSMTH=0,91,93 or DEPNDPYMTH=1).....	113976	13.62
	1 = Yes (IRABUPOSMTH=1 and DEPNDPYMTH=0).....	67	0.01

RECODED SUBSTANCE DEPENDENCE AND ABUSE

ABUSEYPNR	Len : 1 RC-PAIN RELIEVER ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRABUOSPNR=0,91,93 or DEPNDPYPNR=1)	113824	13.60
	1 = Yes (IRABUOSPNR=1 and DEPNDPYPNR=0)	219	0.03

ABUSEPYTRQ	Len : 1 RC-TRANQUILIZER ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRABUOSTRQ=0,91,93 or DEPNDPYTRQ=1)	113870	13.61
	1 = Yes (IRABUOSTRQ=1 and DEPNDPYTRQ=0)	173	0.02

ABUSEPYSTM	Len : 1 RC-STIMULANT ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRABUOSSTM=0,91,93 or DEPNDPYSTM=1)	113960	13.62
	1 = Yes (IRABUOSSTM=1 and DEPNDPYSTM=0)	83	0.01

ABUSEPYSED	Len : 1 RC-SEDATIVE ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (IRABUPOSED=0,91,93 or DEPNDPYSED=1)	114004	13.63
	1 = Yes (IRABUPOSED=1 and DEPNDPYSED=0)	39	0.00

A respondent was defined as having psychotherapeutic drug abuse, ABUSEPYPSY, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEYPNR), tranquilizers (ABUSEPYTRQ), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED).

ABUSEPYPSY	Len : 1 RC-PSYCHOTHERAPEUTIC ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No (Otherwise)	113660	13.58
	1 = Yes (Any source variable above=1 & DEPNDPSY=0)	383	0.05

A respondent is defined as having illicit drug abuse, ABUSEPYILL, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEPYHAL), inhalants (ABUSEPYINH), methamphetamine (ABUSEPYMTH), tranquilizers (ABUSEPYTRQ), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEYPNR), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED).

ABUSEPYILL	Len : 1 RC-ILLCIT DRUG ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise)	112724	13.47
	1 = Yes (Any source variable above=1 & DEPNDPYILL=0)	1319	0.16

A respondent was defined as having illicit drug other than marijuana abuse, ABUSEPYIEM, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEPYHAL), inhalants (ABUSEPYINH), methamphetamine (ABUSEPYMTH), tranquilizers (ABUSEPYTRQ), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEYPNR), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED). A respondent's marijuana abuse status is not considered in the creation of this variable.

ABUSEPYIEM	Len : 1 RC-ILLCIT DRUG OTHER THAN MARIJUANA ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise)	113474	13.56
	1 = Yes (Any source variable above=1 & DEPNDPYIEM=0)	569	0.07

ABPYILLALC	Len : 1 RC-ILLCIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise)	109821	13.13
	1 = Yes (ABUSEPYILL=1 or ABUSEALC=1 and DPPYILLALC=0)	4222	0.50

RECORDED SUBSTANCE DEPENDENCE AND ABUSE

ABPYILANAL	Len : 1 RC-ILLCIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113782	13.60
	1 = Yes (ABUSEPYILL=1 & ABUSEALC=1 & DPPYILANAL=0).....	261	0.03

NOTE: The following variables were created by using a combination of the abuse and dependence variables. Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in the Recorded Substance Dependence and Abuse Variable Documentation Appendix.

ABODALC	Len : 1 RC-ALCOHOL DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0).....	760983	90.95
	1 = Yes (ABUSEALC=1 or DEPNDALC=1).....	75713	9.05

ABODMRJ	Len : 1 RC-MARIJUANA DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0).....	809714	96.78
	1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1).....	26982	3.22

ABODCOC	Len : 1 RC-COCAINE DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSECOC=0 and DEPNDCOC=0).....	831838	99.42
	1 = Yes (ABUSECOC=1 or DEPNDCOC=1).....	4858	0.58

ABODHER	Len : 1 RC-HEROIN DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0).....	835070	99.81
	1 = Yes (ABUSEHER=1 or DEPNDHER=1).....	1626	0.19

UDPYHAL	Len : 1 RC-HALLUCINOGEN DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYHAL=0 and DEPNDPYHAL=0).....	113802	13.60
	1 = Yes (ABUSEPYHAL=1 or DEPNDPYHAL=1).....	241	0.03

UDPYINH	Len : 1 RC-INHALANT DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYINH=0 and DEPNDPYINH=0).....	113942	13.62
	1 = Yes (ABUSEPYINH=1 or DEPNDPYINH=1).....	101	0.01

UDPYMTH	Len : 1 RC-METHAMPHETAMINE DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYMTH=0 and DEPNDPYMTH=0).....	113670	13.59
	1 = Yes (ABUSEPYMTH=1 or DEPNDPYMTH=1).....	373	0.04

UDPYPNR	Len : 1 RC-PAIN RELIEVER DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYPNR=0 and DEPNDPYPNR=0).....	113078	13.51
	1 = Yes (ABUSEPYPNR=1 or DEPNDPYPNR=1).....	965	0.12

UDPYTRQ	Len : 1 RC-TRANQUILIZER DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYTRQ=0 and DEPNDPYTRQ=0).....	113687	13.59
	1 = Yes (ABUSEPYTRQ=1 or DEPNDPYTRQ=1).....	356	0.04

RECODED SUBSTANCE DEPENDENCE AND ABUSE

UDPYSTM	Len : 1 RC-STIMULANT DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYSTM=0 and DEPNDPYSTM=0).....	113739	13.59
	1 = Yes (ABUSEPYSTM=1 or DEPNDPYSTM=1).....	304	0.04
UDPYSED	Len : 1 RC-SEDATIVE DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYSED=0 and DEPNDPYSED=0).....	113954	13.62
	1 = Yes (ABUSEPYSED=1 or DEPNDPYSED=1).....	89	0.01
UDPYPSY	Len : 1 RC-PSYCHOTHERAPEUTIC DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABUSEPYPSY=0 and DEPNDPYPSY=0).....	112638	13.46
	1 = Yes (ABUSEPYPSY=1 or DEPNDPYPSY=1).....	1405	0.17
UDPYOPI	Len : 1 RC-OPIOID DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (ABODHER=0 and UDPYPNR=0).....	112891	13.49
	1 = Yes (ABODHER=1 or UDPYPNR=1).....	1152	0.14
UDPYHRPNR	Len : 1 RC-HEROIN AND/OR PAIN RELIEVER DEPENDENCE OR ABUSE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Heroin only (ABODHER=1 and UDPYPNR=0).....	187	0.02
	2 = Pain reliever only (ABODHER=0 and UDPYPNR=1).....	829	0.10
	3 = Heroin and pain reliever (ABODHER=1 and UDPYPNR=1).....	136	0.02
	4 = Neither (ABODHER=0 and UDPYPNR=0).....	112891	13.49
UDPYILL	Len : 1 RC-ILLCIT DRUG DEPENDENCE OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (ABUSEPYILL=0 and DEPNDPYILL=0).....	109609	13.10
	1 = Yes (ABUSEPYILL=1 or DEPNDPYILL=1).....	4434	0.53
UDPYIEM	Len : 1 RC-ILLCIT DRUG OTHER THAN MRJ DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (ABUSEPYIEM=0 and DEPNDPYIEM=0).....	111822	13.36
	1 = Yes (ABUSEPYIEM=1 or DEPNDPYIEM=1).....	2221	0.27
UDPYILAL	Len : 1 RC-ILLCIT DRUG OR ALCOHOL DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (ABPYILLALC=0 and DPPYILLALC=0).....	103713	12.40
	1 = Yes (ABPYILLALC=1 or DPPYILLALC=1).....	10330	1.23
UDPYILAAL	Len : 1 RC-ILLCIT DRUG AND ALCOHOL DEP OR ABUSE - PAST YEAR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (UDPYILL=0 or ABODALC=0).....	112569	13.45
	1 = Yes (UDPYILL=1 and ABODALC=1).....	1474	0.18

RECODED SUBSTANCE DEPENDENCE AND ABUSE

In the past 12 months, were you arrested and booked for aggravated assault?

BKAGASLT Len : 2 1ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	505796	60.45
1 = Yes.....	1492	0.18
2 = No.....	14010	1.67
3 = Yes LOGICALLY ASSIGNED.....	30	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1640	0.20
94 = DON'T KNOW.....	25	0.00
97 = REFUSED.....	601	0.07
98 = BLANK (NO ANSWER).....	4093	0.49
99 = LEGITIMATE SKIP.....	308975	36.93

In the past 12 months, were you arrested and booked for forcible rape?

BKRAPE Len : 2 1ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	505796	60.45
1 = Yes.....	81	0.01
2 = No.....	15475	1.85
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1640	0.20
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	594	0.07
98 = BLANK (NO ANSWER).....	4093	0.49
99 = LEGITIMATE SKIP.....	308975	36.93

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

BKMURDER Len : 2 1ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	505796	60.45
1 = Yes.....	89	0.01
2 = No.....	15464	1.85
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1640	0.20
94 = DON'T KNOW.....	6	0.00
97 = REFUSED.....	595	0.07
98 = BLANK (NO ANSWER).....	4093	0.49
99 = LEGITIMATE SKIP.....	308975	36.93

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

BKPROS Len : 2 1ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	505796	60.45
1 = Yes.....	111	0.01
2 = No.....	15442	1.85
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1640	0.20
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	597	0.07
98 = BLANK (NO ANSWER).....	4093	0.49
99 = LEGITIMATE SKIP.....	308975	36.93

RECODED SUBSTANCE DEPENDENCE AND ABUSE

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

BKSEXOFF Len : 2 1ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	505796	60.45
1 = Yes.....	164	0.02
2 = No.....	15383	1.84
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
85 = BAD DATA Logically assigned.....	34	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1640	0.20
94 = DON'T KNOW.....	6	0.00
97 = REFUSED.....	599	0.07
98 = BLANK (NO ANSWER).....	4093	0.49
99 = LEGITIMATE SKIP.....	308975	36.93

NOTE: The variables DRVALDR, DRVAONLY, and DRVDONLY take into account data from the methamphetamine questions that were added to the Special Drugs module in 2005.

During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?

DRVALDR Len : 2 DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	29596	3.54
2 = No.....	113648	13.58
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	400	0.05
85 = BAD DATA Logically assigned.....	36	0.00
89 = LEGITIMATE SKIP Logically assigned.....	226	0.03
91 = NEVER USED ALCOHOL OR DRUGS.....	175673	21.00
94 = DON'T KNOW.....	56	0.01
97 = REFUSED.....	183	0.02
98 = BLANK (NO ANSWER).....	5994	0.72
99 = LEGITIMATE SKIP.....	396841	47.43

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?

DRVAONLY Len : 2 DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	90306	10.79
2 = No.....	346258	41.38
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	400	0.05
85 = BAD DATA Logically assigned.....	37	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	175673	21.00
94 = DON'T KNOW.....	169	0.02
97 = REFUSED.....	427	0.05
98 = BLANK (NO ANSWER).....	4669	0.56
99 = LEGITIMATE SKIP.....	104714	12.52

During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/ illegal drugs only?

DRVDONLY Len : 2 DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	38251	4.57
2 = No.....	123806	14.80
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	400	0.05
85 = BAD DATA Logically assigned.....	84	0.01
89 = LEGITIMATE SKIP Logically assigned.....	333	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	175673	21.00
94 = DON'T KNOW.....	87	0.01
97 = REFUSED.....	223	0.03
98 = BLANK (NO ANSWER).....	12746	1.52
99 = LEGITIMATE SKIP.....	371050	44.35

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: DRVFLAG identifies those respondents (Rs) who were routed to the questions corresponding to DRVALDR or DRVDONLY (or both) solely because they reported use of methamphetamine (from MTHAREC), Adderall (from ADDEREC), Ambien (from AMBIREC), or hallucinogens (from KETAREC, TRYPREC, or SALVREC) in the past year in the SPECIAL DRUGS module. DRVFLAG was coded as 5 if the only indication of past year use came from MTHAREC through SALVREC and Rs reported past year use for more than one of these drugs. Rs for whom DRVFLAG had values of 1 through 5 were not counted in the creation of the RECODED SPECIAL TOPICS variables pertaining to substance use and driving, for consistency with how substance use and driving variables were created prior to the changes in logic that asked these questions of these additional noncore past year users.

DRVFLAG Len : 2 ONLY PAST YEAR USER FROM NONCORE SPECIAL DRUGS

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Only methamphet user from Special Drugs (see note).....	126	0.02
2 = Only past yr Adderall user (from ADDEREC)	835	0.10
3 = Only past yr Ambien user (from AMBIREC)	706	0.08
4 = Only past yr halluc from Special Drugs (see note).....	226	0.03
5 = >1 pst yr drug from Special Drugs (see note).....	59	0.01
98 = BLANK (NO ANSWER)	555790	66.43

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

BOOKED Len : 2 EVER ARRESTED AND BOOKED FOR BREAKING THE LAW

	Freq	Pct
1 = Yes.....	121252	14.49
2 = No.....	704887	84.25
3 = Yes LOGICALLY ASSIGNED.....	7987	0.95
85 = BAD DATA Logically assigned	14	0.00
94 = DON'T KNOW	832	0.10
97 = REFUSED	1617	0.19
98 = BLANK (NO ANSWER)	107	0.01

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

NOBOOKY2 Len : 3 # TIMES ARRESTED AND BOOKED PAST 12 MONTHS

	Freq	Pct
0 = None	85967	10.27
1 = One time	24905	2.98
2 = Two times	5770	0.69
3 = Three or more times.....	3602	0.43
985 = BAD DATA Logically assigned	35	0.00
994 = DON'T KNOW	553	0.07
997 = REFUSED	2050	0.25
998 = BLANK (NO ANSWER).....	8927	1.07
999 = LEGITIMATE SKIP (BOOKED=2).....	704887	84.25

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

BKMVTHFT Len : 2 ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	1224	0.15
2 = No.....	33924	4.05
3 = Yes LOGICALLY ASSIGNED.....	18	0.00
85 = BAD DATA Logically assigned	76	0.01
89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
94 = DON'T KNOW	15	0.00
97 = REFUSED	1655	0.20
98 = BLANK (NO ANSWER)	8930	1.07
99 = LEGITIMATE SKIP.....	786498	94.00

RECODED SUBSTANCE DEPENDENCE AND ABUSE

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

BKLARCNY	Len : 2 ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	4641	0.55
	2 = No.....	30215	3.61
	3 = Yes LOGICALLY ASSIGNED.....	278	0.03
	85 = BAD DATA Logically assigned.....	76	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
	94 = DON'T KNOW.....	34	0.00
	97 = REFUSED.....	1668	0.20
	98 = BLANK (NO ANSWER).....	8930	1.07
	99 = LEGITIMATE SKIP.....	786498	94.00

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

BKBURGL	Len : 2 ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	2149	0.26
	2 = No.....	32958	3.94
	3 = Yes LOGICALLY ASSIGNED.....	38	0.00
	85 = BAD DATA Logically assigned.....	76	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
	94 = DON'T KNOW.....	19	0.00
	97 = REFUSED.....	1672	0.20
	98 = BLANK (NO ANSWER).....	8930	1.07
	99 = LEGITIMATE SKIP.....	786498	94.00

NOTE: BKSRVIOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

BKSRVIOL	Len : 2 ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	330900	39.55
	1 = Yes.....	1817	0.22
	2 = No.....	17726	2.12
	3 = Yes LOGICALLY ASSIGNED.....	33	0.00
	85 = BAD DATA Logically assigned.....	42	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	2716	0.32
	94 = DON'T KNOW.....	29	0.00
	97 = REFUSED.....	1073	0.13
	98 = BLANK (NO ANSWER).....	4837	0.58
	99 = LEGITIMATE SKIP.....	477523	57.07

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

BKSMASLT	Len : 2 ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	5634	0.67
	2 = No.....	28978	3.46
	3 = Yes LOGICALLY ASSIGNED.....	519	0.06
	85 = BAD DATA Logically assigned.....	76	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
	94 = DON'T KNOW.....	33	0.00
	97 = REFUSED.....	1672	0.20
	98 = BLANK (NO ANSWER).....	8930	1.07
	99 = LEGITIMATE SKIP.....	786498	94.00

RECORDED SUBSTANCE DEPENDENCE AND ABUSE

In the past 12 months, were you arrested and booked for robbery?

BKROB	Len : 2 ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	1228	0.15
	2 = No.....	33910	4.05
	3 = Yes LOGICALLY ASSIGNED.....	15	0.00
	85 = BAD DATA Logically assigned.....	76	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
	94 = DON'T KNOW.....	19	0.00
	97 = REFUSED.....	1664	0.20
	98 = BLANK (NO ANSWER).....	8930	1.07
	99 = LEGITIMATE SKIP.....	786498	94.00

In the past 12 months, were you arrested and booked for arson?

BKARSON	Len : 2 ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	309	0.04
	2 = No.....	34814	4.16
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	85 = BAD DATA Logically assigned.....	76	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
	94 = DON'T KNOW.....	48	0.01
	97 = REFUSED.....	1657	0.20
	98 = BLANK (NO ANSWER).....	8930	1.07
	99 = LEGITIMATE SKIP.....	786498	94.00

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

BKDRVINP	Len : 2 ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	5937	0.71
	2 = No.....	29121	3.48
	3 = Yes LOGICALLY ASSIGNED.....	97	0.01
	85 = BAD DATA Logically assigned.....	76	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED.....	1668	0.20
	98 = BLANK (NO ANSWER).....	8930	1.07
	99 = LEGITIMATE SKIP.....	786498	94.00

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

BKDRUNK	Len : 2 ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	5647	0.67
	2 = No.....	29220	3.49
	3 = Yes LOGICALLY ASSIGNED.....	283	0.03
	85 = BAD DATA Logically assigned.....	76	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4356	0.52
	94 = DON'T KNOW.....	18	0.00
	97 = REFUSED.....	1668	0.20
	98 = BLANK (NO ANSWER).....	8930	1.07
	99 = LEGITIMATE SKIP.....	786498	94.00

In the past 12 months, were you arrested and booked for possession of tobacco?

BKPOSTOB	Len : 2 ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	664	0.08
	2 = No.....	8446	1.01
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	85 = BAD DATA Logically assigned.....	35	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	360	0.04
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	340	0.04
	98 = BLANK (NO ANSWER).....	4239	0.51
	99 = LEGITIMATE SKIP.....	822597	98.31

RECODED SUBSTANCE DEPENDENCE AND ABUSE

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

BKDRUG		Len : 2 ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS	
		Freq	Pct
1 = Yes.....		5478	0.65
2 = No.....		29364	3.51
3 = Yes LOGICALLY ASSIGNED.....		301	0.04
85 = BAD DATA Logically assigned.....		76	0.01
89 = LEGITIMATE SKIP Logically assigned.....		4356	0.52
94 = DON'T KNOW.....		19	0.00
97 = REFUSED.....		1674	0.20
98 = BLANK (NO ANSWER).....		8930	1.07
99 = LEGITIMATE SKIP.....		786498	94.00

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

BKSEXNR		Len : 2 ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS	
		Freq	Pct
-9 = Data not collected for this year.....		330900	39.55
1 = Yes.....		286	0.03
2 = No.....		19310	2.31
3 = Yes LOGICALLY ASSIGNED.....		8	0.00
85 = BAD DATA Logically assigned.....		42	0.01
89 = LEGITIMATE SKIP Logically assigned.....		2716	0.32
94 = DON'T KNOW.....		9	0.00
97 = REFUSED.....		1065	0.13
98 = BLANK (NO ANSWER).....		4837	0.58
99 = LEGITIMATE SKIP.....		477523	57.07

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

BKFRAUD		Len : 2 ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS	
		Freq	Pct
1 = Yes.....		2018	0.24
2 = No.....		32723	3.91
3 = Yes LOGICALLY ASSIGNED.....		414	0.05
85 = BAD DATA Logically assigned.....		75	0.01
89 = LEGITIMATE SKIP Logically assigned.....		4356	0.52
94 = DON'T KNOW.....		19	0.00
97 = REFUSED.....		1663	0.20
98 = BLANK (NO ANSWER).....		8930	1.07
99 = LEGITIMATE SKIP.....		786498	94.00

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

BKOTH		Len : 2 ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS	
		Freq	Pct
1 = Yes.....		8084	0.97
2 = No.....		23000	2.75
3 = Yes LOGICALLY ASSIGNED.....		1873	0.22
5 = Offense unknown.....		2204	0.26
85 = BAD DATA Logically assigned.....		65	0.01
89 = LEGITIMATE SKIP Logically assigned.....		4356	0.52
94 = DON'T KNOW.....		27	0.00
97 = REFUSED.....		1659	0.20
98 = BLANK (NO ANSWER).....		8930	1.07
99 = LEGITIMATE SKIP.....		786498	94.00

SPECIAL TOPICS

SPECIAL TOPICS

This note applies to variables in this section marked by a¹.

BKOTHOF2	Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY		
		Freq	Pct
	1 = Motor vehicle theft	23	0.00
	2 = Larceny or theft	351	0.04
	3 = Burglary or breaking and entering	46	0.01
	4 = Serious violent offense.....	66	0.01
	5 = Other assault, such as simple assault or battery.....	638	0.08
	6 = Robbery	19	0.00
	7 = Forcible rape.....	4	0.00
	8 = Murder, homicide, or nonnegligent manslaughter.....	4	0.00
	9 = Arson	8	0.00
	10 = Driving under the influence of alcohol or drugs.....	129	0.02
	11 = Drunkenness or other liquor law violation	386	0.05
	12 = Possession of tobacco	14	0.00
	13 = Possession, manufacture, or sale of drugs	360	0.04
	14 = Sexual offense, not including rape	12	0.00
	15 = Any other sexual offense, exc rape/prostitution	8	0.00
	16 = Fraud, possessing stolen goods, vandalism	444	0.05
	17 = Some other offense	102	0.01
	18 = Weapons law violations	363	0.04
	19 = Counterfeiting/Forgery	53	0.01
	20 = Viol of court order/probation/parole, perjury.....	1160	0.14
	21 = Disorderly conduct.....	752	0.09
	22 = Juvenile status offenses.....	107	0.01
	23 = All oth offns: crimes agnst persons/prprty/society	233	0.03
	24 = Traffic violations	1028	0.12
	25 = Bad checks.....	168	0.02
	26 = Curfew/loitering/vagrancy violations.....	297	0.04
	27 = Trespass of real property.....	413	0.05
	28 = Runaway	181	0.02
	29 = Family offenses, nonviolent.....	141	0.02
	31 = Intimidation	151	0.02
	33 = Organized criminal activity; unspecified	4	0.00
	36 = Possession of drug paraphernalia.....	87	0.01
	37 = Fireworks law/code violation.....	10	0.00
	38 = Evading/hindering/obstructing police	407	0.05
	39 = False report/statement/alarm	54	0.01
	43 = Kidnapping/abduction.....	4	0.00
	45 = Child endangermnt/neglect/abandonmt; abuse unspcfd	26	0.00
	46 = Theft of/nonpayment for services	22	0.00
	47 = Harassment; intimidation not specified.....	63	0.01
	85 = BAD DATA Logically assigned.....	846	0.10
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW	149	0.02
	97 = REFUSED	2017	0.24
	98 = BLANK (NO ANSWER)	11492	1.37
	99 = LEGITIMATE SKIP.....	813852	97.27

Were you on probation at any time during the past 12 months?

PROBATON	Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	28373	3.39
	2 = No.....	805615	96.29
	85 = BAD DATA Logically assigned	30	0.00
	94 = DON'T KNOW	1485	0.18
	97 = REFUSED	1084	0.13
	98 = BLANK (NO ANSWER)	109	0.01

SPECIAL TOPICS

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

PAROLREL	Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS		
		Freq	Pct
	1 = Yes.....	8162	0.98
	2 = No.....	826521	98.78
	85 = BAD DATA Logically assigned.....	30	0.00
	94 = DON'T KNOW.....	894	0.11
	97 = REFUSED.....	980	0.12
	98 = BLANK (NO ANSWER).....	109	0.01

NOTE: MXMJPNLT is a renamed version of the variable MXMJPENL from prior years. In 2006 a new level (6 - No penalty) was added to the answer categories. Therefore, data from the previous variable MXMJPENL may not be comparable to data from the current variable MXMJPNLT.

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

MXMJPNLT	Len : 2 MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE		
		Freq	Pct
	-9 = Data not collected for this year.....	220816	26.39
	1 = A fine.....	127600	15.25
	2 = Probation.....	84387	10.09
	3 = Community service.....	37580	4.49
	4 = Possible prison sentence.....	134931	16.13
	5 = Mandatory prison sentence.....	31558	3.77
	6 = No penalty.....	21769	2.60
	85 = BAD DATA Logically assigned.....	334	0.04
	94 = DON'T KNOW.....	174144	20.81
	97 = REFUSED.....	3496	0.42
	98 = BLANK (NO ANSWER).....	81	0.01

RECODED SPECIAL TOPICS

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

DRIVALC2	Len : 1 DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes (DRVALDR=1 or DRVAONLY=1).....	94502	11.29
	2 = No (DRVALDR=2,89,99 and DRVAONLY=2).....	337740	40.37
	3 = Unknown (Otherwise).....	9624	1.15
	4 = Never/No Use (DRVALDR and DRVAONLY=81,89,91,99)	280787	33.56

DRIVDRG2	Len : 1 DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes (DRVFLAG=98 & {DRVALDR=1 or DRVDONLY=1}).....	46557	5.56
	2 = No (DRVFLAG<=5 or {DRVALDR=2,89,99 & DRVDONLY=2})	114941	13.74
	3 = Unknown (Otherwise).....	13699	1.64
	4 = Never/No Use (DRVALDR and DRVDONLY=81,89,91,99)	547456	65.43

DRIVALD2	Len : 1 DROVE VEHICLE UNDER INFLUENCE OF ALC OR ILL DRUGS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes (DRIVALC2=1 or DRIVDRG2=1)	106319	12.71
	2 = No (Otherwise)	344170	41.13
	3 = Unknown (DRIVALC2=3 or DRIVDRG2=3).....	17061	2.04
	4 = Never/No Use (DRIVALC2=4 and DRIVDRG2=4)	255103	30.49

PAROL	Len : 1 RC-PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
		Freq	Pct
	. = Unknown Parole/Supervised Rel Status (Otherwise).....	2013	0.24
	1 = On Parole/Supervised Release (PAROLREL=1)	8162	0.98
	2 = Not on Parole/Supervised Release (PAROLREL=2)	826521	98.78

PROB	Len : 1 RC-PROBATION STATUS IN THE PAST YEAR		
		Freq	Pct
	. = Unknown Probation Status (Otherwise).....	2708	0.32
	1 = On Probation (PROBATON=1).....	28373	3.39
	2 = Not on Probation (PROBATON=2).....	805615	96.29

RECODED SPECIAL TOPICS

Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

ANLGLAS Len : 2 1HOW GOT PRSCRIP PAIN RLVLR PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	615597	73.57
1 = I got a prescription from just one doctor.....	1721	0.21
2 = I got prescriptions from more than one doctor.....	156	0.02
3 = I wrote a fake prescription.....	19	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy.....	42	0.01
5 = I got it from a friend or relative for free.....	6264	0.75
6 = I bought it from a friend or relative.....	1179	0.14
7 = I took it from friend/relative without asking.....	803	0.10
8 = I bought it from a drug dealer or other stranger.....	584	0.07
9 = I bought it on the Internet.....	26	0.00
10 = I got it in some other way.....	570	0.07
11 = I got a prescription from just one doctor LOG ASSN.....	3	0.00
14 = I stole it from dr's ofc/clin/hosp/pharm LOG ASSN.....	1	0.00
15 = I got it from friend/relative for free LOG ASSN.....	78	0.01
16 = I bought it from a friend or relative LOG ASSN.....	2	0.00
17 = I took it from friend/relative w/o asking LOG ASSN.....	3	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	8	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	368	0.04
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned.....	73	0.01
91 = NEVER USED PAIN RELIEVERS.....	183522	21.93
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	18724	2.24
94 = DON'T KNOW.....	238	0.03
97 = REFUSED.....	252	0.03
98 = BLANK (NO ANSWER).....	2290	0.27
99 = LEGITIMATE SKIP.....	4161	0.50

Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.

Now think about the last time you used methamphetamine. How did you get this methamphetamine?

MTHGTLAS Len : 2 1HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	503050	60.12
5 = I got it from a friend or relative for free.....	981	0.12
6 = I bought it from a friend or relative.....	399	0.05
7 = I took it from friend/relative without asking.....	59	0.01
8 = I bought it from a drug dealer or other stranger.....	329	0.04
9 = I bought it on the Internet.....	19	0.00
10 = I got it in some other way.....	86	0.01
15 = I got it from a friend/relative for free LOG ASSN.....	6	0.00
16 = I bought it from a friend/relative LOG ASSN.....	2	0.00
17 = I took it from friend/relative w/o asking LOG.....	1	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	6	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	315909	37.76
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	14124	1.69
94 = DON'T KNOW.....	31	0.00
97 = REFUSED.....	184	0.02
98 = BLANK (NO ANSWER).....	718	0.09
99 = LEGITIMATE SKIP.....	682	0.08

RECODED SPECIAL TOPICS

The computer recorded that you last used snuff [CGSNREC FILL]. How old were you the last time you used snuff?

SNFAGLST

Len : 3 HOW OLD WERE YOU LAST THE TIME USED SNUFF

	Freq	Pct
RANGE = 1 - 83	56416	6.74
-9 = Data not collected for this year	223352	26.69
985 = BAD DATA Logically assigned	4888	0.58
989 = LEGITIMATE SKIP Logically assigned	10	0.00
991 = NEVER USED SNUFF	528547	63.17
994 = DON'T KNOW	1765	0.21
997 = REFUSED	342	0.04
998 = BLANK (NO ANSWER).....	450	0.05
999 = LEGITIMATE SKIP.....	20926	2.50

Did you last use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use snuff?

SNUFYLU

Len : 4 YEAR OF LAST SNUFF USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	13814	1.65
-9 = Data not collected for this year	223352	26.69
9985 = BAD DATA Logically assigned	578	0.07
9989 = LEGITIMATE SKIP Logically assigned	321	0.04
9991 = NEVER USED SNUFF	528547	63.17
9994 = DON'T KNOW	1816	0.22
9997 = REFUSED	350	0.04
9998 = BLANK (NO ANSWER).....	5286	0.63
9999 = LEGITIMATE SKIP.....	62632	7.49

In what month in [CURRENT YEAR] did you last use snuff?

In what month in [YEAR FROM LU05a or LU05b] did you last use snuff?

SNUFMLU

Len : 2 MONTH OF LAST SNUFF USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January.....	1039	0.12
2 = February.....	905	0.11
3 = March.....	949	0.11
4 = April	870	0.10
5 = May.....	940	0.11
6 = June.....	1186	0.14
7 = July	1220	0.15
8 = August	1067	0.13
9 = September	975	0.12
10 = October	1006	0.12
11 = November	989	0.12
12 = December.....	864	0.10
85 = BAD DATA Logically assigned	1229	0.15
89 = LEGITIMATE SKIP Logically assigned	321	0.04
91 = NEVER USED SNUFF	528547	63.17
94 = DON'T KNOW	2857	0.34
97 = REFUSED	393	0.05
98 = BLANK (NO ANSWER)	5355	0.64
99 = LEGITIMATE SKIP.....	62632	7.49

RECODED SPECIAL TOPICS

The computer recorded that you last used chewing tobacco [CG20REC FILL]. How old were you the last time you used chewing tobacco?

CHWAGLST Len : 3 HOW OLD WERE YOU LAST TIME USED CHEWING TOBACCO

	Freq	Pct
RANGE = 1 - 84	53743	6.42
-9 = Data not collected for this year	223352	26.69
985 = BAD DATA Logically assigned	3472	0.41
989 = LEGITIMATE SKIP Logically assigned	6	0.00
991 = NEVER USED CHEWING TOBACCO	544304	65.05
994 = DON'T KNOW	1676	0.20
997 = REFUSED	239	0.03
998 = BLANK (NO ANSWER).....	200	0.02
999 = LEGITIMATE SKIP.....	9704	1.16

Did you last use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use chewing tobacco?

CHEWYLU Len : 4 YEAR OF LAST CHEWING TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	12214	1.46
-9 = Data not collected for this year	223352	26.69
9985 = BAD DATA Logically assigned	456	0.05
9989 = LEGITIMATE SKIP Logically assigned	235	0.03
9991 = NEVER USED CHEWING TOBACCO	544304	65.05
9994 = DON'T KNOW	1704	0.20
9997 = REFUSED	238	0.03
9998 = BLANK (NO ANSWER).....	3646	0.44
9999 = LEGITIMATE SKIP.....	50547	6.04

In what month in [CURRENT YEAR] did you last use chewing tobacco?

In what month in [YEAR FROM LU06a or LU06b] did you last use chewing tobacco?

CHEWMLU Len : 2 MONTH OF LAST CHEWING TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January.....	1050	0.13
2 = February.....	868	0.10
3 = March.....	858	0.10
4 = April	905	0.11
5 = May.....	819	0.10
6 = June.....	997	0.12
7 = July	1187	0.14
8 = August	917	0.11
9 = September.....	843	0.10
10 = October	1007	0.12
11 = November	852	0.10
12 = December.....	692	0.08
85 = BAD DATA Logically assigned	801	0.10
89 = LEGITIMATE SKIP Logically assigned	235	0.03
91 = NEVER USED CHEWING TOBACCO	544304	65.05
94 = DON'T KNOW	2505	0.30
97 = REFUSED	270	0.03
98 = BLANK (NO ANSWER)	3687	0.44
99 = LEGITIMATE SKIP.....	50547	6.04

RECODED SPECIAL TOPICS

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

HALAGLST

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 80	71232	8.51
-9 = Data not collected for this year	223352	26.69
985 = BAD DATA Logically assigned	4889	0.58
989 = LEGITIMATE SKIP Logically assigned	219	0.03
991 = NEVER USED HALLUCINOGENS	527544	63.05
994 = DON'T KNOW	1780	0.21
997 = REFUSED	473	0.06
998 = BLANK (NO ANSWER).....	2410	0.29
999 = LEGITIMATE SKIP.....	4797	0.57

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

HALYLU

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	17608	2.10
-9 = Data not collected for this year	223352	26.69
9985 = BAD DATA Logically assigned	652	0.08
9989 = LEGITIMATE SKIP Logically assigned	471	0.06
9991 = NEVER USED HALLUCINOGENS	527544	63.05
9994 = DON'T KNOW	1825	0.22
9997 = REFUSED	481	0.06
9998 = BLANK (NO ANSWER).....	8493	1.02
9999 = LEGITIMATE SKIP.....	56270	6.73

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

HALMLU

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January.....	1293	0.15
2 = February.....	1196	0.14
3 = March.....	1242	0.15
4 = April	1093	0.13
5 = May.....	1237	0.15
6 = June.....	1595	0.19
7 = July	1828	0.22
8 = August	1484	0.18
9 = September	1118	0.13
10 = October	1313	0.16
11 = November	1186	0.14
12 = December.....	1115	0.13
85 = BAD DATA Logically assigned	1441	0.17
89 = LEGITIMATE SKIP Logically assigned	470	0.06
91 = NEVER USED HALLUCINOGENS	527544	63.05
94 = DON'T KNOW	2793	0.33
97 = REFUSED	555	0.07
98 = BLANK (NO ANSWER)	8570	1.02
99 = LEGITIMATE SKIP.....	56271	6.73

RECODED SPECIAL TOPICS

The computer recorded that you last used "Ecstasy" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy"?

ECSAGLST

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY

	Freq	Pct
RANGE = 1 - 72	35873	4.29
-9 = Data not collected for this year	223352	26.69
985 = BAD DATA Logically assigned	1947	0.23
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED ECSTASY	570299	68.16
994 = DON'T KNOW	511	0.06
997 = REFUSED	180	0.02
998 = BLANK (NO ANSWER)	2081	0.25
999 = LEGITIMATE SKIP	2452	0.29

Did you last use "Ecstasy" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

ECSYLU

Len : 4 YEAR OF LAST ECSTASY USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	10859	1.30
-9 = Data not collected for this year	223352	26.69
9985 = BAD DATA Logically assigned	250	0.03
9989 = LEGITIMATE SKIP Logically assigned	162	0.02
9991 = NEVER USED ECSTASY	570299	68.16
9994 = DON'T KNOW	521	0.06
9997 = REFUSED	180	0.02
9998 = BLANK (NO ANSWER)	4136	0.49
9999 = LEGITIMATE SKIP	26937	3.22

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy"?

ECSMLU

Len : 2 MONTH OF LAST ECSTASY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January	922	0.11
2 = February	761	0.09
3 = March	850	0.10
4 = April	680	0.08
5 = May	794	0.09
6 = June	954	0.11
7 = July	1035	0.12
8 = August	860	0.10
9 = September	672	0.08
10 = October	828	0.10
11 = November	669	0.08
12 = December	734	0.09
85 = BAD DATA Logically assigned	521	0.06
89 = LEGITIMATE SKIP Logically assigned	162	0.02
91 = NEVER USED ECSTASY	570299	68.16
94 = DON'T KNOW	899	0.11
97 = REFUSED	200	0.02
98 = BLANK (NO ANSWER)	4567	0.55
99 = LEGITIMATE SKIP	26937	3.22

RECODED SPECIAL TOPICS

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

INHAGLST

Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 65	47465	5.67
-9 = Data not collected for this year	223352	26.69
985 = BAD DATA Logically assigned	5610	0.67
989 = LEGITIMATE SKIP Logically assigned	15	0.00
991 = NEVER USED INHALANTS	551932	65.97
994 = DON'T KNOW	2432	0.29
997 = REFUSED	869	0.10
998 = BLANK (NO ANSWER).....	2261	0.27
999 = LEGITIMATE SKIP	2760	0.33

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

INHLYU

Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	10588	1.27
-9 = Data not collected for this year	223352	26.69
9985 = BAD DATA Logically assigned	649	0.08
9989 = LEGITIMATE SKIP Logically assigned	287	0.03
9991 = NEVER USED INHALANTS	551932	65.97
9994 = DON'T KNOW	2499	0.30
9997 = REFUSED	905	0.11
9998 = BLANK (NO ANSWER).....	7791	0.93
9999 = LEGITIMATE SKIP	38693	4.62

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

INHMLU

Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January.....	792	0.09
2 = February.....	664	0.08
3 = March.....	781	0.09
4 = April	668	0.08
5 = May.....	708	0.08
6 = June.....	884	0.11
7 = July	868	0.10
8 = August	719	0.09
9 = September.....	651	0.08
10 = October	693	0.08
11 = November	691	0.08
12 = December.....	641	0.08
85 = BAD DATA Logically assigned	1200	0.14
89 = LEGITIMATE SKIP Logically assigned	287	0.03
91 = NEVER USED INHALANTS	551932	65.97
94 = DON'T KNOW	3574	0.43
97 = REFUSED	982	0.12
98 = BLANK (NO ANSWER)	7916	0.95
99 = LEGITIMATE SKIP	38693	4.62

RECODED SPECIAL TOPICS

The computer recorded that you last used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused [PRREC FILL]. How old were you the last time you used any prescription pain reliever in either of these ways?

ANLAGLST

Len : 3 HOW OLD WERE YOU THE LAST TIME USED PAIN RELIEVER

	Freq	Pct
RANGE = 1 - 90	71270	8.52
-9 = Data not collected for this year	223352	26.69
981 = NEVER USED PAIN RELIEVERS Logically assigned	914	0.11
985 = BAD DATA Logically assigned	4716	0.56
989 = LEGITIMATE SKIP Logically assigned	104	0.01
991 = NEVER USED PAIN RELIEVERS	512439	61.25
994 = DON'T KNOW	3053	0.36
997 = REFUSED	978	0.12
998 = BLANK (NO ANSWER)	3660	0.44
999 = LEGITIMATE SKIP	16210	1.94

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALYLU

Len : 4 YEAR OF LAST PAIN RELIEVER USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	32292	3.86
-9 = Data not collected for this year	223352	26.69
9981 = NEVER USED PAIN RELIEVERS Logically assigned	914	0.11
9985 = BAD DATA Logically assigned	1383	0.17
9989 = LEGITIMATE SKIP Logically assigned	841	0.10
9991 = NEVER USED PAIN RELIEVERS	512439	61.25
9994 = DON'T KNOW	3187	0.38
9997 = REFUSED	1060	0.13
9998 = BLANK (NO ANSWER)	8454	1.01
9999 = LEGITIMATE SKIP	52774	6.31

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17a or LU17b] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALMLU

Len : 2 MONTH OF LAST PAIN RELIEVER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January	2782	0.33
2 = February	2412	0.29
3 = March	2492	0.30
4 = April	2179	0.26
5 = May	2281	0.27
6 = June	2474	0.30
7 = July	2460	0.29
8 = August	2345	0.28
9 = September	2173	0.26
10 = October	2291	0.27
11 = November	2364	0.28
12 = December	2386	0.29
81 = NEVER USED PAIN RELIEVERS Logically assigned	914	0.11
85 = BAD DATA Logically assigned	2313	0.28
89 = LEGITIMATE SKIP Logically assigned	841	0.10
91 = NEVER USED PAIN RELIEVERS	512439	61.25
94 = DON'T KNOW	5575	0.67
97 = REFUSED	1207	0.14
98 = BLANK (NO ANSWER)	8642	1.03
99 = LEGITIMATE SKIP	52774	6.31

RECODED SPECIAL TOPICS

The computer recorded that you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused [OXYREC FILL]. How old were you the last time you used OxyContin in either of these ways?

OXYAGLST Len : 3 HOW OLD WERE YOU THE LAST TIME USED OXYCONTIN

	Freq	Pct
RANGE = 5 - 74	15169	1.81
-9 = Data not collected for this year	223352	26.69
981 = NEVER USED OXYCONTIN Logically assigned	26891	3.21
985 = BAD DATA Logically assigned	1307	0.16
989 = LEGITIMATE SKIP Logically assigned	16	0.00
991 = NEVER USED OXYCONTIN	565663	67.61
994 = DON'T KNOW	458	0.05
997 = REFUSED	513	0.06
998 = BLANK (NO ANSWER)	1737	0.21
999 = LEGITIMATE SKIP	1590	0.19

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCYLU Len : 4 YEAR OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	6042	0.72
-9 = Data not collected for this year	223352	26.69
9981 = NEVER USED OXYCONTIN Logically assigned	26891	3.21
9985 = BAD DATA Logically assigned	269	0.03
9989 = LEGITIMATE SKIP Logically assigned	144	0.02
9991 = NEVER USED OXYCONTIN	565663	67.61
9994 = DON'T KNOW	470	0.06
9997 = REFUSED	514	0.06
9998 = BLANK (NO ANSWER)	3029	0.36
9999 = LEGITIMATE SKIP	10322	1.23

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17f or LU17g] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCMLU Len : 2 MONTH OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January	496	0.06
2 = February	439	0.05
3 = March	445	0.05
4 = April	383	0.05
5 = May	437	0.05
6 = June	478	0.06
7 = July	461	0.06
8 = August	465	0.06
9 = September	414	0.05
10 = October	419	0.05
11 = November	434	0.05
12 = December	393	0.05
81 = NEVER USED OXYCONTIN Logically assigned	26891	3.21
85 = BAD DATA Logically assigned	557	0.07
89 = LEGITIMATE SKIP Logically assigned	144	0.02
91 = NEVER USED OXYCONTIN	565663	67.61
94 = DON'T KNOW	902	0.11
97 = REFUSED	538	0.06
98 = BLANK (NO ANSWER)	3063	0.37
99 = LEGITIMATE SKIP	10322	1.23

RECODED SPECIAL TOPICS

The computer recorded that you last used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused [TRREC FILL]. How old were you the last time you used any prescription tranquilizer in either of those ways?

TRNAGLST

Len : 3 HOW OLD WERE YOU THE LAST TIME USED TRANQUILIZERS

	Freq	Pct
RANGE = 1 - 85	39463	4.72
-9 = Data not collected for this year	223352	26.69
981 = NEVER USED TRANQUILIZERS Logically assigned	69	0.01
985 = BAD DATA Logically assigned	3661	0.44
989 = LEGITIMATE SKIP Logically assigned	12	0.00
991 = NEVER USED TRANQUILIZERS	560249	66.96
994 = DON'T KNOW	2046	0.24
997 = REFUSED	575	0.07
998 = BLANK (NO ANSWER)	1501	0.18
999 = LEGITIMATE SKIP	5768	0.69

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANLYU

Len : 4 YEAR OF LAST TRANQUILIZER USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	13976	1.67
-9 = Data not collected for this year	223352	26.69
9981 = NEVER USED TRANQUILIZERS Logically assigned	69	0.01
9985 = BAD DATA Logically assigned	589	0.07
9989 = LEGITIMATE SKIP Logically assigned	306	0.04
9991 = NEVER USED TRANQUILIZERS	560249	66.96
9994 = DON'T KNOW	2105	0.25
9997 = REFUSED	591	0.07
9998 = BLANK (NO ANSWER)	5117	0.61
9999 = LEGITIMATE SKIP	30342	3.63

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU18a or LU18b] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANMLU

Len : 2 MONTH OF LAST TRANQUILIZER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January	1043	0.12
2 = February	973	0.12
3 = March	1121	0.13
4 = April	951	0.11
5 = May	1037	0.12
6 = June	1139	0.14
7 = July	1153	0.14
8 = August	941	0.11
9 = September	987	0.12
10 = October	941	0.11
11 = November	929	0.11
12 = December	1020	0.12
81 = NEVER USED TRANQUILIZERS Logically assigned	69	0.01
85 = BAD DATA Logically assigned	1149	0.14
89 = LEGITIMATE SKIP Logically assigned	306	0.04
91 = NEVER USED TRANQUILIZERS	560249	66.96
94 = DON'T KNOW	3095	0.37
97 = REFUSED	648	0.08
98 = BLANK (NO ANSWER)	5251	0.63
99 = LEGITIMATE SKIP	30342	3.63

RECODED SPECIAL TOPICS

NOTE: Data for STMAGLST, STIMYLU, and STIMMLU were edited for consistency with data for MTHAGLST, METHYLU, and METHMLU (see below) if respondents reported nonmedical use of methamphetamine in the core STIMULANTS module. In that context, nonmedical use of methamphetamine could include the prescription forms Desoxyn or Methedrine. Respondents in this survey year who reported methamphetamine use in the noncore SPECIAL DRUGS module also were asked questions about their last use of methamphetamine, without reference to prescription forms of the drug. STMAGLST, STIMYLU, and STIMMLU were not edited for consistency with data on the last use of methamphetamine for these additional noncore methamphetamine users. Consequently, STMAGLST, STIMYLU, and STIMMLU could indicate lifetime nonuse of "prescription" stimulants when the corresponding methamphetamine data in MTHAGLST, METHYLU, and METHMLU indicate that respondents were methamphetamine users. Therefore, documentation of codes for 81, 981, 9981, 91, 991, and 9991 in STMAGLST, STIMYLU, and STIMMLU specifically indicates that respondents had never used prescription stimulants nonmedically.

The computer recorded that you last used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused [STREC FILL]. How old were you the last time you used any prescription stimulant in either of these ways?

STMAGLST Len : 3 HOW OLD WERE YOU THE LAST TIME USED RX STIMULANTS

	Freq	Pct
RANGE = 1 - 80	35781	4.28
-9 = Data not collected for this year	223352	26.69
981 = NEVER USED PRESCRIPTION STIMULANTS Log assn	125	0.01
985 = BAD DATA Logically assigned	1563	0.19
989 = LEGITIMATE SKIP Logically assigned	93	0.01
991 = NEVER USED PRESCRIPTION STIMULANTS	567689	67.85
994 = DON'T KNOW	1189	0.14
997 = REFUSED	326	0.04
998 = BLANK (NO ANSWER).....	2567	0.31
999 = LEGITIMATE SKIP.....	4011	0.48

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMYLU Len : 4 YEAR OF LAST RX STIMULANT USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	10037	1.20
-9 = Data not collected for this year	223352	26.69
9981 = NEVER USED PRESCRIPTION STIMULANTS Log assn	125	0.01
9985 = BAD DATA Logically assigned	324	0.04
9989 = LEGITIMATE SKIP Logically assigned	210	0.03
9991 = NEVER USED PRESCRIPTION STIMULANTS	567689	67.85
9994 = DON'T KNOW	1209	0.14
9997 = REFUSED	344	0.04
9998 = BLANK (NO ANSWER).....	4554	0.54
9999 = LEGITIMATE SKIP.....	28852	3.45

RECODED SPECIAL TOPICS

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU19a or LU19b] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMLU Len : 2 MONTH OF LAST RX STIMULANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January.....	774	0.09
2 = February.....	658	0.08
3 = March.....	790	0.09
4 = April	787	0.09
5 = May.....	953	0.11
6 = June.....	754	0.09
7 = July	705	0.08
8 = August	666	0.08
9 = September	595	0.07
10 = October	631	0.08
11 = November	716	0.09
12 = December.....	915	0.11
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	125	0.01
85 = BAD DATA Logically assigned	642	0.08
89 = LEGITIMATE SKIP Logically assigned	210	0.03
91 = NEVER USED PRESCRIPTION STIMULANTS	567689	67.85
94 = DON'T KNOW	1732	0.21
97 = REFUSED	371	0.04
98 = BLANK (NO ANSWER)	4779	0.57
99 = LEGITIMATE SKIP.....	28852	3.45

NOTE: MTHNCFLG is a flag variable that indicates when respondents reported methamphetamine use in the noncore SPECIAL DRUGS module and MTHAGLST has nonmissing data.

MTHNCFLG Len : 2 MTHAGLST COMING FROM NONCORE DATA

	Freq	Pct
-9 = Data not collected for this year	389894	46.60
1 = Nonmissing MTHAGLST based on noncore data.....	4898	0.59
98 = OTHERWISE	441904	52.82

The computer recorded that you last used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine] [MEREK FILL]. How old were you the last time you used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine]?

MTHAGLST Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 1 - 67	22210	2.65
-9 = Data not collected for this year	223352	26.69
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	131	0.02
985 = BAD DATA Logically assigned	1488	0.18
989 = LEGITIMATE SKIP Logically assigned	6	0.00
991 = NEVER USED METHAMPHETAMINE	586504	70.10
994 = DON'T KNOW	754	0.09
997 = REFUSED	260	0.03
998 = BLANK (NO ANSWER).....	547	0.07
999 = LEGITIMATE SKIP.....	1444	0.17

RECODED SPECIAL TOPICS

Did you last use [METHFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [METHFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [METHFILL]?

METHYLU	Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE		
	RANGE = 2002 - 2014	Freq	Pct
	-9 = Data not collected for this year	4004	0.48
	9981 = NEVER USED METHAMPHETAMINE Logically assigned	223352	26.69
	9985 = BAD DATA Logically assigned	123	0.01
	9989 = LEGITIMATE SKIP Logically assigned	215	0.03
	9991 = NEVER USED METHAMPHETAMINE	111	0.01
	9994 = DON'T KNOW	586512	70.10
	9997 = REFUSED	764	0.09
	9998 = BLANK (NO ANSWER)	267	0.03
	9999 = LEGITIMATE SKIP	2032	0.24
		19316	2.31

In what month in [CURRENT YEAR] did you last use [METHFILL]?

In what month in [YEAR FROM LU20a or LU20b] did you last use [METHFILL]?

METHMLU	Len : 2 MONTH OF LAST METHAMPHETAMINE USE - RECODE		
	-9 = Data not collected for this year	Freq	Pct
	1 = January	223352	26.69
	2 = February	358	0.04
	3 = March	297	0.04
	4 = April	307	0.04
	5 = May	282	0.03
	6 = June	280	0.03
	7 = July	287	0.03
	8 = August	322	0.04
	9 = September	318	0.04
	10 = October	251	0.03
	11 = November	263	0.03
	12 = December	291	0.03
	81 = NEVER USED METHAMPHETAMINE Logically assigned	321	0.04
	85 = BAD DATA Logically assigned	123	0.01
	89 = LEGITIMATE SKIP Logically assigned	372	0.04
	91 = NEVER USED METHAMPHETAMINE	111	0.01
	94 = DON'T KNOW	586512	70.10
	97 = REFUSED	996	0.12
	98 = BLANK (NO ANSWER)	286	0.03
	99 = LEGITIMATE SKIP	2051	0.25
		19316	2.31

The computer recorded that you last used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused [SVREC FILL]. How old were you the last time you used any prescription sedative in either of those ways?

SEDAGLST	Len : 3 HOW OLD WERE YOU THE LAST TIME USED SEDATIVES		
	RANGE = 1 - 88	Freq	Pct
	-9 = Data not collected for this year	9944	1.19
	981 = NEVER USED SEDATIVES Logically assigned	223352	26.69
	985 = BAD DATA Logically assigned	243	0.03
	989 = LEGITIMATE SKIP Logically assigned	717	0.09
	991 = NEVER USED SEDATIVES	3	0.00
	994 = DON'T KNOW	599225	71.62
	997 = REFUSED	648	0.08
	998 = BLANK (NO ANSWER)	176	0.02
	999 = LEGITIMATE SKIP	1584	0.19
		804	0.10

RECODED SPECIAL TOPICS

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDYLU

Len : 4 YEAR OF LAST SEDATIVE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014	2400	0.29
-9 = Data not collected for this year	223352	26.69
9981 = NEVER USED SEDATIVES Logically assigned	243	0.03
9985 = BAD DATA Logically assigned	139	0.02
9989 = LEGITIMATE SKIP Logically assigned	60	0.01
9991 = NEVER USED SEDATIVES	599225	71.62
9994 = DON'T KNOW	669	0.08
9997 = REFUSED	185	0.02
9998 = BLANK (NO ANSWER)	2293	0.27
9999 = LEGITIMATE SKIP	8130	0.97

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU21a or LU21b] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDMLU

Len : 2 MONTH OF LAST SEDATIVE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = January	208	0.02
2 = February	159	0.02
3 = March	182	0.02
4 = April	186	0.02
5 = May	164	0.02
6 = June	160	0.02
7 = July	184	0.02
8 = August	164	0.02
9 = September	156	0.02
10 = October	146	0.02
11 = November	167	0.02
12 = December	195	0.02
81 = NEVER USED SEDATIVES Logically assigned	243	0.03
85 = BAD DATA Logically assigned	219	0.03
89 = LEGITIMATE SKIP Logically assigned	60	0.01
91 = NEVER USED SEDATIVES	599225	71.62
94 = DON'T KNOW	883	0.11
97 = REFUSED	198	0.02
98 = BLANK (NO ANSWER)	2315	0.28
99 = LEGITIMATE SKIP	8130	0.97

RECODED SPECIAL TOPICS

NOTE: Values of 1 or 2 in the variables USEALCG, USEMJCG, and USEALMJ were reset to values of 11 or 12 if respondents were routed to the corresponding questions but one or more of the relevant age-at-first-use variables (e.g., ALCTRY and CIGTRY for USEALCG) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol and cigarettes when you were [AFUFILL] years old. Which did you use first?

USEALCG Len : 2 USED ALC OR CIG FIRST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Alcohol	21039	2.51
2 = Cigarettes	25379	3.03
3 = Alcohol LOGICALLY ASSIGNED	390	0.05
4 = Cigarettes LOGICALLY ASSIGNED	364	0.04
11 = Alcohol (see NOTE)	211	0.03
12 = Cigarettes (see NOTE)	198	0.02
85 = BAD DATA Logically assigned	5	0.00
89 = LEGITIMATE SKIP Logically assigned	19	0.00
91 = NEVER USED ALCOHOL/CIGARETTES	153663	18.37
94 = DON'T KNOW	432	0.05
97 = REFUSED	103	0.01
98 = BLANK (NO ANSWER)	4535	0.54
99 = LEGITIMATE SKIP	407006	48.64

Earlier, the computer recorded that you started using marijuana and cigarettes when you were [AFUFILL] years old. Which did you use first?

USEMJCG Len : 2 USED MJ OR CIG FIRST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Marijuana	10138	1.21
2 = Cigarettes	22097	2.64
3 = Marijuana LOGICALLY ASSIGNED	391	0.05
4 = Cigarettes LOGICALLY ASSIGNED	265	0.03
11 = Marijuana (see NOTE for USEALCG)	97	0.01
12 = Cigarettes (see NOTE for USEALCG)	165	0.02
85 = BAD DATA Logically assigned	5	0.00
89 = LEGITIMATE SKIP Logically assigned	6	0.00
91 = NEVER USED MARIJUANA/CIGARETTES	253130	30.25
94 = DON'T KNOW	160	0.02
97 = REFUSED	88	0.01
98 = BLANK (NO ANSWER)	1938	0.23
99 = LEGITIMATE SKIP	324864	38.83

Earlier, the computer recorded that you started using alcohol and marijuana when you were [AFUFILL] years old. Which did you use first?

USEALMJ Len : 2 USED ALC OR MJ FIRST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Alcohol	29045	3.47
2 = Marijuana	10514	1.26
3 = Alcohol LOGICALLY ASSIGNED	269	0.03
4 = Marijuana LOGICALLY ASSIGNED	381	0.05
11 = Alcohol (see NOTE for USEALCG)	73	0.01
12 = Marijuana (see NOTE for USEALCG)	67	0.01
85 = BAD DATA Logically assigned	4	0.00
89 = LEGITIMATE SKIP Logically assigned	7	0.00
91 = NEVER USED ALCOHOL/MARIJUANA	166752	19.93
94 = DON'T KNOW	238	0.03
97 = REFUSED	85	0.01
98 = BLANK (NO ANSWER)	2571	0.31
99 = LEGITIMATE SKIP	403338	48.21

RECODED SPECIAL TOPICS

NOTE: Values of 1, 2, or 3 in the variables USEACM and USENEXT were reset to values of 11, 12, or 13 if one or more of the relevant age-at-first-use variables (ALCTRY, CIGTRY, and MJAGE) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol, cigarettes and marijuana when you were [AFUFILL] years old. Which did you use first?

USEACM Len : 2 USED ALC CIG OR MJ 1ST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Alcohol	6940	0.83
2 = Cigarettes	8667	1.04
3 = Marijuana	2184	0.26
4 = Alcohol LOGICALLY ASSIGNED	104	0.01
5 = Cigarettes LOGICALLY ASSIGNED	77	0.01
6 = Marijuana LOGICALLY ASSIGNED	109	0.01
11 = Alcohol (see NOTE)	64	0.01
12 = Cigarettes (see NOTE)	44	0.01
13 = Marijuana (see NOTE)	27	0.00
85 = BAD DATA Logically assigned	82	0.01
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA	151201	18.07
94 = DON'T KNOW	100	0.01
97 = REFUSED	39	0.00
98 = BLANK (NO ANSWER)	685	0.08
99 = LEGITIMATE SKIP	443017	52.95

After first using [FILL LU25], which of these did you use next?

USENEXT Len : 2 WHAT DID YOU USE AFTER USING [FILL LU25]

	Freq	Pct
-9 = Data not collected for this year	223352	26.69
1 = Alcohol	7021	0.84
2 = Cigarettes	5426	0.65
3 = Marijuana	5166	0.62
4 = Alcohol LOGICALLY ASSIGNED	102	0.01
5 = Cigarettes LOGICALLY ASSIGNED	118	0.01
6 = Marijuana LOGICALLY ASSIGNED	120	0.01
11 = Alcohol (see NOTE for USEACM)	37	0.00
12 = Cigarettes (see NOTE for USEACM)	35	0.00
13 = Marijuana (see NOTE for USEACM)	56	0.01
85 = BAD DATA Logically assigned	183	0.02
89 = LEGITIMATE SKIP Logically assigned	4	0.00
91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA	151201	18.07
94 = DON'T KNOW	21	0.00
97 = REFUSED	52	0.01
98 = BLANK (NO ANSWER)	785	0.09
99 = LEGITIMATE SKIP	443017	52.95

Earlier, the computer recorded that, during the past 30 days, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription pain relievers?

Please enter all of the ways that you got the prescription pain relievers you used in the past 30 days.

ANLRX1DR Len : 2 GOT ONE+ PRSCRPS FOR PAIN RLVRs FROM JUST ONE DR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	3115	0.37
3 = Response entered LOG ASSN (from ANLOTHS2)	5	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	117	0.01
6 = Response not entered	10576	1.26
81 = NEVER USED PAIN RELIEVERS Logically assigned	820	0.10
85 = BAD DATA Logically assigned	11	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5201	0.62

RECODED SPECIAL TOPICS

ANLRXDRS

Len : 2 I GOT PRSCRPS FOR PAIN RELIEVERS FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	642	0.08
5 = Response entered LOG ASSN (from ANLGTLA2)	18	0.00
6 = Response not entered	13147	1.57
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5214	0.62

ANLRXFAK

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	84	0.01
5 = Response entered LOG ASSN (from ANLGTLA2)	1	0.00
6 = Response not entered	13719	1.64
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5216	0.62

ANLSTOLE

Len : 2 I STOLE PN RLVRs FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	143	0.02
3 = Response entered LOG ASSN (from ANLOTHS2).....	4	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	6	0.00
6 = Response not entered	13651	1.63
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5216	0.62

ANLFRFRE

Len : 2 I GOT PAIN RELIEVERS FRM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	7921	0.95
3 = Response entered LOG ASSN (from ANLOTHS2).....	85	0.01
5 = Response entered LOG ASSN (from ANLGTLA2)	103	0.01
6 = Response not entered	5720	0.68
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70708	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5192	0.62

RECODED SPECIAL TOPICS

ANLFRBUY

Len : 2 I BOUGHT THE PN RELIEVERS FRM A FRIEND OR RELATIV

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	3512	0.42
3 = Response entered LOG ASSN (from ANLOTHS2).....	10	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	66	0.01
6 = Response not entered	10219	1.22
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5213	0.62

ANLFRTRKE

Len : 2 I TOOK THE PNRLVRS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	1680	0.20
3 = Response entered LOG ASSN (from ANLOTHS2).....	11	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	34	0.00
6 = Response not entered	12085	1.44
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5211	0.62

ANLDEALR

Len : 2 I BOUGHT THE PNRLVRS FRM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	1989	0.24
3 = Response entered LOG ASSN (from ANLOTHS2).....	21	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	36	0.00
6 = Response not entered	11760	1.41
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5215	0.62

ANLINET

Len : 2 I BOUGHT THE PAIN RELIEVERS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	94	0.01
5 = Response entered LOG ASSN (from ANLGTLA2)	4	0.00
6 = Response not entered	13707	1.64
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED PAIN RELIEVERS	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	70709	8.45
94 = DON'T KNOW	351	0.04
97 = REFUSED	544	0.07
98 = BLANK (NO ANSWER)	5216	0.62

RECODED SPECIAL TOPICS

ANLOTHWY

Len : 2 I GOT THE PAIN RELIEVERS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered.....	1412	0.17
5 = Response entered LOG ASSN (from ANLGTLA2).....	39	0.00
6 = Response not entered.....	12361	1.48
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED PAIN RELIEVERS.....	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	8.45
94 = DON'T KNOW.....	351	0.04
97 = REFUSED.....	544	0.07
98 = BLANK (NO ANSWER).....	5207	0.62

ANLOTHS2

Len : 2 OTHER WAY RESP GOT PAIN REL USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Got one/more prescriptions from just one doctor.....	7	0.00
4 = Stole from a dr's office/clinic/hospital/pharmacy.....	4	0.00
5 = Got it from a friend or relative for free.....	98	0.01
6 = Bought it from a friend or relative.....	15	0.00
7 = Took from a friend or relative without asking.....	18	0.00
8 = Bought it from a drug dealer or other stranger.....	33	0.00
10 = Got it in some other way.....	73	0.01
11 = From friend, relative, home; otherwise unspcfd.....	428	0.05
12 = Stole it or took it; otherwise unspecified.....	32	0.00
13 = Given to me; otherwise unspecified.....	41	0.00
14 = Bought it; otherwise unspecified.....	41	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	31	0.00
17 = Got it from a place of business; otherwise unspcfd.....	60	0.01
18 = From an individual; how and relationship unspcfd.....	31	0.00
20 = Traded/bartered for it; sex not specified.....	29	0.00
21 = Found it; otherwise unspecified.....	81	0.01
23 = Got it with prescription(s); otherwise unspecified.....	10	0.00
24 = Bought them at a pharmacy/store.....	46	0.01
70 = City/state in US specified.....	2	0.00
71 = Bought/obtained it outside of the US.....	18	0.00
72 = An OTC drug /OTC-only store reported.....	26	0.00
73 = Reason/condition for taking drug stated.....	4	0.00
74 = Name of drug reported, OTC unspecified.....	8	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned.....	84	0.01
91 = NEVER USED PAIN RELIEVERS.....	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	8.45
94 = DON'T KNOW.....	77	0.01
97 = REFUSED.....	690	0.08
98 = BLANK (NO ANSWER).....	5572	0.67
99 = LEGITIMATE SKIP.....	12361	1.48

You reported that you got the prescription pain relievers you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription pain relievers that you used?

Please enter all of the ways that your friend or relative got the prescription pain relievers you used in the past 30 days.

ANLFF1DR

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVRS FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	4605	0.55
3 = Response entered LOG ASSN (from ANLFFOSP).....	5	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	136	0.02
6 = Response not entered.....	1693	0.20
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.59
94 = DON'T KNOW.....	471	0.06
97 = REFUSED.....	93	0.01
98 = BLANK (NO ANSWER).....	5562	0.66
99 = LEGITIMATE SKIP.....	5179	0.62

RECODED SPECIAL TOPICS

ANLFFDRS

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVR FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	587	0.07
5 = Response entered LOG ASSN (from ANLFFLAS)	22	0.00
6 = Response not entered	5764	0.69
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	63476	7.59
94 = DON'T KNOW	485	0.06
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER)	5614	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

ANLFFAKE

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	57	0.01
5 = Response entered LOG ASSN (from ANLFFLAS)	1	0.00
6 = Response not entered	6312	0.75
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	63476	7.59
94 = DON'T KNOW	485	0.06
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER)	5616	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

ANLFFSTL

Len : 2 FRND/RELAT STOLE PN RLVR FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	91	0.01
3 = Response entered LOG ASSN (from ANLFFOSP)	1	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	3	0.00
6 = Response not entered	6274	0.75
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	63476	7.59
94 = DON'T KNOW	485	0.06
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER)	5617	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

ANLFFREE

Len : 2 FRND/RELAT GOT PN RLVR FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	1024	0.12
3 = Response entered LOG ASSN (from ANLFFOSP)	1	0.00
5 = Response entered LOG ASSN (from ANLFFLAS)	46	0.01
6 = Response not entered	5309	0.63
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED PAIN RELIEVERS	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS	63475	7.59
94 = DON'T KNOW	485	0.06
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER)	5607	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

RECODED SPECIAL TOPICS

ANLFFBOT

Len : 2 FRND/RELAT BOUGHT PAIN RLVRS FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	971	0.12
3 = Response entered LOG ASSN (from ANLFFOSP).....	2	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	38	0.00
6 = Response not entered.....	5369	0.64
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.59
94 = DON'T KNOW.....	483	0.06
97 = REFUSED.....	93	0.01
98 = BLANK (NO ANSWER).....	5609	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

ANLFFTAK

Len : 2 FRND/RELAT TOOK PN RLVRS FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	365	0.04
3 = Response entered LOG ASSN (from ANLFFOSP).....	5	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	20	0.00
6 = Response not entered.....	5980	0.71
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.59
94 = DON'T KNOW.....	485	0.06
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5616	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

ANLFFDLR

Len : 2 FRND/RELAT BOUGHT PN RLVRS FR DRG DEALER/STRANGR

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	601	0.07
3 = Response entered LOG ASSN (from ANLFFOSP).....	9	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	27	0.00
6 = Response not entered.....	5743	0.69
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.59
94 = DON'T KNOW.....	482	0.06
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5609	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

ANLFFNET

Len : 2 FRIEND/RELATIVE BOUGHT PN RLVRS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	53	0.01
5 = Response entered LOG ASSN (from ANLFFLAS).....	1	0.00
6 = Response not entered.....	6315	0.75
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.59
94 = DON'T KNOW.....	485	0.06
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5617	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

RECODED SPECIAL TOPICS

ANLFFOTH

Len : 2 FRIEND/RELATIVE GOT PAIN RLVRS SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	451	0.05
5 = Response entered LOG ASSN (from ANLFFLAS).....	11	0.00
6 = Response not entered.....	5909	0.71
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63475	7.59
94 = DON'T KNOW.....	485	0.06
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5615	0.67
99 = LEGITIMATE SKIP.....	5179	0.62

ANLFFOSP

Len : 2 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS PST 30 D

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = He/she got prescriptions from just one doctor.....	5	0.00
3 = He/she wrote fake prescriptions.....	1	0.00
4 = He/she stole fr dr office/clinic/hospital/pharmacy.....	1	0.00
5 = He/she got it from a friend or relative for free.....	2	0.00
6 = He/she bought it from a friend or relative.....	3	0.00
7 = He/she took from a friend or relative w/o asking.....	8	0.00
8 = He/she bought it from drug dealer/other stranger.....	13	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	42	0.01
12 = He/she stole or took it; otherwise unspecified.....	17	0.00
14 = He/she bought it; otherwise unspecified.....	22	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	28	0.00
16 = He/she made/cooked it.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	17	0.00
18 = He/she got fr individual; how & relation unspcfd.....	11	0.00
20 = He/she traded/bartered for it; sex not specfd.....	16	0.00
21 = He/she found it; otherwise unspecified.....	22	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd.....	28	0.00
24 = He/she bought them at a pharmacy/store.....	27	0.00
26 = He/she got them as payment for partic in drug deal.....	1	0.00
27 = He/she got it from a drug dealer/stranger for free.....	1	0.00
29 = He/she got drugs/money in exchange for sex.....	5	0.00
30 = He/she got it at work; otherwise unspecified.....	5	0.00
31 = He/she had fraudulent prescrip; otherwise unspcfd.....	1	0.00
33 = He/she stole it from a store/pharmacy.....	2	0.00
34 = Gambled for them/won in a game; otherwise unspfd.....	1	0.00
70 = City/state in US specified.....	2	0.00
71 = He/she bought/obtained it outside of the US.....	10	0.00
72 = Over-the-counter drug reported.....	2	0.00
73 = Reason/condition for taking drug stated.....	6	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63475	7.59
94 = DON'T KNOW.....	124	0.01
97 = REFUSED.....	22	0.00
98 = BLANK (NO ANSWER).....	6199	0.74
99 = LEGITIMATE SKIP.....	11088	1.33

RECODED SPECIAL TOPICS

Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

ANLGTLA2

Len : 2 HOW GOT PRSCRIP PAIN RLVLR PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	500053	59.77
1 = I got a prescription from just one doctor.....	2271	0.27
2 = I got prescriptions from more than one doctor.....	220	0.03
3 = I wrote a fake prescription.....	25	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy.....	51	0.01
5 = I got it from a friend or relative for free.....	7377	0.88
6 = I bought it from a friend or relative.....	1811	0.22
7 = I took it from friend/relative without asking.....	840	0.10
8 = I bought it from a drug dealer or other stranger.....	717	0.09
9 = I bought it on the Internet.....	19	0.00
10 = I got it in some other way.....	735	0.09
11 = I got a prescription from just one doctor LOG ASSN.....	2	0.00
15 = I got it from friend/relative for free LOG ASSN.....	96	0.01
16 = I bought it from a friend or relative LOG ASSN.....	8	0.00
17 = I took it from friend/relative w/o asking LOG ASSN.....	7	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	12	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	452	0.05
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS.....	282771	33.80
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	29539	3.53
94 = DON'T KNOW.....	309	0.04
97 = REFUSED.....	349	0.04
98 = BLANK (NO ANSWER).....	3277	0.39
99 = LEGITIMATE SKIP.....	5750	0.69

You reported that you got the prescription pain reliever you last used from a friend or relative for free. How did your friend or relative get the last prescription pain reliever that you used?

ANLFFLAS

Len : 2 HOW FRND/RELAT GOT PAIN RELIEVERS THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = He/she got a prescription from just one doctor.....	8147	0.97
2 = He/she got prescriptions from more than one doctor.....	425	0.05
3 = He/she wrote a fake prescription.....	15	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy.....	44	0.01
5 = He/she got it from a friend or relative for free.....	809	0.10
6 = He/she bought it from a friend or relative.....	619	0.07
7 = He/she took it from friend/relative without asking.....	282	0.03
8 = He/she bought it from a drug dealer/other stranger.....	262	0.03
9 = He/she bought it on the Internet.....	17	0.00
10 = He/she got it in some other way.....	387	0.05
11 = Got a prescrip from one dr LOG ASSN (ANLFFLSP=1).....	3	0.00
14 = Stole fr dr/clin/hosp/pharm LOG ASSN (ANLFFLSP=4).....	1	0.00
15 = Got from frnd/relat for free LOG ASSN (ANLFFLSP=5).....	2	0.00
17 = Took fr frnd/relat w/o asking LOG ASSN(ANLFFLSP=7).....	3	0.00
18 = Bought fr drg dealr/stranger LOG ASSN (ANLFFLSP=8).....	6	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	43540	5.20
94 = DON'T KNOW.....	867	0.10
97 = REFUSED.....	95	0.01
98 = BLANK (NO ANSWER).....	6191	0.74
99 = LEGITIMATE SKIP.....	19501	2.33

RECODED SPECIAL TOPICS

ANLFFLSP

Len : 2 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = He/she got prescriptions from just one doctor.....	3	0.00
4 = He/she stole fr dr office/clinic/hospital/pharmacy.....	1	0.00
5 = He/she got it from a friend or relative for free	2	0.00
7 = He/she took from a friend or relative w/o asking	3	0.00
8 = He/she bought it from drug dealer/other stranger.....	6	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	45	0.01
12 = He/she stole or took it; otherwise unspecified.....	6	0.00
13 = Given to him/her; otherwise unspecified.....	3	0.00
14 = He/she bought it; otherwise unspecified.....	14	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	17	0.00
16 = He/she made/cooked it.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd	16	0.00
18 = He/she got fr individual; how & relation unspcfd	9	0.00
20 = He/she traded/bartered for it; sex not specfd.....	7	0.00
21 = He/she found it; otherwise unspecified	11	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	8	0.00
24 = He/she bought them at a pharmacy/store.....	20	0.00
29 = He/she got drugs/money in exchange for sex.....	2	0.00
30 = He/she got it at work; otherwise unspecified.....	4	0.00
35 = He/she wrote me fraudulent script; othrws unspcfd	1	0.00
70 = City/state in US specified.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	16	0.00
72 = Over-the-counter drug reported.....	10	0.00
73 = Reason/condition for taking drug stated.....	7	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.09
85 = BAD DATA Logically assigned	15	0.00
91 = NEVER USED PAIN RELIEVERS	419877	50.18
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	43540	5.20
94 = DON'T KNOW	146	0.02
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER)	7059	0.84
99 = LEGITIMATE SKIP.....	30126	3.60

RECODED SPECIAL TOPICS

ANLGTOS2

Len : 2 OTHER WAY RESP GOT PAIN REL USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Got one/more prescriptions from just one doctor.....	5	0.00
4 = Stole from a dr's office/clinic/hospital/pharmacy.....	1	0.00
5 = Got it from a friend or relative for free.....	174	0.02
6 = Bought it from a friend or relative.....	10	0.00
7 = Took from a friend or relative without asking.....	10	0.00
8 = Bought it from a drug dealer or other stranger.....	20	0.00
10 = Got it in some other way.....	92	0.01
11 = From friend, relative, home; otherwise unspcfd.....	595	0.07
12 = Stole it or took it; otherwise unspecified.....	9	0.00
13 = Given to me; otherwise unspecified.....	69	0.01
14 = Bought it; otherwise unspecified.....	27	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	15	0.00
17 = Got it from a place of business; otherwise unspcfd.....	32	0.00
18 = From an individual; how and relationship unspcfd.....	11	0.00
20 = Traded/bartered for it; sex not specified.....	3	0.00
21 = Found it; otherwise unspecified.....	47	0.01
22 = Got it at a party; otherwise unspecified.....	3	0.00
23 = Got it with prescription(s); otherwise unspecified.....	53	0.01
24 = Bought them at a pharmacy/store.....	19	0.00
70 = City/state in US specified.....	3	0.00
71 = Bought/obtained it outside of the US.....	20	0.00
72 = An OTC drug /OTC-only store reported.....	17	0.00
73 = Reason/condition for taking drug stated.....	15	0.00
74 = Name of drug reported, OTC unspecified.....	17	0.00
75 = Took it by mistake; didn't realize it was a drug.....	1	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.10
85 = BAD DATA Logically assigned.....	74	0.01
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	466293	55.73
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	48263	5.77
94 = DON'T KNOW.....	66	0.01
97 = REFUSED.....	710	0.08
98 = BLANK (NO ANSWER).....	6131	0.73
99 = LEGITIMATE SKIP.....	34114	4.08

Earlier, the computer recorded that, during the past 30 days, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription tranquilizers?

Please enter all of the ways that you got the prescription tranquilizers you used in the past 30 days.

TRNRX1DR

Len : 2 I GOT 1+ PRSCRPS FOR TRANQUILIZERS FRM JST ONE DR

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered.....	649	0.08
5 = Response entered LOG ASSN (from TRNGTLA2).....	6	0.00
6 = Response not entered.....	4257	0.51
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.90
94 = DON'T KNOW.....	124	0.01
97 = REFUSED.....	236	0.03
98 = BLANK (NO ANSWER).....	2066	0.25

TRNRXDRS

Len : 2 I GOT PRSCRPS FOR TRANQUILIZERS FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered.....	74	0.01
5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00
6 = Response not entered.....	4834	0.58
81 = NEVER USED TRANQUILIZERS logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.90
94 = DON'T KNOW.....	124	0.01
97 = REFUSED.....	236	0.03
98 = BLANK (NO ANSWER).....	2072	0.25

RECODED SPECIAL TOPICS

TRNRXFAK

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	22	0.00
6 = Response not entered	4887	0.58
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2073	0.25

TRNSTOLE

Len : 2 I STOLE TRANQS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	29	0.00
3 = Response entered LOG ASSN (from TRNOTHS2)	1	0.00
6 = Response not entered	4879	0.58
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2073	0.25

TRNFRFRE

Len : 2 I GOT TRANQUILIZERS FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	2630	0.31
3 = Response entered LOG ASSN (from TRNOTHS2)	24	0.00
5 = Response entered LOG ASSN (from TRNGTLA2)	17	0.00
6 = Response not entered	2242	0.27
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2069	0.25

TRNFRBUY

Len : 2 I BOUGHT THE TRANQS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	1046	0.13
3 = Response entered LOG ASSN (from TRNOTHS2)	2	0.00
5 = Response entered LOG ASSN (from TRNGTLA2)	10	0.00
6 = Response not entered	3852	0.46
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2072	0.25

RECODED SPECIAL TOPICS

TRNFRTKE

Len : 2 I TOOK THE TRANQS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	351	0.04
3 = Response entered LOG ASSN (from TRNTHS2).....	3	0.00
5 = Response entered LOG ASSN (from TRNGTLA2).....	3	0.00
6 = Response not entered	4553	0.54
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2072	0.25

TRNDEALR

Len : 2 I BOUGHT THE TRANQS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	631	0.08
3 = Response entered LOG ASSN (from TRNTHS2).....	6	0.00
5 = Response entered LOG ASSN (from TRNGTLA2).....	8	0.00
6 = Response not entered	4265	0.51
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2072	0.25

TRNINET

Len : 2 I BOUGHT THE TRANQUILIZERS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	35	0.00
5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00
6 = Response not entered	4873	0.58
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2073	0.25

TRNTHWY

Len : 2 I GOT THE TRANQUILIZERS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	286	0.03
5 = Response entered LOG ASSN (from TRNGTLA2).....	3	0.00
6 = Response not entered	4620	0.55
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.90
94 = DON'T KNOW	124	0.01
97 = REFUSED	236	0.03
98 = BLANK (NO ANSWER)	2073	0.25

RECODED SPECIAL TOPICS

TRNOTHS2

Len : 2 OTHER WAY RESP GOT TRANQUILIZER IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
5 = Got it from a friend or relative for free	24	0.00
6 = Bought it from a friend or relative	2	0.00
7 = Took from a friend or relative without asking.....	3	0.00
8 = Bought it from a drug dealer or other stranger	5	0.00
10 = Got it in some other way	47	0.01
11 = From friend, relative, home; otherwise unspecfd	92	0.01
12 = Stole it or took it; otherwise unspecified.....	1	0.00
13 = Given to me; otherwise unspecified	7	0.00
14 = Bought it; otherwise unspecified.....	3	0.00
18 = From an individual; how and relationship unspecifd.....	1	0.00
20 = Traded/bartered for it; sex not specified.....	3	0.00
21 = Found it; otherwise unspecified	3	0.00
71 = Bought/obtained it outside of the US	19	0.00
72 = An OTC drug /OTC-only store reported	1	0.00
74 = Name of drug reported, OTC unspecified	2	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	26	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.90
94 = DON'T KNOW	18	0.00
97 = REFUSED	266	0.03
98 = BLANK (NO ANSWER)	2200	0.26
99 = LEGITIMATE SKIP.....	4620	0.55

You reported that you got the prescription tranquilizers you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription tranquilizers that you used?

Please enter all of the ways that your friend or relative got the prescription tranquilizers you used in the past 30 days.

TRNFF1DR

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	1490	0.18
5 = Response entered LOG ASSN (from TRNFFLAS)	28	0.00
6 = Response not entered	653	0.08
81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.42
94 = DON'T KNOW	142	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	2200	0.26
99 = LEGITIMATE SKIP.....	2035	0.24

TRNFFDRS

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	120	0.01
5 = Response entered LOG ASSN (from TRNFFLAS)	3	0.00
6 = Response not entered	2035	0.24
81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.42
94 = DON'T KNOW	144	0.02
97 = REFUSED	19	0.00
98 = BLANK (NO ANSWER)	2211	0.26
99 = LEGITIMATE SKIP.....	2035	0.24

RECODED SPECIAL TOPICS

TRNFFAKE	Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR TRANQS		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Response entered	6	0.00
	6 = Response not entered	2152	0.26
	81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
	91 = NEVER USED TRANQUILIZERS	458254	54.77
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	36962	4.42
	94 = DON'T KNOW	144	0.02
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	2211	0.26
	99 = LEGITIMATE SKIP	2035	0.24
TRNFFSTL	Len : 2 FRND/RELAT STOLE TRANQS FRM DR/CLIN/HOSP/PHARM		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Response entered	14	0.00
	6 = Response not entered	2144	0.26
	81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
	91 = NEVER USED TRANQUILIZERS	458254	54.77
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	36962	4.42
	94 = DON'T KNOW	144	0.02
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	2211	0.26
	99 = LEGITIMATE SKIP	2035	0.24
TRNFFREE	Len : 2 FRND/RELAT GOT TRANQS FRM FRND/RELAT FOR FREE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Response entered	339	0.04
	3 = Response entered LOG ASSN (from TRNFFOSP)	2	0.00
	5 = Response entered LOG ASSN (from TRNFFLAS)	7	0.00
	6 = Response not entered	1810	0.22
	81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
	91 = NEVER USED TRANQUILIZERS	458254	54.77
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	36962	4.42
	94 = DON'T KNOW	144	0.02
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	2211	0.26
	99 = LEGITIMATE SKIP	2035	0.24
TRNFFBOT	Len : 2 FRIEND/RELATIVE BOUGHT TRANQS FROM FRND/RELAT		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Response entered	246	0.03
	3 = Response entered LOG ASSN (from TRNFFOSP)	1	0.00
	5 = Response entered LOG ASSN (from TRNFFLAS)	6	0.00
	6 = Response not entered	1907	0.23
	81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
	91 = NEVER USED TRANQUILIZERS	458254	54.77
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	36962	4.42
	94 = DON'T KNOW	144	0.02
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	2209	0.26
	99 = LEGITIMATE SKIP	2035	0.24
TRNFFTAK	Len : 2 FRND/RELAT TOOK TRANQS FRM FRND/REL WO ASKING		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Response entered	60	0.01
	5 = Response entered LOG ASSN (from TRNFFLAS)	3	0.00
	6 = Response not entered	2096	0.25
	81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
	91 = NEVER USED TRANQUILIZERS	458254	54.77
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	36962	4.42
	94 = DON'T KNOW	144	0.02
	97 = REFUSED	19	0.00
	98 = BLANK (NO ANSWER)	2210	0.26
	99 = LEGITIMATE SKIP	2035	0.24

RECODED SPECIAL TOPICS

TRNFFDLR

Len : 2 FRND/RELAT BOUGHT TRANQS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	141	0.02
5 = Response entered LOG ASSN (from TRNFFLAS).....	2	0.00
6 = Response not entered.....	2017	0.24
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.42
94 = DON'T KNOW.....	144	0.02
97 = REFUSED.....	19	0.00
98 = BLANK (NO ANSWER).....	2209	0.26
99 = LEGITIMATE SKIP.....	2035	0.24

TRNFFNET

Len : 2 FRIEND/RELATIVE BOUGHT TRANQS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	17	0.00
5 = Response entered LOG ASSN (from TRNFFLAS).....	1	0.00
6 = Response not entered.....	2140	0.26
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.42
94 = DON'T KNOW.....	144	0.02
97 = REFUSED.....	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.26
99 = LEGITIMATE SKIP.....	2035	0.24

TRNFFOTH

Len : 2 FRIEND/RELATIVE GOT TRANQS SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	91	0.01
6 = Response not entered.....	2067	0.25
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.42
94 = DON'T KNOW.....	144	0.02
97 = REFUSED.....	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.26
99 = LEGITIMATE SKIP.....	2035	0.24

TRNFFOSP

Len : 2 OTHER WAY FRND/RELAT GOT TRANQUILIZERS PST 30 DY

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
5 = He/she got it from a friend or relative for free.....	2	0.00
6 = He/she bought it from a friend or relative.....	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	8	0.00
12 = He/she stole or took it; otherwise unspecified.....	4	0.00
13 = Given to him/her; otherwise unspecified.....	2	0.00
14 = He/she bought it; otherwise unspecified.....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	2	0.00
16 = He/she made/cooked it.....	1	0.00
18 = He/she got fr individual; how & relation unspcfd.....	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
21 = He/she found it; otherwise unspecified.....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd.....	3	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
34 = Gambled for them/won in a game; otherwise unspfd.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	8	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.42
94 = DON'T KNOW.....	41	0.00
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	2374	0.28
99 = LEGITIMATE SKIP.....	4102	0.49

RECORDED SPECIAL TOPICS

Earlier, the computer recorded that, during the past 12 months, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription tranquilizer?

TRNGTLA2

Len : 2 HOW GOT PRSCRIP TRANQUILIZER PAST 12 MOS/LST TIME

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = I got a prescription from just one doctor	769	0.09
2 = I got prescriptions from more than one doctor	81	0.01
3 = I wrote a fake prescription	12	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy	29	0.00
5 = I got it from a friend or relative for free	5929	0.71
6 = I bought it from a friend or relative	1624	0.19
7 = I took it from friend/relative without asking	539	0.06
8 = I bought it from a drug dealer or other stranger	770	0.09
9 = I bought it on the Internet	26	0.00
10 = I got it in some other way	487	0.06
15 = I got it from friend/relative for free LOG ASSN	66	0.01
16 = I bought it from a friend or relative LOG ASSN	2	0.00
17 = I took it from friend/relative w/o asking LOG ASSN	5	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN	10	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	6	0.00
91 = NEVER USED TRANQUILIZERS	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	30788	3.68
94 = DON'T KNOW	225	0.03
97 = REFUSED	342	0.04
98 = BLANK (NO ANSWER)	2286	0.27
99 = LEGITIMATE SKIP	4337	0.52

TRNGTOS2

Len : 2 OTHER WAY RESP GOT TRANQUILIZER THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
5 = Got it from a friend or relative for free	66	0.01
6 = Bought it from a friend or relative	4	0.00
7 = Took from a friend or relative without asking	5	0.00
8 = Bought it from a drug dealer or other stranger	11	0.00
10 = Got it in some other way	77	0.01
11 = From friend, relative, home; otherwise unspecfd	190	0.02
12 = Stole it or took it; otherwise unspecified	3	0.00
13 = Given to me; otherwise unspecified	28	0.00
14 = Bought it; otherwise unspecified	6	0.00
18 = From an individual; how and relationship unspecifd	8	0.00
21 = Found it; otherwise unspecified	19	0.00
71 = Bought/obtained it outside of the US	13	0.00
72 = An OTC drug /OTC-only store reported	1	0.00
73 = Reason/condition for taking drug stated	6	0.00
74 = Name of drug reported, OTC unspecified	5	0.00
75 = Took it by mistake; didn't realize it was a drug	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	63	0.01
85 = BAD DATA Logically assigned	33	0.00
91 = NEVER USED TRANQUILIZERS	509346	60.88
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	30788	3.68
94 = DON'T KNOW	38	0.00
97 = REFUSED	383	0.05
98 = BLANK (NO ANSWER)	2518	0.30
99 = LEGITIMATE SKIP	14130	1.69

RECODED SPECIAL TOPICS

You reported that you got the prescription tranquilizer you last used from a friend or relative for free. How did your friend or relative get the last prescription tranquilizer that you used?

TRNFFLAS Len : 2 HOW FRND/RELAT GOT THE TRANQUILIZERS LAST TIME

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = He/she got a prescription from just one doctor.....	3378	0.40
2 = He/she got prescriptions from more than one doctor.....	160	0.02
3 = He/she wrote a fake prescription.....	9	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	16	0.00
5 = He/she got it from a friend or relative for free	488	0.06
6 = He/she bought it from a friend or relative	305	0.04
7 = He/she took it from friend/relative without asking.....	99	0.01
8 = He/she bought it from a drug dealer/other stranger	175	0.02
9 = He/she bought it on the Internet.....	12	0.00
10 = He/she got it in some other way.....	143	0.02
18 = Bought fr drg dealr/stranger LOG ASSN (TRNFFLSP=8)	4	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	27841	3.33
94 = DON'T KNOW	395	0.05
97 = REFUSED	42	0.01
98 = BLANK (NO ANSWER)	2625	0.31
99 = LEGITIMATE SKIP.....	7836	0.94

TRNFFLSP Len : 2 OTHER WAY FRND/RELAT GOT TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
8 = He/she bought it from drug dealer/other stranger.....	4	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	15	0.00
12 = He/she stole or took it; otherwise unspecified.....	2	0.00
13 = Given to him/her; otherwise unspecified.....	2	0.00
14 = He/she bought it; otherwise unspecified.....	4	0.00
15 = Dr office, clinic, hospital, pharncy; how unspcfd.....	7	0.00
17 = He/she got fr place of business; otherwise unspcfd	3	0.00
18 = He/she got fr individual; how & relation unspcfd	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	3	0.00
21 = He/she found it; otherwise unspecified	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	3	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
30 = He/she got it at work; otherwise unspecified.....	2	0.00
71 = He/she bought/obtained it outside of the US.....	6	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned	54	0.01
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	54.77
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	27841	3.33
94 = DON'T KNOW	73	0.01
97 = REFUSED	55	0.01
98 = BLANK (NO ANSWER)	3023	0.36
99 = LEGITIMATE SKIP.....	12478	1.49

RECODED SPECIAL TOPICS

Earlier, the computer recorded that, during the past 30 days, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription stimulants?

Please enter all of the ways that you got prescription stimulants you used in the past 30 days.

STMRIXDR Len : 2 I GOT ONE+ PRSCRPS FOR STIM FROM JUST ONE DR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	404	0.05
3 = Response entered LOG ASSN (from STMOTHS2).....	1	0.00
5 = Response entered LOG ASSN (from STMGTLA2)	14	0.00
6 = Response not entered	2511	0.30
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	5	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	3.09
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.02
98 = BLANK (NO ANSWER)	1877	0.22
99 = LEGITIMATE SKIP	9928	1.19

STMRIXDRS Len : 2 I GOT PRSCRPS FOR STIMULANTS FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	72	0.01
6 = Response not entered	2851	0.34
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	3.09
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.02
98 = BLANK (NO ANSWER)	1888	0.23
99 = LEGITIMATE SKIP	9928	1.19

STMRIXFAK Len : 2 I WROTE FAKE PRESCRIPTIONS FOR STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	22	0.00
6 = Response not entered	2901	0.35
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	3.09
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.02
98 = BLANK (NO ANSWER)	1887	0.23
99 = LEGITIMATE SKIP	9928	1.19

STMSTOLE Len : 2 I STOLE STIMS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	31	0.00
5 = Response entered LOG ASSN (from STMGTLA2)	2	0.00
6 = Response not entered	2890	0.35
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	3.09
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.02
98 = BLANK (NO ANSWER)	1888	0.23
99 = LEGITIMATE SKIP	9928	1.19

RECODED SPECIAL TOPICS

STMFRFRE

Len : 2 I GOT STIMULANTS FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered.....	1474	0.18
3 = Response entered LOG ASSN (from STMOTHS2).....	12	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	27	0.00
6 = Response not entered.....	1423	0.17
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	25847	3.09
94 = DON'T KNOW.....	85	0.01
97 = REFUSED.....	136	0.02
98 = BLANK (NO ANSWER).....	1875	0.22
99 = LEGITIMATE SKIP.....	9927	1.19

STMFRBUY

Len : 2 I BOUGHT THE STIMS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered.....	819	0.10
3 = Response entered LOG ASSN (from STMOTHS2).....	2	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	13	0.00
6 = Response not entered.....	2092	0.25
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	25847	3.09
94 = DON'T KNOW.....	85	0.01
97 = REFUSED.....	136	0.02
98 = BLANK (NO ANSWER).....	1885	0.23
99 = LEGITIMATE SKIP.....	9928	1.19

STMFRTKE

Len : 2 I TOOK THE STIMS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered.....	230	0.03
5 = Response entered LOG ASSN (from STMGTLA2).....	8	0.00
6 = Response not entered.....	2687	0.32
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	25847	3.09
94 = DON'T KNOW.....	85	0.01
97 = REFUSED.....	136	0.02
98 = BLANK (NO ANSWER).....	1886	0.23
99 = LEGITIMATE SKIP.....	9927	1.19

STMDEALR

Len : 2 I BOUGHT THE STIMS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered.....	337	0.04
3 = Response entered LOG ASSN (from STMOTHS2).....	4	0.00
5 = Response entered LOG ASSN (from STMGTLA2).....	8	0.00
6 = Response not entered.....	2578	0.31
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	25847	3.09
94 = DON'T KNOW.....	85	0.01
97 = REFUSED.....	136	0.02
98 = BLANK (NO ANSWER).....	1884	0.23
99 = LEGITIMATE SKIP.....	9928	1.19

RECODED SPECIAL TOPICS

STMINET

Len : 2 I BOUGHT THE STIMULANTS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	60	0.01
5 = Response entered LOG ASSN (from STMGTLA2)	3	0.00
6 = Response not entered	2861	0.34
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	3.09
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.02
98 = BLANK (NO ANSWER)	1887	0.23
99 = LEGITIMATE SKIP	9928	1.19

STMOTHWY

Len : 2 I GOT THE STIMULANTS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	188	0.02
5 = Response entered LOG ASSN (from STMGTLA2)	6	0.00
6 = Response not entered	2731	0.33
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	3.09
94 = DON'T KNOW	85	0.01
97 = REFUSED	136	0.02
98 = BLANK (NO ANSWER)	1886	0.23
99 = LEGITIMATE SKIP	9928	1.19

STMOTHS2

Len : 2 OTHER WAY RESP GOT STIMULANT USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Got one/more prescriptions from just one doctor	1	0.00
5 = Got it from a friend or relative for free	15	0.00
6 = Bought it from a friend or relative	2	0.00
8 = Bought it from a drug dealer or other stranger	4	0.00
10 = Got it in some other way	65	0.01
11 = From friend, relative, home; otherwise unspcfd	56	0.01
71 = Bought/obtained it outside of the US	1	0.00
72 = An OTC drug /OTC-only store reported	3	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	109	0.01
85 = BAD DATA Logically assigned	7	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	25847	3.09
94 = DON'T KNOW	15	0.00
97 = REFUSED	159	0.02
98 = BLANK (NO ANSWER)	1973	0.24
99 = LEGITIMATE SKIP	12659	1.51

RECODED SPECIAL TOPICS

You reported that you got the prescription stimulants you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription stimulants that you used?

Please enter all of the ways that your friend or relative got the prescription stimulants you used in the past 30 days.

STMFF1DR Len : 2 FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	877	0.10
3 = Response entered LOG ASSN (from STMFFOSP)	1	0.00
5 = Response entered LOG ASSN (from STMFFLAS)	14	0.00
6 = Response not entered	313	0.04
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1877	0.22
99 = LEGITIMATE SKIP	9988	1.19

STMFFDRS Len : 2 FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	53	0.01
5 = Response entered LOG ASSN (from STMFFLAS)	1	0.00
6 = Response not entered	1143	0.14
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1885	0.23
99 = LEGITIMATE SKIP	9988	1.19

STMFFAKE Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	7	0.00
6 = Response not entered	1189	0.14
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1886	0.23
99 = LEGITIMATE SKIP	9988	1.19

STMFFSTL Len : 2 FRND/RELAT STOLE STIMS FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	7	0.00
6 = Response not entered	1189	0.14
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1886	0.23
99 = LEGITIMATE SKIP	9988	1.19

RECODED SPECIAL TOPICS

STMFFREE

Len : 2 FRND/RELAT GOT STIMS FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	193	0.02
5 = Response entered LOG ASSN (from STMFFLAS)	4	0.00
6 = Response not entered	1001	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1884	0.23
99 = LEGITIMATE SKIP	9988	1.19

STMFFBOT

Len : 2 FRIEND/RELATIVE BOUGHT STIMS FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	133	0.02
5 = Response entered LOG ASSN (from STMFFLAS)	7	0.00
6 = Response not entered	1059	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	78	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1884	0.23
99 = LEGITIMATE SKIP	9988	1.19

STMFFTAK

Len : 2 FRND/RELAT TOOK STIMS FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	36	0.00
3 = Response entered LOG ASSN (from STMFFOSP)	1	0.00
5 = Response entered LOG ASSN (from STMFFLAS)	1	0.00
6 = Response not entered	1158	0.14
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1886	0.23
99 = LEGITIMATE SKIP	9988	1.19

STMFFDLR

Len : 2 FRND/RELAT BOUGHT STIMS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	85	0.01
5 = Response entered LOG ASSN (from STMFFLAS)	5	0.00
6 = Response not entered	1111	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	23206	2.77
94 = DON'T KNOW	79	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1881	0.22
99 = LEGITIMATE SKIP	9988	1.19

RECODED SPECIAL TOPICS

STMFFNET

Len : 2 FRIEND/RELATIVE BOUGHT STIMS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	12	0.00
3 = Response entered LOG ASSN (from STMFFOSP).....	1	0.00
6 = Response not entered.....	1183	0.14
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS.....	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	23206	2.77
94 = DON'T KNOW.....	79	0.01
97 = REFUSED.....	9	0.00
98 = BLANK (NO ANSWER).....	1886	0.23
99 = LEGITIMATE SKIP.....	9988	1.19

STMFFOTH

Len : 2 FRIEND/RELATIVE GOT STIMULANTS SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = Response entered.....	39	0.00
5 = Response entered LOG ASSN (from STMFFLAS).....	2	0.00
6 = Response not entered.....	1157	0.14
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS.....	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	23206	2.77
94 = DON'T KNOW.....	79	0.01
97 = REFUSED.....	9	0.00
98 = BLANK (NO ANSWER).....	1884	0.23
99 = LEGITIMATE SKIP.....	9988	1.19

STMFFOSP

Len : 2 OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
1 = He/she got prescriptions from just one doctor.....	1	0.00
5 = He/she got it from a friend or relative for free.....	1	0.00
7 = He/she took from a friend or relative w/o asking.....	1	0.00
9 = He/she bought it on the Internet.....	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	4	0.00
13 = Given to him/her; otherwise unspecified.....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	2	0.00
16 = He/she made/cooked it.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	3	0.00
21 = He/she found it; otherwise unspecified.....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd.....	2	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
32 = He/she got it thru the mail; Internet unspecified.....	1	0.00
33 = He/she stole it from a store/pharmacy.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	3	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	92	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	23206	2.77
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1973	0.24
99 = LEGITIMATE SKIP.....	11145	1.33

RECODED SPECIAL TOPICS

Earlier, the computer recorded that, during the past 12 months, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription stimulant?

STMGTLA2

Len : 2 HOW GOT PRSCRIP STIMULANT PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = I got a prescription from just one doctor.....	417	0.05
2 = I got prescriptions from more than one doctor.....	31	0.00
3 = I wrote a fake prescription.....	11	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy.....	18	0.00
5 = I got it from a friend or relative for free.....	3066	0.37
6 = I bought it from a friend or relative.....	1295	0.15
7 = I took it from friend/relative without asking.....	336	0.04
8 = I bought it from a drug dealer or other stranger.....	383	0.05
9 = I bought it on the Internet.....	62	0.01
10 = I got it in some other way.....	263	0.03
11 = I got a prescription from just one doctor LOG ASSN.....	1	0.00
15 = I got it from friend/relative for free LOG ASSN.....	36	0.00
16 = I bought it from a friend or relative LOG ASSN.....	5	0.00
17 = I took it from friend/relative w/o asking LOG ASSN.....	3	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	3	0.00
19 = I bought it on the Internet LOGICALLY ASSIGNED.....	2	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS.....	20196	2.41
94 = DON'T KNOW.....	162	0.02
97 = REFUSED.....	182	0.02
98 = BLANK (NO ANSWER).....	1960	0.23
99 = LEGITIMATE SKIP.....	12371	1.48

STMGTOS2

Len : 2 OTHER WAY RESP GOT STIMULANT USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Got one/more prescriptions from just one doctor.....	1	0.00
5 = Got it from a friend or relative for free.....	36	0.00
6 = Bought it from a friend or relative.....	5	0.00
7 = Took from a friend or relative without asking.....	4	0.00
8 = Bought it from a drug dealer or other stranger.....	3	0.00
9 = Bought it on the Internet.....	2	0.00
10 = Got it in some other way.....	71	0.01
11 = From friend, relative, home; otherwise unspcfd.....	90	0.01
13 = Given to me; otherwise unspecified.....	4	0.00
17 = Got it from a place of business; otherwise unspcfd.....	13	0.00
21 = Found it; otherwise unspecified.....	4	0.00
72 = An OTC drug /OTC-only store reported.....	5	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
74 = Name of drug reported, OTC unspecified.....	4	0.00
75 = Took it by mistake; didn't realize it was a drug.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	61.77
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS.....	20196	2.41
94 = DON'T KNOW.....	14	0.00
97 = REFUSED.....	199	0.02
98 = BLANK (NO ANSWER).....	2124	0.25
99 = LEGITIMATE SKIP.....	18020	2.15

RECORDED SPECIAL TOPICS

You reported that you got the prescription stimulant you last used from a friend or relative for free. How did your friend or relative get the last prescription stimulant that you used?

STMFFLAS Len : 2 HOW FRND/RELAT GOT STIMULANTS THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = He/she got a prescription from just one doctor.....	1841	0.22
2 = He/she got prescriptions from more than one doctor.....	90	0.01
3 = He/she wrote a fake prescription.....	2	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	11	0.00
5 = He/she got it from a friend or relative for free	235	0.03
6 = He/she bought it from a friend or relative	177	0.02
7 = He/she took it from friend/relative without asking.....	30	0.00
8 = He/she bought it from a drug dealer/other stranger	80	0.01
9 = He/she bought it on the Internet.....	14	0.00
10 = He/she got it in some other way.....	52	0.01
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS	18120	2.17
94 = DON'T KNOW	179	0.02
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER)	2077	0.25
99 = LEGITIMATE SKIP.....	13439	1.61

STMFFLSP Len : 2 OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	5	0.00
12 = He/she stole or took it; otherwise unspecified.....	2	0.00
13 = Given to him/her; otherwise unspecified.....	1	0.00
14 = He/she bought it; otherwise unspecified.....	2	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd	3	0.00
18 = He/she got fr individual; how & relation unspcfd	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	1	0.00
21 = He/she found it; otherwise unspecified	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
71 = He/she bought/obtained it outside of the US.....	2	0.00
72 = Over-the-counter drug reported.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn	92	0.01
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS	465381	55.62
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS	18120	2.17
94 = DON'T KNOW	25	0.00
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER)	2256	0.27
99 = LEGITIMATE SKIP.....	15920	1.90

Earlier, the computer recorded that, during the past 30 days, you used methamphetamine. How did you get this methamphetamine?

Please enter all of the ways that you got the methamphetamine you used in the past 30 days.

MTHFRFRE Len : 2 I GOT METHAMP FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
1 = Response entered	671	0.08
3 = Response entered LOG ASSN (from MTHOTHS2).....	3	0.00
5 = Response entered LOG ASSN (from MTHGTLA2).....	3	0.00
6 = Response not entered	599	0.07
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	105	0.01
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED METHAMPHETAMINE	530628	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.91
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER)	1124	0.13
99 = LEGITIMATE SKIP.....	1	0.00

RECODED SPECIAL TOPICS

MTHFRBUY

Len : 2 I BOUGHT THE METHAMP FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	430	0.05
5 = Response entered LOG ASSN (from MTHGTLA2)	7	0.00
6 = Response not entered	839	0.10
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.91
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER)	1128	0.13
99 = LEGITIMATE SKIP	1	0.00

MTHFRTKE

Len : 2 I TOOK THE METHAMP FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	58	0.01
6 = Response not entered	1217	0.15
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.91
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER)	1129	0.13
99 = LEGITIMATE SKIP	1	0.00

MTHDEALR

Len : 2 I BOUGHT THE METHAMP FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	353	0.04
3 = Response entered LOG ASSN (from MTHOTHS2)	4	0.00
5 = Response entered LOG ASSN (from MTHGTLA2)	2	0.00
6 = Response not entered	917	0.11
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.91
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER)	1128	0.13
99 = LEGITIMATE SKIP	1	0.00

MTHINET

Len : 2 I BOUGHT THE METHAMP ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	16	0.00
6 = Response not entered	1259	0.15
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.91
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER)	1129	0.13
99 = LEGITIMATE SKIP	1	0.00

RECODED SPECIAL TOPICS

MTHOTHWY

Len : 2 I GOT THE METHAMP IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	125	0.01
5 = Response entered LOG ASSN (from MTHGTLA2)	2	0.00
6 = Response not entered	1149	0.14
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	530628	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24315	2.91
94 = DON'T KNOW	33	0.00
97 = REFUSED	255	0.03
98 = BLANK (NO ANSWER)	1128	0.13

MTHOTH2

Len : 2 OTHER WAY RESP GOT METH USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
2 = Got prescriptions from more than one doctor	1	0.00
5 = Got it from a friend or relative for free	3	0.00
8 = Bought it from a drug dealer or other stranger	4	0.00
10 = Got it in some other way	61	0.01
11 = From friend, relative, home; otherwise unspecfd	12	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspecfd	3	0.00
16 = Made it/cooked it	3	0.00
23 = Got it with prescription(s); otherwise unspecified	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	105	0.01
85 = BAD DATA Logically assigned	12	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED METHAMPHETAMINE	530628	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	24317	2.91
94 = DON'T KNOW	7	0.00
97 = REFUSED	272	0.03
98 = BLANK (NO ANSWER)	1161	0.14
99 = LEGITIMATE SKIP	1148	0.14

You reported that you got the Methamphetamine you used in the past 30 days from a friend or relative for free. How did your friend or relative get the Methamphetamine that you used?

Please enter all of the ways that your friend or relative got the Methamphetamine you used in the past 30 days.

MTHFFREE

Len : 2 FRND/RELAT GOT METHAMP FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	177	0.02
5 = Response entered LOG ASSN (from MTHFFLAS)	3	0.00
6 = Response not entered	279	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
85 = BAD DATA Logically assigned	3	0.00
91 = NEVER USED METHAMPHETAMINE	478261	57.16
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.53
94 = DON'T KNOW	47	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1284	0.15
99 = LEGITIMATE SKIP	509	0.06

MTHFFBOT

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	177	0.02
5 = Response entered LOG ASSN (from MTHFFLAS)	2	0.00
6 = Response not entered	280	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	478261	57.16
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.53
94 = DON'T KNOW	47	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1286	0.15
99 = LEGITIMATE SKIP	509	0.06

RECODED SPECIAL TOPICS

MTHFFTAK

Len : 2 FRND/RELAT TOOK METHAMP FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	15	0.00
6 = Response not entered	444	0.05
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE	478261	57.16
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.53
94 = DON'T KNOW	47	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1287	0.15
99 = LEGITIMATE SKIP	509	0.06

MTHFFDLR

Len : 2 FRND/RELAT BOUGHT METH FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	155	0.02
5 = Response entered LOG ASSN (from MTHFFLAS)	3	0.00
6 = Response not entered	301	0.04
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE	478261	57.16
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.53
94 = DON'T KNOW	47	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1287	0.15
99 = LEGITIMATE SKIP	509	0.06

MTHFFNET

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	3	0.00
5 = Response entered LOG ASSN (from MTHFFLAS)	2	0.00
6 = Response not entered	456	0.05
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE	478261	57.16
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.53
94 = DON'T KNOW	45	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1287	0.15
99 = LEGITIMATE SKIP	509	0.06

MTHFFOTH

Len : 2 FRIEND/RELATIVE GOT METHAMPHET SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	70	0.01
5 = Response entered LOG ASSN (from MTHFFLAS)	1	0.00
6 = Response not entered	388	0.05
81 = NEVER USED METHAMPHETAMINE Logically assigned	89	0.01
91 = NEVER USED METHAMPHETAMINE	478261	57.16
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	21176	2.53
94 = DON'T KNOW	47	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	1287	0.15
99 = LEGITIMATE SKIP	509	0.06

RECODED SPECIAL TOPICS

MTHFFOSP

Len : 2 OTHER WAY FRND/RELAT GOT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year.....	334859	40.02
8 = He/she bought it from drug dealer/other stranger.....	3	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	4	0.00
14 = He/she bought it; otherwise unspecified.....	3	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	3	0.00
16 = He/she made/cooked it.....	15	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
21 = He/she found it; otherwise unspecified.....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd.....	5	0.00
26 = He/she got them as payment for partic in drug deal.....	1	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
32 = He/she got it thru the mail; Internet unspecified.....	1	0.00
72 = Over-the-counter drug reported.....	1	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	89	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	478261	57.16
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	21176	2.53
94 = DON'T KNOW.....	23	0.00
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	1343	0.16
99 = LEGITIMATE SKIP.....	898	0.11

Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.

Now think about the last time you used methamphetamine. How did you get this methamphetamine?

MTHGTLA2

Len : 2 HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	612600	73.22
5 = I got it from a friend or relative for free.....	411	0.05
6 = I bought it from a friend or relative.....	135	0.02
7 = I took it from friend/relative without asking.....	35	0.00
8 = I bought it from a drug dealer or other stranger.....	228	0.03
10 = I got it in some other way.....	46	0.01
15 = I got it from a friend/relative for free LOG ASSN.....	1	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	2	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	35	0.00
91 = NEVER USED METHAMPHETAMINE.....	214680	25.66
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	7577	0.91
94 = DON'T KNOW.....	14	0.00
97 = REFUSED.....	97	0.01
98 = BLANK (NO ANSWER).....	475	0.06
99 = LEGITIMATE SKIP.....	360	0.04

MTHGTOS2

Len : 2 OTHER WAY RESP GOT METH USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	278954	33.34
5 = Got it from a friend or relative for free.....	7	0.00
6 = Bought it from a friend or relative.....	2	0.00
7 = Took from a friend or relative without asking.....	1	0.00
8 = Bought it from a drug dealer or other stranger.....	8	0.00
10 = Got it in some other way.....	54	0.01
11 = From friend, relative, home; otherwise unspcfd.....	24	0.00
13 = Given to me; otherwise unspecified.....	6	0.00
16 = Made it/cooked it.....	3	0.00
18 = From an individual; how and relationship unspcfd.....	3	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	107	0.01
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED METHAMPHETAMINE.....	530626	63.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	21701	2.59
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	290	0.03
98 = BLANK (NO ANSWER).....	1240	0.15
99 = LEGITIMATE SKIP.....	3643	0.44

RECODED SPECIAL TOPICS

You reported that you got the Methamphetamine you last used from a friend or relative for free. How did your friend or relative get the last Methamphetamine that you used?

MTHFFLAS Len : 2 HOW FRND/RELAT GOT METHAMPHETAMINE THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
5 = He/she got it from a friend or relative for free	290	0.03
6 = He/she bought it from a friend or relative	325	0.04
7 = He/she took it from friend/relat without asking.....	11	0.00
8 = He/she bought it from a drug dealer/other stranger	237	0.03
9 = He/she bought it on the Internet	2	0.00
10 = He/she got it in some other way	102	0.01
15 = Got from frnd/relat for free LOG ASSN	2	0.00
16 = Bought from friend/relative LOG ASSN	1	0.00
18 = Bought fr drg dealr/stranger LOG ASSN	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	22	0.00
91 = NEVER USED METHAMPHETAMINE	478328	57.17
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	19017	2.27
94 = DON'T KNOW	126	0.02
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER)	1377	0.16
99 = LEGITIMATE SKIP.....	1972	0.24

MTHFFLSP Len : 2 OTHER WAY FRND/RELAT GOT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
5 = He/she got it from a friend or relative for free	2	0.00
6 = He/she bought it from a friend or relative	1	0.00
8 = He/she bought it from drug dealer/other stranger.....	3	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	3	0.00
12 = He/she stole or took it; otherwise unspcfd.....	1	0.00
14 = He/she bought it; otherwise unspcfd.....	2	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	7	0.00
16 = He/she made/cooked it.....	24	0.00
18 = He/she got fr individual; how & relation unspcfd	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	10	0.00
72 = Over-the-counter drug reported.....	1	0.00
74 = Name of drug reported, OTC unspcfd	2	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	3	0.00
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED METHAMPHETAMINE	478347	57.17
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	19017	2.27
94 = DON'T KNOW	38	0.00
97 = REFUSED	28	0.00
98 = BLANK (NO ANSWER)	1503	0.18
99 = LEGITIMATE SKIP.....	2837	0.34

Earlier, the computer recorded that, during the past 30 days, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription sedatives?

Please enter all of the ways that you got the prescription sedatives you used in the past 30 days.

SEDRX1DR Len : 2 I GOT ONE+ PRSCRPS FOR SEDATIVES FROM JUST ONE DR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	133	0.02
3 = Response entered LOG ASSN (from SEDOTHS2)	2	0.00
5 = Response entered LOG ASSN (from SEDGTLA2)	3	0.00
6 = Response not entered	532	0.06
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1565	0.19

RECODED SPECIAL TOPICS

SEDRXDRS

Len : 2 I GOT PRSCRPS FOR SEDATIVES FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	25	0.00
6 = Response not entered	645	0.08
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1566	0.19

SEDRXFAK

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	7	0.00
5 = Response entered LOG ASSN (from SEDGTLA2)	2	0.00
6 = Response not entered	662	0.08
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1566	0.19

SEDSTOLE

Len : 2 I STOLE SEDS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	19	0.00
6 = Response not entered	651	0.08
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1566	0.19

SEDFRFRE

Len : 2 I GOT SEDATIVES FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	346	0.04
3 = Response entered LOG ASSN (from SEDOTHS2)	2	0.00
5 = Response entered LOG ASSN (from SEDGTLA2)	1	0.00
6 = Response not entered	322	0.04
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1566	0.19

SEDFRBUY

Len : 2 I BOUGHT THE SEDS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	91	0.01
5 = Response entered LOG ASSN (from SEDGTLA2)	1	0.00
6 = Response not entered	578	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1567	0.19

RECODED SPECIAL TOPICS

SEDFRTKE

Len : 2 I TOOK THE SEDS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	65	0.01
5 = Response entered LOG ASSN (from SEDGTLA2)	2	0.00
6 = Response not entered	603	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1567	0.19

SEDDEALR

Len : 2 I BOUGHT THE SEDS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	50	0.01
6 = Response not entered	620	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1567	0.19

SEDINET

Len : 2 I BOUGHT THE SEDATIVES ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	5	0.00
6 = Response not entered	665	0.08
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1567	0.19

SEDOTHWY

Len : 2 I GOT THE SEDATIVES IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	51	0.01
5 = Response entered LOG ASSN (from SEDGTLA2)	2	0.00
6 = Response not entered	617	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	32	0.00
97 = REFUSED	80	0.01
98 = BLANK (NO ANSWER)	1567	0.19

SEDOTHS2

Len : 2 OTHER WAY RESP GOT SEDATIVE USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Got one/more prescriptions from just one doctor.....	2	0.00
5 = Got it from a friend or relative for free	3	0.00
7 = Took from a friend or relative without asking.....	1	0.00
10 = Got it in some other way.....	21	0.00
11 = From friend, relative, home; otherwise unspcfd.....	9	0.00
71 = Bought/obtained it outside of the US	3	0.00
72 = An OTC drug /OTC-only store reported	1	0.00
74 = Name of drug reported, OTC unspecified	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	9960	1.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	84	0.01
98 = BLANK (NO ANSWER)	1601	0.19
99 = LEGITIMATE SKIP.....	617	0.07

RECODED SPECIAL TOPICS

You reported that you got the prescription sedatives you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription sedatives that you used?

Please enter all of the ways that your friend or relative got the prescription sedatives you used in the past 30 days.

SEDFFD1DR Len : 2 FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	214	0.03
5 = Response entered LOG ASSN (from SEDFFLAS).....	1	0.00
6 = Response not entered	74	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1506	0.18
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFD2DR Len : 2 FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	24	0.00
6 = Response not entered	264	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFAKE Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	2	0.00
6 = Response not entered	286	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFSTL Len : 2 FRND/RELAT STOLE SEDATVS FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	8	0.00
6 = Response not entered	280	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

RECODED SPECIAL TOPICS

SEDFFREE

Len : 2 FRND/RELAT GOT SEDATIVES FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	34	0.00
6 = Response not entered	254	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFBOT

Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	22	0.00
6 = Response not entered	266	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFTAK

Len : 2 FRND/RELAT TOOK SEDATIVES FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	12	0.00
6 = Response not entered	276	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFDLR

Len : 2 FRND/RELAT BOUGHT SEDTVS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	15	0.00
6 = Response not entered	273	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFNET

Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	2	0.00
6 = Response not entered	286	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP.....	286	0.03

RECODED SPECIAL TOPICS

SEDFFOTH

Len : 2 FRIEND/RELATIVE GOT SEDATIVES SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	10	0.00
6 = Response not entered	278	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
94 = DON'T KNOW	18	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1507	0.18
99 = LEGITIMATE SKIP	286	0.03

SEDFFOSP

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = He/she got prescriptions from just one doctor.....	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	1	0.00
72 = Over-the-counter drug reported.....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	8753	1.05
98 = BLANK (NO ANSWER)	1528	0.18
99 = LEGITIMATE SKIP	564	0.07

Earlier, the computer recorded that, during the past 12 months, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription sedative?

SEDTLA2

Len : 2 HOW GOT PRSCRIP SEDATIVE PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = I got a prescription from just one doctor	193	0.02
2 = I got prescriptions from more than one doctor	22	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy	3	0.00
5 = I got it from a friend or relative for free	690	0.08
6 = I bought it from a friend or relative.....	136	0.02
7 = I took it from friend/relative without asking	80	0.01
8 = I bought it from a drug dealer or other stranger	53	0.01
10 = I got it in some other way	96	0.01
11 = I got a prescription from just one doctor LOG ASSN	1	0.00
15 = I got it from friend/relative for free LOG ASSN.....	10	0.00
17 = I took it from friend/relative w/o asking LOG ASSN	2	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	8650	1.03
94 = DON'T KNOW	55	0.01
97 = REFUSED	91	0.01
98 = BLANK (NO ANSWER)	1622	0.19
99 = LEGITIMATE SKIP	604	0.07

RECODED SPECIAL TOPICS

SEDGTOS2

Len : 2 OTHER WAY RESP GOT SEDATIVE USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Got one/more prescriptions from just one doctor	1	0.00
5 = Got it from a friend or relative for free	10	0.00
7 = Took from a friend or relative without asking.....	2	0.00
8 = Bought it from a drug dealer or other stranger	1	0.00
10 = Got it in some other way	31	0.00
11 = From friend, relative, home; otherwise unspcfd	12	0.00
74 = Name of drug reported, OTC unspecified	2	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.03
85 = BAD DATA Logically assigned	8	0.00
91 = NEVER USED SEDATIVES	545216	65.16
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	8650	1.03
94 = DON'T KNOW	5	0.00
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP.....	1814	0.22

You reported that you got the prescription sedative you last used from a friend or relative for free. How did your friend or relative get the last prescription sedative that you used?

SEDFFLAS

Len : 2 HOW FRND/RELAT GOT SEDATIVES THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = He/she got a prescription from just one doctor.....	423	0.05
2 = He/she got prescriptions from more than one doctor.....	24	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	5	0.00
5 = He/she got it from a friend or relative for free	47	0.01
6 = He/she bought it from a friend or relative	14	0.00
7 = He/she took it from friend/relative without asking.....	11	0.00
8 = He/she bought it from a drug dealer/other stranger	12	0.00
9 = He/she bought it on the Internet.....	3	0.00
10 = He/she got it in some other way.....	19	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	7598	0.91
94 = DON'T KNOW	45	0.01
97 = REFUSED	4	0.00
98 = BLANK (NO ANSWER)	1597	0.19
99 = LEGITIMATE SKIP.....	1053	0.13

SEDFFLSP

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	3	0.00
21 = He/she found it; otherwise unspecified	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
26 = He/she got them as payment for partic in drug deal	1	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	490787	58.66
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	7598	0.91
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	1642	0.20
99 = LEGITIMATE SKIP.....	1592	0.19

PRIOR SUBSTANCE USE

PRIOR SUBSTANCE USE

This note applies to variables in this section marked by a¹.

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or hashish, even once?

MRJYRBFR	Len : 2 USE MJ OR HASHISH EVEN ONCE YR BEFORE LAST		
		Freq	Pct
	-9 = Data not collected for this year.....	54079	6.46
	1 = Yes.....	127642	15.26
	2 = No.....	186167	22.25
	85 = BAD DATA Logically assigned.....	19	0.00
	91 = NEVER USED MARIJUANA.....	466471	55.75
	94 = DON'T KNOW.....	1104	0.13
	97 = REFUSED.....	1037	0.12
	98 = BLANK (NO ANSWER).....	177	0.02

The computer recorded that you last used marijuana or hashish [MJREC FILL]. How old were you the last time you used marijuana or hashish?

MRJAGLST	Len : 3 HOW OLD WERE YOU THE LAST TIME USED MARIJUANA		
		Freq	Pct
	RANGE = 1 - 87.....	222128	26.55
	-9 = Data not collected for this year.....	54079	6.46
	985 = BAD DATA Logically assigned.....	6844	0.82
	989 = LEGITIMATE SKIP Logically assigned.....	55	0.01
	991 = NEVER USED MARIJUANA.....	466471	55.75
	994 = DON'T KNOW.....	3816	0.46
	997 = REFUSED.....	1450	0.17
	998 = BLANK (NO ANSWER).....	2170	0.26
	999 = LEGITIMATE SKIP.....	79683	9.52

Did you last use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

MRJYLU	Len : 4 YEAR OF LAST MARIJUANA/HASHISH USE - RECODE		
		Freq	Pct
	RANGE = 2002 - 2016.....	65367	7.81
	-9 = Data not collected for this year.....	109309	13.06
	9985 = BAD DATA Logically assigned.....	1675	0.20
	9989 = LEGITIMATE SKIP Logically assigned.....	1729	0.21
	9991 = NEVER USED MARIJUANA.....	434073	51.88
	9994 = DON'T KNOW.....	3761	0.45
	9997 = REFUSED.....	1440	0.17
	9998 = BLANK (NO ANSWER).....	8270	0.99
	9999 = LEGITIMATE SKIP.....	211072	25.23

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or hashish?

MRJMLU	Len : 2 MONTH OF LAST MARIJUANA/HASHISH USE - RECODE	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = January.....	6048	0.72
	2 = February.....	4719	0.56
	3 = March.....	4895	0.59
	4 = April	4563	0.55
	5 = May.....	4583	0.55
	6 = June.....	5748	0.69
	7 = July	6072	0.73
	8 = August	5234	0.63
	9 = September	4224	0.50
	10 = October	4526	0.54
	11 = November	4377	0.52
	12 = December.....	5373	0.64
	85 = BAD DATA Logically assigned	2386	0.29
	89 = LEGITIMATE SKIP Logically assigned	1729	0.21
	91 = NEVER USED MARIJUANA	434073	51.88
	94 = DON'T KNOW	7618	0.91
	97 = REFUSED	1796	0.21
	98 = BLANK (NO ANSWER)	8351	1.00
	99 = LEGITIMATE SKIP.....	211072	25.23

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

CIGAGLST	Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE	Freq	Pct
	RANGE = 1 - 90	219494	26.23
	-9 = Data not collected for this year	54079	6.46
	985 = BAD DATA Logically assigned	6841	0.82
	989 = LEGITIMATE SKIP Logically assigned	26	0.00
	991 = NEVER USED CIGARETTES.....	364587	43.57
	994 = DON'T KNOW	3783	0.45
	997 = REFUSED	556	0.07
	998 = BLANK (NO ANSWER).....	499	0.06
	999 = LEGITIMATE SKIP.....	186831	22.33

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

CIGYLU	Len : 4 YEAR OF LAST CIGARETTE USE - RECODE	Freq	Pct
	RANGE = 2002 - 2016	51942	6.21
	-9 = Data not collected for this year	109309	13.06
	9985 = BAD DATA Logically assigned	1447	0.17
	9989 = LEGITIMATE SKIP Logically assigned	963	0.12
	9991 = NEVER USED CIGARETTES.....	342241	40.90
	9994 = DON'T KNOW	3626	0.43
	9997 = REFUSED	540	0.06
	9998 = BLANK (NO ANSWER).....	7021	0.84
	9999 = LEGITIMATE SKIP.....	319607	38.20

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

CIGMLU Len : 2 MONTH OF LAST CIGARETTE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = January.....	4561	0.55
2 = February.....	3506	0.42
3 = March.....	3862	0.46
4 = April.....	3191	0.38
5 = May.....	3522	0.42
6 = June.....	4547	0.54
7 = July.....	4833	0.58
8 = August.....	4244	0.51
9 = September.....	3679	0.44
10 = October.....	3747	0.45
11 = November.....	3633	0.43
12 = December.....	4435	0.53
85 = BAD DATA Logically assigned.....	2487	0.30
89 = LEGITIMATE SKIP Logically assigned.....	963	0.12
91 = NEVER USED CIGARETTES.....	342241	40.90
94 = DON'T KNOW.....	6538	0.78
97 = REFUSED.....	668	0.08
98 = BLANK (NO ANSWER).....	7123	0.85
99 = LEGITIMATE SKIP.....	319607	38.20

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

CIGDLLST Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

	Freq	Pct
RANGE = 1 - 94.....	108401	12.96
-9 = Data not collected for this year.....	54079	6.46
985 = BAD DATA Logically assigned.....	2040	0.24
991 = NEVER USED CIGARETTES.....	364587	43.57
994 = DON'T KNOW.....	1530	0.18
997 = REFUSED.....	389	0.05
998 = BLANK (NO ANSWER).....	153	0.02
999 = LEGITIMATE SKIP.....	305517	36.51

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

CIGDLYLU Len : 4 YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2002 - 2016.....	30620	3.66
-9 = Data not collected for this year.....	109309	13.06
9985 = BAD DATA Logically assigned.....	793	0.09
9989 = LEGITIMATE SKIP Logically assigned.....	439	0.05
9991 = NEVER USED CIGARETTES.....	342241	40.90
9994 = DON'T KNOW.....	1483	0.18
9997 = REFUSED.....	380	0.05
9998 = BLANK (NO ANSWER).....	2024	0.24
9999 = LEGITIMATE SKIP.....	349407	41.76

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

CIGDLMLU Len : 2 MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = January.....	3596	0.43
2 = February.....	2072	0.25
3 = March.....	2106	0.25
4 = April.....	2746	0.33
5 = May.....	1992	0.24
6 = June.....	2119	0.25
7 = July.....	2981	0.36
8 = August.....	2059	0.25
9 = September.....	1910	0.23
10 = October.....	2795	0.33
11 = November.....	2064	0.25
12 = December.....	3120	0.37
85 = BAD DATA Logically assigned.....	1056	0.13
89 = LEGITIMATE SKIP Logically assigned.....	439	0.05
91 = NEVER USED CIGARETTES.....	342241	40.90
94 = DON'T KNOW.....	2201	0.26
97 = REFUSED.....	446	0.05
98 = BLANK (NO ANSWER).....	2037	0.24
99 = LEGITIMATE SKIP.....	349407	41.76

The computer recorded that you last used "smokeless" tobacco [CGSNREC FILL]. How old were you the last time you used "smokeless" tobacco?

SMKAGLAST¹ Len : 3 HOW OLD WERE YOU LAST THE TIME USED SMOKELESS TOB

	Freq	Pct
RANGE = 1 - 83.....	12862	1.54
-9 = Data not collected for this year.....	722653	86.37
985 = BAD DATA Logically assigned.....	876	0.10
989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
991 = NEVER USED SMOKELESS TOBACCO.....	95478	11.41
994 = DON'T KNOW.....	371	0.04
997 = REFUSED.....	67	0.01
998 = BLANK (NO ANSWER).....	121	0.01
999 = LEGITIMATE SKIP.....	4264	0.51

Did you last use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

SMKYRLAST¹ Len : 4 YEAR OF LAST "SMOKELESS" TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2013 - 2016.....	2509	0.30
-9 = Data not collected for this year.....	722653	86.37
9985 = BAD DATA Logically assigned.....	89	0.01
9989 = LEGITIMATE SKIP Logically assn.....	75	0.01
9991 = NEVER USED SMOKELESS TOBACCO.....	95478	11.41
9994 = DON'T KNOW.....	374	0.04
9997 = REFUSED.....	65	0.01
9998 = BLANK (NO ANSWER).....	990	0.12
9999 = LEGITIMATE SKIP.....	14463	1.73

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

In what month in [YEAR FROM LU05a or LU05b] did you last use "smokeless" tobacco?

SMKMOLAST¹ Len : 2 MONTH OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = January.....	215	0.03
2 = February.....	168	0.02
3 = March.....	177	0.02
4 = April	144	0.02
5 = May.....	156	0.02
6 = June.....	242	0.03
7 = July	261	0.03
8 = August	222	0.03
9 = September	165	0.02
10 = October	167	0.02
11 = November	178	0.02
12 = December.....	193	0.02
85 = BAD DATA Logically assigned	161	0.02
89 = LEGITIMATE SKIP Logically assn.....	75	0.01
91 = NEVER USED SMOKELESS TOBACCO	95478	11.41
94 = DON'T KNOW	502	0.06
97 = REFUSED	74	0.01
98 = BLANK (NO ANSWER)	1002	0.12
99 = LEGITIMATE SKIP.....	14463	1.73

The computer recorded that you last smoked part or all of a cigar [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar?

CGRAGLST Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR

	Freq	Pct
RANGE = 1 - 92	162366	19.41
-9 = Data not collected for this year	109309	13.06
985 = BAD DATA Logically assigned	8767	1.05
989 = LEGITIMATE SKIP Logically assigned	27	0.00
991 = NEVER USED CIGARS	503903	60.23
994 = DON'T KNOW	5024	0.60
997 = REFUSED	571	0.07
998 = BLANK (NO ANSWER).....	335	0.04
999 = LEGITIMATE SKIP.....	46394	5.54

Did you last smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

CIGARYLU Len : 4 YEAR OF LAST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2002 - 2016	59050	7.06
-9 = Data not collected for this year.....	109309	13.06
9985 = BAD DATA Logically assigned	1709	0.20
9989 = LEGITIMATE SKIP Logically assigned	1354	0.16
9991 = NEVER USED CIGARS	503903	60.23
9994 = DON'T KNOW	5195	0.62
9997 = REFUSED	591	0.07
9998 = BLANK (NO ANSWER).....	9039	1.08
9999 = LEGITIMATE SKIP.....	146546	17.51

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar?

CIGARMLU	Len : 2 MONTH OF LAST CIGAR USE - RECODE	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = January.....	5042	0.60
	2 = February.....	3508	0.42
	3 = March.....	3865	0.46
	4 = April	3574	0.43
	5 = May.....	4158	0.50
	6 = June.....	5397	0.65
	7 = July	6600	0.79
	8 = August	5328	0.64
	9 = September.....	3986	0.48
	10 = October	3940	0.47
	11 = November	3795	0.45
	12 = December.....	4604	0.55
	85 = BAD DATA Logically assigned	2918	0.35
	89 = LEGITIMATE SKIP Logically assigned	1354	0.16
	91 = NEVER USED CIGARS	503903	60.23
	94 = DON'T KNOW	8939	1.07
	97 = REFUSED	732	0.09
	98 = BLANK (NO ANSWER)	9198	1.10
	99 = LEGITIMATE SKIP.....	146546	17.51

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

ALCAGLST	Len : 3 HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE	Freq	Pct
	RANGE = 1 - 98	187527	22.41
	-9 = Data not collected for this year	109309	13.06
	985 = BAD DATA Logically assigned	2375	0.28
	989 = LEGITIMATE SKIP Logically assigned	114	0.01
	991 = NEVER USED ALCOHOL.....	205052	24.51
	994 = DON'T KNOW	3531	0.42
	997 = REFUSED	1014	0.12
	998 = BLANK (NO ANSWER).....	4890	0.58
	999 = LEGITIMATE SKIP.....	322884	38.59

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

ALCYLU	Len : 4 YEAR OF LAST ALCOHOL USE - RECODE	Freq	Pct
	RANGE = 2002 - 2016	127687	15.26
	-9 = Data not collected for this year	109309	13.06
	9985 = BAD DATA Logically assigned	2777	0.33
	9989 = LEGITIMATE SKIP Logically assigned	1544	0.18
	9991 = NEVER USED ALCOHOL.....	205052	24.51
	9994 = DON'T KNOW	3759	0.45
	9997 = REFUSED	1087	0.13
	9998 = BLANK (NO ANSWER).....	7289	0.87
	9999 = LEGITIMATE SKIP.....	378192	45.20

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

ALCMLU	Len : 2 MONTH OF LAST ALCOHOL USE - RECODE		
		Freq	Pct
	-9 = Data not collected for this year.....	109309	13.06
	1 = January.....	16436	1.96
	2 = February.....	8684	1.04
	3 = March.....	9008	1.08
	4 = April.....	7047	0.84
	5 = May.....	8417	1.01
	6 = June.....	10559	1.26
	7 = July.....	13054	1.56
	8 = August.....	10271	1.23
	9 = September.....	8156	0.97
	10 = October.....	6850	0.82
	11 = November.....	6853	0.82
	12 = December.....	16231	1.94
	85 = BAD DATA Logically assigned.....	3701	0.44
	89 = LEGITIMATE SKIP Logically assigned.....	1543	0.18
	91 = NEVER USED ALCOHOL.....	205052	24.51
	94 = DON'T KNOW.....	8553	1.02
	97 = REFUSED.....	1322	0.16
	98 = BLANK (NO ANSWER).....	7457	0.89
	99 = LEGITIMATE SKIP.....	378193	45.20

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

COCAGLST	Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE		
		Freq	Pct
	RANGE = 1 - 75.....	70549	8.43
	-9 = Data not collected for this year.....	109309	13.06
	985 = BAD DATA Logically assigned.....	5094	0.61
	989 = LEGITIMATE SKIP Logically assigned.....	224	0.03
	991 = NEVER USED COCAINE.....	643057	76.86
	994 = DON'T KNOW.....	1598	0.19
	997 = REFUSED.....	519	0.06
	998 = BLANK (NO ANSWER).....	480	0.06
	999 = LEGITIMATE SKIP.....	5866	0.70

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

COCYLU	Len : 4 YEAR OF LAST COCAINE USE - RECODE		
		Freq	Pct
	RANGE = 2002 - 2016.....	16799	2.01
	-9 = Data not collected for this year.....	109309	13.06
	9985 = BAD DATA Logically assigned.....	626	0.07
	9989 = LEGITIMATE SKIP Logically assigned.....	672	0.08
	9991 = NEVER USED COCAINE.....	643057	76.86
	9994 = DON'T KNOW.....	1642	0.20
	9997 = REFUSED.....	535	0.06
	9998 = BLANK (NO ANSWER).....	5811	0.69
	9999 = LEGITIMATE SKIP.....	58245	6.96

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

COCMLU Len : 2 MONTH OF LAST COCAINE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = January.....	1586	0.19
2 = February.....	1281	0.15
3 = March.....	1363	0.16
4 = April.....	1035	0.12
5 = May.....	1131	0.14
6 = June.....	1324	0.16
7 = July.....	1451	0.17
8 = August.....	1220	0.15
9 = September.....	1104	0.13
10 = October.....	1169	0.14
11 = November.....	1171	0.14
12 = December.....	1380	0.16
85 = BAD DATA Logically assigned.....	1132	0.14
89 = LEGITIMATE SKIP Logically assigned.....	672	0.08
91 = NEVER USED COCAINE.....	643057	76.86
94 = DON'T KNOW.....	2600	0.31
97 = REFUSED.....	610	0.07
98 = BLANK (NO ANSWER).....	5856	0.70
99 = LEGITIMATE SKIP.....	58245	6.96

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack"?

CRKAGLST Len : 3 HOW OLD WERE YOU THE LAST TIME USED CRACK

	Freq	Pct
RANGE = 1 - 78.....	16424	1.96
-9 = Data not collected for this year.....	109309	13.06
985 = BAD DATA Logically assigned.....	2132	0.25
989 = LEGITIMATE SKIP Logically assigned.....	6	0.00
991 = NEVER USED CRACK.....	706650	84.46
994 = DON'T KNOW.....	538	0.06
997 = REFUSED.....	288	0.03
998 = BLANK (NO ANSWER).....	236	0.03
999 = LEGITIMATE SKIP.....	1113	0.13

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

CRKYLU Len : 4 YEAR OF LAST CRACK USE - RECODE

	Freq	Pct
RANGE = 2002 - 2016.....	2924	0.35
-9 = Data not collected for this year.....	109309	13.06
9985 = BAD DATA Logically assigned.....	139	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	96	0.01
9991 = NEVER USED CRACK.....	706650	84.46
9994 = DON'T KNOW.....	549	0.07
9997 = REFUSED.....	290	0.03
9998 = BLANK (NO ANSWER).....	2355	0.28
9999 = LEGITIMATE SKIP.....	14384	1.72

PRIOR SUBSTANCE USE

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

CRKMLU	Len : 2 MONTH OF LAST CRACK USE - RECODE		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = January.....	289	0.03
	2 = February.....	252	0.03
	3 = March.....	228	0.03
	4 = April	179	0.02
	5 = May.....	207	0.02
	6 = June.....	208	0.02
	7 = July	261	0.03
	8 = August	192	0.02
	9 = September	201	0.02
	10 = October.....	170	0.02
	11 = November	198	0.02
	12 = December.....	219	0.03
	85 = BAD DATA Logically assigned	279	0.03
	89 = LEGITIMATE SKIP Logically assigned	96	0.01
	91 = NEVER USED CRACK	706650	84.46
	94 = DON'T KNOW	703	0.08
	97 = REFUSED	305	0.04
	98 = BLANK (NO ANSWER)	2366	0.28
	99 = LEGITIMATE SKIP.....	14384	1.72

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

HERAGLST	Len : 3 HOW OLD WERE YOU THE LAST TIME USED HEROIN		
		Freq	Pct
	RANGE = 1 - 67	8012	0.96
	-9 = Data not collected for this year	109309	13.06
	985 = BAD DATA Logically assigned	1114	0.13
	989 = LEGITIMATE SKIP Logically assigned	9	0.00
	991 = NEVER USED HEROIN	716536	85.64
	994 = DON'T KNOW	235	0.03
	997 = REFUSED	121	0.01
	998 = BLANK (NO ANSWER).....	425	0.05
	999 = LEGITIMATE SKIP.....	935	0.11

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

HERYLU	Len : 4 YEAR OF LAST HEROIN USE - RECODE		
		Freq	Pct
	RANGE = 2002 - 2016	2041	0.24
	-9 = Data not collected for this year	109309	13.06
	9985 = BAD DATA Logically assigned	92	0.01
	9989 = LEGITIMATE SKIP Logically assigned	64	0.01
	9991 = NEVER USED HEROIN	716536	85.64
	9994 = DON'T KNOW	242	0.03
	9997 = REFUSED	126	0.02
	9998 = BLANK (NO ANSWER).....	1535	0.18
	9999 = LEGITIMATE SKIP.....	6751	0.81

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

HERMLU Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = January.....	199	0.02
2 = February.....	159	0.02
3 = March.....	173	0.02
4 = April.....	130	0.02
5 = May.....	133	0.02
6 = June.....	151	0.02
7 = July.....	173	0.02
8 = August.....	192	0.02
9 = September.....	137	0.02
10 = October.....	141	0.02
11 = November.....	137	0.02
12 = December.....	128	0.02
85 = BAD DATA Logically assigned.....	171	0.02
89 = LEGITIMATE SKIP Logically assigned.....	64	0.01
91 = NEVER USED HEROIN.....	716536	85.64
94 = DON'T KNOW.....	322	0.04
97 = REFUSED.....	137	0.02
98 = BLANK (NO ANSWER).....	1553	0.19
99 = LEGITIMATE SKIP.....	6751	0.81

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

HALLAGLST¹ Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 75.....	14279	1.71
-9 = Data not collected for this year.....	722653	86.37
985 = BAD DATA Logically assigned.....	912	0.11
989 = LEGITIMATE SKIP Logically assigned.....	37	0.00
991 = NEVER USED HALLUCINOGENS.....	97049	11.60
994 = DON'T KNOW.....	319	0.04
997 = REFUSED.....	95	0.01
998 = BLANK (NO ANSWER).....	580	0.07
999 = LEGITIMATE SKIP.....	772	0.09

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

HALLYRLST¹ Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2013 - 2016.....	2819	0.34
-9 = Data not collected for this year.....	722653	86.37
9985 = BAD DATA Logically assigned.....	63	0.01
9989 = LEGITIMATE SKIP Logically assn.....	94	0.01
9991 = NEVER USED HALLUCINOGENS.....	97049	11.60
9994 = DON'T KNOW.....	325	0.04
9997 = REFUSED.....	100	0.01
9998 = BLANK (NO ANSWER).....	1707	0.20
9999 = LEGITIMATE SKIP.....	11886	1.42

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

HALLMOLST¹

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	187	0.02
2 = February.....	167	0.02
3 = March.....	200	0.02
4 = April.....	172	0.02
5 = May.....	209	0.02
6 = June.....	287	0.03
7 = July.....	323	0.04
8 = August.....	254	0.03
9 = September.....	185	0.02
10 = October.....	217	0.03
11 = November.....	166	0.02
12 = December.....	192	0.02
85 = BAD DATA Logically assigned.....	177	0.02
89 = LEGITIMATE SKIP Logically assn.....	94	0.01
91 = NEVER USED HALLUCINOGENS.....	97049	11.60
94 = DON'T KNOW.....	450	0.05
97 = REFUSED.....	107	0.01
98 = BLANK (NO ANSWER).....	1721	0.21
99 = LEGITIMATE SKIP.....	11886	1.42

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

LSDAGLST

Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 1 - 75.....	46995	5.62
-9 = Data not collected for this year.....	109309	13.06
985 = BAD DATA Logically assigned.....	2594	0.31
989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
991 = NEVER USED LSD.....	673033	80.44
994 = DON'T KNOW.....	1125	0.13
997 = REFUSED.....	280	0.03
998 = BLANK (NO ANSWER).....	2233	0.27
999 = LEGITIMATE SKIP.....	1123	0.13

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

LSDYLU

Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2002 - 2016.....	6124	0.73
-9 = Data not collected for this year.....	109309	13.06
9985 = BAD DATA Logically assigned.....	179	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	136	0.02
9991 = NEVER USED LSD.....	673033	80.44
9994 = DON'T KNOW.....	1153	0.14
9997 = REFUSED.....	280	0.03
9998 = BLANK (NO ANSWER).....	4857	0.58
9999 = LEGITIMATE SKIP.....	41625	4.97

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

LSDMLU	Len : 2 MONTH OF LAST LSD USE - RECODE		
		Freq	Pct
	-9 = Data not collected for this year.....	109309	13.06
	1 = January.....	450	0.05
	2 = February.....	370	0.04
	3 = March.....	424	0.05
	4 = April.....	380	0.05
	5 = May.....	402	0.05
	6 = June.....	542	0.06
	7 = July.....	664	0.08
	8 = August.....	544	0.07
	9 = September.....	425	0.05
	10 = October.....	475	0.06
	11 = November.....	399	0.05
	12 = December.....	396	0.05
	85 = BAD DATA Logically assigned.....	430	0.05
	89 = LEGITIMATE SKIP Logically assigned.....	136	0.02
	91 = NEVER USED LSD.....	673033	80.44
	94 = DON'T KNOW.....	1420	0.17
	97 = REFUSED.....	298	0.04
	98 = BLANK (NO ANSWER).....	4974	0.59
	99 = LEGITIMATE SKIP.....	41625	4.97

The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

PCPAGLST	Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP		
		Freq	Pct
	RANGE = 1 - 63.....	10240	1.22
	-9 = Data not collected for this year.....	109309	13.06
	985 = BAD DATA Logically assigned.....	1293	0.15
	989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	991 = NEVER USED PCP.....	714145	85.35
	994 = DON'T KNOW.....	424	0.05
	997 = REFUSED.....	152	0.02
	998 = BLANK (NO ANSWER).....	956	0.11
	999 = LEGITIMATE SKIP.....	175	0.02

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

PCPYLU	Len : 4 YEAR OF LAST PCP USE - RECODE		
		Freq	Pct
	RANGE = 2002 - 2016.....	926	0.11
	-9 = Data not collected for this year.....	109309	13.06
	9985 = BAD DATA Logically assigned.....	65	0.01
	9989 = LEGITIMATE SKIP Logically assigned.....	27	0.00
	9991 = NEVER USED PCP.....	714145	85.35
	9994 = DON'T KNOW.....	422	0.05
	9997 = REFUSED.....	153	0.02
	9998 = BLANK (NO ANSWER).....	2254	0.27
	9999 = LEGITIMATE SKIP.....	9395	1.12

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

PCPMLU	Len : 2 MONTH OF LAST PCP USE - RECODE	Freq	Pct
	-9 = Data not collected for this year.....	109309	13.06
	1 = January.....	99	0.01
	2 = February.....	73	0.01
	3 = March.....	54	0.01
	4 = April.....	53	0.01
	5 = May.....	67	0.01
	6 = June.....	84	0.01
	7 = July.....	75	0.01
	8 = August.....	72	0.01
	9 = September.....	45	0.01
	10 = October.....	67	0.01
	11 = November.....	47	0.01
	12 = December.....	54	0.01
	85 = BAD DATA Logically assigned.....	127	0.02
	89 = LEGITIMATE SKIP Logically assigned.....	27	0.00
	91 = NEVER USED PCP.....	714145	85.35
	94 = DON'T KNOW.....	463	0.06
	97 = REFUSED.....	157	0.02
	98 = BLANK (NO ANSWER).....	2283	0.27
	99 = LEGITIMATE SKIP.....	9395	1.12

The computer recorded that you last used "Ecstasy" or "Molly" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy" or "Molly" ?

ECSTMOAGL ¹	Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY/MOLLY	Freq	Pct
	RANGE = 1 - 66.....	7696	0.92
	-9 = Data not collected for this year.....	722653	86.37
	985 = BAD DATA Logically assigned.....	422	0.05
	991 = NEVER USED ECSTASY.....	105014	12.55
	994 = DON'T KNOW.....	122	0.01
	997 = REFUSED.....	35	0.00
	998 = BLANK (NO ANSWER).....	401	0.05
	999 = LEGITIMATE SKIP.....	353	0.04

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

ECSTMOYLU ¹	Len : 4 YEAR OF LAST ECSTASY OR MOLLY USE - RECODE	Freq	Pct
	RANGE = 2013 - 2016.....	1783	0.21
	-9 = Data not collected for this year.....	722653	86.37
	9985 = BAD DATA Logically assigned.....	26	0.00
	9989 = LEGITIMATE SKIP Logically assn.....	45	0.01
	9991 = NEVER USED ECSTASY OR MOLLY.....	105014	12.55
	9994 = DON'T KNOW.....	128	0.02
	9997 = REFUSED.....	38	0.00
	9998 = BLANK (NO ANSWER).....	828	0.10
	9999 = LEGITIMATE SKIP.....	6181	0.74

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy" or "Molly"?

ECSTMOMLU¹ Len : 2 MONTH OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = January.....	125	0.01
2 = February.....	115	0.01
3 = March.....	126	0.02
4 = April	118	0.01
5 = May.....	126	0.02
6 = June.....	213	0.03
7 = July	192	0.02
8 = August	147	0.02
9 = September	105	0.01
10 = October	137	0.02
11 = November	108	0.01
12 = December.....	137	0.02
85 = BAD DATA Logically assigned	60	0.01
89 = LEGITIMATE SKIP Logically assn.....	45	0.01
91 = NEVER USED ECSTASY OR MOLLY.....	105014	12.55
94 = DON'T KNOW	183	0.02
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	871	0.10
99 = LEGITIMATE SKIP.....	6181	0.74

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

INHLA GLST¹ Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 69	9245	1.10
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	1012	0.12
989 = LEGITIMATE SKIP Logically assigned	4	0.00
991 = NEVER USED INHALANTS	102162	12.21
994 = DON'T KNOW	556	0.07
997 = REFUSED	185	0.02
998 = BLANK (NO ANSWER).....	516	0.06
999 = LEGITIMATE SKIP.....	363	0.04

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

INHLYRLST¹ Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2013 - 2016	1235	0.15
-9 = Data not collected for this year.....	722653	86.37
9985 = BAD DATA Logically assigned	60	0.01
9989 = LEGITIMATE SKIP Logically assn.....	49	0.01
9991 = NEVER USED INHALANTS	102162	12.21
9994 = DON'T KNOW	567	0.07
9997 = REFUSED	187	0.02
9998 = BLANK (NO ANSWER).....	1519	0.18
9999 = LEGITIMATE SKIP.....	8264	0.99

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

INHLMOLST¹ Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	92	0.01
2 = February.....	77	0.01
3 = March.....	90	0.01
4 = April.....	65	0.01
5 = May.....	89	0.01
6 = June.....	106	0.01
7 = July.....	103	0.01
8 = August.....	68	0.01
9 = September.....	79	0.01
10 = October.....	87	0.01
11 = November.....	103	0.01
12 = December.....	66	0.01
85 = BAD DATA Logically assigned.....	113	0.01
89 = LEGITIMATE SKIP Logically assn.....	49	0.01
91 = NEVER USED INHALANTS.....	102162	12.21
94 = DON'T KNOW.....	703	0.08
97 = REFUSED.....	199	0.02
98 = BLANK (NO ANSWER).....	1528	0.18
99 = LEGITIMATE SKIP.....	8264	0.99

The computer recorded that you last used methamphetamine [MEREK FILL]. How old were you the last time you used methamphetamine?

METHAGLST¹ Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 2 - 68.....	4281	0.51
-9 = Data not collected for this year.....	722653	86.37
985 = BAD DATA Logically assigned.....	369	0.04
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED METHAMPHETAMINE.....	108776	13.00
994 = DON'T KNOW.....	119	0.01
997 = REFUSED.....	43	0.01
998 = BLANK (NO ANSWER).....	158	0.02
999 = LEGITIMATE SKIP.....	295	0.04

Did you last use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use methamphetamine?

METHYRLST¹ Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2013 - 2016.....	628	0.08
-9 = Data not collected for this year.....	722653	86.37
9985 = BAD DATA Logically assigned.....	11	0.00
9989 = LEGITIMATE SKIP Logically assn.....	27	0.00
9991 = NEVER USED METHAMPHETAMINE.....	108776	13.00
9994 = DON'T KNOW.....	123	0.01
9997 = REFUSED.....	45	0.01
9998 = BLANK (NO ANSWER).....	527	0.06
9999 = LEGITIMATE SKIP.....	3906	0.47

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use methamphetamine?

In what month in [YEAR FROM LU17a or LU17b] did you last use methamphetamine?

METHMOLST¹ Len : 2 MONTH OF LAST METH USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = January.....	48	0.01
2 = February.....	61	0.01
3 = March.....	53	0.01
4 = April.....	37	0.00
5 = May.....	39	0.00
6 = June.....	50	0.01
7 = July.....	47	0.01
8 = August.....	40	0.00
9 = September.....	49	0.01
10 = October.....	47	0.01
11 = November.....	47	0.01
12 = December.....	59	0.01
85 = BAD DATA Logically assigned.....	29	0.00
89 = LEGITIMATE SKIP Logically assigned.....	27	0.00
91 = NEVER USED METHAMPHETAMINE.....	108776	13.00
94 = DON'T KNOW.....	151	0.02
97 = REFUSED.....	47	0.01
98 = BLANK (NO ANSWER).....	530	0.06
99 = LEGITIMATE SKIP.....	3906	0.47

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

CIGYRBFR Len : 2 SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	Freq	Pct
-9 = Data not collected for this year.....	164911	19.71
1 = Yes.....	174148	20.81
2 = No.....	52574	6.28
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10086	1.21
91 = NEVER USED CIGARETTES.....	318876	38.11
94 = DON'T KNOW.....	1869	0.22
97 = REFUSED.....	938	0.11
98 = BLANK (NO ANSWER).....	1908	0.23
99 = LEGITIMATE SKIP.....	111380	13.31

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

ALCYRBFR Len : 2 HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	Freq	Pct
-9 = Data not collected for this year.....	164911	19.71
1 = Yes.....	364882	43.61
2 = No.....	112346	13.43
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED ALCOHOL.....	190114	22.72
94 = DON'T KNOW.....	2925	0.35
97 = REFUSED.....	1311	0.16
98 = BLANK (NO ANSWER).....	182	0.02

PRIOR SUBSTANCE USE

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

COCYRBFR Len : 2 HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Yes.....	17667	2.11
2 = No	58975	7.05
85 = BAD DATA Logically assigned	9	0.00
91 = NEVER USED COCAINE	594218	71.02
94 = DON'T KNOW	381	0.05
97 = REFUSED	394	0.05
98 = BLANK (NO ANSWER)	141	0.02

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime use of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXEVER Len : 2 EVER RECEIVED ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	39905	4.77
2 = No	500679	59.84
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned	38	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	541	0.06
97 = REFUSED	835	0.10
98 = BLANK (NO ANSWER)	3837	0.46

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXYREVER Len : 2 EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	13115	1.57
2 = No	25255	3.02
3 = Yes LOGICALLY ASSIGNED	1472	0.18
4 = No LOGICALLY ASSIGNED	24	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned	17	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	16	0.00
97 = REFUSED	856	0.10
98 = BLANK (NO ANSWER)	4401	0.53
99 = LEGITIMATE SKIP (TXEVER=2)	500679	59.84

PRIOR SUBSTANCE USE

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

TXYRADG Len : 2 TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Alcohol use only	4151	0.50
2 = Drug use only	3430	0.41
3 = Both alcohol and drug use	4528	0.54
4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED	10	0.00
5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED	21	0.00
6 = Both alcohol and drug use LOGICALLY ASSIGNED	10	0.00
11 = Alcohol only (but last tmt for drugs reported)	451	0.05
12 = Drugs only (but last tmt for alc reported)	422	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
85 = BAD DATA Logically assigned	43	0.01
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	36	0.00
97 = REFUSED	894	0.11
98 = BLANK (NO ANSWER)	5881	0.70
99 = LEGITIMATE SKIP	525958	62.86

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?

TXYRHOSP Len : 2 RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes	2458	0.29
2 = No	10441	1.25
5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2)	141	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
85 = BAD DATA Logically assigned	53	0.01
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	15	0.00
97 = REFUSED	878	0.10
98 = BLANK (NO ANSWER)	5891	0.70
99 = LEGITIMATE SKIP	525958	62.86

Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?

TXYRHPAD Len : 2 HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Alcohol use	89	0.01
2 = Drug use	137	0.02
3 = Both alcohol and drug use	730	0.09
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	6	0.00
97 = REFUSED	857	0.10
98 = BLANK (NO ANSWER)	6330	0.76
99 = LEGITIMATE SKIP	537684	64.26

PRIOR SUBSTANCE USE

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?

TXYRRFIN	Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	3086	0.37
	2 = No	9555	1.14
	3 = Yes LOGICALLY ASSIGNED.....	9	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	369	0.04
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned	65	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	16	0.00
	97 = REFUSED	887	0.11
	98 = BLANK (NO ANSWER)	5890	0.70
	99 = LEGITIMATE SKIP.....	525958	62.86

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?

TXYRINAD	Len : 2 RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Alcohol use	63	0.01
	2 = Drug use	114	0.01
	3 = Both alcohol and drug use.....	1156	0.14
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	857	0.10
	98 = BLANK (NO ANSWER)	6541	0.78
	99 = LEGITIMATE SKIP.....	537100	64.19

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

TXYRRFOP	Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	5288	0.63
	2 = No	7046	0.84
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	645	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned	68	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	44	0.01
	97 = REFUSED	888	0.11
	98 = BLANK (NO ANSWER)	5890	0.70
	99 = LEGITIMATE SKIP.....	525958	62.86

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

TXYRPOAD	Len : 2 OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Alcohol use	108	0.01
	2 = Drug use	183	0.02
	3 = Both alcohol and drug use.....	1721	0.21
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	858	0.10
	98 = BLANK (NO ANSWER)	6684	0.80
	99 = LEGITIMATE SKIP.....	536274	64.09

PRIOR SUBSTANCE USE

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

TXYRMHC	Len : 2 RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	3178	0.38
	2 = No.....	9368	1.12
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	453	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	67	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	27	0.00
	97 = REFUSED	893	0.11
	98 = BLANK (NO ANSWER)	5889	0.70
	99 = LEGITIMATE SKIP.....	525958	62.86

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

TXYRMHAD	Len : 2 MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Alcohol use.....	75	0.01
	2 = Drug use	96	0.01
	3 = Both alcohol and drug use.....	1003	0.12
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	859	0.10
	98 = BLANK (NO ANSWER)	6496	0.78
	99 = LEGITIMATE SKIP.....	537296	64.22

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

TXYRTXER	Len : 2 RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1386	0.17
	2 = No.....	11410	1.36
	3 = Yes LOGICALLY ASSIGNED.....	189	0.02
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	35	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	63	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	13	0.00
	97 = REFUSED	891	0.11
	98 = BLANK (NO ANSWER)	5890	0.70
	99 = LEGITIMATE SKIP.....	525958	62.86

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

TXYRERAD	Len : 2 EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Alcohol use.....	109	0.01
	2 = Drug use	143	0.02
	3 = Both alcohol and drug use.....	205	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	858	0.10
	98 = BLANK (NO ANSWER)	6276	0.75
	99 = LEGITIMATE SKIP.....	538240	64.33

PRIOR SUBSTANCE USE

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

TXYRDOC	Len : 2 RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1881	0.22
	2 = No.....	10886	1.30
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	246	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	67	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	14	0.00
	97 = REFUSED	887	0.11
	98 = BLANK (NO ANSWER)	5891	0.70
	99 = LEGITIMATE SKIP.....	525958	62.86

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

TXYRDCAD	Len : 2 PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Alcohol use.....	41	0.00
	2 = Drug use	77	0.01
	3 = Both alcohol and drug use.....	436	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	856	0.10
	98 = BLANK (NO ANSWER)	6237	0.75
	99 = LEGITIMATE SKIP.....	538185	64.32

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

TXYRJAIL	Len : 2 RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	1299	0.16
	2 = No.....	11624	1.39
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	96	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	68	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	10	0.00
	97 = REFUSED	883	0.11
	98 = BLANK (NO ANSWER)	5891	0.70
	99 = LEGITIMATE SKIP.....	525958	62.86

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

TXYRJLAD	Len : 2 PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Alcohol use.....	50	0.01
	2 = Drug use	86	0.01
	3 = Both alcohol and drug use.....	439	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	858	0.10
	98 = BLANK (NO ANSWER)	6196	0.74
	99 = LEGITIMATE SKIP.....	538201	64.32

PRIOR SUBSTANCE USE

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

TXYRSHG Len : 2 RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	6709	0.80
2 = No.....	5824	0.70
3 = Yes LOGICALLY ASSIGNED.....	23	0.00
5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	468	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	66	0.01
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	19	0.00
97 = REFUSED	879	0.11
98 = BLANK (NO ANSWER)	5889	0.70
99 = LEGITIMATE SKIP.....	525958	62.86

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

TXYRSGAD Len : 2 SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Alcohol use.....	260	0.03
2 = Drug use	248	0.03
3 = Both alcohol and drug use.....	2105	0.25
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	1	0.00
97 = REFUSED	859	0.10
98 = BLANK (NO ANSWER)	6650	0.79
99 = LEGITIMATE SKIP.....	535710	64.03

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

TXYRSOP Len : 2 RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3237	0.39
2 = No.....	8594	1.03
5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	1068	0.13
7 = Treatment location unknown, LOG ASSN	112	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	63	0.01
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	31	0.00
97 = REFUSED	882	0.11
98 = BLANK (NO ANSWER)	5890	0.70
99 = LEGITIMATE SKIP.....	525958	62.86

SUBSTANCE TREATMENT

SUBSTANCE TREATMENT

This note applies to variables in this section marked by a¹.

TXYROTS2

Len : 3 OTHER PLACE RECEIVED TRMT PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = A hospital overnight as an inpatient.....	3	0.00
2 = A res drug/alcohol rehab facility overnight.....	16	0.00
3 = A drug or alcohol rehab facility as an outpatient.....	9	0.00
4 = A mental health center or facility as outpatient.....	3	0.00
5 = An emergency room.....	1	0.00
6 = A private doctor's office.....	11	0.00
7 = A prison or jail.....	15	0.00
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	59	0.01
9 = Some other place.....	240	0.03
21 = A hospital overnight as an inpatient.....	3	0.00
22 = A res drug/alcohol rehab facility overnight.....	3	0.00
23 = A drug or alcohol rehab facility as an outpatient.....	6	0.00
24 = A mental health center or facility as outpatient.....	2	0.00
26 = A private doctor's office.....	1	0.00
27 = A prison or jail.....	1	0.00
28 = Self-help group, Alcoholic/Narcotics Anonymous.....	23	0.00
40 = Home, family, friends.....	225	0.03
41 = School, college.....	416	0.05
42 = Church/religious/spiritual influence.....	217	0.03
44 = Halfway house/group home.....	41	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	89	0.01
47 = Commnuty/city/county/state pgm or facil; unspcfd.....	65	0.01
48 = Counselor, therapist, psychologist, psychiatrist.....	532	0.06
49 = Court-mandated/sponsored program.....	440	0.05
51 = Alcohol/drug class or education, locale unspcfd.....	109	0.01
52 = Military/VA Hospital.....	43	0.01
53 = Hospital; mental health or patient status unspcfd.....	33	0.00
54 = On the job, Job Corp, EAP.....	3	0.00
55 = Youth-oriented facility/organization/program.....	80	0.01
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd.....	44	0.01
58 = Other individual, relationship unspecified.....	18	0.00
59 = Foster Care, Child & Family Services.....	11	0.00
61 = Camp/boot camp/outward bound/wilderness program.....	3	0.00
62 = Preliminary evaluation, location unspecified.....	4	0.00
63 = Medical clinic.....	11	0.00
64 = Methadone clinic/program.....	170	0.02
65 = Name of facility/program given.....	836	0.10
66 = Faith-based formal program/facility.....	13	0.00
68 = Detox.....	5	0.00
73 = Group counseling/therapy.....	14	0.00
74 = Clinic; type unspecified.....	6	0.00
77 = Group; type unspecified.....	4	0.00
78 = Outpatient facility; type and reason unspecified.....	11	0.00
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
985 = BAD DATA Logically assigned.....	241	0.03
991 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
994 = DON'T KNOW.....	72	0.01
997 = REFUSED.....	951	0.11
998 = BLANK (NO ANSWER).....	6180	0.74
999 = LEGITIMATE SKIP.....	534552	63.89

SUBSTANCE TREATMENT

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

TXYROTAD	Len : 2 OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Alcohol use	68	0.01
	2 = Drug use	70	0.01
	3 = Both alcohol and drug use	863	0.10
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	858	0.10
	98 = BLANK (NO ANSWER)	6712	0.80
	99 = LEGITIMATE SKIP	537262	64.21

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

TXYRVSER	Len : 2 EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes	513	0.06
	2 = No	7599	0.91
	6 = NEVER USED RELEVANT DRUGS	529	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	12	0.00
	97 = REFUSED	914	0.11
	98 = BLANK (NO ANSWER)	6155	0.74
	99 = LEGITIMATE SKIP	530109	63.36

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

TXYRNME2	Len : 3 # TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30	487	0.06
	-9 = Data not collected for this year	114043	13.63
	31 = 31 or more	3	0.00
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
	985 = BAD DATA Logically assigned	2	0.00
	991 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	994 = DON'T KNOW	17	0.00
	997 = REFUSED	920	0.11
	998 = BLANK (NO ANSWER)	6169	0.74
	999 = LEGITIMATE SKIP	538237	64.33

Are you currently receiving treatment or counseling for your [TXFILL1]?

TXRCVNOW	Len : 2 CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes	5093	0.61
	2 = No	7961	0.95
	3 = Yes LOGICALLY ASSIGNED	1	0.00
	4 = No LOGICALLY ASSIGNED	8	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
	85 = BAD DATA Logically assigned	56	0.01
	89 = LEGITIMATE SKIP Logically assigned	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	20	0.00
	97 = REFUSED	879	0.11
	98 = BLANK (NO ANSWER)	5859	0.70
	99 = LEGITIMATE SKIP	525934	62.86

SUBSTANCE TREATMENT

NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMR, NDTXSEDR, NDTXSODR, NDTXDG1R, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

NDTXNEDR Len : 2 NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	3887	0.46
2 = No.....	522317	62.43
11 = Yes (TXYREVER=3).....	369	0.04
12 = No (TXYREVER=3).....	1089	0.13
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	36	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	448	0.05
97 = REFUSED.....	712	0.09
98 = BLANK (NO ANSWER).....	3853	0.46
99 = LEGITIMATE SKIP.....	13124	1.57

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

NDTXMORE Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	619	0.07
2 = No.....	7323	0.88
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	17	0.00
97 = REFUSED.....	29	0.00
98 = BLANK (NO ANSWER).....	6795	0.81
99 = LEGITIMATE SKIP.....	531051	63.47

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

NDTMRALC Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	351	0.04
6 = Response not entered.....	265	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

NDTMRMJ Len : 2 NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	203	0.02
6 = Response not entered.....	413	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

SUBSTANCE TREATMENT

NDTMRROC	Len : 2 NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	108	0.01
	6 = Response not entered	508	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER)	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35
NDTMRHER	Len : 2 NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	64	0.01
	6 = Response not entered	552	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER)	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35
NDTMRHAL	Len : 2 NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	20	0.00
	6 = Response not entered	596	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER)	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35
NDTMRINH	Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	10	0.00
	6 = Response not entered	606	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER)	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35
NDTMRANL	Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	108	0.01
	6 = Response not entered	508	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	30	0.00
	98 = BLANK (NO ANSWER)	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35

SUBSTANCE TREATMENT

NDTMRTRN	Len : 2 NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Response entered.....	42	0.01
	6 = Response not entered.....	574	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	30	0.00
	98 = BLANK (NO ANSWER).....	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35

NDTMRSTM	Len : 2 NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Response entered.....	32	0.00
	6 = Response not entered.....	584	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	30	0.00
	98 = BLANK (NO ANSWER).....	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35

NDTMRSED	Len : 2 NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Response entered.....	15	0.00
	6 = Response not entered.....	601	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	30	0.00
	98 = BLANK (NO ANSWER).....	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35

NDTMROTH	Len : 2 NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Response entered.....	46	0.01
	6 = Response not entered.....	570	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	30	0.00
	98 = BLANK (NO ANSWER).....	6813	0.81
	99 = LEGITIMATE SKIP.....	538374	64.35

During the past 12 months did you need treatment or counseling for your use of alcohol?

NDTXALCR	Len : 2 NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	2031	0.24
	2 = No.....	1724	0.21
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	11 = Yes (TXYREVER=3).....	189	0.02
	12 = No (TXYREVER=3).....	164	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED.....	643	0.08
	98 = BLANK (NO ANSWER).....	554	0.07
	99 = LEGITIMATE SKIP.....	540524	64.60

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

NDTXMJR	Len : 2 NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	805	0.10
	2 = No.....	2544	0.30
	3 = Yes LOGICALLY ASSIGNED.....	10	0.00
	11 = Yes (TXYREVER=3).....	106	0.01
	12 = No (TXYREVER=3).....	207	0.02
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	2	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	97 = REFUSED	378	0.05
	98 = BLANK (NO ANSWER)	302	0.04
	99 = LEGITIMATE SKIP.....	541481	64.72

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

NDTXCOCR	Len : 2 NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	514	0.06
	2 = No.....	1630	0.19
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	11 = Yes (TXYREVER=3).....	54	0.01
	12 = No (TXYREVER=3).....	138	0.02
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	4	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	97 = REFUSED	132	0.02
	98 = BLANK (NO ANSWER)	163	0.02
	99 = LEGITIMATE SKIP.....	543194	64.92

During the past 12 months, did you need treatment or counseling for your use of heroin?

NDTXHERR	Len : 2 NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	179	0.02
	2 = No.....	349	0.04
	11 = Yes (TXYREVER=3).....	30	0.00
	12 = No (TXYREVER=3).....	32	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	97 = REFUSED	52	0.01
	98 = BLANK (NO ANSWER)	274	0.03
	99 = LEGITIMATE SKIP.....	544919	65.13

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

NDTXHALR	Len : 2 NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	129	0.02
	2 = No.....	2053	0.25
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	11 = Yes (TXYREVER=3).....	18	0.00
	12 = No (TXYREVER=3).....	169	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	97 = REFUSED	160	0.02
	98 = BLANK (NO ANSWER)	1469	0.18
	99 = LEGITIMATE SKIP.....	541831	64.76

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of inhalants?

NDTXINHR	Len : 2 NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	95	0.01
	2 = No.....	1428	0.17
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	11 = Yes (TXYREVER=3).....	14	0.00
	12 = No (TXYREVER=3).....	109	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	97 = REFUSED	189	0.02
	98 = BLANK (NO ANSWER)	955	0.11
	99 = LEGITIMATE SKIP.....	543043	64.90

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

NDTXANLR	Len : 2 NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	562	0.07
	2 = No.....	1763	0.21
	3 = Yes LOGICALLY ASSIGNED.....	14	0.00
	11 = Yes (TXYREVER=3).....	60	0.01
	12 = No (TXYREVER=3).....	150	0.02
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	3	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	97 = REFUSED	251	0.03
	98 = BLANK (NO ANSWER)	1744	0.21
	99 = LEGITIMATE SKIP.....	541283	64.69

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

NDTXTRNR	Len : 2 NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	183	0.02
	2 = No.....	1471	0.18
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	11 = Yes (TXYREVER=3).....	17	0.00
	12 = No (TXYREVER=3).....	129	0.02
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned	1	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	97 = REFUSED	124	0.01
	98 = BLANK (NO ANSWER)	805	0.10
	99 = LEGITIMATE SKIP.....	543100	64.91

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

NDTXSTMR Len : 2 NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	195	0.02
2 = No.....	1213	0.14
3 = Yes LOGICALLY ASSIGNED.....	82	0.01
11 = Yes (TXYREVER=3).....	20	0.00
12 = No (TXYREVER=3).....	104	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	2	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	1	0.00
97 = REFUSED	129	0.02
98 = BLANK (NO ANSWER)	755	0.09
99 = LEGITIMATE SKIP.....	543332	64.94

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

NDTXSEDR Len : 2 NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	76	0.01
2 = No.....	425	0.05
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
11 = Yes (TXYREVER=3).....	7	0.00
12 = No (TXYREVER=3).....	44	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	1	0.00
97 = REFUSED	89	0.01
98 = BLANK (NO ANSWER)	848	0.10
99 = LEGITIMATE SKIP.....	544337	65.06

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

NDTXSODR Len : 2 NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	278	0.03
2 = No.....	3051	0.36
5 = Drug Unknown LOGICALLY ASSIGNED.....	551	0.07
11 = Yes (TXYREVER=3).....	40	0.00
12 = No (TXYREVER=3).....	327	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	4	0.00
97 = REFUSED	717	0.09
98 = BLANK (NO ANSWER)	4336	0.52
99 = LEGITIMATE SKIP.....	536530	64.12

SUBSTANCE TREATMENT

NDTXDG1R

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
103 = Amytal.....	1	0.00
111 = Dalmane, Flurazepam.....	1	0.00
115 = Phenobarbital.....	1	0.00
122 = Over-the-counter sleep aid; not specified <OTC>.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
289 = Olanzapine, Zyprexa.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	67	0.01
336 = Diet pills/medications/drugs; otherwise unspfd.....	1	0.00
348 = Crystal.....	1	0.00
355 = Crystal meth, crystal methamphetamine.....	8	0.00
418 = Methadone, Dolophine.....	1	0.00
423 = Percocet.....	1	0.00
425 = Advil <OTC>.....	1	0.00
426 = Fiorinal.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	1	0.00
503 = Other aerosol sprays.....	1	0.00
543 = Liquid oxygen, oxygen.....	1	0.00
601 = LSD ("acid").....	2	0.00
702 = Heroin.....	3	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	9	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	21	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	7	0.00
806 = Crack, rock.....	4	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	12	0.00
809 = Pills.....	1	0.00
812 = Cigars.....	1	0.00
813 = Cigarettes, tobacco (type unspecified).....	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
900 = Not a drug.....	2	0.00
1006 = Trileptal, Oxcarbazepine.....	1	0.00
2011 = Lexapro.....	1	0.00
3023 = Adderall.....	3	0.00
3033 = Metabolife <OTC>.....	1	0.00
3052 = Speed; otherwise unspecified.....	8	0.00
3100 = Over-the-counter stimulant; not otherwise specifd.....	1	0.00
4046 = Oxycodone or unspecified oxycodone products.....	4	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin.....	3	0.00
4076 = OTC Pain reliever; not otherwise specified <OTC>.....	1	0.00
4109 = Suboxone.....	3	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6056 = Wet.....	1	0.00
6121 = Cactus; specifically not peyote.....	1	0.00
8012 = Coriciden <OTC>.....	3	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8044 = Cephelaxin, Keflex.....	1	0.00
8058 = Cough medicine/syrup; type unspecified.....	2	0.00
8139 = Chloroquine, Nivaquine.....	1	0.00
8203 = Bar; otherwise unspecified.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8301 = Bath salts, otherwise unspecified.....	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
9985 = BAD DATA Logically assigned.....	50	0.01
9991 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
9994 = DON'T KNOW.....	29	0.00
9997 = REFUSED.....	742	0.09
9998 = BLANK (NO ANSWER).....	4892	0.58
9999 = LEGITIMATE SKIP.....	539908	64.53

SUBSTANCE TREATMENT

NDTXDG2R

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
115 = Phenobarbital	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	4	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.00
418 = Methadone, Dolophine	1	0.00
423 = Percocet	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
442 = Ibuprofen	1	0.00
499 = Aleve <OTC>	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	4	0.00
805 = Cocaine, coca, cocaina, coke, perico	4	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate	1	0.00
900 = Not a drug	1	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
4052 = Endocet	1	0.00
4119 = Buprenorphine, Subutex	1	0.00
8009 = Allergy pills/antihistamine; type unspecified	1	0.00
8108 = Atenonol	1	0.00
8138 = Chlorphenamine maleate, Chlorpheniramine	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
9985 = BAD DATA Logically assigned	35	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
9994 = DON'T KNOW	2	0.00
9997 = REFUSED	722	0.09
9998 = BLANK (NO ANSWER)	5136	0.61
9999 = LEGITIMATE SKIP	539908	64.53

NDTXDG3R

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
115 = Phenobarbital	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
804 = Hashish	1	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
813 = Cigarettes, tobacco (type unspecified)	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco	1	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
9985 = BAD DATA Logically assigned	19	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
9994 = DON'T KNOW	3	0.00
9997 = REFUSED	718	0.09
9998 = BLANK (NO ANSWER)	5171	0.62
9999 = LEGITIMATE SKIP	539908	64.53

SUBSTANCE TREATMENT

NDTXDG4R

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
209 = Xanax, Alprazolam, Tafil, Xanax bars	2	0.00
417 = Morphine, Roxanol	1	0.00
601 = LSD ("acid")	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
8058 = Cough medicine/syrup; type unspecified	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
9985 = BAD DATA Logically assigned	12	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	717	0.09
9998 = BLANK (NO ANSWER)	5185	0.62
9999 = LEGITIMATE SKIP	539908	64.53

NDTXDG5R

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
9985 = BAD DATA Logically assigned	8	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
9997 = REFUSED	717	0.09
9998 = BLANK (NO ANSWER)	5195	0.62
9999 = LEGITIMATE SKIP	539908	64.53

NOTE: NDTXEFTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

NDTXEFTR

Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes	1036	0.12
2 = No	2756	0.33
11 = Yes (see note)	327	0.04
12 = No (TXYREVER=3)	124	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	404	0.05
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	7	0.00
97 = REFUSED	718	0.09
98 = BLANK (NO ANSWER)	4336	0.52
99 = LEGITIMATE SKIP	536530	64.12

SUBSTANCE TREATMENT

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNHCV	Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	1076	0.13
	6 = Response not entered	2911	0.35
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	99	0.01
	13 = Response entered LOG ASSN (NDTXNEED/NDTXEFTR=11).....	1	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	84	0.01
	97 = REFUSED	797	0.10
	98 = BLANK (NO ANSWER)	4336	0.52
	99 = LEGITIMATE SKIP.....	536530	64.12

NDTXLMCV	Len : 2 TREATMENT NOT COVERED ON HLTH CARE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	222	0.03
	3 = Response entered LOGICALLY ASSIGNED	2	0.00
	6 = Response not entered	3811	0.46
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	52	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	84	0.01
	97 = REFUSED	797	0.10
	98 = BLANK (NO ANSWER)	4337	0.52
	99 = LEGITIMATE SKIP.....	536530	64.12

NDTXNTSP	Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	262	0.03
	3 = Response entered LOGICALLY ASSIGNED	4	0.00
	6 = Response not entered	3783	0.45
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	37	0.00
	13 = Response entered LOG ASSN(NDTXNEDR or NDTXEFTR=11).....	1	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	84	0.01
	97 = REFUSED	797	0.10
	98 = BLANK (NO ANSWER)	4337	0.52
	99 = LEGITIMATE SKIP.....	536530	64.12

NDTXTYPE	Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Response entered	219	0.03
	6 = Response not entered	3844	0.46
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	24	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
	94 = DON'T KNOW	84	0.01
	97 = REFUSED	797	0.10
	98 = BLANK (NO ANSWER)	4337	0.52
	99 = LEGITIMATE SKIP.....	536530	64.12

SUBSTANCE TREATMENT

NDTXREDY

Len : 2 NOT READY TO STOP USING [TXFILL2]

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	1292	0.15
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered	2679	0.32
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	102	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3 or NDTXEFTR=11)	3	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.10
98 = BLANK (NO ANSWER)	4337	0.52
99 = LEGITIMATE SKIP.....	536530	64.12

NDTXOPEN

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	109	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3959	0.47
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	18	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.10
98 = BLANK (NO ANSWER)	4337	0.52
99 = LEGITIMATE SKIP.....	536530	64.12

NDTXWHER

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	486	0.06
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered	3565	0.43
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	31	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.10
98 = BLANK (NO ANSWER)	4337	0.52
99 = LEGITIMATE SKIP.....	536530	64.12

NDTXNBR

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	489	0.06
6 = Response not entered	3570	0.43
11 = Response entered (TXYREVER=3 or NDTXEFTR=3).....	28	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.10
98 = BLANK (NO ANSWER)	4337	0.52
99 = LEGITIMATE SKIP.....	536530	64.12

NDTXJOB

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	373	0.04
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3687	0.44
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	26	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.10
98 = BLANK (NO ANSWER)	4337	0.52
99 = LEGITIMATE SKIP.....	536530	64.12

SUBSTANCE TREATMENT

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNOND	Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Response entered	285	0.03
	3 = Response entered LOGICALLY ASSIGNED	31	0.00
	6 = Response not entered	3374	0.40
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	35	0.00
	13 = Response entered LOG ASSN (see level 11).....	4	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
	91 = NEVER USED ALCOHOL OR DRUGS	164211	19.63
	94 = DON'T KNOW	82	0.01
	97 = REFUSED	759	0.09
	98 = BLANK (NO ANSWER)	4029	0.48
	99 = LEGITIMATE SKIP.....	495391	59.21

NDTXHNDL	Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Response entered	382	0.05
	3 = Response entered LOGICALLY ASSIGNED	13	0.00
	6 = Response not entered	3303	0.39
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	30	0.00
	13 = Response entered LOG ASSN (see level 11).....	1	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
	91 = NEVER USED ALCOHOL OR DRUGS	164211	19.63
	94 = DON'T KNOW	82	0.01
	97 = REFUSED	759	0.09
	98 = BLANK (NO ANSWER)	4029	0.48
	99 = LEGITIMATE SKIP.....	495391	59.21

NDTXNHLP	Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Response entered	138	0.02
	3 = Response entered LOGICALLY ASSIGNED	7	0.00
	6 = Response not entered	3577	0.43
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	7	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
	91 = NEVER USED ALCOHOL OR DRUGS	164211	19.63
	94 = DON'T KNOW	82	0.01
	97 = REFUSED	759	0.09
	98 = BLANK (NO ANSWER)	4029	0.48
	99 = LEGITIMATE SKIP.....	495391	59.21

NDTXBUSY	Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)		
		Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Response entered	161	0.02
	3 = Response entered LOGICALLY ASSIGNED	14	0.00
	6 = Response not entered	3542	0.42
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	12	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
	91 = NEVER USED ALCOHOL OR DRUGS	164211	19.63
	94 = DON'T KNOW	82	0.01
	97 = REFUSED	759	0.09
	98 = BLANK (NO ANSWER)	4029	0.48
	99 = LEGITIMATE SKIP.....	495391	59.21

SUBSTANCE TREATMENT

NDTXFOUT

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year	168122	20.09
1 = Response entered	251	0.03
3 = Response entered LOGICALLY ASSIGNED	13	0.00
6 = Response not entered	3450	0.41
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	15	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS	164211	19.63
94 = DON'T KNOW	82	0.01
97 = REFUSED	759	0.09
98 = BLANK (NO ANSWER)	4029	0.48
99 = LEGITIMATE SKIP.....	495391	59.21

NDTXSOR

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	510	0.06
6 = Response not entered	3519	0.42
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	58	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	84	0.01
97 = REFUSED	797	0.10
98 = BLANK (NO ANSWER)	4337	0.52
99 = LEGITIMATE SKIP.....	536530	64.12

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

NDTMREFT

Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	348	0.04
2 = No.....	270	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	1	0.00
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNHCV

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	181	0.02
6 = Response not entered	405	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

NDMRLMCV

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	45	0.01
6 = Response not entered	541	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

SUBSTANCE TREATMENT

NDMRNTSP

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	56	0.01
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	528	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP	538374	64.35

NDMRTYPE

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	46	0.01
6 = Response not entered	540	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP	538374	64.35

NDMRREDY

Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	172	0.02
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	413	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP	538374	64.35

NDMROPEN

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	25	0.00
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	559	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP	538374	64.35

NDMRWHER

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Response entered	40	0.00
6 = Response not entered	546	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	13	0.00
97 = REFUSED	49	0.01
98 = BLANK (NO ANSWER)	6813	0.81
99 = LEGITIMATE SKIP	538374	64.35

SUBSTANCE TREATMENT

NDMRNBR

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	40	0.00
6 = Response not entered.....	546	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

NDMRJOB

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	35	0.00
6 = Response not entered.....	551	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNOND

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year.....	168122	20.09
1 = Response entered.....	54	0.01
3 = Response entered LOGICALLY ASSIGNED.....	4	0.00
6 = Response not entered.....	481	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	19.63
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	45	0.01
98 = BLANK (NO ANSWER).....	6360	0.76
99 = LEGITIMATE SKIP.....	497033	59.40

NDMRHNDL

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year.....	168122	20.09
1 = Response entered.....	46	0.01
6 = Response not entered.....	493	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	19.63
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	45	0.01
98 = BLANK (NO ANSWER).....	6360	0.76
99 = LEGITIMATE SKIP.....	497033	59.40

NDMRNHLP

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year.....	168122	20.09
1 = Response entered.....	14	0.00
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	522	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	19.63
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	45	0.01
98 = BLANK (NO ANSWER).....	6360	0.76
99 = LEGITIMATE SKIP.....	497033	59.40

SUBSTANCE TREATMENT

NDMRBUSY

Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year.....	168122	20.09
1 = Response entered.....	22	0.00
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	514	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	19.63
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	45	0.01
98 = BLANK (NO ANSWER).....	6360	0.76
99 = LEGITIMATE SKIP.....	497033	59.40

NDMRFOUT

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year.....	168122	20.09
1 = Response entered.....	15	0.00
3 = Response entered LOGICALLY ASSIGNED.....	4	0.00
6 = Response not entered.....	520	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	164211	19.63
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	45	0.01
98 = BLANK (NO ANSWER).....	6360	0.76
99 = LEGITIMATE SKIP.....	497033	59.40

NDMRSOR

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Response entered.....	97	0.01
6 = Response not entered.....	489	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	49	0.01
98 = BLANK (NO ANSWER).....	6813	0.81
99 = LEGITIMATE SKIP.....	538374	64.35

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

TXLASREC

Len : 2 TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Within past 30 days -- that is, since [DATEFILL].....	1284	0.15
2 = More than 30 days ago but within the past 12 mos.....	6003	0.72
3 = More than 12 months ago.....	24858	2.97
7 = Still in treatment LOG ASSN (TXRCVNOW=1).....	5093	0.61
8 = Treatment in past year LOGICALLY ASSIGNED.....	2207	0.26
9 = Treatment in lifetime LOGICALLY ASSIGNED.....	39	0.00
13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	421	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
97 = REFUSED.....	835	0.10
98 = BLANK (NO ANSWER).....	4414	0.53
99 = LEGITIMATE SKIP.....	500679	59.84

SUBSTANCE TREATMENT

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?

What is the main place where you are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

TXLYMN2

Len : 3 MAIN PLACE RCV TRMT LAST TIME/CURRENTLY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = A hospital overnight as an inpatient.....	449	0.05
2 = A res drug/alcohol rehab facility overnight.....	1331	0.16
3 = A drug or alcohol rehab facility as an outpatient.....	2752	0.33
4 = A mental health center or facility as outpatient.....	1522	0.18
5 = An emergency room.....	141	0.02
6 = A private doctor's office.....	890	0.11
7 = A prison or jail.....	351	0.04
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	2932	0.35
9 = Some other place.....	474	0.06
28 = Self-help group, Alcoholic/Narcotics Anonymous.....	12	0.00
40 = Home, family, friends.....	151	0.02
41 = School, college.....	373	0.04
42 = Church/religious/spiritual influence.....	95	0.01
44 = Halfway house/group home.....	9	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	26	0.00
47 = Commnuty/city/county/state pgm or facil; unspcfd.....	40	0.00
48 = Counselor, therapist, psychologist, psychiatrist.....	349	0.04
49 = Court-mandated/sponsored program.....	277	0.03
51 = Alcohol/drug class or education, locale unspcfd.....	67	0.01
52 = Military/VA Hospital.....	14	0.00
53 = Hospital; mental health or patient status unspcfd.....	10	0.00
55 = Youth-oriented facility/organization/program.....	49	0.01
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd.....	14	0.00
59 = Foster Care, Child & Family Services.....	7	0.00
62 = Preliminary evaluation, location unspecified.....	3	0.00
63 = Medical clinic.....	6	0.00
64 = Methadone clinic/program.....	93	0.01
65 = Name of facility/program given.....	362	0.04
66 = Faith-based formal program/facility.....	7	0.00
68 = Detox.....	3	0.00
74 = Clinic; type unspecified.....	3	0.00
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
985 = BAD DATA Logically assigned.....	47	0.01
989 = LEGITIMATE SKIP Logically assigned.....	24	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
994 = DON'T KNOW.....	145	0.02
997 = REFUSED.....	1014	0.12
998 = BLANK (NO ANSWER).....	5859	0.70
999 = LEGITIMATE SKIP.....	525934	62.86

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?

Are you currently receiving treatment or counseling for your use of alcohol?

TXLTYALC	Len : 2 LAST/CURRENT TREATMENT FOR ALCOHOL	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	7693	0.92
	2 = No.....	4326	0.52
	3 = Yes LOGICALLY ASSIGNED.....	52	0.01
	5 = Yes LOG ASSN (TXYRADG = 1).....	701	0.08
	6 = NEVER USED ALCOHOL (TXEVER = 1).....	268	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	33	0.00
	97 = REFUSED.....	907	0.11
	98 = BLANK (NO ANSWER).....	5856	0.70
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525934	62.86

The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?

Are you currently receiving treatment or counseling for your use of marijuana or hashish?

TXLTYMJ	Len : 2 LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	5038	0.60
	2 = No.....	6597	0.79
	3 = Yes LOGICALLY ASSIGNED.....	86	0.01
	4 = No LOGICALLY ASSIGNED.....	1	0.00
	6 = NEVER USED MARIJUANA (TXEVER = 1).....	1606	0.19
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	37	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	20	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	28	0.00
	97 = REFUSED.....	894	0.11
	98 = BLANK (NO ANSWER).....	5590	0.67
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525938	62.86

The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?

Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?

TXLTYCOC	Len : 2 LAST/CURRENT TREATMENT FOR COCAINE/CRACK	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	2223	0.27
	2 = No.....	4656	0.56
	3 = Yes LOGICALLY ASSIGNED.....	69	0.01
	4 = No LOGICALLY ASSIGNED.....	2	0.00
	6 = NEVER USED COCAINE (TXEVER = 1).....	7037	0.84
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	15	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	10	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	12	0.00
	97 = REFUSED.....	875	0.10
	98 = BLANK (NO ANSWER).....	4988	0.60
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525948	62.86

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of heroin?

Are you currently receiving treatment or counseling for your use of heroin?

TXLTYHER	Len : 2 LAST/CURRENT TREATMENT FOR HEROIN	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	1219	0.15
	2 = No.....	869	0.10
	3 = Yes LOGICALLY ASSIGNED.....	22	0.00
	6 = NEVER USED HEROIN (TXEVER = 1).....	12328	1.47
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	5	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	4	0.00
	97 = REFUSED.....	861	0.10
	98 = BLANK (NO ANSWER).....	4569	0.55
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525953	62.86

The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?

Are you currently receiving treatment or counseling for your use of hallucinogens?

TXLTYHAL	Len : 2 LAST/CURRENT TREATMENT FOR HALLUCINOGENS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	1355	0.16
	2 = No.....	5843	0.70
	3 = Yes LOGICALLY ASSIGNED.....	32	0.00
	4 = No LOGICALLY ASSIGNED.....	1	0.00
	6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	6722	0.80
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	16	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	10	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	11	0.00
	97 = REFUSED.....	878	0.10
	98 = BLANK (NO ANSWER).....	5019	0.60
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525948	62.86

The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?

Are you currently receiving treatment or counseling for your use of inhalants?

TXLTYINH	Len : 2 LAST/CURRENT TREATMENT FOR INHALANTS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	761	0.09
	2 = No.....	3797	0.45
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	4 = No LOGICALLY ASSIGNED.....	1	0.00
	6 = NEVER USED INHALANTS (TXEVER = 1).....	9561	1.14
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	17	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	6	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	12	0.00
	97 = REFUSED.....	881	0.11
	98 = BLANK (NO ANSWER).....	4839	0.58
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525952	62.86

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?

Are you currently receiving treatment or counseling for your use of prescription pain relievers?

TXLTYANL	Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	2441	0.29
	2 = No.....	4981	0.60
	3 = Yes LOGICALLY ASSIGNED.....	51	0.01
	4 = No LOGICALLY ASSIGNED.....	4	0.00
	6 = NEVER USED PAIN RELIEVERS (TXEVER = 1).....	6360	0.76
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	16	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	7	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	18	0.00
	97 = REFUSED.....	882	0.11
	98 = BLANK (NO ANSWER).....	5124	0.61
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525951	62.86

The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?

Are you currently receiving treatment or counseling for your use of prescription tranquilizers?

TXLTYTRN	Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	1229	0.15
	2 = No.....	3934	0.47
	3 = Yes LOGICALLY ASSIGNED.....	40	0.00
	4 = No LOGICALLY ASSIGNED.....	4	0.00
	6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	8904	1.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	12	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	6	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	11	0.00
	97 = REFUSED.....	871	0.10
	98 = BLANK (NO ANSWER).....	4872	0.58
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525952	62.86

The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

TXLTYSTM	Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS	Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	1062	0.13
	2 = No.....	3154	0.38
	3 = Yes LOGICALLY ASSIGNED.....	359	0.04
	4 = No LOGICALLY ASSIGNED.....	8	0.00
	6 = NEVER USED STIMULANTS (TXEVER = 1).....	9608	1.15
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	10	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	8	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	867	0.10
	98 = BLANK (NO ANSWER).....	4800	0.57
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525950	62.86

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

TXLTYS	Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	383	0.05
	2 = No.....	967	0.12
	3 = Yes LOGICALLY ASSIGNED.....	19	0.00
	4 = No LOGICALLY ASSIGNED.....	10	0.00
	6 = NEVER USED SEDATIVES (TXEVER = 1).....	13053	1.56
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	5	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	861	0.10
	98 = BLANK (NO ANSWER).....	4577	0.55
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2.4).....	525957	62.86

The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?

Are you currently receiving treatment or counseling for your use of any other drug?

TXLTYSOD	Len : 2 LAST/CURRENT TRMT FOR SOME OTHER DRUG		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	1665	0.20
	2 = No.....	10571	1.26
	3 = Yes LOGICALLY ASSIGNED.....	81	0.01
	5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	293	0.04
	7 = Treatment drug/alc unknown LOG ASSN.....	413	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	44	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	42	0.01
	97 = REFUSED.....	909	0.11
	98 = BLANK (NO ANSWER).....	5859	0.70
	99 = LEGITIMATE SKIP.....	525934	62.86

SUBSTANCE TREATMENT

What was the outcome of the treatment or counseling you last received?

TXLTYOU2	Len : 2	OUTCOME OF LAST/CURRENT TREATMENT		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = You are still in treatment.....	4702	0.56
		2 = You successfully completed treatment.....	5775	0.69
		3 = You left because you had a problem with program	414	0.05
		4 = You left b/c you couldn't afford to continue.....	240	0.03
		5 = You left because your family needed you	125	0.01
		6 = You left because you began using drugs again.....	325	0.04
		7 = Your last treatment had some other outcome	198	0.02
		21 = You are still in treatment.....	396	0.05
		22 = You successfully completed treatment.....	10	0.00
		41 = You left because you didn't need/want treatment	41	0.00
		43 = You were successful b/c of own efforts, not trmt.....	3	0.00
		44 = You relapsed/program did not work for you	50	0.01
		46 = You moved away from the treatment location	4	0.00
		48 = Discontinued treatment, success unknown.....	33	0.00
		49 = Completed treatment/tmt required, outcome unknown	104	0.01
		50 = You had other problems to deal with	12	0.00
		51 = You still use, but to a lesser extent.....	14	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
		85 = BAD DATA Logically assigned	382	0.05
		89 = LEGITIMATE SKIP Logically assigned	24	0.00
		91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
		94 = DON'T KNOW	150	0.02
		97 = REFUSED	986	0.12
		98 = BLANK (NO ANSWER)	5913	0.71
		99 = LEGITIMATE SKIP.....	525934	62.86

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

TXLTYDU2	Len : 5	# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE		
			Freq	Pct
		RANGE = 1 - 30	4664	0.56
		-9 = Data not collected for this year	114043	13.63
		31 = 31 or more.....	7980	0.95
		99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
		99985 = BAD DATA Logically assigned	58	0.01
		99989 = LEGITIMATE SKIP Logically assigned	24	0.00
		99991 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
		99994 = DON'T KNOW	269	0.03
		99997 = REFUSED	1047	0.13
		99998 = BLANK (NO ANSWER).....	5859	0.70
		99999 = LEGITIMATE SKIP.....	525934	62.86

SUBSTANCE TREATMENT

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYINS	Len : 2 HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	4277	0.51
	2 = No.....	8169	0.98
	3 = Yes LOGICALLY ASSIGNED.....	21	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	471	0.06
	97 = REFUSED.....	981	0.12
	98 = BLANK (NO ANSWER).....	5859	0.70
	99 = LEGITIMATE SKIP.....	525934	62.86

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYCARE	Len : 2 MEDICARE PAY FOR LAST/CURRENT TRMT		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	2422	0.29
	2 = No.....	9761	1.17
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	747	0.09
	97 = REFUSED.....	987	0.12
	98 = BLANK (NO ANSWER).....	5859	0.70
	99 = LEGITIMATE SKIP.....	525934	62.86

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYCAID	Len : 2 MEDICAID PAY FOR LAST/CURRENT TRMT		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Yes.....	2568	0.31
	2 = No.....	9588	1.15
	3 = Yes LOGICALLY ASSIGNED.....	17	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
	94 = DON'T KNOW.....	766	0.09
	97 = REFUSED.....	980	0.12
	98 = BLANK (NO ANSWER).....	5859	0.70
	99 = LEGITIMATE SKIP.....	525934	62.86

SUBSTANCE TREATMENT

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYUBP Len : 2 OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	2424	0.29
2 = No.....	9623	1.15
3 = Yes LOGICALLY ASSIGNED.....	16	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	875	0.10
97 = REFUSED	981	0.12
98 = BLANK (NO ANSWER)	5859	0.70
99 = LEGITIMATE SKIP.....	525934	62.86

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

TXPYSAVE Len : 2 OWN SAVINGS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	5763	0.69
2 = No.....	6881	0.82
3 = Yes LOGICALLY ASSIGNED.....	41	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	264	0.03
97 = REFUSED	970	0.12
98 = BLANK (NO ANSWER)	5859	0.70
99 = LEGITIMATE SKIP.....	525934	62.86

Did family members pay for the last treatment you received, even if they paid only part of the cost?

Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?

TXPYFMLY Len : 2 FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes.....	3508	0.42
2 = No.....	9182	1.10
3 = Yes LOGICALLY ASSIGNED.....	17	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS	176414	21.08
94 = DON'T KNOW	247	0.03
97 = REFUSED	965	0.12
98 = BLANK (NO ANSWER)	5859	0.70
99 = LEGITIMATE SKIP.....	525934	62.86

SUBSTANCE TREATMENT

Did the courts pay for the last treatment you received, even if it paid only part of the cost?

Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYCORT Len : 2 COURTS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	1555	0.19
2 = No.....	10986	1.31
3 = Yes LOGICALLY ASSIGNED.....	47	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	365	0.04
97 = REFUSED.....	966	0.12
98 = BLANK (NO ANSWER).....	5859	0.70
99 = LEGITIMATE SKIP.....	525934	62.86

Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?

Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYMILC Len : 2 MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	443	0.05
2 = No.....	11899	1.42
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	604	0.07
97 = REFUSED.....	967	0.12
98 = BLANK (NO ANSWER).....	5859	0.70
99 = LEGITIMATE SKIP.....	525934	62.86

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYEMPL Len : 2 EMPLOYER PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	494	0.06
2 = No.....	12102	1.45
3 = Yes LOGICALLY ASSIGNED.....	13	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	343	0.04
97 = REFUSED.....	967	0.12
98 = BLANK (NO ANSWER).....	5859	0.70
99 = LEGITIMATE SKIP.....	525934	62.86

SUBSTANCE TREATMENT

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

TXPYSOS Len : 2 SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	1452	0.17
2 = No.....	10740	1.28
4 = No LOG ASSN (free trmt specified).....	28	0.00
5 = Yes, payment source not specified LOG ASSN.....	326	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	88	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	426	0.05
97 = REFUSED.....	958	0.11
98 = BLANK (NO ANSWER).....	5859	0.70
99 = LEGITIMATE SKIP.....	525934	62.86

TXPYS2 Len : 2 OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Private health insurance.....	125	0.01
2 = Medicare.....	5	0.00
3 = Medicaid.....	41	0.00
4 = Public assistance program other than Medicaid.....	47	0.01
5 = Own savings or earnings.....	120	0.01
6 = Family members.....	53	0.01
7 = Courts.....	99	0.01
8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth.....	10	0.00
9 = Employer.....	20	0.00
10 = Free.....	83	0.01
11 = Some other source.....	22	0.00
12 = Friend/neighbor/sponsor/stipend.....	61	0.01
13 = Church/faith-based organization.....	30	0.00
14 = School.....	121	0.01
15 = Treatment program/facility/provider.....	72	0.01
16 = Indian Health Service/BIA/Tribe.....	56	0.01
19 = Public assistance, welfare; otherwise unspecified.....	187	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	229	0.03
89 = LEGITIMATE SKIP Logically assigned.....	31	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	95	0.01
97 = REFUSED.....	1017	0.12
98 = BLANK (NO ANSWER).....	6617	0.79
99 = LEGITIMATE SKIP.....	536694	64.14

Was the last treatment you received free?

Is the treatment you are currently receiving free?

TXPYFRE Len : 2 LAST/CURRENT TREATMENT WAS/IS FREE

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	837	0.10
2 = No.....	326	0.04
3 = Yes LOGICALLY ASSIGNED.....	83	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	936	0.11
98 = BLANK (NO ANSWER).....	6249	0.75
99 = LEGITIMATE SKIP.....	537396	64.23

SUBSTANCE TREATMENT

Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?

For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.

TXENROLL Len : 2 ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	4265	0.51
2 = No.....	35020	4.19
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	425	0.05
97 = REFUSED.....	1028	0.12
98 = BLANK (NO ANSWER).....	4402	0.53
99 = LEGITIMATE SKIP (TXEVER=2).....	500679	59.84

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

TXYRDTXO Len : 2 WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	1950	0.23
2 = No.....	8261	0.99
4 = No LOGICALLY ASSIGNED.....	2591	0.31
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	21.08
94 = DON'T KNOW.....	191	0.02
97 = REFUSED.....	978	0.12
98 = BLANK (NO ANSWER).....	5891	0.70
99 = LEGITIMATE SKIP.....	525958	62.86

NOTE: The variables TXALONEV, TXALONAG, TXDRONEV, TXDRONAG, TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALONEV and TXALONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRONEV and TXDRONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime users of alcohol and other drugs.

NOTE: TXALONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALONEV=11). TXALONEV was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

TXALONEV Len : 2 EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)

	Freq	Pct
-9 = Data not collected for this year.....	223352	26.69
1 = Yes.....	1149	0.14
2 = No.....	3	0.00
11 = Yes (TXYREVER=3; see NOTE for TXALONEV).....	57	0.01
12 = No (TXYREVER=3; see NOTE for TXALONEV).....	76	0.01
22 = No (but only alcohol user; see NOTE for TXALONEV).....	548	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
91 = NEVER USED ALCOHOL OR DRUGS.....	151705	18.13
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	209	0.02
98 = BLANK (NO ANSWER).....	3485	0.42
99 = LEGITIMATE SKIP.....	455769	54.47

SUBSTANCE TREATMENT

How old were you when you first received treatment for your alcohol use?

TXALONAG	Len : 3 AGE WHEN FIRST RCVD TRMT FOR ALC USE	Freq	Pct
	RANGE = 4 - 78	1179	0.14
	-9 = Data not collected for this year	223352	26.69
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	991 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	994 = DON'T KNOW	15	0.00
	997 = REFUSED	210	0.03
	998 = BLANK (NO ANSWER).....	4045	0.48
	999 = LEGITIMATE SKIP.....	455848	54.48

NOTE: TXDRONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRONEV=11). TXDRONEV was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?

TXDRONEV	Len : 2 EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)	Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Yes.....	140	0.02
	11 = Yes (TXYREVER=3; see NOTE for TXDRONEV)	29	0.00
	12 = No (TXYREVER=3; see NOTE for TXDRONEV).....	43	0.01
	22 = No (but only drug user; see NOTE for TXDRONEV)	107	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	133	0.02
	98 = BLANK (NO ANSWER)	3473	0.42
	99 = LEGITIMATE SKIP.....	457370	54.66

How old were you when you first received treatment or counseling for your drug use?

TXDRONAG	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	Freq	Pct
	RANGE = 1 - 58	142	0.02
	-9 = Data not collected for this year	223352	26.69
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	991 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	994 = DON'T KNOW	5	0.00
	997 = REFUSED	133	0.02
	998 = BLANK (NO ANSWER).....	3604	0.43
	999 = LEGITIMATE SKIP.....	457413	54.67

SUBSTANCE TREATMENT

NOTE: TXALCDEV and TXDRGAEV were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDEV=11). TXALCDEV and TXDRGAEV were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDEV) or for their drug use (in the question corresponding to TXDRGAEV). Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?

TXALCDEV	Len : 2 EVER RCVD TMT FOR ALCOHOL USE (ALSO USED DRUGS)		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Yes.....	12160	1.45
	2 = No.....	5677	0.68
	11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....	431	0.05
	12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	288	0.03
	22 = No (see NOTE for TXALCDEV)	1690	0.20
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	456	0.05
	98 = BLANK (NO ANSWER)	3659	0.44
	99 = LEGITIMATE SKIP.....	436913	52.22

How old were you when you first received treatment or counseling for your alcohol use?

TXALCDAG	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
		Freq	Pct
	RANGE = 1 - 75.....	12277	1.47
	-9 = Data not collected for this year	223352	26.69
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned	7	0.00
	989 = LEGITIMATE SKIP Logically assigned	1	0.00
	991 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	994 = DON'T KNOW	201	0.02
	997 = REFUSED	472	0.06
	998 = BLANK (NO ANSWER).....	5457	0.65
	999 = LEGITIMATE SKIP.....	442882	52.93

Have you ever received treatment or counseling for your drug use?

TXDRGAEV	Len : 2 EVER RCVD TRMT FOR DRUG USE (ALSO USED ALCOHOL)		
		Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Yes.....	10374	1.24
	2 = No.....	7462	0.89
	11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....	500	0.06
	12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	221	0.03
	22 = No (see NOTE for TXALCDEV)	1690	0.20
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	455	0.05
	98 = BLANK (NO ANSWER)	3659	0.44
	99 = LEGITIMATE SKIP.....	436913	52.22

SUBSTANCE TREATMENT

How old were you when you first received treatment or counseling for your drug use?

TXDRGAAG	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	Freq	Pct
	RANGE = 1 - 68	10528	1.26
	-9 = Data not collected for this year	223352	26.69
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned	4	0.00
	991 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	994 = DON'T KNOW	157	0.02
	997 = REFUSED	467	0.06
	998 = BLANK (NO ANSWER).....	5540	0.66
	999 = LEGITIMATE SKIP.....	444601	53.14

NOTE: The variables TXYALAGE, TXYALDRG, TXYALDAG, TXYDRAGE, TXYDRALC, TXYDRAAG, TXYADAAG, and TXYADDAG pertain to respondents who received substance treatment in the past 12 months. TXYALAGE, TXYALDRG, and TXYALDAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRAGE, TXYDRALC, and TXYDRAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYADAAG and TXYADDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

TXYALAGE	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE	Freq	Pct
	RANGE = 1 - 75	3801	0.45
	-9 = Data not collected for this year	223352	26.69
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned	42	0.01
	991 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	994 = DON'T KNOW	77	0.01
	997 = REFUSED	794	0.09
	998 = BLANK (NO ANSWER).....	5128	0.61
	999 = LEGITIMATE SKIP.....	451455	53.96

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

TXYALDRG	Len : 2 EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)	Freq	Pct
	-9 = Data not collected for this year	223352	26.69
	1 = Yes.....	369	0.04
	2 = No	2737	0.33
	3 = Yes LOGICALLY ASSIGNED (TXYRADG=11).....	234	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	85 = BAD DATA Logically assigned	33	0.00
	89 = LEGITIMATE SKIP Logically assigned	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	94 = DON'T KNOW	10	0.00
	97 = REFUSED	763	0.09
	98 = BLANK (NO ANSWER)	5134	0.61
	99 = LEGITIMATE SKIP.....	452012	54.02

How old were you when you first received treatment or counseling for your drug use?

TXYALDAG	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	Freq	Pct
	RANGE = 1 - 58	348	0.04
	-9 = Data not collected for this year	223352	26.69
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned	31	0.00
	989 = LEGITIMATE SKIP Logically assigned	1	0.00
	991 = NEVER USED ALCOHOL OR DRUGS	151705	18.13
	994 = DON'T KNOW	8	0.00
	997 = REFUSED	765	0.09
	998 = BLANK (NO ANSWER).....	5391	0.64
	999 = LEGITIMATE SKIP.....	454753	54.35

SUBSTANCE TREATMENT

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

TXYDRAGE	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
	RANGE = 1 - 73	Freq	Pct
	-9 = Data not collected for this year	3278	0.39
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	223352	26.69
	985 = BAD DATA Logically assigned	342	0.04
	991 = NEVER USED ALCOHOL OR DRUGS	6	0.00
	994 = DON'T KNOW	151705	18.13
	997 = REFUSED	41	0.00
	998 = BLANK (NO ANSWER).....	781	0.09
	999 = LEGITIMATE SKIP.....	5174	0.62
		452017	54.02

Have you ever received treatment or counseling for your alcohol use?

TXYDRALC	Len : 2 EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	223352	26.69
	2 = No	371	0.04
	3 = Yes LOGICALLY ASSIGNED (TXYRADG=12)	2616	0.31
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	201	0.02
	85 = BAD DATA Logically assigned	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS	1	0.00
	94 = DON'T KNOW	151705	18.13
	97 = REFUSED	8	0.00
	98 = BLANK (NO ANSWER)	763	0.09
	99 = LEGITIMATE SKIP.....	5174	0.62
		452163	54.04

How old were you when you first received treatment or counseling for your alcohol use?

TXYDRAAG	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
	RANGE = 1 - 53	Freq	Pct
	-9 = Data not collected for this year	343	0.04
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	223352	26.69
	985 = BAD DATA Logically assigned	342	0.04
	991 = NEVER USED ALCOHOL OR DRUGS	1	0.00
	994 = DON'T KNOW	151705	18.13
	997 = REFUSED	6	0.00
	998 = BLANK (NO ANSWER).....	766	0.09
	999 = LEGITIMATE SKIP.....	5402	0.65
		454779	54.35

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

TXYADAAG	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
	RANGE = 1 - 63	Freq	Pct
	-9 = Data not collected for this year	3429	0.41
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	223352	26.69
	985 = BAD DATA Logically assigned	342	0.04
	991 = NEVER USED ALCOHOL OR DRUGS	10	0.00
	994 = DON'T KNOW	151705	18.13
	997 = REFUSED	84	0.01
	998 = BLANK (NO ANSWER).....	799	0.10
	999 = LEGITIMATE SKIP.....	6178	0.74
		450797	53.88

SUBSTANCE TREATMENT

How old were you when you first received treatment or counseling for your drug use?

TXYADDAG	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	Freq	Pct
	RANGE = 1 - 66.....	3423	0.41
	-9 = Data not collected for this year.....	223352	26.69
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	13	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	18.13
	994 = DON'T KNOW.....	80	0.01
	997 = REFUSED.....	799	0.10
	998 = BLANK (NO ANSWER).....	6185	0.74
	999 = LEGITIMATE SKIP.....	450797	53.88

NOTE: TXFGALAG is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALONAG, TXALCDAG, TXYALAGE, TXYDRAAG, or TXYADAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAG=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRADG.

TXFGALAG	Len : 2 CONSISTENCY OF ALC TX AGE WITH ALC AFU	Freq	Pct
	-9 = Data not collected for this year.....	223352	26.69
	0 = 1st alc tx age consistent with alc AFU.....	20548	2.46
	1 = 1st alc tx age differs from alc AFU by 1 yr.....	173	0.02
	2 = 1st alc tx age differs from alc AFU by 2 yrs.....	52	0.01
	3 = 1st alc tx age differs from alc AFU by 3-4 yrs.....	55	0.01
	4 = 1st alc tx age differs from alc AFU by >=5 yrs.....	379	0.05
	5 = Never used alc in core but reported an alc tx age.....	98	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	18.13
	98 = UNKNOWN.....	8304	0.99
	99 = LEGITIMATE SKIP.....	431688	51.59

NOTE: TXFGDGAG is a "flag" variable that indicates when the first receipt of drug treatment in TXDRONAG, TXDRGAAG, TXYALDAG, TXYDRAGE, or TXYADDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAG=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRADG.

TXFGDGAG	Len : 2 CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS	Freq	Pct
	-9 = Data not collected for this year.....	223352	26.69
	0 = 1st drug tx age consistent w/min drug AFU.....	17103	2.04
	1 = 1st drug tx age differs from min drug AFU by 1 yr.....	98	0.01
	2 = 1st drug tx age differs fr min drug AFU by 2 yrs.....	47	0.01
	3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs.....	34	0.00
	4 = 1st drug tx age differs fr min drug AFU by >=5 yrs.....	203	0.02
	5 = Never used drugs in core but reportd a drug tx age.....	62	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	18.13
	98 = UNKNOWN.....	8290	0.99
	99 = LEGITIMATE SKIP.....	435460	52.05

NOTE: TXFGADAG is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAG=5 or TXFGDGAG=5, then TXFGADAG=5.

TXFGADAG	Len : 2 CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS	Freq	Pct
	-9 = Data not collected for this year.....	223352	26.69
	0 = 1st tx age consistent w/minimum AFU.....	27603	3.30
	1 = 1st tx age differs from min AFU by 1 yr.....	256	0.03
	2 = 1st tx age differs from min AFU by 2 yrs.....	87	0.01
	3 = 1st tx age differs from min AFU by 3-4 yrs.....	83	0.01
	4 = 1st tx age differs from min AFU by >=5 yrs.....	538	0.06
	5 = Any lifetime nonuse with a related tx age.....	160	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	18.13
	98 = UNKNOWN.....	9573	1.14
	99 = LEGITIMATE SKIP.....	422997	50.56

SUBSTANCE TREATMENT

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

TX12MSHG	Len : 2 WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS	Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Yes.....	4935	0.59
	2 = No.....	362524	43.33
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	4598	0.55
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
	85 = BAD DATA Logically assigned	18	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	125434	14.99
	94 = DON'T KNOW	542	0.06
	97 = REFUSED	691	0.08
	98 = BLANK (NO ANSWER)	2810	0.34

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

TX12SGAD	Len : 2 WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH	Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Alcohol use only.....	1970	0.24
	2 = Drug use only.....	1295	0.15
	3 = Both alcohol and drug use.....	1566	0.19
	11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSGAD=1)	173	0.02
	12 = Drug use only LOGICALLY ASSIGNED (TXYRSGAD=2).....	165	0.02
	13 = Both alcohol and drug use LOG ASSN (TXYRSGAD=3)	1378	0.16
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
	91 = NEVER USED ALCOHOL OR DRUGS	125434	14.99
	94 = DON'T KNOW	56	0.01
	97 = REFUSED	741	0.09
	98 = BLANK (NO ANSWER)	3707	0.44
	99 = LEGITIMATE SKIP.....	365067	43.63

NOTE: TXSHGFLG compares the consistency of data in the self-help group variable TX12MSHG and the self-help group variable TXYRSHG. TXSHGFLG has a value of 1 when TX12MSHG was answered as "yes" but TXYRSHG indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLG has a value of 2 when TX12MSHG was answered as "yes" but TXYREVER or TXEVER indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLG has a value of 3 when TX12MSHG was not answered as "yes" but TXYRSHG indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLG has a value of 4 when TX12MSHG was answered as "yes" but TXYRSHG was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLG has a value of 5 when TX12MSHG was answered as "don't know" or "refused" but TXYRSHG was answered as "no."

TXSHGFLG	Len : 2 CONSISTENCY FLAG BETWEEN TX12MSHG AND TXYRSHG	Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = TX12MSHG=1 but TXYRSHG=2 (see note)	401	0.05
	2 = TX12MSHG=1 but TXYREVER=2 or TXEVER=2 (see note).....	4170	0.50
	3 = TX12MSHG NE 1 but TXYRSHG=3 or 5 (see note).....	256	0.03
	4 = TX12MSHG=1 but TXYRSHG=94, 97, or 98 (see note)	274	0.03
	5 = TX12MSHG=94 or 97 but TXYRSHG=2 (see note)	77	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
	91 = NEVER USED ALCOHOL OR DRUGS	125434	14.99
	98 = BLANK (NO ANSWER)	370940	44.33

SUBSTANCE TREATMENT

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC2, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As indicated below, the imputed core-plus-noncore past year methamphetamine use variable (CPNMTHYR) was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:

5. From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=5, 15 or only MTHFRFRE=1, 3, 5)
6. Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=6, 16 or only MTHFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=7, 17 or only MTHFRTKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=8, 18 or only MTHDEALR=1, 3, 5)
9. Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=9, 19 or only MTHINET=1, 3, 5)
10. Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLAS=10 and MTHGTOSP=11-36, 38, 39, 71 or only MTHOTHWY=1, 3, 5 and MTHOTHSP=1, 2, 11-36, 38, 39, 71])
11. No Lifetime or Past Year Use (CPNMTHYR=0)

(SAS Missing) Unknown/Invalid Source (Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLAS=85, 93, 94, 97, 98] or [MTHGTLAS=10 and MTHGTOSP=70, 72-75, 85, 94, 97, 98] or [MTHGTLAS=99 and only MTHOTHWY=1 and MTHOTHSP=70, 72-75, 85, 94, 97, 98]))

Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

MTHLTSC2

Len : 2 SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Past Year Use.....	107	0.01
-9 = Data not collected for this year.....	725756	86.74
5 = Got From Friend or Relative for Free	545	0.07
6 = Bought from Friend or Relative.....	203	0.02
7 = Took from Friend or Relative without Asking.....	32	0.00
8 = Bought from Drug Dealer or Other Stranger.....	195	0.02
9 = Bought on the Internet	12	0.00
10 = Got Some Other Way.....	33	0.00
11 = No Lifetime or Past Year Use	109813	13.12

SUBSTANCE TREATMENT

NOTE: The following five variables pertain to the source of a respondent's most recent nonmedical use of prescription pain relievers (ANLLTSC), prescription tranquilizers (TRNLTSC), prescription stimulants (STMLTSC), prescription sedatives (SEDLTSC), and methamphetamine (MTHLTSC2) within the past year.

For each variable, excluding MTHLTSC2, there are 11 mutually exclusive categories; 10 categories for specific sources and one category for those respondents who did not indicate using the drug in the past year. Since methamphetamine is not available by prescription, the first four categories are not applicable thus there are only seven mutually exclusive categories for MTHLTSC2; six sources and one category for non past year users. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after selecting multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLAS=99) were classified as having "No Past Year Rx Use" (STMLTSC=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories (including SAS missing) for the source of most recent prescription drug use in the past year for the variables, ANLLTSC, TRNLTSC, STMLTSC, and SELDTSC:

1. Got From One Doctor (XXXGTLAS=1, 11 or only XXXRX1DR=1, 3, 5)
2. Got From More Than One Doctor (XXXGTLAS=2, 12 or only XXXRXDRS=1, 3, 5)
3. Wrote Fake Prescription (XXXGTLAS=3, 13 or only XXXRXFAK=1, 3, 5)
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy (XXXGTLAS=4, 14 or only XXXSTOLE=1, 3, 5)
5. Got From Friend or Relative for Free (XXXGTLAS=5, 15 or only XXXFRFRE=1, 3, 5)
6. Bought from Friend or Relative (XXXGTLAS=6, 16 or only XXXFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (XXXGTLAS=7, 17 or only XXXFRTKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (XXXGTLAS=8, 18 or only XXXDEALR=1, 3, 5)
9. Bought on the Internet (XXXGTLAS=9, 19 or only XXXINET=1, 3, 5)
10. Got Some Other Way ((XXXGTLAS=10 and XXXGTOSP=11-36, 39, 71) or (only XXXOTHWY=1, 3, 5 and XXXOTHSP=11-36, 39, 71))
11. No Past Year Use (XXXGTLAS=81, 89, 91, 93, 99)

(SAS Missing) Unknown/Invalid Source (XXXGTLAS=85, 94, 97, 98 or [XXXGTLAS=10 and XXXGTOSP=70, 72-75, 85, 94, 97, 98] or [XXXGTLAS=99 and only XXXOTHWY=1 and XXXOTHSP=70, 72-75, 85, 94, 97, 98])

ANLLTSC

Len : 2 SOURCE OF PAIN RELIEVERS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	6656	0.80
-9 = Data not collected for this year	334225	39.95
1 = Got From One Doctor	5354	0.64
2 = Got From More Than One Doctor	621	0.07
3 = Wrote Fake Prescription	80	0.01
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	156	0.02
5 = Got From Friend or Relative for Free	17449	2.09
6 = Bought from Friend or Relative	3770	0.45
7 = Took from Friend or Relative without Asking	2026	0.24
8 = Bought from Drug Dealer or Other Stranger	1743	0.21
9 = Bought on the Internet	65	0.01
10 = Got Some Other Way	1446	0.17
11 = No Past Year Use	463105	55.35

SUBSTANCE TREATMENT

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following 5 variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCFR), prescription tranquilizers (TRNSRCFR), prescription stimulants (STMSRCFR), prescription sedatives (SEDSRCFR), and methamphetamine (MTHSRCFR) within the past year.

For each variable, excluding MTHSRCFR, there are 11 mutually exclusive categories; 10 categories for specific sources that the friend/relative obtained the drug from and one category for a respondent who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 7 mutually exclusive categories for MTHSRCFR; 6 sources and one level for non past year users or past year users who obtained the drug from a valid source other than a friend or relative for free. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use. Anyone who was administered at least one of these four source questionnaire items, but did not have a valid answer for one or more of the four questions was generally classified as a SAS system missing '.' for these five variables.

During the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOSP and XXXOTHSP, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source. For example, a respondent who indicated they obtained prescription pain relievers in some other way for their last use (ANLGLAS=10) and then indicated the some other way was a specific city or state in the United States (ANLGTOSP=70) is classified as having a valid source not from a friend or relative for free (ANLSRCFR=11). However, this response is not a valid way of obtaining pain relievers; therefore, the respondent should have a SAS missing value for ANLSRCFR.

The overall impact of these inconsistencies is anticipated to be small since it is believed that most analysts will utilize these variables similar to how they are used in the detailed tables. That is, it is assumed that most users would either collapse or omit level 11 and the SAS missing level because only categories 1 through 10 apply to the source from which the friend/relative obtained the drug. As a result, it is recommended that the SAS missing and level 11 not be used as two distinct levels in analyses. Starting with the 2014 NSDUH, these 5 variables will no longer be available on the data file; only the corrected versions (XXXSRCF2) that combine SAS missing and level 11 into a single level will be available. To allow for comparability across years, the erroneous variables have been retained on the 2013 data file. For the 2013 NSDUH both the erroneous variables and the corrected variables have been retained.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLAS=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCFR=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCFR, TRNSRCFR, STMSRCFR, and SEDSRCFR:

1. Got from One Doctor ((XXXGTLAS=5 and XXXFFLAS=1, 11) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFF1DR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLAS=5 and XXXFFLAS=2, 12) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLAS=5 and XXXFFLAS=3, 13) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLAS=5 and XXXFFLAS=4, 14) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got From Friend or Relative for Free ((XXXGTLAS=5 and XXXFFLAS=5, 15) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLAS=5 and XXXFFLAS=6, 16) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLAS=5 and XXXFFLAS=7, 17) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLAS=5 and XXXFFLAS=8, 18) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLAS=5 and XXXFFLAS=9, 19) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLAS=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free ((XXXGTLAS=1-4, 6-14, 16-19) or (XXXFFLAS=81, 89, 91, 93, 99 and XXXFFLSP=81, 89, 91, 93, 99 and XXXFRFRE=6, 81, 89, 83, 91, 93, 99))

(SAS Missing) Unknown/Invalid Source ((XXXGTLAS=5, 15, 89, 99 and XXXFRFRE=1, 3, 5 and (XXXFF1DR through XXXFFOTH=94, 97, 98 or multiple responses)) or (XXXGTLAS=85, 94, 97, 98) or (XXXGTLAS=10 and XXXGTOSP=85, 94, 97, 98) or (XXXGTLAS=15 and (XXXFF1DR=93 or XXXFFDRS=93 or XXXFFAKE=93 or XXXFFSTL=93 or XXXFFREE=93 or XXXFFBOT=93 or XXXFFTAK=93 or XXXFFDLR=93 or XXXFFNET=93)) or (XXXGTLAS=5 and XXXFFLAS=85, 94, 97, 98) or (XXXGTLAS=5 and XXXFFLAS=10 and XXXFFLSP=70, 72-75, 85, 94, 97, 98) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=70, 72-75, 85, 94, 97, 98))

SUBSTANCE TREATMENT

ANLSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = Unknown/Invalid Source	7251	0.87
-9 = Data not collected for this year	390130	46.63
1 = Got From One Doctor	9968	1.19
2 = Got From More Than One Doctor	565	0.07
3 = Wrote Fake Prescription	17	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	64	0.01
5 = Got From Friend or Relative for Free	1034	0.12
6 = Bought from Friend or Relative	759	0.09
7 = Took from Friend or Relative without Asking	336	0.04
8 = Bought from Drug Dealer or Other Stranger	323	0.04
9 = Bought on the Internet	20	0.00
10 = Got Some Other Way	255	0.03
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	425974	50.91

TRNSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = Unknown/Invalid Source	3046	0.36
-9 = Data not collected for this year	390130	46.63
1 = Got from One Doctor	4107	0.49
2 = Got from More Than One Doctor	203	0.02
3 = Wrote Fake Prescription	10	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	21	0.00
5 = Got from Friend or Relative for Free	643	0.08
6 = Bought from Friend or Relative	384	0.05
7 = Took from Friend or Relative without Asking	122	0.01
8 = Bought from Drug Dealer or Other Stranger	204	0.02
9 = Bought on the Internet	16	0.00
10 = Got Some Other Way	70	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	437740	52.32

STMSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = Unknown/Invalid Source	2139	0.26
-9 = Data not collected for this year	390130	46.63
1 = Got from One Doctor	2207	0.26
2 = Got from More Than One Doctor	112	0.01
3 = Wrote Fake Prescription	4	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	14	0.00
5 = Got from Friend or Relative for Free	298	0.04
6 = Bought from Friend or Relative	198	0.02
7 = Took from Friend or Relative without Asking	36	0.00
8 = Bought from Drug Dealer or Other Stranger	90	0.01
9 = Bought on the Internet	19	0.00
10 = Got Some Other Way	25	0.00
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	441424	52.76

SEDSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = Unknown/Invalid Source	1498	0.18
-9 = Data not collected for this year	390130	46.63
1 = Got from One Doctor	543	0.06
2 = Got from More Than One Doctor	32	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	8	0.00
5 = Got from Friend or Relative for Free	58	0.01
6 = Bought from Friend or Relative	19	0.00
7 = Took from Friend or Relative without Asking	14	0.00
8 = Bought from Drug Dealer or Other Stranger	15	0.00
9 = Bought on the Internet	4	0.00
10 = Got Some Other Way	9	0.00
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	444366	53.11

SUBSTANCE TREATMENT

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCFR, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As described in the comment above ANLSRCFR, during the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOSP and XXXOTHSP, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source.

Additionally, for MTHSRCFR, not all past 30 day users with a valid source other than a friend or relative for free have been correctly classified. In cases where the respondent legitimately skipped the source of last use question (MTHGTLAS=99) but gave a single valid source other than from a friend or relative for free to the past 30 day source question (MTHFRBUY=1,3 or MTHDEALR=1,3 or MTHFRFRTKE=1,3 or MTHINET=1,3 or (MTHOTHWY=1 and MTHOTHSP=valid "other" response, levels 11-34, 36, 38,39,71)), the respondent is classified as having an unknown/invalid source (MTHSRCFR=.) instead of being classified as having a valid source of most recent use not from a friend or relative for free (MTHSRCFR=11). For example, a respondent who answered the past 30 day question with the single response 'Bought from a drug dealer or other stranger' (MTHDEALR=1) would be skipped out of the source of last use question and would have a legitimate skip value (MTHGTLAS=99). This respondent is classified as having an unknown/invalid source (MTHSRCFR=.) based on the skip code; however, the respondent obtained the drug from a drug dealer or other stranger which is a valid source that is not from a friend or relative for free and should be classified accordingly (MTHSRCFR=11).

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=5, 15] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=6, 16] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=7, 17] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=8, 18] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=9, 19] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free {CPNMTHYR=0 or [MTHGTLAS=6-9, 10, 16-19 and MTHGTOSP=(85, 94, 97)] or [MTHGTLAS=81, 89, 91, 93, 99 and MTHFFLSP=81, 89, 91, 93, 99 and MTHFRFRE=6, 81, 83, 91, 93, 99 and CPNMTHYR ne 1]}

(SAS Missing) Unknown/Invalid Source {CPNMTHYR=1 and [MTHGTLAS=85, 93, 94, 97, 98] or [MTHGTLAS=10 and MTHGTOSP in(85, 94, 97, 98)] or [MTHGTLAS=15 and (MTHFFREE=93 or MTHFFBOT=93 or MTHFFTAK=93 or MTHFFDLR=93 or MTHFFNET=93)] or [MTHOTHWY=1 and MTHOTHSP in(85, 94, 97)] and (MTHGTLAS ^in(5, 15)] or [MTHGTLAS=5, 15 and MTHFFLAS=85, 94, 97, 98] or [MTHGTLAS=5, 15 and MTHFFLAS=10 and MTHFFLSP=70, 72-75, 85, 94, 97, 98]}

MTHSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S METHAMPHETAMINES

	Freq	Pct
. = Unknown/Invalid Source	951	0.11
-9 = Data not collected for this year.....	390130	46.63
5 = Got from Friend or Relative for Free	335	0.04
6 = Bought from Friend or Relative	330	0.04
7 = Took from Friend or Relative without Asking	16	0.00
8 = Bought from Drug Dealer or Other Stranger.....	255	0.03
9 = Bought on the Internet	2	0.00
10 = Got Some Other Way.....	57	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	444620	53.14

SUBSTANCE TREATMENT

TRNLTS2

Len : 2 SOURCE OF TRANQUILIZERS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	3053	0.36
-9 = Data not collected for this year	278954	33.34
1 = Got From One Doctor	1287	0.15
2 = Got From More Than One Doctor	126	0.02
3 = Wrote Fake Prescription	30	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	52	0.01
5 = Got From Friend or Relative for Free	8187	0.98
6 = Bought from Friend or Relative	2277	0.27
7 = Took from Friend or Relative without Asking	770	0.09
8 = Bought from Drug Dealer or Other Stranger	1213	0.14
9 = Bought on the Internet	46	0.01
10 = Got Some Other Way	504	0.06
11 = No Past Year Use	540197	64.56

STMLTS2

Len : 2 SOURCE OF RX STIMULANTS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	2400	0.29
-9 = Data not collected for this year	278954	33.34
1 = Got From One Doctor	744	0.09
2 = Got From More Than One Doctor	82	0.01
3 = Wrote Fake Prescription	27	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	44	0.01
5 = Got From Friend or Relative for Free	4195	0.50
6 = Bought from Friend or Relative	1786	0.21
7 = Took from Friend or Relative without Asking	445	0.05
8 = Bought from Drug Dealer or Other Stranger	577	0.07
9 = Bought on the Internet	107	0.01
10 = Got Some Other Way	277	0.03
11 = No Past Year Use	547058	65.38

SEDLTS2

Len : 2 SOURCE OF SEDATIVES FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	1798	0.21
-9 = Data not collected for this year	278954	33.34
1 = Got From One Doctor	308	0.04
2 = Got From More Than One Doctor	41	0.00
3 = Wrote Fake Prescription	3	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	22	0.00
5 = Got From Friend or Relative for Free	990	0.12
6 = Bought from Friend or Relative	193	0.02
7 = Took from Friend or Relative without Asking	118	0.01
8 = Bought from Drug Dealer or Other Stranger	87	0.01
10 = Got Some Other Way	99	0.01
11 = No Past Year Use	554083	66.22

SUBSTANCE TREATMENT

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC4, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As indicated below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:

- (5) From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=5,15 or only MTHFRFRE=1,3,5)
 - (6) Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=6,16 or only MTHFRBUY=1,3,5)
 - (7) Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=7,17 or only MTHFRTKE=1,3,5)
 - (8) Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=8,18 or only MTHDEALR=1,3,5)
 - (9) Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=9,19 or only MTHINET=1,3,5)
 - (10) Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLAS=10 and MTHGTOS2=10 or only MTHOTHWY=1,3,5 and MTHOTHS2=10])
 - (11) No Lifetime or Past Year Use (CPNMTHYR=0)
- (SAS Missing) Unknown/Invalid Source {Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLAS=93,94,97,98] or [MTHGTLAS=10 and MTHGTOS2=85,94,97,98] or [only MTHOTHWY=1 and MTHOTHS2=85,94,97,98,99])}

Please see Appendix B.4.6 of the Results from the 2007 NSDUH: National Findings for more information.

MTHLTSC4	Len : 2 SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE		
		Freq	Pct
	. = Unknown/Invalid Source	373	0.04
	-9 = Data not collected for this year	389894	46.60
	5 = Got From Friend or Relative for Free	1076	0.13
	6 = Bought from Friend or Relative	493	0.06
	7 = Took from Friend or Relative without Asking	80	0.01
	8 = Bought from Drug Dealer or Other Stranger	520	0.06
	9 = Bought on the Internet	10	0.00
	10 = Got Some Other Way	94	0.01
	11 = No Past Year Use	444156	53.08

NOTE: The following 46 variables were created to capture all a respondent's reported sources of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

ANLRX1D2	Len : 1 GOT ONE+ RX FOR ANL FROM JUST ONE DOCTOR - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	6107	0.73
	-9 = Data not collected for this year	278954	33.34
	1 = Yes (ANLRX1DR=1,3,5)	3237	0.39
	2 = No (ANLRX1DR=6)	10576	1.26
	3 = Never/No Pst Mon Use (ANLRX1DR=81,89,91,93,99)	537822	64.28

ANLRXDS2	Len : 1 GOT RX FOR ANL FROM 2 OR MORE DOCTORS - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	6113	0.73
	-9 = Data not collected for this year	278954	33.34
	1 = Yes (ANLRXDRS=1,3,5)	660	0.08
	2 = No (ANLRXDRS=6)	13147	1.57
	3 = Never/No Pst Mon Use (ANLRXDRS=81,89,91,93,99)	537822	64.28

SUBSTANCE TREATMENT

ANLRXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR ANL - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6116	0.73
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (ANLRXFAK=1,3,5).....	85	0.01
	2 = No (ANLRXFAK=6).....	13719	1.64
	3 = Never/No Pst Mon Use (ANLRXFAK=81,89,91,93,99).....	537822	64.28
ANLSTOL2	Len : 1 STOLE ANL FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6116	0.73
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (ANLSTOLE=1,3,5).....	153	0.02
	2 = No (ANLSTOLE=6).....	13651	1.63
	3 = Never/No Pst Mon Use (ANLSTOLE=81,89,91,93,99).....	537822	64.28
ANLFRFE2	Len : 1 GOT ANL FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6092	0.73
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (ANLFRFRE=1,3,5).....	8109	0.97
	2 = No (ANLFRFRE=6).....	5720	0.68
	3 = Never/No Pst Mon Use (ANLFRFRE=81,89,91,93,99).....	537821	64.28
ANLFRBY2	Len : 1 BOUGHT ANL FROM A FRIEND OR RELATIVE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6113	0.73
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (ANLFRBUY=1,3,5).....	3588	0.43
	2 = No (ANLFRBUY=6).....	10219	1.22
	3 = Never/No Pst Mon Use (ANLFRBUY=81,89,91,93,99).....	537822	64.28
ANLFRTK2	Len : 1 TOOK ANL FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6110	0.73
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (ANLFRTKE=1,3,5).....	1725	0.21
	2 = No (ANLFRTKE=6).....	12085	1.44
	3 = Never/No Pst Mon Use (ANLFRTKE=81,89,91,93,99).....	537822	64.28
ANLDEAL2	Len : 1 BOUGHT ANL FROM DRUG DEALR/OTH STRANGER - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6114	0.73
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (ANLDEALR=1,3,5).....	2046	0.24
	2 = No (ANLDEALR=6).....	11760	1.41
	3 = Never/No Pst Mon Use (ANLDEALR=81,89,91,93,99).....	537822	64.28
ANLINET2	Len : 1 BOUGHT ANL ON THE INTERNET - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6115	0.73
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (ANLINET=1,3,5).....	98	0.01
	2 = No (ANLINET=6).....	13707	1.64
	3 = Never/No Pst Mon Use (ANLINET=81,89,91,93,99).....	537822	64.28

SUBSTANCE TREATMENT

The following variable, ANLOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription pain relievers in "some other way" (ANLOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLOTHSP=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription pain relievers "some other way" was unknown (ANLOTHWY=85, 94, 97, 98).

ANLOTHW2	Len : 1 GOT ANL IN SOME OTHER WAY - PST MON	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>. = Unknown/Invalid Source (See comment above).....</td> <td style="text-align: right;">6464</td> <td style="text-align: right;">0.77</td> </tr> <tr> <td>-9 = Data not collected for this year.....</td> <td style="text-align: right;">278954</td> <td style="text-align: right;">33.34</td> </tr> <tr> <td>1 = Yes (ANLOTHWY=1,3,5 and ANLOTHS2=10,11-39,71).....</td> <td style="text-align: right;">920</td> <td style="text-align: right;">0.11</td> </tr> <tr> <td>2 = No (ANLOTHWY=6 or [ANLOTHWY=1,3,5 & ANLOTHS2=1-9]).....</td> <td style="text-align: right;">12536</td> <td style="text-align: right;">1.50</td> </tr> <tr> <td>3 = Never/No Pst Mon Use (ANLOTHWY=81,89,91,93,99).....</td> <td style="text-align: right;">537822</td> <td style="text-align: right;">64.28</td> </tr> </tbody> </table>		Freq	Pct	. = Unknown/Invalid Source (See comment above).....	6464	0.77	-9 = Data not collected for this year.....	278954	33.34	1 = Yes (ANLOTHWY=1,3,5 and ANLOTHS2=10,11-39,71).....	920	0.11	2 = No (ANLOTHWY=6 or [ANLOTHWY=1,3,5 & ANLOTHS2=1-9]).....	12536	1.50	3 = Never/No Pst Mon Use (ANLOTHWY=81,89,91,93,99).....	537822	64.28
	Freq	Pct																		
. = Unknown/Invalid Source (See comment above).....	6464	0.77																		
-9 = Data not collected for this year.....	278954	33.34																		
1 = Yes (ANLOTHWY=1,3,5 and ANLOTHS2=10,11-39,71).....	920	0.11																		
2 = No (ANLOTHWY=6 or [ANLOTHWY=1,3,5 & ANLOTHS2=1-9]).....	12536	1.50																		
3 = Never/No Pst Mon Use (ANLOTHWY=81,89,91,93,99).....	537822	64.28																		
TRNRX1D2	Len : 1 GOT ONE+ RX FOR TRN FROM JUST ONE DOCTOR - PST MON	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>. = Unknown Source (Otherwise).....</td> <td style="text-align: right;">2431</td> <td style="text-align: right;">0.29</td> </tr> <tr> <td>-9 = Data not collected for this year.....</td> <td style="text-align: right;">278954</td> <td style="text-align: right;">33.34</td> </tr> <tr> <td>1 = Yes (TRNRX1DR=1,3,5).....</td> <td style="text-align: right;">655</td> <td style="text-align: right;">0.08</td> </tr> <tr> <td>2 = No (TRNRX1DR=6).....</td> <td style="text-align: right;">4257</td> <td style="text-align: right;">0.51</td> </tr> <tr> <td>3 = Never/No Pst Mon Use (TRNRX1DR=81,89,91,93,99).....</td> <td style="text-align: right;">550399</td> <td style="text-align: right;">65.78</td> </tr> </tbody> </table>		Freq	Pct	. = Unknown Source (Otherwise).....	2431	0.29	-9 = Data not collected for this year.....	278954	33.34	1 = Yes (TRNRX1DR=1,3,5).....	655	0.08	2 = No (TRNRX1DR=6).....	4257	0.51	3 = Never/No Pst Mon Use (TRNRX1DR=81,89,91,93,99).....	550399	65.78
	Freq	Pct																		
. = Unknown Source (Otherwise).....	2431	0.29																		
-9 = Data not collected for this year.....	278954	33.34																		
1 = Yes (TRNRX1DR=1,3,5).....	655	0.08																		
2 = No (TRNRX1DR=6).....	4257	0.51																		
3 = Never/No Pst Mon Use (TRNRX1DR=81,89,91,93,99).....	550399	65.78																		
TRNRXDS2	Len : 1 GOT RX FOR TRN FROM 2 OR MORE DOCTORS - PST MON	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>. = Unknown Source (Otherwise).....</td> <td style="text-align: right;">2434</td> <td style="text-align: right;">0.29</td> </tr> <tr> <td>-9 = Data not collected for this year.....</td> <td style="text-align: right;">278954</td> <td style="text-align: right;">33.34</td> </tr> <tr> <td>1 = Yes (TRNRXDRS=1,3,5).....</td> <td style="text-align: right;">75</td> <td style="text-align: right;">0.01</td> </tr> <tr> <td>2 = No (TRNRXDRS=6).....</td> <td style="text-align: right;">4834</td> <td style="text-align: right;">0.58</td> </tr> <tr> <td>3 = Never/No Pst Mon Use (TRNRXDRS=81,89,91,93,99).....</td> <td style="text-align: right;">550399</td> <td style="text-align: right;">65.78</td> </tr> </tbody> </table>		Freq	Pct	. = Unknown Source (Otherwise).....	2434	0.29	-9 = Data not collected for this year.....	278954	33.34	1 = Yes (TRNRXDRS=1,3,5).....	75	0.01	2 = No (TRNRXDRS=6).....	4834	0.58	3 = Never/No Pst Mon Use (TRNRXDRS=81,89,91,93,99).....	550399	65.78
	Freq	Pct																		
. = Unknown Source (Otherwise).....	2434	0.29																		
-9 = Data not collected for this year.....	278954	33.34																		
1 = Yes (TRNRXDRS=1,3,5).....	75	0.01																		
2 = No (TRNRXDRS=6).....	4834	0.58																		
3 = Never/No Pst Mon Use (TRNRXDRS=81,89,91,93,99).....	550399	65.78																		
TRNRXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR TRN - PST MON	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>. = Unknown Source (Otherwise).....</td> <td style="text-align: right;">2434</td> <td style="text-align: right;">0.29</td> </tr> <tr> <td>-9 = Data not collected for this year.....</td> <td style="text-align: right;">278954</td> <td style="text-align: right;">33.34</td> </tr> <tr> <td>1 = Yes (TRNRXFAK=1,3,5).....</td> <td style="text-align: right;">22</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>2 = No (TRNRXFAK=6).....</td> <td style="text-align: right;">4887</td> <td style="text-align: right;">0.58</td> </tr> <tr> <td>3 = Never/No Pst Mon Use (TRNRXFAK=81,89,91,93,99).....</td> <td style="text-align: right;">550399</td> <td style="text-align: right;">65.78</td> </tr> </tbody> </table>		Freq	Pct	. = Unknown Source (Otherwise).....	2434	0.29	-9 = Data not collected for this year.....	278954	33.34	1 = Yes (TRNRXFAK=1,3,5).....	22	0.00	2 = No (TRNRXFAK=6).....	4887	0.58	3 = Never/No Pst Mon Use (TRNRXFAK=81,89,91,93,99).....	550399	65.78
	Freq	Pct																		
. = Unknown Source (Otherwise).....	2434	0.29																		
-9 = Data not collected for this year.....	278954	33.34																		
1 = Yes (TRNRXFAK=1,3,5).....	22	0.00																		
2 = No (TRNRXFAK=6).....	4887	0.58																		
3 = Never/No Pst Mon Use (TRNRXFAK=81,89,91,93,99).....	550399	65.78																		
TRNSTOL2	Len : 1 STOLE TRN FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>. = Unknown Source (Otherwise).....</td> <td style="text-align: right;">2434</td> <td style="text-align: right;">0.29</td> </tr> <tr> <td>-9 = Data not collected for this year.....</td> <td style="text-align: right;">278954</td> <td style="text-align: right;">33.34</td> </tr> <tr> <td>1 = Yes (TRNSTOLE=1,3,5).....</td> <td style="text-align: right;">30</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td>2 = No (TRNSTOLE=6).....</td> <td style="text-align: right;">4879</td> <td style="text-align: right;">0.58</td> </tr> <tr> <td>3 = Never/No Pst Mon Use (TRNSTOLE=81,89,91,93,99).....</td> <td style="text-align: right;">550399</td> <td style="text-align: right;">65.78</td> </tr> </tbody> </table>		Freq	Pct	. = Unknown Source (Otherwise).....	2434	0.29	-9 = Data not collected for this year.....	278954	33.34	1 = Yes (TRNSTOLE=1,3,5).....	30	0.00	2 = No (TRNSTOLE=6).....	4879	0.58	3 = Never/No Pst Mon Use (TRNSTOLE=81,89,91,93,99).....	550399	65.78
	Freq	Pct																		
. = Unknown Source (Otherwise).....	2434	0.29																		
-9 = Data not collected for this year.....	278954	33.34																		
1 = Yes (TRNSTOLE=1,3,5).....	30	0.00																		
2 = No (TRNSTOLE=6).....	4879	0.58																		
3 = Never/No Pst Mon Use (TRNSTOLE=81,89,91,93,99).....	550399	65.78																		
TRNFRFE2	Len : 1 GOT TRN FROM A FRIEND/RELATIVE FOR FREE - PST MON	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>. = Unknown Source (Otherwise).....</td> <td style="text-align: right;">2430</td> <td style="text-align: right;">0.29</td> </tr> <tr> <td>-9 = Data not collected for this year.....</td> <td style="text-align: right;">278954</td> <td style="text-align: right;">33.34</td> </tr> <tr> <td>1 = Yes (TRNFRFRE=1,3,5).....</td> <td style="text-align: right;">2671</td> <td style="text-align: right;">0.32</td> </tr> <tr> <td>2 = No (TRNFRFRE=6).....</td> <td style="text-align: right;">2242</td> <td style="text-align: right;">0.27</td> </tr> <tr> <td>3 = Never/No Pst Mon Use (TRNFRFRE=81,89,91,93,99).....</td> <td style="text-align: right;">550399</td> <td style="text-align: right;">65.78</td> </tr> </tbody> </table>		Freq	Pct	. = Unknown Source (Otherwise).....	2430	0.29	-9 = Data not collected for this year.....	278954	33.34	1 = Yes (TRNFRFRE=1,3,5).....	2671	0.32	2 = No (TRNFRFRE=6).....	2242	0.27	3 = Never/No Pst Mon Use (TRNFRFRE=81,89,91,93,99).....	550399	65.78
	Freq	Pct																		
. = Unknown Source (Otherwise).....	2430	0.29																		
-9 = Data not collected for this year.....	278954	33.34																		
1 = Yes (TRNFRFRE=1,3,5).....	2671	0.32																		
2 = No (TRNFRFRE=6).....	2242	0.27																		
3 = Never/No Pst Mon Use (TRNFRFRE=81,89,91,93,99).....	550399	65.78																		
TRNFRBY2	Len : 1 BOUGHT TRN FROM A FRIEND OR RELATIVE - PST MON	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"></th> <th style="text-align: right;">Freq</th> <th style="text-align: right;">Pct</th> </tr> </thead> <tbody> <tr> <td>. = Unknown Source (Otherwise).....</td> <td style="text-align: right;">2433</td> <td style="text-align: right;">0.29</td> </tr> <tr> <td>-9 = Data not collected for this year.....</td> <td style="text-align: right;">278954</td> <td style="text-align: right;">33.34</td> </tr> <tr> <td>1 = Yes (TRNFRBUY=1,3,5).....</td> <td style="text-align: right;">1058</td> <td style="text-align: right;">0.13</td> </tr> <tr> <td>2 = No (TRNFRBUY=6).....</td> <td style="text-align: right;">3852</td> <td style="text-align: right;">0.46</td> </tr> <tr> <td>3 = Never/No Pst Mon Use (TRNFRBUY=81,89,91,93,99).....</td> <td style="text-align: right;">550399</td> <td style="text-align: right;">65.78</td> </tr> </tbody> </table>		Freq	Pct	. = Unknown Source (Otherwise).....	2433	0.29	-9 = Data not collected for this year.....	278954	33.34	1 = Yes (TRNFRBUY=1,3,5).....	1058	0.13	2 = No (TRNFRBUY=6).....	3852	0.46	3 = Never/No Pst Mon Use (TRNFRBUY=81,89,91,93,99).....	550399	65.78
	Freq	Pct																		
. = Unknown Source (Otherwise).....	2433	0.29																		
-9 = Data not collected for this year.....	278954	33.34																		
1 = Yes (TRNFRBUY=1,3,5).....	1058	0.13																		
2 = No (TRNFRBUY=6).....	3852	0.46																		
3 = Never/No Pst Mon Use (TRNFRBUY=81,89,91,93,99).....	550399	65.78																		

SUBSTANCE TREATMENT

TRNFRTK2	Len : 1 TOOK TRN FROM FRND/RELATIVE WITHOUT ASK - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2433	0.29
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (TRNFRTKE=1,3,5).....	357	0.04
	2 = No (TRNFRTKE=6).....	4553	0.54
	3 = Never/No Pst Mon Use (TRNFRTKE=81,89,91,93,99).....	550399	65.78

TRNDEAL2	Len : 1 BOUGHT TRN FROM DRUG DEALR/OTH STRANGER - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2433	0.29
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (TRNDEALR=1,3,5).....	645	0.08
	2 = No (TRNDEALR=6).....	4265	0.51
	3 = Never/No Pst Mon Use (TRNDEALR=81,89,91,93,99).....	550399	65.78

TRNINET2	Len : 1 BOUGHT TRANQUILIZERS ON THE INTERNET - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2434	0.29
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (TRNINET=1,3,5).....	36	0.00
	2 = No (TRNINET=6).....	4873	0.58
	3 = Never/No Pst Mon Use (TRNINET=81,89,91,93,99).....	550399	65.78

The following variable, TRNOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription tranquilizers in "some other way" (TRNOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNOTHSP=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription tranquilizers "some other way" was unknown (TRNOTHWY=85, 94, 97, 98).

TRNOTHW2	Len : 1 GOT TRN IN SOME OTHER WAY - PST MON	Freq	Pct
	. = Unknown Source (See comment above).....	2513	0.30
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (TRNOTHWY=1,3,5 and TRNOTHS2=10,11-39,71).....	172	0.02
	2 = No (TRNOTHWY=6 or [TRNOTHWY=1,3,5 & TRNOTHS2=1-9]).....	4658	0.56
	3 = Never/No Pst Mon Use (TRNOTHWY=81,89,91,93,99).....	550399	65.78

STMRIX1D2	Len : 1 GOT ONE+ RX FOR STM FROM JUST ONE DOCTOR - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2103	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMRIX1DR=1,3,5).....	419	0.05
	2 = No (STMRIX1DR=6).....	2511	0.30
	3 = Never/No Pst Mon/Only MTH(STMRIX1DR=81,89,91,93,99).....	552709	66.06

STMRIXDS2	Len : 1 GOT RX FOR STM FROM 2 OR MORE DOCTORS - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2110	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMRIXDRS=1,3,5).....	72	0.01
	2 = No (STMRIXDRS=6).....	2851	0.34
	3 = Never/No Pst Mon/Only MTH(STMRIXDRS=81,89,91,93,99).....	552709	66.06

STMRIXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR STM - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2110	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMRIXFAK=1,3,5).....	22	0.00
	2 = No (STMRIXFAK=6).....	2901	0.35
	3 = Never/No Pst Mon/Only MTH(STMRIXFAK=81,89,91,93,99).....	552709	66.06

SUBSTANCE TREATMENT

STMSTOL2	Len : 1 STOLE STM FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2110	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMSTOLE=1,3,5).....	33	0.00
	2 = No (STMSTOLE=6).....	2890	0.35
	3 = Never/No Pst Mon/Only MTH(STMSTOLE=81,89,91,93,99).....	552709	66.06

STMFRFE2	Len : 1 GOT STM FROM A FRIEND/RELATIVE FOR FREE - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2097	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMFRFRE=1,3,5).....	1513	0.18
	2 = No (STMFRFRE=6).....	1423	0.17
	3 = Never/No Pst Mon/Only MTH(STMFRFRE=81,89,91,93,99).....	552709	66.06

STMFRBY2	Len : 1 BOUGHT STM FROM A FRIEND OR RELATIVE - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2107	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMFRBUY=1,3,5).....	834	0.10
	2 = No (STMFRBUY=6).....	2092	0.25
	3 = Never/No Pst Mon/Only MTH(STMFRBUY=81,89,91,93,99).....	552709	66.06

STMFRTK2	Len : 1 TOOK STM FROM FRND/RELATIVE WITHOUT ASK - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2108	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMFRTKE=1,3,5).....	238	0.03
	2 = No (STMFRTKE=6).....	2687	0.32
	3 = Never/No Pst Mon/Only MTH(STMFRTKE=81,89,91,93,99).....	552709	66.06

STMDEAL2	Len : 1 BOUGHT STM FROM DRUG DEALR/OTH STRANGER - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2106	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMDEALR=1,3,5).....	349	0.04
	2 = No (STMDEALR=6).....	2578	0.31
	3 = Never/No Pst Mon/Only MTH(STMDEALR=81,89,91,93,99).....	552709	66.06

STMINET2	Len : 1 BOUGHT STIMULANTS ON THE INTERNET - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2109	0.25
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMINET=1,3,5).....	63	0.01
	2 = No (STMINET=6).....	2861	0.34
	3 = Never/No Pst Mon/Only MTH(STMINET=81,89,91,93,99).....	552709	66.06

The following variable, STMOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription stimulants in "some other way" (STMOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMOTHSP=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription stimulants "some other way" was unknown (STMOTHWY=85, 94, 97, 98).

STMOTHW2	Len : 1 GOT STM IN SOME OTHER WAY - PST MON	Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	2159	0.26
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (STMOTHWY=1,3,5 and STMOTHS2=10,11-39,71).....	121	0.01
	2 = No (STMOTHWY=6 or [STMOTHWY=1,3,5 & STMOTHS2=1-9]).....	2753	0.33
	3 = Never/No Pst Mon/Only MTH(STMOTHWY=81,89,91,93,99).....	552709	66.06

SUBSTANCE TREATMENT

SEDRX1D2	Len : 1 GOT ONE+ RX FOR SED FROM JUST ONE DOCTOR - PST MON		
	. = Unknown Source (Otherwise).....	1679	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDRX1DR=1,3,5).....	138	0.02
	2 = No (SEDRX1DR=6).....	532	0.06
	3 = Never/No Pst Mon Use (SEDRX1DR=81,89,91,93,99).....	555393	66.38
SEDRXDS2	Len : 1 GOT RX FOR SED FROM 2 OR MORE DOCTORS - PST MON		
	. = Unknown Source (Otherwise).....	1679	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDRXDRS=1,3,5).....	25	0.00
	2 = No (SEDRXDRS=6).....	645	0.08
	3 = Never/No Pst Mon Use (SEDRXDRS=81,89,91,93,99).....	555393	66.38
SEDRXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR SED - PST MON		
	. = Unknown Source (Otherwise).....	1678	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDRXFAK=1,3,5).....	9	0.00
	2 = No (SEDRXFAK=6).....	662	0.08
	3 = Never/No Pst Mon Use (SEDRXFAK=81,89,91,93,99).....	555393	66.38
SEDSTOL2	Len : 1 STOLE SED FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
	. = Unknown Source (Otherwise).....	1679	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDSTOLE=1,3,5).....	19	0.00
	2 = No (SEDSTOLE=6).....	651	0.08
	3 = Never/No Pst Mon Use (SEDSTOLE=81,89,91,93,99).....	555393	66.38
SEDFRFE2	Len : 1 GOT SED FROM A FRIEND/RELATIVE FOR FREE - PST MON		
	. = Unknown Source (Otherwise).....	1678	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDFRFRE=1,3,5).....	349	0.04
	2 = No (SEDFRFRE=6).....	322	0.04
	3 = Never/No Pst Mon Use (SEDFRFRE=81,89,91,93,99).....	555393	66.38
SEDFRBY2	Len : 1 BOUGHT SED FROM A FRIEND OR RELATIVE - PST MON		
	. = Unknown Source (Otherwise).....	1679	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDFRBUY=1,3,5).....	92	0.01
	2 = No (SEDFRBUY=6).....	578	0.07
	3 = Never/No Pst Mon Use (SEDFRBUY=81,89,91,93,99).....	555393	66.38
SEDFRTK2	Len : 1 TOOK SED FROM FRND/RELATIVE WITHOUT ASK - PST MON		
	. = Unknown Source (Otherwise).....	1679	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDFRTKE=1,3,5).....	67	0.01
	2 = No (SEDFRTKE=6).....	603	0.07
	3 = Never/No Pst Mon Use (SEDFRTKE=81,89,91,93,99).....	555393	66.38
SEDDEAL2	Len : 1 BOUGHT SED FROM DRUG DEALR/OTH STRANGER - PST MON		
	. = Unknown Source (Otherwise).....	1679	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDDEALR=1,3,5).....	50	0.01
	2 = No (SEDDEALR=6).....	620	0.07
	3 = Never/No Pst Mon Use (SEDDEALR=81,89,91,93,99).....	555393	66.38

SUBSTANCE TREATMENT

SEDINET2	Len : 1 BOUGHT SEDATIVES ON THE INTERNET - PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1679	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDINET=1,3,5).....	5	0.00
	2 = No (SEDINET=6).....	665	0.08
	3 = Never/No Pst Mon Use (SEDINET=81,89,91,93,99).....	555393	66.38

The following variable, SEDOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription sedatives in "some other way" (SEDOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDOTHS=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription sedatives "some other way" was unknown (SEDOTHWY=85, 94, 97, 98).

SEDOTHW2	Len : 1 GOT SED IN SOME OTHER WAY - PST MON	Freq	Pct
	. = Unknown Source (See comment above).....	1693	0.20
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (SEDOTHWY=1,3,5 and SEDOTHS2=10,11-39,71).....	33	0.00
	2 = No (SEDOTHWY=6 or [SEDOTHWY=1,3,5 & SEDOTHS2=1-9]).....	623	0.07
	3 = Never/No Pst Mon Use (SEDOTHWY=81,89,91,93,99).....	555393	66.38

MTHFRFE2	Len : 1 GOT MTH FROM A FRIEND/RELATIVE FOR FREE - PST MON	Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHFRFRE=85,93,94,97,98).....	276	0.03
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (CPNMTHMN=1 and MTHFRFRE=1,3,5).....	593	0.07
	2 = No (CPNMTHMN=1 and MTHFRFRE=6).....	524	0.06
	3 = No Past Month Use (CPNMTHMN=0).....	556349	66.49

MTHFRBY2	Len : 1 BOUGHT MTH FROM A FRIEND OR RELATIVE - PST MON	Freq	Pct
	. = Unknwn Src (CPNMTHMN=1 & MTHFRBUY=85,93,94,97,98).....	276	0.03
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (CPNMTHMN=1 and MTHFRBUY=1,3,5).....	400	0.05
	2 = No (CPNMTHMN=1 and MTHFRBUY=6).....	717	0.09
	3 = No Past Month Use (CPNMTHMN=0).....	556349	66.49

MTHFRTK2	Len : 1 TOOK MTH FROM FRND/RELATIVE WITHOUT ASK - PST MON	Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHFRTKE=85,93,94,97,98).....	277	0.03
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (CPNMTHMN=1 and MTHFRTKE=1,3,5).....	50	0.01
	2 = No (CPNMTHMN=1 and MTHFRTKE=6).....	1066	0.13
	3 = No Past Month Use (CPNMTHMN=0).....	556349	66.49

MTHDEAL2	Len : 1 BOUGHT MTH FROM DRUG DEALR/OTH STRANGER - PST MON	Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHDEALR=85,93,94,97,98).....	277	0.03
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (CPNMTHMN=1 and MTHDEALR=1,3,5).....	324	0.04
	2 = No (CPNMTHMN=1 and MTHDEALR=6).....	792	0.09
	3 = No Past Month Use (CPNMTHMN=0).....	556349	66.49

MTHINET2	Len : 1 BOUGHT MTH ON THE INTERNET - PST MON	Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHINET=85,93,94,97,98).....	277	0.03
	-9 = Data not collected for this year.....	278954	33.34
	1 = Yes (CPNMTHMN=1 and MTHINET=1,3,5).....	14	0.00
	2 = No (CPNMTHMN=1 and MTHINET=6).....	1102	0.13
	3 = No Past Month Use (CPNMTHMN=0).....	556349	66.49

SUBSTANCE TREATMENT

The following variable, MTHOTHW2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that they got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHOTHSP=1, 2, 11-39, 71). MTHOTHW2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) they did not get methamphetamine in "some other way" (MTHOTHWY=6) or (2) they got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHOTHSP=5-9). MTHOTHW2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHOTHSP=70, 72-75, 85, 94, 97, 98) or (2) a response to getting methamphetamine "some other way" was unknown (MTHOTHWY=85, 93, 94, 97, 98).

MTHOTHW2	Len : 1 GOT MTH IN SOME OTHER WAY - PST MON	Freq	Pct
.	= Unknown Source (See comment above)	310	0.04
-9	= Data not collected for this year	278954	33.34
1	= Yes (See comment above)	62	0.01
2	= No (See comment above)	1021	0.12
3	= No Past Month Use (CPNMTHMN=0).....	556349	66.49

SUBSTANCE TREATMENT

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following five variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCF2), prescription tranquilizers (TRNSRCF2), prescription stimulants (STMSRCF2), prescription sedatives (SEDSRCF2), and methamphetamine (MTHSRCF2) within the past year.

For each variable, excluding MTHSRCF2, there are 10 mutually exclusive categories for specific sources. Since methamphetamine is not available by prescription, the first four categories are not applicable thus there are only six mutually exclusive categories for MTHSRCF2. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGLAS=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCF2=).

Based on the following conditions, a respondent was classified in one of the following 11 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCF2, TRNSRCF2, STMSRCF2, and SEDSRCF2:

1. Got from One Doctor ((XXXGTLAS=5 and XXXFFLAS=1, 11) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFF1DR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLAS=5 and XXXFFLAS=2, 12) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLAS=5 and XXXFFLAS=3, 13) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLAS=5 and XXXFFLAS=4, 14) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got from Friend or Relative for Free ((XXXGTLAS=5 and XXXFFLAS=5, 15) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLAS=5 and XXXFFLAS=6, 16) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLAS=5 and XXXFFLAS=7, 17) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLAS=5 and XXXFFLAS=8, 18) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLAS=5 and XXXFFLAS=9, 19) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLAS=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

ANLSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	108095	12.92
-9 = Data not collected for this year	726265	86.80
1 = Got from One Doctor	1865	0.22
2 = Got from More Than One Doctor	91	0.01
3 = Wrote Fake Prescription	5	0.00
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	6	0.00
5 = Got from Friend or Relative for Free	144	0.02
6 = Bought from Friend or Relative	98	0.01
7 = Took from Friend or Relative without Asking	33	0.00
8 = Bought from Drug Dealer or Other Stranger	44	0.01
9 = Bought on the Internet	5	0.00
10 = Got Some Other Way	45	0.01

SUBSTANCE TREATMENT

TRNSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	109102	13.04
-9 = Data not collected for this year	726265	86.80
1 = Got from One Doctor	1016	0.12
2 = Got from More Than One Doctor	38	0.00
3 = Wrote Fake Prescription	3	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
5 = Got from Friend or Relative for Free	111	0.01
6 = Bought from Friend or Relative	71	0.01
7 = Took from Friend or Relative without Asking	12	0.00
8 = Bought from Drug Dealer or Other Stranger.....	59	0.01
9 = Bought on the Internet	4	0.00
10 = Got Some Other Way.....	13	0.00

STMSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	109693	13.11
-9 = Data not collected for this year	726265	86.80
1 = Got from One Doctor	558	0.07
2 = Got from More Than One Doctor	19	0.00
3 = Wrote Fake Prescription	1	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
5 = Got from Friend or Relative for Free	70	0.01
6 = Bought from Friend or Relative	44	0.01
7 = Took from Friend or Relative without Asking	7	0.00
8 = Bought from Drug Dealer or Other Stranger.....	28	0.00
9 = Bought on the Internet	2	0.00
10 = Got Some Other Way.....	7	0.00

SEDSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	110289	13.18
-9 = Data not collected for this year	726265	86.80
1 = Got from One Doctor	105	0.01
2 = Got from More Than One Doctor	8	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.00
5 = Got from Friend or Relative for Free	11	0.00
6 = Bought from Friend or Relative	4	0.00
7 = Took from Friend or Relative without Asking	5	0.00
8 = Bought from Drug Dealer or Other Stranger.....	3	0.00
9 = Bought on the Internet	1	0.00
10 = Got Some Other Way.....	2	0.00

SUBSTANCE TREATMENT

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCF2, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=5, 15] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=6, 16] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=7, 17] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=8, 18] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=9, 19] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not From Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

MTHSRCF2	Len : 2 REV SOURCE OF FRIEND OR RELATIVES METHAMPHETAMINES	Freq	Pct
.	= No Pst Yr Use/Src Not Frnd, Rltive Free/Unkwn Src	110208	13.17
-9	= Data not collected for this year	726265	86.80
5	= Got from Friend or Relative for Free	74	0.01
6	= Bought from Friend or Relative	70	0.01
7	= Took from Friend or Relative without Asking	4	0.00
8	= Bought from Drug Dealer or Other Stranger	62	0.01
10	= Got Some Other Way	13	0.00

NOTE: The following 46 variables were created to capture all a respondent's friend or relative's reported source of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

ANLFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR ANL FRM JUST 1 DR-PST MON	Freq	Pct
.	= Unknown Source (Otherwise)	6127	0.73
-9	= Data not collected for this year	334859	40.02
1	= Yes (ANLFF1DR=1,3,5)	4746	0.57
2	= No (ANLFF1DR=6)	1693	0.20
3	= Never/No Pst Mon Use (ANLFF1DR=81,89,91,93,99)	489271	58.48

ANLFFDS2	Len : 1 FRD/REL GOT RX FOR ANL FROM 2+ DRS-PST MON	Freq	Pct
.	= Unknown Source (Otherwise)	6193	0.74
-9	= Data not collected for this year	334859	40.02
1	= Yes (ANLFFDRS=1,3,5)	609	0.07
2	= No (ANLFFDRS=6)	5764	0.69
3	= Never/No Pst Mon Use (ANLFFDRS=81,89,91,93,99)	489271	58.48

SUBSTANCE TREATMENT

ANLFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR ANL-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6196	0.74
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (ANLFFAKE=1,3,5).....	58	0.01
	2 = No (ANLFFAKE=6).....	6312	0.75
	3 = Never/No Pst Mon Use (ANLFFAKE=81,89,91,93,99).....	489271	58.48
ANLFFST2	Len : 1 FRD/REL STOLE ANL FROM DR/CLIN/HOSP/PHARM-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6197	0.74
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (ANLFFSTL=1,3,5).....	95	0.01
	2 = No (ANLFFSTL=6).....	6274	0.75
	3 = Never/No Pst Mon Use (ANLFFSTL=81,89,91,93,99).....	489271	58.48
ANLFFRE2	Len : 1 FRD/REL GOT ANL FROM A FRND/REL FOR FREE-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6187	0.74
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (ANLFFREE=1,3,5).....	1071	0.13
	2 = No (ANLFFREE=6).....	5309	0.63
	3 = Never/No Pst Mon Use (ANLFFREE=81,89,91,93,99).....	489270	58.48
ANLFFBY2	Len : 1 FRD/REL BOUGHT ANL FROM A FRND OR REL-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6186	0.74
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (ANLFFBOT=1,3,5).....	1011	0.12
	2 = No (ANLFFBOT=6).....	5369	0.64
	3 = Never/No Pst Mon Use (ANLFFBOT=81,89,91,93,99).....	489271	58.48
ANLFFTK2	Len : 1 FRD/REL TOOK ANL FROM A FRND/REL WOUT ASK-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6196	0.74
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (ANLFFTK=1,3,5).....	390	0.05
	2 = No (ANLFFTK=6).....	5980	0.71
	3 = Never/No Pst Mon Use (ANLFFTK=81,89,91,93,99).....	489271	58.48
ANLFFDL2	Len : 1 FRD/REL BGHT ANL FRM DRG DEALR/OTH STRNGR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6186	0.74
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (ANLFFDLR=1,3,5).....	637	0.08
	2 = No (ANLFFDLR=6).....	5743	0.69
	3 = Never/No Pst Mon Use (ANLFFDLR=81,89,91,93,99).....	489271	58.48
ANLFFNT2	Len : 1 FRD/REL BOUGHT ANL ON THE INTERNET-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	6197	0.74
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (ANLFFNET=1,3,5).....	54	0.01
	2 = No (ANLFFNET=6).....	6315	0.75
	3 = Never/No Pst Mon Use (ANLFFNET=81,89,91,93,99).....	489271	58.48

SUBSTANCE TREATMENT

The following variable, ANLFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription pain relievers in "some other way" (ANLFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting the prescription pain relievers "some other way" was unknown (ANLFFOTH=85, 94, 97, 98).

ANLFFOT2	Len : 1 FRD/REL GOT ANL IN SOME OTHER WAY-PST MON		
		Freq	Pct
	. = Unknown Source (See comment above)	6369	0.76
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (ANLFFOTH=1,3,5 and ANLFFOSP=11-38,71)	257	0.03
	2 = No (ANLFFOTH=6 or [ANLFFOTH=1,3,5 & ANLFFOSP=1-9])	5941	0.71
	3 = Never/No Pst Mon Use (ANLFFOTH=81,89,91,93,99)	489270	58.48
TRNFFID2	Len : 1 FRD/REL GOT 1+ RX FOR TRN FRM JUST 1 DR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2361	0.28
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (TRNFFIDR=1,3,5)	1518	0.18
	2 = No (TRNFFIDR=6)	653	0.08
	3 = Never/No Pst Mon Use (TRNFFIDR=81,89,91,93,99)	497305	59.44
TRNFFDS2	Len : 1 FRD/REL GOT RX FOR TRN FROM 2+ DRS-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.28
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (TRNFFDRS=1,3,5)	123	0.01
	2 = No (TRNFFDRS=6)	2035	0.24
	3 = Never/No Pst Mon Use (TRNFFDRS=81,89,91,93,99)	497305	59.44
TRNFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR TRN-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.28
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (TRNFFAKE=1,3,5)	6	0.00
	2 = No (TRNFFAKE=6)	2152	0.26
	3 = Never/No Pst Mon Use (TRNFFAKE=81,89,91,93,99)	497305	59.44
TRNFFST2	Len : 1 FRD/REL STOLE TRN FROM DR/CLIN/HOSP/PHARM-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.28
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (TRNFFSTL=1,3,5)	14	0.00
	2 = No (TRNFFSTL=6)	2144	0.26
	3 = Never/No Pst Mon Use (TRNFFSTL=81,89,91,93,99)	497305	59.44
TRNFFRE2	Len : 1 FRD/REL GOT TRN FROM A FRND/REL FOR FREE-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2374	0.28
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (TRNFFREE=1,3,5)	348	0.04
	2 = No (TRNFFREE=6)	1810	0.22
	3 = Never/No Pst Mon Use (TRNFFREE=81,89,91,93,99)	497305	59.44
TRNFFBY2	Len : 1 FRD/REL BOUGHT TRN FROM A FRND OR REL-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	2372	0.28
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (TRNFFBOT=1,3,5)	253	0.03
	2 = No (TRNFFBOT=6)	1907	0.23
	3 = Never/No Pst Mon Use (TRNFFBOT=81,89,91,93,99)	497305	59.44

SUBSTANCE TREATMENT

TRNFFTK2	Len : 1 FRD/REL TOOK TRN FROM A FRND/REL WOUT ASK-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2373	0.28
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (TRNFFTK2=1,3,5).....	63	0.01
	2 = No (TRNFFTK2=6).....	2096	0.25
	3 = Never/No Pst Mon Use (TRNFFTK2=81,89,91,93,99).....	497305	59.44

TRNFFDL2	Len : 1 FRD/REL BGHT TRN FRM DRG DEALR/OTH STRNGR-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2372	0.28
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (TRNFFDL2=1,3,5).....	143	0.02
	2 = No (TRNFFDL2=6).....	2017	0.24
	3 = Never/No Pst Mon Use (TRNFFDL2=81,89,91,93,99).....	497305	59.44

TRNFFNT2	Len : 1 FRD/REL BOUGHT TRN ON THE INTERNET-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	2374	0.28
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (TRNFFNT2=1,3,5).....	18	0.00
	2 = No (TRNFFNT2=6).....	2140	0.26
	3 = Never/No Pst Mon Use (TRNFFNT2=81,89,91,93,99).....	497305	59.44

The following variable, TRNFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription tranquilizers in "some other way" (TRNFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription tranquilizers "some other way" was unknown (TRNFFOTH=85, 94, 97, 98).

TRNFFOT2	Len : 1 FRD/REL GOT TRN IN SOME OTHER WAY-PST MON	Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	2425	0.29
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (TRNFFOTH=1,3,5 and TRNFFOSP=11-38,71).....	37	0.00
	2 = No (TRNFFOTH=6 or [TRNFFOTH=1,3,5 & TRNFFOSP=1-9]).....	2070	0.25
	3 = Never/No Pst Mon Use (TRNFFOTH=81,89,91,93,99).....	497305	59.44

STMFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR STM FRM JUST 1 DR-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1965	0.23
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFF1DR=1,3,5).....	892	0.11
	2 = No (STMFF1DR=6).....	313	0.04
	3 = Never/No Pst Mon/Only MTH(STMFF1DR=81,89,91,93,99).....	498667	59.60

STMFFDS2	Len : 1 FRD/REL GOT RX FOR STM FROM 2+ DRS-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1973	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFDRS=1,3,5).....	54	0.01
	2 = No (STMFFDRS=6).....	1143	0.14
	3 = Never/No Pst Mon/Only MTH(STMFFDRS=81,89,91,93,99).....	498667	59.60

STMFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR STM-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFAKE=1,3,5).....	7	0.00
	2 = No (STMFFAKE=6).....	1189	0.14
	3 = Never/No Pst Mon/Only MTH(STMFFAKE=81,89,91,93,99).....	498667	59.60

SUBSTANCE TREATMENT

STMFFST2	Len : 1 FRD/REL STOLE STM FROM DR/CLIN/HOSP/PHARM-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFSTL=1,3,5).....	7	0.00
	2 = No (STMFFSTL=6).....	1189	0.14
	3 = Never/No Pst Mon/Only MTH(STMFFSTL=81,89,91,93,99).....	498667	59.60

STMFFRE2	Len : 1 FRD/REL GOT STM FROM A FRND/REL FOR FREE-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1972	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFREE=1,3,5).....	197	0.02
	2 = No (STMFFREE=6).....	1001	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFREE=81,89,91,93,99).....	498667	59.60

STMFFBY2	Len : 1 FRD/REL BOUGHT STM FROM A FRND OR REL-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1971	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFBOT=1,3,5).....	140	0.02
	2 = No (STMFFBOT=6).....	1059	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFBOT=81,89,91,93,99).....	498667	59.60

STMFFTK2	Len : 1 FRD/REL TOOK STM FROM A FRND/REL WOUT ASK-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFTAK=1,3,5).....	38	0.00
	2 = No (STMFFTAK=6).....	1158	0.14
	3 = Never/No Pst Mon/Only MTH(STMFFTAK=81,89,91,93,99).....	498667	59.60

STMFFDL2	Len : 1 FRD/REL BGHT STM FRM DRG DEALR/OTH STRNGR-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1969	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFDLR=1,3,5).....	90	0.01
	2 = No (STMFFDLR=6).....	1111	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFDLR=81,89,91,93,99).....	498667	59.60

STMFFNT2	Len : 1 FRD/REL BOUGHT STM ON THE INTERNET-PST MON	Freq	Pct
	. = Unknown Source (Otherwise).....	1974	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFNET=1,3,5).....	13	0.00
	2 = No (STMFFNET=6).....	1183	0.14
	3 = Never/No Pst Mon/Only MTH(STMFFNET=81,89,91,93,99).....	498667	59.60

The following variable, STMFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription stimulants in "some other way" (STMFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription stimulants "some other way" was unknown (STMFFOTH=85, 94, 97, 98).

STMFFOT2	Len : 1 FRD/REL GOT STM IN SOME OTHER WAY-PST MON	Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	1988	0.24
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (STMFFOTH=1,3,5 and STMFFOSP=11-38,71).....	21	0.00
	2 = No (STMFFOTH=6 or [STMFFOTH=1,3,5 & STMFFOSP=1-9]).....	1161	0.14
	3 = Never/No Pst Mon/Only MTH(STMFFOTH=81,89,91,93,99).....	498667	59.60

SUBSTANCE TREATMENT

SEDFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR SED FRM JUST 1 DR-PST MON		
	. = Unknown Source (Otherwise).....	1527	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFF1DR=1,3,5).....	215	0.03
	2 = No (SEDFF1DR=6).....	74	0.01
	3 = Never/No Pst Mon Use (SEDFF1DR=81,89,91,93,99).....	500021	59.76
		Freq	Pct
SEDFFDS2	Len : 1 FRD/REL GOT RX FOR SED FROM 2+ DRS-PST MON		
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFDRS=1,3,5).....	24	0.00
	2 = No (SEDFFDRS=6).....	264	0.03
	3 = Never/No Pst Mon Use (SEDFFDRS=81,89,91,93,99).....	500021	59.76
		Freq	Pct
SEDFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR SED-PST MON		
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFAKE=1,3,5).....	2	0.00
	2 = No (SEDFFAKE=6).....	286	0.03
	3 = Never/No Pst Mon Use (SEDFFAKE=81,89,91,93,99).....	500021	59.76
		Freq	Pct
SEDFFST2	Len : 1 FRD/REL STOLE SED FROM DR/CLIN/HOSP/PHARM-PST MON		
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFSTL=1,3,5).....	8	0.00
	2 = No (SEDFFSTL=6).....	280	0.03
	3 = Never/No Pst Mon Use (SEDFFSTL=81,89,91,93,99).....	500021	59.76
		Freq	Pct
SEDFFRE2	Len : 1 FRD/REL GOT SED FROM A FRND/REL FOR FREE-PST MON		
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFFREE=1,3,5).....	34	0.00
	2 = No (SEDFFFREE=6).....	254	0.03
	3 = Never/No Pst Mon Use (SEDFFFREE=81,89,91,93,99).....	500021	59.76
		Freq	Pct
SEDFFBY2	Len : 1 FRD/REL BOUGHT SED FROM A FRND OR REL-PST MON		
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFBOT=1,3,5).....	22	0.00
	2 = No (SEDFFBOT=6).....	266	0.03
	3 = Never/No Pst Mon Use (SEDFFBOT=81,89,91,93,99).....	500021	59.76
		Freq	Pct
SEDFFTK2	Len : 1 FRD/REL TOOK SED FROM A FRND/REL WOUT ASK-PST MON		
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFTAK=1,3,5).....	12	0.00
	2 = No (SEDFFTAK=6).....	276	0.03
	3 = Never/No Pst Mon Use (SEDFFTAK=81,89,91,93,99).....	500021	59.76
		Freq	Pct
SEDFFDL2	Len : 1 FRD/REL BGHT SED FRM DRG DEALR/OTH STRNGR-PST MON		
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFDLR=1,3,5).....	15	0.00
	2 = No (SEDFFDLR=6).....	273	0.03
	3 = Never/No Pst Mon Use (SEDFFDLR=81,89,91,93,99).....	500021	59.76
		Freq	Pct

SUBSTANCE TREATMENT

SEDFFNT2	Len : 1 FRD/REL BOUGHT SED ON THE INTERNET-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise).....	1528	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFNET=1)	2	0.00
	2 = No (SEDFNET=6).....	286	0.03
	3 = Never/No Pst Mon Use (SEDFNET=81,89,91,93,99).....	500021	59.76

The following variable, SEDFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription sedatives in "some other way" (SEDFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription sedatives "some other way" was unknown (SEDFFOTH=85, 94, 97, 98).

SEDFFOT2	Len : 1 FRD/REL GOT SED IN SOME OTHER WAY-PST MON		
		Freq	Pct
	. = Unknown Source (See comment above).....	1530	0.18
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (SEDFFOTH=1,3,5 and SEDFFOSP=11-38,71).....	7	0.00
	2 = No (SEDFFOTH=6 or [SEDFFOTH=1,3,5 & SEDFFOSP=1-9]).....	279	0.03
	3 = Never/No Pst Mon Use (SEDFFOTH=81,89,91,93,99).....	500021	59.76

MTHFFRE2	Len : 1 FRD/REL GOT MTH FROM A FRND/REL FOR FREE-PST MON		
		Freq	Pct
	. = Unknwn Src (CPNMTHMN=1&MTHFFREE=85,93,94,97,98,99).....	695	0.08
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (CPNMTHMN=1 and MTHFFREE=1,3,5).....	171	0.02
	2 = No (CPNMTHMN=1 and MTHFFREE=6).....	258	0.03
	3 = No Past Month Use (CPNMTHMN=0).....	500713	59.84

MTHFFBY2	Len : 1 FRD/REL BOUGHT MTH FROM A FRND/REL-PAST MONTH		
		Freq	Pct
	. = Unknwn Src (CPNMTHMN=1&MTHFFBOT=85,93,94,97,98,99).....	695	0.08
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (CPNMTHMN=1 and MTHFFBOT=1,3,5).....	168	0.02
	2 = No (CPNMTHMN=1 and MTHFFBOT=6).....	261	0.03
	3 = No Past Month Use (CPNMTHMN=0).....	500713	59.84

MTHFFTK2	Len : 1 FRD/REL TOOK MTH FRM A FRND/REL WOUT ASK-PST MON		
		Freq	Pct
	. = Unknwn Src (CPNMTHMN=1&MTHFFTAK=85,93,94,97,98,99).....	695	0.08
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (CPNMTHMN=1 and MTHFFTAK=1,3,5).....	15	0.00
	2 = No (CPNMTHMN=1 and MTHFFTAK=6).....	414	0.05
	3 = No Past Month Use (CPNMTHMN=0).....	500713	59.84

MTHFFDL2	Len : 1 FRD/REL BGHT MTH FRM DRG DEALR/OTH STRNGR-PST MON		
		Freq	Pct
	. = Unknwn Src (CPNMTHMN=1&MTHFFDLR=85,93,94,97,98,99).....	695	0.08
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (CPNMTHMN=1 and MTHFFDLR=1,3,5).....	151	0.02
	2 = No (CPNMTHMN=1 and MTHFFDLR=6).....	278	0.03
	3 = No Past Month Use (CPNMTHMN=0).....	500713	59.84

MTHFFNT2	Len : 1 FRD/REL BOUGHT MTH ON THE INTERNET-PAST MONTH		
		Freq	Pct
	. = Unknwn Src (CPNMTHMN=1&MTHFFNET=85,93,94,97,98,99).....	693	0.08
	-9 = Data not collected for this year.....	334859	40.02
	1 = Yes (CPNMTHMN=1 and MTHFFNET=1,5).....	5	0.00
	2 = No (CPNMTHMN=1 and MTHFFNET=6).....	426	0.05
	3 = No Past Month Use (CPNMTHMN=0).....	500713	59.84

SUBSTANCE TREATMENT

The following variable, MTHFFOT2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHFFOSP=11-38, 71). MTHFFOT2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) that friends/relatives did not get methamphetamine in "some other way" (MTHFFOTH=6) or (2) that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHFFOSP=5-9). MTHFFOT2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting methamphetamine in "some other way" was unknown (MTHFFOTH=85, 93, 94, 97, 98, 99).

MTHFFOT2	Len : 1 FRD/REL GOT MTH IN SOME OTHER WAY-PAST MONTH	Freq	Pct
	. = Unknown Source (See comment above)	723	0.09
	-9 = Data not collected for this year	334859	40.02
	1 = Yes (See comment above)	35	0.00
	2 = No (See comment above)	366	0.04
	3 = No Past Month Use (CPNMTHMN=0)	500713	59.84

RECODED PRIOR SUBSTANCE USE

RECODED PRIOR SUBSTANCE USE

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Recoded Drug Use and Prior Substance Use.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

MJPRIOR	Len : 1 RC-MARIJUANA USE 12-23 MONTHS PRIOR TO INTERVIEW		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	0 = No (Otherwise)	654975	78.28
	1 = Used 12-23 Months Ago (MRJYRBFR=1).....	127642	15.26

MJPRIYR	Len : 1 RC-MRJ USE 12-23 MONTHS PRIOR & PST YR MRJ USE		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	0 = No (Otherwise)	684355	81.79
	1 = Used in Prior Yr & Past Yr (MRJYR=1 & MJPRIOR=1)	98262	11.74

MJPRNOYR	Len : 1 RC-MRJ USE 12-23 MONTHS PRIOR & NO PST YR MRJ USE		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	0 = No (Otherwise)	753237	90.03
	1 = Used in Pr Yr NOT Pst Yr (MRJYR=0 and MJPRIOR=1).....	29380	3.51

The following variable, TXRNSTIG, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: treatment might cause neighbors/ community to have negative opinion (NDTXNBR=1,11 or NDMRNBR=1), concerned treatment might have negative effect on their job (NDTXJOB=1 or NDMRJOB=1), did not want others to find out (NDTXFOUT=1,3,11 or NDMRFOUT=1,3), or an other specify reason of ashamed/embarrassed/afraid (NDTXRIMP=16), or afraid would have trouble with the police/ social services (NDMRRIMP=17). A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.

TXRNSTIG	Len : 1 NO TRT/ADDL TRT PST YR B/C STIGMA ASSOCIATED		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	165479	19.78
	-9 = Data not collected for this year	669959	80.07
	0 = No (See comment above).....	991	0.12
	1 = Yes (See comment above)	267	0.03

RECODED PRIOR SUBSTANCE USE

The following variable, TXRNHDPR, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: could handle problems without treatment (NDTXHNDL=1,3,11 or NDMRHNDL=1), did not feel need for treatment (NDTXNOND=1,3,11,13 or NDMRNOND=1,3), or the other specify reasons of preferred to work on problems with family/friends (NDTXRIMP=26). A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.

TXRNHDPR	Len : 1 NO TRT/ADDL TRT PST YR B/C COULD HANDLE PROB WOUT		
		Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	165479	19.78
	-9 = Data not collected for this year	669959	80.07
	0 = No (See comment above).....	1029	0.12
	1 = Yes (See comment above)	229	0.03

NOTE: The following four variables were created using a combination of the substance treatment, recoded substance treatment and recoded substance dependence and abuse variables. Specifications on how the substance treatment variable was defined can be found in the Substance Treatment section. Specifications on how the recoded substance treatment variable was defined can be found above. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

The following variable, TXDANOTX, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment in the past year.

TXDANOTX	Len : 1 DRG/ALC TRT LIF & DEP/ABUSE NO TRT PST YR		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No/Unknown (Otherwise).....	217828	26.03
	1 = Yes (TXEVER=1 & ABODILAL=1 & TXILLALC=0).....	2988	0.36

The following variable, TXNOTXDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.

TXNOTXDA	Len : 1 DRG/ALC TRT LIF & NO TRT/DEP/ABUSE PST YR		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No/Unknown (Otherwise).....	215792	25.79
	1 = Yes (TXEVER=1 & TXILLALC=0 & ABODILAL=0).....	5024	0.60

The following variable, TXDANOSP, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility in the past year.

TXDANOSP	Len : 1 DRG/ALC TRT LIF & DEP/ABUSE NO SP TRT PST YR		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No/Unknown (Otherwise).....	216764	25.91
	1 = Yes (TXEVER=1 & ABODILAL=1 & SPILLALC=0).....	4052	0.48

The following variable, TXNOSPDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment at a specialty facility in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.

TXNOSPDA	Len : 1 DRG/ALC TRT LIF & NO DEP/ABUSE/SPC TRT PST YR		
		Freq	Pct
	-9 = Data not collected for this year	615880	73.61
	0 = No/Unknown (Otherwise).....	215002	25.70
	1 = Yes (TXEVER=1 & SPILLALC=0 & ABODILAL=0).....	5814	0.69

RECORDED PRIOR SUBSTANCE USE

TXSPALC	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR ALC USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	275264	32.90
	1 = Yes (TXLTALC2=1 and LASTTXSP=1).....	1557	0.19
TXSPMRJ	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR MRJ USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	275776	32.96
	1 = Yes (TXLTMJ2=1 and LASTTXSP=1).....	1045	0.12
TXSPCOC	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR COC USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	276239	33.02
	1 = Yes (TXLTCOC2=1 and LASTTXSP=1).....	582	0.07
TXSPHER	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR HER USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	276582	33.06
	1 = Yes (TXLTHER2=1 and LASTTXSP=1).....	239	0.03
TXSPHAL	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR HAL USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	276504	33.05
	1 = Yes (TXLTHAL2=1 and LASTTXSP=1).....	317	0.04
TXSPINH	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR INH USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	276658	33.07
	1 = Yes (TXLTINH2=1 and LASTTXSP=1).....	163	0.02
TXSPANL	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR PAIN REL USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	276360	33.03
	1 = Yes (TXLTANL2=1 and LASTTXSP=1).....	461	0.06
TXSPTRN	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR TRN USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	276567	33.05
	1 = Yes (TXLTTRN2=1 and LASTTXSP=1).....	254	0.03
TXSPSTM	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR STM USE		
		Freq	Pct
	-9 = Data not collected for this year.....	505796	60.45
	0 = No/Unknown (Otherwise).....	330522	39.50
	1 = Yes (TXLTSTM2=1 and LASTTXSP=1).....	378	0.05
TXSPSED	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR SED USE		
		Freq	Pct
	-9 = Data not collected for this year.....	559875	66.91
	0 = No/Unknown (Otherwise).....	276730	33.07
	1 = Yes (TXLTSED2=1 and LASTTXSP=1).....	91	0.01

RECORDED PRIOR SUBSTANCE USE

A respondent was classified as needing treatment for substance use in the past year (NDTXXX2) if they met any one of the following 3 criteria:

- (1) Dependent on substance in the past year (DEPNXXX=1)
- (2) Abuse of Substance in the past year (ABUSEXXX=1) A respondent was classified as needing treatment for substance use in the past year (NDTXXX2) if they met any one of the following 3 criteria:
 - (1) Dependent on substance in the past year (DEPNXXX=1)
 - (2) Abuse of Substance in the past year (ABUSEXXX=1)
 - (3) Received last or current treatment for a specific substance problem at a facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (TXSPXXX=1).
- (3) Received last or current treatment for a specific substance problem at a facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (TXSPXXX=1).

NDTXALC2	Len : 1 NEEDED TREATMENT FOR ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	247568	29.59
	1 = Yes (See comment above)	29253	3.50

NDTXMRJ2	Len : 1 NEEDED TREATMENT FOR MARIJUANA USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	266488	31.85
	1 = Yes (See comment above)	10333	1.23

NDTXCOC2	Len : 1 NEEDED TREATMENT FOR COCAINE USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	274242	32.78
	1 = Yes (See comment above)	2579	0.31

NDTXHER2	Len : 1 NEEDED TREATMENT FOR HEROIN USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	276324	33.03
	1 = Yes (See comment above)	497	0.06

NDTXHAL2	Len : 1 NEEDED TREATMENT FOR HALLUCINOGEN USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	275573	32.94
	1 = Yes (See comment above)	1248	0.15

NDTXINH2	Len : 1 NEEDED TREATMENT FOR INHALANT USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	276093	33.00
	1 = Yes (See comment above)	728	0.09

NDTXANL2	Len : 1 NEEDED TREATMENT FOR PAIN RELIEVER USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	273612	32.70
	1 = Yes (See comment above)	3209	0.38

NDTXTRN2	Len : 1 NEEDED TREATMENT FOR TRANQUILIZER USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	275809	32.96
	1 = Yes (See comment above)	1012	0.12

NDTXSTM2	Len : 1 NEEDED TREATMENT FOR STIMULANT USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise).....	275732	32.95
	1 = Yes (See comment above)	1089	0.13

RECODED PRIOR SUBSTANCE USE

NDTXSED2	Len : 1 NEEDED TREATMENT FOR SEDATIVE USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	0 = No/Unknown (Otherwise)	276515	33.05
	1 = Yes (See comment above)	306	0.04
FLTNDMRJ	Len : 1 FELT NEED FOR TRMT FOR MARIJUANA USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	507	0.06
	2 = No/Unknown (Otherwise)	276314	33.02
FLTNDCOC	Len : 1 FELT NEED FOR TRMT FOR COCAINE USE-PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	348	0.04
	2 = No/Unknown (Otherwise)	276473	33.04
FLTNDHER	Len : 1 FELT NEED FOR TRMT FOR HEROIN USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	82	0.01
	2 = No/Unknown (Otherwise)	276739	33.08
FLTNDHAL	Len : 1 FELT NEED FOR TRMT FOR HALLUCINOGEN USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	79	0.01
	2 = No/Unknown (Otherwise)	276742	33.08
FLTNDINH	Len : 1 FELT NEED FOR TRMT FOR INHALANT USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	54	0.01
	2 = No/Unknown (Otherwise)	276767	33.08
FLTNDANL	Len : 1 FELT NEED FOR TRMT FOR PAIN RELIEVER USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	260	0.03
	2 = No/Unknown (Otherwise)	276561	33.05
FLTNDTRN	Len : 1 FELT NEED FOR TRMT FOR TRANQUILIZER USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	107	0.01
	2 = No/Unknown (Otherwise)	276714	33.07
FLTNDSTM	Len : 1 FELT NEED FOR TRMT FOR STIMULANT USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	150	0.02
	2 = No/Unknown (Otherwise)	276671	33.07
FLTNDSED	Len : 1 FELT NEED FOR TRMT FOR SEDATIVE USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Yes (See comment above)	39	0.00
	2 = No/Unknown (Otherwise)	276782	33.08

RECODED PRIOR SUBSTANCE USE

NDEFMRJ	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR MARIJUANA USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	166	0.02
	2 = Felt Need/Made No Effort (See comment above).....	341	0.04
	3 = Felt No Need for MRJ TRT/Unknown (FLTNDMRJ=2)	276314	33.02
NDEFROC	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR COCAINE USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	130	0.02
	2 = Felt Need/Made No Effort (See comment above).....	218	0.03
	3 = Felt No Need for COC TRT/Unknown (FLTNDROC=2).....	276473	33.04
NDEFHER	Len : 1 FELT NEED AND MADE EFFORT FOR TRT FOR HEROIN USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	49	0.01
	2 = Felt Need/Made No Effort (See comment above).....	33	0.00
	3 = Felt No Need for HER TRT/Unknown (FLTNDHER=2).....	276739	33.08
NDEFHAL	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR HALLUCINOGEN USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	42	0.01
	2 = Felt Need/Made No Effort (See comment above).....	37	0.00
	3 = Felt No Need for HAL TRT/Unknown (FLTNDHAL=2).....	276742	33.08
NDEFINH	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR INHALANT USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	23	0.00
	2 = Felt Need/Made No Effort (See comment above).....	31	0.00
	3 = Felt No Need for INH TRT/Unknown (FLTNDINH=2).....	276767	33.08
NDEFANL	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR PAIN RELIEVER USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	99	0.01
	2 = Felt Need/Made No Effort (See comment above).....	161	0.02
	3 = Felt No Need for PAIN REL TRT/Unknown (FLTNDANL=2).....	276561	33.05
NDEFTRN	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR TRANQUILIZER USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	44	0.01
	2 = Felt Need/Made No Effort (See comment above).....	63	0.01
	3 = Felt No Need for TRN TRT/Unknown (FLTNDTRN=2).....	276714	33.07
NDEFSTM	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR STIMULANT USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	57	0.01
	2 = Felt Need/Made No Effort (See comment above).....	93	0.01
	3 = Felt No Need for STM TRT/Unknown (FLTNDSTM=2).....	276671	33.07
NDEFSED	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR SEDATIVE USE		
		Freq	Pct
	-9 = Data not collected for this year	559875	66.91
	1 = Felt Need/Made Effort (See comment above).....	14	0.00
	2 = Felt Need/Made No Effort (See comment above).....	25	0.00
	3 = Felt No Need for SED TRT/Unknown (FLTNDSED=2).....	276782	33.08

RECODED PRIOR SUBSTANCE USE

TXGPALLC	Len : 1	NEEDED TRMT FOR ALC USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	249125	29.77
		1 = Yes (NDTXALC2=1 and TXSPALC=0).....	27696	3.31
TXGPMJLC	Len : 1	NEEDED TRMT FOR MRJ USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	267533	31.97
		1 = Yes (NDTXMRJ2=1 and TXSPMRJ=0).....	9288	1.11
TXGPCOLC	Len : 1	NEEDED TRMT FOR COC USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	274824	32.85
		1 = Yes (NDTXCOC2=1 and TXSPCOC=0).....	1997	0.24
TXGPHELC	Len : 1	NEEDED TRMT FOR HER USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	276563	33.05
		1 = Yes (NDTXHER2=1 and TXSPHER=0).....	258	0.03
TXGPHALC	Len : 1	NEEDED TRMT FOR HAL USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	275890	32.97
		1 = Yes (NDTXHAL2=1 and TXSPHAL=0).....	931	0.11
TXGPINLC	Len : 1	NEEDED TRMT FOR INH USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	276256	33.02
		1 = Yes (NDTXINH2=1 and TXSPINH=0).....	565	0.07
TXGPANLC	Len : 1	NEEDED TRT FOR PAIN REL USE, NOT RCD TRT SP FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	274073	32.76
		1 = Yes (NDTXANL2=1 and TXSPANL=0).....	2748	0.33
TXGPTRLC	Len : 1	NEEDED TRMT FOR TRN USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	276063	32.99
		1 = Yes (NDTXTRN2=1 and TXSPTRN=0).....	758	0.09
TXGPSTLC	Len : 1	NEEDED TRMT FOR STM USE, NOT RCD TRMT SPEC FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	276061	32.99
		1 = Yes (NDTXSTM2=1 and TXSPSTM=0).....	760	0.09
TXGPSELC	Len : 1	NEEDED TRMT FOR SED USE, NOT RCD TRMT SPEC FAC- PY		
			Freq	Pct
		-9 = Data not collected for this year.....	559875	66.91
		0 = No/Unknown (Otherwise).....	276606	33.06
		1 = Yes (NDTXSED2=1 and TXSPSED=0).....	215	0.03

RECODED SUBSTANCE TREATMENT

RECODED SUBSTANCE TREATMENT

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Substance Treatment or Recoded Substance Dependence and Abuse.

NOTE: Respondents who were routed into the Drug Treatment module based solely on their responses from the Special Drugs module questions were classified as not receiving substance use treatment.

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

TXILALEV	Len : 1 RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	682750	81.60
	1 = Yes (TXEVER=1)	39903	4.77

ALCTRMT	Len : 1 RCVD TRMT ANY LOC FOR ALC USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	713081	85.23
	1 = Yes (TXYRADG=1,3,4,6,11,12).....	9572	1.14

ILLTRMT	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	713791	85.31
	1 = Yes (TXYRADG=2,3,5,6,11,12).....	8862	1.06

TXALNOIL	Len : 1 RCVD TRMT ANY LOC FOR ALC BUT NOT ILL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	726265	86.80
	0 = No/Unknown (Otherwise).....	109890	13.13
	1 = Yes (TXYRADG=1).....	541	0.06

TXILNOAL	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	726265	86.80
	0 = No/Unknown (Otherwise).....	109871	13.13
	1 = Yes (TXYRADG=2).....	560	0.07

TXILLALC	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG OR ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	708066	84.63
	1 = Yes (TXYREVER=1,3).....	14587	1.74

TXILANAL	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG AND ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	717242	85.72
	1 = Yes (TXYRADG=3,6,11,12).....	5411	0.65

NOTE: The following 11 recoded variables contain respondent information about receiving last or current treatment for various substances.

TXLTALC2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	714207	85.36
	1 = Yes (TXLTYALC=1,3,5)	8446	1.01

RECODED SUBSTANCE TREATMENT

TXLTMJ2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	717529	85.76
	1 = Yes (TXLTYMJ=1,3)	5124	0.61
TXLTCOC2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR COCAINE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720361	86.10
	1 = Yes (TXLTYCOC=1,3).....	2292	0.27
TXLTHER2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HEROIN		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721412	86.22
	1 = Yes (TXLTYHER=1,3)	1241	0.15
TXLTHAL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721266	86.20
	1 = Yes (TXLTYHAL=1,3)	1387	0.17
TXLTINH2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721884	86.28
	1 = Yes (TXLTYINH=1,3)	769	0.09
TXLTANL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720161	86.07
	1 = Yes (TXLTYANL=1,3)	2492	0.30
TXLTTRN2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721384	86.22
	1 = Yes (TXLTYTRN=1,3)	1269	0.15
TXLTSTM2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721232	86.20
	1 = Yes (TXLTYSTM=1,3)	1421	0.17
TXLTSED2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	722251	86.32
	1 = Yes (TXLTYSED=1,3).....	402	0.05

The following variable, TXLTILL2, was created by examination of the receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), and tranquilizers (TXLTTRN2).

TXLTILL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	715020	85.46
	1 = Yes (Any source variable=1)	7633	0.91

RECODED SUBSTANCE TREATMENT

NOTE: The following 27 recoded variables contain payment information about respondent's last or current treatment.

TXPINS2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	718355	85.86
	1 = Yes (TXPYINS=1,3).....	4298	0.51
TXPCARE2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	720229	86.08
	1 = Yes (TXPYCARE=1,3).....	2424	0.29
TXPCAID2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	720068	86.06
	1 = Yes (TXPYCAID=1,3).....	2585	0.31
TXPPUBP2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	720213	86.08
	1 = Yes (TXPYPUBP=1,3).....	2440	0.29
TXPSAVE2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	716849	85.68
	1 = Yes (TXPYSAVE=1,3).....	5804	0.69
TXPFMLY2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	719128	85.95
	1 = Yes (TXPYFMLY=1,3).....	3525	0.42
TXPCORT2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY COURTS		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	721051	86.18
	1 = Yes (TXPYCORT=1,3).....	1602	0.19
TXPMILC2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HLT CARE		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	722204	86.32
	1 = Yes (TXPYMILC=1,3).....	449	0.05
TXPEMPL2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	722146	86.31
	1 = Yes (TXPYEMPL=1,3).....	507	0.06
ALCPINS	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPINS2=0).....	720009	86.05
	1 = Yes (TXLTALC2=1 and TXPINS2=1).....	2644	0.32

RECODED SUBSTANCE TREATMENT

ALPCARE	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPCARE2=0).....	721239	86.20
	1 = Yes (TXLTALC2=1 and TXPCARE2=1).....	1414	0.17
ALPCAID	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPCAID2=0).....	721140	86.19
	1 = Yes (TXLTALC2=1 and TXPCAID2=1).....	1513	0.18
ALCPPUBP	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPPUBP2=0).....	721149	86.19
	1 = Yes (TXLTALC2=1 and TXPPUBP2=1).....	1504	0.18
ALCPSAVE	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPSAVE2=0).....	718676	85.89
	1 = Yes (TXLTALC2=1 and TXPSAVE2=1).....	3977	0.48
ALCPFMLY	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPFMLY2=0).....	720617	86.13
	1 = Yes (TXLTALC2=1 and TXPFMLY2=1).....	2036	0.24
ALPCORT	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPCORT2=0).....	721619	86.25
	1 = Yes (TXLTALC2=1 and TXPCORT2=1).....	1034	0.12
ALCPMILC	Len : 1 LAST/CURRENT ALC TRT PAID FOR BY MILT HLTCARE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPMILC2=0).....	722327	86.33
	1 = Yes (TXLTALC2=1 and TXPMILC2=1).....	326	0.04
ALCPEMPL	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTALC2=0 or TXPEMPL2=0).....	722289	86.33
	1 = Yes (TXLTALC2=1 and TXPEMPL2=1).....	364	0.04
ILLPINS	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPINS2=0).....	719782	86.03
	1 = Yes (TXLTILL2=1 and TXPINS2=1).....	2871	0.34
ILLPCARE	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPCARE2=0).....	720890	86.16
	1 = Yes (TXLTILL2=1 and TXPCARE2=1).....	1763	0.21

RECODED SUBSTANCE TREATMENT

ILLPCAID	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPCAID2=0).....	720732	86.14
	1 = Yes (TXLTILL2=1 and TXPCAID2=1).....	1921	0.23
ILLPPUBP	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPPUBP2=0).....	720945	86.17
	1 = Yes (TXLTILL2=1 and TXPPUBP2=1).....	1708	0.20
ILLPSAVE	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPSAVE2=0).....	719678	86.01
	1 = Yes (TXLTILL2=1 and TXPSAVE2=1).....	2975	0.36
ILLPFMLY	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPFMLY2=0).....	720238	86.08
	1 = Yes (TXLTILL2=1 and TXPFMLY2=1).....	2415	0.29
ILLPCORT	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY COURTS		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPCORT2=0).....	721463	86.23
	1 = Yes (TXLTILL2=1 and TXPCORT2=1).....	1190	0.14
ILLPMILC	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPMILC2=0).....	722403	86.34
	1 = Yes (TXLTILL2=1 and TXPMILC2=1).....	250	0.03
ILLPEMPL	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (TXLTILL2=0 or TXPEMPL2=0).....	722384	86.34
	1 = Yes (TXLTILL2=1 and TXPEMPL2=1).....	269	0.03

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, SPECTALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRADG=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1, 3 or TXYRINAD=1, 3 or TXYRPOAD=1, 3 or TXYRMHAD=1, 3 or (TXYROTSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTAD=1, 3)).

SPECTALC	Len : 1 RCVD TRMT AT SPEC FAC FOR ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	717289	85.73
	1 = Yes (See comment above).....	5364	0.64

RECODED SUBSTANCE TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, SPECTILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRADG=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2, 3 or TXYRINAD=2, 3 or TXYRPOAD=2, 3 or TXYRMHAD=2, 3 or (TXYROTSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTAD=2, 3)).

SPECTILL	Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	717023	85.70
	1 = Yes (See comment above)	5630	0.67

SPCALNIL	Len : 1 RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	726265	86.80
	0 = No/Unknown (Otherwise).....	110098	13.16
	1 = Yes (See comment above)	333	0.04

SPCILNAL	Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	726265	86.80
	0 = No/Unknown (Otherwise).....	109952	13.14
	1 = Yes (See comment above)	479	0.06

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, SPILLALC, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYREVER=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

SPILLALC	Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	713880	85.32
	1 = Yes (See comment above)	8773	1.05

SPILANAL	Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG AND ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720081	86.06
	1 = Yes (SPECTILL=1 and SPECTALC=1).....	2572	0.31

LASTTXSP	Len : 1 LAST/CURRENT TRMT AT SPECIALTY FACILITY - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	716443	85.63
	1 = Yes (TXLTVMN2=1-4,21,22,23,24,45,46,56,64,76,81)	6210	0.74

RECODED SUBSTANCE TREATMENT

NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following eight recoded variables contain information about where a respondent received alcohol treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (TXYRADG=1, 4, 11) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5).

ALCHOSP	Len : 1 RECEIVED ALC TRT AT A HOSPITAL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	721022	86.17
	1 = Yes (See comment above).....	1631	0.19

ALCRFIN	Len : 1 RECEIVED ALC TRT AT AN INP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	720535	86.12
	1 = Yes (See comment above ALCHOSP).....	2118	0.25

ALCRFOP	Len : 1 RECEIVED ALC TRT AT AN OUTP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	719107	85.95
	1 = Yes (See comment above ALCHOSP).....	3546	0.42

ALCMHC	Len : 1 RECEIVED ALC TRT AT A MNTL HLTH CNTR IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	720464	86.11
	1 = Yes (See comment above ALCHOSP).....	2189	0.26

ALCTXER	Len : 1 RECEIVED ALC TRT AT AN EMERGENCY ROOM IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	721798	86.27
	1 = Yes (See comment above ALCHOSP).....	855	0.10

ALCDOC	Len : 1 RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	721476	86.23
	1 = Yes (See comment above ALCHOSP).....	1177	0.14

ALCJAIL	Len : 1 RECEIVED ALC TRT AT A PRISON/JAIL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	721752	86.26
	1 = Yes (See comment above ALCHOSP).....	901	0.11

ALCSHG	Len : 1 RECEIVED ALC TRT AT A SELF-HELP GROUP IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	0 = No/Unknown (Otherwise).....	717764	85.79
	1 = Yes (See comment above ALCHOSP).....	4889	0.58

RECODED SUBSTANCE TREATMENT

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (TXYRADG=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5).

DRGHOSP	Len : 1 RCVD ILL DRUG TRT AT A HOSPITAL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721006	86.17
	1 = Yes (See comment above)	1647	0.20

DRGRFIN	Len : 1 RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720309	86.09
	1 = Yes (See comment above DRGHOSP)	2344	0.28

DRGRFOP	Len : 1 RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	718761	85.90
	1 = Yes (See comment above DRGHOSP)	3892	0.47

DRGMHC	Len : 1 RCVD ILL DRUG TRT AT A MNTL HLTH CNTR IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720373	86.10
	1 = Yes (See comment above DRGHOSP)	2280	0.27

DRGTXER	Len : 1 RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721802	86.27
	1 = Yes (See comment above DRGHOSP)	851	0.10

DRGDOC	Len : 1 RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721331	86.21
	1 = Yes (See comment above DRGHOSP)	1322	0.16

DRGJAIL	Len : 1 RCVD ILL DRUG TRT AT A PRISON/JAIL IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721777	86.27
	1 = Yes (See comment above DRGHOSP)	876	0.10

DRGSHG	Len : 1 RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	718402	85.86
	1 = Yes (See comment above DRGHOSP)	4251	0.51

RECODED SUBSTANCE TREATMENT

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug or alcohol treatment in the past year.

LOCHOSP	Len : 1 RCVD ILL DRG/ALC TRT AT A HOSPITAL IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720054	86.06
	1 = Yes (TXYRHOSP=1,3,5)	2599	0.31
LOCRFIN	Len : 1 RCVD ILL DRG/ALC TRT AT INP REHAB FAC IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	719189	85.96
	1 = Yes (TXYRRFIN=1,3,5)	3464	0.41
LOCRFOP	Len : 1 RCVD ILL DRG/ALC TRT AT OUTP REHAB FAC IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	716712	85.66
	1 = Yes (TXYRRFOP=1,3,5).....	5941	0.71
LOCMHC	Len : 1 RCVD ILL DRG/ALC TRT AT MNTH HLTH CNTR IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	719020	85.94
	1 = Yes (TXYRMHC=1,3,5)	3633	0.43
LOCTXER	Len : 1 RCVD ILL DRG/ALC TRT AT AN ER IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721043	86.18
	1 = Yes (TXYRTXER=1,3,5)	1610	0.19
LOCDOC	Len : 1 RCVD ILL DRG/ALC TRT AT A DR'S OFFICE IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	720521	86.12
	1 = Yes (TXYRDOC=1,3,5).....	2132	0.25
LOCJAIL	Len : 1 RCVD ILL DRG/ALC TRT AT A PRISON/JAIL IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	721252	86.20
	1 = Yes (TXYRJAIL=1,3,5)	1401	0.17
LOCSHG	Len : 1 RCVD ILL DRG/ALC TRT AT SELF-HELP GROUP IN PAST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	715453	85.51
	1 = Yes (TXYRSHG=1,3,5)	7200	0.86

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year.

A respondent was classified as needing treatment for alcohol use in the past year, TXNEDALC, if they met any one of the following three criteria:

1. Dependent on alcohol in the past year (DEPNALC=1).
2. Alcohol abuse in the past year (ABUSEALC=1).
3. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTALC=1).

TXNEDALC	Len : 1 NEEDED TREATMENT FOR ALCOHOL USE - PST YR		
	-9 = Data not collected for this year	114043	13.63
	0 = No/Unknown (Otherwise).....	652082	77.94
	1 = Yes (See comment above)	70571	8.43

RECODED SUBSTANCE TREATMENT

A respondent was classified as needing treatment for illicit drug use in the past year, ILLNEED, if they met any one of the following three criteria:

1. Dependent on any illicit drug in the past year (DEPNLILL=1).
2. Illicit drug abuse in the past year (ABUSEILL=1).
3. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1).

ILLNEED Len : 1 NEEDED TREATMENT FOR ILLICIT DRUG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = No/Unknown (Otherwise).....	685088	81.88
1 = Yes (See comment above)	37565	4.49

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXNDILAL, if they met any one of the following three criteria:

1. Dependent on any illicit drug or alcohol in the past year (DPILLALC=1).
2. Illicit drug or alcohol abuse in the past year (ABILLALC=1).
3. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPILLALC=1).

TXNDILAL Len : 1 NEEDED TREATMENT FOR ILL DRG OR ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = No/Unknown (Otherwise).....	631992	75.53
1 = Yes (See comment above)	90661	10.84

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol treatment in the past year, FLTNDALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXNEDR=1, 11, 13 and NDTXALCR=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDTXMORE=1 and NDTMRALC=1).

FLTNDALC Len : 1 FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes (See comment above)	2575	0.31
2 = No/Unknown (Otherwise).....	720078	86.06

A respondent was classified as feeling a need for illicit drug treatment in the past year, FLTNDILL, if they met either of these conditions:

1. Reported feeling a need for treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXNEDR=1, 11, 13 and NDTXMJR=1, 3, 11, 13), cocaine (NDTXNEDR=1, 11, 13 and NDTXCOCR=1, 3, 11, 13), heroin (NDTXNEDR=1, 11, 13 and NDTXHERR=1, 3, 11, 13), hallucinogens (NDTXNEDR=1, 11, 13 and NDTXHALR=1, 3, 11, 13), inhalants (NDTXNEDR=1, 11, 13 and NDTXINHR=1, 3, 11, 13), pain relievers (NDTXNEDR=1, 11, 13 and NDTXANLR=1, 3, 11, 13), tranquilizers (NDTXNEDR=1, 11, 13 and NDTXTRNR=1, 3, 11, 13), stimulants (NDTXNEDR=1, 11, 13 and NDTXSTMR=1, 3, 11, 13), sedatives (NDTXNEDR=1, 11, 13 and NDTXSEDR=1, 3, 11, 13), or some other drug (NDTXNEDR=1, 11, 13 and NDTXSODR=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXMORE=1 and NDTMRMJ=1), cocaine (NDTXMORE=1 and NDTMRCOC=1), heroin (NDTXMORE=1 and NDTMRHER=1), hallucinogens (NDTXMORE=1 and NDTMRHAL=1), inhalants (NDTXMORE=1 and NDTMRINH=1), pain relievers (NDTXMORE=1 and NDTMRANL=1), tranquilizers (NDTXMORE=1 and NDTMRTRN=1), stimulants (NDTXMORE=1 and NDTMRSTM=1), sedatives (NDTXMORE=1 and NDTMRSED=1), or some other drug (NDTXMORE=1 and NDTMROTH=1).

FLTNDILL Len : 1 FELT NEED FOR TRMT FOR ILLICIT DRUG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes (See comment above)	3118	0.37
2 = No/Unknown (Otherwise).....	719535	86.00

FLNDILAL Len : 1 FELT NEED FOR TRMT FOR ILL DRG OR ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes (NDTXNEDR=1,11,13 or NDTXMORE=1).....	4873	0.58
2 = No/Unknown (Otherwise).....	717780	85.79

RECODED SUBSTANCE TREATMENT

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDEFXXX=1, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDEFXXX=2, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

NDEFALC Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Felt Need/Made Effort (See comment above).....	952	0.11
2 = Felt Need/Made No Effort (See comment above).....	1623	0.19
3 = Felt No Need for Alc Trmt/Unk (FLTNDALC=2).....	720078	86.06

NDEFIL Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ILLICIT DRG USE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Felt Need/Made Effort (See comment above).....	1066	0.13
2 = Felt Need/Made No Effort (See comment above).....	2052	0.25
3 = Felt No Need for Ill Drg Trmt/Unk (FLTNDILL=2)	719535	86.00

A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=1, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=2, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

NDEFIA Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG OR ALC USE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Felt Need/Made Effort (See comment above).....	1711	0.20
2 = Felt Need/Made No Effort (See comment above).....	3162	0.38
3 = Felt No Need for Ill Drg/Alc Trmt/Unk (FLNDILAL=2)	717780	85.79

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap).

The following variable, TXGAPALC, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXGAPALC Len : 1 NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = No/Unknown (Otherwise).....	657446	78.58
1 = Yes (TXNEDALC=1 and SPECTALC=0)	65207	7.79

The following variable, TXNOSPEC, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXNOSPEC Len : 1 NEEDED TRT FOR ILL DRG USE, NOT RCD TRT SPC FAC-PY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = No/Unknown (Otherwise).....	690718	82.55
1 = Yes (ILLNEED=1 and SPECTILL=0).....	31935	3.82

RECODED SUBSTANCE TREATMENT

The following variable, TXGPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXGPILAL	Len : 1	NEEDED TRT FOR DRG/ALC USE, NOT RCD TRT SP FAC-PY		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	640765	76.58
		1 = Yes (TXNDILAL=1 and SPILLALC=0).....	81888	9.79

NOTE: The following 15 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

TXRNNHCV	Len : 1	NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	85.79
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	3516	0.42
		1 = Yes (FLNDILAL=1 &(NDTXNHCV or NDMRNHCV=1,3,11,13)).....	1357	0.16

TXRNLMCV	Len : 1	NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	85.79
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	4552	0.54
		1 = Yes (FLNDILAL=1 &(NDTXLMCV or NDMRLMCV=1,3,11,13)).....	321	0.04

TXRNNTSP	Len : 1	NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	85.79
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	4511	0.54
		1 = Yes (FLNDILAL=1 &(NDTXNTSP or NDMRNTSP=1,3,11,13)).....	362	0.04

TXRNTYPE	Len : 1	NO TRT/ADDL TRT PST YR B/C NO PROGRAM HAD TYPE TRT		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	85.79
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	4584	0.55
		1 = Yes (FLNDILAL=1 &(NDTXTYPE or NDMRTYPE=1,3,11,13)).....	289	0.03

TXRNNSTP	Len : 1	NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	85.79
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	3292	0.39
		1 = Yes (FLNDILAL=1 &(NDTXREDY or NDMRREDY=1,3,11,13)).....	1581	0.19

TXRNOPEN	Len : 1	NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	85.79
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	4718	0.56
		1 = Yes (FLNDILAL=1 &(NDTXOPEN or NDMROPEN=1,3,11,13)).....	155	0.02

TXRNWHER	Len : 1	NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	85.79
		-9 = Data not collected for this year	114043	13.63
		0 = No/Unknown (Otherwise).....	4311	0.52
		1 = Yes (FLNDILAL=1 &(NDTXWHER or NDMRWHER=1,3,11,13)).....	562	0.07

RECODED SUBSTANCE TREATMENT

TXRNNBR	Len : 1 NO TRT/ADDL TRT PST YR B/C CAUSE NBR HAVE NEG OPIN		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	Freq	Pct
	-9 = Data not collected for this year.....	717780	85.79
	0 = No/Unknown (Otherwise).....	114043	13.63
	1 = Yes (FLNDILAL=1 &(NDTXNBR or NDMRNBR=1,3,11,13)).....	4316	0.52
		557	0.07
TXRNJOB	Len : 1 NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	Freq	Pct
	-9 = Data not collected for this year.....	717780	85.79
	0 = No/Unknown (Otherwise).....	114043	13.63
	1 = Yes (FLNDILAL=1 &(NDTXJOB or NDMRJOB=1,3,11,13)).....	4438	0.53
		435	0.05
TXRNNOND	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	Freq	Pct
	-9 = Data not collected for this year.....	664111	79.37
	0 = No/Unknown (Otherwise).....	168122	20.09
	1 = Yes (FLNDILAL=1 &(NDTXNOND or NDMRNOND=1,3,11,13)).....	4050	0.48
		413	0.05
TXRNHNDL	Len : 1 NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	Freq	Pct
	-9 = Data not collected for this year.....	664111	79.37
	0 = No/Unknown (Otherwise).....	168122	20.09
	1 = Yes (FLNDILAL=1 &(NDTXHNDL or NDMRHNDL=1,3,11,13)).....	3991	0.48
		472	0.06
TXRNNHLP	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	Freq	Pct
	-9 = Data not collected for this year.....	664111	79.37
	0 = No/Unknown (Otherwise).....	168122	20.09
	1 = Yes (FLNDILAL=1 &(NDTXNHLP or NDMRNHLP=1,3,11,13)).....	4294	0.51
		169	0.02
TXRNBUSY	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	Freq	Pct
	-9 = Data not collected for this year.....	664111	79.37
	0 = No/Unknown (Otherwise).....	168122	20.09
	1 = Yes (FLNDILAL=1 &(NDTXBUSY or NDMRBUSY=1,3,11,13)).....	4251	0.51
		212	0.03
TXRNFOUT	Len : 1 NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS TO KNOW		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	Freq	Pct
	-9 = Data not collected for this year.....	664111	79.37
	0 = No/Unknown (Otherwise).....	168122	20.09
	1 = Yes (FLNDILAL=1 &(NDTXFOUT or NDMRFOUT=1,3,11,13)).....	4165	0.50
		298	0.04

DRUG TREATMENT

DRUG TREATMENT

This note applies to variables in this section marked by a¹.

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime misuse of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). Codes of 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents never used (or misused) any of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXEVRRCVD¹ Len : 2 EVER RECEIVED ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	5955	0.71
2 = No.....	79572	9.51
85 = BAD DATA Logically assigned	37	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	98	0.01
97 = REFUSED	161	0.02
98 = BLANK (NO ANSWER)	1516	0.18

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXYRRECDV¹ Len : 2 EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	1666	0.20
2 = No.....	4103	0.49
3 = Yes LOGICALLY ASSIGNED	179	0.02
4 = No LOGICALLY ASSIGNED	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	3	0.00
97 = REFUSED	162	0.02
98 = BLANK (NO ANSWER)	1651	0.20
99 = LEGITIMATE SKIP (TXEVRRCVD=2).....	79572	9.51

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

TXYRALDGB¹ Len : 2 TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Alcohol use only.....	485	0.06
2 = Drug use only.....	562	0.07
3 = Both alcohol and drug use.....	488	0.06
4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED	2	0.00
5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED	3	0.00
6 = Both alcohol and drug use LOGICALLY ASSIGNED	1	0.00
11 = Alcohol only (but last tmt for drugs reported).....	56	0.01
12 = Drugs only (but last tmt for alc reported).....	59	0.01
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER)	1833	0.22
99 = LEGITIMATE SKIP	83678	10.00

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?

TXYRHOSOV¹ Len : 2 RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	360	0.04
2 = No.....	1284	0.15
5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2)	14	0.00
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	163	0.02
98 = BLANK (NO ANSWER)	1833	0.22
99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?

TXYRHOSAD¹ Len : 2 HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Alcohol use.....	14	0.00
2 = Drug use	19	0.00
3 = Both alcohol and drug use.....	94	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	1	0.00
97 = REFUSED	163	0.02
98 = BLANK (NO ANSWER)	1886	0.23
99 = LEGITIMATE SKIP.....	85161	10.18

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?

TXYRRESOV¹ Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	418	0.05
2 = No.....	1189	0.14
5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2)	50	0.01
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	164	0.02
98 = BLANK (NO ANSWER)	1833	0.22
99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?

TXYRRESAD¹ Len : 2 RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Alcohol use.....	10	0.00
2 = Drug use	16	0.00
3 = Both alcohol and drug use.....	136	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	162	0.02
98 = BLANK (NO ANSWER)	1914	0.23
99 = LEGITIMATE SKIP.....	85100	10.17

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

TXYROUTPT¹ Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	706	0.08
2 = No.....	871	0.10
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
5 = Yes LOGICALLY ASSIGNED (from TXLYMNP2).....	75	0.01
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW.....	3	0.00
97 = REFUSED	164	0.02
98 = BLANK (NO ANSWER)	1833	0.22
99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

TXYROUTAD¹ Len : 2 OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Alcohol use.....	13	0.00
2 = Drug use	22	0.00
3 = Both alcohol and drug use.....	184	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	162	0.02
98 = BLANK (NO ANSWER)	1938	0.23
99 = LEGITIMATE SKIP.....	85018	10.16

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

TXYRMHCOP¹ Len : 2 RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	513	0.06
2 = No.....	1071	0.13
5 = Yes LOGICALLY ASSIGNED (from TXLYMNP2).....	68	0.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW.....	3	0.00
97 = REFUSED	165	0.02
98 = BLANK (NO ANSWER)	1833	0.22
99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

TXYRMHCAD¹ Len : 2 MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Alcohol use.....	10	0.00
2 = Drug use	16	0.00
3 = Both alcohol and drug use.....	111	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	163	0.02
98 = BLANK (NO ANSWER)	1913	0.23
99 = LEGITIMATE SKIP.....	85123	10.17

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

TXYREMRGN¹	Len : 2 RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	217	0.03
	2 = No.....	1402	0.17
	3 = Yes LOGICALLY ASSIGNED.....	32	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	5	0.00
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	164	0.02
	98 = BLANK (NO ANSWER)	1833	0.22
	99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

TXYREMRAD¹	Len : 2 EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Alcohol use.....	16	0.00
	2 = Drug use	18	0.00
	3 = Both alcohol and drug use.....	26	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	162	0.02
	98 = BLANK (NO ANSWER)	1891	0.23
	99 = LEGITIMATE SKIP.....	85224	10.19

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

TXYRDRPRV¹	Len : 2 RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	361	0.04
	2 = No.....	1253	0.15
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	41	0.00
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	163	0.02
	98 = BLANK (NO ANSWER)	1833	0.22
	99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

TXYRDRPAD¹	Len : 2 PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Alcohol use.....	7	0.00
	2 = Drug use	17	0.00
	3 = Both alcohol and drug use.....	38	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	162	0.02
	98 = BLANK (NO ANSWER)	1885	0.23
	99 = LEGITIMATE SKIP.....	85229	10.19

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

TXYRPRISN¹	Len : 2 RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	132	0.02
	2 = No.....	1514	0.18
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	9	0.00
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	163	0.02
	98 = BLANK (NO ANSWER)	1833	0.22
	99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

TXYRPRID¹	Len : 2 PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Alcohol use.....	3	0.00
	2 = Drug use	10	0.00
	3 = Both alcohol and drug use.....	40	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	162	0.02
	98 = BLANK (NO ANSWER)	1865	0.22
	99 = LEGITIMATE SKIP.....	85258	10.19

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

TXYRSLFHP¹	Len : 2 RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	820	0.10
	2 = No.....	779	0.09
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	55	0.01
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	165	0.02
	98 = BLANK (NO ANSWER)	1833	0.22
	99 = LEGITIMATE SKIP.....	83678	10.00

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

TXYRSLFAD¹	Len : 2 SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Alcohol use.....	32	0.00
	2 = Drug use	27	0.00
	3 = Both alcohol and drug use.....	219	0.03
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	162	0.02
	98 = BLANK (NO ANSWER)	1929	0.23
	99 = LEGITIMATE SKIP.....	84969	10.16

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

TXYROTHER¹ Len : 2 RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	374	0.04
2 = No.....	1125	0.13
5 = Yes LOGICALLY ASSIGNED (from TXLYMNP2)	140	0.02
7 = Treatment location unknown, LOG ASSN	20	0.00
85 = BAD DATA Logically assigned	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	164	0.02
98 = BLANK (NO ANSWER)	1833	0.22
99 = LEGITIMATE SKIP.....	83678	10.00

TXYROTHSP2¹ Len : 3 OTHER PLACE RCVD TRMT PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
2 = A res drug/alcohol rehab facility overnight.....	1	0.00
3 = A drug or alcohol rehab facility as an outpatient.....	4	0.00
6 = A private doctor's office.....	5	0.00
7 = A prison or jail.....	3	0.00
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	7	0.00
9 = Some other place.....	45	0.01
40 = Home, family, friends	25	0.00
41 = School, college.....	24	0.00
42 = Church/religious/spiritual influence.....	24	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	8	0.00
48 = Counselor, therapist, psychologist, psychiatrist	72	0.01
49 = Court-mandated/sponsored program	31	0.00
51 = Alcohol/drug class or education, locale unspcfd	7	0.00
52 = Military/VA Hospital.....	8	0.00
53 = Hospital; mental health or patient status unspcfd.....	7	0.00
55 = Youth-oriented facility/organization/program.....	3	0.00
64 = Methadone clinic/program	31	0.00
65 = Name of facility/program given	128	0.02
66 = Faith-based formal program/facility.....	3	0.00
74 = Clinic; type unspecified	4	0.00
78 = Outpatient facility; type and reason unspecified	8	0.00
81 = Buprenorphine/Suboxone/Subutex clinic/program	3	0.00
985 = BAD DATA Logically assigned	22	0.00
991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
994 = DON'T KNOW	8	0.00
997 = REFUSED	176	0.02
998 = BLANK (NO ANSWER).....	1879	0.22
999 = LEGITIMATE SKIP.....	84803	10.14

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

TXYROTHAD¹ Len : 2 OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Alcohol use	4	0.00
2 = Drug use	10	0.00
3 = Both alcohol and drug use.....	88	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	1	0.00
97 = REFUSED	165	0.02
98 = BLANK (NO ANSWER)	1939	0.23
99 = LEGITIMATE SKIP.....	85132	10.17

DRUG TREATMENT

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

TXYRERDRG¹	Len : 2	EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	67	0.01
		2 = No.....	999	0.12
		6 = NEVER USED RELEVANT DRUGS.....	102	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		97 = REFUSED	167	0.02
		98 = BLANK (NO ANSWER)	1840	0.22
		99 = LEGITIMATE SKIP.....	84163	10.06

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

TXYRERNUM2¹	Len : 3	# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
			Freq	Pct
		RANGE = 1 - 30.....	66	0.01
		-9 = Data not collected for this year	722653	86.37
		985 = BAD DATA Logically assigned.....	1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	167	0.02
		998 = BLANK (NO ANSWER).....	1840	0.22
		999 = LEGITIMATE SKIP.....	85264	10.19

Are you currently receiving treatment or counseling for your [TXFILL1]?

TXCURRENT¹	Len : 2	CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	796	0.10
		2 = No.....	866	0.10
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		4 = No LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned.....	3	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
		91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	164	0.02
		98 = BLANK (NO ANSWER)	1829	0.22
		99 = LEGITIMATE SKIP.....	83675	10.00

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

NDTXYRADG¹	Len : 2	NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS		
			Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	437	0.05
		2 = No.....	83281	9.95
		11 = Yes (TXYRRECVD=3).....	54	0.01
		12 = No (TXYRRECVD=3).....	123	0.01
		85 = BAD DATA Logically assigned.....	40	0.00
		91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		94 = DON'T KNOW	72	0.01
		97 = REFUSED	149	0.02
		98 = BLANK (NO ANSWER)	1516	0.18
		99 = LEGITIMATE SKIP.....	1667	0.20

DRUG TREATMENT

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

NDMORTXYR¹ Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	96	0.01
2 = No.....	770	0.09
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP.....	84474	10.10

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

NDMORTALC¹ Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	48	0.01
6 = Response not entered	47	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP.....	85244	10.19

NDMORTMRJ¹ Len : 2 NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	19	0.00
6 = Response not entered	76	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP.....	85244	10.19

NDMORTCOC¹ Len : 2 NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	8	0.00
6 = Response not entered	87	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP.....	85244	10.19

NDMORTHER¹ Len : 2 NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	20	0.00
6 = Response not entered	75	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP.....	85244	10.19

NDMORTHAL¹ Len : 2 NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
6 = Response not entered	95	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP.....	85244	10.19

DRUG TREATMENT

NDMORTINH¹	Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	6 = Response not entered	95	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1997	0.24
	99 = LEGITIMATE SKIP	85244	10.19
NDMORTMTH¹	Len : 2 NEED ADDL TRMT FOR USE OF METHAMPHETAMINE PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	12	0.00
	6 = Response not entered	83	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1997	0.24
	99 = LEGITIMATE SKIP	85244	10.19
NDMORTPNR¹	Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	17	0.00
	6 = Response not entered	78	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1997	0.24
	99 = LEGITIMATE SKIP	85244	10.19
NDMORTTRQ¹	Len : 2 NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	6 = Response not entered	95	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1997	0.24
	99 = LEGITIMATE SKIP	85244	10.19
NDMORTSTM¹	Len : 2 NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	6 = Response not entered	95	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1997	0.24
	99 = LEGITIMATE SKIP	85244	10.19
NDMORTSED¹	Len : 2 NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	6 = Response not entered	95	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1997	0.24
	99 = LEGITIMATE SKIP	85244	10.19
NDMORTOTH¹	Len : 2 NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	5	0.00
	6 = Response not entered	90	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1997	0.24
	99 = LEGITIMATE SKIP	85244	10.19

DRUG TREATMENT

During the past 12 months did you need treatment or counseling for your use of alcohol?

NDTXYRALC¹	Len : 2 NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	202	0.02
	2 = No.....	221	0.03
	11 = Yes (TXYRRECVD=3).....	21	0.00
	12 = No (TXYRRECVD=3).....	29	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	138	0.02
	98 = BLANK (NO ANSWER)	97	0.01
	99 = LEGITIMATE SKIP.....	86630	10.35

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

NDTXYRMRJ¹	Len : 2 NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	63	0.01
	2 = No.....	329	0.04
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	11 = Yes (TXYRRECVD=3).....	13	0.00
	12 = No (TXYRRECVD=3).....	37	0.00
	13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	88	0.01
	98 = BLANK (NO ANSWER)	60	0.01
	99 = LEGITIMATE SKIP.....	86747	10.37

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

NDTXYRCOC¹	Len : 2 NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	45	0.01
	2 = No.....	195	0.02
	11 = Yes (TXYRRECVD=3).....	4	0.00
	12 = No (TXYRRECVD=3).....	31	0.00
	13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	32	0.00
	98 = BLANK (NO ANSWER)	29	0.00
	99 = LEGITIMATE SKIP.....	87002	10.40

During the past 12 months, did you need treatment or counseling for your use of heroin?

NDTXYRHER¹	Len : 2 NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	37	0.00
	2 = No.....	54	0.01
	11 = Yes (TXYRRECVD=3).....	11	0.00
	12 = No (TXYRRECVD=3).....	6	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	11	0.00
	98 = BLANK (NO ANSWER)	53	0.01
	99 = LEGITIMATE SKIP.....	87167	10.42

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

NDTXYRHAL¹ Len : 2 NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	11	0.00
2 = No.....	238	0.03
11 = Yes (TXYRRECVD=3).....	2	0.00
12 = No (TXYRRECVD=3).....	35	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER)	343	0.04
99 = LEGITIMATE SKIP.....	86674	10.36

During the past 12 months, did you need treatment or counseling for your use of inhalants?

NDTXYRINH¹ Len : 2 NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	10	0.00
2 = No.....	155	0.02
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
11 = Yes (TXYRRECVD=3).....	1	0.00
12 = No (TXYRRECVD=3).....	20	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	1	0.00
97 = REFUSED	27	0.00
98 = BLANK (NO ANSWER)	223	0.03
99 = LEGITIMATE SKIP.....	86900	10.39

During the past 12 months, did you need treatment or counseling for your use of methamphetamine?

NDTXYRMTH¹ Len : 2 NEED TRMT FOR USE OF METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	52	0.01
2 = No.....	81	0.01
11 = Yes (TXYRRECVD=3).....	8	0.00
12 = No (TXYRRECVD=3).....	14	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	12	0.00
98 = BLANK (NO ANSWER)	106	0.01
99 = LEGITIMATE SKIP.....	87066	10.41

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

NDTXYRPNR¹ Len : 2 NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	78	0.01
2 = No.....	143	0.02
3 = Yes LOGICALLY ASSIGNED.....	5	0.00
11 = Yes (TXYRRECVD=3).....	14	0.00
12 = No (TXYRRECVD=3).....	17	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	40	0.00
98 = BLANK (NO ANSWER)	767	0.09
99 = LEGITIMATE SKIP.....	86273	10.31

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

NDTXRTRQ¹ Len : 2 NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	14	0.00
2 = No.....	124	0.01
11 = Yes (TXRRECVD=3).....	2	0.00
12 = No (TXRRECVD=3).....	17	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	25	0.00
98 = BLANK (NO ANSWER)	460	0.05
99 = LEGITIMATE SKIP.....	86695	10.36

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

NDTXRSTM¹ Len : 2 NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	15	0.00
2 = No.....	105	0.01
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
11 = Yes (TXRRECVD=3).....	2	0.00
12 = No (TXRRECVD=3).....	13	0.00
13 = Yes LOGICALLY ASSIGNED (TXRRECVD=3).....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	20	0.00
98 = BLANK (NO ANSWER)	326	0.04
99 = LEGITIMATE SKIP.....	86855	10.38

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

NDTXRSED¹ Len : 2 NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	4	0.00
2 = No.....	63	0.01
11 = Yes (TXRRECVD=3).....	2	0.00
12 = No (TXRRECVD=3).....	8	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	18	0.00
98 = BLANK (NO ANSWER)	396	0.05
99 = LEGITIMATE SKIP.....	86847	10.38

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

NDTXYROTH¹ Len : 2 NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	27	0.00
2 = No.....	340	0.04
5 = Drug Unknown LOGICALLY ASSIGNED	66	0.01
11 = Yes (TXRRECVD=3).....	7	0.00
12 = No (TXRRECVD=3).....	47	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	2	0.00
97 = REFUSED	151	0.02
98 = BLANK (NO ANSWER)	1627	0.19
99 = LEGITIMATE SKIP.....	85071	10.17

DRUG TREATMENT

NDTXYOTH1¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
209 = Xanax.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
599 = Potpourri	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
702 = Heroin.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	5	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
813 = Cigarettes, tobacco (type unspecified)	1	0.00
818 = Nicotine	1	0.00
900 = Not a drug	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
3023 = Adderall	1	0.00
3111 = Vyvanse	1	0.00
4044 = Hydrocodone.....	1	0.00
4067 = OxyContin	2	0.00
4109 = Suboxone	1	0.00
5077 = Resistol	1	0.00
8363 = Cavedilol.....	1	0.00
8537 = Celexa, Citalopram	1	0.00
9985 = BAD DATA Logically assigned	6	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
9994 = DON'T KNOW	2	0.00
9997 = REFUSED	152	0.02
9998 = BLANK (NO ANSWER).....	1695	0.20
9999 = LEGITIMATE SKIP.....	85458	10.21

NDTXYOTH2¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
423 = Percocet	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8364 = Pantoprazole	1	0.00
9985 = BAD DATA Logically assigned	4	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
9994 = DON'T KNOW	3	0.00
9997 = REFUSED	151	0.02
9998 = BLANK (NO ANSWER).....	1718	0.21
9999 = LEGITIMATE SKIP.....	85458	10.21

NDTXYOTH3¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
9985 = BAD DATA Logically assigned	4	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
9997 = REFUSED	151	0.02
9998 = BLANK (NO ANSWER).....	1726	0.21
9999 = LEGITIMATE SKIP.....	85458	10.21

NDTXYOTH4¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
9985 = BAD DATA Logically assigned	3	0.00
9991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
9997 = REFUSED	151	0.02
9998 = BLANK (NO ANSWER).....	1727	0.21
9999 = LEGITIMATE SKIP.....	85458	10.21

DRUG TREATMENT

NDTXYOTH5¹ Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
9985 = BAD DATA Logically assigned.....	2	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
9997 = REFUSED.....	151	0.02
9998 = BLANK (NO ANSWER).....	1728	0.21
9999 = LEGITIMATE SKIP.....	85458	10.21

NOTE: NDTXEFFRT was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred:
 (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXRRECVD=3); or
 (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

NDTXEFFRT¹ Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	144	0.02
2 = No.....	282	0.03
11 = Yes (see note).....	45	0.01
12 = No (TXRRECVD=3).....	18	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	150	0.02
98 = BLANK (NO ANSWER).....	1627	0.19
99 = LEGITIMATE SKIP.....	85071	10.17

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNOCOV¹ Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	96	0.01
6 = Response not entered.....	356	0.04
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	10	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	169	0.02
98 = BLANK (NO ANSWER).....	1628	0.19
99 = LEGITIMATE SKIP.....	85071	10.17

NDTXNOTPY¹ Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	35	0.00
6 = Response not entered.....	421	0.05
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	169	0.02
98 = BLANK (NO ANSWER).....	1628	0.19
99 = LEGITIMATE SKIP.....	85071	10.17

NDTXTSPHR¹ Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	40	0.00
6 = Response not entered.....	417	0.05
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	169	0.02
98 = BLANK (NO ANSWER).....	1628	0.19
99 = LEGITIMATE SKIP.....	85071	10.17

DRUG TREATMENT

NDTXWANTD¹ Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	33	0.00
6 = Response not entered	423	0.05
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	9	0.00
97 = REFUSED	169	0.02
98 = BLANK (NO ANSWER)	1628	0.19
99 = LEGITIMATE SKIP	85071	10.17

NDTXNSTOP¹ Len : 2 NOT READY TO STOP USING [TXFILL2]

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	151	0.02
6 = Response not entered	294	0.04
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	17	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	9	0.00
97 = REFUSED	169	0.02
98 = BLANK (NO ANSWER)	1627	0.19
99 = LEGITIMATE SKIP	85071	10.17

NDTXPFULL¹ Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	18	0.00
6 = Response not entered	442	0.05
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	9	0.00
97 = REFUSED	169	0.02
98 = BLANK (NO ANSWER)	1628	0.19
99 = LEGITIMATE SKIP	85071	10.17

NDTXDKWHR¹ Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	62	0.01
6 = Response not entered	396	0.05
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	9	0.00
97 = REFUSED	169	0.02
98 = BLANK (NO ANSWER)	1628	0.19
99 = LEGITIMATE SKIP	85071	10.17

NDTXNBRNG¹ Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	55	0.01
6 = Response not entered	403	0.05
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	9	0.00
97 = REFUSED	169	0.02
98 = BLANK (NO ANSWER)	1628	0.19
99 = LEGITIMATE SKIP	85071	10.17

DRUG TREATMENT

NDTXJOBNG¹	Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	47	0.01
	6 = Response not entered	411	0.05
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	4	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	169	0.02
	98 = BLANK (NO ANSWER)	1628	0.19
	99 = LEGITIMATE SKIP	85071	10.17

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNONED¹	Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	32	0.00
	3 = Response entered LOGICALLY ASSIGNED	5	0.00
	6 = Response not entered	411	0.05
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	9	0.00
	13 = Response entered LOG ASSN (see level 11)	3	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	169	0.02
	98 = BLANK (NO ANSWER)	1628	0.19
	99 = LEGITIMATE SKIP	85071	10.17

NDTXHANDL¹	Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	42	0.01
	6 = Response not entered	414	0.05
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	3	0.00
	13 = Response entered LOG ASSN (see level 11)	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	169	0.02
	98 = BLANK (NO ANSWER)	1628	0.19
	99 = LEGITIMATE SKIP	85071	10.17

NDTXNOHLP¹	Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	9	0.00
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	448	0.05
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	169	0.02
	98 = BLANK (NO ANSWER)	1628	0.19
	99 = LEGITIMATE SKIP	85071	10.17

NDTXNTIME¹	Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Response entered	27	0.00
	3 = Response entered LOGICALLY ASSIGNED	2	0.00
	6 = Response not entered	427	0.05
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11)	4	0.00
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	11	0.00
	97 = REFUSED	169	0.02
	98 = BLANK (NO ANSWER)	1628	0.19
	99 = LEGITIMATE SKIP	85071	10.17

DRUG TREATMENT

NDTXFNDOU¹ Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	30	0.00
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	429	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	169	0.02
98 = BLANK (NO ANSWER).....	1628	0.19
99 = LEGITIMATE SKIP.....	85071	10.17

NDTXOTRSN¹ Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	48	0.01
6 = Response not entered.....	406	0.05
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11).....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	169	0.02
98 = BLANK (NO ANSWER).....	1628	0.19
99 = LEGITIMATE SKIP.....	85071	10.17

NDTXMIMPT¹ Len : 2 MOST IMPORTANT OTHER REASON DIDNT GET TRTMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = No health care coverage and couldn't afford cost.....	1	0.00
5 = You were not ready to stop using.....	1	0.00
10 = You didn't think you needed treatment at the time.....	8	0.00
11 = You thought you could handle the problem w/o trmt.....	1	0.00
12 = You didn't think treatment would help.....	2	0.00
13 = Didn't have time (b/c of job, childcare, other).....	3	0.00
14 = Didn't want others to find out you needed trmt.....	4	0.00
16 = Too embarrassed,ashamed,afraid/didn't want to ask.....	1	0.00
18 = No prgrm where comfortable w/counselors/Drs.....	1	0.00
19 = Just didn't go/didn't get trmt; no reason given.....	1	0.00
20 = Didn't want treatment; lacked motivation.....	2	0.00
21 = Stopped using, treatment not indicated.....	1	0.00
22 = Couldn't afford; hlth care coverage status unspcfd.....	2	0.00
23 = Other problems to deal w/ (emotional, family, etc).....	3	0.00
30 = Attempted to get trmt, encountered delays/refused.....	1	0.00
31 = Family members/others unsupportive.....	3	0.00
70 = You did get/seek treatment (incl self-help groups).....	5	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	176	0.02
98 = BLANK (NO ANSWER).....	1639	0.20
99 = LEGITIMATE SKIP.....	85477	10.22

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

NDMREFFRT¹ Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	57	0.01
2 = No.....	38	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	1997	0.24
99 = LEGITIMATE SKIP.....	85244	10.19

DRUG TREATMENT

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNOCOV¹ Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	22	0.00
6 = Response not entered	66	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRNOTPY¹ Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	10	0.00
6 = Response not entered	78	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRTSPHR¹ Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	13	0.00
6 = Response not entered	75	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRWANTD¹ Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	13	0.00
6 = Response not entered	75	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRNSTOP¹ Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	23	0.00
6 = Response not entered	65	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRPFULL¹ Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	7	0.00
6 = Response not entered	81	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

DRUG TREATMENT

NDMRDKWHR¹ Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	9	0.00
6 = Response not entered	79	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRNBRNG¹ Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	7	0.00
6 = Response not entered	81	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRJOBNG¹ Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	4	0.00
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	83	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNONED¹ Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	6	0.00
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	81	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRHANDL¹ Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	8	0.00
6 = Response not entered	80	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

DRUG TREATMENT

NDMRNOHLP¹ Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	5	0.00
6 = Response not entered	83	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRNTIME¹ Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	3	0.00
6 = Response not entered	85	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRFNDOU¹ Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	3	0.00
6 = Response not entered	85	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMROTRSN¹ Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	8	0.00
6 = Response not entered	80	0.01
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	1997	0.24
99 = LEGITIMATE SKIP	85244	10.19

NDMRMIMPT¹ Len : 2 MOST IMPORTANT OTHR REASON DIDNT GET ADDL TRTMT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
9 = Concerned might have negative effect on your job	1	0.00
10 = You didn't think you needed treatment at the time	1	0.00
12 = You didn't think treatment would help	1	0.00
14 = Didn't want others to find out you needed trmt	1	0.00
28 = Didn't like how treated/don't trust Drs/hospitals	1	0.00
70 = You did get/seek treatment (incl self-help groups)	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	2001	0.24
99 = LEGITIMATE SKIP	85324	10.20

DRUG TREATMENT

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

TXRCVDREC¹ Len : 2 TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Within past 30 days -- that is, since [DATEFILL].....	141	0.02
2 = More than 30 days ago but within the past 12 mos.....	632	0.08
3 = More than 12 months ago.....	4043	0.48
7 = Still in treatment LOG ASSN (TXCURRENT=1).....	796	0.10
8 = Treatment in past year LOGICALLY ASSIGNED.....	276	0.03
9 = Treatment in lifetime LOGICALLY ASSIGNED.....	4	0.00
13 = Treatment > 12 mos ago LOG ASSN (TXRRECVD=2).....	63	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
97 = REFUSED.....	161	0.02
98 = BLANK (NO ANSWER).....	1651	0.20
99 = LEGITIMATE SKIP.....	79572	9.51

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment/are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

TXLTMYNPL² Len : 3 MAIN PLACE RCV TRMT LAST TIME/CURRENTLY

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = A hospital overnight as an inpatient.....	51	0.01
2 = A res drug/alcohol rehab facility overnight.....	172	0.02
3 = A drug or alcohol rehab facility as an outpatient.....	322	0.04
4 = A mental health center or facility as outpatient.....	244	0.03
5 = An emergency room.....	16	0.00
6 = A private doctor's office.....	190	0.02
7 = A prison or jail.....	22	0.00
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	346	0.04
9 = Some other place.....	73	0.01
40 = Home, family, friends.....	18	0.00
41 = School, college.....	25	0.00
42 = Church/religious/spiritual influence.....	3	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	3	0.00
48 = Counselor, therapist, psychologist, psychiatrist.....	45	0.01
49 = Court-mandated/sponsored program.....	20	0.00
51 = Alcohol/drug class or education, locale unspcfd.....	4	0.00
52 = Military/VA Hospital.....	4	0.00
58 = Other individual, relationship unspecified.....	3	0.00
64 = Methadone clinic/program.....	14	0.00
65 = Name of facility/program given.....	50	0.01
74 = Clinic; type unspecified.....	3	0.00
985 = BAD DATA Logically assigned.....	2	0.00
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
994 = DON'T KNOW.....	16	0.00
997 = REFUSED.....	186	0.02
998 = BLANK (NO ANSWER).....	1829	0.22
999 = LEGITIMATE SKIP.....	83675	10.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?

Are you currently receiving treatment or counseling for your use of alcohol?

TXLTYALCO¹ Len : 2 LAST/CURRENT TREATMENT FOR ALCOHOL

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	870	0.10
2 = No.....	653	0.08
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
5 = Yes LOG ASSN (TXYRALDGB = 1).....	85	0.01
6 = NEVER USED ALCOHOL (TXEVRRCCVD = 1).....	49	0.01
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	171	0.02
98 = BLANK (NO ANSWER).....	1827	0.22
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	83675	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?

Are you currently receiving treatment or counseling for your use of marijuana or hashish?

TXLTYMRJH¹ Len : 2 LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	506	0.06
2 = No.....	972	0.12
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
6 = NEVER USED MARIJUANA (TXEVRRCCVD =1).....	208	0.02
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	166	0.02
98 = BLANK (NO ANSWER).....	1802	0.22
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	83675	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?

Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?

TXLTYCOCN¹ Len : 2 LAST/CURRENT TREATMENT FOR COCAINE/CRACK

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	224	0.03
2 = No.....	736	0.09
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED COCAINE (TXEVRRCCVD = 1).....	809	0.10
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
97 = REFUSED.....	165	0.02
98 = BLANK (NO ANSWER).....	1725	0.21
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	83677	10.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of heroin?

Are you currently receiving treatment or counseling for your use of heroin?

TXLTYHERN¹ Len : 2 LAST/CURRENT TREATMENT FOR HEROIN

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	293	0.04
2 = No.....	149	0.02
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
6 = NEVER USED HEROIN (TXEVRRCCVD = 1).....	1372	0.16
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
97 = REFUSED.....	163	0.02
98 = BLANK (NO ANSWER).....	1681	0.20
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	83677	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?

Are you currently receiving treatment or counseling for your use of hallucinogens?

TXLTYHALL¹ Len : 2 LAST/CURRENT TREATMENT FOR HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	153	0.02
2 = No.....	837	0.10
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED HALLUCINOGENS (TXEVRRCCVD = 1).....	762	0.09
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	163	0.02
98 = BLANK (NO ANSWER).....	1740	0.21
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	83675	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?

Are you currently receiving treatment or counseling for your use of inhalants?

TXLTYINHLL¹ Len : 2 LAST/CURRENT TREATMENT FOR INHALANTS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	94	0.01
2 = No.....	492	0.06
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED INHALANTS (TXEVRRCCVD =1).....	1210	0.14
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	166	0.02
98 = BLANK (NO ANSWER).....	1696	0.20
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	83677	10.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of methamphetamine?

Are you currently receiving treatment or counseling for your use of methamphetamine?

TXLTYMETH¹ Len : 2 LAST/CURRENT TREATMENT FOR METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	204	0.02
2 = No.....	343	0.04
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED METHAMPHETAMINE (TXEVRRCD = 1).....	1255	0.15
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	162	0.02
98 = BLANK (NO ANSWER).....	1695	0.20
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRCVD=2,4).....	83678	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?

Are you currently receiving treatment or counseling for your use of prescription pain relievers?

TXLTYPNRL¹ Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	381	0.05
2 = No.....	470	0.06
3 = Yes LOGICALLY ASSIGNED.....	18	0.00
6 = NEVER USED PAIN RELIEVERS (TXEVRRCD = 1).....	906	0.11
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCD=2).....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	163	0.02
98 = BLANK (NO ANSWER).....	1721	0.21
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRCVD=2,4).....	83676	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?

Are you currently receiving treatment or counseling for your use of prescription tranquilizers?

TXLTYTRQL¹ Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	134	0.02
2 = No.....	392	0.05
3 = Yes LOGICALLY ASSIGNED.....	9	0.00
6 = NEVER USED TRANQUILIZERS (TXEVRRCD = 1).....	1256	0.15
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	164	0.02
98 = BLANK (NO ANSWER).....	1705	0.20
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRCVD=2,4).....	83678	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

TXLTYSTIM¹ Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	84	0.01
2 = No.....	342	0.04
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
4 = No LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED STIMULANTS (TXEVRRCD = 1).....	1377	0.16
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	163	0.02
98 = BLANK (NO ANSWER).....	1689	0.20
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRCVD=2,4).....	83678	10.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

TXLTYSEDV¹ Len : 2 LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	67	0.01
2 = No.....	187	0.02
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED SEDATIVES (TXEVRRCVD = 1).....	1560	0.19
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	162	0.02
98 = BLANK (NO ANSWER).....	1680	0.20
99 = LEGITIMATE SKIP (TXEVRRCVD=2/TXYRRECVD=2,4).....	83678	10.00

The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?

Are you currently receiving treatment or counseling for your use of any other drug?

TXLTYOTHR¹ Len : 2 LAST/CURRENT TRMT FOR SOME OTHER DRUG

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	209	0.02
2 = No.....	1325	0.16
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	61	0.01
7 = Treatment drug/alc unknown LOG ASSN.....	57	0.01
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	169	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

What was the main drug you entered treatment for the last time you were treated?

What is the main drug for which you are currently receiving treatment or counseling?

TXLTYMAIN² Len : 2 MAIN DRUG FOR LAST/CURRENT TREATMENT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Alcohol.....	147	0.02
2 = Marijuana or hashish.....	112	0.01
3 = Cocaine or Crack.....	35	0.00
4 = Heroin.....	130	0.02
7 = Methamphetamine.....	70	0.01
8 = Prescription pain relievers.....	86	0.01
12 = Some other drug.....	37	0.00
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	176	0.02
98 = BLANK (NO ANSWER).....	1960	0.23
99 = LEGITIMATE SKIP.....	84578	10.11

DRUG TREATMENT

What was the outcome of the treatment or counseling you last received?

TXLTYOCOM2¹ Len : 2 OUTCOME OF LAST/CURRENT TREATMENT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = You are still in treatment.....	797	0.10
2 = You successfully completed treatment.....	617	0.07
3 = You left because you had a problem with program.....	37	0.00
4 = You left b/c you couldn't afford to continue.....	29	0.00
5 = You left because your family needed you	20	0.00
6 = You left because you began using drugs again.....	33	0.00
7 = Your last treatment had some other outcome	27	0.00
41 = You left because you didn't need/want treatment.....	3	0.00
49 = Completed treatment/tmt required, outcome unknown	12	0.00
50 = You had other problems to deal with	3	0.00
85 = BAD DATA Logically assigned.....	52	0.01
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	16	0.00
97 = REFUSED	183	0.02
98 = BLANK (NO ANSWER)	1832	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX17]?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

TXLTYDAYS2¹ Len : 5 RC - # DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE

	Freq	Pct
RANGE = 1 - 30	461	0.06
-9 = Data not collected for this year	722653	86.37
31 = 31 or more.....	1142	0.14
99985 = BAD DATA Logically assigned	2	0.00
99989 = LEGITIMATE SKIP Logically assigned	3	0.00
99991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
99994 = DON'T KNOW	37	0.00
99997 = REFUSED	190	0.02
99998 = BLANK (NO ANSWER).....	1829	0.22
99999 = LEGITIMATE SKIP.....	83675	10.00

DRUG TREATMENT

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYHINS¹ Len : 2 HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	735	0.09
2 = No.....	848	0.10
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	52	0.01
97 = REFUSED.....	178	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYMCRE¹ Len : 2 MEDICARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	448	0.05
2 = No.....	1093	0.13
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	94	0.01
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYMCAD¹ Len : 2 MEDICAID PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	510	0.06
2 = No.....	1042	0.12
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	81	0.01
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

DRUG TREATMENT

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYPUBL¹ Len : 2 OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	353	0.04
2 = No.....	1178	0.14
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	103	0.01
97 = REFUSED	179	0.02
98 = BLANK (NO ANSWER)	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

TXPAYSVNG¹ Len : 2 OWN SAVINGS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	734	0.09
2 = No.....	870	0.10
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	29	0.00
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER)	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

Did family members pay for the last treatment you received, even if they paid only part of the cost?

Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?

TXPAYFAML¹ Len : 2 FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	428	0.05
2 = No.....	1182	0.14
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	24	0.00
97 = REFUSED	178	0.02
98 = BLANK (NO ANSWER)	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

DRUG TREATMENT

Did the courts pay for the last treatment you received, even if it paid only part of the cost?

Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYCOUR¹ Len : 2 COURTS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	163	0.02
2 = No.....	1422	0.17
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	50	0.01
97 = REFUSED.....	178	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?

Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYMILT¹ Len : 2 MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	76	0.01
2 = No.....	1486	0.18
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	73	0.01
97 = REFUSED.....	178	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYBOSS¹ Len : 2 EMPLOYER PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	63	0.01
2 = No.....	1532	0.18
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	40	0.00
97 = REFUSED.....	178	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

DRUG TREATMENT

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

TXPAYOTHR¹ Len : 2 SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	148	0.02
2 = No.....	1396	0.17
4 = No LOG ASSN (free trmt specified).....	3	0.00
5 = Yes, payment source not specified LOG ASSN.....	43	0.01
85 = BAD DATA Logically assigned.....	16	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	45	0.01
97 = REFUSED.....	181	0.02
98 = BLANK (NO ANSWER).....	1829	0.22
99 = LEGITIMATE SKIP.....	83675	10.00

TXPAYOTSP² Len : 2 OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Private health insurance.....	18	0.00
2 = Medicare.....	1	0.00
3 = Medicaid.....	3	0.00
4 = Public assistance program other than Medicaid.....	2	0.00
5 = Own savings or earnings.....	11	0.00
6 = Family members.....	7	0.00
7 = Courts.....	10	0.00
8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth.....	2	0.00
9 = Employer.....	2	0.00
10 = Free.....	8	0.00
11 = Some other source.....	8	0.00
14 = School.....	8	0.00
15 = Treatment program/facility/provider.....	18	0.00
16 = Indian Health Service/BIA/Tribe.....	9	0.00
19 = Public assistance, welfare; otherwise unspecified.....	14	0.00
85 = BAD DATA Logically assigned.....	30	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
94 = DON'T KNOW.....	10	0.00
97 = REFUSED.....	184	0.02
98 = BLANK (NO ANSWER).....	1917	0.23
99 = LEGITIMATE SKIP.....	85074	10.17

Was the last treatment you received free?

Is the treatment you are currently receiving free?

TXPAYFREE¹ Len : 2 LAST/CURRENT TREATMENT WAS/IS FREE

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	85	0.01
2 = No.....	43	0.01
3 = Yes LOGICALLY ASSIGNED.....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
97 = REFUSED.....	176	0.02
98 = BLANK (NO ANSWER).....	1868	0.22
99 = LEGITIMATE SKIP.....	85159	10.18

DRUG TREATMENT

Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?

For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.

TXENRLOCT¹	Len : 2 ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	569	0.07
	2 = No.....	5315	0.64
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	45	0.01
	97 = REFUSED	187	0.02
	98 = BLANK (NO ANSWER)	1651	0.20
	99 = LEGITIMATE SKIP (TXEVRRCD=2).....	79572	9.51

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

TXYRNDTX¹	Len : 2 WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	310	0.04
	2 = No.....	993	0.12
	4 = No LOGICALLY ASSIGNED	324	0.04
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	94 = DON'T KNOW	21	0.00
	97 = REFUSED	180	0.02
	98 = BLANK (NO ANSWER)	1833	0.22
	99 = LEGITIMATE SKIP.....	83678	10.00

NOTE: The variables TXALCONLY, TXALCONAG, TXDRGONLY, TXDRGONAG, TXALCDRGU, TXALCDAGE TXDRGALCU, and TXDRGAAGE pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALCONLY and TXALCONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRGONLY and TXDRGONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDRGU, TXALCDAGE TXDRGALCU, and TXDRGAAGE pertain to respondents who were lifetime users of alcohol and other drugs.

NOTE: TXALCONLY was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALCONLY=11). TXALCONLY was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

TXALCONLY¹	Len : 2 EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	172	0.02
	2 = No.....	2	0.00
	11 = Yes (TXYRRECVD=3; see NOTE for TXALCONLY).....	3	0.00
	12 = No (TXYRRECVD=3; see NOTE for TXALCONLY)	15	0.00
	22 = No (but only alcohol user; see NOTE for TXALCONLY)	113	0.01
	91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
	97 = REFUSED	48	0.01
	98 = BLANK (NO ANSWER)	1581	0.19
	99 = LEGITIMATE SKIP.....	85405	10.21

DRUG TREATMENT

How old were you when you first received treatment for your alcohol use?

TXALCONAG ¹	Len : 3 AGE WHEN FIRST RCVD TRMT FOR ALC USE	Freq	Pct
	RANGE = 3 - 66.....	170	0.02
	-9 = Data not collected for this year.....	722653	86.37
	991 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
	994 = DON'T KNOW.....	4	0.00
	997 = REFUSED.....	48	0.01
	998 = BLANK (NO ANSWER).....	1695	0.20
	999 = LEGITIMATE SKIP.....	85422	10.21

NOTE: TXDRGONLY was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRGONLY=11). TXDRGONLY was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?

TXDRGONLY ¹	Len : 2 EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	33	0.00
	11 = Yes (TXYRRECVD=3; see NOTE for TXDRGONLY).....	6	0.00
	12 = No (TXYRRECVD=3; see NOTE for TXDRGONLY).....	9	0.00
	22 = No (but only drug user; see NOTE for TXDRGONLY).....	26	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED.....	26	0.00
	98 = BLANK (NO ANSWER).....	1584	0.19
	99 = LEGITIMATE SKIP.....	85654	10.24

How old were you when you first received treatment or counseling for your drug use?

TXDRGONAG ¹	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	Freq	Pct
	RANGE = 1 - 52.....	31	0.00
	-9 = Data not collected for this year.....	722653	86.37
	991 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
	997 = REFUSED.....	26	0.00
	998 = BLANK (NO ANSWER).....	1619	0.19
	999 = LEGITIMATE SKIP.....	85663	10.24

NOTE: TXALCDRGU and TXDRGALCU were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDRGU=11). TXALCDRGU and TXDRGALCU were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDRGU) or for their drug use (in the question corresponding to TXDRGALCU).

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?

TXALCDRGU ¹	Len : 2 EVER RCVD TMT FOR ALCOHOL USE (ALSO USED DRUGS)	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	2332	0.28
	2 = No.....	1119	0.13
	11 = Yes (TXYRRECVD=3; see NOTE for TXALCDRGU).....	55	0.01
	12 = No (TXYRRECVD=3; see NOTE for TXALCDRGU).....	49	0.01
	22 = No (see NOTE for TXALCDRGU).....	332	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
	94 = DON'T KNOW.....	5	0.00
	97 = REFUSED.....	105	0.01
	98 = BLANK (NO ANSWER).....	1618	0.19
	99 = LEGITIMATE SKIP.....	81724	9.77

DRUG TREATMENT

How old were you when you first received treatment or counseling for your alcohol use?

TXALCDAGE ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE	Freq	Pct
		RANGE = 1 - 63	2312	0.28
		-9 = Data not collected for this year	722653	86.37
		991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		994 = DON'T KNOW	42	0.01
		997 = REFUSED	111	0.01
		998 = BLANK (NO ANSWER).....	1982	0.24
		999 = LEGITIMATE SKIP.....	82892	9.91

Have you ever received treatment or counseling for your drug use?

TXDRGALCU ¹	Len : 2	EVER RCVD TRMT FOR DRUG USE (ALSO USED ALCOHOL)	Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	1981	0.24
		2 = No.....	1471	0.18
		11 = Yes (TXYRRECVD=3; see NOTE for TXALCDRGU).....	84	0.01
		12 = No (TXYRRECVD=3; see NOTE for TXALCDRGU)	21	0.00
		22 = No (see NOTE for TXALCDRGU)	332	0.04
		91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		94 = DON'T KNOW	3	0.00
		97 = REFUSED	105	0.01
		98 = BLANK (NO ANSWER)	1618	0.19
		99 = LEGITIMATE SKIP.....	81724	9.77

How old were you when you first received treatment or counseling for your drug use?

TXDRGAAGE ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	Freq	Pct
		RANGE = 1 - 59	1987	0.24
		-9 = Data not collected for this year	722653	86.37
		985 = BAD DATA Logically assigned	1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		994 = DON'T KNOW	30	0.00
		997 = REFUSED	108	0.01
		998 = BLANK (NO ANSWER).....	1997	0.24
		999 = LEGITIMATE SKIP.....	83216	9.95

NOTE: The variables TXYALONAG, TXYALODRG, TXYALODAG, TXYDRONAG, TXYDROALC, TXYDROAAG, TXYALDAAG, and TXYALDDAG pertain to respondents who received substance treatment in the past 12 months. TXYALONAG, TXYALODRG, and TXYALODAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRONAG, TXYDROALC, and TXYDROAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYALDAAG and TXYALDDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

TXYALONAG ¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE	Freq	Pct
		RANGE = 1 - 67	486	0.06
		-9 = Data not collected for this year	722653	86.37
		985 = BAD DATA Logically assigned	4	0.00
		991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
		994 = DON'T KNOW	14	0.00
		997 = REFUSED	168	0.02
		998 = BLANK (NO ANSWER).....	1877	0.22
		999 = LEGITIMATE SKIP.....	84790	10.13

DRUG TREATMENT

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

TXYALODRG¹ Len : 2 EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	67	0.01
2 = No.....	359	0.04
3 = Yes LOGICALLY ASSIGNED (TXYRALDGB=11).....	32	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	1	0.00
97 = REFUSED	166	0.02
98 = BLANK (NO ANSWER)	1848	0.22
99 = LEGITIMATE SKIP.....	84866	10.14

How old were you when you first received treatment or counseling for your drug use?

TXYALODAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	Freq	Pct
RANGE = 1 - 58.....	56	0.01
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	1	0.00
991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
994 = DON'T KNOW	2	0.00
997 = REFUSED	169	0.02
998 = BLANK (NO ANSWER).....	1886	0.23
999 = LEGITIMATE SKIP.....	85225	10.19

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

TXYDRONAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	Freq	Pct
RANGE = 1 - 66.....	507	0.06
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	2	0.00
991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
994 = DON'T KNOW	16	0.00
997 = REFUSED	167	0.02
998 = BLANK (NO ANSWER).....	1938	0.23
999 = LEGITIMATE SKIP.....	84709	10.12

Have you ever received treatment or counseling for your alcohol use?

TXYDROALC¹ Len : 2 EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	69	0.01
2 = No.....	491	0.06
3 = Yes LOGICALLY ASSIGNED (TXYRALDGB=12).....	28	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
97 = REFUSED	163	0.02
98 = BLANK (NO ANSWER)	1847	0.22
99 = LEGITIMATE SKIP.....	84741	10.13

How old were you when you first received treatment or counseling for your alcohol use?

TXYDROAAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	Freq	Pct
RANGE = 1 - 55.....	61	0.01
-9 = Data not collected for this year	722653	86.37
991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
994 = DON'T KNOW	1	0.00
997 = REFUSED	163	0.02
998 = BLANK (NO ANSWER).....	1882	0.22
999 = LEGITIMATE SKIP.....	85232	10.19

DRUG TREATMENT

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

TXYALDAAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	Freq	Pct
RANGE = 1 - 61	400	0.05
-9 = Data not collected for this year	722653	86.37
991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
994 = DON'T KNOW	8	0.00
997 = REFUSED	172	0.02
998 = BLANK (NO ANSWER).....	2034	0.24
999 = LEGITIMATE SKIP.....	84725	10.13

How old were you when you first received treatment or counseling for your drug use?

TXYALDDAG¹ Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	Freq	Pct
RANGE = 1 - 67	397	0.05
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	2	0.00
991 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
994 = DON'T KNOW	6	0.00
997 = REFUSED	173	0.02
998 = BLANK (NO ANSWER).....	2036	0.24
999 = LEGITIMATE SKIP.....	84725	10.13

NOTE: TXFGALAGE is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALCONAG, TXALCDAGE, TXYALONAG, TXYDROAAG, or TXYALDAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAGE=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRALDGB.

TXFGALAGE¹ Len : 2 CONSISTENCY OF ALC TX AGE WITH ALC AFU

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = 1st alc tx age consistent with alc AFU	3441	0.41
1 = 1st alc tx age differs from alc AFU by 1 yr.....	23	0.00
2 = 1st alc tx age differs from alc AFU by 2 yrs	10	0.00
3 = 1st alc tx age differs from alc AFU by 3-4 yrs.....	8	0.00
4 = 1st alc tx age differs from alc AFU by >=5 yrs.....	56	0.01
5 = Never used alc in core but reported an alc tx age.....	14	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
98 = UNKNOWN	2512	0.30
99 = LEGITIMATE SKIP.....	81275	9.71

NOTE: TXFGDGAGE is a "flag" variable that indicates when the first receipt of drug treatment in TXDRGONAG, TXDRGAAGE, TXYALODAG, TXYDRONAG, or TXYALDDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAGE=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRALDGB.

TXFGDGAGE¹ Len : 2 CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = 1st drug tx age consistent w/min drug AFU	3054	0.37
1 = 1st drug tx age differs from min drug AFU by 1 yr.....	19	0.00
2 = 1st drug tx age differs fr min drug AFU by 2 yrs	13	0.00
3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs.....	2	0.00
4 = 1st drug tx age differs fr min drug AFU by >=5 yrs.....	27	0.00
5 = Never used drugs in core but reportd a drug tx age.....	16	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
98 = UNKNOWN	2446	0.29
99 = LEGITIMATE SKIP.....	81762	9.77

DRUG TREATMENT

NOTE: TXFGADAGE is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAGE=5 or TXFGDGAGE=5, then TXFGADAGE=5.

TXFGADAGE¹ Len : 2 CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = 1st tx age consistent w/minimum AFU	4904	0.59
1 = 1st tx age differs from min AFU by 1 yr.....	34	0.00
2 = 1st tx age differs from min AFU by 2 yrs	21	0.00
3 = 1st tx age differs from min AFU by 3-4 yrs	10	0.00
4 = 1st tx age differs from min AFU by >=5 yrs	77	0.01
5 = Any lifetime nonuse with a related tx age.....	30	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
98 = UNKNOWN	2691	0.32
99 = LEGITIMATE SKIP.....	79572	9.51

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

TXSHGWENT¹ Len : 2 WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	1098	0.13
2 = No	83562	9.99
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	820	0.10
85 = BAD DATA Logically assigned	40	0.00
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	108	0.01
97 = REFUSED	187	0.02
98 = BLANK (NO ANSWER)	1524	0.18

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

TXSHGALDB¹ Len : 2 WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Alcohol use only	407	0.05
2 = Drug use only.....	286	0.03
3 = Both alcohol and drug use.....	382	0.05
11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSLFAD=1)	32	0.00
12 = Drug use only LOGICALLY ASSIGNED (TXYRSLFAD=2).....	27	0.00
13 = Both alcohol and drug use LOG ASSN (TXYRSLFAD=3).....	219	0.03
91 = NEVER USED ALCOHOL OR DRUGS	26704	3.19
94 = DON'T KNOW	7	0.00
97 = REFUSED	203	0.02
98 = BLANK (NO ANSWER)	1743	0.21
99 = LEGITIMATE SKIP.....	84033	10.04

DRUG TREATMENT

NOTE: TXSHGFLAG compares the consistency of data in the self-help group variable TXSHGWENT and the self-help group variable TXYRSLFHP. TXSHGFLAG has a value of 1 when TXSHGWENT was answered as "yes" but TXYRSLFHP indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLAG has a value of 2 when TXSHGWENT was answered as "yes" but TXYRRECVD or TXEVRRCD indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLAG has a value of 3 when TXSHGWENT was not answered as "yes" but TXYRSLFHP indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLAG has a value of 4 when TXSHGWENT was answered as "yes" but TXYRSLFHP was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLAG has a value of 5 when TXSHGWENT was answered as "don't know" or "refused" but TXYRSLFHP was answered as "no."

TXSHGFLAG¹ Len : 2 CONSISTENCY FLAG BETWEEN TXSHGWENT AND TXYRSLFHP

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = TXSHGWENT=1 but TXYRSLFHP=2 (see note).....	90	0.01
2 = TXSHGWENT=1 but TXYRRECVD=2 or TXEVRRCD=2 (see note).....	941	0.11
3 = TXSHGWENT NE 1 but TXYRSLFHP=3 or 5 (see note).....	38	0.00
4 = TXSHGWENT=1 but TXYRSLFHP=94, 97, or 98 (see note).....	49	0.01
5 = TXSHGWENT=94 or 97 but TXYRSLFHP=2 (see note).....	15	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	26704	3.19
98 = BLANK (NO ANSWER).....	86206	10.30

What were you doing most of the past 12 months?

DOMOSTYR Len : 2 WHAT WERE YOU DOING MOST OF PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = Working at a job or business.....	67106	8.02
2 = Going to school.....	21633	2.59
3 = Keeping house.....	14616	1.75
4 = Doing something else.....	7129	0.85
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	88	0.01
97 = REFUSED.....	100	0.01
98 = BLANK (NO ANSWER).....	23	0.00
99 = LEGITIMATE SKIP.....	54206	6.48

Did any physical, mental, or emotional problem prevent you from working at a job or business during most of the past 12 months?

PBLMWORK Len : 2 PHYS/MENT/EMOT PROB KEPT FROM WORK PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = Yes.....	3973	0.47
2 = No.....	12897	1.54
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	21	0.00
97 = REFUSED.....	55	0.01
98 = BLANK (NO ANSWER).....	32	0.00
99 = LEGITIMATE SKIP.....	147932	17.68

Did any physical, mental, or emotional problem limit you in the kind or amount of work you could do during most of the past 12 months?

LIMITWRK Len : 2 PHYS/MENT/EMOT PROB LIMITED WORK IN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = Yes.....	7261	0.87
2 = No.....	72691	8.69
85 = BAD DATA Logically assigned.....	8	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	62	0.01
97 = REFUSED.....	79	0.01
98 = BLANK (NO ANSWER).....	40	0.00
99 = LEGITIMATE SKIP.....	84768	10.13

DRUG TREATMENT

Was it a physical problem, a mental or emotional problem, or both?

TYPEPBLM Len : 2 WAS PROB THAT AFFECTED WORK PHYS, MENT, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Physical problem	6766	0.81
2 = Mental or emotional problem.....	2691	0.32
3 = Both	1728	0.21
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	26	0.00
97 = REFUSED	99	0.01
98 = BLANK (NO ANSWER)	122	0.01
99 = LEGITIMATE SKIP.....	153478	18.34

The following is a list of health conditions. Please read the list, and type in the numbers of any of these conditions that a doctor or other medical professional has ever told you that you had.

Please type in the numbers of any that apply.

LIFANXD Len : 2 EVER HAD ANXIETY DISORDER

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	40187	4.80
6 = Response not entered	201683	24.10
85 = BAD DATA Logically assigned	355	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	84	0.01
99 = LEGITIMATE SKIP (LIFNONE=95).....	303562	36.28

LIFASMA Len : 2 EVER HAD ASTHMA

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	78225	9.35
6 = Response not entered	163645	19.56
85 = BAD DATA Logically assigned	344	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	95	0.01
99 = LEGITIMATE SKIP (LIFNONE=95).....	303562	36.28

LIFBRONC Len : 2 EVER HAD BRONCHITIS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	49313	5.89
6 = Response not entered	192557	23.01
85 = BAD DATA Logically assigned	342	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	97	0.01
99 = LEGITIMATE SKIP (LIFNONE=95).....	303562	36.28

LIFCIRR Len : 2 EVER HAD CIRRHOSIS OF THE LIVER

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	713	0.09
6 = Response not entered	241157	28.82
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95).....	303562	36.28

DRUG TREATMENT

LIFDEPRS

Len : 2 EVER HAD DEPRESSION

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	58203	6.96
6 = Response not entered	183667	21.95
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFDIAB

Len : 2 EVER HAD DIABETES

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	18718	2.24
6 = Response not entered	223152	26.67
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFHARTD

Len : 2 EVER HAD HEART DISEASE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	10716	1.28
6 = Response not entered	231154	27.63
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFHEPAT

Len : 2 EVER HAD HEPATITIS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	3498	0.42
6 = Response not entered	238372	28.49
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFHBP

Len : 2 EVER HAD HIGH BLOOD PRESSURE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	53228	6.36
6 = Response not entered	188642	22.55
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFHIV

Len : 2 EVER HAD HIV/AIDS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	617	0.07
6 = Response not entered	241253	28.83
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

DRUG TREATMENT

LIFLUNCA

Len : 2 EVER HAD LUNG CANCER

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	524	0.06
6 = Response not entered	241346	28.85
85 = BAD DATA Logically assigned	342	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	97	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFPANCR

Len : 2 EVER HAD PANCREATITIS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	1771	0.21
6 = Response not entered	240099	28.70
85 = BAD DATA Logically assigned	342	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	97	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFPNEU

Len : 2 EVER HAD PNEUMONIA

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	24497	2.93
6 = Response not entered	217373	25.98
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFSTDS

Len : 2 EVER HAD SEXUALLY TRANSMITTED DISEASE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	16976	2.03
6 = Response not entered	224894	26.88
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFSINUS

Len : 2 EVER HAD SINUSITIS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	31144	3.72
6 = Response not entered	210726	25.19
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFSLPAP

Len : 2 EVER HAD SLEEP APNEA

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	13431	1.61
6 = Response not entered	228439	27.30
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

DRUG TREATMENT

LIFSTROK Len : 2 EVER HAD STROKE

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	2771	0.33
6 = Response not entered	239099	28.58
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFTINN Len : 2 EVER HAD TINNITUS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	4270	0.51
6 = Response not entered	237600	28.40
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFTUBRC Len : 2 EVER HAD TUBERCULOSIS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	1512	0.18
6 = Response not entered	240358	28.73
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFULCER Len : 2 EVER HAD ULCER OR ULCERS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	12008	1.44
6 = Response not entered	229862	27.47
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95)	303562	36.28

LIFNONE Len : 2 NONE OF THE ABOVE - NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	7339	0.88
95 = Response entered	303562	36.28
97 = REFUSED	4532	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	241870	28.91

Which, if any, of these conditions did a doctor or other medical professional tell you that you had in the past 12 months?

YRANXD Len : 2 DR SAID R HAD ANXIETY DISORDER IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	26941	3.22
6 = Response not entered	5209	0.62
85 = BAD DATA Logically assigned	355	0.04
89 = LEGITIMATE SKIP Logically assigned	1102	0.13
94 = DON'T KNOW	7502	0.90
97 = REFUSED	4608	0.55
98 = BLANK (NO ANSWER)	84	0.01
99 = LEGITIMATE SKIP	511941	61.19

DRUG TREATMENT

YRASMA

Len : 2 DR SAID R HAD ASTHMA IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	42322	5.06
6 = Response not entered	8914	1.07
85 = BAD DATA Logically assigned	344	0.04
89 = LEGITIMATE SKIP Logically assigned	755	0.09
94 = DON'T KNOW	7795	0.93
97 = REFUSED	4662	0.56
98 = BLANK (NO ANSWER)	95	0.01
99 = LEGITIMATE SKIP	492855	58.90

YRBRONC

Len : 2 DR SAID R HAD BRONCHITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	19243	2.30
6 = Response not entered	10986	1.31
85 = BAD DATA Logically assigned	342	0.04
89 = LEGITIMATE SKIP Logically assigned	1159	0.14
94 = DON'T KNOW	7481	0.89
97 = REFUSED	4572	0.55
98 = BLANK (NO ANSWER)	97	0.01
99 = LEGITIMATE SKIP	513862	61.42

YRCIRR

Len : 2 DR SAID R HAD CIRRHOSIS OF THE LIVER IN PAST YR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	327	0.04
6 = Response not entered	195	0.02
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1326	0.16
94 = DON'T KNOW	7345	0.88
97 = REFUSED	4541	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	543569	64.97

YRDEPRS

Len : 2 DR SAID R HAD DEPRESSION IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	35500	4.24
6 = Response not entered	8494	1.02
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1055	0.13
94 = DON'T KNOW	7533	0.90
97 = REFUSED	4624	0.55
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	500097	59.77

YRDIAB

Len : 2 DR SAID R HAD DIABETES IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	15023	1.80
6 = Response not entered	1400	0.17
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1231	0.15
94 = DON'T KNOW	7419	0.89
97 = REFUSED	4562	0.55
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	527668	63.07

DRUG TREATMENT

YRHARTD

Len : 2 DR SAID R HAD HEART DISEASE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	7498	0.90
6 = Response not entered	1401	0.17
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1286	0.15
94 = DON'T KNOW	7381	0.88
97 = REFUSED	4545	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	535192	63.96

YRHEPAT

Len : 2 DR SAID R HAD HEPATITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	1235	0.15
6 = Response not entered	951	0.11
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1313	0.16
94 = DON'T KNOW	7356	0.88
97 = REFUSED	4543	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	541905	64.77

YRHBP

Len : 2 DR SAID R HAD HIGH BLOOD PRESSURE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	41043	4.91
6 = Response not entered	4233	0.51
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1161	0.14
94 = DON'T KNOW	7471	0.89
97 = REFUSED	4580	0.55
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	498815	59.62

YRHIV

Len : 2 DR SAID R HAD HIV/AIDS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	409	0.05
6 = Response not entered	76	0.01
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1331	0.16
94 = DON'T KNOW	7346	0.88
97 = REFUSED	4535	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	543606	64.97

YRLUNCA

Len : 2 DR SAID R HAD LUNG CANCER IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	207	0.02
6 = Response not entered	152	0.02
85 = BAD DATA Logically assigned	342	0.04
89 = LEGITIMATE SKIP Logically assigned	1336	0.16
94 = DON'T KNOW	7342	0.88
97 = REFUSED	4534	0.54
98 = BLANK (NO ANSWER)	97	0.01
99 = LEGITIMATE SKIP	543732	64.99

DRUG TREATMENT

YRPANCR

Len : 2 DR SAID R HAD PANCREATITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	625	0.07
6 = Response not entered	597	0.07
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1331	0.16
94 = DON'T KNOW	7343	0.88
97 = REFUSED	4538	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	542869	64.88

YRPNEU

Len : 2 DR SAID R HAD PNEUMONIA IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	5630	0.67
6 = Response not entered	8209	0.98
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1278	0.15
94 = DON'T KNOW	7392	0.88
97 = REFUSED	4542	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	530252	63.37

YRSTDS

Len : 2 DR SAID R HAD SEXUALLY TRANSMITTED DISEASE PST YR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	6877	0.82
6 = Response not entered	3485	0.42
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1279	0.15
94 = DON'T KNOW	7371	0.88
97 = REFUSED	4562	0.55
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	533729	63.79

YRSINUS

Len : 2 DR SAID R HAD SINUSITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	16263	1.94
6 = Response not entered	6494	0.78
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1268	0.15
94 = DON'T KNOW	7391	0.88
97 = REFUSED	4553	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	521334	62.31

YRSLPAP

Len : 2 DR SAID R HAD SLEEP APNEA IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	8019	0.96
6 = Response not entered	2886	0.34
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1261	0.15
94 = DON'T KNOW	7400	0.88
97 = REFUSED	4551	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	533186	63.73

DRUG TREATMENT

YRSTROK

Len : 2 DR SAID R HAD STROKE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	999	0.12
6 = Response not entered	1054	0.13
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1323	0.16
94 = DON'T KNOW	7351	0.88
97 = REFUSED	4538	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	542038	64.78

YRTINN

Len : 2 DR SAID R HAD TINNITUS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	2080	0.25
6 = Response not entered	1221	0.15
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1308	0.16
94 = DON'T KNOW	7366	0.88
97 = REFUSED	4538	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	540790	64.63

YRTUBRC

Len : 2 DR SAID R HAD TUBERCULOSIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	380	0.05
6 = Response not entered	332	0.04
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1336	0.16
94 = DON'T KNOW	7343	0.88
97 = REFUSED	4533	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	543379	64.94

YRULCER

Len : 2 DR SAID R HAD ULCER OR ULCERS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
1 = Response entered	4696	0.56
6 = Response not entered	3563	0.43
85 = BAD DATA Logically assigned	341	0.04
89 = LEGITIMATE SKIP Logically assigned	1290	0.15
94 = DON'T KNOW	7380	0.88
97 = REFUSED	4542	0.54
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	535832	64.04

YRNONE

Len : 2 NONE OF THE ABOVE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year	278954	33.34
85 = BAD DATA Logically assigned	341	0.04
94 = DON'T KNOW	8323	0.99
95 = Response entered	76652	9.16
97 = REFUSED	4889	0.58
98 = BLANK (NO ANSWER)	98	0.01
99 = LEGITIMATE SKIP	467439	55.87

DRUG TREATMENT

NOTE: In HPDRGTLK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTLK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months. Also, a small number of respondents were routed to the question corresponding to HPDRGTLK but after the variables for most recent use of these drugs had been edited, it was determined that the respondents never used these drugs or that they last used any of them more than 12 months ago. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that respondents never used any of them, then HPDRGTLK was assigned a code of 11; otherwise, data in HPDRGTLK were overwritten with a code of 81. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that most recent use occurred more than 12 months ago, then HPDRGTLK was assigned a code of 21; otherwise, data in HPDRGTLK were overwritten with a code of 83.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

HPDRGTLK	Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME	Freq	Pct
-9 = Data not collected for this year		726265	86.80
1 = Yes.....		3256	0.39
2 = No		13519	1.62
11 = Yes but never used (see NOTE).....		2	0.00
21 = Yes but no past year use (see NOTE).....		3	0.00
81 = NEVER USED MJ/COC/HER/HAL/INH/METH Log assn		3	0.00
83 = DID NOT USE ANY OF THESE DRUGS PST 12 MOS Log assn		5	0.00
85 = BAD DATA Logically assigned		4	0.00
91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....		61782	7.38
93 = DID NOT USE MJ/COC/HER/HAL/INH/METH IN PST 12 MOS.....		26165	3.13
94 = DON'T KNOW		70	0.01
97 = REFUSED		66	0.01
98 = BLANK (NO ANSWER)		1404	0.17
99 = LEGITIMATE SKIP		4152	0.50

RECODED DRUG TREATMENT

RECODED DRUG TREATMENT

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Drug Treatment or Recoded Substance Dependence and Abuse.

NOTE: Changes to the modules for hallucinogens, inhalants, methamphetamine, and prescription psychotherapeutic drugs in 2015 might have affected the sets of respondents who were eligible to be asked the questions about treatment for substance use. Therefore, all of the variables in the Substance Use Treatment module have been renamed for 2015 and future years. For detailed information about comparability decisions, see the two-volume 2015 Questionnaire Redesign Impact Assessment, Final Report, within the 2015 Methodological Resource Book (Center for Behavioral Health Statistics and Quality, 2017).

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

TXEVRRCVD2 Len : 1 RC-RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	108088	12.92
1 = Yes (TXEVRRCVD=1).....	5955	0.71

TXYRALC Len : 1 RC-RCVD TRMT ANY LOC FOR ALC USE - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	112952	13.50
1 = Yes (TXYRALDGB=1,3,4,6,11,12).....	1091	0.13

TXYRILL Len : 1 RC-RCVD TRMT ANY LOC FOR ILL DRG USE - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	112874	13.49
1 = Yes (TXYRALDGB=2,3,5,6,11,12).....	1169	0.14

A respondent was classified as receiving treatment at any location in the past year for alcohol use but not illicit drug use, TXYRALNIL, if they received only alcohol use treatment at any location in the past year (TXYRALDGB=1). Respondents with unknown illicit drug use treatment (TXYRALDGB=4) or who reported receiving alcohol use treatment only but in later treatment questions indicated receiving illicit drug use treatment (TXYRALDGB=11) are not classified as receiving treatment for alcohol use only.

TXYRALNIL Len : 1 RC-RCVD TRMT ANY LOC FOR ALC BUT NOT ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113558	13.57
1 = Yes (TXYRALDGB=1).....	485	0.06

A respondent was classified as receiving treatment at any location in the past year for illicit drug use but not alcohol use, TXYRILNAL, if they received only illicit drug use treatment at any location in the past year (TXYRALDGB=2). Respondents with unknown alcohol use treatment (TXYRALDGB=5) or who reported receiving illicit drug use treatment only but in later treatment questions indicated receiving alcohol use treatment (TXYRALDGB=12) are not classified as receiving treatment for illicit drug use only.

TXYRILNAL Len : 1 RC-RCVD TRMT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	113481	13.56
1 = Yes (TXYRALDGB=2).....	562	0.07

TXYRRECVD2 Len : 1 RC-RCVD TRMT ANY LOC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
0 = No/Unknown (Otherwise).....	112198	13.41
1 = Yes (TXYRRECVD=1,3).....	1845	0.22

RECODED DRUG TREATMENT

TXYRILANAL	Len : 1 RC-RCVD TRMT ANY LOC FOR ILL DRG AND ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113439	13.56
	1 = Yes (TXYRALDGB=3,6,11,12).....	604	0.07

NOTE: The following 12 recoded variables contain respondent information about receiving last or current treatment for various substances.

TXLTYALCO2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113085	13.52
	1 = Yes (TXLTYALCO=1,3,5)	958	0.11

TXLTYMRJH2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113533	13.57
	1 = Yes (TXLTYMRJH=1,3).....	510	0.06

TXLTYCOCN2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR COCAINE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113817	13.60
	1 = Yes (TXLTYCOCN=1,3)	226	0.03

TXLTYHERN2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR HEROIN		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113747	13.59
	1 = Yes (TXLTYHERN=1,3)	296	0.04

TXLTYHALL2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113887	13.61
	1 = Yes (TXLTYHALL=1,3).....	156	0.02

TXLTYINHL2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113949	13.62
	1 = Yes (TXLTYINHL=1,3).....	94	0.01

TXLTYMETH2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR METHAMPHETAMINE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113838	13.61
	1 = Yes (TXLTYMETH=1,3).....	205	0.02

TXLTYPNRL2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113644	13.58
	1 = Yes (TXLTYPNRL=1,3).....	399	0.05

TXLTYTRQL2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113900	13.61
	1 = Yes (TXLTYTRQL=1,3).....	143	0.02

RECODED DRUG TREATMENT

TXLTYSTIM2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113957	13.62
	1 = Yes (TXLTYSTIM=1,3).....	86	0.01

TXLTYSEDV2	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113975	13.62
	1 = Yes (TXLTYSEDV=1,3).....	68	0.01

The following variable, TXLTYILL, was created by examination of the receipt of last/current treatment of marijuana (TXLTYMRJH2), cocaine (TXLTYCOCN2), heroin (TXLTYHERN2), stimulants (TXLTYSTIM2), sedatives (TXLTYSEDV2), pain relievers (TXLTYPNRL2), hallucinogens (TXLTYHALL2), inhalants (TXLTYINHL2), methamphetamine (TXLTYMETH2), and tranquilizers (TXLTYTRQL2).

TXLTYILL	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113056	13.51
	1 = Yes (Any source variable=1).....	987	0.12

NOTE: The following 27 recoded variables contain payment information about respondent's last or current treatment.

TXPAYHINS2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113306	13.54
	1 = Yes (TXPAYHINS=1,3).....	737	0.09

TXPAYMCRE2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113595	13.58
	1 = Yes (TXPAYMCRE=1,3).....	448	0.05

TXPAYMCAD2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113531	13.57
	1 = Yes (TXPAYMCAD=1,3).....	512	0.06

TXPAYPUBL2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113688	13.59
	1 = Yes (TXPAYPUBL=1,3).....	355	0.04

TXPAYSVNG2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113307	13.54
	1 = Yes (TXPAYSVNG=1,3).....	736	0.09

TXPAYFAML2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113612	13.58
	1 = Yes (TXPAYFAML=1,3).....	431	0.05

RECODED DRUG TREATMENT

TXPAYCOUR2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY COURTS		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113878	13.61
	1 = Yes (TXPAYCOUR=1,3).....	165	0.02
TXPAYMILT2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HLTCARE		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113965	13.62
	1 = Yes (TXPAYMILT=1,3).....	78	0.01
TXPAYBOSS2	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113978	13.62
	1 = Yes (TXPAYBOSS=1,3).....	65	0.01
TXPDHINSAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYHINS2=0).....	113651	13.58
	1 = Yes (TXLTYALCO2=1 and TXPAYHINS2=1).....	392	0.05
TXPDMCREAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMCRE2=0).....	113836	13.61
	1 = Yes (TXLTYALCO2=1 and TXPAYMCRE2=1).....	207	0.02
TXPDMCADAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMCAD2=0).....	113808	13.60
	1 = Yes (TXLTYALCO2=1 and TXPAYMCAD2=1).....	235	0.03
TXPDPUBLAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY PUBLIC ASST		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYPUBL2=0).....	113853	13.61
	1 = Yes (TXLTYALCO2=1 and TXPAYPUBL2=1).....	190	0.02
TXPDSVNGAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY OWN SAVINGS		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYSVNG2=0).....	113607	13.58
	1 = Yes (TXLTYALCO2=1 and TXPAYSVNG2=1).....	436	0.05
TXPDFAMLAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY FAM MEMBERS		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYFAML2=0).....	113827	13.60
	1 = Yes (TXLTYALCO2=1 and TXPAYFAML2=1).....	216	0.03
TXPDCOURAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY COURTS		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYCOUR2=0).....	113944	13.62
	1 = Yes (TXLTYALCO2=1 and TXPAYCOUR2=1).....	99	0.01

RECODED DRUG TREATMENT

TXPDMILTAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY MILT HLTCARE		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMILT2=0).....	113987	13.62
	1 = Yes (TXLTYALCO2=1 and TXPAYMILT2=1).....	56	0.01
TXPDBOSSAL	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYBOSS2=0).....	113995	13.62
	1 = Yes (TXLTYALCO2=1 and TXPAYBOSS2=1).....	48	0.01
TXPDHINSIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYHINS2=0).....	113556	13.57
	1 = Yes (TXLTYILL=1 and TXPAYHINS2=1).....	487	0.06
TXPDMCREIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYMCRE2=0).....	113736	13.59
	1 = Yes (TXLTYILL=1 and TXPAYMCRE2=1).....	307	0.04
TXPDMCADIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICAID		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYMCAD2=0).....	113685	13.59
	1 = Yes (TXLTYILL=1 and TXPAYMCAD2=1).....	358	0.04
TXPDPUBLIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYPUBL2=0).....	113804	13.60
	1 = Yes (TXLTYILL=1 and TXPAYPUBL2=1).....	239	0.03
TXPDSVNGIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYSVNG2=0).....	113621	13.58
	1 = Yes (TXLTYILL=1 and TXPAYSVNG2=1).....	422	0.05
TXPDFAMLIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY FAM MEMBERS		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYFAML2=0).....	113746	13.59
	1 = Yes (TXLTYILL=1 and TXPAYFAML2=1).....	297	0.04
TXPDCOURIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY COURTS		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYCOUR2=0).....	113920	13.62
	1 = Yes (TXLTYILL=1 and TXPAYCOUR2=1).....	123	0.01
TXPDMILTIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE		
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYMILT2=0).....	113998	13.62
	1 = Yes (TXLTYILL=1 and TXPAYMILT2=1).....	45	0.01

RECODED DRUG TREATMENT

TXPDBOSSIL	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (TXLTYILL=0 or TXPAYBOSS2=0)	114016	13.63
	1 = Yes (TXLTYILL=1 and TXPAYBOSS2=1)	27	0.00

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, TXYRSPALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1, 3 or TXYRRESAD=1, 3 or TXYROUTAD=1, 3 or TXYRMHCAD=1, 3 or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)).

TXYRSPALC	Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise)	113419	13.56
	1 = Yes (See comment above)	624	0.07

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, TXYRSPILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2, 3 or TXYRRESAD=2, 3 or TXYROUTAD=2, 3 or TXYRMHCAD=2, 3 or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)).

TXYRSPILL	Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise)	113249	13.54
	1 = Yes (See comment above)	794	0.09

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use but not illicit drug use at a specialty facility, TXYSPALNIL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11), the reported alcohol treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1 or TXYRRESAD=1 or TXYROUTAD=1 or TXYRMHCAD=1 or (TXYROTHAD=1 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving illicit drug treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 2, 3 or TXYRRESAD NE 2, 3 or TXYROUTAD NE 2, 3 or TXYRMHCAD NE 2, 3 or (TXYROTHAD NE 2, 3 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) or TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving alcohol only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol during their last or current treatment (TXYRALDGB=12).
3. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and the reported alcohol treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
4. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and their reported alcohol treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for illicit drug use.

TXYSPALNIL Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113740	13.59
1 = Yes (See comment above)	303	0.04

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use but not alcohol use at a specialty facility, TXYSPLNAL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12), the reported illicit drug treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2 or TXYRRESAD=2 or TXYROUTAD=2 or TXYRMHCAD=2 or (TXYROTHAD=2 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving alcohol treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 1, 3 or TXYRRESAD NE 1, 3 or TXYROUTAD NE 1, 3 or TXYRMHCAD NE 1, 3 or (TXYROTHAD NE 1, 3 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) or TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving illicit drug only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drugs during their last or current treatment (TXYRALDGB=11).
3. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and the reported illicit drug treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
4. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and their reported illicit drug treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for alcohol use.

TXYSPLNAL Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113567	13.57
1 = Yes (See comment above)	476	0.06

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, TXYRSPILAL, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYRRECVD=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT= 1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

TXYRSPILAL Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	112862	13.49
1 = Yes (See comment above)	1181	0.14

TXYSILANAL Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG AND ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	113760	13.60
1 = Yes (TXYRSPILL=1 and TXYRSPALC=1)	283	0.03

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility only, TXSPNSALC=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was received at only a specialty facility, that is they indicated receiving treatment at a specialty facility and did not report receiving treatment at an emergency room, private doctor's office, jail or prison, self-help group ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and one of the following:
 1. Did not indicate receiving treatment at some other place (TXYROTHSP=2) OR
 2. Indicated receiving treatment at some other place and the other place was a specialty facility (TXYROTHSP=1, 3, 5 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving alcohol use treatment at only a specialty facility, that is they indicated receiving alcohol use treatment at a specialty facility ((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=1, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=1, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=1, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=1, 3) or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)) and either of the following:
 1. Either not receiving treatment or receiving treatment only for illicit drugs at an emergency room, private doctor's office, jail or prison, self-help group (TXYREMRGN=1, 2 and TXYREMRAD=2, 99 and TXYRDRPRV=1, 2 and TXYRDRPAD=2, 99 and TXYRPRISN=1, 2 and TXYRPRIAD=2, 99 and TXYRSLFHP=1, 2 and TXYRSLFAD=2, 99) OR
 2. Either did not indicate receiving alcohol treatment at some other place or indicated the other place was a specialty facility (TXYROTHSP=2 or (TXYROTHSP=1, 3, 5 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 64, 76, 81 and TXYROTHAD=2) or (TXYROTHSP=1, 3, 5 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)).

A respondent was classified as receiving treatment in the past year for alcohol use at a non-specialty facility only, TXSPNSALC=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol use treatment in the past year (TXYRALDGB=3, 5, 11, 12) and either indicated not receiving any treatment at a specialty facility or indicated only receiving illicit drug treatment at a specialty facility (TXYRHOSOV=1, 2 and TXYRHOSAD=2, 99 and TXYRRESOV=1, 2 and TXYRRESAD=2, 99 and TXYROUTPT=1, 2 and TXYROUTAD=2, 99 and TXYRMHCOP=1, 2 and TXYRMHCAD=2, 99 and (TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2))).

A respondent was classified as receiving treatment in the past year for alcohol use at both a specialty and non-specialty facility, TXSPNSALC=3, if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHSP=1, 3, 5 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).
2. Reported receiving treatment for both illicit drug and alcohol use in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving treatment for alcohol use at both a specialty and non-specialty facility (((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=1, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=1, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=1, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=1, 3) or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)) and ((TXYREMRGN=1, 3, 5 and TXYREMRAD=1, 3) or (TXYRDRPRV=1, 3, 5 and TXYRDRPAD=1, 3) or (TXYRPRISN=1, 3, 5 and TXYRPRIAD=1, 3) or (TXYRSLFHP=1, 3, 5 and TXYRSLFAD=1, 3) or (TXYROTHSP=1, 3, 5 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3))).

A respondent was classified as not receiving treatment in the past year for alcohol use, TXSPNSALC=5, if they indicated not receiving alcohol use treatment in the past year or have an unknown treatment status (TXYRALDGB NE 1, 3, 4, 6, 11, 12).

TXSPNSALC

Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Received trmt at specialty facility only (See comment above).....	130	0.02
2 = Rcvd trt at non-specialty facility only (See comment above).....	364	0.04
3 = Rcvd trt at spec and non-spec facs (See comment above).....	431	0.05
4 = Insufficient data to classify facility type (Otherwise).....	166	0.02
5 = Did not receive alc trmt (See comment above)	112952	13.50

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility only, TXSPNSILL=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was received at only a specialty facility, that is they indicated receiving treatment at a specialty facility and did not report receiving treatment at an emergency room, private doctor's office, jail or prison, self-help group ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and one of the following:
 1. Did not indicate receiving treatment at some other place (TXYROTHER=2) OR
 2. Indicated receiving treatment at some other place and the other place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving illicit drug use treatment at only a specialty facility, that is they indicated receiving illicit drug use treatment at a specialty facility ((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=2, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=2, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=2, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=2, 3) or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)) and either of the following:
 1. Either not receiving treatment or receiving treatment only for alcohol at an emergency room, private doctor's office, jail or prison, self-help group (TXYREMRGN=1, 2 and TXYREMRAD=1, 99 and TXYRDRPRV=1, 2 and TXYRDRPAD=1, 99 and TXYRPRISN=1, 2 and TXYRPRIAD=1, 99 and TXYRSLFHP=1, 2 and TXYRSLFAD=1, 99) OR
 2. Either did not indicate receiving alcohol treatment at some other place or indicated the other place was a specialty facility (TXYROTHER=2 or (TXYROTHER=1, 3, 5 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 46, 64, 76, 81 and TXYROTHAD=1) or (TXYROTHER=1, 3, 5 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)).

A respondent was classified as receiving treatment in the past year for illicit drug use at a non-specialty facility only, TXSPNSILL=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol use treatment in the past year (TXYRALDGB=3, 5, 11, 12) and either indicated not receiving any treatment at a specialty facility or indicated only receiving alcohol use treatment at a specialty facility (TXYRHOSOV=1, 2 and TXYRHOSAD=1, 99 and TXYRRESOV=1, 2 and TXYRRESAD=1, 99 and TXYROUTPT=1, 2 and TXYROUTAD=1, 99 and TXYRMHCOP=1, 2 and TXYRMHCAD=1, 99 and (TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1))).

A respondent was classified as receiving treatment in the past year for illicit drug use at both a specialty and non-specialty facility, TXSPNSILL=3, if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).
2. Reported receiving treatment for both illicit drug and alcohol use in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving treatment for illicit drug use at both a specialty and non-specialty facility (((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=2, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=2, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=2, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=2, 3) or (TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)) and ((TXYREMRGN=1, 3, 5 and TXYREMRAD=2, 3) or (TXYRDRPRV=1, 3, 5 and TXYRDRPAD=2, 3) or (TXYRPRISN=1, 3, 5 and TXYRPRIAD=2, 3) or (TXYRSLFHP=1, 3, 5 and TXYRSLFAD=2, 3) or (TXYROTHER=1, 3, 5 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3))).

A respondent was classified as not receiving treatment in the past year for illicit drug use, TXSPNSILL=5, if they indicated not receiving illicit drug use treatment in the past year or have an unknown treatment status (TXYRALDGB NE 2, 3, 5, 6, 11, 12).

TXSPNSILL

Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Received trmt at specialty facility only (See comment above).....	194	0.02
2 = Rcvd trt at non-specialty facility only (See comment above).....	278	0.03
3 = Rcvd trt at spec and non-spec facs (See comment above).....	536	0.06
4 = Insufficient data to classify facility type (Otherwise).....	161	0.02
5 = Did not receive illicit drug trmt (See comment above)	112874	13.49

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility only, TXSPNSILAL=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) AND met one of the two following conditions:

1. Reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not received at an emergency room, private doctor's office, jail or prison, or a self-help group (TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and indicated not receiving treatment at some other place (TXYROTHER=2).
2. Reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not received at an emergency room, private doctor's office, jail or prison, or a self-help group (TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and indicated receiving treatment at some other place and indicated that place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a non-specialty facility only, TXSPNSILAL=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at both a specialty and non-specialty facility, TXSPNSILAL=3, if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).

A respondent was classified as not receiving treatment in the past year for illicit drug or alcohol use, TXSPNSILAL=5, if they indicated not receiving treatment in the past year or have an unknown treatment status (TXYRRECVD NE 1, 3).

TXSPNSILAL	Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ILL DRG/ALC-PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Received trmt at specialty facility only (See comment above).....	284	0.03
	2 = Rcvd trt at non-specialty facility only (See comment above).....	475	0.06
	3 = Rcvd trt at spec and non-spec facs (See comment above).....	890	0.11
	4 = Insufficient data to classify facility type (Otherwise).....	196	0.02
	5 = Did not receive illicit drug or alc trmt (See comment above).....	112198	13.41

TXLTCURRSP	Len : 1 RC-LAST/CURRENT TRMT AT SPECIALTY FACILITY - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113231	13.53
	1 = Yes (TXLTYMNPL2=1-4,21,22,23,24,45,46,56,64,76,81).....	812	0.10

NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following eight recoded variables contain information about where a respondent received alcohol treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRALDGB=3, 6) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (TXYRALDGB=1, 4, 11) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5).

TXYRHOSAL	Len : 1 RC-RECEIVED ALC TRT AT A HOSPITAL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113813	13.60
	1 = Yes (See comment above).....	230	0.03

TXYRRESAL	Len : 1 RC-RECEIVED ALC TRT AT AN INP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113769	13.60
	1 = Yes (See comment above TXYRHOSAL).....	274	0.03

RECODED DRUG TREATMENT

TXYROUTAL	Len : 1 RC-RECEIVED ALC TRT AT AN OUTP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113656	13.58
	1 = Yes (See comment above TXYRHOSAL).....	387	0.05
TXYRMHCAL	Len : 1 RC-RECEIVED ALC TRT AT A MNTL HLTH CNTR - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113756	13.60
	1 = Yes (See comment above TXYRHOSAL).....	287	0.03
TXYREMRAL	Len : 1 RC-RECEIVED ALC TRT AT AN EMERGENCY ROOM - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113910	13.61
	1 = Yes (See comment above TXYRHOSAL).....	133	0.02
TXYRDRPAL	Len : 1 RC-RECEIVED ALC TRT AT A DOCTOR'S OFFICE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113876	13.61
	1 = Yes (See comment above TXYRHOSAL).....	167	0.02
TXYRPRIAL	Len : 1 RC-RECEIVED ALC TRT AT A PRISON/JAIL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113957	13.62
	1 = Yes (See comment above TXYRHOSAL).....	86	0.01
TXYRSLFAL	Len : 1 RC-RECEIVED ALC TRT AT A SELF-HELP GROUP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113489	13.56
	1 = Yes (See comment above TXYRHOSAL).....	554	0.07

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRALDGB=3, 6) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (TXYRALDGB=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5).

TXYRHOSIL	Len : 1 RC-RCVD ILL DRUG TRT AT A HOSPITAL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113813	13.60
	1 = Yes (See comment above).....	230	0.03
TXYRRESIL	Len : 1 RC-RCVD ILL DRUG TRT AT AN INP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113735	13.59
	1 = Yes (See comment above TXYRHOSIL).....	308	0.04
TXYROUTIL	Len : 1 RC-RCVD ILL DRUG TRT AT AN OUTP REHAB FAC - PST YR		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	113488	13.56
	1 = Yes (See comment above TXYRHOSIL).....	555	0.07

RECODED DRUG TREATMENT

TXYRMHCIL	Len : 1 RC-RCVD ILL DRUG TRT AT A MNTH HLTH CNTR - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113655	13.58
	1 = Yes (See comment above TXYRHOSIL)	388	0.05
TXYREMRIL	Len : 1 RC-RCVD ILL DRUG TRT AT AN EMERGENCY ROOM - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113912	13.61
	1 = Yes (See comment above TXYRHOSIL)	131	0.02
TXYRDRPIL	Len : 1 RC-RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113778	13.60
	1 = Yes (See comment above TXYRHOSIL)	265	0.03
TXYRPRIL	Len : 1 RC-RCVD ILL DRUG TRT AT A PRISON/JAIL - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113952	13.62
	1 = Yes (See comment above TXYRHOSIL)	91	0.01
TXYRSLFIL	Len : 1 RC-RCVD ILL DRUG TRT AT A SELF-HELP GROUP - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113518	13.57
	1 = Yes (See comment above TXYRHOSIL)	525	0.06
NOTE: The following eight recoded variables contain information about where a respondent received illicit drug or alcohol treatment in the past year.			
TXYRHOSOV2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A HOSPITAL - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113669	13.59
	1 = Yes (TXYRHOSOV=1,3,5).....	374	0.04
TXYRRESOV2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN INP REHAB FAC - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113575	13.57
	1 = Yes (TXYRRESOV=1,3,5)	468	0.06
TXYROUTPT2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN OUTP REHAB FAC - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113260	13.54
	1 = Yes (TXYROUTPT=1,3,5).....	783	0.09
TXYRMHCOP2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A MNTH HLTH CNTR - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113462	13.56
	1 = Yes (TXYRMHCOP=1,3,5)	581	0.07
TXYREMRGN2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN EMERGENCY ROOM - PST YR		
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113789	13.60
	1 = Yes (TXYREMRGN=1,3,5)	254	0.03

RECODED DRUG TREATMENT

TXYRDRPRV2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A DOCTOR'S OFFICE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113640	13.58
	1 = Yes (TXYRDRPRV=1,3,5)	403	0.05

TXYRPRISN2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A PRISON/JAIL - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113900	13.61
	1 = Yes (TXYRPRISN=1,3,5)	143	0.02

TXYRSLFHP2	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A SELF-HELP GROUP - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	113167	13.53
	1 = Yes (TXYRSLFHP=1,3,5).....	876	0.10

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year.

A respondent was classified as needing treatment for alcohol use in the past year, TXYRNDALC, if they met at least one of the following three criteria:

1. Dependent on alcohol in the past year (DEPNALC=1).
2. Alcohol abuse in the past year (ABUSEALC=1).
3. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPALC=1).

TXYRNDALC	Len : 1 RC-NEEDED TREATMENT FOR ALCOHOL USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	106389	12.72
	1 = Yes (See comment above)	7654	0.91

A respondent was classified as needing treatment for illicit drug use in the past year, TXYRNDILL, if they met at least one of the following three criteria:

1. Dependent on any illicit drug in the past year (DEPNPYILL=1).
2. Illicit drug abuse in the past year (ABUSEPYILL=1).
3. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILL=1).

TXYRNDILL	Len : 1 RC-NEEDED TREATMENT FOR ILLICIT DRUG USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	109246	13.06
	1 = Yes (See comment above)	4797	0.57

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXYRNDILAL, if they met at least one of the following three criteria:

1. Dependent on any illicit drug or alcohol in the past year (DPPYILLALC=1).
2. Illicit drug or alcohol abuse in the past year (ABPYILLALC=1).
3. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILAL=1).

TXYRNDILAL	Len : 1 RC-NEEDED TREATMENT FOR ILL DRG OR ALC USE - PST YR		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	103284	12.34
	1 = Yes (See comment above)	10759	1.29

RECODED DRUG TREATMENT

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol treatment in the past year, NDFLTALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXRADG=1, 11, 13 and NDTXRALC=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDMORTXYR=1 and NDMORTALC=1).

NDFLTALC	Len : 1 RC-FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (See comment above)	271	0.03
	2 = No/Unknown (Otherwise).....	113772	13.60

A respondent was classified as feeling a need for illicit drug treatment in the past year, NDFLTIXLL, if they met either of these conditions:

1. Reported feeling a need for treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXRADG=1, 11, 13 and NDTXRMRJ=1, 3, 11, 13), cocaine (NDTXRADG=1, 11, 13 and NDTXRRCOC=1, 3, 11, 13), heroin (NDTXRADG=1, 11, 13 and NDTXRHER=1, 3, 11, 13), hallucinogens (NDTXRADG=1, 11, 13 and NDTXRHAL=1, 3, 11, 13), inhalants (NDTXRADG=1, 11, 13 and NDTXRINH=1, 3, 11, 13), methamphetamines (NDTXRADG=1, 11, 13 and NDTXRMTM=1, 3, 11, 13), pain relievers (NDTXRADG=1, 11, 13 and NDTXRPNR=1, 3, 11, 13), tranquilizers (NDTXRADG=1, 11, 13 and NDTXRTRQ=1, 3, 11, 13), stimulants (NDTXRADG=1, 11, 13 and NDTXRSTM=1, 3, 11, 13), sedatives (NDTXRADG=1, 11, 13 and NDTXRSED=1, 3, 11, 13), or some other drug (NDTXRADG=1, 11, 13 and NDTXROTH=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDMORTXYR=1 and NDMORTMRJ=1), cocaine (NDMORTXYR=1 and NDMORTCOC=1), heroin (NDMORTXYR=1 and NDMORTHER=1), hallucinogens (NDMORTXYR=1 and NDMORTHAL=1), inhalants (NDMORTXYR=1 and NDMORTINH=1), methamphetamines (NDMORTXYR=1 and NDMORTMTM=1), pain relievers (NDMORTXYR=1 and NDMORTPNR=1), tranquilizers (NDMORTXYR=1 and NDMORTTRQ=1), stimulants (NDMORTXYR=1 and NDMORTSTM=1), sedatives (NDMORTXYR=1 and NDMORTSED=1), or some other drug (NDMORTXYR=1 and NDMORTOTH=1).

NDFLTIXLL	Len : 1 RC-FELT NEED FOR TRMT FOR ILLICIT DRUG USE - PST YR	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (See comment above)	395	0.05
	2 = No/Unknown (Otherwise).....	113648	13.58

NDFLTIXLAL	Len : 1 RC-FELT NEED FOR TRMT FOR ILL DRG OR ALC USE - PST YR	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes (NDTXRADG=1,11,13 or NDMORTXYR=1).....	587	0.07
	2 = No/Unknown (Otherwise).....	113456	13.56

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDTXEFTXXX=1, if they felt a need for treatment for their substance use (NDFLTXXX=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFFRT=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDMREFFRT=1).

A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDTXEFTXXX=2, if they felt a need for treatment for their substance use (NDFLTXXX=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFFRT=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDMREFFRT=2, 98, 99).

NDTXEFTALC	Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Felt Need/Made Effort (See comment above).....	113	0.01
	2 = Felt Need/Made No Effort (See comment above).....	158	0.02
	3 = Felt No Need for Alc Trmt/Unk (NDFLTALC=2).....	113772	13.60

NDTXEFTILL	Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ILLICIT DRG USE	Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Felt Need/Made Effort (See comment above).....	165	0.02
	2 = Felt Need/Made No Effort (See comment above).....	230	0.03
	3 = Felt No Need for Ill Drg Trmt/Unk (NDFLTIXLL=2).....	113648	13.58

RECODED DRUG TREATMENT

A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year, NDTXEFILAL=1, if they felt a need for treatment for their illicit drug or alcohol use (NDFLTXILAL=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFFRT=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDMREFFRT=1).

A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year, NDTXEFILAL=2, if they felt a need for treatment for their illicit drug or alcohol use (NDFLTXILAL=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFFRT=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDMREFFRT=2, 98, 99).

NDTXEFILAL	Len : 1 RC-FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG OR ALC USE	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Felt Need/Made Effort (See comment above).....	246	0.03
	2 = Felt Need/Made No Effort (See comment above).....	341	0.04
	3 = Felt No Need for Ill Drg/Alc Trmt/Unk (NDFLTXILAL=2).....	113456	13.56

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap).

The following variable, TXYRNOSPAL, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXYRNOSPAL	Len : 1 RC-NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC - PST YR	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	107013	12.79
	1 = Yes (TXYRNDALC=1 and TXYRSPALC=0).....	7030	0.84

The following variable, TXYRNOSPIL, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXYRNOSPIL	Len : 1 RC-NEEDED TRT FOR ILL DRG USE, NOT RCVD TRT SPC FAC - PST YR	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	110040	13.15
	1 = Yes (TXYRNDILL=1 and TXYRSPILL=0).....	4003	0.48

The following variable, TXYNSPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXYNSPILAL	Len : 1 RC-NEEDED TRT FOR DRG/ALC USE, NOT RCVD TRT SPC FAC - PST YR	Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	104465	12.49
	1 = Yes (TXYRNDILAL=1 and TXYRSPILAL=0).....	9578	1.14

NOTE: The following 15 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

NDTRNNOCOV	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR	Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2).....	113456	13.56
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	459	0.05
	1 = Yes (NDFLTXILAL=1 & (NDTXNOCOV or NDMRNOCOV=1,3,11,13)).....	128	0.02

NDTRNNOTPY	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST	Freq	Pct
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2).....	113456	13.56
	-9 = Data not collected for this year.....	722653	86.37
	0 = No/Unknown (Otherwise).....	536	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXNOTPY or NDMRNOTPY=1,3,11,13)).....	51	0.01

RECODED DRUG TREATMENT

NDTRNTSPHR	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	529	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXTSPHR or NDMRTSPHR=1,3,11,13)).....	58	0.01
NDTRNWANTD	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C TRT WNTD NOT OFERD		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	535	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXWANTD or NDMRWANTD=1,3,11,13)).....	52	0.01
NDTRNNSTOP	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	396	0.05
	1 = Yes (NDFLTXILAL=1 & (NDTXNSTOP or NDMRNSTOP=1,3,11,13)).....	191	0.02
NDTRNPFULL	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	560	0.07
	1 = Yes (NDFLTXILAL=1 & (NDTXPFULL or NDMRPFULL=1,3,11,13)).....	27	0.00
NDTRNDKWHR	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	512	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXDKWHR or NDMRDKWHR=1,3,11,13))	75	0.01
NDTRNNBRNG	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NBR HAVE NEG OPIN		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	521	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXNBRNG or NDMRNBRNG=1,3,11,13)).....	66	0.01
NDTRNJOBNG	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	531	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXJOBNG or NDMRJOBNG=1,3,11,13)).....	56	0.01
NDTRNNONED	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	531	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXNONED or NDMRNONED=1,3,11,13)).....	56	0.01
NDTRNHANDL	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2)	113456	13.56
	-9 = Data not collected for this year	722653	86.37
	0 = No/Unknown (Otherwise).....	533	0.06
	1 = Yes (NDFLTXILAL=1 & (NDTXHANDL or NDMRHANDL=1,3,11,13)).....	54	0.01

RECODED DRUG TREATMENT

NDTRNNOHLP Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXLAL=2)	113456	13.56
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	570	0.07
1 = Yes (NDFLTXLAL=1 & (NDTXNOHLP or NDMRNOHLP=1,3,11,13)).....	17	0.00

NDTRNNTIME Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXLAL=2)	113456	13.56
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	551	0.07
1 = Yes (NDFLTXLAL=1 & (NDTXNTIME or NDMRNTIME=1,3,11,13)).....	36	0.00

NDTRNFNDU Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS FIND OUT

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXLAL=2)	113456	13.56
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (Otherwise).....	553	0.07
1 = Yes (NDFLTXLAL=1 & (NDTXFNDU or NDMRFNDU=1,3,11,13)).....	34	0.00

The following variable, NDTRNMIMPT, was assigned a positive response if a respondent felt a need for substance use treatment in the past year (NDFLTXLAL=1) and reported the reason for not receiving treatment or not receiving additional treatment as some other reason than the fourteen reasons listed above (NDTXMIMPT=16-31 or NDMRMIMPT=16-31). A negative response was assigned if a respondent felt a need for substance use treatment in the past year (NDFLTXLAL=1) and reported one of the reasons listed in the fourteen variables above, reported they did get/sought treatment, did not report an other-specify reason, or were not asked the question (NDTXMIMPT=1-14, 70, 85, 94, 97, 98, 99 or NDMRMIMPT=1-14, 70, 85, 94, 97, 98, 99).

NDTRNMIMPT Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C SOME OTHER REASON

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXLAL=2)	113456	13.56
-9 = Data not collected for this year	722653	86.37
0 = No/Unknown (See comment above)	571	0.07
1 = Yes (See comment above)	16	0.00

NOTE: The following 40 recoded variables contain information about whether a doctor or other medical professional had told the respondent that they had a specific health condition in their lifetime or in the past year.

ANXDLIF Len : 1 HAD ANXIETY IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise).....	12310	1.47
-9 = Data not collected for this year	278954	33.34
0 = No (LIFANXD=6,99).....	505245	60.39
1 = Yes (LIFANXD=1).....	40187	4.80

ANXDYR Len : 1 HAD ANXIETY IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise).....	12549	1.50
-9 = Data not collected for this year	278954	33.34
0 = No (YRANXD=6,89,99).....	518252	61.94
1 = Yes (YRANXD=1).....	26941	3.22

ASMALIF Len : 1 HAD ASTHMA IN LIFETIME

	Freq	Pct
. = Unknown (Otherwise).....	12310	1.47
-9 = Data not collected for this year	278954	33.34
0 = No (LIFASMA=6,99).....	467207	55.84
1 = Yes (LIFASMA=1).....	78225	9.35

ASMAYR Len : 1 HAD ASTHMA IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise).....	12896	1.54
-9 = Data not collected for this year	278954	33.34
0 = No (YRASMA=6,89,99).....	502524	60.06
1 = Yes (YRASMA=1).....	42322	5.06

RECODED DRUG TREATMENT

BRONCLIF	Len : 1 HAD BRONCHITIS IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFBRONC=6,99).....	496119	59.30
	1 = Yes (LIFBRONC=1).....	49313	5.89

BRONCYR	Len : 1 HAD BRONCHITIS IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12492	1.49
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRBRONC=6,89,99).....	526007	62.87
	1 = Yes (YRBRONC=1).....	19243	2.30

CIRRLIF	Len : 1 HAD CIRRHOSIS OF THE LIVER IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFCIRR=6,99).....	544719	65.10
	1 = Yes (LIFCIRR=1).....	713	0.09

CIRRYR	Len : 1 HAD CIRRHOSIS OF THE LIVER IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12325	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRCIRR=6,89,99).....	545090	65.15
	1 = Yes (YRCIRR=1).....	327	0.04

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional that they had depression and are not created from variables in either the Adult or Adolescent Depression sections.

DEPRSLIF	Len : 1 HAD DEPRESSION IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFDEPRS=6,99).....	487229	58.23
	1 = Yes (LIFDEPRS=1).....	58203	6.96

DEPRSYR	Len : 1 HAD DEPRESSION IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12596	1.51
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRDEPRS=6,89,99).....	509646	60.91
	1 = Yes (YRDEPRS=1).....	35500	4.24

DIABLIF	Len : 1 HAD DIABETES IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFDIAB=6,99).....	526714	62.95
	1 = Yes (LIFDIAB=1).....	18718	2.24

DIABYR	Len : 1 HAD DIABETES IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12420	1.48
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRDIAB=6,89,99).....	530299	63.38
	1 = Yes (YRDIAB=1).....	15023	1.80

HARTDLIF	Len : 1 HAD HEART DISEASE IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFHARTD=6,99).....	534716	63.91
	1 = Yes (LIFHARTD=1).....	10716	1.28

RECODED DRUG TREATMENT

HARTDYR	Len : 1 HAD HEART DISEASE IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12365	1.48
	0 = No (YRHARTD=6,89,99).....	278954	33.34
	1 = Yes (YRHARTD=1).....	537879	64.29
		7498	0.90
HEPATLIF	Len : 1 HAD HEPATITIS IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFHEPAT=6,99).....	278954	33.34
	1 = Yes (LIFHEPAT=1).....	541934	64.77
		3498	0.42
HEPATYR	Len : 1 HAD HEPATITIS IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12338	1.47
	0 = No (YRHEPAT=6,89,99).....	278954	33.34
	1 = Yes (YRHEPAT=1).....	544169	65.04
		1235	0.15
HBPLIF	Len : 1 HAD HIGH BLOOD PRESSURE IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFHBP=6,99).....	278954	33.34
	1 = Yes (LIFHBP=1).....	492204	58.83
		53228	6.36
HBPYR	Len : 1 HAD HIGH BLOOD PRESSURE IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12490	1.49
	0 = No (YRHBP=6,89,99).....	278954	33.34
	1 = Yes (YRHBP=1).....	504209	60.26
		41043	4.91
HIVLIF	Len : 1 HAD HIV/AIDS IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFHIV=6,99).....	278954	33.34
	1 = Yes (LIFHIV=1).....	544815	65.12
		617	0.07
HIVYR	Len : 1 HAD HIV/AIDS IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12320	1.47
	0 = No (YRHIV=6,89,99).....	278954	33.34
	1 = Yes (YRHIV=1).....	545013	65.14
		409	0.05
LUNCALIF	Len : 1 HAD LUNG CANCER IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFLUNCA=6,99).....	278954	33.34
	1 = Yes (LIFLUNCA=1).....	544908	65.13
		524	0.06
LUNCAYR	Len : 1 HAD LUNG CANCER IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12315	1.47
	0 = No (YRLUNCA=6,89,99).....	278954	33.34
	1 = Yes (YRLUNCA=1).....	545220	65.16
		207	0.02

RECODED DRUG TREATMENT

PANCRlif	Len : 1 HAD PANCREATITIS IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFPANCR=6,99).....	543661	64.98
	1 = Yes (LIFPANCR=1).....	1771	0.21

PANCRyr	Len : 1 HAD PANCREATITIS IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12320	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRPANCR=6,89,99).....	544797	65.11
	1 = Yes (YRPANCR=1).....	625	0.07

PNEULif	Len : 1 HAD PNEUMONIA IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFPNEU=6,99).....	520935	62.26
	1 = Yes (LIFPNEU=1).....	24497	2.93

PNEUyr	Len : 1 HAD PNEUMONIA IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12373	1.48
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRPNEU=6,89,99).....	539739	64.51
	1 = Yes (YRPNEU=1).....	5630	0.67

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional they had a Sexually Transmitted Disease (STD). STD includes chlamydia, gonorrhea, herpes, and syphilis.

STDSLif	Len : 1 HAD SEXUALLY TRANSMITTED DISEASE IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFSTDS=6,99).....	528456	63.16
	1 = Yes (LIFSTDS=1).....	16976	2.03

STDSYr	Len : 1 HAD SEXUALLY TRANSMITTED DISEASE IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12372	1.48
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRSTDS=6,89,99).....	538493	64.36
	1 = Yes (YRSTDS=1).....	6877	0.82

SINUSLif	Len : 1 HAD SINUSITIS IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFSINUS=6,99).....	514288	61.47
	1 = Yes (LIFSINUS=1).....	31144	3.72

SINUSyr	Len : 1 HAD SINUSITIS IN PAST YEAR		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12383	1.48
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (YRSINUS=6,89,99).....	529096	63.24
	1 = Yes (YRSINUS=1).....	16263	1.94

SLPAPLif	Len : 1 HAD SLEEP APNEA IN LIFETIME		
	.	Freq	Pct
	. = Unknown (Otherwise).....	12310	1.47
	-9 = Data not collected for this year.....	278954	33.34
	0 = No (LIFSLPAP=6,99).....	532001	63.58
	1 = Yes (LIFSLPAP=1).....	13431	1.61

RECODED DRUG TREATMENT

SLPAPYR	Len : 1 HAD SLEEP APNEA IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12390	1.48
	0 = No (YRSLPAP=6,89,99).....	278954	33.34
	1 = Yes (YRSLPAP=1).....	537333	64.22
		8019	0.96
STROKLIF	Len : 1 HAD STROKE IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFSTROK=6,99).....	278954	33.34
	1 = Yes (LIFSTROK=1).....	542661	64.86
		2771	0.33
STROKYR	Len : 1 HAD STROKE IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12328	1.47
	0 = No (YRSTROK=6,89,99).....	278954	33.34
	1 = Yes (YRSTROK=1).....	544415	65.07
		999	0.12
TINNLIF	Len : 1 HAD TINNITUS IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFTINN=6,99).....	278954	33.34
	1 = Yes (LIFTINN=1).....	541162	64.68
		4270	0.51
TINNYR	Len : 1 HAD TINNITUS IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12343	1.48
	0 = No (YRTINN=6,89,99).....	278954	33.34
	1 = Yes (YRTINN=1).....	543319	64.94
		2080	0.25
TUBRCLIF	Len : 1 HAD TUBERCULOSIS IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFTUBRC=6,99).....	278954	33.34
	1 = Yes (LIFTUBRC=1).....	543920	65.01
		1512	0.18
TUBRCYR	Len : 1 HAD TUBERCULOSIS IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12315	1.47
	0 = No (YRTUBRC=6,89,99).....	278954	33.34
	1 = Yes (YRTUBRC=1).....	545047	65.14
		380	0.05
ULCERLIF	Len : 1 HAD ULCER(S) IN LIFETIME		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12310	1.47
	0 = No (LIFULCER=6,99).....	278954	33.34
	1 = Yes (LIFULCER=1).....	533424	63.75
		12008	1.44
ULCERYR	Len : 1 HAD ULCER(S) IN PAST YEAR		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	12361	1.48
	0 = No (YRULCER=6,89,99).....	278954	33.34
	1 = Yes (YRULCER=1).....	540685	64.62
		4696	0.56

RECODED DRUG TREATMENT

The next questions are about your health and health care.

Are you currently pregnant?

PREGNANT	Len : 2 ARE YOU PREGNANT		
		Freq	Pct
	1 = Yes.....	12975	1.55
	2 = No.....	345769	41.33
	85 = BAD DATA Logically assigned.....	6	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	990	0.12
	97 = REFUSED.....	217	0.03
	98 = BLANK (NO ANSWER).....	672	0.08
	99 = LEGITIMATE SKIP.....	476065	56.90

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

HTANSWER	Len : 2 PREFERRED WAY TO REPORT HEIGHT		
		Freq	Pct
	-9 = Data not collected for this year.....	612222	73.17
	1 = Feet/inches or inches only.....	215475	25.75
	2 = Meters/cm or cm only.....	5410	0.65
	85 = BAD DATA Logically assigned.....	8	0.00
	94 = DON'T KNOW.....	2230	0.27
	97 = REFUSED.....	1308	0.16
	98 = BLANK (NO ANSWER).....	43	0.01

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

HTINCHE2	Len : 3 HEIGHT IN INCHES WITHOUT SHOES - RECODE		
		Freq	Pct
	RANGE = 55 - 75.....	217254	25.97
	-9 = Data not collected for this year.....	612222	73.17
	985 = BAD DATA Logically assigned.....	748	0.09
	994 = DON'T KNOW.....	4674	0.56
	997 = REFUSED.....	1754	0.21
	998 = BLANK (NO ANSWER).....	44	0.01

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

WTANSWER	Len : 2 PREFERRED WAY TO REPORT WEIGHT		
		Freq	Pct
	-9 = Data not collected for this year.....	612222	73.17
	1 = Pounds.....	216935	25.93
	2 = Kilograms.....	3563	0.43
	85 = BAD DATA Logically assigned.....	8	0.00
	94 = DON'T KNOW.....	1840	0.22
	97 = REFUSED.....	2085	0.25
	98 = BLANK (NO ANSWER).....	43	0.01

RECODED DRUG TREATMENT

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

WTPOUND2	Len : 3	WEIGHT IN POUNDS - RECODE		
			Freq	Pct
		RANGE = 75 - 295	217817	26.03
		-9 = Data not collected for this year	612222	73.17
		9985 = BAD DATA Logically assigned	527	0.06
		9994 = DON'T KNOW	3421	0.41
		9997 = REFUSED	2666	0.32
		9998 = BLANK (NO ANSWER).....	43	0.01

PREGNANCY AND HEALTH CARE

PREGNANCY AND HEALTH CARE

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

NMERTMT2	Len : 3 # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS		
		Freq	Pct
	RANGE = 0 - 30	816690	97.61
	31 = 31 or more.....	287	0.03
	985 = BAD DATA Logically assigned	36	0.00
	994 = DON'T KNOW	15187	1.82
	997 = REFUSED	4365	0.52
	998 = BLANK (NO ANSWER).....	131	0.02

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

NHOSPYR	Len : 2 STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS		
		Freq	Pct
	1 = Yes.....	68604	8.20
	2 = No.....	765036	91.44
	85 = BAD DATA Logically assigned	40	0.00
	94 = DON'T KNOW	1951	0.23
	97 = REFUSED	934	0.11
	98 = BLANK (NO ANSWER)	131	0.02

During the past 12 months, how many nights were you an inpatient in a hospital?

NMNGTHS2	Len : 3 # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		Freq	Pct
	RANGE = 1 - 30	66487	7.95
	31 = 31 or more.....	1032	0.12
	985 = BAD DATA Logically assigned	18	0.00
	994 = DON'T KNOW	896	0.11
	997 = REFUSED	1123	0.13
	998 = BLANK (NO ANSWER).....	2104	0.25
	999 = LEGITIMATE SKIP.....	765036	91.44

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

NMVSOPT2	Len : 3 # OUTPATIENT VISITS PAST 12 MOS - RECODE		
		Freq	Pct
	RANGE = 0 - 15	209725	25.07
	-9 = Data not collected for this year	612222	73.17
	16 = 16 - 20 times	2376	0.28
	17 = 21 - 25 times	917	0.11
	18 = 26 - 30 times	902	0.11
	19 = 31+ times	1355	0.16
	985 = BAD DATA Logically assigned	11	0.00
	994 = DON'T KNOW	7771	0.93
	997 = REFUSED	1373	0.16
	998 = BLANK (NO ANSWER).....	44	0.01

PREGNANCY AND HEALTH CARE

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

NMVSOEST	Len : 2 # TIMES VISITED DR ABOUT OWN HEALTH PST YR		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	0 = I have not visited a dr in the past 12 mos	941	0.11
	1 = 1 time	730	0.09
	2 = 2-3 times	1545	0.18
	3 = 4-5 times	1126	0.13
	4 = 6-7 times	607	0.07
	5 = 8-9 times	427	0.05
	6 = 10-12 times	395	0.05
	7 = 13-15 times	203	0.02
	8 = 16 or more times	582	0.07
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	1874	0.22
	97 = REFUSED	714	0.09
	98 = BLANK (NO ANSWER)	54	0.01
	99 = LEGITIMATE SKIP	215275	25.73

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

HPUSETOB	Len : 2 HEALTH PROF ASKED PST 12 MOS: TOBACCO USE		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	1 = Yes	126920	15.17
	2 = No	53207	6.36
	85 = BAD DATA Logically assigned	11	0.00
	94 = DON'T KNOW	1670	0.20
	97 = REFUSED	140	0.02
	98 = BLANK (NO ANSWER)	3041	0.36
	99 = LEGITIMATE SKIP	39485	4.72

HPUSEALC	Len : 2 HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	1 = Yes	120594	14.41
	2 = No	59577	7.12
	85 = BAD DATA Logically assigned	11	0.00
	94 = DON'T KNOW	1621	0.19
	97 = REFUSED	145	0.02
	98 = BLANK (NO ANSWER)	3041	0.36
	99 = LEGITIMATE SKIP	39485	4.72

HPUSEDRG	Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	1 = Yes	95375	11.40
	2 = No	84215	10.07
	85 = BAD DATA Logically assigned	11	0.00
	94 = DON'T KNOW	2200	0.26
	97 = REFUSED	147	0.02
	98 = BLANK (NO ANSWER)	3041	0.36
	99 = LEGITIMATE SKIP	39485	4.72

PREGNANCY AND HEALTH CARE

NOTE: Beginning in 2014, respondents are not asked the question corresponding to HPQTTTOB if they were lifetime but not past year users of tobacco products. If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and that they never smoked tobacco in a pipe, codes of 93 in HPQTTTOB indicate that these respondents had not used tobacco products in the past 12 months. However, respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. Therefore, the code of 93 in HPQTTTOB also applied to respondents who smoked tobacco in a pipe in their lifetime but not in the past 30 days and who last used other tobacco products more than 12 months ago (or never used other tobacco products). If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 89 or 99 in HPQTTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

HPQTTTOB Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
-9 = Data not collected for this year	612222	73.17
1 = Yes.....	24992	2.99
2 = No	29694	3.55
83 = DID NOT USE TOBACCO IN THE PAST 12 MOS Log assn.....	9738	1.16
85 = BAD DATA Logically assigned	240	0.03
91 = NEVER USED TOBACCO PRODUCTS	98757	11.80
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note).....	44456	5.31
94 = DON'T KNOW	101	0.01
97 = REFUSED	81	0.01
98 = BLANK (NO ANSWER)	1381	0.17
99 = LEGITIMATE SKIP (No health care visits pst 12 mos).....	15034	1.80

NOTE: In HPALCMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALCTX, and HPALCNOT, if respondents reported never using alcohol or not using it in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used alcohol or did not use it in the past 12 months (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits in the past 12 months.

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about [VISITFILL] during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

HPALCMT Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK

	Freq	Pct
-9 = Data not collected for this year	612222	73.17
1 = Yes.....	42480	5.08
2 = No (Not entered).....	13771	1.65
85 = BAD DATA Logically assigned	7	0.00
91 = NEVER USED ALCOHOL.....	63521	7.59
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	24570	2.94
94 = DON'T KNOW	1753	0.21
97 = REFUSED	1176	0.14
98 = BLANK (NO ANSWER)	1793	0.21
99 = LEGITIMATE SKIP.....	75403	9.01

PREGNANCY AND HEALTH CARE

HPALCFRQ

Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK

	Freq	Pct
-9 = Data not collected for this year.....	612222	73.17
1 = Yes.....	39415	4.71
2 = No (Not entered).....	16836	2.01
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL.....	63521	7.59
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	24570	2.94
94 = DON'T KNOW.....	1753	0.21
97 = REFUSED.....	1176	0.14
98 = BLANK (NO ANSWER).....	1796	0.21
99 = LEGITIMATE SKIP.....	75403	9.01

HPALCPRB

Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS

	Freq	Pct
-9 = Data not collected for this year.....	612222	73.17
1 = Yes.....	7976	0.95
2 = No (Not entered).....	48275	5.77
91 = NEVER USED ALCOHOL.....	63521	7.59
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	24570	2.94
94 = DON'T KNOW.....	1753	0.21
97 = REFUSED.....	1176	0.14
98 = BLANK (NO ANSWER).....	1800	0.22
99 = LEGITIMATE SKIP.....	75403	9.01

HPALCCUT

Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING

	Freq	Pct
-9 = Data not collected for this year.....	612222	73.17
1 = Yes.....	3163	0.38
2 = No (Not entered).....	53088	6.34
91 = NEVER USED ALCOHOL.....	63521	7.59
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	24570	2.94
94 = DON'T KNOW.....	1753	0.21
97 = REFUSED.....	1176	0.14
98 = BLANK (NO ANSWER).....	1800	0.22
99 = LEGITIMATE SKIP.....	75403	9.01

HPALCTX

Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	Freq	Pct
-9 = Data not collected for this year.....	612222	73.17
1 = Yes.....	2152	0.26
2 = No (Not entered).....	54099	6.47
91 = NEVER USED ALCOHOL.....	63521	7.59
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	24570	2.94
94 = DON'T KNOW.....	1753	0.21
97 = REFUSED.....	1176	0.14
98 = BLANK (NO ANSWER).....	1800	0.22
99 = LEGITIMATE SKIP.....	75403	9.01

HPALCNOT

Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	Freq	Pct
-9 = Data not collected for this year.....	612222	73.17
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL.....	63521	7.59
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	24570	2.94
94 = DON'T KNOW.....	1753	0.21
95 = DR DIDNT DISCUSS ALC USE PST 12 MOS.....	50960	6.09
97 = REFUSED.....	1176	0.14
98 = BLANK (NO ANSWER).....	1796	0.21
99 = LEGITIMATE SKIP.....	80694	9.64

PREGNANCY AND HEALTH CARE

NOTE: In HPDRGTALK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTALK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

HPDRGTALK	Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	3604	0.43
	2 = No.....	13567	1.62
	85 = BAD DATA Logically assigned	4	0.00
	91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....	61561	7.36
	93 = DID NOT USE MJ/COC/HER/HALL/INH/METH IN PST 12 MOS.....	29386	3.51
	94 = DON'T KNOW	40	0.00
	97 = REFUSED	35	0.00
	98 = BLANK (NO ANSWER)	1430	0.17
	99 = LEGITIMATE SKIP.....	4416	0.53

These next questions are about certain medical conditions.

During the past 12 months, did you have a sexually transmitted disease such as chlamydia, gonorrhea, herpes or syphilis?

STDANYR¹	Len : 2 HAD SEXUALLY TRANSMITTED DISEASE PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	2474	0.30
	2 = No	110904	13.25
	85 = BAD DATA Logically assigned	9	0.00
	94 = DON'T KNOW	278	0.03
	97 = REFUSED	352	0.04
	98 = BLANK (NO ANSWER)	26	0.00

Below is a list of health conditions that you may have had during your lifetime.

Please read the list and type in the numbers of all of the conditions that a doctor or other health care professional has ever told you that you had.

To select more than one condition, press the space bar between each number you type. When you have finished, press [ENTER].

HRTCONDEV¹	Len : 2 EVER TOLD HAD HEART CONDITION		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	6254	0.75
	2 = No (not entered).....	26071	3.12
	85 = BAD DATA Logically assigned	18	0.00
	94 = DON'T KNOW	745	0.09
	97 = REFUSED	639	0.08
	98 = BLANK (NO ANSWER)	29	0.00
	99 = LEGITIMATE SKIP.....	80287	9.60

DIABETEVR¹	Len : 2 EVER TOLD HAD DIABETES/SUGAR DIABETES		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	6131	0.73
	2 = No (not entered).....	26194	3.13
	85 = BAD DATA Logically assigned	20	0.00
	94 = DON'T KNOW	745	0.09
	97 = REFUSED	639	0.08
	98 = BLANK (NO ANSWER)	27	0.00
	99 = LEGITIMATE SKIP.....	80287	9.60

PREGNANCY AND HEALTH CARE

COPDEVER¹ Len : 2 EVER TOLD HAD CHRONIC BRONCHITIS OR COPD

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	2753	0.33
2 = No (not entered).....	29572	3.53
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP.....	80287	9.60

CIRROSEVR¹ Len : 2 EVER TOLD HAD CIRRHOSIS OF THE LIVER

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	164	0.02
2 = No (not entered).....	32161	3.84
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP.....	80287	9.60

HEPBCEVER¹ Len : 2 EVER TOLD HAD HEPATITIS B OR C

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	800	0.10
2 = No (not entered).....	31525	3.77
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP.....	80287	9.60

KIDNYDSEV¹ Len : 2 EVER TOLD HAD KIDNEY DISEASE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	1149	0.14
2 = No (not entered).....	31176	3.73
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP.....	80287	9.60

ASTHMAEVR¹ Len : 2 EVER TOLD HAD ASTHMA

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	13259	1.58
2 = No (not entered).....	19066	2.28
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP.....	80287	9.60

HIVAIDSEV¹ Len : 2 EVER TOLD HAD HIV OR AIDS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	174	0.02
2 = No (not entered).....	32151	3.84
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP.....	80287	9.60

PREGNANCY AND HEALTH CARE

CANCEREVR¹ Len : 2 EVER TOLD HAD CANCER

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	3119	0.37
2 = No (not entered).....	29206	3.49
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP	80287	9.60

HIGHBPEVR¹ Len : 2 EVER TOLD HAD HIGH BLOOD PRESSURE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	10851	1.30
2 = No (not entered).....	21474	2.57
85 = BAD DATA Logically assigned	17	0.00
94 = DON'T KNOW	745	0.09
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	30	0.00
99 = LEGITIMATE SKIP	80287	9.60

NONABOVEV¹ Len : 2 NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
2 = No (not entered).....	32325	3.86
85 = BAD DATA Logically assigned	15	0.00
94 = DON'T KNOW	745	0.09
95 = Response entered	80287	9.60
97 = REFUSED	639	0.08
98 = BLANK (NO ANSWER)	32	0.00

What kind of cancer was it? Enter all that apply.

To select more than one category, press the space bar between the numbers. When you have finished, press [ENTER].

CABLADDER¹ Len : 2 TYPE OF CANCER: BLADDER

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	79	0.01
2 = No (not entered).....	2968	0.35
85 = BAD DATA Logically assigned	76	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	1414	0.17
99 = LEGITIMATE SKIP	109493	13.09

CABLOLEULYM Len : 2 TYPE OF CANCER: BLOOD/LEUKEMIA/LYMPHOMA

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	272	0.03
2 = No (not entered).....	2775	0.33
85 = BAD DATA Logically assigned	76	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	1414	0.17
99 = LEGITIMATE SKIP	109493	13.09

CAOTHER2 Len : 2 TYPE OF CANCER: OTHER

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	218	0.03
2 = No (not entered).....	2829	0.34
85 = BAD DATA Logically assigned	76	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	1414	0.17
99 = LEGITIMATE SKIP	109493	13.09

PREGNANCY AND HEALTH CARE

CABREAST¹	Len : 2 TYPE OF CANCER: BREAST		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	611	0.07
	2 = No (not entered).....	2436	0.29
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09
CACERVIX¹	Len : 2 TYPE OF CANCER: CERVIX (FEMALES ONLY)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	282	0.03
	2 = No (not entered).....	1659	0.20
	85 = BAD DATA Logically assigned	42	0.01
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	110638	13.22
CACOLNRECT	Len : 2 TYPE OF CANCER: COLON/RECTUM		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	163	0.02
	2 = No (not entered).....	2884	0.34
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09
CAESOPSTOM	Len : 2 TYPE OF CANCER: ESOPHAGUS/STOMACH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	39	0.00
	2 = No (not entered).....	3008	0.36
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09
CAGALLIVPAN	Len : 2 TYPE OF CANCER: GALLBLADDER/LIVER/PANCREAS		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	30	0.00
	2 = No (not entered).....	3017	0.36
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09
CAKIDNEY¹	Len : 2 TYPE OF CANCER: KIDNEY		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	76	0.01
	2 = No (not entered).....	2971	0.36
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09

PREGNANCY AND HEALTH CARE

CALARYLUNG	Len : 2 TYPE OF CANCER: LARYNX/WINDPIPE/LUNG		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	81	0.01
	2 = No (not entered).....	2966	0.35
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09
CAMELANOM¹	Len : 2 TYPE OF CANCER: MELANOMA		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	305	0.04
	2 = No (not entered).....	2742	0.33
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09
CAMOUTTHRO	Len : 2 TYPE OF CANCER: MOUTH/TONGUE/LIP/THROAT/PHARYNX		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	41	0.00
	2 = No (not entered).....	3006	0.36
	85 = BAD DATA Logically assigned	76	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09
CAOVARY¹	Len : 2 TYPE OF CANCER: OVARY (FEMALES ONLY)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	97	0.01
	2 = No (not entered).....	1844	0.22
	85 = BAD DATA Logically assigned	42	0.01
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	110638	13.22
CAPROSTEST	Len : 2 TYPE OF CANCER: PROSTATE/TESTIS (MALES ONLY)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	328	0.04
	2 = No (not entered).....	778	0.09
	85 = BAD DATA Logically assigned	39	0.00
	94 = DON'T KNOW	3	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	1414	0.17
	99 = LEGITIMATE SKIP.....	111479	13.32
CASKINOTH¹	Len : 2 TYPE OF CANCER: SKIN (NOT MELANOMA)		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	448	0.05
	2 = No (not entered).....	2599	0.31
	85 = BAD DATA Logically assigned	75	0.01
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1415	0.17
	99 = LEGITIMATE SKIP.....	109493	13.09

PREGNANCY AND HEALTH CARE

CASKINDK¹ Len : 2 TYPE OF CANCER: SKIN DON'T KNOW WHICH KIND

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	172	0.02
2 = No (not entered).....	2875	0.34
85 = BAD DATA Logically assigned	76	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	1414	0.17
99 = LEGITIMATE SKIP	109493	13.09

CATHYROID¹ Len : 2 TYPE OF CANCER: THYROID

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	137	0.02
2 = No (not entered).....	2910	0.35
85 = BAD DATA Logically assigned	76	0.01
94 = DON'T KNOW	8	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	1414	0.17
99 = LEGITIMATE SKIP	109493	13.09

CAUTERUS¹ Len : 2 TYPE OF CANCER: UTERUS (FEMALES ONLY)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	124	0.01
2 = No (not entered).....	1817	0.22
85 = BAD DATA Logically assigned	42	0.01
94 = DON'T KNOW	5	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1414	0.17
99 = LEGITIMATE SKIP	110638	13.22

NOTE: The question corresponding to CANCERYR was skipped if respondents reported first being diagnosed with any form of cancer at their current age because it could be logically inferred that they had cancer in the past year.

Did you have cancer during the past 12 months?

CANCERYR¹ Len : 2 HAD ANY CANCER PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	562	0.07
2 = No.....	2347	0.28
5 = Yes LOGICALLY ASSIGNED from skip pattern.....	203	0.02
85 = BAD DATA Logically assigned	18	0.00
94 = DON'T KNOW	5	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1414	0.17
99 = LEGITIMATE SKIP	109493	13.09

How old were you when your heart condition or heart disease was first diagnosed?

HRTCONDAG¹ Len : 3 AGE HEART CONDITION 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 90	6036	0.72
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	18	0.00
994 = DON'T KNOW	199	0.02
997 = REFUSED	19	0.00
998 = BLANK (NO ANSWER).....	1413	0.17
999 = LEGITIMATE SKIP	106358	12.71

PREGNANCY AND HEALTH CARE

NOTE: The question corresponding to HRTCONDYR was skipped if respondents reported first being diagnosed with a heart condition at their current age because it could be logically inferred that they a heart condition in the past year.

Did you have any kind of heart condition or heart disease in the past 12 months?

HRTCONDYR¹ Len : 2 HAD HEART CONDITION PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	2810	0.34
2 = No	3170	0.38
5 = Yes LOGICALLY ASSIGNED from skip pattern.....	248	0.03
85 = BAD DATA Logically assigned	18	0.00
94 = DON'T KNOW	23	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	1413	0.17
99 = LEGITIMATE SKIP.....	106358	12.71

How old were you when your diabetes or sugar diabetes was first diagnosed?

DIABETEAG¹ Len : 3 AGE DIABETES 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 91	5959	0.71
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	20	0.00
994 = DON'T KNOW	151	0.02
997 = REFUSED	21	0.00
998 = BLANK (NO ANSWER).....	1411	0.17
999 = LEGITIMATE SKIP.....	106481	12.73

How old were you when your chronic bronchitis, emphysema, or chronic obstructive pulmonary disease, also called COPD were first diagnosed?

COPDAGE¹ Len : 3 AGE COPD 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 94	2609	0.31
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	18	0.00
994 = DON'T KNOW	128	0.02
997 = REFUSED	15	0.00
998 = BLANK (NO ANSWER).....	1414	0.17
999 = LEGITIMATE SKIP.....	109859	13.13

How old were you when your cirrhosis of the liver was first diagnosed?

CIRROSAGE¹ Len : 3 AGE CIRRHOSIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 77	147	0.02
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	17	0.00
994 = DON'T KNOW	12	0.00
997 = REFUSED	5	0.00
998 = BLANK (NO ANSWER).....	1414	0.17
999 = LEGITIMATE SKIP.....	112448	13.44

How old were you when your hepatitis was first diagnosed?

HEPBCAGE¹ Len : 3 AGE HEPATITIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 77	758	0.09
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	17	0.00
994 = DON'T KNOW	35	0.00
997 = REFUSED	7	0.00
998 = BLANK (NO ANSWER).....	1414	0.17
999 = LEGITIMATE SKIP.....	111812	13.36

PREGNANCY AND HEALTH CARE

How old were you when your kidney disease was first diagnosed?

KIDNYDSAG¹	Len : 3	AGE KIDNEY DISEASE 1ST DIAGNOSED		
		RANGE = 0 - 92	Freq	Pct
		-9 = Data not collected for this year	1097	0.13
		985 = BAD DATA Logically assigned	722653	86.37
		994 = DON'T KNOW	17	0.00
		997 = REFUSED	44	0.01
		998 = BLANK (NO ANSWER).....	8	0.00
		999 = LEGITIMATE SKIP.....	1414	0.17
			111463	13.32

How old were you when your asthma was first diagnosed?

ASTHMAAGE¹	Len : 3	AGE ASTHMA 1ST DIAGNOSED		
		RANGE = 0 - 87	Freq	Pct
		-9 = Data not collected for this year	12336	1.47
		985 = BAD DATA Logically assigned	722653	86.37
		994 = DON'T KNOW	19	0.00
		997 = REFUSED	895	0.11
		998 = BLANK (NO ANSWER).....	26	0.00
		999 = LEGITIMATE SKIP.....	1414	0.17
			99353	11.87

Do you still have asthma?

ASTHMANOW¹	Len : 2	STILL HAVE ASTHMA		
		-9 = Data not collected for this year	Freq	Pct
		1 = Yes.....	722653	86.37
		2 = No.....	8619	1.03
		85 = BAD DATA Logically assigned	4536	0.54
		94 = DON'T KNOW	19	0.00
		97 = REFUSED	100	0.01
		98 = BLANK (NO ANSWER)	2	0.00
		99 = LEGITIMATE SKIP.....	1414	0.17
			99353	11.87

How old were you when you found out you had HIV or AIDS?

HIVAIDSAG¹	Len : 3	AGE 1ST FOUND OUT HAD HIV/AIDS		
		RANGE = 0 - 60.....	Freq	Pct
		-9 = Data not collected for this year	166	0.02
		985 = BAD DATA Logically assigned	722653	86.37
		994 = DON'T KNOW	17	0.00
		997 = REFUSED	4	0.00
		998 = BLANK (NO ANSWER).....	4	0.00
		999 = LEGITIMATE SKIP.....	1414	0.17
			112438	13.44

Are you currently taking prescription medicine for your high blood pressure?

HIGHBPMED¹	Len : 2	TAKING MEDS FOR HIGH BLOOD PRESSURE		
		-9 = Data not collected for this year	Freq	Pct
		1 = Yes.....	722653	86.37
		2 = No.....	8157	0.97
		85 = BAD DATA Logically assigned	2685	0.32
		94 = DON'T KNOW	17	0.00
		97 = REFUSED	8	0.00
		98 = BLANK (NO ANSWER)	1	0.00
		99 = LEGITIMATE SKIP.....	1414	0.17
			101761	12.16

PREGNANCY AND HEALTH CARE

How old were you when your high blood pressure was first diagnosed?

HIGHBPAGE¹	Len : 3 AGE WHEN HIGH BLOOD PRESSURE 1ST DIAGNOSED		
	RANGE = 0 - 94	Freq	Pct
	-9 = Data not collected for this year	7828	0.94
	985 = BAD DATA Logically assigned	722653	86.37
	994 = DON'T KNOW	20	0.00
	997 = REFUSED	313	0.04
	998 = BLANK (NO ANSWER).....	11	0.00
	999 = LEGITIMATE SKIP.....	1425	0.17
		104446	12.48

The following variable, MHRCCIN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, could not afford the cost (AUUNCOST=1,3), health insurance did not cover the cost (AUUNNCOV=1,3), health insurance did not pay enough of the cost (AUUNENUF=1,3), or the other specify reason, did not have any health insurance coverage(AUUNRIMP=18), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

MHRCCIN2	Len : 1 NO MH TRT IN PST YR B/C COULD NOT AFFORD/NO INS		
	. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	158821	18.98
	0 = No (See comment above).....	669959	80.07
	1 = Yes (See comment above)	4152	0.50
		3764	0.45

The following variable, MHRNNHN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, could handle problem without treatment (AUUNHNDL=1,3), did not feel treatment was needed at the time (AUUNNOND=1,3), or an other specify reason, work on their problems with family/ friends (AUUNRIMP=30), or work on problems through religion/ spirituality (AUUNRIMP=31) as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

MHRNNHN2	Len : 1 NO MH TRT IN PST YR B/C FLT NO NEED/HANDLE PROB		
	. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	158822	18.98
	0 = No (See comment above).....	669959	80.07
	1 = Yes (See comment above)	5226	0.62
		2689	0.32

The following variable, MHRSTIG2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, concerns about the opinions of their neighbors (AUUNNBR=1,3), concerns about the effect it would have on their job (AUUNJOB=1,3), concerns about confidentiality (AUUNCFID=1,3), did not want others to find out (AUUNFOUT=1,3), or an other specify reason, ashamed, embarrassed, or afraid (AUUNRIMP=19), concerned how the court system would treat them (AUUNRIMP=27), or concerned how it would affect future insurability (AUUNRIMP=36) as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

MHRSTIG2	Len : 1 NO MH TRT IN PST YR B/C STIGMA ASSOC W/TRT		
	. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year	158821	18.98
	0 = No (See comment above).....	669959	80.07
	1 = Yes (See comment above)	5822	0.70
		2094	0.25

PREGNANCY AND HEALTH CARE

The following variable, MHROTHC2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported the specific reason, no transportation/inconvenient (AUUNNTSP=1,3), or another specify reason, services unavailable/limited in area (AUUNRIMP=23), attempted to get treatment but unsuccessful in finding help (AUUNRIMP=26), couldn't find program/counselor comfortable with (AUUNRIMP=28), too much red tape/hassle to get services (AUUNRIMP=32), or there were no openings/long waiting list/delays (AUUNRIMP=33), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

MHROTHC2	Len : 1 NO MH TRT IN PST YR B/C BARRIERS OTHER THAN COST		
	. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	158822	18.98
	0 = No (See comment above).....	669959	80.07
	1 = Yes (See comment above).....	7472	0.89
		443	0.05

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked the questions on the location where treatment was received. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

MHLMNT2	Len : 1 RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR		
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	316076	37.78
	0 = No (AMHOUTP3=1 AND AUOPMENT=6).....	504765	60.33
	1 = Yes (AMHOUTP3=1 AND AUOPMENT=1).....	12057	1.44
		3798	0.45

MHLTHER2	Len : 1 RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR		
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	316076	37.78
	0 = No (AMHOUTP3=1 AND AUOPTHER=6).....	504765	60.33
	1 = Yes (AMHOUTP3=1 AND AUOPTHER=1,3).....	7203	0.86
		8652	1.03

MHLDOC2	Len : 1 RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR		
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	316076	37.78
	0 = No (AMHOUTP3=1 AND AUOPDOC=6).....	504765	60.33
	1 = Yes (AMHOUTP3=1 AND AUOPDOC=1,3).....	12712	1.52
		3143	0.38

MHLCLNC2	Len : 1 RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR		
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	316080	37.78
	0 = No (AMHOUTP3=1 AND AUOPCLNC=6).....	504765	60.33
	1 = Yes (AMHOUTP3=1 AND AUOPCLNC=1,3).....	14634	1.75
		1217	0.15

MHLDTMT2	Len : 1 RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR		
	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	316076	37.78
	0 = No (AMHOUTP3=1 AND AUOPDTMT=6).....	504765	60.33
	1 = Yes (AMHOUTP3=1 AND AUOPDTMT=1).....	15535	1.86
		320	0.04

PREGNANCY AND HEALTH CARE

NOTE: The following variables, MHLSCHL2 and MHLOTH2, were created by examination of the other specified write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMNT2.

The following variable, MHLSCHL2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRSP=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRSP=99), or at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRSP=2,3,4,13-16,18,19,23,24,28,29,33,43,47,53,57,70). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7,10,11,17,22,49,51,56), bad data, don't know, refused, or blank (AUOPYRSP=85,94,97,98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), aged 12-17 (AUOPYRSP=99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLSCHL2	Len : 1 RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR		
		Freq	Pct
	. = Otherwise (See comment above)	316237	37.80
	-9 = Data not collected for this year	504765	60.33
	0 = No (See comment above).....	15475	1.85
	1 = Yes (See comment above)	219	0.03

PREGNANCY AND HEALTH CARE

The following variable, MHLOTH2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRSP=13-16,18,19,23,24,28,29,33,47,53,57). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRSP=99), indicated some other location to be one of the six specified locations defined above (AUOPYRSP=2,3,4,9,43), or provided a name of a facility (AUOPYRSP=70) as the 'other' location. Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7,10,11,17,22,49,51,56), bad data, don't know, refused, or blank (AUOPYRSP=85,94,97,98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), aged 12-17 (AUOPYRSP=99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLOTH2	Len : 1	RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR		
	.	= Otherwise (See comment above)	Freq	Pct
	-9	= Data not collected for this year	316237	37.80
	0	= No (See comment above)	504765	60.33
	1	= Yes (See comment above)	15384	1.84
			310	0.04

NOTE: The following four variables were created by using a combination of recoded adult mental health treatment and recoded substance treatment variables. Specifications on how the individual recoded adult mental health treatment variable was defined can be found above. Specifications on how the individual recoded substance treatment variable was defined can be found in the Recoded Substance Treatment section.

MHOSPTR2	Len : 1	RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR		
	.	= Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=0))	Freq	Pct
	-9	= Data not collected for this year	214194	25.60
	0	= No MH & No/Unk Sub Trt (AMHTXRC3=2 and SPILLALC=0)	168122	20.09
	1	= MH or Sub Trt at Spc Fac (AMHTXRC3=1 or SPILLALC=1)	388920	46.48
			65460	7.82

MHNSPTR2	Len : 1	RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR		
	.	= Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=0))	Freq	Pct
	-9	= Data not collected for this year	214194	25.60
	0	= Otherwise (AGE2>=7 & (AMHTXRC3=2 SPILLALC=1))	168122	20.09
	1	= Mental Health Trt Only (AMHTXRC3=1 and SPILLALC=0)	395547	47.27
			58833	7.03

NMHSPTR2	Len : 1	RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR		
	.	= Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=1))	Freq	Pct
	-9	= Data not collected for this year	212610	25.41
	0	= Otherwise (AGE2>=7 & (AMHTXRC3=1 SPILLALC=0))	168122	20.09
	1	= Sub Trt at Spc Fac Only (AMHTXRC3=2 & SPILLALC=1)	452335	54.06
			3629	0.43

MHASPTR2	Len : 1	RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR		
	.	= Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=1))	Freq	Pct
	-9	= Data not collected for this year	212610	25.41
	0	= Otherwise (AGE2>=7 & (AMHTXRC3=2 or SPILLALC=0))	168122	20.09
	1	= MH and Sub Trt at Spc Fac (AMHTXRC3=1 & SPILLALC=1)	453018	54.14
			2946	0.35

RECODED PREGNANCY AND HEALTH CARE

RECODED PREGNANCY AND HEALTH CARE

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

PREG	Len : 1 RC-PREGNANT FEMALES AGED 12-44		
		Freq	Pct
	0 = Otherwise.....	823721	98.45
	1 = Pregnant Females Aged 12-44 (PREGNANT=1)	12975	1.55

PREG2	Len : 1 RC-PREGNANCY STATUS OF FEMALES AGED 12-44		
		Freq	Pct
	. = Unknown (Otherwise).....	1885	0.23
	1 = Pregnant (PREGNANT=1)	12975	1.55
	2 = Not Pregnant (PREGNANT=2)	345769	41.33
	3 = Males/Females Not Aged 12-44 (PREGNANT=89,99).....	476067	56.90

TRIMEST	Len : 1 RC-CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44		
		Freq	Pct
	. = Unknown	144	0.02
	1 = 1st 3 Months of Pregnancy	3910	0.47
	2 = 2nd 3 Months of Pregnancy	4676	0.56
	3 = Last 3 Months of Pregnancy	4245	0.51
	4 = Males/Not Pregnant Females (PREG=0)	823721	98.45

BMI2 was created from the variables WTPOUND2 and HTINCHE2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCHE2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCHE2 had a value of 985, 994, 997, or 998.

BMI2	Len : 12 BODY MASS INDEX (BMI)		
		Freq	Pct
	RANGE = 9.373333333 - 68.557024793.....	214406	25.63
	. = Unknown (See comment above).....	10068	1.20
	-9 = Data not collected for this year.....	612222	73.17

ADULT MENTAL HEALTH TREATMENT

ADULT MENTAL HEALTH TREATMENT

This note applies to variables in this section marked by a¹.

These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.

AUINPYR Len : 2 STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS

	Freq	Pct
1 = Yes.....	5998	0.72
2 = No.....	571498	68.30
85 = BAD DATA Logically assigned.....	44	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	361	0.04
97 = REFUSED.....	546	0.07
98 = BLANK (NO ANSWER).....	125	0.01
99 = LEGITIMATE SKIP.....	258114	30.85

Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?

AUINPSYH Len : 2 MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS

	Freq	Pct
1 = Response entered.....	1504	0.18
6 = Response not entered.....	4199	0.50
85 = BAD DATA Logically assigned.....	35	0.00
94 = DON'T KNOW.....	164	0.02
97 = REFUSED.....	674	0.08
98 = BLANK (NO ANSWER).....	498	0.06
99 = LEGITIMATE SKIP.....	829622	99.15

AUINPGEN Len : 2 MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
1 = Response entered.....	1839	0.22
6 = Response not entered.....	3864	0.46
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	164	0.02
97 = REFUSED.....	674	0.08
98 = BLANK (NO ANSWER).....	530	0.06
99 = LEGITIMATE SKIP.....	829622	99.15

AUINMEDU Len : 2 MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
1 = Response entered.....	1387	0.17
6 = Response not entered.....	4316	0.52
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	164	0.02
97 = REFUSED.....	674	0.08
98 = BLANK (NO ANSWER).....	530	0.06
99 = LEGITIMATE SKIP.....	829622	99.15

AUINAHSP Len : 2 MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS

	Freq	Pct
1 = Response entered.....	440	0.05
6 = Response not entered.....	5263	0.63
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	164	0.02
97 = REFUSED.....	674	0.08
98 = BLANK (NO ANSWER).....	530	0.06
99 = LEGITIMATE SKIP.....	829622	99.15

ADULT MENTAL HEALTH TREATMENT

AUINRES Len : 2 MH TRMT IN RESID TRMT CENTER PST 12 MOS

	Freq	Pct
1 = Response entered	487	0.06
6 = Response not entered	5216	0.62
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	164	0.02
97 = REFUSED	674	0.08
98 = BLANK (NO ANSWER)	530	0.06
99 = LEGITIMATE SKIP	829622	99.15

AUINSFAC Len : 2 MH TRMT IN SOME OTHER FACIL PST 12 MOS

	Freq	Pct
1 = Response entered	511	0.06
6 = Response not entered	5192	0.62
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	164	0.02
97 = REFUSED	674	0.08
98 = BLANK (NO ANSWER)	530	0.06
99 = LEGITIMATE SKIP	829622	99.15

During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?

AUNMPSY2 Len : 3 # NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	1371	0.16
31 = 31 or more	84	0.01
985 = BAD DATA Logically assigned	35	0.00
994 = DON'T KNOW	37	0.00
997 = REFUSED	686	0.08
998 = BLANK (NO ANSWER)	662	0.08
999 = LEGITIMATE SKIP	833821	99.66

During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?

AUNMPGE2 Len : 3 # NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	1726	0.21
31 = 31 or more	68	0.01
985 = BAD DATA Logically assigned	3	0.00
994 = DON'T KNOW	36	0.00
997 = REFUSED	683	0.08
998 = BLANK (NO ANSWER)	694	0.08
999 = LEGITIMATE SKIP	833486	99.62

During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?

AUNMMED2 Len : 3 # NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	1280	0.15
31 = 31 or more	31	0.00
985 = BAD DATA Logically assigned	3	0.00
994 = DON'T KNOW	45	0.01
997 = REFUSED	705	0.08
998 = BLANK (NO ANSWER)	694	0.08
999 = LEGITIMATE SKIP	833938	99.67

During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?

AUNMAHS2 Len : 3 # NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	374	0.04
31 = 31 or more	19	0.00
985 = BAD DATA Logically assigned	3	0.00
994 = DON'T KNOW	32	0.00
997 = REFUSED	689	0.08
998 = BLANK (NO ANSWER)	694	0.08
999 = LEGITIMATE SKIP	834885	99.78

ADULT MENTAL HEALTH TREATMENT

During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?

AUNMRES2	Len : 3 # NIGHTS IN RESID TRMT CENTER PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30	358	0.04
	31 = 31 or more.....	113	0.01
	985 = BAD DATA Logically assigned	3	0.00
	994 = DON'T KNOW	7	0.00
	997 = REFUSED	683	0.08
	998 = BLANK (NO ANSWER).....	694	0.08
	999 = LEGITIMATE SKIP.....	834838	99.78

During the past 12 months, how many nights did you spend in some other type of facility for mental health care?

AUNMSFA2	Len : 3 # NIGHTS IN SOME OTHER FACIL PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30	435	0.05
	31 = 31 or more.....	34	0.00
	985 = BAD DATA Logically assigned	3	0.00
	994 = DON'T KNOW	27	0.00
	997 = REFUSED	689	0.08
	998 = BLANK (NO ANSWER).....	694	0.08
	999 = LEGITIMATE SKIP.....	834814	99.78

Who paid or will pay for the inpatient mental health care you received during the past 12 months?

AUPINSLF	Len : 2 INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		Freq	Pct
	1 = Response entered	1413	0.17
	6 = Response not entered	4233	0.51
	85 = BAD DATA Logically assigned	32	0.00
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	498	0.06
	99 = LEGITIMATE SKIP.....	829622	99.15

AUPINOFM	Len : 2 INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		Freq	Pct
	1 = Response entered	245	0.03
	6 = Response not entered	5401	0.65
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP.....	829622	99.15

AUPINPHI	Len : 2 INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		Freq	Pct
	1 = Response entered	1112	0.13
	6 = Response not entered	4534	0.54
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP.....	829622	99.15

AUPINMCR	Len : 2 INPATIENT MH CARE PAYMENT: MEDICARE		
		Freq	Pct
	1 = Response entered	1116	0.13
	6 = Response not entered	4530	0.54
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP.....	829622	99.15

ADULT MENTAL HEALTH TREATMENT

AUPINMCD	Len : 2 INPATIENT MH CARE PAYMENT: MEDICAID		
		Freq	Pct
	1 = Response entered	1385	0.17
	6 = Response not entered	4261	0.51
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP	829622	99.15
AUPINREH	Len : 2 INPAT MH CARE PYMNT: REHABILITATION PROG		
		Freq	Pct
	1 = Response entered	74	0.01
	6 = Response not entered	5572	0.67
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP	829622	99.15
AUPINEMP	Len : 2 INPATIENT MH CARE PAYMENT: EMPLOYER		
		Freq	Pct
	1 = Response entered	169	0.02
	6 = Response not entered	5477	0.65
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP	829622	99.15
AUPINML	Len : 2 INPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		Freq	Pct
	1 = Response entered	196	0.02
	6 = Response not entered	5450	0.65
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP	829622	99.15
AUPINPUB	Len : 2 INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		Freq	Pct
	1 = Response entered	251	0.03
	6 = Response not entered	5395	0.64
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP	829622	99.15
AUPINPRV	Len : 2 INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		Freq	Pct
	1 = Response entered	94	0.01
	6 = Response not entered	5552	0.66
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP	829622	99.15
AUPINFRE	Len : 2 INPATIENT MENTAL HEALTH CARE WAS FREE		
		Freq	Pct
	1 = Response entered	420	0.05
	6 = Response not entered	5226	0.62
	94 = DON'T KNOW	214	0.03
	97 = REFUSED	684	0.08
	98 = BLANK (NO ANSWER)	530	0.06
	99 = LEGITIMATE SKIP	829622	99.15

ADULT MENTAL HEALTH TREATMENT

How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

AUPINFM2 Len : 2 AMT YOU/FAMILY PAID FOR INPAT MH CARE

	Freq	Pct
1 = Less than \$100	321	0.04
2 = \$100 to \$200	162	0.02
3 = \$201 to \$500	145	0.02
4 = \$501 to \$900	134	0.02
5 = \$901 to \$1,500	135	0.02
6 = \$1,501 to \$2,000	112	0.01
7 = \$2,001 to \$5,000	150	0.02
8 = More than \$5,000	254	0.03
85 = BAD DATA Logically assigned	32	0.00
94 = DON'T KNOW	169	0.02
97 = REFUSED	703	0.08
98 = BLANK (NO ANSWER)	747	0.09
99 = LEGITIMATE SKIP	833632	99.63

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.

During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.

- An outpatient mental health clinic or center
- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic
- A doctor's office that was not part of a clinic
- An outpatient medical clinic
- A partial day hospital or day treatment program
- Some other place

AUOPTYR Len : 2 RCVD OUTPATIENT MH TRMT PST 12 MOS

	Freq	Pct
1 = Yes	42327	5.06
2 = No	534353	63.86
3 = Yes LOGICALLY ASSIGNED (from AUALOTS2)	10	0.00
85 = BAD DATA Logically assigned	44	0.01
89 = LEGITIMATE SKIP Logically assigned	10	0.00
94 = DON'T KNOW	876	0.10
97 = REFUSED	833	0.10
98 = BLANK (NO ANSWER)	129	0.02
99 = LEGITIMATE SKIP	258114	30.85

Where did you receive outpatient mental health treatment or counseling during the past 12 months?

AUOPMENT Len : 2 MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS

	Freq	Pct
1 = Response entered	10400	1.24
3 = Response entered LOGICALLY ASSIGNED	23	0.00
5 = Response entered LOG ASSN	4	0.00
6 = Response not entered	31649	3.78
85 = BAD DATA Logically assigned	37	0.00
94 = DON'T KNOW	140	0.02
97 = REFUSED	942	0.11
98 = BLANK (NO ANSWER)	1024	0.12
99 = LEGITIMATE SKIP	792477	94.72

ADULT MENTAL HEALTH TREATMENT

AUOPTHER	Len : 2 MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS		
		Freq	Pct
	1 = Response entered	23149	2.77
	3 = Response entered LOGICALLY ASSIGNED	22	0.00
	5 = Response entered LOG ASSN (from AUALOTS2).....	1	0.00
	6 = Response not entered	18903	2.26
	85 = BAD DATA Logically assigned	5	0.00
	94 = DON'T KNOW	140	0.02
	97 = REFUSED	942	0.11
	98 = BLANK (NO ANSWER)	1057	0.13
	99 = LEGITIMATE SKIP.....	792477	94.72
AUOPDOC	Len : 2 MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS		
		Freq	Pct
	1 = Response entered	7414	0.89
	3 = Response entered LOGICALLY ASSIGNED	10	0.00
	5 = Response entered LOG ASSN (from AUALOTS2).....	4	0.00
	6 = Response not entered	34650	4.14
	85 = BAD DATA Logically assigned	4	0.00
	94 = DON'T KNOW	140	0.02
	97 = REFUSED	942	0.11
	98 = BLANK (NO ANSWER)	1055	0.13
	99 = LEGITIMATE SKIP.....	792477	94.72
AUOPCLNC	Len : 2 MH TRMT IN OUTPAT MED CLINIC PST 12 MOS		
		Freq	Pct
	1 = Response entered	2972	0.36
	3 = Response entered LOGICALLY ASSIGNED	66	0.01
	5 = Response entered LOG ASSN (from AUALOTS2).....	7	0.00
	6 = Response not entered	39031	4.66
	85 = BAD DATA Logically assigned	4	0.00
	94 = DON'T KNOW	140	0.02
	97 = REFUSED	942	0.11
	98 = BLANK (NO ANSWER)	1057	0.13
	99 = LEGITIMATE SKIP.....	792477	94.72
AUOPDTMT	Len : 2 MH TRMT IN DAY TREATMENT PGM PST 12 MOS		
		Freq	Pct
	1 = Response entered	888	0.11
	3 = Response entered LOGICALLY ASSIGNED	4	0.00
	5 = Response entered LOG ASSN (from AUALOTS2).....	1	0.00
	6 = Response not entered	41182	4.92
	85 = BAD DATA Logically assigned	4	0.00
	94 = DON'T KNOW	140	0.02
	97 = REFUSED	942	0.11
	98 = BLANK (NO ANSWER)	1058	0.13
	99 = LEGITIMATE SKIP.....	792477	94.72
AUOPOTOP	Len : 2 MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS		
		Freq	Pct
	1 = Response entered	2825	0.34
	6 = Response not entered	39253	4.69
	94 = DON'T KNOW	140	0.02
	97 = REFUSED	942	0.11
	98 = BLANK (NO ANSWER)	1059	0.13
	99 = LEGITIMATE SKIP.....	792477	94.72

ADULT MENTAL HEALTH TREATMENT

AUOPYRS2

Len : 2 OTH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS

	Freq	Pct
1 = An outpatient mental health clinic or center.....	26	0.00
2 = Non-clinic therapist/psychologist/counselor.....	25	0.00
3 = A doctor's office that was not part of a clinic.....	12	0.00
4 = An outpatient medical clinic.....	67	0.01
5 = A partial day hospital or day treatment program.....	4	0.00
6 = Some other place.....	304	0.04
7 = Friend(s)/parent of friend.....	39	0.00
8 = Family member(s)/home.....	99	0.01
9 = School or university setting/clinic/center.....	601	0.07
10 = Spiritual or religious advisor.....	245	0.03
11 = Support group/self-help group.....	36	0.00
12 = Clinic or center counseling; mental health unspcfd.....	33	0.00
13 = Therapist/psychologist/counselor; locale unspcfd.....	81	0.01
14 = A doctor's office; location unspecified.....	111	0.01
15 = Work/parents' work/EAP/job training/career counslng.....	67	0.01
16 = Victims assist (inc dom viol shelter/rape crisis).....	22	0.00
17 = Telephone hotline/crisis line.....	10	0.00
18 = Military facility/VA.....	242	0.03
19 = Emergency room.....	17	0.00
20 = Indian Health Service/BIA.....	9	0.00
22 = Health professional, not a Dr; non-mental health.....	6	0.00
23 = Hospital/skilled nursing facilty; mntl hlth unspfd.....	46	0.01
24 = Clinic/center/agcy/pgm/class; type/govt/MH unspcfd.....	42	0.01
26 = Court-mandated drug program/class.....	7	0.00
28 = Social Services/Human Services.....	19	0.00
29 = Halfway house/transition housing.....	3	0.00
30 = Self.....	3	0.00
31 = Mental health hospital; patient status unspecified.....	3	0.00
33 = Hospice/grief counseling.....	3	0.00
35 = Chiropractor.....	1	0.00
38 = Massage therapy/body therapy (not chiro).....	2	0.00
39 = Holistic health/altern med; not otherwise specifd.....	3	0.00
44 = Residential treatment facility.....	3	0.00
47 = Prison or jail.....	3	0.00
56 = Phone/online counseling, hotline/crisis unspcfd.....	22	0.00
58 = Faith-based formal program/facility.....	14	0.00
60 = Mental health assistance/help;type unspecified.....	2	0.00
70 = Name of facility/program or description given.....	332	0.04
72 = Reason for seeking help given.....	6	0.00
85 = BAD DATA Logically assigned.....	104	0.01
94 = DON'T KNOW.....	66	0.01
97 = REFUSED.....	1025	0.12
98 = BLANK (NO ANSWER).....	1201	0.14
99 = LEGITIMATE SKIP.....	831730	99.41

During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?

AUNMMEN2

Len : 3 # VISITS TO OUTPATIENT MH CNTR PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	9325	1.11
31 = 31 or more.....	741	0.09
985 = BAD DATA Logically assigned.....	37	0.00
994 = DON'T KNOW.....	316	0.04
997 = REFUSED.....	983	0.12
998 = BLANK (NO ANSWER).....	1168	0.14
999 = LEGITIMATE SKIP.....	824126	98.50

During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?

AUNMTHE2

Len : 3 # VISITS TO PRIV THERAPIST'S OFC PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	20813	2.49
31 = 31 or more.....	1880	0.22
985 = BAD DATA Logically assigned.....	5	0.00
994 = DON'T KNOW.....	438	0.05
997 = REFUSED.....	982	0.12
998 = BLANK (NO ANSWER).....	1198	0.14
999 = LEGITIMATE SKIP.....	811380	96.97

ADULT MENTAL HEALTH TREATMENT

During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?

AUNMDOC2	Len : 3 # VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS	Freq	Pct
	RANGE = 1 - 30	7209	0.86
	31 = 31 or more.....	77	0.01
	985 = BAD DATA Logically assigned	4	0.00
	994 = DON'T KNOW	124	0.01
	997 = REFUSED	956	0.11
	998 = BLANK (NO ANSWER).....	1199	0.14
	999 = LEGITIMATE SKIP.....	827127	98.86

During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?

AUNMCLN2	Len : 3 # VISITS TO OUTPAT MED CLINIC PST 12 MOS	Freq	Pct
	RANGE = 1 - 30	2829	0.34
	31 = 31 or more.....	101	0.01
	985 = BAD DATA Logically assigned	4	0.00
	994 = DON'T KNOW	88	0.01
	997 = REFUSED	962	0.11
	998 = BLANK (NO ANSWER).....	1204	0.14
	999 = LEGITIMATE SKIP.....	831508	99.38

During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?

AUNMDTM2	Len : 3 # VISITS TO DAY TREATMENT PGM PST 12 MOS	Freq	Pct
	RANGE = 1 - 30	735	0.09
	31 = 31 or more.....	107	0.01
	985 = BAD DATA Logically assigned	4	0.00
	994 = DON'T KNOW	47	0.01
	997 = REFUSED	945	0.11
	998 = BLANK (NO ANSWER).....	1199	0.14
	999 = LEGITIMATE SKIP.....	833659	99.64

During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?

AUNMOTO2	Len : 3 # VISIT OTPT SOME OTHER FACILITY PST 12 MOS	Freq	Pct
	RANGE = 1 - 30	2495	0.30
	31 = 31 or more.....	113	0.01
	994 = DON'T KNOW	157	0.02
	997 = REFUSED	1002	0.12
	998 = BLANK (NO ANSWER).....	1199	0.14
	999 = LEGITIMATE SKIP.....	831730	99.41

Who paid or will pay for the outpatient mental health care you received during the past 12 months?

AUPOPSLF	Len : 2 OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR	Freq	Pct
	1 = Response entered	15228	1.82
	6 = Response not entered	26550	3.17
	85 = BAD DATA Logically assigned	33	0.00
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1027	0.12
	99 = LEGITIMATE SKIP.....	792477	94.72

AUPOPOFM	Len : 2 OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU	Freq	Pct
	1 = Response entered	1680	0.20
	6 = Response not entered	40098	4.79
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP.....	792477	94.72

ADULT MENTAL HEALTH TREATMENT

AUOPPHI	Len : 2 OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		Freq	Pct
	1 = Response entered	15293	1.83
	6 = Response not entered	26485	3.17
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP	792477	94.72
AUOPMCR	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICARE		
		Freq	Pct
	1 = Response entered	4228	0.51
	6 = Response not entered	37550	4.49
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP	792477	94.72
AUOPMCD	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICAID		
		Freq	Pct
	1 = Response entered	5310	0.63
	6 = Response not entered	36468	4.36
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP	792477	94.72
AUOPREH	Len : 2 OUPAT MH CARE PYMNT: REHABILITATION PROG		
		Freq	Pct
	1 = Response entered	191	0.02
	6 = Response not entered	41587	4.97
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP	792477	94.72
AUOPEMP	Len : 2 OUTPATIENT MH CARE PAYMENT: EMPLOYER		
		Freq	Pct
	1 = Response entered	2795	0.33
	6 = Response not entered	38983	4.66
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP	792477	94.72
AUOPMIL	Len : 2 OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		Freq	Pct
	1 = Response entered	1525	0.18
	6 = Response not entered	40253	4.81
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP	792477	94.72
AUOPPUB	Len : 2 OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		Freq	Pct
	1 = Response entered	1434	0.17
	6 = Response not entered	40344	4.82
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	992	0.12
	98 = BLANK (NO ANSWER)	1060	0.13
	99 = LEGITIMATE SKIP	792477	94.72

ADULT MENTAL HEALTH TREATMENT

AUPOPPRV

Len : 2 OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE

	Freq	Pct
1 = Response entered	625	0.07
6 = Response not entered	41153	4.92
94 = DON'T KNOW	389	0.05
97 = REFUSED	992	0.12
98 = BLANK (NO ANSWER)	1060	0.13
99 = LEGITIMATE SKIP	792477	94.72

AUOPFRE

Len : 2 OUTPATIENT MENTAL HEALTH CARE WAS FREE

	Freq	Pct
1 = Response entered	3593	0.43
6 = Response not entered	38185	4.56
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	389	0.05
97 = REFUSED	992	0.12
98 = BLANK (NO ANSWER)	1059	0.13
99 = LEGITIMATE SKIP	792477	94.72

Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?

AUOPMOS

Len : 2 PAYMENT FOR MOST OF OUTPATIENT MH CARE

	Freq	Pct
1 = Self or a family member living with you	1938	0.23
2 = A family member who does not live with you	225	0.03
3 = Private health insurance	4343	0.52
4 = Medicare	1136	0.14
5 = Medicaid	520	0.06
6 = Rehabilitation program	21	0.00
7 = Employer	445	0.05
8 = VA or other military program	111	0.01
9 = Other public source	153	0.02
10 = Other private source	65	0.01
11 = No one paid because the treatment was free	139	0.02
97 = REFUSED	992	0.12
98 = BLANK (NO ANSWER)	1468	0.18
99 = LEGITIMATE SKIP	825140	98.62

How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

AUPOPAMT

Len : 2 AMT YOU/FAMILY PAID FOR OUPAT MH CARE

	Freq	Pct
1 = Less than \$100	4663	0.56
2 = \$100 to \$200	3152	0.38
3 = \$201 to \$500	3130	0.37
4 = \$501 to \$900	1770	0.21
5 = \$901 to \$1,500	1052	0.13
6 = \$1,501 to \$2,000	633	0.08
7 = \$2,001 to \$5,000	720	0.09
8 = More than \$5,000	357	0.04
85 = BAD DATA Logically assigned	33	0.00
94 = DON'T KNOW	884	0.11
97 = REFUSED	1050	0.13
98 = BLANK (NO ANSWER)	1456	0.17
99 = LEGITIMATE SKIP	817796	97.74

ADULT MENTAL HEALTH TREATMENT

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?

AURXYR Len : 2 TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS

	Freq	Pct
1 = Yes.....	64185	7.67
2 = No.....	513010	61.31
3 = Yes Logically assigned.....	12	0.00
85 = BAD DATA Logically assigned.....	44	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	537	0.06
97 = REFUSED.....	655	0.08
98 = BLANK (NO ANSWER).....	129	0.02
99 = LEGITIMATE SKIP.....	258114	30.85

During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?

AUUNMTYR Len : 2 NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS

	Freq	Pct
1 = Yes.....	39171	4.68
2 = No.....	537539	64.25
85 = BAD DATA Logically assigned.....	44	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW.....	843	0.10
97 = REFUSED.....	846	0.10
98 = BLANK (NO ANSWER).....	129	0.02
99 = LEGITIMATE SKIP.....	258114	30.85

Which of these statements explains why you did not get the mental health treatment or counseling you needed?

AUUNCOST Len : 2 NO MH TMT COULDN'T AFFORD COST

	Freq	Pct
1 = Response entered.....	16585	1.98
3 = Response entered LOGICALLY ASSIGNED.....	53	0.01
6 = Response not entered.....	22177	2.65
85 = BAD DATA Logically assigned.....	33	0.00
94 = DON'T KNOW.....	183	0.02
97 = REFUSED.....	1005	0.12
98 = BLANK (NO ANSWER).....	997	0.12
99 = LEGITIMATE SKIP.....	795663	95.10

AUUNNBR Len : 2 NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS

	Freq	Pct
1 = Response entered.....	4338	0.52
3 = Response entered LOGICALLY ASSIGNED.....	15	0.00
6 = Response not entered.....	34462	4.12
94 = DON'T KNOW.....	183	0.02
97 = REFUSED.....	1005	0.12
98 = BLANK (NO ANSWER).....	1030	0.12
99 = LEGITIMATE SKIP.....	795663	95.10

AUUNJOB Len : 2 NO MH TMT CONCERN ABOUT EFFECT ON JOB

	Freq	Pct
1 = Response entered.....	2841	0.34
3 = Response entered LOGICALLY ASSIGNED.....	29	0.00
6 = Response not entered.....	35945	4.30
94 = DON'T KNOW.....	183	0.02
97 = REFUSED.....	1005	0.12
98 = BLANK (NO ANSWER).....	1030	0.12
99 = LEGITIMATE SKIP.....	795663	95.10

ADULT MENTAL HEALTH TREATMENT

AUUNNCOV	Len : 2 NO MH TMT HEALTH INSUR DIDN'T COVER		
		Freq	Pct
	1 = Response entered	2382	0.28
	3 = Response entered LOGICALLY ASSIGNED	30	0.00
	6 = Response not entered	36403	4.35
	94 = DON'T KNOW	183	0.02
	97 = REFUSED	1005	0.12
	98 = BLANK (NO ANSWER)	1030	0.12
	99 = LEGITIMATE SKIP	795663	95.10

AUUNENUF	Len : 2 NO MH TMT NOT ENUF HEALTH INSUR COVERAGE		
		Freq	Pct
	1 = Response entered	3730	0.45
	3 = Response entered LOGICALLY ASSIGNED	12	0.00
	6 = Response not entered	35073	4.19
	94 = DON'T KNOW	183	0.02
	97 = REFUSED	1005	0.12
	98 = BLANK (NO ANSWER)	1030	0.12
	99 = LEGITIMATE SKIP	795663	95.10

AUUNWHER	Len : 2 NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC		
		Freq	Pct
	1 = Response entered	7407	0.89
	3 = Response entered LOGICALLY ASSIGNED	82	0.01
	6 = Response not entered	31326	3.74
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	183	0.02
	97 = REFUSED	1005	0.12
	98 = BLANK (NO ANSWER)	1029	0.12
	99 = LEGITIMATE SKIP	795663	95.10

AUUNCFID	Len : 2 NO MH TMT CONCERN ABOUT CONFIDENTIALITY		
		Freq	Pct
	1 = Response entered	3766	0.45
	3 = Response entered LOGICALLY ASSIGNED	23	0.00
	6 = Response not entered	35026	4.19
	94 = DON'T KNOW	183	0.02
	97 = REFUSED	1005	0.12
	98 = BLANK (NO ANSWER)	1030	0.12
	99 = LEGITIMATE SKIP	795663	95.10

AUUNCMIT	Len : 2 NO MH TMT MIGHT BE COMMITTED/TAKE MEDS		
		Freq	Pct
	1 = Response entered	4476	0.53
	3 = Response entered LOGICALLY ASSIGNED	122	0.01
	6 = Response not entered	34217	4.09
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	183	0.02
	97 = REFUSED	1005	0.12
	98 = BLANK (NO ANSWER)	1029	0.12
	99 = LEGITIMATE SKIP	795663	95.10

Which of these statements explain why you did not get the mental health treatment or counseling you needed?

AUUNNOND	Len : 2 NO MH TMT DON'T THINK NEEDED AT THAT TIME		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Response entered	3521	0.42
	3 = Response entered LOGICALLY ASSIGNED	180	0.02
	6 = Response not entered	32444	3.88
	94 = DON'T KNOW	184	0.02
	97 = REFUSED	972	0.12
	98 = BLANK (NO ANSWER)	965	0.12
	99 = LEGITIMATE SKIP	744351	88.96

ADULT MENTAL HEALTH TREATMENT

AUUNHNDL	Len : 2 NO MH TMT THOUGHT COULD HANDLE WITHOUT TMT		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Response entered	10001	1.20
	3 = Response entered LOGICALLY ASSIGNED	61	0.01
	6 = Response not entered	26083	3.12
	94 = DON'T KNOW	184	0.02
	97 = REFUSED	972	0.12
	98 = BLANK (NO ANSWER)	965	0.12
	99 = LEGITIMATE SKIP	744351	88.96
AUUNHPL	Len : 2 NO MH TMT DIDN'T THINK TMT WOULD HELP		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Response entered	3873	0.46
	3 = Response entered LOGICALLY ASSIGNED	84	0.01
	6 = Response not entered	32188	3.85
	94 = DON'T KNOW	184	0.02
	97 = REFUSED	972	0.12
	98 = BLANK (NO ANSWER)	965	0.12
	99 = LEGITIMATE SKIP	744351	88.96
AUUNBUSY	Len : 2 NO MH TMT DIDN'T HAVE TIME		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Response entered	5868	0.70
	3 = Response entered LOGICALLY ASSIGNED	115	0.01
	6 = Response not entered	30162	3.60
	94 = DON'T KNOW	184	0.02
	97 = REFUSED	972	0.12
	98 = BLANK (NO ANSWER)	965	0.12
	99 = LEGITIMATE SKIP	744351	88.96
AUUNFOUT	Len : 2 NO MH TMT DIDN'T WANT OTHERS TO FIND OUT		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Response entered	2907	0.35
	3 = Response entered LOGICALLY ASSIGNED	113	0.01
	6 = Response not entered	33125	3.96
	94 = DON'T KNOW	184	0.02
	97 = REFUSED	972	0.12
	98 = BLANK (NO ANSWER)	965	0.12
	99 = LEGITIMATE SKIP	744351	88.96
AUUNNTSP	Len : 2 NO MH TMT HAD NO TRANSPORTATION OR TMT TOO FAR		
		Freq	Pct
	-9 = Data not collected for this year	54079	6.46
	1 = Response entered	1526	0.18
	3 = Response entered LOGICALLY ASSIGNED	34	0.00
	6 = Response not entered	34585	4.13
	94 = DON'T KNOW	184	0.02
	97 = REFUSED	972	0.12
	98 = BLANK (NO ANSWER)	965	0.12
	99 = LEGITIMATE SKIP	744351	88.96
AUUNSOR	Len : 2 NO MH TMT FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	6602	0.79
	6 = Response not entered	32227	3.85
	94 = DON'T KNOW	183	0.02
	97 = REFUSED	1005	0.12
	98 = BLANK (NO ANSWER)	1016	0.12
	99 = LEGITIMATE SKIP	795663	95.10

ADULT MENTAL HEALTH TREATMENT

AUUNRIM2

Len : 2 MOST IMPORTNT OTH REAS DIDNT GET MH TMT PST 12 MO

	Freq	Pct
1 = You couldn't afford the cost.....	337	0.04
2 = Concerned neighbors/community have neg opinion	23	0.00
3 = Concerned might have a neg effect on your job.....	48	0.01
4 = Your health ins doesnt cover any mental hlth tmt	31	0.00
5 = Your health ins doesnt pay enuf for ment hlth tmt	25	0.00
6 = You did not know where to go to get services	131	0.02
7 = Concerned info might not be kept confidential	37	0.00
8 = Concerned might be committed/take medicine	165	0.02
9 = You didn't think you needed treatment at the time	445	0.05
10 = You thought could handle problem w/o treatment	297	0.04
11 = You didn't think treatment would help.....	185	0.02
12 = Didn't have time (b/c of job, childcare, other).....	406	0.05
13 = Didn't want others to find out you needed treatmnt.....	304	0.04
14 = No transportation/too far away/hrs inconvenient	95	0.01
15 = Some other reason or reasons.....	118	0.01
16 = Afraid too painful/unpleasant/afraid of diagnosis	106	0.01
17 = Others dissuaded/didn't want you to/unsupportive	231	0.03
18 = You do not have any health insurance coverage	389	0.05
19 = Ashamed, embarrassed, afraid, or sign of weakness	353	0.04
20 = You were too stubborn/prideful to go	31	0.00
21 = You did not want to; reason unspecified	180	0.02
22 = Unmotivated/depressed/confused/angry/unworthy	294	0.04
23 = Services unavailable in your area/services limited.....	109	0.01
24 = Didn't want to talk about your problems w/anyone.....	109	0.01
25 = Didn't like how treated/don't like Dr(s)/hospitals.....	212	0.03
26 = Attempted to get trmt,unsuccessful in finding help.....	195	0.02
27 = Concerned how the court system would treat you.....	91	0.01
28 = No program/counselor competent/comfortable with.....	168	0.02
29 = Just never went/made appointment/arrangements	62	0.01
30 = Work on your problems with family/friends.....	57	0.01
31 = Work on problems through religion/spirituality	47	0.01
32 = Too much red tape/hassle to get services	77	0.01
33 = There were no openings/long waiting list/delays	268	0.03
34 = You had other problems/issues to deal with.....	146	0.02
35 = Other(s) need treatment/counseling; wouldn't go.....	30	0.00
36 = Concerned it would affect future insurability.....	4	0.00
37 = You were using alcohol/drugs.....	10	0.00
38 = Too afraid to leave the house	9	0.00
40 = Unready to seek help/deal w/issues;othrwise unspfd	26	0.00
41 = Preferrd providr wont/may not accept hlth ins plan	12	0.00
42 = Health ins wont accept preferred provider/tmt.....	18	0.00
44 = Services desired unavailable/currently ineligible	9	0.00
70 = You did/had appt for mental health trmt/counseling	34	0.00
71 = Mental hlth condition reportd; depression unspcfd	21	0.00
85 = BAD DATA Logically assigned	221	0.03
94 = DON'T KNOW	173	0.02
97 = REFUSED	1244	0.15
98 = BLANK (NO ANSWER)	1223	0.15
99 = LEGITIMATE SKIP.....	827890	98.95

ADULT MENTAL HEALTH TREATMENT

Earlier, we asked whether you have received prescription medicines, inpatient treatment or outpatient treatment for your emotions, nerves or mental health. The list below contains possible sources of treatment, counseling or support that were not mentioned before.

- Acupuncturist or acupressurist
- Chiropractor
- Herbalist
- In-person support group or self-help group
- Internet support group or chat room
- Spiritual or religious advisor, such as a pastor, priest, rabbi
- Telephone hotline
- Massage therapist

Did you receive treatment, counseling or support from any other sources such as these during the past 12 months?

AUALTYR Len : 2 RCVD ALTERNATIVE MENT HLTH TRMT PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	46838	5.60
2 = No	456445	54.55
3 = Yes LOGICALLY ASSIGNED (from AUOPYRS2)	65	0.01
85 = BAD DATA Logically assigned	35	0.00
89 = LEGITIMATE SKIP Logically assigned	9	0.00
94 = DON'T KNOW	777	0.09
97 = REFUSED	903	0.11
98 = BLANK (NO ANSWER)	113	0.01
99 = LEGITIMATE SKIP.....	222202	26.56

From what source did you receive other treatment, counseling or support for problems with your emotions, nerves or mental health in the past 12 months?

AUALACUP Len : 2 RCVD ALT MH TMT FROM ACUPUNCTURIST PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	3885	0.46
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	42589	5.09
85 = BAD DATA Logically assigned	32	0.00
94 = DON'T KNOW	214	0.03
97 = REFUSED	1052	0.13
98 = BLANK (NO ANSWER)	958	0.11
99 = LEGITIMATE SKIP.....	678656	81.11

AUALCHIR Len : 2 RCVD ALT MH TMT FROM CHIROPRACTOR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	18520	2.21
3 = Response entered LOGICALLY ASSIGNED	4	0.00
5 = Response entered LOG ASSN (from AUOPYRS2).....	1	0.00
6 = Response not entered	27951	3.34
94 = DON'T KNOW	214	0.03
97 = REFUSED	1052	0.13
98 = BLANK (NO ANSWER)	989	0.12
99 = LEGITIMATE SKIP.....	678656	81.11

AUALHERB Len : 2 RCVD ALT MH TMT FROM HERBALIST PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	2275	0.27
6 = Response not entered	44200	5.28
94 = DON'T KNOW	214	0.03
97 = REFUSED	1052	0.13
98 = BLANK (NO ANSWER)	990	0.12
99 = LEGITIMATE SKIP.....	678656	81.11

ADULT MENTAL HEALTH TREATMENT

AUALSGRP Len : 2 RCVD ALT MH TMT FR IN-PERS SUPPORT GRP PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Response entered.....	5414	0.65
3 = Response entered LOGICALLY ASSIGNED.....	47	0.01
5 = Response entered LOG ASSN (from AUOPYRS2).....	12	0.00
6 = Response not entered.....	41011	4.90
94 = DON'T KNOW.....	214	0.03
97 = REFUSED.....	1052	0.13
98 = BLANK (NO ANSWER).....	981	0.12
99 = LEGITIMATE SKIP.....	678656	81.11

AUALINET Len : 2 RCVD ALT MH TMT FROM INTERNET GROUP PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Response entered.....	2177	0.26
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
5 = Response entered LOG ASSN (from AUOPYRS2).....	2	0.00
6 = Response not entered.....	44292	5.29
94 = DON'T KNOW.....	214	0.03
97 = REFUSED.....	1052	0.13
98 = BLANK (NO ANSWER).....	988	0.12
99 = LEGITIMATE SKIP.....	678656	81.11

AUALRELG Len : 2 RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Response entered.....	12195	1.46
3 = Response entered LOGICALLY ASSIGNED.....	43	0.01
5 = Response entered LOG ASSN (from AUOPYRS2).....	57	0.01
6 = Response not entered.....	34226	4.09
94 = DON'T KNOW.....	214	0.03
97 = REFUSED.....	1052	0.13
98 = BLANK (NO ANSWER).....	944	0.11
99 = LEGITIMATE SKIP.....	678656	81.11

AUALHLIN Len : 2 RCVD ALT MH TMT FROM PHONE HOTLINE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Response entered.....	1030	0.12
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
5 = Response entered LOG ASSN (from AUOPYRS2).....	8	0.00
6 = Response not entered.....	45443	5.43
94 = DON'T KNOW.....	214	0.03
97 = REFUSED.....	1052	0.13
98 = BLANK (NO ANSWER).....	983	0.12
99 = LEGITIMATE SKIP.....	678656	81.11

AUALMSG Len : 2 RCVD ALT MH TMT FROM MASSAGE THERAPIST PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Response entered.....	16301	1.95
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
6 = Response not entered.....	30168	3.61
94 = DON'T KNOW.....	214	0.03
97 = REFUSED.....	1052	0.13
98 = BLANK (NO ANSWER).....	990	0.12
99 = LEGITIMATE SKIP.....	678656	81.11

AUALOTH Len : 2 RCVD ALT MH TMT FROM OTHER SOURCE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Response entered.....	3565	0.43
6 = Response not entered.....	42910	5.13
94 = DON'T KNOW.....	214	0.03
97 = REFUSED.....	1052	0.13
98 = BLANK (NO ANSWER).....	990	0.12
99 = LEGITIMATE SKIP.....	678656	81.11

ADULT MENTAL HEALTH TREATMENT

AUALOTS2

Len : 2 OTH SOURCE OF ALTERN MH TMT PST 12 MOS - SPECIFY

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Acupuncturist or acupressurist.....	2	0.00
2 = Chiropractor.....	6	0.00
4 = In-person support group/self-help group.....	68	0.01
5 = Internet support group or chat room.....	10	0.00
6 = Spiritual or religious advisor.....	57	0.01
7 = Telephone hotline.....	1	0.00
8 = Massage therapist.....	10	0.00
9 = Other.....	303	0.04
15 = An outpatient mental health clinic or center.....	3	0.00
17 = A doctor's office that was not part of a clinic.....	1	0.00
18 = An outpatient medical clinic.....	2	0.00
20 = Home/family/friends.....	658	0.08
21 = Doctor/primary care doctor/medical; locale unspec.....	358	0.04
22 = Therapist/psychologist/counselor; locale unspecifd.....	521	0.06
23 = School/university counselor.....	41	0.00
24 = Military/VA/Veterans counselor or program/hospital.....	33	0.00
25 = Medical specialist(inc psychiatrist);locale unspfd.....	156	0.02
26 = Health professional, not a Dr.; locale unspecified.....	147	0.02
28 = Mentor/sponsor/buddy/peer/mentoring program.....	12	0.00
29 = Yoga, Tai Chi, Eastern exercise, Pilates.....	46	0.01
31 = Medication/taking medication.....	65	0.01
32 = God/Jesus/Higher Power/Universe/Nature.....	6	0.00
33 = Personal action/self-care/self-help (not meds/grp).....	99	0.01
36 = Homeopath/Naturopath.....	69	0.01
38 = Family/marriage counseling; type/locale unspec.....	23	0.00
39 = Energy/biofield therapist (e.g., Reiki).....	87	0.01
40 = Manipulation/irrigation (not chiropractic/massage).....	47	0.01
41 = Relig influence other than indiv or higher power.....	55	0.01
42 = Therapy, type unspecified.....	31	0.00
43 = Work/EAP/employer/co-worker.....	3	0.00
44 = Mind/Body Therapy (e.g., biofeedback).....	72	0.01
48 = Hospital; type or patient status unspecfd.....	6	0.00
50 = Mental Health; location and provider type unspecfd.....	11	0.00
52 = Victim's assist (incl dom viol sheltr/rape crisis).....	3	0.00
54 = Hospice/grief counseling.....	4	0.00
58 = Life/personal coach.....	8	0.00
60 = Native American healer/treatment.....	3	0.00
62 = Telephone counseling; hotline/crisis unspecified.....	3	0.00
67 = Aromatherapy/essential oils/flower essences.....	4	0.00
70 = Name of facility/program or description given.....	127	0.02
71 = Reason for seeking help given.....	63	0.01
85 = BAD DATA Logically assigned.....	187	0.02
94 = DON'T KNOW.....	81	0.01
97 = REFUSED.....	1124	0.13
98 = BLANK (NO ANSWER).....	1205	0.14
99 = LEGITIMATE SKIP.....	721566	86.24

Please think about the mental health treatment or counseling you received during the past 12 months. Which of these statements best describes how you were prompted to get treatment?

AUMOTVYR

Len : 2 HOW PROMPTED TO GET MH TREATMENT PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = I decided on my own to get treatment.....	77152	9.22
2 = I got trmt bc someone else thought I should.....	11944	1.43
3 = I was ordered to get treatment.....	5034	0.60
85 = BAD DATA Logically assigned.....	34	0.00
94 = DON'T KNOW.....	2697	0.32
97 = REFUSED.....	2122	0.25
98 = BLANK (NO ANSWER).....	1822	0.22
99 = LEGITIMATE SKIP.....	626582	74.89

ADULT MENTAL HEALTH TREATMENT

The next questions are about what it's like to live in your neighborhood. By neighborhood, we mean the area around where you live and around your house. It may include places you shop, religious or public institutions, or a local business district. It is the general area around your house where you might perform routine tasks, such as shopping, going to the park, or visiting with neighbors.

The following statements are about things that people in your neighborhood may or may not do. For each of these statements, please tell me whether you strongly agree, agree, disagree, or strongly disagree.

This is a close-knit neighborhood.

Would you say you strongly agree, agree, disagree or strongly disagree?

SNPCKNIT	Len : 2	1CLOSE-KNIT NEIGHBORHOOD		
			Freq	Pct
		-9 = Data not collected for this year.....	725864	86.75
		1 = Strongly agree.....	10399	1.24
		2 = Agree.....	34404	4.11
		3 = Disagree.....	22461	2.68
		4 = Strongly disagree.....	5234	0.63
		85 = BAD DATA Logically assigned.....	3	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	1691	0.20
		97 = REFUSED.....	129	0.02
		98 = BLANK (NO ANSWER).....	13	0.00
		99 = LEGITIMATE SKIP.....	36496	4.36

People around here are willing to help their neighbors.

SNPWLHLP	Len : 2	1PEOPLE HERE ARE WILLING TO HELP THEIR NEIGHBORS		
			Freq	Pct
		-9 = Data not collected for this year.....	725864	86.75
		1 = Strongly agree.....	15355	1.84
		2 = Agree.....	43127	5.15
		3 = Disagree.....	11506	1.38
		4 = Strongly disagree.....	2853	0.34
		85 = BAD DATA Logically assigned.....	3	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	1418	0.17
		97 = REFUSED.....	59	0.01
		98 = BLANK (NO ANSWER).....	13	0.00
		99 = LEGITIMATE SKIP.....	36496	4.36

People in this neighborhood generally don't get along with each other.

SNPNALNG	Len : 2	1PEOP IN THE NBRHOOD GENERALLY DON'T GET ALONG		
			Freq	Pct
		-9 = Data not collected for this year.....	725864	86.75
		1 = Strongly agree.....	2526	0.30
		2 = Agree.....	8664	1.04
		3 = Disagree.....	45506	5.44
		4 = Strongly disagree.....	15602	1.86
		85 = BAD DATA Logically assigned.....	3	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	1932	0.23
		97 = REFUSED.....	88	0.01
		98 = BLANK (NO ANSWER).....	13	0.00
		99 = LEGITIMATE SKIP.....	36496	4.36

ADULT MENTAL HEALTH TREATMENT

People in this neighborhood do not share the same values.

SNPDFVAL Len : 2 1PEOP IN NBRHOOD DO NOT SHARE THE SAME VALUES

	Freq	Pct
-9 = Data not collected for this year	725864	86.75
1 = Strongly agree	5686	0.68
2 = Agree	20394	2.44
3 = Disagree	36032	4.31
4 = Strongly disagree	7736	0.92
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	4319	0.52
97 = REFUSED	150	0.02
98 = BLANK (NO ANSWER)	14	0.00
99 = LEGITIMATE SKIP	36496	4.36

People in this neighborhood can be trusted.

SNPTRUST Len : 2 1PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

	Freq	Pct
-9 = Data not collected for this year	725864	86.75
1 = Strongly agree	11779	1.41
2 = Agree	39861	4.76
3 = Disagree	14693	1.76
4 = Strongly disagree	4627	0.55
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	3237	0.39
97 = REFUSED	120	0.01
98 = BLANK (NO ANSWER)	14	0.00
99 = LEGITIMATE SKIP	36496	4.36

For each of the following, please tell me if it is very likely, likely, unlikely or very unlikely that people in your neighborhood would act in the following manner.

If a group of neighborhood children were skipping school and hanging out on a street corner, how likely is it that your neighbors would do something about it? Would you say it is very likely, likely, unlikely, or very unlikely?

SNNHGOUT Len : 2 1CHILDREN SKIPPING SCHOOL PEOP WOULD DO SOMETHING

	Freq	Pct
-9 = Data not collected for this year	725864	86.75
1 = Very likely	17431	2.08
2 = Likely	26657	3.19
3 = Unlikely	19042	2.28
4 = Very unlikely	8669	1.04
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	2422	0.29
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER)	14	0.00
99 = LEGITIMATE SKIP	36496	4.36

If some children were spray-painting graffiti on a local building, how likely is it that your neighbors would do something about it?

SNNGRFTI Len : 2 1CHILDREN SPRAY-PAINTING GRAFFITI ON A LOCAL BLDG

	Freq	Pct
-9 = Data not collected for this year	725864	86.75
1 = Very likely	37094	4.43
2 = Likely	25107	3.00
3 = Unlikely	6994	0.84
4 = Very unlikely	3578	0.43
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1477	0.18
97 = REFUSED	67	0.01
98 = BLANK (NO ANSWER)	14	0.00
99 = LEGITIMATE SKIP	36496	4.36

ADULT MENTAL HEALTH TREATMENT

If a child was showing disrespect to an adult, how likely is it that people in your neighborhood would scold that child?

SNNSCOLD Len : 2 1PEOP SCOLD CHILDRN SHOWNG DISRESPECT TO AN ADULT

	Freq	Pct
-9 = Data not collected for this year	725864	86.75
1 = Very likely	11824	1.41
2 = Likely	28481	3.40
3 = Unlikely	23644	2.83
4 = Very unlikely	7461	0.89
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	2807	0.34
97 = REFUSED	98	0.01
98 = BLANK (NO ANSWER)	16	0.00
99 = LEGITIMATE SKIP	36496	4.36

If there was a fight in front of your house and someone was being beaten or threatened, how likely is it that your neighbors would break it up?

SNNBRKUP Len : 2 1FIGHT OR SOMEONE WAS BEING BEATEN OR THREATENED

	Freq	Pct
-9 = Data not collected for this year	725864	86.75
1 = Very likely	26151	3.13
2 = Likely	30553	3.65
3 = Unlikely	11554	1.38
4 = Very unlikely	3874	0.46
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	2101	0.25
97 = REFUSED	81	0.01
98 = BLANK (NO ANSWER)	17	0.00
99 = LEGITIMATE SKIP	36496	4.36

Suppose that because of budget cuts, the fire station closest to your home was going to be closed down by the city. How likely is it that neighborhood residents would organize to try to do something to keep the fire station open?

SNNORGNZ Len : 2 1BUDGET CUTS CLOSE FIRE STATION ORGANIZE SOMETHING

	Freq	Pct
-9 = Data not collected for this year	725864	86.75
1 = Very likely	24236	2.90
2 = Likely	28153	3.36
3 = Unlikely	14011	1.67
4 = Very unlikely	4704	0.56
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	3103	0.37
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER)	17	0.00
99 = LEGITIMATE SKIP	36496	4.36

RECODED ADULT MENTAL HEALTH TREATMENT

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Treatment and Recoded Substance Treatment.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

AMHINP2 Len : 1 RC-RCVD INPATIENT MENTAL HEALTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17/Log Assign Yes (Otherwise)	259200	30.98
1 = Yes (AUINPYR=1)	5998	0.72
2 = No (AUINPYR=2).....	571498	68.30

The following variable, AMHOUTP3, is defined as SAS missing if a respondent reported receiving outpatient mental health treatment/counseling in the past year at "Some Other Place" (AUOPTYR=1,3 and only AUOPOTOP=1, 3) and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRSP=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73). In addition to the responses described above, respondents aged 12-17 and those coded as bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=85, 89, 94, 97, 98, 99) were also defined as SAS missing. A respondent was assigned a positive response if they indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1, 3) and they did not indicate an alternative source or invalid outpatient location (AUOPYRSP not =7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73) as their only location for outpatient treatment.

AMHOUTP3 Len : 1 RC-RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (See comment above)	260464	31.13
1 = Yes (See comment above)	41879	5.01
2 = No (AUOPTYR=2).....	534353	63.86

AMHRX2 Len : 1 RC-RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17/Log Assign Yes (Otherwise)	259501	31.01
1 = Yes (AURXYR=1)	64185	7.67
2 = No (AURXYR=2).....	513010	61.31

AMHTXRC3 Len : 1 RC-RCVD ANY MENTAL HEALTH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	260437	31.13
1 = Yes (AMHINP2=1 OR AMHOUTP3=1 OR AMHRX2=1)	79219	9.47
2 = No (AMHINP2=2 AND AMHOUTP3=2 AND AMHRX2=2).....	497040	59.41

RECODED ADULT MENTAL HEALTH TREATMENT

The following variable, AMHSV TYP, classifies what type of mental health treatment/counseling was received in the past year. Respondents who reported receiving treatment for mental health were classified in one of seven mutually exclusive categories. A respondent was assigned to level one if they reported receiving inpatient treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=2), to level two if they reported receiving outpatient treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=2), to level three if they reported receiving prescription medication treatment only (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=1), to level four if they reported receiving both inpatient and outpatient treatment only (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=2), to level five if they reported receiving inpatient and prescription medication treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=1), to level six if they reported receiving outpatient and prescription medication treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=1), or to level seven if they reported receiving inpatient, outpatient, and prescription medication treatment (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=1). Respondents who did not receive mental health treatment in the past year were assigned to level eight (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=2). Respondents whose specific treatment was not distinguishable due to missing values in one or more of the three source variables (AMHINP2, AMHOUTP3, or AMHRX2) were assigned a SAS missing.

AMHSV TYP Len : 1 RC-TYPE OF MENTAL HEALTH TRT RCVD IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	187459	22.40
-9 = Data not collected for this year.....	220816	26.39
1 = Inpatient Only (See comment above).....	1035	0.12
2 = Outpatient Only (See comment above).....	9334	1.12
3 = Presc Medication Only (See comment above).....	27044	3.23
4 = Inpatient and Outpatient Only (See comment above).....	398	0.05
5 = Inpatient and Presc Med Only (See comment above).....	706	0.08
6 = Outpatient and Presc Med Only (See comment above).....	18801	2.25
7 = Inp & Outp & Presc Medication (See comment above).....	2207	0.26
8 = Did Not Receive MH Treatment (See comment above).....	368896	44.09

The following variable, AMHSVNO, classifies the total number of types of mental health treatment/counseling services that a respondent received in the past year. The three possible types of treatment/counseling services are inpatient, outpatient, and prescription medication.

AMHSVNO Len : 1 NUM OF TYPES OF MNT HLTH TRT SRVCS RCVD IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	60287	7.21
-9 = Data not collected for this year.....	612222	73.17
1 = Rcvd One Type of Treatment (AMHSV TYP=1,2,3).....	15406	1.84
2 = Rcvd Two Types of Treatment (AMHSV TYP=4,5,6).....	7928	0.95
3 = Rcvd All Three Types of Treatment (AMHSV TYP=7).....	899	0.11
4 = Did Not Receive MH Treatment (AMHSV TYP=8).....	139954	16.73

The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "unmet need."

AMHTXND2 Len : 1 RC-PERCEIVED UNMET NEED/DID NOT RCV MH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	259986	31.07
1 = Yes (AUUNMTYR=1).....	39171	4.68
2 = No (AUUNMTYR=2).....	537539	64.25

AMHTXAND Len : 1 RC-PERCEIVED UNMET NEED/RECEIPT OF MH TRT STATUS

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	60348	7.21
-9 = Data not collected for this year.....	612222	73.17
1 = Perc Need/No MH TRT (AMHTXND2=1 and AMHTXRC3=2).....	5194	0.62
2 = No Perc Need/No MH TRT (AMHTXND2=2 and AMHTXRC3=2).....	134594	16.09
3 = Perc Need/Rcvd MH TRT (AMHTXND2=1 and AMHTXRC3=1).....	5487	0.66
4 = No Perc Nd/Rcvd MH TRT (AMHTXND2=2 and AMHTXRC3=1).....	18851	2.25

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. These variables were revised for the 2009 NSDUH to include those respondents who reported receiving NO outpatient mental health treatment (AMHOUTP3=2) in the No category for the location. This differs from the variables named similarly in the past as they were only defined for those respondents who reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) and those respondents who reported No outpatient mental health treatment were previously defined as SAS missing.

Only respondents who reported having received outpatient mental health treatment/counseling (AMHOUTP3=1) can be defined as having received it at the location. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

MHLMNT3 Len : 1 RC-RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	133379	15.94
-9 = Data not collected for this year	386010	46.14
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPMENT=6]).....	311290	37.20
1 = Yes (AMHOUTP3=1 and AUOPMENT=1,3).....	6017	0.72

MHLTHER3 Len : 1 RC-RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	133377	15.94
-9 = Data not collected for this year	386010	46.14
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPTHER=6]).....	304334	36.37
1 = Yes (AMHOUTP3=1 and AUOPTHER=1,3).....	12975	1.55

MHLDOC3 Len : 1 RC-RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	133377	15.94
-9 = Data not collected for this year	386010	46.14
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDOC=6]).....	313651	37.49
1 = Yes (AMHOUTP3=1 and AUOPDOC=1,3).....	3658	0.44

MHLCLNC3 Len : 1 RC-RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	133378	15.94
-9 = Data not collected for this year	386010	46.14
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPCLNC=6]).....	315682	37.73
1 = Yes (AMHOUTP3=1 and AUOPCLNC=1,3).....	1626	0.19

MHLDTMT3 Len : 1 RC-RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	133377	15.94
-9 = Data not collected for this year	386010	46.14
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDTMT=6]).....	316803	37.86
1 = Yes (AMHOUTP3=1 and AUOPDTMT=1,3).....	506	0.06

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The following variables, MHLSCHL3 and MHLOTH3, were created by examination of the other-specify write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMNT3.

The following variable, MHLSCHL3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRSP=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRSP=99), at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRSP=1-6, 12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 43, 44, 46, 47, 52, 53, 57, 58, 60-70), or if they did not receive outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRSP=85, 94, 97, 98), aged 12-17 (AUOPYRSP=89, 99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLSCHL3 Len : 1 RC-RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR

	Freq	Pct
. = Otherwise (See comment above)	133581	15.97
-9 = Data not collected for this year.....	386010	46.14
0 = No (See comment above).....	316765	37.86
1 = Yes (See comment above)	340	0.04

The following variable, MHLOTH3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRSP=12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 44, 46, 47, 52, 53, 57, 58, 60-69). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRSP=99), indicated some other location to be one of the six specified locations defined above (AUOPYRSP=1-6, 9, 43), provided a name of a facility (AUOPYRSP=70) as the 'other' location, or if reported not receiving outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRSP=85, 94, 97, 98), aged 12-17 (AUOPYRSP=89, 99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLOTH3 Len : 1 RC-RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR

	Freq	Pct
. = Otherwise (See comment above)	133581	15.97
-9 = Data not collected for this year.....	386010	46.14
0 = No (See comment above).....	316591	37.84
1 = Yes (See comment above)	514	0.06

NOTE: The following 11 variables contain information about the source of payment for outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked questions on the source of payment for treatment. A respondent was allowed to report any of 11 specific sources of payment.

MHPDRLF2 Len : 1 RC-SELF/HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
-9 = Data not collected for this year.....	54079	6.46
0 = No (AMHOUTP3=1 and AUPOPSLF=6)	24541	2.93
1 = Yes (AMHOUTP3=1 and AUPOPSLF=1)	13988	1.67

MHPDOFM2 Len : 1 RC-NON-HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
-9 = Data not collected for this year.....	54079	6.46
0 = No (AMHOUTP3=1 and AUPOPOFM=6).....	36973	4.42
1 = Yes (AMHOUTP3=1 and AUPOPOFM=1)	1556	0.19

RECODED ADULT MENTAL HEALTH TREATMENT

MHPDPHI2	Len : 1 RC-PRIV HEALTH INSUR PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPPHI=6).....	24444	2.92
	1 = Yes (AMHOUTP3=1 and AUOPPHI=1).....	14085	1.68
MHPDMCR2	Len : 1 RC-MEDICARE PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPMCR=6).....	34497	4.12
	1 = Yes (AMHOUTP3=1 and AUOPMCR=1).....	4032	0.48
MHPDMCD2	Len : 1 RC-MEDICAID PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkn MH Trt /Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPMCD=6).....	33473	4.00
	1 = Yes (AMHOUTP3=1 and AUOPMCD=1).....	5056	0.60
MHPDREH2	Len : 1 RC-REHAB PGM PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPPREH=6).....	38353	4.58
	1 = Yes (AMHOUTP3=1 and AUOPPREH=1).....	176	0.02
MHPDEMP2	Len : 1 RC-EMPLOYER PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPEMP=6).....	35971	4.30
	1 = Yes (AMHOUTP3=1 and AUOPEMP=1).....	2558	0.31
MHPDMIL2	Len : 1 RC-VA OR MILITARY PGM PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPMIL=6).....	37066	4.43
	1 = Yes (AMHOUTP3=1 and AUOPMIL=1).....	1463	0.17
MHPDPUB2	Len : 1 RC-OTH PUBLIC SOURCE PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPPPUB=6).....	37206	4.45
	1 = Yes (AMHOUTP3=1 and AUOPPPUB=1).....	1323	0.16
MHPDPRV2	Len : 1 RC-OTH PRIVATE SOURCE PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPPRV=6).....	37952	4.54
	1 = Yes (AMHOUTP3=1 and AUOPPRV=1).....	577	0.07
MHPDFRE2	Len : 1 RC-FREE - NOBODY PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	744088	88.93
	-9 = Data not collected for this year.....	54079	6.46
	0 = No (AMHOUTP3=1 and AUOPFRE=6).....	35443	4.24
	1 = Yes (AMHOUTP3=1 and AUOPFRE=1).....	3086	0.37

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The following 15 variables contain information about the reasons for not receiving mental health treatment/counseling that was needed in the past year. A respondent must have reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) in order to be asked the questions on the reason for not receiving treatment. A respondent was allowed to report any of eight specific reasons or "Some Other Reason." If a respondent reported "Some Other Reason," they were allowed to report any of six additional specific reasons or report "Some Other Reason" again. If a respondent reported "Some Other Reason" again, they were then asked to provide the most important other reason in a follow-up question. The first 14 variables below were created by examination of the variables containing information on the fourteen specific reasons; while the last variable was created by examination of the most important other-specify reasons.

MHRCOST2	Len : 1 RC-NO MH TRT IN PST YR B/C COULD NOT AFFORD COST		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNCOST=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNCOST=1,3)	20567	2.46
		15583	1.86
MHRNBR2	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEIGHBRS NEG OPIN		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNNBR=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNNBR=1,3)	32151	3.84
		3999	0.48
MHRJOBS2	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEG AFFECT ON JOB		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNJOB=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNJOB=1,3)	33485	4.00
		2665	0.32
MHRNCOV2	Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT COVER AT ALL		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNNCOV=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNNCOV=1,3)	33919	4.05
		2231	0.27
MHRENUF2	Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT PAY ENOUGH		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNENUF=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNENUF=1,3)	32677	3.91
		3473	0.42
MHRWHER2	Len : 1 RC-NO MH TRT IN PST YR B/C DID NOT KNOW WHERE TO GO		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNWHER=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNWHER=1,3)	29196	3.49
		6954	0.83
MHRCFID2	Len : 1 RC-NO MH TRT IN PST YR B/C CONFIDENTIALITY CONCERNS		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNCFID=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNCFID=1,3)	32680	3.91
		3470	0.41
MHRCMIT2	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR BEING COMMITTED/MED		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	-9 = Data not collected for this year	746467	89.22
	0 = No (AMHTXND2=1 and AUUNCMIT=6)	54079	6.46
	1 = Yes (AMHTXND2=1 and AUUNCMIT=1,3)	31841	3.81
		4309	0.52

RECODED ADULT MENTAL HEALTH TREATMENT

MHRNOND2	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THINK TRT NEEDED		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	746472	89.22
	-9 = Data not collected for this year	54079	6.46
	0 = No (AMHTXND2=1 and AUUNNOND=6)	32444	3.88
	1 = Yes (AMHTXND2=1 and AUUNNOND=1,3)	3701	0.44

MHRHAND2	Len : 1 RC-NO MH TRT IN PST YR B/C THGT COULD HANDLE PRB W/O		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	746472	89.22
	-9 = Data not collected for this year	54079	6.46
	0 = No (AMHTXND2=1 and AUUNHNDL=6)	26083	3.12
	1 = Yes (AMHTXND2=1 and AUUNHNDL=1,3)	10062	1.20

MHRNOHP2	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THINK TRT WOULD HELP		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	746472	89.22
	-9 = Data not collected for this year	54079	6.46
	0 = No (AMHTXND2=1 and AUUNNHLP=6)	32188	3.85
	1 = Yes (AMHTXND2=1 and AUUNNHLP=1,3)	3957	0.47

MHRTIME2	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T HAVE TIME		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	746472	89.22
	-9 = Data not collected for this year	54079	6.46
	0 = No (AMHTXND2=1 and AUUNBUSY=6)	30162	3.60
	1 = Yes (AMHTXND2=1 and AUUNBUSY=1,3)	5983	0.72

MHRFOUT2	Len : 1 RC-NO MH TRT IN PST YR B/C DIDNT WANT OTH TO FIND OUT		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	746472	89.22
	-9 = Data not collected for this year	54079	6.46
	0 = No (AMHTXND2=1 and AUUNFOUT=6)	33125	3.96
	1 = Yes (AMHTXND2=1 and AUUNFOUT=1,3)	3020	0.36

MHRTRAN2	Len : 1 RC-NO MH TRT IN PST YR B/C NO TRANS OR INCONVENIENT		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	746472	89.22
	-9 = Data not collected for this year	54079	6.46
	0 = No (AMHTXND2=1 and AUUNNTSP=6)	34585	4.13
	1 = Yes (AMHTXND2=1 and AUUNNTSP=1,3)	1560	0.19

The following variable, MHR SOTH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and the reason for not receiving that treatment was other than the fourteen reasons listed above (AUUNSOR=1 and AUUNRIMP=15-69). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported one of the reasons listed in the fourteen variables above, respondent did/had appt for mental health treatment/counseling or did not report an other-specify reason for not receiving this treatment (AUUNSOR=1, 6 and AUUNRIMP=1-14, 70, 85, 94, 97, 98, 99).

MHR SOTH2	Len : 1 RC-NO MH TRT IN PST YR B/C SOME OTHER REASON		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	746474	89.22
	-9 = Data not collected for this year	54079	6.46
	0 = No (See comment above)	33271	3.98
	1 = Yes (See comment above)	2872	0.34

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Adult Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section. Please note that these variables may be similar to previously defined variables but due to changes in the substance treatment variables, they have been renamed and are no longer comparable.

RCVMHOSPTX	Len : 1 RC-RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR		
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=0))	Freq	Pct
	-9 = Data not collected for this year	28361	3.39
	0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 & TXYRSPILAL=0).....	722653	86.37
	1 = MH or Sub Trt at Spc Fac (AMHTXRC3=1 or TXYRSPILAL=1)	72422	8.66
		13260	1.58

RCVMHNSPTX	Len : 1 RC-RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR		
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=0))	Freq	Pct
	-9 = Data not collected for this year	28361	3.39
	0 = No MH or Sub Trt at Spc Fac (AMHTXRC3=2 TXYRSPILAL=1).....	722653	86.37
	1 = Mental Hlth Trt Only (AMHTXRC3=1 and TXYRSPILAL=0).....	73470	8.78
		12212	1.46

RCVSPTXNMH	Len : 1 RC-RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR		
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=1))	Freq	Pct
	-9 = Data not collected for this year	27862	3.33
	0 = No/Unk Sub Trt or MH Trt (AMHTXRC3=1 TXYRSPILAL=0).....	722653	86.37
	1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & TXYRSPILAL=1)	85660	10.24
		521	0.06

RCVMHASPTX	Len : 1 RC-RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR		
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=1))	Freq	Pct
	-9 = Data not collected for this year	27862	3.33
	0 = No MH or No/Unk Sub Trt (AMHTXRC3=2 TXYRSPILAL=0).....	722653	86.37
	1 = MH & Sub Trt at Sp Fac (AMHTXRC3=1 & TXYRSPILAL=1)	85659	10.24
		522	0.06

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

How many times have you moved in the past 5 years?

	Freq	Pct
SNMOV5Y2 Len : 3 # TIMES MOVED IN PAST 5 YEARS		
-9 = Data not collected for this year.....	114043	13.63
0 = None	192127	22.96
1 = One time	108751	13.00
2 = Two times	73883	8.83
3 = Three times	54796	6.55
4 = Four times	25723	3.07
5 = Five times	14573	1.74
6 = Six or more times.....	18859	2.25
985 = BAD DATA Logically assigned	20	0.00
989 = LEGITIMATE SKIP Logically assigned.....	8	0.00
994 = DON'T KNOW	2366	0.28
997 = REFUSED	1176	0.14
998 = BLANK (NO ANSWER).....	112	0.01
999 = LEGITIMATE SKIP.....	230259	27.52

During the past 12 months, how many times have you sold illegal drugs?

	Freq	Pct
SNYSELL Len : 2 SOLD ILLEGAL DRUGS		
1 = 0 times	558525	66.75
2 = 1 or 2 times	7711	0.92
3 = 3 to 5 times	3045	0.36
4 = 6 to 9 times	1386	0.17
5 = 10 or more times.....	5918	0.71
85 = BAD DATA Logically assigned	36	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW	507	0.06
97 = REFUSED	1300	0.16
98 = BLANK (NO ANSWER)	144	0.02
99 = LEGITIMATE SKIP.....	258114	30.85

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

	Freq	Pct
SNYSTOLE Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
1 = 0 times	567361	67.81
2 = 1 or 2 times	6505	0.78
3 = 3 to 5 times	1431	0.17
4 = 6 to 9 times	557	0.07
5 = 10 or more times.....	1283	0.15
85 = BAD DATA Logically assigned	36	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW	424	0.05
97 = REFUSED	831	0.10
98 = BLANK (NO ANSWER)	144	0.02
99 = LEGITIMATE SKIP.....	258114	30.85

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

	Freq	Pct
SNYATTAK Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
1 = 0 times	562035	67.17
2 = 1 or 2 times	12635	1.51
3 = 3 to 5 times	1702	0.20
4 = 6 to 9 times	418	0.05
5 = 10 or more times.....	521	0.06
85 = BAD DATA Logically assigned	36	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW	359	0.04
97 = REFUSED	722	0.09
98 = BLANK (NO ANSWER)	144	0.02
99 = LEGITIMATE SKIP.....	258114	30.85

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

How do you feel about adults trying marijuana or hashish once or twice?

SNFAMJEV	Len : 2 HOW YOU FEEL: ADLTS TRYING MJ/HASH	Freq	Pct
	1 = Neither approve nor disapprove	310753	37.14
	2 = Somewhat disapprove	74679	8.93
	3 = Strongly disapprove	186599	22.30
	85 = BAD DATA Logically assigned	24	0.00
	89 = LEGITIMATE SKIP Logically assigned	10	0.00
	94 = DON'T KNOW	4241	0.51
	97 = REFUSED	2130	0.25
	98 = BLANK (NO ANSWER)	146	0.02
	99 = LEGITIMATE SKIP	258114	30.85

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

SNRLGSVC	Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES	Freq	Pct
	1 = 0 times	228360	27.29
	2 = 1 to 2 times	69691	8.33
	3 = 3 to 5 times	59720	7.14
	4 = 6 to 24 times	78698	9.41
	5 = 25 to 52 times	72067	8.61
	6 = More than 52 times	66256	7.92
	85 = BAD DATA Logically assigned	36	0.00
	89 = LEGITIMATE SKIP Logically assigned	10	0.00
	94 = DON'T KNOW	1748	0.21
	97 = REFUSED	1850	0.22
	98 = BLANK (NO ANSWER)	146	0.02
	99 = LEGITIMATE SKIP	258114	30.85

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

SNRLGIMP	Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT	Freq	Pct
	1 = Strongly Disagree	86501	10.34
	2 = Disagree	80152	9.58
	3 = Agree	210588	25.17
	4 = Strongly Agree	192729	23.03
	85 = BAD DATA Logically assigned	24	0.00
	89 = LEGITIMATE SKIP Logically assigned	10	0.00
	94 = DON'T KNOW	4251	0.51
	97 = REFUSED	4180	0.50
	98 = BLANK (NO ANSWER)	147	0.02
	99 = LEGITIMATE SKIP	258114	30.85

Your religious beliefs influence how you make decisions in your life.

SNRLDCSN	Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS	Freq	Pct
	1 = Strongly Disagree	89129	10.65
	2 = Disagree	103399	12.36
	3 = Agree	215213	25.72
	4 = Strongly Agree	162709	19.45
	85 = BAD DATA Logically assigned	23	0.00
	89 = LEGITIMATE SKIP Logically assigned	10	0.00
	94 = DON'T KNOW	4018	0.48
	97 = REFUSED	3930	0.47
	98 = BLANK (NO ANSWER)	151	0.02
	99 = LEGITIMATE SKIP	258114	30.85

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

It is important that your friends share your religious beliefs.

SNRLEFRND

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	172791	20.65
2 = Disagree	231634	27.68
3 = Agree	119638	14.30
4 = Strongly Agree.....	45800	5.47
85 = BAD DATA Logically assigned	23	0.00
89 = LEGITIMATE SKIP Logically assigned	10	0.00
94 = DON'T KNOW	4599	0.55
97 = REFUSED	3934	0.47
98 = BLANK (NO ANSWER)	153	0.02
99 = LEGITIMATE SKIP.....	258114	30.85

MENTAL HEALTH

MENTAL HEALTH

This note applies to variables in this section marked by a¹.

NOTE: The variable ADLTSAMP reflects the split-sample design in the 2004 NSDUH for respondents aged 18 or older. Adults in Sample A received all relevant questions in the Adult Mental Health module. Adults in Sample B received only the questions corresponding to the edited variables DSTNRVOS, DSTHOPLS, DSTRSTLS, DSTCHEER, DSTEFFRT, and DSTNGOOD. Remaining variables in the Adult Mental Health module were assigned legitimate skip codes for adults in Sample B.

ADLTSAMP	Len : 2 1ADULT MENTAL HEALTH SPLIT SAMPLE INDICATOR	Freq	Pct
	-9 = Data not collected for this year	781094	93.35
	1 = Sample A	18624	2.23
	2 = Sample B	18678	2.23
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	98 = BLANK (NO ANSWER)	6	0.00
	99 = LEGITIMATE SKIP	18293	2.19

The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.

During the past 12 months, did you have a sudden attack of fear when out of the blue you became very frightened, anxious, or uneasy?

PANATAK	Len : 2 1HAD SUDDEN ATTACK OF FEAR PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes	14527	1.74
	2 = No	77267	9.23
	85 = BAD DATA Logically assigned	9	0.00
	89 = LEGITIMATE SKIP Logically assigned	2	0.00
	94 = DON'T KNOW	103	0.01
	97 = REFUSED	85	0.01
	98 = BLANK (NO ANSWER)	35	0.00
	99 = LEGITIMATE SKIP	72883	8.71

Attacks like this often cause physical reactions like sweating, shortness of breath, a racing heart, or dizziness. During the past 12 months, did you have physical reactions like these when you had a sudden attack of fear?

PANREAC	Len : 2 1PHYS RXNS WHEN HAVING ATTACKS PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes	11014	1.32
	2 = No	3494	0.42
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	12	0.00
	97 = REFUSED	91	0.01
	98 = BLANK (NO ANSWER)	145	0.02
	99 = LEGITIMATE SKIP	150152	17.95

MENTAL HEALTH

About how many of these sudden attacks of fear did you have in the past 12 months? If you can't remember the exact number, just give your best estimate.

PANATKN2 Len : 3 1NUMBER OF ATTACKS OF FEAR PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = 1-10 times	8982	1.07
2 = 11-12 times	290	0.03
3 = 13-20 times	658	0.08
4 = 21-30 times	378	0.05
5 = 31-40 times	103	0.01
6 = 41-52 times	160	0.02
7 = 53-60 times	30	0.00
8 = 61-100 times	125	0.01
9 = 101-200 times	59	0.01
10 = 201-300 times	44	0.01
11 = 301-365 times	22	0.00
12 = 366 or more times	13	0.00
985 = BAD DATA Logically assigned	3	0.00
994 = DON'T KNOW	136	0.02
997 = REFUSED	105	0.01
998 = BLANK (NO ANSWER)	157	0.02
999 = LEGITIMATE SKIP	153646	18.36

During the past 12 months, did you have a period of time lasting two weeks or longer when most of the time you felt sad, empty, or depressed?

MDEDP2WK Len : 2 1FELT DEPRESSED FOR 2+ WKS IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes	21876	2.61
2 = No	69916	8.36
85 = BAD DATA Logically assigned	9	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	101	0.01
97 = REFUSED	88	0.01
98 = BLANK (NO ANSWER)	36	0.00
99 = LEGITIMATE SKIP	72883	8.71

NOTE: For the question pertaining to MDEDPWKR, respondents were asked to report the number of weeks that they felt depressed. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they felt depressed in order to be asked to report the number of weeks they felt depressed. Thus, there are no responses of "1 week" in MDEDPWKR.

During the past 12 months, about how many weeks did you feel sad, empty, or depressed?

If you can't remember the exact number, just give your best estimate.

MDEDPWKR Len : 2 1# OF WEEKS FELT DEPRESSED IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = 2-4 weeks	10114	1.21
2 = 5-8 weeks	4472	0.53
3 = 9-12 weeks	2510	0.30
4 = 13-16 weeks	752	0.09
5 = 17-18 weeks	67	0.01
6 = 19-20 weeks	731	0.09
7 = 21-22 weeks	55	0.01
8 = 23-24 weeks	244	0.03
9 = 25-26 weeks	396	0.05
10 = 27-36 weeks	865	0.10
11 = 37-44 weeks	358	0.04
12 = 45-51 weeks	407	0.05
13 = All 52 weeks	391	0.05
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	449	0.05
97 = REFUSED	153	0.02
98 = BLANK (NO ANSWER)	144	0.02
99 = LEGITIMATE SKIP	142800	17.07

MENTAL HEALTH

During those [DEWEEK1 FILL] weeks, did you feel sad or depressed nearly every day, or just some days?

MDEDAYFQ	Len : 2 1HOW OFT FELT DEPRESSED IN THOSE WKS, PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Nearly every day	8234	0.98
	2 = Just some days	13123	1.57
	85 = BAD DATA Logically assigned	2	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	156	0.02
	98 = BLANK (NO ANSWER)	593	0.07
	99 = LEGITIMATE SKIP	142800	17.07

On the days you felt sad or depressed, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?

MDEDAYLN	Len : 2 1HOW MUCH OF DAY FELT DEPRESSED PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = All day long	2206	0.26
	2 = Most of the day	4253	0.51
	3 = About half the day	1442	0.17
	4 = Less than half the day	331	0.04
	85 = BAD DATA Logically assigned	1	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	155	0.02
	98 = BLANK (NO ANSWER)	594	0.07
	99 = LEGITIMATE SKIP	155923	18.64

During those [DEWEEK1 FILL] weeks when you felt sad or depressed, did you also have any changes in sleep, energy, appetite, or the ability to concentrate?

MDECHNGS	Len : 2 1ANY CHANGES WHEN FELT DEPRESSED PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes	7427	0.89
	2 = No	469	0.06
	85 = BAD DATA Logically assigned	1	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	4	0.00
	97 = REFUSED	156	0.02
	98 = BLANK (NO ANSWER)	599	0.07
	99 = LEGITIMATE SKIP	156254	18.68

During the past 12 months, did you have a period of time lasting two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy?

MDELOSIN	Len : 2 1LOST INTEREST IN THINGS 2+ WKS IN PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes	10875	1.30
	2 = No	73003	8.73
	85 = BAD DATA Logically assigned	8	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	107	0.01
	97 = REFUSED	94	0.01
	98 = BLANK (NO ANSWER)	38	0.00
	99 = LEGITIMATE SKIP	80785	9.66

MENTAL HEALTH

NOTE: For the question pertaining to MDELIWK2, respondents were asked to report the number of weeks that they lost interest in things. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they lost interest in order to be asked to report the number of weeks they lost interest in things. Thus, there are no responses of "1 week" in MDELIWK2.

During the past 12 months, about how many weeks did you lose interest in most things? If you can't remember the exact number, just give your best estimate.

MDELIWK2 Len : 2 1# OF WEEKS LOST INTEREST IN THINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = 2-4 weeks	6933	0.83
2 = 5-8 weeks	1694	0.20
3 = 9-12 weeks	835	0.10
4 = 13-16 weeks	222	0.03
5 = 17-18 weeks	19	0.00
6 = 19-20 weeks	218	0.03
7 = 21-22 weeks	27	0.00
8 = 23-24 weeks	61	0.01
9 = 25-26 weeks	86	0.01
10 = 27-36 weeks	206	0.02
11 = 37-44 weeks	51	0.01
12 = 45-51 weeks	50	0.01
13 = All 52 weeks	37	0.00
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	375	0.04
97 = REFUSED	155	0.02
98 = BLANK (NO ANSWER)	152	0.02
99 = LEGITIMATE SKIP	153789	18.38

During those [DEWEEK2 FILL] weeks, did you lack interest in most things nearly every day, or just some days?

MDELIFQ Len : 2 1HOW OFT LOST INTEREST IN THOSE WKS, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Nearly every day	1718	0.21
2 = Just some days	8716	1.04
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	3	0.00
97 = REFUSED	157	0.02
98 = BLANK (NO ANSWER)	527	0.06
99 = LEGITIMATE SKIP	153789	18.38

On the days you lost interest, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?

MDELILN Len : 2 1HOW MUCH OF DAY LOST INTEREST PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = All day long	476	0.06
2 = Most of the day	858	0.10
3 = About half the day	299	0.04
4 = Less than half the day	85	0.01
94 = DON'T KNOW	4	0.00
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER)	528	0.06
99 = LEGITIMATE SKIP	162505	19.42

During those [DEWEEK2 FILL] weeks when you lost interest in things, did you also have any changes in sleep, energy, appetite, or your ability to concentrate?

MDELICHG Len : 2 1ANY CHANGES WHEN LOST INTEREST PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes	1455	0.17
2 = No	176	0.02
94 = DON'T KNOW	2	0.00
97 = REFUSED	156	0.02
98 = BLANK (NO ANSWER)	532	0.06
99 = LEGITIMATE SKIP	162590	19.43

MENTAL HEALTH

During the past 12 months, were there at least four days in a row when you were so excited or hyper that you either got into trouble or people worried about your being so excited, or a doctor said you were manic?

MNCHYPER Len : 2 1FELT HYPER FOR 4+ DAYS IN A ROW IN PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	2430	0.29
2 = No	89350	10.68
4 = No LOGICALLY ASSIGNED (MNCEVER = 2)	46	0.01
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	80	0.01
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER)	37	0.00
99 = LEGITIMATE SKIP	72883	8.71

During the time when you were extremely excited or hyper, did you find that you could hardly sleep at all but still you didn't feel tired?

MNCNOSLP Len : 2 1COULDN'T SLEEP WHEN FELT HYPER

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	1793	0.21
2 = No	632	0.08
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	5	0.00
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER)	117	0.01
99 = LEGITIMATE SKIP	162280	19.40

During the time when you were extremely excited or hyper, did you feel that you had special powers or that you could do things people really cannot do?

MNCSPWRS Len : 2 1FEELING OF SPECIAL POWERS WHEN FELT HYPER

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	559	0.07
2 = No	1864	0.22
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	6	0.00
97 = REFUSED	83	0.01
98 = BLANK (NO ANSWER)	117	0.01
99 = LEGITIMATE SKIP	162280	19.40

In your entire life, did you ever have a time lasting at least 4 days in a row when you were so excited or hyper that you either got into trouble or people worried about your being so excited or a doctor said you were manic?

MNCEVER Len : 2 1EVER FELT HYPER FOR 4+ DAYS IN A ROW

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	2363	0.28
2 = No	86942	10.39
5 = Yes LOGICALLY ASSIGNED (MNCHYPER = 1)	2430	0.29
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	152	0.02
97 = REFUSED	101	0.01
98 = BLANK (NO ANSWER)	38	0.00
99 = LEGITIMATE SKIP	72884	8.71

MENTAL HEALTH

During the past 12 months, did you take any prescription medication to prevent another one of these manic episodes from occurring?

NOTE: Respondents who reported feeling hyper in the past 12 months (MNCHYPER=1) were not asked whether they took medications to prevent manic episodes from occurring in the past 12 months.

MNCMEDS Len : 2 ITOOK MEDS TO PREVENT MANIC EPISODE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	369	0.04
2 = No.....	1991	0.24
5 = Hyper in past 12 mos LOG ASSN (MNCHYPER = 1).....	2430	0.29
94 = DON'T KNOW	2	0.00
97 = REFUSED	102	0.01
98 = BLANK (NO ANSWER)	190	0.02
99 = LEGITIMATE SKIP.....	159827	19.10

Are you much more nervous, anxious, or fearful than most people would be about social or performance situations, like giving a speech, meeting new people, going to parties, speaking up at a meeting, or being in a dating situation?

PHBSOCL Len : 2 IMORE NERVOUS THAN MOST PEOPLE ABOUT SOC SITNS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	21232	2.54
2 = No.....	70403	8.41
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	229	0.03
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER)	37	0.00
99 = LEGITIMATE SKIP.....	72883	8.71

Thinking about the social or performance situation that you fear the most, how strong is your fear when you find yourself in that situation?

PHBLEVEL Len : 2 ISTRENGTH OF FEAR IN SOC SITN FEARED THE MOST

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Your fear is mild.....	5812	0.69
2 = Your fear is moderate	11493	1.37
3 = Your fear is severe.....	3852	0.46
94 = DON'T KNOW	69	0.01
97 = REFUSED	131	0.02
98 = BLANK (NO ANSWER)	266	0.03
99 = LEGITIMATE SKIP.....	143288	17.13

How often do you try to avoid this type of social or performance situation?

PHBAVOID Len : 2 IHOW OFTEN TRY TO AVOID FEARED SOC SITN

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Often.....	6976	0.83
2 = Sometimes	6551	0.78
3 = Rarely	1496	0.18
4 = Never	308	0.04
94 = DON'T KNOW	13	0.00
97 = REFUSED	132	0.02
98 = BLANK (NO ANSWER)	335	0.04
99 = LEGITIMATE SKIP.....	149100	17.82

MENTAL HEALTH

How much does your fear or avoidance of this social or performance situation interfere with your everyday life or activities?

PHBINTFR	Len : 2 1HOW MUCH FEAR OF SOC SITN INTERFERES W/LIFE		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Not at all	4680	0.56
	2 = A little.....	6574	0.79
	3 = Some.....	2863	0.34
	4 = A lot.....	1199	0.14
	94 = DON'T KNOW	21	0.00
	97 = REFUSED	139	0.02
	98 = BLANK (NO ANSWER)	335	0.04
	99 = LEGITIMATE SKIP.....	149100	17.82

Are you much more nervous, anxious, or fearful than most people would be about being in crowds?

PHBCRWDS	Len : 2 1MORE NERVOUS THAN MOST PEOPLE ABOUT CROWDS		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes.....	10815	1.29
	2 = No.....	80874	9.67
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW	197	0.02
	97 = REFUSED	103	0.01
	98 = BLANK (NO ANSWER)	37	0.00
	99 = LEGITIMATE SKIP.....	72883	8.71

Are you much more nervous, anxious, or fearful than most people would be about going to public places?

PHBPUBPL	Len : 2 1MORE NERVOUS THN MOST PPL ABOUT PUBLIC PLACES		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes.....	6013	0.72
	2 = No.....	85740	10.25
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW	146	0.02
	97 = REFUSED	90	0.01
	98 = BLANK (NO ANSWER)	37	0.00
	99 = LEGITIMATE SKIP.....	72883	8.71

Are you much more nervous, anxious, or fearful than most people would be about traveling in a bus, train, or car?

PHBTRAVL	Len : 2 1MORE NERVOUS THAN MOST PPL ABOUT TRAVELING		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes.....	4650	0.56
	2 = No.....	87130	10.41
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW	133	0.02
	97 = REFUSED	76	0.01
	98 = BLANK (NO ANSWER)	37	0.00
	99 = LEGITIMATE SKIP.....	72883	8.71

Are you much more nervous, anxious, or fearful than most people would be about being away from home alone?

PHBAWYHM	Len : 2 1MORE NERVOUS THAN MOST PPL BEING AWAY FROM HOME		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes.....	7808	0.93
	2 = No.....	83911	10.03
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW	175	0.02
	97 = REFUSED	94	0.01
	98 = BLANK (NO ANSWER)	38	0.00
	99 = LEGITIMATE SKIP.....	72883	8.71

MENTAL HEALTH

Think about your fears of [PHOFILL1, PHOFILL2, and PHOFILL UNTIL ALL PHOFILLS INSERTED]. Which of these fears is the strongest?

PHBWRSFR Len : 2 1WHICH FEAR IS THE STRONGEST/WORST

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Being in crowds	3361	0.40
2 = Going to public places	1040	0.12
3 = Traveling in a bus, train, or car	952	0.11
4 = Being away from home alone	2186	0.26
94 = DON'T KNOW	18	0.00
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER)	233	0.03
99 = LEGITIMATE SKIP	157045	18.77

How strong is your fear when you find yourself [WSTFILL]?

PHBWRSST Len : 2 1STRENGTH OF FEAR IN SITN WHERE FEAR IS WORST

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Your fear is mild.....	6786	0.81
2 = Your fear is moderate	7847	0.94
3 = Your fear is severe.....	2107	0.25
94 = DON'T KNOW	73	0.01
97 = REFUSED	77	0.01
98 = BLANK (NO ANSWER)	347	0.04
99 = LEGITIMATE SKIP	147674	17.65

How often do you try to avoid [WSTFILL]?

PHBWRSFV Len : 2 1HOW OFTEN TRY TO AVOID WORST FEAR

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Often.....	4293	0.51
2 = Sometimes	3963	0.47
3 = Rarely	1215	0.15
4 = Never	472	0.06
94 = DON'T KNOW	9	0.00
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER)	417	0.05
99 = LEGITIMATE SKIP	154460	18.46

How much does your fear or avoidance of [WSTFILL] interfere with your everyday life or activities?

PHBWRSIN Len : 2 1HOW MUCH WORST FEAR INTERFERES W/LIFE

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Not at all	3128	0.37
2 = A little.....	3948	0.47
3 = Some.....	1945	0.23
4 = A lot.....	911	0.11
94 = DON'T KNOW	18	0.00
97 = REFUSED	84	0.01
98 = BLANK (NO ANSWER)	417	0.05
99 = LEGITIMATE SKIP	154460	18.46

MENTAL HEALTH

People differ a lot in how much they worry. In general, would you say you worry more than, about the same as, or less than most other people worry about everyday problems?

GADWORMR Len : 2 HOW MUCH WORRY ABOUT EVERYDAY PROBLEMS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = More	15542	1.86
2 = About the same	53597	6.41
3 = Less	22169	2.65
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	555	0.07
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER)	38	0.00
99 = LEGITIMATE SKIP	72883	8.71

Do you worry a lot more, somewhat more, or only a little more than most other people?

GADWORT Len : 2 IWORRY A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = A lot more	6515	0.78
2 = Somewhat more	6831	0.82
3 = A little more	2166	0.26
94 = DON'T KNOW	26	0.00
97 = REFUSED	79	0.01
98 = BLANK (NO ANSWER)	643	0.08
99 = LEGITIMATE SKIP	148651	17.77

In general, would you say you are more nervous or anxious than most other people?

GADNRVOS Len : 2 IMORE NERVOUS OR ANXIOUS THAN MOST OTHER PEOPLE

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes	5433	0.65
2 = No	70577	8.44
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	343	0.04
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER)	38	0.00
99 = LEGITIMATE SKIP	88425	10.57

Are you a lot more, somewhat more, or only a little more nervous or anxious than most other people?

GADNRVLT Len : 2 INERVOUS A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = A lot more	542	0.06
2 = Somewhat more	2862	0.34
3 = A little more	1999	0.24
94 = DON'T KNOW	26	0.00
97 = REFUSED	94	0.01
98 = BLANK (NO ANSWER)	384	0.05
99 = LEGITIMATE SKIP	159004	19.00

MENTAL HEALTH

During the past 12 months, about how many weeks did you worry more than most other people? If you can't remember the exact number, just give your best estimate.

During the past 12 months, about how many weeks did you feel more nervous or anxious than most other people? If you can't remember the exact number, just give your best estimate.

GADWKS2 Len : 2 1# WKS WORRY/NERVOUS MORE THAN OTHERS, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = 1-4 weeks	1400	0.17
2 = 5-8 weeks	848	0.10
3 = 9-12 weeks	974	0.12
4 = 13-16 weeks	235	0.03
5 = 17-18 weeks	24	0.00
6 = 19-20 weeks	388	0.05
7 = 21-22 weeks	33	0.00
8 = 23-24 weeks	149	0.02
9 = 25-26 weeks	260	0.03
10 = 27-36 weeks	625	0.07
11 = 37-44 weeks	372	0.04
12 = 45-51 weeks	503	0.06
13 = All 52 weeks	940	0.11
94 = DON'T KNOW	282	0.03
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER)	436	0.05
99 = LEGITIMATE SKIP	157320	18.80

During those [GAWEEK1 FILL] weeks, did you worry about one or two particular things or about a number of different things?

During those [GAWEEK1 FILL] weeks, were you nervous or anxious about one or two particular things or about a number of different things?

GADNMWOR Len : 2 1# THINGS WORRIED/NERVOUS ABOUT IN THOSE WKS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = One or two particular things	414	0.05
2 = A number of different things	2100	0.25
97 = REFUSED	122	0.01
98 = BLANK (NO ANSWER)	718	0.09
99 = LEGITIMATE SKIP	161557	19.31

During those [GAWEEK1 FILL] weeks, how often was your worry so strong that you couldn't put it out of your mind?

During those [GAWEEK1 FILL] weeks, how often was your nervousness or anxiety so strong that you couldn't put it out of your mind?

GADSTRON Len : 2 1HOW OFTEN WAS WORRY/ANXIETY STRONG IN THOSE WKS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = All of the time	381	0.05
2 = Most of the time	783	0.09
3 = Some of the time	771	0.09
4 = A little of the time	140	0.02
5 = Never	24	0.00
97 = REFUSED	123	0.01
98 = BLANK (NO ANSWER)	718	0.09
99 = LEGITIMATE SKIP	161971	19.36

MENTAL HEALTH

During those [GAWEEK1 FILL] weeks when you were so worried, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?

During those [GAWEEK1 FILL] weeks when you were so nervous or anxious, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?

GADOPROB Len : 2 1HAD OTHER PROBS IN THOSE WKS WHEN WORRIED/NERVOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	1893	0.23
2 = No.....	181	0.02
97 = REFUSED	124	0.01
98 = BLANK (NO ANSWER)	718	0.09
99 = LEGITIMATE SKIP.....	161995	19.36

The next questions are about reactions people have after extremely stressful experiences. In your life, have you ever had an extremely stressful experience such as being in combat, being involved in a life-threatening accident, being involved in a disaster, being physically beaten or sexually abused, or any other event which was extremely upsetting or stressful for you?

PTSEVER Len : 2 1EVER HAD EXTREMELY STRESSFUL EXPERIENCE

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	34513	4.12
2 = No.....	57135	6.83
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	158	0.02
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER)	40	0.00
99 = LEGITIMATE SKIP.....	72883	8.71

After experiences like this, people sometimes have reactions like memories that are upsetting, feeling emotionally distant from other people, trouble sleeping or concentrating, and feeling jumpy or easily startled.

During the past 12 months, did you have any of these reactions to any extremely stressful experience, even if the experience was long ago?

PTSPYEAR Len : 2 1HAD RXNS TO STRESSFUL EXPERIENCE, PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes.....	14756	1.76
2 = No.....	19720	2.36
85 = BAD DATA Logically assigned	5	0.00
94 = DON'T KNOW	26	0.00
97 = REFUSED	186	0.02
98 = BLANK (NO ANSWER)	198	0.02
99 = LEGITIMATE SKIP.....	130020	15.54

Think of the time during the past 12 months when those reactions were the worst. How often did you have those reactions during that time?

PTSWRSFQ Len : 2 1HOW OFTEN HAD RXNS WHEN WORST IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Several times a day	1816	0.22
2 = Once or twice a day	2156	0.26
3 = Several times a week.....	2559	0.31
4 = Once or twice a week.....	2950	0.35
5 = Less than once a week	5164	0.62
85 = BAD DATA Logically assigned	5	0.00
94 = DON'T KNOW	93	0.01
97 = REFUSED	204	0.02
98 = BLANK (NO ANSWER)	224	0.03
99 = LEGITIMATE SKIP.....	149740	17.90

MENTAL HEALTH

During the past 12 months, in about how many weeks did you have reactions like this at least several times a week? If you can't remember the exact number, just give your best estimate.

PTSWKS2 Len : 2 1# WKS HAD RXNS SEVERAL TIMES A WK, PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = 1-4 weeks	2888	0.35
2 = 5-8 weeks	1164	0.14
3 = 9-12 weeks	711	0.08
4 = 13-16 weeks	241	0.03
5 = 17-18 weeks	22	0.00
6 = 19-20 weeks	252	0.03
7 = 21-22 weeks	18	0.00
8 = 23-24 weeks	69	0.01
9 = 25-26 weeks	149	0.02
10 = 27-36 weeks	301	0.04
11 = 37-44 weeks	123	0.01
12 = 45-51 weeks	162	0.02
13 = All 52 weeks	227	0.03
94 = DON'T KNOW	182	0.02
97 = REFUSED	226	0.03
98 = BLANK (NO ANSWER)	322	0.04
99 = LEGITIMATE SKIP	157854	18.87

NOTE: The variable MHSEEDR was assigned a code of 11 when respondents reported that they saw a doctor or mental health professional in the past 12 months but they reported not being hospitalized overnight and reported zero outpatient visits. When the variable MHSEEDR was assigned a code of 11, the overnight hospitalization variable MHHOSPOV was assigned a code of 12.

During the past 12 months, did you see a doctor or mental health professional for any problem with your emotions, nerves, or mental health?

MHSEEDR Len : 2 1SAW DR FOR PROB WITH EMOTIONS, PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes	8147	0.97
2 = No	82696	9.88
11 = Yes (MHOPNUM2 = 0 & MHHOSPOV = 12)	962	0.11
85 = BAD DATA Logically assigned	9	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	67	0.01
97 = REFUSED	104	0.01
98 = BLANK (NO ANSWER)	41	0.00
99 = LEGITIMATE SKIP	72883	8.71

During the past 12 months, were you hospitalized overnight for problems with your emotions, nerves, or mental health?

MHHOSPOV Len : 2 1HOSP OVERNITE FOR PROB W/EMOTIONS, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes	617	0.07
2 = No	7521	0.90
12 = No (MHSEEDR = 11 & MHOPNUM2 = 0)	962	0.11
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	5	0.00
97 = REFUSED	108	0.01
98 = BLANK (NO ANSWER)	116	0.01
99 = LEGITIMATE SKIP	155581	18.59

MENTAL HEALTH

During the past 12 months, not counting when you were hospitalized, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?

During the past 12 months, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?

MHOPNUM2	Len : 3 1# OUTPAT VISIT FOR PROB W/EMOTIONS, PST 12 MOS		
	RANGE = 1 - 30.....	Freq	Pct
	-9 = Data not collected for this year.....	7537	0.90
	0 = No visits.....	671785	80.29
	31 = 31 or more.....	1046	0.13
	417 = 417 or more.....	417	0.05
	985 = BAD DATA Logically assigned.....	1	0.00
	994 = DON'T KNOW.....	76	0.01
	997 = REFUSED.....	136	0.02
	998 = BLANK (NO ANSWER).....	117	0.01
	999 = LEGITIMATE SKIP.....	155581	18.59

During the past 12 months, were you prescribed any medicine for problems with your emotions, nerves, or mental health?

MHMEDS	Len : 2 1PRESCRIBED ANY MEDS FOR EMOT PROB, PST 12 MOS		
	-9 = Data not collected for this year.....	Freq	Pct
	1 = Yes.....	671785	80.29
	2 = No.....	6720	0.80
	2369 = 2369 or more.....	2369	0.28
	85 = BAD DATA Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	6	0.00
	97 = REFUSED.....	117	0.01
	98 = BLANK (NO ANSWER).....	117	0.01
	99 = LEGITIMATE SKIP.....	155581	18.59

NOTE: Respondents who reported that they were prescribed medication for problems with their emotions, nerves, or mental health (MHMEDS=1) were asked to report the number of weeks that they took prescribed medication. Indications that respondents were prescribed medication do not necessarily imply that respondents took the medication. Therefore, responses of "0 weeks" in MHMEDWK2 were considered to be valid values.

During the past 12 months, about how many weeks did you take medicine that was prescribed for mental health problems?

MHMEDWK2	Len : 2 1# WKS TOOK MEDS FOR MENT HLTH PROB, PST 12 MOS		
	-9 = Data not collected for this year.....	Freq	Pct
	0 = 0 weeks.....	671785	80.29
	1 = 1-4 weeks.....	284	0.03
	2 = 5-8 weeks.....	1140	0.14
	3 = 9-12 weeks.....	723	0.09
	4 = 13-16 weeks.....	637	0.08
	5 = 17-18 weeks.....	238	0.03
	6 = 19-20 weeks.....	37	0.00
	7 = 21-22 weeks.....	187	0.02
	8 = 23-24 weeks.....	21	0.00
	9 = 25-26 weeks.....	181	0.02
	10 = 27-36 weeks.....	135	0.02
	11 = 37-44 weeks.....	441	0.05
	12 = 45-51 weeks.....	172	0.02
	13 = All 52 weeks.....	404	0.05
	2004 = 2004 or more.....	2004	0.24
	85 = BAD DATA Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	93	0.01
	97 = REFUSED.....	140	0.02
	98 = BLANK (NO ANSWER).....	123	0.01
	99 = LEGITIMATE SKIP.....	157950	18.88

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel so nervous that nothing could calm you down?

DSTNCALM		Len : 2 1HOW OFTEN COULDN'T CALM DOWN IN WORST MONTH	
		Freq	Pct
-9 = Data not collected for this year.....		671785	80.29
1 = All of the time.....		1158	0.14
2 = Most of the time.....		3370	0.40
3 = Some of the time.....		7330	0.88
4 = A little of the time.....		15911	1.90
5 = None of the time.....		34549	4.13
85 = BAD DATA Logically assigned.....		5	0.00
89 = LEGITIMATE SKIP Logically assigned.....		1	0.00
94 = DON'T KNOW.....		83	0.01
97 = REFUSED.....		274	0.03
98 = BLANK (NO ANSWER).....		598	0.07
99 = LEGITIMATE SKIP.....		101632	12.15

During that same month when you were at your worst emotionally...

how often did you feel tired out for no good reason?

DSTTIRE		Len : 2 1HOW OFTEN TIRED OUT IN WORST MONTH	
		Freq	Pct
-9 = Data not collected for this year.....		671785	80.29
1 = All of the time.....		4078	0.49
2 = Most of the time.....		9736	1.16
3 = Some of the time.....		17450	2.09
4 = A little of the time.....		25571	3.06
5 = None of the time.....		34422	4.11
85 = BAD DATA Logically assigned.....		9	0.00
89 = LEGITIMATE SKIP Logically assigned.....		2	0.00
94 = DON'T KNOW.....		484	0.06
97 = REFUSED.....		233	0.03
98 = BLANK (NO ANSWER).....		43	0.01
99 = LEGITIMATE SKIP.....		72883	8.71

During that same month when you were at your worst emotionally...

how often did you feel so restless or fidgety that you could not sit still?

DSTSITST		Len : 2 1HOW OFTEN COULDN'T SIT STILL IN WORST MONTH	
		Freq	Pct
-9 = Data not collected for this year.....		671785	80.29
1 = All of the time.....		1277	0.15
2 = Most of the time.....		3323	0.40
3 = Some of the time.....		8659	1.03
4 = A little of the time.....		16496	1.97
5 = None of the time.....		19578	2.34
85 = BAD DATA Logically assigned.....		4	0.00
89 = LEGITIMATE SKIP Logically assigned.....		1	0.00
94 = DON'T KNOW.....		39	0.00
97 = REFUSED.....		250	0.03
98 = BLANK (NO ANSWER).....		533	0.06
99 = LEGITIMATE SKIP.....		114751	13.71

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel sad or depressed?

DSTDEPRS Len : 2 1HOW OFTEN FELT DEPRESSED IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = All of the time.....	4043	0.48
2 = Most of the time.....	9962	1.19
3 = Some of the time.....	16682	1.99
4 = A little of the time.....	27542	3.29
5 = None of the time.....	33150	3.96
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	361	0.04
97 = REFUSED.....	233	0.03
98 = BLANK (NO ANSWER).....	44	0.01
99 = LEGITIMATE SKIP.....	72883	8.71

The next questions are about how much your emotions, nerves, or mental health caused you to have difficulties in daily activities over the past 12 months.

In answering, think of one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities. If you had several months like this, please think of the most recent month.

During that month, how much difficulty did you have in thinking clearly?

IMPTHINK Len : 2 1HOW MUCH PROB THINKING IN WORST MON, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty.....	25722	3.07
2 = Mild difficulty.....	19779	2.36
3 = Moderate difficulty.....	6924	0.83
4 = Severe difficulty.....	1451	0.17
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	223	0.03
97 = REFUSED.....	128	0.02
98 = BLANK (NO ANSWER).....	1333	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have understanding what was going on around you?

IMPUNDST Len : 2 1HOW MUCH PROB UNDERSTANDING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty.....	39460	4.72
2 = Mild difficulty.....	10889	1.30
3 = Moderate difficulty.....	2983	0.36
4 = Severe difficulty.....	638	0.08
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	142	0.02
97 = REFUSED.....	114	0.01
98 = BLANK (NO ANSWER).....	1334	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

IMPREMBR Len : 2 1HOW MUCH PROB REMEMBERING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	23749	2.84
2 = Mild difficulty.....	21763	2.60
3 = Moderate difficulty.....	6820	0.82
4 = Severe difficulty.....	1646	0.20
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	128	0.02
97 = REFUSED.....	120	0.01
98 = BLANK (NO ANSWER).....	1334	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

IMPONC Len : 2 1HOW MUCH PROB CONCENTRATING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	22460	2.68
2 = Mild difficulty.....	22300	2.67
3 = Moderate difficulty.....	7405	0.89
4 = Severe difficulty.....	1793	0.21
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	149	0.02
97 = REFUSED.....	119	0.01
98 = BLANK (NO ANSWER).....	1334	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have managing money on your own, such as keeping track of expenses or remembering to pay bills?

IMPMONY Len : 2 1HOW MUCH PROB MANAGING MONEY IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	31738	3.79
2 = Mild difficulty.....	12815	1.53
3 = Moderate difficulty.....	5580	0.67
4 = Severe difficulty.....	2295	0.27
5 = You didn't manage money on your own.....	1526	0.18
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	151	0.02
97 = REFUSED.....	120	0.01
98 = BLANK (NO ANSWER).....	1335	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

Did problems with your emotions, nerves, or mental health keep you from managing your own money?

IMPMONYM Len : 2 1PROB WITH EMOTIONS KEPT R FROM MANAGING MONEY

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = Yes.....	304	0.04
2 = No.....	1212	0.14
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	121	0.01
98 = BLANK (NO ANSWER).....	1492	0.18
99 = LEGITIMATE SKIP.....	161773	19.33

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have learning a new task?

IMPLERN	Len : 2 1HOW MUCH PROB LEARNING A TASK IN WORST MONTH	Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = No difficulty	32527	3.89
	2 = Mild difficulty	14086	1.68
	3 = Moderate difficulty	4096	0.49
	4 = Severe difficulty	961	0.11
	5 = You didn't try to learn a new task	2238	0.27
	85 = BAD DATA Logically assigned	6	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	206	0.02
	97 = REFUSED	111	0.01
	98 = BLANK (NO ANSWER)	1335	0.16
	99 = LEGITIMATE SKIP	109344	13.07

Did problems with your emotions, nerves, or mental health keep you from learning a new task?

IMPLERNM	Len : 2 1PROB WITH EMOTIONS KEPT R FROM LEARNING A TASK	Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes	330	0.04
	2 = No	1877	0.22
	94 = DON'T KNOW	31	0.00
	97 = REFUSED	111	0.01
	98 = BLANK (NO ANSWER)	1547	0.18
	99 = LEGITIMATE SKIP	161015	19.24

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have washing, dressing, and feeding yourself on your own?

IMPWASH	Len : 2 1HOW MUCH PROB WASHING/DRESSING/FEEDING, WORS MO	Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = No difficulty	47344	5.66
	2 = Mild difficulty	4567	0.55
	3 = Moderate difficulty	1549	0.19
	4 = Severe difficulty	431	0.05
	5 = You didn't wash,dress,or feed yourself on your own	135	0.02
	85 = BAD DATA Logically assigned	6	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	94	0.01
	97 = REFUSED	105	0.01
	98 = BLANK (NO ANSWER)	1335	0.16
	99 = LEGITIMATE SKIP	109344	13.07

Did problems with your emotions, nerves, or mental health keep you from washing, dressing, or feeding yourself on your own?

IMPWASHM	Len : 2 1PROB W/EMOTIONS KEPT R FROM WASH/DRESS/FEEDING	Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Yes	65	0.01
	2 = No	70	0.01
	97 = REFUSED	105	0.01
	98 = BLANK (NO ANSWER)	1435	0.17
	99 = LEGITIMATE SKIP	163236	19.51

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

IMPGO

Len : 2 1HOW MUCH PROB LEAVING HOUSE IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = No difficulty	42866	5.12
2 = Mild difficulty	7195	0.86
3 = Moderate difficulty	2499	0.30
4 = Severe difficulty	974	0.12
5 = You didn't leave the house on your own	477	0.06
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	100	0.01
97 = REFUSED	114	0.01
98 = BLANK (NO ANSWER)	1335	0.16
99 = LEGITIMATE SKIP	109344	13.07

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

IMPGOM

Len : 2 1PROB WITH EMOTIONS KEPT R FROM LEAVING HOUSE

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes	242	0.03
2 = No	230	0.03
94 = DON'T KNOW	3	0.00
97 = REFUSED	116	0.01
98 = BLANK (NO ANSWER)	1441	0.17
99 = LEGITIMATE SKIP	162879	19.47

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

IMPDLPP

Len : 2 1HOW MUCH PROB DEALING W/PEOPLE IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = No difficulty	32551	3.89
2 = Mild difficulty	13916	1.66
3 = Moderate difficulty	4900	0.59
4 = Severe difficulty	1599	0.19
5 = You didn't deal with people you did not know well	1029	0.12
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	124	0.01
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER)	1335	0.16
99 = LEGITIMATE SKIP	109344	13.07

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

IMPDLPPM

Len : 2 1PROB W/EMOTIONS KEPT R FROM DEALING W/PEOPLE

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Yes	428	0.05
2 = No	587	0.07
94 = DON'T KNOW	11	0.00
97 = REFUSED	109	0.01
98 = BLANK (NO ANSWER)	1465	0.18
99 = LEGITIMATE SKIP	162311	19.40

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

IMPSOCL Len : 2 1HOW MUCH PROB PARTICIPATNG IN SOC ACTIVS,WRST MON

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	29457	3.52
2 = Mild difficulty.....	14478	1.73
3 = Moderate difficulty.....	6131	0.73
4 = Severe difficulty.....	2370	0.28
5 = You didn't participate in social activities	1568	0.19
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	115	0.01
97 = REFUSED	106	0.01
98 = BLANK (NO ANSWER)	1335	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

IMPSOCLM Len : 2 1PROB W/EMOTIONS KEPT R FROM SOCIAL ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = Yes.....	833	0.10
2 = No.....	728	0.09
94 = DON'T KNOW	6	0.00
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER)	1456	0.17
99 = LEGITIMATE SKIP.....	161781	19.34

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting along with people in your personal life?

IMPGTALG Len : 2 1HOW MUCH PROB W/PEOP IN PERS LIFE, WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	28540	3.41
2 = Mild difficulty.....	17850	2.13
3 = Moderate difficulty.....	5897	0.70
4 = Severe difficulty.....	1720	0.21
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	113	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER)	1335	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have controlling your emotions when you were around people?

IMPCTRLE Len : 2 1HOW MUCH PROB CONTROLLING EMOT, WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	30956	3.70
2 = Mild difficulty.....	16902	2.02
3 = Moderate difficulty.....	4796	0.57
4 = Severe difficulty.....	1353	0.16
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	113	0.01
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER)	1335	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have doing things to relax at home?

IMPRELAX Len : 2 1HOW MUCH PROB RELAXING AT HOME, WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	29629	3.54
2 = Mild difficulty.....	16537	1.98
3 = Moderate difficulty	6018	0.72
4 = Severe difficulty.....	1820	0.22
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	114	0.01
97 = REFUSED	107	0.01
98 = BLANK (NO ANSWER)	1335	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

IMPHRSP Len : 2 1HOW MUCH PROB W/HOUSEHOLD RESPONSIBILTY, WRST MON

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	29983	3.58
2 = Mild difficulty.....	15666	1.87
3 = Moderate difficulty	5715	0.68
4 = Severe difficulty.....	1796	0.21
5 = You didn't take care of household responsibilities	856	0.10
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	109	0.01
97 = REFUSED	100	0.01
98 = BLANK (NO ANSWER)	1335	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

IMPHRSPM Len : 2 1PROB W/EMOTIONS KEPT R FROM HOUSEHOLD RESPONS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = Yes.....	405	0.05
2 = No.....	448	0.05
94 = DON'T KNOW	2	0.00
97 = REFUSED	101	0.01
98 = BLANK (NO ANSWER)	1450	0.17
99 = LEGITIMATE SKIP.....	162505	19.42

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

IMPDLRSP Len : 2 1HOW MUCH PROB W/DAILY RESPON IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	31340	3.75
2 = Mild difficulty.....	14611	1.75
3 = Moderate difficulty	4397	0.53
4 = Severe difficulty.....	1375	0.16
5 = You didn't work or go to school.....	2243	0.27
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	143	0.02
97 = REFUSED	115	0.01
98 = BLANK (NO ANSWER)	1336	0.16
99 = LEGITIMATE SKIP.....	109344	13.07

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

IMDDLWRK Len : 2 1HOW MUCH PROB W/DAILY RESPONSIBILITY IN WORST MON

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = No difficulty	26665	3.19
2 = Mild difficulty.....	18542	2.22
3 = Moderate difficulty.....	5239	0.63
4 = Severe difficulty.....	1316	0.16
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	113	0.01
97 = REFUSED.....	106	0.01
98 = BLANK (NO ANSWER).....	1336	0.16
99 = LEGITIMATE SKIP.....	111587	13.34

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

IMPWKS2 Len : 2 1# WEEKS HAD THESE DIFFICULTIES, PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = 1-4 weeks.....	14632	1.75
2 = 5-8 weeks.....	4052	0.48
3 = 9-12 weeks.....	2252	0.27
4 = 13-16 weeks.....	675	0.08
5 = 17-18 weeks.....	67	0.01
6 = 19-20 weeks.....	668	0.08
7 = 21-22 weeks.....	58	0.01
8 = 23-24 weeks.....	250	0.03
9 = 25-26 weeks.....	372	0.04
10 = 27-36 weeks.....	761	0.09
11 = 37-44 weeks.....	311	0.04
12 = 45-51 weeks.....	331	0.04
13 = All 52 weeks.....	460	0.05
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	743	0.09
97 = REFUSED.....	175	0.02
98 = BLANK (NO ANSWER).....	1703	0.20
99 = LEGITIMATE SKIP.....	137398	16.42

During (that [IMWEEK1FILL] week/those [IMWEEK1 FILL] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?

IMPDAYFQ Len : 2 1HOW OFTEN HAD THESE DIFFICULTIES IN THOSE WKS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = Every day.....	1949	0.23
2 = Most days.....	10210	1.22
3 = Only one or two days a week.....	12674	1.51
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	48	0.01
97 = REFUSED.....	183	0.02
98 = BLANK (NO ANSWER).....	2446	0.29
99 = LEGITIMATE SKIP.....	137398	16.42

MENTAL HEALTH

You mentioned earlier in the interview that you saw a professional or received prescription medications for your emotional problems in the past 12 months. How much did the counseling or medicine improve your ability to manage daily activities like those asked about in the previous questions?

MHSVCHLP Len : 2 1HOW MUCH DID MH SVCS IMPROV ABIL TO MANAG ACTIVS

	Freq	Pct
-9 = Data not collected for this year.....	671785	80.29
1 = None	1718	0.21
2 = A little.....	2001	0.24
3 = Some.....	2756	0.33
4 = A lot.....	3693	0.44
5 = A great deal.....	2912	0.35
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	83	0.01
97 = REFUSED	82	0.01
98 = BLANK (NO ANSWER)	382	0.05
99 = LEGITIMATE SKIP.....	151283	18.08

The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.

Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.

During that month, how often did you feel nervous?

DSTNRVOS Len : 2 1HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	505796	60.45
1 = All of the time.....	7187	0.86
2 = Most of the time.....	20505	2.45
3 = Some of the time.....	48106	5.75
4 = A little of the time.....	78321	9.36
5 = None of the time	66106	7.90
85 = BAD DATA Logically assigned	15	0.00
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
94 = DON'T KNOW	1166	0.14
97 = REFUSED	671	0.08
98 = BLANK (NO ANSWER)	82	0.01
99 = LEGITIMATE SKIP.....	108736	13.00

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

DSTHOPLS Len : 2 1HOW OFTEN FELT HOPELESS IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	505796	60.45
1 = All of the time.....	7724	0.92
2 = Most of the time.....	15690	1.88
3 = Some of the time.....	30334	3.63
4 = A little of the time.....	46104	5.51
5 = None of the time	120648	14.42
85 = BAD DATA Logically assigned	15	0.00
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
94 = DON'T KNOW	912	0.11
97 = REFUSED	649	0.08
98 = BLANK (NO ANSWER)	83	0.01
99 = LEGITIMATE SKIP.....	108736	13.00

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

DSTRSTLS	Len : 2 1HOW OFTEN FELT RESTLESS IN WORST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	505796	60.45
	1 = All of the time.....	7734	0.92
	2 = Most of the time.....	18118	2.17
	3 = Some of the time.....	41271	4.93
	4 = A little of the time.....	63052	7.54
	5 = None of the time.....	90154	10.78
	85 = BAD DATA Logically assigned.....	15	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
	94 = DON'T KNOW.....	1064	0.13
	97 = REFUSED.....	668	0.08
	98 = BLANK (NO ANSWER).....	83	0.01
	99 = LEGITIMATE SKIP.....	108736	13.00

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

DSTCHEER	Len : 2 1HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	505796	60.45
	1 = All of the time.....	6925	0.83
	2 = Most of the time.....	15573	1.86
	3 = Some of the time.....	28943	3.46
	4 = A little of the time.....	44483	5.32
	5 = None of the time.....	91470	10.93
	85 = BAD DATA Logically assigned.....	12	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
	94 = DON'T KNOW.....	520	0.06
	97 = REFUSED.....	636	0.08
	98 = BLANK (NO ANSWER).....	447	0.05
	99 = LEGITIMATE SKIP.....	141887	16.96

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

DSTEFFRT	Len : 2 1HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON		
		Freq	Pct
	-9 = Data not collected for this year.....	505796	60.45
	1 = All of the time.....	10986	1.31
	2 = Most of the time.....	20360	2.43
	3 = Some of the time.....	37450	4.48
	4 = A little of the time.....	57769	6.90
	5 = None of the time.....	93301	11.15
	85 = BAD DATA Logically assigned.....	15	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
	94 = DON'T KNOW.....	1485	0.18
	97 = REFUSED.....	709	0.08
	98 = BLANK (NO ANSWER).....	84	0.01
	99 = LEGITIMATE SKIP.....	108736	13.00

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

DSTNGOOD

Len : 2 1HOW OFTEN FELT NO GOOD IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	505796	60.45
1 = All of the time	8949	1.07
2 = Most of the time	16486	1.97
3 = Some of the time	29359	3.51
4 = A little of the time	48142	5.75
5 = None of the time	117594	14.05
85 = BAD DATA Logically assigned	15	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	880	0.11
97 = REFUSED	649	0.08
98 = BLANK (NO ANSWER)	85	0.01
99 = LEGITIMATE SKIP	108736	13.00

YOUTH EXPERIENCES

YOUTH EXPERIENCES

This note applies to variables in this section marked by a¹.

How many times have you moved in the past 5 years?

YEMOV5Y2	Len : 3 # TIMES MOVED IN PAST 5 YEARS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	0 = None	118922	14.21
	1 = One time	49903	5.96
	2 = Two times	24167	2.89
	3 = Three times	16243	1.94
	4 = Four times	7306	0.87
	5 = Five times	3619	0.43
	6 = Six or more times	4781	0.57
	985 = BAD DATA Logically assigned	44	0.01
	989 = LEGITIMATE SKIP Logically assigned	7	0.00
	994 = DON'T KNOW	4633	0.55
	997 = REFUSED	623	0.07
	998 = BLANK (NO ANSWER)	26	0.00
	999 = LEGITIMATE SKIP	492379	58.85

Have you attended any type of school at any time during the past 12 months?

YEATNDYR	Len : 2 ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	238377	28.49
	2 = No	17843	2.13
	85 = BAD DATA Logically assigned	66	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	1472	0.18
	97 = REFUSED	336	0.04
	98 = BLANK (NO ANSWER)	30	0.00
	99 = LEGITIMATE SKIP	578565	69.15

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

YEHMSLYR	Len : 2 HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS		
		Freq	Pct
	1 = Yes	1568	0.19
	2 = No	17685	2.11
	85 = BAD DATA Logically assigned	29	0.00
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	225	0.03
	97 = REFUSED	177	0.02
	98 = BLANK (NO ANSWER)	63	0.01
	99 = LEGITIMATE SKIP	816948	97.64

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

YESCHFLT	Len : 2 HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS		
		Freq	Pct
	1 = You liked going to school a lot	70828	8.47
	2 = You kind of liked going to school	120694	14.43
	3 = You didn't like going to school very much	34328	4.10
	4 = You hated going to school	13787	1.65
	85 = BAD DATA Logically assigned	35	0.00
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	94 = DON'T KNOW	217	0.03
	97 = REFUSED	240	0.03
	98 = BLANK (NO ANSWER)	1717	0.21
	99 = LEGITIMATE SKIP	594844	71.09

YOUTH EXPERIENCES

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

YESCHWRK Len : 2 HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS

	Freq	Pct
1 = Always.....	63282	7.56
2 = Sometimes.....	125466	15.00
3 = Seldom.....	38730	4.63
4 = Never.....	11943	1.43
85 = BAD DATA Logically assigned.....	35	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW.....	418	0.05
97 = REFUSED.....	255	0.03
98 = BLANK (NO ANSWER).....	1717	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

YESCHIMP Len : 2 HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE

	Freq	Pct
1 = Very important.....	112757	13.48
2 = Somewhat important.....	95388	11.40
3 = Somewhat unimportant.....	23828	2.85
4 = Very unimportant.....	7447	0.89
85 = BAD DATA Logically assigned.....	37	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW.....	416	0.05
97 = REFUSED.....	256	0.03
98 = BLANK (NO ANSWER).....	1717	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

How interesting do you think most of your courses at school during the past 12 months have been?

YESCHINT Len : 2 HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS

	Freq	Pct
1 = Very interesting.....	56668	6.77
2 = Somewhat interesting.....	126470	15.12
3 = Somewhat boring.....	41763	4.99
4 = Very boring.....	14499	1.73
85 = BAD DATA Logically assigned.....	37	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW.....	428	0.05
97 = REFUSED.....	264	0.03
98 = BLANK (NO ANSWER).....	1717	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

YETCGJOB Len : 2 HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS

	Freq	Pct
1 = Always.....	77444	9.26
2 = Sometimes.....	110395	13.19
3 = Seldom.....	38560	4.61
4 = Never.....	12932	1.55
85 = BAD DATA Logically assigned.....	37	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW.....	481	0.06
97 = REFUSED.....	279	0.03
98 = BLANK (NO ANSWER).....	1718	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

YOUTH EXPERIENCES

What were your grades for the last semester or grading period you completed?

YELSTGRD	Len : 2 GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED	Freq	Pct
	1 = An "A+", "A" or "A-minus" average	70887	8.47
	2 = A "B+", "B" or "B-minus" average	95472	11.41
	3 = A "C+", "C" or "C-minus" average	49109	5.87
	4 = A "D" or less than a "D" average	13697	1.64
	5 = My school does not give these grades.....	6688	0.80
	85 = BAD DATA Logically assigned	39	0.00
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	94 = DON'T KNOW	2883	0.34
	97 = REFUSED	1353	0.16
	98 = BLANK (NO ANSWER)	1718	0.21
	99 = LEGITIMATE SKIP	594844	71.09

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

YESTSCIG	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES	Freq	Pct
	1 = None of them	43009	5.14
	2 = A few of them	130806	15.63
	3 = Most of them.....	57375	6.86
	4 = All of them.....	1868	0.22
	85 = BAD DATA Logically assigned	40	0.00
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	94 = DON'T KNOW	6610	0.79
	97 = REFUSED	420	0.05
	98 = BLANK (NO ANSWER)	1718	0.21
	99 = LEGITIMATE SKIP	594844	71.09

How many of the students in your grade at school would you say use marijuana or hashish?

YESTSMJ	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH	Freq	Pct
	1 = None of them	63359	7.57
	2 = A few of them	107009	12.79
	3 = Most of them.....	55642	6.65
	4 = All of them.....	3820	0.46
	85 = BAD DATA Logically assigned	40	0.00
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	94 = DON'T KNOW	9738	1.16
	97 = REFUSED	520	0.06
	98 = BLANK (NO ANSWER)	1718	0.21
	99 = LEGITIMATE SKIP	594844	71.09

How many of the students in your grade at school would you say drink alcoholic beverages?

YESTSALC	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL	Freq	Pct
	1 = None of them	44588	5.33
	2 = A few of them	91795	10.97
	3 = Most of them.....	86654	10.36
	4 = All of them.....	8800	1.05
	85 = BAD DATA Logically assigned	40	0.00
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	94 = DON'T KNOW	7771	0.93
	97 = REFUSED	480	0.06
	98 = BLANK (NO ANSWER)	1718	0.21
	99 = LEGITIMATE SKIP	594844	71.09

YOUTH EXPERIENCES

How many of the students in your grade at school would you say get drunk at least once a week?

YESTSDNK Len : 2 HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY

	Freq	Pct
1 = None of them	86702	10.36
2 = A few of them	104619	12.50
3 = Most of them.....	34710	4.15
4 = All of them.....	2679	0.32
85 = BAD DATA Logically assigned	40	0.00
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	10841	1.30
97 = REFUSED	537	0.06
98 = BLANK (NO ANSWER)	1718	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents provide help with your homework when you needed it?

YEPCHKHW Len : 2 PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS

	Freq	Pct
1 = Always.....	120636	14.42
2 = Sometimes	71297	8.52
3 = Seldom.....	28662	3.43
4 = Never	18554	2.22
85 = BAD DATA Logically assigned	42	0.01
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	464	0.06
97 = REFUSED	473	0.06
98 = BLANK (NO ANSWER)	1718	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

During the past 12 months, how often did your parents provide help with your homework when you needed it?

YEPHLPHW Len : 2 PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS

	Freq	Pct
1 = Always.....	138765	16.58
2 = Sometimes	53486	6.39
3 = Seldom.....	24204	2.89
4 = Never	22475	2.69
85 = BAD DATA Logically assigned	42	0.01
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	577	0.07
97 = REFUSED	579	0.07
98 = BLANK (NO ANSWER)	1718	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

During the past 12 months, how often did your parents make you do chores around the house?

YEPCHORE Len : 2 PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS

	Freq	Pct
1 = Always.....	128525	15.36
2 = Sometimes	97292	11.63
3 = Seldom.....	22230	2.66
4 = Never	8837	1.06
85 = BAD DATA Logically assigned	76	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	645	0.08
97 = REFUSED	488	0.06
98 = BLANK (NO ANSWER)	31	0.00
99 = LEGITIMATE SKIP.....	578565	69.15

YOUTH EXPERIENCES

During the past 12 months, how often did your parents limit the amount of time you watched TV?

YEPLMTTV			Freq	Pct
Len : 2		PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
1	=	Always.....	29640	3.54
2	=	Sometimes.....	69154	8.27
3	=	Seldom.....	51563	6.16
4	=	Never.....	105757	12.64
85	=	BAD DATA Logically assigned.....	76	0.01
89	=	LEGITIMATE SKIP Logically assigned.....	7	0.00
94	=	DON'T KNOW.....	1232	0.15
97	=	REFUSED.....	671	0.08
98	=	BLANK (NO ANSWER).....	31	0.00
99	=	LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

YEPLMTSN			Freq	Pct
Len : 2		PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
1	=	Always.....	97238	11.62
2	=	Sometimes.....	66497	7.95
3	=	Seldom.....	36828	4.40
4	=	Never.....	36065	4.31
85	=	BAD DATA Logically assigned.....	42	0.01
89	=	LEGITIMATE SKIP Logically assigned.....	6	0.00
94	=	DON'T KNOW.....	2453	0.29
97	=	REFUSED.....	1005	0.12
98	=	BLANK (NO ANSWER).....	1718	0.21
99	=	LEGITIMATE SKIP.....	594844	71.09

During the past 12 months, how often did your parents let you know when you'd done a good job?

YEPGDJOB			Freq	Pct
Len : 2		PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
1	=	Always.....	138270	16.53
2	=	Sometimes.....	82176	9.82
3	=	Seldom.....	25736	3.08
4	=	Never.....	10720	1.28
85	=	BAD DATA Logically assigned.....	76	0.01
89	=	LEGITIMATE SKIP Logically assigned.....	7	0.00
94	=	DON'T KNOW.....	705	0.08
97	=	REFUSED.....	410	0.05
98	=	BLANK (NO ANSWER).....	31	0.00
99	=	LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

YEPPROUD			Freq	Pct
Len : 2		TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE		
1	=	Always.....	141249	16.88
2	=	Sometimes.....	78136	9.34
3	=	Seldom.....	26442	3.16
4	=	Never.....	11037	1.32
85	=	BAD DATA Logically assigned.....	76	0.01
89	=	LEGITIMATE SKIP Logically assigned.....	7	0.00
94	=	DON'T KNOW.....	732	0.09
97	=	REFUSED.....	420	0.05
98	=	BLANK (NO ANSWER).....	32	0.00
99	=	LEGITIMATE SKIP.....	578565	69.15

YOUTH EXPERIENCES

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

YFYARGUP Len : 2 ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS		Freq	Pct
1 = 0 times		45286	5.41
2 = 1 or 2 times		70703	8.45
3 = 3 to 5 times		53502	6.39
4 = 6 to 9 times		27797	3.32
5 = 10 or more times		57207	6.84
85 = BAD DATA Logically assigned		78	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		2280	0.27
97 = REFUSED		1238	0.15
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

During the past 12 months, how many times have you gotten into a serious fight at school or work?

YFYFGTSW Len : 2 GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		Freq	Pct
1 = 0 times		202845	24.24
2 = 1 or 2 times		41487	4.96
3 = 3 to 5 times		8279	0.99
4 = 6 to 9 times		2029	0.24
5 = 10 or more times		2150	0.26
85 = BAD DATA Logically assigned		78	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		688	0.08
97 = REFUSED		535	0.06
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

YFYFGTGP Len : 2 TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		Freq	Pct
1 = 0 times		219176	26.20
2 = 1 or 2 times		28673	3.43
3 = 3 to 5 times		5726	0.68
4 = 6 to 9 times		1527	0.18
5 = 10 or more times		1659	0.20
85 = BAD DATA Logically assigned		78	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		742	0.09
97 = REFUSED		510	0.06
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

During the past 12 months, how many times have you carried a handgun?

YFYHGUN Len : 2 CARRIED A HANDGUN		Freq	Pct
1 = 0 times		247168	29.54
2 = 1 or 2 times		6364	0.76
3 = 3 to 5 times		1585	0.19
4 = 6 to 9 times		576	0.07
5 = 10 or more times		1340	0.16
85 = BAD DATA Logically assigned		78	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		428	0.05
97 = REFUSED		552	0.07
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

YOUTH EXPERIENCES

During the past 12 months, how many times have you sold illegal drugs?

YEYSELL Len : 2 SOLD ILLEGAL DRUGS		Freq	Pct
1 = 0 times		248727	29.73
2 = 1 or 2 times		4316	0.52
3 = 3 to 5 times		1566	0.19
4 = 6 to 9 times		709	0.08
5 = 10 or more times		1919	0.23
85 = BAD DATA Logically assigned		78	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		256	0.03
97 = REFUSED		520	0.06
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

YEYSTOLE Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50		Freq	Pct
1 = 0 times		246487	29.46
2 = 1 or 2 times		7440	0.89
3 = 3 to 5 times		1617	0.19
4 = 6 to 9 times		605	0.07
5 = 10 or more times		1025	0.12
85 = BAD DATA Logically assigned		78	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		333	0.04
97 = REFUSED		506	0.06
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

YEYATTAK Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		Freq	Pct
1 = 0 times		239151	28.58
2 = 1 or 2 times		14653	1.75
3 = 3 to 5 times		2027	0.24
4 = 6 to 9 times		577	0.07
5 = 10 or more times		736	0.09
85 = BAD DATA Logically assigned		78	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		411	0.05
97 = REFUSED		458	0.05
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

How do you think your parents would feel about you smoking one or more packs of cigarettes per day?

YEPPKICG Len : 2 HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		Freq	Pct
1 = Neither approve nor disapprove		10564	1.26
2 = Somewhat disapprove		10491	1.25
3 = Strongly disapprove		233202	27.87
85 = BAD DATA Logically assigned		76	0.01
89 = LEGITIMATE SKIP Logically assigned		7	0.00
94 = DON'T KNOW		2770	0.33
97 = REFUSED		988	0.12
98 = BLANK (NO ANSWER)		33	0.00
99 = LEGITIMATE SKIP		578565	69.15

YOUTH EXPERIENCES

How do you think your parents would feel about you trying marijuana or hashish once or twice?

YEPMJEV	Len : 2 HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
		Freq	Pct
	1 = Neither Approve or Disapprove	11244	1.34
	2 = Somewhat Disapprove	17285	2.07
	3 = Strongly Disapprove	226053	27.02
	85 = BAD DATA Logically assigned	76	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2459	0.29
	97 = REFUSED	974	0.12
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you think your parents would feel about you using marijuana or hashish once a month or more?

YEPMJMO	Len : 2 HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY		
		Freq	Pct
	1 = Neither Approve or Disapprove	9735	1.16
	2 = Somewhat Disapprove	12225	1.46
	3 = Strongly Disapprove	232589	27.80
	85 = BAD DATA Logically assigned	76	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2484	0.30
	97 = REFUSED	982	0.12
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

YEPALDLY	Len : 2 HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
		Freq	Pct
	1 = Neither Approve or Disapprove	8843	1.06
	2 = Somewhat Disapprove	17865	2.14
	3 = Strongly Disapprove	227982	27.25
	85 = BAD DATA Logically assigned	76	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2392	0.29
	97 = REFUSED	933	0.11
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you feel about someone your age smoking one or more packs of cigarettes a day?

YEGPKCIG	Len : 2 HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
		Freq	Pct
	1 = Neither approve nor disapprove	25853	3.09
	2 = Somewhat disapprove	32933	3.94
	3 = Strongly disapprove	196243	23.45
	85 = BAD DATA Logically assigned	76	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2214	0.26
	97 = REFUSED	772	0.09
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you feel about someone your age trying marijuana or hashish once or twice?

YEGMJEV	Len : 2 HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
		Freq	Pct
	1 = Neither approve nor disapprove	50145	5.99
	2 = Somewhat disapprove	39946	4.77
	3 = Strongly disapprove	164892	19.71
	85 = BAD DATA Logically assigned	76	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2238	0.27
	97 = REFUSED	794	0.09
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

YOUTH EXPERIENCES

How do you feel about someone your age using marijuana once a month or more?

YEGMJMO	Len : 2 HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY	Freq	Pct
	1 = Neither approve nor disapprove	49228	5.88
	2 = Somewhat disapprove	38466	4.60
	3 = Strongly disapprove	167277	19.99
	85 = BAD DATA Logically assigned	77	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2257	0.27
	97 = REFUSED	786	0.09
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

YEGALDLY	Len : 2 HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY	Freq	Pct
	1 = Neither approve nor disapprove	33381	3.99
	2 = Somewhat disapprove	42920	5.13
	3 = Strongly disapprove	178759	21.36
	85 = BAD DATA Logically assigned	77	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2216	0.26
	97 = REFUSED	738	0.09
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?

YEFPKCIG	Len : 2 HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY	Freq	Pct
	1 = Neither approve nor disapprove	32123	3.84
	2 = Somewhat disapprove	44005	5.26
	3 = Strongly disapprove	178106	21.29
	85 = BAD DATA Logically assigned	77	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2995	0.36
	97 = REFUSED	785	0.09
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you think your close friends would feel about you trying marijuana or hashish once or twice?

YEFMJEV	Len : 2 HOW YOU FEEL FRIENDS USING MJ 1X/MO	Freq	Pct
	1 = Neither approve nor disapprove	49878	5.96
	2 = Somewhat disapprove	40882	4.89
	3 = Strongly disapprove	163460	19.54
	85 = BAD DATA Logically assigned	77	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	2984	0.36
	97 = REFUSED	810	0.10
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

How do you think your close friends would feel about you using marijuana or hashish once a month or more?

YEFMJMO	Len : 2 HOW YOU FEEL FRIENDS USING MJ MONTHLY	Freq	Pct
	1 = Neither approve nor disapprove	46132	5.51
	2 = Somewhat disapprove	37716	4.51
	3 = Strongly disapprove	170270	20.35
	85 = BAD DATA Logically assigned	77	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	3059	0.37
	97 = REFUSED	837	0.10
	98 = BLANK (NO ANSWER)	33	0.00
	99 = LEGITIMATE SKIP	578565	69.15

YOUTH EXPERIENCES

How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?

YEFALDLY Len : 2 HOW YOU FEEL FRIENDS DRINKING ALC DAILY

	Freq	Pct
1 = Neither approve nor disapprove	38430	4.59
2 = Somewhat disapprove	46819	5.60
3 = Strongly disapprove	168890	20.19
85 = BAD DATA Logically assigned	77	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	3050	0.36
97 = REFUSED	825	0.10
98 = BLANK (NO ANSWER)	33	0.00
99 = LEGITIMATE SKIP	578565	69.15

NOTE: In the variables YETLKPAP, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

YETLKNON Len : 2 THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS

	Freq	Pct
1 = Response entered	9858	1.18
6 = Response not entered	242627	29.00
11 = Response entered (& other responses entered).....	3455	0.41
85 = BAD DATA Logically assigned	45	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	1282	0.15
97 = REFUSED	795	0.10
98 = BLANK (NO ANSWER)	62	0.01
99 = LEGITIMATE SKIP	578571	69.15

YETLKPAP Len : 2 MY MOTHER/FATHER/GUARDIAN

	Freq	Pct
1 = Response entered	176871	21.14
6 = Response not entered	77901	9.31
11 = Response entered (YETLKNON=11)	1168	0.14
85 = BAD DATA Logically assigned	28	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1282	0.15
97 = REFUSED	795	0.10
98 = BLANK (NO ANSWER)	79	0.01
99 = LEGITIMATE SKIP	578569	69.15

YETLKBGF Len : 2 MY BOYFRIEND/GIRLFRIEND

	Freq	Pct
1 = Response entered	81776	9.77
6 = Response not entered	172826	20.66
11 = Response entered (YETLKNON=11)	1338	0.16
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	1282	0.15
97 = REFUSED	795	0.10
98 = BLANK (NO ANSWER)	107	0.01
99 = LEGITIMATE SKIP	578568	69.15

YETLKOTA Len : 2 SOME OTHER ADULT

	Freq	Pct
1 = Response entered	70988	8.48
6 = Response not entered	183858	21.97
11 = Response entered (YETLKNON=11)	1094	0.13
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	1282	0.15
97 = REFUSED	795	0.10
98 = BLANK (NO ANSWER)	107	0.01
99 = LEGITIMATE SKIP	578570	69.15

YOUTH EXPERIENCES

YETLKSOP

Len : 2 SOME OTHER PERSON

	Freq	Pct
1 = Response entered	94038	11.24
6 = Response not entered	160119	19.14
11 = Response entered (YETLKNON=11)	1783	0.21
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	1282	0.15
97 = REFUSED	795	0.10
98 = BLANK (NO ANSWER)	107	0.01
99 = LEGITIMATE SKIP	578571	69.15

Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

YEPRTDNG

Len : 2 HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC

	Freq	Pct
1 = Yes.....	148977	17.81
2 = No.....	105754	12.64
85 = BAD DATA Logically assigned	86	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	2405	0.29
97 = REFUSED	867	0.10
98 = BLANK (NO ANSWER)	35	0.00
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

YEPRBSLV

Len : 2 PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	Freq	Pct
1 = Yes.....	58930	7.04
2 = No.....	193910	23.18
85 = BAD DATA Logically assigned	86	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	4438	0.53
97 = REFUSED	725	0.09
98 = BLANK (NO ANSWER)	35	0.00
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

YEVIOPRV

Len : 2 VIOLENCE PREVENTION PROGRAMS

	Freq	Pct
1 = Yes.....	37556	4.49
2 = No.....	218018	26.06
85 = BAD DATA Logically assigned	86	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1807	0.22
97 = REFUSED	622	0.07
98 = BLANK (NO ANSWER)	35	0.00
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

YEDGPRGP

Len : 2 ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL

	Freq	Pct
1 = Yes.....	30926	3.70
2 = No.....	225011	26.89
85 = BAD DATA Logically assigned	86	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1411	0.17
97 = REFUSED	655	0.08
98 = BLANK (NO ANSWER)	35	0.00
99 = LEGITIMATE SKIP.....	578565	69.15

YOUTH EXPERIENCES

During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?

YESLFHLP	Len : 2 AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING	Freq	Pct
	1 = Yes.....	11894	1.42
	2 = No.....	243473	29.10
	85 = BAD DATA Logically assigned.....	86	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	1874	0.22
	97 = REFUSED.....	762	0.09
	98 = BLANK (NO ANSWER).....	35	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?

YEPRGSTD	Len : 2 PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS	Freq	Pct
	1 = Yes.....	28150	3.36
	2 = No.....	227945	27.24
	85 = BAD DATA Logically assigned.....	86	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	1228	0.15
	97 = REFUSED.....	680	0.08
	98 = BLANK (NO ANSWER).....	35	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

YESCHACT	Len : 2 # OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
	0 = None.....	42181	5.04
	1 = One.....	64343	7.69
	2 = Two.....	65253	7.80
	3 = 3 or more.....	84765	10.13
	85 = BAD DATA Logically assigned.....	86	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	969	0.12
	97 = REFUSED.....	490	0.06
	98 = BLANK (NO ANSWER).....	37	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

YECOMACT	Len : 2 # OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
	0 = None.....	66699	7.97
	1 = One.....	71412	8.53
	2 = Two.....	54360	6.50
	3 = 3 or more.....	63130	7.55
	85 = BAD DATA Logically assigned.....	86	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	1870	0.22
	97 = REFUSED.....	529	0.06
	98 = BLANK (NO ANSWER).....	38	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

YOUTH EXPERIENCES

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

YEFAIACT Len : 2 # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	97188	11.62
1 = One	58636	7.01
2 = Two.....	33535	4.01
3 = 3 or more.....	66008	7.89
85 = BAD DATA Logically assigned	86	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1940	0.23
97 = REFUSED	693	0.08
98 = BLANK (NO ANSWER)	38	0.00
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

YEOTHACT Len : 2 # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	152794	18.26
1 = One	56371	6.74
2 = Two.....	22520	2.69
3 = 3 or more.....	24445	2.92
85 = BAD DATA Logically assigned	86	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1321	0.16
97 = REFUSED	549	0.07
98 = BLANK (NO ANSWER)	38	0.00
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months have you had a special class about drugs or alcohol in school?

YEDECLAS Len : 2 A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL

	Freq	Pct
1 = Yes.....	108744	13.00
2 = No.....	129410	15.47
85 = BAD DATA Logically assigned	50	0.01
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	1438	0.17
97 = REFUSED	481	0.06
98 = BLANK (NO ANSWER)	1723	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

YEDERGLR Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS

	Freq	Pct
1 = Yes.....	156620	18.72
2 = No.....	81357	9.72
85 = BAD DATA Logically assigned	50	0.01
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	1589	0.19
97 = REFUSED	507	0.06
98 = BLANK (NO ANSWER)	1723	0.21
99 = LEGITIMATE SKIP.....	594844	71.09

YOUTH EXPERIENCES

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

YEDESPCL	Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS		
		Freq	Pct
	1 = Yes.....	93439	11.17
	2 = No.....	143790	17.19
	85 = BAD DATA Logically assigned.....	50	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
	94 = DON'T KNOW.....	2289	0.27
	97 = REFUSED.....	555	0.07
	98 = BLANK (NO ANSWER).....	1723	0.21
	99 = LEGITIMATE SKIP.....	594844	71.09

During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?

YEPVNTYR	Len : 2 SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
		Freq	Pct
	1 = Yes.....	198395	23.71
	2 = No.....	56664	6.77
	85 = BAD DATA Logically assigned.....	86	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	2398	0.29
	97 = REFUSED.....	543	0.06
	98 = BLANK (NO ANSWER).....	37	0.00
	99 = LEGITIMATE SKIP.....	578566	69.15

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

YERLGSVC	Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES		
		Freq	Pct
	1 = 0 times.....	87559	10.46
	2 = 1 to 2 times.....	35452	4.24
	3 = 3 to 5 times.....	21490	2.57
	4 = 6 to 24 times.....	31528	3.77
	5 = 25 to 52 times.....	32191	3.85
	6 = More than 52 times.....	43760	5.23
	85 = BAD DATA Logically assigned.....	86	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	4968	0.59
	97 = REFUSED.....	1051	0.13
	98 = BLANK (NO ANSWER).....	39	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

YERLGIMP	Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		Freq	Pct
	1 = Strongly Disagree.....	28863	3.45
	2 = Disagree.....	37134	4.44
	3 = Agree.....	102674	12.27
	4 = Strongly Agree.....	83119	9.93
	85 = BAD DATA Logically assigned.....	81	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	4412	0.53
	97 = REFUSED.....	1801	0.22
	98 = BLANK (NO ANSWER).....	40	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

YOUTH EXPERIENCES

Your religious beliefs influence how you make decisions in your life.

YERLDCSN	Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS	Freq	Pct
	1 = Strongly Disagree	33585	4.01
	2 = Disagree	52752	6.30
	3 = Agree	100342	11.99
	4 = Strongly Agree.....	64928	7.76
	85 = BAD DATA Logically assigned.....	81	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW	4601	0.55
	97 = REFUSED	1794	0.21
	98 = BLANK (NO ANSWER)	41	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

It is important that your friends share your religious beliefs.

YERLFRND	Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS	Freq	Pct
	1 = Strongly Disagree	70485	8.42
	2 = Disagree	98331	11.75
	3 = Agree	59925	7.16
	4 = Strongly Agree.....	21961	2.62
	85 = BAD DATA Logically assigned.....	81	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW	5504	0.66
	97 = REFUSED	1796	0.21
	98 = BLANK (NO ANSWER)	41	0.00
	99 = LEGITIMATE SKIP.....	578565	69.15

NOTE: The following recoded serious psychological distress variables, SPD_ASCR and SPD_ADJ, were created similar to variables SPD_USCR and SPD_UADJ. The only difference is that these variables contain a statistical adjustment in which the 2004 sample B "short-form" scores were transformed to match the distributional characteristics of the 2004 sample A "long-form" scores using the cumulative distribution function (CDF) adjustment method. These adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 and older with 2003 and earlier NSDUHs weighted by ANALWT. These variables were not used in the 2004 Detailed Tables. These variables were used for exploratory analyses and producing state level SPD estimates using combined year data from 2004 and earlier NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

SPD_ASCR	Len : 2 SCORE INDICATING LEVEL OF ADJUSTED SPD	Freq	Pct
	RANGE = 0 - 24.....	37302	4.46
	. = (See comment above SPD_USCR)	18300	2.19
	-9 = Data not collected for this year.....	781094	93.35

SPD_ADJ	Len : 1 SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-ADJUSTED	Freq	Pct
	. = (See comment above SPD_USCR)	18300	2.19
	-9 = Data not collected for this year.....	781094	93.35
	0 = No (AGE2>=7 and SPD_ASCR<13).....	32720	3.91
	1 = Yes (AGE2>=7 and SPD_ASCR>=13).....	4582	0.55

NOTE: The following recoded serious psychological distress variables, SPD_RSCR and SPD_RADJ, were created similarly to variables SPD_ASCR and SPD_ADJ. A different adjustment was implemented in which the 2004 sample A "long-form" scores were transformed to match the distributional characteristics of the 2004 sample B "short-form" scores using the cumulative distribution function (CDF) adjustment method. These reverse adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 or older with 2005 and subsequent NSDUHs weighted by ANALWT. These variables were not used in the 2004 Detailed Tables. These variables were used to produce state level estimates for SPD using combined year data from 2004 and subsequent NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

SPD_RSCR	Len : 2 SCORE INDICATING LEVEL OF REVERSE ADJUSTED SPD	Freq	Pct
	RANGE = 0 - 24.....	37302	4.46
	. = (See comment above SPD_USCR)	18300	2.19
	-9 = Data not collected for this year.....	781094	93.35

YOUTH EXPERIENCES

SPD_RADJ Len : 1 SPD INDICATOR-REVERSE ADJUSTED

	Freq	Pct
. = (See comment above SPD_USCR)	18300	2.19
-9 = Data not collected for this year	781094	93.35
0 = No (AGE2>=7 and SPD_RSCR<13)	31070	3.71
1 = Yes (AGE2>=7 and SPD_RSCR>=13)	6232	0.74

MHSVHP Len : 1 HELP RECEIVED FROM MH TRT IMPROV ABIL TO MANAG ACT

	Freq	Pct
. = Unknown/Aged 12-17 (MHSVCHLP=94,97,98,99)	151831	18.15
-9 = Data not collected for this year	671785	80.29
1 = A lot or a great deal (MHSVCHLP=4,5)	6605	0.79
2 = Some or a little (MHSVCHLP=2,3)	4757	0.57
3 = None (MHSVCHLP=1)	1718	0.21

A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAB=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_ADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD_ADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD_ADJ=0 and ABODILAL=0). Respondents aged 12 to 17 or who were not assigned to one of the adult mental health split samples (ADLTSAMP not equal to 1,2) are included in the missing category.

NSPDDPAB Len : 1 NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-ADJ

	Freq	Pct
. = (See comment above)	18300	2.19
-9 = Data not collected for this year	781094	93.35
1 = Drug/Alc Dep/Abuse Only (SPD_ADJ=0 and ABODILAL=1)	4304	0.51
2 = Otherwise (See comment above)	32998	3.94

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Psychological Distress or Recoded Substance Dependence and Abuse.

NOTE: This section contains 2 sets of SPD recoded variables The first set (SPD_USCR and SPD_UADJ) is based only on the K6 questions in the 2007 questionnaire. The second set (K6SMXADJ and SPDYRADJ) is also based on the K6 questions but is statistically adjusted to be comparable with the past year SPD recoded variables in 2008 and later NSDUHs.

NOTE: The following recoded serious psychological distress variables, SPD_USCR and SPD_UADJ, were defined based on data collected from a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during the one month in the past year when they were at their worst emotionally. These questions are known as the K6 and include the following symptoms of distress: feeling nervous (DSTNRVOS), feeling hopeless (DSTHOPLS), feeling restless or fidgety (DSTRSTLS), feeling so sad or depressed that nothing could cheer you up (DSTCHEER), feeling everything was an effort (DSTEFFRT), and feeling no good or worthless (DSTNGOOD). Specific details about the variables, SPD_USCR and SPD_UADJ, are provided in the Recoded Psychological Distress Variable Documentation Appendix.

In order to do multi-year trend analyses for psychological distress that includes the 2004 NSDUH data, please refer to the 2005 documentation for details on comparing data for these measures, including necessary weight adjustments.

The variable, SPD_USCR, is a score from 0 to 24 indicating the level of serious psychological distress (SPD). For adults, this score was calculated by assigning a value of 0 to 4 to each reported response regarding the frequency a respondent experienced symptoms of psychological distress (see above). Subsequently these assigned values were summed to calculate a total score.

SPD_USCR Len : 2 SCORE INDICATING LEVEL OF UNADJUSTED SPD

	Freq	Pct
RANGE = 0 - 24	148757	17.78
. = Aged 12-17 (AGE2<=6)	72834	8.70
-9 = Data not collected for this year	615105	73.52

SPD_UADJ Len : 1 SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-UNADJ

	Freq	Pct
. = Aged 12-17 (AGE2<=6)	72834	8.70
-9 = Data not collected for this year	615105	73.52
0 = No (AGE2>=7 and SPD_USCR<13)	126497	15.12
1 = Yes (AGE2>=7 and SPD_USCR>=13)	22260	2.66

YOUTH EXPERIENCES

NOTE: The following two variables were created using statistical adjustments to allow comparisons with past year SPD variables (K6SCMAX and SPDYR) which are available starting in the 2008 NSDUH. In 2008, K6 questions for the past 30 day reference period were added to the mental health module (referred to as the psychological distress module in 2007). This change prevented comparisons with past year SPD variables between 2004-2007 and 2008 and subsequent years. In order to compare the 2008 SPD variables with the 2005-2007 SPD variables, adjusted versions of the past year K6 total score (K6SMXADJ) and past year SPD (SPDYRADJ) were created. Adjusted variables were not created for 2004. The adjusted past year K6 total scores were used to classify respondents as having past year SPD, using the same cut point as the unadjusted variables. The 2005-2007 adjusted past year SPD variables K6SMXADJ and SPDYRADJ can be renamed to the 2008 and later SPD variable names, i.e., K6SCMAX and SPDYR, in order to make comparisons across years. The adjusted variables were first used to produce past year SPD estimates in the 2010 mental health detailed tables. Additional information on the adjustment that was applied can be found in the Recoded Serious Psychological Distress Variable Documentation Appendix.

K6SMXADJ	Len : 2 ADJUSTED WORST K6 TOTAL SCORE IN PAST YEAR		
		Freq	Pct
	RANGE = 0 - 24.....	111455	13.32
	. = Aged 12-17 (AGE2<=6).....	54534	6.52
	-9 = Data not collected for this year.....	670707	80.16

SPDYRADJ	Len : 1 ADJUSTED PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS		
		Freq	Pct
	. = Aged 12-17 (AGE2<=6).....	54534	6.52
	-9 = Data not collected for this year.....	670707	80.16
	0 = No (AGE2>=7 and K6SMXADJ<13).....	95220	11.38
	1 = Yes (AGE2>=7 and K6SMXADJ>=13).....	16235	1.94

NOTE: The following 5 variables were created by using a combination of the recoded psychological distress and recoded substance dependence and abuse variables. Specifications on how the recoded psychological distress variable was defined can be found at the beginning of this section and in the Recoded Psychological Distress Variable Documentation Appendix. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

SPDODPAU	Len : 1 SPD OR DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.).....	72834	8.70
	-9 = Data not collected for this year.....	615105	73.52
	1 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1).....	38071	4.55
	2 = No SPD & No Dep/Abuse (SPD_UADJ=0 and ABODILAL=0).....	110686	13.23

SPDADPAU	Len : 1 SPD AND DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.).....	72834	8.70
	-9 = Data not collected for this year.....	615105	73.52
	1 = SPD & Drg/Alc Dep/Abus (SPD_UADJ=1 and ABODILAL=1).....	6502	0.78
	2 = No SPD or No Dep/Abuse (SPD_UADJ=0 or ABODILAL=0).....	142255	17.00

NSPNDPAU	Len : 1 NO SPD AND NO DRUG/ALCOHOL DEPENDENCE OR ABUSE-UAJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.).....	72834	8.70
	-9 = Data not collected for this year.....	615105	73.52
	1 = No SPD and No Dep/Abus (SPD_UADJ=0 and ABODILAL=0).....	110686	13.23
	2 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1).....	38071	4.55

A respondent was classified as having other than serious psychological distress (SPD) only (SPDNDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or not having SPD but having dependence or abuse (SPD_UADJ=0 and ABODILAL=1); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0).

SPDNDPAU	Len : 1 SPD BUT NO DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.).....	72834	8.70
	-9 = Data not collected for this year.....	615105	73.52
	1 = SPD Only (SPD_UADJ=1 and ABODILAL=0).....	15758	1.88
	2 = Otherwise (See comment above).....	132999	15.90

YOUTH EXPERIENCES

A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD_UADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0).

NSPDDPAU	Len : 1 NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ		
		Freq	Pct
	. = Aged 12-17 (SPD_UADJ=.)	72834	8.70
	-9 = Data not collected for this year	615105	73.52
	1 = Drug/Alc Dep/Abuse Only (SPD_UADJ=0 & ABODILAL=1)	15811	1.89
	2 = Otherwise (See comment above)	132946	15.89

NOTE: The following two variables are the outcomes measures of an alternative predictive model used to generate estimates of Serious Mental Illness (SMI) for 2005-2007. More information about this alternative model can be found in the report "Statistical Models to Predict Mental Illness from 2005 to 2007" (CBHSQ, 2017). Note the 2012 SMI predictive model is used in 2008 and subsequent years.

The following variable, SMIPP_A, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using an alternative logistic regression model of SMI developed for 2005-2007 that used predictor variables consisting of past year suicidal thoughts, past year MDE, past year diagnosis of depression, K6, and the SDS. This exploratory variable was developed in an attempt to be comparable with the variable SMIPP_U for 2008 and later NSDUHs; however, it is based on a different set of predictors. Users should consider the differences in methodology prior to making any decision on whether and how to use this variable. For more information about this measure, please see the Recoded Mental Health appendix.

SMIPP_A	Len : 12 PREDICTED SERIOUS MENTAL ILLNESS PROB ADJUSTED - ALT MODEL		
		Freq	Pct
	RANGE = 0.0002072124 - 0.9976962409	111455	13.32
	. = 12-17 Years Old (AGE<18)	54534	6.52
	-9 = Data not collected for this year	670707	80.16

The following variable, SMIYR_A, is not recommended to be used when analyzing variables that were used as predictor variables for the SMI model: past year suicidal thoughts, past year MDE, past year diagnosis of depression, K6, or the SDS. Furthermore, the use of this variable is not recommended to be used when analyzing other variables closely linked with the predictor variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE or depression, SPD, or components used in the K6 or SDS scales). This exploratory variable was developed in an attempt to be comparable with the variable SMIYR_U for 2008 and later NSDUHs; however, it is based on a different set of predictors. Users should consider the differences in methodology prior to making any decision on whether and how to use this variable. For more information about this measure, please see the Recoded Mental Health appendix.

SMIYR_A	Len : 1 SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB - ALT MOD		
		Freq	Pct
	. = 12-17 Years Old (AGE<18)	54534	6.52
	-9 = Data not collected for this year	670707	80.16
	0 = No (SMIPP_A<0.372556455)	106266	12.70
	1 = Yes (SMIPP_A>=0.372556455)	5189	0.62

SCHWORK	Len : 1 HOW YTH FELT: SCHL WORK IMPT IN PST YR		
		Freq	Pct
	. = Otherwise (YESCHWRK=85,89,94,97,98,99)	154479	18.46
	-9 = Data not collected for this year	615880	73.61
	1 = Always/Sometimes (YESCHWRK=1,2)	51439	6.15
	2 = Seldom/Never (YESCHWRK=3,4)	14898	1.78

SCHIMPT	Len : 1 HOW YTH FELT: THINGS LEARNED IN PST YR IMP IN LIFE		
		Freq	Pct
	. = Otherwise (YESCHIMP=85,89,94,97,98,99)	154481	18.46
	-9 = Data not collected for this year	615880	73.61
	1 = Very/Somewhat Important (YESCHIMP=1,2)	58416	6.98
	2 = Very/Somewhat Unimportant (YESCHIMP=3,4)	7919	0.95

SCHINTST	Len : 1 HOW YTH FELT: CLASS AT SCHL INTERST IN PST YR		
		Freq	Pct
	. = Otherwise (YESCHINT=85,89,94,97,98,99)	154464	18.46
	-9 = Data not collected for this year	615880	73.61
	1 = Very/Somewhat Interesting (YESCHINT=1,2)	50049	5.98
	2 = Very/Somewhat Boring (YESCHINT=3,4)	16303	1.95

YOUTH EXPERIENCES

DGSPCLS2	Len : 1 YOUTH TAKEN SPECIAL CLASS ABOUT DRUGS	Freq	Pct
	. = Otherwise (YEDECLAS=85,89,94,97,98,99).....	154657	18.48
	-9 = Data not collected for this year.....	615880	73.61
	1 = Yes (YEDECLAS=1).....	32368	3.87
	2 = No (YEDECLAS=2).....	33791	4.04
DGRGCLS2	Len : 1 YOUTH DRUG EDUC IN REGULAR CLASS	Freq	Pct
	. = Otherwise (YEDERGLR=85,89,94,97,98,99).....	154729	18.49
	-9 = Data not collected for this year.....	615880	73.61
	1 = Yes (YEDERGLR=1).....	44933	5.37
	2 = No (YEDERGLR=2).....	21154	2.53
DRGLECT2	Len : 1 YOUTH DRUG EDUC OUTSIDE REG CLASS	Freq	Pct
	. = Otherwise (YEDESPCL=85,89,94,97,98,99).....	154877	18.51
	-9 = Data not collected for this year.....	615880	73.61
	1 = Yes (YEDESPCL=1).....	26624	3.18
	2 = No (YEDESPCL=2).....	39315	4.70

RECODED YOUTH EXPERIENCES

RECODED YOUTH EXPERIENCES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

MVIN5YR2	Len : 1 NUMBER OF TIMES YOUTH MOVED IN PST 5 YRS		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	497712	59.49
	1 = More than One Time (YEMOV5Y2=2 to 6).....	114043	13.63
	2 = None or One Time (YEMOV5Y2=0,1).....	56116	6.71
		168825	20.18
SCHFELT	Len : 1 RC-HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	597059	71.36
	2 = Didn't Like Very Much/Hated (YESCHFLT=3,4).....	191522	22.89
		48115	5.75
TCHGJOB	Len : 1 RC-TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YETCGJOB=1,2).....	597365	71.40
	2 = Seldom/Never (YETCGJOB=3,4).....	187839	22.45
		51492	6.15
AVGGRADE	Len : 1 RC-GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = D or Lower (YELSTGRD=4).....	607531	72.61
	2 = A, B, or C (YELSTGRD=1,2,3).....	13697	1.64
		215468	25.75
STNDSCIG	Len : 1 RC-STUDENTS IN YTH GRADE SMOKE CIGARETTES		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Most/All (YESTSCIG=3,4).....	603638	72.15
	2 = None/Few (YESTSCIG=1,2).....	59243	7.08
		173815	20.77
STNDSMJ	Len : 1 RC-STUDENTS IN YTH GRADE USE MARIJUANA		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Most/All (YESTSMJ=3,4).....	606866	72.53
	2 = None/Few (YESTSMJ=1,2).....	59462	7.11
		170368	20.36
STNDALC	Len : 1 RC-STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Most/All (YESTSALC=3,4).....	604859	72.29
	2 = None/Few (YESTSALC=1,2).....	95454	11.41
		136383	16.30
STNDDNK	Len : 1 RC-STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Most/All (YESTSDNK=3,4).....	607986	72.67
	2 = None/Few (YESTSDNK=1,2).....	37389	4.47
		191321	22.87
PARCHKHW	Len : 1 RC-PARENTS CHECK IF HOMEWORK DONE IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YEPCHKHW=1,2).....	597547	71.42
	2 = Seldom/Never (YEPCHKHW=3,4).....	191933	22.94
		47216	5.64

RECODED YOUTH EXPERIENCES

PARHLPHW	Len : 1 RC-PARENTS HELP WITH HOMEWORK IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YEPHLPHW=1,2).....	597766	71.44
	2 = Seldom/Never (YEPHLPHW=3,4).....	192251	22.98
		46679	5.58
PRCHORE2	Len : 1 RC-PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YEPCHORE=1,2).....	579812	69.30
	2 = Seldom/Never (YEPCHORE=3,4).....	225817	26.99
		31067	3.71
PRLMTTV2	Len : 1 RC-PARENTS LIMIT AMOUNT OF TV IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YEPLMTTV=1,2).....	580582	69.39
	2 = Seldom/Never (YEPLMTTV=3,4).....	98794	11.81
		157320	18.80
PARLMTSN	Len : 1 RC-PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YEPLMTSN=1,2).....	600068	71.72
	2 = Seldom/Never (YEPLMTSN=3,4).....	163735	19.57
		72893	8.71
PRGDJOB2	Len : 1 RC-PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YEPGDJOB=1,2).....	579794	69.30
	2 = Seldom/Never (YEPGDJOB=3,4).....	220446	26.35
		36456	4.36
PRPROUD2	Len : 1 RC-PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Always/Sometimes (YEPPROUD=1,2).....	579832	69.30
	2 = Seldom/Never (YEPPROUD=3,4).....	219385	26.22
		37479	4.48
ARGUPAR	Len : 1 RC-TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = 9 or Fewer (YEYARGUP=1,2,3,4).....	582201	69.58
	2 = 10 or More (YEYARGUP=5).....	197288	23.58
		57207	6.84
YOFIGHT2	Len : 1 RC-YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = One or More Times (YEYFGTSW=2,3,4,5).....	579906	69.31
	2 = None (YEYFGTSW=1).....	53945	6.45
		202845	24.24
YOGRPFT2	Len : 1 RC-YOUTH FOUGHT WITH GROUP VS OTHER GROUP		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = One or More Times (YEYFGTGP=2,3,4,5).....	579935	69.31
	2 = None (YEYFGTGP=1).....	37585	4.49
		219176	26.20
YOHGUN2	Len : 1 RC-YOUTH CARRIED A HANDGUN		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = One or More Times (YEYHGUN=2,3,4,5).....	579663	69.28
	2 = None (YEYHGUN=1).....	9865	1.18
		247168	29.54

RECODED YOUTH EXPERIENCES

YOSELL2	Len : 1 RC-YOUTH SOLD ILLEGAL DRUGS		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = One or More Times (YEYSELL=2,3,4,5).....	579459	69.26
	2 = None (YEYSELL=1).....	8510	1.02
		248727	29.73
YOSTOLE2	Len : 1 RC-YOUTH STOLE/TRIED TO STEAL ITEM >\$50		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = One or More Times (YEYSTOLE=2,3,4,5).....	579522	69.26
	2 = None (YEYSTOLE=1).....	10687	1.28
		246487	29.46
YOATTAK2	Len : 1 RC-YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = One or More Times (YEYATTAK=2,3,4,5).....	579552	69.27
	2 = None (YEYATTAK=1).....	17993	2.15
		239151	28.58
PRPKCIG2	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly Disapprove (YEPPKCIG=3).....	582439	69.61
	2 = Somewhat Disapprove or Neither (YEPPKCIG=1,2).....	233202	27.87
		21055	2.52
PRMJEV2	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH TRY MARIJUANA		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly Disapprove (YEPMJEV2=3).....	582114	69.57
	2 = Somewhat Disapprove or Neither (YEPMJEV2=1,2).....	226053	27.02
		28529	3.41
PRMJMO	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH USE MARIJUANA MNTHLY		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly Disapprove (YEPMJMO=3).....	582147	69.58
	2 = Somewhat Disapprove or Neither (YEPMJMO=1,2).....	232589	27.80
		21960	2.62
PRALDLY2	Len : 1 RC-YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly Disapprove (YEPALDLY=3).....	582006	69.56
	2 = Somewhat Disapprove or Neither (YEPALDLY=1,2).....	227982	27.25
		26708	3.19
YFLPKCG2	Len : 1 RC-HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEGPKCIG=2,3).....	581667	69.52
	2 = Neither Approve Nor Disapprove (YEGPKCIG=1).....	229176	27.39
		25853	3.09
YFLTMRJ2	Len : 1 RC-HOW YTH FEELS: PEERS TRY MARIJUANA		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEGMJEV2=2,3).....	581713	69.53
	2 = Neither Approve Nor Disapprove (YEGMJEV2=1).....	204838	24.48
		50145	5.99
YFLMJMO	Len : 1 RC-HOW YTH FEELS: PEERS USING MARIJUANA MONTHLY		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3).....	581725	69.53
	2 = Neither Approve Nor Disapprove (YEGMJMO=1).....	205743	24.59
		49228	5.88

RECODED YOUTH EXPERIENCES

YFLADLY2	Len : 1 RC-HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEGALDLY=2,3).....	581636	69.52
	2 = Neither Approve Nor Disapprove (YEGALDLY=1).....	221679	26.49
		33381	3.99

FRDPCIG2	Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFKPCIG=2,3).....	582462	69.61
	2 = Neither Approve Nor Disapprove (YEFKPCIG=1).....	222111	26.55
		32123	3.84

FRDMEVR2	Len : 1 RC-YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MARIJUANA		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFMJEV=2,3).....	582476	69.62
	2 = Neither Approve Nor Disapprove (YEFMJEV=1).....	204342	24.42
		49878	5.96

FRDMJMON	Len : 1 RC-YTH THINK: CLSE FRNDS FEEL ABT YTH USE MARIJUANA MON		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3).....	582578	69.63
	2 = Neither Approve Nor Disapprove (YEFMJMO=1).....	207986	24.86
		46132	5.51

FRDADLY2	Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3).....	582557	69.63
	2 = Neither Approve Nor Disapprove (YEFALDLY=1).....	215709	25.78
		38430	4.59

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as SAS missing.

TALKPROB	Len : 1 RC-WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS		
	. = Otherwise (See comment above).....	Freq	Pct
	1 = No One (YETLKNON=1).....	584211	69.82
	2 = Someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=1).....	9858	1.18
		242627	29.00

PRTALK3	Len : 1 RC-TALKED WITH PARENT ABOUT DANGER TOB/ALC/DRG		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Yes (YEPRTDNG=1).....	581965	69.56
	2 = No (YEPRTDNG=2).....	148977	17.81
		105754	12.64

PRBSOLV2	Len : 1 RC-PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Yes (YEPRBSLV=1).....	583856	69.78
	2 = No (YEPRBSLV=2).....	58930	7.04
		193910	23.18

PREVIOL2	Len : 1 RC-PARTICIPATED IN VIOLENCE PREVENTION PROGRAM		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	1 = Yes (YEVIOPRV=1).....	581122	69.45
	2 = No (YEVIOPRV=2).....	37556	4.49
		218018	26.06

RECORDED YOUTH EXPERIENCES

PRVDRGO2	Len : 1 RC-PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	580759	69.41
	1 = Yes (YEDGPRGP=1).....	30926	3.70
	2 = No (YEDGPRGP=2).....	225011	26.89

GRPCNSL2	Len : 1 RC-PARTICIPATED IN PROGRAM TO HELP SUBSTANCE USE	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	581329	69.48
	1 = Yes (YESLFHLP=1).....	11894	1.42
	2 = No (YESLFHLP=2).....	243473	29.10

PREGPM2	Len : 1 RC-PARTICIPATED IN PREG/STD PREVENTION PROGRAM	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	580601	69.39
	1 = Yes (YEPRGSTD=1).....	28150	3.36
	2 = No (YEPRGSTD=2).....	227945	27.24

The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFIACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "2 or More Activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as SAS missing. To be included in the "None or 1 Activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.

YTHACT2	Len : 1 RC-YTH PARTICIPATED IN YOUTH ACTIVITIES	Freq	Pct
	. = Otherwise/Aged 18+ (See comment above).....	579702	69.28
	1 = None or 1 Activity (See comment above).....	36402	4.35
	2 = 2 or More Activities (See comment above).....	220592	26.36

DRPRVME3	Len : 1 RC-YTH SEEN DRUG PREVENTION MESSAGE OUTSIDE SCHOOL	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	581637	69.52
	1 = Yes (YEPVNTYR=1).....	198395	23.71
	2 = No (YEPVNTYR=2).....	56664	6.77

ANYEDUC3	Len : 1 RC-YTH HAD ANY DRUG EDUCATION IN SCHOOL	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	598578	71.54
	1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1).....	181093	21.64
	2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2).....	57025	6.82

RLGATTD	Len : 1 RC-NUMBER TIMES ATTEND RELIGIOUS SERVICES IN PST YR	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	584716	69.88
	1 = 25 or More (YERLGSVC=5,6).....	75951	9.08
	2 = Less than 25 (YERLGSVC=1,2,3,4).....	176029	21.04

RLGIMPT	Len : 1 RC-RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	584906	69.91
	1 = Agree/Strongly Agree (YERLGIMP=3,4).....	185793	22.21
	2 = Strongly Disagree/Disagree (YERLGIMP=1,2).....	65997	7.89

RLGDSCN	Len : 1 RC-RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise).....	585089	69.93
	1 = Agree/Strongly Agree (YERLDCSN=3,4).....	165270	19.75
	2 = Strongly Disagree/Disagree (YERLDCSN=1,2).....	86337	10.32

RECODED YOUTH EXPERIENCES

RLGFRND

Len : 1 RC-IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	585994	70.04
1 = Agree/Strongly Agree (YERLFRND=3,4).....	81886	9.79
2 = Strongly Disagree/Disagree (YERLFRND=1,2).....	168816	20.18

NOTE: Adult respondents in 2008 were assigned to receive one of two possible sets of questions to assess disturbances in social adjustment and behavior or impairment in a person's daily functioning due to problems with emotions, nerves, or mental health. Adults in Sample A received 8 of 16 questions from the World Health Organization Disability Assessment Schedule (WHODAS). Adults in Sample B received four questions from the Sheehan Disability Scale (SDS).

MHSAMP08

Len : 2 VERSION OF MH QUES - A (WHODAS) OR B (SHEEHAN)

	Freq	Pct
-9 = Data not collected for this year.....	781586	93.41
1 = WHODAS.....	18582	2.22
2 = Sheehan.....	18914	2.26
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP.....	17605	2.10

The next questions are about how much your emotions, nerves, or mental health interfered with your daily activities. In answering, think of the one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much your emotions, nerves or mental health interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

During that month when you were at your worst emotionally, how much did your emotions interfere with your ability to do home management tasks, like cleaning, shopping, and working around the house, apartment, or yard?

MHSMGT

Len : 2 1HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	Freq	Pct
-9 = Data not collected for this year.....	781586	93.41
0 = No Interference.....	4328	0.52
1 = Mild - 1.....	2241	0.27
2 = Mild - 2.....	2084	0.25
3 = Mild - 3.....	1684	0.20
4 = Moderate - 4.....	1091	0.13
5 = Moderate - 5.....	1485	0.18
6 = Moderate - 6.....	991	0.12
7 = Severe - 7.....	651	0.08
8 = Severe - 8.....	475	0.06
9 = Severe - 9.....	184	0.02
10 = Very Severe Interference.....	266	0.03
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	111	0.01
97 = REFUSED.....	86	0.01
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP.....	39423	4.71

RECORDED YOUTH EXPERIENCES

During that month in the past 12 months when you were at your worst emotionally how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

MHSWORK

Len : 2 1HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
-9 = Data not collected for this year	781586	93.41
0 = No Interference	5430	0.65
1 = Mild - 1	2180	0.26
2 = Mild - 2	1957	0.23
3 = Mild - 3	1722	0.21
4 = Moderate - 4	985	0.12
5 = Moderate - 5	1098	0.13
6 = Moderate - 6	735	0.09
7 = Severe - 7	534	0.06
8 = Severe - 8	364	0.04
9 = Severe - 9	199	0.02
10 = Very Severe Interference	293	0.04
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	101	0.01
97 = REFUSED	79	0.01
98 = BLANK (NO ANSWER)	8	0.00
99 = LEGITIMATE SKIP	39423	4.71

During that month when you were at your worst emotionally, how much did this interfere with your ability to form and maintain close relationships with other people?

You can use any number between 0 and 10 to answer.

MHSRELS

Len : 2 1HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
-9 = Data not collected for this year	781586	93.41
0 = No Interference	5371	0.64
1 = Mild - 1	2069	0.25
2 = Mild - 2	1855	0.22
3 = Mild - 3	1549	0.19
4 = Moderate - 4	958	0.11
5 = Moderate - 5	1118	0.13
6 = Moderate - 6	763	0.09
7 = Severe - 7	648	0.08
8 = Severe - 8	523	0.06
9 = Severe - 9	358	0.04
10 = Very Severe Interference	307	0.04
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	86	0.01
97 = REFUSED	72	0.01
98 = BLANK (NO ANSWER)	8	0.00
99 = LEGITIMATE SKIP	39423	4.71

RECODED YOUTH EXPERIENCES

How much did your emotions interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

MHSSOC Len : 2 1HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year.....	781586	93.41
0 = No Interference.....	5345	0.64
1 = Mild - 1.....	2076	0.25
2 = Mild - 2.....	1691	0.20
3 = Mild - 3.....	1506	0.18
4 = Moderate - 4.....	1019	0.12
5 = Moderate - 5.....	1142	0.14
6 = Moderate - 6.....	786	0.09
7 = Severe - 7.....	661	0.08
8 = Severe - 8.....	535	0.06
9 = Severe - 9.....	390	0.05
10 = Very Severe Interference.....	385	0.05
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	79	0.01
97 = REFUSED.....	62	0.01
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP.....	39423	4.71

You said that your emotions interfered with your [FILL WITH ACTIVITY NAME FROM UP TO ALL ITEMS WHERE MJAD66a = 1-10 OR MJAD66b=1-10 OR MJAD66c=1-10 OR MJAD66d=1-10]. During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

MHSWEEKS Len : 2 1# WKS DURING PST 12 MOS DID YOU HAVE DIFFICULTY

	Freq	Pct
RANGE = 1 - 52.....	11960	1.43
-9 = Data not collected for this year.....	781586	93.41
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	427	0.05
97 = REFUSED.....	134	0.02
98 = BLANK (NO ANSWER).....	110	0.01
99 = LEGITIMATE SKIP.....	42477	5.08

During (that [MHWEEK1FILL] week/those [MHWEEK1 FILL] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?

MHSDYFRQ Len : 2 1HOW OFTEN DID YOU HAVE DIFFICULTIES

	Freq	Pct
-9 = Data not collected for this year.....	781586	93.41
1 = Every day.....	731	0.09
2 = Most days.....	3279	0.39
3 = Only one or two days a week.....	7909	0.95
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	26	0.00
97 = REFUSED.....	149	0.02
98 = BLANK (NO ANSWER).....	537	0.06
99 = LEGITIMATE SKIP.....	42477	5.08

RECODED YOUTH EXPERIENCES

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

MHSYDAYS Len : 3 1# DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	12264	1.47
-9 = Data not collected for this year	781586	93.41
985 = BAD DATA Logically assigned	1	0.00
989 = LEGITIMATE SKIP Logically assigned	1	0.00
994 = DON'T KNOW	174	0.02
997 = REFUSED	83	0.01
998 = BLANK (NO ANSWER).....	110	0.01
999 = LEGITIMATE SKIP.....	42477	5.08

NOTE: MHIMPAIR is a created variable based on answers to questions corresponding to MHSMGT through MHSSOC. Questions corresponding to these variables were adapted from the Sheehan Disability Scale (SDS), which measures impairment in a person's daily functioning.

MHIMPAIR Len : 2 1IMPAIRMENT SCORE FROM SDS

	Freq	Pct
RANGE = 0 - 50	15677	1.87
-9 = Data not collected for this year	781586	93.41
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
98 = BLANK (NO ANSWER)	8	0.00
99 = LEGITIMATE SKIP.....	39423	4.71

NOTE: IMPAIR is a created variable based on answers to questions corresponding to IMPREMEM through IMPWORK. Questions corresponding to these variables were adapted from a subset of questions in the World Health Organization Disability Assessment Schedule (WHODAS), which consists of questions that are used for assessing impairment in social adjustment and behavior.

Since 2010, an alternate score was given to the source variable (WHODAS) for respondents whose answers to questions corresponding to the distress measures DSTNRV30 through DSTNGD12 were all missing. The IMPAIR variable for these cases was assigned a level of 89 (LEGITIMATE SKIP Logically assigned).

IMPAIR Len : 2 IMPAIRMENT SCORE FROM WHODAS SUBSET

	Freq	Pct
RANGE = 0 - 50	140899	16.84
-9 = Data not collected for this year	555374	66.38
85 = BAD DATA Logically assigned	14	0.00
89 = LEGITIMATE SKIP Logically assigned	217	0.03
98 = BLANK (NO ANSWER)	39	0.00
99 = LEGITIMATE SKIP.....	140153	16.75

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

DSTNRV30 Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	7898	0.94
2 = Most of the time.....	16783	2.01
3 = Some of the time.....	71849	8.59
4 = A little of the time.....	133137	15.91
5 = None of the time	125050	14.95
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	750	0.09
97 = REFUSED	834	0.10
98 = BLANK (NO ANSWER)	88	0.01
99 = LEGITIMATE SKIP.....	149378	17.85

RECORDED YOUTH EXPERIENCES

During the past 30 days, how often did you feel hopeless?

DSTHOP30 Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	5909	0.71
2 = Most of the time	10714	1.28
3 = Some of the time	35614	4.26
4 = A little of the time	69450	8.30
5 = None of the time	232974	27.84
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	755	0.09
97 = REFUSED	884	0.11
98 = BLANK (NO ANSWER)	89	0.01
99 = LEGITIMATE SKIP	149378	17.85

During the past 30 days, how often did you feel restless or fidgety?

DSTRST30 Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	8154	0.97
2 = Most of the time	17426	2.08
3 = Some of the time	63039	7.53
4 = A little of the time	104000	12.43
5 = None of the time	161760	19.33
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1031	0.12
97 = REFUSED	889	0.11
98 = BLANK (NO ANSWER)	90	0.01
99 = LEGITIMATE SKIP	149378	17.85

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

DSTCHR30 Len : 2 HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	5277	0.63
2 = Most of the time	10884	1.30
3 = Some of the time	33427	4.00
4 = A little of the time	66694	7.97
5 = None of the time	238491	28.50
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	681	0.08
97 = REFUSED	845	0.10
98 = BLANK (NO ANSWER)	90	0.01
99 = LEGITIMATE SKIP	149378	17.85

During the past 30 days, how often did you feel that everything was an effort?

DSTEFF30 Len : 2 HOW OFT FELT EVERYTHING EFFORT PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	16270	1.94
2 = Most of the time	23113	2.76
3 = Some of the time	53269	6.37
4 = A little of the time	94131	11.25
5 = None of the time	166258	19.87
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	2173	0.26
97 = REFUSED	1085	0.13
98 = BLANK (NO ANSWER)	90	0.01
99 = LEGITIMATE SKIP	149378	17.85

RECORDED YOUTH EXPERIENCES

During the past 30 days, how often did you feel down on yourself, no good or worthless?

DSTNGD30 Len : 2 HOW OFT FELT DOWN/WTHLSS/NO GOOD PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	6241	0.75
2 = Most of the time	12196	1.46
3 = Some of the time	33572	4.01
4 = A little of the time	70609	8.44
5 = None of the time	232028	27.73
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	725	0.09
97 = REFUSED	927	0.11
98 = BLANK (NO ANSWER)	91	0.01
99 = LEGITIMATE SKIP	149378	17.85

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

DSTWORST Len : 2 MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Yes	119952	14.34
2 = No	234262	28.00
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1158	0.14
97 = REFUSED	924	0.11
98 = BLANK (NO ANSWER)	93	0.01
99 = LEGITIMATE SKIP	149378	17.85

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

DSTNRV12 Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	13993	1.67
2 = Most of the time	29335	3.51
3 = Some of the time	40541	4.85
4 = A little of the time	27390	3.27
5 = None of the time	8435	1.01
85 = BAD DATA Logically assigned	22	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	210	0.03
97 = REFUSED	972	0.12
98 = BLANK (NO ANSWER)	1253	0.15
99 = LEGITIMATE SKIP	383643	45.85

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

DSTHOP12 Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = All of the time	11986	1.43
2 = Most of the time	21599	2.58
3 = Some of the time	29800	3.56
4 = A little of the time	27110	3.24
5 = None of the time	29257	3.50
85 = BAD DATA Logically assigned	22	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	135	0.02
97 = REFUSED	989	0.12
98 = BLANK (NO ANSWER)	1253	0.15
99 = LEGITIMATE SKIP	383643	45.85

RECORDED YOUTH EXPERIENCES

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

DSTRST12		Len : 2	HOW OFTEN FELT RESTLESS IN WORST MONTH	Freq	Pct
			-9 = Data not collected for this year.....	330900	39.55
			1 = All of the time.....	11009	1.32
			2 = Most of the time.....	20966	2.51
			3 = Some of the time.....	34333	4.10
			4 = A little of the time.....	32414	3.87
			5 = None of the time.....	20942	2.50
			85 = BAD DATA Logically assigned.....	22	0.00
			89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
			94 = DON'T KNOW.....	213	0.03
			97 = REFUSED.....	999	0.12
			98 = BLANK (NO ANSWER).....	1253	0.15
			99 = LEGITIMATE SKIP.....	383643	45.85

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

DSTCHR12		Len : 2	HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH	Freq	Pct
			-9 = Data not collected for this year.....	330900	39.55
			1 = All of the time.....	12210	1.46
			2 = Most of the time.....	21638	2.59
			3 = Some of the time.....	28231	3.37
			4 = A little of the time.....	28196	3.37
			5 = None of the time.....	29487	3.52
			85 = BAD DATA Logically assigned.....	22	0.00
			89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
			94 = DON'T KNOW.....	124	0.01
			97 = REFUSED.....	990	0.12
			98 = BLANK (NO ANSWER).....	1253	0.15
			99 = LEGITIMATE SKIP.....	383643	45.85

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

DSTEFF12		Len : 2	HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON	Freq	Pct
			-9 = Data not collected for this year.....	330900	39.55
			1 = All of the time.....	15082	1.80
			2 = Most of the time.....	23310	2.79
			3 = Some of the time.....	30742	3.67
			4 = A little of the time.....	30037	3.59
			5 = None of the time.....	20266	2.42
			85 = BAD DATA Logically assigned.....	22	0.00
			89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
			94 = DON'T KNOW.....	402	0.05
			97 = REFUSED.....	1037	0.12
			98 = BLANK (NO ANSWER).....	1253	0.15
			99 = LEGITIMATE SKIP.....	383643	45.85

RECORDED YOUTH EXPERIENCES

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

DSTNGD12	Len : 2 HOW OFTEN FELT NO GOOD IN WORST MONTH		
		Freq	Pct
	-9 = Data not collected for this year.....	330900	39.55
	1 = All of the time.....	12224	1.46
	2 = Most of the time.....	18839	2.25
	3 = Some of the time.....	25616	3.06
	4 = A little of the time.....	27023	3.23
	5 = None of the time.....	36004	4.30
	85 = BAD DATA Logically assigned.....	22	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	152	0.02
	97 = REFUSED.....	1018	0.12
	98 = BLANK (NO ANSWER).....	1253	0.15
	99 = LEGITIMATE SKIP.....	383643	45.85

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

IMPREMEM	Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	330900	39.55
	1 = No difficulty.....	136961	16.37
	2 = Mild difficulty.....	89231	10.66
	3 = Moderate difficulty.....	35009	4.18
	4 = Severe difficulty.....	8746	1.05
	85 = BAD DATA Logically assigned.....	22	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
	94 = DON'T KNOW.....	1029	0.12
	97 = REFUSED.....	550	0.07
	98 = BLANK (NO ANSWER).....	41	0.00
	99 = LEGITIMATE SKIP.....	234204	27.99

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

IMPCONCN	Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year.....	330900	39.55
	1 = No difficulty.....	120686	14.42
	2 = Mild difficulty.....	95623	11.43
	3 = Moderate difficulty.....	41555	4.97
	4 = Severe difficulty.....	12061	1.44
	85 = BAD DATA Logically assigned.....	22	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
	94 = DON'T KNOW.....	1017	0.12
	97 = REFUSED.....	583	0.07
	98 = BLANK (NO ANSWER).....	42	0.01
	99 = LEGITIMATE SKIP.....	234204	27.99

RECODED YOUTH EXPERIENCES

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

IMPGOUT Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = No difficulty	187226	22.38
2 = Mild difficulty	43783	5.23
3 = Moderate difficulty	24063	2.88
4 = Severe difficulty	9484	1.13
5 = You didn't leave the house on your own	5499	0.66
85 = BAD DATA Logically assigned	22	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	854	0.10
97 = REFUSED	616	0.07
98 = BLANK (NO ANSWER)	42	0.01
99 = LEGITIMATE SKIP	234204	27.99

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

IMPGOUTM Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Yes	3254	0.39
2 = No	2225	0.27
94 = DON'T KNOW	13	0.00
97 = REFUSED	622	0.07
98 = BLANK (NO ANSWER)	919	0.11
99 = LEGITIMATE SKIP	498763	59.61

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

IMPPEOP Len : 2 DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = No difficulty	162475	19.42
2 = Mild difficulty	58533	7.00
3 = Moderate difficulty	28641	3.42
4 = Severe difficulty	11738	1.40
5 = You didn't deal with people you did not know well	8595	1.03
85 = BAD DATA Logically assigned	22	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	934	0.11
97 = REFUSED	608	0.07
98 = BLANK (NO ANSWER)	43	0.01
99 = LEGITIMATE SKIP	234204	27.99

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

IMPPEOPM Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Yes	3974	0.47
2 = No	4552	0.54
94 = DON'T KNOW	56	0.01
97 = REFUSED	621	0.07
98 = BLANK (NO ANSWER)	999	0.12
99 = LEGITIMATE SKIP	495594	59.23

RECODED YOUTH EXPERIENCES

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

IMPSOC Len : 2 DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = No difficulty	153984	18.40
2 = Mild difficulty	58385	6.98
3 = Moderate difficulty	31642	3.78
4 = Severe difficulty	15181	1.81
5 = You didn't participate in social activities	10886	1.30
85 = BAD DATA Logically assigned	22	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	816	0.10
97 = REFUSED	630	0.08
98 = BLANK (NO ANSWER)	43	0.01
99 = LEGITIMATE SKIP	234204	27.99

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

IMPSOCM Len : 2 EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Yes	6350	0.76
2 = No	4491	0.54
94 = DON'T KNOW	35	0.00
97 = REFUSED	640	0.08
98 = BLANK (NO ANSWER)	881	0.11
99 = LEGITIMATE SKIP	493399	58.97

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

IMPHHLD Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = No difficulty	154986	18.52
2 = Mild difficulty	65642	7.85
3 = Moderate difficulty	32656	3.90
4 = Severe difficulty	13477	1.61
5 = You didn't take care of household responsibilities	3423	0.41
85 = BAD DATA Logically assigned	22	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	734	0.09
97 = REFUSED	604	0.07
98 = BLANK (NO ANSWER)	45	0.01
99 = LEGITIMATE SKIP	234204	27.99

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

IMPHHLDM Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Yes	2135	0.26
2 = No	1266	0.15
94 = DON'T KNOW	18	0.00
97 = REFUSED	608	0.07
98 = BLANK (NO ANSWER)	801	0.10
99 = LEGITIMATE SKIP	500968	59.87

RECODED YOUTH EXPERIENCES

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

IMPRESP Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year.....	330900	39.55
1 = No difficulty	160452	19.18
2 = Mild difficulty.....	61376	7.34
3 = Moderate difficulty.....	26295	3.14
4 = Severe difficulty.....	10301	1.23
5 = You didn't work or go to school.....	11472	1.37
85 = BAD DATA Logically assigned.....	22	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
94 = DON'T KNOW.....	905	0.11
97 = REFUSED.....	720	0.09
98 = BLANK (NO ANSWER).....	46	0.01
99 = LEGITIMATE SKIP.....	234204	27.99

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

IMPRESPM Len : 2 DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL

	Freq	Pct
-9 = Data not collected for this year.....	330900	39.55
1 = Yes.....	2879	0.34
2 = No.....	8466	1.01
94 = DON'T KNOW.....	84	0.01
97 = REFUSED.....	763	0.09
98 = BLANK (NO ANSWER).....	973	0.12
99 = LEGITIMATE SKIP.....	492631	58.88

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

IMPWORK Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO

	Freq	Pct
-9 = Data not collected for this year.....	330900	39.55
1 = No difficulty	142624	17.05
2 = Mild difficulty.....	78351	9.36
3 = Moderate difficulty.....	28538	3.41
4 = Severe difficulty.....	9150	1.09
85 = BAD DATA Logically assigned.....	22	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
94 = DON'T KNOW.....	794	0.09
97 = REFUSED.....	592	0.07
98 = BLANK (NO ANSWER).....	46	0.01
99 = LEGITIMATE SKIP.....	245676	29.36

You mentioned having difficulty with or being unable to do such things as [FILLS].

During the past 12 months, about how many weeks did you have these kinds of difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

IMPWEEKS Len : 2 NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH

	Freq	Pct
RANGE = 1 - 52.....	187578	22.42
-9 = Data not collected for this year.....	330900	39.55
85 = BAD DATA Logically assigned.....	4	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	7016	0.84
97 = REFUSED.....	1737	0.21
98 = BLANK (NO ANSWER).....	1369	0.16
99 = LEGITIMATE SKIP.....	308090	36.82

RECORDED YOUTH EXPERIENCES

During that/those [imweek1fill] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

IMPDYFRQ Len : 2 HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Every day	10460	1.25
2 = Most days	55653	6.65
3 = Only one or two days a week	120942	14.45
85 = BAD DATA Logically assigned	4	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	385	0.05
97 = REFUSED	1874	0.22
98 = BLANK (NO ANSWER)	8386	1.00
99 = LEGITIMATE SKIP	308090	36.82

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

IMPYDAYS Len : 3 HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK

	Freq	Pct
RANGE = 0 - 365	192306	22.98
-9 = Data not collected for this year	330900	39.55
985 = BAD DATA Logically assigned	4	0.00
989 = LEGITIMATE SKIP Logically assigned	2	0.00
994 = DON'T KNOW	3006	0.36
997 = REFUSED	1017	0.12
998 = BLANK (NO ANSWER)	1371	0.16
999 = LEGITIMATE SKIP	308090	36.82

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [datefill] up to and including today, did you seriously think about trying to kill yourself?

SUICTHNK Len : 2 SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Yes	19455	2.33
2 = No	335289	40.07
85 = BAD DATA Logically assigned	24	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	455	0.05
97 = REFUSED	1085	0.13
98 = BLANK (NO ANSWER)	105	0.01
99 = LEGITIMATE SKIP	149378	17.85

During the past 12 months, did you make any plans to kill yourself?

SUICPLAN Len : 2 MAKE PLANS TO KILL YOURSELF PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	330900	39.55
1 = Yes	5943	0.71
2 = No	13484	1.61
85 = BAD DATA Logically assigned	20	0.00
94 = DON'T KNOW	11	0.00
97 = REFUSED	1102	0.13
98 = BLANK (NO ANSWER)	564	0.07
99 = LEGITIMATE SKIP	484672	57.93

RECODED YOUTH EXPERIENCES

During the past 12 months, did you try to kill yourself?

SUICTRY	Len : 2 TRY TO KILL YOURSELF PAST 12 MONTHS		
		Freq	Pct
	-9 = Data not collected for this year	330900	39.55
	1 = Yes.....	3115	0.37
	2 = No.....	16308	1.95
	85 = BAD DATA Logically assigned	29	0.00
	94 = DON'T KNOW	9	0.00
	97 = REFUSED	1099	0.13
	98 = BLANK (NO ANSWER)	564	0.07
	99 = LEGITIMATE SKIP.....	484672	57.93

NOTE: The following two variables, SDSSC2 and SDSSC3, are score variables that indicate the level of impairment for respondents in sample B (MHSAMP08=2). These variables are based on a series of four questions asking respondents in sample B how much emotions, nerves, or mental health interfered with daily activities in the one month in the past year when they were at their worst emotionally. These questions are known as the Sheehan Disability Scale (SDS) which is also used to capture information on impairment. Respondents in sample B who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables K6SCMON and K6SCYR) at least "a little of the time" (i.e., K6SCMON >0 or K6SCYR >0) were asked about ability to do home management tasks (MHSMGT), ability to work (MHSWORK), ability to form and maintain close relationships (MHSRELS), and ability to have a social life (MHSSOC).

For the original SDS total score, SDSSC2, values of 1 to 10 were assigned for each daily activity that a respondent indicated some impairment with values of 1 to 3 representing "mild" interference, values of 4 to 6 representing "moderate" interference, values of 7 to 9 representing "severe" interference, and a value of 10 representing "very severe" interference. A value of 0 was assigned for each daily activity that a respondent indicated no interference or for all other responses. These assigned values were summed to calculate a total score for SDSSC2 which ranges from 0 to 40.

For the alternative SDS total score, SDSSC3, a value of 1 was assigned for each daily activity that a respondent indicated impairment with values of 7 to 10 representing "severe" or "very severe" interference. A value of 0 was assigned for each daily activity that a respondent indicated impairment with values less than 7 or for all other responses. These assigned values were summed to calculate a total score for SDSSC3 which ranges from 0 to 4. The alternative version of the SDS total score also was driven by the idea that a dichotomous measure dividing respondents who experienced severe or very severe interference from the remaining respondents might fit better than a linear continuous measure.

Specific details about these variables are provided in the Recoded Mental Health Variable Documentation Appendix.

SDSSC2	Len : 2 SHEEHAN DISABILITY SCALE (SDS) TOTAL SCORE		
		Freq	Pct
	RANGE = 0 - 40.....	18914	2.26
	. = Aged 12-17/Not in Sample B (MHSAMP08=1,98)	36196	4.33
	-9 = Data not collected for this year	781586	93.41

SDSSC3	Len : 1 ALTERNATIVE SDS TOTAL SCORE		
		Freq	Pct
	RANGE = 0 - 4.....	18914	2.26
	. = Aged 12-17/Not in Sample B (MHSAMP08=1,98)	36196	4.33
	-9 = Data not collected for this year	781586	93.41

SMIODA_U	Len : 1 SMI OR DRUG/ALCOHOL DEPENDENCE OR ABUSE REVISED		
		Freq	Pct
	. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	17614	2.11
	-9 = Data not collected for this year	781586	93.41
	1 = Yes (SMIYR_U=1 or ABODILAL=1)	6656	0.80
	2 = No (SMIYR_U=0 and ABODILAL=0)	30840	3.69

NSMNDA_U	Len : 1 NO SMI AND NO DRUG/ALCOHOL DEP OR ABUSE REVISED		
		Freq	Pct
	. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	17614	2.11
	-9 = Data not collected for this year	781586	93.41
	1 = Yes (SMIYR_U=0 and ABODILAL=0)	30840	3.69
	2 = No (SMIYR_U=1 or ABODILAL=1).....	6656	0.80

RECODED YOUTH EXPERIENCES

SMINDA_U Len : 1 SMI BUT NO DRUG/ALCOHOL DEP OR ABUSE REVISIED

	Freq	Pct
. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	17614	2.11
-9 = Data not collected for this year.....	781586	93.41
1 = Yes (SMIYR_U=1 and ABODILAL=0).....	1078	0.13
2 = No (SMIYR_U=0 or (SMIYR_U=1 & ABODILAL=1)).....	36418	4.35

NSMIDA_U Len : 1 NO SMI BUT DRUG/ALCOHOL DEP OR ABUSE REVISIED

	Freq	Pct
. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	17614	2.11
-9 = Data not collected for this year.....	781586	93.41
1 = Yes (SMIYR_U=0 & ABODILAL=1).....	5050	0.60
2 = No (SMIYR_U=1 or (SMIYR_U=0 & ABODILAL=0)).....	32446	3.88

Note: The following variable, SMIPP, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2008 logistic regression model. It was created using the following formula: $SMIPP = 1/(1 + \exp[-(-4.74999920 + 0.20977232*WSPDSC2 + 0.38388395*WHODASC3)])$. This measure based on the 2008 model is not comparable with the measure (SMIPP_U) based on the 2012 model defined above. Mental illness variables based on the 2008 model are no longer recommended for use in the estimation of mental illness. Thus, SMIPP is not being provided for estimation purposes but for possible methodological investigative purposes. For more information on how to use SMIPP from the 2008 model to create mental illness variables and additional information on how to use the 2008 model measures, see Appendix B, Section B.4.3, in the 2009 mental health findings report.

SMIPP Len : 12 PREDICTED SERIOUS MENTAL ILLNESS PROBABILITY

	Freq	Pct
RANGE = 0.0085774923 - 0.8684361603.....	153255	18.32
. = Aged 12-17 (AGE2<7).....	72799	8.70
-9 = Data not collected for this year.....	610642	72.98

NOTE: The following three variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPP_U) with drug or alcohol dependence or abuse in the past year. These variables based on the 2012 mental illness prediction model are not comparable with similarly named variables from previous years using SMI based on the 2008 mental illness prediction model. Starting with the 2014 NSDUH, new combination recodes end only with a "U" and there are no existing similarly named 2008 model based variables. Please note that SMIDA2_U, AMIDA2_U, and LMMIADAU are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of the mental illness variables used in these recodes can be found in the Recoded Mental Health Module Variable Documentation Appendix. Specific information about the dependence or abuse variables used in these recodes can be found in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

SMIDA2_U Len : 1 SMI AND DRUG/ALCOHOL DEP OR ABUSE REVISIED (1/2)

	Freq	Pct
. = Aged 12-17 (SMIYR_U=.).....	121527	14.52
-9 = Data not collected for this year.....	444943	53.18
1 = Yes (SMIYR_U=1 and ABODILAL=1).....	3792	0.45
2 = No (SMIYR_U=0 or ABODILAL=0).....	266434	31.84

AMIDA2_U Len : 1 AMI AND DRUG/ALCOHOL DEP OR ABUSE REVISIED (1/2)

	Freq	Pct
. = Aged 12-17 (AMIYR_U=.).....	121527	14.52
-9 = Data not collected for this year.....	444943	53.18
1 = Yes (AMIYR_U=1 and ABODILAL=1).....	13359	1.60
2 = No (AMIYR_U=0 or ABODILAL=0).....	256867	30.70

LMMIADAU Len : 1 LMMI AND DRUG/ALCOHOL DEP OR ABUSE (1/0)

	Freq	Pct
. = Aged 12-17 (LMMIYRU=.).....	31336	3.75
-9 = Data not collected for this year.....	726265	86.80
0 = No (LMMIYRU=0 or ABODILAL=0).....	76587	9.15
1 = Yes (LMMIYRU=1 and ABODILAL=1).....	2508	0.30

RECODED MENTAL HEALTH

RECODED MENTAL HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following two sections: Mental Health and Recoded Substance Dependence and Abuse.

Recoded variables were defined to measure psychological distress, Serious Mental Illness (SMI) and other levels of mental illness, as well as suicide ideation. A logistic regression model revised in 2012 is used to determine the predicted probability of SMI. The predicted mental illness variables (e.g., SMIYR_U, AMIYR_U) that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness variables should not be used in conjunction with the K6 variables (including serious psychological distress) or WHODAS variables in any analyses. Specific details about the creation and use of the distress and mental illness variables can be found in the Recoded Mental Health Module Variable Documentation Appendix.

NOTE: The following five variables contain information about psychological distress. The 2008 NSDUH was the first survey year where variables on past month psychological distress (K6SCMON and SPDMON) were available and these variables were used beginning with the 2008 Detailed Tables. A second set of variables describes past year psychological distress (K6SCYR, K6SCMAX, and SPDYR). The past year distress variables, K6SCMAX and SPDYR, were created based on data from the past month K6 items and the worst month in the past year K6 items. Prior to the 2008 NSDUH, past year distress was based only on the worst month in the past year K6 items (SPD_UADJ). Due to the addition of the past month K6 items, it was determined that past year SPD in 2008 and later years is not comparable with years prior to 2008. In order to be able to make comparisons of SPD estimates across years, statistically adjusted variables were created for 2005-2007. The 2005-2007 adjusted past year SPD recodes, K6SMXADJ and SPDYRADJ, can be renamed to the 2008 SPD variable names for use in analyses that use data from the years 2005-2012.

The following variable, K6SCMON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCMON. Specific details about this variable are provided in the Recoded Mental Health Module Variable Documentation Appendix.

K6SCMON	Len : 2 RC-K6 TOTAL SCORE IN PAST MONTH		
		Freq	Pct
	RANGE = 0 - 24	356413	42.60
	. = Aged 12-17 (AGE2<7)	149383	17.85
	-9 = Data not collected for this year	330900	39.55

SPDMON	Len : 1 RC-PAST MONTH SERIOUS PSYCH DISTRESS INDICATOR		
		Freq	Pct
	. = Aged 12-17 (K6SCMON=.)	149383	17.85
	-9 = Data not collected for this year	330900	39.55
	0 = No (K6SCMON<13)	332330	39.72
	1 = Yes (K6SCMON>=13)	24083	2.88

RECODED MENTAL HEALTH

NOTE: The two variables directly above are defined based on questions asking about a respondent's level of psychological distress over the past 30 days. Respondents were then asked if there was a month in the past 12 months when they felt more depressed, anxious, or emotionally stressed than they felt in the past 30 days. This level of psychological distress is referenced as the "worst month in past year" in the following documentation.

The following variable, K6SCYR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer you up (DSTCHR12), feeling that everything was an effort (DSTEFF12), and feeling down on yourself, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCYR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, K6SCYR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Module Variable Documentation Appendix.

K6SCYR	Len : 2 RC-K6 TOTAL SCORE IN WORST MONTH OF PAST YEAR		
		Freq	Pct
	RANGE = 0 - 24	119952	14.34
	. = Aged 12-17 (AGE2<7) or DSTWORST=2	385844	46.12
	-9 = Data not collected for this year	330900	39.55

The following variable, K6SCMAX, is defined to be the higher K6 score between the past month K6 total score (K6SCMON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (K6SCYR) variable.

K6SCMAX	Len : 2 RC-WORST K6 TOTAL SCORE IN PAST YEAR		
		Freq	Pct
	RANGE = 0 - 24	356413	42.60
	. = Aged 12-17 (AGE2<7)	149383	17.85
	-9 = Data not collected for this year	330900	39.55

SPDYR	Len : 1 RC-PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR		
		Freq	Pct
	. = Aged 12-17 (K6SCMAX=.)	149383	17.85
	-9 = Data not collected for this year	330900	39.55
	0 = No (K6SCMAX<13)	304518	36.40
	1 = Yes (K6SCMAX>=13)	51895	6.20

NOTE: The following six variables present suicide information based on responses to the suicidal ideation screen.

MHSUITHK	Len : 1 RC-SERIOUSLY THOUGHT ABOUT KILLING SELF IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise)	151052	18.05
	-9 = Data not collected for this year	330900	39.55
	0 = No (SUICTHNK=2)	335289	40.07
	1 = Yes (SUICTHNK=1)	19455	2.33

The following suicide variable, MHSUTK_U, is used in the 2012 mental illness prediction model. It is defined differently than MHSUITHK which is used in the mental health detailed tables. See the mental illness variables further down in this section and the Recoded Mental Health Module Variable Documentation Appendix for more details.

MHSUTK_U	Len : 1 RC-SERIOUS TGHT ABT KILL SLF PY - 'UNKN' IMP AS 'NO'		
		Freq	Pct
	. = Aged 12-17 (AGE2<7)	149383	17.85
	-9 = Data not collected for this year	330900	39.55
	0 = No/Unknown (AGE2>=7 and MHSUITHK=.)	336958	40.27
	1 = Yes (AGE2>=7 and MHSUITHK=1)	19455	2.33

MHSUIPLN	Len : 1 RC-MADE PLANS TO KILL SELF IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise)	151080	18.06
	-9 = Data not collected for this year	330900	39.55
	0 = No (SUICPLAN=2 or MHSUITHK=0)	348773	41.68
	1 = Yes (SUICPLAN=1)	5943	0.71

RECODED MENTAL HEALTH

MHSUITRY

Len : 1 RC-ATTEMPTED TO KILL SELF IN PAST YEAR

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	151084	18.06
-9 = Data not collected for this year.....	330900	39.55
0 = No (SUICTRY=2 or MHSUITHK=0).....	351597	42.02
1 = Yes (SUICTRY=1).....	3115	0.37

NOTE: The following 10 variables pertain to the creation of the variables on mental illness. These variables include total scores from the psychological distress and impairment scales, the predicted probability of serious mental illness (SMI), and indicators of various levels of mental illness. Until 2012, a model developed for the 2008 NSDUH was used to determine mental illness status. A revised and improved model predicting mental illness was used starting with the 2012 NSDUH. All mental illness estimates presented in detailed or mental health detailed tables from the 2008 NSDUH and onward have been updated; thus, these estimates are based on the revised model. Additional details about the creation and use of these variables are provided in the Recoded Mental Health Module Variable Documentation Appendix.

The following variable, WSPDSC2, is an alternative version of the original worst K6 total score in the past year (K6SCMAX) with values ranging from 0 to 17 rather than 0 to 24. The original total score variable is documented previously in this section with the psychological distress variables. This alternative total score was calculated by assigning a value of 0 when K6SCMAX had a value from 0 to 7 and assigning a value of 1 to 17 when K6SCMAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Module Variable Documentation Appendix.

WSPDSC2

Len : 2 RC-ALTERNATIVE WORST K6 TOTAL SCORE

	Freq	Pct
RANGE = 0 - 17.....	356413	42.60
. = Aged 12-17 (AGE2<7).....	149383	17.85
-9 = Data not collected for this year.....	330900	39.55

NOTE: The following two variables, WHODASC2 and WHODASC3, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Module Variable Documentation Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables K6SCMON and K6SCYR) at least "a little of the time" (i.e., K6SCMON greater than 0 or K6SCYR greater than 0) were asked about remembering to do things they needed to do (IMPREMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHLD, IMPHLLDM), taking care of daily responsibilities at work or school (IMPRES, IMPRESM), and getting daily work done as quickly as needed (IMPWORK, IMPRESM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the original WHODAS total score, WHODASC2, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" were assigned a value of a 3 as having "severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC2 which ranges from 0 to 24.

For the alternative WHODAS total score, WHODASC3, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" were assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC3 which ranges from 0 to 8. The alternative version of the WHODAS total score (WHODASC3) was used in the regression model to determine SMI, since it was thought that the sum of a dichotomous measure might fit better than the sum of a linear continuous measure.

Specific details about these variables are provided in the Recoded Mental Health Module Variable Documentation Appendix.

WHODASC2

Len : 2 RC-WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 24.....	337491	40.34
. = Aged 12-17 (AGE2<7).....	168305	20.12
-9 = Data not collected for this year.....	330900	39.55

RECODED MENTAL HEALTH

WHODASC3

Len : 1 RC-ALTERNATIVE WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 8.....	337491	40.34
. = Aged 12-17 (AGE2<7)	168305	20.12
-9 = Data not collected for this year.....	330900	39.55

NOTE: The following 11 mental illness variables are based on the 2012 mental illness prediction model. These variables are not comparable with similarly named variables (based on the 2008 mental illness prediction model) in previous NSDUHs; thus, these variables were renamed by appending "_U" to the previous variable names. Starting with the 2014 NSDUH, new mental illness variable names end only with a "U" and there are no existing similarly named 2008 model based variables. Recommendations concerning the analysis of the mental illness variables derived from the predicted probability of SMI (SMIPP_U) are noted in the documentation above SMIYR_U. Variables based on the 2008 mental illness prediction model are not being provided for the 2012 and future NSDUHs. All the 2008 model-based mental illness variables typically found in this section have been removed from the 2008-2011 NSDUH data files and replaced with the revised 2012 model based mental illness variables. The only exception is SMIPP (the SMI predicted probability based on the 2008 model) which remains available on the 2008-2011 NSDUH data files. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Module Variable Documentation Appendix.

The following variable, SMIPP_U, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 revised logistic regression model. SMIPP_U was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

SMIPP_U

Len : 12 RC-PREDICTED SERIOUS MENTAL ILLNESS PROB REVISED

	Freq	Pct
RANGE = 0.0025409721 - 0.9291205406.....	356405	42.60
. = Aged 12-17 (AGE2<7)	149391	17.85
-9 = Data not collected for this year.....	330900	39.55

NOTE: The following six variables (SMIYR_U, AMIYR_U, SMMIYR_U, MMIYR_U, LMIYR_U, and LMMIYRU) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Module Variable Documentation Appendix.

The following variable, SMIYR_U, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.260573529) then SMIYR_U=1, and if SMIPP_U is less than the cutoff point then SMIYR_U=0. This indicator is not comparable with SMI variables prior to 2008, in which SMI was only based on psychological distress. Also, this indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Module Variable Documentation Appendix.

SMIYR_U

Len : 1 RC-SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	Freq	Pct
. = Aged 12-17 (AGE2<7)	149391	17.85
-9 = Data not collected for this year.....	330900	39.55
0 = No Past Year SMI (See comment above).....	339662	40.60
1 = Past Year SMI (See comment above)	16743	2.00

The following variable, AMIYR_U, is an indicator for Any Mental Illness (AMI) based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.0192519810) then AMIYR_U=1, and if SMIPP_U is less than the cutoff point then AMIYR_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Module Variable Documentation Appendix.

AMIYR_U

Len : 1 RC-AMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	Freq	Pct
. = Aged 12-17 (AGE2<7)	149391	17.85
-9 = Data not collected for this year.....	330900	39.55
0 = No Past Yr Any Mental Illness (See comment above).....	284478	34.00
1 = Past Year Any Mental Illness (See comment above)	71927	8.60

RECODED MENTAL HEALTH

The following variable, SMMIYR_U, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.077686285365) then SMMIYR_U=1, and if SMIPP_U is less than the cutoff point then SMMIYR_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Module Variable Documentation Appendix.

SMMIYR_U Len : 1 RC-SMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	Freq	Pct
. = Aged 12-17 (AGE2<7)	149391	17.85
-9 = Data not collected for this year	330900	39.55
0 = No Past Year SMMI (See comment above)	320812	38.34
1 = Past Year SMMI (See comment above)	35593	4.25

The following variable, MMIYR_U, is an indicator for Moderate Mental Illness (MMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Module Variable Documentation Appendix.

MMIYR_U Len : 1 RC-MOD MI IND (1/0) BASED ON REVISED PRED SMI PROB

	Freq	Pct
. = Aged 12-17 (AGE2<7)	149391	17.85
-9 = Data not collected for this year	330900	39.55
0 = No Past Year MMI (Otherwise)	337555	40.34
1 = Past Year MMI (SMMIYR_U=1 and SMIYR_U=0)	18850	2.25

The following variable, LMIYR_U, is an indicator for Mild (Low) Mental Illness (LMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Module Variable Documentation Appendix.

LMIYR_U Len : 1 RC-MILD MI IND (1/0) BASED ON REVISED PRED SMI PROB

	Freq	Pct
. = Aged 12-17 (AGE2<7)	149391	17.85
-9 = Data not collected for this year	330900	39.55
0 = No Past Year LMI (Otherwise)	320071	38.25
1 = Past Year LMI (AMIYR_U=1 and SMMIYR_U=0)	36334	4.34

LMMIYRU Len : 1 RC-LMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	Freq	Pct
. = Aged 12-17 (AGE2 < 7)	59193	7.07
-9 = Data not collected for this year	612222	73.17
0 = No Past Year LMMI (Otherwise)	139698	16.70
1 = Past Year LMMI (LMIYR_U=1 or MMIYR_U=1)	25583	3.06

The following variable, MI_CAT_U, is a categorical mental illness indicator. This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Please note that MI_CAT_U is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Module Variable Documentation Appendix

MI_CAT_U Len : 1 RC-CATEGORICAL MI INDICATORáREVISED

	Freq	Pct
. = Aged 12-17 (AGE2<7)	149391	17.85
-9 = Data not collected for this year	330900	39.55
0 = No Past Year MI (SMIYR_U & LMIYR_U & MMIYR_U=0)	284478	34.00
1 = Past Year Mild Mental Illness (LMIYR_U=1)	36334	4.34
2 = Past Year Moderate Mental Illness (MMIYR_U=1)	18850	2.25
3 = Past Year Serious Mental Illness (SMIYR_U=1)	16743	2.00

RECODED MENTAL HEALTH

NOTE: The following three variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPP_U) with drug or alcohol dependence or abuse in the past year. These variables based on the 2012 mental illness prediction model are not comparable with similarly named variables from previous years due to the change in the model as well as changes in the dependence or abuse variables starting with the 2015 NSDUH. Please note that SMISUDPY, AMISUDPY, and LMMISUDPY are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of the mental illness variables used in these recodes can be found in the Recoded Mental Health Appendix. Specific information about the dependence or abuse variables used in these recodes can be found in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

SMISUDPY Len : 1 RC-SMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR

	Freq	Pct
. = Aged 12-17 (SMIYR_U=.)	27857	3.33
-9 = Data not collected for this year	722653	86.37
1 = Yes (SMIYR_U=1 and UDPYILAL=1)	1299	0.16
2 = No (SMIYR_U=0 or UDPYILAL=0)	84887	10.15

AMISUDPY Len : 1 RC-AMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR

	Freq	Pct
. = Aged 12-17 (AMIYR_U=.)	27857	3.33
-9 = Data not collected for this year	722653	86.37
1 = Yes (AMIYR_U=1 and UDPYILAL=1)	3975	0.48
2 = No (AMIYR_U=0 or UDPYILAL=0)	82211	9.83

LMMISUDPY Len : 1 RC-LMMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR

	Freq	Pct
. = Aged 12-17 (LMMIYRU=.)	27857	3.33
-9 = Data not collected for this year	722653	86.37
0 = No (LMMIYRU=0 or UDPYILAL=0)	83510	9.98
1 = Yes (LMMIYRU=1 and UDPYILAL=1)	2676	0.32

ADULT DEPRESSION

ADULT DEPRESSION

This note applies to variables in this section marked by a¹.

NOTE: All of the respondents aged 18 or older were asked the questions in the Adult Depression module in this current survey year. In the 2004 survey, a subset of the adults was asked these questions.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

ADDPREV	Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	167135	19.98
	2 = No.....	317190	37.91
	85 = BAD DATA Logically assigned	21	0.00
	89 = LEGITIMATE SKIP Logically assigned	8	0.00
	94 = DON'T KNOW	819	0.10
	97 = REFUSED	1237	0.15
	98 = BLANK (NO ANSWER)	150	0.02
	99 = LEGITIMATE SKIP.....	240827	28.78

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

ADDSCV	Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	43763	5.23
	2 = No.....	273458	32.68
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	94 = DON'T KNOW	793	0.09
	97 = REFUSED	1231	0.15
	98 = BLANK (NO ANSWER)	172	0.02
	99 = LEGITIMATE SKIP.....	407964	48.76

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

ADLOSEV	Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	14096	1.68
	2 = No.....	259468	31.01
	89 = LEGITIMATE SKIP Logically assigned	6	0.00
	94 = DON'T KNOW	757	0.09
	97 = REFUSED	1160	0.14
	98 = BLANK (NO ANSWER)	173	0.02
	99 = LEGITIMATE SKIP.....	451727	53.99

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

ADDPDISC	Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	151458	18.10
	2 = No.....	15481	1.85
	85 = BAD DATA Logically assigned	21	0.00
	89 = LEGITIMATE SKIP Logically assigned	2	0.00
	94 = DON'T KNOW	140	0.02
	97 = REFUSED	56	0.01
	98 = BLANK (NO ANSWER)	1606	0.19
	99 = LEGITIMATE SKIP.....	558623	66.77

ADULT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

ADDPLSIN Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	129111	15.43
2 = No.....	37779	4.52
85 = BAD DATA Logically assigned.....	19	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW	171	0.02
97 = REFUSED	73	0.01
98 = BLANK (NO ANSWER)	1609	0.19
99 = LEGITIMATE SKIP.....	558623	66.77

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

ADDLSIN Len : 2 EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Yes.....	20408	2.44
2 = No.....	23304	2.79
94 = DON'T KNOW	37	0.00
97 = REFUSED	14	0.00
98 = BLANK (NO ANSWER)	1792	0.21
99 = LEGITIMATE SKIP.....	681832	81.49

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

ADLS12WK Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Yes.....	2394	0.29
2 = No.....	11637	1.39
94 = DON'T KNOW	52	0.01
97 = REFUSED	13	0.00
98 = BLANK (NO ANSWER)	2090	0.25
99 = LEGITIMATE SKIP.....	711201	85.00

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

ADDPR2WK Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
1 = Yes.....	121859	14.56
2 = No.....	88386	10.56
85 = BAD DATA Logically assigned.....	21	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW	452	0.05
97 = REFUSED	200	0.02
98 = BLANK (NO ANSWER)	1772	0.21
99 = LEGITIMATE SKIP.....	514695	61.52

ADULT DEPRESSION

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

ADWRHRS Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Less than 1 hour.....	11821	1.41
2 = At least 1 hour but no more than 3 hours	31358	3.75
3 = At least 3 hours but no more than 5 hours.....	29211	3.49
4 = 5 hours or more.....	50624	6.05
85 = BAD DATA Logically assigned	21	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	1058	0.13
97 = REFUSED	180	0.02
98 = BLANK (NO ANSWER)	2788	0.33
99 = LEGITIMATE SKIP.....	600325	71.75

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

ADWRDST Len : 2 HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Mild	14598	1.74
2 = Moderate.....	48059	5.74
3 = Severe	35441	4.24
4 = Very Severe	13716	1.64
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	449	0.05
97 = REFUSED	168	0.02
98 = BLANK (NO ANSWER)	2809	0.34
99 = LEGITIMATE SKIP.....	612146	73.16

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

ADWRCHR Len : 2 EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Often.....	27314	3.26
2 = Sometimes	52498	6.27
3 = Rarely	23848	2.85
4 = Never	8301	0.99
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	312	0.04
97 = REFUSED	158	0.02
98 = BLANK (NO ANSWER)	2809	0.34
99 = LEGITIMATE SKIP.....	612146	73.16

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

ADWRIMP Len : 2 EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Often.....	15704	1.88
2 = Sometimes	38915	4.65
3 = Rarely	32225	3.85
4 = Never	25160	3.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	268	0.03
97 = REFUSED	159	0.02
98 = BLANK (NO ANSWER)	2809	0.34
99 = LEGITIMATE SKIP.....	612146	73.16

ADULT DEPRESSION

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

ADDP	Len : 2	EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
			Freq	Pct
		-9 = Data not collected for this year.....	109309	13.06
		1 = Yes.....	87306	10.43
		2 = No.....	21719	2.60
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	156	0.02
		97 = REFUSED.....	110	0.01
		98 = BLANK (NO ANSWER).....	2809	0.34
		99 = LEGITIMATE SKIP.....	615286	73.54

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

ADWR	Len : 2	ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
			Freq	Pct
		-9 = Data not collected for this year.....	109309	13.06
		1 = Yes.....	61070	7.30
		2 = No.....	25894	3.09
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	285	0.03
		97 = REFUSED.....	57	0.01
		98 = BLANK (NO ANSWER).....	3075	0.37
		99 = LEGITIMATE SKIP.....	637005	76.13

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

ADWR	Len : 3	AGE WHEN WORST PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 95.....	85420	10.21
		-9 = Data not collected for this year.....	109309	13.06
		985 = BAD DATA Logically assigned.....	68	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	1632	0.20
		997 = REFUSED.....	186	0.02
		998 = BLANK (NO ANSWER).....	3075	0.37
		999 = LEGITIMATE SKIP.....	637005	76.13

ADULT DEPRESSION

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

ADWRDEPR Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	67473	8.06
2 = No.....	19493	2.33
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	250	0.03
97 = REFUSED	90	0.01
98 = BLANK (NO ANSWER)	3075	0.37
99 = LEGITIMATE SKIP.....	637005	76.13

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

ADWRDISC Len : 2 WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	69074	8.26
2 = No.....	17939	2.14
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	203	0.02
97 = REFUSED	90	0.01
98 = BLANK (NO ANSWER)	3075	0.37
99 = LEGITIMATE SKIP.....	637005	76.13

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

ADWRLSIN Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	66334	7.93
2 = No.....	20757	2.48
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	139	0.02
97 = REFUSED	76	0.01
98 = BLANK (NO ANSWER)	3075	0.37
99 = LEGITIMATE SKIP.....	637005	76.13

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

ADWRPLSR Len : 2 WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	56399	6.74
2 = No.....	30548	3.65
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	275	0.03
97 = REFUSED	84	0.01
98 = BLANK (NO ANSWER)	3075	0.37
99 = LEGITIMATE SKIP.....	637005	76.13

ADULT DEPRESSION

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

ADWRELES	Len : 2 WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	49474	5.91
	2 = No.....	30156	3.60
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	389	0.05
	97 = REFUSED	38	0.00
	98 = BLANK (NO ANSWER)	3275	0.39
	99 = LEGITIMATE SKIP.....	644054	76.98

Did you have a much larger appetite than usual nearly every day?

ADWREMOR	Len : 2 WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	15931	1.90
	2 = No.....	14286	1.71
	94 = DON'T KNOW	341	0.04
	97 = REFUSED	25	0.00
	98 = BLANK (NO ANSWER)	3275	0.39
	99 = LEGITIMATE SKIP.....	693529	82.89

Did you gain weight without trying to during that [TIMEFILL] period of time?

ADWRGAIN	Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	16542	1.98
	2 = No.....	13774	1.65
	94 = DON'T KNOW	245	0.03
	97 = REFUSED	22	0.00
	98 = BLANK (NO ANSWER)	3275	0.39
	99 = LEGITIMATE SKIP.....	693529	82.89

Did you gain weight without trying to because you were growing?

ADWRGROW	Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	1297	0.16
	2 = No.....	5586	0.67
	94 = DON'T KNOW	72	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	3734	0.45
	99 = LEGITIMATE SKIP.....	716697	85.66

Did you gain weight without trying to because you were pregnant?

ADWRPREG	Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	723	0.09
	2 = No.....	10665	1.27
	90 = NOT ASKED THE QUESTION Logically assigned.....	207	0.02
	94 = DON'T KNOW	15	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	1813	0.22
	99 = LEGITIMATE SKIP.....	713959	85.33

ADULT DEPRESSION

How many pounds did you gain? Please enter your answer as a whole number.

ADWRGNL2¹	Len : 3	WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
		RANGE = 0 - 51	Freq	Pct
		-9 = Data not collected for this year	13910	1.66
		990 = NOT ASKED THE QUESTION Logically assigned	109309	13.06
		994 = DON'T KNOW	253	0.03
		997 = REFUSED	316	0.04
		998 = BLANK (NO ANSWER).....	34	0.00
		999 = LEGITIMATE SKIP.....	3551	0.42
			709323	84.78

Did you lose weight without trying to?

ADWRLOSE	Len : 2	WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
		-9 = Data not collected for this year	Freq	Pct
		1 = Yes.....	109309	13.06
		2 = No.....	40222	4.81
		89 = LEGITIMATE SKIP Logically assigned.....	22784	2.72
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	488	0.06
		98 = BLANK (NO ANSWER)	21	0.00
		99 = LEGITIMATE SKIP.....	3352	0.40
			660519	78.94

Did you lose weight without trying to because you were sick or on a diet?

ADWRDIET	Len : 2	WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
		-9 = Data not collected for this year	Freq	Pct
		1 = Yes.....	109309	13.06
		2 = No.....	9864	1.18
		94 = DON'T KNOW	30301	3.62
		97 = REFUSED	55	0.01
		98 = BLANK (NO ANSWER)	2	0.00
		99 = LEGITIMATE SKIP.....	3861	0.46
			683304	81.67

How many pounds did you lose?

Please enter your answer as a whole number.

ADWRSL2¹	Len : 3	WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
		RANGE = 0 - 51	Freq	Pct
		-9 = Data not collected for this year	29553	3.53
		994 = DON'T KNOW	109309	13.06
		997 = REFUSED	785	0.09
		998 = BLANK (NO ANSWER).....	20	0.00
		999 = LEGITIMATE SKIP.....	3861	0.46
			693168	82.85

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

ADWRSLEP	Len : 2	WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		-9 = Data not collected for this year	Freq	Pct
		1 = Yes.....	109309	13.06
		2 = No.....	64865	7.75
		89 = LEGITIMATE SKIP Logically assigned.....	14964	1.79
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	192	0.02
		98 = BLANK (NO ANSWER)	36	0.00
		99 = LEGITIMATE SKIP.....	3275	0.39
			644054	76.98

ADULT DEPRESSION

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

ADWRSMOR	Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	9169	1.10
	2 = No.....	5865	0.70
	94 = DON'T KNOW	129	0.02
	97 = REFUSED	29	0.00
	98 = BLANK (NO ANSWER)	3275	0.39
	99 = LEGITIMATE SKIP.....	708920	84.73

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

ADWRENRG	Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	73022	8.73
	2 = No.....	6859	0.82
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	144	0.02
	97 = REFUSED	32	0.00
	98 = BLANK (NO ANSWER)	3275	0.39
	99 = LEGITIMATE SKIP.....	644054	76.98

Did you talk or move more slowly than is normal for you nearly every day?

ADWRSLOW	Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	46942	5.61
	2 = No.....	32379	3.87
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	705	0.08
	97 = REFUSED	31	0.00
	98 = BLANK (NO ANSWER)	3275	0.39
	99 = LEGITIMATE SKIP.....	644054	76.98

Did anyone else notice that you were talking or moving slowly?

ADWRSLNO	Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	33833	4.04
	2 = No.....	12635	1.51
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	468	0.06
	97 = REFUSED	6	0.00
	98 = BLANK (NO ANSWER)	4011	0.48
	99 = LEGITIMATE SKIP.....	676433	80.85

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

ADWRJITT	Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	8049	0.96
	2 = No.....	24847	2.97
	94 = DON'T KNOW	194	0.02
	97 = REFUSED	25	0.00
	98 = BLANK (NO ANSWER)	3275	0.39
	99 = LEGITIMATE SKIP.....	690997	82.59

ADULT DEPRESSION

Did anyone else notice that you were restless?

ADWRJINO	Len : 2 WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	13.06
	2 = No.....	6038	0.72
	94 = DON'T KNOW	1928	0.23
	97 = REFUSED	82	0.01
	98 = BLANK (NO ANSWER)	1	0.00
	99 = LEGITIMATE SKIP.....	3494	0.42
		715844	85.56

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

ADWRTHOT	Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	13.06
	2 = No.....	43672	5.22
	89 = LEGITIMATE SKIP Logically assigned	35788	4.28
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	521	0.06
	98 = BLANK (NO ANSWER)	75	0.01
	99 = LEGITIMATE SKIP.....	3276	0.39
		644054	76.98

Did you have a lot more trouble concentrating than usual nearly every day?

ADWRCONC	Len : 2 WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	13.06
	2 = No.....	58711	7.02
	89 = LEGITIMATE SKIP Logically assigned	20980	2.51
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	311	0.04
	98 = BLANK (NO ANSWER)	54	0.01
	99 = LEGITIMATE SKIP.....	3276	0.39
		644054	76.98

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

ADWRDCSN	Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	13.06
	2 = No.....	46129	5.51
	89 = LEGITIMATE SKIP Logically assigned	33471	4.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	403	0.05
	98 = BLANK (NO ANSWER)	53	0.01
	99 = LEGITIMATE SKIP.....	3276	0.39
		644054	76.98

Did you feel that you were not as good as other people nearly every day?

ADWRNOGD	Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes.....	109309	13.06
	2 = No.....	57157	6.83
	89 = LEGITIMATE SKIP Logically assigned	22675	2.71
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	176	0.02
	98 = BLANK (NO ANSWER)	48	0.01
	99 = LEGITIMATE SKIP.....	3276	0.39
		644054	76.98

ADULT DEPRESSION

Did you feel totally worthless nearly every day?

ADWRWRTH	Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	42132	5.04
	2 = No.....	14962	1.79
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	53	0.01
	97 = REFUSED	10	0.00
	98 = BLANK (NO ANSWER)	3500	0.42
	99 = LEGITIMATE SKIP.....	666729	79.69

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

ADWRDLOT	Len : 2 WHEN PRBLMS WORST THINK A LOT ABOUT DEATH	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	42519	5.08
	2 = No.....	37296	4.46
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	97	0.01
	97 = REFUSED	144	0.02
	98 = BLANK (NO ANSWER)	3276	0.39
	99 = LEGITIMATE SKIP.....	644054	76.98

During that period, did you ever think that it would be better if you were dead?

ADWRDBTR	Len : 2 WHEN PRBLMS WORST THINK IT WOULD BE BETTER IF DEAD	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	39812	4.76
	2 = No.....	39908	4.77
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	165	0.02
	97 = REFUSED	170	0.02
	98 = BLANK (NO ANSWER)	3277	0.39
	99 = LEGITIMATE SKIP.....	644054	76.98

Did you think about committing suicide?

ADWRSTHK	Len : 2 WHEN PRBLMS WORST THINK ABOUT COMMITTING SUICIDE	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	30742	3.67
	2 = No.....	49025	5.86
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	89	0.01
	97 = REFUSED	199	0.02
	98 = BLANK (NO ANSWER)	3277	0.39
	99 = LEGITIMATE SKIP.....	644054	76.98

Did you make a suicide plan?

ADWRSPLN	Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE PLAN	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	11024	1.32
	2 = No.....	19672	2.35
	94 = DON'T KNOW	25	0.00
	97 = REFUSED	21	0.00
	98 = BLANK (NO ANSWER)	3565	0.43
	99 = LEGITIMATE SKIP.....	693080	82.84

ADULT DEPRESSION

Did you make a suicide attempt?

ADWRSATP	Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	8294	0.99
	2 = No.....	22396	2.68
	94 = DON'T KNOW.....	18	0.00
	97 = REFUSED	34	0.00
	98 = BLANK (NO ANSWER)	3565	0.43
	99 = LEGITIMATE SKIP.....	693080	82.84

AD_MDEA1	Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	74002	8.84
	2 = Does not have symptom.....	13017	1.56
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	208	0.02
	97 = REFUSED	79	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	399246	47.72
	99 = LEGITIMATE SKIP.....	240834	28.78

AD_MDEA2	Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	71730	8.57
	2 = Does not have symptom.....	15345	1.83
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	159	0.02
	97 = REFUSED	72	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	399246	47.72
	99 = LEGITIMATE SKIP.....	240834	28.78

AD_MDEA3	Len : 2 CHANGES IN APPETITE OR WT		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	68343	8.17
	2 = Does not have symptom.....	11073	1.32
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	554	0.07
	97 = REFUSED	42	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	406540	48.59
	99 = LEGITIMATE SKIP.....	240834	28.78

AD_MDEA4	Len : 2 SLEEP PROBLEMS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	74034	8.85
	2 = Does not have symptom.....	5816	0.70
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	177	0.02
	97 = REFUSED	30	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	406495	48.58
	99 = LEGITIMATE SKIP.....	240834	28.78

AD_MDEA5	Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	39871	4.77
	2 = Does not have symptom.....	39629	4.74
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	550	0.07
	97 = REFUSED	7	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	406495	48.58
	99 = LEGITIMATE SKIP.....	240834	28.78

ADULT DEPRESSION

AD_MDEA6	Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	73022	8.73
	2 = Does not have symptom.....	6859	0.82
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	144	0.02
	97 = REFUSED	32	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	406495	48.58
	99 = LEGITIMATE SKIP.....	240834	28.78
AD_MDEA7	Len : 2 FELT WORTHLESS NEARLY EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	42132	5.04
	2 = Does not have symptom.....	37861	4.53
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	53	0.01
	97 = REFUSED	10	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	406496	48.58
	99 = LEGITIMATE SKIP.....	240834	28.78
AD_MDEA8	Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	64400	7.70
	2 = Does not have symptom.....	15313	1.83
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	297	0.04
	97 = REFUSED	46	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	406496	48.58
	99 = LEGITIMATE SKIP.....	240834	28.78
AD_MDEA9	Len : 2 ANY THOUGHTS OR PLANS OF SUICIDE		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	51557	6.16
	2 = Does not have symptom.....	28255	3.38
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	103	0.01
	97 = REFUSED	141	0.02
	98 = OTHER MISSING/NOT APPLICABLE.....	406496	48.58
	99 = LEGITIMATE SKIP.....	240834	28.78
ADSMDEA	Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has 5 or more symptoms	72650	8.68
	2 = Has less than 5 symptoms	14375	1.72
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	248	0.03
	97 = SUM OF SYMPTOMS AND REFUSED >=5	33	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	399246	47.72
	99 = LEGITIMATE SKIP.....	240834	28.78

ADULT DEPRESSION

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

ADPBINTF Len : 2 WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Not at all	1993	0.24
2 = A little	10544	1.26
3 = Some	22685	2.71
4 = A lot	26174	3.13
5 = Extremely	12867	1.54
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	71	0.01
97 = REFUSED	47	0.01
98 = BLANK (NO ANSWER)	3467	0.41
99 = LEGITIMATE SKIP	649538	77.63

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

ADPBDLYA Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Often	17876	2.14
2 = Sometimes	32857	3.93
3 = Rarely	15709	1.88
4 = Never	5824	0.70
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	85	0.01
97 = REFUSED	37	0.00
98 = BLANK (NO ANSWER)	3467	0.41
99 = LEGITIMATE SKIP	651531	77.87

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

ADPBRMBR Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes	48411	5.79
2 = No	25390	3.03
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	507	0.06
97 = REFUSED	72	0.01
98 = BLANK (NO ANSWER)	3468	0.41
99 = LEGITIMATE SKIP	649538	77.63

How old were you?

ADPBAGE Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 92	71705	8.57
-9 = Data not collected for this year	109309	13.06
985 = BAD DATA Logically assigned	42	0.01
989 = LEGITIMATE SKIP Logically assigned	1	0.00
994 = DON'T KNOW	2429	0.29
997 = REFUSED	132	0.02
998 = BLANK (NO ANSWER)	3540	0.42
999 = LEGITIMATE SKIP	649538	77.63

ADULT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

ADPBNUM	Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
	RANGE = 1 - 1000	Freq	Pct
	-9 = Data not collected for this year	68006	8.13
	9989 = LEGITIMATE SKIP Logically assigned	109309	13.06
	9994 = DON'T KNOW	1	0.00
	9997 = REFUSED	5745	0.69
	9998 = BLANK (NO ANSWER)	629	0.08
	9999 = LEGITIMATE SKIP	3468	0.41
		649538	77.63

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

ADPB2WK	Len : 2 FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS		
	-9 = Data not collected for this year	Freq	Pct
	1 = Yes	109309	13.06
	2 = No	40913	4.89
	85 = BAD DATA Logically assigned	32769	3.92
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	532	0.06
	98 = BLANK (NO ANSWER)	165	0.02
	99 = LEGITIMATE SKIP	3468	0.41
		649538	77.63

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables ADPSHMG, ADPSWORK, ADPSRELS, and ADPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

ADPSHMG	Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT		
	-9 = Data not collected for this year	Freq	Pct
	0 = No Interference	109309	13.06
	1 = Mild - 1	1413	0.17
	2 = Mild - 2	1221	0.15
	3 = Mild - 3	2261	0.27
	4 = Moderate - 4	3278	0.39
	5 = Moderate - 5	3610	0.43
	6 = Moderate - 6	6653	0.80
	7 = Severe - 7	5985	0.72
	8 = Severe - 8	5491	0.66
	9 = Severe - 9	4782	0.57
	10 = Very Severe Interference	2276	0.27
	85 = BAD DATA Logically assigned	3404	0.41
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	94 = DON'T KNOW	1	0.00
	95 = ACTIVITY DOES NOT APPLY	136	0.02
	97 = REFUSED	327	0.04
	98 = BLANK (NO ANSWER)	76	0.01
	99 = LEGITIMATE SKIP	4165	0.50
		682307	81.55

ADULT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

ADPSWORK

Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
0 = No Interference	3291	0.39
1 = Mild - 1	2149	0.26
2 = Mild - 2	3422	0.41
3 = Mild - 3	4529	0.54
4 = Moderate - 4	3950	0.47
5 = Moderate - 5	5597	0.67
6 = Moderate - 6	4215	0.50
7 = Severe - 7	3758	0.45
8 = Severe - 8	3181	0.38
9 = Severe - 9	2097	0.25
10 = Very Severe Interference	3483	0.42
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DONT KNOW	218	0.03
95 = ACTIVITY DOES NOT APPLY	912	0.11
97 = REFUSED	111	0.01
98 = BLANK (NO ANSWER)	4165	0.50
99 = LEGITIMATE SKIP	682307	81.55

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

ADPSRELS

Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
0 = No Interference	1658	0.20
1 = Mild - 1	1312	0.16
2 = Mild - 2	2247	0.27
3 = Mild - 3	3596	0.43
4 = Moderate - 4	3413	0.41
5 = Moderate - 5	5567	0.67
6 = Moderate - 6	4960	0.59
7 = Severe - 7	5329	0.64
8 = Severe - 8	4939	0.59
9 = Severe - 9	3352	0.40
10 = Very Severe Interference	4012	0.48
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DONT KNOW	116	0.01
95 = ACTIVITY DOES NOT APPLY	335	0.04
97 = REFUSED	77	0.01
98 = BLANK (NO ANSWER)	4165	0.50
99 = LEGITIMATE SKIP	682307	81.55

ADULT DEPRESSION

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

ADPSSOC

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year.....	109309	13.06
0 = No Interference.....	1234	0.15
1 = Mild - 1.....	1051	0.13
2 = Mild - 2.....	1977	0.24
3 = Mild - 3.....	2975	0.36
4 = Moderate - 4.....	3079	0.37
5 = Moderate - 5.....	5300	0.63
6 = Moderate - 6.....	4860	0.58
7 = Severe - 7.....	5521	0.66
8 = Severe - 8.....	5397	0.65
9 = Severe - 9.....	4144	0.50
10 = Very Severe Interference.....	4859	0.58
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	100	0.01
95 = ACTIVITY DOES NOT APPLY.....	351	0.04
97 = REFUSED.....	65	0.01
98 = BLANK (NO ANSWER).....	4165	0.50
99 = LEGITIMATE SKIP.....	682307	81.55

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables ADPSHMG, ADPSWORK, ADPSRELS, and ADPSSOC are no longer asked the question corresponding to ADPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to ADPSHMG through ADPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

ADPSDAYS

Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365.....	39208	4.69
-9 = Data not collected for this year.....	109309	13.06
985 = BAD DATA Logically assigned.....	1	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
994 = DON'T KNOW.....	1207	0.14
997 = REFUSED.....	119	0.01
998 = BLANK (NO ANSWER).....	4237	0.51
999 = LEGITIMATE SKIP.....	682614	81.58

ADULT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

ADSEEDOC Len : 2 SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	30973	3.70
2 = No.....	43237	5.17
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	82	0.01
97 = REFUSED	86	0.01
98 = BLANK (NO ANSWER)	3469	0.41
99 = LEGITIMATE SKIP.....	649538	77.63

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

ADFAMDOC Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	16228	1.94
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	14631	1.75
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	55	0.01
97 = REFUSED	141	0.02
98 = BLANK (NO ANSWER)	3551	0.42
99 = LEGITIMATE SKIP.....	692776	82.80

ADOTHDOC Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	2733	0.33
3 = Response entered LOGICALLY ASSIGNED	118	0.01
6 = Response not entered	28012	3.35
94 = DON'T KNOW	55	0.01
97 = REFUSED	141	0.02
98 = BLANK (NO ANSWER)	3552	0.42
99 = LEGITIMATE SKIP.....	692776	82.80

ADPSYCH Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	8606	1.03
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	22253	2.66
94 = DON'T KNOW	55	0.01
97 = REFUSED	141	0.02
98 = BLANK (NO ANSWER)	3552	0.42
99 = LEGITIMATE SKIP.....	692776	82.80

ADULT DEPRESSION

ADPSYMD	Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	9236	1.10
	3 = Response entered LOGICALLY ASSIGNED	6	0.00
	6 = Response not entered	21621	2.58
	94 = DON'T KNOW	55	0.01
	97 = REFUSED	141	0.02
	98 = BLANK (NO ANSWER)	3552	0.42
	99 = LEGITIMATE SKIP	692776	82.80

ADSOCWRK	Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	3212	0.38
	3 = Response entered LOGICALLY ASSIGNED	5	0.00
	6 = Response not entered	27646	3.30
	94 = DON'T KNOW	55	0.01
	97 = REFUSED	141	0.02
	98 = BLANK (NO ANSWER)	3552	0.42
	99 = LEGITIMATE SKIP	692776	82.80

ADCOUNS	Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	8427	1.01
	3 = Response entered LOGICALLY ASSIGNED	34	0.00
	6 = Response not entered	22402	2.68
	94 = DON'T KNOW	55	0.01
	97 = REFUSED	141	0.02
	98 = BLANK (NO ANSWER)	3552	0.42
	99 = LEGITIMATE SKIP	692776	82.80

ADOTMHP	Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	2130	0.25
	3 = Response entered LOGICALLY ASSIGNED	3	0.00
	6 = Response not entered	28730	3.43
	94 = DON'T KNOW	55	0.01
	97 = REFUSED	141	0.02
	98 = BLANK (NO ANSWER)	3552	0.42
	99 = LEGITIMATE SKIP	692776	82.80

ADNURSE	Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	1884	0.23
	3 = Response entered LOGICALLY ASSIGNED	44	0.01
	6 = Response not entered	28935	3.46
	94 = DON'T KNOW	55	0.01
	97 = REFUSED	141	0.02
	98 = BLANK (NO ANSWER)	3552	0.42
	99 = LEGITIMATE SKIP	692776	82.80

ADRELIG	Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	4981	0.60
	3 = Response entered LOGICALLY ASSIGNED	35	0.00
	6 = Response not entered	25847	3.09
	94 = DON'T KNOW	55	0.01
	97 = REFUSED	141	0.02
	98 = BLANK (NO ANSWER)	3552	0.42
	99 = LEGITIMATE SKIP	692776	82.80

ADULT DEPRESSION

ADHERBAL Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	1501	0.18
3 = Response entered LOGICALLY ASSIGNED	29	0.00
6 = Response not entered	29333	3.51
94 = DON'T KNOW	55	0.01
97 = REFUSED	141	0.02
98 = BLANK (NO ANSWER)	3552	0.42
99 = LEGITIMATE SKIP	692776	82.80

ADOTHHLPL Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	1040	0.12
6 = Response not entered	29823	3.56
94 = DON'T KNOW	55	0.01
97 = REFUSED	141	0.02
98 = BLANK (NO ANSWER)	3552	0.42
99 = LEGITIMATE SKIP	692776	82.80

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

ADTMTNOW Len : 2 CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes	15809	1.89
2 = No	15137	1.81
94 = DON'T KNOW	12	0.00
97 = REFUSED	102	0.01
98 = BLANK (NO ANSWER)	3551	0.42
99 = LEGITIMATE SKIP	692776	82.80

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

ADRX12MO Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes	25644	3.06
2 = No	48609	5.81
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	46	0.01
97 = REFUSED	79	0.01
98 = BLANK (NO ANSWER)	3469	0.41
99 = LEGITIMATE SKIP	649538	77.63

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

ADRXNOW Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes	20219	2.42
2 = No	5420	0.65
94 = DON'T KNOW	4	0.00
97 = REFUSED	81	0.01
98 = BLANK (NO ANSWER)	3515	0.42
99 = LEGITIMATE SKIP	698148	83.44

ADULT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

ADRXHLP Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Not at all	1665	0.20
2 = A little.....	3165	0.38
3 = Some.....	6284	0.75
4 = A lot.....	8893	1.06
5 = Extremely	5558	0.66
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	66	0.01
97 = REFUSED	92	0.01
98 = BLANK (NO ANSWER)	3515	0.42
99 = LEGITIMATE SKIP.....	698148	83.44

During the past 12 months, how much has treatment or counseling helped you?

ADTMTHLP Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Not at all	4670	0.56
2 = A little.....	5006	0.60
3 = Some.....	7724	0.92
4 = A lot.....	8367	1.00
5 = Extremely	4811	0.57
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	297	0.04
97 = REFUSED	184	0.02
98 = BLANK (NO ANSWER)	3551	0.42
99 = LEGITIMATE SKIP.....	692776	82.80

During the past 12 months, did you receive special education services while in your regular classroom or have you been placed in a special classroom, a special program, or a special school because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUSPEDYR Len : 2 1SPECIAL EDUC SVCS FOR EMOT PROB PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	450686	53.86
1 = Yes.....	4785	0.57
2 = No.....	109721	13.11
85 = BAD DATA Logically assigned	32	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	405	0.05
97 = REFUSED	402	0.05
98 = BLANK (NO ANSWER)	705	0.08
99 = LEGITIMATE SKIP.....	269957	32.26

During the past 12 months, did you talk to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs?

YUSHCNYR Len : 2 1TALKED W/SCH COUNS FOR EMOT PROB PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	450686	53.86
1 = Yes.....	12774	1.53
2 = No.....	101820	12.17
85 = BAD DATA Logically assigned	32	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	335	0.04
97 = REFUSED	384	0.05
98 = BLANK (NO ANSWER)	705	0.08
99 = LEGITIMATE SKIP.....	269957	32.26

ADULT DEPRESSION

Think about the last time you talked to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs. What was the reason for your talk?

YUSHSUIC Len : 2 1TLKED W/SCH COUNS BEC THOT/TRIED TO KILL SELF

	Freq	Pct
-9 = Data not collected for this year	450686	53.86
1 = Response entered	1279	0.15
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered	11217	1.34
85 = BAD DATA Logically assigned	26	0.00
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.06
98 = BLANK (NO ANSWER)	1046	0.13
99 = LEGITIMATE SKIP	371780	44.43

YUSHDEPR Len : 2 1TLKED W/SCH COUNS BEC YOU FELT DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	450686	53.86
1 = Response entered	4966	0.59
3 = Response entered LOGICALLY ASSIGNED	21	0.00
6 = Response not entered	7512	0.90
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.06
98 = BLANK (NO ANSWER)	1072	0.13
99 = LEGITIMATE SKIP	371780	44.43

YUSHFEAR Len : 2 1TLKED W/SCH COUNS BEC YOU FELT AFRAID/TENSE

	Freq	Pct
-9 = Data not collected for this year	450686	53.86
1 = Response entered	1970	0.24
3 = Response entered LOGICALLY ASSIGNED	55	0.01
6 = Response not entered	10474	1.25
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.06
98 = BLANK (NO ANSWER)	1071	0.13
99 = LEGITIMATE SKIP	371780	44.43

YUSHBKRU Len : 2 1TLKED W/SCH COUNS BEC BRKING RULES/ACT OUT

	Freq	Pct
-9 = Data not collected for this year	450686	53.86
1 = Response entered	2789	0.33
3 = Response entered LOGICALLY ASSIGNED	113	0.01
6 = Response not entered	9597	1.15
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.06
98 = BLANK (NO ANSWER)	1072	0.13
99 = LEGITIMATE SKIP	371780	44.43

YUSHEATP Len : 2 1TLKED W/SCH COUNS BEC YOU HAD EATING PROBS

	Freq	Pct
-9 = Data not collected for this year	450686	53.86
1 = Response entered	660	0.08
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered	11836	1.41
94 = DON'T KNOW	155	0.02
97 = REFUSED	504	0.06
98 = BLANK (NO ANSWER)	1072	0.13
99 = LEGITIMATE SKIP	371780	44.43

ADULT DEPRESSION

What was the other emotional or behavioral problem for which you last talked with a school counselor, school psychologist, or one of your regular teachers?

YUSHANGR Len : 2 1TLKED W/SCH COUNS BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	615597	73.57
1 = Response entered	750	0.09
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered	6364	0.76
94 = DON'T KNOW	129	0.02
97 = REFUSED	328	0.04
98 = BLANK (NO ANSWER)	657	0.08
99 = LEGITIMATE SKIP	212860	25.44

YUSHFITE Len : 2 1TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	615597	73.57
1 = Response entered	384	0.05
3 = Response entered LOGICALLY ASSIGNED	12	0.00
6 = Response not entered	6729	0.80
94 = DON'T KNOW	129	0.02
97 = REFUSED	328	0.04
98 = BLANK (NO ANSWER)	657	0.08
99 = LEGITIMATE SKIP	212860	25.44

YUSHFMLY Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	615597	73.57
1 = Response entered	1164	0.14
3 = Response entered LOGICALLY ASSIGNED	44	0.01
6 = Response not entered	5917	0.71
94 = DON'T KNOW	129	0.02
97 = REFUSED	328	0.04
98 = BLANK (NO ANSWER)	657	0.08
99 = LEGITIMATE SKIP	212860	25.44

YUSHFRND Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	615597	73.57
1 = Response entered	1323	0.16
3 = Response entered LOGICALLY ASSIGNED	38	0.00
6 = Response not entered	5764	0.69
94 = DON'T KNOW	129	0.02
97 = REFUSED	328	0.04
98 = BLANK (NO ANSWER)	657	0.08
99 = LEGITIMATE SKIP	212860	25.44

YUSHOTPP Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	615597	73.57
1 = Response entered	742	0.09
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered	6372	0.76
94 = DON'T KNOW	129	0.02
97 = REFUSED	328	0.04
98 = BLANK (NO ANSWER)	657	0.08
99 = LEGITIMATE SKIP	212860	25.44

YUSHSCHL Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	615597	73.57
1 = Response entered	1491	0.18
3 = Response entered LOGICALLY ASSIGNED	175	0.02
6 = Response not entered	5459	0.65
94 = DON'T KNOW	129	0.02
97 = REFUSED	328	0.04
98 = BLANK (NO ANSWER)	657	0.08
99 = LEGITIMATE SKIP	212860	25.44

ADULT DEPRESSION

YUSHSOR

Len : 2 1TLKED W/SCH COUNS FOR SOME OTHER REASON

	Freq	Pct
-9 = Data not collected for this year.....	450686	53.86
1 = Response entered.....	4334	0.52
6 = Response not entered.....	8165	0.98
94 = DON'T KNOW.....	155	0.02
97 = REFUSED.....	504	0.06
98 = BLANK (NO ANSWER).....	1072	0.13
99 = LEGITIMATE SKIP.....	371780	44.43

Have you ever been in jail or in a detention center?

YUJAILEV

Len : 2 1EVER BEEN IN JAIL OR DETENTION CENTER

	Freq	Pct
-9 = Data not collected for this year.....	450686	53.86
1 = Yes.....	7685	0.92
2 = No.....	118071	14.11
85 = BAD DATA Logically assigned.....	27	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
94 = DON'T KNOW.....	287	0.03
97 = REFUSED.....	248	0.03
98 = BLANK (NO ANSWER).....	29	0.00
99 = LEGITIMATE SKIP.....	259659	31.03

Have you ever been in foster care?

YUFCAREV

Len : 2 1EVER BEEN IN FOSTER CARE

	Freq	Pct
-9 = Data not collected for this year.....	450686	53.86
1 = Yes.....	2950	0.35
2 = No.....	122113	14.59
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	777	0.09
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
94 = DON'T KNOW.....	265	0.03
97 = REFUSED.....	186	0.02
98 = BLANK (NO ANSWER).....	56	0.01
99 = LEGITIMATE SKIP.....	259659	31.03

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section. Specific details about the recoded variables are provided in the Recoded Depression Variable Documentation Appendix.

NOTE: The following five variables in this section are based on questions asked of all applicable respondents regardless of whether they were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or not. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a person's life.

ASDSHOME

Len : 1 ADULT: MDE ROLE IMPAIRMENT - HOME MANAGEMENT

	Freq	Pct
. = Unknown/Legit Skip (ADPSHMG=94,95,97,98,99).....	210159	25.12
-9 = Data not collected for this year.....	615105	73.52
1 = None (ADPSHMG=0).....	368	0.04
2 = Mild (ADPSHMG=1,2,3).....	1735	0.21
3 = Moderate (ADPSHMG=4,5,6).....	4513	0.54
4 = Severe (ADPSHMG=7,8,9).....	3704	0.44
5 = Very Severe (ADPSHMG=10).....	1112	0.13

ASDSWRK

Len : 1 ADULT: MDE ROLE IMPAIRMENT - ABILITY TO WORK

	Freq	Pct
. = Unknown/Legit Skip (ADPSWORK=94,95,97,98,99).....	210744	25.19
-9 = Data not collected for this year.....	615105	73.52
1 = None (ADPSWORK=0).....	732	0.09
2 = Mild (ADPSWORK=1,2,3).....	2674	0.32
3 = Moderate (ADPSWORK=4,5,6).....	4030	0.48
4 = Severe (ADPSWORK=7,8,9).....	2497	0.30
5 = Very Severe (ADPSWORK=10).....	914	0.11

ADULT DEPRESSION

ASDSREL Len : 1 ADULT: MDE ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	Freq	Pct
. = Unknown/Legit Skip (ADPSRELS=94,95,97,98,99).....	210164	25.12
-9 = Data not collected for this year.....	615105	73.52
1 = None (ADPSRELS=0).....	452	0.05
2 = Mild (ADPSRELS=1,2,3).....	2001	0.24
3 = Moderate (ADPSRELS=4,5,6).....	4063	0.49
4 = Severe (ADPSRELS=7,8,9).....	3776	0.45
5 = Very Severe (ADPSRELS=10).....	1135	0.14

ASDSSOC Len : 1 ADULT: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Unknown/Legit Skip (ADPSSOC=94,95,97,98,99).....	210181	25.12
-9 = Data not collected for this year.....	615105	73.52
1 = None (ADPSSOC=0).....	307	0.04
2 = Mild (ADPSSOC=1,2,3).....	1699	0.20
3 = Moderate (ADPSSOC=4,5,6).....	3989	0.48
4 = Severe (ADPSSOC=7,8,9).....	4093	0.49
5 = Very Severe (ADPSSOC=10).....	1322	0.16

The following variable, ASDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOME), ability to work (ASDSWRK), close relationships (ASDSREL), and social life (ASDSSOC).

ASDSOVRT Len : 1 ADULT: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise).....	209876	25.08
-9 = Data not collected for this year.....	615105	73.52
1 = None (See comment above).....	62	0.01
2 = Mild (See comment above).....	707	0.08
3 = Moderate (See comment above).....	3445	0.41
4 = Severe (See comment above).....	5317	0.64
5 = Very Severe (See comment above).....	2184	0.26

NOTE: The adjusted adult MDE variables (AJAMDELT and AJAMDEYR) were created using a weighted logistic regression model to compute predicted probabilities of past year MDE for each respondent. The predicted probabilities, which can have any value between 0 and 1, then were dichotomized such that each respondent was specified as having or not having MDE in the past year.

These variables can be renamed to match the 2009 and later year adult MDE variables (AMDELT and AMDEYR) in order to make comparisons across years. No weight adjustments are needed when using the adjusted MDE variables. The adjusted MDE variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. For more information on the creation of the adjusted adult depression variables, see the Recoded Depression Variable Documentation Appendix.

AJAMDELT Len : 1 ADULT: ADJUSTED LIFETIME MAJOR DEPRESSIVE EPISODE

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	73231	8.75
-9 = Data not collected for this year.....	615597	73.57
1 = Yes (see comment above).....	21442	2.56
2 = No (see comment above).....	126426	15.11

AJAMDEYR Len : 1 ADULT: ADJUSTED PAST YEAR MAJOR DEPRESSIVE EPISODE

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	73404	8.77
-9 = Data not collected for this year.....	615597	73.57
1 = Yes (see comment above AJAMDELT).....	11734	1.40
2 = No (see comment above AJAMDELT).....	135961	16.25

The following adult adjusted MDE variable, AJAMDE_U, is used in the 2012 mental illness prediction model. It is defined differently than AJAMDEYR which is used in the Detailed Tables. See the mental illness variables in the Recoded Mental Health section of this codebook and the Recoded Mental Health Module Variable Documentation Appendix for more details on the 2012 mental illness prediction model.

AJAMDE_U Len : 1 ADULT ADJUSTED PAST YR MDE - 'UNKNOWN' IMP AS 'NO'

	Freq	Pct
. = Aged 12-17 (AGE2 <7 or MHSAMP08=1).....	36196	4.33
-9 = Data not collected for this year.....	781586	93.41
0 = No/Unk (AJAMDEYR=.,2 and AGE2 >=7 and MHSAMP08=2).....	17463	2.09
1 = Yes (AJAMDEYR=1 and AGE2 >=7 and MHSAMP08=2).....	1451	0.17

ADULT DEPRESSION

AMDETARX

Len : 1 ADULT: RCVD TRT/CNSLNG AND RX MED FOR MDE IN PST YR

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	150915	18.04
-9 = Data not collected for this year.....	669039	79.96
0 = No (ATXMDEYR=0 or ARXMDEYR=0).....	12066	1.44
1 = Yes (ATXMDEYR=1 and ARXMDEYR=1).....	4676	0.56

AMDET XO

Len : 1 ADULT: RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	150911	18.04
-9 = Data not collected for this year.....	669039	79.96
0 = No (ATXMDEYR=0 or ARXMDEYR=1).....	14587	1.74
1 = Yes (ATXMDEYR=1 and ARXMDEYR=0).....	2159	0.26

AMDERXO

Len : 1 ADULT: RCVD RX MEDICATION ONLY FOR MDE IN PAST YR

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	150916	18.04
-9 = Data not collected for this year.....	669039	79.96
0 = No (ARXMDEYR=0 or ATXMDEYR=1).....	15798	1.89
1 = Yes (ARXMDEYR=1 and ATXMDEYR=0).....	943	0.11

RECODED ADULT DEPRESSION

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Due to questionnaire changes in 2008, these MDE variables are not directly comparable to MDE variables from 2004 to 2008. Adjusted lifetime and past year MDE variables (AJAMDELT and AJAMDEYR) were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. The youth MDE variables continue to remain comparable between 2004 and 2012. Specific details about the analysis of MDE data can be found in the Recoded Depression Variable Documentation Appendix.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMDEA=1).

An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than 5 out of the 9 criteria used to define an adult as having had MDE in their lifetime (ADSMDEA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMDEA=98) and the respondent reported at least one of the following:
 - i. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2), discouraged about how things were going in life (ADDSCEV=2), and lost interest in most things usually enjoyable (ADLOSEV=2).
 - ii. Experienced the feelings in (i), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDP2WK=2).
 - iii. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
 - iv. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
 - v. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2).

AMDELT	Len : 1 RC-ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)	Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	152255	18.20
	-9 = Data not collected for this year.....	330900	39.55
	1 = Yes (ADSMDEA=1).....	52073	6.22
	2 = No (See comment above).....	301468	36.03

AMDEYR	Len : 1 RC-ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)	Freq	Pct
	. = Aged 12-17/Unknown (Otherwise).....	152801	18.26
	-9 = Data not collected for this year.....	330900	39.55
	1 = Yes (AMDELT=1 & ADPB2WK=1).....	28712	3.43
	2 = No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2]).....	324283	38.76

The following adult MDE variable, AMDEY2_U, is used in the 2012 mental illness prediction model. It is defined differently than AMDEYR which is used in the Mental Health Detailed Tables. See the mental illness variables in the Recoded Mental Health section of this codebook and the Recoded Mental Health Module Variable Documentation Appendix for more details on the 2012 mental illness prediction model.

AMDEY2_U	Len : 1 RC-ADULT PAST YEAR MDE - 'UNKNOWN' IMPUTED AS 'NO'	Freq	Pct
	. = Aged 12-17 (AGE2<7).....	149383	17.85
	-9 = Data not collected for this year.....	330900	39.55
	0 = No/Unknown (AGE2>=7 and AMDEYR=.,2).....	327701	39.17
	1 = Yes (AGE2>=7 and AMDEYR=1).....	28712	3.43

RECODED ADULT DEPRESSION

NOTE: The following 25 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (AMDELT) or the past year MDE variable (AMDEYR).

ATXMDEYR	Len : 1 RC-ADULT: SAW/TALK TO MD/PROF ABT DEPRESSIVE FEELNGS IN PY		
	. = Aged 12-17/Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452635	54.10
	0 = No (ADSEEDOC=2).....	330900	39.55
	1 = Yes (ADSEEDOC=1).....	30830	3.68
		22331	2.67

ARXMDEYR	Len : 1 RC-ADULT: USED RX MEDICATION FOR DEPRESSIVE FEELINGS IN PY		
	. = Aged 12-17/Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452603	54.09
	0 = No (ADRX12MO=2).....	330900	39.55
	1 = Yes (ADRX12MO=1).....	34504	4.12
		18689	2.23

In the following variable, AMDETXX, an adult is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

AMDETXX	Len : 1 RC-ADULT: RCVD TRT/CNSLG OR RX MED FOR DEPRESS FEELING IN PY		
	. = Aged 12-17/Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452614	54.10
	0 = No (ATXMDEYR=0 and ARXMDEYR=0).....	330900	39.55
	1 = Yes (ATXMDEYR=1 or ARXMDEYR=1).....	27548	3.29
		25634	3.06

ADOCMDE	Len : 1 RC-ADULT: SAW/TALK TO GEN PRAC/FAM MD ABT DEP FEELINGS IN PY		
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452710	54.11
	0 = No (ADSEEDOC=2 or ADFAMDOC=6).....	330900	39.55
	1 = Yes (ADFAMDOC=1,3).....	41473	4.96
		11613	1.39

AOMDMDE	Len : 1 RC-ADULT: SAW/TALK TO OTHER MD ABT DEPRESSIVE FEELINGS IN PY		
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452710	54.11
	0 = No (ADSEEDOC=2 or ADOTHD=6).....	330900	39.55
	1 = Yes (ADOTHD=1,3).....	51023	6.10
		2063	0.25

APSY1MDE	Len : 1 RC-ADULT: SAW/TALK TO PSYCHOLOGIST ABT DEPRES FEELINGS IN PY		
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452710	54.11
	0 = No (ADSEEDOC=2 or ADPSYCH=6).....	330900	39.55
	1 = Yes (ADPSYCH=1,3).....	46723	5.58
		6363	0.76

APSY2MDE	Len : 1 RC-ADULT: SAW/TALK TO PSYCHIATRIST ABT DEPRES FEELINGS IN PY		
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452710	54.11
	0 = No (ADSEEDOC=2 or ADPSYMD=6).....	330900	39.55
	1 = Yes (ADPSYMD=1,3).....	46159	5.52
		6927	0.83

ASOCMDE	Len : 1 RC-ADULT: SAW/TALK TO SOCIAL WORKR ABT DEPRES FEELINGS IN PY		
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	452710	54.11
	0 = No (ADSEEDOC=2 or ADSOCWRK=6).....	330900	39.55
	1 = Yes (ADSOCWRK=1,3).....	50748	6.07
		2338	0.28

RECODED ADULT DEPRESSION

ACOUNMDE Len : 1 RC-ADULT: SAW/TALK TO COUNSELOR ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	452710	54.11
-9 = Data not collected for this year.....	330900	39.55
0 = No (ADSEEDOC=2 or ADCOUNS=6).....	46742	5.59
1 = Yes (ADCOUNS=1,3).....	6344	0.76

AOMHMDE Len : 1 RC-ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT DEP FEELINGS-PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	452710	54.11
-9 = Data not collected for this year.....	330900	39.55
0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter]).....	51483	6.15
1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered).....	1603	0.19

ANURSMDE Len : 1 RC-ADULT: SAW/TALK TO NURSE/OCC THERA ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	452710	54.11
-9 = Data not collected for this year.....	330900	39.55
0 = No (ADSEEDOC=2 or ADNURSE=6).....	51724	6.18
1 = Yes (ADNURSE=1,3).....	1362	0.16

ARELMDE Len : 1 RC-ADULT: SAW/TALK TO RELIG ADVISR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	452710	54.11
-9 = Data not collected for this year.....	330900	39.55
0 = No (ADSEEDOC=2 or ADRELIG=6).....	49565	5.92
1 = Yes (ADRELIG=1,3).....	3521	0.42

AHBCHMDE Len : 1 RC-ADULT: SAW/TALK TO ANOTHER HEALER ABT DEPR FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	452710	54.11
-9 = Data not collected for this year.....	330900	39.55
0 = No (ADSEEDOC=2 or ADHERBAL=6).....	52019	6.22
1 = Yes (ADHERBAL=1,3).....	1067	0.13

The following variable, AOTHMDE, defines an adult as having seen or talked to another professional about MDE during the past year if s/he entered a valid write-in response other than the responses that matched existing categories (ADOTHSP=11, 13-32, 36, 37, 38, 39, 40, 41, 801).

An adult was classified as NOT having seen or talked to another professional about MDE during the past year, AOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6).
3. Write-in response entered matched an existing category (ADOTHSP=1-10, 12).

AOTHMDE Len : 1 RC-ADULT: SAW/TALK TO OTHER PROF ABT DEPRESSV FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknwn/Legit Skip/Invalid Spec. Resp.....	452949	54.14
-9 = Data not collected for this year.....	330900	39.55
0 = No (See comment above).....	52643	6.29
1 = Yes (See comment above).....	204	0.02

RECODED ADULT DEPRESSION

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

AHLTMDE Len : 1 RC-ADULT: SAW/TALK TO HLTH PROF ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	353460	42.24
-9 = Data not collected for this year.....	441244	52.74
0 = No (See comment above).....	25161	3.01
1 = Yes (See comment above).....	16831	2.01

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

AALTMDE Len : 1 RC-ADULT: SAW/TALK TO ALT SERV PROF ABT DEPRS FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	353460	42.24
-9 = Data not collected for this year.....	441244	52.74
0 = No (See comment above).....	38706	4.63
1 = Yes (See comment above).....	3286	0.39

AMDEHPRX Len : 1 RC-ADULT: SAW HLTH PROF OR RX MED FOR DEPRESS FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	353419	42.24
-9 = Data not collected for this year.....	441244	52.74
0 = No (AHLTMDE=0 and ARXMDEYR=0).....	22358	2.67
1 = Yes (AHLTMDE=1 or ARXMDEYR=1).....	19675	2.35

AMDEHPO Len : 1 RC-ADULT: SAW HLTH PROF, NO RX MED FOR DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	353414	42.24
-9 = Data not collected for this year.....	441244	52.74
0 = No (AHLTMDE=0 or ARXMDEYR=1).....	37372	4.47
1 = Yes (AHLTMDE=1 and ARXMDEYR=0).....	4666	0.56

AMDERXO2 Len : 1 RC-ADULT: RCVD RX MED, NO HLTH PROF FOR DEPRS FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	353413	42.24
-9 = Data not collected for this year.....	441244	52.74
0 = No (ARXMDEYR=0 or AHLTMDE=1).....	39245	4.69
1 = Yes (ARXMDEYR=1 and AHLTMDE=0).....	2794	0.33

AMDEHARX Len : 1 RC-ADULT: SAW HLTH PROF AND RX MED FOR DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	353408	42.24
-9 = Data not collected for this year.....	441244	52.74
0 = No (AHLTMDE=0 or ARXMDEYR=0).....	29883	3.57
1 = Yes (AHLTMDE=1 and ARXMDEYR=1).....	12161	1.45

RECODED ADULT DEPRESSION

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a adult's life.

ASDSHOM2 Len : 1 RC-ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - HOME MANAGEMENT

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	476854	56.99
-9 = Data not collected for this year	330900	39.55
1 = None (ADPSHMG=0)	1045	0.12
2 = Mild (ADPSHMG=1,2,3)	5025	0.60
3 = Moderate (ADPSHMG=4,5,6)	11735	1.40
4 = Severe (ADPSHMG=7,8,9)	8845	1.06
5 = Very Severe (ADPSHMG=10)	2292	0.27

ASDSWRK2 Len : 1 RC-ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - ABILITY TO WORK

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	476971	57.01
-9 = Data not collected for this year	330900	39.55
1 = None (ADPSWORK=0)	2559	0.31
2 = Mild (ADPSWORK=1,2,3)	7426	0.89
3 = Moderate (ADPSWORK=4,5,6)	9732	1.16
4 = Severe (ADPSWORK=7,8,9)	6539	0.78
5 = Very Severe (ADPSWORK=10)	2569	0.31

ASDSREL2 Len : 1 RC-ADULT: DEP FEELINGS ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	476838	56.99
-9 = Data not collected for this year	330900	39.55
1 = None (ADPSRELS=0)	1206	0.14
2 = Mild (ADPSRELS=1,2,3)	5154	0.62
3 = Moderate (ADPSRELS=4,5,6)	9877	1.18
4 = Severe (ADPSRELS=7,8,9)	9844	1.18
5 = Very Severe (ADPSRELS=10)	2877	0.34

ASDSSOC2 Len : 1 RC-ADULT: DEPRESSIVE FEELINGS ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	476809	56.99
-9 = Data not collected for this year	330900	39.55
1 = None (ADPSSOC=0)	927	0.11
2 = Mild (ADPSSOC=1,2,3)	4304	0.51
3 = Moderate (ADPSSOC=4,5,6)	9250	1.11
4 = Severe (ADPSSOC=7,8,9)	10969	1.31
5 = Very Severe (ADPSSOC=10)	3537	0.42

The following variable, ASDSOVL2, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2).

ASDSOVL2 Len : 1 RC-ADULT: MAX SEVERITY LEVEL OF DEP FEELINGS ROLE IMPAIRMENT

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	476774	56.98
-9 = Data not collected for this year	330900	39.55
1 = None (See comment above)	175	0.02
2 = Mild (See comment above)	1923	0.23
3 = Moderate (See comment above)	8262	0.99
4 = Severe (See comment above)	13092	1.56
5 = Very Severe (See comment above)	5570	0.67

The following variable, AMDEIMP, is derived from the maximum severity level of MDE role impairment (ASDSOVL2) and is restricted to adults with past year MDE (AMDEYR).

AMDEIMP Len : 1 RC-ADULT: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	152866	18.27
-9 = Data not collected for this year	330900	39.55
1 = Yes (AMDEYR=1 and ASDSOVL2=4,5)	18554	2.22
2 = No (AMDEYR=2 or ASDSOVL2=1,2,3)	334376	39.96

RECODED ADULT DEPRESSION

NOTE: For each reported source of treatment/counseling for problems with behavior or emotions that were not caused by alcohol or drugs (see ANYTRT9), the respondent was asked to report which of 5 specific reasons was the reason for the last time he/she received treatment from this source. In addition, the respondent could also answer "other". If a respondent reported "other", then he/she was asked to list the other reason (or reasons). A respondent was allowed to enter up to 5 additional reasons for treatment from each source. The 5 specific reasons were: thought about or tried suicide, felt depressed, felt afraid or tense, acting out or breaking rules, and eating problems. Multiple reasons could be reported for each source of treatment, thus the response categories are not mutually exclusive. For each of the 9 sources of treatment there are 5 variables that contain data about the 5 specific reasons for treatment, resulting in 45 variables that include data about the specific reasons. In addition, for each of the 9 sources there are 5 variables that contain data about the other specified reasons, resulting in 45 additional variables. The following recoded variables indicate the reasons youth reported for receiving treatment across all the reported sources of treatment in the past year. Note that these variables are only defined for youth who received treatment from one or more of the 9 sources and reported at least one reason for treatment.

The following variable, REASSUIC, indicates whether respondents received treatment/counseling from at least one source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: YUHOSUIC, YURSSUIC, YUFCSUIC, YUDYSUIC, YUMHSUIC, YUTPSUIC, YUIHSUIC, YUFDSUIC, and YUSHSUIC. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASSUIC Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C TRIED SUICIDE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year	671785	80.29
0 = Reason not indicated (Otherwise)	7909	0.95
1 = Reason indicated (See comment above).....	1857	0.22

The following variable, REASDEPR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt depressed. This recode was created by examination of the following source variables, YUHODEPR, YURSDEPR, YUFCDEPR, YUDYDEPR, YUMHDEPR, YUTPDEPR, YUIHDEPR, YUFDDEPR, and YUSHDEPR, as well as the write-in other specify variables, YUHOOTSX, YURSOTSX, YUFCOTSX, YUDYOTSX, YUMHOTSX, YUTPOTSX, YUIHOTSX, YUFDOTSX, and YUSHOTSX (where X represents the values 1-5). A positive response was assigned if a respondent reported feeling depressed (any source variable=1,3) or reported feeling depressed in the other specify questions (any other specify variable=11). Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASDEPR Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year	671785	80.29
0 = Reason not indicated (Otherwise)	4868	0.58
1 = Reason indicated (See comment above).....	4898	0.59

The following variable, REASFEAR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt very afraid or tense. This recode was created by examination of the following source variables: YUHOFEAR, YURSFEAR, YUFCFEAR, YUDYFEAR, YUMHFEAR, YUTPFEAR, YUIHFEAR, YUFDFEAR, and YUSHFEAR. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASFEAR Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year	671785	80.29
0 = Reason not indicated (Otherwise)	7761	0.93
1 = Reason indicated (See comment above).....	2005	0.24

RECODED ADULT DEPRESSION

The following variable, REASBRK, indicates whether respondents received treatment/counseling from at least one source in the past year because they were breaking rules and "acting out." This recode was created by examination of the following source variables: YUHOBKRU, YURSBKRU, YUFCBKRU, YUDYBKRU, YUMHBKRU, YUTPBKRU, YUIHBKRU, YUFDKBKRU, and YUSHBKRU, as well as the write-in other specify variables, YUHOOTSX, YURSOTSX, YUFCOTSX, YUDYOTSX, YUMHOTSX, YUTPOTSX, YUIHOTSX, YUFDOTSX, and YUSHOTSX (where X represents the values 1-5). A positive response was assigned if a respondent reported breaking rules and "acting out" (any source variable=1,3) or reported breaking rules and "acting out" in the other specify questions (any other specify variable=7). Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASBRK Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C BREAKING RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year.....	671785	80.29
0 = Reason not indicated (Otherwise)	6712	0.80
1 = Reason indicated (See comment above).....	3054	0.37

The following variable, REASEATP, indicates whether respondents received treatment/counseling from at least one source in the past year because they had eating problems. This recode was created by examination of the following source variables: YUHOEATP, YURSEATP, YUFCEATP, YUDYEATP, YUMHEATP, YUTPEATP, YUIHEATP, YUFDEATP, and YUSHEATP. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASEATP Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C EATING PROBLEMS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year.....	671785	80.29
0 = Reason not indicated (Otherwise)	8919	1.07
1 = Reason indicated (See comment above).....	847	0.10

NOTE: The following 5 recoded variables indicate whether a youth reported some other reason as the reason he/she received treatment/counseling from any one of the reported sources in the past year. These recodes were created by consolidating the other reported responses into five broad categories: family problems, social problems, problems at school, other diagnosed mental/neurological disorders, and other reasons. These recodes were created by examination of the following 45 source variables: YUHOOTSX, YURSOTSX, YUFCOTSX, YUDYOTSX, YUMHOTSX, YUTPOTSX, YUIHOTSX, YUFDOTSX, and YUSHOTSX (where X represents the values 1-5). Adults, youth that did not report receiving treatment/counseling in the past year, and youth that reported receiving treatment/counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment/counseling were assigned to the unknown category.

REASFAM Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C FAMILY PROBLEMS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year.....	671785	80.29
0 = Reason not specified (Otherwise)	8453	1.01
1 = Reason specified (See comment above).....	1313	0.16

REASSOC Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C SOCIAL PROBLEMS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year.....	671785	80.29
0 = Reason not specified (Otherwise)	8954	1.07
1 = Reason specified (See comment above).....	812	0.10

REASSCH Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C SCHOOL ISSUES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year.....	671785	80.29
0 = Reason not specified (Otherwise)	8738	1.04
1 = Reason specified (See comment above).....	1028	0.12

REASMEN Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C OTH DISORDER

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year.....	671785	80.29
0 = Reason not specified (Otherwise)	9452	1.13
1 = Reason specified (See comment above).....	314	0.04

RECODED ADULT DEPRESSION

The following variable, REASOTH, was assigned a positive response if a respondent reported some other reason for receiving mental health treatment in the past year other than the four reasons listed above (any source variable = 6,13,15,17-20,22-24,26-38,40-44,48,51-53,55-56,58,61). Since the reasons are not mutually exclusive, a respondent can report one or more of the four reasons in addition to the other reason. Please note that this variable is not directly comparable to the similarly named variable from 2001.

REASOTH Len : 1 RCVD MENTAL HLTH TRT IN PST YR B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	155145	18.54
-9 = Data not collected for this year	671785	80.29
0 = Other reason not specified (Otherwise)	7727	0.92
1 = Other reason specified (See comment above)	2039	0.24

The following variable, ANYTRT10, indicates whether a youth reported receiving treatment/counseling in the past year from any of 10 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 10 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), through special education (YUSPEDYR), and school counselor (YUSHCNYR). Youths who reported a positive response to one or more of the 10 questions were included in the yes category regardless of how many of the 10 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 10 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 10 questions, and adults were included in the unknown category.

ANYTRT10 Len : 1 RCVD MH TRT FROM ANY OF 10 SOURCES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	185067	22.12
-9 = Data not collected for this year	560845	67.03
0 = No (See comment above)	71031	8.49
1 = Yes (Any above source variables=1)	19753	2.36

The following variable, ANYTRT9, indicates whether a youth reported receiving treatment/counseling in the past year from any of 9 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 9 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), and school counselor (YUSHCNYR). This variable was created in the same manner as ANYTRT10 (see above), except that the source of treatment question about special education (YUSPEDYR) was not included as a source variable. This variable was omitted because CAI did not include a follow-up question about the reasons for receiving mental health treatment at this source of treatment. Youths who reported a positive response to one or more of the 9 questions were included in the yes category regardless of how many of the 9 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 9 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 9 questions, and adults were included in the unknown category.

ANYTRT9 Len : 1 RCVD MH TRT FROM ANY OF 9 SOURCES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	185079	22.12
-9 = Data not collected for this year	560845	67.03
0 = No (See comment above)	72380	8.65
1 = Yes (Any above source variables=1)	18392	2.20

YSPED Len : 1 SPECIAL EDUC SVCS FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	261207	31.22
-9 = Data not collected for this year	450686	53.86
0 = No (YUSPEDYR=2 OR [AGE2<7 AND YUSPEDYR=99])	120018	14.34
1 = Yes (YUSPEDYR=1)	4785	0.57

YSCHL Len : 1 TALKED W/SCH COUNS FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	261119	31.21
-9 = Data not collected for this year	450686	53.86
0 = No (YUSHCNYR=2 OR [AGE2<7 AND YUSHCNYR=99])	112117	13.40
1 = Yes (YUSHCNYR=1)	12774	1.53

RECODED ADULT DEPRESSION

The following variable, ANYMHED, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school counselors, school psychologist, or regular teacher for problems (YSCHL) and received special education services in the classroom or placed in a special classroom, program, or school (YSPED). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category.

ANYMHED Len : 1 YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unkwn/Aged 18+/Not enrolled in School (Otherwise).....	261294	31.23
-9 = Data not collected for this year.....	450686	53.86
0 = No (YSCHL and YSPED=0).....	109313	13.06
1 = Yes (YSCHL or YSPED=1).....	15403	1.84

The following variable, ANYSMHPS, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=. or (ANYSMH=1 and ((ANYMHED=0 and YPED=.) or (ANYMHED=. and YPED=0) or (ANYMHED=. and YPED=.)]]).

ANYSMHPS Len : 1 YTH RCVD SPECIALTY AND EDUC OR MED MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	260748	31.16
-9 = Data not collected for this year.....	450686	53.86
0 = No (ANYSMH=0 or (ANYMHED=0 and YPED=0)).....	118033	14.11
1 = Yes (ANYSMH=1 and (ANYMHED=1 or YPED=1)).....	7229	0.86

NOTE: The following 13 variables, SHCNXXX, indicate whether a respondent last talked with their school counselor, school psychologist, or regular teacher in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school counselor (YUSHXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

SHCNLSUI Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above).....	160067	19.13
-9 = Data not collected for this year.....	671502	80.26
0 = Reason not indicated (See comment above).....	4628	0.55
1 = Reason indicated (YUSHSUIC=1).....	499	0.06

SHCNLDP Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160063	19.13
-9 = Data not collected for this year.....	671502	80.26
0 = Reason not indicated (See comment above SHCNLSUI).....	3169	0.38
1 = Reason indicated (YUSHDEPR=1,3).....	1962	0.23

SHCNFEA Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160065	19.13
-9 = Data not collected for this year.....	671502	80.26
0 = Reason not indicated (See comment above SHCNLSUI).....	4312	0.52
1 = Reason indicated (YUSHFEAR=1,3).....	817	0.10

SHCNBRK Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C BROKE RULES

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	160066	19.13
-9 = Data not collected for this year.....	671502	80.26
0 = Reason not indicated (See comment above SHCNLSUI).....	3892	0.47
1 = Reason indicated (YUSHBKRU=1,3).....	1236	0.15

RECORDED ADULT DEPRESSION

SHCNEAT	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C EATING PROBS		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	160066	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	4835	0.58
	1 = Reason indicated (YUSHEATP=1)	293	0.04
SHCNANGR	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C ANGER CONTROL		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	4539	0.54
	1 = Reason indicated (YUSHANGR=1,3)	588	0.07
SHCNFITE	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PHYS FIGHT		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	4828	0.58
	1 = Reason indicated (YUSHFITE=1,3)	299	0.04
SHCNFMLY	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C HOME/FAM PROB		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	4215	0.50
	1 = Reason indicated (YUSHFMLY=1,3)	912	0.11
SHCNFRND	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB W/ FRND		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	4120	0.49
	1 = Reason indicated (YUSHFRND=1,3)	1007	0.12
SHCNOTPP	Len : 1 YTH LST TLKD W/ SCH COUN IN PY B/C PRB W/ OTH PERS		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	4548	0.54
	1 = Reason indicated (YUSHOTPP=1,3 or prob w/ others)	579	0.07
SHCNSCHL	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB AT SCH		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	3887	0.46
	1 = Reason indicated (YUSHSCHL=1,3)	1240	0.15
SHCNMEND	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C DIAG MNTL DIS		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	5111	0.61
	1 = Reason indicated (Diagnosed with mental disorder)	16	0.00
SHCNOTH2	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C OTHER REASONS		
		Freq	Pct
	. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment)	160067	19.13
	-9 = Data not collected for this year	671502	80.26
	0 = Reason not indicated (See comment above SHCNSUI)	4765	0.57
	1 = Reason indicated (Indicated some other reason)	362	0.04

RECODED ADULT DEPRESSION

NOTE: The following 13 variables, SEMXXX, indicate whether a respondent last received any specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year because of respective reasons for problems with behavior or emotions that were not caused by alcohol or drugs. These recodes were created by examination of the following sources: received any specialty mental services (SMHXXX), received treatment from a family doctor or pediatrician (FDOCXXX), and talked to a school counselor, school psychologist, or regular teacher (SHCNXXX) in the past year because of respective reasons.

Respondents for the SEMXXX reason variables were treated as missing if 1) they were aged 18 or older 2) they did not receive care or it is unknown if they received care for any reason at any of the specialty mental health services (ANYSMH=0 or missing) or at both an education and general medical setting (YPED and YSCHL=0 or missing) or if 3) they did receive treatment at both of these services but did not indicate a valid reason for receiving services at a specialty mental health service along with services from either education or general medical setting, or there was not sufficient information to determine if these services were received for the specified reason. Respondents were categorized as not having received care for the specified reason if they were not categorized as missing and it could not be shown that they received care for the specified reason at a specialty mental health service along with services from either an education or general medical setting.

Note that responses for receipt of care for the specified reason are only taken into account for services received. For example, a respondent who indicated receiving both education and general medical services, and indicated that they did not receive care for the specified reason for education, but did not indicate any reason for medical will be assigned to the unknown category. However, if this respondent only indicated receiving education services then with the same responses to the reason questions, they would be assigned to the "No" category (assuming that they also did not receive care from any specialty services).

SEMSUI Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	162550	19.43
-9 = Data not collected for this year	671502	80.26
0 = No (See comment above)	2295	0.27
1 = Yes (SMHSUI=1 & (FDOCSUI=1 or SHCNUI=1))	349	0.04

SEMDPR Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162588	19.43
-9 = Data not collected for this year	671502	80.26
0 = No (See comment above SEMSUI)	1525	0.18
1 = Yes (SMHDPR=1 & (FDOCDPR=1 or SHCNDR=1))	1081	0.13

SEMFEA Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C AFRD/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162556	19.43
-9 = Data not collected for this year	671502	80.26
0 = No (See comment above SEMSUI)	2267	0.27
1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHCNFEA=1))	371	0.04

SEMBRK Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C BROKE RULES

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162563	19.43
-9 = Data not collected for this year	671502	80.26
0 = No (See comment above SEMSUI)	2163	0.26
1 = Yes (SMHBRK=1 & (FDOCBRK=1 or SHCNBRK=1))	468	0.06

SEMEAT Len : 1 YTH LAST RCVD SP & NSP MH TRT IN PY B/C EATNG PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162540	19.43
-9 = Data not collected for this year	671502	80.26
0 = No (See comment above SEMSUI)	2477	0.30
1 = Yes (SMHEAT=1 & (FDOCEAT=1 or SHCNEAT=1))	177	0.02

SEMANGR Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C ANGER CNTRL

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162569	19.43
-9 = Data not collected for this year	671502	80.26
0 = No (See comment above SEMSUI)	2431	0.29
1 = Yes (SMHANGR=1 & (FDOCANGR=1 or SHCNANGR=1))	194	0.02

RECODED ADULT DEPRESSION

SEMFFITE	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PHYS FIGHT	Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162544	19.43
	-9 = Data not collected for this year	671502	80.26
	0 = No (See comment above SEMSU)	2586	0.31
	1 = Yes (SMHFITE=1 & (FDOCFITE=1 or SHCNFITE=1))	64	0.01
SEMFMFLY	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C HOME/FAM PRB	Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162568	19.43
	-9 = Data not collected for this year	671502	80.26
	0 = No (See comment above SEMSU)	2276	0.27
	1 = Yes (SMHFMLY=1 & (FDOCFMLY=1 or SHCNFMLY=1)).....	350	0.04
SEMFRND	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ FRND	Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162561	19.43
	-9 = Data not collected for this year	671502	80.26
	0 = No (See comment above SEMSU)	2413	0.29
	1 = Yes (SMHFRND=1 & (FDOCFRND=1 or SHCNFRND=1)).....	220	0.03
SEMOTPP	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ OTH	Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162553	19.43
	-9 = Data not collected for this year	671502	80.26
	0 = No (See comment above SEMSU)	2499	0.30
	1 = Yes (SMHOTPP=1 & (FDOCOTPP=1 or SHCNOTPP=1)).....	142	0.02
SEMSCHL	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB AT SCH	Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162577	19.43
	-9 = Data not collected for this year	671502	80.26
	0 = No (See comment above SEMSU)	2327	0.28
	1 = Yes (SMHSCHL=1 & (FDOCSCHL=1 or SHCNSCHL=1))	290	0.03
SEMMEND	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C MNTL DIS	Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162534	19.43
	-9 = Data not collected for this year	671502	80.26
	0 = No (See comment above SEMSU)	2650	0.32
	1 = Yes (SMHMEND=1 & (FDOCMEND=1 or SHCNMEND=1)).....	10	0.00
SEMOTH2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C OTH REASONS	Freq	Pct
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	162558	19.43
	-9 = Data not collected for this year	671502	80.26
	0 = No (See comment above SEMSU)	2531	0.30
	1 = Yes (SMHOTH2=1 & (FDOCOTH2=1 or SHCNOTH2=1)).....	105	0.01

The following variable, ANYSMPS2, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED2), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=. or (ANYSMH=1 and ((ANYMHED2=0 and YPED=.) or (ANYMHED2=. and YPED=0) or (ANYMHED2=. and YPED=.)))]. This variable is not comparable with variables named similarly in past NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

ANYSMPS2	Len : 1 YTH RCVD SPECIALTY AND EDUC OR MED MH SRVC IN PY	Freq	Pct
	. = Unknown/Aged 18+ (See comment above)	154439	18.46
	-9 = Data not collected for this year	610484	72.96
	0 = No (ANYSMH=0 or (ANYMHED2=0 and YPED=0)).....	67681	8.09
	1 = Yes (ANYSMH=1 and (ANYMHED2=1 or YPED=1)).....	4092	0.49

RECODED ADULT DEPRESSION

The following variable, SPINVST, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPNM), residential treatment center (YURSIDNM), and in foster care (YUFCARNM). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCARYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for any of the 3 locations (any of YUHOSPYR, YURSIDYR, YUFCARYR=85, 94, 97, 98 OR any of YUHOSPNM, YURSIDNM, YUFCARNM=985, 994, 997, 998), unless the sum of the overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPINVST

Len : 1 # NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SRVC

	Freq	Pct
. = Unknown/18+ (See comment above).....	266804	31.89
-9 = Data not collected for this year.....	445290	53.22
1 = 1 Overnight Stay (See comment above).....	1021	0.12
2 = 2 Overnight Stays (See comment above).....	364	0.04
3 = 3-6 Overnight Stays (See comment above).....	542	0.06
4 = 7-24 Overnight Stays (See comment above).....	555	0.07
5 = 25 or More Overnight Stays (See comment above).....	432	0.05
6 = No Overnight Stays (See comment above).....	121688	14.54

The following variable, SMHVST, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPNM), residential treatment center (YURSIDNM), and foster care (YUFCARNM), and the number of visits to a day treatment facility (YUDYTXNM), mental health clinic (YUMHCRNM), private therapist (YUTPSTNM), and in-home therapist (YUIHTPNM). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCARYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 7 locations (any of YUHOSPYR, YURSIDYR, YUFCARYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUHOSPNM, YURSIDNM, YUFCARNM, YUDYTXNM, YUMHCRNM, YUTPSTNM, YUIHTPNM=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SMHVST

Len : 1 # STAYS/VISITS YTH MADE TO SPEC MH SERVICE

	Freq	Pct
. = Unknown/18+ (See comment above).....	268814	32.13
-9 = Data not collected for this year.....	445290	53.22
1 = 1 Visit/Overnight Stay (See comment above).....	2959	0.35
2 = 2 Visits/Overnight Stays (See comment above).....	2101	0.25
3 = 3-6 Visits/Overnight Stays (See comment above).....	3805	0.45
4 = 7-24 Visits/Overnight Stays (See comment above).....	3571	0.43
5 = 25 or More Visits/Stays (See comment above).....	2239	0.27
6 = No Visits/Stays (See comment above).....	107917	12.90

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SIMHSUI, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or in foster care (YUFCUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSUI

Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388953	46.49
-9 = Data not collected for this year.....	445290	53.22
0 = Reason Not Indicated (Otherwise).....	1417	0.17
1 = Reason Indicated (Any source variable=1,3).....	1036	0.12

RECODED ADULT DEPRESSION

The following variable, SIMHDPR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or in foster care (YUFCDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHDPR Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388964	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	1316	0.16
1 = Reason Indicated (Any source variable=1,3)	1126	0.13

The following variable, SIMHFEA, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or in foster care (YUFCFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFEA Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388981	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2022	0.24
1 = Reason Indicated (Any source variable=1,3)	403	0.05

The following variable, SIMHBRK, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or in foster care (YUFCBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHBRK Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388972	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	1836	0.22
1 = Reason Indicated (Any source variable=1,3)	598	0.07

The following variable, SIMHEAT, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or in foster care (YUFCEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHEAT Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388988	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2171	0.26
1 = Reason Indicated (Any source variable=1,3)	247	0.03

RECODED ADULT DEPRESSION

The following variable, SIMHANGR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or in foster care (YUFCANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHANGR Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	388985	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2126	0.25
1 = Reason Indicated (Any source variable=1,3)	295	0.04

The following variable, SIMHFITE, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), or in foster care (YUFCFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFITE Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	388995	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2265	0.27
1 = Reason Indicated (Any source variable=1,3)	146	0.02

The following variable, SIMHFMLY, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or in foster care (YUFCFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMP), or in foster care (YUFCIMP) was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=55, 56. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFMLY Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	388985	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2042	0.24
1 = Reason Indicated (See comment above)	379	0.05

The following variable, SIMHFRND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRND), or in foster care (YUFCFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFRND Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	388993	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2302	0.28
1 = Reason Indicated (Any source variable=1,3)	111	0.01

RECODED ADULT DEPRESSION

The following variable, SIMHOTPP, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or in foster care (YUFCOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR) or foster care (YUFCIMPR) was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=51. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTPP Len : 1 YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388994	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2284	0.27
1 = Reason Indicated (See comment above)	128	0.02

The following variable, SIMHSCHL, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or in foster care (YUFCSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSCHL Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388986	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2145	0.26
1 = Reason Indicated (Any source variable=1,3)	275	0.03

The following variable, SIMHMEND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), or in foster care (YUFCIMPR) was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=18-25, 27, 28, 36, 66, 67. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHMEND Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388998	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2373	0.28
1 = Reason Indicated (See comment above)	35	0.00

The following variable, SIMHOTH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), or in foster care (YUFCIMPR) was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=12-17, 26, 29-35, 37-50, 52-54, 57-65, 68. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTH2 Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	388994	46.49
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	2203	0.26
1 = Reason Indicated (See comment above)	209	0.02

RECODED ADULT DEPRESSION

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SMHSUI, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), in foster care (YUFCSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSUI Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	376771	45.03
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	11408	1.36
1 = Reason Indicated (Any source variable=1,3)	3227	0.39

The following variable, SMHDPR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), in foster care (YUFCEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHDPR Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C DEPRESSED

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	376664	45.02
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	7397	0.88
1 = Reason Indicated (Any source variable=1,3)	7345	0.88

The following variable, SMHFEA, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), in foster care (YUFCEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFEA Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	376815	45.04
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	11545	1.38
1 = Reason Indicated (Any source variable=1,3)	3046	0.36

The following variable, SMHBRK, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), in foster care (YUFCKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHBRK Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C BROKE RULES

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	376788	45.03
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	10896	1.30
1 = Reason Indicated (Any source variable=1,3)	3722	0.44

RECODED ADULT DEPRESSION

The following variable, SMHEAT, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), in foster care (YUFCEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHEAT Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376878	45.04
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	13162	1.57
1 = Reason Indicated (Any source variable=1,3)	1366	0.16

The following variable, SMHANGR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), in foster care (YUFCANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHANGR Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376788	45.03
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	12030	1.44
1 = Reason Indicated (Any source variable=1,3)	2588	0.31

The following variable, SMHFITE, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), in foster care (YUFCFITE), or visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), or received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFITE Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376907	45.05
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	13712	1.64
1 = Reason Indicated (Any source variable=1,3)	787	0.09

The following variable, SMHFMLY, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), in foster care (YUFCFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), in foster care (YUFCIMPR), or visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=55, 56. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFMLY Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376785	45.03
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	10340	1.24
1 = Reason Indicated (See comment above)	4281	0.51

RECODED ADULT DEPRESSION

The following variable, SMHFRND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRND), in foster care (YUFCFRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFRND Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376882	45.04
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	12666	1.51
1 = Reason Indicated (Any source variable=1,3)	1858	0.22

The following variable, SMHOTPP, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), in foster care (YUFCOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), in foster care (YUFCIMPR), or visits to a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=51. Adults that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTPP Len : 1 YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376886	45.04
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	13151	1.57
1 = Reason Indicated (See comment above)	1369	0.16

The following variable, SMHSCHL, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), in foster care (YUFCSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSCHL Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376820	45.04
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	11905	1.42
1 = Reason Indicated (Any source variable=1,3)	2681	0.32

The following variable, SMHMEND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), in foster care (YUFCIMPR), or visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=18-25, 27, 28, 36, 66, 67. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHMEND Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	376920	45.05
-9 = Data not collected for this year	445290	53.22
0 = Reason Not Indicated (Otherwise)	14105	1.69
1 = Reason Indicated (See comment above)	381	0.05

RECODED ADULT DEPRESSION

The following variable, SMHOTH2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), in foster care (YUFCIMPR), or visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=12-17, 26, 29-35, 37-50, 52-54, 57-65, 68. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTH2	Len : 1	YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS		
	.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).....	Freq	Pct
			376881	45.04
	-9	= Data not collected for this year.....	445290	53.22
	0	= Reason Not Indicated (Otherwise).....	12956	1.55
	1	= Reason Indicated (See comment above).....	1569	0.19

NOTE: The following 13 variables, SEMXXX2, indicate whether a respondent last received any specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year because of respective reasons for problems with behavior or emotions that were not caused by alcohol or drugs. These recodes were created by examination of the following sources: received any specialty mental services (SMHXXX), received treatment from a family doctor or pediatrician (FDOCXXX), and talked to a school social worker, school psychologist, or school counselor (SHSWXXX) in the past year because of respective reasons.

Respondents for the SEMXXX2 reason variables were treated as missing if 1) they were aged 18 or older 2) they did not receive care or it is unknown if they received care for any reason at any of the specialty mental health services (ANYSMH=0 or missing) or at both an education and general medical setting (YPED and YSHSW=0 or missing) or if 3) they did receive treatment at both of these services but did not indicate a valid reason for receiving services at a specialty mental health service along with services from either education or general medical setting, or there was not sufficient information to determine if these services were received for the specified reason. Respondents were categorized as not having received care for the specified reason if they were not categorized as missing and it could not be shown that they received care for the specified reason at a specialty mental health service along with services from either an education or general medical setting.

Note that responses for receipt of care for the specified reason are only taken into account for services received. For example, a respondent who indicated receiving both education and general medical services, and indicated that they did not receive care for the specified reason for education, but did not indicate any reason for medical will be assigned to the unknown category. However, if this respondent only indicated receiving education services then with the same responses to the reason questions, they would be assigned to the "No" category (assuming that they also did not receive care from any specialty services). These variables are not comparable with variables named SEMXXX in previous NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

SEMSUI2	Len : 1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C TRIED SUIC		
	.	= No Trt/Unknown Reason/Aged 18+ (Otherwise).....	Freq	Pct
			222630	26.61
	-9	= Data not collected for this year.....	610484	72.96
	0	= No (SMHSUI=0 or (FDOCSUI=0 & SHSWSUI=0)).....	3037	0.36
	1	= Yes (SMHSUI=1 & (FDOCSUI=1 or SHSWSUI=1)).....	545	0.07

SEMDPR2	Len : 1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C DEPRESSED		
	.	= No Trt/Unknown Reason/Aged 18+ (Otherwise).....	Freq	Pct
			222661	26.61
	-9	= Data not collected for this year.....	610484	72.96
	0	= No (SMHDPR=0 or (FDOC DPR=0 & SHSWDPR=0)).....	2048	0.24
	1	= Yes (SMHDPR=1 & (FDOC DPR=1 or SHSWDPR=1)).....	1503	0.18

SEMFEA2	Len : 1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C AFRD/TENSE		
	.	= No Trt/Unknown Reason/Aged 18+ (Otherwise).....	Freq	Pct
			222631	26.61
	-9	= Data not collected for this year.....	610484	72.96
	0	= No (SMHFEA=0 or (FDOC FEA=0 & SHSWFEA=0)).....	2967	0.35
	1	= Yes (SMHFEA=1 & (FDOC FEA=1 or SHSWFEA=1)).....	614	0.07

SEMBRK2	Len : 1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C BROKE RULES		
	.	= No Trt/Unknown Reason/Aged 18+ (Otherwise).....	Freq	Pct
			222644	26.61
	-9	= Data not collected for this year.....	610484	72.96
	0	= No (SMHBRK=0 or (FDOC BRK=0 & SHSWBRK=0)).....	3025	0.36
	1	= Yes (SMHBRK=1 & (FDOC BRK=1 or SHSWBRK=1)).....	543	0.06

RECODED ADULT DEPRESSION

SEMEAT2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C EATNG PROB		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222610	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHEAT=0 or (FDOCEAT=0 & SHSWEAT=0)).....	3368	0.40
1 = Yes (SMHEAT=1 & (FDOCEAT=1 or SHSWEAT=1)).....	234	0.03	
SEMANGR2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C ANGER CNTRL		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222636	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHANGR=0 or (FDOCANGR=0 & SHSWANGR=0)).....	3235	0.39
1 = Yes (SMHANGR=1 & (FDOCANGR=1 or SHSWANGR=1)).....	341	0.04	
SEMFITE2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PHYS FIGHT		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222617	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHFITE=0 or (FDOCFITE=0 & SHSWFITE=0)).....	3502	0.42
1 = Yes (SMHFITE=1 & (FDOCFITE=1 or SHSWFITE=1)).....	93	0.01	
SEMFMly2	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C HOME/FAM PRB		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222649	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHFMLY=0 or (FDOCFMLY=0 & SHSWFMLY=0)).....	3022	0.36
1 = Yes (SMHFMLY=1 & (FDOCFMLY=1 or SHSWFMLY=1)).....	541	0.06	
SEMFRND2	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ FRND		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222632	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHFRND=0 or (FDOCFRND=0 & SHSWFRND=0)).....	3241	0.39
1 = Yes (SMHFRND=1 & (FDOCFRND=1 or SHSWFRND=1)).....	339	0.04	
SEMOTPP2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB W/ OTH		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222623	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHOTPP=0 or (FDOCOTPP=0 & SHSWOTPP=0)).....	3391	0.41
1 = Yes (SMHOTPP=1 & (FDOCOTPP=1 or SHSWOTPP=1)).....	198	0.02	
SEMSCHL2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB AT SCH		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222641	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHSCHL=0 or (FDOCSCHL=0 & SHSWSCHL=0)).....	3131	0.37
1 = Yes (SMHSCHL=1 & (FDOCSCHL=1 or SHSWSCHL=1)).....	440	0.05	
SEMMEND2	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C MNTL DIS		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222607	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHMEND=0 or (FDOCMEND=0 & SHSWMEND=0)).....	3587	0.43
1 = Yes (SMHMEND=1 & (FDOCMEND=1 or SHSWMEND=1)).....	18	0.00	
SEMOTH3	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C OTH REASONS		
		Freq	Pct
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222627	26.61
	-9 = Data not collected for this year.....	610484	72.96
	0 = No (SMHOTH2=0 or (FDOCOTH2=0 & SHSWOTH2=0)).....	3416	0.41
1 = Yes (SMHOTH2=1 & (FDOCOTH2=1 or SHSWOTH2=1)).....	169	0.02	

RECODED ADULT DEPRESSION

NOTE: The following eight variables contain information on the general types of mental health services received by youths in the past year for problems with behavior or emotions that were not caused by alcohol or drugs.

The following variable, ANYMHIN, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of 3 specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 3 sources of treatment variables: stayed overnight in hospital (YHOSP), stayed in residential treatment facility (YRESID), and spent time in foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the 3 questions were included in the yes category regardless of how many of the 3 questions they answered. Youths who did not report a positive response, but answered all 3 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHIN Len : 1 YTH RCVD SPEC INPATIENT MH SERVICES IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	452334	54.06
-9 = Data not collected for this year.....	169314	20.24
0 = No (YHOSP, YRESID, and YFOST=0).....	209306	25.02
1 = Yes (YHOSP, YRESID, or YFOST=1).....	5742	0.69

The following variable, ANYSMH, indicates whether a youth reported receiving specialty mental health services in the past year from any of 7 specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 7 source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in foster care (YFOST), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 7 questions were included in the yes category regardless of how many of the 7 questions they answered. Youths who did not report a positive response, but answered all 7 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYSMH Len : 1 YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	453107	54.15
-9 = Data not collected for this year.....	169314	20.24
0 = No (All above source variables=0).....	185498	22.17
1 = Yes (Any above source variable=1).....	28777	3.44

YOUTH MENTAL HEALTH TREATMENT

YOUTH MENTAL HEALTH TREATMENT

This note applies to variables in this section marked by a¹.

These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.

During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YUHOSPYR Len : 2 STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS

	Freq	Pct
1 = Yes.....	5400	0.65
2 = No.....	250997	30.00
85 = BAD DATA Logically assigned	87	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	923	0.11
97 = REFUSED	675	0.08
98 = BLANK (NO ANSWER)	42	0.01
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YUHOSPN2 Len : 3 # NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	4769	0.57
31 = 31 or more.....	190	0.02
985 = BAD DATA Logically assigned	81	0.01
989 = LEGITIMATE SKIP Logically assigned	2	0.00
994 = DON'T KNOW	273	0.03
997 = REFUSED	843	0.10
998 = BLANK (NO ANSWER).....	971	0.12
999 = LEGITIMATE SKIP.....	829567	99.15

Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

YUHOSUIC Len : 2 STAYED IN HOSP BEC THOUGHT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	1990	0.24
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered	2925	0.35
85 = BAD DATA Logically assigned	81	0.01
94 = DON'T KNOW	239	0.03
97 = REFUSED	915	0.11
98 = BLANK (NO ANSWER)	971	0.12
99 = LEGITIMATE SKIP.....	829569	99.15

YUHODEPR Len : 2 STAYED IN HOSP BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	1872	0.22
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered	3038	0.36
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	239	0.03
97 = REFUSED	915	0.11
98 = BLANK (NO ANSWER)	1052	0.13
99 = LEGITIMATE SKIP.....	829568	99.15

YUHOFEAR Len : 2 STAYED IN HOSP BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	644	0.08
3 = Response entered LOGICALLY ASSIGNED	15	0.00
6 = Response not entered	4262	0.51
94 = DON'T KNOW	239	0.03
97 = REFUSED	915	0.11
98 = BLANK (NO ANSWER)	1052	0.13
99 = LEGITIMATE SKIP.....	829569	99.15

YOUTH MENTAL HEALTH TREATMENT

YUHOBKRU	Len : 2 STAYED IN HOSP BEC BREAKING RULES/ACTING OUT		
		Freq	Pct
	1 = Response entered	752	0.09
	3 = Response entered LOGICALLY ASSIGNED	6	0.00
	6 = Response not entered	4163	0.50
	94 = DON'T KNOW	239	0.03
	97 = REFUSED	915	0.11
	98 = BLANK (NO ANSWER)	1052	0.13
	99 = LEGITIMATE SKIP	829569	99.15

YUHOEATP	Len : 2 STAYED IN HOSP BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	421	0.05
	3 = Response entered LOGICALLY ASSIGNED	3	0.00
	6 = Response not entered	4497	0.54
	94 = DON'T KNOW	239	0.03
	97 = REFUSED	915	0.11
	98 = BLANK (NO ANSWER)	1052	0.13
	99 = LEGITIMATE SKIP	829569	99.15

What was the other emotional or behavioral problem for which you last stayed overnight in a hospital?

YUHOANGR	Len : 2 STAYED IN HOSP BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	318	0.04
	3 = Response entered LOGICALLY ASSIGNED	3	0.00
	6 = Response not entered	3640	0.44
	94 = DON'T KNOW	237	0.03
	97 = REFUSED	824	0.10
	98 = BLANK (NO ANSWER)	910	0.11
	99 = LEGITIMATE SKIP	665853	79.58

YUHOFITE	Len : 2 STAYED IN HOSP BEC HAD GOTTEN INTO PHYS FIGHTS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	132	0.02
	3 = Response entered LOGICALLY ASSIGNED	2	0.00
	6 = Response not entered	3827	0.46
	94 = DON'T KNOW	237	0.03
	97 = REFUSED	824	0.10
	98 = BLANK (NO ANSWER)	910	0.11
	99 = LEGITIMATE SKIP	665853	79.58

YUHOFMLY	Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	291	0.03
	3 = Response entered LOGICALLY ASSIGNED	19	0.00
	6 = Response not entered	3651	0.44
	94 = DON'T KNOW	237	0.03
	97 = REFUSED	824	0.10
	98 = BLANK (NO ANSWER)	910	0.11
	99 = LEGITIMATE SKIP	665853	79.58

YUHOFRND	Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	132	0.02
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	3828	0.46
	94 = DON'T KNOW	237	0.03
	97 = REFUSED	824	0.10
	98 = BLANK (NO ANSWER)	910	0.11
	99 = LEGITIMATE SKIP	665853	79.58

YOUTH MENTAL HEALTH TREATMENT

YUHOOTPP Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	130	0.02
6 = Response not entered	3831	0.46
94 = DON'T KNOW	237	0.03
97 = REFUSED	824	0.10
98 = BLANK (NO ANSWER)	910	0.11
99 = LEGITIMATE SKIP	665853	79.58

YUHOSCHL Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	321	0.04
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3639	0.43
94 = DON'T KNOW	237	0.03
97 = REFUSED	824	0.10
98 = BLANK (NO ANSWER)	910	0.11
99 = LEGITIMATE SKIP	665853	79.58

YUHOSOR Len : 2 STAYED IN HOSP FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1638	0.20
6 = Response not entered	3283	0.39
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	239	0.03
97 = REFUSED	915	0.11
98 = BLANK (NO ANSWER)	1052	0.13
99 = LEGITIMATE SKIP	829568	99.15

During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YURSIDYR Len : 2 STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS

	Freq	Pct
1 = Yes	2688	0.32
2 = No	253514	30.30
85 = BAD DATA Logically assigned	87	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	993	0.12
97 = REFUSED	799	0.10
98 = BLANK (NO ANSWER)	43	0.01
99 = LEGITIMATE SKIP	578565	69.15

During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?

YURSIDN2 Len : 3 # NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	2203	0.26
31 = 31 or more	309	0.04
985 = BAD DATA Logically assigned	81	0.01
994 = DON'T KNOW	132	0.02
997 = REFUSED	844	0.10
998 = BLANK (NO ANSWER)	1042	0.12
999 = LEGITIMATE SKIP	832085	99.45

YOUTH MENTAL HEALTH TREATMENT

Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

YURSSUIC Len : 2 STAYED IN RESID CTR BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	1260	0.15
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	1281	0.15
85 = BAD DATA Logically assigned	81	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	866	0.10
98 = BLANK (NO ANSWER)	1042	0.12
99 = LEGITIMATE SKIP	832085	99.45

YURSDEPR Len : 2 STAYED IN RESID CTR BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	1148	0.14
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	1390	0.17
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	866	0.10
98 = BLANK (NO ANSWER)	1123	0.13
99 = LEGITIMATE SKIP	832085	99.45

YURSFEAR Len : 2 STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	368	0.04
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered	2168	0.26
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	866	0.10
98 = BLANK (NO ANSWER)	1123	0.13
99 = LEGITIMATE SKIP	832085	99.45

YURSBKRU Len : 2 STAYED IN RESID CTR BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	597	0.07
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered	1942	0.23
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	866	0.10
98 = BLANK (NO ANSWER)	1123	0.13
99 = LEGITIMATE SKIP	832085	99.45

YURSEATP Len : 2 STAYED IN RESID CTR BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	255	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	2286	0.27
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	79	0.01
97 = REFUSED	866	0.10
98 = BLANK (NO ANSWER)	1123	0.13
99 = LEGITIMATE SKIP	832085	99.45

YOUTH MENTAL HEALTH TREATMENT

What was the other emotional or behavioral problem for which you last stayed overnight in a residential treatment center?

YURSANGR Len : 2 STAYED IN RESID CTR BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	206	0.02
6 = Response not entered	1766	0.21
94 = DON'T KNOW	71	0.01
97 = REFUSED	755	0.09
98 = BLANK (NO ANSWER)	978	0.12
99 = LEGITIMATE SKIP	668009	79.84

YURSFITE Len : 2 STAYED IN RESID CTR BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	85	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	1886	0.23
94 = DON'T KNOW	71	0.01
97 = REFUSED	755	0.09
98 = BLANK (NO ANSWER)	978	0.12
99 = LEGITIMATE SKIP	668009	79.84

YURSFMLY Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	195	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	1775	0.21
94 = DON'T KNOW	71	0.01
97 = REFUSED	755	0.09
98 = BLANK (NO ANSWER)	978	0.12
99 = LEGITIMATE SKIP	668009	79.84

YURSFERN Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	85	0.01
6 = Response not entered	1887	0.23
94 = DON'T KNOW	71	0.01
97 = REFUSED	755	0.09
98 = BLANK (NO ANSWER)	978	0.12
99 = LEGITIMATE SKIP	668009	79.84

YURSOTPP Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	92	0.01
6 = Response not entered	1880	0.22
94 = DON'T KNOW	71	0.01
97 = REFUSED	755	0.09
98 = BLANK (NO ANSWER)	978	0.12
99 = LEGITIMATE SKIP	668009	79.84

YURSSCHL Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	168	0.02
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	1802	0.22
94 = DON'T KNOW	71	0.01
97 = REFUSED	755	0.09
98 = BLANK (NO ANSWER)	978	0.12
99 = LEGITIMATE SKIP	668009	79.84

YOUTH MENTAL HEALTH TREATMENT

YURSSOR

Len : 2 STAYED IN RESID CTR FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	450	0.05
6 = Response not entered	2092	0.25
94 = DON'T KNOW	79	0.01
97 = REFUSED	866	0.10
98 = BLANK (NO ANSWER)	1123	0.13
99 = LEGITIMATE SKIP	832086	99.45

During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUFCARYR

Len : 2 SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
1 = Yes.....	1366	0.16
2 = No.....	254985	30.48
4 = No LOGICALLY ASSIGNED	360	0.04
85 = BAD DATA Logically assigned	82	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	657	0.08
97 = REFUSED	631	0.08
98 = BLANK (NO ANSWER)	43	0.01
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUFCARN2

Len : 3 # NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
RANGE = 1 - 30	995	0.12
31 = 31 or more.....	217	0.03
985 = BAD DATA Logically assigned	81	0.01
994 = DON'T KNOW	111	0.01
997 = REFUSED	674	0.08
998 = BLANK (NO ANSWER).....	701	0.08
999 = LEGITIMATE SKIP.....	833917	99.67

Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?

YUFCSUIC

Len : 2 STAYED IN FOST CARE BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	392	0.05
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	875	0.10
85 = BAD DATA Logically assigned	81	0.01
94 = DON'T KNOW	49	0.01
97 = REFUSED	679	0.08
98 = BLANK (NO ANSWER)	701	0.08
99 = LEGITIMATE SKIP.....	833917	99.67

YUFCDEPR

Len : 2 STAYED IN FOST CARE BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	332	0.04
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered	932	0.11
94 = DON'T KNOW	49	0.01
97 = REFUSED	679	0.08
98 = BLANK (NO ANSWER)	782	0.09
99 = LEGITIMATE SKIP.....	833917	99.67

YOUTH MENTAL HEALTH TREATMENT

YUFCFEAR	Len : 2 STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	125	0.01
	6 = Response not entered	1144	0.14
	94 = DON'T KNOW	49	0.01
	97 = REFUSED	679	0.08
	98 = BLANK (NO ANSWER)	782	0.09
	99 = LEGITIMATE SKIP	833917	99.67

YUFCBKRU	Len : 2 STAYED IN FOST CARE BEC BRKING RULES/ACT OUT		
		Freq	Pct
	1 = Response entered	272	0.03
	3 = Response entered LOGICALLY ASSIGNED	3	0.00
	6 = Response not entered	994	0.12
	94 = DON'T KNOW	49	0.01
	97 = REFUSED	679	0.08
	98 = BLANK (NO ANSWER)	782	0.09
	99 = LEGITIMATE SKIP	833917	99.67

YUFCATP	Len : 2 STAYED IN FOST CARE BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	58	0.01
	6 = Response not entered	1211	0.14
	94 = DON'T KNOW	49	0.01
	97 = REFUSED	679	0.08
	98 = BLANK (NO ANSWER)	782	0.09
	99 = LEGITIMATE SKIP	833917	99.67

What was the other emotional or behavioral problem for which you last stayed overnight or longer in foster care or a therapeutic foster care home?

YUFCANGR	Len : 2 STAYED IN FOST CARE BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	63	0.01
	6 = Response not entered	869	0.10
	94 = DON'T KNOW	46	0.01
	97 = REFUSED	622	0.07
	98 = BLANK (NO ANSWER)	727	0.09
	99 = LEGITIMATE SKIP	669458	80.01

YUFCFITE	Len : 2 STAYED IN FOST CARE BEC HAD GOTN INTO PHYS FIGHTS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	41	0.00
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	890	0.11
	94 = DON'T KNOW	46	0.01
	97 = REFUSED	622	0.07
	98 = BLANK (NO ANSWER)	727	0.09
	99 = LEGITIMATE SKIP	669458	80.01

YUFCFMLY	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	180	0.02
	3 = Response entered LOGICALLY ASSIGNED	20	0.00
	6 = Response not entered	732	0.09
	94 = DON'T KNOW	46	0.01
	97 = REFUSED	622	0.07
	98 = BLANK (NO ANSWER)	727	0.09
	99 = LEGITIMATE SKIP	669458	80.01

YOUTH MENTAL HEALTH TREATMENT

YUFCFRND	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	12	0.00
	6 = Response not entered	920	0.11
	94 = DON'T KNOW	46	0.01
	97 = REFUSED	622	0.07
	98 = BLANK (NO ANSWER)	727	0.09
	99 = LEGITIMATE SKIP	669458	80.01

YUFCOTPP	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	32	0.00
	6 = Response not entered	900	0.11
	94 = DON'T KNOW	46	0.01
	97 = REFUSED	622	0.07
	98 = BLANK (NO ANSWER)	727	0.09
	99 = LEGITIMATE SKIP	669458	80.01

YUFCSCHL	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	61	0.01
	3 = Response entered LOGICALLY ASSIGNED	3	0.00
	6 = Response not entered	868	0.10
	94 = DON'T KNOW	46	0.01
	97 = REFUSED	622	0.07
	98 = BLANK (NO ANSWER)	727	0.09
	99 = LEGITIMATE SKIP	669458	80.01

YUFCSOR	Len : 2 STAYED IN FOST CARE FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	238	0.03
	6 = Response not entered	1031	0.12
	94 = DON'T KNOW	49	0.01
	97 = REFUSED	679	0.08
	98 = BLANK (NO ANSWER)	782	0.09
	99 = LEGITIMATE SKIP	833917	99.67

During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

YUDYTXYP	Len : 2 SPENT TIME IN DAY TRMT PROG PAST 12 MOS		
		Freq	Pct
	1 = Yes	4747	0.57
	2 = No	251331	30.04
	85 = BAD DATA Logically assigned	86	0.01
	89 = LEGITIMATE SKIP Logically assigned	7	0.00
	94 = DON'T KNOW	1100	0.13
	97 = REFUSED	817	0.10
	98 = BLANK (NO ANSWER)	43	0.01
	99 = LEGITIMATE SKIP	578565	69.15

During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUDYTXN2	Len : 3 # TIMES VISITED DAY TRMT PROG PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30	4125	0.49
	31 = 31 or more	195	0.02
	985 = BAD DATA Logically assigned	81	0.01
	994 = DON'T KNOW	362	0.04
	997 = REFUSED	882	0.11
	998 = BLANK (NO ANSWER)	1148	0.14
	999 = LEGITIMATE SKIP	829903	99.19

YOUTH MENTAL HEALTH TREATMENT

Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUDYSUIC Len : 2 VISITED DAY TRMT BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	1625	0.19
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	2944	0.35
85 = BAD DATA Logically assigned	81	0.01
94 = DON'T KNOW	95	0.01
97 = REFUSED	899	0.11
98 = BLANK (NO ANSWER)	1148	0.14
99 = LEGITIMATE SKIP	829903	99.19

YUDYDEPR Len : 2 VISITED DAY TRMT BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	2412	0.29
3 = Response entered LOGICALLY ASSIGNED	9	0.00
6 = Response not entered	2149	0.26
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	95	0.01
97 = REFUSED	899	0.11
98 = BLANK (NO ANSWER)	1228	0.15
99 = LEGITIMATE SKIP	829903	99.19

YUDYFEAR Len : 2 VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	868	0.10
3 = Response entered LOGICALLY ASSIGNED	46	0.01
6 = Response not entered	3656	0.44
94 = DON'T KNOW	95	0.01
97 = REFUSED	899	0.11
98 = BLANK (NO ANSWER)	1229	0.15
99 = LEGITIMATE SKIP	829903	99.19

YUDYBKRU Len : 2 VISITED DAY TRMT BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	1010	0.12
3 = Response entered LOGICALLY ASSIGNED	23	0.00
6 = Response not entered	3537	0.42
94 = DON'T KNOW	95	0.01
97 = REFUSED	899	0.11
98 = BLANK (NO ANSWER)	1229	0.15
99 = LEGITIMATE SKIP	829903	99.19

YUDYEATP Len : 2 VISITED DAY TRMT BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	510	0.06
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	4058	0.49
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	95	0.01
97 = REFUSED	899	0.11
98 = BLANK (NO ANSWER)	1228	0.15
99 = LEGITIMATE SKIP	829903	99.19

What was the other emotional or behavioral problem for which you last visited a partial day hospital or day treatment program?

YUDYANGR Len : 2 VISITED DAY TRMT BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	531	0.06
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	3042	0.36
94 = DON'T KNOW	78	0.01
97 = REFUSED	799	0.10
98 = BLANK (NO ANSWER)	1052	0.13
99 = LEGITIMATE SKIP	666279	79.63

YOUTH MENTAL HEALTH TREATMENT

YUDYFITE	Len : 2 VISITED DAY TRMT BEC HAD GOTTN INTO PHYS FIGHTS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	150	0.02
	6 = Response not entered	3427	0.41
	94 = DON'T KNOW	78	0.01
	97 = REFUSED	799	0.10
	98 = BLANK (NO ANSWER)	1052	0.13
	99 = LEGITIMATE SKIP	666279	79.63
YUDYFMLY	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	624	0.07
	3 = Response entered LOGICALLY ASSIGNED	9	0.00
	6 = Response not entered	2944	0.35
	94 = DON'T KNOW	78	0.01
	97 = REFUSED	799	0.10
	98 = BLANK (NO ANSWER)	1052	0.13
	99 = LEGITIMATE SKIP	666279	79.63
YUDYFRND	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	264	0.03
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	3312	0.40
	94 = DON'T KNOW	78	0.01
	97 = REFUSED	799	0.10
	98 = BLANK (NO ANSWER)	1052	0.13
	99 = LEGITIMATE SKIP	666279	79.63
YUDYOTPP	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	203	0.02
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	3373	0.40
	94 = DON'T KNOW	78	0.01
	97 = REFUSED	799	0.10
	98 = BLANK (NO ANSWER)	1052	0.13
	99 = LEGITIMATE SKIP	666279	79.63
YUDYSCHL	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	447	0.05
	3 = Response entered LOGICALLY ASSIGNED	4	0.00
	6 = Response not entered	3126	0.37
	94 = DON'T KNOW	78	0.01
	97 = REFUSED	799	0.10
	98 = BLANK (NO ANSWER)	1052	0.13
	99 = LEGITIMATE SKIP	666279	79.63
YUDYSOR	Len : 2 VISITED DAY TRMT FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	1065	0.13
	6 = Response not entered	3505	0.42
	94 = DON'T KNOW	95	0.01
	97 = REFUSED	899	0.11
	98 = BLANK (NO ANSWER)	1229	0.15
	99 = LEGITIMATE SKIP	829903	99.19

YOUTH MENTAL HEALTH TREATMENT

During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

YUMHCRYR Len : 2 RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS

	Freq	Pct
1 = Yes.....	7309	0.87
2 = No.....	248733	29.73
85 = BAD DATA Logically assigned	84	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1106	0.13
97 = REFUSED	849	0.10
98 = BLANK (NO ANSWER)	43	0.01
99 = LEGITIMATE SKIP.....	578565	69.15

During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUMHCRN2 Len : 3 # TIMES VISITED MENT HLTH CLNC PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	6270	0.75
31 = 31 or more.....	388	0.05
985 = BAD DATA Logically assigned	79	0.01
994 = DON'T KNOW	592	0.07
997 = REFUSED	909	0.11
998 = BLANK (NO ANSWER).....	1154	0.14
999 = LEGITIMATE SKIP.....	827304	98.88

Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUMHSUIC Len : 2 VISITED MH CLNC BEC THOUGHT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	2601	0.31
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	4494	0.54
85 = BAD DATA Logically assigned	79	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	119	0.01
97 = REFUSED	942	0.11
98 = BLANK (NO ANSWER)	1154	0.14
99 = LEGITIMATE SKIP.....	827304	98.88

YUMHDEPR Len : 2 VISITED MH CLNC BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	4242	0.51
3 = Response entered LOGICALLY ASSIGNED	14	0.00
6 = Response not entered	2841	0.34
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	119	0.01
97 = REFUSED	942	0.11
98 = BLANK (NO ANSWER)	1232	0.15
99 = LEGITIMATE SKIP.....	827305	98.88

YUMHFEAR Len : 2 VISITED MH CLNC BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	1568	0.19
3 = Response entered LOGICALLY ASSIGNED	98	0.01
6 = Response not entered	5431	0.65
94 = DON'T KNOW	119	0.01
97 = REFUSED	942	0.11
98 = BLANK (NO ANSWER)	1233	0.15
99 = LEGITIMATE SKIP.....	827305	98.88

YOUTH MENTAL HEALTH TREATMENT

YUMHBKRU	Len : 2 VISITED MH CLNC BEC BREAKING RULES/ACTING OUT		
		Freq	Pct
	1 = Response entered	1565	0.19
	3 = Response entered LOGICALLY ASSIGNED	31	0.00
	6 = Response not entered	5501	0.66
	94 = DON'T KNOW	119	0.01
	97 = REFUSED	942	0.11
	98 = BLANK (NO ANSWER)	1233	0.15
	99 = LEGITIMATE SKIP	827305	98.88

YUMHEATP	Len : 2 VISITED MH CLNC BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	855	0.10
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	6241	0.75
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	119	0.01
	97 = REFUSED	942	0.11
	98 = BLANK (NO ANSWER)	1232	0.15
	99 = LEGITIMATE SKIP	827305	98.88

What was the other emotional or behavioral problem for which you last visited a mental health clinic or center?

YUMHANGR	Len : 2 VISITED MH CLNC BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	814	0.10
	3 = Response entered LOGICALLY ASSIGNED	7	0.00
	6 = Response not entered	4781	0.57
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	821	0.10
	98 = BLANK (NO ANSWER)	1063	0.13
	99 = LEGITIMATE SKIP	664189	79.38

YUMHFITE	Len : 2 VISITE MH CLNC BEC HAD GOTTEN INTO PHYS FIGHTS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	177	0.02
	3 = Response entered LOGICALLY ASSIGNED	4	0.00
	6 = Response not entered	5421	0.65
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	821	0.10
	98 = BLANK (NO ANSWER)	1063	0.13
	99 = LEGITIMATE SKIP	664189	79.38

YUMHFMLY	Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	978	0.12
	3 = Response entered LOGICALLY ASSIGNED	15	0.00
	6 = Response not entered	4609	0.55
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	821	0.10
	98 = BLANK (NO ANSWER)	1063	0.13
	99 = LEGITIMATE SKIP	664189	79.38

YUMHFRND	Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	445	0.05
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	5156	0.62
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	821	0.10
	98 = BLANK (NO ANSWER)	1063	0.13
	99 = LEGITIMATE SKIP	664189	79.38

YOUTH MENTAL HEALTH TREATMENT

YUMHOTPP Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	394	0.05
3 = Response entered LOGICALLY ASSIGNED	6	0.00
6 = Response not entered	5202	0.62
94 = DON'T KNOW	110	0.01
97 = REFUSED	821	0.10
98 = BLANK (NO ANSWER)	1063	0.13
99 = LEGITIMATE SKIP	664189	79.38

YUMHSCHL Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	719	0.09
3 = Response entered LOGICALLY ASSIGNED	9	0.00
6 = Response not entered	4874	0.58
94 = DON'T KNOW	110	0.01
97 = REFUSED	821	0.10
98 = BLANK (NO ANSWER)	1063	0.13
99 = LEGITIMATE SKIP	664189	79.38

YUMHSOR Len : 2 VISITED MH CLNC FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1670	0.20
6 = Response not entered	5427	0.65
94 = DON'T KNOW	119	0.01
97 = REFUSED	942	0.11
98 = BLANK (NO ANSWER)	1233	0.15
99 = LEGITIMATE SKIP	827305	98.88

During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUTPSTYR Len : 2 RCVD EMOT TRMT FROM THERAPIST PST 12 MOS

	Freq	Pct
1 = Yes	26732	3.19
2 = No	229038	27.37
85 = BAD DATA Logically assigned	84	0.01
89 = LEGITIMATE SKIP Logically assigned	7	0.00
94 = DON'T KNOW	1278	0.15
97 = REFUSED	949	0.11
98 = BLANK (NO ANSWER)	43	0.01
99 = LEGITIMATE SKIP	578565	69.15

During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUTPSTN2 Len : 3 # TIMES VISITED THERAPIST PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	22822	2.73
31 = 31 or more	1618	0.19
985 = BAD DATA Logically assigned	79	0.01
989 = LEGITIMATE SKIP Logically assigned	1	0.00
994 = DON'T KNOW	2152	0.26
997 = REFUSED	1090	0.13
998 = BLANK (NO ANSWER)	1326	0.16
999 = LEGITIMATE SKIP	807608	96.52

YOUTH MENTAL HEALTH TREATMENT

Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUTPSUIC Len : 2 VISITED THERAPIST BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	5135	0.61
3 = Response entered LOGICALLY ASSIGNED	10	0.00
6 = Response not entered	20996	2.51
85 = BAD DATA Logically assigned	78	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	309	0.04
97 = REFUSED	1231	0.15
98 = BLANK (NO ANSWER)	1327	0.16
99 = LEGITIMATE SKIP	807609	96.52

YUTPDEPR Len : 2 VISITED THERAPIST BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	12834	1.53
3 = Response entered LOGICALLY ASSIGNED	66	0.01
6 = Response not entered	13241	1.58
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	309	0.04
97 = REFUSED	1231	0.15
98 = BLANK (NO ANSWER)	1404	0.17
99 = LEGITIMATE SKIP	807610	96.52

YUTPFEAR Len : 2 VISITED THERAPIST BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	4881	0.58
3 = Response entered LOGICALLY ASSIGNED	423	0.05
6 = Response not entered	20837	2.49
94 = DON'T KNOW	309	0.04
97 = REFUSED	1231	0.15
98 = BLANK (NO ANSWER)	1405	0.17
99 = LEGITIMATE SKIP	807610	96.52

YUTPBKRU Len : 2 VISITED THERAPIST BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	5378	0.64
3 = Response entered LOGICALLY ASSIGNED	142	0.02
6 = Response not entered	20621	2.46
94 = DON'T KNOW	309	0.04
97 = REFUSED	1231	0.15
98 = BLANK (NO ANSWER)	1405	0.17
99 = LEGITIMATE SKIP	807610	96.52

YUTPEATP Len : 2 VISITED THERAPIST BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	2250	0.27
3 = Response entered LOGICALLY ASSIGNED	7	0.00
6 = Response not entered	23884	2.85
94 = DON'T KNOW	309	0.04
97 = REFUSED	1231	0.15
98 = BLANK (NO ANSWER)	1405	0.17
99 = LEGITIMATE SKIP	807610	96.52

YOUTH MENTAL HEALTH TREATMENT

What was the other emotional or behavioral problem for which you last visited a private therapist, psychologist, psychiatrist, social worker or counselor?

YUTPANGR Len : 2 VISITED THERAPIST BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	2928	0.35
3 = Response entered LOGICALLY ASSIGNED	38	0.00
6 = Response not entered	17755	2.12
94 = DON'T KNOW	315	0.04
97 = REFUSED	1113	0.13
98 = BLANK (NO ANSWER)	1214	0.15
99 = LEGITIMATE SKIP	648422	77.50

YUTPFITE Len : 2 VISITED THERAPIST BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	734	0.09
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	19985	2.39
94 = DON'T KNOW	315	0.04
97 = REFUSED	1113	0.13
98 = BLANK (NO ANSWER)	1214	0.15
99 = LEGITIMATE SKIP	648422	77.50

YUTPFMLY Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	5136	0.61
3 = Response entered LOGICALLY ASSIGNED	196	0.02
6 = Response not entered	15389	1.84
94 = DON'T KNOW	315	0.04
97 = REFUSED	1113	0.13
98 = BLANK (NO ANSWER)	1214	0.15
99 = LEGITIMATE SKIP	648422	77.50

YUTPFRND Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	2339	0.28
3 = Response entered LOGICALLY ASSIGNED	21	0.00
6 = Response not entered	18361	2.19
94 = DON'T KNOW	315	0.04
97 = REFUSED	1113	0.13
98 = BLANK (NO ANSWER)	1214	0.15
99 = LEGITIMATE SKIP	648422	77.50

YUTPOTPP Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	1598	0.19
3 = Response entered LOGICALLY ASSIGNED	24	0.00
6 = Response not entered	19099	2.28
94 = DON'T KNOW	315	0.04
97 = REFUSED	1113	0.13
98 = BLANK (NO ANSWER)	1214	0.15
99 = LEGITIMATE SKIP	648422	77.50

YUTPSCHL Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	3120	0.37
3 = Response entered LOGICALLY ASSIGNED	72	0.01
6 = Response not entered	17529	2.10
94 = DON'T KNOW	315	0.04
97 = REFUSED	1113	0.13
98 = BLANK (NO ANSWER)	1214	0.15
99 = LEGITIMATE SKIP	648422	77.50

YOUTH MENTAL HEALTH TREATMENT

YUTPSOR

Len : 2 VISITED THERAPIST FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	7502	0.90
6 = Response not entered	18639	2.23
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	309	0.04
97 = REFUSED	1231	0.15
98 = BLANK (NO ANSWER)	1404	0.17
99 = LEGITIMATE SKIP	807609	96.52

During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

YUIHTPYR

Len : 2 RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS

	Freq	Pct
1 = Yes.....	8121	0.97
2 = No.....	247633	29.60
85 = BAD DATA Logically assigned	84	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1283	0.15
97 = REFUSED	959	0.11
98 = BLANK (NO ANSWER)	44	0.01
99 = LEGITIMATE SKIP	578569	69.15

During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

YUIHTPN2

Len : 2 # TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS

	Freq	Pct
RANGE = 1 - 30.....	6884	0.82
31 = 31 or more.....	414	0.05
985 = BAD DATA Logically assigned	79	0.01
994 = DON'T KNOW	745	0.09
997 = REFUSED	1037	0.12
998 = BLANK (NO ANSWER).....	1332	0.16
999 = LEGITIMATE SKIP	826205	98.75

Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?

YUIHSUIC

Len : 2 SAW IN HOME COUNS BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered	1484	0.18
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	6332	0.76
85 = BAD DATA Logically assigned	79	0.01
94 = DON'T KNOW	167	0.02
97 = REFUSED	1093	0.13
98 = BLANK (NO ANSWER)	1332	0.16
99 = LEGITIMATE SKIP.....	826205	98.75

YUIHDEPR

Len : 2 SAW IN HOME COUNS BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered	3534	0.42
3 = Response entered LOGICALLY ASSIGNED	23	0.00
6 = Response not entered	4263	0.51
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	167	0.02
97 = REFUSED	1093	0.13
98 = BLANK (NO ANSWER)	1410	0.17
99 = LEGITIMATE SKIP	826205	98.75

YOUTH MENTAL HEALTH TREATMENT

YUIHFEAR Len : 2 SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered	1272	0.15
3 = Response entered LOGICALLY ASSIGNED	47	0.01
6 = Response not entered	6501	0.78
94 = DON'T KNOW	167	0.02
97 = REFUSED	1093	0.13
98 = BLANK (NO ANSWER)	1411	0.17
99 = LEGITIMATE SKIP	826205	98.75

YUIHBKRU Len : 2 SAW IN HOME COUNS BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered	1812	0.22
3 = Response entered LOGICALLY ASSIGNED	46	0.01
6 = Response not entered	5962	0.71
94 = DON'T KNOW	167	0.02
97 = REFUSED	1093	0.13
98 = BLANK (NO ANSWER)	1411	0.17
99 = LEGITIMATE SKIP	826205	98.75

YUIHEATP Len : 2 SAW IN HOME COUNS BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	568	0.07
3 = Response entered LOGICALLY ASSIGNED	4	0.00
6 = Response not entered	7248	0.87
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	167	0.02
97 = REFUSED	1093	0.13
98 = BLANK (NO ANSWER)	1410	0.17
99 = LEGITIMATE SKIP	826205	98.75

What was the other emotional or behavioral problem for which you last saw an in-home therapist, counselor, or family preservation worker?

YUIHANGR Len : 2 SAW IN HOME COUNS BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	776	0.09
3 = Response entered LOGICALLY ASSIGNED	14	0.00
6 = Response not entered	5453	0.65
94 = DON'T KNOW	163	0.02
97 = REFUSED	954	0.11
98 = BLANK (NO ANSWER)	1208	0.14
99 = LEGITIMATE SKIP	663217	79.27

YUIHFITE Len : 2 SAW IN HOME COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	235	0.03
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	6006	0.72
94 = DON'T KNOW	163	0.02
97 = REFUSED	954	0.11
98 = BLANK (NO ANSWER)	1208	0.14
99 = LEGITIMATE SKIP	663217	79.27

YUIHFMLY Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	1385	0.17
3 = Response entered LOGICALLY ASSIGNED	90	0.01
6 = Response not entered	4768	0.57
94 = DON'T KNOW	163	0.02
97 = REFUSED	954	0.11
98 = BLANK (NO ANSWER)	1208	0.14
99 = LEGITIMATE SKIP	663217	79.27

YOUTH MENTAL HEALTH TREATMENT

YUIHFRND Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	542	0.06
3 = Response entered LOGICALLY ASSIGNED	9	0.00
6 = Response not entered	5692	0.68
94 = DON'T KNOW	163	0.02
97 = REFUSED	954	0.11
98 = BLANK (NO ANSWER)	1208	0.14
99 = LEGITIMATE SKIP	663217	79.27

YUIHOTPP Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	416	0.05
3 = Response entered LOGICALLY ASSIGNED	3	0.00
6 = Response not entered	5824	0.70
94 = DON'T KNOW	163	0.02
97 = REFUSED	954	0.11
98 = BLANK (NO ANSWER)	1208	0.14
99 = LEGITIMATE SKIP	663217	79.27

YUIHSCHL Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	164911	19.71
1 = Response entered	785	0.09
3 = Response entered LOGICALLY ASSIGNED	21	0.00
6 = Response not entered	5437	0.65
94 = DON'T KNOW	163	0.02
97 = REFUSED	954	0.11
98 = BLANK (NO ANSWER)	1208	0.14
99 = LEGITIMATE SKIP	663217	79.27

YUIHSOR Len : 2 SAW IN HOME COUNS FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	1737	0.21
6 = Response not entered	6083	0.73
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	167	0.02
97 = REFUSED	1093	0.13
98 = BLANK (NO ANSWER)	1410	0.17
99 = LEGITIMATE SKIP	826205	98.75

During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUFDOCYR Len : 2 RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS

	Freq	Pct
1 = Yes.....	7520	0.90
2 = No.....	248120	29.65
85 = BAD DATA Logically assigned	84	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	1411	0.17
97 = REFUSED	945	0.11
98 = BLANK (NO ANSWER)	44	0.01
99 = LEGITIMATE SKIP	578569	69.15

YOUTH MENTAL HEALTH TREATMENT

During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUFDOCN2	Len : 3 # TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS		
	RANGE = 1 - 30	Freq	Pct
	31 = 31 or more.....	6867	0.82
	985 = BAD DATA Logically assigned	90	0.01
	994 = DON'T KNOW	78	0.01
	997 = REFUSED	485	0.06
	998 = BLANK (NO ANSWER).....	1023	0.12
	999 = LEGITIMATE SKIP.....	1461	0.17
		826692	98.80

Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUFDSUIC	Len : 2 SAW FAMLY DOC BEC THOUGHT/TRIED TO KILL SELF		
	1 = Response entered	Freq	Pct
	3 = Response entered LOGICALLY ASSIGNED	1140	0.14
	6 = Response not entered	3	0.00
	85 = BAD DATA Logically assigned	5937	0.71
	94 = DON'T KNOW	78	0.01
	97 = REFUSED	263	0.03
	98 = BLANK (NO ANSWER)	1122	0.13
	99 = LEGITIMATE SKIP.....	1461	0.17
		826692	98.80

YUFDEPR	Len : 2 SAW FAMLY DOC BEC YOU FELT DEPRESSED		
	1 = Response entered	Freq	Pct
	3 = Response entered LOGICALLY ASSIGNED	2923	0.35
	6 = Response not entered	31	0.00
	85 = BAD DATA Logically assigned	4126	0.49
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	263	0.03
	98 = BLANK (NO ANSWER)	1122	0.13
	99 = LEGITIMATE SKIP.....	1538	0.18
		826692	98.80

YUFDFEAR	Len : 2 SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE		
	1 = Response entered	Freq	Pct
	3 = Response entered LOGICALLY ASSIGNED	1062	0.13
	6 = Response not entered	110	0.01
	94 = DON'T KNOW	5908	0.71
	97 = REFUSED	263	0.03
	98 = BLANK (NO ANSWER)	1122	0.13
	99 = LEGITIMATE SKIP.....	1539	0.18
		826692	98.80

YUFDBKRU	Len : 2 SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT		
	1 = Response entered	Freq	Pct
	3 = Response entered LOGICALLY ASSIGNED	992	0.12
	6 = Response not entered	20	0.00
	94 = DON'T KNOW	6068	0.73
	97 = REFUSED	263	0.03
	98 = BLANK (NO ANSWER)	1122	0.13
	99 = LEGITIMATE SKIP.....	1539	0.18
		826692	98.80

YUFDEATP	Len : 2 SAW FAMLY DOC BEC YOU HAD EATING PROBS		
	1 = Response entered	Freq	Pct
	3 = Response entered LOGICALLY ASSIGNED	870	0.10
	6 = Response not entered	9	0.00
	94 = DON'T KNOW	6201	0.74
	97 = REFUSED	263	0.03
	98 = BLANK (NO ANSWER)	1122	0.13
	99 = LEGITIMATE SKIP.....	1539	0.18
		826692	98.80

YOUTH MENTAL HEALTH TREATMENT

What was the other emotional or behavioral problem for which you last visited a pediatrician or other family doctor?

YUFDANGR	Len : 2 SAW FAMLY DOC BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	423	0.05
	3 = Response entered LOGICALLY ASSIGNED	9	0.00
	6 = Response not entered	5013	0.60
	94 = DON'T KNOW	257	0.03
	97 = REFUSED	1002	0.12
	98 = BLANK (NO ANSWER)	1320	0.16
	99 = LEGITIMATE SKIP	663761	79.33

YUFDITE	Len : 2 SAW FAMLY DOC BEC HAD GOTTEN INTO PHYS FIGHTS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	120	0.01
	3 = Response entered LOGICALLY ASSIGNED	3	0.00
	6 = Response not entered	5322	0.64
	94 = DON'T KNOW	257	0.03
	97 = REFUSED	1002	0.12
	98 = BLANK (NO ANSWER)	1320	0.16
	99 = LEGITIMATE SKIP	663761	79.33

YUFDFMLY	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	477	0.06
	3 = Response entered LOGICALLY ASSIGNED	17	0.00
	6 = Response not entered	4951	0.59
	94 = DON'T KNOW	257	0.03
	97 = REFUSED	1002	0.12
	98 = BLANK (NO ANSWER)	1320	0.16
	99 = LEGITIMATE SKIP	663761	79.33

YUFDFRND	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	224	0.03
	3 = Response entered LOGICALLY ASSIGNED	2	0.00
	6 = Response not entered	5219	0.62
	94 = DON'T KNOW	257	0.03
	97 = REFUSED	1002	0.12
	98 = BLANK (NO ANSWER)	1320	0.16
	99 = LEGITIMATE SKIP	663761	79.33

YUFDOTPP	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	196	0.02
	3 = Response entered LOGICALLY ASSIGNED	2	0.00
	6 = Response not entered	5247	0.63
	94 = DON'T KNOW	257	0.03
	97 = REFUSED	1002	0.12
	98 = BLANK (NO ANSWER)	1320	0.16
	99 = LEGITIMATE SKIP	663761	79.33

YUFDSCHL	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	-9 = Data not collected for this year	164911	19.71
	1 = Response entered	564	0.07
	3 = Response entered LOGICALLY ASSIGNED	11	0.00
	6 = Response not entered	4870	0.58
	94 = DON'T KNOW	257	0.03
	97 = REFUSED	1002	0.12
	98 = BLANK (NO ANSWER)	1320	0.16
	99 = LEGITIMATE SKIP	663761	79.33

YOUTH MENTAL HEALTH TREATMENT

YUFDSOR

Len : 2 SAW FAMLY DOC FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	2446	0.29
6 = Response not entered	4634	0.55
94 = DON'T KNOW	263	0.03
97 = REFUSED	1122	0.13
98 = BLANK (NO ANSWER)	1539	0.18
99 = LEGITIMATE SKIP	826692	98.80

Sometimes students get treatment or counseling through the school system. This counseling is often provided by school social workers, school psychologists or school counselors.

During the past 12 months, that is, since [DATEFILL], did you receive any treatment or counseling from a school social worker, a school psychologist, or a school counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUSWSCYR

Len : 2 RCVD EMOT TMT FROM SCH/SOC WORKER IN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Yes	12750	1.52
2 = No	109189	13.05
85 = BAD DATA Logically assigned	46	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	790	0.09
97 = REFUSED	615	0.07
98 = BLANK (NO ANSWER)	841	0.10
99 = LEGITIMATE SKIP	326452	39.02

Think about the last time you talked with a school social worker, school psychologist, or school counselor about emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your talk?

YUSWSUIC

Len : 2 TALKED W/SCH SOC WORK BEC THOT/TRIED TO KILL SELF

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	1528	0.18
3 = Response entered LOGICALLY ASSIGNED	11	0.00
6 = Response not entered	10853	1.30
85 = BAD DATA Logically assigned	43	0.01
94 = DON'T KNOW	190	0.02
97 = REFUSED	783	0.09
98 = BLANK (NO ANSWER)	1634	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWDEPR

Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	4898	0.59
3 = Response entered LOGICALLY ASSIGNED	8	0.00
6 = Response not entered	7486	0.89
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	190	0.02
97 = REFUSED	783	0.09
98 = BLANK (NO ANSWER)	1676	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWFEAR

Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT AFRAID/TENSE

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	2151	0.26
3 = Response entered LOGICALLY ASSIGNED	61	0.01
6 = Response not entered	10180	1.22
94 = DON'T KNOW	190	0.02
97 = REFUSED	783	0.09
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YOUTH MENTAL HEALTH TREATMENT

YUSWBKRU Len : 2 TALKED W/SCH SOC WORK BEC BRKING RULES/ACT OUT

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	2304	0.28
3 = Response entered LOGICALLY ASSIGNED	33	0.00
6 = Response not entered	10055	1.20
94 = DON'T KNOW	190	0.02
97 = REFUSED	783	0.09
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWEATP Len : 2 TALKED W/SCH SOC WORK BEC YOU HAD EATING PROBS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	682	0.08
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	11708	1.40
94 = DON'T KNOW	190	0.02
97 = REFUSED	783	0.09
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

What was the other reason for your last talk with a school social worker, school psychologist or school counselor?

YUSWANGR Len : 2 TALKED W/SCH SOC WORK BEC HAD TRBLE CONTRLNG ANGR

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	1299	0.16
3 = Response entered LOGICALLY ASSIGNED	16	0.00
6 = Response not entered	11009	1.32
94 = DON'T KNOW	218	0.03
97 = REFUSED	823	0.10
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWFITE Len : 2 TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	493	0.06
3 = Response entered LOGICALLY ASSIGNED	10	0.00
6 = Response not entered	11821	1.41
94 = DON'T KNOW	218	0.03
97 = REFUSED	823	0.10
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWFMLY Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS AT HOME/FMLY

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	2026	0.24
3 = Response entered LOGICALLY ASSIGNED	86	0.01
6 = Response not entered	10212	1.22
94 = DON'T KNOW	218	0.03
97 = REFUSED	823	0.10
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWFRND Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	2185	0.26
3 = Response entered LOGICALLY ASSIGNED	74	0.01
6 = Response not entered	10065	1.20
94 = DON'T KNOW	218	0.03
97 = REFUSED	823	0.10
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YOUTH MENTAL HEALTH TREATMENT

YUSWOTPP Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	1116	0.13
3 = Response entered LOGICALLY ASSIGNED	25	0.00
6 = Response not entered	11183	1.34
94 = DON'T KNOW	218	0.03
97 = REFUSED	823	0.10
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWSCHL Len : 2 TALKED W/SCH SOC WORK BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	2418	0.29
3 = Response entered LOGICALLY ASSIGNED	274	0.03
6 = Response not entered	9632	1.15
94 = DON'T KNOW	218	0.03
97 = REFUSED	823	0.10
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435644	52.07

YUSWSOR Len : 2 TALKED W/SCH SOC WORK FOR SOME OTHER REASON

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Response entered	2589	0.31
6 = Response not entered	9803	1.17
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	190	0.02
97 = REFUSED	783	0.09
98 = BLANK (NO ANSWER)	1677	0.20
99 = LEGITIMATE SKIP	435643	52.07

At any time during the past 12 months, that is since [DATEFILL], did you attend a school for students with emotional or behavioral problems?

YUSCEMYR Len : 2 ATTEND SCH FOR STUDENTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Yes	4364	0.52
2 = No	117842	14.08
85 = BAD DATA Logically assigned	46	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	578	0.07
97 = REFUSED	560	0.07
98 = BLANK (NO ANSWER)	841	0.10
99 = LEGITIMATE SKIP	326452	39.02

Regular schools sometimes provide programs for students with emotional or behavioral problems.

At any time during the past 12 months, did you participate in a school program that was just for students with emotional or behavioral problems?

YUSCPGYR Len : 2 ATTND SCH PGM FOR STDNTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Yes	1995	0.24
2 = No	115900	13.85
85 = BAD DATA Logically assigned	3	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	517	0.06
97 = REFUSED	568	0.07
98 = BLANK (NO ANSWER)	884	0.11
99 = LEGITIMATE SKIP	330816	39.54

YOUTH MENTAL HEALTH TREATMENT

These next questions are about experiences with the justice system.

During the past 12 months, that is, since [DATEFILL], did you stay overnight or longer in any type of juvenile detention center, sometimes called "juvie", prison, or jail?

YUJVDTON Len : 2 STAYED OVRNT/LONGER IN JAIL/JUV DET PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Yes.....	1538	0.18
2 = No.....	129299	15.45
85 = BAD DATA Logically assigned	52	0.01
89 = LEGITIMATE SKIP Logically assigned	3	0.00
94 = DON'T KNOW	414	0.05
97 = REFUSED	458	0.05
98 = BLANK (NO ANSWER)	16	0.00
99 = LEGITIMATE SKIP.....	318906	38.11

During the past 12 months, how many nights altogether did you stay in any type of juvenile detention center, prison or jail?

YUJVDTN2 Len : 3 # NIGHTS IN JAIL OR JUV DET IN PST 12 MOS

	Freq	Pct
RANGE = 1 - 7	930	0.11
-9 = Data not collected for this year	386010	46.14
8 = 8 or more.....	544	0.07
985 = BAD DATA Logically assigned	51	0.01
994 = DON'T KNOW	35	0.00
997 = REFUSED	487	0.06
998 = BLANK (NO ANSWER).....	431	0.05
999 = LEGITIMATE SKIP.....	448208	53.57

Sometimes, the court system provides treatment or counseling in juvenile detention centers, prisons or jails. These services are often provided by psychiatrists, psychologists, social workers or counselors who work for the court system.

While you were in a juvenile detention center, prison or jail during the past 12 months, did you receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YUJVDTYR Len : 2 RCVD EMOT TMT IN JAIL/JUV DET IN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	386010	46.14
1 = Yes.....	484	0.06
2 = No.....	1029	0.12
85 = BAD DATA Logically assigned	51	0.01
94 = DON'T KNOW	12	0.00
97 = REFUSED	471	0.06
98 = BLANK (NO ANSWER)	431	0.05
99 = LEGITIMATE SKIP.....	448208	53.57

RECODED YOUTH MENTAL HEALTH TREATMENT

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following recoded variables contain information about whether youths received mental health care in the past year from each of 11 specific services for problems with behaviors or emotions that were not caused by alcohol or drugs.

YHOSP	Len : 1 RC-STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YUHOSPYR=2,4).....	580299	69.36
	1 = Yes (YUHOSPYR=1).....	250997	30.00
		5400	0.65

YRESID	Len : 1 RC-STAYED IN RESID CTR FOR EMOT TRMT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YURSIDYR=2,4).....	580494	69.38
	1 = Yes (YURSIDYR=1).....	253514	30.30
		2688	0.32

YFOST	Len : 1 RC-SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YUFCARYR=2,4).....	579985	69.32
	1 = Yes (YUFCARYR=1).....	255345	30.52
		1366	0.16

YDAYTRT	Len : 1 RC-SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YUDYTXYR=2,4).....	580618	69.39
	1 = Yes (YUDYTXYR=1).....	251331	30.04
		4747	0.57

YCLIN	Len : 1 RC-RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YUMHCRYR=2,4).....	580654	69.40
	1 = Yes (YUMHCRYR=1).....	248733	29.73
		7309	0.87

YTHER	Len : 1 RC-RCVD EMOT TRMT FROM THERAPIST IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YUTPSTYR=2,4).....	580926	69.43
	1 = Yes (YUTPSTYR=1).....	229038	27.37
		26732	3.19

YHOME	Len : 1 RC-RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YUIHTPYR=2,4).....	580942	69.43
	1 = Yes (YUIHTPYR=1).....	247633	29.60
		8121	0.97

YPED	Len : 1 RC-RCVD EMOT TRMT FROM FAMILY DOC IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	Freq	Pct
	0 = No (YUFDOCYR=2,4).....	581056	69.45
	1 = Yes (YUFDOCYR=1).....	248120	29.65
		7520	0.90

RECODED YOUTH MENTAL HEALTH TREATMENT

YSPEC Len : 1 RC-ATTND SCHOOL OR PROGRAM FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	321145	38.38
-9 = Data not collected for this year.....	386010	46.14
0 = No ((YUSCEMYR=2 and YUSCPGYR=2) or YEATNDYR=2).....	123182	14.72
1 = Yes (YUSCEMYR=1 or YUSCPGYR=1).....	6359	0.76

YSHSW Len : 1 RC-TLKD W/SCH SOC WKR/PSY/COUNS FOR EMOT PROB PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	321201	38.39
-9 = Data not collected for this year.....	386010	46.14
0 = No (YUSWSCYR=2 or YEATNDYR=2).....	116735	13.95
1 = Yes (YUSWSCYR=1).....	12750	1.52

YJAIL Len : 1 RC-YTH RCVD SVCS FOR EMOT PROB IN PY IN JUV JUSTICE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	319874	38.23
-9 = Data not collected for this year.....	386010	46.14
0 = No (YUJVDTYR=2 or YUJVDTON=2).....	130328	15.58
1 = Yes (YUJVDTYR=1).....	484	0.06

The following variable, ANYMHIN2, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of two specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following two sources of treatment variables: stayed overnight in hospital (YHOSP) and stayed in residential treatment facility (YRESID). Youths who reported a positive response (source variable=1) to either question were included in the yes category. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults, were included in the unknown/18+ category.

ANYMHIN2 Len : 1 RC-REV YTH RCVD SPEC INPATIENT MH SERVICES IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	580615	69.39
0 = No (YHOSP=0 and YRESID=0).....	249794	29.85
1 = Yes (YHOSP=1 or YRESID=1).....	6287	0.75

The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of 4 specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 4 source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment at a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 4 questions were included in the yes category regardless of how many of the 4 questions they answered. Youths who did not report a positive response, but answered all 4 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHOUT Len : 1 RC-YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	581390	69.49
0 = No (YDAYTRT, YCLIN, YTHER, and YHOME=0).....	223768	26.74
1 = Yes (YDAYTRT, YCLIN, YTHER, or YHOME=1).....	31538	3.77

The following variable, ANYSMH2, indicates whether a youth reported receiving specialty mental health services in the past year from any of six specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following six source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the six questions were included in the yes category regardless of how many of the six questions they answered. Youths who did not report a positive response, but answered all six of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYSMH2 Len : 1 RC-REV YTH RCVD SPECIALTY MENTAL HLTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above).....	581656	69.52
0 = No (All above source variables=0).....	220481	26.35
1 = Yes (Any above source variable=1).....	34559	4.13

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYNSMH, indicates whether a youth reported receiving nonspecialty mental health services in the past year from any of five specific nonspecialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following five source of treatment variables: school social worker, school psychologist, or school counselor (YSHSW), special school or program within a regular school for students with emotional or behavioral problems (YSPEC), pediatrician or other family doctor (YPED), juvenile detention center, prison, or jail (YJAIL), and foster care or therapeutic foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the five questions were included in the yes category regardless of how many of the five questions they answered. Youths who did not report a positive response, but answered all five of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYNSMH Len : 1 RC-YTH RCVD NONSPECIALTY MENTAL HLTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	321987	38.48
-9 = Data not collected for this year.....	386010	46.14
0 = No (All above source variables=0)	108691	12.99
1 = Yes (Any above source variable=1).....	20008	2.39

The following variable, ANYMHED2, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school social worker, school psychologists, or school counselors for problems (YSHSW) and attended a special school or participated in a special program at a regular school for problems (YSPEC). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category. This variable is not comparable with variables named similarly in past NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

ANYMHED2 Len : 1 RC-YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	321501	38.43
-9 = Data not collected for this year.....	386010	46.14
0 = No (YSHSW=0 and YSPEC=0)	112063	13.39
1 = Yes (YSHSW=1 or YSPEC=1).....	17122	2.05

The following variable, ANYSEDMF, indicates whether a youth reported receiving specialty mental health services along with services from education, general medicine (family doctor/pediatrician), or foster care or therapeutic foster care settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following four source of treatment variables: received specialty mental health services (ANYSMH2), education setting-based mental health services (ANYMHED2), treatment from a family doctor/pediatrician (YPED), and foster care or therapeutic foster care (YFOST). Included in the unknown/18+ category were youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH2=, or {ANYSMH2=1 and (none of ANYMHED2, YPED, or YFOST equal 1 but at least one is missing)}] and adults.

ANYSEDMF Len : 1 RC-YTH RCVD SPEC MH AND ED, MED, OR FOST SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (See comment above)	204333	24.42
-9 = Data not collected for this year.....	556954	66.57
0 = No (ANYSMH2=0 or (ANYMHED2=0, YPED=0, & YFOST=0))	70554	8.43
1 = Yes (ANYSMH2=1 & (ANYMHED2=1, YPED=1, or YFOST=1)).....	4855	0.58

NOTE: The following 10 variables contain information on the number of times a youth received mental health services from specific mental health sources.

HOSPYST Len : 1 RC-# NIGHTS YTH STAYED IN HOSP FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	432376	51.68
-9 = Data not collected for this year.....	220816	26.39
1 = 1 Night (YUHOSPN2=1).....	1671	0.20
2 = 2 Nights (YUHOSPN2=2).....	403	0.05
3 = 3-6 Nights (YUHOSPN2=3-6).....	694	0.08
4 = 7-24 Nights (YUHOSPN2=7-24).....	706	0.08
5 = 25 or More Nights (YUHOSPN2=25-31).....	209	0.02
6 = No Nights (YUHOSPN2=2).....	179821	21.49

RECORDED YOUTH MENTAL HEALTH TREATMENT

RESIDVST

Len : 1 RC-# NIGHTS YTH STAYED IN RESID CTR FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	432315	51.67
-9 = Data not collected for this year	220816	26.39
1 = 1 Night (YURSIDN2=1)	542	0.06
2 = 2 Nights (YURSIDN2=2)	200	0.02
3 = 3-6 Nights (YURSIDN2=3-6)	314	0.04
4 = 7-24 Nights (YURSIDN2=7-24)	464	0.06
5 = 25 or More Nights (YURSIDN2=25-31)	276	0.03
6 = No Nights (YURSIDYR=2)	181769	21.72

FOSTVST

Len : 1 RC-# NIGHTS YTH STAYED IN FOST CARE FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	432014	51.63
-9 = Data not collected for this year	220816	26.39
1 = 1 Night (YUFCARN2=1)	297	0.04
2 = 2 Nights (YUFCARN2=2)	119	0.01
3 = 3-6 Nights (YUFCARN2=3-6)	76	0.01
4 = 7-24 Nights (YUFCARN2=7-24)	127	0.02
5 = 25 or More Nights (YUFCARN2=25-31)	170	0.02
6 = No Nights (YUFCARYR=2)	183077	21.88

DYTXVST

Len : 1 RC-# TIMES YTH VISITED DAY TRMT PROG IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	432594	51.70
-9 = Data not collected for this year	220816	26.39
1 = 1 Visit (YUDYTXN2=1)	1057	0.13
2 = 2 Visits (YUDYTXN2=2)	497	0.06
3 = 3-6 Visits (YUDYTXN2=3-6)	650	0.08
4 = 7-24 Visits (YUDYTXN2=7-24)	624	0.07
5 = 25 or More Visits (YUDYTXN2=25-31)	241	0.03
6 = No Visits (YUDYTXYR=2)	180217	21.54

CLINVST

Len : 1 RC-# TIMES YTH VISITED MENT HLTH CLIN IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	432799	51.73
-9 = Data not collected for this year	220816	26.39
1 = 1 Visit (YUMHCRN2=1)	1298	0.16
2 = 2 Visits (YUMHCRN2=2)	656	0.08
3 = 3-6 Visits (YUMHCRN2=3-6)	1190	0.14
4 = 7-24 Visits (YUMHCRN2=7-24)	1169	0.14
5 = 25 or More Visits (YUMHCRN2=25-31)	462	0.06
6 = No Visits (YUMHCRYR=2)	178306	21.31

THERVST

Len : 1 RC-# TIMES YTH VISITED THERAPIST IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	434248	51.90
-9 = Data not collected for this year	220816	26.39
1 = 1 Visit (YUTPSTN2=1)	3575	0.43
2 = 2 Visits (YUTPSTN2=2)	2486	0.30
3 = 3-6 Visits (YUTPSTN2=3-6)	5259	0.63
4 = 7-24 Visits (YUTPSTN2=7-24)	4387	0.52
5 = 25 or More Visits (YUTPSTN2=25-31)	1881	0.22
6 = No Visits (YUTPSTYR=2)	164044	19.61

HOMEVST

Len : 1 RC-# TIMES YTH RCVD IN-HOME COUNSELING IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	433174	51.77
-9 = Data not collected for this year	220816	26.39
1 = 1 Time (YUIHTPN2=1)	1412	0.17
2 = 2 Times (YUIHTPN2=2)	884	0.11
3 = 3-6 Times (YUIHTPN2=3-6)	1403	0.17
4 = 7-24 Times (YUIHTPN2=7-24)	1129	0.13
5 = 25 or More Times (YUIHTPN2=25-31)	470	0.06
6 = No Times (YUIHTPYR=2)	177408	21.20

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SPINVST2, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPNM) and residential treatment center (YURSIDNM). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR=2 and YURSIDYR=2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for either of the locations (YUHOSPYR or YURSIDYR=85, 94, 97, 98 OR either of YUHOSPNM or YURSIDNM=985, 994, 997, 998), unless the overnight stays for the service with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPINVST2 Len : 1 RC-REV # NIGHTS YTH STAYED IN SPEC INPATIENT MH SRVC

	Freq	Pct
. = Unknown/18+ (See comment above).....	204179	24.40
-9 = Data not collected for this year.....	556954	66.57
1 = 1 Overnight Stay (See comment above).....	567	0.07
2 = 2 Overnight Stays (See comment above).....	268	0.03
3 = 3-6 Overnight Stays (See comment above).....	308	0.04
4 = 7-24 Overnight Stays (See comment above).....	477	0.06
5 = 25 or More Overnight Stays (See comment above).....	195	0.02
6 = No Overnight Stays (See comment above).....	73748	8.81

The following variable, SPOUTVST, indicates how many times a specialty outpatient mental health service was visited in the past year. The number of visits is calculated by adding the number of visits to a day treatment facility (YUDYTXNM), mental health clinic (YUMHCRNM), private therapist (YUTPSTNM), and an in-home therapist (YUIHTPNM). A value of 6 (No Visits) was assigned whenever a respondent said they had used none of the services (YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits was unknown for any of the 4 locations (any of YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUDYTXNM, YUMHCRNM, YUTPSTNM, YUIHTPNM=985, 994, 997, 998), unless the sum of the visits for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPOUTVST Len : 1 RC-# TIMES YTH VISITED A SPECIALTY OUTPATIENT MH SRVC

	Freq	Pct
. = Unknown/18+ (See comment above).....	435362	52.03
-9 = Data not collected for this year.....	220816	26.39
1 = 1 Visit (See comment above).....	3431	0.41
2 = 2 Visits (See comment above).....	2907	0.35
3 = 3-6 Visits (See comment above).....	5499	0.66
4 = 7-24 Visits (See comment above).....	5356	0.64
5 = 25 or more Visits (See comment above).....	3087	0.37
6 = No Visits (See comment above).....	160238	19.15

The following variable, SMHVST2, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPNM) and residential treatment center (YURSIDNM), and the number of visits to a day treatment facility (YUDYTXNM), mental health clinic (YUMHCRNM), private therapist (YUTPSTNM), and in-home therapist (YUIHTPNM). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 6 locations (any of YUHOSPYR, YURSIDYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUHOSPNM, YURSIDNM, YUDYTXNM, YUMHCRNM, YUTPSTNM, YUIHTPNM=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SMHVST2 Len : 1 RC-REV # STAYS/VISITS YTH MADE TO SPEC MH SERVICE

	Freq	Pct
. = Unknown/18+ (See comment above).....	205519	24.56
-9 = Data not collected for this year.....	556954	66.57
1 = 1 Visit/Overnight Stay (See comment above).....	1639	0.20
2 = 2 Visits/Overnight Stays (See comment above).....	1271	0.15
3 = 3-6 Visits/Overnight Stays (See comment above).....	2443	0.29
4 = 7-24 Visits/Overnight Stays (See comment above).....	2630	0.31
5 = 25 or More Visits/Stays (See comment above).....	1726	0.21
6 = No Visits/Stays (See comment above).....	64514	7.71

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similar named variables found in previous NSDUHs due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included.

The following variable, SIMHSUI2, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC) or residential treatment center (YURSSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSUI2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278141	33.24
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	709	0.08
1 = Reason Indicated (Any source variable=1,3)	892	0.11

The following variable, SIMHDPR2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR) or residential treatment center (YURSDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHDPR2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278146	33.24
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	728	0.09
1 = Reason Indicated (Any source variable=1,3)	868	0.10

The following variable, SIMHFEA2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR) or residential treatment center (YURSFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFEA2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278161	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1264	0.15
1 = Reason Indicated (Any source variable=1,3)	317	0.04

The following variable, SIMHBRK2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU) or residential treatment center (YURSBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHBRK2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278160	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1270	0.15
1 = Reason Indicated (Any source variable=1,3)	312	0.04

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHEAT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP) or residential treatment center (YURSEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHEAT2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C EATING PRBLMS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278164	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1372	0.16
1 = Reason Indicated (Any source variable=1,3)	206	0.02

The following variable, SIMHANG2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR) or residential treatment center (YURSANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHANG2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278166	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1393	0.17
1 = Reason Indicated (Any source variable=1,3)	183	0.02

The following variable, SIMHFIT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE) or residential treatment center (YURSFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFIT2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278170	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1501	0.18
1 = Reason Indicated (Any source variable=1,3)	71	0.01

The following variable, SIMHFML2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY) or residential treatment center (YURSFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR) or residential treatment center (YURSIMPR) was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=55, 56. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFML2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278168	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1403	0.17
1 = Reason Indicated (See comment above)	171	0.02

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHFRD2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND) or residential treatment center (YURSFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFRD2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB W/FRND

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	278169	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1497	0.18
1 = Reason Indicated (Any source variable=1,3)	76	0.01

The following variable, SIMHOTP2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP) or residential treatment center (YURSOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR) or residential treatment center (YURSIMPR) was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=51. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTP2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PRB W/OTH PERS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	278170	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1495	0.18
1 = Reason Indicated (See comment above)	77	0.01

The following variable, SIMHSCH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL) or residential treatment center (YURSSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSCH2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	278164	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1389	0.17
1 = Reason Indicated (Any source variable=1,3)	189	0.02

The following variable, SIMHMEN2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR) or residential treatment center (YURSIMPR) was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=18-25, 27, 28, 36, 66, 67. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHMEN2 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	278170	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1546	0.18
1 = Reason Indicated (See comment above)	26	0.00

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHOTH3, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR) or residential treatment center (YURSIMP) was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=12-17, 26, 29-35, 37-50, 52-54, 57-65, 68-70. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTH3 Len : 1 RC-REV YTH LST RCVD INPT SP MH SVC B/C OTHER RSNS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	278166	33.25
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	1453	0.17
1 = Reason Indicated (See comment above)	123	0.01

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one outpatient specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SOMHSUI, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following sources: visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHSUI Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	594938	71.11
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	16144	1.93
1 = Reason Indicated (Any source variable=1,3)	4798	0.57

The following variable, SOMHDPR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), and received treatment from in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHDPR Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	594778	71.09
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	10069	1.20
1 = Reason Indicated (Any source variable=1,3)	11033	1.32

The following variable, SOMHFEA, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), and received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFEA Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	594950	71.11
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	16167	1.93
1 = Reason Indicated (Any source variable=1,3)	4763	0.57

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SOMHBRK, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), and received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHBRK Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C BROKE RULE

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	594953	71.11
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	16056	1.92
1 = Reason Indicated (Any source variable=1,3)	4871	0.58

The following variable, SOMHEAT, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), and received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHEAT Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C EATING PROBS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	595033	71.12
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	18765	2.24
1 = Reason Indicated (Any source variable=1,3)	2082	0.25

The following variable, SOMHANGR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems controlling anger. This recode was created by examination of the following source variables: visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), and received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHANGR Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	594942	71.11
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	17383	2.08
1 = Reason Indicated (Any source variable=1,3)	3555	0.42

The following variable, SOMHFITE, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), and received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFITE Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	595072	71.12
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	19889	2.38
1 = Reason Indicated (Any source variable=1,3)	919	0.11

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SOMHFMLY, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), and received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for visits to a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), and treatment from an in-home therapist (YUIHIMPR) was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=55, 56. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFMLY Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	594927	71.10
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	14981	1.79
1 = Reason Indicated (See comment above)	5972	0.71

The following variable, SOMHFRND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), and received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFRND Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	595025	71.12
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	18223	2.18
1 = Reason Indicated (Any source variable=1,3)	2632	0.31

The following variable, SOMHOTPP, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had had problems with people other than family or friends. This recode was created by examination of the following source variables: visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), and received treatment from an in-home therapist (YUIHOTPP) because they had problems with people other than family or friends, as well as the write-in other-specify variables: most important reason visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), and received treatment from an in-home therapist (YUIHIMPR) was because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=51. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHOTPP Len : 1 RC-YTH RCVD LST OUTP SPC MH SRVC B/C PROB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	595037	71.12
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	18930	2.26
1 = Reason Indicated (See comment above)	1913	0.23

The following variable, SOMHSCHL, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), and received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHSCHL Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	594955	71.11
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	17142	2.05
1 = Reason Indicated (Any source variable=1,3)	3783	0.45

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SOMHMEND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was based only on responses to other-specify write-in variables: most important reason visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), and received treatment from an in-home therapist (YUIHIMPR) was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=18-25, 27, 28, 36, 66, 67. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHMEND Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	595075	71.12
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	20268	2.42
1 = Reason Indicated (See comment above)	537	0.06

The following variable, SOMHOTH2, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because of some other reasons. This recode was created based only on responses to other-specify write-in variables: most important reason visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the write-in other-specify variables=12-17, 26, 29-35, 37-50, 52-54, 57-65, 68-70. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHOTH2 Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	595031	71.12
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (Otherwise)	18634	2.23
1 = Reason Indicated (See comment above)	2215	0.26

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similar named variables found in previous NSDUHs due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included.

The following variable, SMHSUI2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSUI2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270019	32.27
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	6968	0.83
1 = Reason Indicated (Any source variable=1,3)	2755	0.33

The following variable, SMHDPR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHDPR2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	269938	32.26
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	4385	0.52
1 = Reason Indicated (Any source variable=1,3)	5419	0.65

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHFEA2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFEA2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270070	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	7152	0.85
1 = Reason Indicated (Any source variable=1,3)	2520	0.30

The following variable, SMHBRK2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHBRK2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC BROKE RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270071	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	7624	0.91
1 = Reason Indicated (Any source variable=1,3)	2047	0.24

The following variable, SMHEAT2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHEAT2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC EATING PROBS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270120	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	8496	1.02
1 = Reason Indicated (Any source variable=1,3)	1126	0.13

The following variable, SMHANGR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHANGR2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC ANGER CNTRL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270078	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	8053	0.96
1 = Reason Indicated (Any source variable=1,3)	1611	0.19

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHFITE2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), or visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), or received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFITE2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270146	32.29
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	9217	1.10
1 = Reason Indicated (Any source variable=1,3)	379	0.05

The following variable, SMHFMLY2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), or visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=55, 56. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFMLY2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC HOME/FAM PRB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270058	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	7065	0.84
1 = Reason Indicated (See comment above)	2619	0.31

The following variable, SMHFRND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFRND2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB W/FRND

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above)	270121	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	8468	1.01
1 = Reason Indicated (Any source variable=1,3)	1153	0.14

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHOTPP2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), or visits to a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables=51. Adults that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTPP2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PRB W/OTH PERS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	270133	32.29
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	8725	1.04
1 = Reason Indicated (See comment above)	884	0.11

The following variable, SMHSCHL2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSCHL2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB AT SCH

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	270071	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	7876	0.94
1 = Reason Indicated (Any source variable=1,3)	1795	0.21

The following variable, SMHMEND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), or visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=18-25, 27, 28, 36, 66, 67. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHMEND2 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	270157	32.29
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	9313	1.11
1 = Reason Indicated (See comment above)	272	0.03

The following variable, SMHOTH3, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital (YUHOIMPR), residential treatment center (YURSIMPR), or visited a day treatment program (YUDYIMPR), mental health center (YUMHIMPR), private therapist (YUTPIMPR), or received treatment from an in-home therapist (YUIHIMPR) because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables=12-17, 26, 29-35, 37-50, 52-54, 57-65, 68-70. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTH3 Len : 1 RC-REV YTH LST RCVD SP MH SVC IN PY BC OTHER RSNS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above)	270118	32.28
-9 = Data not collected for this year	556954	66.57
0 = Reason Not Indicated (Otherwise)	8516	1.02
1 = Reason Indicated (See comment above)	1108	0.13

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The following 13 variables, SHSWXXX, indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school social worker, school psychologist, or school counselor (YUSWXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school social worker, school psychologist, or school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category. These variables are not comparable with variables named SHCNXXX in previous NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

SHSWSUI Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	438721	52.43
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above)	10426	1.25
1 = Reason Indicated (YUSWSUIC=1,3)	1539	0.18

SHSWDPR Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438719	52.43
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	7061	0.84
1 = Reason Indicated (YUSWDEPR=1,3)	4906	0.59

SHSWFEA Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C AFRD/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438724	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	9750	1.17
1 = Reason Indicated (YUSWFEAR=1,3)	2212	0.26

SHSWBRK Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C BROKE RULE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438720	52.43
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	9629	1.15
1 = Reason Indicated (YUSWBKRU=1,3)	2337	0.28

SHSWEAT Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C EATNG PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438724	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	11278	1.35
1 = Reason Indicated (YUSWEATP=1,3)	684	0.08

SHSWANGR Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C ANGR CNTRL

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	10645	1.27
1 = Reason Indicated (YUSWANGR=1,3)	1315	0.16

SHSWFITE Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PHYS FIGHT

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	11457	1.37
1 = Reason Indicated (YUSWFITE=1,3)	503	0.06

SHSWFMLY Len : 1 RC-YTH LAST TLKD W/ SCH SOC WKR IN PY B/C HME/FAM PRB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	9845	1.18
1 = Reason Indicated (YUSWFMLY=1,3 or home/fam prob)	2115	0.25

RECODED YOUTH MENTAL HEALTH TREATMENT

SHSWFRND Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C FRND PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	9701	1.16
1 = Reason Indicated (YUSWFRND=1,3)	2259	0.27

SHSWOTPP Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PRB W/ OTH

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	10737	1.28
1 = Reason Indicated(YUSWOTPP=1,3 or problem w/others)	1223	0.15

SHSWSCHL Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C SCHL PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	9268	1.11
1 = Reason Indicated (YUSWSCHL=1,3)	2692	0.32

SHSWMEND Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRK IN PY B/C DG MNTL DIS

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	11915	1.42
1 = Reason Indicated (Diagnosed with mental disorder)	45	0.01

For the following variable, SHSWOTH2, a respondent was classified as having indicated that they talked with a school social worker for some other reason if the other-specify variable YUSWIMPR=12-17, 26, 29-35, 37-50, 52-54, 57-65, 68-70.

SHSWOTH2 Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C OTH REASON

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	438726	52.44
-9 = Data not collected for this year	386010	46.14
0 = Reason Not Indicated (See comment above SHSWSUI)	10997	1.31
1 = Reason Indicated (Indicated some other reason)	963	0.12

NOTE: The following 13 variables, FDOCXXX, indicate whether a respondent last talked with their family doctor or pediatrician in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their family doctor or pediatrician (YUFDXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a family doctor or pediatrician in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

FDOCSUI Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	611478	73.08
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (See comment above)	3591	0.43
1 = Reason Indicated (YUFDUI=1,3)	811	0.10

FDOCDPR Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611474	73.08
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (See comment above FDOCSUI)	2316	0.28
1 = Reason Indicated (YUFDDEPR=1,3)	2090	0.25

FDOCFEA Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611477	73.08
-9 = Data not collected for this year	220816	26.39
0 = Reason Not Indicated (See comment above FDOCSUI)	3524	0.42
1 = Reason Indicated (YUFDFEAR=1,3)	879	0.11

RECODED YOUTH MENTAL HEALTH TREATMENT

FDOCBRK	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C BROKE RULES		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611478	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	3699	0.44
	1 = Reason Indicated (YUFDBKRU=1,3)	703	0.08
FDOCEAT	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C EATING PROBS		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611478	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	3749	0.45
	1 = Reason Indicated (YUFDEATP=1,3)	653	0.08
FDOCANGR	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C ANGER CONTROL		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611480	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	4013	0.48
	1 = Reason Indicated (YUFDANGR=1,3)	387	0.05
FDOCFITE	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PHYS FIGHT		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611480	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	4297	0.51
	1 = Reason Indicated (YUFDFITE=1,3)	103	0.01
FDOCFMLY	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C HOME/FAM PROB		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611480	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	3958	0.47
	1 = Reason Indicated (YUFDFMLY=1,3 or home/fam prob)	442	0.05
FDOCFRND	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ FRND		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611480	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	4199	0.50
	1 = Reason Indicated (YUFDFRND=1,3)	201	0.02
FDOCOTPP	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ OTHER PERS		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611480	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	4222	0.50
	1 = Reason Indicated(YUFDOTPP=1,3 or problem w/others)	178	0.02
FDOCSCHL	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB AT SCH		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	611480	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	3898	0.47
	1 = Reason Indicated (YUFDSCHL=1,3)	502	0.06
FDOCMEND	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C DIAG MNTL DIS		
	. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment)	611480	73.08
	-9 = Data not collected for this year	220816	26.39
	0 = Reason Not Indicated (See comment above FDOCSUI)	4249	0.51
	1 = Reason Indicated (Diagnosed with mental disorder)	151	0.02

RECODED YOUTH MENTAL HEALTH TREATMENT

For the following variable, FDOCOTH2, a respondent was classified as having indicated that they talked with their family doctor or pediatrician for some other reason if the other-specify variable YUFDIMPR=12-17, 26, 29-35, 37-50, 52-54, 57-65, 68-70.

FDOCOTH2 Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C OTHER REASONS

	Freq	Pct
. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment).....	611480	73.08
-9 = Data not collected for this year.....	220816	26.39
0 = Reason Not Indicated (See comment above FDOCSUI).....	3912	0.47
1 = Reason Indicated (Indicated some other reason).....	488	0.06

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Youth Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Youth Mental Health Service Utilization variables were defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section.

The following four variables were created based on three source variables: received specialty mental health services in the past year (ANYSMH2), received non-specialty mental health services in the past year (ANYNSMH), and received substance use treatment at a specialty facility in the past year (TXYRSPILAL).

The following variable, YMHOSPTX, indicates whether a youth reported receiving mental health services in the past year or substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty/non-specialty mental health services, or received substance use treatment at a specialty facility in the past year (CATAG18=2 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=1)). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, and did not receive substance use treatment at a specialty facility in the past year (CATAG18=2 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=0).

YMHOSPTX Len : 1 RC-YOUTH: RCVD MH SRVC OR SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	86927	10.39
-9 = Data not collected for this year.....	722653	86.37
0 = No MH & No Sub Trt (see comment above)	20435	2.44
1 = MH or Sub Trt at Spc Fac (see comment above).....	6681	0.80

The following variable, YMHNSPTX, indicates whether a youth reported receiving mental health services in the past year but not substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, but did not receive substance use treatment at a specialty facility in the past year (CATAG18=2 and (ANYSMH2=1 or ANYNSMH=1) and TXYRSPILAL=0). A respondent was assigned a negative response if they were 12 to 17 years old and they either did not receive specialty or non-specialty mental health services, or they received substance use treatment at a specialty facility in the past year (CATAG18=2 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=1)).

YMHNSPTX Len : 1 RC-YOUTH: RCVD MH SRVC BUT NOT SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	86927	10.39
-9 = Data not collected for this year.....	722653	86.37
0 = Otherwise (See comment above)	20568	2.46
1 = Mental Health Srv Only (see comment above).....	6548	0.78

The following variable, YSPTXNMH, indicates whether a youth reported receiving substance use treatment at specialty facility in the past year but not receiving mental health services in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, but did receive substance use treatment at a specialty facility in the past year (CATAG18=2 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and either received specialty or non-specialty mental health services, or they did not receive substance use treatment at a specialty facility in the past year (CATAG18=2 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=0)).

YSPTXNMH Len : 1 RC-YOUTH: RCVD SUB TRT AT SPEC FAC BUT NOT MH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	86188	10.30
-9 = Data not collected for this year.....	722653	86.37
0 = Otherwise (see comment above)	27809	3.32
1 = Sub Trt at Spc Fac Only (see comment above)	46	0.01

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, YMHASPTX, indicates whether a youth reported receiving both mental treatment services and substance use treatment at specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, and received substance use treatment at a specialty facility in the past year (CATAG18=2 and (ANYSMH2=1 or ANYNSMH=1) and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, or did not receive substance use treatment at a specialty facility in the past year (CATAG18=2 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=0)).

YMHASPTX

Len : 1 RC-YOUTH: RCVD BOTH MH SRVC AND SUB TRT AT SPEC FAC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	86188	10.30
-9 = Data not collected for this year.....	722653	86.37
0 = Otherwise (see comment above).....	27770	3.32
1 = MH Srv & Sub Trt at Sp Fac(see comment above).....	85	0.01

ADOLESCENT DEPRESSION

ADOLESCENT DEPRESSION

This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

YODPREV Len : 2 EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	100990	12.07
2 = No.....	118804	14.20
85 = BAD DATA Logically assigned	63	0.01
89 = LEGITIMATE SKIP Logically assigned	6	0.00
94 = DON'T KNOW	1410	0.17
97 = REFUSED	904	0.11
98 = BLANK (NO ANSWER)	40	0.00
99 = LEGITIMATE SKIP.....	505170	60.38

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

YODSCEV Len : 2 EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	10228	1.22
2 = No.....	108846	13.01
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	5	0.00
94 = DON'T KNOW	1203	0.14
97 = REFUSED	841	0.10
98 = BLANK (NO ANSWER)	102	0.01
99 = LEGITIMATE SKIP.....	606161	72.45

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

YOLOSEV Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	16028	1.92
2 = No.....	93126	11.13
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	1054	0.13
97 = REFUSED	681	0.08
98 = BLANK (NO ANSWER)	103	0.01
99 = LEGITIMATE SKIP.....	616390	73.67

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

YODPDISC Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	84902	10.15
2 = No.....	15414	1.84
85 = BAD DATA Logically assigned	62	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	553	0.07
97 = REFUSED	121	0.01
98 = BLANK (NO ANSWER)	1235	0.15
99 = LEGITIMATE SKIP.....	625099	74.71

ADOLESCENT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

YODPLSIN Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	69700	8.33
2 = No.....	30772	3.68
85 = BAD DATA Logically assigned	61	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	393	0.05
97 = REFUSED	125	0.01
98 = BLANK (NO ANSWER)	1236	0.15
99 = LEGITIMATE SKIP.....	625099	74.71

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

YODSLSIN Len : 2 EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	5078	0.61
2 = No.....	5088	0.61
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	47	0.01
97 = REFUSED	15	0.00
98 = BLANK (NO ANSWER)	1447	0.17
99 = LEGITIMATE SKIP.....	715711	85.54

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

YOLS12WK Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	1927	0.23
2 = No.....	13878	1.66
94 = DON'T KNOW	194	0.02
97 = REFUSED	29	0.00
98 = BLANK (NO ANSWER)	1839	0.22
99 = LEGITIMATE SKIP.....	709520	84.80

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

YODPR2WK Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	60688	7.25
2 = No.....	49750	5.95
85 = BAD DATA Logically assigned	62	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	593	0.07
97 = REFUSED	187	0.02
98 = BLANK (NO ANSWER)	1385	0.17
99 = LEGITIMATE SKIP.....	614720	73.47

ADOLESCENT DEPRESSION

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

YOWRHRS Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Less than 1 hour.....	10444	1.25
2 = At least 1 hour but no more than 3 hours	18087	2.16
3 = At least 3 hours but no more than 5 hours.....	14012	1.67
4 = 5 hours or more.....	19020	2.27
85 = BAD DATA Logically assigned	62	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	877	0.10
97 = REFUSED	175	0.02
98 = BLANK (NO ANSWER)	2780	0.33
99 = LEGITIMATE SKIP.....	661929	79.11

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

YOWRDST Len : 2 HOW STRONG WERE BAD FEELINGS DURING 2 WKS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Mild	7856	0.94
2 = Moderate.....	21347	2.55
3 = Severe	15793	1.89
4 = Very Severe	6338	0.76
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	647	0.08
97 = REFUSED	191	0.02
98 = BLANK (NO ANSWER)	2841	0.34
99 = LEGITIMATE SKIP.....	672373	80.36

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

YOWRCHR Len : 2 BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Often.....	14997	1.79
2 = Sometimes	22695	2.71
3 = Not very often	10263	1.23
4 = Never	3772	0.45
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	300	0.04
97 = REFUSED	145	0.02
98 = BLANK (NO ANSWER)	2841	0.34
99 = LEGITIMATE SKIP.....	672373	80.36

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

YOWRIMP Len : 2 MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Often.....	9008	1.08
2 = Sometimes	18650	2.23
3 = Not very often	14105	1.69
4 = Never	9883	1.18
89 = LEGITIMATE SKIP Logically assigned	1	0.00
94 = DON'T KNOW	364	0.04
97 = REFUSED	162	0.02
98 = BLANK (NO ANSWER)	2841	0.34
99 = LEGITIMATE SKIP.....	672373	80.36

ADOLESCENT DEPRESSION

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

YODPPROB	Len : 2	EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
			Freq	Pct
		-9 = Data not collected for this year.....	109309	13.06
		1 = Yes.....	38032	4.55
		2 = No.....	12524	1.50
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	241	0.03
		97 = REFUSED.....	121	0.01
		98 = BLANK (NO ANSWER).....	2841	0.34
		99 = LEGITIMATE SKIP.....	673627	80.51

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

YOWRPROB	Len : 2	ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
			Freq	Pct
		-9 = Data not collected for this year.....	109309	13.06
		1 = Yes.....	29374	3.51
		2 = No.....	8362	1.00
		94 = DON'T KNOW.....	237	0.03
		97 = REFUSED.....	59	0.01
		98 = BLANK (NO ANSWER).....	3203	0.38
		99 = LEGITIMATE SKIP.....	686152	82.01

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

YOWRAGE	Len : 3	AGE WHEN WORST PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 17.....	36851	4.40
		-9 = Data not collected for this year.....	109309	13.06
		985 = BAD DATA Logically assigned.....	6	0.00
		994 = DON'T KNOW.....	999	0.12
		997 = REFUSED.....	175	0.02
		998 = BLANK (NO ANSWER).....	3204	0.38
		999 = LEGITIMATE SKIP.....	686152	82.01

ADOLESCENT DEPRESSION

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

YOWRDEPR	Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	27977	3.34
	2 = No.....	9739	1.16
	94 = DON'T KNOW	227	0.03
	97 = REFUSED	88	0.01
	98 = BLANK (NO ANSWER)	3204	0.38
	99 = LEGITIMATE SKIP.....	686152	82.01

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

YOWRDISC	Len : 2 WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	28236	3.37
	2 = No.....	9419	1.13
	94 = DON'T KNOW	280	0.03
	97 = REFUSED	96	0.01
	98 = BLANK (NO ANSWER)	3204	0.38
	99 = LEGITIMATE SKIP.....	686152	82.01

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

YOWRLSIN	Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	29077	3.48
	2 = No.....	8721	1.04
	94 = DON'T KNOW	160	0.02
	97 = REFUSED	73	0.01
	98 = BLANK (NO ANSWER)	3204	0.38
	99 = LEGITIMATE SKIP.....	686152	82.01

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

YOWRPLSR	Len : 2 WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	26191	3.13
	2 = No.....	11552	1.38
	94 = DON'T KNOW	213	0.03
	97 = REFUSED	75	0.01
	98 = BLANK (NO ANSWER)	3204	0.38
	99 = LEGITIMATE SKIP.....	686152	82.01

ADOLESCENT DEPRESSION

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

YOWRELES	Len : 2 WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	18825	2.25
	2 = No.....	16245	1.94
	94 = DON'T KNOW	243	0.03
	97 = REFUSED	63	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

Did you eat much more than usual almost every day?

YOWREMOR	Len : 2 WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	6237	0.75
	2 = No.....	10039	1.20
	94 = DON'T KNOW	222	0.03
	97 = REFUSED	53	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	707466	84.55

Did you gain weight without trying to during that [TIMEFILL] period of time?

YOWRGAIN	Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	5187	0.62
	2 = No.....	10987	1.31
	94 = DON'T KNOW	330	0.04
	97 = REFUSED	47	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	707466	84.55

Did you gain weight without trying to because you were growing?

YOWRGROW	Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	2103	0.25
	2 = No.....	2798	0.33
	94 = DON'T KNOW	282	0.03
	97 = REFUSED	4	0.00
	98 = BLANK (NO ANSWER)	3747	0.45
	99 = LEGITIMATE SKIP.....	718453	85.87

Did you gain weight without trying to because you were pregnant?

YOWRPREG	Len : 2 WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	33	0.00
	2 = No.....	2514	0.30
	94 = DON'T KNOW	8	0.00
	97 = REFUSED	6	0.00
	98 = BLANK (NO ANSWER)	1874	0.22
	99 = LEGITIMATE SKIP.....	722952	86.41

ADOLESCENT DEPRESSION

How many pounds did you gain?

Please enter your answer as a whole number.

YOWRGNL2¹	Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
		Freq	Pct
	RANGE = 0 - 51	2742	0.33
	-9 = Data not collected for this year	109309	13.06
	994 = DON'T KNOW	272	0.03
	997 = REFUSED	37	0.00
	998 = BLANK (NO ANSWER).....	3747	0.45
	999 = LEGITIMATE SKIP.....	720589	86.12

Did you lose weight without trying to?

YOWRLOSE	Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	14001	1.67
	2 = No.....	15550	1.86
	94 = DON'T KNOW	591	0.07
	97 = REFUSED	47	0.01
	98 = BLANK (NO ANSWER)	3414	0.41
	99 = LEGITIMATE SKIP.....	693784	82.92

Did you lose weight without trying to because you were sick or on a diet?

YOWRDIET	Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	4530	0.54
	2 = No.....	9398	1.12
	94 = DON'T KNOW	69	0.01
	97 = REFUSED	4	0.00
	98 = BLANK (NO ANSWER)	4052	0.48
	99 = LEGITIMATE SKIP.....	709334	84.78

How many pounds did you lose?

Please enter your answer as a whole number.

YOWRLSL2¹	Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
		Freq	Pct
	RANGE = 0 - 51	8793	1.05
	-9 = Data not collected for this year	109309	13.06
	994 = DON'T KNOW	629	0.08
	997 = REFUSED	49	0.01
	998 = BLANK (NO ANSWER).....	4052	0.48
	999 = LEGITIMATE SKIP.....	713864	85.32

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

YOWRSLEP	Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	26762	3.20
	2 = No.....	8324	0.99
	94 = DON'T KNOW	229	0.03
	97 = REFUSED	61	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

YOWRSMOR	Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	4434	0.53
	2 = No.....	3993	0.48
	94 = DON'T KNOW	162	0.02
	97 = REFUSED	25	0.00
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	715403	85.50

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

YOWRENRG	Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	30217	3.61
	2 = No.....	4970	0.59
	94 = DON'T KNOW	153	0.02
	97 = REFUSED	36	0.00
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

YOWRSLOW	Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	24811	2.97
	2 = No.....	10287	1.23
	94 = DON'T KNOW	232	0.03
	97 = REFUSED	46	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

Did anyone else notice that you were talking or moving more slowly than usual?

YOWRSLNO	Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	16500	1.97
	2 = No.....	7935	0.95
	94 = DON'T KNOW	370	0.04
	97 = REFUSED	6	0.00
	98 = BLANK (NO ANSWER)	3648	0.44
	99 = LEGITIMATE SKIP.....	698928	83.53

Were you so restless or jittery that you walked up or down or couldn't sit still?

YOWRJITT	Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	3130	0.37
	2 = No.....	7249	0.87
	94 = DON'T KNOW	152	0.02
	97 = REFUSED	34	0.00
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	713452	85.27

ADOLESCENT DEPRESSION

Did anyone else notice that you couldn't sit still?

YOWRJINO	Len : 2 WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	1758	0.21
	2 = No.....	1310	0.16
	94 = DON'T KNOW	60	0.01
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	3556	0.43
	99 = LEGITIMATE SKIP.....	720701	86.14

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

YOWRTHOT	Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	24575	2.94
	2 = No.....	10394	1.24
	94 = DON'T KNOW	333	0.04
	97 = REFUSED	74	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

On most days, did you have a lot more trouble than usual keeping your mind on things?

YOWRCONC	Len : 2 WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	28682	3.43
	2 = No.....	6469	0.77
	94 = DON'T KNOW	175	0.02
	97 = REFUSED	50	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

YOWRDCSN	Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	22179	2.65
	2 = No.....	12787	1.53
	94 = DON'T KNOW	352	0.04
	97 = REFUSED	58	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

Did you feel that you were not as good as other people nearly every day?

YOWRNOGD	Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	27083	3.24
	2 = No.....	8062	0.96
	94 = DON'T KNOW	164	0.02
	97 = REFUSED	67	0.01
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

ADOLESCENT DEPRESSION

Did you feel totally worthless nearly every day?

YOWRWRTH	Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	19925	2.38
	2 = No.....	7044	0.84
	94 = DON'T KNOW	79	0.01
	97 = REFUSED	35	0.00
	98 = BLANK (NO ANSWER)	3601	0.43
	99 = LEGITIMATE SKIP.....	696703	83.27

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

YOWRDLOT	Len : 2 WHEN PRBLMS WORST THINK A LOT ABOUT DEATH	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	22024	2.63
	2 = No.....	12998	1.55
	94 = DON'T KNOW	124	0.01
	97 = REFUSED	230	0.03
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

During that period, did you ever think that it would be better if you were dead?

YOWRDBTR	Len : 2 WHEN PRBLMS WRST THINK IT WOULD BE BETTER IF DEAD	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	20835	2.49
	2 = No.....	14022	1.68
	94 = DON'T KNOW	182	0.02
	97 = REFUSED	337	0.04
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

Did you think about killing yourself?

YOWRSTHK	Len : 2 WHEN PRBLMS WORST THINK ABOUT KILLING YOURSELF	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	17166	2.05
	2 = No.....	17637	2.11
	94 = DON'T KNOW	125	0.01
	97 = REFUSED	448	0.05
	98 = BLANK (NO ANSWER)	3370	0.40
	99 = LEGITIMATE SKIP.....	688641	82.30

Did you make a plan to kill yourself?

YOWRSPLN	Len : 2 WHEN PRBLMS WORST MAKE A PLAN TO KILL YOURSELF	Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	8004	0.96
	2 = No.....	9065	1.08
	94 = DON'T KNOW	28	0.00
	97 = REFUSED	69	0.01
	98 = BLANK (NO ANSWER)	3943	0.47
	99 = LEGITIMATE SKIP.....	706278	84.41

ADOLESCENT DEPRESSION

Did you make a suicide attempt or try to kill yourself?

YOWRSATP	Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Yes.....	5981	0.71
	2 = No.....	11061	1.32
	94 = DON'T KNOW	23	0.00
	97 = REFUSED	101	0.01
	98 = BLANK (NO ANSWER)	3943	0.47
	99 = LEGITIMATE SKIP.....	706278	84.41
YO_MDEA1	Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	31436	3.76
	2 = Does not have symptom.....	6299	0.75
	94 = DON'T KNOW	215	0.03
	97 = REFUSED	81	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	184180	22.01
	99 = LEGITIMATE SKIP.....	505176	60.38
YO_MDEA2	Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	33427	4.00
	2 = Does not have symptom.....	5862	0.70
	94 = DON'T KNOW	352	0.04
	97 = REFUSED	91	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	182479	21.81
	99 = LEGITIMATE SKIP.....	505176	60.38
YO_MDEA3	Len : 2 CHANGES IN APPETITE OR WT		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	25804	3.08
	2 = Does not have symptom.....	8938	1.07
	94 = DON'T KNOW	564	0.07
	97 = REFUSED	70	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	186835	22.33
	99 = LEGITIMATE SKIP.....	505176	60.38
YO_MDEA4	Len : 2 SLEEP PROBLEMS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	31196	3.73
	2 = Does not have symptom.....	3920	0.47
	94 = DON'T KNOW	227	0.03
	97 = REFUSED	33	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	186835	22.33
	99 = LEGITIMATE SKIP.....	505176	60.38
YO_MDEA5	Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	18258	2.18
	2 = Does not have symptom.....	16680	1.99
	94 = DON'T KNOW	430	0.05
	97 = REFUSED	8	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	186835	22.33
	99 = LEGITIMATE SKIP.....	505176	60.38

ADOLESCENT DEPRESSION

YO_MDEA6	Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	30217	3.61
	2 = Does not have symptom.....	4970	0.59
	94 = DON'T KNOW	153	0.02
	97 = REFUSED	36	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	186835	22.33
	99 = LEGITIMATE SKIP.....	505176	60.38

YO_MDEA7	Len : 2 FELT WORTHLESS NEARLY EVERY DAY		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	19925	2.38
	2 = Does not have symptom.....	15337	1.83
	94 = DON'T KNOW	79	0.01
	97 = REFUSED	35	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	186835	22.33
	99 = LEGITIMATE SKIP.....	505176	60.38

YO_MDEA8	Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	31545	3.77
	2 = Does not have symptom.....	3626	0.43
	94 = DON'T KNOW	155	0.02
	97 = REFUSED	50	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	186835	22.33
	99 = LEGITIMATE SKIP.....	505176	60.38

YO_MDEA9	Len : 2 ANY THOUGHTS OR PLANS OF SUICIDE		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has symptom	25906	3.10
	2 = Does not have symptom.....	9086	1.09
	94 = DON'T KNOW	125	0.01
	97 = REFUSED	259	0.03
	98 = OTHER MISSING/NOT APPLICABLE.....	186835	22.33
	99 = LEGITIMATE SKIP.....	505176	60.38

YODSMMDE	Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Has 5 or more symptoms	31715	3.79
	2 = Has less than 5 symptoms	7719	0.92
	94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	238	0.03
	97 = SUM OF SYMPTOMS AND REFUSED >=5	60	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	182479	21.81
	99 = LEGITIMATE SKIP.....	505176	60.38

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

YOPBINTF	Len : 2 WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Not at all	1883	0.23
	2 = A little.....	6647	0.79
	3 = Some.....	10442	1.25
	4 = A lot.....	9515	1.14
	5 = Extremely	4172	0.50
	94 = DON'T KNOW	73	0.01
	97 = REFUSED	54	0.01
	98 = BLANK (NO ANSWER)	3593	0.43
	99 = LEGITIMATE SKIP.....	691008	82.59

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

YOPBDLYA Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Often.....	5780	0.69
2 = Sometimes	14456	1.73
3 = Not very often	7699	0.92
4 = Never	2712	0.32
94 = DON'T KNOW	185	0.02
97 = REFUSED	71	0.01
98 = BLANK (NO ANSWER)	3593	0.43
99 = LEGITIMATE SKIP.....	692891	82.81

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

YOPBRMBR Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	19054	2.28
2 = No.....	13467	1.61
94 = DON'T KNOW	200	0.02
97 = REFUSED	65	0.01
98 = BLANK (NO ANSWER)	3593	0.43
99 = LEGITIMATE SKIP.....	691008	82.59

How old were you?

YOPBAGE Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17	30971	3.70
-9 = Data not collected for this year	109309	13.06
985 = BAD DATA Logically assigned	4	0.00
994 = DON'T KNOW	1605	0.19
997 = REFUSED	141	0.02
998 = BLANK (NO ANSWER).....	3658	0.44
999 = LEGITIMATE SKIP.....	691008	82.59

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

YOPBNUM Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	28106	3.36
-9 = Data not collected for this year	109309	13.06
9994 = DON'T KNOW	4073	0.49
9997 = REFUSED	607	0.07
9998 = BLANK (NO ANSWER).....	3593	0.43
9999 = LEGITIMATE SKIP.....	691008	82.59

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

YOPB2WK Len : 2 FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	21093	2.52
2 = No.....	10889	1.30
94 = DON'T KNOW	620	0.07
97 = REFUSED	184	0.02
98 = BLANK (NO ANSWER)	3593	0.43
99 = LEGITIMATE SKIP.....	691008	82.59

ADOLESCENT DEPRESSION

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPPRELS, and YOPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

YOPSHMGT	Len : 2	HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES		
			Freq	Pct
		-9 = Data not collected for this year.....	109309	13.06
		0 = No Problems	1475	0.18
		1 = Mild - 1	956	0.11
		2 = Mild - 2	1513	0.18
		3 = Mild - 3	1838	0.22
		4 = Moderate - 4	2047	0.24
		5 = Moderate - 5	3335	0.40
		6 = Moderate - 6	2988	0.36
		7 = Severe - 7	2294	0.27
		8 = Severe - 8	2036	0.24
		9 = Severe - 9	870	0.10
		10 = Very Severe Problems.....	1346	0.16
		94 = DON'T KNOW	113	0.01
		95 = ACTIVITY DOES NOT APPLY.....	236	0.03
		97 = REFUSED	46	0.01
		98 = BLANK (NO ANSWER)	4397	0.53
		99 = LEGITIMATE SKIP.....	701897	83.89

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

YOPSWORK	Len : 2	HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK		
			Freq	Pct
		-9 = Data not collected for this year.....	109309	13.06
		0 = No Problems	1053	0.13
		1 = Mild - 1	905	0.11
		2 = Mild - 2	1394	0.17
		3 = Mild - 3	1787	0.21
		4 = Moderate - 4	1888	0.23
		5 = Moderate - 5	2980	0.36
		6 = Moderate - 6	2665	0.32
		7 = Severe - 7	2433	0.29
		8 = Severe - 8	2362	0.28
		9 = Severe - 9	1458	0.17
		10 = Very Severe Problems.....	1777	0.21
		94 = DON'T KNOW	107	0.01
		95 = ACTIVITY DOES NOT APPLY.....	235	0.03
		97 = REFUSED	49	0.01
		98 = BLANK (NO ANSWER)	4397	0.53
		99 = LEGITIMATE SKIP.....	701897	83.89

ADOLESCENT DEPRESSION

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

YOPSRELS	Len : 2 HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM	Freq	Pct
	-9 = Data not collected for this year.....	109309	13.06
	0 = No Problems	802	0.10
	1 = Mild - 1	701	0.08
	2 = Mild - 2	1059	0.13
	3 = Mild - 3	1450	0.17
	4 = Moderate - 4	1580	0.19
	5 = Moderate - 5	2508	0.30
	6 = Moderate - 6	2459	0.29
	7 = Severe - 7	2772	0.33
	8 = Severe - 8	2726	0.33
	9 = Severe - 9	2025	0.24
	10 = Very Severe Problems.....	2716	0.32
	94 = DON'T KNOW	97	0.01
	95 = ACTIVITY DOES NOT APPLY.....	143	0.02
	97 = REFUSED	55	0.01
	98 = BLANK (NO ANSWER)	4397	0.53
	99 = LEGITIMATE SKIP.....	701897	83.89

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

YOPSSOC	Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE	Freq	Pct
	-9 = Data not collected for this year.....	109309	13.06
	0 = No Problems	767	0.09
	1 = Mild - 1	662	0.08
	2 = Mild - 2	1060	0.13
	3 = Mild - 3	1495	0.18
	4 = Moderate - 4	1820	0.22
	5 = Moderate - 5	2675	0.32
	6 = Moderate - 6	2534	0.30
	7 = Severe - 7	2612	0.31
	8 = Severe - 8	2646	0.32
	9 = Severe - 9	2028	0.24
	10 = Very Severe Problems.....	2473	0.30
	94 = DON'T KNOW	105	0.01
	95 = ACTIVITY DOES NOT APPLY.....	155	0.02
	97 = REFUSED	61	0.01
	98 = BLANK (NO ANSWER)	4397	0.53
	99 = LEGITIMATE SKIP.....	701897	83.89

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC are no longer asked the question corresponding to YOPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to YOPSHMGT through YOPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

YOPSDAYS	Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS	Freq	Pct
	RANGE = 0 - 365	19989	2.39
	-9 = Data not collected for this year.....	109309	13.06
	994 = DON'T KNOW	867	0.10
	997 = REFUSED	80	0.01
	998 = BLANK (NO ANSWER).....	4447	0.53
	999 = LEGITIMATE SKIP.....	702004	83.90

ADOLESCENT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

YOSEEDOC Len : 2 SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes.....	10279	1.23
2 = No.....	22156	2.65
94 = DON'T KNOW	210	0.03
97 = REFUSED	141	0.02
98 = BLANK (NO ANSWER)	3593	0.43
99 = LEGITIMATE SKIP.....	691008	82.59

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

To select more than one answer from the list, press the space bar between each number you type. When you have finished, press the [ENTER] key to go to the next question.

YOFAMDOC Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	2307	0.28
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	7787	0.93
94 = DON'T KNOW	112	0.01
97 = REFUSED	212	0.03
98 = BLANK (NO ANSWER)	3803	0.45
99 = LEGITIMATE SKIP.....	713164	85.24

YOOTHDOC Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	409	0.05
3 = Response entered LOGICALLY ASSIGNED	19	0.00
6 = Response not entered	9668	1.16
94 = DON'T KNOW	112	0.01
97 = REFUSED	212	0.03
98 = BLANK (NO ANSWER)	3803	0.45
99 = LEGITIMATE SKIP.....	713164	85.24

YOPSYCH Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	3285	0.39
3 = Response entered LOGICALLY ASSIGNED	5	0.00
6 = Response not entered	6806	0.81
94 = DON'T KNOW	112	0.01
97 = REFUSED	212	0.03
98 = BLANK (NO ANSWER)	3803	0.45
99 = LEGITIMATE SKIP.....	713164	85.24

ADOLESCENT DEPRESSION

YOPSYMD	Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	2474	0.30
	3 = Response entered LOGICALLY ASSIGNED	4	0.00
	6 = Response not entered	7618	0.91
	94 = DON'T KNOW	112	0.01
	97 = REFUSED	212	0.03
	98 = BLANK (NO ANSWER)	3803	0.45
	99 = LEGITIMATE SKIP	713164	85.24
YOSOCWRK	Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	1544	0.18
	3 = Response entered LOGICALLY ASSIGNED	1	0.00
	6 = Response not entered	8551	1.02
	94 = DON'T KNOW	112	0.01
	97 = REFUSED	212	0.03
	98 = BLANK (NO ANSWER)	3803	0.45
	99 = LEGITIMATE SKIP	713164	85.24
YOCOUNS	Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	6199	0.74
	3 = Response entered LOGICALLY ASSIGNED	41	0.00
	6 = Response not entered	3856	0.46
	94 = DON'T KNOW	112	0.01
	97 = REFUSED	212	0.03
	98 = BLANK (NO ANSWER)	3803	0.45
	99 = LEGITIMATE SKIP	713164	85.24
YOOTMHP	Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	656	0.08
	3 = Response entered LOGICALLY ASSIGNED	3	0.00
	6 = Response not entered	9437	1.13
	94 = DON'T KNOW	112	0.01
	97 = REFUSED	212	0.03
	98 = BLANK (NO ANSWER)	3803	0.45
	99 = LEGITIMATE SKIP	713164	85.24
YONURSE	Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	851	0.10
	3 = Response entered LOGICALLY ASSIGNED	6	0.00
	6 = Response not entered	9239	1.10
	94 = DON'T KNOW	112	0.01
	97 = REFUSED	212	0.03
	98 = BLANK (NO ANSWER)	3803	0.45
	99 = LEGITIMATE SKIP	713164	85.24
YORELIG	Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Response entered	1294	0.15
	3 = Response entered LOGICALLY ASSIGNED	7	0.00
	6 = Response not entered	8795	1.05
	94 = DON'T KNOW	112	0.01
	97 = REFUSED	212	0.03
	98 = BLANK (NO ANSWER)	3803	0.45
	99 = LEGITIMATE SKIP	713164	85.24

ADOLESCENT DEPRESSION

YOHHERBAL Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	206	0.02
6 = Response not entered	9890	1.18
94 = DON'T KNOW	112	0.01
97 = REFUSED	212	0.03
98 = BLANK (NO ANSWER)	3803	0.45
99 = LEGITIMATE SKIP	713164	85.24

YOOHHLP Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Response entered	534	0.06
6 = Response not entered	9562	1.14
94 = DON'T KNOW	112	0.01
97 = REFUSED	212	0.03
98 = BLANK (NO ANSWER)	3803	0.45
99 = LEGITIMATE SKIP	713164	85.24

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

YOTMTNOW Len : 2 CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes	4427	0.53
2 = No	5827	0.70
94 = DON'T KNOW	17	0.00
97 = REFUSED	149	0.02
98 = BLANK (NO ANSWER)	3803	0.45
99 = LEGITIMATE SKIP	713164	85.24

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

YORX12MO Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes	5072	0.61
2 = No	27485	3.28
94 = DON'T KNOW	136	0.02
97 = REFUSED	93	0.01
98 = BLANK (NO ANSWER)	3593	0.43
99 = LEGITIMATE SKIP	691008	82.59

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

YORXNOW Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
-9 = Data not collected for this year	109309	13.06
1 = Yes	3426	0.41
2 = No	1638	0.20
94 = DON'T KNOW	5	0.00
97 = REFUSED	96	0.01
98 = BLANK (NO ANSWER)	3729	0.45
99 = LEGITIMATE SKIP	718493	85.87

ADOLESCENT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

YORXHLP	Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Not at all	761	0.09
	2 = A little.....	857	0.10
	3 = Some.....	1182	0.14
	4 = A lot.....	1426	0.17
	5 = Extremely	816	0.10
	94 = DON'T KNOW	18	0.00
	97 = REFUSED	105	0.01
	98 = BLANK (NO ANSWER)	3729	0.45
	99 = LEGITIMATE SKIP.....	718493	85.87

During the past 12 months, how much has treatment or counseling helped you?

YOTMTHLP	Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
		Freq	Pct
	-9 = Data not collected for this year	109309	13.06
	1 = Not at all	1717	0.21
	2 = A little.....	2152	0.26
	3 = Some.....	2533	0.30
	4 = A lot.....	2531	0.30
	5 = Extremely	1236	0.15
	94 = DON'T KNOW	74	0.01
	97 = REFUSED	177	0.02
	98 = BLANK (NO ANSWER)	3803	0.45
	99 = LEGITIMATE SKIP.....	713164	85.24

TXHPMDE	Len : 1 PERCEPTION OF HELP RCVD FROM MDE TRT/CNSLG		
		Freq	Pct
	. = Unknown/Legitimate Skip (Otherwise)	106011	12.67
	-9 = Data not collected for this year	725189	86.67
	1 = No Help at All (ADTMTHLP=1 or YOTMTHLP=1).....	944	0.11
	2 = A Little Help (ADTMTHLP=2 or YOTMTHLP=2).....	1009	0.12
	3 = Some Help (ADTMTHLP=3 or YOTMTHLP=3)	1325	0.16
	4 = A Lot of Help (ADTMTHLP=4 or YOTMTHLP=4).....	1452	0.17
	5 = Extremely Helpful (ADTMTHLP=5 or YOTMTHLP=5).....	766	0.09

RXHPMDE	Len : 1 PERCEPTION OF HELP RCVD FROM MDE RX MEDICATION		
		Freq	Pct
	. = Unknown/Legitimate Skip (Otherwise)	107595	12.86
	-9 = Data not collected for this year	725189	86.67
	1 = No Help at All (ADRXHLP=1 or YORXHLP=1)	368	0.04
	2 = A Little Help (ADRXHLP=2 or YORXHLP=2).....	512	0.06
	3 = Some Help (ADRXHLP=3 or YORXHLP=3)	888	0.11
	4 = A Lot of Help (ADRXHLP=4 or YORXHLP=4)	1316	0.16
	5 = Extremely Helpful (ADRXHLP=5 or YORXHLP=5)	828	0.10

RECODED ADULT AND ADOLESCENT DEPRESSION

RECODED ADULT AND ADOLESCENT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the Adult Depression and Adolescent Depression sections.

NOTE: This codebook contains two versions of adult lifetime and past year major depressive episode (MDE) variables. The unadjusted variables (MDELT and MDEYR), located in this section, are defined for both adult and adolescent respondents. Due to questionnaire changes in 2008 the unadjusted MDE variables for adults are only comparable with 2004 sample B (ADLTSAMP=2) and other years between 2005 and 2007. The adjusted variables (AJAMDELTA and AJAMDEYR), included in the Recoded Adult Depression section, are only defined for adult respondents. These variables were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. Specific details about both versions can be found in the Recoded Depression Variable Documentation Appendix.

The unadjusted MDE variables were used in the 2007 detailed tables. Adjusted MDE variables (AJAMDELTA and AJAMDEYR) were developed to allow comparisons across years beginning with 2005 (See the Recoded Adult Depression section). The adjusted variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. For more information on the creation of the unadjusted adult depression variables see the Recoded Depression Variable Documentation Appendix.

A respondent was classified as having a major depressive episode (MDE) in their lifetime (MDELT=1) if they reported experiencing at least 5 out of the 9 criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDEA=1).

A respondent was classified as NOT having a major depressive episode (MDE) in their lifetime (MDELT=2) if they met either of these conditions:

(1) Reported experiencing fewer than 5 out of the 9 criteria used to define a person as having had MDE in their lifetime (ADSMMDEA=2 or YODSMMDE=2)

(2) If the number of criteria used to define a person as having had MDE in their lifetime is unknown (ADSMMDEA=98 or YODSMMDE=98) and reported at least one of the following:

(I) Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2 or YODPREV=2), discouraged about how things were going in life (ADDSCREV=2 or YODSCREV=2), and lost interest in most things usually enjoy (ADLOSEV=2 or YOLOSEV=2).

(II) Never having had a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasting nearly every day for two weeks or longer [(ADLSI2WK=2 or YOLSI2WK=2) and (ADDPR2WK=2 or YODPR2WK=2)].

(III) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and the sadness, discouragement, or loss of interest lasted less than an hour when mood was most severe and frequent (ADWRHRS=1 or YOWRHRS=1).

(IV) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and during those times when mood was most severe and frequent, emotional distress was mild (ADWRDST=1 or YOWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4 or YOWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4 or YOWRIMP=4).

(v) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2 or YODPPROB=2).

MDELT	Len : 1 HAD LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)		
	.	Freq	Pct
	. = Unknown (Otherwise).....	2054	0.25
	-9 = Data not collected for this year.....	615105	73.52
	1 = Yes (ADSMMDEA=1 OR YODSMMDE=1).....	30411	3.63
	2 = No (See comment above).....	170496	20.38
	3 = Out of Scope (ADLTSAMP=1,98)	18630	2.23

MDEYR	Len : 1 HAD PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
	.	Freq	Pct
	. = Unknown (Otherwise).....	2409	0.29
	-9 = Data not collected for this year.....	615105	73.52
	1 = Yes (MDELT=1 & (ADPB2WK=1 OR YOPB2WK=1)).....	17880	2.14
	2 = No (MDELT=2 or [MDELT=1&(ADPB2WK=2 or YOPB2WK=2)]).....	182672	21.83
	3 = Out of Scope (MDELT=3).....	18630	2.23

RECODED ADULT AND ADOLESCENT DEPRESSION

NOTE: The remaining variables in this section are based on questions asked of some respondents not classified as having an MDE in their lifetime in addition to respondents classified as having MDE. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).

TXMDEYR	Len : 1 SAW OR TALKED TO MD OR PROF FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (ADSEEDOC and YOSEEDOC = 94,97,98,99)	190426	22.76
	-9 = Data not collected for this year	615105	73.52
	0 = No (ADSEEDOC=2 or YOSEEDOC=2)	19354	2.31
	1 = Yes (ADSEEDOC=1 or YOSEEDOC=1)	11811	1.41

RXMDEYR	Len : 1 USED PRESCRIPTION MEDICATION FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (ADRX12MO and YORX12MO = 94,97,98,99)	190387	22.75
	-9 = Data not collected for this year	615105	73.52
	0 = No (ADRX12MO=2 or YORX12MO=2)	22683	2.71
	1 = Yes (ADRX12MO=1 or YORX12MO=1)	8521	1.02

NOTE: In the following 3 variables, a person is defined as having received treatment/counseling if one saw or talked to a medical doctor or other professional for MDE.

MDETXRX	Len : 1 RCVD TRT/CNSLNG OR RX MED FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190422	22.76
	-9 = Data not collected for this year	615105	73.52
	0 = No (TXMDEYR=0 and RXMDEYR=0)	17934	2.14
	1 = Yes (TXMDEYR=1 or RXMDEYR=1)	13235	1.58

MDETXARX	Len : 1 RCVD TRT/CNSLNG AND RX MED FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190391	22.76
	-9 = Data not collected for this year	615105	73.52
	0 = No (TXMDEYR=0 or RXMDEYR=0)	24103	2.88
	1 = Yes (TXMDEYR=1 and RXMDEYR=1)	7097	0.85

MDETXO	Len : 1 RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190416	22.76
	-9 = Data not collected for this year	615105	73.52
	0 = No (TXMDEYR=0 or RXMDEYR=1)	26473	3.16
	1 = Yes (TXMDEYR=1 and RXMDEYR=0)	4702	0.56

MDERXO	Len : 1 RCVD RX MEDICATION ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	190397	22.76
	-9 = Data not collected for this year	615105	73.52
	0 = No (RXMDEYR=0 or TXMDEYR=1)	29792	3.56
	1 = Yes (RXMDEYR=1 and TXMDEYR=0)	1402	0.17

A respondent was classified as NOT having seen or talked to a general practitioner or family doctor about MDE during the past year (DOCMD=0) if they met either of these conditions:

(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).

(2) Response not entered for whether a general practitioner or family doctor was seen or talked to during the past year (ADFAMDOC=6 or YOFAMDOC=6).

DOCMD	Len : 1 SAW/TALK TO GENERAL PRAC OR FAM MD ABOUT MDE - PY		
		Freq	Pct
	. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
	-9 = Data not collected for this year	615105	73.52
	0 = No (See comment above)	25724	3.07
	1 = Yes (ADFAMDOC=1 or YOFAMDOC=1)	5344	0.64

RECODED ADULT AND ADOLESCENT DEPRESSION

A respondent was classified as NOT having seen or talked to other medical doctor about MDE during the past year (OMDMDE=0) if they met either of these conditions:

(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).

(2) Response not entered for whether other medical doctor was seen or talked to during the past year (ADOTHDOC=6 or YOOTHDOC=6).

OMDMDE Len : 1 SAW/TALK TO OTHER MD ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	30159	3.60
1 = Yes (ADOTHDOC=1,3 or YOOTHDOC=1,3).....	909	0.11

A respondent was classified as NOT having seen or talked to a psychologist about MDE during the past year (PSY1MDE=0) if they met either of these conditions:

(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).

(2) Response not entered for whether a psychologist was seen or talked to during the past year (ADPSYCH=6 or YOPSYCH=6).

PSY1MDE Len : 1 SAW/TALK TO PSYCHOLOGIST ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	27783	3.32
1 = Yes (ADPSYCH=1 or YOPSYCH=1).....	3285	0.39

A respondent was classified as NOT having seen or talked to a psychiatrist or psychotherapist about MDE during the past year (PSY2MDE=0) if they met either of these conditions:

(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).

(2) Response not entered for whether a psychiatrist or psychotherapist was seen or talked to during the past year (ADPSYMD=6 or YOPSYMD=6).

PSY2MDE Len : 1 SAW/TALK TO PSYCHIATRIST/PSYCHOTHER ABOUT MDE -PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	28042	3.35
1 = Yes (ADPSYMD=1 or YOPSYMD=1).....	3026	0.36

A respondent was classified as NOT having seen or talked to a social worker about MDE during the past year (SOCMDE=0) if they met either of these conditions:

(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).

(2) Response not entered for whether a social worker was seen or talked to during the past year (ADSOCWRK=6 or YOSOCWRK=6).

SOCMDE Len : 1 SAW/TALK TO SOCIAL WORKER ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	29734	3.55
1 = Yes (ADSOCWRK=1 or YOSOCWRK=1).....	1334	0.16

A respondent was classified as NOT having seen or talked to a counselor about MDE during the past year (COUNMDE=0) if they met either of these conditions:

(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).

(2) Response not entered for whether a counselor was seen or talked to during the past year (ADCOUNS=6 or YOCOUNS=6).

COUNMDE Len : 1 SAW/TALK TO COUNSELOR ABOUT MDE - PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	27075	3.24
1 = Yes (ADCOUNS=1,3 or YOCOUNS=1,3).....	3993	0.48

RECODED ADULT AND ADOLESCENT DEPRESSION

The following variable, OMHMDE, indicates whether a person saw or talked to a mental health professional, such as a mental health nurse or other therapist where type not specified, in the past year for MDE.

A respondent was classified as having seen or talked to other mental health professional about MDE during the past year (OMHMDE=1) if they met either of these conditions:

- (1) Reported seeing or talking to a medical doctor or other professional during the past year (ADOTHMHP =1 or YOOTHMHP=1,3).
- (2) Response entered for whether other mental health professional was seen or talked to during the past year (ADOTHSP=12 or YOOTHSP=12).

A respondent was classified as NOT having seen or talked to other mental health professional about MDE during the past year (OMHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHMHP=6 or YOOTHMHP=6).

OMHMDE Len : 1 SAW/TALK TO OTHER MENTAL HEALTH PROF ABOUT MDE -PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	30306	3.62
1 = Yes (See comment above)	762	0.09

A respondent was classified as NOT having seen or talked to a nurse, occupational therapist, or other health professional about MDE during the past year (NURSMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether nurse was seen or talked to during the past year (ADNURSE=6 or YONURSE=6).

NURSMDE Len : 1 SAW/TALK TO NURSE/OCC THERA/HTH PROF ABOUT MDE-PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	30222	3.61
1 = Yes (ADNURSE=1,3 or YONURSE=1,3).....	846	0.10

A respondent was classified as NOT having seen or talked to a religious or spiritual advisor about MDE during the past year (RELMD=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether religious or spiritual advisor was seen or talked to during the past year (ADRELIG=6 or YORELIG=6).

RELMD Len : 1 SAW/TALK TO RELIG OR SPIRITUAL ADVISOR ABOUT MDE-PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	29073	3.47
1 = Yes (ADRELIG=1,3 or YORELIG=1,3)	1995	0.24

A respondent was classified as NOT having seen or talked to an herbalist, chiropractor, acupuncturist, or massage therapist about MDE during the past year (HBCHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether an herbalist, chiropractor, acupuncturist, or massage therapist was seen or talked to during the past year (ABHERBAL=6 or YOHERBAL=6).

HBCHMDE Len : 1 SAW/TALK TO HRB/CHIRO/ACUPU/MSGT THER ABOUT MDE-PY

	Freq	Pct
. = Unknown/Legitimate Skip (Otherwise)	190523	22.77
-9 = Data not collected for this year	615105	73.52
0 = No (See comment above).....	30539	3.65
1 = Yes (ADHERBAL=1,3 or YOHERBAL=1).....	529	0.06

RECODED ADULT AND ADOLESCENT DEPRESSION

A respondent was classified as having seen or talked to another professional about MDE during the past year (OTHMDE=1) if they entered a valid write-in response other than the responses that matched the existing categories (ADOTHSP=13-15,17,19-24,29,31,32,801 or YOOTHSP=13-15,23).

A respondent was classified as NOT having seen or talked to another professional about MDE during the past year (OTHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6 or YOOTHHLP=6).
- (3) Write-in response entered matched an existing category (ADOTHSP=2,6,8-10,12 or YOOTHSP=1-2,5-9,12).

OTHMDE	Len : 1 SAW/TALK TO OTHER PROF ABOUT MDE-PY		
		Freq	Pct
	. = Unknwn/Legit Skip/Invalid Spec. Resp. (Otherwise)	190683	22.79
	-9 = Data not collected for this year	615105	73.52
	0 = No (See comment above)	30761	3.68
	1 = Yes (See comment above)	147	0.02

YMDETARX	Len : 1 YOUTH: RCVD TRT/CNSLG AND RX MED FOR MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	160386	19.17
	-9 = Data not collected for this year	669039	79.96
	0 = No (YTXMDEYR=0 or YRXMDEYR=0)	6448	0.77
	1 = Yes (YTXMDEYR=1 and YRXMDEYR=1)	823	0.10

YMDETXO	Len : 1 YOUTH: RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	160405	19.17
	-9 = Data not collected for this year	669039	79.96
	0 = No (YTXMDEYR=0 or YRXMDEYR=1)	5894	0.70
	1 = Yes (YTXMDEYR=1 and YRXMDEYR=0)	1358	0.16

YMDERXO	Len : 1 YOUTH: RCVD RX MEDICATION ONLY FOR MDE IN PAST YR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	160384	19.17
	-9 = Data not collected for this year	669039	79.96
	0 = No (YRXMDEYR=0 or YTXMDEYR=1)	7066	0.84
	1 = Yes (YRXMDEYR=1 and YTXMDEYR=0)	207	0.02

YMDEADA	Len : 1 YOUTH: PAST YEAR MDE AND SUB DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	79891	9.55
	-9 = Data not collected for this year	726265	86.80
	0 = No (YMDEYR=2 or ABODILAL=0)	30094	3.60
	1 = Yes (YMDEYR=1 & ABODILAL=1)	446	0.05

YMDEIMDA	Len : 1 YOUTH: PY MDE W/ SEV IMPAIRMT AND SUB DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise)	79897	9.55
	-9 = Data not collected for this year	726265	86.80
	0 = No (MDEIMPY=2 or ABODILAL=0)	30164	3.61
	1 = Yes (MDEIMPY=1 & ABODILAL=1)	370	0.04

RECODED ADOLESCENT DEPRESSION

RECODED ADOLESCENT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Starting with the 2004 NSDUH, respondents were administered separate age-appropriate depression modules designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. All adolescent (youth) respondents aged 12 to 17 were asked questions from the Youth Depression module. The 2004 NSDUH only asked a subsample of adults aged 18 or older the questions from the Adult Depression module, but starting in 2005, all adults were administered the questionnaire module.

From 2004 through 2007, a single set of variables was created containing the recoded MDE data for both adult and adolescent respondents combined. In 2008, instead of a single set of variables, two recoded sets of MDE variables were created for adolescents and adults separately. This change was due to the presence of context effects in the adult estimates stemming from changes in the mental health module which precedes the adult depression section within the questionnaire. Based on an analysis of the 2008 data that evaluated the presence of context effects, it was determined that the adult depression estimates in 2008 and later years are not comparable with years prior to 2008, and the variables were therefore renamed to indicate the lack of comparability. The youth depression estimates were not impacted by the 2008 adult questionnaire changes and are considered comparable across years. Therefore, only the youth depression variables that were previously defined for both adults and youth had to be renamed. Multi-year trend analyses can be performed by renaming the recoded adolescent depression variables the same across years. Youth depression variables that did not require renaming are noted specifically in the comments above the variables below. See the 2008 Recoded Mental Health Module Variable Documentation Appendix for more detailed information on the 2008 changes as well as the 2008 Recoded Depression Variable Documentation Appendix for example SAS code showing how to rename the variables for multi-year analyses.

In 2009, changes were made to the youth mental health service utilization (YMHSU) questions that preceded the adolescent depression questions. These changes included the replacement of five questions that asked about receipt of special education services and school counseling, and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors. Due to this change, a context effect analysis was done using data from the first 6 months of the 2009 NSDUH and sought to determine whether changes in the YMHSU module affected responses to the first three adolescent depression questions and the lifetime and past year MDE estimates. The results of the analysis showed these changes in 2009 did not appear to affect the estimates of adolescent MDE; therefore, no further variable changes were needed.

Additional details on these adolescent depression recoded variables are provided in the Recoded Depression Variable Documentation Appendix.

The following variable, YMDELTA, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDELTA=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1).

An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDELTA=2, if they met either of these conditions:

1. Reported experiencing fewer than 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
2. If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=98) and the respondent reported at least one of the following:
 - i. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YODPREV=2), discouraged or hopeless about how things were going in life (YODSCEV=2), and lost interest and became bored with most things usually enjoyable (YOLOSEV=2).
 - ii. Experienced the feelings in (i), but they did not last most of the day, almost every day for two weeks or longer [YOLSI2WK=2 or YODPR2WK=2].
 - iii. Experienced the feelings in (i) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRHRS=1).
 - iv. Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
 - v. Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).

YMDELTA	Len : 1	RC-YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)		
	.	= Aged 18+/Unknown (Otherwise).....	Freq	Pct
	-9	= Data not collected for this year.....	359371	42.95
	1	= Yes (YODSMMDE=1).....	330900	39.55
	2	= No (See comment above).....	21881	2.62
			124544	14.89

RECODED ADOLESCENT DEPRESSION

YMDEYR	Len : 1 RC-YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise).....	359906	43.02
	-9 = Data not collected for this year.....	330900	39.55
	1 = Yes (YMDEL1=1 & YOPB2WK=1).....	14509	1.73
	2 = No (YMDEL2=2 or [YMDEL1=1 & YOPB2WK=2]).....	131381	15.70

YMDEUDPY	Len : 1 RC-YOUTH: PAST YEAR MDE AND SUB DEP OR ABUSE		
		Freq	Pct
	. = Aged 18+/Unknown MDE(YMDEYR=).....	86955	10.39
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (YMDEYR=2 or UDPYILAL=0).....	26691	3.19
	1 = Yes (YMDEYR=1 & UDPYILAL=1).....	397	0.05

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDEL1) or the past year MDE variable (YMDEYR).

YTXMDEYR	Len : 1 RC-YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise).....	483477	57.78
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2).....	15209	1.82
	1 = Yes (YOSEEDOC=1).....	7110	0.85

YRXMDEYR	Len : 1 RC-YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise).....	483383	57.77
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YORX12MO=2).....	18907	2.26
	1 = Yes (YORX12MO=1).....	3506	0.42

In the following variable, YMDETXRX, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

YMDETXRX	Len : 1 RC-YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown (Otherwise).....	483468	57.78
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YTXMDEYR=0 and YRXMDEYR=0).....	14549	1.74
	1 = Yes (YTXMDEYR=1 or YRXMDEYR=1).....	7779	0.93

YDOCMDE	Len : 1 RC-YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YOFAMDOC=6).....	20614	2.46
	1 = Yes (YOFAMDOC=1,3).....	1584	0.19

YOMDMDE	Len : 1 RC-YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YOOTHDOC=6).....	21891	2.62
	1 = Yes (YOOTHDOC=1,3).....	307	0.04

YPSY1MDE	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YOPSYCH=6).....	19946	2.38
	1 = Yes (YOPSYCH=1,3).....	2252	0.27

RECODED ADOLESCENT DEPRESSION

YPSY2MDE	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YOPSYMD=6).....	20431	2.44
	1 = Yes (YOPSYMD=1,3).....	1767	0.21

YSOCMDE	Len : 1 RC-YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YOSOCWRK=6).....	21108	2.52
	1 = Yes (YOSOCWRK=1,3).....	1090	0.13

YCOUNMDE	Len : 1 RC-YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YOCOUNS=6).....	17834	2.13
	1 = Yes (YOCOUNS=1,3).....	4364	0.52

YOMHMDE	Len : 1 RC-YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABOUT MDE-PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or [YOOTHMHP=6 & No Writ-in Enter]).....	21669	2.59
	1 = Yes (YOOTHMHP=1,3 or Write-in Response Entered).....	529	0.06

YNURSMDE	Len : 1 RC-YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YONURSE=6).....	21621	2.58
	1 = Yes (YONURSE=1,3).....	577	0.07

YRELMDE	Len : 1 RC-YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YORELIG=6).....	21397	2.56
	1 = Yes (YORELIG=1,3).....	801	0.10

YHBCHMDE	Len : 1 RC-YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY		
		Freq	Pct
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	483598	57.80
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (YOSEEDOC=2 or YOHERBAL=6).....	22058	2.64
	1 = Yes (YOHERBAL=1,3).....	140	0.02

The following variable, YOTHMDE, defines an adolescent as having seen or talked to another professional about MDE during the past year, YOTHMDE=1, if s/he entered a valid write-in response other than the responses that matched the existing categories (YOOTHSP=13-28, 37, 801).

An adolescent was classified as NOT having seen or talked to another professional about MDE during the past year, YOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (YOSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (YOOTHHLP=6).
3. Write-in response entered matched an existing category (YOOTHSP=1-10, 12).

YOTHMDE	Len : 1 RC-YOUTH: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR		
		Freq	Pct
	. = Aged 18+/Unknown/Legit Skip/Invalid Spec. Resp.	483708	57.81
	-9 = Data not collected for this year.....	330900	39.55
	0 = No (See comment above).....	22003	2.63
	1 = Yes (See comment above).....	85	0.01

RECODED ADOLESCENT DEPRESSION

The following variable, YHLTMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCMD=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

YHLTMDE	Len : 1 RC-YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....	378073	45.19
-9	= Data not collected for this year.....	441244	52.74
0	= No (See comment above).....	11993	1.43
1	= Yes (See comment above).....	5386	0.64

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMD=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

YALTMDE	Len : 1 RC-YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....	378073	45.19
-9	= Data not collected for this year.....	441244	52.74
0	= No (See comment above).....	16681	1.99
1	= Yes (See comment above).....	698	0.08

YMDEHPRX	Len : 1 RC-YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....	378038	45.18
-9	= Data not collected for this year.....	441244	52.74
0	= No (YHLTMDE=0 and YRXMDEYR=0).....	11465	1.37
1	= Yes (YHLTMDE=1 or YRXMDEYR=1).....	5949	0.71

YMDEHPO	Len : 1 RC-YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....	378030	45.18
-9	= Data not collected for this year.....	441244	52.74
0	= No (YHLTMDE=0 or YRXMDEYR=1).....	14308	1.71
1	= Yes (YHLTMDE=1 and YRXMDEYR=0).....	3114	0.37

YMDERXO2	Len : 1 RC-YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....	377941	45.17
-9	= Data not collected for this year.....	441244	52.74
0	= No (YRXMDEYR=0 or YHLTMDE=1).....	17001	2.03
1	= Yes (YRXMDEYR=1 and YHLTMDE=0).....	510	0.06

YMDEHARX	Len : 1 RC-YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY		
		Freq	Pct
.	= Aged 18+/Unknown (Otherwise).....	377933	45.17
-9	= Data not collected for this year.....	441244	52.74
0	= No (YHLTMDE=0 or YRXMDEYR=0).....	15257	1.82
1	= Yes (YHLTMDE=1 and YRXMDEYR=1).....	2262	0.27

RECODED ADOLESCENT DEPRESSION

NOTE: The following five variables were not renamed in 2008 since they were originally only defined for youth; therefore, no changes are needed for these in order to generate analyses across years.

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

YSDSHOME Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	706689	84.46
-9 = Data not collected for this year	109309	13.06
1 = None (YOPSHMGT=0).....	1475	0.18
2 = Mild (YOPSHMGT=1,2,3).....	4307	0.51
3 = Moderate (YOPSHMGT=4,5,6)	8370	1.00
4 = Severe (YOPSHMGT=7,8,9).....	5200	0.62
5 = Very Severe (YOPSHMGT=10).....	1346	0.16

YSDSWRK Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	706685	84.46
-9 = Data not collected for this year	109309	13.06
1 = None (YOPSWORK=0)	1053	0.13
2 = Mild (YOPSWORK=1,2,3)	4086	0.49
3 = Moderate (YOPSWORK=4,5,6).....	7533	0.90
4 = Severe (YOPSWORK=7,8,9)	6253	0.75
5 = Very Severe (YOPSWORK=10).....	1777	0.21

YSDSREL Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	706589	84.45
-9 = Data not collected for this year	109309	13.06
1 = None (YOPSRELS=0).....	802	0.10
2 = Mild (YOPSRELS=1,2,3).....	3210	0.38
3 = Moderate (YOPSRELS=4,5,6)	6547	0.78
4 = Severe (YOPSRELS=7,8,9).....	7523	0.90
5 = Very Severe (YOPSRELS=10).....	2716	0.32

YSDSSOC Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	706615	84.45
-9 = Data not collected for this year	109309	13.06
1 = None (YOPSSOC=0).....	767	0.09
2 = Mild (YOPSSOC=1,2,3).....	3217	0.38
3 = Moderate (YOPSSOC=4,5,6)	7029	0.84
4 = Severe (YOPSSOC=7,8,9).....	7286	0.87
5 = Very Severe (YOPSSOC=10).....	2473	0.30

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

YSDSOVRL Len : 1 RC-YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	706391	84.43
-9 = Data not collected for this year	109309	13.06
1 = None (See comment above)	88	0.01
2 = Mild (See comment above).....	1025	0.12
3 = Moderate (See comment above).....	5090	0.61
4 = Severe (See comment above).....	9981	1.19
5 = Very Severe (See comment above).....	4812	0.58

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

MDEIMPY Len : 1 RC-YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	434901	51.98
-9 = Data not collected for this year	220816	26.39
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5)	12347	1.48
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3).....	168632	20.15

RECODED ADOLESCENT DEPRESSION

YMDEIMUDPY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIRMT AND SUB DEP OR ABUSE

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	86968	10.39
-9 = Data not collected for this year	722653	86.37
0 = No (MDEIMPY=2 or UDPYILAL=0)	26746	3.20
1 = Yes (MDEIMPY=1 & UDPYILAL=1)	329	0.04

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

CADRKDRG Len : 2 ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Yes	23892	2.86
2 = No	24750	2.96
81 = NEVER USED ALC OR NEVER USED OTHER DRUGS Log assn	19	0.00
83 = DIDNT USE ALC OR DIDNT USE DRG PST 30 DYS Log assn	20	0.00
85 = BAD DATA Logically assigned	18	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213610	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	232113	27.74
94 = DON'T KNOW	184	0.02
97 = REFUSED	400	0.05
98 = BLANK (NO ANSWER)	6831	0.82

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

CADRKMJR Len : 2 MARIJUANA OR HASHISH

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	6511	0.78
5 = Response entered LOG ASSN (from skip pattern)	15532	1.86
6 = Response not entered	592	0.07
85 = BAD DATA Logically assigned	5	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	232133	27.74
94 = DON'T KNOW	12	0.00
97 = REFUSED	23	0.00
98 = BLANK (NO ANSWER)	2095	0.25
99 = LEGITIMATE SKIP	31302	3.74

CADRKCOC Len : 2 COCAINE OR 'CRACK'

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	762	0.09
5 = Response entered LOG ASSN (from skip pattern)	227	0.03
6 = Response not entered	1353	0.16
89 = LEGITIMATE SKIP Logically assigned	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	232133	27.74
94 = DON'T KNOW	4	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	533	0.06
99 = LEGITIMATE SKIP	53168	6.35

RECODED ADOLESCENT DEPRESSION

CADRKHER

Len : 2 HEROIN

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	136	0.02
5 = Response entered LOG ASSN (from skip pattern).....	9	0.00
6 = Response not entered	224	0.03
89 = LEGITIMATE SKIP Logically assigned	26	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	147	0.02
99 = LEGITIMATE SKIP.....	55529	6.64

CADRKHAL

Len : 2 HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	295	0.04
5 = Response entered LOG ASSN (from skip pattern).....	43	0.01
6 = Response not entered	1989	0.24
89 = LEGITIMATE SKIP Logically assigned	18	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
94 = DON'T KNOW	5	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	1011	0.12
99 = LEGITIMATE SKIP.....	52706	6.30

CADRKINH

Len : 2 INHALANTS

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	49	0.01
5 = Response entered LOG ASSN (from skip pattern).....	32	0.00
6 = Response not entered	457	0.05
89 = LEGITIMATE SKIP Logically assigned	29	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	625	0.07
99 = LEGITIMATE SKIP.....	54880	6.56

CADRKANL

Len : 2 PRESCRIPTION PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	1113	0.13
5 = Response entered LOG ASSN (from skip pattern).....	329	0.04
6 = Response not entered	3001	0.36
89 = LEGITIMATE SKIP Logically assigned	12	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
94 = DON'T KNOW	10	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	1608	0.19
99 = LEGITIMATE SKIP.....	49991	5.97

RECODED ADOLESCENT DEPRESSION

CADRKTRN

Len : 2 PRESCRIPTION TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	313	0.04
5 = Response entered LOG ASSN (from skip pattern).....	48	0.01
6 = Response not entered	1748	0.21
89 = LEGITIMATE SKIP Logically assigned	17	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
94 = DON'T KNOW	7	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	593	0.07
99 = LEGITIMATE SKIP.....	53344	6.38

CADRKSTM

Len : 2 PRESCRIPTION STIMULANTS

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	165	0.02
5 = Response entered LOG ASSN (from skip pattern).....	52	0.01
6 = Response not entered	1108	0.13
89 = LEGITIMATE SKIP Logically assigned	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
94 = DON'T KNOW	5	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	509	0.06
99 = LEGITIMATE SKIP.....	54211	6.48

CADRKMTM

Len : 2 METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	200	0.02
5 = Response entered LOG ASSN (from skip pattern).....	42	0.01
6 = Response not entered	346	0.04
89 = LEGITIMATE SKIP Logically assigned	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
94 = DON'T KNOW	3	0.00
97 = REFUSED	8	0.00
98 = BLANK (NO ANSWER)	314	0.04
99 = LEGITIMATE SKIP.....	55140	6.59

CADRKSED

Len : 2 PRESCRIPTION SEDATIVES

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Response entered	36	0.00
5 = Response entered LOG ASSN (from skip pattern).....	14	0.00
6 = Response not entered	198	0.02
89 = LEGITIMATE SKIP Logically assigned	27	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	25.53
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	27.74
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	285	0.03
99 = LEGITIMATE SKIP.....	55508	6.63

RECODED ADOLESCENT DEPRESSION

NOTE: Variables pertaining to consumption of 5 or more drinks or 4 or more drinks in a single occasion have been edited with respect to ED4FLAG. ED4FLAG takes into account the editing of the variables NODR30A and DR5DAY in the core ALCOHOL module.

ED4FLAG Len : 2 ANY REPORT OF 4 OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
0 = No report of 4 or 5+ drinks or not applicable	372420	44.51
1 = Report of 4 drinks in NODR30A; no rpt 5+ drinks	5447	0.65
2 = Report of 5+ drinks in NODR30A or DR5DAY	121469	14.52
12 = Report of 5+ drinks LOGICALLY ASSIGNED	495	0.06
85 = BAD DATA Logically assigned	2006	0.24

[Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime.] Have you ever had 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

CABNGEV Len : 2 EVER HAD 5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Yes	98256	11.74
2 = No	134236	16.04
3 = Yes LOGICALLY ASSIGNED	68	0.01
4 = No LOGICALLY ASSIGNED	94	0.01
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	124809	14.92
85 = BAD DATA Logically assigned	11	0.00
91 = NEVER USED ALCOHOL	142922	17.08
94 = DON'T KNOW	554	0.07
97 = REFUSED	719	0.09
98 = BLANK (NO ANSWER)	168	0.02

[Earlier the computer recorded that you had 5 or more drinks on the same occasion in the past 30 days.] How old were you the first time you had 5 or more drinks on the same occasion?

CABNGAGE Len : 3 AGE 1ST TIME HAD 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 95	210704	25.18
-9 = Data not collected for this year	334859	40.02
985 = BAD DATA Logically assigned	4492	0.54
989 = LEGITIMATE SKIP Logically assigned	15	0.00
991 = NEVER USED ALCOHOL	142922	17.08
994 = DON'T KNOW	6727	0.80
997 = REFUSED	1184	0.14
998 = BLANK (NO ANSWER)	1478	0.18
999 = LEGITIMATE SKIP	134315	16.05

NOTE: EIBNGAGE is an "editing indicator" for the variable CABNGAGE. The default value of EIBNGAGE is 1, when no editing has been done to CABNGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGAGE has values of 2 when values in CABNGAGE have logically been replaced with other values as part of the data editing procedures.

EIBNGAGE Len : 1 EDITING INDICATOR FOR CABNGAGE

	Freq	Pct
-9 = Data not collected for this year	334859	40.02
1 = Questionnaire data (or bad data/legitimate skip)	501466	59.93
2 = Logically assigned data	371	0.04

RECODED ADOLESCENT DEPRESSION

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

CABNGYFU	Len : 4 YEAR OF FIRST 5+ DRINKS ON SAME OCCASION - RECODE		
		Freq	Pct
	RANGE = 2004 - 2014	38048	4.55
	-9 = Data not collected for this year	334859	40.02
	9985 = BAD DATA Logically assigned	825	0.10
	9989 = LEGITIMATE SKIP Logically assigned	1022	0.12
	9991 = NEVER USED ALCOHOL	142922	17.08
	9994 = DON'T KNOW	6915	0.83
	9997 = REFUSED	1219	0.15
	9998 = BLANK (NO ANSWER)	5959	0.71
	9999 = LEGITIMATE SKIP	304927	36.44

NOTE: EIBNGYFU is an "editing indicator" for the variable CABNGYFU. The default value of EIBNGYFU is 1, when no editing has been done to CABNGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGYFU has values of 2 when values in CABNGYFU have logically been replaced with other values as part of the data editing procedures.

EIBNGYFU	Len : 1 EDITING INDICATOR FOR CABNGYFU		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Questionnaire data (or bad data/legitimate skip)	501533	59.94
	2 = Logically assigned data	304	0.04

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have 5 or more drinks on the same occasion?

CABNGMFU	Len : 2 MONTH OF 5+ DRINKS ON SAME OCCASION - RECODE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = January	4608	0.55
	2 = February	2203	0.26
	3 = March	2558	0.31
	4 = April	2422	0.29
	5 = May	2548	0.30
	6 = June	3860	0.46
	7 = July	4251	0.51
	8 = August	2549	0.30
	9 = September	2466	0.29
	10 = October	2752	0.33
	11 = November	1872	0.22
	12 = December	3296	0.39
	85 = BAD DATA Logically assigned	1355	0.16
	89 = LEGITIMATE SKIP Logically assigned	1022	0.12
	91 = NEVER USED ALCOHOL	142922	17.08
	94 = DON'T KNOW	8826	1.05
	97 = REFUSED	1317	0.16
	98 = BLANK (NO ANSWER)	6083	0.73
	99 = LEGITIMATE SKIP	304927	36.44

NOTE: EIBNGMFU is an "editing indicator" for the variable CABNGMFU. The default value of EIBNGMFU is 1, when no editing has been done to CABNGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGMFU has values of 2 when values in CABNGMFU have logically been replaced with other values as part of the data editing procedures.

EIBNGMFU	Len : 1 EDITING INDICATOR FOR CABNGMFU		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Questionnaire data (or bad data/legitimate skip)	501617	59.95
	2 = Logically assigned data	220	0.03

RECODED ADOLESCENT DEPRESSION

Have you ever had 4 or more drinks on the same occasion?

CA4FDEV			Freq	Pct
Len : 2		EVER HAD 4 OR MORE DRINKS ON THE SAME OCCASION		
		-9 = Data not collected for this year.....	334859	40.02
		1 = Yes.....	11415	1.36
		2 = No.....	69817	8.34
		3 = Yes LOGICALLY ASSIGNED.....	17	0.00
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	104057	12.44
		90 = NOT ASKED THE QUESTION Logically assigned.....	23	0.00
		91 = NEVER USED ALCOHOL.....	142922	17.08
		94 = DON'T KNOW.....	241	0.03
		97 = REFUSED.....	289	0.03
		98 = BLANK (NO ANSWER).....	229	0.03
		99 = LEGITIMATE SKIP.....	172827	20.66

NOTE: The distributions for CA4FDDYS, E14FDDYS, CA4FDAGE, E14FDAGE, CA4FDYFU, E14FDYFU, CA4FDMFU, and E14FDMFU for the 2006 survey are not comparable to the corresponding distributions in this survey year. A sizable number of female respondents in 2006 were incorrectly skipped out of the items corresponding to the variables CA4FDDYS and CA4FDAGE. In turn, the error for CA4FDAGE affected female respondents' eligibility to be asked the items corresponding to CA4FDYFU and CA4FDMFU. This error was corrected for the 2007 survey.

During the past 30 days, that is, since [DATEFILL], on how many days did you have 4 or more drinks on the same occasion?

CA4FDDYS			Freq	Pct
Len : 2		# DAYS HAD 4+ DRINKS SAME OCCASION PAST 30 DAYS		
		RANGE = 0 - 30.....	74076	8.85
		-9 = Data not collected for this year.....	334859	40.02
		85 = BAD DATA Logically assigned.....	1374	0.16
		90 = NOT ASKED THE QUESTION Logically assigned.....	4694	0.56
		91 = NEVER USED ALCOHOL.....	142922	17.08
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	130316	15.58
		94 = DON'T KNOW.....	1820	0.22
		97 = REFUSED.....	496	0.06
		98 = BLANK (NO ANSWER).....	1001	0.12
		99 = LEGITIMATE SKIP.....	145138	17.35

NOTE: E14FDDYS is an "editing indicator" for the variable CA4FDDYS. The default value of E14FDDYS is 1, when no editing has been done to CA4FDDYS, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. E14FDDYS has values of 2 when values in CA4FDDYS have logically been replaced with other values as part of the data editing procedures.

E14FDDYS			Freq	Pct
Len : 1		EDITING INDICATOR FOR CA4FDDYS		
		-9 = Data not collected for this year.....	334859	40.02
		1 = Questionnaire data (or bad data/legitimate skip).....	488257	58.36
		2 = Logically assigned data.....	13580	1.62

How old were you the first time you had 4 or more drinks on the same occasion?

CA4FDAGE			Freq	Pct
Len : 3		AGE 1ST TIME HAD 4 OR MORE DRINKS SAME OCCASION		
		RANGE = 1 - 82.....	100294	11.99
		-9 = Data not collected for this year.....	334859	40.02
		985 = BAD DATA Logically assigned.....	1749	0.21
		990 = NOT ASKED THE QUESTION Logically assigned.....	7840	0.94
		991 = NEVER USED ALCOHOL.....	142922	17.08
		994 = DON'T KNOW.....	4654	0.56
		997 = REFUSED.....	638	0.08
		998 = BLANK (NO ANSWER).....	1096	0.13
		999 = LEGITIMATE SKIP.....	242644	29.00

RECODED ADOLESCENT DEPRESSION

NOTE: EI4FDAGE is an "editing indicator" for the variable CA4FDAGE. The default value of EI4FDAGE is 1, when no editing has been done to CA4FDAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDAGE has values of 2 when values in CA4FDAGE have logically been replaced with other values as part of the data editing procedures.

EI4FDAGE	Len : 1 EDITING INDICATOR FOR CA4FDAGE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Questionnaire data (or bad data/legitimate skip).....	497957	59.51
	2 = Logically assigned data.....	3880	0.46

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

CA4FDYFU	Len : 4 YEAR OF FIRST 4+ DRINKS ON SAME OCCASION - RECODE		
		Freq	Pct
	RANGE = 2004 - 2014	17545	2.10
	-9 = Data not collected for this year	334859	40.02
	9985 = BAD DATA Logically assigned	517	0.06
	9989 = LEGITIMATE SKIP Logically assigned	1114	0.13
	9991 = NEVER USED ALCOHOL.....	142922	17.08
	9994 = DON'T KNOW	4741	0.57
	9997 = REFUSED	654	0.08
	9998 = BLANK (NO ANSWER).....	10733	1.28
	9999 = LEGITIMATE SKIP.....	323611	38.68

NOTE: EI4FDYFU is an "editing indicator" for the variable CA4FDYFU. The default value of EI4FDYFU is 1, when no editing has been done to CA4FDYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDYFU has values of 2 when values in CA4FDYFU have logically been replaced with other values as part of the data editing procedures.

EI4FDYFU	Len : 1 EDITING INDICATOR FOR CA4FDYFU		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Questionnaire data (or legitimately skipped)	501317	59.92
	2 = Logically assigned data.....	520	0.06

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

In what month in [YEAR FROM CA14a or CA14b] did you first have 4 or more drinks on the same occasion?

CA4FDMFU	Len : 2 MONTH OF 4+ DRINKS ON SAME OCCASION - RECODE		
		Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = January.....	1946	0.23
	2 = February.....	969	0.12
	3 = March.....	1138	0.14
	4 = April	1078	0.13
	5 = May.....	1195	0.14
	6 = June.....	1939	0.23
	7 = July	2000	0.24
	8 = August	1182	0.14
	9 = September	1159	0.14
	10 = October	1288	0.15
	11 = November	871	0.10
	12 = December.....	1557	0.19
	85 = BAD DATA Logically assigned	762	0.09
	89 = LEGITIMATE SKIP Logically assigned	1110	0.13
	91 = NEVER USED ALCOHOL.....	142922	17.08
	94 = DON'T KNOW	5431	0.65
	97 = REFUSED	685	0.08
	98 = BLANK (NO ANSWER)	10990	1.31
	99 = LEGITIMATE SKIP.....	323615	38.68

RECODED ADOLESCENT DEPRESSION

NOTE: EI4FDMFU is an "editing indicator" for the variable CA4FDMFU. The default value of EI4FDMFU is 1, when no editing has been done to CA4FDMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDMFU has values of 2 when values in CA4FDMFU have logically been replaced with other values as part of the data editing procedures.

EI4FDMFU	Len : 1 EDITING INDICATOR FOR CABNGMFU	Freq	Pct
	-9 = Data not collected for this year	334859	40.02
	1 = Questionnaire data (or bad data/legitimate skip)	500804	59.85
	2 = Logically assigned data	1033	0.12

CONSUMPTION OF ALCOHOL

CONSUMPTION OF ALCOHOL

This note applies to variables in this section marked by a¹.

The next few questions return to the topic of alcohol. Remember that by a drink, we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

CADRLAST Len : 3 # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90.....	273338	32.67
-9 = Data not collected for this year.....	220816	26.39
985 = BAD DATA Logically assigned.....	36	0.00
991 = NEVER USED ALCOHOL.....	174867	20.90
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	159635	19.08
994 = DON'T KNOW.....	2321	0.28
997 = REFUSED.....	1152	0.14
998 = BLANK (NO ANSWER).....	4531	0.54

This last time you drank, were you alone or were you with one or more other people?

CADRPEOP Len : 2 ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK

	Freq	Pct
-9 = Data not collected for this year.....	220816	26.39
1 = I was alone the last time I drank.....	3386	0.40
2 = I was with one other person the last time I drank.....	8979	1.07
3 = I was with >one other person the last time I drank.....	46321	5.54
85 = BAD DATA Logically assigned.....	24	0.00
89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
91 = NEVER USED ALCOHOL.....	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	159635	19.08
94 = DON'T KNOW.....	228	0.03
97 = REFUSED.....	344	0.04
98 = BLANK (NO ANSWER).....	3639	0.43
99 = LEGITIMATE SKIP.....	218450	26.11

Where did you drink alcoholic beverages this last time you drank?

CADRCAR Len : 2 I DRANK IN A CAR OR OTHER VEHICLE

	Freq	Pct
-9 = Data not collected for this year.....	220816	26.39
1 = Response entered.....	2729	0.33
3 = Response entered LOGICALLY ASSIGNED.....	33	0.00
6 = Response not entered.....	55305	6.61
85 = BAD DATA Logically assigned.....	18	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	159635	19.08
94 = DON'T KNOW.....	368	0.04
97 = REFUSED.....	822	0.10
98 = BLANK (NO ANSWER).....	3646	0.44
99 = LEGITIMATE SKIP.....	218456	26.11

CONSUMPTION OF ALCOHOL

CADRHOM

Len : 2 I DRANK AT MY HOME

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Response entered	17694	2.11
3 = Response entered LOGICALLY ASSIGNED	121	0.01
6 = Response not entered	40252	4.81
85 = BAD DATA Logically assigned	6	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	368	0.04
97 = REFUSED	822	0.10
98 = BLANK (NO ANSWER)	3658	0.44
99 = LEGITIMATE SKIP	218456	26.11

CADROTHM

Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Response entered	31033	3.71
3 = Response entered LOGICALLY ASSIGNED	691	0.08
6 = Response not entered	26343	3.15
89 = LEGITIMATE SKIP Logically assigned	5	0.00
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	368	0.04
97 = REFUSED	822	0.10
98 = BLANK (NO ANSWER)	3664	0.44
99 = LEGITIMATE SKIP	218452	26.11

CADRPUBL

Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Response entered	2592	0.31
3 = Response entered LOGICALLY ASSIGNED	138	0.02
6 = Response not entered	55337	6.61
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	368	0.04
97 = REFUSED	822	0.10
98 = BLANK (NO ANSWER)	3664	0.44
99 = LEGITIMATE SKIP	218457	26.11

CADRBAR

Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Response entered	3982	0.48
3 = Response entered LOGICALLY ASSIGNED	135	0.02
6 = Response not entered	53950	6.45
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	368	0.04
97 = REFUSED	822	0.10
98 = BLANK (NO ANSWER)	3664	0.44
99 = LEGITIMATE SKIP	218456	26.11

CADREVNT

Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Response entered	1017	0.12
3 = Response entered LOGICALLY ASSIGNED	30	0.00
6 = Response not entered	57020	6.81
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	368	0.04
97 = REFUSED	822	0.10
98 = BLANK (NO ANSWER)	3664	0.44
99 = LEGITIMATE SKIP	218457	26.11

CONSUMPTION OF ALCOHOL

CADRSCHL

Len : 2 I DRANK AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Response entered	1269	0.15
3 = Response entered LOGICALLY ASSIGNED	36	0.00
6 = Response not entered	56762	6.78
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	368	0.04
97 = REFUSED	822	0.10
98 = BLANK (NO ANSWER)	3664	0.44
99 = LEGITIMATE SKIP	218457	26.11

CADROTH

Len : 2 I DRANK AT SOME OTHER PLACE

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = Response entered	6377	0.76
6 = Response not entered	51690	6.18
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	368	0.04
97 = REFUSED	822	0.10
98 = BLANK (NO ANSWER)	3664	0.44
99 = LEGITIMATE SKIP	218457	26.11

CADROTS2

Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL

	Freq	Pct
-9 = Data not collected for this year	220816	26.39
1 = I drank in a car or other vehicle	39	0.00
2 = I drank at my home	152	0.02
3 = I drank at someone else's home	837	0.10
4 = I drank at a park, on a beach, or in a parking lot	156	0.02
5 = I drank in a restaurant, bar or club	168	0.02
6 = I drank at a concert or sports game	38	0.00
7 = I drank at school	40	0.00
8 = I drank at some other place	95	0.01
9 = At respondent's place of work/business	63	0.01
11 = In a boat, ship, water vessel	77	0.01
14 = At a cabin, cottage, vacation home/vacation condo	105	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec	478	0.06
16 = On a farm/ranch/or in barn; R's home unspc	75	0.01
17 = At a house/apt/garage; no other information	165	0.02
18 = At a swimming pool	24	0.00
20 = River/lake/waterfront/harbor; park/beach unspfd	163	0.02
21 = Playing golf/outdoor sports; park unspecified	4	0.00
22 = Camping/hunting/fishing; no other information	312	0.04
23 = Street/road/alley/neighborhood	125	0.01
24 = Outside; park, beach, parkng lot, water unspcfd	630	0.08
25 = In a bowling alley; restaurant/bar unspecified	23	0.00
26 = Place of entertainment; club/sports/concert unspc	91	0.01
27 = Place of business; work/restarnt/bar/bowlng unspc	43	0.01
29 = In a dorm/dorm room	107	0.01
30 = At a fraternity/sorority house or event	71	0.01
31 = Visiting a college/local college/friend's college	10	0.00
32 = At a school-related event; location unspecified	3	0.00
33 = Inside a building; home/school/business unspcfd	124	0.01
34 = At a fundraiser/charity event; location unspcfd	3	0.00
35 = At a party/wedding/celebration/event; no othr info	1183	0.14
36 = With friends/family, hanging out; location unspfd	13	0.00
39 = In a private/designtd locatn/place; otherwise unspd	4	0.00
70 = City/State/Country/vacation, location unspecified	208	0.02
85 = BAD DATA Logically assigned	316	0.04
91 = NEVER USED ALCOHOL	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	158	0.02
97 = REFUSED	1094	0.13
98 = BLANK (NO ANSWER)	4034	0.48
99 = LEGITIMATE SKIP	270147	32.29

CONSUMPTION OF ALCOHOL

Did you pay for the last alcoholic beverage that you drank?

CABUYFRE Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK		Freq	Pct
-9 = Data not collected for this year		220816	26.39
1 = Yes.....		16972	2.03
2 = No.....		41667	4.98
85 = BAD DATA Logically assigned		24	0.00
89 = LEGITIMATE SKIP Logically assigned		7	0.00
91 = NEVER USED ALCOHOL.....		174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		159635	19.08
94 = DON'T KNOW		184	0.02
97 = REFUSED		434	0.05
98 = BLANK (NO ANSWER)		3640	0.44
99 = LEGITIMATE SKIP.....		218450	26.11

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

CAGVMONY Len : 2 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE		Freq	Pct
-9 = Data not collected for this year		220816	26.39
1 = I bought it myself.....		4452	0.53
2 = I gave money to someone else who bought it for me		12376	1.48
85 = BAD DATA Logically assigned		19	0.00
89 = LEGITIMATE SKIP Logically assigned		4	0.00
91 = NEVER USED ALCOHOL.....		174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		159635	19.08
94 = DON'T KNOW		34	0.00
97 = REFUSED		157	0.02
98 = BLANK (NO ANSWER)		4216	0.50
99 = LEGITIMATE SKIP.....		260120	31.09

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

CABUYWHO Len : 2 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL		Freq	Pct
-9 = Data not collected for this year		220816	26.39
1 = I bought it at a store/restaurant/bar/club/event		3597	0.43
2 = I bought it from another person.....		751	0.09
85 = BAD DATA Logically assigned		95	0.01
89 = LEGITIMATE SKIP Logically assigned		4	0.00
91 = NEVER USED ALCOHOL.....		174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		159635	19.08
94 = DON'T KNOW		7	0.00
97 = REFUSED		68	0.01
98 = BLANK (NO ANSWER)		4360	0.52
99 = LEGITIMATE SKIP.....		272496	32.57

At which of these places did you buy the last alcoholic beverage that you drank?

CABPLACE Len : 2 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE		Freq	Pct
-9 = Data not collected for this year		220816	26.39
1 = I bought it at a liquor/convenience/grocery store		2357	0.28
2 = I bought it at a restaurant, bar or club		1212	0.14
3 = I bought it at a concert, sports or other event		81	0.01
85 = BAD DATA Logically assigned		18	0.00
89 = LEGITIMATE SKIP Logically assigned		4	0.00
91 = NEVER USED ALCOHOL.....		174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS		159635	19.08
94 = DON'T KNOW		5	0.00
97 = REFUSED		53	0.01
98 = BLANK (NO ANSWER)		4389	0.52
99 = LEGITIMATE SKIP.....		273259	32.66

CONSUMPTION OF ALCOHOL

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

CABUNDAG	Len : 2 BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+	Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	1 = Under age 21.....	277	0.03
	2 = Age 21 or older	481	0.06
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED ALCOHOL.....	174867	20.90
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	159635	19.08
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	47	0.01
	98 = BLANK (NO ANSWER)	4406	0.53
	99 = LEGITIMATE SKIP.....	276161	33.01

Who bought the alcoholic beverage for you?

CAGVWHO	Len : 2 WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU	Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	1 = My parent or guardian.....	374	0.04
	2 = Another family member who is 21 or older	1280	0.15
	3 = Someone not related to me who is 21 or older	8962	1.07
	4 = Someone under age 21	1347	0.16
	91 = NEVER USED ALCOHOL.....	174867	20.90
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	159635	19.08
	94 = DON'T KNOW	76	0.01
	97 = REFUSED	384	0.05
	98 = BLANK (NO ANSWER)	4379	0.52
	99 = LEGITIMATE SKIP.....	264576	31.62

How did you get the last alcoholic beverage that you drank?

CAFREWHO	Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK	Freq	Pct
	-9 = Data not collected for this year	220816	26.39
	1 = My parent or guardian.....	3954	0.47
	2 = Another family member who is 21 or older	5319	0.64
	3 = Someone not related to me who is 21 or older	14293	1.71
	4 = Someone under age 21	8057	0.96
	5 = I took it from home.....	2693	0.32
	6 = I took it from someone else's home.....	1434	0.17
	7 = I got it some other way	4049	0.48
	11 = My parent or guardian LOGICALLY ASSIGNED.....	12	0.00
	12 = Another family member who is 21 or older LOG ASSN	3	0.00
	13 = Non-relative who is 21 or older LOGICALLY ASSIGNED.....	122	0.01
	14 = Someone under age 21 LOGICALLY ASSIGNED	65	0.01
	15 = I took it from home LOGICALLY ASSIGNED	50	0.01
	16 = I took it from someone else's home LOGICALLY ASSN	83	0.01
	85 = BAD DATA Logically assigned	5	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
	91 = NEVER USED ALCOHOL.....	174867	20.90
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	159635	19.08
	94 = DON'T KNOW	393	0.05
	97 = REFUSED	1187	0.14
	98 = BLANK (NO ANSWER)	4230	0.51
	99 = LEGITIMATE SKIP.....	235426	28.14

CONSUMPTION OF ALCOHOL

CAFRESP2

Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE

	Freq	Pct
-9 = Data not collected for this year.....	220816	26.39
1 = My parent or guardian gave it to me	12	0.00
2 = Another family member 21 y-o or older gave to me	3	0.00
3 = Someone not related & 21 y-o or older gave to me	122	0.01
4 = Someone under age 21 gave it to me.....	65	0.01
5 = I took it from home	50	0.01
6 = I took it from someone else's home.....	83	0.01
7 = I got it some other way	129	0.02
8 = I bought/ordered it in another country.....	17	0.00
9 = I bought/ordered it; not asked for ID.....	10	0.00
10 = I bought/ordered it with a fake ID/similar.....	37	0.00
12 = I bought/ordered it; how unspecified	141	0.02
13 = Got/bought it in a store/liquor store; how unspcfd.....	84	0.01
14 = Got frm bartender/at bar/restaurant;age/how unspc.....	87	0.01
16 = Got it at party/celebration; no other info.....	306	0.04
17 = I made my own	17	0.00
18 = Stole it fr work/while bartending/servicing tbls	6	0.00
19 = I took/got/stole it; location unspcfd or unclear.....	198	0.02
20 = Someone else stole the alcohol	28	0.00
21 = Given by/got from relative; age unspecified	43	0.01
22 = Given by/got fr friend/acquaint; age/how unspc	1410	0.17
23 = Given by/got fr oth non-relative; age/how unspcfd.....	61	0.01
24 = Given by/got from person; age/relationship unspc	168	0.02
25 = Got as gift/for free; no other info	39	0.00
26 = Friend/acquaint of friend bought it; age unspc	101	0.01
27 = Bought by someone age 21+; relationship unspc	6	0.00
28 = Bought by someone else; age/relationship unspc	61	0.01
29 = Someone under 21 bought for me	4	0.00
30 = Just there/already there; no other information.....	60	0.01
31 = Just got it/had it; no other information	71	0.01
32 = From a house/home; no other information	45	0.01
33 = Found it; person's home unspecified	105	0.01
34 = Got it at communion/religious ritual	1	0.00
35 = Traded for it.....	3	0.00
38 = Got it on vacation/resort; no other information	3	0.00
70 = City/State/Country/vacation, location unspecified.....	5	0.00
85 = BAD DATA Logically assigned	217	0.03
91 = NEVER USED ALCOHOL.....	174867	20.90
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	159635	19.08
94 = DON'T KNOW	189	0.02
97 = REFUSED	1579	0.19
98 = BLANK (NO ANSWER)	4633	0.55
99 = LEGITIMATE SKIP.....	271179	32.41

NOTE: Beginning in 2015, questions about the misuse of prescription pain relievers, tranquilizers, stimulants, and sedatives with alcohol in the past 30 days were asked in the relevant sections of the interview about the misuse of prescription drugs instead of being asked in the consumption of alcohol section of the interview.

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

CADRKDRUG¹

Len : 2 ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Yes.....	5208	0.62
2 = No.....	4730	0.57
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	49712	5.94
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	53175	6.36
94 = DON'T KNOW	35	0.00
97 = REFUSED	70	0.01
98 = BLANK (NO ANSWER)	1112	0.13

CONSUMPTION OF ALCOHOL

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

CADRKMARJ¹ Len : 2 MARIJUANA OR HASHISH

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	717	0.09
5 = Response entered LOG ASSN (from skip pattern).....	4288	0.51
6 = Response not entered.....	75	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	49712	5.94
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	53175	6.36
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	6	0.00
98 = BLANK (NO ANSWER).....	467	0.06
99 = LEGITIMATE SKIP.....	5602	0.67

CADRKCOCN¹ Len : 2 COCAINE OR 'CRACK'

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	154	0.02
5 = Response entered LOG ASSN (from skip pattern).....	52	0.01
6 = Response not entered.....	255	0.03
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	49712	5.94
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	53175	6.36
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	99	0.01
99 = LEGITIMATE SKIP.....	10594	1.27

CADRKHERN¹ Len : 2 HEROIN

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	41	0.00
5 = Response entered LOG ASSN (from skip pattern).....	7	0.00
6 = Response not entered.....	47	0.01
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	49712	5.94
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	53175	6.36
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP.....	11024	1.32

CADRKHALL¹ Len : 2 HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Response entered.....	62	0.01
5 = Response entered LOG ASSN (from skip pattern).....	12	0.00
6 = Response not entered.....	352	0.04
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	49712	5.94
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	53175	6.36
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	246	0.03
99 = LEGITIMATE SKIP.....	10481	1.25

CONSUMPTION OF ALCOHOL

CADRKINHL¹ Len : 2 INHALANTS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	4	0.00
5 = Response entered LOG ASSN (from skip pattern).....	7	0.00
6 = Response not entered	70	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	49712	5.94
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	53175	6.36
98 = BLANK (NO ANSWER)	108	0.01
99 = LEGITIMATE SKIP	10966	1.31

CADRKMETH¹ Len : 2 METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Response entered	54	0.01
5 = Response entered LOG ASSN (from skip pattern).....	20	0.00
6 = Response not entered	56	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	49712	5.94
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	53175	6.36
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	40	0.00
99 = LEGITIMATE SKIP	10985	1.31

NOTE: Beginning in 2015, female respondents were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 4 or more drinks on the same occasion. As in prior years, male respondents in 2015 were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 5 or more drinks on the same occasion. Variables pertaining to consumption of 5 or more drinks or 4 or more drinks on the same occasion have been edited with respect to ALCUS30D and ALCBNG30D.

CABINGFLG takes into account the editing of the variables ALCUS30D and ALCBNG30D in the ALCOHOL module.

CABINGFLG¹ Len : 2 ANY REPORT OF 4+ OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = No report of 4+/5+ drinks or not applicable.....	85542	10.22
1 = Binge alcohol use on 1+ days (ALCBING30D=1-30)	27842	3.33
11 = Report of 4+/5+ drinks in ALCUS30D	220	0.03
85 = BAD DATA Logically assigned	439	0.05

Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime. Have you ever had [4 or more]/[5 or more] drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

CABINGEVR¹ Len : 2 EVER HAD 4/5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	23901	2.86
2 = No	29036	3.47
3 = Yes LOGICALLY ASSIGNED	31	0.00
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	28702	3.43
85 = BAD DATA Logically assigned	4	0.00
91 = NEVER USED ALCOHOL.....	31945	3.82
94 = DON'T KNOW	151	0.02
97 = REFUSED	239	0.03
98 = BLANK (NO ANSWER)	34	0.00

CONSUMPTION OF ALCOHOL

Earlier the computer recorded that you had [4 or more]/[5 or more] drinks on the same occasion in the past 30 days. How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

CABINGAGE¹ Len : 3 AGE 1ST TIME HAD 4 OR 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 86	49843	5.96
-9 = Data not collected for this year	722653	86.37
985 = BAD DATA Logically assigned	972	0.12
991 = NEVER USED ALCOHOL	31945	3.82
994 = DON'T KNOW	1537	0.18
997 = REFUSED	256	0.03
998 = BLANK (NO ANSWER)	454	0.05
999 = LEGITIMATE SKIP	29036	3.47

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

CABINGYFU¹ Len : 4 YEAR OF FIRST 4 OR 5 + DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2013 - 2016	6837	0.82
-9 = Data not collected for this year	722653	86.37
9985 = BAD DATA Logically assigned	123	0.01
9989 = LEGITIMATE SKIP Logically assigned	187	0.02
9991 = NEVER USED ALCOHOL	31945	3.82
9994 = DON'T KNOW	1561	0.19
9997 = REFUSED	266	0.03
9998 = BLANK (NO ANSWER)	1426	0.17
9999 = LEGITIMATE SKIP	71698	8.57

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have [4 or more]/[5 or more] drinks on the same occasion?

CABINGMFU¹ Len : 2 MONTH OF 4 OR 5+ DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = January	809	0.10
2 = February	421	0.05
3 = March	454	0.05
4 = April	460	0.05
5 = May	482	0.06
6 = June	635	0.08
7 = July	795	0.10
8 = August	474	0.06
9 = September	430	0.05
10 = October	533	0.06
11 = November	350	0.04
12 = December	605	0.07
85 = BAD DATA Logically assigned	223	0.03
89 = LEGITIMATE SKIP Logically assigned	187	0.02
91 = NEVER USED ALCOHOL	31945	3.82
94 = DON'T KNOW	1810	0.22
97 = REFUSED	288	0.03
98 = BLANK (NO ANSWER)	1444	0.17
99 = LEGITIMATE SKIP	71698	8.57

CONSUMPTION OF ALCOHOL

NOTE: EIBINGAGE is an "editing indicator" for the variable CABINGAGE. The default value of EIBINGAGE is 1, when no editing has been done to CABINGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGAGE has values of 2 when values in CABINGAGE have logically been replaced with other values as part of the data editing procedures.

EIBINGAGE¹	Len : 1 EDITING INDICATOR FOR CABINGAGE		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data (or bad data/legitimate skip).....	113979	13.62
	2 = Logically assigned data.....	64	0.01

NOTE: EIBINGYFU is an "editing indicator" for the variable CABINGYFU. The default value of EIBINGYFU is 1, when no editing has been done to CABINGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGYFU has values of 2 when values in CABINGYFU have logically been replaced with other values as part of the data editing procedures.

EIBINGYFU¹	Len : 1 EDITING INDICATOR FOR CABINGYFU		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data (or bad data/legitimate skip).....	113984	13.62
	2 = Logically assigned data.....	59	0.01

NOTE: EIBINGMFU is an "editing indicator" for the variable CABINGMFU. The default value of EIBINGMFU is 1, when no editing has been done to CABINGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGMFU has values of 2 when values in CABINGMFU have logically been replaced with other values as part of the data editing procedures.

EIBINGMFU¹	Len : 1 EDITING INDICATOR FOR CABINGMFU		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Questionnaire data (or bad data/legitimate skip).....	114005	13.63
	2 = Logically assigned data.....	38	0.00

IRPSOC	Len : 1 IMP. REVISED - RESP RECEIVE SS OR RR PAYMENTS		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Yes.....	23557	2.82
	2 = No.....	301541	36.04
	99 = LEGITIMATE SKIP.....	5802	0.69

IIPSOC	Len : 1 IRPSOC - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Questionnaire data	323958	38.72
	3 = Statistically imputed data.....	1140	0.14
	9 = Legitimate skip	5802	0.69

IRPSSI	Len : 1 IMP. REVISED - RESP RECEIVE SSI		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Yes.....	8945	1.07
	2 = No.....	316153	37.79
	99 = LEGITIMATE SKIP.....	5802	0.69

IIPSSI	Len : 1 IRPSSI - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Questionnaire data	323472	38.66
	3 = Statistically imputed data.....	1626	0.19
	9 = Legitimate skip	5802	0.69

CONSUMPTION OF ALCOHOL

IRPWAG	Len : 1	IMP. REVISED - RESP RECEIVE INCOME FROM JOB		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Yes.....	204793	24.48
		2 = No.....	120305	14.38
		99 = LEGITIMATE SKIP.....	5802	0.69
IIPWAG	Len : 1	IRPWAG - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Questionnaire data	324592	38.79
		3 = Statistically imputed data.....	506	0.06
		9 = Legitimate skip	5802	0.69
IRPPMT	Len : 1	IMP. REVISED - RESP RECEIVE PUBLIC ASSIST		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Yes.....	9338	1.12
		2 = No.....	315760	37.74
		99 = LEGITIMATE SKIP.....	5802	0.69
IIPPMT	Len : 1	IRPPMT - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Questionnaire data	323775	38.70
		3 = Statistically imputed data.....	1323	0.16
		9 = Legitimate Skip.....	5802	0.69
IRPSVC	Len : 1	IMP. REVISED - RESP REC WELFARE/JOB PL/CHILD CARE		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Yes.....	10630	1.27
		2 = No.....	314468	37.58
		99 = LEGITIMATE SKIP.....	5802	0.69
IIPSVC	Len : 1	IRPSVC - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Questionnaire data	324077	38.73
		3 = Statistically imputed data.....	1021	0.12
		9 = Legitimate skip	5802	0.69
IRPINT	Len : 1	IMP. REVISED - RESP REC INTEREST SAVING/DIVIDEND		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Yes.....	174224	20.82
		2 = No.....	150874	18.03
		99 = LEGITIMATE SKIP.....	5802	0.69
IIPINT	Len : 1	IRPINT - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Questionnaire data	322552	38.55
		3 = Statistically imputed data.....	2546	0.30
		9 = Legitimate skip	5802	0.69
IRFAMINT	Len : 1	IMP. REV - FAM REC INTEREST SAVING/DIVIDEND		
			Freq	Pct
		-9 = Data not collected for this year	505796	60.45
		1 = Yes.....	218082	26.06
		2 = No.....	107016	12.79
		99 = LEGITIMATE SKIP.....	5802	0.69

CONSUMPTION OF ALCOHOL

IIFAMINT	Len : 1 IRFAMINT - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Questionnaire data	317478	37.94
	3 = Statistically imputed data	7620	0.91
	9 = Legitimate skip	5802	0.69
IRPCHD	Len : 1 IMP. REVISED - RESP REC CHILD SUPPORT PAYMENTS		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Yes.....	11979	1.43
	2 = No.....	313119	37.42
	99 = LEGITIMATE SKIP.....	5802	0.69
IIPCHD	Len : 1 IRPCHD - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Questionnaire data	324432	38.78
	3 = Statistically imputed data.....	666	0.08
	9 = Legitimate skip	5802	0.69
IRFAMCHD	Len : 1 IMP. REVISED - FAM REC CHILD SUPPORT PAYMENTS		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Yes.....	39107	4.67
	2 = No.....	285991	34.18
	99 = LEGITIMATE SKIP.....	5802	0.69
IIFAMCHD	Len : 1 IRFAMCHD - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Questionnaire data	323208	38.63
	3 = Statistically imputed data.....	1890	0.23
	9 = Legitimate skip	5802	0.69
IRPOTH	Len : 1 IMP. REVISED - RESP REC OTH INCOME FROM OTH SOURCE		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Yes.....	19833	2.37
	2 = No.....	305265	36.48
	99 = LEGITIMATE SKIP.....	5802	0.69
IIPOTH	Len : 1 IRPOTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Questionnaire data	324053	38.73
	3 = Statistically imputed data.....	1045	0.12
	9 = Legitimate skip	5802	0.69
IRFAMOTH	Len : 1 IMP. REVISED - FAM REC OTH INC FR OTH SOURCE		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Yes.....	43273	5.17
	2 = No.....	281825	33.68
	99 = LEGITIMATE SKIP.....	5802	0.69
IIFAMOTH	Len : 1 IRFAMOTH - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	505796	60.45
	1 = Questionnaire data	321262	38.40
	3 = Statistically imputed data.....	3836	0.46
	9 = Legitimate skip	5802	0.69

CONSUMPTION OF ALCOHOL

The following variable, IRPINSUR, is the imputation-revised version of the edited variable PRVHLTIN.

IRPINSUR	Len : 1	IMPUTATION - REVISED PRIVATE HEALTH INSURANCE		
			Freq	Pct
		-9 = Data not collected for this year	224474	26.83
		1 = Yes, respondent does have private health insurance	387871	46.36
		2 = No, respondent does not have private health insur	224351	26.81

IPINSUR	Len : 1	IRPINSUR IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	224474	26.83
		1 = Questionnaire data	608114	72.68
		3 = Statistically imputed data	4108	0.49

IRINSUR is the imputation-revised version of INSUR, health insurance that does not include coverage by Medicaid/CHIP (CAIDCHIP).

IRINSUR	Len : 1	IMPUTATION-REVISED HEALTH INSURANCE		
			Freq	Pct
		-9 = Data not collected for this year	224474	26.83
		1 = Yes, respondent does have health insurance	490088	58.57
		2 = No, respondent does not have health insurance	122134	14.60

IINSUR	Len : 1	IRINSUR IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	224474	26.83
		1 = Questionnaire data	607580	72.62
		2 = Logically assigned data	46	0.01
		3 = Statistically imputed data	4596	0.55

IRINSUR3 is the imputation-revised version of INSUR3, health insurance that includes coverage by Medicaid/CHIP (CAIDCHIP).

IRINSUR3	Len : 1	IMPUTATION-REVISED HEALTH INSURANCE		
			Freq	Pct
		-9 = Data not collected for this year	224474	26.83
		1 = Yes, respondent does have health insurance	513741	61.40
		2 = No, respondent does not have health insurance	98481	11.77

IINSUR3	Len : 1	IRINSUR3 IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	224474	26.83
		1 = Questionnaire data	607412	72.60
		2 = Logically assigned data	46	0.01
		3 = Statistically imputed data	4764	0.57

IRFAMWAG	Len : 1	IMP. REVISED - FAM REC INCOME FROM JOB		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Yes	652831	78.02
		2 = No	69822	8.34

IIFAMWAG	Len : 1	IRFAMWAG - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	114043	13.63
		1 = Questionnaire data	720602	86.12
		3 = Statistically imputed data	2051	0.25

NOTE: The following 12 variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

DRKMRJ	Len : 1	USED MARIJUANA WITH LAST ALCOHOL USE		
			Freq	Pct
		. = Unknown (Otherwise)	2135	0.26
		-9 = Data not collected for this year	334859	40.02
		0 = No (CADRMRJ=6,81,83,89,91,93,99)	477659	57.09
		1 = Yes (CADRMRJ=1,5)	22043	2.63

CONSUMPTION OF ALCOHOL

DRKCOC	Len : 1 USED COCAINE WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	543	0.06
	0 = No (CADRKOC=6,81,83,89,91,93,99).....	334859	40.02
	1 = Yes (CADRKOC=1,5).....	500305	59.80
		989	0.12

DRKHER	Len : 1 USED HEROIN WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	151	0.02
	0 = No (CADRKHER=6,81,83,89,91,93,99).....	334859	40.02
	1 = Yes (CADRKHER=1,5).....	501541	59.94
		145	0.02

DRKHAL	Len : 1 USED HALLUCINOGENS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	1024	0.12
	0 = No (CADRKHAL=6,81,83,89,91,93,99).....	334859	40.02
	1 = Yes (CADRKHAL=1,5).....	500475	59.82
		338	0.04

DRKINH	Len : 1 USED INHALANTS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	628	0.08
	0 = No (CADRKINH=6,81,83,89,91,93,99).....	334859	40.02
	1 = Yes (CADRKINH=1,5).....	501128	59.89
		81	0.01

DRKANL	Len : 1 USED PAIN RELIEVERS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	1629	0.19
	0 = No (CADRKANL=6,81,83,89,91,93,99).....	334859	40.02
	1 = Yes (CADRKANL=1,5).....	498766	59.61
		1442	0.17

DRKTRN	Len : 1 USED TRANQUILIZERS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	605	0.07
	0 = No (CADRKTRN=6,81,83,89,91,93,99).....	334859	40.02
	1 = Yes (CADRKTRN=1,5).....	500871	59.86
		361	0.04

DRKSTM	Len : 1 USED STIMULANTS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	517	0.06
	0 = No (CADRKSTM=6,81,83,89,91,93,99).....	334859	40.02
	1 = Yes (CADRKSTM=1,5).....	501103	59.89
		217	0.03

The following variable, DRKMTH, was created to capture the respondent's use of methamphetamine with his or her most recent use of alcohol. A positive response was assigned if the respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1, 5) and if he or she reported methamphetamine use in the core Stimulants module or he or she reported its use in the noncore Special Drugs module and they did not report methamphetamine use in the core Stimulants module because he or she did not consider it to be a prescription drug. A negative response was assigned if the respondent reported no methamphetamine use with his or her most recent alcohol use or reported never having used alcohol or methamphetamine or not having used in the past 30 days (CADRMTH=6,81,83,89,91,93,99). A negative response could also be assigned if a respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1,5) but he or she did not report ever having used methamphetamine in the core Stimulants module or in the noncore Specialty Drug module because they did not consider it to be a prescription drug.

DRKMTH	Len : 1 USED METHAMPHETAMINE WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	Freq	Pct
	-9 = Data not collected for this year.....	325	0.04
	0 = No (See comment above).....	334859	40.02
	1 = Yes (See comment above).....	501279	59.91
		233	0.03

CONSUMPTION OF ALCOHOL

DRKSED

Len : 1 USED SEDATIVES WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	292	0.03
-9 = Data not collected for this year.....	334859	40.02
0 = No (CADRKSED=6,81,83,89,91,93,99).....	501495	59.94
1 = Yes (CADRKSED=1,5).....	50	0.01

The following variable, DRKSUM, was created to capture the use of any illicit drug with the respondent's most recent use of alcohol. It was created by examination of the following variables: DRKMRJ, DRKCOC, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of the individual drug variables. A negative response was assigned if a respondent answered 'No' to all drug variables or the respondent was not a past month user of any illicit drugs (SUMMON=0). If neither of these was true, then DRKSUM was set to missing.

DRKSUM

Len : 1 USED ILLICIT DRUGS WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (See comment above).....	1705	0.20
-9 = Data not collected for this year.....	334859	40.02
0 = No (See comment above).....	476326	56.93
1 = Yes (See comment above).....	23806	2.85

The following variable, DRKIEM, was created to capture the use of any illicit drug other than marijuana with the respondent's most recent use of alcohol. It was created by examination of the following recoded variables: DRKCOC, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of these individual drugs. A negative response was assigned if a respondent answered 'No' to all of these drugs or they were not a past month user of any illicit drug other than marijuana (IEMMON=0). If neither of these was true, then DRKIEM was set to missing.

DRKIEM

Len : 1 USED ILLICIT DRUGS OTHR THAN MRJ WITH LAST ALC USE

	Freq	Pct
. = Unknown (See comment above).....	874	0.10
-9 = Data not collected for this year.....	334859	40.02
0 = No (See comment above).....	497704	59.48
1 = Yes (See comment above).....	3259	0.39

RECODED CONSUMPTION OF ALCOHOL

RECODED CONSUMPTION OF ALCOHOL

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

UADPEOP	Len : 1 RC-SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE		
		Freq	Pct
	. = Unknown (Otherwise).....	4235	0.51
	-9 = Data not collected for this year.....	220816	26.39
	1 = Drank Alone (CADRPEOP=1).....	3386	0.40
	2 = Drank with One Other Person (CADRPEOP=2).....	8979	1.07
	3 = Drank with Two or More Other People (CADRPEOP=3).....	46321	5.54
	4 = No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99).....	552959	66.09

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

UADCAR	Len : 1 RC-MOST RECENT ALCOHOL USE IN A CAR		
		Freq	Pct
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	557813	66.67
	-9 = Data not collected for this year.....	220816	26.39
	1 = Yes (CADRCAR=1,3).....	2762	0.33
	2 = No (CADRCAR=6).....	55305	6.61

UADHOME	Len : 1 RC-MOST RECENT ALCOHOL USE AT HOME		
		Freq	Pct
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	557813	66.67
	-9 = Data not collected for this year.....	220816	26.39
	1 = Yes (CADRHOME=1,3).....	17815	2.13
	2 = No (CADRHOME=6).....	40252	4.81

UADOTHM	Len : 1 RC-MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME		
		Freq	Pct
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	557813	66.67
	-9 = Data not collected for this year.....	220816	26.39
	1 = Yes (CADROTHM=1,3).....	31724	3.79
	2 = No (CADROTHM=6).....	26343	3.15

UADPUBL	Len : 1 RC-MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT		
		Freq	Pct
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	557813	66.67
	-9 = Data not collected for this year.....	220816	26.39
	1 = Yes (CADRPUBL=1,3).....	2730	0.33
	2 = No (CADRPUBL=6).....	55337	6.61

UADBAR	Len : 1 RC-MOST RECENT ALCOHOL USE AT RESTAURANT, BAR OR CLUB		
		Freq	Pct
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	557813	66.67
	-9 = Data not collected for this year.....	220816	26.39
	1 = Yes (CADRBAR=1,3).....	4117	0.49
	2 = No (CADRBAR=6).....	53950	6.45

UADEVNT	Len : 1 RC-MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME		
		Freq	Pct
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	557813	66.67
	-9 = Data not collected for this year.....	220816	26.39
	1 = Yes (CADREVNT=1,3).....	1047	0.13
	2 = No (CADREVNT=6).....	57020	6.81

RECODED CONSUMPTION OF ALCOHOL

UADRSCHL Len : 1 RC-MOST RECENT ALCOHOL USE AT SCHOOL

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	557813	66.67
-9 = Data not collected for this year	220816	26.39
1 = Yes (CADRSCHL=1,3)	1305	0.16
2 = No (CADRSCHL=6)	56762	6.78

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTSP=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTSP=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

UADROTH Len : 1 RC-MOST RECENT ALCOHOL USE AT SOME OTHER PLACE

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (See comment above).....	558769	66.78
-9 = Data not collected for this year	220816	26.39
1 = Yes (CADROTH=1 and CADROTS2=8-41).....	3991	0.48
2 = No (See comment above).....	53120	6.35

UADOTSP Len : 1 RC-OTHER LOCATIONS OF MOST RECENT ALCOHOL USE

	Freq	Pct
. = Unknown (CADROTS2=70,85,94,97,98).....	5810	0.69
-9 = Data not collected for this year	220816	26.39
1 = Party, Wedding, or Celebration (CADROTS2=35).....	1183	0.14
2 = Outside; Location Not Specified (CADROTS2=24).....	630	0.08
3 = Hotel, Motel, or Resort (CADROTS2=15)	478	0.06
4 = Camping, Hunting, or Fishing (CADROTS2=22).....	312	0.04
5 = Cabin, Cottage, Vacation Home, Etc. (CADROTS2=14)	107	0.01
6 = Dorm room (CADROTS2=29)	109	0.01
7 = Other Location, Nonuser, or Aged 21+ (Otherwise).....	607251	72.58

UADPAID Len : 1 RC-UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	4282	0.51
-9 = Data not collected for this year	220816	26.39
1 = Yes (CABUYFRE=1)	16972	2.03
2 = No (CABUYFRE=2)	41667	4.98
3 = No Past Mon Alc/Aged 21+ (CABUYFRE=89,91,93,99)	552959	66.09

A respondent was assigned a value of UADMONEY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONEY=89, 91, 93, 99).

UADMONEY Len : 1 RC-UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	4426	0.53
-9 = Data not collected for this year	220816	26.39
1 = Bought Myself (CAGVMONEY=1)	4452	0.53
2 = Gave Money to Someone Else to Buy (CAGVMONEY=2).....	12376	1.48
3 = No Pst Mon Alc/Aged 21+/No Pay (See comment above).....	594626	71.07

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89, 91, 93, 99).

UADBWHO Len : 1 RC-HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	4530	0.54
-9 = Data not collected for this year	220816	26.39
1 = Bought at a Store/Restaurant/Etc. (CABUYWHO=1)	3597	0.43
2 = Bought From Another Person (CABUYWHO=2)	751	0.09
3 = No PM Alc/Aged 21+/No Pay, Buy (See comment above).....	607002	72.55

RECODED CONSUMPTION OF ALCOHOL

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89, 91, 93, 99).

UADPLACE	Len : 1 RC-WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL	Freq	Pct
.	= Unknown (Otherwise).....	4541	0.54
-9	= Data not collected for this year.....	220816	26.39
1	= Bought at Liquor/Grocery Store (CABPLACE=1).....	2322	0.28
2	= Bought at a Restaurant/Bar/Club (CABPLACE=2).....	1184	0.14
3	= Bought at a Concert/Sports/Event (CABPLACE=3).....	80	0.01
4	= No PM Alc/21+/Prsn/No Pay, Buy (See comment above).....	607753	72.64

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89, 91, 93, 99).

UADBUND	Len : 1 RC-AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER	Freq	Pct
.	= Unknown (Otherwise).....	4535	0.54
-9	= Data not collected for this year.....	220816	26.39
1	= Under Age 21 (CABUNDAG=1).....	272	0.03
2	= Aged 21 or Older (CABUNDAG=2).....	474	0.06
3	= No PM Alc/21+/Plce/No Pay, Buy (See comment above).....	610599	72.98

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89, 91, 93, 99).

UADCAG	Len : 1 RC-WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL	Freq	Pct
.	= Unknown (Otherwise).....	4839	0.58
-9	= Data not collected for this year.....	220816	26.39
1	= Parent or Guardian (CAGVWHO=1).....	374	0.04
2	= Another Family Member Aged 21 or Older (CAGVWHO=2).....	1280	0.15
3	= Someone Not Related Aged 21 or Older (CAGVWHO=3).....	8962	1.07
4	= Someone Under the Age of 21 (CAGVWHO=4).....	1347	0.16
5	= No PM Alc/21+/No Pay/Buy Self (See comment above).....	599078	71.60

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89, 91, 93, 99).

UADFWHO	Len : 1 RC-WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL	Freq	Pct
.	= Unknown (See comment above).....	6624	0.79
-9	= Data not collected for this year.....	220816	26.39
1	= Parent or Guardian (CAFREWHO=1,11).....	3966	0.47
2	= Another Family Member, 21 or Older (CAFREWHO=2,12).....	5322	0.64
3	= Someone Not Related, 21 or Older (CAFREWHO=3,13).....	14415	1.72
4	= Someone Under the Age of 21 (CAFREWHO=4,14).....	8122	0.97
5	= Took From My Home (CAFREWHO=5,15).....	2743	0.33
6	= Took it from someone else's home (CAFREWHO=6,16).....	1517	0.18
7	= Some Other Way (CAFREWHO=7 & CAFRESP2=7-43).....	3240	0.39
8	= No PM Alc/Aged 21+/Pay (See comment above).....	569931	68.12

RECODED CONSUMPTION OF ALCOHOL

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP=8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89, 91, 93, 99).

UADFRD	Len : 1 RC-MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD		
	. = Unknown (See comment above).....	6624	0.79
	-9 = Data not collected for this year.....	220816	26.39
	1 = Got From a Friend (CAFREWHO=7 & CAFRESP2=22,43).....	1413	0.17
	2 = Not From a Friend (See comment above).....	37912	4.53
	3 = No PM Alc/Aged 21+/Pay (See comment above).....	569931	68.12

NOTE: The following six variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

CADRKMARJ2	Len : 1 RC-USED MARIJUANA WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	474	0.06
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (CADRKMARJ=6,81,83,89,91,93,99).....	108564	12.98
	1 = Yes (CADRKMARJ=1,5).....	5005	0.60

CADRKCOCN2	Len : 1 RC-USED COCAINE WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	101	0.01
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (CADRKCOCN=6,81,83,89,91,93,99).....	113736	13.59
	1 = Yes (CADRKCOCN=1,5).....	206	0.02

CADRKHERN2	Len : 1 RC-USED HEROIN WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	36	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (CADRKHERN=6,81,83,89,91,93,99).....	113959	13.62
	1 = Yes (CADRKHERN=1,5).....	48	0.01

CADRKHALL2	Len : 1 RC-USED HALLUCINOGENS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	248	0.03
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (CADRKHALL=6,81,83,89,91,93,99).....	113721	13.59
	1 = Yes (CADRKHALL=1,5).....	74	0.01

CADRKINHL2	Len : 1 RC-USED INHALANTS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	108	0.01
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (CADRKINHL=6,81,83,89,91,93,99).....	113924	13.62
	1 = Yes (CADRKINHL=1,5).....	11	0.00

CADRKMETH2	Len : 1 RC-USED METHAMPHETAMINE WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	41	0.00
	-9 = Data not collected for this year.....	722653	86.37
	0 = No (CADRKMETH=6,81,83,89,91,93,99).....	113928	13.62
	1 = Yes (CADRKMETH=1,5).....	74	0.01

RECODED CONSUMPTION OF ALCOHOL

GQTYPE

Len : 1 TYPE OF GROUP QUARTER

	Freq	Pct
= BLANK (NO ANSWER)	161496	19.30
B = Boarding House	19	0.00
C = College Dorm	2891	0.35
O = Other	452	0.05
S = Shelter	26	0.00
-9 = Data not collected for this year	671785	80.29
1 = Halfway House	27	0.00

INTERVIEW INFORMATION

INTERVIEW INFORMATION

LANGVER	Len : 2 LANGUAGE VERSION	Freq	Pct
	1 = English.....	805986	96.33
	2 = Spanish.....	30708	3.67
	98 = BLANK (NO ANSWER).....	2	0.00
QUARTER	Len : 1 QUARTER INDICATOR	Freq	Pct
	1 = Quarter 1.....	199133	23.80
	2 = Quarter 2.....	222520	26.60
	3 = Quarter 3.....	214078	25.59
	4 = Quarter 4.....	200965	24.02
GQTYPE2	Len : 1 TYPE OF GROUP QUARTER	Freq	Pct
	= BLANK (NO ANSWER).....	661485	79.06
	C = College Dorm.....	8712	1.04
	O = Other.....	1588	0.19
	-9 = Data not collected for this year.....	164911	19.71

INCOME AND INSURANCE

INCOME AND INSURANCE

NOTE: The variable INCSAMP reflects the split-sample design for the Income module. Respondents in Sample A received the same set of income questions as in the 2005 survey. Respondents in Sample B received a reduced set of income questions. However, edited variables continue to have the same names that they had in prior years. If a question corresponding to a given variable was not administered to respondents in Sample B, it was assigned a LEGITIMATE SKIP code.

INCSAMP	Len : 2 INCOME SPLIT SAMPLE INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year	726612	86.84
	1 = Sample A	104293	12.46
	2 = Sample B	5791	0.69

POVERTY2	Len : 1 POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)		
		Freq	Pct
	. = Persons Aged 18 to 22 Living in a College Dorm.....	10017	1.20
	-9 = Data not collected for this year	114043	13.63
	1 = Living in Poverty (See comment above).....	132419	15.83
	2 = Income Up to 2X Fed Pov Thresh (See comment above)	159242	19.03
	3 = Income > 2X Fed Pov Thresh (See comment above).....	420975	50.31

DEMOGRAPHICS

DEMOGRAPHICS

DEMOGRAPHICS

AGE2 Len : 2 RECODE - FINAL EDITED AGE

	Freq	Pct
1 = Respondent is 12 years old	40161	4.80
2 = Respondent is 13 years old	42813	5.12
3 = Respondent is 14 years old	43228	5.17
4 = Respondent is 15 years old	44185	5.28
5 = Respondent is 16 years old	44382	5.30
6 = Respondent is 17 years old	43355	5.18
7 = Respondent is 18 years old	36234	4.33
8 = Respondent is 19 years old	32918	3.93
9 = Respondent is 20 years old	32280	3.86
10 = Respondent is 21 years old.....	32681	3.91
11 = Respondent is 22 or 23 years old	64789	7.74
12 = Respondent is 24 or 25 years old	64134	7.67
13 = Respondent is between 26 and 29 years old.....	43358	5.18
14 = Respondent is between 30 and 34 years old.....	50028	5.98
15 = Respondent is between 35 and 49 years old.....	128593	15.37
16 = Respondent is between 50 and 64 years old.....	56953	6.81
17 = Respondent is 65 years old or older	36604	4.37

How many times have you been married?

NOMARR2 Len : 2 NUMBER OF TIMES MARRIED

	Freq	Pct
-9 = Data not collected for this year	57146	6.83
1 = One time	210753	25.19
2 = Two or more times.....	55736	6.66
94 = DON'T KNOW	37	0.00
97 = REFUSED	245	0.03
98 = BLANK (NO ANSWER)	5	0.00
99 = LEGITIMATE SKIP.....	512774	61.29

How many times have you been married?

MARIEDNUM2 Len : 2 NUMBER OF TIMES MARRIED -RECODED

	Freq	Pct
-9 = Data not collected for this year	779550	93.17
1 = One time	18938	2.26
2 = Two or more times.....	5372	0.64
94 = DON'T KNOW	121	0.01
97 = REFUSED	356	0.04
98 = BLANK (NO ANSWER)	19	0.00
99 = LEGITIMATE SKIP.....	32340	3.87

Have you ever been in the United States' armed forces?

SERVICE Len : 2 EVER BEEN IN THE US ARMED FORCES

	Freq	Pct
1 = Yes.....	36319	4.34
2 = No.....	585462	69.97
85 = BAD DATA Logically assigned	122	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
94 = DON'T KNOW	7	0.00
97 = REFUSED	11	0.00
98 = BLANK (NO ANSWER)	6	0.00
99 = LEGITIMATE SKIP.....	214767	25.67

DEMOGRAPHICS

Are you currently on active duty in the United States' armed forces, in a reserves component, or now separated or retired from either reserves or active duty?

MILSTAT	Len : 2 CURRENT MILITARY STATUS		
		Freq	Pct
	2 = In a reserves component.....	2705	0.32
	3 = Now separated/retired from reserves/active duty	33580	4.01
	85 = BAD DATA Logically assigned	122	0.01
	94 = DON'T KNOW	36	0.00
	97 = REFUSED	16	0.00
	98 = BLANK (NO ANSWER)	6	0.00
	99 = LEGITIMATE SKIP	800231	95.64

Have you ever served on active duty in the United States Armed Forces or Reserve components?

Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

ACTDEVER	Len : 2 EVER ON ACTIVE DUTY IN US MILITARY/RESERV		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	1 = Yes.....	7745	0.93
	2 = No.....	2335	0.28
	85 = BAD DATA Logically assigned	96	0.01
	94 = DON'T KNOW	5	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER)	1	0.00
	99 = LEGITIMATE SKIP	214290	25.61

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

ACTD2001	Len : 2 SEPTEMBER 2001 OR LATER		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	1 = Yes.....	2372	0.28
	2 = No (not entered).....	5354	0.64
	85 = BAD DATA Logically assigned	99	0.01
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	15	0.00
	99 = LEGITIMATE SKIP	216625	25.89

ACTD9001	Len : 2 AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	1 = Yes.....	1886	0.23
	2 = No (not entered).....	5843	0.70
	85 = BAD DATA Logically assigned	96	0.01
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	15	0.00
	99 = LEGITIMATE SKIP	216625	25.89

ACTD7590	Len : 2 MAY 1975 TO JULY 1990		
		Freq	Pct
	-9 = Data not collected for this year	612222	73.17
	1 = Yes.....	1680	0.20
	2 = No (not entered).....	6049	0.72
	85 = BAD DATA Logically assigned	97	0.01
	94 = DON'T KNOW	6	0.00
	97 = REFUSED	3	0.00
	98 = BLANK (NO ANSWER)	14	0.00
	99 = LEGITIMATE SKIP	216625	25.89

DEMOGRAPHICS

ACTDVIET

Len : 2 VIETNAM ERA (AUGUST 1964 TO APRIL 1975)

	Freq	Pct
-9 = Data not collected for this year	612222	73.17
1 = Yes.....	2190	0.26
2 = No (not entered).....	5537	0.66
85 = BAD DATA Logically assigned	99	0.01
94 = DON'T KNOW	6	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	14	0.00
99 = LEGITIMATE SKIP.....	216625	25.89

ACTDPRIV

Len : 2 ANY TIME BEFORE VIETNAM ERA (AUGUST 1964)

	Freq	Pct
-9 = Data not collected for this year	612222	73.17
1 = Yes.....	1134	0.14
2 = No (not entered).....	6590	0.79
85 = BAD DATA Logically assigned	108	0.01
94 = DON'T KNOW	6	0.00
97 = REFUSED	3	0.00
98 = BLANK (NO ANSWER)	8	0.00
99 = LEGITIMATE SKIP.....	216625	25.89

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

COMBATPY

Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
-9 = Data not collected for this year	612222	73.17
1 = YES	3506	0.42
2 = NO.....	4213	0.50
85 = BAD DATA Logically assigned	96	0.01
94 = DON'T KNOW	22	0.00
97 = REFUSED	6	0.00
98 = BLANK (NO ANSWER)	6	0.00
99 = LEGITIMATE SKIP.....	216625	25.89

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

HEALTH

Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent.....	233369	27.89
2 = Very good	331002	39.56
3 = Good	205616	24.57
4 = Fair	56499	6.75
5 = Poor	10052	1.20
94 = DON'T KNOW	131	0.02
97 = REFUSED	27	0.00

How many times in the past 12 months have you moved? Please include moves from one residence to another within the same city/town as well as those from one city/town to another.

MOVSNPYR2

Len : 3 # TIMES MOVED PAST 12 MONTHS- RECODED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
0 = 0 time.....	77848	9.30
1 = One time	21006	2.51
2 = Two times	8384	1.00
3 = Three or more times.....	4592	0.55
985 = BAD DATA Logically assigned	14	0.00
994 = DON'T KNOW	1252	0.15
997 = REFUSED	910	0.11
998 = BLANK (NO ANSWER).....	37	0.00

DEMOGRAPHICS

People are different in their sexual attraction to other people. Which statement best describes your feelings?

SEXATTRACT	Len : 2 SEXUAL ATTRACTION		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = I am only attracted to opposite sex	73336	8.76
	2 = I am mostly attracted to opposite sex	5498	0.66
	3 = I am equally attracted to males and females	2662	0.32
	4 = I am mostly attracted to same sex	802	0.10
	5 = I am only attracted to same sex	1482	0.18
	6 = I am not sure	1221	0.15
	89 = LEGITIMATE SKIP Logically assigned	2	0.00
	94 = DON'T KNOW	351	0.04
	97 = REFUSED	799	0.10
	98 = BLANK (NO ANSWER)	35	0.00
	99 = LEGITIMATE SKIP	27855	3.33

Which one of the following do you consider yourself to be?

SEXIDENT	Len : 2 SEXUAL IDENTITY		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Heterosexual, that is, straight	79360	9.48
	2 = Lesbian or Gay	1780	0.21
	3 = Bisexual	3521	0.42
	89 = LEGITIMATE SKIP Logically assigned	2	0.00
	94 = DON'T KNOW	520	0.06
	97 = REFUSED	970	0.12
	98 = BLANK (NO ANSWER)	35	0.00
	99 = LEGITIMATE SKIP	27855	3.33

How well do you speak English?

SPEAKENGL	Len : 2 HOW WELL SPEAK ENGLISH		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Very well	100959	12.07
	2 = Well	8654	1.03
	3 = Not well	3028	0.36
	4 = Not at all	975	0.12
	85 = BAD DATA Logically assigned	11	0.00
	94 = DON'T KNOW	126	0.02
	97 = REFUSED	253	0.03
	98 = BLANK (NO ANSWER)	37	0.00

Are you deaf or do you have serious difficulty hearing?

DIFFHEAR	Len : 2 SERIOUS DIFFICULTY HEARING		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes	3585	0.43
	2 = No	110019	13.15
	85 = BAD DATA Logically assigned	11	0.00
	94 = DON'T KNOW	154	0.02
	97 = REFUSED	237	0.03
	98 = BLANK (NO ANSWER)	37	0.00

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

DIFFSEE	Len : 2 SERIOUS DIFFICULTY SEEING		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes	4583	0.55
	2 = No	109027	13.03
	85 = BAD DATA Logically assigned	11	0.00
	94 = DON'T KNOW	154	0.02
	97 = REFUSED	231	0.03
	98 = BLANK (NO ANSWER)	37	0.00

DEMOGRAPHICS

Because of a physical, mental or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

DIFFTHINK Len : 2 SERIOUS DIFFICULTY CONCENTRAT, REMEMBR, DECISION

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	11001	1.31
2 = No.....	102271	12.22
85 = BAD DATA Logically assigned	11	0.00
94 = DON'T KNOW.....	375	0.04
97 = REFUSED	348	0.04
98 = BLANK (NO ANSWER)	37	0.00

Do you have serious difficulty walking or climbing stairs?

DIFFWALK Len : 2 SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	5530	0.66
2 = No.....	108045	12.91
85 = BAD DATA Logically assigned	11	0.00
94 = DON'T KNOW.....	156	0.02
97 = REFUSED	264	0.03
98 = BLANK (NO ANSWER)	37	0.00

Do you have difficulty dressing or bathing?

DIFFDRESS Len : 2 SERIOUS DIFFICULTY DRESSING OR BATHING

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	1767	0.21
2 = No.....	111864	13.37
85 = BAD DATA Logically assigned	11	0.00
94 = DON'T KNOW.....	122	0.01
97 = REFUSED	242	0.03
98 = BLANK (NO ANSWER)	37	0.00

Because of a physical, mental or emotional condition, do you have difficulty doing errands alone such as visiting a doctors' office or shopping?

DIFFERAND Len : 2 DIFFICULTY DOING ERRANDS ALONE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	4603	0.55
2 = No.....	95292	11.39
94 = DON'T KNOW.....	148	0.02
97 = REFUSED	257	0.03
98 = BLANK (NO ANSWER)	36	0.00
99 = LEGITIMATE SKIP.....	13707	1.64

IREduc2 Len : 2 RECODE - IMPUTATION REVISED EDUCATION

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Fifth grade or less	19220	2.30
2 = Sixth grade.....	39560	4.73
3 = Seventh grade	39881	4.77
4 = Eighth grade.....	46886	5.60
5 = Ninth grade	52106	6.23
6 = Tenth grade.....	54594	6.52
7 = Eleventh grade.....	58568	7.00
8 = Twelfth grade.....	163635	19.56
9 = Freshman/13th year	53339	6.37
10 = Sophomore/14th year or Junior/15th year	88941	10.63
11 = Senior/16th year or Grad/Prof School (or higher)	105923	12.66

DEMOGRAPHICS

IIEDUC2	Len : 1 IMPUTATION REVISED EDUCATION INDICATOR	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Education from questionnaire	722549	86.36
	3 = Education statistically imputed	104	0.01
IRMARITSTAT	Len : 2 MARITAL STATUS - IMPUTATION REVISED	Freq	Pct
	-9 = Data not collected for this year	779550	93.17
	1 = Married	18062	2.16
	2 = Widowed.....	1692	0.20
	3 = Divorced or Separated	4856	0.58
	4 = Never Been Married.....	25897	3.10
	99 = LEGITIMATE SKIP Respondent is <= 14 years old	6639	0.79
IIMARITSTAT	Len : 1 MARITAL STATUS - IMPUTATION INDICATOR	Freq	Pct
	-9 = Data not collected for this year	779550	93.17
	1 = Marital status from questionnaire.....	50167	6.00
	3 = Marital status statistically imputed.....	340	0.04
	9 = LEGITIMATE SKIP Respondent is <= 14 years old	6639	0.79

IMPUTED DEMOGRAPHICS

IMPUTED DEMOGRAPHICS

Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.

IRSEX	Len : 1	IMPUTATION REVISED GENDER		
			Freq	Pct
		1 = Male.....	400974	47.92
		2 = Female.....	435722	52.08

IRMARIT	Len : 2	IMPUTATION REVISED MARITAL STATUS		
			Freq	Pct
		-9 = Data not collected for this year.....	57146	6.83
		1 = Married.....	202042	24.15
		2 = Widowed.....	13719	1.64
		3 = Divorced or Separated.....	50922	6.09
		4 = Never Been Married.....	393304	47.01
		99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	119563	14.29

IIMARIT	Len : 1	IMPUTATION INDICATOR MARITAL STATUS		
			Freq	Pct
		-9 = Data not collected for this year.....	57146	6.83
		1 = Marital status from questionnaire.....	659827	78.86
		3 = Marital status statistically imputed.....	160	0.02
		9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	119563	14.29

IREDUHIGHST2	Len : 2	EDUCATION - RECODED IMPUTATION REVISED		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Fifth grade or less grade completed.....	2318	0.28
		2 = Sixth grade completed.....	4739	0.57
		3 = Seventh grade completed.....	5055	0.60
		4 = Eighth grade completed.....	5730	0.68
		5 = Ninth grade completed.....	6462	0.77
		6 = Tenth grade completed.....	6396	0.76
		7 = Eleventh or Twelfth grade completed, no diploma.....	8650	1.03
		8 = High school diploma/GED.....	23341	2.79
		9 = Some college credit, but no degree.....	21043	2.52
		10 = Associate's degree (for example, AA, AS).....	7929	0.95
		11 = College graduate or higher.....	22380	2.67

IIEDUHIGHST2	Len : 1	EDUCATION INDICATOR - IMPUTATION INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year.....	722653	86.37
		1 = Education from questionnaire.....	113965	13.62
		3 = Education statistically imputed.....	78	0.01

This variable is defined to have similar categories as those used for the Healthy People objectives (<http://www.healthypeople.gov/>).

EDUCATHP	Len : 1	EDUCATION RECODE FOR HEALTHY PEOPLE		
			Freq	Pct
		-9 = Data not collected for this year.....	449531	53.73
		1 = Less than high school (EDUCCAT2=1).....	46969	5.61
		2 = High school graduate (EDUCCAT2=2).....	86782	10.37
		3 = Some College/College Graduate (EDUCCAT2=3,4).....	127249	15.21
		4 = 12 to 17 year olds (EDUCCAT2=5).....	126165	15.08

EDUCAT2	Len : 1	EDUCATION RECODE		
			Freq	Pct
		-9 = Data not collected for this year.....	114043	13.63
		1 = Less than high school (IREduc2<=7 and AGE2>=7).....	83124	9.93
		2 = High school graduate (IREduc2=8 and AGE2>=7).....	161162	19.26
		3 = Some college (IREduc2=9-10 and AGE2>=7).....	142182	16.99
		4 = College graduate (IREduc2=11 and AGE2>=7).....	105918	12.66
		5 = 12 to 17 year olds (AGE2<=6).....	230267	27.52

IMPUTED DEMOGRAPHICS

CATAGE	Len : 1 AGE CATEGORY		
		Freq	Pct
	1 = 12-17 Years Old.....	258124	30.85
	2 = 18-25 Years Old.....	263036	31.44
	3 = 26-34 Years Old.....	93386	11.16
	4 = 35 or Older.....	222150	26.55
CATAG2	Len : 1 AGE CATEGORY RECODE (3 LEVELS)		
		Freq	Pct
	1 = 12-17 Years Old.....	258124	30.85
	2 = 18-25 Years Old.....	263036	31.44
	3 = 26 or Older.....	315536	37.71
CATAG3	Len : 1 AGE CATEGORY RECODE (5 LEVELS)		
		Freq	Pct
	1 = 12-17 Years Old.....	258124	30.85
	2 = 18-25 Years Old.....	263036	31.44
	3 = 26-34 Years Old.....	93386	11.16
	4 = 35-49 Years Old.....	128593	15.37
	5 = 50 or Older.....	93557	11.18
CATAG6	Len : 1 RC-AGE CATEGORY RECODE (6 LEVELS)		
		Freq	Pct
	-9 = Data not collected for this year.....	164911	19.71
	1 = 12-17 Years Old.....	203917	24.37
	2 = 18-25 Years Old.....	208450	24.91
	3 = 26-34 Years Old.....	76584	9.15
	4 = 35-49 Years Old.....	104141	12.45
	5 = 50-64 Years Old.....	48042	5.74
	6 = 65 or Older.....	30651	3.66
CATAG7	Len : 1 RC-AGE CATEGORY RECODE (7 LEVELS)		
		Freq	Pct
	1 = 12-13 Years Old.....	82974	9.92
	2 = 14-15 Years Old.....	87413	10.45
	3 = 16-17 Years Old.....	87737	10.49
	4 = 18-20 Years Old.....	101432	12.12
	5 = 21-25 Years Old.....	161604	19.31
	6 = 26-34 Years Old.....	93386	11.16
	7 = 35 or Older.....	222150	26.55
PREGAGE2	Len : 1 RC-PREGNANCY AGE CATEGORY RECODE		
		Freq	Pct
	1 = 15-17 Years Old.....	131922	15.77
	2 = 18-25 Years Old.....	263036	31.44
	3 = 26-44 Years Old.....	178143	21.29
	4 = Otherwise (12-14, 45 or Older).....	263595	31.50
SEXAGE	Len : 1 RC-COMBINED GENDER BY AGE CATEGORY INDICATOR		
		Freq	Pct
	1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1).....	131714	15.74
	2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1).....	126410	15.11
	3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2).....	125045	14.95
	4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2).....	137991	16.49
	5 = Otherwise.....	315536	37.71
NEWRACE2	Len : 1 RACE/HISPANICITY RECODE (7 LEVELS)		
		Freq	Pct
	1 = NonHispanic White.....	522936	62.50
	2 = NonHispanic Black/African American.....	106069	12.68
	3 = NonHispanic Native American/Alaska Native.....	12283	1.47
	4 = NonHispanic Native Hawaiian/Other Pacific Islander.....	4042	0.48
	5 = NonHispanic Asian.....	30448	3.64
	6 = NonHispanic more than one race.....	26301	3.14
	7 = Hispanic.....	134617	16.09

IMPUTED DEMOGRAPHICS

SEXTRACE

Len : 1 RC-COMBINED GENDER BY RACE INDICATOR

	Freq	Pct
1 = Male, White, Not Hisp (IRSEX=1 and NEWRACE2=1).....	252604	30.19
2 = Female, White, Not Hisp (IRSEX=2 and NEWRACE2=1)	270332	32.31
3 = Male, Black, Not Hisp (IRSEX=1 and NEWRACE2=2)	48080	5.75
4 = Female, Black, Not Hisp (IRSEX=2 and NEWRACE2=2).....	57989	6.93
5 = Male, Hispanic (IRSEX=1 and NEWRACE2=7).....	64997	7.77
6 = Female, Hispanic (IRSEX=2 and NEWRACE2=7).....	69620	8.32
7 = Male or Female, Other Races (Otherwise).....	73074	8.73

EDUHIGCAT

Len : 1 RC-EDUCATION CATEGORIES

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Less high school (IREDUHIGHST2=1-7 & AGE2=7-17).....	11788	1.41
2 = High school grad (IREDUHIGHST2=8 & AGE2=7-17)	23088	2.76
3 = Some coll/Assoc Dg (IREDUHIGHST2=9-10 & AGE2=7-17).....	28939	3.46
4 = College graduate (IREDUHIGHST2=11 & AGE2=7-17).....	22371	2.67
5 = 12 to 17 year olds (AGE2=1-6).....	27857	3.33

HEALTH2

Len : 1 RC-OVERALL HEALTH RECODE

	Freq	Pct
. = Unknown (Otherwise).....	139	0.02
-9 = Data not collected for this year	109309	13.06
1 = Excellent (HEALTH=1)	200580	23.97
2 = Very Good (HEALTH=2).....	287719	34.39
3 = Good (HEALTH=3).....	179697	21.48
4 = Fair/Poor (HEALTH=4,5).....	59252	7.08

Is your school public, private, charter, or are you home schooled?

SCHTYPE

Len : 2 PUBLIC, PRIVATE, CHARTER, OR HOME SCHOOL

	Freq	Pct
-9 = Data not collected for this year	669959	80.07
1 = Public school.....	50850	6.08
2 = Private school	4564	0.55
3 = Charter school.....	822	0.10
4 = Home schooled	1177	0.14
14 = Home schooled LOG ASSN (LFSCHWH2=601).....	6	0.00
94 = DON'T KNOW	52	0.01
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	167	0.02
99 = LEGITIMATE SKIP.....	109090	13.04

Is your private school run by a religious organization? For example, is it Catholic, Protestant, Jewish, Islamic or any other type of religious school?

SCHRELGS

Len : 2 PRIVATE SCHOOL RUN BY A RELIGIOUS ORGANIZATION

	Freq	Pct
-9 = Data not collected for this year	669959	80.07
1 = Yes.....	3547	0.42
2 = No.....	1005	0.12
94 = DON'T KNOW	12	0.00
97 = REFUSED	9	0.00
98 = BLANK (NO ANSWER)	219	0.03
99 = LEGITIMATE SKIP.....	161945	19.36

IMPUTED DEMOGRAPHICS

NOTE: The variable SCHLOGRD has values of 101 through 112 when the lowest grade that respondents reported at their school is higher than their current grade from EDUCATND, and interviewers otherwise did not provide sufficient information to permit SCHLOGRD or EDUCATND to be edited for consistency with one another.

What is the lowest grade or year at the school you go to?
 The lowest grade is the one attended by the youngest students at your school. Please tell me the number from the card.

SCHLOGRD	Len : 3	LOWEST GRADE AT THE SCHOOL	Freq	Pct
		-9 = Data not collected for this year	669959	80.07
		0 = Kindergarten or Lower.....	7784	0.93
		1 = 1st Grade.....	522	0.06
		2 = 2nd Grade	70	0.01
		3 = 3rd Grade.....	124	0.01
		4 = 4th Grade	271	0.03
		5 = 5th Grade	1308	0.16
		6 = 6th Grade	10637	1.27
		7 = 7th Grade	6266	0.75
		8 = 8th Grade	725	0.09
		9 = 9th Grade	26436	3.16
		10 = 10th Grade	1609	0.19
		11 = 11th Grade	194	0.02
		12 = 12th Grade	84	0.01
		32 = 12th Grade LOGICALLY ASSIGNED	1	0.00
		106 = 6th Grade (see note).....	3	0.00
		107 = 7th Grade (see note).....	6	0.00
		108 = 8th Grade (see note).....	13	0.00
		109 = 9th Grade (see note).....	25	0.00
		110 = 10th Grade (see note).....	1	0.00
		112 = 12th Grade (see note).....	33	0.00
		994 = DON'T KNOW	123	0.01
		997 = REFUSED	10	0.00
		998 = BLANK (NO ANSWER).....	219	0.03
		999 = LEGITIMATE SKIP.....	110273	13.18

IMPUTED DEMOGRAPHICS

NOTE: The variable SCHHIGRD has values of 100 through 111 when the highest grade that respondents reported at their school is lower than their current grade from EDUCATND, and interviewers otherwise did not provide sufficient information to permit SCHHIGRD or EDUCATND to be edited for consistency with one another.

Please look at this showcard again. What is the highest grade or year at the school you go to? Please tell me the number from the card.

SCHHIGRD	Len : 3 HIGHEST GRADE AT THE SCHOOL	Freq	Pct
	-9 = Data not collected for this year.....	669959	80.07
	4 = 4th Grade.....	5	0.00
	5 = 5th Grade.....	125	0.01
	6 = 6th Grade.....	1027	0.12
	7 = 7th Grade.....	365	0.04
	8 = 8th Grade.....	15664	1.87
	9 = 9th Grade.....	1784	0.21
	10 = 10th Grade.....	274	0.03
	11 = 11th Grade.....	119	0.01
	12 = 12th Grade.....	36527	4.37
	32 = 12th Grade LOGICALLY ASSIGNED.....	2	0.00
	100 = Kindergarten or Lower (see note).....	22	0.00
	101 = 1st Grade (see note).....	7	0.00
	102 = 2nd Grade (see note).....	7	0.00
	103 = 3rd Grade (see note).....	2	0.00
	105 = 5th Grade (see note).....	21	0.00
	106 = 6th Grade (see note).....	50	0.01
	107 = 7th Grade (see note).....	18	0.00
	108 = 8th Grade (see note).....	90	0.01
	109 = 9th Grade (see note).....	40	0.00
	110 = 10th Grade (see note).....	7	0.00
	111 = 11th Grade (see note).....	6	0.00
	985 = BAD DATA Logically assigned.....	2	0.00
	994 = DON'T KNOW.....	69	0.01
	997 = REFUSED.....	12	0.00
	998 = BLANK (NO ANSWER).....	219	0.03
	999 = LEGITIMATE SKIP.....	110273	13.18

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

MOVESPY2	Len : 3 # TIMES MOVED PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year.....	224474	26.83
	0 = None.....	418505	50.02
	1 = One time.....	120965	14.46
	2 = Two times.....	41671	4.98
	3 = Three or more times.....	30521	3.65
	985 = BAD DATA Logically assigned.....	10	0.00
	994 = DON'T KNOW.....	337	0.04
	997 = REFUSED.....	54	0.01
	998 = BLANK (NO ANSWER).....	159	0.02

NOTE: EIMOVPIR is an indicator of editing to MOVESPYR. The default value for EIMOVPIR is 1, when no editing was done to MOVESPYR. EIMOVPIR has a value of 2 when the item corresponding to MOVESPYR had missing data but it could be logically inferred that the respondent moved zero times in the past 12 months, because SNMOV5YR or YEMOV5YR indicated zero moves in the past 5 years.

EIMOVPIR	Len : 1 EDITING INDICATOR FOR MOVESPY2	Freq	Pct
	-9 = Data not collected for this year.....	445290	53.22
	1 = Questionnaire data.....	391376	46.78
	2 = Logically assigned data.....	30	0.00

IMPUTED DEMOGRAPHICS

NOTE: MOVYRFLG is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVESPYR and moves in the past 5 years from either SNMOV5YR or YEMOV5YR. The default value for MOVYRFLG is 98 (blank). MOVYRFLG has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVESPYR, SNMOV5YR, or YEMOV5YR in these situations.

MOVYRFLG	Len : 2	CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2		
			Freq	Pct
		-9 = Data not collected for this year	445290	53.22
		1 = Moves in past yr greater than moves in past 5 yrs.....	6291	0.75
		98 = BLANK (NO ANSWER)	385115	46.03

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

MOVEPYR2	Len : 3	# TIMES MOVED PAST 12 MONTHS - RECODE		
			Freq	Pct
		-9 = Data not collected for this year	726265	86.80
		0 = 0 times	76491	9.14
		1 = 1 time.....	20695	2.47
		2 = 2 times	6838	0.82
		3 = 3 or more times.....	4794	0.57
		994 = DON'T KNOW	31	0.00
		997 = REFUSED	2	0.00
		998 = BLANK (NO ANSWER).....	1580	0.19

NOTE: EIMOVYRR is an indicator variable that shows whether the variable MOVEPYRR was edited. EIMOVYRR is equal to 1 when no editing was done to MOVEPYRR. It is equal to 2 when MOVEPYRR was logically assigned a value through editing. For example, if the item corresponding to MOVEPYRR had been skipped because SNMOV5YR or YEMOV5YR indicated zero moves in the past 5 years, EIMOVYRR=2 indicates that it could be logically inferred that the respondent moved zero times in the past 12 months.

EIMOVYRR	Len : 1	EDITING INDICATOR FOR MOVESPY2		
			Freq	Pct
		-9 = Data not collected for this year	726265	86.80
		1 = Questionnaire data	60378	7.22
		2 = Logically assigned data.....	50053	5.98

NOTE: MOVYRFGFR is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVEPYRR and moves in the past 5 years from either SNMOV5YR or YEMOV5YR. The default value for MOVYRFGFR is 98 (blank). MOVYRFGFR has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVEPYRR, SNMOV5YR, or YEMOV5YR in these situations.

MOVYRFGFR	Len : 2	CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2		
			Freq	Pct
		-9 = Data not collected for this year	726265	86.80
		1 = Moves in past yr greater than moves in past 5 yrs.....	843	0.10
		98 = BLANK (NO ANSWER)	109588	13.10

IMPUTED DEMOGRAPHICS

NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.

SCHENRL Len : 2 NOW ENROLLED IN ANY SCHOOL

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	348416	41.64
2 = No.....	373744	44.67
3 = Yes LOGICALLY ASSIGNED (LFSCHWH2=778)	17	0.00
4 = No LOGICALLY ASSIGNED	10	0.00
5 = Yes LOGICALLY ASSIGNED (LFSCHWH2=601)	81	0.01
11 = Yes (SCHDSKIP = 30).....	116	0.01
85 = BAD DATA Logically assigned	14	0.00
94 = DON'T KNOW	20	0.00
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER)	213	0.03

NOTE: This variable corresponds to the variable EDUCNOW2 from 1999 and 2000.

What grade or year of school are you now attending? Please tell me the number from the card.

What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.

EDUCATN2 Len : 2 WHAT GRADE IN NOW/WILL BE IN

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = 5th Grade or lower.....	1066	0.13
2 = 6th Grade	13535	1.62
3 = 7th Grade	35581	4.25
4 = 8th Grade	38310	4.58
5 = 9th Grade	39830	4.76
6 = 10th Grade	39421	4.71
7 = 11th Grade	38019	4.54
8 = 12th Grade	35494	4.24
9 = College or university/1st year	30302	3.62
10 = College or university/2nd Year, 3rd year	45617	5.45
11 = College or university/4th Year, 5th or higher year	31171	3.73
98 = BLANK (NO ANSWER)	553	0.07
99 = LEGITIMATE SKIP.....	373754	44.67

NOTE: The variable SDNTFTPT corresponds to the variable STUDNT that existed in prior years. The name was changed in 2002 because the wording of the question was different for respondents who reported that they were "not" enrolled but were on school break and intended to return to school when their break was over.

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

SDNTFTPT Len : 2 FULL OR PART TIME

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = FULL-TIME.....	317121	37.90
2 = PART-TIME.....	31204	3.73
85 = BAD DATA Logically assigned	8	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
94 = DON'T KNOW	196	0.02
97 = REFUSED	31	0.00
98 = BLANK (NO ANSWER)	339	0.04
99 = LEGITIMATE SKIP.....	373744	44.67

IMPUTED DEMOGRAPHICS

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured?

SCHDSICK Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK

	Freq	Pct
RANGE = 1 - 30	99495	11.89
-9 = Data not collected for this year	114043	13.63
0 = None	171812	20.53
85 = BAD DATA Logically assigned	8	0.00
89 = LEGITIMATE SKIP Logically assigned	6	0.00
90 = SCHOOL NOT IN SESSION	44868	5.36
94 = DON'T KNOW	929	0.11
97 = REFUSED	36	0.00
98 = BLANK (NO ANSWER)	547	0.07
99 = LEGITIMATE SKIP	404952	48.40

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

SCHDSKIP Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING

	Freq	Pct
RANGE = 1 - 30	46080	5.51
-9 = Data not collected for this year	114043	13.63
0 = None	225799	26.99
85 = BAD DATA Logically assigned	8	0.00
89 = LEGITIMATE SKIP Logically assigned	4	0.00
94 = DON'T KNOW	329	0.04
97 = REFUSED	64	0.01
98 = BLANK (NO ANSWER)	547	0.07
99 = LEGITIMATE SKIP	449822	53.76

Have you received a high school diploma?

HSDIPLMA Len : 2 RECEIVED DIPLOMA

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes	54798	6.55
2 = No	32856	3.93
3 = Yes LOGICALLY ASSIGNED	69	0.01
4 = No LOGICALLY ASSIGNED	855	0.10
89 = LEGITIMATE SKIP Logically assigned	99	0.01
94 = DON'T KNOW	6	0.00
97 = REFUSED	5	0.00
98 = BLANK (NO ANSWER)	240	0.03
99 = LEGITIMATE SKIP	633725	75.74

Have you received a GED certificate of high school completion?

HSGED Len : 2 RECEIVED GED

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Yes	6807	0.81
2 = No	26109	3.12
3 = Yes LOGICALLY ASSIGNED	2	0.00
11 = Yes (but other inconsistent data)	2	0.00
89 = LEGITIMATE SKIP Logically assigned	98	0.01
94 = DON'T KNOW	9	0.00
97 = REFUSED	7	0.00
98 = BLANK (NO ANSWER)	1095	0.13
99 = LEGITIMATE SKIP	688524	82.29

IMPUTED DEMOGRAPHICS

Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.

LFSCHWH2

Len : 3 WHY YOU LEFT SCHOOL

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = School was boring or I didn't want to be there	5953	0.71
2 = I got pregnant/I got someone pregnant.....	4372	0.52
3 = I got in trouble or expelled for selling drugs	276	0.03
4 = I got in trouble or expelled for using drugs	275	0.03
5 = I got in trouble or expelled some other reason	2097	0.25
6 = I often got into trouble	2071	0.25
7 = I had to get a job (or work more hours).....	4702	0.56
8 = I was getting bad grades.....	1817	0.22
9 = I wasn't learning anything	1059	0.13
10 = I got married (or moved in with boy/girlfriend)	942	0.11
11 = I moved fr another country/didn't enroll/lang prob.....	1239	0.15
12 = I was treated badly at school.....	1155	0.14
13 = I became ill (or injured)	589	0.07
14 = I went to jail/prison.....	371	0.04
15 = I had responsibilities at home/personal problems.....	3877	0.46
16 = Other reason.....	383	0.05
21 = School was boring or I didn't want to be there	14	0.00
41 = Family member became ill/sick/died	24	0.00
42 = I wasn't admitted/couldn't attend school of choice	15	0.00
43 = Parents/guardian/partner wouldn't allow me to	32	0.00
44 = Ran away from/put out of/placed out of home.....	21	0.00
45 = Too stressful/couldn't adjust.....	4	0.00
46 = Learning disabled.....	33	0.00
48 = Attended school in another country; degree unspdfd	7	0.00
49 = Afraid of gangs/fear of violence/crime	11	0.00
50 = Moved away; didn't enroll, got behind, or unspec.....	204	0.02
51 = Skipping school/excessive absenteeism	56	0.01
52 = Too expensive/couldn't afford.....	113	0.01
53 = Disagreed with curriculum/direction.....	4	0.00
54 = No transportation/school too far away	41	0.00
56 = Grade,credit discrepancies/lacked credits/document.....	210	0.03
57 = School low priority	17	0.00
58 = All the schooling/preferred that was available	37	0.00
59 = Wasn't requird/didn't have to go/not needed/custom.....	180	0.02
60 = Against my religion/beliefs	99	0.01
62 = War/political problems in my country.....	3	0.00
63 = I was stupid/foolish/lazy	18	0.00
65 = Joined/wanted to join military.....	6	0.00
66 = Too old	25	0.00
67 = Got job/apprenticeship, necessity unspecified.....	75	0.01
69 = Just quit; reason unspecified	31	0.00
71 = Didn't pass/take end of grade/school test	163	0.02
72 = Went to group home/foster home/special home	7	0.00
75 = Was abusing drugs/alcohol	7	0.00
77 = Left for mental health reasons; otherwise unspfd.....	17	0.00
600 = Never went to school/no school available.....	3	0.00
601 = Home schooling	81	0.01
602 = Went to technical school/community college.....	8	0.00
603 = Graduated/finished high school in another country.....	13	0.00
605 = Completed HS/certificate, general	56	0.01
606 = Received GED	23	0.00
607 = Pursuing GED/proficiency exam/re-enrolling.....	54	0.01
608 = Went to career/transitn pgm for pers w/specel needs.....	6	0.00
621 = Completed home schooling; no GED.....	7	0.00
650 = Received high school diploma	5	0.00
778 = I am still in school.....	17	0.00
985 = BAD DATA Logically assigned	4	0.00
992 = Other unknown	11	0.00
994 = DON'T KNOW	44	0.01
997 = REFUSED	50	0.01
998 = BLANK (NO ANSWER).....	1095	0.13
999 = LEGITIMATE SKIP.....	688524	82.29

IMPUTED DEMOGRAPHICS

How old were you when you stopped attending school?

LFTSCHA2

Len : 3 AGE WHEN STOPPED ATTENDING SCHOOL

	Freq	Pct
RANGE = 11 - 18	30886	3.69
-9 = Data not collected for this year	114043	13.63
10 = Left at age 10 or younger	185	0.02
19 = Left at age 19 or older	1544	0.18
985 = BAD DATA Logically assigned	174	0.02
989 = LEGITIMATE SKIP Logically assigned	98	0.01
994 = DON'T KNOW	124	0.01
997 = REFUSED	23	0.00
998 = BLANK (NO ANSWER).....	1095	0.13
999 = LEGITIMATE SKIP	688524	82.29

The last question has to do with telephones in your household. How many different telephone numbers do you have in this household? Please don't include cellular phones in your answer. Also, don't count business numbers or extensions with the same number.

TELNO2

Len : 2 # OF TELEPHONE LINES IN HOUSEHOLD

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
0 = None	200090	23.91
1 = One	475006	56.77
2 = Two or more	46802	5.59
85 = BAD DATA Logically assigned	15	0.00
94 = DON'T KNOW	180	0.02
97 = REFUSED	304	0.04
98 = BLANK (NO ANSWER)	256	0.03

EMPLOYMENT

EMPLOYMENT

WRKSTATWK2 Len : 2 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Worked at full-time job, past week	41576	4.97
2 = Worked at part time job, past week	14372	1.72
3 = Has job or volunteer worker, did not work past wk	5822	0.70
4 = Unemployed/on layoff, looking for work	5904	0.71
5 = Disabled	3366	0.40
6 = Keeping house full-time	4139	0.49
7 = In school/training	7455	0.89
8 = Retired	6097	0.73
9 = Does not have a job, some other reason	10673	1.28
98 = BLANK (NO ANSWER)	932	0.11
99 = LEGITIMATE SKIP	13707	1.64

The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

WRKDPSTWK Len : 2 WORK AT JOB LAST WEEK

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	56100	6.70
2 = No	43283	5.17
4 = No LOGICALLY ASSIGNED	88	0.01
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	263	0.03
97 = REFUSED	563	0.07
98 = BLANK (NO ANSWER)	36	0.00
99 = LEGITIMATE SKIP	13707	1.64

Even though you did not work at any time last week, did you have a job or business?

WRKHADJOB Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	5909	0.71
2 = No	37271	4.45
4 = No LOGICALLY ASSIGNED	88	0.01
94 = DON'T KNOW	46	0.01
97 = REFUSED	618	0.07
98 = BLANK (NO ANSWER)	304	0.04
99 = LEGITIMATE SKIP	69807	8.34

How many hours did you work last week at all jobs or businesses?

WRKDHRSWK2 Len : 3 HOW MANY HOURS WORKED LAST WEEK

	Freq	Pct
RANGE = 1 - 60	53573	6.40
-9 = Data not collected for this year	722653	86.37
61 = 61 or more	2106	0.25
985 = BAD DATA Logically assigned	3	0.00
989 = LEGITIMATE SKIP Logically assigned	55	0.01
994 = DON'T KNOW	304	0.04
997 = REFUSED	680	0.08
998 = BLANK (NO ANSWER)	299	0.04
999 = LEGITIMATE SKIP	57023	6.82

EMPLOYMENT

Do you usually work 35 hours or more per week at all jobs or businesses?

WRK35WKUS	Len : 2 USUALLY WORK 35 OR MORE HRS PER WEEK		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	44650	5.34
	2 = No.....	17187	2.05
	85 = BAD DATA Logically assigned	3	0.00
	94 = DON'T KNOW	90	0.01
	97 = REFUSED	700	0.08
	98 = BLANK (NO ANSWER)	347	0.04
	99 = LEGITIMATE SKIP.....	51066	6.10

Which one of these reasons best describes why you did not work last week?

WRKRSNNOT	Len : 3 REASON FOR NOT WORKING AT JOB - PAST WK		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = On vacation/sick/furlough/strike/oth temp absence.....	1981	0.24
	2 = On layoff and not looking for work	139	0.02
	3 = On layoff and looking for work	246	0.03
	4 = Waiting to report to a new job	289	0.03
	5 = Self-employed and did not have business last week.....	602	0.07
	6 = Going to school/training	808	0.10
	7 = Some other reason.....	1756	0.21
	994 = DON'T KNOW	42	0.01
	997 = REFUSED	664	0.08
	998 = BLANK (NO ANSWER).....	327	0.04
	999 = LEGITIMATE SKIP.....	107189	12.81

Which one of these reasons best describes why you did not have a job or business last week?

WRKRSNJOB	Len : 3 REASON FOR NOT HAVING A JOB - PAST WK		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Looking for work.....	7478	0.89
	2 = On layoff and not looking for work	919	0.11
	3 = Keeping house or caring for children full time.....	4146	0.50
	4 = Going to school/training	7457	0.89
	5 = Retired	6102	0.73
	6 = Disabled for work	3364	0.40
	7 = Didn't want a job.....	2150	0.26
	8 = Some other reason.....	5127	0.61
	994 = DON'T KNOW	300	0.04
	997 = REFUSED	892	0.11
	998 = BLANK (NO ANSWER).....	392	0.05
	999 = LEGITIMATE SKIP.....	75716	9.05

During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.

WRKEFFORT	Len : 2 PAST 30 DAYS, MAKE EFFORT TO FIND WORK		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	5655	0.68
	2 = No.....	1802	0.22
	94 = DON'T KNOW	14	0.00
	97 = REFUSED	913	0.11
	98 = BLANK (NO ANSWER)	696	0.08
	99 = LEGITIMATE SKIP.....	104963	12.54

EMPLOYMENT

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

WRKDPSTYR Len : 2 PAST 12 MOS, WORKED AT ANY JOB

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	10593	1.27
2 = No.....	26837	3.21
94 = DON'T KNOW	260	0.03
97 = REFUSED	596	0.07
98 = BLANK (NO ANSWER)	41	0.00
99 = LEGITIMATE SKIP.....	75716	9.05

Have you been self-employed at any time during the past 12 months?

WRKSELFEM Len : 2 PAST 12 MOS, SELF EMPLOYED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	10598	1.27
2 = No.....	61155	7.31
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	602	0.07
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	165	0.02
97 = REFUSED	678	0.08
98 = BLANK (NO ANSWER)	298	0.04
99 = LEGITIMATE SKIP.....	40544	4.85

How many different employers, including yourself, have you had in the past 12 months?

WRKNUMJOB2 Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = One	48916	5.85
2 = Two.....	16195	1.94
3 = Three.....	4277	0.51
4 = Four or more	2256	0.27
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	613	0.07
97 = REFUSED	940	0.11
98 = BLANK (NO ANSWER)	299	0.04
99 = LEGITIMATE SKIP.....	40544	4.85

During the past 12 months, was there ever a time when you did not have at least one job or business?

WRKNJBPYR Len : 2 PAST 12 MOS, TIME WITH NO JOB

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes.....	11940	1.43
2 = No.....	49875	5.96
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	93	0.01
97 = REFUSED	729	0.09
98 = BLANK (NO ANSWER)	313	0.04
99 = LEGITIMATE SKIP.....	51090	6.11

In how many weeks during the past 12 months did you not have at least one job or business?

WRKNJBWKS Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 52.....	11266	1.35
-9 = Data not collected for this year	722653	86.37
85 = BAD DATA Logically assigned	50	0.01
94 = DON'T KNOW	542	0.06
97 = REFUSED	811	0.10
98 = BLANK (NO ANSWER)	409	0.05
99 = LEGITIMATE SKIP.....	100965	12.07

EMPLOYMENT

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

WRKSICKMO Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	17400	2.08
-9 = Data not collected for this year	722653	86.37
0 = None	43830	5.24
85 = BAD DATA Logically assigned	103	0.01
94 = DON'T KNOW	452	0.05
97 = REFUSED	844	0.10
98 = BLANK (NO ANSWER)	348	0.04
99 = LEGITIMATE SKIP	51066	6.10

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there? Please do not include days you missed because of a planned vacation or days that you stayed home with a sick child or other family member.

WRKSKIPMO Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	8133	0.97
-9 = Data not collected for this year	722653	86.37
0 = None	53180	6.36
85 = BAD DATA Logically assigned	27	0.00
94 = DON'T KNOW	403	0.05
97 = REFUSED	886	0.11
98 = BLANK (NO ANSWER)	348	0.04
99 = LEGITIMATE SKIP	51066	6.10

At your workplace, is there a written policy about employee use of alcohol or drugs?

WRKDRGPOL Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	47257	5.65
2 = No	13024	1.56
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	1571	0.19
97 = REFUSED	774	0.09
98 = BLANK (NO ANSWER)	348	0.04
99 = LEGITIMATE SKIP	51066	6.10

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

WRKDRGALB Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Only alcohol	524	0.06
2 = Only drugs	2231	0.27
3 = Both alcohol and drugs	43881	5.24
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	594	0.07
97 = REFUSED	801	0.10
98 = BLANK (NO ANSWER)	1919	0.23
99 = LEGITIMATE SKIP	64090	7.66

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

WRKDRGHLP Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Yes	27203	3.25
2 = No	30303	3.62
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	4284	0.51
97 = REFUSED	836	0.10
98 = BLANK (NO ANSWER)	348	0.04
99 = LEGITIMATE SKIP	51066	6.10

EMPLOYMENT

Does your workplace ever test its employees for alcohol use?

WRKTSTALC	Len : 2	WORKPLACE TESTS FOR ALCOHOL USAGE	Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	17557	2.10
		2 = No.....	41869	5.00
		85 = BAD DATA Logically assigned	3	0.00
		94 = DON'T KNOW	2382	0.28
		97 = REFUSED	818	0.10
		98 = BLANK (NO ANSWER)	348	0.04
		99 = LEGITIMATE SKIP.....	51066	6.10

Does your workplace ever test its employees for drug use?

WRKTSTDRG	Len : 2	WORKPLACE TESTS FOR DRUG USAGE	Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	28669	3.43
		2 = No.....	31135	3.72
		85 = BAD DATA Logically assigned	3	0.00
		94 = DON'T KNOW	2017	0.24
		97 = REFUSED	805	0.10
		98 = BLANK (NO ANSWER)	348	0.04
		99 = LEGITIMATE SKIP.....	51066	6.10

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

WRKTSTHIR	Len : 2	TEST FOR DRUG/ALC AS HIRING PROCESS	Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	24895	2.98
		2 = No.....	3880	0.46
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW	184	0.02
		97 = REFUSED	795	0.10
		98 = BLANK (NO ANSWER)	2421	0.29
		99 = LEGITIMATE SKIP.....	81866	9.78

Does your workplace test its employees for drug or alcohol use on a random basis?

WRKTSTRDM	Len : 2	TEST ON RANDOM BASIS	Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Yes.....	17460	2.09
		2 = No.....	10730	1.28
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW	752	0.09
		97 = REFUSED	812	0.10
		98 = BLANK (NO ANSWER)	2421	0.29
		99 = LEGITIMATE SKIP.....	81866	9.78

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

WRKTST1ST	Len : 2	WHAT HAPPENS FIRST TIME CAUGHT	Freq	Pct
		-9 = Data not collected for this year	722653	86.37
		1 = Handled on indiv basis/policy does not spec what	7599	0.91
		2 = Employee is fired	12694	1.52
		3 = Employee is referred for treatment or counseling	4490	0.54
		4 = Nothing happens	135	0.02
		5 = Something else happens.....	817	0.10
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW	3121	0.37
		97 = REFUSED	898	0.11
		98 = BLANK (NO ANSWER)	2421	0.29
		99 = LEGITIMATE SKIP.....	81866	9.78

EMPLOYMENT

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?

WRKOKPREH Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = More likely	23601	2.82
2 = Less likely	5795	0.69
3 = Would it make no difference to you	31997	3.82
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	418	0.05
97 = REFUSED	815	0.10
98 = BLANK (NO ANSWER)	348	0.04
99 = LEGITIMATE SKIP	51066	6.10

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?

WRKOKRAND Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = More likely	20361	2.43
2 = Less likely	9435	1.13
3 = Would make no difference	31606	3.78
85 = BAD DATA Logically assigned	3	0.00
94 = DON'T KNOW	421	0.05
97 = REFUSED	803	0.10
98 = BLANK (NO ANSWER)	348	0.04
99 = LEGITIMATE SKIP	51066	6.10

RECODED DEMOGRAPHICS

RECODED DEMOGRAPHICS

A respondent was defined as a full-time college student if they were aged 18 to 22 (AGE=18-22), enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATND=13-17, 33-37), and a full-time student (SDNTFTPT=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available.

COLLENR Len : 1 COLLEGE ENROLLMENT - FULL TIME

	Freq	Pct
. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98).....	46	0.01
-9 = Data not collected for this year.....	114043	13.63
1 = FT College Student Aged 18-22 (See comment above).....	58819	7.03
2 = Other Persons Aged 18-22 (See comment above).....	90366	10.80
3 = Persons Aged 12-17, 23 or Older.....	573422	68.53

A respondent was defined as a full or part-time college student if they were aged 18 to 22 (AGE=18-22), enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATND=13-17, 33-37), and if they were a full-time (SDNTFTPT=1) or part-time (SDNTFTPT=2) student. Otherwise, a respondent was defined as not enrolled in college (SCHENRL=2, 4) or in the category "Other Persons Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).

COLLENR2 Len : 1 COLLEGE ENROLLMENT

	Freq	Pct
. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98).....	46	0.01
-9 = Data not collected for this year.....	114043	13.63
1 = FT College Student Aged 18-22 (See comment above).....	58819	7.03
2 = PT College Student Aged 18-22 (See comment above).....	10395	1.24
3 = Not Enrolled Aged 18-22 (See comment above).....	64797	7.74
4 = Other Persons Aged 18-22 (See comment above).....	15174	1.81
5 = Persons Aged 12-17, 23 or Older.....	573422	68.53

NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work.

JBSTATR2 Len : 3 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Worked at full-time job, past week.....	242394	28.97
2 = Worked at part time job, past week.....	104937	12.54
3 = Has job or volunteer worker, did not work past wk.....	32446	3.88
4 = Unemployed/on layoff, looking for work.....	44505	5.32
5 = Disabled.....	17423	2.08
6 = Keeping house full-time.....	28598	3.42
7 = In school/training.....	78111	9.34
8 = Retired.....	26209	3.13
9 = Does not have a job, some other reason.....	35257	4.21
98 = BLANK (NO ANSWER).....	278	0.03
99 = LEGITIMATE SKIP.....	112495	13.45

Even though you did not work at any time last week, did you have a job or business?

WRKHAVJB Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = Yes.....	34008	4.06
2 = No.....	228349	27.29
4 = No LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
94 = DON'T KNOW.....	16	0.00
97 = REFUSED.....	63	0.01
98 = BLANK (NO ANSWER).....	208	0.02
99 = LEGITIMATE SKIP.....	459994	54.98

RECORDED DEMOGRAPHICS

How many hours did you work last week at all jobs or businesses?

WRKHRSW2	Len : 3 HOW MANY HOURS WORKED LAST WEEK	Freq	Pct
	RANGE = 1 - 60	333715	39.88
	-9 = Data not collected for this year	114043	13.63
	61 = 61 or more	13371	1.60
	985 = BAD DATA Logically assigned	6	0.00
	989 = LEGITIMATE SKIP Logically assigned	10	0.00
	994 = DON'T KNOW	373	0.04
	997 = REFUSED	97	0.01
	998 = BLANK (NO ANSWER).....	209	0.02
	999 = LEGITIMATE SKIP.....	374872	44.80

NOTE: The industry variable WRKIDST2 corresponds to the variable WRKINDU2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKIDST2 with data in WRKINDU2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

Which of these categories best describes the business or industry in which you work?

WRKIDST2	Len : 4 TYPE OF BUSINESS OR INDUSTRY	Freq	Pct
	-9 = Data not collected for this year	168122	20.09
	1 = Agriculture, Forestry, Fishing, & Hunting	6428	0.77
	2 = Mining	1904	0.23
	3 = Construction	26839	3.21
	4 = Manufacturing, Nondurable Goods	11626	1.39
	5 = Manufacturing, Durable Goods	19104	2.28
	6 = Transportation & Utilities	12327	1.47
	7 = Information & Communications	6921	0.83
	8 = Wholesale Trade, Durable Goods	3486	0.42
	9 = Wholesale Trade, Nondurable Goods	4363	0.52
	10 = Retail Trade	49105	5.87
	11 = Finance, Insur, Real Estate, Rental & Leasing	17507	2.09
	12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt	33394	3.99
	13 = Education, Health & Social Services	68792	8.22
	14 = Arts/Entertain/Recreation/Accommodation/Food Svcs	57146	6.83
	15 = Public Administration	13007	1.55
	16 = Other Services (Except Public Admin)	18566	2.22
	17 = Armed Forces	60	0.01
	9990 = NOT REPORTED/NOT CODABLE	595	0.07
	9994 = DON'T KNOW	56	0.01
	9997 = REFUSED	220	0.03
	9998 = BLANK (NO ANSWER).....	217	0.03
	9999 = LEGITIMATE SKIP.....	316911	37.88

RECODED DEMOGRAPHICS

NOTE: The occupation variable WRKOCUP2 corresponds to the variable WRKOCCU2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKOCUP2 with data in WRKOCCU2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

What kind of work do you do? That is, what is your occupation?

WRKOCUP2	Len : 4	KIND OF WORK/JOB TITLE PRIMARY JOB	Freq	Pct
-9		= Data not collected for this year.....	168122	20.09
1		= Executive/Administrative/Managerial/Financial.....	32449	3.88
2		= Professional (not Education/Entertainment/Media).....	28962	3.46
3		= Education and Related Occupations.....	18267	2.18
4		= Entertainers, Sports, Media, and Communications.....	7788	0.93
5		= Technicians and Related Support Occupations.....	18616	2.22
6		= Sales Occupations.....	45590	5.45
7		= Office & Administrative Support Workers.....	45801	5.47
8		= Protective Service Occupations.....	7193	0.86
9		= Service Occupations, Except Protective.....	69371	8.29
10		= Farming, Fishing, & Forestry Occupations.....	4016	0.48
11		= Installation, Maintenance & Repair Workers.....	10900	1.30
12		= Construction Trades & Extraction Workers.....	21716	2.60
13		= Production, Machinery Setters/Operators/Tenders.....	19810	2.37
14		= Transportation & Material Moving Workers.....	20246	2.42
15		= Armed Forces.....	60	0.01
9990		= NOT REPORTED/NOT CODABLE.....	359	0.04
9994		= DON'T KNOW.....	19	0.00
9997		= REFUSED.....	234	0.03
9998		= BLANK (NO ANSWER).....	266	0.03
9999		= LEGITIMATE SKIP.....	316911	37.88

Which of these categories best describes the business in which you work?

WRKBZCA2	Len : 2	CATEG THAT BEST DESCR BUSINESS YOU WORK IN	Freq	Pct
-9		= Data not collected for this year.....	114043	13.63
1		= Private for-profit company or business.....	259225	30.98
2		= Private not-for-profit company or business.....	28855	3.45
3		= Local government (city, county, etc.).....	24268	2.90
4		= State government.....	20788	2.48
5		= Federal/Foreign government or international.....	9427	1.13
6		= Self-employed in an incorporated business.....	11996	1.43
7		= Self-employed in an unincorporated business.....	18809	2.25
8		= Working without pay in a family business/farm.....	1748	0.21
85		= BAD DATA Logically assigned.....	6	0.00
94		= DON'T KNOW.....	6086	0.73
97		= REFUSED.....	295	0.04
98		= BLANK (NO ANSWER).....	302	0.04
99		= LEGITIMATE SKIP.....	340848	40.74

EMPLOYMENT AND WORKPLACE

EMPLOYMENT AND WORKPLACE

How many different employers, including yourself, have you had in the past 12 months?

WRKJOBS2 Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS

	Freq	Pct
-9 = Data not collected for this year.....	114043	13.63
1 = One	299119	35.75
2 = Two.....	112710	13.47
3 = Three.....	30837	3.69
4 = Four or more.....	14051	1.68
85 = BAD DATA Logically assigned.....	6	0.00
94 = DON'T KNOW.....	264	0.03
97 = REFUSED.....	151	0.02
98 = BLANK (NO ANSWER).....	241	0.03
99 = LEGITIMATE SKIP.....	265274	31.70

WRKLSTY2 Len : 4 WHAT YEAR LAST WORKED

	Freq	Pct
RANGE = 1961 - 2014.....	150955	18.04
-9 = Data not collected for this year.....	114043	13.63
1960 = 1960 or earlier.....	506	0.06
9985 = BAD DATA Logically assigned.....	43	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
9991 = NEVER WORKED AT A JOB OR BUSINESS.....	75722	9.05
9994 = DON'T KNOW.....	1033	0.12
9997 = REFUSED.....	122	0.01
9998 = BLANK (NO ANSWER).....	266	0.03
9999 = LEGITIMATE SKIP.....	494002	59.04

NOTE: The industry variable WRKIDSY2 corresponds to the variable WRKINDY2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKIDSY2 with data in WRKINDY2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same.

Which of these categories best describes the business or industry in which you worked?

WRKIDSY2 Len : 4 TYPE OF BUSINESS OR INDUSTRY

	Freq	Pct
-9 = Data not collected for this year.....	168122	20.09
1 = Agriculture, Forestry, Fishing, & Hunting.....	2001	0.24
2 = Mining.....	213	0.03
3 = Construction.....	5366	0.64
4 = Manufacturing, Nondurable Goods.....	2189	0.26
5 = Manufacturing, Durable Goods.....	2912	0.35
6 = Transportation & Utilities.....	1650	0.20
7 = Information & Communications.....	1166	0.14
8 = Wholesale Trade, Durable Goods.....	491	0.06
9 = Wholesale Trade, Nondurable Goods.....	740	0.09
10 = Retail Trade.....	11451	1.37
11 = Finance, Insur, Real Estate, Rental & Leasing.....	1896	0.23
12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt.....	7006	0.84
13 = Education, Health & Social Services.....	10008	1.20
14 = Arts/Entertain/Recreation/Accommodation/Food Svcs.....	17662	2.11
15 = Public Administration.....	1696	0.20
16 = Other Services (Except Public Admin).....	3179	0.38
17 = Armed Forces.....	56	0.01
9990 = NOT REPORTED/NOT CODABLE.....	208	0.02
9994 = DON'T KNOW.....	22	0.00
9997 = REFUSED.....	85	0.01
9998 = BLANK (NO ANSWER).....	226	0.03
9999 = LEGITIMATE SKIP.....	598351	71.51

EMPLOYMENT AND WORKPLACE

NOTE: The occupation variable WRKOCUY2 corresponds to the variable WRKOCCY2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKOCUY2 with data in WRKOCCY2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same.

What kind of work did you do? That is, what was your occupation?

WRKOCUY2	Len : 4	KIND OF WORK/JOB TITLE PRIMARY JOB	Freq	Pct
-9		= Data not collected for this year.....	168122	20.09
1		= Executive/Administrative/Managerial/Financial.....	2439	0.29
2		= Professional (not Education/Entertainment/Media)	2264	0.27
3		= Education and Related Occupations.....	2546	0.30
4		= Entertainers, Sports, Media, and Communications	1762	0.21
5		= Technicians and Related Support Occupations	2370	0.28
6		= Sales Occupations.....	11451	1.37
7		= Office & Administrative Support Workers	9021	1.08
8		= Protective Service Occupations.....	1567	0.19
9		= Service Occupations, Except Protective.....	20208	2.42
10		= Farming, Fishing, & Forestry Occupations	1670	0.20
11		= Installation, Maintenance & Repair Workers	1282	0.15
12		= Construction Trades & Extraction Workers	4766	0.57
13		= Production, Machinery Setters/Operators/Tenders.....	3800	0.45
14		= Transportation & Material Moving Workers.....	4553	0.54
15		= Armed Forces	57	0.01
9990		= NOT REPORTED/NOT CODABLE.....	129	0.02
9994		= DON'T KNOW	6	0.00
9997		= REFUSED	85	0.01
9998		= BLANK (NO ANSWER).....	247	0.03
9999		= LEGITIMATE SKIP.....	598351	71.51

Which of these categories best describes the business in which you worked?

WRKBZCY2	Len : 2	CATEG THAT BEST DESCR BUSINESS YOU WORKED	Freq	Pct
-9		= Data not collected for this year.....	114043	13.63
1		= Private for-profit company or business	55417	6.62
2		= Private not-for-profit company or business	4406	0.53
3		= Local government (city, county, etc.)	5408	0.65
4		= State government	2861	0.34
5		= Federal/Foreign government or international.....	1594	0.19
6		= Self-employed in an incorporated business	1087	0.13
7		= Self-employed in an unincorporated business.....	2555	0.31
8		= Working without pay in a family business/farm	543	0.06
94		= DON'T KNOW	1614	0.19
97		= REFUSED	107	0.01
98		= BLANK (NO ANSWER)	276	0.03
99		= LEGITIMATE SKIP.....	646785	77.30

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

WRKEDYR	Len : 2	PAST 12 MOS, WORKED AT ANY JOB	Freq	Pct
-9		= Data not collected for this year.....	114043	13.63
1		= Yes.....	75560	9.03
2		= No.....	152779	18.26
85		= BAD DATA Logically assigned.....	7	0.00
89		= LEGITIMATE SKIP Logically assigned.....	4	0.00
94		= DON'T KNOW	35	0.00
97		= REFUSED	66	0.01
98		= BLANK (NO ANSWER)	200	0.02
99		= LEGITIMATE SKIP.....	494002	59.04

EMPLOYMENT AND WORKPLACE

Have you been self-employed at any time during the past 12 months?

WRKSLFEM	Len : 2 PAST 12 MOS, SELF EMPLOYED		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	37290	4.46
	2 = No.....	386522	46.20
	3 = Yes LOGICALLY ASSIGNED (raw var not blank).....	1115	0.13
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	31972	3.82
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW	131	0.02
	97 = REFUSED	102	0.01
	98 = BLANK (NO ANSWER)	241	0.03
	99 = LEGITIMATE SKIP.....	265274	31.70

During the past 12 months, was there ever a time when you did not have at least one job or business?

WRKUNEMP	Len : 2 PAST 12 MOS, TIME WITH NO JOB		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	83899	10.03
	2 = No.....	297505	35.56
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW	62	0.01
	97 = REFUSED	103	0.01
	98 = BLANK (NO ANSWER)	222	0.03
	99 = LEGITIMATE SKIP.....	340856	40.74

In how many weeks during the past 12 months did you not have at least one job or business?

WRKUNWKS	Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 52.....	83035	9.92
	-9 = Data not collected for this year	114043	13.63
	85 = BAD DATA Logically assigned	176	0.02
	94 = DON'T KNOW	663	0.08
	97 = REFUSED	129	0.02
	98 = BLANK (NO ANSWER)	289	0.03
	99 = LEGITIMATE SKIP.....	638361	76.30

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

WORKDAYS	Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	85666	10.24
	-9 = Data not collected for this year	114043	13.63
	0 = None	295358	35.30
	85 = BAD DATA Logically assigned	199	0.02
	94 = DON'T KNOW	232	0.03
	97 = REFUSED	120	0.01
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP.....	340848	40.74

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?

WORKBLAH	Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	38687	4.62
	-9 = Data not collected for this year	114043	13.63
	0 = None	342541	40.94
	85 = BAD DATA Logically assigned	34	0.00
	94 = DON'T KNOW	182	0.02
	97 = REFUSED	131	0.02
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP.....	340848	40.74

EMPLOYMENT AND WORKPLACE

Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?

LOCSIZE	Len : 2 # PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Less than 10 people	111704	13.35
	2 = 10-24 people	82123	9.82
	3 = 25-99 people	87324	10.44
	4 = 100-499 people	60113	7.18
	5 = 500 people or more	38903	4.65
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW	1210	0.14
	97 = REFUSED	192	0.02
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP	340848	40.74

At your workplace, is there a written policy about employee use of alcohol or drugs?

DRGPLCY	Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes	271353	32.43
	2 = No	90462	10.81
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW	19630	2.35
	97 = REFUSED	124	0.01
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP	340848	40.74

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

PLCYCOV	Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Only alcohol	2736	0.33
	2 = Only drugs	9456	1.13
	3 = Both alcohol and drugs	254846	30.46
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW	4303	0.51
	97 = REFUSED	136	0.02
	98 = BLANK (NO ANSWER)	19860	2.37
	99 = LEGITIMATE SKIP	431310	51.55

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

WKDRGED	Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC	Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes	124901	14.93
	2 = No	241313	28.84
	3 = Don't remember	12710	1.52
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW	2518	0.30
	97 = REFUSED	127	0.02
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP	340848	40.74

EMPLOYMENT AND WORKPLACE

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

DRGPRGM	Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	139999	16.73
	2 = No.....	190225	22.74
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW.....	51169	6.12
	97 = REFUSED	176	0.02
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP.....	340848	40.74

Does your workplace ever test its employees for alcohol use?

USALCTST	Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	103444	12.36
	2 = No.....	256955	30.71
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW.....	21039	2.51
	97 = REFUSED	131	0.02
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP.....	340848	40.74

Does your workplace ever test its employees for drug use?

USDRGTST	Len : 2 WORKPLACE TESTS FOR DRUG USAGE		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	160097	19.13
	2 = No.....	204381	24.43
	85 = BAD DATA Logically assigned	6	0.00
	94 = DON'T KNOW.....	16954	2.03
	97 = REFUSED	137	0.02
	98 = BLANK (NO ANSWER)	230	0.03
	99 = LEGITIMATE SKIP.....	340848	40.74

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

TSTHIRE	Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	133783	15.99
	2 = No.....	26365	3.15
	85 = BAD DATA Logically assigned	4	0.00
	94 = DON'T KNOW.....	2342	0.28
	97 = REFUSED	125	0.01
	98 = BLANK (NO ANSWER)	18004	2.15
	99 = LEGITIMATE SKIP.....	542030	64.78

Does your workplace test its employees for drug or alcohol use on a random basis?

TSTRAND	Len : 2 TEST ON RANDOM BASIS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Yes.....	93669	11.20
	2 = No.....	59851	7.15
	85 = BAD DATA Logically assigned	4	0.00
	94 = DON'T KNOW.....	8970	1.07
	97 = REFUSED	125	0.01
	98 = BLANK (NO ANSWER)	18004	2.15
	99 = LEGITIMATE SKIP.....	542030	64.78

EMPLOYMENT AND WORKPLACE

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

FIRSTPOS

Len : 2 WHAT HAPPENS FIRST TIME CAUGHT

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = Handled on indiv basis/policy does not spec what	24409	2.92
2 = Employee is fired	79325	9.48
3 = Employee is referred for treatment or counseling	30267	3.62
4 = Nothing happens	595	0.07
5 = Something else happens	5207	0.62
85 = BAD DATA Logically assigned	4	0.00
94 = DON'T KNOW	22639	2.71
97 = REFUSED	173	0.02
98 = BLANK (NO ANSWER)	18004	2.15
99 = LEGITIMATE SKIP	542030	64.78

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?
Would you say more likely, less likely, or would it make no difference to you?

WRKHIRE

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = More likely	149303	17.84
2 = Less likely	18512	2.21
3 = Would it make no difference to you	212948	25.45
85 = BAD DATA Logically assigned	6	0.00
94 = DON'T KNOW	643	0.08
97 = REFUSED	162	0.02
98 = BLANK (NO ANSWER)	231	0.03
99 = LEGITIMATE SKIP	340848	40.74

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?
Would you say more likely, less likely, or would it make no difference to you?

WORKRAND

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	Freq	Pct
-9 = Data not collected for this year	114043	13.63
1 = More likely	125894	15.05
2 = Less likely	35335	4.22
3 = Would make no difference	219527	26.24
85 = BAD DATA Logically assigned	6	0.00
94 = DON'T KNOW	661	0.08
97 = REFUSED	151	0.02
98 = BLANK (NO ANSWER)	231	0.03
99 = LEGITIMATE SKIP	340848	40.74

IMPUTED EMPLOYMENT

IMPUTED EMPLOYMENT

The following variable, IRWRKSTAT, replaces EMPSTATY that was created from 2001 to 2014 In 2015 employment questions moved from being interviewer-administered to being self-administered through ACASI. The name changes for employment variables reflect the break in comparability.

IRWRKSTAT Len : 2 EMPLOYMENT STATUS - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Employed full time	44925	5.37
2 = Employed part time.....	17241	2.06
3 = Unemployed	7053	0.84
4 = Other (incl. not in labor force)	31117	3.72
99 = 12-14 year olds	13707	1.64

IWRKSTAT Len : 1 EMPLOYMENT STATUS - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Employment status from questionnaire.....	99221	11.86
3 = Employment statistically imputed.....	1115	0.13
9 = 12-14 years old	13707	1.64

I2WRKSTAT Len : 1 EMPLOYMENT STATUS - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Employment status from questionnaire.....	99221	11.86
3 = Emp. statistically imputed (unrestricted).....	943	0.11
4 = Emp. stat. imp. (restr. to full-time or part-time).....	172	0.02
9 = 12-14 years old	13707	1.64

IRWRKSTAT18 is a recode of IRWRKSTAT and AGE. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.

IRWRKSTAT18 Len : 2 EMPLOYMENT STATUS 18+ - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Employed full time	44235	5.29
2 = Employed part time.....	13737	1.64
3 = Unemployed	5475	0.65
4 = Other (incl. not in labor force)	22739	2.72
99 = 12-17 year olds	27857	3.33

IWRKSTAT18 Len : 1 EMPLOYMENT STATUS 18+ - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Employment status from questionnaire.....	85247	10.19
3 = Employment statistically imputed.....	939	0.11
9 = 12-17 years old	27857	3.33

I2WRKST18 Len : 1 EMPLOYMENT STATUS 18+ - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year.....	722653	86.37
1 = Employment status from questionnaire.....	85247	10.19
3 = Emp. statistically imputed (unrestricted).....	792	0.09
4 = Emp. stat. imp. (restr. to full-time or part-time).....	147	0.02
9 = 12-17 years old	27857	3.33

IMPUTED EMPLOYMENT

IRFAMSZ2	Len : 1 IMP-REVISED - NO OF R'S FAMILY MEMBERS IN HHLD		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = One R'S family member in household.....	92365	11.04
	2 = Two R'S family members in household.....	142170	16.99
	3 = Three R'S family members in household.....	154513	18.47
	4 = Four R'S family members in household.....	173927	20.79
	5 = Five R'S family members in household.....	94754	11.32
	6 = Six or more R'S family members in household.....	64924	7.76

IIFAMSZ2	Len : 1 IRFAMSZ2 - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Questionnaire data.....	721814	86.27
	2 = Logically Assigned data.....	69	0.01
	3 = Statistically Imputed data.....	770	0.09

IRKIDFA2	Len : 1 IMP-REV - NO OF R'S FAMILY MBRS IN HH AGED 0-17		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = No R'S family mbrs in HH aged 0-17.....	280647	33.54
	2 = One R'S family mbrs in HH aged 0-17.....	172684	20.64
	3 = Two R'S family mbrs in HH aged 0-17.....	156888	18.75
	4 = Three or more R'S family mbrs in HH aged 0-17.....	112434	13.44

IIKIDFA2	Len : 1 IRKIDFA2 - IMPUTATION INDICATOR		
		Freq	Pct
	-9 = Data not collected for this year.....	114043	13.63
	1 = Questionnaire data.....	721154	86.19
	3 = Statistically Imputed data.....	1499	0.18

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

EDFAM18	Len : 2 EDITED INDICATOR: FAMILY IN HH 18 OR OLDER		
		Freq	Pct
	-9 = Data not collected for this year.....	54079	6.46
	0 = R has other family members >=18.....	658705	78.73
	1 = R does not have other family members >=18.....	123293	14.74
	98 = UNKNOWN.....	619	0.07

IMOTHER	Len : 1 MOTHER IN HH		
		Freq	Pct
	1 = R is 12-17, mother in hh.....	235898	28.19
	2 = R is 12-17, no mother in hh.....	22007	2.63
	3 = R is 12-17, don't know whether mother is in hh.....	219	0.03
	4 = R is 18 or older.....	578572	69.15

IFATHER	Len : 1 FATHER IN HH		
		Freq	Pct
	1 = R is 12-17, father in hh.....	186516	22.29
	2 = R is 12-17, no father in hh.....	71332	8.53
	3 = R is 12-17, don't know whether father is in hh.....	276	0.03
	4 = R is 18 or older.....	578572	69.15

NRCH17_2	Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD		
		Freq	Pct
	RANGE = 0 - 2.....	798922	95.49
	. = Missing.....	983	0.12
	3 = 3 or more.....	36791	4.40

IMPUTED EMPLOYMENT

IRHHSIZ2	Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH		
		Freq	Pct
	1 = One person in household.....	56589	6.76
	2 = Two people in household.....	177003	21.15
	3 = Three people in household.....	190069	22.72
	4 = Four people in household.....	211191	25.24
	5 = Five people in household.....	116854	13.97
	6 = 6 or more people in household.....	84990	10.16
IIHHSIZ2	Len : 1 IRHHSIZ2-IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	836144	99.93
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	551	0.07
IRKI17_2	Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
		Freq	Pct
	1 = No children under 18.....	322657	38.56
	2 = One child under 18.....	198276	23.70
	3 = Two children under 18.....	182423	21.80
	4 = Three or more children under 18.....	133340	15.94
IIKI17_2	Len : 1 IRKI17_2-IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	834082	99.69
	2 = Logically assigned data.....	12	0.00
	3 = Statistically imputed data.....	2602	0.31
IRHH65_2	Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65		
		Freq	Pct
	1 = No people 65 or older in household.....	759074	90.72
	2 = One person 65 or older in household.....	52562	6.28
	3 = Two or more people 65 or older in household.....	25060	3.00

HOUSEHOLD COMPOSITION (ROSTER)

HOUSEHOLD COMPOSITION (ROSTER)

IIHH65_2

Len : 1 IRHH65_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	831918	99.43
2 = Logically assigned data.....	589	0.07
3 = Statistically imputed data.....	4189	0.50

IMPUTED EMPLOYMENT AND WORKPLACE

IMPUTED EMPLOYMENT AND WORKPLACE

The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.

EMPSTATY	Len : 2 IMPUTATION REVISED EMPLOYMENT STATUS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Employed full time	256539	30.66
	2 = Employed part time	121997	14.58
	3 = Unemployed	49799	5.95
	4 = Other (incl. not in labor force)	181823	21.73
	99 = 12-14 year olds	112495	13.45

I1EMPSTY	Len : 1 IMPUTATION INDICATOR EMPLOYMENT STATUS		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Employment status from questionnaire	609662	72.87
	3 = Employment statistically imputed	496	0.06
	9 = 12-14 years old	112495	13.45

I12EMSTY	Len : 1 IMPUTATION INDICATOR EMPLOYMENT STATUS (DETAILS)		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Employment status from questionnaire	609662	72.87
	3 = Emp. statistically imputed (unrestricted)	278	0.03
	4 = Emp. stat. imp. (restr. to full-time or part-time)	218	0.03
	9 = 12-14 years old	112495	13.45

EMPSTAT4 is a recode of EMPSTATY and AGE. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.

EMPSTAT4	Len : 2 IMPUTATION REVISED EMPLOYMENT STATUS 18+		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Employed full time	251985	30.12
	2 = Employed part time	91654	10.95
	3 = Unemployed	35188	4.21
	4 = Other (incl. not in labor force)	113559	13.57
	99 = 12-17 year olds	230267	27.52

I1EMPST4	Len : 1 IMPUTATION INDICATOR EMPLOYMENT STATUS 18+		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Employment status from questionnaire	491942	58.80
	3 = Employment statistically imputed	444	0.05
	9 = 12-17 years old	230267	27.52

I12EMST4	Len : 1 IMP. IND. EMPLOYMENT STATUS 18+ (DETAILS)		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Employment status from questionnaire	491942	58.80
	3 = Emp. statistically imputed (unrestricted)	258	0.03
	4 = Emp. stat. imp. (restr. to full-time or part-time)	186	0.02
	9 = 12-17 years old	230267	27.52

PROXY INFORMATION

PROXY INFORMATION

PRXRETRY was created starting in 2014 and indicates whether respondents younger than 18 selected another proxy if their previously selected proxy was unavailable.

PRXRETRY Len : 2 SELECTED PROXY UNAVAILABLE, OTHER PROXY AVAILABLE?

	Freq	Pct
-9 = Data not collected for this year	667382	79.76
2 = No.....	3224	0.39
94 = DON'T KNOW	102	0.01
97 = REFUSED	22	0.00
98 = BLANK (NO ANSWER)	204	0.02
99 = LEGITIMATE SKIP.....	165762	19.81

PRXYDATA Len : 2 IS PROXY ANSWERING INSURANCE/INCOME QS

	Freq	Pct
-9 = Data not collected for this year	54079	6.46
1 = Yes.....	247929	29.63
2 = No.....	631	0.08
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
94 = DON'T KNOW	333	0.04
97 = REFUSED	105	0.01
98 = BLANK (NO ANSWER)	690	0.08
99 = LEGITIMATE SKIP (Respondent answering)	532925	63.69

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive.

NOTE: Beginning in 2003, respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Medicare is a health insurance program for persons 65 and older and for certain disabled persons. Is [SAMPLE MEMBER A] covered by Medicare?

MEDICARE Len : 2 COVERED BY MEDICARE

	Freq	Pct
1 = Yes.....	48817	5.83
2 = No.....	784875	93.81
85 = BAD DATA Logically assigned	39	0.00
94 = DON'T KNOW	2348	0.28
97 = REFUSED	335	0.04
98 = BLANK (NO ANSWER)	282	0.03

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years. Beginning in 2003, respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for low income and disabled persons. The Medicaid program in [STATE FILL] is also called [MEDIFILL].

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

CAIDCHIP Len : 2 COVERED BY MEDICAID/CHIP

	Freq	Pct
1 = Yes.....	151039	18.05
2 = No.....	678822	81.13
85 = BAD DATA Logically assigned	400	0.05
94 = DON'T KNOW	5744	0.69
97 = REFUSED	403	0.05
98 = BLANK (NO ANSWER)	288	0.03

PROXY INFORMATION

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

(These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.)

CHAMPUS	Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY		
		Freq	Pct
	1 = Yes.....	28247	3.38
	2 = No.....	805460	96.27
	85 = BAD DATA Logically assigned.....	39	0.00
	94 = DON'T KNOW.....	2350	0.28
	97 = REFUSED.....	318	0.04
	98 = BLANK (NO ANSWER).....	282	0.03

Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

PRVHLTIN	Len : 2 COVERED BY PRIVATE INSURANCE		
		Freq	Pct
	1 = Yes.....	522383	62.43
	2 = No.....	308608	36.88
	85 = BAD DATA Logically assigned.....	39	0.00
	94 = DON'T KNOW.....	4942	0.59
	97 = REFUSED.....	441	0.05
	98 = BLANK (NO ANSWER).....	283	0.03

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association?

GRPHLTIN	Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		Freq	Pct
	1 = Yes.....	471913	56.40
	2 = No.....	48805	5.83
	85 = BAD DATA Logically assigned.....	21	0.00
	94 = DON'T KNOW.....	1637	0.20
	97 = REFUSED.....	469	0.06
	98 = BLANK (NO ANSWER).....	5243	0.63
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	308608	36.88

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

HLTINALC	Len : 2 ALCOHOL ABUSE OR ALCOHOLISM		
		Freq	Pct
	1 = Yes.....	234527	28.03
	2 = No.....	60010	7.17
	85 = BAD DATA Logically assigned.....	21	0.00
	94 = DON'T KNOW.....	227588	27.20
	97 = REFUSED.....	699	0.08
	98 = BLANK (NO ANSWER).....	5243	0.63
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	308608	36.88

Drug abuse?

HLTINDRG	Len : 2 DRUG ABUSE		
		Freq	Pct
	1 = Yes.....	234006	27.97
	2 = No.....	61809	7.39
	85 = BAD DATA Logically assigned.....	21	0.00
	94 = DON'T KNOW.....	226254	27.04
	97 = REFUSED.....	755	0.09
	98 = BLANK (NO ANSWER).....	5243	0.63
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	308608	36.88

PROXY INFORMATION

Mental or emotional problems?

HLTINMNT	Len : 2 MENTAL OR EMOTIONAL DIFFICULTIES	Freq	Pct
	1 = Yes.....	341137	40.77
	2 = No.....	41619	4.97
	85 = BAD DATA Logically assigned.....	21	0.00
	94 = DON'T KNOW.....	139445	16.67
	97 = REFUSED.....	623	0.07
	98 = BLANK (NO ANSWER).....	5243	0.63
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	308608	36.88

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

HLTINNOS	Len : 2 COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)	Freq	Pct
	1 = Yes.....	19037	2.28
	2 = No.....	123094	14.71
	85 = BAD DATA Logically assigned.....	8	0.00
	94 = DON'T KNOW.....	366	0.04
	97 = REFUSED.....	22	0.00
	98 = BLANK (NO ANSWER).....	283	0.03
	99 = LEGITIMATE SKIP.....	693886	82.93

During the past 12 months, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

HLCNOTYR	Len : 2 ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS	Freq	Pct
	1 = Yes.....	61222	7.32
	2 = No.....	643902	76.96
	85 = BAD DATA Logically assigned.....	100	0.01
	94 = DON'T KNOW.....	1718	0.21
	97 = REFUSED.....	531	0.06
	98 = BLANK (NO ANSWER).....	6131	0.73
	99 = LEGITIMATE SKIP.....	123092	14.71

During the past 12 months, about how many months were [FILL WEREWAS] without any kind of health insurance or coverage?

HLCNOTMO	Len : 2 PAST 12 MOS, HOW MANY MOS W/O COVERAGE	Freq	Pct
	RANGE = 1 - 12.....	60825	7.27
	85 = BAD DATA Logically assigned.....	9	0.00
	94 = DON'T KNOW.....	391	0.05
	97 = REFUSED.....	537	0.06
	98 = BLANK (NO ANSWER).....	7940	0.95
	99 = LEGITIMATE SKIP.....	766994	91.67

About how long has it been since [SAMPLE MEMBER] last had any kind of health coverage?

HLCLAST	Len : 2 TIME SINCE LAST HAD HEALTH CARE COVERAGE	Freq	Pct
	1 = Within the past 6 months.....	21561	2.58
	2 = More than 6 months ago, but within the past year.....	16085	1.92
	3 = More than 1 year ago, but within the past 3 years.....	29613	3.54
	4 = More than 3 years ago.....	33455	4.00
	5 = Never had coverage.....	21485	2.57
	85 = BAD DATA Logically assigned.....	10	0.00
	94 = DON'T KNOW.....	868	0.10
	97 = REFUSED.....	524	0.06
	98 = BLANK (NO ANSWER).....	6220	0.74
	99 = LEGITIMATE SKIP.....	706875	84.48

PROXY INFORMATION

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

HLLOSRSN	Len : 2 MAIN REASON STOPPED COVERED BY HEALTH INSURANCE		
		Freq	Pct
	1 = Pers in family w/health ins lost job/chng employer.....	20849	2.49
	2 = Lost Medicaid/Med Assist b/c new job/incr income	7417	0.89
	3 = Lost Medicaid/Med Assist some other reason.....	8133	0.97
	4 = Cost is too high/can't afford premiums	24418	2.92
	5 = Became ineligible because of age or leaving school	17405	2.08
	6 = Employer does not offer coverage, or not eligible	7293	0.87
	7 = Got divorced or separated from person w/insurance	1694	0.20
	8 = Death of spouse or parent	535	0.06
	9 = Insurance company refused coverage	1050	0.13
	10 = Don't need it.....	3259	0.39
	11 = Received Medicaid/med insur only while pregnant	3833	0.46
	12 = Some other reason.....	5063	0.61
	85 = BAD DATA Logically assigned	64	0.01
	94 = DON'T KNOW	508	0.06
	97 = REFUSED	592	0.07
	98 = BLANK (NO ANSWER)	6223	0.74
	99 = LEGITIMATE SKIP.....	728360	87.05

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

HLNVCOST	Len : 2 COST TOO HIGH		
		Freq	Pct
	1 = Response entered	12154	1.45
	6 = Response not entered	9207	1.10
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	513	0.06
	98 = BLANK (NO ANSWER)	6479	0.77
	99 = LEGITIMATE SKIP.....	808232	96.60

HLNVOFFR	Len : 2 EMPLOYER DOESN'T OFFER		
		Freq	Pct
	1 = Response entered	4286	0.51
	6 = Response not entered	17075	2.04
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	513	0.06
	98 = BLANK (NO ANSWER)	6480	0.77
	99 = LEGITIMATE SKIP.....	808232	96.60

HLNVREF	Len : 2 INSURANCE COMPANY REFUSED COVERAGE		
		Freq	Pct
	1 = Response entered	401	0.05
	6 = Response not entered	20960	2.51
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	513	0.06
	98 = BLANK (NO ANSWER)	6479	0.77
	99 = LEGITIMATE SKIP.....	808232	96.60

HLNVNEED	Len : 2 DON'T NEED IT		
		Freq	Pct
	1 = Response entered	3323	0.40
	6 = Response not entered	18038	2.16
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	513	0.06
	98 = BLANK (NO ANSWER)	6479	0.77
	99 = LEGITIMATE SKIP.....	808232	96.60

PROXY INFORMATION

HLNVSOR	Len : 2 NEVER HAD HLTH INS SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	2068	0.25
	6 = Response not entered	19293	2.31
	94 = DON'T KNOW	110	0.01
	97 = REFUSED	513	0.06
	98 = BLANK (NO ANSWER)	6480	0.77
	99 = LEGITIMATE SKIP	808232	96.60

Starting in 2002, missing values in the variables describing the type of health insurance were imputed. In particular, missing values in the edited variables PRVHLTIN (private health insurance), MEDICARE, CAIDCHIP (Medicaid/children's state-assisted health insurance), CHAMPUS, and a modified version of HLTINNOS (other health insurance) were imputed. The overall health insurance variable was then created by combining the information from the detailed imputation- revised variables in the variable IRINSUR4. This differs from the method used in 1999-2001 where the edited health insurance variables were combined before imputation to create a recoded overall health insurance variable (INSUR3), the missing values of which were imputed in the variable IRINSUR3. As in previous years, missing values in PRVHLTIN were imputed. However, the name has changed (IRPINSUR in 1999-2001, IRPRVHLT in 2002) to reflect the fact that the imputation of missing values in PRVHLTIN was univariate from 1999-2001, and multivariate (with the other detailed variables) in 2002.

IRMCDCHP	Len : 1 MEDICAID/CHIP - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, respondent does have Medicaid/CHIP	152968	18.28
	2 = No, respondent does not have Medicaid/CHIP	683728	81.72

IIMCDCHP	Len : 1 MEDICAID/CHIP - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	829861	99.18
	3 = Statistically imputed data	6835	0.82

IRMEDICR	Len : 1 MEDICARE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, respondent does have Medicare	48961	5.85
	2 = No, respondent does not have Medicare	787735	94.15

IIMEDICR	Len : 1 MEDICARE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	833692	99.64
	3 = Statistically imputed data	3004	0.36

IRCHMPUS	Len : 1 CHAMPUS - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R has Tricare, Champus, VA, Military health	28397	3.39
	2 = No,R doesn't have Tricare,Chmps,VA,Military health.....	808299	96.61

IICHMPUS	Len : 1 CHAMPUS - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	833707	99.64
	3 = Statistically imputed data	2989	0.36

IRPRVHLT	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes, R does have private health insurance	525465	62.80
	2 = No, R does not have private health insurance	311231	37.20

IIPRVHLT	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	830991	99.32
	3 = Statistically imputed data	5705	0.68

PROXY INFORMATION

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

- (1) Not Covered by Private Insurance (IRPRVHLT=2)
- (2) Not Covered by Medicare (IRMEDICR=2)
- (3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)

Otherwise, they are not eligible and IROTHHLT=99.

IROTHHLT	Len : 2 OTHER HEALTH INSURANCE - IMPUTATION REVISED	Freq	Pct
	1 = Yes, R is covered by other health insurance.....	19464	2.33
	2 = No, R is not covered by other health insurance.....	124962	14.94
	99 = Legitimate Skip.....	692270	82.74

IIOTHHLT	Len : 1 OTHER HEALTH INSURANCE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	142125	16.99
	3 = Statistically imputed data.....	6733	0.80
	9 = LEGITIMATE SKIP.....	687838	82.21

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

HLCALLFG	Len : 2 FLAG IF EVERY FORM OF HEALTH INS REPORTED	Freq	Pct
	1 = Answered yes to all current health insurance Qs.....	124	0.01
	98 = BLANK (NO ANSWER)	836572	99.99

HLCALL99	Len : 2 YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN	Freq	Pct
	1 = Yes (see comment above)	127	0.02
	98 = BLANK (NO ANSWER)	836569	99.98

NOTE: The following variable, ANYHLT12, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.

ANYHLT12	Len : 2 COVERED BY ANY HEALTH INSURANCE - RECODE	Freq	Pct
	1 = Yes.....	706875	84.48
	2 = No.....	123092	14.71
	94 = DON'T KNOW	5836	0.70
	97 = REFUSED	499	0.06
	98 = OTHER MISSING.....	394	0.05

PROXY INFORMATION

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

- (1) Covered by private insurance (IRPRVHLT=1)
- (2) Covered by Medicare (IRMEDICR=1)
- (3) Covered by Medicaid/CHIPCOV (IRMCDCHP=1)
- (4) Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=1)
- (5) Covered by other health insurance (IROTHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions.

- (1) Not Covered by private insurance (IRPRVHLT=2)
- (2) Not Covered by Medicare (IRMEDICR=2)
- (3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (5) Not Covered by other health insurance (IROTHHLT=2)

IRINSUR4	Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION REVISED	Freq	Pct
	1 = Yes, respondent is covered by health insurance.....	711734	85.06
	2 = No, respondent is not covered by health insurance	124962	14.94
IIINSUR4	Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	829963	99.20
	3 = Statistically imputed data.....	6733	0.80
OTHINS	Len : 1 RC-OTHER HEALTH INSURANCE	Freq	Pct
	-9 = Data not collected for this year.....	54079	6.46
	1 = Yes (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1)	86813	10.38
	2 = No (Otherwise)	695804	83.16

INCOME

INCOME

This note applies to variables in this section marked by a².

NOTE: The order changed between 2015 and 2016 for the questions corresponding to CELLWRKNG and CELLNOTCL. In 2015, the question corresponding to CELLNOTCL appeared first. Review of the data for 2015 and 2016 suggested that any decreases in reports of coverage by telephones other than cell phones between 2015 and 2016 is likely to be attributable to overall declines in landline telephone coverage in the general population.

Do you or anyone at this address have a working cell phone?

CELLWRKNG	Len : 2 WORKING CELL PHONE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	111625	13.34
	2 = No.....	2271	0.27
	85 = BAD DATA Logically assigned.....	23	0.00
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	53	0.01
	98 = BLANK (NO ANSWER).....	62	0.01

Is there at least one telephone at this address that is not a cell phone?

CELLNOTCL	Len : 2 NOT A CELL PHONE		
		Freq	Pct
	-9 = Data not collected for this year.....	722653	86.37
	1 = Yes.....	47564	5.68
	2 = No.....	66286	7.92
	85 = BAD DATA Logically assigned.....	23	0.00
	94 = DON'T KNOW.....	46	0.01
	97 = REFUSED.....	62	0.01
	98 = BLANK (NO ANSWER).....	62	0.01

IRFAMSOC	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes.....	118909	14.21
	2 = No.....	714634	85.41
	99 = LEGITIMATE SKIP.....	3153	0.38

IIFAMSOC	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	824852	98.58
	3 = Statistically imputed data.....	8691	1.04
	9 = LEGITIMATE SKIP.....	3153	0.38

IRFAMSSI	Len : 1 FAM RECEIVE SSI - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes.....	56614	6.77
	2 = No.....	780082	93.23

IIFAMSSI	Len : 1 FAM RECEIVE SSI - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	825615	98.68
	3 = Statistically imputed data.....	11081	1.32

IRFSTAMP	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION REVISED		
		Freq	Pct
	1 = Yes.....	133225	15.92
	2 = No.....	703471	84.08

IIFSTAMP	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data.....	833194	99.58
	3 = Statistically imputed data.....	3502	0.42

INCOME

IRFAMPMT	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION REVISED		
	1 = Yes.....	Freq	Pct
	2 = No.....	31059	3.71
		805637	96.29
IIFAMPMT	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	830367	99.24
		6329	0.76
IRFAMSVC	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION REVISED		
	1 = Yes.....	Freq	Pct
	2 = No.....	39078	4.67
		797618	95.33
IIFAMSVC	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	831719	99.41
		4977	0.59
IRWELMOS	Len : 2 NO OF MONTHS ON WELFARE - IMPUTATION REVISED		
	RANGE = 1 - 12.....	Freq	Pct
	99 = LEGITIMATE SKIP.....	57306	6.85
		779390	93.15
IIWELMOS	Len : 1 NO OF MONTHS ON WELFARE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	54818	6.55
	9 = LEGITIMATE SKIP.....	9198	1.10
		772680	92.35
IRPINC3	Len : 1 RECODE - IMP.REVISED-RESP'S TOT INC		
	1 = Less than \$10,000 (Including Loss).....	Freq	Pct
	2 = \$10,000 - \$19,999.....	463255	55.37
	3 = \$20,000 - \$29,999.....	125908	15.05
	4 = \$30,000 - \$39,999.....	79113	9.46
	5 = \$40,000 - \$49,999.....	54094	6.47
	6 = \$50,000 - \$74,999.....	37119	4.44
	7 = \$75,000 or more.....	42276	5.05
		34931	4.17
IRFAMIN3	Len : 1 RECODE - IMP.REVISED - TOT FAM INCOME		
	1 = Less than \$10,000 (Including Loss).....	Freq	Pct
	2 = \$10,000 - \$19,999.....	82404	9.85
	3 = \$20,000 - \$29,999.....	107485	12.85
	4 = \$30,000 - \$39,999.....	100219	11.98
	5 = \$40,000 - \$49,999.....	94233	11.26
	6 = \$50,000 - \$74,999.....	91658	10.95
	7 = \$75,000 or more.....	140079	16.74
		220618	26.37
IIPINC3	Len : 1 IRPINC3 - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	Freq	Pct
	3 = Statistically imputed data.....	811692	97.01
		25004	2.99

IMPUTED INCOME AND INSURANCE

IMPUTED INCOME AND INSURANCE

IIFAMIN3	Len : 1	IRFAMIN3 - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	745144	89.06
		2 = Logically assigned data.....	6030	0.72
		3 = Statistically imputed data.....	85522	10.22

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVC).

GOVTPROG	Len : 1	RC-PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGR		
			Freq	Pct
		1 = YES (ANY SOURCE VARIABLE=1).....	175874	21.02
		2 = NO (ALL SOURCE VARIABLES=2)	660822	78.98

INCOME	Len : 1	RC-TOTAL FAMILY INCOME RECODE		
			Freq	Pct
		1 = Less than \$20,000	189889	22.70
		2 = \$20,000 - \$49,999	286110	34.20
		3 = \$50,000 - \$74,999	140079	16.74
		4 = \$75,000 or More	220618	26.37

POVERTY3	Len : 1	RC-POVERTY LEVEL-NEW INC (% OF US CENSUS POVERTY THRESHOLD)		
			Freq	Pct
		. = Persons Aged 18-22 in a College Dorm (See comment above).....	876	0.10
		-9 = Data not collected for this year.....	722653	86.37
		1 = Living in Poverty (See comment above).....	22815	2.73
		2 = Income Up to 2X Fed Pov Thresh (See comment above)	25167	3.01
		3 = Income More Than 2X Fed Pov Thresh (See comment above).....	65185	7.79

FI DEBRIEFING QUESTIONS

FI DEBRIEFING QUESTIONS

Did the respondent make any comments about the interview being too long?

TOOLONG	Len : 2 RESP SAID INTERVIEW WAS TOO LONG		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	7756	0.93
	2 = No.....	105991	12.67
	98 = BLANK (NO ANSWER)	296	0.04

Did the respondent have trouble understanding any questions asked during the interview?

TROUBUND	Len : 2 DID RESP HAVE TROUBLE UNDERSTANDING INTERVIEW		
		Freq	Pct
	-9 = Data not collected for this year	722653	86.37
	1 = Yes.....	5919	0.71
	2 = No.....	107828	12.89
	98 = BLANK (NO ANSWER)	296	0.04

The variable PDEN90 is based on 1990 Census data and the June 1990 Metropolitan Area classifications provided by the Office of Management and Budget (OMB).

PDEN90	Len : 1 POPULATION DENSITY		
		Freq	Pct
	-9 = Data not collected for this year	671785	80.29
	1 = Segment in a MSA with 1 million or more persons	58857	7.03
	2 = Segment in a MSA with fewer than 1 million persons	61164	7.31
	3 = Segment not in a MSA.....	44890	5.37

COUNTY

GEOGRAPHIC

COUNTY

The variable PDEN00 is based on 2000 Census data and the June 2003 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN00	Len : 1 POPULATION DENSITY 2000		
		Freq	Pct
	-9 = Data not collected for this year	169314	20.24
	1 = Segment in a CBSA with 1 million or more persons.....	280872	33.57
	2 = Segm. in a CBSA with fewer than 1 million persons	329606	39.39
	3 = Segment not in a CBSA	56904	6.80

NOTE: COUTYP2 is recoded based on the 2003 Rural/Urban Continuum Codes.

COUTYP2	Len : 1 COUNTY METRO/NONMETRO STATUS (2003-LEVEL)		
		Freq	Pct
	-9 = Data not collected for this year	114043	13.63
	1 = Large Metro	319570	38.19
	2 = Small Metro	247640	29.60
	3 = Nonmetro.....	155443	18.58

COUNTY

GEOGRAPHIC

COUNTY

The variable PDEN10 is based on 2010 Census data and the December 2009 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN10 Len : 1 POPULATION DENSITY 2010 - THREE LEVELS

	Freq	Pct
-9 = Data not collected for this year	667382	79.76
1 = Segment in a CBSA with 1 million or more persons.....	72834	8.70
2 = Segm. in a CBSA with fewer than 1 million persons	83248	9.95
3 = Segment not in a CBSA	13232	1.58

NOTE: COUTYP4 is recoded based on the 2013 Rural/Urban Continuum Codes. Although similar in concept, it is not fully comparable to variable COUTYP2 used in 2014 and prior years.

COUTYP4 Len : 1 COUNTY METRO/NONMETRO STATUS (2013 3-LEVEL)

	Freq	Pct
-9 = Data not collected for this year	722653	86.37
1 = Large Metro	51692	6.18
2 = Small Metro	40161	4.80
3 = Nonmetro.....	22190	2.65

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas - areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs)- reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries. OTSAs were referred to as Tribal Jurisdiction Statistical Areas (TJSAs) in the 1990 Census data products.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries. SDTSAs are not defined for Census 1990. Some SDTSAs are defined as TDSAs in the 1990 census data.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN902. MAIIN902 is based on 1990 census data.

MAIIN902 Len : 2 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year	671785	80.29
1 = Segment in an American Indian area	3528	0.42
2 = Segment not in an American Indian area	161383	19.29

SEGMENT

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas - areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries. SDTSAs were called State Designated American Indian Statistical Areas (SDAISAs) for Census 2000.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN002. MAIIN002 is based on 2000 census data.

MAIIN002

Len : 2 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year	334225	39.95
1 = Segment in an American Indian area	10956	1.31
2 = Segment not in an American Indian area	491515	58.74

SEGMENT

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN102. MAIIN102 is based on 2010 census data.

MAIIN102

Len : 1 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year	667382	79.76
1 = Segment in an American Indian area	3445	0.41
2 = Segment not in an American Indian area	165869	19.82

BLOCK

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

The variable AIIND102 is based on 2010 census data and is defined by mapping the census block in which a respondent resides to the 2010 census file.

AIIND102	Len : 1	AMER INDIAN AREA INDICATOR		
			Freq	Pct
		-9 = Data not collected for this year	667382	79.76
		1 = Census block in an American Indian area	3469	0.41
		2 = Census block not in an American Indian area	165845	19.82

The following variable, SPDWGHT, is the product of 14 weight components. Among them, the first 12 components are the same as the first 12 components (YR04WT1 to YR04WT12) for the person-level analysis weight (ANALWT). After the person-level nonresponse adjustment (YR04WT12), a split sample factor (reciprocal of the quarterly sample split proportions) was applied to adult Sample A and B. A separate post-stratification was done for both Sample A and Sample B so that the weights for both subsamples were controlled to the Census population estimates for the civilian non-institutional population aged 18+. SPDWGHT is set to zero for youths aged 12-17 and 6 adults not assigned to either portion of the split sample. SPDWGHT can be used for generating Serious Psychological Distress (SPD) estimates using Sample A data, or using Sample B data. However, if SPD estimates are generated using both Sample A and Sample B combined data then ANALWT should be used. SPDWGHT can also be used for producing adult depression estimates for Sample B. NOTE: For specific details of defining SPD, please refer to the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

SPDWT_C	Len : 12	ANALYSIS WEIGHTS FOR SPD ESTIMATES
----------------	----------	------------------------------------

The following variable, DEPWT, has been created to allow estimates for both the Youth and Adult Depression data to be generated in one analysis. This is accomplished by combining into one variable the final person level analysis weight (ANALWT) for youths aged 12-17 and the split sample weight (SPDWGHT) for adults aged 18+ in Sample B, and assigning a weight of zero for adults 18+ not in Sample B. Adult Depression is only available for respondents in Sample B (ADLTSAMP=2). Specifically: DEPWT=ANALWT when 12<=AGE<=17 DEPWT=SPDWGHT when AGE>=18 and ADLTSAMP=2 DEPWT=0 when AGE>=18 and ADLTSAMP not 2.

DEPWT_C	Len : 12	COMBINED WEIGHT FOR DEPRESSION ANALYSIS
----------------	----------	---

The following variable, MHSAWT_C, is a weight variable created for mental health analysis for adult Sample A or Sample B. A separate post-stratification was done for both Sample A and Sample B so that the weights for each of the sub-samples were controlled to the Census population estimates for the civilian non-institutional population aged 18+. MHSAWT_C is set to zero for youths aged 12-17 and the 8 adults not assigned to either portion of the split sample. MHSAWT_C can be used for generating adult mental health estimates using Sample A data, or using Sample B data, separately. However, if mental health estimates are generated using both Sample A and Sample B combined data then ANALWT_C should be used.

MHSAWT_C	Len : 12	MENTAL HEALTH ADULT SPLIT SAMPLE WEIGHT
-----------------	----------	---

VESTR	Len : 5	ANALYSIS STRATUM
--------------	---------	------------------

VEREP	Len : 2	ANALYSIS REPLICATE
--------------	---------	--------------------

BLOCK

ANALWC1	Len : 8	ANALYSIS WEIGHT- ESTIMATES USING 1 YEAR OF DATA
ANALWC2	Len : 8	ANALYSIS WEIGHT- ESTIMATES USING 2 YEARS OF DATA
ANALWC3	Len : 8	ANALYSIS WEIGHTS FOR THREE YEAR DATA ANALYSIS
ANALWC4	Len : 8	ANALYSIS WEIGHTS FOR FOUR YEAR DATA ANALYSIS
ANALWC5	Len : 8	ANALYSIS WEIGHTS FOR FIVE YEAR DATA ANALYSIS
ANALWC6	Len : 0	ANALYSIS WEIGHTS FOR SIX YEAR DATA ANALYSIS
ANALWC7	Len : 8	ANALYSIS WEIGHTS FOR SEVEN YEAR DATA ANALYSIS
ANALWC8	Len : 8	ANALYSIS WEIGHTS FOR EIGHT YEAR DATA ANALYSIS
ANALWC9	Len : 8	ANALYSIS WEIGHTS FOR NINE YEAR DATA ANALYSIS
ANALWC10	Len : 8	ANALYSIS WEIGHTS FOR TEN YEAR DATA ANALYSIS
ANALWC11	Len : 8	ANALYSIS WEIGHTS FOR ELEVEN YEAR DATA ANALYSIS
ANALWC12	Len : 8	ANALYSIS WEIGHTS FOR TWELVE YEAR DATA ANALYSIS
ANALWC13	Len : 8	ANALYSIS WEIGHTS FOR THIRTEEN YEAR DATA ANALYSIS
ANALWC14	Len : 8	ANALYSIS WEIGHTS FOR FOURTEEN YEAR DATA ANALYSIS
ANALWC15	Len : 8	ANALYSIS WEIGHTS FOR FIFTEEN YEAR DATA ANALYSIS

INDEX

INDEX

AALTMDE.....	905	ADDERALL.....	337	ADWRSLEP.....	883
ABDILAAL.....	523	ADDEREC.....	338	ADWRSLNO.....	884
ABILANAL.....	522	ADDEYRR.....	369	ADWRSLOW.....	884
ABILLALC.....	522	ADDPDISC.....	877	ADWRSMOR.....	884
ABODALC.....	529	ADDPLSIN.....	878	ADWRSPLN.....	886
ABODANL.....	522	ADPPROB.....	880	ADWRSTHK.....	886
ABODCOC.....	529	ADDP2WK.....	878	ADWRTHOT.....	885
ABODHAL.....	523	ADDPREV.....	877	ADWRWRTH.....	886
ABODHER.....	529	ADDSCEV.....	877	AEROS.....	87
ABODIEM.....	523	ADDSLSIN.....	878	AEROS2.....	277
ABODILAL.....	523	ADFAMDOC.....	893	AGE2.....	1027
ABODILL.....	523	ADHERBAL.....	895	AHBCHMDE.....	904
ABODINH.....	523	ADLOSEV.....	877	AHLMDE.....	905
ABODMRJ.....	529	ADLSI2WK.....	878	AIIND102.....	1078
ABODPSY.....	523	ADLTSAMP.....	809	AIRDUSTER.....	101
ABOSED.....	523	ADNURSE.....	894	AIRDUSTER2.....	302
ABODSTM.....	523	ADOCMDE.....	903	AJAMDE_U.....	900
ABODTRN.....	523	ADOTHDOC.....	893	AJAMDELT.....	900
ABPYILANAL.....	529	ADOTHHLP.....	895	AJAMDEYR.....	900
ABPYILLALC.....	528	ADOTHMHP.....	894	AL30EST.....	32
ABUPOSHAL.....	488	ADPB2WK.....	890	ALBSTWAY.....	31
ABUPOSINH.....	488	ADPBAGE.....	889	ALCAFU.....	315
ABUPOSMTH.....	488	ADPBDLYA.....	889	ALCAFU2.....	316
ABUPOSPNR.....	488	ADPBINTF.....	889	ALCAFU3.....	316
ABUPOSED.....	489	ADPBNUM.....	890	ALCAGLST.....	595
ABUPOSSTM.....	489	ADPBRMBR.....	889	ALCAVGM.....	286
ABUPOSTRQ.....	489	ADPSDAYS.....	892	ALCBNG30D.....	33
ABUSEALC.....	527	ADPSHMGY.....	890	ALCCUTIX.....	432
ABUSEANL.....	521	ADPSRELS.....	891	ALCCUDN.....	431
ABUSECOC.....	527	ADPSSOC.....	892	ALCCUTEV.....	432
ABUSEHAL.....	521	ADPSWORK.....	891	ALCDAYS.....	32
ABUSEHER.....	527	ADPSYCH.....	893	ALCDOC.....	684
ABUSEIEM.....	522	ADPSYMD.....	894	ALCEMCTD.....	433
ABUSEILL.....	522	ADRELIG.....	894	ALCEMOPB.....	433
ABUSEINH.....	521	ADRX12MO.....	895	ALCEVER.....	29
ABUSEMRJ.....	527	ADRXHLP.....	896	ALCFLAG.....	292
ABUSEPSY.....	522	ADRXNOW.....	895	ALCFMCTD.....	435
ABUSEPYHAL.....	527	ADSEEDOC.....	893	ALCFMFPB.....	435
ABUSEPYIEM.....	528	ADSMMDA.....	888	ALCGTOVR.....	430
ABUSEPYILL.....	528	ADSOCWRK.....	894	ALCHOSP.....	684
ABUSEPYINH.....	527	ADTMTHLP.....	896	ALCJAIL.....	684
ABUSEPYMTH.....	527	ADTMTNOW.....	895	ALCKPLMT.....	431
ABUSEPYPNR.....	528	ADWRAGE.....	880	ALCLAWTR.....	435
ABUSEPYPSY.....	528	ADWRCHR.....	879	ALCLIMIT.....	430
ABUSEPYSED.....	528	ADWRCONC.....	885	ALCLOTMT.....	430
ABUSEPYSTM.....	528	ADWRDBTR.....	886	ALCLSACT.....	434
ABUSEPYTRQ.....	528	ADWRDCSN.....	885	ALCLSEFX.....	431
ABUSESED.....	521	ADWRDEPR.....	881	ALCMDAYS.....	317
ABUSESTM.....	521	ADWRDIET.....	883	ALCMFU.....	30
ABUSETRN.....	522	ADWRDISC.....	881	ALCMHC.....	684
ABUSEXMJ.....	522	ADWRDLOT.....	886	ALCMLU.....	596
ACOUNMDE.....	904	ADWRDST.....	879	ALCMON.....	292
ACTD2001.....	1028	ADWRELES.....	882	ALCNDMOR.....	431
ACTD7590.....	1028	ADWREMEM.....	882	ALCNUMDKPM.....	319
ACTD9001.....	1028	ADWRENRG.....	884	ALCONFL.....	264
ACTDEVER.....	1028	ADWRGAIN.....	882	ALCONMO.....	264
ACTDPRIV.....	1029	ADWRGNL2.....	883	ALCONYR.....	264
ACTDVIET.....	1029	ADWRGROW.....	882	ALCPAID.....	681
AD_MDEA1.....	887	ADWRHRS.....	879	ALPCARE.....	681
AD_MDEA2.....	887	ADWRIMP.....	879	ALPCPCORT.....	681
AD_MDEA3.....	887	ADWRJINO.....	885	ALPCPDANG.....	434
AD_MDEA4.....	887	ADWRJITT.....	884	ALCPEMPL.....	681
AD_MDEA5.....	887	ADWRLOSE.....	883	ALCPFMLY.....	681
AD_MDEA6.....	888	ADWRLSIN.....	881	ALCPHCTD.....	434
AD_MDEA7.....	888	ADWRLSL2.....	883	ALCPHLPB.....	433
AD_MDEA8.....	888	ADWRNOGD.....	885	ALCPINS.....	680
AD_MDEA9.....	888	ADWRPLSR.....	881	ALCPMILC.....	681
ADCOUNS.....	894	ADWRPREG.....	882	ALCPPUBP.....	681
ADDEFLGR.....	369	ADWRPROB.....	880	ALCPSAVE.....	681
ADDEMONR.....	369	ADWRSATP.....	887	ALCREC.....	30

INDEX

ALCRFIN	684	ANALWC11	1079	ANLOTHWY	557
ALCRFOP	684	ANALWC12	1079	ANLPDANG	405
ALCSERP	434	ANALWC13	1079	ANLPHCTD	404
ALCSHG	684	ANALWC14	1079	ANLPLPB	404
ALCTRMT	678	ANALWC15	1079	ANLRX1D2	653
ALCTRY	29	ANALWC2	1079	ANLRX1DR	554
ALCTXER	684	ANALWC3	1079	ANLRXDRS	555
ALCUS30D	32	ANALWC4	1079	ANLRXDS2	653
ALCWD2SX	432	ANALWC5	1079	ANLRXFAK	555
ALCWDSMT	433	ANALWC6	1079	ANLRXFK2	654
ALCYDAYS	316	ANALWC7	1079	ANLSERP	405
ALCYFU	29	ANALWC8	1079	ANLSRCF2	661
ALCYLU	595	ANALWC9	1079	ANLSRCFR	650
ALCYR	292	ANALYFU	137	ANLSTOL2	654
ALCYRBFR	605	ANALYLU	546	ANLSTOLE	555
ALCYRTOT	30	ANLAGLST	546	ANLWD3SX	403
ALDAYPMO	31	ANLCARD	117	ANLWDSMT	403
ALDAYPWK	31	ANLCUT1X	402	ANLYR	271
ALDAYPYR	31	ANLCUTDN	402	ANLYRTOT	138
ALDYSFG	32	ANLCUTEV	402	ANOSTMAPYU	307
ALFQFLG	30	ANLDEAL2	654	ANOSTMPYMU	314
ALLUSEFL	268	ANLDEALR	556	ANURSMDE	904
ALLUSEMO	268	ANLEMCTD	404	ANXDLIF	754
ALLUSEYR	268	ANLEMOB	403	ANXDYR	754
ALPRPDAPYU	305	ANLEVER	137	ANYBARB	285
ALPRDPYMU	312	ANLFFID2	663	ANYEDUC3	856
ALTOTFG	30	ANLFF1DR	557	ANYHLT2	1068
AMBIEN	337	ANLFFAK2	664	ANYMHED	910
AMBIFLGR	369	ANLFFAKE	558	ANYMHED2	950
AMBIMONR	369	ANLFFBOT	559	ANYMHIN	923
AMBIREC	338	ANLFFBY2	664	ANYMHIN2	949
AMBIYRR	369	ANLFFDL2	664	ANYMHOUT	949
AMDEHARX	905	ANLFFDLR	559	ANYNDLREC	371
AMDEHPO	905	ANLFFDRS	558	ANYNEEDL	371
AMDEHPRX	905	ANLFFDS2	663	ANYNSMH	950
AMDEIMP	906	ANLFFLAS	561	ANYSEDMF	950
AMDELT	902	ANLFFLSP	562	ANYSMH	923
AMDERXO	901	ANLFFNET	559	ANYSMH2	949
AMDERXO2	905	ANLFFNT2	664	ANYSMHPS	910
AMDETARX	901	ANLFFOSP	560	ANYSMPS2	913
AMDET XO	901	ANLFFOT2	665	ANYTRT10	909
AMDET XRX	903	ANLFFOTH	560	ANYTRT9	909
AMDEY2_U	902	ANLFFRE2	664	AOMDMDE	903
AMDEYR	902	ANLFFREE	558	AOMHMDE	904
AMDXPHEN	284	ANLFFST2	664	AOTHMDE	904
AMHINP2	798	ANLFFSTL	558	APDRGMON	381
AMHOUTP3	798	ANLFFSTAK	559	APDRGMON2	386
AMHRX2	798	ANLFFTK2	664	APPSELDG	384
AMHSVNO	799	ANLFLAG	271	APSY1MDE	903
AMHSVTYP	799	ANLFMCTD	406	APSY2MDE	903
AMHTXAND	799	ANLFMFPB	405	ARELMDE	904
AMHTXND2	799	ANLFRBUY	556	ARGUPAR	853
AMHTXRC3	798	ANLFRBY2	654	ARXMDEYR	903
AMIDA2_U	870	ANLFRFE2	654	ASDSHOM2	906
AMISUDPY	876	ANLFRFRE	555	ASDSHOME	899
AMIYR_U	874	ANLFRFK2	654	ASDSOVL2	906
AMMEPDAPYU	306	ANLFRTK2	556	ASDSOVL2	900
AMMEPDYMU	313	ANLGTLA2	561	ASDSREL	900
AMPHETAPYU	307	ANLGTLAS	540	ASDSREL2	906
AMPHETPYMU	314	ANLGTOS2	563	ASDSSOC	900
AMYLNIT	99	ANLGTQVR	400	ASDSSOC2	906
AMYLNIT2	301	ANLINET	556	ASDSWRK	899
AMYTAL	203	ANLINET2	654	ASDSWRK2	906
AMYTAL2	284	ANLKPLMT	401	ASMALIF	754
ANALAGE	137	ANLLAWTR	405	ASMAYR	754
ANALMFU	138	ANLLIMIT	401	ASOCMDE	903
ANALMLU	546	ANLLOTM	400	ASTHMAAGE	772
ANALNEWA	122	ANLLSACT	404	ASTHMAEVR	766
ANALNEWB	128	ANLLSEFX	401	ASTHMANOW	772
ANALNEWC	132	ANLLTSC	648	ATARAX	153
ANALNEWD	134	ANLNMOR	271	ATARAX2	280
ANALNEWE	136	ANLNOLMOR	401	ATXMDEYR	903
ANALREC	138	ANLNOLST	121	AUALACUP	792
ANALWC1	1079	ANLOTHS2	557	AUALCHIR	792
ANALWC10	1079	ANLOTHW2	655	AUALHERB	792

INDEX

AUALHLIN	793	AUUNNTSP	790	CABUNDAG	1009
AUALINET	793	AUUNRIM2	791	CABUYFRE	1008
AUALMASG	793	AUUNSOR	790	CABUYWHO	1008
AUALOTH	793	AUUNWHER	789	CACERVIX	768
AUALOTS2	794	AVGGRADE	852	CACOLNRECT	768
AUALRELG	793	BARBITAPYU	309	CADRBAR	1006
AUALSGRP	793	BENZOS	282	CADR CAR	1005
AUALTYR	792	BIDI30US	365	CADREVN	1006
AUINAHSP	778	BIDIEVER	365	CADRHOME	1006
AUINMEDU	778	BIDIFLGR	373	CADRKANL	998
AUINGEN	778	BIDIMONR	373	CADRKCOC	997
AUINPSYH	778	BIDIREC	365	CADRKCOCN	1011
AUINPYR	778	BIDIYRR	373	CADRKCOCN2	1023
AUINRES	779	BINGEDRK	276	CADRKDRG	997
AUINSFAC	779	BINGEVY	276	CADRKDRUG	1010
AUMOTVYR	794	BKAGASLT	531	CADRKHAL	998
AUNMAHS2	779	BKARSON	535	CADRKHALL	1011
AUNMCLN2	785	BKBURGL	534	CADRKHALL2	1023
AUNMDOC2	785	BKDRUG	536	CADRKHER	998
AUNMDTM2	785	BKDRUNK	535	CADRKHERN	1011
AUNMMED2	779	BKDRVIN	535	CADRKHERN2	1023
AUNMMEN2	784	BKFRAUD	536	CADRKINH	998
AUNMOTO2	785	BKLARCNY	534	CADRKINHL	1012
AUNMPGE2	779	BKMURDER	531	CADRKINHL2	1023
AUNMPSY2	779	BKMVTHFT	533	CADRKMARJ	1011
AUNMRES2	780	BKOTH	536	CADRKMARJ2	1023
AUNMSFA2	780	BKOTHOF2	537	CADRKMETH	1012
AUNMTHE2	784	BKPOSTOB	535	CADRKMETH2	1023
AUOPCLNC	783	BKPROS	531	CADRKMJR	997
AUOPDOC	783	BKRAPE	531	CADRKMTH	999
AUOPDTMT	783	BKROB	535	CADRKSED	999
AUOPMENT	782	BKSEXNR	536	CADRKSTM	999
AUOPOTOP	783	BKSEXOFF	532	CADRKTRN	999
AUOPTHER	783	BKSMASLT	534	CADR LAST	1005
AUOPTYR	782	BKSRVIOL	534	CADROTH	1007
AUOPYRS2	784	BLNT30C1	389	CADROTHM	1006
AUPINEMP	781	BLNT30C2	389	CADROTS2	1007
AUPINFM2	782	BLNT30DY	389	CADRPEOP	1005
AUPINFRE	781	BLNTAGE	387	CADR PUBL	1006
AUPINMCD	781	BLNTEVER	387	CADR SCHL	1007
AUPINMCR	780	BLNTMFU	388	CAESOPSTOM	768
AUPINMIL	781	BLNTNOMJ	390	CAFRESP2	1010
AUPINOFM	780	BLNTREC	388	CAFREWHO	1009
AUPINPHI	780	BLNTYFU	387	CAGALLIVPAN	768
AUPINPRV	781	BLRECFL2	388	CAGVMONY	1008
AUPINPUB	781	BMI2	777	CAGVWHO	1009
AUPINREH	781	BNGDRKMON	300	CAIDCHIP	1063
AUPINSLF	780	BNGHVYMON	300	CAKIDNEY	768
AUPOPAMT	787	BOOKED	533	CALARYLUNG	769
AUPOPEMP	786	BRONCLIF	755	CAMELANTH	769
AUPOPFRE	787	BRONCYR	755	CAMOUTTHRO	769
AUOPMCD	786	BUPRPDAPYU	304	CANCEREVR	767
AUOPMCR	786	BUPRPDPYMU	310	CANCERYR	770
AUOPMIL	786	BUSPAR	153	CAOTHER2	767
AUOPMOS	787	BUSPAR2	280	CAOVARY	769
AUPOPOFM	785	BUTISOL	203	CAPROSTEST	769
AUPOPPHI	786	BUTISOL2	285	CASKINDK	770
AUPOPPRV	787	CA4FDAGE	1002	CASKINOTH	769
AUPOPPUB	786	CA4FDDYS	1002	CATAG2	1034
AUOPPREH	786	CA4FDEV	1002	CATAG3	1034
AUPOPSLF	785	CA4FDMFU	1003	CATAG6	1034
AURXYR	788	CA4FDYFU	1003	CATAG7	1034
AUUNBUSY	790	CABINGAGE	1013	CATAGE	1034
AUUNCFID	789	CABINGEVR	1012	CATHYROID	770
AUUNCMIT	789	CABINGFLG	1012	CAUTERUS	770
AUUNCMOST	788	CABINGMFU	1013	CC30EST	41
AUUNENUF	789	CABINGYFU	1013	CCBSTWAY	39
AUUNFOUT	790	CABLADDER	767	CCDAYPMO	40
AUUNHNDL	790	CABLOLEULYM	767	CCDAYPWK	40
AUUNJOB	788	CABNGAGE	1000	CCDAYPYR	40
AUUNMTYR	788	CABNGEV	1000	CCFQLG	39
AUUNNBR	788	CABNGMFU	1001	CCTOTFG	39
AUUNNCOV	789	CABNGYFU	1001	CDGMO	300
AUUNNHLP	790	CABPLACE	1008	CDNOCGMO	300
AUUNNOND	789	CABREAST	768	CDUFLAG	300

INDEX

CELLNOTCL.....	1070	CIGMLU.....	592	COCYR.....	292
CELLWRKNG.....	1070	CIGMON.....	291	COCYRBFR.....	606
CG30EST.....	15	CIGNMCHG.....	428	COCYRTOT.....	39
CGALONFL.....	265	CIGNOINF.....	429	CODEINE.....	117
CGALONMO.....	265	CIGOFRSM.....	13	CODEINE2.....	277
CGALONYR.....	265	CIGONFL.....	264	COLDFLGR.....	372
CGR30BR2.....	26	CIGONMO.....	264	COLDMEDS.....	339
CGR30USE.....	24	CIGONYR.....	264	COLDMONR.....	372
CGRAGLST.....	594	CIGPDAY.....	318	COLDREC.....	339
CGRFLAG.....	291	CIGPLANE.....	427	COLDYR1.....	340
CGRMON.....	291	CIGREC.....	14	COLDYR2.....	344
CGRYR.....	291	CIGREGDY.....	427	COLDYR3.....	347
CH30EST.....	8	CIGREGNM.....	428	COLDYR4.....	348
CHAMPUS.....	1064	CIGREGWK.....	427	COLDYR5.....	349
CHEWEVER.....	6	CIGRNOUT.....	427	COLDYRR.....	372
CHEWMFU.....	7	CIGSATS.....	429	COLLENR.....	1049
CHEWMLU.....	542	CIGSVLHR.....	428	COLLENR2.....	1049
CHEWREC.....	8	CIGTRY.....	13	COMBATPY.....	1029
CHEWTRY.....	7	CIGWAKE.....	430	CONDLREC.....	350
CHEWYFU.....	7	CIGWILYR.....	13	COPDAGE.....	771
CHEWYLU.....	542	CIGYFU.....	13	COPDEVER.....	766
CHHYD.....	203	CIGYLU.....	591	COUNMDE.....	989
CHHYD2.....	285	CIGYR.....	291	COUTYP2.....	1074
CHMNDLREC.....	371	CIGYRBFR.....	605	COUTYP4.....	1075
CHW30BR2.....	9	CIRRLIF.....	755	CPNMTHFG.....	273
CHW30USE.....	8	CIRROSAGE.....	771	CPNMTHMN.....	273
CHWAGLST.....	542	CIRROSEVR.....	766	CPNMTHYR.....	273
CHWFLAG.....	270	CIRRYR.....	755	CPNNDFLG.....	368
CHWMON.....	270	CLEFLU.....	99	CPNNDMTH.....	369
CHWYR.....	270	CLEFLU2.....	301	CPNNDSTM.....	369
CI30EST.....	25	CLINVT.....	951	CPNPSYFG.....	274
CIG100LF.....	21	CLONPDAPYU.....	305	CPNPSYMN.....	275
CIG1PACK.....	319	CLONPDPYMU.....	312	CPNPSYYR.....	274
CIG30AV.....	15	CLOV30US.....	366	CPNSTMFG.....	272
CIG30BR2.....	16	CLOVEVER.....	365	CPNSTMMN.....	273
CIG30MEN.....	19	CLOVFLGR.....	373	CPNSTMYR.....	272
CIG30MLN.....	19	CLOVMONR.....	373	CR30EST.....	45
CIG30RO2.....	19	CLOVREC.....	366	CRAKREC.....	43
CIG30TPE.....	19	CLOYRR.....	373	CRBSTWAY.....	44
CIG30TYP.....	3	COCAGE.....	38	CRDAYPMO.....	44
CIG30USE.....	14	COCAGLST.....	596	CRDAYPWK.....	44
CIGAFU.....	315	COCCUT1X.....	442	CRDAYPYR.....	44
CIGAGE.....	20	COCCUTDN.....	441	CRFQFLG.....	43
CIGAGLST.....	591	COCCUTEV.....	441	CRKAGE.....	42
CIGALCMO.....	300	COCEMCTD.....	443	CRKAGLST.....	597
CIGAREVR.....	23	COCEMOPB.....	443	CRKEVER.....	42
CIGARMFU.....	24	COCEVER.....	38	CRKFLAG.....	293
CIGARMLU.....	595	COCFLAG.....	292	CRKMFU.....	43
CIGARREC.....	24	COCFLBLU.....	442	CRKMLU.....	598
CIGARTRY.....	23	COCFMCTD.....	445	CRKMON.....	293
CIGARYFU.....	23	COCFMFPB.....	445	CRKUS30A.....	45
CIGARYLU.....	594	COCGTOVR.....	440	CRKYFU.....	42
CIGAVGD.....	319	COCKPLMT.....	441	CRKYL.....	597
CIGAVGM.....	319	COCLAWTR.....	444	CRKYR.....	293
CIGAVOID.....	426	COCLIMIT.....	440	CRKYRTOT.....	43
CIGCPNY.....	269	COCLOTTM.....	440	CRTOTFG.....	43
CIGCRAGP.....	425	COCLSACT.....	444	CYCLPDAPYU.....	306
CIGCRAVE.....	425	COCLSEFX.....	441	CYCLPDPYMU.....	313
CIGDLLST.....	592	COCMDAYS.....	317	CYLERT.....	175
CIGDLMFU.....	20	COCMFU.....	38	CYLERT2.....	282
CIGDLMLU.....	593	COCMLU.....	597	DALMANE.....	204
CIGDLYFU.....	20	COCMON.....	293	DALMANE2.....	285
CIGDLYLU.....	592	COCNDMOR.....	441	DAMTFXFLAG.....	294
CIGDLYMO.....	20	COCNEEDL.....	350	DAMTFXMON.....	294
CIGEVER.....	13	COCPDANG.....	444	DAMTFXREC.....	86
CIGFLAG.....	291	COCPHCTD.....	443	DAMTFXYR.....	294
CIGFNLKE.....	426	COCPHLPB.....	443	DARVTYL2.....	277
CIGFNSMK.....	426	COCREC.....	39	DARVTYLC.....	116
CIGINCRS.....	429	COCSERP.....	444	DCIGAFU.....	315
CIGINCTL.....	426	COCUS30A.....	40	DCIGMON.....	300
CIGINFLU.....	428	COCWD2SX.....	442	DEMCPDAPYU.....	304
CIGIRTBL.....	425	COCWDSMT.....	442	DEMCPDPYMU.....	311
CIGLOTMR.....	429	COCYDAYS.....	316	DEMEROL.....	117
CIGMDAYS.....	317	COCYFU.....	38	DEMEROL2.....	277
CIGMFU.....	14	COCYLU.....	596	DEPENDHAL.....	486

INDEX

DEPENDINH.....	487	DR5DAY.....	28	ECSYFU.....	69
DEPENDMTH.....	487	DRGDOC.....	685	ECSYLU.....	544
DEPENDPNR.....	487	DRGHOSP.....	685	ECSYR.....	271
DEPENDSED.....	487	DRGJAIL.....	685	ED4FLAG.....	1000
DEPENDSTM.....	487	DRGLECT2.....	851	EDFAM18.....	1059
DEPENDTRQ.....	487	DRGMHC.....	685	EDUCATHP.....	1033
DEPNDALC.....	525	DRGPLCY.....	1055	EDUCATN2.....	1039
DEPNANL.....	519	DRGPRGM.....	1056	EDUCCAT2.....	1033
DEPNDCOC.....	525	DRGRFIN.....	685	EDUHIGCAT.....	1035
DEPNDHAL.....	519	DRGRFOP.....	685	EI4FDAGE.....	1003
DEPNDBER.....	525	DRGSHG.....	685	EI4FDDYS.....	1002
DEPNDIEM.....	520	DRGTXER.....	685	EI4FDMFU.....	1004
DEPNDILL.....	520	DRIVALC2.....	539	EI4FDYFU.....	1003
DEPNDINH.....	519	DRIVALD2.....	539	EIBINGAGE.....	1014
DEPNDMRJ.....	525	DRIVDRG2.....	539	EIBINGMFU.....	1014
DEPNDPY.....	521	DRKANL.....	1018	EIBINGYFU.....	1014
DEPNDPYHAL.....	525	DRKCCOC.....	1018	EIBNGAGE.....	1000
DEPNDPYIEM.....	526	DRKHAL.....	1018	EIBNGMFU.....	1001
DEPNDPYILL.....	526	DRKHER.....	1018	EIBNGYFU.....	1001
DEPNDPYINH.....	525	DRKIEM.....	1019	EIMOVYPR.....	1037
DEPNDPYMTH.....	525	DRKINH.....	1018	EIMOVYRR.....	1038
DEPNDPYPNR.....	526	DRKMRJ.....	1017	EMPSTAT4.....	1062
DEPNDPYPSY.....	526	DRKMTH.....	1018	EMPSTATY.....	1062
DEPNDPYSED.....	526	DRKSED.....	1019	EQUANIL.....	153
DEPNDPYSTM.....	526	DRKSTM.....	1018	EQUANIL2.....	280
DEPNDPYTRQ.....	526	DRKSUM.....	1019	ESKAT.....	176
DEPNDSER.....	520	DRKTRN.....	1018	ESKAT2.....	283
DEPNDSTM.....	520	DRPRVME3.....	856	ESZOPDAPYU.....	308
DEPNDRN.....	520	DRVALDR.....	532	ESZOPDPYMU.....	315
DEPNDXMJ.....	520	DRVAONLY.....	532	ETHER.....	100
DEPRSLIF.....	755	DRVDONLY.....	532	ETHER2.....	302
DEPRSYR.....	755	DRVFLAG.....	533	FDOCANGR.....	965
DEPWT_C.....	1078	DSTCHEER.....	831	FDOCBRK.....	965
DETAMP.....	175	DSTCHR12.....	863	FDOC DPR.....	964
DETAMP2.....	283	DSTCHR30.....	861	FDOCEAT.....	965
DEXED.....	175	DSTDEPRS.....	823	FDOCFEA.....	964
DEXED2.....	282	DSTEFF12.....	863	FDOCFITE.....	965
DGRGCLS2.....	851	DSTEFF30.....	861	FDOCFMLY.....	965
DGSPCLS2.....	851	DSTEFFRT.....	831	FDOCFRND.....	965
DIABETEAG.....	771	DSTHOP12.....	862	FDOC MEND.....	965
DIABETEVR.....	765	DSTHOP30.....	861	FDOCOTH2.....	966
DIABLIF.....	755	DSTHOPLS.....	830	FDOCOTPP.....	965
DIABYR.....	755	DSTNCALM.....	822	FDOC SCHL.....	965
DIAZPDAPYU.....	305	DSTNGD12.....	864	FDOCSUI.....	964
DIAZPDPYMU.....	312	DSTNGD30.....	862	FELT MARKR.....	100
DIDREX.....	176	DSTNGOOD.....	832	FELT MARKR2.....	302
DIDREX2.....	283	DSTNRV12.....	862	FENTPDAPYU.....	303
DIETPIL2.....	282	DSTNRV30.....	860	FENTPD PYMU.....	310
DIETPILS.....	174	DSTNRVOS.....	830	FILEDATE.....	3
DIFFDRESS.....	1031	DSTRST12.....	863	FIORICET.....	118
DIFFERAND.....	1031	DSTRST30.....	861	FIORICT.....	278
DIFFHEAR.....	1030	DSTRSTLS.....	831	FIORINAL.....	118
DIFFSEE.....	1030	DSTSITST.....	822	FIORINL2.....	278
DIFFTHINK.....	1031	DSTTIRE.....	822	FIRSTPOS.....	1057
DIFFWALK.....	1031	DSTWORST.....	862	FLEXERIL.....	154
DIFGETCOC.....	381	DYTXVST.....	951	FLEXERL2.....	280
DIFGETCRK.....	381	ECSAGE.....	69	FLNDILAL.....	687
DIFGETHER.....	381	ECSAGLST.....	544	FLTNDALC.....	687
DIFGETLSD.....	381	ECSFLAG.....	270	FLTNDANL.....	675
DIFGETMRJ.....	380	ECSMFU.....	70	FLTNDCOC.....	675
DIFOBTCOC.....	386	ECSMLU.....	544	FLTNDHAL.....	675
DIFOBTCRK.....	386	ECSMON.....	271	FLTNDHER.....	675
DIFOBTHER.....	386	ECSREC.....	70	FLTNDILL.....	687
DIFOBTLSD.....	386	ECSTASY.....	49	FLTNDINH.....	675
DIFOBTMRJ.....	386	ECSTMOAGE.....	85	FLTNDMRJ.....	675
DILAUD.....	117	ECSTMOAGL.....	602	FLTNDSED.....	675
DILAUD2.....	278	ECSTMOFLAG.....	294	FLTNDSTM.....	675
DMTAMTFXY.....	72	ECSTMOLLY.....	72	FLTNDTRN.....	675
DNICNSP.....	524	ECSTMOMFU.....	85	FLURPDAPYU.....	309
DOCMDE.....	988	ECSTMOMLU.....	603	FOSTVST.....	951
DOMOSTYR.....	727	ECSTMOMON.....	294	FRDADLY2.....	855
DPILANAL.....	521	ECSTMOREC.....	86	FRDMEVR2.....	855
DPILLALC.....	521	ECSTMOPYFU.....	85	FRDMJMON.....	855
DPPYILANAL.....	526	ECSTMOPYLU.....	602	FRDPCIG2.....	855
DPPYILLALC.....	526	ECSTMOYR.....	294	FTNDDNSP.....	524

INDEX

FUALC18	320	GHBFLGR	372	HALLUCOT1	74
FUALC21	320	GHBMONR	372	HALLUCOT2	77
FUANL18	287	GHBREC	349	HALLUCOT3	78
FUANL21	287	GHBYRR	372	HALLUCOT4	79
FUCD218	319	GLUE	99	HALLUCOT5	79
FUCD221	319	GLUE2	302	HALLUCOTH	73
FUCGR18	320	GNNDCLEN	363	HALLUCREC	80
FUCGR21	320	GNNDCGET2	364	HALLUCYFQ	81
FUCIG18	319	GNNDLSH1	363	HALLUCYFU	80
FUCIG21	319	GNNDLSH2	363	HALLUCYR	293
FUCOC18	320	GNNDREUS	363	HALLYRLST	599
FUCOC21	320	GOVTPROG	1072	HALMDAYS	286
FUCRK18	321	GQTYPE	1024	HALMFU	66
FUCRK21	321	GQTYPE2	1025	HALMLU	543
FUECS18	287	GRPCNSL2	856	HALMON	270
FUECS21	287	GRPHLTIN	1064	HALNDMOR	392
FUECSTMO18	322	GRSKBNGDLY	386	HALNEWA	50
FUECSTMO21	322	GRSKBNGWK	386	HALNEWB	56
FUHAL18	287	GRSKCIGPKD	385	HALNEWC	60
FUHAL21	287	GRSKCOCC	383	HALNEWD	63
FUHALLUC18	321	GRSKCOCMON	385	HALNEWE	65
FUHALLUC21	321	GRSKCOCWK	385	HALNOLST	49
FUHER18	321	GRSKCREG	383	HALPDANG	395
FUHER21	321	GRSKD4_5	384	HALPHCTD	394
FUIEM18	289	GRSKD5WK	384	HALPHLPB	394
FUIEM21	289	GRSKHERTRY	385	HALSERPB	394
FUINH18	287	GRSKHERWK	385	HALTOTFG	81
FUINH21	287	GRSKHREG	383	HALUCUTDN	451
FUINHAL18	322	GRSKHTRY	383	HALUCUTEV	452
FUINHAL21	322	GRSKLREG	384	HALUEMCTD	452
FULSD18	321	GRSKLSDTRY	385	HALUEMOPB	452
FULSD21	321	GRSKLSDWK	386	HALUFMCTD	454
FUMETHAM18	322	GRSKLTRY	383	HALUFMFPB	454
FUMETHAM21	322	GRSKMOC	383	HALUGTOVR	450
FUMJ18	320	GRSKMREG	383	HALUKPLMT	451
FUMJ21	320	GRSKMRJMON	385	HALULAWTR	453
FUMTH18	288	GRSKMRJWK	385	HALULIMIT	451
FUMTH21	288	GRSKPKCG	383	HALULOTTM	450
FUOXY18	287	HAL30USE	68	HALUSACT	453
FUOXY21	288	HALAGLST	543	HALULSEFX	451
FUPCP18	321	HALCION	204	HALUNDMOR	451
FUPCP21	321	HALCION2	285	HALUPDANG	453
FUPNRNM18	322	HALCUTDN	393	HALUPHCTD	452
FUPNRNM21	322	HALCUTEV	393	HALUPHLPB	452
FUPSY18	288	HALDAFLG	391	HALUSERPB	453
FUPSY21	289	HALEMCTD	393	HALYDAYS	286
FUSED18	288	HALEMOPB	393	HALYFU	66
FUSED21	288	HALFLAG	270	HALYLU	543
FUSEDNM18	323	HALFMCTD	395	HALYR	270
FUSEDNM21	323	HALFMFPB	395	HALYRTOT	67
FUSLT18	286	HALFQFLG	81	HARTDLIF	755
FUSLT21	287	HALGTOVR	391	HARTDYR	756
FUSMKLSS18	320	HALKPLMT	392	HBCHMDE	990
FUSMKLSS21	320	HALLAGE	66	HBPLIF	756
FUSTM18	288	HALLAGLST	599	HBPYR	756
FUSTM21	288	HALLAWTR	395	HEALTH	1029
FUSTMNM18	323	HALLDYPMO	82	HEALTH2	1035
FUSTMNM21	323	HALLDYPWK	82	HEOTNDL	352
FUSUM18	289	HALLDYSYR	81	HEOTOTH	352
FUSUM21	289	HALLEASWY	81	HEOTSMK	351
FUTRN18	288	HALLIMIT	392	HEOTSNF	351
FUTRN21	288	HALLMOLST	600	HEOTSP	352
FUTRQNM18	322	HALLNDAYPM	317	HEPATLIF	756
FUTRQNM21	322	HALLNDAYYR	316	HEPATYR	756
GADNMWOR	818	HALLOTTM	391	HEPBCAGE	771
GADNRVLT	817	HALLREC	67	HEPBCEVER	766
GADNRVOS	817	HALLSACT	394	HER30USE	48
GADOPROB	819	HALLSEFX	392	HERAGE	46
GADSTRON	818	HALLUC30E	82	HERAGLST	598
GADWKS2	818	HALLUC30N	82	HERCUT1X	447
GADWORLT	817	HALLUCAGE	79	HERCUTDN	446
GADWORMR	817	HALLUCEVR	79	HERCUTEV	447
GAS	99	HALLUCFLAG	293	HEREMCTD	448
GAS2	302	HALLUCMFU	80	HEREMOPB	448
GHB	349	HALLUCMON	293	HEREVER	46

INDEX

HERFLAG	293	HRBSTWAY	47	II2MJFY	239
HERFMCTD	450	HRDAYPMO	48	II2MJRC	229
HERFMFPB	450	HRDAYPWK	48	II2MTHFY	237
HERGTOVR	445	HRDAYPYR	48	II2MTHRC	225
HERKPLMT	446	HRFQFLG	47	II2OXYFY	236
HERLAWTR	450	HRNDLREC	352	II2OXYRC	224
HERLIMIT	446	HRSMKREC	350	II2PCPRC	231
HERLOTTM	445	HRSNFREC	351	II2SEDFY	238
HERLSACT	449	HRTCONDAG	770	II2SEDRC	226
HERLSEFX	446	HRTCONDEV	765	II2SLTRC	221
HERMFU	46	HRTCONDYR	771	II2SNFFM	242
HERMLU	599	HRTOTFG	47	II2SNFRC	222
HERMON	293	HSDIPLMA	1040	II2TMFY	237
HERNDMOR	446	HSGED	1040	II2TMRC	225
HERNEEDL	351	HTANSWER	759	II2TRNFY	237
HERPDANG	449	HTINCHE2	759	II2TRNRC	224
HERPHCTD	449	HVYDRK2	276	II2WRKST18	1058
HERPHLPB	448	HVYDRKMON	300	II2WRKSTAT	1058
HERPNRYR	299	HYDCODOP	280	IIABUPOSHAL	497
HERREC	47	HYDCPDAPYU	303	IIABUPOSIH	497
HERSERPB	449	HYDCPDPYMU	309	IIABUPOSMTH	497
HERSMOK2	371	HYDMPDAPYU	304	IIABUPOSPNR	498
HERSMOKE	350	HYDMPDPYMU	311	IIABUPOSED	498
HERSNIF2	371	HYDROCD2	278	IIABUPOSTM	498
HERSNIFF	351	HYDROCOD	118	IIABUPOSTRQ	498
HERWD3SX	447	ICAONFL	268	IIALCAGE	256
HERWDSMT	448	ICAONMO	268	IIALCBNG30D	245
HERYFU	46	ICAONYR	268	IIALCD5	242
HERYLU	598	IEALONFL	267	IIALCFM	245
HERYR	293	IEALONMO	267	IIALCFY	239
HERYRTOT	47	IEALONYR	267	IIALCRC	228
HIGHBPAGE	773	IECGONFL	266	IIALCYFU	256
HIGHBPPEVR	767	IECGONMO	267	IIANLAGE	251
HIGHBPMED	772	IECGONYR	266	IIANLFY	236
HIVAIDSAG	772	IEMAGE	276	IIANLRC	224
HIVAIDSEV	766	IEMFLAG	275	IIANLYFU	251
HIVLIF	756	IEMMON	276	II2CD2YFU	255
HIVYR	756	IEMONFL	265	II2CDUAGE	255
HL30EST	69	IEMONMO	265	II2CGAVD	491
HLBSTWAY	67	IEMONYR	265	II2CGCRGP	490
HLCALL99	1068	IEMYFU	276	II2CGCRV	490
HLCALLFG	1068	IEMYR	276	II2CGINCR	494
HLCLAST	1065	IFATHER	1059	II2CGINFL	493
HLCNOTMO	1065	II2ALCD5	242	II2CGIRTB	490
HLCNOTYR	1065	II2ALCFM	245	II2CGLMR	494
HLDAYPMO	68	II2ALCFY	239	II2CGNCG	493
HLDAYPWK	68	II2ALCRC	228	II2CGNCTL	491
HLDAYPYR	68	II2ANLFY	236	II2CGNINF	494
HLFQFLG	67	II2ANLRC	224	II2CGPLN	491
HLLOSRSN	1066	II2CGRFM	244	II2CGRAGE	255
HLNV COST	1066	II2CHWRC	222	II2CGRFM	244
HLNVNEED	1066	II2CHWRC	222	II2CGRGRDY	492
HLNVOFFR	1066	II2CHWRC	222	II2CGRGNM	492
HLNVREF	1066	II2CIGFM	244	II2CGRGWK	492
HLNVSOR	1067	II2CIGRC	227	II2CGROUT	492
HLTINALC	1064	II2COCFM	246	II2CGRRC	227
HLTINDRG	1064	II2COCFY	240	II2CGRYFU	256
HLTINMNT	1065	II2COCRC	229	II2CGSAT	494
HLTINNOS	1065	II2CRKFM	246	II2CGSLHR	493
HLTOTFG	67	II2CRKFY	240	II2CHMPUS	1067
HOMEVST	951	II2CRKRC	229	II2CHWAGE	249
HOSPVST	950	II2ECSRC	223	II2CHWFM	241
HPALCANT	763	II2EMST4	1062	II2CHWRC	222
HPALCCUT	764	II2EMSTY	1062	II2CHWYFU	249
HPALCFRQ	764	II2HALFM	242	II2CIGAGE	255
HPALCNOT	764	II2HALFY	235	II2CIGFM	244
HPALCPRB	764	II2HALRC	223	II2CIGRC	227
HPALCTX	764	II2HERFM	246	II2CIGYFU	255
HPDRGTALK	765	II2HERFY	240	II2COCAGE	257
HPDRGTLK	736	II2HERRC	230	II2COCFM	246
HPQTTTB	763	II2INHFM	243	II2COCFY	239
HPUSEALC	762	II2INH FY	236	II2COCRC	229
HPUSEDRG	762	II2INHRC	223	II2COCYFU	257
HPUSETOB	762	II2LSDRC	230	II2CRKAGE	257
HR30EST	48	II2MJFM	245	II2CRKFM	246

INDEX

IICRKFY	240	IIMETHAMYFQ	241	IITRNYFU	252
IICRKRC	229	IIMETHAMYFU	260	IITRQANYREC	233
IICRKYFU	258	IIMJAGE	257	IITRQNM30FQ	248
IDAMTFXREC	231	IIMJFM	245	IITRQNMAGE	262
IIDPENDHAL	495	IIMJFY	239	IITRQNMINIT	261
IIDPENDINH	495	IIMJRC	229	IITRQNMREC	234
IIDPENDMTH	495	IIMJYFU	257	IITRQNMYFU	262
IIDPENDPNR	496	IIMTHAGE	253	IIWELMOS	1071
IIDPENDSED	496	IIMTHFY	237	IIWKRSTAT	1058
IIDPENDSTM	496	IIMTHRC	225	IIWKRSTAT18	1058
IIDPENDTRQ	496	IIMTHYFU	253	ILALMON	277
IIECSAGE	250	IIOTHHLT	1068	ILANDALC	277
IIECSRC	223	IIOXCNANYR	233	ILLALCFLG	301
IIECSTMOAGE	259	IIOXCNNMYR	234	ILLALCMON	301
IIECSTMOREC	231	IIOXYAGE	252	ILLANDALC	301
IIECSTMIFYFU	260	IIOXYFY	236	ILLEMFLAG	299
IIECSYFU	250	IIOXYRC	224	ILLEMMON	299
IIEDUC2	1032	IIOXYFYFU	252	ILLEMYR	299
IIEDUHIGHST2	1033	IIPCHD	1016	ILLFLAG	299
IIEMPST4	1062	IIPCPAGE	259	ILLMON	299
IIEMPSTY	1062	IIPCPRC	230	ILLNEED	687
IIFAMCHD	1016	IIPCPYFU	259	ILLORALC	301
IIFAMIN3	1072	IIPINC3	1071	ILLPCAID	682
IIFAMINT	1016	IIPINSUR	1017	ILLPCARE	681
IIFAMOTH	1016	IIPINT	1015	ILLPCORT	682
IIFAMPMT	1071	IIPPLF	227	ILLPEMPL	682
IIFAMSOC	1070	IIPPMN	228	ILLPFMLY	682
IIFAMSSI	1070	IIPNRANYREC	232	ILLPINS	681
IIFAMSVC	1071	IIPNRNM30FQ	247	ILLPMILC	682
IIFAMSZ2	1059	IIPNRNAGE	262	ILLPPUBP	682
IIFAMWAG	1017	IIPNRNINIT	261	ILLPSAVE	682
IIFSTAMP	1070	IIPNRNREC	234	ILLTRMT	678
IHALAGE	250	IIPNRNMYFU	262	ILLYR	299
IHALFM	242	IIPOTH	1016	ILORALC	277
IHALFY	235	IIPMT	1015	ILTOALMN	276
IHALLUC30N	247	IIPRVHLT	1067	ILTOBALCMN	301
IHALLUCAGE	258	IIPSOC	1014	IMOTHER	1059
IHALLUCREC	230	IIPSSI	1014	IMPAIR	860
IHALLUCYFQ	240	IIPSVC	1015	IMPCONC	824
IHALLUCYFU	258	IIPWAG	1015	IMPCONCN	864
IHALRC	222	IISALVIAREC	232	IMPCTRLE	827
IHALYFU	250	IISEDAGE	253	IMPDAYFQ	829
IHERAGE	258	IISEDANYREC	233	IMPDLPP	826
IHERFM	246	IISEDIFY	238	IMPDLPPM	826
IHERFY	240	IISEDNM30FQ	248	IMPDLRSP	828
IHERRC	230	IISEDNMAGE	263	IMPDLWRK	829
IHERYFU	258	IISEDNINIT	261	IMPDYFRQ	868
IHH65_2	1061	IISEDNMREC	235	IMPGO	826
IHHSIZ2	1060	IISEDNMYFU	263	IMPGOM	826
IINHAGE	251	IISEDRC	225	IMPGOUT	865
IINHALL30N	247	IISEDYFU	254	IMPGOUTM	865
IINHALLAGE	260	IISLTAGE	248	IMPGTALG	827
IINHALLREC	232	IISLTRC	221	IMPHLD	866
IINHALLYFQ	241	IISLTYFU	249	IMPHLDM	866
IINHALLYFU	260	IISMKLSS30N	244	IMPHRSP	828
IINHFM	243	IISMKLSSREC	228	IMPHRSPM	828
IINHIFY	235	IISMKLSSSTRY	256	IMPLERN	825
IINHRC	223	IISMKLSSYFU	256	IMPLERNM	825
IINHIFYFU	251	IISNFAGE	249	IMPMONY	824
IINSUR	1017	IISNFFM	242	IMPMONYM	824
IINSUR3	1017	IISNFRM	222	IMPPEOP	865
IINSUR4	1069	IISNFYFU	249	IMPPEOPM	865
IKETMINREC	231	IISTMAGE	252	IMPRELAX	828
IKI17_2	1060	IISTMANYREC	233	IMPREMBR	824
IKIDFA2	1059	IISTMFY	237	IMPREMEM	864
IILSDAGE	259	IISTMNM30FQ	248	IMPRES	867
IILSDRC	230	IISTMNMAGE	263	IMPRESM	867
IILSDYFU	259	IISTMNMINIT	261	IMPSOC	866
IIMARIT	1033	IISTMNMREC	235	IMPSOCL	827
IIMARITSTAT	1032	IISTMNMIFYFU	263	IMPSOCLM	827
IIMCDCHP	1067	IISTMRC	225	IMPSOCM	866
IIMEDICR	1067	IISTMYFU	253	IMPTHINK	823
IIMETHAM30N	247	IISTRNAGE	252	IMPUNDST	823
IIMETHAMAGE	260	IITRNYFU	237	IMPWASH	825
IIMETHAMREC	232	IITRNRC	224	IMPWASHM	825

INDEX

IMPWEEKS.....	867	INHMLU.....	545	IRCIYFU.....	255
IMPWKS2.....	829	INHMON.....	271	IRCOAGE.....	257
IMPWORK.....	867	INHNDAYPM.....	318	IRCOCFM.....	246
IMPYDAYS.....	868	INHNDAYYR.....	317	IRCOCFY.....	239
IN30EST.....	98	INHNDMOR.....	397	IRCOCRC.....	229
INBSTWAY.....	96	INHNEWA.....	88	IRCOCYFU.....	257
INCOME.....	1072	INHNEWB.....	91	IRCRKAGE.....	257
INCSAMP.....	1026	INHNEWC.....	93	IRCRKFM.....	246
INDAYPMO.....	97	INHNEWD.....	94	IRCRKFY.....	240
INDAYPWK.....	97	INHNEWE.....	94	IRCRKRC.....	229
INDAYPYR.....	97	INHNLST.....	87	IRCRKYFU.....	257
INFQFLG.....	96	INHOSPYR.....	761	IRDAMTFXREC.....	231
INHAGE.....	95	INHDPDANG.....	399	IRDEPENDHAL.....	495
INHAGLST.....	545	INHPHCTD.....	398	IRDEPENDINH.....	495
INHAL30ES.....	107	INHPLPB.....	398	IRDEPENDMTH.....	495
INHAL30N.....	107	INHREC.....	96	IRDEPENDPNR.....	496
INHALAGE.....	104	INHSERP.....	399	IRDEPENDSED.....	496
INHALEVER.....	104	INHTOTFG.....	105	IRDEPENDSTM.....	496
INHALFLAG.....	295	INHVDAYS.....	286	IRDEPENDTRQ.....	496
INHALMFU.....	105	INHVFU.....	95	IRECSAGE.....	250
INHALMON.....	295	INHVLU.....	545	IRECSRC.....	223
INHALOT1.....	102	INHVR.....	271	IRECSTMOAGE.....	259
INHALOT2.....	103	INHVRTOT.....	96	IRECSTMOREC.....	231
INHALOT3.....	103	INTOTFG.....	96	IRECSTMOYFU.....	259
INHALOT4.....	103	IONAMIN.....	176	IRECSYFU.....	250
INHALOT5.....	104	IONAMIN2.....	283	IREDCU2.....	1031
INHALOTH.....	101	IRABUPOSHAL.....	497	IREDUHIGHST2.....	1033
INHALREC.....	105	IRABUPOSINH.....	497	IRFAMCHD.....	1016
INHALYFQ.....	105	IRABUPOSMTH.....	497	IRFAMIN3.....	1071
INHALYFU.....	104	IRABUPOSPNR.....	498	IRFAMINT.....	1015
INHALYR.....	295	IRABUPOSED.....	498	IRFAMOTH.....	1016
INHCUOTDN.....	397	IRABUPOSSTM.....	498	IRFAMPMT.....	1071
INHCUYEV.....	397	IRABUPOSTRQ.....	498	IRFAMSOC.....	1070
INHDI30A.....	97	IRALCAGE.....	256	IRFAMSSI.....	1070
INHDIYPMO.....	106	IRALCBNG30D.....	245	IRFAMSVC.....	1071
INHDIYPWK.....	106	IRALCD5.....	242	IRFAMSZ2.....	1059
INHDIYSYR.....	106	IRALCFM.....	245	IRFAMWAG.....	1017
INHEASWY.....	106	IRALCFY.....	239	IRFSTAMP.....	1070
INHEMCTD.....	398	IRALCRC.....	228	IRHALAGE.....	250
INHEMOPB.....	398	IRALCYFU.....	256	IRHALFM.....	242
INHEVER.....	94	IRANLAGE.....	251	IRHALFY.....	235
INHFLAG.....	271	IRANLFY.....	236	IRHALLUC30N.....	247
INHFMCTD.....	400	IRANLRC.....	223	IRHALLUCAGE.....	258
INHFMFPB.....	400	IRANLYFU.....	251	IRHALLUCREC.....	230
INHMQFLG.....	105	IRCD2YFU.....	255	IRHALLUCYFQ.....	240
INHGTQVR.....	396	IRCDUAGE.....	255	IRHALLUCYFU.....	258
INHKLMT.....	396	IRCGAVD.....	491	IRHALC.....	222
INHLAGLST.....	603	IRCGCRGP.....	490	IRHALYFU.....	250
INHLOWTR.....	399	IRCGCRV.....	490	IRHERAGE.....	258
INHLCUTDN.....	456	IRCGINCR.....	494	IRHERFM.....	246
INHLCUTEV.....	456	IRCGINFL.....	493	IRHERFY.....	240
INHLEMCTD.....	456	IRCGIRTB.....	490	IRHERRC.....	229
INHLEMOPB.....	456	IRCGLMR.....	494	IRHERYFU.....	258
INHLMFCTD.....	458	IRCGNCG.....	493	IRHH65_2.....	1060
INHLMFMPB.....	458	IRCGNCTL.....	491	IRHHSIZ2.....	1060
INHMGTOVR.....	454	IRCGNINF.....	493	IRINHAGE.....	250
INHLIMIT.....	396	IRCGPLN.....	491	IRINHAL30N.....	247
INHKLPLMT.....	455	IRCGRAGE.....	255	IRINHALAGE.....	260
INHLLAWTR.....	458	IRCGRFM.....	244	IRINHALREC.....	232
INHLLIMIT.....	455	IRCGRGDY.....	492	IRINHALYFQ.....	241
INHLLOTTM.....	454	IRCGRGNM.....	492	IRINHALYFU.....	260
INHLLSACT.....	457	IRCGRGWK.....	492	IRINHF.....	243
INHLLSEFX.....	455	IRCGROUT.....	491	IRINHFY.....	235
INHLMOLST.....	604	IRCGRRRC.....	227	IRINHRC.....	223
INHNDMOR.....	455	IRCGRYFU.....	256	IRINHYFU.....	251
INHLOTM.....	396	IRCGSAT.....	494	IRINSUR.....	1017
INHLPDANG.....	458	IRCGSLHR.....	493	IRINSUR3.....	1017
INHLPHCTD.....	457	IRCHMPUS.....	1067	IRINSUR4.....	1069
INHLPPLPB.....	457	IRCHWAGE.....	249	IRKETMINREC.....	231
INHLSACT.....	399	IRCHWFM.....	241	IRKI17_2.....	1060
INHLSAFX.....	397	IRCHWRC.....	221	IRKIDFA2.....	1059
INHLSERP.....	457	IRCHWYFU.....	249	IRLSDAGE.....	258
INHLYRLST.....	603	IRCIAGE.....	255	IRLSDR.....	230
INHMDAYS.....	286	IRCIGFM.....	244	IRLSDYFU.....	259
INHMFU.....	95	IRCIGRC.....	227	IRMARIT.....	1033

INDEX

IRMARITSTAT.....	1032	IRSTMNMREC.....	234	LOCMHC.....	686
IRMCDCHP.....	1067	IRSTMNMVYFU.....	263	LOCRFIN.....	686
IRMEDICR.....	1067	IRSTMRC.....	225	LOCRFOP.....	686
IRMETHAM30N.....	247	IRSTMYFU.....	253	LOCSHG.....	686
IRMETHAMAGE.....	260	IRTRNAGE.....	252	LOCSIZE.....	1055
IRMETHAMREC.....	232	IRTRNFY.....	236	LOCTXER.....	686
IRMETHAMYFQ.....	241	IRTRNRC.....	224	LORAPDAPYU.....	305
IRMETHAMYFU.....	260	IRTRNYFU.....	252	LORAPDPYMU.....	312
IRMJAGE.....	257	IRTRQANYREC.....	233	LSD.....	71
IRMJFM.....	245	IRTRQNM30FQ.....	248	LSDAGE.....	83
IRMJFY.....	239	IRTRQNMAGE.....	262	LSDAGLST.....	600
IRMJRC.....	228	IRTRQNMINIT.....	261	LSDFLAG.....	293
IRMJYFU.....	257	IRTRQNMREC.....	234	LSDMFLG.....	83
IRMTHAGE.....	253	IRTRQNMYFU.....	262	LSDMLU.....	601
IRMTHFY.....	237	IRWELMOS.....	1071	LSDMON.....	294
IRMTHRC.....	225	IRWRKSTAT.....	1058	LSDREC.....	83
IRMTHYFU.....	253	IRWRKSTAT18.....	1058	LSDYFU.....	83
IROTHHLT.....	1068	JBSTATR2.....	1049	LSDYLU.....	600
IROXCNANYR.....	233	K6SCMAX.....	872	LSDYR.....	293
IROXCNNMYR.....	234	K6SCMON.....	871	LUNCALIF.....	756
IROXYAGE.....	251	K6SCYR.....	872	LUNCAYR.....	756
IROXYFY.....	236	K6SMXADJ.....	849	MAIN002.....	1076
IROXYRC.....	224	KETAFLGR.....	370	MAIN102.....	1077
IROXYFYU.....	252	KETAMINE.....	338	MAIN902.....	1075
IRPCHD.....	1016	KETAMONR.....	370	MARIEDNUM2.....	1027
IRPCPAGE.....	259	KETAREC.....	339	MAZANOR.....	176
IRPCPRC.....	230	KETAYRR.....	370	MAZANOR2.....	283
IRPCPYFU.....	259	KETMINESK.....	72	MAZINDOL.....	284
IRPINC3.....	1071	KETMINFLAG.....	294	MCAONFL.....	267
IRPINSUR.....	1017	KETMINMON.....	295	MCAONMO.....	267
IRPINT.....	1015	KETMINREC.....	86	MCAONYR.....	267
IRPIPLF.....	227	KETMINYR.....	295	MDECHNGS.....	811
IRPIPMN.....	228	KIDNYDSAG.....	772	MDEDAYFQ.....	811
IRPNRANYREC.....	232	KIDNYDSEV.....	766	MDEDAYLN.....	811
IRPNRNM30FQ.....	247	KLONOPI2.....	280	MDEDP2WK.....	810
IRPNRNMAGE.....	262	KLONOPIN.....	152	MDEDPWKR.....	810
IRPNRNMINIT.....	261	LANGVER.....	1025	MDEIMPY.....	996
IRPNRNMREC.....	234	LASTTXSP.....	683	MDELICHG.....	812
IRPNRNMVYFU.....	262	LFSCHWH2.....	1041	MDELIFQ.....	812
IRPOTH.....	1016	LFTSCHA2.....	1042	MDELILN.....	812
IRPPMT.....	1015	LGAS.....	100	MDELIWK2.....	812
IRPRVHLT.....	1067	LGAS2.....	302	MDELOSIN.....	811
IRPSOC.....	1014	LIBRIUM.....	154	MDELT.....	987
IRPSSI.....	1014	LIBRIUM2.....	281	MDERXO.....	988
IRPSVC.....	1015	LIFANXD.....	728	MDETARX.....	988
IRPWAG.....	1015	LIFASMA.....	728	MDETXX.....	988
IRSALVIAREC.....	231	LIFBRONC.....	728	MDEYR.....	987
IRSEDAGE.....	253	LIFCIRR.....	728	MEDICARE.....	1063
IRSEDANYREC.....	233	LIFDEPRS.....	729	MEDMJALL.....	390
IRSEDFY.....	238	LIFDIAB.....	729	MEDMJST2.....	391
IRSEDNM30FQ.....	248	LIFHARD.....	729	MEDMJYR.....	390
IRSEDNMAGE.....	263	LIFHBP.....	729	MEFQFLG.....	109
IRSEDNMINIT.....	261	LIFHEPAT.....	729	MEPROB.....	154
IRSEDNMREC.....	235	LIFHIV.....	729	MEPROB2.....	281
IRSEDNMYFU.....	263	LIFLUNCA.....	730	MEPROBD.....	282
IRSEDRC.....	225	LIFNONE.....	731	MESC.....	71
IRSEDYFU.....	253	LIFPANCR.....	730	MESC2.....	301
IRSEX.....	1033	LIFPNEU.....	730	METHAGE.....	190
IRSLTAGE.....	248	LIFSINUS.....	730	METHAGLST.....	604
IRSLTRC.....	221	LIFSLPAP.....	730	METHAM30E.....	111
IRSLTYFU.....	249	LIFSTDS.....	730	METHAM30N.....	111
IRSMKLSS30N.....	244	LIFSTROK.....	731	METHAMAGE.....	108
IRSMKLSSREC.....	228	LIFTINN.....	731	METHAMEVR.....	108
IRSMKLSSSTRY.....	256	LIFTUBRC.....	731	METHAMFLAG.....	295
IRSMKLSSYFU.....	256	LIFULCER.....	731	METHAMMFU.....	109
IRSNFAGE.....	249	LIMBTRL2.....	281	METHAMMON.....	296
IRSNFFM.....	241	LIMBTROL.....	154	METHAMREC.....	109
IRSNFRC.....	222	LIMITWRK.....	727	METHAMYFQ.....	109
IRSNFYFU.....	249	LMIYR_U.....	875	METHAMYFU.....	108
IRSTMAGE.....	252	LMMIADAU.....	870	METHAMYR.....	295
IRSTMANYREC.....	233	LMMISUDPY.....	876	METHAQ.....	202
IRSTMFY.....	237	LMMIYRU.....	875	METHAQ2.....	284
IRSTMNM30FQ.....	248	LOCDOC.....	686	METHCUT1X.....	460
IRSTMNMAGE.....	263	LOCHOSP.....	686	METHCUTDN.....	460
IRSTMNMINIT.....	261	LOCJAIL.....	686		

INDEX

METHCUTEV	460	MHPDREH2	802	MJPGOT	518
METHDES	174	MHPDSLF2	801	MJPRIOR	671
METHDES2	282	MHRCCIN2	773	MJPRIYR	671
METHDEXM	284	MHRCFID2	803	MJPRNOYR	671
METHDON	118	MHRCCMIT2	803	MJREC	35
METHDON2	278	MHRCOST2	803	MJYFU	34
METHDYPMO	110	MHRENUF2	803	MJYRTOT	35
METHDYPWK	110	MHRFOUT2	804	MMBATJOB	506
METHDYSYR	110	MHRHAND2	804	MMBCLOSE	506
METHEASWY	110	MHRJOBS2	803	MMBGIVE	506
METHEMCTD	462	MHRNBR2	803	MMBPLACE	505
METHEMOPB	461	MHRNCOV2	803	MMBPLOS2	505
METHFLBLU	461	MHRNNHN2	773	MMBSELL	506
METHFMCTD	464	MHRNOHP2	804	MMBT30DY	500
METHFMFPB	463	MHRNOND2	804	MMBTPYR	499
METHGTOVR	459	MHROTHC2	774	MMBTREC1	499
METHKPLMT	459	MHRSOH2	804	MMBTREC2	499
METHLAWTR	463	MHRSTIG2	773	MMBUYWHO	504
METHLIMIT	459	MHRTIME2	804	MMFCLOSE	515
METHLOTTM	459	MHRTRAN2	804	MMFGIVE	516
METHLSACT	462	MHRWHER2	803	MMFKEEP	515
METHLSEFX	460	MHSAMP08	857	MMFPLACE	514
METHMFU	191	MHSAWT_C	1078	MMFPLOS2	515
METHMLU	551	MHSDYFRQ	859	MMFREWHO	514
METHMOLST	605	MHSEEDR	820	MMFSELL	516
METHNDAYPM	318	MHSMGT	857	MMGETMJ	499
METHNDAYYR	317	MHSRELS	858	MMGGIVE	513
METHNDLRC	353	MHSSOC	859	MMGKEEP	513
METHNDMOR	460	MHSUPLN	872	MMGSELL	513
METHNEEDL	353	MHSUTHK	872	MMIYR_U	875
METHNEEDL2	371	MHSUITRY	873	MMJNPCAT	501
METHPDANG	463	MHSUTK_U	872	MMJNPCTB	500
METHPDAPYU	307	MHSVCHLP	830	MMJNTLOO	500
METHPDPYMU	314	MHSVHP	848	MMJNTNUM	500
METHPHCTD	462	MHSWEEKS	859	MMLS10GM	502
METHPHLPB	462	MHSWORK	858	MMLS5LBS	503
METHREC	192	MHSYDAYS	860	MMLSGMS	502
METHSERPB	463	MI_CAT_U	875	MMLSLBS	502
METHWD2SX	461	MIAONFL	268	MMLSOZS	502
METHWDSMT	461	MIAONMO	268	MMLSPCAT	504
METHYFU	191	MIAONYR	268	MMLSPCTB	503
METHYLU	551	MICONFL	267	MMLSNIT	501
METHYRLST	604	MICONMO	267	MMT30FRQ	507
METOTFG	109	MICONYR	267	MMTCLOSE	512
MHASPTR2	776	MILSTAT	1028	MMTGIVE	513
MHHOSPOV	820	MILTOWN	154	MMTJNTLS	508
MHIMPAIR	860	MILTOWN2	281	MMTJNTNM	508
MHLCLNC2	774	MJAFU	316	MMTJWRCB	508
MHLCLNC3	800	MJAGE	34	MMTJWRTH	509
MHLDOC2	774	MJALONFL	266	MMTKEEP	512
MHLDOC3	800	MJALONMO	266	MMTLGMS	509
MHLDTMT2	774	MJALONYR	266	MMTLOZS	510
MHLDTMT3	800	MJCGONFL	265	MMTLUNIT	509
MHLMNT2	774	MJCGONMO	266	MMTLWRCB	510
MHLMNT3	800	MJCGONYR	266	MMTLWRTH	511
MHLOTH2	776	MJDAY30A	36	MMTPLACE	512
MHLOTH3	801	MJEVER	34	MMTPLOS2	512
MHLSCHL2	775	MJFQFLG	35	MMTRADE	507
MHLSCHL3	801	MJIEONFL	266	MMTRD30D	507
MHLTHER2	774	MJIEONMO	266	MMTRDREC	507
MHLTHER3	800	MJIEONYR	266	MMTRDWHO	511
MHMEDS	821	MJMFU	34	MMTSELL	513
MHMEDWK2	821	MJOFLAG	275	MNCEVER	813
MHNSPTR2	776	MJOMON2	275	MNCHYPER	813
MHOPNUM2	821	MJONLYFLAG	299	MNCMEDS	814
MHOSPTR2	776	MJONLYMON	299	MNCNOSLP	813
MHPDEMP2	802	MJONLYYR	299	MNCSPWRS	813
MHPDFRE2	802	MJOYR2	275	MORPHIN2	278
MHPDMCD2	802	MJPBTFRM	518	MORPHINE	118
MHPDMCR2	802	MJPBTPL2	517	MORPPDAPYU	303
MHPDMIL2	802	MJPBTPL3	518	MORPPDPYMU	310
MHPDOFM2	801	MJPBTPLC	516	MOVEPYR2	1038
MHPDPHI2	802	MJPFREGT	519	MOVESPY2	1037
MHPDPRV2	802	MJPFREPL	516	MOVSINPYR2	1029
MHPDPUB2	802	MJPFREPL2	519	MOVYRFRG	1038

INDEX

MOVYRFLG.....	1038	MTHFFTK2.....	669	NDMRNBR.....	628
MR30EST.....	37	MTHFLAG.....	273	NDMRNBRNG.....	709
MRBSTWAY.....	35	MTHFRBUY.....	579	NDMRNHCV.....	626
MRDAYPMO.....	36	MTHFRBY2.....	659	NDMRNHLP.....	628
MRDAYPWK.....	36	MTHFRFE2.....	659	NDMRNOCOV.....	708
MRDAYPYR.....	36	MTHFRFRE.....	578	NDMRNOHLP.....	710
MRJAGLST.....	590	MTHFRTK2.....	659	NDMRNOND.....	628
MRJCUTDN.....	437	MTHFRTKE.....	579	NDMRNONED.....	709
MRJCUTEV.....	437	MTHGTLA2.....	582	NDMRNOTPY.....	708
MRJEMCTD.....	438	MTHGTLAS.....	540	NDMRNSTOP.....	708
MRJEMOPB.....	437	MTHGTOS2.....	582	NDMRNTIME.....	710
MRJFLAG.....	292	MTHINET.....	579	NDMRNTSP.....	627
MRJFMCTD.....	440	MTHINET2.....	659	NDMROPEN.....	627
MRJFMFPB.....	439	MTHLTSC2.....	647	NDMROTRSN.....	710
MRJGTOVR.....	436	MTHLTSC4.....	653	NDMRPFULL.....	708
MRJKPLMT.....	436	MTHMON.....	273	NDMRREDY.....	627
MRJLAWTR.....	439	MTHNCFLG.....	550	NDMRSOR.....	629
MRJLIMIT.....	436	MTHNEEDL.....	332	NDMRTSPHR.....	708
MRJLOTTM.....	435	MTHNORSN.....	334	NDMRTYPE.....	627
MRJLSACT.....	438	MTHNOSP.....	334	NDMRWANTD.....	708
MRJLSEFX.....	437	MTHOTHS2.....	580	NDMRWHER.....	627
MRJMDDAYS.....	317	MTHOTHW2.....	660	NDSSANSP.....	524
MRJMLU.....	591	MTHOTHWY.....	580	NDSSDNSP.....	524
MRJMON.....	292	MTHSRFC2.....	663	NDTMRALC.....	614
MRJNDMOR.....	436	MTHSRCFR.....	651	NDTMRANL.....	615
MRJONFL.....	265	MTHYDAYS.....	269	NDTMRROC.....	615
MRJONMO.....	265	MTHYR.....	273	NDTMREFT.....	626
MRJONYR.....	265	MTHYRTOT.....	192	NDTMRHAL.....	615
MRJPDANG.....	439	MTNDLREC.....	332	NDTMRHER.....	615
MRJPHCTD.....	438	MTTOTFG.....	192	NDTMRINH.....	615
MRJPHLPB.....	438	MUSCRELX.....	282	NDTMRMJ.....	614
MRJSERP.....	439	MUSRLXAPYU.....	306	NDTMROTH.....	616
MRJYDAYS.....	316	MUSRLXPYMU.....	313	NDTMRSED.....	616
MRJYLU.....	590	MVIN5YR2.....	852	NDTMRSTM.....	616
MRJYR.....	292	MXMJPNLT.....	538	NDTMRTRN.....	616
MRJYRBFR.....	590	NDEFALC.....	688	NDTRNDKWHR.....	753
MRTOTFG.....	35	NDEFANL.....	676	NDTRNFNDOU.....	754
MTABSTWY.....	336	NDEFALC.....	676	NDTRNHANDL.....	753
MTADYPMO.....	336	NDEFHAL.....	676	NDTRNJOBNG.....	753
MTADYPWK.....	336	NDEFHER.....	676	NDTRNMIMPT.....	754
MTADYPYR.....	336	NDEFIA.....	688	NDTRNNBRNG.....	753
MTAFQFLG.....	335	NDEFIL.....	688	NDTRNNOCOV.....	752
MTANDLRC.....	333	NDEFINH.....	676	NDTRNNOHLP.....	754
MTBSTWAY.....	192	NDEFMRJ.....	676	NDTRNNONED.....	753
MTDAYPMO.....	193	NDEFSED.....	676	NDTRNNOTPY.....	752
MTDAYPWK.....	193	NDEFSTM.....	676	NDTRNNSTOP.....	753
MTDAYPYR.....	193	NDEFTRN.....	676	NDTRNNTIME.....	754
MTDNPDPYU.....	304	NDFLTALC.....	751	NDTRNPFULL.....	753
MTDNPDPYMU.....	311	NDFLTALC.....	751	NDTRNTSPHR.....	753
MTFQFLG.....	192	NDFLTALC.....	751	NDTRNWANTD.....	753
MTHAAGE.....	334	NDLREC06.....	368	NDTXALC2.....	674
MTHAGLST.....	550	NDMORTALC.....	698	NDTXALCR.....	616
MTHAMFU.....	335	NDMORTCOC.....	698	NDTXANL2.....	674
MTHAMP.....	332	NDMORTHAL.....	698	NDTXANLR.....	618
MTHANEDL.....	333	NDMORTHER.....	698	NDTXBUSY.....	625
MTHAREC.....	333	NDMORTINH.....	699	NDTXCOC2.....	674
MTHAYFU.....	335	NDMORTMRJ.....	698	NDTXCOCR.....	617
MTHAYTOT.....	335	NDMORTMTH.....	699	NDTXDGR1.....	620
MTHDEAL2.....	659	NDMORTOTH.....	699	NDTXDGR2.....	621
MTHDEALR.....	579	NDMORTPNR.....	699	NDTXDGR3.....	621
MTHEVCK.....	333	NDMORTSED.....	699	NDTXDGR4.....	622
MTHFFBOT.....	580	NDMORTSTM.....	699	NDTXDGR5.....	622
MTHFFBY2.....	669	NDMORTTRQ.....	699	NDTXDKWHR.....	705
MTHFFDL2.....	669	NDMORTXJR.....	698	NDTXEFFRT.....	704
MTHFFDLR.....	581	NDMRBUSY.....	629	NDTXEFILAL.....	752
MTHFFFLAS.....	583	NDMRDKWHR.....	709	NDTXEFTALC.....	751
MTHFFFLSP.....	583	NDMREFRT.....	707	NDTXEFTILL.....	751
MTHFFNET.....	581	NDMRFNDOU.....	710	NDTXEFTR.....	622
MTHFFNT2.....	669	NDMRFOUT.....	629	NDTXFNDOU.....	707
MTHFFOSP.....	582	NDMRHANDL.....	709	NDTXFOUT.....	626
MTHFFOT2.....	670	NDMRHNDL.....	628	NDTXHAL2.....	674
MTHFFOTH.....	581	NDMRJOB.....	628	NDTXHALR.....	617
MTHFFRE2.....	669	NDMRJOBNG.....	709	NDTXHANDL.....	706
MTHFFREE.....	580	NDMRLMCV.....	626	NDTXHER2.....	674
MTHFFTAK.....	581	NDMRMIMPT.....	710	NDTXHERR.....	617

INDEX

NDTXHNDL	625	NODR30A	28	PARHLPHW	853
NDTXINH2	674	NOMARR2	1027	PARLMTSN	853
NDTXINHR	618	NONABOVEV	767	PAROL	539
NDTXJOB	624	NOUSEFL	264	PAROLREL	538
NDTXJOBNG	706	NOUSEMO	264	PBLMWORK	727
NDTXLMCV	623	NOUSEYR	264	PCP	71
NDTXMIMPT	707	NRCH17_2	1059	PCPAGE	84
NDTXMJR	617	NSMIDA_U	870	PCPAGLST	601
NDTXMORE	614	NSMND_A_U	869	PCPFLAG	294
NDTXMRJ2	674	NSPDDPAB	848	PCPMFU	84
NDTXNBR	624	NSPDDPAU	850	PCPMLU	602
NDTXNBRNG	705	NSPNDPAU	849	PCPMON	294
NDTXNEDR	614	NURSMDE	990	PCPREC	84
NDTXNHCV	623	OBLA	176	PCPYFU	84
NDTXNHLP	625	OBLA2	283	PCPYLU	601
NDTXNOCOV	704	OMDMDE	989	PCPYR	294
NDTXNOHLP	706	OMHMDE	990	PDEN00	1074
NDTXNOND	625	OPINMMON	298	PDEN10	1075
NDTXNONED	706	OPINMYR	298	PDEN90	1073
NDTXNOTPY	704	OSTNEEDL	337	PERCTYL2	277
NDTXNSTOP	705	OSTNLREC	337	PERCTYLX	116
NDTXNTIME	706	OTCFLAG	349	PEYOTE	71
NDTXNTSP	623	OTDGNDA	354	PEYOTE2	301
NDTXOPEN	624	OTDGNDLB	357	PHBAVOID	814
NDTXOTRSN	707	OTDGNLDC	359	PHBAWYHM	815
NDTXPFULL	705	OTDGNLDD	361	PHBCRWDS	815
NDTXREDY	624	OTDGNLDE	362	PHBINTFR	815
NDTXSED2	675	OTDGNDLRC	362	PHBLEVEL	814
NDTXSEDR	619	OTDGNEDL	353	PHBPUBPL	815
NDTXSODR	619	OTHAEROS	101	PHBSOCL	814
NDTXSOR	626	OTHAEROS2	302	PHBTRAVL	815
NDTXSTM2	674	OTHANL	279	PHBWRSVAV	816
NDTXSTMR	619	OTHINS	1069	PHBWRSFR	816
NDTXTRN2	674	OTHMDE	991	PHBWRSIN	816
NDTXTRNR	618	OTHSED	285	PHBWRSST	816
NDXTSPHR	704	OTHSTM	284	PHENCOD	119
NDXTTYPE	623	OTHTRN	281	PHENCOD2	278
NDTXWANTD	705	OXBSTWAY	142	PHENOBAR	204
NDTXWHER	624	OXCNANYR	112	PHENOBAR2	285
NDXYOTH1	703	OXCNNMAGE	144	PIPE30DY	28
NDXYOTH2	703	OXCNNMMFU	145	PIPEVER	28
NDXYOTH3	703	OXCNNMYFU	144	PIPFLAG	291
NDXYOTH4	703	OXCNNMYR	144	PIPMON	291
NDXYOTH5	704	OXCOPDAPYU	303	PLACIDY2	285
NDXYRADG	697	OXCOPDPYMU	310	PLACIDYL	204
NDXYRALC	700	OXDAYPMO	143	PLCYCOV	1055
NDXYRCOC	700	OXDAYPWK	143	PLEGINE	177
NDXYRHAL	701	OXDAYPYR	143	PLEGINE2	283
NDXYRHER	700	OXFQFLG	142	PNEULIF	757
NDXYRINH	701	OXTOTFG	142	PNEUYR	757
NDXYRMRJ	700	OXYAGLST	547	PNRANYFLAG	296
NDXYRMTH	701	OXYCAGE	140	PNRANYLIF	112
NDXYROTH	702	OXYCMFU	141	PNRANYREC	112
NDXYRPNR	701	OXYCMLU	547	PNRANYR	296
NDXYRSED	702	OXYCNANYR	296	PNRLCUT1X	466
NDXYRSTM	702	OXYCNNMYR	297	PNRLCUTDN	465
NDXYRTRQ	702	OXYCODOP	264	PNRLCUTEV	466
NEDCOC	371	OXYCODP2	279	PNRLEMCTD	467
NEDFLG01	368	OXYCONT2	263	PNRLEMOPB	467
NEDHER	371	OXYCONTN	119	PNRLEFMCTD	470
NEDLRECR	367	OXYCREC	142	PNRLEFMFPB	469
NEDMTH	369	OXYCYFU	141	PNRLGTOVR	464
NEDSTM	369	OXYCYLU	547	PNRLKPLMT	465
NEMBBAR2	284	OXYFLAG	271	PNRLAYWTR	469
NEMBBARB	202	OXYMON	272	PNRLLIMIT	464
NEWFACE2	1034	OXYMPDAPYU	304	PNRLLOTTM	464
NILALMON	277	OXYMPDPYMU	311	PNRLLSACT	468
NITOXID	100	OXYR	271	PNRLSEFX	465
NITOXID2	302	OXYRTOT	142	PNRLNDMOR	465
NMERTMT2	761	PANATAK	809	PNRLPDANG	469
NMHSPTR2	776	PANATKN2	810	PNRLPHCTD	468
NMNGTHS2	761	PANCRLIF	757	PNRLPHLPB	468
NMVSOST	762	PANCRYR	757	PNRLSERPB	469
NMVSOPT2	761	PANREAC	809	PNRLWD3SX	466
NOBOOKY2	533	PARCHKHW	852	PNRLWDSMT	467

INDEX

PNRMAINRSN	324	PSY2MDE	989	RSKMJREG	374
PNRNDAYPM	318	PSYAGE2	274	RSKMRJMON	378
PNRNM30AL	147	PSYANYFLAG	297	RSKMRJWK	379
PNRNM30D	146	PSYANYR	297	RSKPKCIG	374
PNRNM30ES	147	PSYCHFLAG	298	RSKSELL	377
PNRNM30FQ	147	PSYCHMON	298	RSKYFQDGR	382
PNRNMAGE	146	PSYCHYR	298	RSKYFQTES	382
PNRNMFLAG	297	PSYFLAG2	274	RSNMRJMO	389
PNRNNINIT	145	PSYMON2	274	RSNOMRJ	389
PNRNNLIF	144	PSYYFU2	274	RTDALHAL	285
PNRNNMFU	146	PSYYR2	274	RXHPMDE	986
PNRNNMMON	297	PTSEVER	819	RXMDEYR	988
PNRNMREC	145	PTSPYEAR	819	SALVDIV	338
PNRNNMYFU	146	PTSWKS2	820	SALVFLGR	370
PNRNNMYR	297	PTSWRSFQ	819	SALVIADIV	72
PNRNORXFG	151	QUARTER	1025	SALVIAFLAG	295
PNROTANYR2	304	QUESTID2	3	SALVIAMON	295
PNROTHPYMU2	289	RCVMHASPTX	805	SALVIAREC	86
PNROTNMYR3	311	RCVMHNSPTX	805	SALVIAYR	295
PNRRSDGFX	150	RCVMHOSPTX	805	SALVMONR	370
PNRRSEMOT	150	RCVSPTXNMH	805	SALVREC	339
PNRRSEXP	149	RDIFCOC	384	SALVYRR	370
PNRRSHIGH	149	RDIFCRK	384	SANOREX	177
PNRRSHOOK	150	RDIFHER	384	SANOREX2	283
PNRRSMAN	151	RDIFLSD	384	SCHDSICK	1040
PNRRSOTRS2	151	RDIFMJ	384	SCHDSKIP	1040
PNRRSPAIN	149	REASBRK	908	SCHENRL	1039
PNRRSRELX	149	REASDEPR	907	SCHFELT	852
PNRRSSLEP	150	REASEATP	908	SCHHIGRD	1037
PNRRSSOR	150	REASFAM	908	SCHIMPT	850
PNRWYGAMT	148	REASFEAR	907	SCHINTST	850
PNRWYLNDR	148	REASMEN	908	SCHLOGRD	1036
PNRWYNORX	148	REASOTH	909	SCHRELGS	1035
PNRWYOFTN	148	REASSCH	908	SCHTYPE	1035
PNRWYOTWY	148	REASSOC	908	SCHWORK	850
POVERTY2	1026	REASSUIC	907	SDNTFTPT	1039
POVERTY3	1072	RELMDE	990	SDSSC2	869
PRALDLY2	854	RESIDVST	951	SDSSC3	869
PRBSOLV2	855	RETTMA2	284	SEDAGE	211
PRBSTWAY	139	RETTMAZ	202	SEDAGLST	551
PRCHORE2	853	RITMPHE2	282	SEDANYFLAG	296
PRDAYPMO	140	RITMPHEN	174	SEDANYLIF	115
PRDAYPWK	140	RK5ALDLY	376	SEDANYREC	115
PRDAYPYR	139	RK5ALWK	376	SEDANYR	296
PREG	777	RKCOCOCC	375	SEDCARD	203
PREG2	777	RKCOCREG	375	SEDCUT1X	420
PREGAGE2	1034	RKDIFCOC	377	SEDCUTDN	420
PREGNANT	759	RKDIFCRK	377	SEDCUTEV	420
PREGGM2	856	RKDIFHER	377	SEDDAFLG	418
PRELUDN	177	RKDIFLSD	376	SEDDEAL2	658
PRELUDN2	283	RKFQDBLT	382	SEDDEALR	585
PREVIOL2	855	RKFQDNGR	378	SEDEMCTD	422
PRFQFLG	139	RKFQPBLT	382	SEDEMOPB	421
PRGDJOB2	853	RKFORSKY	378	SEDEVER	211
PRLMTTV2	853	RKHERREG	375	SEDFFD2	668
PRMJEV2	854	RKLSDREG	375	SEDFFDLDR	586
PRMJMO	854	RKTRYHER	375	SEDFFAK2	668
PROB	539	RKTRYLSD	374	SEDFFAKE	586
PROBATON	537	RLGATTD	856	SEDFFBOT	587
PROCODNP	279	RLGDCCSN	856	SEDFBY2	668
PROPOXY	119	RLGFRND	857	SEDFFDL2	668
PROPOXY2	278	RLGIMPT	856	SEDFFDLR	587
PROVPDAPYU	307	ROHYPNL2	281	SEDFFDRS	586
PROVPDPYMU	314	ROHYPNOL	155	SEDFFDS2	668
PRPKCIG2	854	RSKBNGDLY	380	SEDFFLAS	589
PRPROUD2	853	RSKBNGWK	380	SEDFFLSP	589
PRTALK3	855	RSKCIGPKD	378	SEDFFNET	587
PRTOTFG	139	RSKCOCMON	380	SEDFFNT2	669
PRVDRGO2	856	RSKCOCWK	380	SEDFFOSP	588
PRVHLTIN	1064	RSKDIFMJ	376	SEDFFOT2	669
PRXRETRY	1063	RSKHERRY	379	SEDFFOTH	588
PRXYDATA	1063	RSKHERRY	379	SEDFFRE2	668
PSILCY	72	RSKLSDTRY	379	SEDFFREE	587
PSILCY2	301	RSKLSDWK	379	SEDFFST2	668
PSY1MDE	989	RSKMJOCC	374	SEDFFSTL	586

INDEX

SEDFFTAK	587	SEDRXFK2	658	SHCNFEA	910
SEDFFTK2	668	SEDSERPB	423	SHCNFITE	911
SEDFLAG	273	SEDSRCF2	662	SHCNFMLY	911
SEDFMCTD	424	SEDSRCFR	650	SHCNFRND	911
SEDFMFPB	424	SEDSTOL2	658	SHCNMEND	911
SEDFRBUY	584	SEDSTOLE	584	SHCNOTH2	911
SEDFRBY2	658	SEDVCUT1X	483	SHCNOTPP	911
SEDFRFE2	658	SEDVCUTDN	482	SHCNSCHL	911
SEDFRFRE	584	SEDVCUTEV	482	SHCNSUI	910
SEDFRTK2	658	SEDVEMCTD	484	SHSWANGR	963
SEDFRTKE	585	SEDVEMOPB	484	SHSWBRK	963
SEDGTLA2	588	SEDVFMCTD	486	SHSWDPR	963
SEDGTOS2	589	SEDVFMFPB	486	SHSWEAT	963
SEDGTOVR	419	SEDVGTQVR	481	SHSWFEA	963
SEDINET	585	SEDVKPLMT	481	SHSWFITE	963
SEDINET2	659	SEDVLAWTR	486	SHSWFMLY	963
SEDKPLMT	419	SEDVLIMIT	481	SHSWFRND	964
SEDLAWTR	423	SEDVLOTTM	481	SHSWMEND	964
SEDLIMIT	419	SEDVLSACT	485	SHSWOTH2	964
SEDLLOTTM	418	SEDLVSEFX	482	SHSWOTPP	964
SEDLFACT	422	SEDVNDMOR	482	SHSWSCHL	964
SEDLSEFX	420	SEDVDPDANG	485	SHSWSUI	963
SEDLTS2	652	SEDVPHCTD	484	SIMHANG2	954
SEDMAINRSN	327	SEDVPHLPB	484	SIMHANGR	916
SEDMFU	212	SEDVSERPB	485	SIMHBRK	915
SEDMLU	552	SEDVWD1SX	483	SIMHBRK2	953
SEDMON	274	SEDVWDSMT	483	SIMHDPR	915
SEDNDAYPM	318	SEDWD1SX	421	SIMHDPR2	953
SEDNDMOR	419	SEDWDSMT	421	SIMHEAT	915
SEDNEWA	206	SEDWYGAMT	217	SIMHEAT2	954
SEDNEWB	209	SEDWYLNGR	218	SIMHFEA	915
SEDNEWC	210	SEDWYNORX	217	SIMHFEA2	953
SEDNEWD	210	SEDWYOFTN	218	SIMHFIT2	954
SEDNEWE	211	SEDWYOTWY	218	SIMHFITE	916
SEDNM30AL	217	SEDYFU	212	SIMHFML2	954
SEDNM30D	216	SEDYLU	552	SIMHFMLY	916
SEDNM30ES	217	SEDYR	274	SIMHFRD2	955
SEDNM30FQ	217	SEDYRTOT	213	SIMHFRND	916
SEDNMAGE	216	SEMANGR	912	SIMHMEN2	955
SEDNMFLAG	298	SEMANGR2	922	SIMHMEND	917
SEDNMINIT	215	SEMBRK	912	SIMHOTH2	917
SEDNMLAST	218	SEMBRK2	921	SIMHOTH3	956
SEDNMLIF	215	SEMDPR	912	SIMHOTP2	955
SEDNMMFU	216	SEMDPR2	921	SIMHOTPP	917
SEDNMMON	298	SEMEAT	912	SIMHSCH2	955
SEDNMREC	215	SEMEAT2	922	SIMHSCHL	917
SEDNMYFU	216	SEMFEA	912	SIMHSUI	914
SEDNMYR	298	SEMFEA2	921	SIMHSUI2	953
SEDNOLST	205	SEMFINTE	913	SINUSLIF	757
SEDNORXFG	221	SEMFINTE2	922	SINUSYR	757
SEDOTANYR2	309	SEMFMLY	913	SK65A	119
SEDOHPYMU2	289	SEMFMLY2	922	SK65A2	278
SEDOHS2	585	SEMFNRD	913	SLPAPLIF	757
SEDOHW2	659	SEMFNRD2	922	SLPAPYR	758
SEDOHWY	585	SEMMEND	913	SLT30BR2	11
SEDOTNMYR3	315	SEMMEND2	922	SLT30FAV	12
SEDPDANG	423	SEMOTH2	913	SLTMFU	10
SEDPHCTD	422	SEMOTH3	922	SLTREC	10
SEDPHLPB	422	SEMOTPP	913	SLTTRY	9
SEDREC	213	SEMOTPP2	922	SLTYFU	10
SEDRSDGFX	220	SEMSCHL	913	SMHANGR	919
SEDRSEMOT	219	SEMSCHL2	922	SMHANGR2	960
SEDRSEXPT	219	SEMSUI	912	SMHBRK	918
SEDRSHIGH	219	SEMSUI2	921	SMHBRK2	960
SEDRSHOOK	220	SERAX	155	SMHDPR	918
SEDRSMAN	221	SERAX2	281	SMHDPR2	959
SEDRSOTRS2	220	SERVICE	1027	SMHEAT	919
SEDRSRELX	219	SEXAGE	1034	SMHEAT2	960
SEDRSSLEP	219	SEXTRACT	1030	SMHFEA	918
SEDRSSOR	220	SEXIDENT	1030	SMHFEA2	960
SEDRX1D2	658	SEXTRACE	1035	SMHFITE	919
SEDRX1DR	583	SHCNANGR	911	SMHFITE2	961
SEDRXDRS	584	SHCNBRK	910	SMHFMLY	919
SEDRXDS2	658	SHCNDPR	910	SMHFMLY2	961
SEDRXFAK	584	SHCNEAT	911	SMHFRND	920

INDEX

SMHFRND2	961	SOMA	155	STIMFMFPB	480
SMHMEND	920	SOMA2	281	STIMGTOVR	475
SMHMEND2	962	SOMAPDAPYU	306	STIMKPLMT	475
SMHOTH2	921	SOMAPDPYMU	313	STIMLAWTR	480
SMHOTH3	962	SOMHANGR	957	STIMLIMIT	475
SMHOTPP	920	SOMHBRK	957	STIMLOTTM	475
SMHOTPP2	962	SOMHDPDR	956	STIMLSACT	479
SMHSCHL	920	SOMHEAT	957	STIMLSEFX	476
SMHSCHL2	962	SOMHFEA	956	STIMMFU	188
SMHSUI	918	SOMHFITE	957	STIMMLU	550
SMHSUI2	959	SOMHFMLY	958	STIMNDMOR	476
SMHVST	914	SOMHFRND	958	STIMNEWA	179
SMHVST2	952	SOMHMEND	959	STIMNEWB	183
SMIDA2_U	870	SOMHOTH2	959	STIMNEWC	185
SMINDA_U	870	SOMHOTPP	958	STIMNEWD	186
SMIODA_U	869	SOMHSCHL	958	STIMNEWE	186
SMIPP	870	SOMHSUI	956	STIMPDANG	480
SMIPP_A	850	SPCALNIL	683	STIMPHCTD	479
SMIPP_U	874	SPCGFLGR	373	STIMPHLPB	478
SMISUDPY	876	SPCGMONR	373	STIMREC	188
SMIYR_A	850	SPCGYRR	373	STIMSERPB	479
SMIYR_U	874	SPCILNAL	683	STIMWD2SX	477
SMKAGLAST	593	SPD_ADJ	847	STIMWDSMT	478
SMKFLAG	269	SPD_ASCR	847	STIMYFU	187
SMKLSS30E	23	SPD_RADJ	848	STIMYLU	549
SMKLSS30N	22	SPD_RSCR	847	STMAGLST	549
SMKLSSEVR	21	SPD_UADJ	848	STMANYFLAG	296
SMKLSFFLAG	291	SPD_USCR	848	STMANYLIF	114
SMKLSMFMU	22	SPDADPAU	849	STMANYREC	114
SMKLSMNON	292	SPDMON	871	STMANYYR	296
SMKLSMREC	22	SPDNPAU	849	STMCARD	175
SMKLSSTRY	21	SPDODPAU	849	STMCUTIX	413
SMKLSYFU	21	SPDWT_C	1078	STMCUTDN	412
SMKLSYR	291	SPDYR	872	STMCUTEV	413
SMKMOLAST	594	SPDYRADJ	849	STMDAFLG	418
SMKMON	269	SPEAKENGL	1030	STMDEAL2	657
SMKYR	269	SPECTALC	682	STMDEALR	572
SMKYRLAST	593	SPECTILL	683	STMEMCTD	415
SMMIYR_U	875	SPILANAL	683	STMEMOPB	414
SN30EST	5	SPILLALC	683	STMEVER	187
SNF30BR2	6	SPINVST	914	STMFF1D2	666
SNF30USE	5	SPINVST2	952	STMFF1DR	574
SNFAGLST	541	SPOUTVST	952	STMFFAK2	666
SNFAMJEV	807	SPPAINT	101	STMFFAKE	574
SNFEVER	3	SPPAINT2	302	STMFFBOT	575
SNFFLAG	270	SRCCFLRPNR	331	STMFFBY2	667
SNFMON	270	SRCCFLRSED	331	STMFFDL2	667
SNFREC	4	SRCCFLRSTM	331	STMFFDLR	575
SNFYR	270	SRCCFLRTRQ	331	STMFFDRS	574
SNMOV5Y2	806	SRCFRPNRNM	330	STMFFDS2	666
SNNBRKUP	797	SRCFRSEDNM	331	STMFFLAS	578
SNNGRFTI	796	SRCFRSTNM	331	STMFFLSP	578
SNNHGOUT	796	SRCFRTRQNM	330	STMFFNET	576
SNNORGNZ	797	SRCPNRNM2	328	STMFFNT2	667
SNNSCOLD	797	SRCSEDNM2	329	STMFFOSP	576
SNPCKNIT	795	SRCSTMNM2	329	STMFFOT2	667
SNPDFVAL	796	SRCTRQNM2	328	STMFFOTH	576
SNPNALNG	795	STADOL	119	STMFFRE2	667
SNPTRUST	796	STADOL2	278	STMFFREE	575
SNPWLHLP	795	STBSTWAY	189	STMFFST2	667
SNRLDCSN	807	STDANYYR	765	STMFFSTL	574
SNRLFRND	808	STDAYPMO	190	STMFFTAK	575
SNRLGIMP	807	STDAYPWK	190	STMFFTK2	667
SNRLGSVC	807	STDAYPYR	189	STMFLAG	272
SNUFMFU	4	STDSLIF	757	STMFLBLU	413
SNUFMLU	541	STDSYR	757	STMFMCTD	417
SNUFTRY	3	STFQFLG	189	STMFMFPB	417
SNUFYFU	4	STIMAGE	187	STMFRBUY	572
SNUFYLU	541	STIMCUTIX	477	STMFRBY2	657
SNYATTAK	806	STIMCUTDN	476	STMFRFE2	657
SNYSELL	806	STIMCUTEV	476	STMFRFRE	572
SNYSTOLE	806	STIMEMCTD	478	STMFRTK2	657
SOCMDE	989	STIMEMOPB	478	STMFRTKE	572
SOLVENT	100	STIMFLBLU	477	STMGTLA2	577
SOLVENT2	302	STIMFMCTD	480	STMGTOS2	577

INDEX

STMGTOVR.....	411	STNDSMJ	852	TRNEWA	157
STMINET	573	STNEDL06.....	368	TRNEWB	160
STMINET2	657	STNEEDLR.....	367	TRNEWC	162
STMKPLMT	412	STNLRC06.....	368	TRNEWD	163
STMLAWTR	417	STNLRECR.....	367	TRNEWE	163
STMLIMIT	411	STROKLIF.....	758	TRNFF1D2.....	665
STMLOTTM.....	411	STROKYR	758	TRNFF1DR.....	566
STMLSACT.....	416	STTOFG	189	TRNFFAK2.....	665
STMLSEFX	412	SUICPLAN	868	TRNFFAKE.....	567
STMLTS2	652	SUICTHNK.....	868	TRNFFBOT.....	567
STMMAINRSN	326	SUICTRY	869	TRNFFBY2.....	665
STMMON	272	SUMAGE	275	TRNFFDL2.....	666
STMNDAYPM	318	SUMFLAG.....	275	TRNFFDLR.....	568
STMNDLREC	198	SUMMON	275	TRNFFDRS.....	566
STMNDLYR.....	197	SUMYFU	275	TRNFFDS2.....	665
STMNDMOR.....	412	SUMYR	275	TRNFFLAS.....	570
STMNM30AL.....	196	SVBENZAPYU.....	308	TRNFFLSP.....	570
STMNM30D.....	195	SVBENZPYMU.....	315	TRNFFNET.....	568
STMNM30ES.....	196	SVBSTWAY.....	213	TRNFFNT2.....	666
STMNM30FQ.....	196	SVDAYPMO.....	214	TRNFFOSP.....	568
STMNMAGE.....	195	SVDAYPWK.....	214	TRNFFOT2.....	666
STMNMFLAG.....	297	SVDAYPYR.....	214	TRNFFOTH.....	568
STMNMINIT.....	194	SVFQFLG.....	213	TRNFFRE2.....	665
STMNMLIF.....	194	SVTOTFG.....	213	TRNFFREE.....	567
STMNMMFU.....	195	TALACEN.....	120	TRNFFST2.....	665
STMNMMON.....	298	TALACEN2.....	279	TRNFFSTL.....	567
STMNMREC.....	194	TALKPROB.....	855	TRNFFTAK.....	567
STMNMYFU.....	195	TALWIN	120	TRNFFTAK.....	666
STMNMYR	298	TALWIN2.....	279	TRNFMCTD.....	410
STMNOLST.....	178	TALWINNX.....	120	TRNFMFPB.....	410
STMNORXFG.....	201	TALWINX2.....	279	TRNFRBUY.....	564
STMOTANYR2.....	307	TCHGJOB.....	852	TRNFRBY2.....	655
STMOTHPYMU2.....	290	TELNO2	1042	TRNFRFE2.....	655
STMOTHS2.....	573	TEMADAPYU.....	309	TRNFRFRE.....	564
STMOTHW2.....	657	TENUATE.....	177	TRNFRTK2.....	656
STMOTHWY.....	573	TENUATE2.....	283	TRNFRTKE.....	565
STMOTNMYR3.....	314	THERVST.....	951	TRNGTLA2.....	569
STMPDANG.....	416	TINNLIF.....	758	TRNGTOS2.....	569
STMPHCTD.....	415	TINNYR	758	TRNGTOVR.....	406
STMPHLPB.....	415	TOBALCMN.....	301	TRNINET.....	565
STMRSALRT.....	198	TOBFLAG.....	292	TRNINET2.....	656
STMRSCONC.....	198	TOBMON	292	TRNKPLMT.....	407
STMRSDFX.....	199	TOBYR	292	TRNLAWTR.....	410
STMRSXPT.....	199	TOOLONG.....	1073	TRNLIMIT.....	406
STMRSHIGH.....	199	TRAMADL2.....	279	TRNLOTM.....	406
STMRSHOOK.....	199	TRAMADOL.....	120	TRNLSACT.....	409
STMRSMAIN.....	200	TRAMADP.....	280	TRNLSEFX.....	407
STMRSOTRS2.....	200	TRAMPDAPYU.....	303	TRNLTS2	652
STMRSSOR.....	200	TRAMPDPYMU.....	310	TRNNDMOR.....	407
STMRSSTDY.....	199	TRANAGE.....	164	TRNOLST.....	156
STMRSWGHT.....	198	TRANMFU.....	164	TRNTHS2.....	566
STMRX1D2.....	656	TRANMLU.....	548	TRNOTHW2.....	656
STMRX1DR.....	571	TRANREC.....	165	TRNOTHWY.....	565
STMRXDRS.....	571	TRANXEN2.....	281	TRNPDANG.....	410
STMRXDS2.....	656	TRANXENE.....	155	TRNPHTD.....	409
STMRXFAK.....	571	TRANXFU.....	164	TRNPHLPB.....	408
STMRXFK2.....	656	TRANXLU.....	548	TRNRX1D2.....	655
STMSERP.....	416	TRBENZAPYU.....	305	TRNRX1DR.....	563
STMSRCF2.....	662	TRBENZPYMU.....	312	TRNRXDRS.....	563
STMSRCFR.....	650	TRBSTWAY.....	165	TRNRXDS2.....	655
STMSTOL2.....	657	TRDAYPMO.....	166	TRNRXFAK.....	564
STMSTOLE.....	571	TRDAYPWK.....	166	TRNRXFK2.....	655
STMWD2SX.....	414	TRDAYPYR.....	166	TRNSERP.....	409
STMWDSMT.....	414	TRFQFLG.....	165	TRNSRCF2.....	662
STMWYGAMT.....	197	TRIPDAPYU.....	308	TRNSRCFR.....	650
STMWYLNGR.....	197	TRIMEST.....	777	TRNSTOL2.....	655
STMWYNORX.....	196	TRNAGLST.....	548	TRNSTOLE.....	564
STMWYOFTN.....	197	TRNCARD.....	153	TRNYRTOT.....	165
STMWYOTWY.....	197	TRNCUTDN.....	407	TROUBUND.....	1073
STMYDAYS.....	286	TRNCUTEV.....	408	TRQANYFLAG.....	296
STMYR.....	272	TRNDEAL2.....	656	TRQANYLIF.....	113
STMYRTOT.....	188	TRNDEALR.....	565	TRQANYREC.....	113
STNDALC.....	852	TRNEMCTD.....	408	TRQANYR.....	296
STNDDNK.....	852	TRNEMOPB.....	408	TRQFLAG.....	272
STNDSMCI.....	852	TRNEVER.....	163	TRQLCUTDN.....	471

INDEX

TRQLCUTEV	472	TXALONEV	640	TXLTYMJ	631
TRQLEMCTD	472	TXCURRENT	697	TXLTYMN2	630
TRQLEMOPB	472	TXDANOSP	672	TXLTYMNPL2	711
TRQLFMCTD	474	TXDANOTX	672	TXLTYMRJH	712
TRQLFMFPB	474	TXDRGAAG	643	TXLTYMRJH2	738
TRQLGTOVR	470	TXDRGAAGE	723	TXLTYOCOM2	716
TRQLKPLMT	471	TXDRGAEV	642	TXLTYOTHR	715
TRQLLAWTR	474	TXDRGALCU	723	TXLTYOU2	635
TRQLLIMIT	470	TXDRGONAG	722	TXLTYPNRL	714
TRQLLOTTM	470	TXDRGONLY	722	TXLTYPNRL2	738
TRQLLSACT	473	TXDRONAG	641	TXLTYSED	634
TRQLLSEFT	471	TXDRONEV	641	TXLTYSEDRV	715
TRQLNDMOR	471	TXENRLOCT	721	TXLTYSEDV2	739
TRQLPDANG	474	TXENROLL	640	TXLTYSEDV2	739
TRQLPHCTD	473	TXEVER	606	TXLTYSEDV2	634
TRQLPHLPB	472	TXEVRRCDV	691	TXLTYSTIM	714
TRQLSERPB	473	TXEVRRCDV2	737	TXLTYSTIM2	739
TRQMAINRSN	325	TXFGADAG	645	TXLTYSTM	633
TRQMON	272	TXFGADAGE	726	TXLTYTRN	633
TRQNDAYPM	318	TXFGALAG	645	TXLTYTRQL	714
TRQNM30AL	169	TXFGALAGE	725	TXLTYTRQL2	738
TRQNM30D	168	TXFGDGAG	645	TXMDEYR	988
TRQNM30ES	169	TXFGDGAGE	725	TXNDILAL	687
TRQNM30FQ	169	TXGAPALC	688	TXNEDALC	686
TRQNMAGE	168	TXGPALLC	677	TXNOSPDA	672
TRQNMFLAG	297	TXGPANLC	677	TXNOSPEC	688
TRQNMINIT	167	TXGPCOLC	677	TXNOTXDA	672
TRQNMILF	167	TXGPHALC	677	TXPAYBOSS	719
TRQNMFMU	168	TXGPHELC	677	TXPAYBOSS2	740
TRQNMMON	297	TXGPILAL	689	TXPAYCOUR	719
TRQNMREC	167	TXGPINLC	677	TXPAYCOUR2	740
TRQNMYSFU	168	TXGPMJLC	677	TXPAYFAML	718
TRQNMYSR	297	TXGPSEL	677	TXPAYFAML2	739
TRQNRXFG	173	TXGPSTLC	677	TXPAYFREE	720
TRQOTANYR2	306	TXGPTRLC	677	TXPAYHINS	717
TRQOTHPYMU2	290	TXHPMDE	986	TXPAYHINS2	739
TRQOTNMYR3	313	TXILALEV	678	TXPAYMCAD	717
TRQRSDFGX	171	TXILANAL	678	TXPAYMCAD2	739
TRQRSEMOT	171	TXILLALC	678	TXPAYMCRE	717
TRQRSEXPT	171	TXILNOAL	678	TXPAYMCRE2	739
TRQRSHIGH	171	TXLASREC	629	TXPAYMILT	719
TRQRSHOOK	172	TXLTALC2	678	TXPAYMILT2	740
TRQRSMAIN	173	TXLTANL2	679	TXPAYOTHR	720
TRQRSOTRS2	172	TXLTCOC2	679	TXPAYOTSP2	720
TRQRSRELX	170	TXLTCURRSP	747	TXPAYPUBL	718
TRQRSSELP	171	TXLTHAL2	679	TXPAYPUBL2	739
TRQRSSOR	172	TXLTHER2	679	TXPAYSVNG	718
TRQWYGAMT	170	TXLTILL2	679	TXPAYSVNG2	739
TRQWYLNDR	170	TXLTINH2	679	TXPCAID2	680
TRQWYNORX	169	TXLTMJ2	679	TXPCARE2	680
TRQWYOTFN	170	TXLTSER2	679	TXPCORT2	680
TRQWYOTWY	170	TXLTSTM2	679	TXPDBOSSAL	741
TRQYR	272	TXLTSTRN2	679	TXPDBOSSIL	742
TRTOTFG	165	TXLTYALC	631	TXPDCOURAL	740
TRYPFLGR	370	TXLTYALCO	712	TXPDCOURIL	741
TRYPMONR	370	TXLTYALCO2	738	TXPDFAMLAL	740
TRYPREC	339	TXLTYANL	633	TXPDFAMLIL	741
TRYPPTMN	338	TXLTYCOC	631	TXPDHINSAL	740
TRYPYRR	370	TXLTYCOCN	712	TXPDHINSIL	741
TSTHIRE	1056	TXLTYCOCN2	738	TXPDMCADAL	740
TSTRAND	1056	TXLTYDAYS2	716	TXPDMCADIL	741
TUBRCLIF	758	TXLTYDAYS2	716	TXPDMCREAL	740
TUBRCYR	758	TXLTYDU2	635	TXPDMCREIL	741
TUINAL	204	TXLTYHAL	632	TXPDMILTAL	741
TUINAL2	285	TXLTYHALL	713	TXPDMILTIL	741
TX12MSHG	646	TXLTYHALL2	738	TXPDPUBLAL	740
TX12SGAD	646	TXLTYHER	632	TXPDPUBLIL	741
TXALCDAG	642	TXLTYHERN	713	TXPDPUBLIL	741
TXALCDAGE	723	TXLTYHERN2	738	TXPDSVNGAL	740
TXALCDEV	642	TXLTYHILL	739	TXPDSVNGIL	741
TXALCDRGU	722	TXLTYINH	632	TXPEMPL2	680
TXALCONAG	722	TXLTYINHL	713	TXPFMLY2	680
TXALCONLY	721	TXLTYINHL2	738	TXPINS2	680
TXALNOIL	678	TXLTYMAIN2	715	TXPMILC2	680
TXALONAG	641	TXLTYMETH	714	TXPPUBP2	680
		TXLTYMETH2	738	TXPSAVE2	680
				TXPYCAID	636

INDEX

TXPYCARE	636	TXYREMRAD	694	TXYSPALNIL	743
TXPYCORT	638	TXYREMRAL	748	TXYSPILNAL	744
TXPYEMPL	638	TXYREMRGN	694	TXYPEBLM	728
TXPYFMLY	637	TXYREMRGN2	749	UADBAR	1020
TXPYFRE	639	TXYREMRIL	749	UADBUND	1022
TXPYINS	636	TXYRERAD	609	UADBWHO	1021
TXPYMILC	638	TXYRERDRG	697	UADCAG	1022
TXPYPUBP	637	TXYRERNUM2	697	UADCAR	1020
TXPYSAVE	637	TXYREVER	606	UADEVNT	1020
TXPYSOS	639	TXYRHOSAD	692	UADFRD	1023
TXPYS2	639	TXYRHOSAL	747	UADFWHO	1022
TXRCVDREC	711	TXYRHOSIL	748	UADHOME	1020
TXRCVNOW	613	TXYRHOSOV	692	UADMONEY	1021
TXRNBUSY	690	TXYRHOSOV2	749	UADOTHM	1020
TXRNFOUT	690	TXYRHOSP	607	UADOTSP	1021
TXRNHDPR	672	TXYRHPAD	607	UADPAID	1021
TXRNHNDL	690	TXYRILANAL	738	UADPEOP	1020
TXRNJOB	690	TXYRILL	737	UADPLACE	1022
TXRNLMCV	689	TXYRILNAL	737	UADPUBL	1020
TXRNNBR	690	TXYRINAD	608	UADROTH	1021
TXRNNHCV	689	TXYRJAIL	610	UADSCHL	1021
TXRNNHLP	690	TXYRJLAD	610	UDPYHAL	529
TXRNNOND	690	TXYRMHAD	609	UDPYHRPNR	530
TXRNNSTP	689	TXYRMHC	609	UDPYIEM	530
TXRNNSTP	689	TXYRMHCAD	693	UDPYILAAL	530
TXRNOPEN	689	TXYRMHCAL	748	UDPYILAL	530
TXRNSTIG	671	TXYRMHCIL	749	UDPYILL	530
TXRNTYPE	689	TXYRMHCOP	693	UDPYINH	529
TXRNWHER	689	TXYRMHCOP2	749	UDPYMTH	529
TXSHGALDB	726	TXYRNDALC	750	UDPYOPI	530
TXSHGFLAG	727	TXYRNDILAL	750	UDPYPNR	529
TXSHGFLG	646	TXYRNDILL	750	UDPYPSY	530
TXSHGWENT	726	TXYRNM2	613	UDPYSED	530
TXSPALC	673	TXYRNOSPAL	752	UDPYSTM	530
TXSPANL	673	TXYRNOSPIL	752	UDPYTRQ	529
TXSPCOC	673	TXYRNDTX	721	ULCERLIF	758
TXSPHAL	673	TXYROTAD	613	ULCERYR	758
TXSPHER	673	TXYROTHAD	696	ULTRAM	120
TXSPINH	673	TXYROTHER	696	ULTRAM2	279
TXSPMRJ	673	TXYROTHSP2	696	USALCTST	1056
TXSPNSALC	745	TXYROTS2	612	USDRGTST	1056
TXSPNSILAL	747	TXYROUTAD	693	USEACM	554
TXSPNSILL	746	TXYROUTAL	748	USEALCG	553
TXSPSED	673	TXYROUTIL	748	USEALMJ	553
TXSPSTM	673	TXYROUTPT	693	USEMJCJG	553
TXSPTRN	673	TXYROUTPT2	749	USENEXT	554
TXYADAAG	644	TXYRPOAD	608	VALMDIA2	280
TXYADDAG	645	TXYRPRIAD	695	VALMDIAZ	152
TXYALAGE	643	TXYRPRIAL	748	VEREP	1078
TXYALDAAG	725	TXYRPRIIL	749	VESTR	1078
TXYALDAG	643	TXYRPRISN	695	VICOLOR	116
TXYALDDAG	725	TXYRPRISN2	750	VICOLOR2	277
TXYALDRG	643	TXYRRECVD	691	VISTAR	155
TXYALODAG	724	TXYRRECVD2	737	VISTAR2	281
TXYALODRG	724	TXYRRESAD	692	WHODASC2	873
TXYALONAG	723	TXYRRESAL	747	WHODASC3	874
TXYDRAAG	644	TXYRRESIL	748	WKDRGED	1055
TXYDRAGE	644	TXYRRESOV	692	WORKBLAH	1054
TXYDRALC	644	TXYRRESOV2	749	WORKDAYS	1054
TXYDROAAG	724	TXYRRFIN	608	WORKRAND	1057
TXYDROALC	724	TXYRRFOP	608	WRK35WKUS	1044
TXYDRONAG	724	TXYRSGAD	611	WRKBZCA2	1051
TXYNSPILAL	752	TXYRSHG	611	WRKBZCY2	1053
TXYRADG	607	TXYRSLFAD	695	WRKDHRSWK2	1043
TXYRALC	737	TXYRSLFAL	748	WRKDPSTWK	1043
TXYRALDGB	691	TXYRSLFHP	695	WRKDPSTYR	1045
TXYRALNIL	737	TXYRSLFHP2	750	WRKDRGALB	1046
TXYRDCAD	610	TXYRSLFIL	749	WRKDRGHLF	1046
TXYRDOC	610	TXYRSOP	611	WRKDRGPOL	1046
TXYRDRPAD	694	TXYRSPALC	742	WRKEDYR	1053
TXYRDRPAL	748	TXYRSPILAL	744	WRKEFFORT	1044
TXYRDRPIL	749	TXYRSPILL	742	WRKHADJOB	1043
TXYRDRPRV	694	TXYRTXER	609	WRKHAVJB	1049
TXYRDRPRV2	750	TXYRVSER	613	WRKHIRE	1057
TXYRDTXO	640	TXYSILANAL	744	WRKHSW2	1050

INDEX

WRKIDST2	1050	YESCHFLT	833	YOLOSEV	968
WRKIDSY2	1052	YESCHIMP	834	YOLS2WK	969
WRKJOBS2	1052	YESCHINT	834	YOMDMDE	993
WRKLSY2	1052	YESCHWRK	834	YOMHDE	994
WRKNJBPYR	1045	YESLFHLP	844	YONURSE	984
WRKNJBWKS	1045	YESTSALC	835	YOTHDOC	983
WRKNUMJOB2	1045	YESTSCIG	835	YOTHHLP	985
WRKOCUP2	1051	YESTSDNK	836	YOTHMHP	984
WRKOCUY2	1053	YESTSMJ	835	YOPB2WK	980
WRKOKPREH	1048	YETCGJOB	834	YOPBAGE	980
WRKOKRAND	1048	YETLKBGF	842	YOPBDLYA	980
WRKRSNJOB	1044	YETLKNON	842	YOPBINTF	979
WRKRSNNOT	1044	YETLKOTA	842	YOPBNUM	980
WRKSELFEM	1045	YETLKPAR	842	YOPBRMBR	980
WRKSICKMO	1046	YETLKSOP	843	YOPSDAYS	982
WRKSKIPMO	1046	YEVIOPRV	843	YOPSHMGT	981
WRKSLFEM	1054	YEYARGUP	838	YOPRELS	982
WRKSTATWK2	1043	YEYATTAK	839	YOPSSOC	982
WRKTST1ST	1047	YEYFGTGP	838	YOPSWORK	981
WRKTSTALC	1047	YEYFGTSW	838	YOPSYCH	983
WRKTSTDRG	1047	YEYHGUN	838	YOPSYMD	984
WRKTSTHIR	1047	YEYSELL	839	YORELIG	984
WRKTSTRDM	1047	YEYSTOLE	839	YORX12MO	985
WRKUNEMP	1054	YFLADLY2	855	YORXHLP	986
WRKUNWKS	1054	YFLMJMO	854	YORXNOW	985
WSPDSC2	873	YFLPKCG2	854	YOSEEDOC	983
WTANSWER	759	YFLTMRJ2	854	YOSELL2	854
WTPOUND2	760	YFOST	948	YOSOCWRK	984
XNAXATV2	280	YHBCHEMDE	994	YOSTOLE2	854
XNAXATVN	152	YHLMDE	995	YOTHMDE	994
YALTMDE	995	YHOME	948	YOTMTHLP	986
YCLIN	948	YHOSP	948	YOTMTNOW	985
YCOUNMDE	994	YJAIL	949	YOWRAGE	971
YDAYTRT	948	YMDEADA	991	YOWRCHR	970
YDOCMDE	993	YMDEHARX	995	YOWRCONC	976
YEAR	3	YMDEHPO	995	YOWRDBTR	977
YEATNDYR	833	YMDEHPRX	995	YOWRDCSN	976
YECOMACT	844	YMDEIMDA	991	YOWRDEPR	972
YEDECLAS	845	YMDEIMUDPY	997	YOWRDIET	974
YEDERGLR	845	YMDLT	992	YOWRDISC	972
YEDESPL	846	YMDERXO	991	YOWRDLOT	977
YEDGPRGP	843	YMDERXO2	995	YOWRDST	970
YEFALACT	845	YMDETARX	991	YOWRELES	973
YEFALDLY	842	YMDETXO	991	YOWREMOR	973
YEFMJEVR	841	YMDETXRX	993	YOWRENRG	975
YEFMJMO	841	YMDEUDPY	993	YOWRGAIN	973
YEFPKCIG	841	YMDEYR	993	YOWRGNL2	974
YEGALDLY	841	YMHASPTX	967	YOWRGROW	973
YEGMJEVR	840	YMHNSPTX	966	YOWRHRS	970
YEGMJMO	841	YMHOSPTX	966	YOWRIMP	970
YEGPKCIG	840	YNURSMDE	994	YOWRJNO	976
YEHMSLYR	833	YO_MDEA1	978	YOWRJITT	975
YELSTGRD	835	YO_MDEA2	978	YOWRLOSE	974
YEMOV5Y2	833	YO_MDEA3	978	YOWRLSIN	972
YEOTHACT	845	YO_MDEA4	978	YOWRLSL2	974
YEPALDLY	840	YO_MDEA5	978	YOWRNOGD	976
YEPCHKHW	836	YO_MDEA6	979	YOWRPLSR	972
YEPCHORE	836	YO_MDEA7	979	YOWRPREG	973
YEPGDJOB	837	YO_MDEA8	979	YOWRPROB	971
YEPHLPHW	836	YO_MDEA9	979	YOWRSATP	978
YEPLMTSN	837	YOATTAK2	854	YOWRSLEP	974
YEPLMTTV	837	YOCOUNS	984	YOWRSLNO	975
YEPMJEV	840	YODPDISC	968	YOWRSLNO	975
YEPMJMO	840	YODPLSIN	969	YOWRSLOW	975
YEPKPCIG	839	YODPPROB	971	YOWRSMOR	975
YEPPOUD	837	YODPR2WK	969	YOWRSPLN	977
YEPBBSLV	843	YODPREV	968	YOWRSTHK	977
YEPRGSTD	844	YODSCEV	968	YOWRTHOT	976
YEPRTDNG	843	YODSLSIN	969	YOWRWRTH	977
YEPVNTYR	846	YODSMMDE	979	YPED	948
YERLDCSN	847	YOFAMDOC	983	YPSY1MDE	993
YERLFRND	847	YOFIGHT2	853	YPSY2MDE	994
YERLGIMP	846	YOGRPT2	853	YRANXD	731
YERLGSVC	846	YOHERBAL	985	YRASMA	732
YESCHACT	844	YOHGUN2	853	YRBRONC	732
				YRCIRR	732

INDEX

YRDEPRS.....	732	YUFDSOR.....	944	YUSHSOR.....	899
YRDIAB.....	732	YUFDSUIC.....	942	YUSHSUIC.....	897
YRELMDE.....	994	YUHOANGR.....	925	YUSPEDYR.....	896
YRESID.....	948	YUHOBKRU.....	925	YUSWANGR.....	945
YRHARTD.....	733	YUHODEPR.....	924	YUSWBKRU.....	945
YRHBP.....	733	YUHOEATP.....	925	YUSWDEPR.....	944
YRHEPAT.....	733	YUHOFEAR.....	924	YUSWEATP.....	945
YRHIV.....	733	YUHOFFITE.....	925	YUSWFEAR.....	944
YRLUNCA.....	733	YUHOFFMLY.....	925	YUSWFITE.....	945
YRNONE.....	735	YUHOFRND.....	925	YUSWFMLY.....	945
YRPANCR.....	734	YUHOOTPP.....	926	YUSWFRND.....	945
YRPNEU.....	734	YUHOSCHL.....	926	YUSWOTPP.....	946
YRSINUS.....	734	YUHOSOR.....	926	YUSWSCHL.....	946
YRSLPAP.....	734	YUHOHPN2.....	924	YUSWSCYR.....	944
YRSTDS.....	734	YUHOSPYR.....	924	YUSWSOR.....	946
YRSTROK.....	735	YUHOSUIC.....	924	YUSWSUIC.....	944
YRTINN.....	735	YUIHANGR.....	940	YUTPANGR.....	938
YRTUBRC.....	735	YUIHBKRU.....	940	YUTPBKRU.....	937
YRULCER.....	735	YUIHDEPR.....	939	YUTPDEPR.....	937
YRXMDEYR.....	993	YUIHEATP.....	940	YUTPEATP.....	937
YSCHL.....	909	YUIHFEAR.....	940	YUTPFEAR.....	937
YSDSHOME.....	996	YUIHFITE.....	940	YUTPFITE.....	938
YSDSOVRL.....	996	YUIHFMLY.....	940	YUTPFMLY.....	938
YSDSREL.....	996	YUIHFRND.....	941	YUTPFRND.....	938
YSDSSOC.....	996	YUIHOTPP.....	941	YUTPOTPP.....	938
YSDSWRK.....	996	YUIHSCHL.....	941	YUTPSCHL.....	938
YSHSW.....	949	YUIHSOR.....	941	YUTPSOR.....	939
YSOCMDE.....	994	YUIHSUIC.....	939	YUTPSTN2.....	936
YSPEC.....	949	YUIHTPN2.....	939	YUTPSTYR.....	936
YSPED.....	909	YUIHTPYR.....	939	YUTPSUIC.....	937
YSPTXNMH.....	966	YUJAILEV.....	899	ZALEPDAPYU.....	308
YTHACT2.....	856	YUJVDTN2.....	947	ZOHYANYR2.....	303
YTHER.....	948	YUJVDTON.....	947	ZOLPPDAPYU.....	308
YTXMDEYR.....	993	YUJVDTYR.....	947	ZOLPPDPYMU.....	315
YUDYANGR.....	932	YUMHANGR.....	935		
YUDYBKRU.....	932	YUMHBKRU.....	935		
YUDYDEPR.....	932	YUMHCRN2.....	934		
YUDYEATP.....	932	YUMHCRYR.....	934		
YUDYFEAR.....	932	YUMHDEPR.....	934		
YUDYFITE.....	933	YUMHEATP.....	935		
YUDYFMLY.....	933	YUMHFEAR.....	934		
YUDYFRND.....	933	YUMHFITE.....	935		
YUDYOTPP.....	933	YUMHFMLY.....	935		
YUDYSCHL.....	933	YUMHFRND.....	935		
YUDYSOR.....	933	YUMHOTPP.....	936		
YUDYSUIC.....	932	YUMHSCHL.....	936		
YUDYTXN2.....	931	YUMHSOR.....	936		
YUDYTXYR.....	931	YUMHSUIC.....	934		
YUFCANGR.....	930	YURSANGR.....	928		
YUFCAREV.....	899	YURSBKRU.....	927		
YUFCARN2.....	929	YURSDEPR.....	927		
YUFCARYR.....	929	YURSEATP.....	927		
YUFCBKRU.....	930	YURSFEAR.....	927		
YUFCDEPR.....	929	YURSFITE.....	928		
YUFCATP.....	930	YURSFMLY.....	928		
YUFCFEAR.....	930	YURSFERN2.....	928		
YUFCFITE.....	930	YURSIDN2.....	926		
YUFCFMLY.....	930	YURSIDYR.....	926		
YUFCFRND.....	931	YURSOTPP.....	928		
YUFCOTPP.....	931	YURSSCHL.....	928		
YUFCSCHL.....	931	YURSSOR.....	929		
YUFCSOR.....	931	YURSSUIC.....	927		
YUFCSUIC.....	929	YUSCEMYR.....	946		
YUFDANGR.....	943	YUSCPGYR.....	946		
YUFDDBKRU.....	942	YUSHANGR.....	898		
YUFDDEPR.....	942	YUSHBKRU.....	897		
YUFDDEATP.....	942	YUSHCN2.....	896		
YUFDFEAR.....	942	YUSHDEPR.....	897		
YUFDFFITE.....	943	YUSHEATP.....	897		
YUFDFFMLY.....	943	YUSHFEAR.....	897		
YUFDFFRND.....	943	YUSHFFITE.....	898		
YUFDFOCN2.....	942	YUSHFFMLY.....	898		
YUFDFOCYR.....	941	YUSHFRND.....	898		
YUFDOTPP.....	943	YUSHOTPP.....	898		
YUFDOSCHL.....	943	YUSHSCHL.....	898		

INDEX