

TABLE OF CONTENTS

**TABLE OF CONTENTS**

IDENTIFICATION .....3

SELF-ADMINISTERED SUBSTANCE USE SECTIONS .....4

    TOBACCO .....4

    ALCOHOL .....29

    MARIJUANA .....34

    COCAINE .....38

    CRACK .....42

    HEROIN .....46

    HALLUCINOGENS .....49

    INHALANTS .....88

    METHAMPHETAMINE .....109

    PAIN RELIEVERS SCREENER .....113

    TRANQUILIZERS SCREENER .....114

    STIMULANTS SCREENER .....115

    SEDATIVES SCREENER .....116

    PAIN RELIEVERS .....117

    TRANQUILIZERS .....154

    STIMULANTS .....176

    SEDATIVES .....204

IMPUTED SUBSTANCE USE .....224

    REGENCY OF DRUG USE .....224

    PAST YEAR FREQUENCY OF USE .....238

    PAST MONTH FREQUENCY OF USE .....244

    AGE/DATE OF FIRST DRUG USE .....251

    RECODED DRUG USE .....266

OTHER SELF-ADMINISTERED SECTIONS .....331

    SPECIAL DRUGS .....331

        RECODED SPECIAL DRUGS .....366

    SPECIALTY CIGARETTES .....372

        RECODED SPECIALTY CIGARETTES .....374

    RISK/AVAILABILITY .....375

        RECODED RISK/AVAILABILITY .....385

    BLUNTS .....389

    SUBSTANCE DEPENDENCE AND ABUSE .....394

        IMPUTED SUBSTANCE DEPENDENCE AND ABUSE .....491

        RECODED SUBSTANCE DEPENDENCE AND ABUSE .....500

    MARIJUANA PURCHASES .....513

        RECODED MARIJUANA PURCHASES .....531

    SPECIAL TOPICS .....533

        RECODED SPECIAL TOPICS .....543

    PRIOR SUBSTANCE USE .....545

        RECODED PRIOR SUBSTANCE USE .....611

    SUBSTANCE TREATMENT .....635

        RECODED SUBSTANCE TREATMENT .....675

    DRUG TREATMENT .....695

        RECODED DRUG TREATMENT .....732

    PREGNANCY AND HEALTH CARE .....750

        RECODED PREGNANCY AND HEALTH CARE .....760

    HEALTH .....765

        RECODED HEALTH .....779

    ADULT MENTAL HEALTH SERVICE UTILIZATION .....780

        RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION .....798

        RECODED ADULT MENTAL HEALTH TREATMENT .....806

    SOCIAL ENVIRONMENT .....809

    ADULT MENTAL HEALTH .....812

        RECODED ADULT MENTAL HEALTH .....833

    PSYCHOLOGICAL DISTRESS .....834

        RECODED PSYCHOLOGICAL DISTRESS .....836

    SOCIAL AND NEIGHBORHOOD ENVIRONMENT .....839

    YOUTH EXPERIENCES .....842

        RECODED YOUTH EXPERIENCES .....857

    MENTAL HEALTH .....863

        RECODED MENTAL HEALTH .....875

    ADULT DEPRESSION .....883

        RECODED ADULT DEPRESSION .....903

    YOUTH MENTAL HEALTH TREATMENT .....910

        RECODED YOUTH MENTAL HEALTH TREATMENT .....914

TABLE OF CONTENTS

YOUTH MENTAL HEALTH SERVICE UTILIZATION .....	931
RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION .....	955
ADOLESCENT DEPRESSION .....	975
RECODED ADOLESCENT DEPRESSION .....	994
RECODED ADULT AND ADOLESCENT DEPRESSION .....	1000
CONSUMPTION OF ALCOHOL .....	1005
RECODED CONSUMPTION OF ALCOHOL .....	1022
INTERVIEW INFORMATION .....	1028
DEMOGRAPHICS .....	1029
DEMOGRAPHICS .....	1029
IMPUTED DEMOGRAPHICS .....	1034
RECODED DEMOGRAPHICS .....	1036
NON-CORE DEMOGRAPHICS .....	1038
RECODED NON-CORE DEMOGRAPHICS .....	1045
EDUCATION .....	1046
RECODED EDUCATION .....	1049
EMPLOYMENT .....	1050
EMPLOYMENT AND WORKPLACE .....	1056
IMPUTED EMPLOYMENT .....	1065
IMPUTED EMPLOYMENT AND WORKPLACE .....	1066
HOUSEHOLD COMPOSITION (ROSTER) .....	1067
PROXY INFORMATION .....	1069
HEALTH INSURANCE .....	1070
IMPUTED HEALTH INSURANCE .....	1075
RECODED HEALTH INSURANCE .....	1077
INCOME .....	1078
IMPUTED INCOME .....	1079
RECODED INCOME .....	1081
INCOME AND INSURANCE .....	1082
RECODED INCOME AND INSURANCE .....	1086
FI DEBRIEFING QUESTIONS .....	1087
GEOGRAPHIC .....	1088
COUNTY .....	1088
SEGMENT .....	1089
BLOCK .....	1091
SAMPLE WEIGHTING AND ESTIMATION VARS .....	1092
INDEX .....	1094

IDENTIFICATION

**IDENTIFICATION**

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2. It should be noted that this variable was referred to as QUESTID in prior years.

QUESTID2            Len : 7    RESPONDENT IDENTIFICATION

YEAR                Len : 4    YEAR IN WHICH DATA WAS COLLECTED

The following variable, FILEDATE, represents the date the SAS data file was created.

FILEDATE           Len : 10    CREATION DATE OF THE DATA FILE

TOBACCO

SELF-ADMINISTERED SUBSTANCE USE SECTIONS

TOBACCO

These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.

Have you ever smoked part or all of a cigarette?

<b>CIGEVER</b>	Len : 1	EVER SMOKED A CIGARETTE		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	478099	53.54
		2 = No.....	414873	46.46

If one of your best friends offered you a cigarette, would you smoke it?

<b>CIGOFRSM</b>	Len : 2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG		
			<b>Freq</b>	<b>Pct</b>
		1 = Definitely Yes.....	289	0.03
		2 = Probably Yes.....	2472	0.28
		3 = Probably Not.....	28793	3.22
		4 = Definitely Not.....	177930	19.93
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	92	0.01
		97 = REFUSED.....	104	0.01
		98 = BLANK (NO ANSWER).....	9	0.00
		99 = LEGITIMATE SKIP.....	683282	76.52

At any time during the next 12 months do you think you will smoke a cigarette?

<b>CIGWILYR</b>	Len : 2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Definitely Yes.....	224	0.03
		2 = Probably Yes.....	1992	0.22
		3 = Probably Not.....	25937	2.90
		4 = Definitely Not.....	181299	20.30
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	163	0.02
		97 = REFUSED.....	63	0.01
		98 = BLANK (NO ANSWER).....	9	0.00
		99 = LEGITIMATE SKIP.....	683282	76.52

How old were you the first time you smoked part or all of a cigarette?

<b>CIGTRY</b>	Len : 3	AGE WHEN FIRST SMOKED A CIGARETTE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 68.....	471665	52.82
		985 = BAD DATA Logically assigned.....	3504	0.39
		991 = NEVER USED CIGARETTES.....	414873	46.46
		994 = DON'T KNOW.....	2475	0.28
		997 = REFUSED.....	455	0.05

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

<b>CIGYFU</b>	Len : 4	YEAR OF FIRST CIGARETTE USE - RECODE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 2000 - 2017.....	30712	3.44
		9985 = BAD DATA Logically assigned.....	3939	0.44
		9989 = LEGITIMATE SKIP Logically assigned.....	2080	0.23
		9991 = NEVER USED CIGARETTES.....	414873	46.46
		9994 = DON'T KNOW.....	2556	0.29
		9997 = REFUSED.....	487	0.05
		9998 = BLANK (NO ANSWER).....	2223	0.25
		9999 = LEGITIMATE SKIP.....	436102	48.84

TOBACCO

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

**CIGMFU** Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
1 = January.....	2407	0.27
2 = February.....	1733	0.19
3 = March.....	2182	0.24
4 = April.....	1992	0.22
5 = May.....	2119	0.24
6 = June.....	3607	0.40
7 = July.....	3346	0.37
8 = August.....	2411	0.27
9 = September.....	2350	0.26
10 = October.....	2471	0.28
11 = November.....	2091	0.23
12 = December.....	1825	0.20
85 = BAD DATA Logically assigned.....	3916	0.44
89 = LEGITIMATE SKIP Logically assigned.....	2080	0.23
91 = NEVER USED CIGARETTES.....	414873	46.46
94 = DON'T KNOW.....	4649	0.52
97 = REFUSED.....	572	0.06
98 = BLANK (NO ANSWER).....	2246	0.25
99 = LEGITIMATE SKIP.....	436102	48.84

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette? How long has it been since you last smoked part or all of a cigarette?

**CIGREC** Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	<b>Freq</b>	<b>Pct</b>
1 = Within the past 30 days.....	212066	23.75
2 = More than 30 days ago but within the past 12 mos.....	49850	5.58
3 = More than 12 months ago but within the past 3 yrs.....	44918	5.03
4 = More than 3 years ago.....	165359	18.52
8 = Used at some point in the past 12 mos LOG ASSN.....	178	0.02
9 = Used at some point in the lifetime LOG ASSN.....	171	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	30	0.00
14 = Used more than 12 months ago LOG ASSN.....	2679	0.30
19 = Used more than 30 days ago LOG ASSN.....	1507	0.17
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	1314	0.15
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	27	0.00
91 = NEVER USED CIGARETTES.....	414873	46.46

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

**CIG30USE** Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30.....	210130	23.53
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED CIGARETTES.....	414873	46.46
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	265627	29.75
94 = DON'T KNOW.....	1665	0.19
97 = REFUSED.....	271	0.03
98 = BLANK (NO ANSWER).....	398	0.04

TOBACCO

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

**CG30EST**      Len : 2    BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = 1 or 2 days .....	225	0.03
2 = 3 to 5 days.....	216	0.02
3 = 6 to 9 days.....	228	0.03
4 = 10 to 19 days.....	324	0.04
5 = 20 to 29 days.....	213	0.02
6 = All 30 days.....	479	0.05
91 = NEVER USED CIGARETTES.....	414873	46.46
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	265627	29.75
94 = DON'T KNOW .....	163	0.02
97 = REFUSED .....	88	0.01
98 = BLANK (NO ANSWER) .....	406	0.05
99 = LEGITIMATE SKIP.....	210130	23.53

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

**CIG30AV**      Len : 2    AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	<b>Freq</b>	<b>Pct</b>
1 = Less than one cigarette per day .....	23013	2.58
2 = 1 cigarette per day.....	25045	2.80
3 = 2 to 5 cigarettes per day .....	58318	6.53
4 = 6 to 15 cigarettes per day (about 1/2 pack).....	55494	6.21
5 = 16 to 25 cigarettes per day (about 1 pack).....	37813	4.23
6 = 26 to 35 cigarettes per day (about 1 1/2 packs).....	8454	0.95
7 = More than 35 cigs per day (abt 2 packs or more).....	3461	0.39
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED CIGARETTES.....	414873	46.46
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	265627	29.75
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	181	0.02
98 = BLANK (NO ANSWER) .....	562	0.06

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CIG30BR2

Len : 4 CIG BRAND USED MOST OFTEN PAST MO - RECODE

	<b>Freq</b>	<b>Pct</b>
101 = Basic .....	4242	0.48
102 = Benson & Hedges .....	844	0.09
103 = Cambridge .....	27	0.00
104 = Camel.....	25432	2.85
105 = Capri .....	659	0.07
106 = Carlton .....	144	0.02
107 = Doral .....	2388	0.27
109 = GPC .....	1040	0.12
110 = Kent .....	144	0.02
111 = Kool.....	4667	0.52
112 = Marlboro .....	95277	10.67
113 = Merit .....	341	0.04
114 = Misty.....	1176	0.13
115 = Monarch.....	310	0.03
116 = Montclair .....	50	0.01
117 = More .....	119	0.01
118 = Newport .....	36350	4.07
119 = Pall Mall .....	4990	0.56
120 = Parliament.....	3713	0.42
121 = Private Label.....	72	0.01
122 = Salem .....	1485	0.17
123 = Vantage.....	121	0.01
124 = Viceroy .....	95	0.01
125 = Virginia Slims.....	1719	0.19
126 = Winston.....	2163	0.24
127 = Alpine .....	19	0.00
130 = Best Value.....	127	0.01
132 = Bugler (roll-your-own).....	478	0.05
134 = Chesterfield.....	7	0.00
137 = Eve.....	41	0.00
141 = L & M.....	1328	0.15
142 = Lucky Strike .....	152	0.02
144 = Maverick.....	756	0.08
145 = Max.....	3	0.00
146 = Now .....	23	0.00
147 = Old Gold .....	360	0.04
148 = Players .....	26	0.00
149 = Pyramid.....	690	0.08
150 = Raleigh.....	3	0.00
152 = Saratoga .....	35	0.00
157 = Tareyton.....	14	0.00
158 = Top (roll-your-own).....	976	0.11
160 = True .....	47	0.01
161 = American Spirit.....	4196	0.47
162 = Austin .....	8	0.00
163 = Bali Hai cigarettes.....	10	0.00
164 = Bali-Shag (roll-your-own).....	30	0.00
169 = Bronson.....	32	0.00
171 = Checkers .....	7	0.00
172 = Cimarron.....	8	0.00
173 = Clove; brand unspecified .....	76	0.01
174 = Dave's .....	4	0.00
175 = Djarum cigarettes, Djarum Splash .....	484	0.05
176 = Drum rolling tobacco.....	61	0.01
177 = Du Maurier .....	3	0.00
178 = Dunhill cigarettes.....	49	0.01
179 = Eagle.....	168	0.02
180 = Export A .....	6	0.00
183 = First Class .....	23	0.00
184 = Gauloises .....	8	0.00
185 = Generic cigarettes; brand unspecified .....	8	0.00
186 = Gold Coast .....	47	0.01
189 = Hi-Value .....	7	0.00
190 = Jacks .....	56	0.01
193 = Kamel Red .....	32	0.00
194 = Legend .....	3	0.00
196 = Mainstreet .....	10	0.00
199 = Meridian .....	9	0.00
404 = Black & Mild .....	433	0.05
419 = Phillies .....	19	0.00

TOBACCO

423 = Swisher Sweets .....	206	0.02
428 = Winchester .....	6	0.00
429 = Al Capone .....	9	0.00
443 = Cohiba cigars .....	3	0.00
492 = Prime Time Little Cigars .....	140	0.02
507 = Red River .....	9	0.00
508 = Southern Steel .....	6	0.00
511 = Red Cap pipe tobacco .....	6	0.00
519 = Buoy pipe tobacco .....	4	0.00
521 = Bacco pipe tobacco .....	8	0.00
522 = Sparrow pipe tobacco .....	4	0.00
525 = 1839 pipe tobacco .....	3	0.00
538 = American Club pipe tobacco .....	5	0.00
701 = Marijuana .....	3	0.00
810 = Electronic/smokeless cigarette; otherwise unspcfd .....	29	0.00
814 = blu .....	8	0.00
815 = Real Deal .....	4	0.00
1001 = Nat Sherman cigarettes .....	98	0.01
1005 = Private Stock .....	4	0.00
1008 = Rave cigarettes .....	49	0.01
1010 = Rothman .....	3	0.00
1011 = Sampoerna .....	13	0.00
1012 = Seven Stars/Mild Sevens .....	8	0.00
1017 = Sundance .....	27	0.00
1018 = USA Gold .....	2931	0.33
1020 = Waves .....	114	0.01
1021 = Yours .....	7	0.00
1022 = Bailey .....	13	0.00
1023 = Sport .....	23	0.00
1025 = Ultra Buy .....	3	0.00
1027 = Mustang .....	6	0.00
1029 = Tourney .....	125	0.01
1035 = Cherokee .....	7	0.00
1037 = DTC .....	27	0.00
1038 = Samson rolling tobacco .....	3	0.00
1040 = Smokin Joes cigarettes .....	29	0.00
1041 = Sonoma .....	561	0.06
1044 = Worth .....	19	0.00
1048 = Carnival .....	135	0.02
1050 = USA .....	106	0.01
1051 = Belmont .....	3	0.00
1055 = Geranimo .....	3	0.00
1061 = Signature .....	7	0.00
1064 = Seneca, cigarette company brand unspcfd .....	606	0.07
1067 = Amsterdam Shag (roll-your-own) .....	3	0.00
1069 = Zig-Zag (roll-your-own) .....	22	0.00
1073 = Grand .....	45	0.01
1076 = Highway .....	3	0.00
1082 = Tahoe .....	56	0.01
1083 = Liggett Select .....	544	0.06
1086 = Smoker Friendly cigarettes .....	25	0.00
1089 = Grand Prix .....	116	0.01
1091 = Dreams .....	13	0.00
1092 = Native .....	172	0.02
1093 = Roger .....	89	0.01
1094 = Shield .....	40	0.00
1097 = Winner .....	6	0.00
1100 = Kite (roll-your-own) .....	3	0.00
1106 = Niagara .....	10	0.00
1108 = Nobel cigarettes .....	9	0.00
1110 = Eclipse .....	7	0.00
1112 = Kentucky's Best .....	66	0.01
1120 = Durant .....	3	0.00
1121 = Quality .....	10	0.00
1123 = CT .....	31	0.00
1126 = GT-One .....	121	0.01
1128 = Double Diamond cigarettes .....	21	0.00
1134 = Bronco .....	129	0.01
1138 = Tucson .....	13	0.00
1139 = 305's cigarettes .....	357	0.04
1145 = Coronas cigarettes .....	4	0.00
1146 = Optiva .....	6	0.00
1147 = Westport .....	10	0.00
1153 = Marathon .....	3	0.00
1165 = Scenic 101 .....	5	0.00



TOBACCO

1166 = Davidoff cigarettes.....	6	0.00
1168 = Jade.....	4	0.00
1170 = McClintock (roll-your-own).....	6	0.00
1174 = Unify.....	3	0.00
1176 = Cowboys.....	3	0.00
1177 = Silvers.....	11	0.00
1178 = Charter.....	6	0.00
1179 = Quest.....	12	0.00
1180 = Berkeley.....	3	0.00
1182 = Golden Beach.....	10	0.00
1184 = Sky Dancer.....	62	0.01
1198 = Homer.....	4	0.00
1211 = Echo cigarettes.....	51	0.01
1212 = Euro.....	8	0.00
1214 = Midnight Special (roll-your-own).....	8	0.00
1216 = Romy.....	4	0.00
1219 = Brave, The.....	20	0.00
1221 = Cheyenne cigarettes.....	112	0.01
1223 = Axis.....	3	0.00
1227 = Gambler (roll-your-own).....	177	0.02
1232 = Sandia.....	7	0.00
1238 = Way.....	5	0.00
1247 = Buffalo cigarettes.....	3	0.00
1268 = Decade.....	106	0.01
1269 = D Best One.....	4	0.00
1276 = Fortuna.....	96	0.01
1277 = Berley.....	9	0.00
1283 = Rouseco Golden Harvest (roll-your-own).....	49	0.01
1287 = Wild Horse cigarettes.....	69	0.01
1289 = 4Aces (roll-your-own).....	7	0.00
1296 = King Mountain.....	43	0.00
1304 = Ace.....	4	0.00
1308 = Peter Stokkebye (roll-your own).....	13	0.00
1310 = Union.....	3	0.00
1313 = Criss cross (roll-your-own).....	37	0.00
1314 = Premier (roll-your-own).....	9	0.00
1318 = Signal cigarettes.....	25	0.00
1320 = 1839 cigarettes.....	20	0.00
1324 = Kentucky Select (roll-your-own).....	25	0.00
1326 = Exeter.....	43	0.00
1329 = Smoker's Choice cigarettes.....	19	0.00
1335 = Good stuff (roll-your-own).....	73	0.01
1340 = Palermo.....	7	0.00
1341 = Galaxy Pro.....	3	0.00
1344 = Edgefield.....	34	0.00
1346 = Largo cigarette.....	6	0.00
1349 = Ohm rolling tobacco.....	18	0.00
1359 = Timeless Time.....	75	0.01
1361 = Time.....	83	0.01
1365 = Golden Deer.....	3	0.00
1372 = Wings.....	7	0.00
1376 = Crown.....	33	0.00
1377 = Cayuga.....	3	0.00
1391 = West.....	3	0.00
1409 = Mevius.....	3	0.00
1412 = Traffic.....	11	0.00
1998 = Roll-your-own cigarette; brand unspecified.....	285	0.03
1999 = Cigarette; brand otherwise unspecified.....	2377	0.27
2999 = Chewing tobacco; brand otherwise unspecified.....	2	0.00
3999 = Snuff; brand otherwise unspecified.....	5	0.00
4192 = Smoker's Choice little cigars.....	16	0.00
4207 = Racer little cigars.....	3	0.00
4243 = Dean's Lil' Cigars.....	3	0.00
4287 = Dark Horse little cigars.....	6	0.00
4295 = Santa Fe little cigars.....	15	0.00
4306 = Red Buck little cigars.....	3	0.00
4328 = Remington little cigars.....	4	0.00
4455 = Talon.....	5	0.00
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	269	0.03
5999 = Pipe tobacco; brand otherwise unspecified.....	137	0.02
6999 = Unknown tobacco or non-tobacco product.....	3	0.00
7999 = Not a tobacco product.....	11	0.00
8999 = Tobacco replacement or tobacco-like product.....	30	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	25	0.00
9985 = BAD DATA Logically assigned.....	8	0.00

TOBACCO

9991 = NEVER USED CIGARETTES.....	414873	46.46
9993 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	265627	29.75
9994 = DON'T KNOW.....	1403	0.16
9997 = REFUSED.....	218	0.02
9998 = BLANK (NO ANSWER).....	398	0.04

NOTE: The variable CIG30TPE corresponds to the variable CIG30TYP that existed prior to 2005. The name was changed due to the addition of a new level in 2005 for "Mediums." For this reason, data from CIG30TPE may not be comparable with data from CIG30TYP in prior years.

During the past 30 days, what type of cigarettes did you smoke most often?

**CIG30TPE**      Len : 2    WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	164911	18.47
1 = Lights.....	62889	7.04
2 = Ultra Lights.....	10157	1.14
3 = Mediums.....	15298	1.71
4 = Full Flavor.....	75322	8.43
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED CIGARETTES.....	347847	38.95
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	213217	23.88
94 = DON'T KNOW.....	1288	0.14
97 = REFUSED.....	152	0.02
98 = BLANK (NO ANSWER).....	1890	0.21

NOTE: Prior to 2004, the question corresponding to CIG30MEN asked whether respondents smoked menthol or regular cigarettes most often. In 2004, the question was changed to the yes/no question shown below, but the variable name stayed as CIG30MEN. This change in question content does not affect trend comparisons for 2004 onward. However, data in CIG30MEN for 2004 onward are not likely to be comparable with data in CIG30MEN for 2002 and 2003.

Were the cigarettes you smoked during the past 30 days menthol?

**CIG30MEN**      Len : 2    MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	80471	9.01
2 = No.....	128616	14.40
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED CIGARETTES.....	414873	46.46
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	265627	29.75
94 = DON'T KNOW.....	1047	0.12
97 = REFUSED.....	49	0.01
98 = BLANK (NO ANSWER).....	2281	0.26

What length were the Marlboro cigarettes you smoked most often during the past 30 days? Were they shorts, regulars (also known as king-sized), or 100s?

**CIG30MLN**      Len : 2    MARLBORO CIG SMOKED PAST 30 DAYS SHORT, REG, 100'S

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	164911	18.47
1 = Shorts.....	25498	2.86
2 = Regulars or king-sized.....	32586	3.65
3 = 100s.....	15036	1.68
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED CIGARETTES.....	347847	38.95
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	213218	23.88
94 = DON'T KNOW.....	359	0.04
97 = REFUSED.....	11	0.00
98 = BLANK (NO ANSWER).....	1856	0.21
99 = LEGITIMATE SKIP.....	91649	10.26

TOBACCO

During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?

**CIG30RO2**      Len : 2    HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	31220	3.50
2 = No.....	180646	20.23
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	72	0.01
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED CIGARETTES.....	414873	46.46
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	265627	29.75
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	47	0.01
98 = BLANK (NO ANSWER) .....	399	0.04

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

**CIGDLYMO**      Len : 2    EVER SMOKED CIG EVERY DAY FOR 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	129093	14.46
2 = No.....	235205	26.34
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	113576	12.72
91 = NEVER USED CIGARETTES.....	414873	46.46
94 = DON'T KNOW .....	150	0.02
97 = REFUSED .....	74	0.01
98 = BLANK (NO ANSWER) .....	1	0.00

How old were you when you first started smoking cigarettes every day?

**CIGAGE**      Len : 3    AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 77 .....	240891	26.98
985 = BAD DATA Logically assigned .....	250	0.03
991 = NEVER USED CIGARETTES.....	414873	46.46
994 = DON'T KNOW .....	1354	0.15
997 = REFUSED .....	249	0.03
998 = BLANK (NO ANSWER).....	150	0.02
999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY) .....	235205	26.34

Did you first start smoking cigarettes every day in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

**CIGDLYFU**      Len : 4    YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2017 .....	12713	1.42
9985 = BAD DATA Logically assigned .....	643	0.07
9989 = LEGITIMATE SKIP Logically assigned .....	1179	0.13
9991 = NEVER USED CIGARETTES.....	414873	46.46
9994 = DON'T KNOW .....	1413	0.16
9997 = REFUSED .....	268	0.03
9998 = BLANK (NO ANSWER).....	280	0.03
9999 = LEGITIMATE SKIP.....	461603	51.69

TOBACCO

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

CIGDLMFU		Len : 2	MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE	Freq	Pct
			1 = January.....	1447	0.16
			2 = February.....	907	0.10
			3 = March.....	997	0.11
			4 = April.....	804	0.09
			5 = May.....	970	0.11
			6 = June.....	1414	0.16
			7 = July.....	1023	0.11
			8 = August.....	1048	0.12
			9 = September.....	1023	0.11
			10 = October.....	858	0.10
			11 = November.....	806	0.09
			12 = December.....	605	0.07
			85 = BAD DATA Logically assigned.....	643	0.07
			89 = LEGITIMATE SKIP Logically assigned.....	1179	0.13
			91 = NEVER USED CIGARETTES.....	414873	46.46
			94 = DON'T KNOW.....	2191	0.25
			97 = REFUSED.....	299	0.03
			98 = BLANK (NO ANSWER).....	282	0.03
			99 = LEGITIMATE SKIP.....	461603	51.69

Have you smoked at least 100 cigarettes in your entire life?

CIG100LF		Len : 2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE	Freq	Pct
			1 = Yes.....	170459	19.09
			2 = No.....	208102	23.30
			3 = Yes LOGICALLY ASSIGNED.....	24	0.00
			5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	98114	10.99
			91 = NEVER USED CIGARETTES.....	414873	46.46
			94 = DON'T KNOW.....	1305	0.15
			97 = REFUSED.....	94	0.01
			98 = BLANK (NO ANSWER).....	1	0.00

The next questions are about your use of "smokeless" tobacco such as snuff, dip, chewing tobacco, or "snus."

Have you ever used "smokeless" tobacco, even once?

SMKLSSEVR		Len : 2	EVER USED SMOKELESS TOBACCO	Freq	Pct
			-9 = Data not collected for this year.....	722653	80.93
			1 = Yes.....	27651	3.10
			2 = No.....	142546	15.96
			85 = BAD DATA Logically assigned.....	1	0.00
			94 = DON'T KNOW.....	113	0.01
			97 = REFUSED.....	8	0.00

How old were you the first time you used "smokeless" tobacco?

SMKLSSTRY		Len : 3	AGE WHEN FIRST USED SMOKELESS TOBACCO	Freq	Pct
			RANGE = 1 - 78.....	27117	3.04
			-9 = Data not collected for this year.....	722653	80.93
			985 = BAD DATA Logically assigned.....	266	0.03
			991 = NEVER USED SMOKELESS TOBACCO.....	142546	15.96
			994 = DON'T KNOW.....	215	0.02
			997 = REFUSED.....	62	0.01
			998 = BLANK (NO ANSWER).....	113	0.01

TOBACCO

Did you first use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

<b>SMKLSSYFU</b>	Len : 4	YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE		
		RANGE = 2013 - 2017 .....	<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	2112	0.24
		9985 = BAD DATA Logically assigned .....	722653	80.93
		9989 = LEGITIMATE SKIP Logically assigned .....	339	0.04
		9991 = NEVER USED SMOKELESS TOBACCO .....	161	0.02
		9994 = DON'T KNOW .....	142546	15.96
		9997 = REFUSED .....	219	0.02
		9998 = BLANK (NO ANSWER) .....	63	0.01
		9999 = LEGITIMATE SKIP .....	258	0.03
			24621	2.76

In what month in [CURRENT YEAR] did you first use "smokeless" tobacco?

In what month in [YEAR FROM CG26a or CG26b] did you first use "smokeless" tobacco?

<b>SMKLSSMFU</b>	Len : 2	MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE		
		-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
		1 = January .....	722653	80.93
		2 = February .....	179	0.02
		3 = March .....	144	0.02
		4 = April .....	153	0.02
		5 = May .....	132	0.01
		6 = June .....	142	0.02
		7 = July .....	242	0.03
		8 = August .....	238	0.03
		9 = September .....	180	0.02
		10 = October .....	132	0.01
		11 = November .....	164	0.02
		12 = December .....	147	0.02
		85 = BAD DATA Logically assigned .....	128	0.01
		89 = LEGITIMATE SKIP Logically assigned .....	336	0.04
		91 = NEVER USED "smokeless" tobacco .....	161	0.02
		94 = DON'T KNOW .....	142546	15.96
		97 = REFUSED .....	344	0.04
		98 = BLANK (NO ANSWER) .....	69	0.01
		99 = LEGITIMATE SKIP .....	261	0.03
			24621	2.76

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used "smokeless" tobacco, even once?

How long has it been since you last used "smokeless" tobacco?

<b>SMKLSSREC</b>	Len : 2	TIME SINCE LAST USED SMOKELESS TOBACCO		
		-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
		1 = Within the past 30 days .....	722653	80.93
		2 = More than 30 days ago but within the past 12 mos .....	6357	0.71
		3 = More than 12 months ago but within the past 3 yrs .....	3009	0.34
		4 = More than 3 years ago .....	3548	0.40
		8 = Used at some point in the past 12 mos LOG ASSN .....	14255	1.60
		9 = Used at some point in the lifetime LOG ASSN .....	15	0.00
		11 = Used in the past 30 days LOGICALLY ASSIGNED .....	23	0.00
		14 = Used more than 12 months ago LOG ASSN .....	5	0.00
		19 = Used more than 30 days ago LOG ASSN .....	185	0.02
		29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN .....	112	0.01
		39 = Used within the past 3 years LOGICALLY ASSIGNED .....	141	0.02
		85 = BAD DATA Logically assigned .....	1	0.00
		91 = NEVER USED SMOKELESS TOBACCO .....	1	0.00
		97 = REFUSED .....	142546	15.96
		98 = BLANK (NO ANSWER) .....	8	0.00
			113	0.01

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you use "smokeless" tobacco?

<b>SMKLSS30N</b>	Len : 2 HOW MANY DAYS USED SMOKELESS TOBACCO PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	6312	0.71
	91 = NEVER USED SMOKELESS TOBACCO .....	722653	80.93
	93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS .....	142546	15.96
	94 = DON'T KNOW .....	21250	2.38
	97 = REFUSED .....	40	0.00
	98 = BLANK (NO ANSWER) .....	13	0.00
		158	0.02

What is your best estimate of the number of days you used "smokeless" tobacco during the past 30 days?

<b>SMKLSS30E</b>	Len : 2 BEST EST. HOW MANY DAYS USED SMKLSS TOB PST 30 DYS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = 1 or 2 days .....	722653	80.93
	2 = 3 to 5 days .....	7	0.00
	3 = 6 to 9 days .....	8	0.00
	4 = 10 to 19 days .....	4	0.00
	5 = 20 to 29 days .....	3	0.00
	6 = All 30 days .....	6	0.00
	91 = NEVER USED SMOKELESS TOBACCO .....	9	0.00
	93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS .....	142546	15.96
	94 = DON'T KNOW .....	21250	2.38
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	11	0.00
	99 = LEGITIMATE SKIP .....	158	0.02
		6312	0.71

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.

Have you ever smoked part or all of any type of cigar?

<b>CIGAREVR</b>	Len : 2 EVER SMOKED PART OR ALL OF CIGAR		
	1 = Yes .....	<b>Freq</b>	<b>Pct</b>
	2 = No .....	276783	31.00
	85 = BAD DATA Logically assigned .....	616030	68.99
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	130	0.01
		26	0.00

How old were you the first time you smoked part or all of any type of cigar?

<b>CIGARTRY</b>	Len : 3 AGE WHEN FIRST SMOKED CIGAR		
	RANGE = 1 - 80 .....	<b>Freq</b>	<b>Pct</b>
	985 = BAD DATA Logically assigned .....	270550	30.30
	991 = NEVER USED CIGARS .....	2690	0.30
	994 = DON'T KNOW .....	616030	68.99
	997 = REFUSED .....	3409	0.38
	998 = BLANK (NO ANSWER) .....	163	0.02
		130	0.01

TOBACCO

Did you first smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

<b>CIGARYFU</b>	Len : 4 YEAR OF FIRST CIGAR USE - RECODE		
	RANGE = 2000 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	9985 = BAD DATA Logically assigned .....	33233	3.72
	9989 = LEGITIMATE SKIP Logically assigned .....	3765	0.42
	9991 = NEVER USED CIGARS .....	1790	0.20
	9994 = DON'T KNOW .....	616030	68.99
	9997 = REFUSED .....	3508	0.39
	9998 = BLANK (NO ANSWER).....	179	0.02
	9999 = LEGITIMATE SKIP.....	1640	0.18
		232827	26.07

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar?

<b>CIGARMFU</b>	Len : 2 MONTH OF FIRST CIGAR USE - RECODE		
	1 = January.....	<b>Freq</b>	<b>Pct</b>
	2 = February.....	2672	0.30
	3 = March.....	1832	0.21
	4 = April .....	2225	0.25
	5 = May.....	2260	0.25
	6 = June.....	2460	0.28
	7 = July .....	4073	0.46
	8 = August .....	3913	0.44
	9 = September .....	2611	0.29
	10 = October .....	2296	0.26
	11 = November .....	2318	0.26
	12 = December.....	2136	0.24
	85 = BAD DATA Logically assigned .....	2067	0.23
	89 = LEGITIMATE SKIP Logically assigned.....	3741	0.42
	91 = NEVER USED CIGARS .....	1790	0.20
	94 = DON'T KNOW .....	616030	68.99
	97 = REFUSED .....	5801	0.65
	98 = BLANK (NO ANSWER) .....	256	0.03
	99 = LEGITIMATE SKIP.....	1664	0.19
		232827	26.07

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

How long has it been since you last smoked part or all of any type of cigar?

<b>CIGARREC</b>	Len : 2 TIME SINCE LAST SMOKED CIGAR		
	1 = Within the past 30 days.....	<b>Freq</b>	<b>Pct</b>
	2 = More than 30 days ago but within the past 12 mos .....	56852	6.37
	3 = More than 12 months ago but within the past 3 yrs.....	57512	6.44
	4 = More than 3 years ago.....	54772	6.13
	8 = Used at some point in the past 12 mos LOG ASSN.....	102944	11.53
	9 = Used at some point in the lifetime LOG ASSN.....	141	0.02
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	141	0.02
	14 = Used more than 12 months ago LOG ASSN.....	30	0.00
	19 = Used more than 30 days ago LOG ASSN .....	1794	0.20
	29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN .....	1311	0.15
	39 = Used within the past 3 years LOGICALLY ASSIGNED.....	1270	0.14
	85 = BAD DATA Logically assigned .....	16	0.00
	91 = NEVER USED CIGARS .....	3	0.00
	97 = REFUSED .....	616030	68.99
	98 = BLANK (NO ANSWER) .....	26	0.00
		130	0.01

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar?

<b>CGR30USE</b>	Len : 2 HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	56307	6.31
	91 = NEVER USED CIGARS .....	2	0.00
	93 = DID NOT USE CIGARS IN THE PAST 30 DAYS .....	616030	68.99
	94 = DON'T KNOW .....	219603	24.59
	97 = REFUSED .....	486	0.05
	98 = BLANK (NO ANSWER) .....	85	0.01
		459	0.05

What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?

<b>CI30EST</b>	Len : 2 BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
	1 = 1 or 2 days .....	<b>Freq</b>	<b>Pct</b>
	2 = 3 to 5 days.....	168	0.02
	3 = 6 to 9 days.....	106	0.01
	4 = 10 to 19 days.....	74	0.01
	5 = 20 to 29 days.....	65	0.01
	6 = All 30 days.....	23	0.00
	91 = NEVER USED CIGARS .....	16	0.00
	93 = DID NOT USE CIGARS IN THE PAST 30 DAYS .....	616030	68.99
	94 = DON'T KNOW .....	219603	24.59
	97 = REFUSED .....	67	0.01
	98 = BLANK (NO ANSWER) .....	52	0.01
	99 = LEGITIMATE SKIP.....	461	0.05
		56307	6.31



TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CGR30BR2

Len : 4 CIGAR BRAND USED MOST OFTEN PAST MO - RECODE

	<b>Freq</b>	<b>Pct</b>
104 = Camel.....	14	0.00
112 = Marlboro.....	436	0.05
118 = Newport.....	49	0.01
401 = Antonio y Cleopatra.....	234	0.03
402 = Backwoods.....	1759	0.20
403 = Bering.....	12	0.00
404 = Black & Mild.....	18077	2.02
405 = Captain Black.....	234	0.03
406 = Casa Silva.....	5	0.00
407 = Cuesta-Rey.....	68	0.01
408 = Dutch Masters.....	1891	0.21
409 = El Producto.....	100	0.01
410 = Erik Filter.....	4	0.00
411 = Garcia y Vega.....	1169	0.13
412 = Havatampa.....	225	0.03
413 = King Edward.....	307	0.03
414 = La Corona.....	256	0.03
415 = Little Nippers.....	65	0.01
416 = Macanudos.....	1020	0.11
417 = Muriel.....	71	0.01
418 = Partagas.....	185	0.02
419 = Phillies.....	2706	0.30
420 = Rigoletto.....	10	0.00
422 = Roi-Tan.....	11	0.00
423 = Swisher Sweets.....	10408	1.17
424 = Tijuana Smalls.....	113	0.01
425 = Universal.....	4	0.00
426 = White Owl.....	2134	0.24
427 = William Penn.....	4	0.00
428 = Winchester.....	225	0.03
429 = Al Capone.....	1131	0.13
431 = Arturo Fuente.....	664	0.07
432 = Ashton.....	80	0.01
434 = Baccarat.....	16	0.00
437 = Blackstone.....	179	0.02
439 = Blunts; brand unspecified.....	6	0.00
443 = Cohiba cigars.....	1233	0.14
444 = Cojimar.....	3	0.00
448 = Cuban cigars; brand unspecified.....	379	0.04
449 = Cubana; brand unspecified.....	27	0.00
451 = Davidoff cigars.....	26	0.00
452 = Don Diego.....	8	0.00
458 = Dunhill cigars.....	6	0.00
460 = El Rey del Mundo.....	3	0.00
462 = Grenadiers.....	7	0.00
464 = H. Upmann.....	16	0.00
465 = Habana/Havana cigars; brand unspecified.....	56	0.01
469 = Hoya De Monterrey.....	9	0.00
476 = La Gloria Cubana.....	20	0.00
479 = La Flor Dominicana.....	3	0.00
484 = Middleton; Black and Mild unspecified.....	4	0.00
486 = Montecristo.....	611	0.07
488 = Optimo.....	51	0.01
490 = Padron.....	60	0.01
492 = Prime Time Little Cigars.....	496	0.06
493 = Prince Albert cigars.....	7	0.00
494 = Punch.....	245	0.03
495 = Puros Indios.....	3	0.00
496 = Romeo y Julieta.....	1109	0.12
497 = Royal Jamaica.....	3	0.00
1221 = Cheyenne cigarettes.....	5	0.00
1999 = Cigarette; brand otherwise unspecified.....	113	0.01
4001 = Sweets; brand unspecified.....	3	0.00
4003 = Te Amo.....	5	0.00
4005 = Thompson.....	140	0.02
4006 = Tiparillo.....	4	0.00
4016 = Dominican cigars; brand unspecified.....	36	0.00
4018 = Nat Sherman cigars.....	4	0.00
4020 = Onyx.....	7	0.00
4022 = Excalibur.....	3	0.00

TOBACCO

4027 = Nicaraguan cigars; brand unspecified .....	3	0.00
4036 = La Finca .....	3	0.00
4045 = Havana Honey .....	31	0.00
4050 = Fuente .....	17	0.00
4051 = Avo .....	6	0.00
4054 = Acid .....	352	0.04
4060 = Honduran cigars; brand unspecified.....	3	0.00
4064 = Djarum cigarillos .....	159	0.02
4072 = K. Hansotia Gurhka .....	38	0.00
4083 = C.A.O.....	109	0.01
4084 = Tatiana .....	15	0.00
4110 = Drew Estates .....	42	0.00
4116 = Sosa .....	3	0.00
4130 = Smokin Joe's cigars .....	3	0.00
4135 = Sinatra.....	3	0.00
4136 = Markers Mark .....	18	0.00
4155 = Smoker Friendly cigars .....	10	0.00
4175 = Perdomo.....	18	0.00
4192 = Smoker's Choice little cigars.....	63	0.01
4203 = Omega little cigars .....	3	0.00
4207 = Racer little cigars .....	6	0.00
4209 = Heaven.....	3	0.00
4212 = Diesel.....	4	0.00
4236 = Hats Off .....	4	0.00
4237 = Rocky Patels .....	93	0.01
4242 = Pom Pom cigarillos.....	3	0.00
4243 = Dean's Lil' Cigars.....	16	0.00
4245 = Oliva O .....	32	0.00
4265 = Cheyenne little cigars.....	232	0.03
4266 = Java.....	6	0.00
4282 = Vendetta little cigars .....	3	0.00
4283 = Supreme Blend little cigars .....	7	0.00
4295 = Santa Fe little cigars.....	46	0.01
4306 = Red Buck little cigars.....	15	0.00
4308 = Stampede little cigars.....	3	0.00
4311 = Kahlua.....	11	0.00
4312 = Golden Harvest little cigars.....	10	0.00
4313 = Richwood little cigars .....	3	0.00
4328 = Remington little cigars.....	12	0.00
4344 = Kristoff .....	3	0.00
4347 = Game.....	74	0.01
4350 = Double Diamond cigars .....	8	0.00
4357 = NUb .....	7	0.00
4360 = Director's Club little cigars .....	3	0.00
4361 = Good Times .....	22	0.00
4366 = Wrangler little cigars.....	3	0.00
4367 = Clipper little cigars.....	17	0.00
4375 = 1839 cigars.....	12	0.00
4376 = Smoker's Best cigars .....	6	0.00
4391 = Zig Zag cigarillos .....	49	0.01
4410 = Wild Horse cigars .....	3	0.00
4411 = Alec Bradley .....	10	0.00
4419 = Room101 305s.....	9	0.00
4420 = Entourage.....	3	0.00
4434 = 38 Special little cigars.....	3	0.00
4454 = Criss Cross cigars.....	7	0.00
4455 = Talon.....	13	0.00
4458 = 305's cigars .....	28	0.00
4465 = Tatuaje .....	3	0.00
4476 = Seneca cigar.....	4	0.00
4484 = Show .....	4	0.00
4496 = Jackpot cigars.....	13	0.00
4513 = My Father .....	3	0.00
4998 = Homemade cigars .....	8	0.00
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	3996	0.45
5999 = Pipe tobacco; brand otherwise unspecified .....	3	0.00
6999 = Unknown tobacco or non-tobacco product.....	3	0.00
7999 = Not a tobacco product .....	4	0.00
8999 = Tobacco replacement or tobacco-like product.....	2	0.00
9000 = Did not confirm after 3 passes thru brand Qs .....	3	0.00
9985 = BAD DATA Logically assigned .....	2	0.00
9991 = NEVER USED CIGARS .....	616030	68.99
9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS .....	219603	24.59
9994 = DON'T KNOW .....	2400	0.27
9997 = REFUSED .....	167	0.02

TOBACCO

9998 = BLANK (NO ANSWER)..... 459 0.05

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?

**PIPEVER** Len : 2 EVER SMOKED PIPE TOBACCO

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	79436	8.90
2 = No.....	813376	91.09
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	136	0.02
97 = REFUSED.....	23	0.00

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

**PIPE30DY** Len : 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	8690	0.97
2 = No.....	70722	7.92
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PIPE TOBACCO.....	813376	91.09
94 = DON'T KNOW.....	17	0.00
97 = REFUSED.....	29	0.00
98 = BLANK (NO ANSWER).....	136	0.02

During the past 30 days, what type of cigarettes did you smoke most often?

**CIG30TYP** Len : 2 WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Lights.....	22023	2.47
2 = Ultra Lights.....	4195	0.47
3 = Full Flavor.....	18683	2.09
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED CIGARETTES.....	67026	7.51
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	52410	5.87
94 = DON'T KNOW.....	161	0.02
97 = REFUSED.....	15	0.00
98 = BLANK (NO ANSWER).....	391	0.04

These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.

Have you ever used snuff, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

**SNFEVER** Len : 2 EVER USED SNUFF

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	100372	11.24
2 = No.....	621933	69.65
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	319	0.04
97 = REFUSED.....	26	0.00

TOBACCO

How old were you the first time you used snuff?

<b>SNUFTRY</b>	Len : 3 AGE WHEN FIRST USED SNUFF		
	RANGE = 1 - 75 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	98200	11.00
	985 = BAD DATA Logically assigned .....	170319	19.07
	991 = NEVER USED SNUFF .....	1178	0.13
	994 = DON'T KNOW .....	621933	69.65
	997 = REFUSED .....	789	0.09
	998 = BLANK (NO ANSWER).....	234	0.03
		319	0.04

Did you first use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use snuff?

<b>SNUFYFU</b>	Len : 4 YEAR OF FIRST SNUFF USE - RECODE		
	RANGE = 2000 - 2014 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	11883	1.33
	9985 = BAD DATA Logically assigned .....	170319	19.07
	9989 = LEGITIMATE SKIP Logically assigned .....	1486	0.17
	9991 = NEVER USED SNUFF .....	687	0.08
	9994 = DON'T KNOW .....	621933	69.65
	9997 = REFUSED .....	824	0.09
	9998 = BLANK (NO ANSWER).....	241	0.03
	9999 = LEGITIMATE SKIP .....	1004	0.11
		84595	9.47

In what month in [CURRENT YEAR] did you first use snuff?

In what month in [YEAR FROM CG26a or CG26b] did you first use snuff?

<b>SNUFMFU</b>	Len : 2 MONTH OF FIRST SNUFF USE - RECODE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = January.....	170319	19.07
	2 = February.....	921	0.10
	3 = March.....	757	0.08
	4 = April .....	907	0.10
	5 = May.....	811	0.09
	6 = June.....	808	0.09
	7 = July .....	1265	0.14
	8 = August .....	1192	0.13
	9 = September .....	926	0.10
	10 = October .....	934	0.10
	11 = November .....	980	0.11
	12 = December.....	853	0.10
	85 = BAD DATA Logically assigned .....	674	0.08
	89 = LEGITIMATE SKIP Logically assigned .....	1479	0.17
	91 = NEVER USED SNUFF .....	687	0.08
	94 = DON'T KNOW .....	621933	69.65
	97 = REFUSED .....	1660	0.19
	98 = BLANK (NO ANSWER) .....	261	0.03
	99 = LEGITIMATE SKIP.....	1010	0.11
		84595	9.47

TOBACCO

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used snuff, even once?

How long has it been since you last used snuff?

**SNFREC**      Len : 2    TIME SINCE LAST USED SNUFF

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days.....	24303	2.72
2 = More than 30 days ago but within the past 12 mos .....	13505	1.51
3 = More than 12 months ago but within the past 3 yrs.....	14101	1.58
4 = More than 3 years ago.....	46371	5.19
8 = Used at some point in the past 12 mos LOG ASSN.....	68	0.01
9 = Used at some point in the lifetime LOG ASSN.....	43	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	10	0.00
14 = Used more than 12 months ago LOG ASSN.....	803	0.09
19 = Used more than 30 days ago LOG ASSN .....	627	0.07
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN .....	536	0.06
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	5	0.00
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED SNUFF .....	621933	69.65
97 = REFUSED .....	26	0.00
98 = BLANK (NO ANSWER) .....	319	0.04

During the past 30 days, that is since [DATEFILL], on how many days did you use snuff?

**SNF30USE**      Len : 2    HOW MANY DAYS USED SNUFF PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30.....	24079	2.70
-9 = Data not collected for this year.....	170319	19.07
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED SNUFF .....	621933	69.65
93 = DID NOT USE SNUFF IN THE PAST 30 DAYS .....	75943	8.50
94 = DON'T KNOW .....	188	0.02
97 = REFUSED .....	62	0.01
98 = BLANK (NO ANSWER) .....	446	0.05

What is your best estimate of the number of days you used snuff during the past 30 days?

**SN30EST**      Len : 2    BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = 1 or 2 days .....	41	0.00
2 = 3 to 5 days.....	24	0.00
3 = 6 to 9 days.....	28	0.00
4 = 10 to 19 days.....	41	0.00
5 = 20 to 29 days.....	22	0.00
6 = All 30 days.....	29	0.00
91 = NEVER USED SNUFF .....	621933	69.65
93 = DID NOT USE SNUFF IN THE PAST 30 DAYS .....	75943	8.50
94 = DON'T KNOW .....	16	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	448	0.05
99 = LEGITIMATE SKIP.....	24079	2.70

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

SNF30BR2

Len : 4 SNUFF BRAND USED MOST OFTEN PAST MO - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
201 = Beech-Nut.....	3	0.00
206 = Levi Garrett.....	22	0.00
208 = Red Man chewing tobacco.....	45	0.01
216 = Blackbull.....	3	0.00
230 = Stoker chewing tobacco .....	17	0.00
301 = Copenhagen .....	6891	0.77
302 = Gold River .....	37	0.00
303 = Happy Days .....	32	0.00
304 = Hawken.....	142	0.02
305 = Kodiak.....	1108	0.12
306 = Redwood.....	34	0.00
307 = Silver Creek.....	84	0.01
308 = Skoal.....	7083	0.79
309 = Timber Wolf .....	831	0.09
312 = Cougar .....	48	0.01
313 = Dental .....	3	0.00
315 = Navy .....	3	0.00
316 = Red Seal.....	780	0.09
317 = Rooster.....	54	0.01
320 = Tube Rose.....	3	0.00
321 = Garrett snuff.....	14	0.00
326 = Kayak.....	46	0.01
332 = Grizzly .....	5452	0.61
337 = General snuff .....	4	0.00
338 = Longhorn .....	186	0.02
341 = Husky.....	87	0.01
349 = Camel Snus .....	360	0.04
351 = Red Man snuff .....	124	0.01
355 = Marlboro snus .....	61	0.01
363 = Stoker's snuff .....	36	0.00
1999 = Cigarette; brand otherwise unspecified .....	8	0.00
2999 = Chewing tobacco; brand otherwise unspecified .....	65	0.01
3999 = Snuff; brand otherwise unspecified.....	426	0.05
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	4	0.00
5999 = Pipe tobacco; brand otherwise unspecified .....	1	0.00
6999 = Unknown tobacco or non-tobacco product.....	1	0.00
7999 = Not a tobacco product.....	9	0.00
8999 = Tobacco replacement or tobacco-like product.....	1	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	4	0.00
9900 = Not a brand .....	1	0.00
9985 = BAD DATA Logically assigned .....	3	0.00
9991 = NEVER USED SNUFF .....	621933	69.65
9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS .....	75943	8.50
9994 = DON'T KNOW .....	148	0.02
9997 = REFUSED .....	67	0.01
9998 = BLANK (NO ANSWER).....	446	0.05

The next questions are only about chewing tobacco.

Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.

Have you ever used chewing tobacco, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

CHEWEVER

Len : 2 EVER USED CHEW EVEN ONCE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	82735	9.27
2 = No.....	639802	71.65
85 = BAD DATA Logically assigned .....	5	0.00
94 = DON'T KNOW .....	95	0.01
97 = REFUSED .....	16	0.00

TOBACCO

How old were you the first time you used chewing tobacco?

<b>CHEWTRY</b>	Len : 3 AGE WHEN FIRST USED CHEW		
	RANGE = 1 - 80 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	80994	9.07
	985 = BAD DATA Logically assigned .....	170319	19.07
	991 = NEVER USED CHEWING TOBACCO .....	897	0.10
	994 = DON'T KNOW .....	639802	71.65
	997 = REFUSED .....	764	0.09
	998 = BLANK (NO ANSWER).....	101	0.01
		95	0.01

Did you first use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use chewing tobacco?

<b>CHEWYFU</b>	Len : 4 YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
	RANGE = 2000 - 2014 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	7446	0.83
	9985 = BAD DATA Logically assigned .....	170319	19.07
	9989 = LEGITIMATE SKIP Logically assigned .....	1061	0.12
	9991 = NEVER USED CHEWING TOBACCO .....	392	0.04
	9994 = DON'T KNOW .....	639802	71.65
	9997 = REFUSED .....	792	0.09
	9998 = BLANK (NO ANSWER).....	109	0.01
	9999 = LEGITIMATE SKIP.....	631	0.07
		72420	8.11

In what month in [CURRENT YEAR] did you first use chewing tobacco?

In what month in [YEAR FROM CG18a or CG18b] did you first use chewing tobacco?

<b>CHEWMFU</b>	Len : 2 MONTH OF FIRST CHEWING TOBACCO USE - RECODE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = January.....	170319	19.07
	2 = February.....	605	0.07
	3 = March.....	474	0.05
	4 = April .....	602	0.07
	5 = May.....	517	0.06
	6 = June.....	510	0.06
	7 = July .....	840	0.09
	8 = August .....	773	0.09
	9 = September .....	557	0.06
	10 = October .....	565	0.06
	11 = November .....	555	0.06
	12 = December.....	516	0.06
	85 = BAD DATA Logically assigned .....	370	0.04
	89 = LEGITIMATE SKIP Logically assigned .....	1056	0.12
	91 = NEVER USED CHEWING TOBACCO .....	392	0.04
	94 = DON'T KNOW .....	639802	71.65
	97 = REFUSED .....	1338	0.15
	98 = BLANK (NO ANSWER) .....	125	0.01
	99 = LEGITIMATE SKIP.....	636	0.07
		72420	8.11

TOBACCO

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?

How long has it been since you last used chewing tobacco?

<b>CHEWREC</b>	Len : 2 TIME SINCE LAST USED CHEWING TOBACCO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	11253	1.26
	2 = More than 30 days ago but within the past 12 mos .....	10337	1.16
	3 = More than 12 months ago but within the past 3 yrs .....	12398	1.39
	4 = More than 3 years ago .....	47224	5.29
	8 = Used at some point in the past 12 mos LOG ASSN .....	40	0.00
	9 = Used at some point in the lifetime LOG ASSN .....	34	0.00
	11 = Used in the past 30 days LOGICALLY ASSIGNED .....	6	0.00
	14 = Used more than 12 months ago LOG ASSN .....	635	0.07
	19 = Used more than 30 days ago LOG ASSN .....	450	0.05
	29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN .....	351	0.04
	39 = Used within the past 3 years LOGICALLY ASSIGNED .....	7	0.00
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED CHEWING TOBACCO .....	639802	71.65
	97 = REFUSED .....	16	0.00
	98 = BLANK (NO ANSWER) .....	95	0.01

During the past 30 days, that is since [DATEFILL], on how many days did you use chewing tobacco?

<b>CHW30USE</b>	Len : 2 HOW MANY DAYS USED CHEW IN PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	11119	1.25
	-9 = Data not collected for this year .....	170319	19.07
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED CHEWING TOBACCO .....	639802	71.65
	93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS .....	71395	8.00
	94 = DON'T KNOW .....	119	0.01
	97 = REFUSED .....	31	0.00
	98 = BLANK (NO ANSWER) .....	184	0.02

What is your best estimate of the number of days you used chewing tobacco during the past 30 days?

<b>CH30EST</b>	Len : 2 PAST 30 DAY ESTIMATE OF CHEWING TOBACCO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = 1 or 2 days .....	41	0.00
	2 = 3 to 5 days .....	21	0.00
	3 = 6 to 9 days .....	23	0.00
	4 = 10 to 19 days .....	14	0.00
	5 = 20 to 29 days .....	7	0.00
	6 = All 30 days .....	12	0.00
	91 = NEVER USED CHEWING TOBACCO .....	639802	71.65
	93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS .....	71395	8.00
	94 = DON'T KNOW .....	9	0.00
	97 = REFUSED .....	23	0.00
	98 = BLANK (NO ANSWER) .....	187	0.02
	99 = LEGITIMATE SKIP .....	11119	1.25



TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CHW30BR2

Len : 4 CHEW BRAND USED MOST OFTEN PAST MO - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
201 = Beech-Nut.....	1111	0.12
202 = Chattanooga Chew.....	172	0.02
203 = Day's Work .....	116	0.01
204 = Granger.....	90	0.01
205 = H.B. Scott.....	23	0.00
206 = Levi Garrett.....	1743	0.20
207 = Red Fox .....	152	0.02
208 = Red Man chewing tobacco.....	3571	0.40
209 = Taylor's Pride.....	108	0.01
210 = Totems .....	3	0.00
211 = Work Horse.....	40	0.00
212 = Apple Jack .....	4	0.00
216 = Blackbull.....	20	0.00
218 = Cannonball.....	4	0.00
220 = Lancaster.....	30	0.00
222 = Morgan's .....	6	0.00
223 = Peachy Big Leaf.....	3	0.00
225 = Trophy .....	3	0.00
228 = Southern Pride .....	10	0.00
230 = Stoker chewing tobacco.....	32	0.00
241 = Tennessee Chew .....	9	0.00
248 = Star chewing tobacco.....	13	0.00
301 = Copenhagen .....	787	0.09
304 = Hawken.....	7	0.00
305 = Kodiak .....	138	0.02
308 = Skoal.....	1124	0.13
309 = Timber Wolf .....	46	0.01
316 = Red Seal.....	23	0.00
317 = Rooster.....	10	0.00
326 = Kayak.....	6	0.00
332 = Grizzly .....	711	0.08
338 = Longhorn .....	42	0.00
341 = Husky.....	14	0.00
349 = Camel Snus .....	154	0.02
355 = Marlboro snus.....	17	0.00
1999 = Cigarette; brand otherwise unspecified .....	8	0.00
2999 = Chewing tobacco; brand otherwise unspecified .....	593	0.07
3999 = Snuff; brand otherwise unspecified.....	111	0.01
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	3	0.00
6999 = Unknown tobacco or non-tobacco product.....	1	0.00
7999 = Not a tobacco product.....	5	0.00
8999 = Tobacco replacement or tobacco-like product.....	2	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	1	0.00
9985 = BAD DATA Logically assigned .....	3	0.00
9991 = NEVER USED CHEWING TOBACCO .....	639802	71.65
9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS .....	71395	8.00
9994 = DON'T KNOW .....	150	0.02
9997 = REFUSED .....	53	0.01
9998 = BLANK (NO ANSWER).....	184	0.02

NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.

SLTTRY

Len : 3 AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 80.....	121476	13.60
-9 = Data not collected for this year .....	170319	19.07
985 = BAD DATA Logically assigned .....	185	0.02
991 = NEVER USED SMOKELESS TOBACCO.....	597368	66.90
994 = DON'T KNOW .....	1254	0.14
997 = REFUSED .....	310	0.03
998 = BLANK (NO ANSWER).....	2060	0.23

TOBACCO

SLTYFU

Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2014 .....	13400	1.50
-9 = Data not collected for this year .....	170319	19.07
9985 = BAD DATA Logically assigned .....	1357	0.15
9989 = LEGITIMATE SKIP Logically assigned .....	724	0.08
9991 = NEVER USED SMOKELESS TOBACCO .....	597368	66.90
9994 = DON'T KNOW .....	1298	0.15
9997 = REFUSED .....	319	0.04
9998 = BLANK (NO ANSWER) .....	2186	0.24
9999 = LEGITIMATE SKIP .....	106001	11.87

SLTMFU

Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = January .....	1037	0.12
2 = February .....	848	0.09
3 = March .....	1019	0.11
4 = April .....	923	0.10
5 = May .....	911	0.10
6 = June .....	1489	0.17
7 = July .....	1378	0.15
8 = August .....	1028	0.12
9 = September .....	1032	0.12
10 = October .....	1096	0.12
11 = November .....	956	0.11
12 = December .....	727	0.08
85 = BAD DATA Logically assigned .....	1357	0.15
89 = LEGITIMATE SKIP Logically assigned .....	724	0.08
91 = NEVER USED SMOKELESS TOBACCO .....	597368	66.90
94 = DON'T KNOW .....	2048	0.23
97 = REFUSED .....	346	0.04
98 = BLANK (NO ANSWER) .....	2365	0.26
99 = LEGITIMATE SKIP .....	106001	11.87

SLTREC

Len : 2 TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days .....	28590	3.20
2 = More than 30 days ago but within the past 12 mos .....	15929	1.78
3 = More than 12 months ago but within the past 3 yrs .....	16944	1.90
4 = More than 3 years ago .....	60587	6.78
8 = Used at some point in the past 12 mos LOG ASSN .....	99	0.01
9 = Used at some point in the lifetime LOG ASSN .....	85	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED .....	15	0.00
14 = Used more than 12 months ago LOG ASSN .....	1079	0.12
19 = Used more than 30 days ago LOG ASSN .....	846	0.09
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN .....	747	0.08
39 = Used within the past 3 years LOGICALLY ASSIGNED .....	4	0.00
91 = NEVER USED SMOKELESS TOBACCO .....	597368	66.90
97 = REFUSED .....	29	0.00
98 = BLANK (NO ANSWER) .....	331	0.04

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

SLT30BR2

Len : 4 SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
201 = Beech-Nut.....	415	0.05
202 = Chattanooga Chew.....	78	0.01
203 = Day's Work .....	67	0.01
204 = Granger.....	36	0.00
205 = H.B. Scott .....	6	0.00
206 = Levi Garrett.....	676	0.08
207 = Red Fox .....	51	0.01
208 = Red Man chewing tobacco.....	1382	0.15
209 = Taylor's Pride.....	46	0.01
211 = Work Horse.....	9	0.00
212 = Apple Jack .....	3	0.00
216 = Blackbull.....	19	0.00
218 = Cannonball.....	4	0.00
220 = Lancaster.....	12	0.00
222 = Morgan's .....	3	0.00
225 = Trophy .....	3	0.00
228 = Southern Pride .....	10	0.00
230 = Stoker chewing tobacco.....	39	0.00
241 = Tennessee Chew .....	3	0.00
248 = Star chewing tobacco.....	10	0.00
255 = Iqmik .....	3	0.00
301 = Copenhagen.....	6987	0.78
302 = Gold River .....	28	0.00
303 = Happy Days .....	23	0.00
304 = Hawken.....	136	0.02
305 = Kodiak .....	1159	0.13
306 = Redwood.....	22	0.00
307 = Silver Creek .....	83	0.01
308 = Skoal.....	7560	0.85
309 = Timber Wolf.....	825	0.09
312 = Cougar .....	48	0.01
316 = Red Seal.....	766	0.09
317 = Rooster.....	60	0.01
320 = Tube Rose.....	3	0.00
321 = Garrett snuff.....	13	0.00
326 = Kayak.....	55	0.01
332 = Grizzly .....	5714	0.64
337 = General snuff .....	5	0.00
338 = Longhorn .....	217	0.02
341 = Husky.....	96	0.01
347 = Skruf.....	3	0.00
349 = Camel Snus.....	442	0.05
351 = Red Man snuff.....	51	0.01
355 = Marlboro snus.....	76	0.01
363 = Stoker's snuff .....	33	0.00
805 = Smokey Mountain (non-tobacco, herbal) snuff.....	3	0.00
1999 = Cigarette; brand otherwise unspecified .....	13	0.00
2999 = Chewing tobacco; brand otherwise unspecified .....	440	0.05
3999 = Snuff; brand otherwise unspecified.....	418	0.05
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	7	0.00
5999 = Pipe tobacco; brand otherwise unspecified .....	1	0.00
6999 = Unknown tobacco or non-tobacco product.....	2	0.00
7999 = Not a tobacco product .....	9	0.00
8999 = Tobacco replacement or tobacco-like product.....	3	0.00
9000 = Did not confirm after 3 passes thru brand Qs.....	2	0.00
9900 = Not a brand .....	1	0.00
9985 = BAD DATA Logically assigned .....	1	0.00
9991 = NEVER USED SMOKELESS TOBACCO.....	597368	66.90
9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	96132	10.77
9994 = DON'T KNOW .....	206	0.02
9997 = REFUSED .....	81	0.01
9998 = BLANK (NO ANSWER).....	686	0.08

TOBACCO

The computer recorded that the chewing tobacco you used most often during the past 30 days was [CG22/RCG22/RRCG22 FILL] and that the snuff you used most often during the past 30 days was [CG30/RCG30/RRCG30 FILL]. Which of these two brands did you use most often during the past 30 days?

SLT30FAV

Len : 2 WHICH BRAND CHEW OR SNUFF USED MOST

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Brand reported from CHW30BR2 .....	5826	0.65
2 = Brand reported from SNF30BR2 .....	22612	2.53
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED SMOKELESS TOBACCO .....	597368	66.90
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS .....	96132	10.77
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	31	0.00
98 = BLANK (NO ANSWER) .....	673	0.08

ALCOHOL

ALCOHOL

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink" we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

**ALCEVER**      Len : 2    EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	643478	72.06
2 = No.....	249229	27.91
85 = BAD DATA Logically assigned.....	23	0.00
94 = DON'T KNOW.....	153	0.02
97 = REFUSED.....	89	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage?  
Please do not include any time when you only had a sip or two from a drink.

**ALCTRY**      Len : 3    AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 90.....	634050	71.00
985 = BAD DATA Logically assigned.....	2116	0.24
991 = NEVER USED ALCOHOL.....	249229	27.91
994 = DON'T KNOW.....	6171	0.69
997 = REFUSED.....	1253	0.14
998 = BLANK (NO ANSWER).....	153	0.02

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

**ALCYFU**      Len : 4    YEAR OF FIRST ALCOHOL USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2017.....	64307	7.20
9985 = BAD DATA Logically assigned.....	6059	0.68
9989 = LEGITIMATE SKIP Logically assigned.....	3286	0.37
9991 = NEVER USED ALCOHOL.....	249229	27.91
9994 = DON'T KNOW.....	6372	0.71
9997 = REFUSED.....	1313	0.15
9998 = BLANK (NO ANSWER).....	268	0.03
9999 = LEGITIMATE SKIP.....	562138	62.95

ALCOHOL

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

ALCMFU	Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE	Freq	Pct
	1 = January.....	7012	0.79
	2 = February.....	3131	0.35
	3 = March.....	3932	0.44
	4 = April.....	3474	0.39
	5 = May.....	4228	0.47
	6 = June.....	7167	0.80
	7 = July.....	7828	0.88
	8 = August.....	4670	0.52
	9 = September.....	3837	0.43
	10 = October.....	4308	0.48
	11 = November.....	3937	0.44
	12 = December.....	6761	0.76
	85 = BAD DATA Logically assigned.....	6041	0.68
	89 = LEGITIMATE SKIP Logically assigned.....	3286	0.37
	91 = NEVER USED ALCOHOL.....	249229	27.91
	94 = DON'T KNOW.....	10227	1.15
	97 = REFUSED.....	1480	0.17
	98 = BLANK (NO ANSWER).....	286	0.03
	99 = LEGITIMATE SKIP.....	562138	62.95

How long has it been since you last drank an alcoholic beverage?

ALCREC	Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE	Freq	Pct
	1 = Within the past 30 days.....	397517	44.52
	2 = More than 30 days ago but within the past 12 mos.....	136497	15.29
	3 = More than 12 months ago.....	98255	11.00
	8 = Used at some point in the past 12 mos LOG ASSN.....	5773	0.65
	9 = Used at some point in the lifetime LOG ASSN.....	5288	0.59
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	148	0.02
	85 = BAD DATA Logically assigned.....	23	0.00
	91 = NEVER USED ALCOHOL.....	249229	27.91
	97 = REFUSED.....	89	0.01
	98 = BLANK (NO ANSWER).....	153	0.02

ALCYRTOT	Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS	Freq	Pct
	RANGE = 1 - 365.....	533320	59.72
	985 = BAD DATA Logically assigned.....	1862	0.21
	991 = NEVER USED ALCOHOL.....	249229	27.91
	993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	98255	11.00
	994 = DON'T KNOW.....	3809	0.43
	997 = REFUSED.....	1074	0.12
	998 = BLANK (NO ANSWER).....	5423	0.61

ALTOTFG	Len : 2 TRIMMING INDICATOR FOR ALCYRTOT	Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	103	0.01
	2 = Trimmed relative to the 30-day freq.....	4875	0.55
	3 = Trimmed relative to estimated 30-day freq.....	17	0.00
	98 = BLANK (NO ANSWER).....	887977	99.44

ALFQFLG	Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS	Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	12748	1.43
	98 = BLANK (NO ANSWER).....	880224	98.57

ALCOHOL

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

**ALBSTWAY**      Len : 2    EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL

	<b>Freq</b>	<b>Pct</b>
1 = Prefer to answer in days per week.....	177278	19.85
2 = Prefer to answer in days per month.....	191207	21.41
3 = Prefer to answer in days per year.....	160198	17.94
11 = Prefer to ans in days per wk LOG ASSN.....	822	0.09
12 = Prefer to ans in days per mo LOG ASSN.....	1390	0.16
13 = Prefer to ans in days per yr LOG ASSN.....	5367	0.60
85 = BAD DATA Logically assigned.....	1816	0.20
91 = NEVER USED ALCOHOL.....	249229	27.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	98255	11.00
94 = DON'T KNOW.....	1401	0.16
97 = REFUSED.....	586	0.07
98 = BLANK (NO ANSWER).....	5423	0.61

On how many days in the past 12 months did you drink an alcoholic beverage?

**ALDAYPYR**      Len : 3    NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 366.....	164961	18.47
985 = BAD DATA Logically assigned.....	974	0.11
989 = LEGITIMATE SKIP Logically assigned.....	2484	0.28
991 = NEVER USED ALCOHOL.....	249229	27.91
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	98255	11.00
994 = DON'T KNOW.....	1978	0.22
997 = REFUSED.....	570	0.06
998 = BLANK (NO ANSWER).....	6308	0.71
999 = LEGITIMATE SKIP.....	368213	41.23

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

**ALDAYPMO**      Len : 2    # DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31.....	191663	21.46
85 = BAD DATA Logically assigned.....	494	0.06
89 = LEGITIMATE SKIP Logically assigned.....	873	0.10
91 = NEVER USED ALCOHOL.....	249229	27.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	98255	11.00
94 = DON'T KNOW.....	2681	0.30
97 = REFUSED.....	734	0.08
98 = BLANK (NO ANSWER).....	6855	0.77
99 = LEGITIMATE SKIP.....	342188	38.32

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

**ALDAYPWK**      Len : 2    # DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7.....	176698	19.79
85 = BAD DATA Logically assigned.....	413	0.05
91 = NEVER USED ALCOHOL.....	249229	27.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	98255	11.00
94 = DON'T KNOW.....	3748	0.42
97 = REFUSED.....	1048	0.12
98 = BLANK (NO ANSWER).....	6959	0.78
99 = LEGITIMATE SKIP.....	356622	39.94

ALCOHOL

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

<b>ALCDAYS</b>	Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	391993	43.90
	91 = NEVER USED ALCOHOL .....	7684	0.86
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	249229	27.91
	94 = DON'T KNOW .....	234752	26.29
	97 = REFUSED .....	2103	0.24
	98 = BLANK (NO ANSWER) .....	688	0.08
		6523	0.73

What is your best estimate of the number of days you drank alcohol during the past 30 days?

<b>AL30EST</b>	Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
	1 = 1 or 2 days .....	<b>Freq</b>	<b>Pct</b>
	2 = 3 to 5 days .....	872	0.10
	3 = 6 to 9 days .....	525	0.06
	4 = 10 to 19 days .....	428	0.05
	5 = 20 to 29 days .....	334	0.04
	6 = All 30 days .....	96	0.01
	85 = BAD DATA Logically assigned .....	43	0.00
	91 = NEVER USED ALCOHOL .....	26	0.00
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	249229	27.91
	94 = DON'T KNOW .....	234752	26.29
	97 = REFUSED .....	249	0.03
	98 = BLANK (NO ANSWER) .....	277	0.03
	99 = LEGITIMATE SKIP .....	14323	1.60
		391818	43.88

<b>ALDYSFG</b>	Len : 2 REVISION INDICATOR FOR ALCDAYS		
	1 = Edited for consistency with ALCYRTOT or ALCBNG30D .....	<b>Freq</b>	<b>Pct</b>
	98 = BLANK (NO ANSWER) .....	266	0.03
		892706	99.97

NOTE: Beginning in 2015, level 975 was updated to "AT LEAST 4 or 5 Logically assigned" to reflect the change in the threshold for binge alcohol use among female respondents from 5 or more drinks on an occasion prior to 2015 to 4 or more drinks on an occasion in 2015. See the note below for ALCBNG30D.

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

<b>ALCUS30D</b>	Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS		
	RANGE = 1 - 90 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	72702	8.14
	975 = AT LEAST 4 OR 5 Logically assigned .....	722653	80.93
	985 = BAD DATA Logically assigned .....	3159	0.35
	991 = NEVER USED ALCOHOL .....	639	0.07
	993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	47660	5.34
	994 = DON'T KNOW .....	43759	4.90
	997 = REFUSED .....	267	0.03
	998 = BLANK (NO ANSWER) .....	120	0.01
		2013	0.23



ALCOHOL

NOTE: Beginning in 2015, female respondents were asked ALCBNG30D to report the number of days that they had 4 or more drinks on the same occasion in the past 30 days. As in prior years, male respondents in 2015 were asked for ALCBNG30D to report the number of days that they had 5 or more drinks on the same occasion in the past 30 days.

During the past 30 days, that is since [DATEFILL], on how many days did you have [4 or more]/[5 or more] drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

**ALCBNG30D**      Len : 2   # DAYS HAD FOUR/FIVE OR MORE DRINKS PAST 30 DYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 30 .....	75317	8.43
-9 = Data not collected for this year.....	722653	80.93
80 = NO OCCAS OF 4+ or 5+ DRINKS PST 30 DAYS Log assn.....	126	0.01
85 = BAD DATA Logically assigned .....	640	0.07
91 = NEVER USED ALCOHOL.....	47660	5.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	43759	4.90
94 = DON'T KNOW .....	584	0.07
97 = REFUSED .....	220	0.02
98 = BLANK (NO ANSWER) .....	2013	0.23

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

**NODR30A**      Len : 3   USUAL # OF DRINKS PER DAY PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 90.....	303209	33.96
-9 = Data not collected for this year.....	170319	19.07
975 = AT LEAST 5 Logically assigned.....	12690	1.42
985 = BAD DATA Logically assigned .....	3018	0.34
991 = NEVER USED ALCOHOL.....	201569	22.57
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	190993	21.39
994 = DON'T KNOW .....	1377	0.15
997 = REFUSED .....	499	0.06
998 = BLANK (NO ANSWER).....	9298	1.04

During the past 30 days, that is since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

**DR5DAY**      Len : 2   # DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 30 .....	313030	35.05
-9 = Data not collected for this year.....	170319	19.07
80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	652	0.07
85 = BAD DATA Logically assigned .....	3019	0.34
91 = NEVER USED ALCOHOL.....	201569	22.57
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	190993	21.39
94 = DON'T KNOW .....	3164	0.35
97 = REFUSED .....	928	0.10
98 = BLANK (NO ANSWER) .....	9298	1.04

MARIJUANA

MARIJUANA

The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

Have you ever, even once, used marijuana or hashish?

<b>MJEVER</b>	Len : 2 EVER USED MARIJUANA/HASHISH		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	362240	40.57
	2 = No.....	530183	59.37
	85 = BAD DATA Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	171	0.02
	97 = REFUSED .....	371	0.04

How old were you the first time you used marijuana or hashish?

<b>MJAGE</b>	Len : 3 AGE WHEN FIRST USED MARIJUANA/HASHISH		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 80.....	359449	40.25
	985 = BAD DATA Logically assigned .....	932	0.10
	991 = NEVER USED MARIJUANA .....	530183	59.37
	994 = DON'T KNOW .....	1495	0.17
	997 = REFUSED .....	742	0.08
	998 = BLANK (NO ANSWER).....	171	0.02

Did you first use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

<b>MJYFU</b>	Len : 4 YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2000 - 2017 .....	32894	3.68
	9985 = BAD DATA Logically assigned .....	3053	0.34
	9989 = LEGITIMATE SKIP Logically assigned .....	1854	0.21
	9991 = NEVER USED MARIJUANA.....	530183	59.37
	9994 = DON'T KNOW .....	1625	0.18
	9997 = REFUSED .....	761	0.09
	9998 = BLANK (NO ANSWER).....	219	0.02
	9999 = LEGITIMATE SKIP.....	322383	36.10

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or hashish?

<b>MJMFU</b>	Len : 2 MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = January.....	2805	0.31
	2 = February.....	2104	0.24
	3 = March.....	2392	0.27
	4 = April .....	2561	0.29
	5 = May.....	2268	0.25
	6 = June.....	3635	0.41
	7 = July .....	3305	0.37
	8 = August .....	2499	0.28
	9 = September .....	2291	0.26
	10 = October .....	2590	0.29
	11 = November .....	2123	0.24
	12 = December.....	2051	0.23
	85 = BAD DATA Logically assigned .....	3045	0.34
	89 = LEGITIMATE SKIP Logically assigned .....	1854	0.21
	91 = NEVER USED MARIJUANA .....	530183	59.37
	94 = DON'T KNOW .....	3788	0.42
	97 = REFUSED .....	868	0.10
	98 = BLANK (NO ANSWER) .....	227	0.03
	99 = LEGITIMATE SKIP.....	322383	36.10

MARIJUANA

How long has it been since you last used marijuana or hashish?

<b>MJREC</b>	Len : 2	TIME SINCE LAST USED MARIJUANA/HASHISH		
			<b>Freq</b>	<b>Pct</b>
		1 = Within the past 30 days.....	91791	10.28
		2 = More than 30 days ago but within the past 12 mos .....	62860	7.04
		3 = More than 12 months ago .....	201776	22.60
		8 = Used at some point in the past 12 mos LOG ASSN.....	2850	0.32
		9 = Used at some point in the lifetime LOG ASSN.....	2902	0.32
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	61	0.01
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED MARIJUANA .....	530183	59.37
		97 = REFUSED .....	371	0.04
		98 = BLANK (NO ANSWER) .....	171	0.02

<b>MJYRTOT</b>	Len : 3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 365 .....	154048	17.25
		985 = BAD DATA Logically assigned .....	1804	0.20
		991 = NEVER USED MARIJUANA .....	530183	59.37
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	201776	22.60
		994 = DON'T KNOW .....	1288	0.14
		997 = REFUSED .....	804	0.09
		998 = BLANK (NO ANSWER).....	3069	0.34

<b>MRTOTFG</b>	Len : 2	TRIMMING INDICATOR FOR MJYRTOT		
			<b>Freq</b>	<b>Pct</b>
		1 = Trimmed to 365 days (no further editing).....	169	0.02
		2 = Trimmed relative to the 30-day freq .....	4081	0.46
		3 = Trimmed relative to estimated 30-day freq .....	12	0.00
		98 = BLANK (NO ANSWER) .....	888710	99.52

<b>MJQFLG</b>	Len : 2	TRIMMED MJYRTOT IF R USED < 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Trimmed to be consistent with mo/yr of 1st use .....	6907	0.77
		98 = BLANK (NO ANSWER) .....	886065	99.23

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<b>MRBSTWAY</b>	Len : 2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
			<b>Freq</b>	<b>Pct</b>
		1 = Prefer to answer in days per week.....	54906	6.15
		2 = Prefer to answer in days per month.....	39478	4.42
		3 = Prefer to answer in days per year .....	58917	6.60
		11 = Prefer to ans in days per wk LOG ASSN .....	262	0.03
		12 = Prefer to ans in days per mo LOG ASSN.....	371	0.04
		13 = Prefer to ans in days per yr LOG ASSN .....	1193	0.13
		85 = BAD DATA Logically assigned .....	1800	0.20
		91 = NEVER USED MARIJUANA .....	530183	59.37
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	201776	22.60
		94 = DON'T KNOW .....	420	0.05
		97 = REFUSED .....	597	0.07
		98 = BLANK (NO ANSWER) .....	3069	0.34

MARIJUANA

On how many days in the past 12 months did you use marijuana or hashish?

<b>MRDAYPYR</b>	Len : 3 # DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
	RANGE = 1 - 366 .....	<b>Freq</b>	<b>Pct</b>
	985 = BAD DATA Logically assigned .....	59926	6.71
	989 = LEGITIMATE SKIP Logically assigned .....	265	0.03
	991 = NEVER USED MARIJUANA .....	723	0.08
	993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	530183	59.37
	994 = DON'T KNOW .....	201776	22.60
	997 = REFUSED .....	594	0.07
	998 = BLANK (NO ANSWER).....	614	0.07
	999 = LEGITIMATE SKIP.....	4597	0.51
		94294	10.56

On average, how many days did you use marijuana or hashish each month during the past 12 months?

<b>MRDAYPMO</b>	Len : 2 # DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE = 1 - 31 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	39533	4.43
	89 = LEGITIMATE SKIP Logically assigned .....	472	0.05
	91 = NEVER USED MARIJUANA .....	275	0.03
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	530183	59.37
	94 = DON'T KNOW .....	201776	22.60
	97 = REFUSED .....	830	0.09
	98 = BLANK (NO ANSWER) .....	674	0.08
	99 = LEGITIMATE SKIP.....	4410	0.49
		114819	12.86

On average, how many days did you use marijuana or hashish each week during the past 12 months?

<b>MRDAYPWK</b>	Len : 2 # DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE = 1 - 7 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	54589	6.11
	91 = NEVER USED MARIJUANA .....	1071	0.12
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	530183	59.37
	94 = DON'T KNOW .....	201776	22.60
	97 = REFUSED .....	1276	0.14
	98 = BLANK (NO ANSWER) .....	799	0.09
	99 = LEGITIMATE SKIP.....	3819	0.43
		99459	11.14

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

<b>MJDAY30A</b>	Len : 2 # DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	90876	10.18
	91 = NEVER USED MARIJUANA .....	1278	0.14
	93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS .....	530183	59.37
	94 = DON'T KNOW .....	264636	29.64
	97 = REFUSED .....	660	0.07
	98 = BLANK (NO ANSWER) .....	626	0.07
		4713	0.53

MARIJUANA

What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?

MR30EST

Len : 2 BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = 1 or 2 days .....	144	0.02
2 = 3 to 5 days.....	140	0.02
3 = 6 to 9 days.....	115	0.01
4 = 10 to 19 days.....	152	0.02
5 = 20 to 29 days.....	88	0.01
6 = All 30 days.....	80	0.01
91 = NEVER USED MARIJUANA .....	530183	59.37
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS .....	264636	29.64
94 = DON'T KNOW .....	73	0.01
97 = REFUSED .....	503	0.06
98 = BLANK (NO ANSWER) .....	5995	0.67
99 = LEGITIMATE SKIP.....	90863	10.18

COCAINE

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

<b>COCEVER</b>	Len : 2	EVER USED COCAINE		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	104350	11.69
		2 = No.....	788256	88.27
		85 = BAD DATA Logically assigned .....	6	0.00
		94 = DON'T KNOW .....	175	0.02
		97 = REFUSED .....	185	0.02

How old were you the first time you used cocaine, in any form?

<b>COCAGE</b>	Len : 3	AGE WHEN FIRST USED COCAINE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 71 .....	103442	11.58
		985 = BAD DATA Logically assigned .....	290	0.03
		991 = NEVER USED COCAINE .....	788256	88.27
		994 = DON'T KNOW .....	508	0.06
		997 = REFUSED .....	301	0.03
		998 = BLANK (NO ANSWER).....	175	0.02

Did you first use cocaine in any form in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use cocaine in any form in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use cocaine in any form?

<b>COCYFU</b>	Len : 4	YEAR OF FIRST COCAINE USE - RECODE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 2000 - 2017 .....	9731	1.09
		9985 = BAD DATA Logically assigned .....	1070	0.12
		9989 = LEGITIMATE SKIP Logically assigned .....	933	0.10
		9991 = NEVER USED COCAINE .....	788256	88.27
		9994 = DON'T KNOW .....	550	0.06
		9997 = REFUSED .....	325	0.04
		9998 = BLANK (NO ANSWER).....	200	0.02
		9999 = LEGITIMATE SKIP .....	91907	10.29

In what month in [CURRENT YEAR] did you first use cocaine in any form?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

<b>COCMFU</b>	Len : 2	MONTH OF FIRST COCAINE USE - RECODE		
			<b>Freq</b>	<b>Pct</b>
		1 = January.....	991	0.11
		2 = February.....	727	0.08
		3 = March.....	796	0.09
		4 = April .....	671	0.08
		5 = May.....	647	0.07
		6 = June.....	928	0.10
		7 = July .....	871	0.10
		8 = August .....	650	0.07
		9 = September.....	669	0.07
		10 = October .....	789	0.09
		11 = November .....	714	0.08
		12 = December.....	663	0.07
		85 = BAD DATA Logically assigned .....	1071	0.12
		89 = LEGITIMATE SKIP Logically assigned .....	933	0.10
		91 = NEVER USED COCAINE .....	788256	88.27
		94 = DON'T KNOW .....	1128	0.13
		97 = REFUSED .....	362	0.04
		98 = BLANK (NO ANSWER) .....	199	0.02
		99 = LEGITIMATE SKIP .....	91907	10.29

COCAINE

How long has it been since you last used cocaine?

<b>COCREC</b>	Len : 2 TIME SINCE LAST USED COCAINE		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	7556	0.85
	2 = More than 30 days ago but within the past 12 mos .....	15892	1.78
	3 = More than 12 months ago .....	78716	8.82
	8 = Used at some point in the past 12 mos LOG ASSN.....	504	0.06
	9 = Used at some point in the lifetime LOG ASSN.....	1097	0.12
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	285	0.03
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	300	0.03
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED COCAINE .....	788256	88.27
	97 = REFUSED .....	185	0.02
	98 = BLANK (NO ANSWER) .....	175	0.02

<b>COCYRTOT</b>	Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	23753	2.66
	985 = BAD DATA Logically assigned .....	197	0.02
	991 = NEVER USED COCAINE .....	788256	88.27
	993 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	78716	8.82
	994 = DON'T KNOW .....	129	0.01
	997 = REFUSED .....	225	0.03
	998 = BLANK (NO ANSWER).....	1696	0.19

<b>CCTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR COCYRTOT		
		<b>Freq</b>	<b>Pct</b>
	1 = Trimmed to 365 days (no further editing).....	4	0.00
	2 = Trimmed relative to the 30-day freq .....	97	0.01
	98 = BLANK (NO ANSWER) .....	892871	99.99

<b>CCQFLG</b>	Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Trimmed to be consistent with mo/yr of 1st use .....	1428	0.16
	98 = BLANK (NO ANSWER) .....	891544	99.84

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<b>CCBSTWAY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE		
		<b>Freq</b>	<b>Pct</b>
	1 = Prefer to answer in days per week.....	3120	0.35
	2 = Prefer to answer in days per month.....	4964	0.56
	3 = Prefer to answer in days per year .....	14802	1.66
	11 = Prefer to ans in days per wk LOG ASSN .....	16	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	33	0.00
	13 = Prefer to ans in days per yr LOG ASSN .....	157	0.02
	21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	330	0.04
	22 = Prefer to ans in days per mo (CRBSTWAY=2,12) .....	252	0.03
	23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	204	0.02
	85 = BAD DATA Logically assigned .....	194	0.02
	91 = NEVER USED COCAINE .....	788256	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	78716	8.82
	94 = DON'T KNOW .....	32	0.00
	97 = REFUSED .....	200	0.02
	98 = BLANK (NO ANSWER) .....	1696	0.19

COCAINE

On how many days in the past 12 months did you use cocaine?

<b>CCDAYPYR</b>	Len : 3 # DAYS USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	985 = BAD DATA Logically assigned .....	15138	1.70
	989 = LEGITIMATE SKIP Logically assigned .....	59	0.01
	991 = NEVER USED COCAINE .....	234	0.03
	993 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	788256	88.27
	994 = DON'T KNOW .....	78716	8.82
	997 = REFUSED .....	50	0.01
	998 = BLANK (NO ANSWER).....	206	0.02
	999 = LEGITIMATE SKIP.....	1832	0.21
		8481	0.95

On average, how many days did you use cocaine each month during the past 12 months?

<b>CCDAYPMO</b>	Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 31 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	5214	0.58
	89 = LEGITIMATE SKIP Logically assigned .....	56	0.01
	91 = NEVER USED COCAINE .....	134	0.02
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	788256	88.27
	94 = DON'T KNOW .....	78716	8.82
	97 = REFUSED .....	79	0.01
	98 = BLANK (NO ANSWER) .....	210	0.02
	99 = LEGITIMATE SKIP.....	1837	0.21
		18470	2.07

On average, how many days did you use cocaine each week during the past 12 months?

<b>CCDAYPWK</b>	Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 7 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	3401	0.38
	89 = LEGITIMATE SKIP Logically assigned .....	82	0.01
	91 = NEVER USED COCAINE .....	25	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	788256	88.27
	94 = DON'T KNOW .....	78716	8.82
	97 = REFUSED .....	128	0.01
	98 = BLANK (NO ANSWER) .....	225	0.03
	99 = LEGITIMATE SKIP.....	1812	0.20
		20327	2.28

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

<b>COCUS30A</b>	Len : 2 # DAYS USED COCAINE PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	85 = BAD DATA Logically assigned .....	7518	0.84
	91 = NEVER USED COCAINE .....	251	0.03
	93 = DID NOT USE COCAINE IN THE PAST 30 DAYS .....	788256	88.27
	94 = DON'T KNOW .....	94908	10.63
	97 = REFUSED .....	28	0.00
	98 = BLANK (NO ANSWER) .....	201	0.02
		1810	0.20



COCAINE

What is your best estimate of the number of days you used cocaine during the past 30 days?

CC30EST

Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = 1 or 2 days .....	13	0.00
2 = 3 to 5 days.....	2	0.00
3 = 6 to 9 days.....	3	0.00
4 = 10 to 19 days.....	3	0.00
5 = 20 to 29 days.....	1	0.00
12 = 3 to 5 days (from CR30EST) .....	2	0.00
91 = NEVER USED COCAINE .....	788256	88.27
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS .....	94908	10.63
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	196	0.02
98 = BLANK (NO ANSWER) .....	2063	0.23
99 = LEGITIMATE SKIP.....	7516	0.84

CRACK

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

<b>CRKEVER</b>	Len : 2	EVER USED CRACK		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	25480	2.85
		2 = No.....	78832	8.83
		81 = NEVER USED COCAINE Logically assigned.....	8	0.00
		85 = BAD DATA Logically assigned.....	4	0.00
		91 = NEVER USED COCAINE (COCEVER=2).....	788248	88.27
		94 = DON'T KNOW.....	32	0.00
		97 = REFUSED.....	193	0.02
		98 = BLANK (NO ANSWER).....	175	0.02

How old were you the first time you used 'crack'?

<b>CRKAGE</b>	Len : 3	AGE WHEN FIRST USED CRACK		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 75.....	25230	2.83
		981 = NEVER USED CRACK Logically assigned.....	8	0.00
		985 = BAD DATA Logically assigned.....	62	0.01
		991 = NEVER USED CRACK.....	867080	97.10
		994 = DON'T KNOW.....	166	0.02
		997 = REFUSED.....	219	0.02
		998 = BLANK (NO ANSWER).....	207	0.02

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

<b>CRKYFU</b>	Len : 4	YEAR OF FIRST CRACK USE - RECODE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 2000 - 2017.....	1801	0.20
		9981 = NEVER USED CRACK Logically assigned.....	8	0.00
		9985 = BAD DATA Logically assigned.....	228	0.03
		9989 = LEGITIMATE SKIP Logically assigned.....	159	0.02
		9991 = NEVER USED CRACK.....	867080	97.10
		9994 = DON'T KNOW.....	176	0.02
		9997 = REFUSED.....	228	0.03
		9998 = BLANK (NO ANSWER).....	215	0.02
		9999 = LEGITIMATE SKIP.....	23077	2.58

CRACK

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

<b>CRKMFU</b>	Len : 2 MONTH OF FIRST CRACK USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = January.....	190	0.02
	2 = February.....	140	0.02
	3 = March.....	158	0.02
	4 = April.....	110	0.01
	5 = May.....	152	0.02
	6 = June.....	161	0.02
	7 = July.....	171	0.02
	8 = August.....	128	0.01
	9 = September.....	130	0.01
	10 = October.....	155	0.02
	11 = November.....	110	0.01
	12 = December.....	87	0.01
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	228	0.03
	89 = LEGITIMATE SKIP Logically assigned.....	159	0.02
	91 = NEVER USED CRACK.....	867080	97.10
	94 = DON'T KNOW.....	278	0.03
	97 = REFUSED.....	235	0.03
	98 = BLANK (NO ANSWER).....	215	0.02
	99 = LEGITIMATE SKIP.....	23077	2.58

How long has it been since you last used 'crack'?

<b>CRAKREC</b>	Len : 2 TIME SINCE LAST USED CRACK		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	1423	0.16
	2 = More than 30 days ago but within the past 12 mos.....	2541	0.28
	3 = More than 12 months ago.....	21158	2.37
	8 = Used at some point in the past 12 mos LOG ASSN.....	128	0.01
	9 = Used at some point in the lifetime LOG ASSN.....	224	0.03
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	6	0.00
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED CRACK.....	867080	97.10
	97 = REFUSED.....	193	0.02
	98 = BLANK (NO ANSWER).....	207	0.02

<b>CRKYRTOT</b>	Len : 3 TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365.....	3966	0.44
	981 = NEVER USED CRACK Logically assigned.....	8	0.00
	985 = BAD DATA Logically assigned.....	59	0.01
	991 = NEVER USED CRACK.....	867080	97.10
	993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	21158	2.37
	994 = DON'T KNOW.....	33	0.00
	997 = REFUSED.....	207	0.02
	998 = BLANK (NO ANSWER).....	461	0.05

<b>CRTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR CRKYRTOT		
		<b>Freq</b>	<b>Pct</b>
	1 = Trimmed to 365 days (no further editing).....	7	0.00
	2 = Trimmed relative to the 30-day freq.....	40	0.00
	98 = BLANK (NO ANSWER).....	892925	99.99

<b>CRFQLG</b>	Len : 2 TRIMMED CRKYRTOT IF R USED < 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Trimmed to be consistent with mo/yr of 1st use.....	309	0.03
	98 = BLANK (NO ANSWER).....	892663	99.97

CRACK

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<b>CRBSTWAY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED CRACK		
		<b>Freq</b>	<b>Pct</b>
	1 = Prefer to answer in days per week.....	973	0.11
	2 = Prefer to answer in days per month.....	993	0.11
	3 = Prefer to answer in days per year.....	2006	0.22
	11 = Prefer to ans in days per wk LOG ASSN.....	5	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	4	0.00
	13 = Prefer to ans in days per yr LOG ASSN.....	17	0.00
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	59	0.01
	91 = NEVER USED CRACK.....	867080	97.10
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	21158	2.37
	94 = DON'T KNOW.....	10	0.00
	97 = REFUSED.....	198	0.02
	98 = BLANK (NO ANSWER).....	461	0.05

On how many days in the past 12 months did you use 'crack'?

<b>CRDAYPYR</b>	Len : 3 # DAYS USED CRACK PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365.....	2016	0.23
	981 = NEVER USED CRACK Logically assigned.....	8	0.00
	985 = BAD DATA Logically assigned.....	5	0.00
	989 = LEGITIMATE SKIP Logically assigned.....	14	0.00
	991 = NEVER USED CRACK.....	867080	97.10
	993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	21158	2.37
	994 = DON'T KNOW.....	13	0.00
	997 = REFUSED.....	202	0.02
	998 = BLANK (NO ANSWER).....	515	0.06
	999 = LEGITIMATE SKIP.....	1961	0.22

On average, how many days did you use 'crack' each month during the past 12 months?

<b>CRDAYPMO</b>	Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 31.....	992	0.11
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	27	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	91 = NEVER USED CRACK.....	867080	97.10
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	21158	2.37
	94 = DON'T KNOW.....	16	0.00
	97 = REFUSED.....	203	0.02
	98 = BLANK (NO ANSWER).....	494	0.06
	99 = LEGITIMATE SKIP.....	2987	0.33

On average, how many days did you use 'crack' each week during the past 12 months?

<b>CRDAYPWK</b>	Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 7.....	957	0.11
	81 = NEVER USED CRACK Logically assigned.....	8	0.00
	85 = BAD DATA Logically assigned.....	28	0.00
	91 = NEVER USED CRACK.....	867080	97.10
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	21158	2.37
	94 = DON'T KNOW.....	33	0.00
	97 = REFUSED.....	207	0.02
	98 = BLANK (NO ANSWER).....	493	0.06
	99 = LEGITIMATE SKIP.....	3008	0.34

CRACK

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

CRKUS30A      Len : 2   # DAYS USED CRACK PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	1412	0.16
81 = NEVER USED CRACK Logically assigned.....	8	0.00
85 = BAD DATA Logically assigned .....	50	0.01
91 = NEVER USED CRACK .....	867080	97.10
93 = DID NOT USE CRACK IN THE PAST 30 DAYS .....	23699	2.65
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	197	0.02
98 = BLANK (NO ANSWER) .....	519	0.06

What is your best estimate of the number of days you used 'crack' during the past 30 days?

CR30EST      Len : 2   BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
1 = 1 or 2 days .....	3	0.00
2 = 3 to 5 days.....	4	0.00
81 = NEVER USED CRACK Logically assigned.....	8	0.00
91 = NEVER USED CRACK .....	867080	97.10
93 = DID NOT USE CRACK IN THE PAST 30 DAYS .....	23699	2.65
97 = REFUSED .....	198	0.02
98 = BLANK (NO ANSWER) .....	569	0.06
99 = LEGITIMATE SKIP.....	1411	0.16

HEROIN

**HEROIN**

These next questions are about heroin.

Have you ever, even once, used heroin?

**HEREVER**      Len : 2    EVER USED HEROIN

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	12923	1.45
2 = No.....	879527	98.49
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	453	0.05
97 = REFUSED .....	67	0.01

How old were you the first time you used heroin?

**HERAGE**      Len : 3    AGE WHEN FIRST USED HEROIN

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 59 .....	12772	1.43
985 = BAD DATA Logically assigned .....	55	0.01
991 = NEVER USED HEROIN .....	879527	98.49
994 = DON'T KNOW .....	74	0.01
997 = REFUSED .....	91	0.01
998 = BLANK (NO ANSWER).....	453	0.05

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

**HERYFU**      Len : 4    YEAR OF FIRST HEROIN USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2017 .....	1466	0.16
9985 = BAD DATA Logically assigned .....	175	0.02
9989 = LEGITIMATE SKIP Logically assigned .....	159	0.02
9991 = NEVER USED HEROIN .....	879527	98.49
9994 = DON'T KNOW .....	77	0.01
9997 = REFUSED .....	93	0.01
9998 = BLANK (NO ANSWER).....	457	0.05
9999 = LEGITIMATE SKIP .....	11018	1.23

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

**HERMFU**      Len : 2    MONTH OF FIRST HEROIN USE - RECODE

	<b>Freq</b>	<b>Pct</b>
1 = January.....	152	0.02
2 = February.....	119	0.01
3 = March.....	115	0.01
4 = April .....	109	0.01
5 = May.....	115	0.01
6 = June.....	112	0.01
7 = July .....	146	0.02
8 = August .....	129	0.01
9 = September.....	99	0.01
10 = October .....	109	0.01
11 = November .....	96	0.01
12 = December.....	94	0.01
85 = BAD DATA Logically assigned .....	175	0.02
89 = LEGITIMATE SKIP Logically assigned .....	159	0.02
91 = NEVER USED HEROIN.....	879527	98.49
94 = DON'T KNOW .....	142	0.02
97 = REFUSED .....	99	0.01
98 = BLANK (NO ANSWER) .....	457	0.05
99 = LEGITIMATE SKIP.....	11018	1.23

HEROIN

How long has it been since you last used heroin?

<b>HERREC</b>	Len : 2 TIME SINCE LAST USED HEROIN		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	1118	0.13
	2 = More than 30 days ago but within the past 12 mos .....	1624	0.18
	3 = More than 12 months ago .....	9829	1.10
	8 = Used at some point in the past 12 mos LOG ASSN .....	176	0.02
	9 = Used at some point in the lifetime LOG ASSN.....	167	0.02
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	9	0.00
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED HEROIN.....	879527	98.49
	97 = REFUSED .....	67	0.01
	98 = BLANK (NO ANSWER) .....	453	0.05

<b>HERYRTOT</b>	Len : 3 TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	2737	0.31
	985 = BAD DATA Logically assigned .....	157	0.02
	991 = NEVER USED HEROIN.....	879527	98.49
	993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9829	1.10
	994 = DON'T KNOW .....	24	0.00
	997 = REFUSED .....	77	0.01
	998 = BLANK (NO ANSWER).....	621	0.07

<b>HRTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR HERYRTOT		
		<b>Freq</b>	<b>Pct</b>
	1 = Trimmed to 365 days (no further editing).....	6	0.00
	2 = Trimmed relative to the 30-day freq .....	92	0.01
	98 = BLANK (NO ANSWER) .....	892874	99.99

<b>HRFQFLG</b>	Len : 2 TRIMMED HERYRTOT IF R USED < 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Trimmed to be consistent with mo/yr of 1st use .....	289	0.03
	98 = BLANK (NO ANSWER) .....	892683	99.97

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<b>HRBSTWAY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED HEROIN		
		<b>Freq</b>	<b>Pct</b>
	1 = Prefer to answer in days per week.....	791	0.09
	2 = Prefer to answer in days per month.....	607	0.07
	3 = Prefer to answer in days per year .....	1336	0.15
	11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	4	0.00
	13 = Prefer to ans in days per yr LOG ASSN .....	16	0.00
	85 = BAD DATA Logically assigned .....	156	0.02
	91 = NEVER USED HEROIN.....	879527	98.49
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9829	1.10
	94 = DON'T KNOW .....	12	0.00
	97 = REFUSED .....	71	0.01
	98 = BLANK (NO ANSWER) .....	621	0.07

HEROIN

On how many days in the past 12 months did you use heroin?

HRDAYPYR      Len : 3   # DAYS USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365 .....	1343	0.15
985 = BAD DATA Logically assigned .....	16	0.00
989 = LEGITIMATE SKIP Logically assigned .....	7	0.00
991 = NEVER USED HEROIN .....	879527	98.49
993 = DID NOT USE HEROIN IN THE PAST 12 MOS .....	9829	1.10
994 = DON'T KNOW .....	19	0.00
997 = REFUSED .....	73	0.01
998 = BLANK (NO ANSWER) .....	761	0.09
999 = LEGITIMATE SKIP .....	1397	0.16

On average, how many days did you use heroin each month during the past 12 months?

HRDAYPMO      Len : 2   # DAYS PER MONTH USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31 .....	609	0.07
85 = BAD DATA Logically assigned .....	45	0.01
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
91 = NEVER USED HEROIN .....	879527	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS .....	9829	1.10
94 = DON'T KNOW .....	16	0.00
97 = REFUSED .....	78	0.01
98 = BLANK (NO ANSWER) .....	732	0.08
99 = LEGITIMATE SKIP .....	2133	0.24

On average, how many days did you use heroin each week during the past 12 months?

HRDAYPWK      Len : 2   # DAYS PER WEEK USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7 .....	785	0.09
85 = BAD DATA Logically assigned .....	96	0.01
91 = NEVER USED HEROIN .....	879527	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS .....	9829	1.10
94 = DON'T KNOW .....	24	0.00
97 = REFUSED .....	76	0.01
98 = BLANK (NO ANSWER) .....	683	0.08
99 = LEGITIMATE SKIP .....	1952	0.22

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

HER30USE      Len : 2   # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30 .....	1106	0.12
85 = BAD DATA Logically assigned .....	30	0.00
91 = NEVER USED HEROIN .....	879527	98.49
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS .....	11453	1.28
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	70	0.01
98 = BLANK (NO ANSWER) .....	777	0.09

What is your best estimate of the number of days you used heroin during the past 30 days?

HR30EST      Len : 2   BEST EST. # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days .....	5	0.00
2 = 3 to 5 days .....	2	0.00
3 = 6 to 9 days .....	2	0.00
4 = 10 to 19 days .....	2	0.00
91 = NEVER USED HEROIN .....	879527	98.49
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS .....	11453	1.28
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	67	0.01
98 = BLANK (NO ANSWER) .....	807	0.09
99 = LEGITIMATE SKIP .....	1105	0.12



HALLUCINOGENS

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

- LSD, also called 'acid'
- PCP, also called 'angel dust' or phencyclidine
- Peyote
- Mescaline
- Psilocybin
- 'Ecstasy' or 'Molly', also called MDMA
- Ketamine, also called 'Special K' or 'Super K'
- DMT, also called dimethyltryptamine
- AMT, also called alpha-methyltryptamine
- Foxy, also called 5-MeO-DIPT
- Salvia divinorum

Have you ever, even once, used LSD, also called 'acid'?

LSD	Len : 2 EVER USED LSD ("ACID")		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	69639	7.80
	2 = No.....	58229	6.52
	3 = Yes LOGICALLY ASSIGNED.....	54	0.01
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	764268	85.59
	94 = DON'T KNOW.....	673	0.08
	97 = REFUSED.....	100	0.01

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

PCP	Len : 2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	16359	1.83
	2 = No.....	111572	12.49
	3 = Yes LOGICALLY ASSIGNED.....	14	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	764268	85.59
	94 = DON'T KNOW.....	679	0.08
	97 = REFUSED.....	71	0.01

Have you ever, even once, used peyote?

PEYOTE	Len : 2 EVER USED PEYOTE		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	13157	1.47
	2 = No.....	114478	12.82
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	764268	85.59
	94 = DON'T KNOW.....	959	0.11
	97 = REFUSED.....	96	0.01

Have you ever, even once, used mescaline?

MESC	Len : 2 EVER USED MESCALINE		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	17431	1.95
	2 = No.....	110081	12.33
	3 = Yes LOGICALLY ASSIGNED.....	11	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS.....	764268	85.59
	94 = DON'T KNOW.....	1075	0.12
	97 = REFUSED.....	97	0.01

HALLUCINOGENS

Have you ever, even once, used psilocybin, found in mushrooms?

<b>PSILCY</b>	Len : 2	EVER USED PSILOCYBIN (MUSHROOMS)		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	70941	7.94
		2 = No.....	55537	6.22
		3 = Yes LOGICALLY ASSIGNED.....	622	0.07
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED HALLUCINOGENS.....	764268	85.59
		94 = DON'T KNOW.....	1463	0.16
		97 = REFUSED.....	132	0.01

Have you ever, even once, used 'Ecstasy' or 'Molly,' also known as MDMA?

<b>ECSTMOLLY</b>	Len : 2	EVER USED 'ECSTASY' OR 'MOLLY' (MDMA)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	722653	80.93
		1 = Yes.....	13265	1.49
		2 = No.....	11941	1.34
		3 = Yes LOGICALLY ASSIGNED.....	4	0.00
		91 = NEVER USED HALLUCINOGENS.....	144930	16.23
		94 = DON'T KNOW.....	169	0.02
		97 = REFUSED.....	10	0.00

Have you ever, even once, used Ketamine, also called 'Special K' or 'Super K'?

<b>KETMINESK</b>	Len : 2	EVER USED KETAMINE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	722653	80.93
		1 = Yes.....	2230	0.25
		2 = No.....	22911	2.57
		91 = NEVER USED KETAMINE.....	144930	16.23
		94 = DON'T KNOW.....	235	0.03
		97 = REFUSED.....	13	0.00

Have you ever, even once, used any of the following:

DMT, also called dimethyltryptamine,  
 AMT, also called alpha-methyltryptamine, or  
 Foxy, also called 5-MeO-DIPT?

<b>DMTAMTFXY</b>	Len : 2	EVER USED DMT, AMT, FOXY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	722653	80.93
		1 = Yes.....	1830	0.20
		2 = No.....	23282	2.61
		3 = Yes LOGICALLY ASSIGNED.....	5	0.00
		91 = NEVER USED DMT, AMT, FOXY.....	144930	16.23
		94 = DON'T KNOW.....	260	0.03
		97 = REFUSED.....	12	0.00

Have you ever, even once, used Salvia divinorum?

<b>SALVIADIV</b>	Len : 2	EVER USED SALVIA DIVINORUM		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	722653	80.93
		1 = Yes.....	4027	0.45
		2 = No.....	21046	2.36
		3 = Yes LOGICALLY ASSIGNED.....	7	0.00
		91 = NEVER USED SALVIA DIVINORUM.....	144930	16.23
		94 = DON'T KNOW.....	293	0.03
		97 = REFUSED.....	16	0.00

HALLUCINOGENS

NOTE: HALLUCOTH was assigned a code of 5 (see documentation below) when either of the following occurred: (a) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy, ketamine, DMT/AMT/Foxy, or Salvia divinorum but the respondent reported more recent use of any hallucinogen than was reported for these six hallucinogens; or (b) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy but the respondent reported earlier initiation of any hallucinogen than was reported for these three hallucinogens.

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

HALLUCOTH	Len : 2	EVER USED OTHER HALLUCINOGEN	<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1987	0.22
		2 = No.....	22981	2.57
		5 = Yes (specific hallucinogen unknown) LOG ASSN .....	171	0.02
		91 = NEVER USED HALLUCINOGENS .....	144930	16.23
		94 = DON'T KNOW .....	232	0.03
		97 = REFUSED .....	18	0.00

HALLUCINOGENS

HALLUCOTI

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
115 = Phenobarbital.....	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
130 = Promethazine.....	1	0.00
142 = Belladonna.....	7	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien.....	14	0.00
209 = Xanax.....	21	0.00
246 = Klonopin.....	1	0.00
319 = Cylert.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	34	0.00
327 = Black beauties, black beauty.....	2	0.00
348 = Crystal.....	2	0.00
355 = Crystal meth, crystal methamphetamine.....	4	0.00
407 = Demerol.....	1	0.00
415 = Codeine pills.....	4	0.00
417 = Morphine.....	4	0.00
423 = Percocet.....	1	0.00
434 = Vicodin.....	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
501 = Gasoline or lighter fluids.....	13	0.00
502 = Spray paints.....	2	0.00
503 = Other aerosol sprays.....	3	0.00
504 = Shoeshine liquid, glue, or toluene.....	4	0.00
505 = Lacquer thinner or other paint solvents.....	3	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	28	0.00
509 = Correction fluids, degreasers, cleaning fluids.....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	8	0.00
511 = Markers, felt-tip pens, ink pens.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	2	0.00
519 = Helium.....	1	0.00
520 = Old paint, paint.....	2	0.00
525 = Butane.....	1	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
540 = PAM.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
590 = Canned air, compressed air.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	22	0.00
599 = Potpourri.....	1	0.00
601 = LSD ("acid").....	156	0.02
602 = Peyote.....	5	0.00
603 = Mescaline.....	6	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	169	0.02
605 = PCP ("angel dust," phencyclidine).....	8	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	14	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	243	0.03
609 = Jimson weed.....	6	0.00
610 = Crystal T.....	1	0.00
612 = Happy stick, sherm, sherman, shermstick.....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	8	0.00
616 = DET, Dimethyltryptamine, DMT.....	12	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	15	0.00
618 = Acid paper, blotter (acid).....	6	0.00
622 = Microdot(s), green microdot, purple microdot.....	13	0.00
624 = Orange sunshine, sunshine, yellow sunshine.....	1	0.00
625 = Window, window pane, 4-way pane, 4-way.....	4	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	11	0.00
635 = Ginseng seeds, ginseng weed.....	1	0.00
636 = DOM, STP.....	3	0.00
637 = Purple haze.....	1	0.00
639 = Nutmeg, Mace.....	10	0.00
648 = Designer drugs.....	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	4	0.00
658 = Special K, Ketamine.....	2	0.00
659 = Boat.....	1	0.00
678 = Banana peels.....	1	0.00
679 = Hell bells.....	3	0.00
695 = Angel's trumpet.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	77	0.01
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703 = Opium, otherwise unspecified.....	11	0.00

HALLUCINOGENS

707 = Black tar heroin.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	4	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	25	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
806 = Crack, rock.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.00
812 = Cigars.....	1	0.00
829 = Robitussin DM <OTC> .....	19	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	3	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	4	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	35	0.00
894 = Depakene, Depakote, Valproic acid.....	1	0.00
900 = Not a drug .....	4	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	10	0.00
1022 = Atropine.....	1	0.00
1501 = Zolpidem.....	1	0.00
2003 = Zanies, zannies, zans, zany bars .....	5	0.00
2501 = Alprazolam .....	1	0.00
3023 = Adderall .....	4	0.00
3052 = Speed, otherwise unspecified.....	6	0.00
3096 = Yaba.....	1	0.00
3103 = RedLine <OTC>.....	1	0.00
3116 = MCAT, Mephedrone.....	1	0.00
3119 = MDPV, Methylenedioxypropylvalerone .....	2	0.00
3132 = 4-FA, 4-Fluoroamphetamine.....	1	0.00
4044 = Hydrocodone.....	3	0.00
4046 = Oxycodone.....	1	0.00
4067 = OxyContin .....	3	0.00
4109 = Suboxone .....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
5004 = Ink print, paper.....	2	0.00
5045 = Cleaner, not otherwise specified .....	1	0.00
5055 = PVC .....	1	0.00
5077 = Resistol .....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	1	0.00
5100 = TCE, Trichlorethylene .....	1	0.00
5104 = Shoe cleaner, otherwise unspecified .....	1	0.00
5171 = Mouthwash .....	1	0.00
6005 = Sassafras, sassafras tea.....	13	0.00
6029 = DXM.....	52	0.01
6030 = Root .....	1	0.00
6043 = Diviner's sage, Salvia divinorum.....	9	0.00
6044 = Gel caps, gel tabs .....	3	0.00
6048 = Dex .....	1	0.00
6049 = Locoseeds, locoweed seeds.....	1	0.00
6056 = Wet .....	1	0.00
6061 = 5-MeO-DMT.....	3	0.00
6062 = Madderwort, wormwood.....	4	0.00
6074 = LSA .....	33	0.00
6077 = San Pedro.....	8	0.00
6081 = Shabu .....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	19	0.00
6087 = Ibogaine .....	3	0.00
6092 = TCP.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	2	0.00
6102 = Absinthe.....	9	0.00
6103 = Ayahuasca, Yahe .....	43	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
6112 = 2C-T-2 .....	1	0.00
6114 = Molly, not otherwise specified.....	3	0.00
6121 = Cactus, specifically not peyote.....	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I .....	68	0.01
6132 = Amanita mushrooms, fly agaric, muscimol.....	5	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	29	0.00
6145 = Scooby snacks.....	1	0.00
6146 = 5-MeO, otherwise unspecified .....	2	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI .....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	4	0.00
6170 = Moonflower/pod, otherwise unspecified .....	3	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	12	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	2	0.00
6174 = bk-MDMA, Methylone .....	3	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly .....	1	0.00

HALLUCINOGENS

6179 = 4-Hydroxy-MIPT .....	1	0.00
6181 = 4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine .....	3	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine .....	7	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5 .....	44	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	11	0.00
6188 = 25B-NBOMe, NBOMe-2C-B .....	3	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb .....	5	0.00
6192 = 5-MeO-MIPT .....	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide .....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine .....	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD .....	2	0.00
6203 = NBOMe; otherwise unspecified .....	6	0.00
6204 = Hallucinogen from toothpaste .....	1	0.00
6205 = Owsley, white owsley .....	1	0.00
6206 = Blue Egyptian lotus, blue lotus .....	2	0.00
6207 = 2C-B-Fly, 2C-Bromo-Fly .....	1	0.00
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine .....	1	0.00
6209 = 1P-LSD .....	1	0.00
6210 = Beta-keto 2C-B, Bk-2C-B .....	1	0.00
6213 = Synthetic LSD/acid; otherwise unspecified .....	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd .....	1	0.00
8011 = Herb, flower, plant; type unspecified .....	1	0.00
8012 = Coriciden <OTC> .....	10	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator .....	1	0.00
8028 = Bactine <OTC> .....	1	0.00
8058 = Cough medicine/syrup, type unspecified .....	16	0.00
8100 = Kava Kava <OTC> .....	1	0.00
8118 = Smoke/smoking, not otherwise specified .....	3	0.00
8166 = White girl .....	1	0.00
8203 = Bar, otherwise unspecified .....	4	0.00
8214 = Robo, robo tripping .....	2	0.00
8216 = Red Dawn GHR Release <OTC> .....	1	0.00
8237 = Kratom .....	3	0.00
8280 = Mucinex-DM <OTC> .....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018) .....	70	0.01
8293 = Lean (Promethazine w/codeine mixed w/Sprite) .....	14	0.00
8301 = Bath salts, otherwise unspecified .....	11	0.00
8315 = Synthetic cannabis, otherwise unspecified .....	5	0.00
8329 = Artane, Parkopan .....	1	0.00
8351 = 6-APB, Benzo Fury .....	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone .....	2	0.00
8379 = Dabs/dabbing .....	4	0.00
8381 = Vapor/vape juice; route of use unspcfd .....	1	0.00
8386 = Acyclovir .....	1	0.00
8513 = Amitriptyline, Elavil .....	1	0.00
8535 = Risperdal, Risperdol, Risperidone .....	1	0.00
8545 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC> .....	17	0.00
9985 = BAD DATA Logically assigned .....	38	0.00
9991 = NEVER USED HALLUCINOGENS .....	144930	16.23
9997 = REFUSED .....	96	0.01
9998 = BLANK (NO ANSWER) .....	506	0.06
9999 = LEGITIMATE SKIP .....	22981	2.57

HALLUCINOGENS

HALLUCOT2

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
130 = Promethazine .....	1	0.00
142 = Belladonna .....	1	0.00
171 = NyQuil <OTC>.....	2	0.00
174 = Ambien .....	1	0.00
209 = Xanax.....	7	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	4	0.00
407 = Demerol.....	1	0.00
415 = Codeine pills.....	1	0.00
501 = Gasoline or lighter fluids.....	3	0.00
503 = Other aerosol sprays.....	4	0.00
504 = Shoeshine liquid, glue, or toluene.....	2	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	2	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	4	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	5	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	1	0.00
528 = Whipped-cream can.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	2	0.00
601 = LSD ("acid").....	16	0.00
602 = Peyote.....	1	0.00
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	8	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	37	0.00
609 = Jimson weed.....	2	0.00
612 = Happy stick, sherm, sherman, shermstick.....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	4	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	8	0.00
618 = Acid paper, blotter (acid).....	2	0.00
622 = Microdot(s), green microdot, purple microdot.....	3	0.00
625 = Window, window pane, 4-way pane, 4-way.....	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	1	0.00
636 = DOM, STP.....	2	0.00
639 = Nutmeg, Mace.....	4	0.00
650 = Datura stramonium, daytura, thorn apple.....	2	0.00
679 = Hell bells.....	1	0.00
695 = Angel's trumpet.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	21	0.00
703 = Opium, otherwise unspecified.....	5	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00
829 = Robitussin DM <OTC>.....	3	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	4	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
3023 = Adderall.....	2	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
3132 = 4-FA, 4-Fluoroamphetamine.....	1	0.00
3133 = 5-APB.....	1	0.00
4046 = Oxycodone.....	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	1	0.00
5055 = PVC.....	1	0.00
6005 = Sassafras, sassafras tea.....	3	0.00
6029 = DXM.....	12	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6056 = Wet.....	1	0.00
6061 = 5-MeO-DMT.....	1	0.00
6074 = LSA.....	8	0.00
6077 = San Pedro.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	2	0.00
6100 = 2C-T-7, T7, blue mystic.....	2	0.00
6103 = Ayahuasca, Yahe.....	4	0.00
6112 = 2C-T-2.....	1	0.00
6113 = Candy flip.....	1	0.00
6114 = Molly, not otherwise specified.....	2	0.00
6121 = Cactus, specifically not peyote.....	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	31	0.00
6127 = Skittles.....	1	0.00
6135 = 5-MeO-AMT.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	12	0.00
6141 = DPT, Dipropyltryptamine.....	1	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T.....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	2	0.00

HALLUCINOGENS

6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	2	0.00
6174 = bk-MDMA, Methylone .....	1	0.00
6175 = 4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT.....	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly .....	2	0.00
6180 = 2C-BCB, TCB-2 .....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	4	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	13	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	4	0.00
6188 = 25B-NBOMe, NBOMe-2C-B .....	2	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb .....	2	0.00
6192 = 5-MeO-MiPT .....	1	0.00
6203 = NBOMe; otherwise unspecified.....	1	0.00
6209 = 1P-LSD .....	1	0.00
6215 = Synthetic mushrooms; otherwise unspecified.....	1	0.00
8011 = Herb, flower, plant; type unspecified .....	1	0.00
8012 = Coriciden <OTC> .....	2	0.00
8058 = Cough medicine/syrup, type unspecified .....	7	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd .....	1	0.00
8203 = Bar, otherwise unspecified.....	1	0.00
8214 = Robo, robo tripping.....	1	0.00
8231 = Tussin medication, no other information.....	1	0.00
8237 = Kratom.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018) .....	10	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8301 = Bath salts, otherwise unspecified .....	1	0.00
8315 = Synthetic cannabis, otherwise unspecified .....	1	0.00
8514 = Compazine, Prochlorperazine .....	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC> .....	3	0.00
8550 = Geodon, Ziprasidone.....	1	0.00
9985 = BAD DATA Logically assigned .....	9	0.00
9991 = NEVER USED HALLUCINOGENS .....	144930	16.23
9997 = REFUSED .....	23	0.00
9998 = BLANK (NO ANSWER).....	2032	0.23
9999 = LEGITIMATE SKIP.....	22981	2.57



HALLUCINOGENS

HALLUCOT3

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	1	0.00
531 = Candy, powdered candy, sugar .....	1	0.00
601 = LSD ("acid").....	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms .....	3	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	12	0.00
609 = Jimson weed .....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	2	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	1	0.00
618 = Acid paper, blotter (acid).....	1	0.00
622 = Microdot(s), green microdot, purple microdot .....	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds .....	1	0.00
636 = DOM, STP.....	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	1	0.00
679 = Hell bells.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	6	0.00
702 = Heroin.....	1	0.00
709 = Poppy.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	1	0.00
829 = Robitussin DM <OTC> .....	2	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	3	0.00
900 = Not a drug.....	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3116 = MCAT, Mephedrone.....	1	0.00
3131 = 5-MAPB .....	2	0.00
3132 = 4-FA, 4-Fluoroamphetamine.....	1	0.00
4043 = Tramadol.....	1	0.00
6029 = DXM.....	3	0.00
6038 = Triplets, trips.....	1	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6061 = 5-MeO-DMT.....	1	0.00
6074 = LSA .....	2	0.00
6112 = 2C-T-2 .....	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I .....	4	0.00
6130 = 5-MeO-DiPT, foxy methoxy .....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	13	0.00
6146 = 5-MeO, otherwise unspecified .....	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI .....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	1	0.00
6174 = bk-MDMA, Methylone .....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine .....	3	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	3	0.00
6188 = 25B-NBOMe, NBOMe-2C-B .....	2	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb .....	4	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine.....	1	0.00
6201 = 4-HO-DET, CZ-74, Ethocin.....	1	0.00
6203 = NBOMe; otherwise unspecified.....	2	0.00
8058 = Cough medicine/syrup, type unspecified .....	3	0.00
8237 = Kratom.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018) .....	1	0.00
8505 = Quetiapine, Seroquel.....	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC> .....	2	0.00
9985 = BAD DATA Logically assigned .....	2	0.00
9991 = NEVER USED HALLUCINOGENS .....	144930	16.23
9997 = REFUSED .....	19	0.00
9998 = BLANK (NO ANSWER).....	2278	0.26
9999 = LEGITIMATE SKIP.....	22981	2.57

HALLUCINOGENS

HALLUCOT4

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
351 = Cathinone, cat, khat, Q'at.....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	2	0.00
601 = LSD ("acid").....	1	0.00
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	2	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	3	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	1	0.00
618 = Acid paper, blotter (acid).....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
3125 = 3,4-Ethylenedioxy-N-methylamphetamine, EDMA, MDMC.....	1	0.00
6029 = DXM.....	1	0.00
6074 = LSA.....	2	0.00
6112 = 2C-T-2.....	1	0.00
6115 = Foxy.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	6	0.00
6135 = 5-MeO-AMT.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	2	0.00
6174 = bk-MDMA, Methylone.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimi-5.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb.....	2	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide.....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine.....	1	0.00
6211 = 6-MAPB.....	1	0.00
6217 = 25D-NBOMe.....	1	0.00
8012 = Coriciden <OTC>.....	2	0.00
8214 = Robo, robo tripping.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8301 = Bath salts, otherwise unspecified.....	1	0.00
9991 = NEVER USED HALLUCINOGENS.....	144930	16.23
9997 = REFUSED.....	18	0.00
9998 = BLANK (NO ANSWER).....	2341	0.26
9999 = LEGITIMATE SKIP.....	22981	2.57

HALLUCOT5

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
508 = Nitrous oxide, "whippits," dentist gas.....	1	0.00
602 = Peyote.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
3051 = Betel nut, beetlenut.....	1	0.00
3119 = MDPV, Methylenedioxypropylvalerone.....	1	0.00
4009 = Smilies.....	1	0.00
6029 = DXM.....	2	0.00
6074 = LSA.....	1	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb.....	1	0.00
6202 = 4-Acetoxy-MET, 4-AcO-MET, Metacetin.....	1	0.00
9991 = NEVER USED HALLUCINOGENS.....	144930	16.23
9997 = REFUSED.....	18	0.00
9998 = BLANK (NO ANSWER).....	2373	0.27
9999 = LEGITIMATE SKIP.....	22981	2.57

HALLUCINOGENS

How old were you the first time you used [LSFILL]?

<b>HALLUCAGE</b>	Len : 3 AGE WHEN FIRST USED HALLUCINOGENS		
	RANGE = 1 - 69 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	24327	2.72
	985 = BAD DATA Logically assigned .....	722653	80.93
	991 = NEVER USED HALLUCINOGENS .....	64	0.01
	994 = DON'T KNOW .....	144930	16.23
	997 = REFUSED .....	202	0.02
	998 = BLANK (NO ANSWER).....	89	0.01
		707	0.08

<b>HALLUCEVR</b>	Len : 2 RC - EVER USED HALLUCINOGENS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	722653	80.93
	91 = NEVER USED HALLUCINOGENS .....	24678	2.76
	97 = REFUSED .....	144930	16.23
	98 = BLANK (NO ANSWER) .....	4	0.00
		707	0.08

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

<b>HALLUCYFU</b>	Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE		
	RANGE = 2013 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	2136	0.24
	9985 = BAD DATA Logically assigned .....	722653	80.93
	9989 = LEGITIMATE SKIP Logically assigned .....	221	0.02
	9991 = NEVER USED HALLUCINOGENS .....	306	0.03
	9994 = DON'T KNOW .....	144930	16.23
	9997 = REFUSED .....	206	0.02
	9998 = BLANK (NO ANSWER).....	92	0.01
	9999 = LEGITIMATE SKIP.....	711	0.08
		21717	2.43

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

<b>HALLUCMFU</b>	Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = January.....	722653	80.93
	2 = February.....	168	0.02
	3 = March.....	143	0.02
	4 = April .....	182	0.02
	5 = May.....	141	0.02
	6 = June.....	140	0.02
	7 = July .....	274	0.03
	8 = August .....	235	0.03
	9 = September .....	179	0.02
	10 = October .....	129	0.01
	11 = November .....	169	0.02
	12 = December.....	138	0.02
	85 = BAD DATA Logically assigned .....	119	0.01
	89 = LEGITIMATE SKIP Logically assn.....	221	0.02
	91 = NEVER USED HALLUCINOGENS .....	306	0.03
	94 = DON'T KNOW .....	144930	16.23
	97 = REFUSED .....	314	0.04
	98 = BLANK (NO ANSWER) .....	103	0.01
	99 = LEGITIMATE SKIP.....	711	0.08
		21717	2.43

HALLUCINOGENS

How long has it been since you last used [LSFILL]?

<b>HALLUCREC</b>	Len : 2 TIME SINCE LAST USED HALLUCINOGENS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days.....	1157	0.13
	2 = More than 30 days ago but within the past 12 mos .....	3195	0.36
	3 = More than 12 months ago .....	19587	2.19
	8 = Used at some point in the past 12 mos LOG ASSN.....	147	0.02
	9 = Used at some point in lifetime LOG ASSN .....	449	0.05
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	62	0.01
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	77	0.01
	13 = More than 12 months ago LOGICALLY ASSIGNED.....	4	0.00
	91 = NEVER USED HALLUCINOGENS .....	144930	16.23
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	707	0.08

<b>HALLUCYFQ</b>	Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	4505	0.50
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned .....	48	0.01
	991 = NEVER USED HALLUCINOGENS .....	144930	16.23
	993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
	994 = DON'T KNOW .....	31	0.00
	997 = REFUSED .....	12	0.00
	998 = BLANK (NO ANSWER).....	1202	0.13

<b>HALTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR HALLUCYFQ		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	2 = Trimmed relative to the 30-day freq .....	16	0.00
	98 = BLANK (NO ANSWER) .....	170303	19.07

<b>HALFQFLG</b>	Len : 2 TRIMMED HALLUCYFQ IF R USED < 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Trimmed to be consistent with mo/yr of 1st use .....	240	0.03
	98 = BLANK (NO ANSWER) .....	170079	19.05

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<b>HALLEASWY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Prefer to answer in days per week.....	419	0.05
	2 = Prefer to answer in days per month.....	624	0.07
	3 = Prefer to answer in days per year .....	3445	0.39
	11 = Prefer to ans in days per wk LOG ASSN.....	4	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	4	0.00
	13 = Prefer to ans in days per yr LOG ASSN .....	35	0.00
	85 = BAD DATA Logically assigned .....	48	0.01
	91 = NEVER USED HALLUCINOGENS .....	144930	16.23
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
	94 = DON'T KNOW .....	10	0.00
	97 = REFUSED .....	7	0.00
	98 = BLANK (NO ANSWER) .....	1202	0.13

HALLUCINOGENS

On how many days in the past 12 months did you use [LSFILL]?

**HALLDYSYR**      Len : 3   # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	3482	0.39
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	42	0.00
989 = LEGITIMATE SKIP Logically assigned .....	8	0.00
991 = NEVER USED HALLUCINOGENS .....	144930	16.23
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
994 = DON'T KNOW .....	13	0.00
997 = REFUSED .....	8	0.00
998 = BLANK (NO ANSWER).....	1202	0.13
999 = LEGITIMATE SKIP.....	1043	0.12

On average, how many days did you use [LSFILL] each month during the past 12 months?

**HALLDYPMO**      Len : 2   # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	622	0.07
-9 = Data not collected for this year .....	722653	80.93
85 = BAD DATA Logically assigned .....	8	0.00
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1242	0.14
99 = LEGITIMATE SKIP.....	3895	0.44

On average, how many days did you use [LSFILL] each week during the past 12 months?

**HALLDYPWK**      Len : 2   # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	407	0.05
-9 = Data not collected for this year .....	722653	80.93
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	31	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	1244	0.14
99 = LEGITIMATE SKIP.....	4098	0.46

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

**HALLUC30N**      Len : 2   # DAYS USED HALLUCINOGEN PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	1164	0.13
-9 = Data not collected for this year .....	722653	80.93
83 = DID NOT USE HALLUCINOGENS IN PAST 30 DAYS Log assn .....	2	0.00
85 = BAD DATA Logically assigned .....	62	0.01
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS .....	22861	2.56
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1291	0.14

HALLUCINOGENS

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

**HALLUC30E**      Len : 2    BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = 1 or 2 days .....	4	0.00
2 = 3 to 5 days.....	1	0.00
4 = 10 to 19 days.....	1	0.00
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS .....	22863	2.56
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	1349	0.15
99 = LEGITIMATE SKIP.....	1162	0.13

Now think only about LSD. How old were you the first time you used LSD?

**LSDAGE**      Len : 3    AGE WHEN FIRST USED LSD

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 67 .....	68478	7.67
985 = BAD DATA Logically assigned .....	124	0.01
991 = NEVER USED LSD .....	822497	92.11
994 = DON'T KNOW .....	668	0.07
997 = REFUSED .....	394	0.04
998 = BLANK (NO ANSWER).....	811	0.09

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

**LSDYFU**      Len : 4    YEAR OF FIRST LSD USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2017 .....	5097	0.57
9985 = BAD DATA Logically assigned .....	481	0.05
9989 = LEGITIMATE SKIP Logically assigned .....	185	0.02
9991 = NEVER USED LSD .....	822497	92.11
9994 = DON'T KNOW .....	697	0.08
9997 = REFUSED .....	408	0.05
9998 = BLANK (NO ANSWER).....	901	0.10
9999 = LEGITIMATE SKIP.....	62706	7.02

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

**LSDMFU**      Len : 2    MONTH OF FIRST LSD USE - RECODE

	<b>Freq</b>	<b>Pct</b>
1 = January.....	434	0.05
2 = February.....	325	0.04
3 = March.....	397	0.04
4 = April .....	344	0.04
5 = May.....	341	0.04
6 = June.....	575	0.06
7 = July .....	572	0.06
8 = August .....	391	0.04
9 = September .....	326	0.04
10 = October .....	418	0.05
11 = November .....	355	0.04
12 = December.....	267	0.03
85 = BAD DATA Logically assigned .....	505	0.06
89 = LEGITIMATE SKIP Logically assigned .....	185	0.02
91 = NEVER USED LSD .....	822497	92.11
94 = DON'T KNOW .....	985	0.11
97 = REFUSED .....	443	0.05
98 = BLANK (NO ANSWER) .....	906	0.10
99 = LEGITIMATE SKIP.....	62706	7.02

HALLUCINOGENS

How long has it been since you last used LSD?

LSDREC		Len : 2	TIME SINCE LAST USED LSD	Freq	Pct
			1 = Within the past 30 days.....	1425	0.16
			2 = More than 30 days ago but within the past 12 mos .....	5572	0.62
			3 = More than 12 months ago .....	61583	6.90
			8 = Used at some point in the past 12 mos LOG ASSN.....	195	0.02
			9 = Used at some point in the lifetime LOG ASSN.....	908	0.10
			11 = Used in the past 30 days LOGICALLY ASSIGNED.....	10	0.00
			85 = BAD DATA Logically assigned .....	2	0.00
			91 = NEVER USED LSD .....	822497	92.11
			97 = REFUSED .....	100	0.01
			98 = BLANK (NO ANSWER) .....	680	0.08

Now think only about PCP. How old were you the first time you used PCP?

PCPAGE		Len : 3	AGE WHEN FIRST USED PCP	Freq	Pct
			RANGE = 1 - 63.....	15809	1.77
			985 = BAD DATA Logically assigned .....	58	0.01
			991 = NEVER USED PCP.....	875840	98.08
			994 = DON'T KNOW .....	337	0.04
			997 = REFUSED .....	211	0.02
			998 = BLANK (NO ANSWER).....	717	0.08

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

PCPYFU		Len : 4	YEAR OF FIRST PCP USE - RECODE	Freq	Pct
			RANGE = 2000 - 2017 .....	962	0.11
			9985 = BAD DATA Logically assigned .....	160	0.02
			9989 = LEGITIMATE SKIP Logically assigned .....	47	0.01
			9991 = NEVER USED PCP.....	875840	98.08
			9994 = DON'T KNOW .....	347	0.04
			9997 = REFUSED .....	214	0.02
			9998 = BLANK (NO ANSWER).....	753	0.08
			9999 = LEGITIMATE SKIP.....	14649	1.64

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

PCPMFU		Len : 2	MONTH OF FIRST PCP USE - RECODE	Freq	Pct
			1 = January.....	104	0.01
			2 = February.....	69	0.01
			3 = March.....	80	0.01
			4 = April .....	73	0.01
			5 = May.....	61	0.01
			6 = June.....	95	0.01
			7 = July .....	95	0.01
			8 = August .....	73	0.01
			9 = September .....	43	0.00
			10 = October .....	67	0.01
			11 = November .....	68	0.01
			12 = December.....	55	0.01
			85 = BAD DATA Logically assigned .....	167	0.02
			89 = LEGITIMATE SKIP Logically assigned .....	47	0.01
			91 = NEVER USED PCP.....	875840	98.08
			94 = DON'T KNOW .....	412	0.05
			97 = REFUSED .....	219	0.02
			98 = BLANK (NO ANSWER) .....	755	0.08
			99 = LEGITIMATE SKIP.....	14649	1.64

HALLUCINOGENS

How long has it been since you last used PCP?

**PCPREC**      Len : 2    TIME SINCE LAST USED PCP

	<b>Freq</b>	<b>Pct</b>
1 = Within the past 30 days.....	245	0.03
2 = More than 30 days ago but within the past 12 mos .....	857	0.10
3 = More than 12 months ago .....	14850	1.66
8 = Used at some point in the past 12 mos LOG ASSN.....	47	0.01
9 = Used at some point in the lifetime LOG ASSN.....	371	0.04
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED PCP.....	875840	98.08
97 = REFUSED .....	71	0.01
98 = BLANK (NO ANSWER) .....	686	0.08

Now think only about 'Ecstasy or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

**ECSTMOAGE**      Len : 3    AGE WHEN FIRST USED ECSTASY OR MOLLY

	<b>Freq</b>	<b>Pct</b>
RANGE = 2 - 60 .....	13122	1.47
-9 = Data not collected for this year.....	722653	80.93
985 = BAD DATA Logically assigned .....	32	0.00
991 = NEVER USED ECSTASY OR MOLLY.....	156871	17.57
994 = DON'T KNOW .....	58	0.01
997 = REFUSED .....	28	0.00
998 = BLANK (NO ANSWER).....	208	0.02

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

**ECSTMOYFU**      Len : 4    YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2013 - 2017 .....	1364	0.15
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned .....	104	0.01
9989 = LEGITIMATE SKIP Logically assn.....	52	0.01
9991 = NEVER USED ECSTASY OR MOLLY.....	156871	17.57
9994 = DON'T KNOW .....	60	0.01
9997 = REFUSED .....	30	0.00
9998 = BLANK (NO ANSWER).....	260	0.03
9999 = LEGITIMATE SKIP.....	11578	1.30



HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

**ECSTMOMFU** Len : 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = January.....	103	0.01
2 = February.....	75	0.01
3 = March.....	138	0.02
4 = April .....	105	0.01
5 = May.....	92	0.01
6 = June.....	177	0.02
7 = July .....	150	0.02
8 = August .....	83	0.01
9 = September .....	86	0.01
10 = October .....	118	0.01
11 = November .....	76	0.01
12 = December.....	88	0.01
85 = BAD DATA Logically assigned .....	110	0.01
89 = LEGITIMATE SKIP Logically assn.....	52	0.01
91 = NEVER USED ECSTASY OR MOLLY.....	156871	17.57
94 = DONT KNOW .....	122	0.01
97 = REFUSED .....	34	0.00
98 = BLANK (NO ANSWER) .....	261	0.03
99 = LEGITIMATE SKIP.....	11578	1.30

How long has it been since you last used 'Ecstasy' or 'Molly,' also known as MDMA?

**ECSTMOREC** Len : 2 TIME SINCE LAST USED ECSTASY OR MOLLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Within the past 30 days.....	496	0.06
2 = More than 30 days ago but within the past 12 mos .....	1777	0.20
3 = More than 12 months ago .....	10758	1.20
8 = Used at some point in the past 12 mos LOG ASSN.....	31	0.00
9 = Used at some point in the lifetime LOG ASSN.....	205	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED ECSTASY OR MOLLY.....	156871	17.57
97 = REFUSED .....	10	0.00
98 = BLANK (NO ANSWER) .....	169	0.02

How long has it been since you last used Ketamine?

**KETMINREC** Len : 2 TIME SINCE LAST USED KETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Within the past 30 days.....	68	0.01
2 = More than 30 days ago but within the past 12 mos .....	198	0.02
3 = More than 12 months ago .....	1936	0.22
8 = Used at some point in the past 12 mos LOG ASSN.....	8	0.00
9 = Used at some point in the lifetime LOG ASSN.....	17	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	3	0.00
91 = NEVER USED KETAMINE .....	167841	18.80
97 = REFUSED .....	13	0.00
98 = BLANK (NO ANSWER) .....	235	0.03

HALLUCINOGENS

How long has it been since you last used DMT, AMT or Foxy?

<b>DAMTFXREC</b>	Len : 2 TIME SINCE LAST USED DMT/AMT/FOXY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days.....	63	0.01
	2 = More than 30 days ago but within the past 12 mos .....	227	0.03
	3 = More than 12 months ago .....	1505	0.17
	8 = Used at some point in the past 12 mos LOG ASSN.....	7	0.00
	9 = Used at some point in the lifetime LOG ASSN.....	27	0.00
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	6	0.00
	91 = NEVER USED DMT/AMT/FOXY .....	168212	18.84
	97 = REFUSED .....	12	0.00
	98 = BLANK (NO ANSWER) .....	260	0.03

How long has it been since you last used Salvia divinorum?

<b>SALVIAREC</b>	Len : 2 TIME SINCE LAST USED SALVIA DIVINORUM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days.....	29	0.00
	2 = More than 30 days ago but within the past 12 mos .....	126	0.01
	3 = More than 12 months ago .....	3834	0.43
	8 = Used at some point in the past 12 mos LOG ASSN.....	9	0.00
	9 = Used at some point in the lifetime LOG ASSN.....	19	0.00
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	15	0.00
	91 = NEVER USED SALVIA DIVINORUM .....	165976	18.59
	97 = REFUSED .....	16	0.00
	98 = BLANK (NO ANSWER) .....	293	0.03

Have you ever, even once, used 'Ecstasy,' also known as MDMA?

<b>ECSTASY</b>	Len : 2 EVER USED "ECSTASY" (MDMA)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	49999	5.60
	2 = No.....	52546	5.88
	3 = Yes LOGICALLY ASSIGNED.....	17	0.00
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS .....	619338	69.36
	94 = DON'T KNOW .....	673	0.08
	97 = REFUSED .....	71	0.01

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

<b>HALNOLST</b>	Len : 2 EVER USED OTHER HALLUCINOGEN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	13977	1.57
	2 = No.....	88368	9.90
	85 = BAD DATA Logically assigned.....	9	0.00
	91 = NEVER USED HALLUCINOGENS .....	619338	69.36
	94 = DON'T KNOW .....	848	0.09
	97 = REFUSED .....	113	0.01

HALLUCINOGENS

HALNEWA

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
105 = Placidyl, Ethchlorvynol.....	1	0.00
110 = Tuinal.....	1	0.00
112 = Restoril.....	2	0.00
113 = Halcion.....	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	27	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	10	0.00
123 = Unisom <OTC>.....	7	0.00
124 = Yellow jackets.....	6	0.00
129 = Reds.....	1	0.00
130 = Promethazine.....	9	0.00
140 = Seldane.....	1	0.00
142 = Belladonna.....	25	0.00
145 = Red devil(s).....	7	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	10	0.00
174 = Ambien.....	26	0.00
177 = Bean.....	5	0.00
178 = Quetiapine, Seroquel.....	2	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladonna plant/flower/root, deadly nightshade.....	4	0.00
197 = Topamax.....	1	0.00
201 = Valium.....	14	0.00
206 = Tranxene.....	1	0.00
207 = Ativan.....	1	0.00
209 = Xanax.....	52	0.01
216 = Atarax.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
227 = Thorazine.....	1	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
246 = Klonopin.....	5	0.00
267 = Marezine.....	10	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	14	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
278 = Benzodiazepines.....	1	0.00
280 = Ketaset.....	2	0.00
291 = Celexa, Citalopram.....	1	0.00
318 = Ritalin.....	8	0.00
320 = Dextroamphetamine.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	190	0.02
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED.....	1	0.00
326 = White cross.....	3	0.00
327 = Black beauties, black beauty.....	8	0.00
328 = Pink hearts.....	2	0.00
332 = Ephedrine.....	1	0.00
334 = Crossroads, cross tops.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	2	0.00
345 = Black molly.....	1	0.00
348 = Crystal.....	24	0.00
351 = Cathinone, cat, khat, Q'at.....	1	0.00
354 = Vivarin <OTC>.....	1	0.00
355 = Crystal meth, crystal methamphetamine.....	71	0.01
363 = Bam(s).....	1	0.00
374 = Christmas tree(s).....	1	0.00
376 = TAC.....	2	0.00
377 = Albuterol.....	2	0.00
386 = Herbal ecstasy.....	2	0.00
395 = Black cats.....	1	0.00
407 = Demerol.....	2	0.00
408 = Dilaudid, Hydromorphone.....	2	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	3	0.00
411 = Talwin.....	1	0.00
415 = Codeine pills.....	19	0.00
417 = Morphine.....	22	0.00
418 = Methadone.....	10	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	9	0.00
423 = Percocet.....	15	0.00
427 = Darvocet, Davocet-N.....	2	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
434 = Vicodin.....	51	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00

HALLUCINOGENS

465 = Fentanyl.....	3	0.00
501 = Gasoline or lighter fluids.....	108	0.01
502 = Spray paints.....	44	0.00
503 = Other aerosol sprays.....	41	0.00
504 = Shoeshine liquid, glue, or toluene.....	58	0.01
505 = Lacquer thinner or other paint solvents.....	17	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	44	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	27	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	179	0.02
509 = Correction fluids, degreasers, cleaning fluids.....	3	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	68	0.01
511 = Markers, felt-tip pens, ink pens.....	23	0.00
512 = Incense.....	11	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	23	0.00
517 = Tolyol.....	1	0.00
518 = Acetone, nail polish remover.....	3	0.00
519 = Helium.....	11	0.00
520 = Old paint, paint.....	37	0.00
524 = White-Out.....	7	0.00
525 = Butane.....	7	0.00
528 = Whipped-cream can.....	4	0.00
531 = Candy, powdered candy, sugar.....	2	0.00
540 = PAM.....	3	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	3	0.00
554 = Insect killer (e.g., Raid).....	1	0.00
566 = Smoked tea from Lipton tea bag.....	12	0.00
568 = Tally.....	1	0.00
569 = Peganento.....	2	0.00
590 = Canned air, compressed air.....	5	0.00
592 = Computer air duster, computer cleaner, dust-off.....	134	0.02
599 = Potpourri.....	3	0.00
601 = LSD ("acid").....	665	0.07
602 = Peyote.....	14	0.00
603 = Mescaline.....	48	0.01
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	673	0.08
605 = PCP ("angel dust," phencyclidine).....	35	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	81	0.01
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1043	0.12
609 = Jimson weed.....	64	0.01
610 = Crystal T.....	4	0.00
611 = Greens.....	1	0.00
612 = Happy stick, sherm, sherman, shermstick.....	23	0.00
614 = MDA, Methylenedioxy amphetamine.....	72	0.01
615 = Homemade drugs.....	5	0.00
616 = DET, Dimethyltryptamine, DMT.....	702	0.08
617 = Morning glory seeds, morning glory tendrils, ricea.....	101	0.01
618 = Acid paper, blotter (acid).....	41	0.00
621 = Red dragon.....	1	0.00
622 = Microdot(s), green microdot, purple microdot.....	87	0.01
624 = Orange sunshine, sunshine, yellow sunshine.....	18	0.00
625 = Window, window pane, 4-way pane, 4-way.....	38	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	40	0.00
629 = Rocket Fuel.....	1	0.00
633 = Mr. Natural.....	2	0.00
635 = Ginseng seeds, ginseng weed.....	2	0.00
636 = DOM, STP.....	18	0.00
637 = Purple haze.....	18	0.00
639 = Nutmeg, Mace.....	41	0.00
640 = Purple pyramid.....	2	0.00
645 = Thai stick.....	1	0.00
648 = Designer drugs.....	2	0.00
650 = Datura stramonium, daytura, thorn apple.....	32	0.00
651 = Mellow Yellow.....	1	0.00
654 = Eve.....	2	0.00
658 = Special K, Ketamine.....	381	0.04
659 = Boat.....	3	0.00
660 = Bufotenin, toad, toad licking.....	7	0.00
663 = Animal tranquilizer, horse tranquilizer.....	11	0.00
678 = Banana peels.....	5	0.00
679 = Hell bells.....	17	0.00
683 = Yage.....	3	0.00
691 = Maximum impact.....	2	0.00
695 = Angel's trumpet.....	29	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	180	0.02
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	5	0.00

HALLUCINOGENS

703 = Opium, otherwise unspecified.....	128	0.01
705 = Speed Ball (heroin + cocaine).....	1	0.00
707 = Black tar heroin.....	1	0.00
709 = Poppy.....	9	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	10	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	56	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	135	0.02
804 = Hashish .....	8	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	6	0.00
806 = Crack, rock.....	5	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	2	0.00
809 = Pills.....	23	0.00
810 = Freebase.....	1	0.00
814 = Caffeine <OTC>.....	1	0.00
815 = Coffee <OTC>.....	2	0.00
824 = Steroids.....	1	0.00
829 = Robitussin DM <OTC> .....	169	0.02
834 = Loveboat .....	2	0.00
840 = Over-the-counter-cough med(contnts unspec) .....	4	0.00
843 = Cold medicine, cold tablets <OTC>.....	15	0.00
844 = Blood pressure medication.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	74	0.01
852 = Formaldehyde, wak, whack (embalming fluid).....	15	0.00
857 = Wicki stick.....	4	0.00
866 = Boomers.....	2	0.00
875 = Buds.....	1	0.00
876 = Glass .....	4	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	174	0.02
900 = Not a drug .....	12	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	31	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC> .....	175	0.02
1007 = Robitussin PM <OTC> .....	2	0.00
1010 = Diprivan .....	1	0.00
1011 = Eszopiclone, Lunesta .....	1	0.00
1013 = Ambien CR .....	2	0.00
1020 = Hyoscine, Levo-duboisine, Scopolamine .....	1	0.00
2001 = Soma.....	2	0.00
2002 = Muscle relaxers .....	2	0.00
2003 = Zanies, zannies, zans, zany bars.....	4	0.00
2007 = R2 .....	2	0.00
3023 = Adderall .....	26	0.00
3024 = Yohimbe .....	1	0.00
3026 = Bupropion, Wellbutrin, Zyban .....	2	0.00
3044 = Caffeine pills <OTC> .....	2	0.00
3047 = Sudafed <OTC>.....	3	0.00
3050 = Mini thins.....	2	0.00
3051 = Betel nut, beetlenut .....	1	0.00
3052 = Speed, otherwise unspecified.....	81	0.01
3064 = Ephedra, Ma Huang .....	2	0.00
3077 = Concerta.....	1	0.00
3081 = P2P, Phenyl-2-propanone.....	1	0.00
3089 = Christina, Tina .....	2	0.00
3116 = MCAT, Mephedrone.....	9	0.00
3117 = Methedrone .....	2	0.00
3119 = MDPV, Methylenedioxypropylvalerone .....	3	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine .....	1	0.00
4007 = Happy pills.....	1	0.00
4043 = Tramadol.....	1	0.00
4044 = Hydrocodone.....	19	0.00
4046 = Oxycodone.....	7	0.00
4067 = OxyContin .....	42	0.00
4077 = Tee's.....	2	0.00
5001 = Bleach .....	1	0.00
5004 = Ink print, paper.....	1	0.00
5006 = Brake fluid .....	1	0.00
5009 = Robo .....	2	0.00
5017 = Oil, lubricant, otherwise unspecified.....	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	5	0.00
5028 = Carburetor cleaner, engine cleaner.....	5	0.00
5032 = Nitrogen .....	1	0.00
5035 = Brake cleaner .....	1	0.00
5045 = Cleaner, not otherwise specified .....	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	1	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	6	0.00
5055 = PVC .....	3	0.00

HALLUCINOGENS

5077 = Resistol .....	5	0.00
5083 = Ethyl chloride.....	2	0.00
5088 = Jungle juice.....	1	0.00
5090 = PVC Cleaner.....	1	0.00
5091 = Germ-X.....	2	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	2	0.00
5100 = TCE, Trichlorethylene .....	2	0.00
5174 = Belt dressing .....	1	0.00
5175 = Acetylene chloride.....	1	0.00
6005 = Sassafras, sassafras tea.....	7	0.00
6016 = Nas.....	3	0.00
6019 = Black dust, black duct.....	1	0.00
6026 = KJ.....	2	0.00
6029 = DXM.....	344	0.04
6031 = Strychnine.....	1	0.00
6035 = Campana (flower).....	1	0.00
6037 = Fry .....	3	0.00
6043 = Diviner's sage, Salvia divinorum.....	2034	0.23
6044 = Gel caps, gel tabs.....	22	0.00
6047 = Water .....	4	0.00
6048 = Dex .....	15	0.00
6051 = Tryptamine, not otherwise specified .....	2	0.00
6054 = Spiny apples.....	1	0.00
6055 = Liberty caps .....	1	0.00
6056 = Wet .....	19	0.00
6061 = 5-MeO-DMT.....	13	0.00
6062 = Madderwort, wormwood.....	12	0.00
6064 = Marigold buttons.....	4	0.00
6070 = DTP .....	1	0.00
6073 = Rolls.....	3	0.00
6074 = LSA .....	106	0.01
6077 = San Pedro.....	9	0.00
6078 = Trumpet flowers/seeds, type unspecified .....	3	0.00
6079 = Sugar cubes.....	3	0.00
6082 = Ammonia .....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	127	0.01
6086 = Flakes.....	1	0.00
6087 = Ibogaine .....	1	0.00
6091 = Ergot, rye mold .....	3	0.00
6092 = TCP.....	4	0.00
6094 = Mushrooms, specifically not psilocybin.....	2	0.00
6095 = Super cool, super kool.....	1	0.00
6096 = Bananadine .....	2	0.00
6098 = Dust, not otherwise specified .....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	14	0.00
6102 = Absinthe.....	86	0.01
6103 = Ayahuasca, Yahe .....	45	0.01
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	48	0.01
6109 = 2, 5-Dimethoxyamphetamine, DMA.....	5	0.00
6110 = Mad dog.....	1	0.00
6112 = 2C-T-2 .....	9	0.00
6113 = Candy flip .....	2	0.00
6114 = Molly, not otherwise specified.....	174	0.02
6115 = Foxy.....	19	0.00
6116 = Nepenthes .....	1	0.00
6118 = Adrenochrome .....	4	0.00
6119 = Scoop .....	3	0.00
6120 = Lucky seven .....	1	0.00
6121 = Cactus, specifically not peyote.....	2	0.00
6122 = MMDA .....	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I .....	192	0.02
6127 = Skittles .....	12	0.00
6130 = 5-MeO-DiPT, foxy methoxy.....	11	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	9	0.00
6134 = Anadenanthera colubrina, cohoba, vilca .....	3	0.00
6135 = 5-MeO-AMT.....	7	0.00
6136 = Spook.....	2	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	114	0.01
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine .....	1	0.00
6140 = MIPT, N-methyl-N-isopropyltryptamine .....	1	0.00
6141 = DPT, Dipropyltryptamine .....	3	0.00
6143 = 2C-X.....	1	0.00
6144 = DiPT, Di-isopropyl-tryptamine .....	3	0.00
6145 = Scooby snacks.....	1	0.00

HALLUCINOGENS

6146 = 5-MeO, otherwise unspecified	1	0.00
6147 = Phenethylamines, otherwise unspecified	2	0.00
6153 = Asthmador	1	0.00
6154 = 2,5-Dimethoxy-4-methylphenethylamine, 2C-D	1	0.00
6155 = 5-MeO-T, 5-methoxytryptamine	1	0.00
6157 = Taters	1	0.00
6160 = Wacky Weed	1	0.00
6163 = Devil's trumpet	1	0.00
6165 = PMMA, Paramethoxymethamphetamine	1	0.00
6166 = BZP, Benzylpiperazine	2	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	3	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	10	0.00
6170 = Moonflower/pod, otherwise unspecified	12	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	3	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	11	0.00
6174 = bk-MDMA, Methylone	3	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	2	0.00
6180 = 2C-BCB, TCB-2	1	0.00
6181 = 4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine	5	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	33	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	4	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	7	0.00
6190 = 2,5-dimethoxy-4-fluorobenzaldehyde, 2C-F	1	0.00
6191 = CI-400, Eticyclidine, PCE	1	0.00
6192 = 5-MeO-MiPT	1	0.00
6193 = Fungus, otherwise unspecified	1	0.00
6194 = MDMA derivative, otherwise unspecified	2	0.00
6196 = Changa	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.00
6199 = LAH, LSH, Lysergic acid hydroxyethylamide	1	0.00
8007 = Gabapentin, Neurontin	2	0.00
8008 = Antidepressant, type unspecified	3	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	3	0.00
8011 = Herb, flower, plant; type unspecified	49	0.01
8012 = Coriciden <OTC>	200	0.02
8024 = Asthma inhaler, asthma medication, bronchial dilator	1	0.00
8058 = Cough medicine/syrup, type unspecified	113	0.01
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
8100 = Kava Kava <OTC>	5	0.00
8105 = Sustiva	1	0.00
8110 = Over-the-counter drug/pills, type unspecified	12	0.00
8115 = Vicks 44 <OTC>	2	0.00
8118 = Smoke/smoking, not otherwise specified	4	0.00
8127 = Damiana <OTC>	2	0.00
8157 = Colirio	1	0.00
8163 = Ditropan	1	0.00
8172 = Cortisone	1	0.00
8179 = Artemesia	1	0.00
8191 = L-Dopa	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	10	0.00
8197 = Chronic	2	0.00
8203 = Bar, otherwise unspecified	7	0.00
8214 = Robo, robo tripping	7	0.00
8216 = Red Dawn GHR Release <OTC>	1	0.00
8223 = Chocolate	1	0.00
8227 = Sativa, otherwise unspecified	9	0.00
8231 = Tussin medication, no other information	2	0.00
8232 = Rat/rodent poison, contents unspecified	2	0.00
8237 = Kratom	1	0.00
8241 = Chemotherapy, drug unspecified	1	0.00
8249 = DMG, N,N-Dimethylglycine HCl <OTC>	1	0.00
8254 = Green hornet	1	0.00
8260 = Dextromine	1	0.00
8271 = Catnip <OTC>	1	0.00
8276 = Bitter grass, Calea zacatechichi, Dream herb	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	104	0.01
8293 = Lean (Promethazine w/codeine mixed w/Sprite)	5	0.00
8294 = Stevia <OTC>	3	0.00
8298 = Jack3d <OTC>	1	0.00

HALLUCINOGENS

8301 = Bath salts, otherwise unspecified .....	16	0.00
8306 = Flu medication, no other information.....	1	0.00
8309 = Mucinex <OTC>.....	1	0.00
8315 = Synthetic cannabis, otherwise unspecified .....	4	0.00
8324 = Lamb's ear.....	1	0.00
8327 = 7H.....	1	0.00
8328 = Metamine.....	1	0.00
8329 = Artane, Parkopan .....	1	0.00
8351 = 6-APB, Benzo Fury.....	1	0.00
8358 = Kanna powder, sceletium tortuosom.....	1	0.00
9985 = BAD DATA Logically assigned .....	105	0.01
9991 = NEVER USED HALLUCINOGENS .....	619338	69.36
9997 = REFUSED .....	510	0.06
9998 = BLANK (NO ANSWER).....	2610	0.29
9999 = LEGITIMATE SKIP.....	88368	9.90



HALLUCINOGENS

HALNEWB

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
110 = Tuinal.....	2	0.00
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal.....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	6	0.00
123 = Unisom <OTC>.....	1	0.00
124 = Yellow jackets.....	3	0.00
129 = Reds.....	1	0.00
130 = Promethazine.....	1	0.00
142 = Belladona.....	7	0.00
157 = Barbiturates.....	1	0.00
171 = NyQuil <OTC>.....	5	0.00
174 = Ambien.....	5	0.00
176 = Melatonin <OTC>.....	1	0.00
178 = Quetiapine, Seroquel.....	1	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladona plant/flower/root, deadly nightshade.....	2	0.00
201 = Valium.....	6	0.00
209 = Xanax.....	7	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
237 = Midazolam.....	1	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
245 = Tryptophan.....	1	0.00
246 = Klonopin.....	2	0.00
267 = Marezine.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
280 = Ketaset.....	1	0.00
301 = Dexedrine.....	1	0.00
318 = Ritalin.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	21	0.00
327 = Black beauties, black beauty.....	4	0.00
339 = Amphetamines, otherwise unspecified.....	1	0.00
345 = Black molly.....	1	0.00
348 = Crystal.....	2	0.00
355 = Crystal meth, crystal methamphetamine.....	9	0.00
374 = Christmas tree(s).....	2	0.00
382 = Footballs, purple footballs.....	1	0.00
386 = Herbal ecstasy.....	1	0.00
407 = Demerol.....	1	0.00
408 = Dilaudid, Hydromorphone.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	2	0.00
415 = Codeine pills.....	4	0.00
417 = Morphine.....	2	0.00
418 = Methadone.....	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	3	0.00
423 = Percocet.....	4	0.00
424 = Fioricet.....	1	0.00
434 = Vicodin.....	15	0.00
473 = Pyridium.....	1	0.00
496 = Ultram.....	1	0.00
501 = Gasoline or lighter fluids.....	16	0.00
502 = Spray paints.....	6	0.00
503 = Other aerosol sprays.....	9	0.00
504 = Shoeshine liquid, glue, or toluene.....	11	0.00
505 = Lacquer thinner or other paint solvents.....	5	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush".....	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	6	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	22	0.00
509 = Correction fluids, degreasers, cleaning fluids.....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	10	0.00
511 = Markers, felt-tip pens, ink pens.....	9	0.00
512 = Incense.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	7	0.00
519 = Helium.....	1	0.00
520 = Old paint, paint.....	10	0.00
524 = White-Out.....	4	0.00
525 = Butane.....	2	0.00
526 = Nail polish.....	2	0.00
528 = Whipped-cream can.....	3	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
566 = Smoked tea from Lipton tea bag.....	1	0.00
571 = Black jack.....	2	0.00

HALLUCINOGENS

592 = Computer air duster, computer cleaner, dust-off .....	21	0.00
601 = LSD ("acid") .....	81	0.01
602 = Peyote .....	4	0.00
603 = Mescaline .....	12	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms .....	49	0.01
605 = PCP ("angel dust," phencyclidine) .....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	17	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED .....	141	0.02
609 = Jimson weed .....	11	0.00
612 = Happy stick, sherm, sherman, shermstick .....	2	0.00
614 = MDA, Methylenedioxy amphetamine .....	27	0.00
615 = Homemade drugs .....	1	0.00
616 = DET, Dimethyltryptamine, DMT .....	135	0.02
617 = Morning glory seeds, morning glory tendrils, ricea .....	34	0.00
618 = Acid paper, blotter (acid) .....	13	0.00
622 = Microdot(s), green microdot, purple microdot .....	16	0.00
624 = Orange sunshine, sunshine, yellow sunshine .....	5	0.00
625 = Window, window pane, 4-way pane, 4-way .....	11	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds .....	10	0.00
635 = Ginseng seeds, ginseng weed .....	1	0.00
636 = DOM, STP .....	7	0.00
637 = Purple haze .....	2	0.00
639 = Nutmeg, Mace .....	18	0.00
648 = Designer drugs .....	1	0.00
650 = Datura stramonium, daytura, thorn apple .....	15	0.00
654 = Eve .....	1	0.00
658 = Special K, Ketamine .....	67	0.01
659 = Boat .....	1	0.00
660 = Bufotenin, toad, toad licking .....	3	0.00
663 = Animal tranquilizer, horse tranquilizer .....	3	0.00
679 = Hell bells .....	2	0.00
695 = Angel's trumpet .....	3	0.00
698 = 2C-B, Bromo mescaline, Nexus .....	75	0.01
702 = Heroin .....	1	0.00
703 = Opium, otherwise unspecified .....	21	0.00
705 = Speed Ball (heroin + cocaine) .....	1	0.00
707 = Black tar heroin .....	2	0.00
709 = Poppy .....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	7	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	24	0.00
804 = Hashish .....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico .....	2	0.00
806 = Crack, rock .....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	4	0.00
809 = Pills .....	4	0.00
813 = Cigarettes, tobacco (type unspecified) .....	1	0.00
824 = Steroids .....	1	0.00
829 = Robitussin DM <OTC> .....	39	0.00
834 = Loveboat .....	1	0.00
843 = Cold medicine, cold tablets <OTC> .....	21	0.00
847 = GHB, NSC, gamma hydroxybutyrate .....	14	0.00
852 = Formaldehyde, wak, whack (embalming fluid) .....	8	0.00
875 = Buds .....	1	0.00
876 = Glass .....	3	0.00
883 = Dextromethorphan hydrobromide <OTC> .....	31	0.00
900 = Not a drug .....	3	0.00
1001 = Benadryl, Diphenhydramine <OTC> .....	8	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC> .....	34	0.00
2001 = Soma .....	1	0.00
2003 = Zanies, zannies, zans, zany bars .....	2	0.00
3017 = Dayquil <OTC> .....	1	0.00
3023 = Adderall .....	3	0.00
3026 = Bupropion, Wellbutrin, Zyban .....	1	0.00
3037 = Effexor .....	1	0.00
3052 = Speed, otherwise unspecified .....	12	0.00
3090 = Provigil .....	1	0.00
3107 = Guarana <OTC> .....	1	0.00
3116 = MCAT, Mephedrone .....	2	0.00
3119 = MDPV, Methylenedioxypropylone .....	2	0.00
4007 = Happy pills .....	1	0.00
4044 = Hydrocodone .....	4	0.00
4046 = Oxycodone .....	3	0.00
4047 = Roxicet .....	1	0.00
4067 = OxyContin .....	12	0.00

HALLUCINOGENS

4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
5017 = Oil, lubricant, otherwise unspecified.....	1	0.00
5035 = Brake cleaner .....	1	0.00
5045 = Cleaner, not otherwise specified .....	1	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	1	0.00
5055 = PVC .....	1	0.00
5077 = Resistol .....	1	0.00
5078 = Axe body spray.....	1	0.00
5083 = Ethyl chloride.....	1	0.00
5091 = Germ-X.....	1	0.00
5097 = Lysol, aerosol unspecified.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	1	0.00
6005 = Sassafras, sassafras tea.....	5	0.00
6010 = Atrepabelladona (flower) .....	1	0.00
6015 = Crysta.....	1	0.00
6016 = Nas.....	1	0.00
6020 = Chocolate.....	1	0.00
6029 = DXM.....	93	0.01
6043 = Diviner's sage, Salvia divinorum.....	199	0.02
6044 = Gel caps, gel tabs .....	9	0.00
6047 = Water .....	2	0.00
6048 = Dex .....	4	0.00
6049 = Locoseeds, locoweed seeds .....	1	0.00
6051 = Tryptamine, not otherwise specified .....	3	0.00
6055 = Liberty caps .....	1	0.00
6056 = Wet .....	1	0.00
6060 = Ololiuhqui .....	1	0.00
6061 = 5-MeO-DMT.....	7	0.00
6062 = Madderwort, wormwood.....	5	0.00
6064 = Marigold buttons.....	1	0.00
6070 = DTP .....	1	0.00
6074 = LSA .....	43	0.00
6077 = San Pedro.....	6	0.00
6078 = Trumpet flowers/seeds, type unspecified .....	1	0.00
6079 = Sugar cubes.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	16	0.00
6087 = Ibogaine .....	1	0.00
6088 = Brugmansia.....	2	0.00
6091 = Ergot, rye mold .....	1	0.00
6094 = Mushrooms, specifically not psilocybin.....	1	0.00
6096 = Bananadine .....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	6	0.00
6102 = Absinthe.....	13	0.00
6103 = Ayahuasca, Yahe .....	16	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	12	0.00
6106 = Paramethoxyamphetamine, PMA.....	1	0.00
6109 = 2, 5-Dimethoxyamphetamine, DMA.....	1	0.00
6111 = Syrian rue.....	1	0.00
6112 = 2C-T-2 .....	10	0.00
6114 = Molly, not otherwise specified.....	23	0.00
6115 = Foxy.....	12	0.00
6117 = Dragon (with color, not blue/red).....	1	0.00
6121 = Cactus, specifically not peyote.....	2	0.00
6123 = Mighty Quinn.....	1	0.00
6124 = Mormon tea.....	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I .....	65	0.01
6127 = Skittles.....	3	0.00
6130 = 5-MeO-DIPT, foxy methoxy .....	3	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	12	0.00
6133 = Acorus calamus, sweet flag.....	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca .....	1	0.00
6135 = 5-MeO-AMT.....	7	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	51	0.01
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine .....	1	0.00
6144 = DiPT, Di-isopropyl-tryptamine .....	4	0.00
6146 = 5-MeO, otherwise unspecified .....	1	0.00
6147 = Phenethylamines, otherwise unspecified.....	1	0.00
6152 = Cigarette dipped in embalming fluid.....	1	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T .....	2	0.00
6162 = 4-MeO-DMT.....	1	0.00
6166 = BZP, Benzylpiperazine .....	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI .....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC.....	5	0.00
6170 = Moonflower/pod, otherwise unspecified.....	1	0.00

HALLUCINOGENS

6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	4	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	3	0.00
6174 = bk-MDMA, Methylone.....	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly.....	1	0.00
6180 = 2C-BCB, TCB-2.....	2	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	2	0.00
6183 = 5-MeO-DALT, N,N-diallyl-5-methoxytryptamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	14	0.00
6187 = Mugwort.....	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb.....	1	0.00
6193 = Fungus, otherwise unspecified.....	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide.....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine.....	1	0.00
8002 = Zantac.....	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	8	0.00
8012 = Coriciden <OTC>.....	44	0.00
8058 = Cough medicine/syrup, type unspecified.....	28	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd.....	1	0.00
8100 = Kava Kava <OTC>.....	2	0.00
8132 = Liquid D-bol.....	1	0.00
8141 = Gamma butyrolactone, GBL.....	1	0.00
8203 = Bar, otherwise unspecified.....	3	0.00
8214 = Robo, robo tripping.....	4	0.00
8223 = Chocolate.....	1	0.00
8227 = Sativa, otherwise unspecified.....	2	0.00
8273 = Goofballs.....	1	0.00
8280 = Mucinex-DM <OTC>.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	33	0.00
8287 = CP 55,940.....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8294 = Stevia <OTC>.....	1	0.00
8301 = Bath salts, otherwise unspecified.....	1	0.00
8314 = Cloud 10 Ultra.....	1	0.00
8318 = AM-2201.....	1	0.00
8359 = Sarsaparilla.....	1	0.00
9985 = BAD DATA Logically assigned.....	48	0.01
9991 = NEVER USED HALLUCINOGENS.....	619338	69.36
9997 = REFUSED.....	125	0.01
9998 = BLANK (NO ANSWER).....	12559	1.41
9999 = LEGITIMATE SKIP.....	88368	9.90

HALLUCINOGENS

HALNEWC

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	1	0.00
130 = Promethazine .....	1	0.00
142 = Belladonna .....	2	0.00
145 = Red devil(s).....	1	0.00
174 = Ambien .....	3	0.00
178 = Quetiapine, Seroquel.....	1	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
187 = Belladonna plant/flower/root, deadly nightshade .....	2	0.00
201 = Valium .....	1	0.00
209 = Xanax.....	3	0.00
234 = Flexeril.....	1	0.00
246 = Klonopin .....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies .....	1	0.00
280 = Ketaset .....	1	0.00
318 = Ritalin .....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED .....	1	0.00
382 = Footballs, purple footballs.....	1	0.00
407 = Demerol .....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.00
415 = Codeine pills .....	2	0.00
423 = Percocet .....	1	0.00
434 = Vicodin .....	2	0.00
442 = Ibuprofen .....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC> .....	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays.....	2	0.00
504 = Shoeshine liquid, glue, or toluene .....	3	0.00
505 = Lacquer thinner or other paint solvents.....	1	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush" .....	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas .....	3	0.00
511 = Markers, felt-tip pens, ink pens.....	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
518 = Acetone, nail polish remover .....	1	0.00
520 = Old paint, paint .....	1	0.00
524 = White-Out .....	1	0.00
525 = Butane.....	1	0.00
526 = Nail polish.....	1	0.00
531 = Candy, powdered candy, sugar .....	1	0.00
566 = Smoked tea from Lipton tea bag .....	1	0.00
592 = Computer air duster, computer cleaner, dust-off .....	5	0.00
601 = LSD ("acid") .....	20	0.00
603 = Mescaline.....	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms .....	11	0.00
605 = PCP ("angel dust," phencyclidine) .....	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	5	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	47	0.01
609 = Jimson weed .....	2	0.00
612 = Happy stick, sherm, sherman, shermstick .....	2	0.00
614 = MDA, Methylenedioxy amphetamine .....	12	0.00
616 = DET, Dimethyltryptamine, DMT.....	35	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	5	0.00
618 = Acid paper, blotter (acid) .....	5	0.00
622 = Microdot(s), green microdot, purple microdot .....	3	0.00
623 = Mickey, mickey mouse club, mickey mousers .....	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine.....	3	0.00
625 = Window, window pane, 4-way pane, 4-way .....	2	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds .....	3	0.00
636 = DOM, STP .....	4	0.00
637 = Purple haze .....	1	0.00
639 = Nutmeg, Mace.....	7	0.00
645 = Thai stick .....	1	0.00
648 = Designer drugs .....	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	8	0.00
652 = ALD-52.....	2	0.00
658 = Special K, Ketamine .....	17	0.00
660 = Bufotenin, toad, toad licking.....	3	0.00
663 = Animal tranquilizer, horse tranquilizer .....	1	0.00
679 = Hell bells.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	19	0.00
703 = Opium, otherwise unspecified.....	3	0.00

HALLUCINOGENS

705 = Speed Ball (heroin + cocaine).....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	2	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	3	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
809 = Pills.....	1	0.00
829 = Robitussin DM <OTC> .....	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	2	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	7	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	2	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	9	0.00
900 = Not a drug .....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC> .....	3	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC> .....	12	0.00
2001 = Soma.....	1	0.00
3023 = Adderall .....	5	0.00
3037 = Effexor.....	1	0.00
3052 = Speed, otherwise unspecified.....	3	0.00
4044 = Hydrocodone.....	1	0.00
4067 = OxyContin .....	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	2	0.00
5077 = Resistol .....	2	0.00
5100 = TCE, Trichlorethylene .....	1	0.00
6020 = Chocolate .....	1	0.00
6029 = DXM.....	37	0.00
6043 = Diviner's sage, Salvia divinorum.....	57	0.01
6044 = Gel caps, gel tabs .....	2	0.00
6048 = Dex .....	2	0.00
6061 = 5-MeO-DMT.....	5	0.00
6062 = Madderwort, wormwood.....	2	0.00
6064 = Marigold buttons.....	1	0.00
6071 = Sinicuichi .....	1	0.00
6074 = LSA .....	20	0.00
6077 = San Pedro .....	4	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	4	0.00
6087 = Ibogaine .....	1	0.00
6094 = Mushrooms, specifically not psilocybin.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	5	0.00
6102 = Absinthe.....	4	0.00
6103 = Ayahuasca, Yahe .....	5	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	11	0.00
6106 = Paramethoxyamphetamine, PMA.....	1	0.00
6112 = 2C-T-2 .....	7	0.00
6113 = Candy flip .....	1	0.00
6114 = Molly, not otherwise specified.....	8	0.00
6115 = Foxy.....	1	0.00
6117 = Dragon (with color, not blue/red).....	1	0.00
6122 = MMDA .....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	25	0.00
6130 = 5-MeO-DiPT, foxy methoxy.....	2	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	5	0.00
6133 = Acorus calamus, sweet flag.....	1	0.00
6134 = Anadenanthera colubrina, cohoba, vilca .....	1	0.00
6135 = 5-MeO-AMT.....	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	20	0.00
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine .....	1	0.00
6148 = Mimosa tree bark .....	1	0.00
6154 = 2,5-Dimethoxy-4-methylphenethylamine, 2C-D.....	2	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T .....	1	0.00
6161 = Thujone.....	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI .....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC .....	3	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	2	0.00
6174 = bk-MDMA, Methyloine .....	2	0.00
6175 = 4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT .....	1	0.00
6179 = 4-Hydroxy-MIPT .....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	4	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	3	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B .....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb .....	2	0.00
6192 = 5-MeO-MiPT .....	1	0.00

HALLUCINOGENS

8011 = Herb, flower, plant; type unspecified .....	2	0.00
8012 = Coriciden <OTC> .....	4	0.00
8058 = Cough medicine/syrup, type unspecified .....	7	0.00
8082 = Robinul .....	1	0.00
8166 = White girl .....	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC> .....	2	0.00
8203 = Bar, otherwise unspecified .....	1	0.00
8214 = Robo, robo tripping .....	1	0.00
8223 = Chocolate .....	1	0.00
8278 = Bufotoxin .....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018) .....	3	0.00
8301 = Bath salts, otherwise unspecified .....	1	0.00
8310 = DMAA, Methylhexanamine .....	1	0.00
8315 = Synthetic cannabis, otherwise unspecified .....	1	0.00
8318 = AM-2201 .....	1	0.00
9985 = BAD DATA Logically assigned .....	15	0.00
9991 = NEVER USED HALLUCINOGENS .....	619338	69.36
9997 = REFUSED .....	117	0.01
9998 = BLANK (NO ANSWER) .....	14149	1.58
9999 = LEGITIMATE SKIP .....	88368	9.90

HALLUCINOGENS

HALNEWD

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
174 = Ambien.....	1	0.00
209 = Xanax.....	2	0.00
245 = Tryptophan.....	1	0.00
415 = Codeine pills.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
423 = Percocet.....	1	0.00
434 = Vicodin.....	2	0.00
501 = Gasoline or lighter fluids.....	2	0.00
502 = Spray paints.....	1	0.00
503 = Other aerosol sprays.....	2	0.00
504 = Shoeshine liquid, glue, or toluene.....	4	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	3	0.00
526 = Nail polish.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	1	0.00
601 = LSD ("acid").....	7	0.00
603 = Mescaline.....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	5	0.00
605 = PCP ("angel dust," phencyclidine).....	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	3	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	21	0.00
614 = MDA, Methylenedioxy amphetamine.....	6	0.00
616 = DET, Dimethyltryptamine, DMT.....	18	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	3	0.00
622 = Microdot(s), green microdot, purple microdot.....	2	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	2	0.00
636 = DOM, STP.....	2	0.00
637 = Purple haze.....	1	0.00
639 = Nutmeg, Mace.....	2	0.00
650 = Datura stramonium, daytura, thorn apple.....	1	0.00
658 = Special K, Ketamine.....	6	0.00
695 = Angel's trumpet.....	3	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	17	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
829 = Robitussin DM <OTC>.....	3	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	2	0.00
900 = Not a drug.....	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	2	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	2	0.00
2012 = Geodon, Ziprasidone.....	1	0.00
2024 = Muscoril, Myoril, Neoflax, Thiocolchicoside.....	1	0.00
3023 = Adderall.....	2	0.00
6005 = Sassafras, sassafras tea.....	2	0.00
6023 = Euphoria.....	1	0.00
6029 = DXM.....	12	0.00
6043 = Diviner's sage, Salvia divinorum.....	17	0.00
6048 = Dex.....	1	0.00
6060 = Ololiuhqui.....	1	0.00
6061 = 5-MeO-DMT.....	7	0.00
6074 = LSA.....	7	0.00
6077 = San Pedro.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	5	0.00
6087 = Ibogaine.....	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	2	0.00
6103 = Ayahuasca, Yahe.....	2	0.00
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	4	0.00
6112 = 2C-T-2.....	1	0.00
6114 = Molly, not otherwise specified.....	1	0.00
6115 = Foxy.....	4	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	18	0.00
6130 = 5-MeO-DIPT, foxy methoxy.....	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	2	0.00
6134 = Anadenanthera colubrina, cohoba, vilca.....	1	0.00
6135 = 5-MeO-AMT.....	1	0.00
6137 = Harmaline.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	6	0.00
6156 = TMA, Trimethoxyamphetamine.....	2	0.00
6158 = Mulberry seeds/plant.....	1	0.00
6167 = 4-HO-DMT, Psilocin.....	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00



HALLUCINOGENS

6174 = bk-MDMA, Methylone .....	2	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly .....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5.....	2	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	1	0.00
8012 = Coriciden <OTC> .....	1	0.00
8058 = Cough medicine/syrup, type unspecified .....	3	0.00
8100 = Kava Kava <OTC> .....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018) .....	2	0.00
9985 = BAD DATA Logically assigned .....	3	0.00
9991 = NEVER USED HALLUCINOGENS .....	619338	69.36
9997 = REFUSED .....	117	0.01
9998 = BLANK (NO ANSWER).....	14563	1.63
9999 = LEGITIMATE SKIP.....	88368	9.90

HALLUCINOGENS

HALNEWE

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
209 = Xanax.....	1	0.00
215 = Vistaril.....	1	0.00
246 = Klonopin.....	1	0.00
351 = Cathinone, cat, khat, Q'at.....	1	0.00
414 = Propoxyphene.....	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
502 = Spray paints.....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	1	0.00
511 = Markers, felt-tip pens, ink pens.....	1	0.00
524 = White-Out.....	1	0.00
601 = LSD ("acid").....	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	11	0.00
609 = Jimson weed.....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	13	0.00
617 = Morning glory seeds, morning glory tendrils, ricea.....	3	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	1	0.00
639 = Nutmeg, Mace.....	1	0.00
658 = Special K, Ketamine.....	7	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
829 = Robitussin DM <OTC>.....	1	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	2	0.00
3023 = Adderall.....	1	0.00
3024 = Yohimbe.....	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
6029 = DXM.....	3	0.00
6043 = Diviner's sage, Salvia divinorum.....	12	0.00
6061 = 5-MeO-DMT.....	1	0.00
6074 = LSA.....	7	0.00
6077 = San Pedro.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6102 = Absinthe.....	1	0.00
6103 = Ayahuasca, Yahe.....	3	0.00
6115 = Foxy.....	1	0.00
6118 = Adrenochrome.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	4	0.00
6130 = 5-MeO-DiPT, foxy methoxy.....	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	7	0.00
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine.....	1	0.00
6141 = DPT, Dipropyltryptamine.....	1	0.00
6146 = 5-MeO, otherwise unspecified.....	3	0.00
6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T.....	1	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	1	0.00
6174 = bk-MDMA, Methylone.....	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8343 = Agapanthus, Lily of the Nile.....	1	0.00
9985 = BAD DATA Logically assigned.....	1	0.00
9991 = NEVER USED HALLUCINOGENS.....	619338	69.36
9997 = REFUSED.....	113	0.01
9998 = BLANK (NO ANSWER).....	14710	1.65
9999 = LEGITIMATE SKIP.....	88368	9.90

HALLUCINOGENS

How old were you the first time you used [LSFILL]?

HALLAGE

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 74 .....	99643	11.16
-9 = Data not collected for this year .....	170319	19.07
985 = BAD DATA Logically assigned .....	408	0.05
991 = NEVER USED HALLUCINOGENS .....	619338	69.36
994 = DON'T KNOW .....	688	0.08
997 = REFUSED .....	309	0.03
998 = BLANK (NO ANSWER).....	2267	0.25

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

HALYFU

Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014 .....	11980	1.34
-9 = Data not collected for this year .....	170319	19.07
9985 = BAD DATA Logically assigned .....	1440	0.16
9989 = LEGITIMATE SKIP Logically assigned .....	1463	0.16
9991 = NEVER USED HALLUCINOGENS .....	619338	69.36
9994 = DON'T KNOW .....	753	0.08
9997 = REFUSED .....	323	0.04
9998 = BLANK (NO ANSWER).....	2289	0.26
9999 = LEGITIMATE SKIP.....	85067	9.53

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

HALMFU

Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = January.....	1090	0.12
2 = February.....	839	0.09
3 = March.....	991	0.11
4 = April .....	926	0.10
5 = May.....	843	0.09
6 = June.....	1244	0.14
7 = July .....	1262	0.14
8 = August .....	863	0.10
9 = September .....	766	0.09
10 = October .....	1011	0.11
11 = November .....	794	0.09
12 = December.....	677	0.08
85 = BAD DATA Logically assigned .....	1437	0.16
89 = LEGITIMATE SKIP Logically assigned .....	1463	0.16
91 = NEVER USED HALLUCINOGENS .....	619338	69.36
94 = DON'T KNOW .....	1386	0.16
97 = REFUSED .....	362	0.04
98 = BLANK (NO ANSWER) .....	2294	0.26
99 = LEGITIMATE SKIP.....	85067	9.53

HALLUCINOGENS

How long has it been since you last used [LSFILL]?

<b>HALLREC</b>	Len : 2 TIME SINCE LAST USED HALLUCINOGENS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days.....	5748	0.64
	2 = More than 30 days ago but within the past 12 mos .....	16656	1.87
	3 = More than 12 months ago .....	75282	8.43
	8 = Used at some point in the past 12 mos LOG ASSN.....	764	0.09
	9 = Used at some point in lifetime LOG ASSN .....	2006	0.22
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	294	0.03
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	251	0.03
	85 = BAD DATA Logically assigned .....	9	0.00
	91 = NEVER USED HALLUCINOGENS .....	619338	69.36
	97 = REFUSED .....	38	0.00
	98 = BLANK (NO ANSWER) .....	2267	0.25

<b>HALYRTOT</b>	Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	23076	2.58
	-9 = Data not collected for this year.....	170319	19.07
	983 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn .....	1	0.00
	985 = BAD DATA Logically assigned .....	214	0.02
	991 = NEVER USED HALLUCINOGENS .....	619338	69.36
	993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	75281	8.43
	994 = DON'T KNOW .....	161	0.02
	997 = REFUSED .....	78	0.01
	998 = BLANK (NO ANSWER).....	4504	0.50

<b>HLTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR HALYRTOT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Trimmed to 365 days (no further editing).....	2	0.00
	2 = Trimmed relative to the 30-day freq .....	40	0.00
	98 = BLANK (NO ANSWER) .....	722611	80.92

<b>HLFQFLG</b>	Len : 2 TRIMMED HALYRTOT IF R USED < 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Trimmed to be consistent with mo/yr of 1st use .....	1587	0.18
	98 = BLANK (NO ANSWER) .....	721066	80.75

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

<b>HLBSTWAY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Prefer to answer in days per week.....	2350	0.26
	2 = Prefer to answer in days per month.....	3685	0.41
	3 = Prefer to answer in days per year .....	16914	1.89
	11 = Prefer to ans in days per wk LOG ASSN.....	18	0.00
	12 = Prefer to ans in days per mo LOG ASSN.....	29	0.00
	13 = Prefer to ans in days per yr LOG ASSN .....	203	0.02
	83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn .....	1	0.00
	85 = BAD DATA Logically assigned .....	214	0.02
	91 = NEVER USED HALLUCINOGENS .....	619338	69.36
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	75281	8.43
	94 = DON'T KNOW .....	56	0.01
	97 = REFUSED .....	60	0.01
	98 = BLANK (NO ANSWER) .....	4504	0.50

HALLUCINOGENS

On how many days in the past 12 months did you use [LSFILL]?

<b>HLDAYPYR</b>	Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	17128	1.92
	985 = BAD DATA Logically assigned .....	170319	19.07
	989 = LEGITIMATE SKIP Logically assigned .....	161	0.02
	991 = NEVER USED HALLUCINOGENS .....	58	0.01
	993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS .....	619338	69.36
	994 = DON'T KNOW .....	75282	8.43
	997 = REFUSED .....	83	0.01
	998 = BLANK (NO ANSWER) .....	65	0.01
	999 = LEGITIMATE SKIP .....	4514	0.51
		6024	0.67

On average, how many days did you use [LSFILL] each month during the past 12 months?

<b>HLDAYPMO</b>	Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 31 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	3675	0.41
	83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn .....	170319	19.07
	85 = BAD DATA Logically assigned .....	1	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	33	0.00
	91 = NEVER USED HALLUCINOGENS .....	18	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS .....	619338	69.36
	94 = DON'T KNOW .....	75281	8.43
	97 = REFUSED .....	114	0.01
	98 = BLANK (NO ANSWER) .....	73	0.01
	99 = LEGITIMATE SKIP .....	4685	0.52
		19435	2.18

On average, how many days did you use [LSFILL] each week during the past 12 months?

<b>HLDAYPWK</b>	Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
	RANGE = 1 - 7 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	2316	0.26
	85 = BAD DATA Logically assigned .....	170319	19.07
	91 = NEVER USED HALLUCINOGENS .....	40	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS .....	619338	69.36
	94 = DON'T KNOW .....	75282	8.43
	97 = REFUSED .....	160	0.02
	98 = BLANK (NO ANSWER) .....	78	0.01
	99 = LEGITIMATE SKIP .....	4679	0.52
		20760	2.32

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

<b>HAL30USE</b>	Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	5748	0.64
	85 = BAD DATA Logically assigned .....	170319	19.07
	90 = NOT ASKED THE QUESTION Logically assigned .....	310	0.03
	91 = NEVER USED HALLUCINOGENS .....	24	0.00
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS .....	619338	69.36
	94 = DON'T KNOW .....	92189	10.32
	97 = REFUSED .....	49	0.01
	98 = BLANK (NO ANSWER) .....	51	0.01
		4944	0.55

HALLUCINOGENS

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

**HL30EST**      Len : 2    BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = 1 or 2 days .....	23	0.00
2 = 3 to 5 days.....	8	0.00
3 = 6 to 9 days.....	5	0.00
4 = 10 to 19 days.....	5	0.00
5 = 20 to 29 days.....	2	0.00
6 = All 30 days.....	5	0.00
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED HALLUCINOGENS .....	619338	69.36
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS .....	92189	10.32
94 = DON'T KNOW .....	11	0.00
97 = REFUSED .....	42	0.00
98 = BLANK (NO ANSWER) .....	5272	0.59
99 = LEGITIMATE SKIP.....	5745	0.64

Now think only about 'Ecstasy.' How old were you the first time you used 'Ecstasy,' also known as MDMA?

**ECSAGE**      Len : 3    AGE WHEN FIRST USED ECSTASY

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 67 .....	49423	5.53
-9 = Data not collected for this year .....	170319	19.07
985 = BAD DATA Logically assigned .....	150	0.02
991 = NEVER USED ECSTASY .....	671884	75.24
994 = DON'T KNOW .....	187	0.02
997 = REFUSED .....	126	0.01
998 = BLANK (NO ANSWER).....	883	0.10

Did you first use 'Ecstasy' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

**ECSYFU**      Len : 4    YEAR OF FIRST ECSTASY USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2014 .....	8617	0.96
-9 = Data not collected for this year .....	170319	19.07
9985 = BAD DATA Logically assigned .....	529	0.06
9989 = LEGITIMATE SKIP Logically assigned .....	305	0.03
9991 = NEVER USED ECSTASY .....	671884	75.24
9994 = DON'T KNOW .....	217	0.02
9997 = REFUSED .....	132	0.01
9998 = BLANK (NO ANSWER).....	1223	0.14
9999 = LEGITIMATE SKIP.....	39746	4.45

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy'?

**ECSMFU**      Len : 2    MONTH OF FIRST ECSTASY USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = January.....	790	0.09
2 = February.....	584	0.07
3 = March.....	724	0.08
4 = April.....	622	0.07
5 = May.....	628	0.07
6 = June.....	873	0.10
7 = July.....	903	0.10
8 = August.....	637	0.07
9 = September.....	614	0.07
10 = October.....	727	0.08
11 = November.....	557	0.06
12 = December.....	507	0.06
85 = BAD DATA Logically assigned.....	551	0.06
89 = LEGITIMATE SKIP Logically assigned.....	305	0.03
91 = NEVER USED ECSTASY.....	671884	75.24
94 = DON'T KNOW.....	614	0.07
97 = REFUSED.....	158	0.02
98 = BLANK (NO ANSWER).....	1229	0.14
99 = LEGITIMATE SKIP.....	39746	4.45

How long has it been since you last used 'Ecstasy,' also known as MDMA?

**ECSREC**      Len : 2    TIME SINCE LAST USED ECSTASY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Within the past 30 days.....	2924	0.33
2 = More than 30 days ago but within the past 12 mos.....	9656	1.08
3 = More than 12 months ago.....	36281	4.06
8 = Used at some point in the past 12 mos LOG ASSN.....	163	0.02
9 = Used at some point in the lifetime LOG ASSN.....	986	0.11
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	6	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED ECSTASY.....	671884	75.24
97 = REFUSED.....	71	0.01
98 = BLANK (NO ANSWER).....	679	0.08

INHALANTS

INHALANTS

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good.

We are not interested in times when you inhaled a substance accidentally — such as when painting, cleaning an oven, or filling a car with gasoline. The questions use the word ‘inhalant’ to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

- Amyl nitrite, 'poppers,' locker room odorizers, or 'rush'
- Correction fluid, degreaser, or cleaning fluid
- Gasoline or lighter fluid
- Glue, shoe polish, or toluene
- Halothane, ether, or other anesthetics
- Lacquer thinner, or other paint solvents
- Lighter gases, such as butane or propane
- Nitrous oxide or 'whippits'
- Felt-tip pens, felt-tip markers, or magic markers
- Spray paints
- Computer keyboard cleaner, also known as air duster
- Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

<b>AMYLNIT</b>	Len : 2	EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	21347	2.39
		2 = No.....	70840	7.93
		3 = Yes LOGICALLY ASSIGNED.....	28	0.00
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED INHALANTS.....	800141	89.60
		94 = DON'T KNOW.....	499	0.06
		97 = REFUSED.....	100	0.01

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

<b>CLEFLU</b>	Len : 2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	9729	1.09
		2 = No.....	82438	9.23
		3 = Yes LOGICALLY ASSIGNED.....	207	0.02
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED INHALANTS.....	800141	89.60
		94 = DON'T KNOW.....	346	0.04
		97 = REFUSED.....	93	0.01
		98 = BLANK (NO ANSWER).....	1	0.00

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

<b>GAS</b>	Len : 2	EVER INHALED GASOLINE OR LIGHTER FLUID		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	18061	2.02
		2 = No.....	74274	8.32
		3 = Yes LOGICALLY ASSIGNED.....	31	0.00
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED INHALANTS.....	800141	89.60
		94 = DON'T KNOW.....	323	0.04
		97 = REFUSED.....	122	0.01
		98 = BLANK (NO ANSWER).....	3	0.00



INHALANTS

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

<b>GLUE</b>	Len : 2 EVER INHALED GLUE, SHOE POLISH, OR TOLUENE	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	18435	2.06
	2 = No.....	73852	8.27
	3 = Yes LOGICALLY ASSIGNED.....	70	0.01
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED INHALANTS.....	800141	89.60
	94 = DON'T KNOW.....	332	0.04
	97 = REFUSED.....	122	0.01
	98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?

<b>ETHER</b>	Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	4113	0.46
	2 = No.....	88181	9.88
	3 = Yes LOGICALLY ASSIGNED.....	13	0.00
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED INHALANTS.....	800141	89.60
	94 = DON'T KNOW.....	434	0.05
	97 = REFUSED.....	70	0.01
	98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?

<b>SOLVENT</b>	Len : 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	8553	0.96
	2 = No.....	83856	9.39
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED INHALANTS.....	800141	89.60
	94 = DON'T KNOW.....	322	0.04
	97 = REFUSED.....	76	0.01
	98 = BLANK (NO ANSWER).....	3	0.00

Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?

<b>LGAS</b>	Len : 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	5242	0.59
	2 = No.....	87172	9.76
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED INHALANTS.....	800141	89.60
	94 = DON'T KNOW.....	314	0.04
	97 = REFUSED.....	78	0.01
	98 = BLANK (NO ANSWER).....	4	0.00

Have you ever, even once, inhaled nitrous oxide or 'whippits' for kicks or to get high?

<b>NITOXID</b>	Len : 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	42823	4.80
	2 = No.....	49424	5.53
	3 = Yes LOGICALLY ASSIGNED.....	58	0.01
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED INHALANTS.....	800141	89.60
	94 = DON'T KNOW.....	431	0.05
	97 = REFUSED.....	74	0.01
	98 = BLANK (NO ANSWER).....	4	0.00

INHALANTS

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for kicks or to get high?

<b>FELTMARKR</b>	Len : 2 EVER INHALED FELT-TIP PENS/MARKERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	6507	0.73
	2 = No.....	10942	1.23
	3 = Yes LOGICALLY ASSIGNED.....	11	0.00
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	94 = DON'T KNOW .....	160	0.02
	97 = REFUSED .....	36	0.00

Have you ever, even once, inhaled spray paints for kicks or to get high?

<b>SPPAINT</b>	Len : 2 EVER INHALED SPRAY PAINTS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	12563	1.41
	2 = No.....	79821	8.94
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED INHALANTS .....	800141	89.60
	94 = DON'T KNOW .....	313	0.04
	97 = REFUSED .....	107	0.01
	98 = BLANK (NO ANSWER) .....	5	0.00

Have you ever, even once, inhaled computer keyboard cleaner, also known as air duster, for kicks or to get high?

<b>AIRDUSTER</b>	Len : 2 EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	2541	0.28
	2 = No.....	15024	1.68
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	94 = DON'T KNOW .....	68	0.01
	97 = REFUSED .....	20	0.00

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

<b>OTHAEROS</b>	Len : 2 EVER INHALED OTHER AEROSOL SPRAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1041	0.12
	2 = No.....	16515	1.85
	3 = Yes LOGICALLY ASSIGNED.....	17	0.00
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	94 = DON'T KNOW .....	65	0.01
	97 = REFUSED .....	18	0.00

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

<b>INHALOTH</b>	Len : 2 EVER USED OTHER INHALANTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	599	0.07
	2 = No.....	16935	1.90
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	94 = DON'T KNOW .....	103	0.01
	97 = REFUSED .....	19	0.00

INHALANTS

INHALOT1

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
355 = Crystal meth, crystal methamphetamine .....	1	0.00
377 = Albuterol .....	9	0.00
501 = Gasoline or lighter fluids.....	10	0.00
502 = Spray paints .....	2	0.00
503 = Other aerosol sprays.....	57	0.01
504 = Shoeshine liquid, glue, or toluene .....	14	0.00
505 = Lacquer thinner or other paint solvents.....	2	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush" .....	9	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	5	0.00
508 = Nitrous oxide, "whippits," dentist gas .....	22	0.00
509 = Correction fluids, degreasers, cleaning fluids .....	4	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED .....	60	0.01
511 = Markers, felt-tip pens, ink pens.....	23	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	36	0.00
518 = Acetone, nail polish remover .....	14	0.00
519 = Helium .....	40	0.00
523 = Matches.....	1	0.00
524 = White-Out .....	9	0.00
526 = Nail polish.....	13	0.00
528 = Whipped-cream can .....	26	0.00
531 = Candy, powdered candy, sugar .....	2	0.00
534 = Deodorant .....	4	0.00
537 = Air horn, canned air horn, condensed horn .....	1	0.00
539 = Scotch-Gard .....	4	0.00
540 = PAM .....	11	0.00
542 = Brasso, lens cleaner, spirits of ammonia .....	3	0.00
543 = Liquid oxygen, oxygen .....	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO .....	2	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	11	0.00
550 = Methyl chloride.....	1	0.00
560 = Diswashing detergent, laundry detergent, soap.....	1	0.00
582 = WD-40 .....	1	0.00
590 = Canned air, compressed air .....	1	0.00
591 = Air brush propellant, air brush cartridge .....	1	0.00
592 = Computer air duster, computer cleaner, dust-off .....	7	0.00
599 = Potpourri .....	1	0.00
639 = Nutmeg, Mace.....	1	0.00
691 = Maximum impact.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	10	0.00
804 = Hashish .....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	4	0.00
815 = Coffee <OTC> .....	1	0.00
2002 = Muscle relaxers .....	1	0.00
3052 = Speed, otherwise unspecified .....	1	0.00
3055 = Clenbuterol .....	1	0.00
5004 = Ink print, paper.....	1	0.00
5017 = Oil, lubricant, otherwise unspecified.....	3	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	3	0.00
5027 = Benzene .....	1	0.00
5028 = Carburetor cleaner, engine cleaner.....	3	0.00
5035 = Brake cleaner .....	1	0.00
5040 = Methanol.....	1	0.00
5043 = Carbona.....	2	0.00
5045 = Cleaner, not otherwise specified .....	3	0.00
5046 = Glass/window cleaner .....	3	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	19	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	6	0.00
5069 = Febreze .....	1	0.00
5076 = Water/stain repellent, type unspecified .....	1	0.00
5078 = Axe body spray .....	3	0.00
5081 = Photographic development fluid .....	1	0.00
5091 = Germ-X.....	1	0.00
5097 = Lysol, aerosol unspecified.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	1	0.00
5104 = Shoe cleaner, otherwise unspecified .....	1	0.00
5131 = Hunting/fishing deodorizer .....	1	0.00
5132 = Chewing gum remover.....	1	0.00
5133 = Air conditioner cleaner, aerosol unspecified .....	1	0.00
5135 = Rubber roof remover.....	1	0.00
5136 = WariActiv .....	1	0.00
5137 = Handi Wipes .....	1	0.00

INHALANTS

5138 = Glade PlugIns.....	1	0.00
5140 = Rat Shampoo.....	1	0.00
5141 = Gun smoke, gun powder .....	1	0.00
5143 = Toilet bowl cleaner .....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator .....	16	0.00
8028 = Bactine <OTC>.....	1	0.00
8056 = Vicks VapoRub/inhaler <OTC> .....	5	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8118 = Smoke/smoking, not otherwise specified .....	5	0.00
8177 = Face/body cleanser, contents unspecified.....	1	0.00
8193 = Pertussin <OTC> .....	1	0.00
8209 = Red Bull Energy Drink <OTC> .....	1	0.00
8257 = Hoodia product/supplement <OTC>.....	2	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018) .....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8365 = Pen vaporizer; contents unspecified.....	1	0.00
8373 = Electronic cigarette .....	1	0.00
8377 = New Skin <OTC> .....	1	0.00
8381 = Vapor/vape juice; route of use unspcfd .....	6	0.00
8395 = Olbas oil <OTC> .....	1	0.00
9985 = BAD DATA Logically assigned .....	23	0.00
9991 = NEVER USED INHALANTS .....	152658	17.10
9997 = REFUSED .....	51	0.01
9998 = BLANK (NO ANSWER).....	109	0.01
9999 = LEGITIMATE SKIP.....	16935	1.90

INHALOT2

Len : 4 OTHER INHALANT - SPECIFY 2

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas .....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED .....	9	0.00
511 = Markers, felt-tip pens, ink pens.....	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	3	0.00
518 = Acetone, nail polish remover .....	4	0.00
519 = Helium .....	2	0.00
520 = Old paint, paint .....	1	0.00
524 = White-Out .....	1	0.00
526 = Nail polish.....	1	0.00
528 = Whipped-cream can .....	2	0.00
531 = Candy, powdered candy, sugar .....	2	0.00
543 = Liquid oxygen, oxygen .....	2	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	3	0.00
592 = Computer air duster, computer cleaner, dust-off .....	1	0.00
626 = Jet fuel .....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	1	0.00
5045 = Cleaner, not otherwise specified .....	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	1	0.00
5075 = Pine-sol .....	1	0.00
5078 = Axe body spray .....	1	0.00
5091 = Germ-X .....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	2	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator .....	3	0.00
8058 = Cough medicine/syrup, type unspecified .....	1	0.00
8193 = Pertussin <OTC> .....	1	0.00
8373 = Electronic cigarette .....	1	0.00
9985 = BAD DATA Logically assigned .....	9	0.00
9991 = NEVER USED INHALANTS .....	152658	17.10
9997 = REFUSED .....	19	0.00
9998 = BLANK (NO ANSWER).....	647	0.07
9999 = LEGITIMATE SKIP.....	16935	1.90

INHALANTS

**INHALOT3**      Len : 4    OTHER INHALANT - SPECIFY 3

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
503 = Other aerosol sprays.....	1	0.00
520 = Old paint, paint .....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	1	0.00
5077 = Resistol .....	1	0.00
5091 = Germ-X.....	1	0.00
5108 = Tag body spray .....	1	0.00
8373 = Electronic cigarette .....	1	0.00
9985 = BAD DATA Logically assigned .....	4	0.00
9991 = NEVER USED INHALANTS .....	152658	17.10
9997 = REFUSED .....	19	0.00
9998 = BLANK (NO ANSWER).....	695	0.08
9999 = LEGITIMATE SKIP.....	16935	1.90

**INHALOT4**      Len : 4    OTHER INHALANT - SPECIFY 4

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED .....	1	0.00
9985 = BAD DATA Logically assigned .....	1	0.00
9991 = NEVER USED INHALANTS .....	152658	17.10
9997 = REFUSED .....	19	0.00
9998 = BLANK (NO ANSWER).....	705	0.08
9999 = LEGITIMATE SKIP.....	16935	1.90

**INHALOTS**      Len : 4    OTHER INHALANT - SPECIFY 5

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
9991 = NEVER USED INHALANTS .....	152658	17.10
9997 = REFUSED .....	19	0.00
9998 = BLANK (NO ANSWER).....	707	0.08
9999 = LEGITIMATE SKIP.....	16935	1.90

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, FELTMARKR, SPPAINT, AIRDUSTER, OTHAEROS, or INHALOTH. This variable also was coded as 91 if all of the above variables were coded as 91.

**INHALEVER**      Len : 2    EVER USED INHALANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	17248	1.93
91 = NEVER USED INHALANTS .....	152658	17.10
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	411	0.05

How old were you the first time you used any inhalant for kicks or to get high?

**INHALAGE**      Len : 3    AGE WHEN FIRST USED INHALANTS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 62 .....	16054	1.80
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	113	0.01
991 = NEVER USED INHALANTS .....	152658	17.10
994 = DON'T KNOW .....	754	0.08
997 = REFUSED .....	334	0.04
998 = BLANK (NO ANSWER).....	406	0.05

INHALANTS

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

<b>INHALYFU</b>	Len : 4 YEAR OF FIRST INHALANT USE - RECODE		
	RANGE = 2013 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	1178	0.13
	9985 = BAD DATA Logically assigned .....	722653	80.93
	9989 = LEGITIMATE SKIP Logically assn .....	273	0.03
	9991 = NEVER USED INHALANTS .....	84	0.01
	9994 = DON'T KNOW .....	152658	17.10
	9997 = REFUSED .....	766	0.09
	9998 = BLANK (NO ANSWER) .....	340	0.04
	9999 = LEGITIMATE SKIP .....	414	0.05
		14606	1.64

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

<b>INHALMFU</b>	Len : 2 MONTH OF FIRST INHALANT USE - RECODE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = January .....	722653	80.93
	2 = February .....	117	0.01
	3 = March .....	59	0.01
	4 = April .....	87	0.01
	5 = May .....	90	0.01
	6 = June .....	80	0.01
	7 = July .....	97	0.01
	8 = August .....	94	0.01
	9 = September .....	68	0.01
	10 = October .....	81	0.01
	11 = November .....	95	0.01
	12 = December .....	92	0.01
	85 = BAD DATA Logically assigned .....	63	0.01
	89 = LEGITIMATE SKIP Logically assn .....	263	0.03
	91 = NEVER USED INHALANTS .....	84	0.01
	94 = DON'T KNOW .....	152658	17.10
	97 = REFUSED .....	915	0.10
	98 = BLANK (NO ANSWER) .....	346	0.04
	99 = LEGITIMATE SKIP .....	424	0.05
		14606	1.64

How long has it been since you last used any inhalant for kicks or to get high?

<b>INHALREC</b>	Len : 2 TIME SINCE LAST USED INHALANTS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days .....	722653	80.93
	2 = More than 30 days ago but within the past 12 mos .....	533	0.06
	3 = More than 12 months ago .....	1268	0.14
	8 = Used at some point in the past 12 mos LOG ASSN .....	14828	1.66
	9 = Used at some point in lifetime LOG ASSN .....	52	0.01
	11 = Used in the past 30 days LOGICALLY ASSIGNED .....	561	0.06
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED INHALANTS .....	5	0.00
	97 = REFUSED .....	152658	17.10
	98 = BLANK (NO ANSWER) .....	2	0.00
		406	0.05

INHALANTS

**INHLYFQ**      Len : 3    TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	1743	0.20
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	26	0.00
991 = NEVER USED INHALANTS .....	152658	17.10
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
994 = DON'T KNOW .....	76	0.01
997 = REFUSED .....	22	0.00
998 = BLANK (NO ANSWER).....	966	0.11

**INHTOTFG**      Len : 2    TRIMMING INDICATOR FOR INHLYFQ

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Trimmed to 365 days (no further editing).....	1	0.00
2 = Trimmed relative to the 30-day freq .....	7	0.00
3 = Trimmed relative to estimated 30-day freq .....	1	0.00
98 = BLANK (NO ANSWER) .....	170310	19.07

**INHFLG**      Len : 2    TRIMMED INHLYFQ IF R USED < 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Trimmed to be consistent with mo/yr of 1st use .....	163	0.02
98 = BLANK (NO ANSWER) .....	170156	19.06

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

**INHEASWY**      Len : 2    EASIEST WAY TO TELL US # DAYS USED INHALANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Prefer to answer in days per week.....	284	0.03
2 = Prefer to answer in days per month.....	339	0.04
3 = Prefer to answer in days per year .....	1098	0.12
11 = Prefer to ans in days per wk LOG ASSN .....	12	0.00
12 = Prefer to ans in days per mo LOG ASSN .....	8	0.00
13 = Prefer to ans in days per yr LOG ASSN .....	49	0.01
85 = BAD DATA Logically assigned .....	26	0.00
91 = NEVER USED INHALANTS .....	152658	17.10
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
94 = DON'T KNOW .....	40	0.00
97 = REFUSED .....	11	0.00
98 = BLANK (NO ANSWER) .....	966	0.11

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

**INHDSYR**      Len : 3    # DAYS USED INHALANT PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 245 .....	1127	0.13
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	14	0.00
989 = LEGITIMATE SKIP Logically assigned .....	17	0.00
991 = NEVER USED INHALANTS .....	152658	17.10
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
994 = DON'T KNOW .....	53	0.01
997 = REFUSED .....	18	0.00
998 = BLANK (NO ANSWER).....	978	0.11
999 = LEGITIMATE SKIP.....	626	0.07

INHALANTS

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

**INHDYPMO** Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31 .....	335	0.04
-9 = Data not collected for this year .....	722653	80.93
85 = BAD DATA Logically assigned .....	7	0.00
89 = LEGITIMATE SKIP Logically assigned .....	12	0.00
91 = NEVER USED INHALANTS .....	152658	17.10
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
94 = DON'T KNOW .....	63	0.01
97 = REFUSED .....	20	0.00
98 = BLANK (NO ANSWER) .....	985	0.11
99 = LEGITIMATE SKIP .....	1411	0.16

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

**INHDYPWK** Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	281	0.03
-9 = Data not collected for this year .....	722653	80.93
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED INHALANTS .....	152658	17.10
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
94 = DON'T KNOW .....	76	0.01
97 = REFUSED .....	22	0.00
98 = BLANK (NO ANSWER) .....	987	0.11
99 = LEGITIMATE SKIP .....	1462	0.16

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

**INHAL30N** Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	500	0.06
-9 = Data not collected for this year .....	722653	80.93
85 = BAD DATA Logically assigned .....	45	0.01
91 = NEVER USED INHALANTS .....	152658	17.10
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	16096	1.80
94 = DON'T KNOW .....	25	0.00
97 = REFUSED .....	10	0.00
98 = BLANK (NO ANSWER) .....	985	0.11

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

**INHAL30ES** Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = 1 or 2 days .....	19	0.00
2 = 3 to 5 days .....	2	0.00
3 = 6 to 9 days .....	1	0.00
5 = 20 to 29 days .....	1	0.00
6 = All 30 days .....	3	0.00
91 = NEVER USED INHALANTS .....	152658	17.10
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	16096	1.80
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	8	0.00
98 = BLANK (NO ANSWER) .....	1031	0.12
99 = LEGITIMATE SKIP .....	497	0.06



INHALANTS

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

AEROS

Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	10855	1.22
2 = No.....	63802	7.14
3 = Yes LOGICALLY ASSIGNED.....	153	0.02
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED INHALANTS .....	647483	72.51
94 = DON'T KNOW .....	272	0.03
97 = REFUSED .....	71	0.01
98 = BLANK (NO ANSWER) .....	5	0.00

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

INHNLST

Len : 2 EVER USED OTHER INHALANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	7307	0.82
2 = No.....	67396	7.55
85 = BAD DATA Logically assigned .....	12	0.00
91 = NEVER USED INHALANTS .....	647483	72.51
94 = DON'T KNOW .....	359	0.04
97 = REFUSED .....	91	0.01
98 = BLANK (NO ANSWER) .....	5	0.00

INHALANTS

INHNEWA

Len : 4 OTHER INHALANT - SPECIFY 1

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
112 = Restoril .....	1	0.00
209 = Xanax.....	1	0.00
304 = Benzedrine.....	1	0.00
318 = Ritalin.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	8	0.00
348 = Crystal .....	1	0.00
355 = Crystal meth, crystal methamphetamine .....	1	0.00
377 = Albuterol.....	64	0.01
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	1	0.00
434 = Vicodin .....	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC> .....	1	0.00
501 = Gasoline or lighter fluids.....	52	0.01
502 = Spray paints .....	11	0.00
503 = Other aerosol sprays.....	374	0.04
504 = Shoeshine liquid, glue, or toluene .....	116	0.01
505 = Lacquer thinner or other paint solvents.....	16	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush" .....	77	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	11	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	85	0.01
509 = Correction fluids, degreasers, cleaning fluids .....	13	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED .....	302	0.03
511 = Markers, felt-tip pens, ink pens.....	1605	0.18
512 = Incense.....	4	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	214	0.02
518 = Acetone, nail polish remover .....	136	0.02
519 = Helium.....	305	0.03
520 = Old paint, paint .....	16	0.00
521 = Propane.....	5	0.00
522 = Liquid TV (MTV), TV tuner, TV11Y.....	1	0.00
523 = Matches.....	1	0.00
524 = White-Out .....	198	0.02
525 = Butane.....	1	0.00
526 = Nail polish.....	153	0.02
528 = Whipped-cream can .....	161	0.02
529 = Moth balls.....	1	0.00
531 = Candy, powdered candy, sugar .....	15	0.00
534 = Deodorant .....	18	0.00
537 = Air horn, canned air horn, condensed horn .....	4	0.00
539 = Scotch-Gard.....	16	0.00
540 = PAM .....	50	0.01
542 = Brasso, lens cleaner, spirits of ammonia .....	4	0.00
543 = Liquid oxygen, oxygen .....	11	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO .....	2	0.00
546 = Leather or suede protector, aerosol unspecified .....	4	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	63	0.01
551 = Oven cleaner .....	1	0.00
553 = Pixie sticks.....	7	0.00
554 = Insect killer (e.g., Raid).....	3	0.00
558 = Kool Aid .....	2	0.00
560 = Dishwashing detergent, laundry detergent, soap.....	7	0.00
563 = Acetylene .....	1	0.00
567 = Pertussin spray <OTC>.....	2	0.00
569 = Peganento .....	2	0.00
571 = Black jack .....	1	0.00
573 = Furniture polish.....	2	0.00
580 = Medusa .....	1	0.00
582 = WD-40 .....	6	0.00
586 = Carbon from empty soft drink bottle.....	4	0.00
587 = Mineral ice.....	1	0.00
588 = Antifreeze .....	1	0.00
589 = Tire shine/tire cleaner .....	1	0.00
590 = Canned air, compressed air .....	44	0.00
591 = Air brush propellant, air brush cartridge .....	4	0.00
592 = Computer air duster, computer cleaner, dust-off .....	1262	0.14
594 = Starting fluid.....	12	0.00
595 = Chlorine .....	2	0.00
598 = Ethylene dichloride.....	1	0.00
599 = Potpourri .....	7	0.00
601 = LSD ("acid").....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
626 = Jet fuel .....	1	0.00

INHALANTS

637 = Purple haze .....	1	0.00
639 = Nutmeg, Mace.....	2	0.00
658 = Special K, Ketamine .....	4	0.00
691 = Maximum impact.....	4	0.00
702 = Heroin.....	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	51	0.01
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	41	0.00
809 = Pills.....	5	0.00
813 = Cigarettes, tobacco (type unspecified) .....	3	0.00
816 = Smokeless tobacco, snuff, chewing tobacco .....	2	0.00
829 = Robitussin DM <OTC> .....	1	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
900 = Not a drug.....	2	0.00
3007 = Nasal inhalant .....	4	0.00
3023 = Adderall .....	3	0.00
3047 = Sudafed <OTC>.....	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3190 = Primatene Mist <OTC>.....	1	0.00
4046 = Oxycodone.....	1	0.00
5001 = Bleach.....	8	0.00
5003 = Methane .....	1	0.00
5004 = Ink print, paper.....	4	0.00
5006 = Brake fluid .....	2	0.00
5017 = Oil, lubricant, otherwise unspecified.....	2	0.00
5020 = Wet cement .....	1	0.00
5021 = Octane booster .....	6	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	16	0.00
5024 = Candle, citronella candle.....	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	16	0.00
5032 = Nitrogen.....	4	0.00
5035 = Brake cleaner .....	6	0.00
5036 = Wart remover.....	1	0.00
5037 = Wood filler, wood putty .....	2	0.00
5042 = Fuels other than gasoline.....	5	0.00
5043 = Carbona.....	3	0.00
5044 = Powdered cleansers; e.g. Ajax, Comet, Boraxo.....	4	0.00
5045 = Cleaner, not otherwise specified .....	15	0.00
5046 = Glass/window cleaner .....	2	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	53	0.01
5050 = Burned rubber .....	1	0.00
5051 = Hair chemicals .....	3	0.00
5052 = Silly String.....	4	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	16	0.00
5054 = Gum freezer, gum remover .....	2	0.00
5057 = Argon.....	1	0.00
5062 = Amazing Elastic Plastic .....	2	0.00
5063 = Drano/drain cleaner, aerosol unspecified .....	3	0.00
5064 = Erasers .....	2	0.00
5065 = Nail polish dryer, quick drying treatment for nail.....	2	0.00
5066 = Simply Green .....	1	0.00
5067 = Wet Ones wipes .....	1	0.00
5069 = Febreze .....	3	0.00
5070 = Silicone.....	2	0.00
5071 = Purell .....	3	0.00
5073 = Goof off .....	1	0.00
5074 = Floor wax stripper.....	2	0.00
5075 = Pine-sol .....	5	0.00
5076 = Water/stain repellent, type unspecified .....	5	0.00
5077 = Resistol .....	4	0.00
5078 = Axe body spray .....	22	0.00
5079 = Shellac .....	1	0.00
5082 = Chalk dust.....	1	0.00
5083 = Ethyl chloride.....	2	0.00
5084 = Dry cleaning fluid/solvent.....	4	0.00
5085 = Toilet bowl hook-ons .....	2	0.00
5087 = Tennis balls, ping pong balls.....	1	0.00
5088 = Jungle juice.....	4	0.00
5089 = Tattoo Goo Color Guard Spray .....	1	0.00
5090 = PVC Cleaner.....	2	0.00
5091 = Germ-X.....	12	0.00
5093 = Goo Gone.....	1	0.00
5095 = "The Works" shower cleaner.....	1	0.00
5097 = Lysol, aerosol unspecified.....	6	0.00

INHALANTS

5098 = Axe/Axe deodorant, aerosol unspecified.....	30	0.00
5101 = Difluoroethane.....	1	0.00
5102 = Xylene, otherwise unspecified.....	2	0.00
5103 = Shoe dye.....	1	0.00
5104 = Shoe cleaner, otherwise unspecified.....	2	0.00
5105 = Sulfur, otherwise unspecified.....	1	0.00
5106 = Carbon tetrachloride.....	1	0.00
5107 = Alcanfor, camphor.....	1	0.00
5108 = Tag body spray.....	1	0.00
5110 = Graffiti eraser.....	1	0.00
5111 = Homemade napalm.....	1	0.00
5112 = Lotion (body, hand), contents unspecified.....	1	0.00
5114 = Green gas propellant.....	1	0.00
5117 = Turpentine.....	1	0.00
5118 = Spray adhesive.....	1	0.00
5119 = Battery acid.....	1	0.00
5120 = Ignition spray.....	1	0.00
5121 = Tetrafluoroethane.....	1	0.00
5122 = Leather cleaner.....	1	0.00
5123 = Fixative.....	1	0.00
5126 = Rubber rejuvenator.....	1	0.00
5129 = Smoke bomb.....	1	0.00
5130 = Glow stick.....	1	0.00
5170 = Baby powder.....	1	0.00
5171 = Mouthwash.....	1	0.00
5172 = Shampoo.....	1	0.00
5173 = Tire inflator/sealer, aerosol unspecified.....	1	0.00
5174 = Belt dressing.....	1	0.00
6009 = Sulfur match smoke.....	1	0.00
6016 = Nas.....	2	0.00
6018 = Air horn.....	2	0.00
6043 = Diviner's sage, Salvia divinorum.....	1	0.00
6052 = Acrylic resin.....	1	0.00
6082 = Ammonia.....	1	0.00
6089 = Cake.....	1	0.00
6098 = Dust, not otherwise specified.....	1	0.00
6127 = Skittles.....	1	0.00
6136 = Spook.....	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	4	0.00
8016 = Icy Hot <OTC>.....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator.....	118	0.01
8028 = Bactine <OTC>.....	3	0.00
8056 = Vicks VapoRub/inhaler <OTC>.....	12	0.00
8091 = Benzedrex <OTC>.....	1	0.00
8118 = Smoke/smoking, not otherwise specified.....	9	0.00
8127 = Damiana <OTC>.....	1	0.00
8170 = Muscle stimulator spray, contents unspecified.....	1	0.00
8174 = Betadine, Efodine, Iodine <OTC>.....	1	0.00
8177 = Face/body cleanser, contents unspecified.....	2	0.00
8194 = Afrin <OTC>.....	1	0.00
8202 = Intal, Nasalcrom.....	1	0.00
8227 = Sativa, otherwise unspecified.....	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	1	0.00
8251 = Orange oil.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	5	0.00
8292 = Cigarettes baked/smoked with toothpaste.....	1	0.00
8301 = Bath salts, otherwise unspecified.....	1	0.00
8315 = Synthetic cannabis, otherwise unspecified.....	1	0.00
9985 = BAD DATA Logically assigned.....	40	0.00
9991 = NEVER USED INHALANTS.....	647483	72.51
9997 = REFUSED.....	285	0.03
9998 = BLANK (NO ANSWER).....	1296	0.15
9999 = LEGITIMATE SKIP.....	67396	7.55

INHALANTS

INHNEWB

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
209 = Xanax.....	1	0.00
318 = Ritalin.....	1	0.00
351 = Cathinone, cat, khat, Q'at.....	1	0.00
377 = Albuterol.....	6	0.00
501 = Gasoline or lighter fluids.....	9	0.00
502 = Spray paints.....	2	0.00
503 = Other aerosol sprays.....	56	0.01
504 = Shoeshine liquid, glue, or toluene.....	15	0.00
505 = Lacquer thinner or other paint solvents.....	1	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush".....	3	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	8	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	53	0.01
511 = Markers, felt-tip pens, ink pens.....	161	0.02
512 = Incense.....	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	13	0.00
518 = Acetone, nail polish remover.....	31	0.00
519 = Helium.....	18	0.00
520 = Old paint, paint.....	6	0.00
521 = Propane.....	1	0.00
524 = White-Out.....	40	0.00
525 = Butane.....	2	0.00
526 = Nail polish.....	38	0.00
528 = Whipped-cream can.....	15	0.00
531 = Candy, powdered candy, sugar.....	3	0.00
534 = Deodorant.....	1	0.00
537 = Air horn, canned air horn, condensed horn.....	2	0.00
540 = PAM.....	3	0.00
542 = Brasso, lens cleaner, spirits of ammonia.....	1	0.00
543 = Liquid oxygen, oxygen.....	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	11	0.00
553 = Pixie sticks.....	1	0.00
554 = Insect killer (e.g., Raid).....	1	0.00
560 = Diswashing detergent, laundry detergent, soap.....	3	0.00
582 = WD-40.....	1	0.00
586 = Carbon from empty soft drink bottle.....	1	0.00
590 = Canned air, compressed air.....	5	0.00
592 = Computer air duster, computer cleaner, dust-off.....	77	0.01
601 = LSD ("acid").....	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	1	0.00
637 = Purple haze.....	1	0.00
691 = Maximum impact.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	6	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	2	0.00
806 = Crack, rock.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	6	0.00
809 = Pills.....	1	0.00
900 = Not a drug.....	2	0.00
3051 = Betel nut, beetlenut.....	1	0.00
5001 = Bleach.....	1	0.00
5003 = Methane.....	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank.....	3	0.00
5024 = Candle, citronella candle.....	2	0.00
5028 = Carburetor cleaner, engine cleaner.....	3	0.00
5035 = Brake cleaner.....	1	0.00
5045 = Cleaner, not otherwise specified.....	5	0.00
5049 = Hand sanitizer/cleaner, contents unspecified.....	7	0.00
5051 = Hair chemicals.....	1	0.00
5053 = Electrical parts cleaner, electronics cleaner.....	3	0.00
5055 = PVC.....	1	0.00
5060 = Crayons.....	1	0.00
5061 = Lip balm, lip gloss.....	1	0.00
5064 = Erasers.....	2	0.00
5068 = Smoke from a fire.....	1	0.00
5069 = Febreze.....	2	0.00
5071 = Purell.....	1	0.00
5075 = Pine-sol.....	3	0.00
5077 = Resistol.....	1	0.00
5078 = Axe body spray.....	2	0.00
5082 = Chalk dust.....	1	0.00
5087 = Tennis balls, ping pong balls.....	1	0.00

INHALANTS

5091 = Germ-X.....	4	0.00
5097 = Lysol, aerosol unspecified.....	1	0.00
5098 = Axe/Axe deodorant, aerosol unspecified.....	7	0.00
5108 = Tag body spray .....	1	0.00
5109 = Antifungal product, aerosol unspecified.....	1	0.00
5110 = Graffiti eraser.....	1	0.00
5112 = Lotion (body, hand), contents unspecified .....	1	0.00
5113 = Disinfectant, contents unspecified.....	1	0.00
5124 = Bromine .....	1	0.00
6009 = Sulfur match smoke .....	1	0.00
8011 = Herb, flower, plant; type unspecified .....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator .....	10	0.00
8056 = Vicks VapoRub/inhaler <OTC> .....	2	0.00
8058 = Cough medicine/syrup, type unspecified .....	1	0.00
8118 = Smoke/smoking, not otherwise specified .....	3	0.00
8127 = Damiana <OTC> .....	1	0.00
8177 = Face/body cleanser, contents unspecified.....	1	0.00
9985 = BAD DATA Logically assigned .....	35	0.00
9991 = NEVER USED INHALANTS .....	647483	72.51
9997 = REFUSED .....	115	0.01
9998 = BLANK (NO ANSWER).....	6923	0.78
9999 = LEGITIMATE SKIP.....	67396	7.55

INHALANTS

INHNEWC

Len : 4 OTHER INHALANT - SPECIFY 3

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
434 = Vicodin .....	1	0.00
501 = Gasoline or lighter fluids .....	3	0.00
502 = Spray paints .....	2	0.00
503 = Other aerosol sprays .....	8	0.00
504 = Shoeshine liquid, glue, or toluene .....	2	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush" .....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas .....	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED .....	16	0.00
511 = Markers, felt-tip pens, ink pens .....	22	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant .....	1	0.00
518 = Acetone, nail polish remover .....	9	0.00
519 = Helium .....	2	0.00
520 = Old paint, paint .....	1	0.00
521 = Propane .....	1	0.00
524 = White-Out .....	4	0.00
526 = Nail polish .....	9	0.00
528 = Whipped-cream can .....	1	0.00
531 = Candy, powdered candy, sugar .....	2	0.00
540 = PAM .....	1	0.00
545 = Car tailpipe exhaust fumes, Carbon monoxide, CO .....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol .....	1	0.00
551 = Oven cleaner .....	1	0.00
568 = Tally .....	1	0.00
582 = WD-40 .....	1	0.00
590 = Canned air, compressed air .....	1	0.00
592 = Computer air duster, computer cleaner, dust-off .....	10	0.00
594 = Starting fluid .....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	4	0.00
809 = Pills .....	1	0.00
5004 = Ink print, paper .....	1	0.00
5017 = Oil, lubricant, otherwise unspecified .....	1	0.00
5035 = Brake cleaner .....	1	0.00
5045 = Cleaner, not otherwise specified .....	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified .....	1	0.00
5053 = Electrical parts cleaner, electronics cleaner .....	1	0.00
5069 = Febreze .....	1	0.00
5080 = Tetrachloroethene .....	1	0.00
5082 = Chalk dust .....	1	0.00
5097 = Lysol, aerosol unspecified .....	1	0.00
6082 = Ammonia .....	1	0.00
8016 = Icy Hot <OTC> .....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator .....	2	0.00
8056 = Vicks VapoRub/inhaler <OTC> .....	1	0.00
9985 = BAD DATA Logically assigned .....	8	0.00
9991 = NEVER USED INHALANTS .....	647483	72.51
9997 = REFUSED .....	96	0.01
9998 = BLANK (NO ANSWER) .....	7545	0.84
9999 = LEGITIMATE SKIP .....	67396	7.55

INHALANTS

INHNEWD

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
123 = Unisom <OTC> .....	1	0.00
501 = Gasoline or lighter fluids .....	1	0.00
503 = Other aerosol sprays .....	1	0.00
504 = Shoeshine liquid, glue, or toluene .....	1	0.00
506 = Amyl nitrite, "poppers," locker room odorizer, "rush" .....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas .....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED .....	3	0.00
511 = Markers, felt-tip pens, ink pens .....	5	0.00
519 = Helium .....	2	0.00
520 = Old paint, paint .....	1	0.00
521 = Propane .....	1	0.00
526 = Nail polish .....	3	0.00
573 = Furniture polish .....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.00
809 = Pills .....	1	0.00
5035 = Brake cleaner .....	1	0.00
5064 = Erasers .....	1	0.00
5071 = Purell .....	1	0.00
8282 = Salt, sodium chloride <OTC> .....	1	0.00
9985 = BAD DATA Logically assigned .....	4	0.00
9991 = NEVER USED INHALANTS .....	647483	72.51
9997 = REFUSED .....	91	0.01
9998 = BLANK (NO ANSWER) .....	7651	0.86
9999 = LEGITIMATE SKIP .....	67396	7.55

INHNEWE

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
504 = Shoeshine liquid, glue, or toluene .....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas .....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED .....	2	0.00
511 = Markers, felt-tip pens, ink pens .....	3	0.00
518 = Acetone, nail polish remover .....	1	0.00
519 = Helium .....	1	0.00
573 = Furniture polish .....	1	0.00
5035 = Brake cleaner .....	1	0.00
8118 = Smoke/smoking, not otherwise specified .....	1	0.00
9985 = BAD DATA Logically assigned .....	2	0.00
9991 = NEVER USED INHALANTS .....	647483	72.51
9997 = REFUSED .....	91	0.01
9998 = BLANK (NO ANSWER) .....	7669	0.86
9999 = LEGITIMATE SKIP .....	67396	7.55

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were coded as 91.

INHEVER

Len : 2 EVER USED INHALANTS

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes .....	73944	8.28
91 = NEVER USED INHALANTS .....	647483	72.51
97 = REFUSED .....	11	0.00
98 = BLANK (NO ANSWER) .....	1215	0.14



INHALANTS

How old were you the first time you used any inhalant for kicks or to get high?

<b>INHAGE</b>	Len : 3 AGE WHEN FIRST USED INHALANTS	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 66.....	70073	7.85
	-9 = Data not collected for this year.....	170319	19.07
	985 = BAD DATA Logically assigned.....	679	0.08
	991 = NEVER USED INHALANTS.....	647483	72.51
	994 = DON'T KNOW.....	2222	0.25
	997 = REFUSED.....	992	0.11
	998 = BLANK (NO ANSWER).....	1204	0.13

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

<b>INHUFU</b>	Len : 4 YEAR OF FIRST INHALANT USE - RECODE	<b>Freq</b>	<b>Pct</b>
	RANGE = 2000 - 2014.....	9161	1.03
	-9 = Data not collected for this year.....	170319	19.07
	9985 = BAD DATA Logically assigned.....	1831	0.21
	9989 = LEGITIMATE SKIP Logically assigned.....	606	0.07
	9991 = NEVER USED INHALANTS.....	647483	72.51
	9994 = DON'T KNOW.....	2289	0.26
	9997 = REFUSED.....	1030	0.12
	9998 = BLANK (NO ANSWER).....	1221	0.14
	9999 = LEGITIMATE SKIP.....	59032	6.61

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

<b>INHMFU</b>	Len : 2 MONTH OF FIRST INHALANT USE - RECODE	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = January.....	820	0.09
	2 = February.....	608	0.07
	3 = March.....	737	0.08
	4 = April.....	650	0.07
	5 = May.....	594	0.07
	6 = June.....	811	0.09
	7 = July.....	856	0.10
	8 = August.....	608	0.07
	9 = September.....	656	0.07
	10 = October.....	689	0.08
	11 = November.....	585	0.07
	12 = December.....	485	0.05
	85 = BAD DATA Logically assigned.....	1807	0.20
	89 = LEGITIMATE SKIP Logically assigned.....	606	0.07
	91 = NEVER USED INHALANTS.....	647483	72.51
	94 = DON'T KNOW.....	3292	0.37
	97 = REFUSED.....	1089	0.12
	98 = BLANK (NO ANSWER).....	1245	0.14
	99 = LEGITIMATE SKIP.....	59032	6.61

INHALANTS

How long has it been since you last used any inhalant for kicks or to get high?

<b>INHREC</b>	Len : 2 TIME SINCE LAST USED INHALANTS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	3321	0.37
	2 = More than 30 days ago but within the past 12 mos .....	9083	1.02
	3 = More than 12 months ago .....	58592	6.56
	8 = Used at some point in the past 12 mos LOG ASSN .....	301	0.03
	9 = Used at some point in lifetime LOG ASSN .....	2628	0.29
	11 = Used in the past 30 days LOGICALLY ASSIGNED .....	19	0.00
	85 = BAD DATA Logically assigned .....	12	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	97 = REFUSED .....	11	0.00
	98 = BLANK (NO ANSWER) .....	1203	0.13

<b>INHYRTOT</b>	Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	12189	1.36
	-9 = Data not collected for this year .....	170319	19.07
	985 = BAD DATA Logically assigned .....	132	0.01
	991 = NEVER USED INHALANTS .....	647483	72.51
	993 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	994 = DON'T KNOW .....	307	0.03
	997 = REFUSED .....	120	0.01
	998 = BLANK (NO ANSWER) .....	3830	0.43

<b>INTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR INHYRTOT	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Trimmed to 365 days (no further editing) .....	3	0.00
	2 = Trimmed relative to the 30-day freq .....	35	0.00
	98 = BLANK (NO ANSWER) .....	722615	80.92

<b>INFQLG</b>	Len : 2 TRIMMED INHYRTOT IF R USED < 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Trimmed to be consistent with mo/yr of 1st use .....	1483	0.17
	98 = BLANK (NO ANSWER) .....	721170	80.76

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

<b>INBSTWAY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Prefer to answer in days per week .....	1875	0.21
	2 = Prefer to answer in days per month .....	2541	0.28
	3 = Prefer to answer in days per year .....	7542	0.84
	11 = Prefer to ans in days per wk LOG ASSN .....	35	0.00
	12 = Prefer to ans in days per mo LOG ASSN .....	93	0.01
	13 = Prefer to ans in days per yr LOG ASSN .....	308	0.03
	85 = BAD DATA Logically assigned .....	131	0.01
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	152	0.02
	97 = REFUSED .....	71	0.01
	98 = BLANK (NO ANSWER) .....	3830	0.43

INHALANTS

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

<b>INDAYPYR</b>	Len : 3 # DAYS USED INHALANT PAST 12 MONTHS		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	7782	0.87
	985 = BAD DATA Logically assigned .....	170319	19.07
	989 = LEGITIMATE SKIP Logically assigned .....	88	0.01
	991 = NEVER USED INHALANTS .....	134	0.02
	993 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	647483	72.51
	994 = DON'T KNOW .....	58592	6.56
	997 = REFUSED .....	211	0.02
	998 = BLANK (NO ANSWER).....	79	0.01
	999 = LEGITIMATE SKIP.....	3874	0.43
		4410	0.49

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

<b>INDAYPMO</b>	Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
	RANGE = 1 - 31 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	2570	0.29
	85 = BAD DATA Logically assigned .....	170319	19.07
	89 = LEGITIMATE SKIP Logically assigned .....	18	0.00
	91 = NEVER USED INHALANTS .....	35	0.00
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	647483	72.51
	94 = DON'T KNOW .....	58592	6.56
	97 = REFUSED .....	260	0.03
	98 = BLANK (NO ANSWER) .....	95	0.01
	99 = LEGITIMATE SKIP.....	3943	0.44
		9657	1.08

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

<b>INDAYPWK</b>	Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
	RANGE = 1 - 7 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	1837	0.21
	85 = BAD DATA Logically assigned .....	170319	19.07
	91 = NEVER USED INHALANTS .....	27	0.00
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	647483	72.51
	94 = DON'T KNOW .....	58592	6.56
	97 = REFUSED .....	306	0.03
	98 = BLANK (NO ANSWER) .....	120	0.01
	99 = LEGITIMATE SKIP.....	3936	0.44
		10352	1.16

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

<b>INH30A</b>	Len : 2 # DAYS USED INHALANT PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	3132	0.35
	85 = BAD DATA Logically assigned .....	170319	19.07
	91 = NEVER USED INHALANTS .....	248	0.03
	93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	647483	72.51
	94 = DON'T KNOW .....	67675	7.58
	97 = REFUSED .....	146	0.02
	98 = BLANK (NO ANSWER) .....	54	0.01
		3915	0.44

INHALANTS

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

IN30EST

Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = 1 or 2 days .....	79	0.01
2 = 3 to 5 days.....	27	0.00
3 = 6 to 9 days.....	18	0.00
4 = 10 to 19 days.....	13	0.00
5 = 20 to 29 days.....	5	0.00
6 = All 30 days.....	5	0.00
91 = NEVER USED INHALANTS .....	647483	72.51
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	67675	7.58
94 = DON'T KNOW .....	30	0.00
97 = REFUSED .....	31	0.00
98 = BLANK (NO ANSWER) .....	4166	0.47
99 = LEGITIMATE SKIP.....	3121	0.35

METHAMPHETAMINE

METHAMPHETAMINE

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected.

Have you ever, even once, used methamphetamine?

**METHAMEVR**    Len : 2    EVER USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	7711	0.86
2 = No.....	162390	18.19
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	204	0.02
97 = REFUSED .....	13	0.00

How old were you the first time you used methamphetamine?

**METHAMAGE**    Len : 3    AGE 1ST USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 72.....	7639	0.86
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	16	0.00
991 = NEVER USED METHAMPHETAMINE .....	162390	18.19
994 = DON'T KNOW .....	51	0.01
997 = REFUSED .....	19	0.00
998 = BLANK (NO ANSWER).....	204	0.02

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

**METHAMYFU**    Len : 4    YEAR 1ST USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2013 - 2017 .....	341	0.04
-9 = Data not collected for this year .....	722653	80.93
9985 = BAD DATA Logically assigned .....	46	0.01
9989 = LEGITIMATE SKIP Logically assigned .....	24	0.00
9991 = NEVER USED METHAMPHETAMINE.....	162390	18.19
9994 = DON'T KNOW .....	51	0.01
9997 = REFUSED .....	19	0.00
9998 = BLANK (NO ANSWER).....	207	0.02
9999 = LEGITIMATE SKIP.....	7241	0.81

METHAMPHETAMINE

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

<b>METHAMMFU</b>	Len : 2 MONTH 1ST USED METHAMPHETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = January.....	24	0.00
	2 = February.....	26	0.00
	3 = March.....	22	0.00
	4 = April.....	25	0.00
	5 = May.....	24	0.00
	6 = June.....	40	0.00
	7 = July.....	34	0.00
	8 = August.....	23	0.00
	9 = September.....	29	0.00
	10 = October.....	29	0.00
	11 = November.....	29	0.00
	12 = December.....	18	0.00
	85 = BAD DATA Logically assigned.....	46	0.01
	89 = LEGITIMATE SKIP Logically assn.....	24	0.00
	91 = NEVER USED METHAMPHETAMINE.....	162390	18.19
	94 = DON'T KNOW.....	69	0.01
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	207	0.02
	99 = LEGITIMATE SKIP.....	7241	0.81

How long has it been since you last used methamphetamine?

<b>METHAMREC</b>	Len : 2 TIME SINCE LAST USED METHAMPHETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Within the past 30 days.....	465	0.05
	2 = More than 30 days ago but within the past 12 mos.....	633	0.07
	3 = More than 12 months ago.....	6533	0.73
	8 = Used at some point in the past 12 mos LOG ASSN.....	33	0.00
	9 = Used at some point in lifetime LOG ASSN.....	45	0.01
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED METHAMPHETAMINE.....	162390	18.19
	97 = REFUSED.....	13	0.00
	98 = BLANK (NO ANSWER).....	204	0.02

<b>METHAMYFQ</b>	Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365.....	1088	0.12
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned.....	29	0.00
	991 = NEVER USED METHAMPHETAMINE.....	162390	18.19
	993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6533	0.73
	994 = DON'T KNOW.....	12	0.00
	997 = REFUSED.....	18	0.00
	998 = BLANK (NO ANSWER).....	249	0.03

<b>METOTFG</b>	Len : 2 TRIMMING INDICATOR FOR METHAMYFQ		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Trimmed to 365 days (no further editing).....	2	0.00
	2 = Trimmed relative to the 30-day freq.....	25	0.00
	98 = BLANK (NO ANSWER).....	170292	19.07

<b>MEFQLG</b>	Len : 2 TRIMMED METHAMYFQ IF R USED < 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Trimmed to be consistent with mo/yr of 1st use.....	58	0.01
	98 = BLANK (NO ANSWER).....	170261	19.07

METHAMPHETAMINE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

**METHEASWY** Len : 2 EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Prefer to answer in days per week.....	305	0.03
2 = Prefer to answer in days per month.....	286	0.03
3 = Prefer to answer in days per year .....	507	0.06
11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
13 = Prefer to ans in days per yr LOG ASSN .....	2	0.00
85 = BAD DATA Logically assigned .....	29	0.00
91 = NEVER USED METHAMPHETAMINE .....	162390	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6533	0.73
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	14	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

On how many days in the past 12 months did you use methamphetamine?

**METHDYSYR** Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	504	0.06
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	3	0.00
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED METHAMPHETAMINE .....	162390	18.19
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6533	0.73
994 = DON'T KNOW .....	5	0.00
997 = REFUSED .....	16	0.00
998 = BLANK (NO ANSWER).....	275	0.03
999 = LEGITIMATE SKIP.....	591	0.07

On average, how many days did you use methamphetamine each month during the past 12 months?

**METHDYPMO** Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31 .....	285	0.03
-9 = Data not collected for this year.....	722653	80.93
85 = BAD DATA Logically assigned .....	9	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED METHAMPHETAMINE .....	162390	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6533	0.73
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	17	0.00
98 = BLANK (NO ANSWER) .....	269	0.03
99 = LEGITIMATE SKIP.....	809	0.09

On average, how many days did you use methamphetamine each week during the past 12 months?

**METHDYPWK** Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7.....	299	0.03
-9 = Data not collected for this year.....	722653	80.93
85 = BAD DATA Logically assigned .....	17	0.00
91 = NEVER USED METHAMPHETAMINE .....	162390	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6533	0.73
94 = DON'T KNOW .....	12	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	261	0.03
99 = LEGITIMATE SKIP.....	789	0.09

METHAMPHETAMINE

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

METHAM30N      Len : 2    # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	459	0.05
-9 = Data not collected for this year .....	722653	80.93
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED METHAMPHETAMINE .....	162390	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	7166	0.80
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	17	0.00
98 = BLANK (NO ANSWER) .....	277	0.03

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

METHAM30E      Len : 2    BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = 1 or 2 days .....	2	0.00
3 = 6 to 9 days .....	1	0.00
5 = 20 to 29 days .....	1	0.00
6 = All 30 days .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162390	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	7166	0.80
97 = REFUSED .....	14	0.00
98 = BLANK (NO ANSWER) .....	285	0.03
99 = LEGITIMATE SKIP .....	459	0.05



PAIN RELIEVERS SCREENER

**PAIN RELIEVERS SCREENER**

Please look at the names and pictures of the pain relievers shown below.

In the **past 12 months**, which, if any, of these pain relievers have you used?

<b>OXCNANYR</b>	Len : 2 ANY OXYCONTIN USE PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	5668	0.63
	2 = No (not entered).....	6853	0.77
	5 = Yes LOGICALLY ASSIGNED.....	3	0.00
	81 = NEVER USED PAIN RLVRS Logically assigned .....	611	0.07
	85 = BAD DATA Logically assigned .....	12	0.00
	91 = NEVER USED PAIN RELIEVERS .....	75497	8.45
	93 = DID NOT USE IN THE PAST 12 MONTHS.....	39802	4.46
	94 = DON'T KNOW .....	551	0.06
	95 = I have not used any of these Pain Relievers in the past 12 months.....	41101	4.60
	97 = REFUSED .....	132	0.01
	98 = BLANK (NO ANSWER) .....	89	0.01

Have you **ever**, even once, used **any prescription pain reliever**?

Remember, do **not** report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

<b>PNRANYLIF</b>	Len : 2 ANY PAIN RELIEVER USE IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	39365	4.41
	2 = No.....	76108	8.52
	5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	53358	5.98
	94 = DON'T KNOW .....	1332	0.15
	97 = REFUSED .....	67	0.01
	98 = BLANK (NO ANSWER) .....	89	0.01

NOTE: PNRANYREC was created from responses of any use in the past 12 months for specific pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

<b>PNRANYREC</b>	Len : 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	53358	5.98
	2 = More than 12 months ago .....	38889	4.36
	9 = Used at some point in the lifetime LOG ASSN.....	476	0.05
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn .....	913	0.10
	91 = NEVER USED PAIN RELIEVERS .....	76108	8.52
	98 = BLANK (NO ANSWER) .....	575	0.06

TRANQUILIZERS SCREENER

**TRANQUILIZERS SCREENER**

Have you **ever**, even once, used **any prescription tranquilizer**?

<b>TRQANYLIF</b>	Len : 2 ANY TRANQUILIZER USE IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	11674	1.31
	2 = No.....	136982	15.34
	5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	20405	2.29
	94 = DON'T KNOW .....	1049	0.12
	97 = REFUSED .....	78	0.01
	98 = BLANK (NO ANSWER) .....	131	0.01

NOTE: TRQANYREC was created from responses of any use in the past 12 months for specific tranquilizers and from TRQANYLIF for any lifetime use of tranquilizers.

<b>TRQANYREC</b>	Len : 2 RC - MOST RECENT ANY TRANQUILIZER USE (RECODE)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	20405	2.29
	2 = More than 12 months ago .....	11598	1.30
	9 = Used at some point in the lifetime LOG ASSN.....	76	0.01
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn .....	758	0.08
	91 = NEVER USED TRANQUILIZERS.....	136982	15.34
	98 = BLANK (NO ANSWER) .....	500	0.06

STIMULANTS SCREENER

**STIMULANTS SCREENER**

Have you **ever**, even once, used **any prescription stimulant**?

Remember, do not include "over-the-counter" stimulants such as Dexatrim, No-Doz, Hydroxycut, or 5-Hour Energy.

<b>STMANYLIF</b>	Len : 2 ANY STIMULANT USE IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	8328	0.93
	2 = No.....	146755	16.43
	5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	14449	1.62
	94 = DON'T KNOW .....	605	0.07
	97 = REFUSED .....	77	0.01
	98 = BLANK (NO ANSWER) .....	105	0.01

NOTE: STMANYREC was created from responses of any use in the past 12 months for specific stimulants and from STMANYLIF for any lifetime use of stimulants.

<b>STMANYREC</b>	Len : 2 RC - MOST RECENT ANY STIMULANT USE (RECODE)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	14449	1.62
	2 = More than 12 months ago .....	8288	0.93
	9 = Used at some point in the lifetime LOG ASSN.....	40	0.00
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn .....	379	0.04
	91 = NEVER USED STIMULANTS.....	146755	16.43
	98 = BLANK (NO ANSWER) .....	408	0.05

SEDATIVES SCREENER

**SEDATIVES SCREENER**

Have you **ever**, even once, used **any prescription sedative**?

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl.

<b>SEDANYLIF</b>	Len : 2 ANY SEDATIVE USE IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	9492	1.06
	2 = No.....	151009	16.91
	5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	8794	0.98
	94 = DON'T KNOW .....	834	0.09
	97 = REFUSED .....	80	0.01
	98 = BLANK (NO ANSWER) .....	110	0.01

NOTE: SEDANYREC was created from responses of any use in the past 12 months for specific sedatives and from SEDANYLIF for any lifetime use of sedatives.

<b>SEDANYREC</b>	Len : 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	8794	0.98
	2 = More than 12 months ago .....	9443	1.06
	9 = Used at some point in the lifetime LOG ASSN.....	49	0.01
	83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn .....	545	0.06
	91 = NEVER USED SEDATIVES .....	151009	16.91
	98 = BLANK (NO ANSWER) .....	479	0.05

PAIN RELIEVERS

**PAIN RELIEVERS**

Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:

- the drug was not prescribed for you, or
- you took the drug only for the experience or feeling it caused.

These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.

Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.

Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?

**DARVTYLC** Len : 2 EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	57076	6.39
2 = No .....	58717	6.58
3 = Yes LOGICALLY ASSIGNED.....	80	0.01
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	16	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW .....	1452	0.16
97 = REFUSED .....	156	0.02
98 = BLANK (NO ANSWER) .....	19	0.00

Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?

**PERCTYLX** Len : 2 EVER USED PERCOCET, PERCODAN, OR TYLOX

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	40231	4.51
2 = No .....	76310	8.55
3 = Yes LOGICALLY ASSIGNED.....	198	0.02
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	16	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW .....	635	0.07
97 = REFUSED .....	107	0.01
98 = BLANK (NO ANSWER) .....	19	0.00

Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?

**VICOLOR** Len : 2 EVER USED VICODIN, LORTAB, OR LORCET

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	70120	7.85
2 = No .....	46264	5.18
3 = Yes LOGICALLY ASSIGNED.....	308	0.03
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	16	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW .....	671	0.08
97 = REFUSED .....	117	0.01
98 = BLANK (NO ANSWER) .....	20	0.00

PAIN RELIEVERS

Please look at the pain relievers shown below the red line on Card A.

Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?

ANLCARD

Len : 2 EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	52359	5.86
2 = No.....	63355	7.09
3 = Yes LOGICALLY ASSIGNED.....	777	0.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW.....	840	0.09
97 = REFUSED .....	147	0.02
98 = BLANK (NO ANSWER) .....	22	0.00

Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CODEINE

Len : 2 EVER USED CODEINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	24355	2.73
3 = Response entered LOGICALLY ASSIGNED .....	120	0.01
6 = Response not entered .....	27612	3.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED .....	515	0.06
98 = BLANK (NO ANSWER) .....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

DEMEROL

Len : 2 EVER USED DEMEROL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	7011	0.79
3 = Response entered LOGICALLY ASSIGNED .....	67	0.01
6 = Response not entered .....	45009	5.04
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED .....	515	0.06
98 = BLANK (NO ANSWER) .....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

DILAUD

Len : 2 EVER USED DILAUDID NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	3213	0.36
3 = Response entered LOGICALLY ASSIGNED .....	80	0.01
6 = Response not entered .....	48794	5.46
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED .....	515	0.06
98 = BLANK (NO ANSWER) .....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

PAIN RELIEVERS

FIORICET

Len : 2 EVER USED FIORICET NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	1307	0.15
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	50769	5.69
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

FIORINAL

Len : 2 EVER USED FIORINAL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	889	0.10
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
6 = Response not entered.....	51192	5.73
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

HYDROCOD

Len : 2 EVER USED HYDROCODONE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	31113	3.48
3 = Response entered LOGICALLY ASSIGNED.....	327	0.04
6 = Response not entered.....	20647	2.31
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	874	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

METHDON

Len : 2 EVER USED METHADONE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	7739	0.87
3 = Response entered LOGICALLY ASSIGNED.....	92	0.01
6 = Response not entered.....	44256	4.96
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

MORPHINE

Len : 2 EVER USED MORPHINE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	11472	1.28
3 = Response entered LOGICALLY ASSIGNED.....	189	0.02
6 = Response not entered.....	40426	4.53
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

PAIN RELIEVERS

OXYCONTN

Len : 2 EVER USED OXYCONTIN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	20587	2.31
3 = Response entered LOGICALLY ASSIGNED.....	344	0.04
6 = Response not entered.....	31158	3.49
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	513	0.06
98 = BLANK (NO ANSWER).....	875	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

PHENCOD

Len : 2 EVER USED PHENAPHEN WITH CODEINE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	2520	0.28
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	49564	5.55
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

PROPOXY

Len : 2 EVER USED PROPOXYPHENE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	1163	0.13
3 = Response entered LOGICALLY ASSIGNED.....	9	0.00
6 = Response not entered.....	50915	5.70
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	875	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

SK65A

Len : 2 EVER USED SK65 NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	285	0.03
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
6 = Response not entered.....	51796	5.80
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

STADOL

Len : 2 EVER USED STADOL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	396	0.04
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	51680	5.79
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09



PAIN RELIEVERS

TALACEN

Len : 2 EVER USED TALACEN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	244	0.03
3 = Response entered LOGICALLY ASSIGNED.....	6	0.00
6 = Response not entered.....	51837	5.80
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

TALWIN

Len : 2 EVER USED TALWIN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	625	0.07
3 = Response entered LOGICALLY ASSIGNED.....	14	0.00
6 = Response not entered.....	51448	5.76
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

TALWINNX

Len : 2 EVER USED TALWINNX NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	261	0.03
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	51825	5.80
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	680	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

TRAMADOL

Len : 2 EVER USED TRAMADOL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	5277	0.59
3 = Response entered LOGICALLY ASSIGNED.....	81	0.01
6 = Response not entered.....	46729	5.23
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	875	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

ULTRAM

Len : 2 EVER USED ULTRAM NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	4252	0.48
3 = Response entered LOGICALLY ASSIGNED.....	29	0.00
6 = Response not entered.....	47806	5.35
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	604055	67.65
94 = DON'T KNOW.....	681	0.08
97 = REFUSED.....	515	0.06
98 = BLANK (NO ANSWER).....	876	0.10
99 = LEGITIMATE SKIP.....	63355	7.09

PAIN RELIEVERS

Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?

ANLNOLST

Len : 2 EVER USED ANY OTHER PAIN RELIEVER NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	19937	2.23
2 = No.....	95244	10.67
4 = No LOGICALLY ASSIGNED .....	791	0.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW .....	1306	0.15
97 = REFUSED .....	199	0.02
98 = BLANK (NO ANSWER) .....	23	0.00

PAIN RELIEVERS

ANALNEWA

Len : 4 OTHER PAIN RELIEVER - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
105 = Placidyl, Ethchlorvynol.....	16	0.00
108 = Nembutal .....	5	0.00
109 = Seconal .....	29	0.00
110 = Tuinal.....	17	0.00
112 = Restoril .....	6	0.00
113 = Halcion .....	4	0.00
115 = Phenobarbital .....	9	0.00
116 = Methaqualone, Sopor, Quaalude .....	216	0.02
118 = Pentobarbital, Pentothal, Sodium pentothal .....	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	34	0.00
124 = Yellow jackets .....	6	0.00
129 = Reds.....	9	0.00
130 = Promethazine .....	42	0.00
131 = Haldol, Haloperidol .....	4	0.00
137 = 7-14.....	2	0.00
138 = Mandrax, Mandrix [see also 116] .....	2	0.00
140 = Seldane .....	1	0.00
141 = Dilantin .....	2	0.00
142 = Belladona.....	1	0.00
146 = Bently, Dicyclomine .....	2	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	3	0.00
173 = Wafers.....	1	0.00
174 = Ambien .....	74	0.01
176 = Melatonin <OTC> .....	1	0.00
177 = Bean.....	1	0.00
178 = Quetiapine, Seroquel.....	59	0.01
180 = Tylenol P.M. <OTC>.....	5	0.00
186 = Butalbital .....	6	0.00
189 = Sonata, Zaleplon .....	1	0.00
191 = Blues.....	3	0.00
197 = Topamax .....	6	0.00
201 = Valium.....	960	0.11
202 = Librium .....	4	0.00
206 = Tranxene.....	1	0.00
207 = Ativan .....	58	0.01
209 = Xanax.....	1677	0.19
211 = BuSpar.....	9	0.00
216 = Atarax .....	4	0.00
220 = Meprobamate .....	2	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED .....	4	0.00
223 = Methocarbamol.....	15	0.00
225 = Desyrel, Trazodone hydrochloride.....	32	0.00
227 = Thorazine.....	7	0.00
228 = Amitriptyline, Elavil .....	24	0.00
230 = Compazine, Prochlorperazine .....	2	0.00
234 = Flexeril.....	251	0.03
240 = Lithium carbonate, Lithonate.....	10	0.00
241 = Prozac, Fluoxetine .....	37	0.00
246 = Klonopin.....	210	0.02
247 = Adapin, Doxepin, Sinequan .....	1	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor.....	4	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies .....	32	0.00
271 = Sertraline hydrochloride, Zoloft.....	33	0.00
278 = Benzodiazepines .....	4	0.00
282 = Clozapine, Clozaril .....	2	0.00
283 = Paroxetine, Paxil.....	11	0.00
285 = Risperdal, Risperdol, Risperidone .....	1	0.00
288 = Baclofen.....	6	0.00
289 = Olanzapine, Zyprexa .....	2	0.00
290 = Metaxalone, Skelaxin .....	28	0.00
291 = Celexa, Citalopram .....	6	0.00
295 = Mirtazapine, Remeron.....	2	0.00
298 = Acepromazine, PromAce .....	1	0.00
301 = Dexedrine .....	6	0.00
304 = Benzedrine .....	2	0.00
307 = Tenuate .....	1	0.00
309 = Didrex.....	1	0.00
313 = Adipex-P.....	3	0.00
318 = Ritalin .....	130	0.01
322 = Methamphetamine ("ice" or "crank"), Meth.....	5	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED .....	1	0.00

PAIN RELIEVERS

326 = White cross .....	1	0.00
327 = Black beauties, black beauty .....	11	0.00
332 = Ephedrine.....	4	0.00
336 = Diet pills/medications/drugs, otherwise unspfd.....	6	0.00
339 = Amphetamines, otherwise unspecified.....	6	0.00
343 = Nitroglycerine.....	1	0.00
344 = Bennies .....	2	0.00
345 = Black molly.....	2	0.00
352 = Lemons .....	1	0.00
369 = Artane .....	1	0.00
377 = Albuterol.....	2	0.00
380 = Pink ladies.....	2	0.00
382 = Footballs, purple footballs.....	3	0.00
385 = Little pink one.....	1	0.00
401 = Darvon.....	18	0.00
403 = SK-65.....	4	0.00
405 = Levo-Dromoran .....	2	0.00
406 = Percodan .....	13	0.00
407 = Demerol .....	67	0.01
408 = Dilaudid, Hydromorphone .....	75	0.01
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	130	0.01
410 = Phenaphen with Codeine, Phenaphen 3.....	3	0.00
411 = Talwin.....	10	0.00
412 = Talwin NX.....	2	0.00
413 = Talacen .....	3	0.00
414 = Propoxyphene.....	9	0.00
415 = Codeine pills.....	130	0.01
417 = Morphine .....	185	0.02
418 = Methadone .....	80	0.01
419 = Stadol, Stadol NS.....	9	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	435	0.05
421 = USED ANALGESIC, DON'T KNOW NAME .....	1916	0.21
422 = Motrin.....	358	0.04
423 = Percocet.....	372	0.04
424 = Fioricet.....	8	0.00
425 = Advil <OTC>.....	87	0.01
426 = Fiorinal .....	4	0.00
427 = Darvocet, Davocet-N .....	55	0.01
430 = Aspirin, Ecotrin, Empirin <OTC> .....	21	0.00
431 = Tylox .....	27	0.00
433 = Paregoric.....	1	0.00
434 = Vicodin .....	1044	0.12
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	95	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	209	0.02
439 = 222, Canadian 222 .....	5	0.00
442 = Ibuprofen .....	941	0.11
443 = Dolobid.....	1	0.00
444 = Aspirin with Codeine, Empirin 3, Empirin 4.....	2	0.00
445 = Norgesic Forte .....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	7	0.00
454 = Novocain, Procaine.....	1	0.00
455 = Fiorinal with Codeine .....	2	0.00
458 = Mepergan, Mepergan Fortis.....	39	0.00
462 = Norflex.....	1	0.00
465 = Fentanyl.....	172	0.02
466 = Midol <OTC>.....	7	0.00
468 = Excedrin <OTC> .....	7	0.00
470 = Cafergot.....	3	0.00
472 = Indocin, Indomethacin .....	5	0.00
476 = Duradrin, Isocom, Midrin .....	15	0.00
477 = Melumbrina, Neo-Melumbrina .....	8	0.00
480 = Robitussin AC (with Codeine), Cheratussin AC .....	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol .....	18	0.00
490 = Nalbuphine, Nubain.....	5	0.00
496 = Ultram.....	19	0.00
498 = Mefenamic acid, Ponstan, Ponstel.....	1	0.00
499 = Aleve <OTC> .....	12	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
603 = Mescaline.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	5	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
640 = Purple pyramid.....	1	0.00
651 = Mellow Yellow .....	1	0.00
658 = Special K, Ketamine .....	9	0.00

PAIN RELIEVERS

662 = Kanepolin .....	1	0.00
663 = Animal tranquilizer, horse tranquilizer .....	7	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED .....	3	0.00
702 = Heroin .....	3	0.00
703 = Opium, otherwise unspecified .....	5	0.00
704 = Dope .....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	9	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	23	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	11	0.00
805 = Cocaine, coca, cocaina, coke, perico .....	2	0.00
809 = Pills .....	1	0.00
819 = Inderal, Propranolol .....	2	0.00
820 = Penicillin .....	35	0.00
821 = Amoxicillin, Ampicillin, Pentrexly .....	48	0.01
824 = Steroids .....	3	0.00
828 = Tetracycline .....	3	0.00
829 = Robitussin DM <OTC> .....	2	0.00
837 = Paris 400 .....	1	0.00
843 = Cold medicine, cold tablets <OTC> .....	2	0.00
844 = Blood pressure medication .....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC> .....	3	0.00
858 = Antibiotic .....	17	0.00
883 = Dextromethorphan hydrobromide <OTC> .....	1	0.00
894 = Depakene, Depakote, Valproic acid .....	2	0.00
895 = Tagamet, Cimetidine .....	1	0.00
896 = Catapres, Clonidine .....	6	0.00
900 = Not a drug .....	2	0.00
1001 = Benadryl, Diphenhydramine <OTC> .....	6	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC> .....	4	0.00
1003 = Donnatal .....	1	0.00
1006 = Trileptal, Oxcarbazepine .....	2	0.00
1008 = Rohr 714, Rorer 714 .....	4	0.00
1010 = Diprivan .....	1	0.00
1016 = Phenazepam .....	1	0.00
1018 = Advil PM <OTC> .....	2	0.00
1021 = Seroquel XR .....	1	0.00
2001 = Soma .....	375	0.04
2002 = Muscle relaxers .....	135	0.02
2003 = Zanies, zannies, zans, zany bars .....	41	0.00
2007 = R2 .....	1	0.00
2010 = Buscopan, Espacil .....	1	0.00
2011 = Lexapro .....	7	0.00
2012 = Geodon, Ziprasidone .....	2	0.00
2013 = Levsin, Hyoscyamine .....	1	0.00
2014 = Robaxial .....	1	0.00
2015 = Flexodin .....	1	0.00
2016 = Xanax XR .....	2	0.00
2018 = 4 Bar, Quad Bar .....	2	0.00
2019 = Soma Compound .....	1	0.00
2023 = Tandrilax .....	1	0.00
3004 = Black cadillac .....	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine) .....	1	0.00
3018 = Up-johns .....	1	0.00
3023 = Adderall .....	422	0.05
3026 = Bupropion, Wellbutrin, Zyban .....	7	0.00
3037 = Effexor .....	3	0.00
3040 = Hyper pills .....	1	0.00
3046 = Adrenalin, Epinephrine .....	1	0.00
3050 = Mini thins .....	1	0.00
3052 = Speed, otherwise unspecified .....	19	0.00
3077 = Concerta .....	8	0.00
3087 = Strattera .....	1	0.00
3090 = Provigil .....	4	0.00
3094 = Dexmethylphenidate, Focalin .....	2	0.00
3099 = Asenlix, Clobenzorex .....	1	0.00
3102 = Methylin .....	1	0.00
3106 = Sedalmerk .....	1	0.00
3111 = Vyvanse .....	11	0.00
3115 = Isometheptene .....	1	0.00
3118 = alli weight loss pills <OTC> .....	1	0.00
4001 = Actron, Ketoprofen, Orudis, Oruvail .....	3	0.00
4002 = Imitrex .....	17	0.00
4005 = Etodolac, Lodine .....	3	0.00
4007 = Happy pills .....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol .....	5	0.00

PAIN RELIEVERS

4022 = Buprenex.....	2	0.00
4029 = Feldine, Piroxicam.....	1	0.00
4031 = Cough medicine with Codeine.....	30	0.00
4033 = Vicoprofen.....	17	0.00
4035 = Nabumetone, Relafen.....	10	0.00
4037 = MS Contin.....	10	0.00
4038 = Propacet.....	1	0.00
4039 = Daypro.....	4	0.00
4041 = Maxalt, Rizatriptan.....	5	0.00
4043 = Tramadol.....	69	0.01
4044 = Hydrocodone.....	333	0.04
4045 = Dolgic, Phrenillin Forte, Sedapap.....	2	0.00
4046 = Oxycodone.....	477	0.05
4047 = Roxicet.....	98	0.01
4048 = Motrin IB <OTC>.....	1	0.00
4049 = Headache power <OTC>.....	1	0.00
4051 = Celebrex.....	22	0.00
4052 = Endocet.....	21	0.00
4054 = Zomax.....	1	0.00
4055 = Vioxx.....	44	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	21	0.00
4057 = Mejoral.....	2	0.00
4058 = Totem poles.....	2	0.00
4059 = Zomig, Zolmitriptan.....	4	0.00
4061 = Oramorph SR.....	1	0.00
4064 = Epidrin.....	1	0.00
4065 = Roxicodone.....	58	0.01
4067 = OxyContin.....	339	0.04
4069 = Benflogin.....	1	0.00
4071 = Syncol.....	1	0.00
4073 = Temgesic.....	1	0.00
4076 = OTC Pain reliever, not otherwise specified.....	1	0.00
4078 = Spasmaproxyn.....	1	0.00
4080 = Morphidex.....	1	0.00
4081 = Avamigran.....	1	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin.....	3	0.00
4083 = Ultracet.....	26	0.00
4086 = Parafon Forte.....	3	0.00
4087 = Torbugesic/Torbutrol (veterinary butorphanol).....	1	0.00
4088 = Synthetic heroin; otherwise unspecified.....	1	0.00
4089 = Brompton's solution/mixture.....	1	0.00
4091 = K4.....	3	0.00
4092 = Pain reliever lotion, rub; not specified.....	3	0.00
4093 = Tylex, Solpadeine.....	4	0.00
4094 = Tombstones.....	1	0.00
4095 = Dihydrocodeine.....	2	0.00
4096 = Bextra, Valdecoxib.....	6	0.00
4097 = Tussionex.....	11	0.00
4100 = Excedrin Migraine <OTC>.....	1	0.00
4101 = Myprodol.....	2	0.00
4102 = Mobic, Meloxicam.....	2	0.00
4103 = Terpin Hydrate with Codeine.....	1	0.00
4104 = Dolo-Neurobion.....	1	0.00
4105 = Hydrocodone with APAP, otherwise unspecified.....	2	0.00
4108 = Homemade analgesics.....	2	0.00
4109 = Suboxone.....	107	0.01
4110 = Avinza.....	4	0.00
4111 = Clinoril, Sulinac.....	2	0.00
4114 = Nimesulide.....	1	0.00
4115 = Pantopon.....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	16	0.00
4117 = Oxy-IR.....	4	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine.....	18	0.00
4120 = Opana.....	143	0.02
4121 = Dorflex.....	2	0.00
4122 = Combiflam.....	4	0.00
4123 = Dolorex.....	1	0.00
4124 = Relpax.....	2	0.00
4125 = Hycodan, Hydromet, Tussionex.....	3	0.00
4126 = Panafen Plus.....	1	0.00
4127 = Panadeine.....	1	0.00
4132 = Embeda.....	1	0.00
4135 = Arcoxia, Etoricoxib.....	1	0.00
4136 = Sedalmex <OTC>.....	1	0.00

PAIN RELIEVERS

4137 = Nucynta.....	3	0.00
4143 = Vicotuss .....	2	0.00
4145 = Daprisal.....	1	0.00
5105 = Sulfur, otherwise unspecified.....	1	0.00
6029 = DXM.....	6	0.00
6044 = Gel caps, gel tabs .....	1	0.00
6048 = Dex .....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	3	0.00
6114 = Molly, not otherwise specified.....	3	0.00
6127 = Skittles .....	3	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	2	0.00
8002 = Zantac .....	43	0.00
8007 = Gabapentin, Neurontin.....	39	0.00
8008 = Antidepressant, type unspecified.....	9	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd .....	10	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	8	0.00
8012 = Coriciden <OTC>.....	6	0.00
8015 = Bengay <OTC>.....	1	0.00
8017 = Buscapina.....	2	0.00
8018 = Claritromicina .....	1	0.00
8019 = Azithromycin, Z-pack, Zithromax .....	1	0.00
8020 = Allegra, Altiva .....	7	0.00
8021 = Cipro, Ciprofloxacin, Cliloxam.....	2	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator .....	3	0.00
8025 = Alavert D, Claritin D, or similar .....	4	0.00
8029 = Flexall <OTC>.....	2	0.00
8030 = Tums <OTC>.....	2	0.00
8032 = Prilosec, Mopral.....	4	0.00
8033 = Heart medication, type unspecified.....	1	0.00
8035 = Prednisone .....	6	0.00
8044 = Cephelaxin, Keflex .....	4	0.00
8045 = Gas-X , Mylicon <OTC>.....	1	0.00
8052 = Bactrim, Septra .....	2	0.00
8058 = Cough medicine/syrup, type unspecified .....	26	0.00
8062 = Mylanta <OTC>.....	1	0.00
8065 = Tylenol Cold Medication <OTC>.....	1	0.00
8066 = Viagra .....	1	0.00
8071 = Augmentin .....	2	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd .....	4	0.00
8094 = Pepto Bismol <OTC> .....	2	0.00
8097 = Tizanidine, Zanaflex .....	3	0.00
8114 = Lidocaine .....	8	0.00
8117 = Hydrocortisone .....	4	0.00
8119 = Regal medicated oil.....	1	0.00
8120 = Diflucan .....	1	0.00
8126 = Valtrex .....	1	0.00
8134 = Glucophage, Metformin.....	2	0.00
8135 = Verapamil .....	1	0.00
8136 = Montekulast, Singulair.....	2	0.00
8140 = Anamine .....	1	0.00
8142 = Conex Plus.....	1	0.00
8144 = Clarinex, Desloratadine.....	1	0.00
8150 = Biolex wound gel <OTC>.....	1	0.00
8153 = Nexium .....	2	0.00
8156 = Flumethasone.....	1	0.00
8162 = Prevacid.....	2	0.00
8168 = Fluoride.....	1	0.00
8172 = Cortisone.....	1	0.00
8182 = Clindamycin.....	1	0.00
8184 = Ondansetron, Periset, Zofran.....	1	0.00
8186 = Lomotil .....	2	0.00
8190 = Benegal .....	1	0.00
8196 = Hirudoid.....	1	0.00
8198 = Handle bars, handlebars .....	4	0.00
8199 = Neurobion .....	1	0.00
8200 = Dan(s), Dan Dan(s), no other information.....	2	0.00
8201 = Watson(s), no other information .....	4	0.00
8203 = Bar, otherwise unspecified.....	17	0.00
8205 = Tylenol Allergy <OTC> .....	1	0.00
8210 = Mylan(s), no other information .....	1	0.00
8213 = Ranitidine.....	1	0.00
8217 = Anti-diarrhea medication, type unspecified.....	1	0.00
8218 = Attention deficit disorder meds; type unspcfd.....	1	0.00
8225 = Cymbalta, Duloxetine .....	5	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	5	0.00

PAIN RELIEVERS

8230 = Advair .....	1	0.00
8235 = Benzonatate, Tessalon.....	1	0.00
8236 = Lyrica, Pregabalin.....	8	0.00
8242 = Albucid .....	1	0.00
8243 = Guaiifenex.....	1	0.00
8245 = Human growth hormone (HGH).....	1	0.00
8246 = Phenoxyl.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8255 = Sulfuride .....	1	0.00
8274 = Terramycin.....	1	0.00
8281 = Antiseptic, type unspecified.....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	3	0.00
8296 = Acetazolamide, Diamox.....	1	0.00
8297 = TussiCaps.....	1	0.00
8306 = Flu medication, no other information.....	1	0.00
8323 = Benzathine benzylpenicillin, Penadur.....	1	0.00
8330 = Bipolar disorder medication, type unspecified.....	1	0.00
8333 = Moringa .....	1	0.00
8342 = Nalone, Naloxone, Narcan.....	1	0.00
8345 = Dolo-Doceplex D.....	1	0.00
8346 = Duralex .....	1	0.00
8356 = Tigan, Trimethobenzamide.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
9985 = BAD DATA Logically assigned .....	204	0.02
9989 = LEGITIMATE SKIP Logically assigned .....	791	0.09
9991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
9997 = REFUSED .....	745	0.08
9998 = BLANK (NO ANSWER).....	6048	0.68
9999 = LEGITIMATE SKIP.....	95244	10.67



PAIN RELIEVERS

ANALNEWB

Len : 4 OTHER PAIN RELIEVER - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
105 = Placidyl, Ethchlorvynol.....	6	0.00
106 = Doriden.....	1	0.00
109 = Seconal.....	8	0.00
110 = Tuinal.....	5	0.00
112 = Restoril.....	2	0.00
113 = Halcion.....	1	0.00
114 = Amobarbital.....	1	0.00
115 = Phenobarbital.....	4	0.00
116 = Methaqualone, Sopor, Quaalude.....	31	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	8	0.00
124 = Yellow jackets.....	3	0.00
129 = Reds.....	5	0.00
130 = Promethazine.....	10	0.00
137 = 7-14.....	3	0.00
138 = Mandrax, Mandrix [see also 116].....	2	0.00
141 = Dilantin.....	1	0.00
146 = Bentlyl, Dicyclomine.....	1	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	3	0.00
174 = Ambien.....	17	0.00
178 = Quetiapine, Seroquel.....	19	0.00
180 = Tylenol P.M. <OTC>.....	5	0.00
191 = Blues.....	1	0.00
195 = Lotunate, Talbutal.....	1	0.00
197 = Topamax.....	4	0.00
201 = Valium.....	203	0.02
202 = Librium.....	1	0.00
207 = Ativan.....	18	0.00
209 = Xanax.....	264	0.03
211 = BuSpar.....	2	0.00
215 = Vistaril.....	1	0.00
216 = Atarax.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	2	0.00
223 = Methocarbamol.....	1	0.00
224 = Triavil.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	9	0.00
227 = Thorazine.....	1	0.00
228 = Amitriptyline, Elavil.....	8	0.00
234 = Flexeril.....	57	0.01
241 = Prozac, Fluoxetine.....	5	0.00
246 = Klonopin.....	77	0.01
250 = Aventyl, Nortab, Nortriptyline, Pamelor.....	1	0.00
262 = Prolixin.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	8	0.00
271 = Sertraline hydrochloride, Zoloft.....	6	0.00
283 = Paroxetine, Paxil.....	1	0.00
290 = Metaxolone, Skelaxin.....	2	0.00
291 = Celexa, Citalopram.....	2	0.00
295 = Mirtazapine, Remeron.....	1	0.00
309 = Didrex.....	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	37	0.00
327 = Black beauties, black beauty.....	4	0.00
331 = Blancs, whites.....	2	0.00
334 = Crossroads, cross tops.....	1	0.00
336 = Diet pills/medications/drugs, otherwise unspfd.....	2	0.00
339 = Amphetamines, otherwise unspecified.....	2	0.00
364 = Pseudoephedrine <OTC>.....	1	0.00
377 = Albuterol.....	2	0.00
382 = Footballs, purple footballs.....	1	0.00
401 = Darvon.....	3	0.00
403 = SK-65.....	1	0.00
406 = Percodan.....	7	0.00
407 = Demerol.....	8	0.00
408 = Dilaudid, Hydromorphone.....	14	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	27	0.00
411 = Talwin.....	2	0.00
413 = Talacen.....	2	0.00
414 = Propoxyphene.....	1	0.00
415 = Codeine pills.....	35	0.00
417 = Morphine.....	46	0.01
418 = Methadone.....	22	0.00

PAIN RELIEVERS

419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	86	0.01
421 = USED ANALGESIC, DON'T KNOW NAME.....	201	0.02
422 = Motrin.....	58	0.01
423 = Percocet.....	83	0.01
424 = Fioricet.....	2	0.00
425 = Advil <OTC>.....	53	0.01
426 = Fiorinal.....	1	0.00
427 = Darvocet, Davocet-N.....	14	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	12	0.00
431 = Tylox.....	5	0.00
434 = Vicodin.....	248	0.03
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	71	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	17	0.00
439 = 222, Canadian 222.....	1	0.00
442 = Ibuprofen.....	122	0.01
447 = Synalgos, Synalgos DC.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	4	0.00
454 = Novocain, Procaine.....	1	0.00
458 = Mepergan, Mepergan Fortis.....	2	0.00
465 = Fentanyl.....	31	0.00
466 = Midol <OTC>.....	8	0.00
468 = Excedrin <OTC>.....	4	0.00
470 = Cafergot.....	1	0.00
476 = Duradrin, Isocom, Midrin.....	1	0.00
477 = Melumbrina, Neo-Melumbrina.....	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol.....	4	0.00
490 = Nalbuphine, Nubain.....	2	0.00
496 = Ultram.....	6	0.00
498 = Mefenamic acid, Ponstan, Ponstel.....	2	0.00
499 = Aleve <OTC>.....	11	0.00
658 = Special K, Ketamine.....	3	0.00
673 = Orange.....	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703 = Opium, otherwise unspecified.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	5	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	3	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820 = Penicillin.....	6	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	5	0.00
829 = Robitussin DM <OTC>.....	3	0.00
843 = Cold medicine, cold tablets <OTC>.....	2	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
858 = Antibiotic.....	1	0.00
865 = Diuretics, water pills.....	2	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
896 = Catapres, Clonidine.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	7	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	1	0.00
1008 = Rohr 714, Rorer 714.....	1	0.00
1011 = Eszopiclone, Lunesta.....	2	0.00
2001 = Soma.....	90	0.01
2002 = Muscle relaxers.....	27	0.00
2003 = Zanies, zannies, zans, zany bars.....	10	0.00
2010 = Buscopan, Espacil.....	1	0.00
2011 = Lexapro.....	3	0.00
2016 = Xanax XR.....	1	0.00
2018 = 4 Bar, Quad Bar.....	1	0.00
2025 = Clobazam.....	1	0.00
3007 = Nasal inhalant.....	1	0.00
3023 = Adderall.....	73	0.01
3026 = Bupropion, Wellbutrin, Zyban.....	4	0.00
3037 = Effexor.....	2	0.00
3044 = Caffeine pills <OTC>.....	1	0.00
3047 = Sudafed <OTC>.....	1	0.00
3050 = Mini thins.....	1	0.00
3052 = Speed, otherwise unspecified.....	3	0.00
3077 = Concerta.....	3	0.00
3086 = Adderall XR.....	1	0.00
3111 = Vyvanse.....	3	0.00
4002 = Imitrex.....	4	0.00
4007 = Happy pills.....	2	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol.....	1	0.00
4023 = Pamprin <OTC>.....	2	0.00

PAIN RELIEVERS

4031 = Cough medicine with Codeine.....	3	0.00
4033 = Vicoprofen.....	3	0.00
4034 = Lilly red.....	1	0.00
4035 = Nabumetone, Relafen.....	1	0.00
4037 = MS Contin.....	3	0.00
4039 = Daypro.....	1	0.00
4041 = Maxalt, Rizatriptan.....	1	0.00
4043 = Tramadol.....	10	0.00
4044 = Hydrocodone.....	57	0.01
4046 = Oxycodone.....	62	0.01
4047 = Roxicet.....	15	0.00
4048 = Motrin IB <OTC>.....	2	0.00
4049 = Headache power <OTC>.....	2	0.00
4051 = Celebrex.....	2	0.00
4052 = Endocet.....	6	0.00
4055 = Vioxx.....	4	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	3	0.00
4057 = Mejoral.....	1	0.00
4058 = Totem poles.....	2	0.00
4060 = Ansaïd, Flurbiprofen, Majezik.....	1	0.00
4065 = Roxicodone.....	8	0.00
4067 = OxyContin.....	76	0.01
4076 = OTC Pain reliever, not otherwise specified.....	1	0.00
4082 = Analgin, Dipyron, Metamizol, Metamizole, Prodolin.....	1	0.00
4083 = Ultracet.....	5	0.00
4091 = K4.....	1	0.00
4093 = Tylex, Solpadeine.....	1	0.00
4096 = Bextra, Valdecoxib.....	1	0.00
4097 = Tussionex.....	3	0.00
4104 = Dolo-Neurobion.....	1	0.00
4106 = Atroveran.....	1	0.00
4109 = Suboxone.....	22	0.00
4114 = Nimesulide.....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
4119 = Buprenorphine.....	7	0.00
4120 = Opana.....	32	0.00
4122 = Combiflam.....	1	0.00
4129 = Naproxen Sodium 220 mg <OTC>.....	1	0.00
4133 = Tramadol extended release.....	1	0.00
4140 = Opana ER (extended release).....	1	0.00
4144 = Bancap HC.....	1	0.00
6029 = DXM.....	2	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6048 = Dex.....	1	0.00
6076 = Lemon 714.....	3	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	4	0.00
6114 = Molly, not otherwise specified.....	4	0.00
6127 = Skittles.....	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine.....	1	0.00
8002 = Zantac.....	10	0.00
8004 = Guaifenesin.....	1	0.00
8007 = Gabapentin, Neurontin.....	8	0.00
8008 = Antidepressant, type unspecified.....	3	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd.....	3	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	2	0.00
8012 = Coriciden <OTC>.....	8	0.00
8013 = Maalox <OTC>.....	1	0.00
8014 = Throat spray/lozenge, type unspecified <OTC>.....	1	0.00
8020 = Allegra, Altiva.....	3	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8025 = Alavert D, Claritin D, or similar.....	1	0.00
8027 = Alavert, Claritin, Loratadine <OTC>.....	2	0.00
8029 = Flexall <OTC>.....	1	0.00
8030 = Tums <OTC>.....	1	0.00
8035 = Prednisone.....	2	0.00
8055 = Flonase.....	1	0.00
8058 = Cough medicine/syrup, type unspecified.....	6	0.00
8067 = Testosterone.....	1	0.00
8068 = Hemorrhoid cream.....	1	0.00
8094 = Pepto Bismol <OTC>.....	1	0.00
8097 = Tizanidine, Zanaflex.....	4	0.00
8107 = Diovan, Valsartan.....	1	0.00
8114 = Lidocaine.....	1	0.00
8135 = Verapamil.....	1	0.00
8136 = Montekulast, Singulair.....	3	0.00

PAIN RELIEVERS

8155 = Telithromycin .....	1	0.00
8169 = TheraFlu <OTC> .....	1	0.00
8173 = Chlorhexidine, Exidine .....	1	0.00
8184 = Ondansetron, Periset, Zofran.....	2	0.00
8198 = Handle bars, handlebars .....	1	0.00
8203 = Bar, otherwise unspecified.....	3	0.00
8210 = Mylan(s), no other information .....	1	0.00
8213 = Ranitidine.....	1	0.00
8233 = Keppra, Levetiracetam.....	1	0.00
8234 = Lamisil.....	1	0.00
8239 = Drotaverine, Drotin.....	1	0.00
8267 = Quinine .....	1	0.00
8274 = Terramycin.....	1	0.00
8280 = Mucinex-DM <OTC> .....	1	0.00
8290 = Dependal-M, Furazolidone, Furoxone .....	1	0.00
8305 = Anti-anxiety medications, type unspecified .....	2	0.00
8306 = Flu medication, no other information.....	1	0.00
8320 = Abraxane.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
9985 = BAD DATA Logically assigned .....	121	0.01
9989 = LEGITIMATE SKIP Logically assigned .....	186	0.02
9991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
9997 = REFUSED .....	269	0.03
9998 = BLANK (NO ANSWER).....	18257	2.04
9999 = LEGITIMATE SKIP.....	95849	10.73

PAIN RELIEVERS

ANALNEWC

Len : 4 OTHER PAIN RELIEVER - SPECIFY 3

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
105 = Placidyl, Ethchlorvynol.....	3	0.00
108 = Nembutal .....	1	0.00
109 = Seconal .....	4	0.00
110 = Tuinal.....	4	0.00
113 = Halcion .....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	9	0.00
117 = Chloral hydrate, Noctec .....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	1	0.00
130 = Promethazine .....	2	0.00
137 = 7-14.....	4	0.00
145 = Red devil(s).....	1	0.00
146 = Bentlyl, Dicyclomine .....	1	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien .....	7	0.00
176 = Melatonin <OTC> .....	1	0.00
178 = Quetiapine, Seroquel.....	2	0.00
191 = Blues .....	1	0.00
201 = Valium .....	52	0.01
202 = Librium .....	2	0.00
207 = Ativan .....	8	0.00
209 = Xanax.....	82	0.01
212 = Miltown .....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED .....	2	0.00
223 = Methocarbamol.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	3	0.00
228 = Amitriptyline, Elavil .....	1	0.00
234 = Flexeril.....	8	0.00
241 = Prozac, Fluoxetine .....	1	0.00
246 = Klonopin.....	24	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor .....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies .....	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	6	0.00
278 = Benzodiazepines .....	1	0.00
283 = Paroxetine, Paxil .....	1	0.00
298 = Acepromazine, PromAce .....	1	0.00
301 = Dexedrine .....	1	0.00
318 = Ritalin .....	12	0.00
326 = White cross .....	1	0.00
327 = Black beauties, black beauty .....	2	0.00
332 = Ephedrine.....	1	0.00
377 = Albuterol.....	1	0.00
382 = Footballs, purple footballs.....	1	0.00
403 = SK-65.....	1	0.00
406 = Percodan .....	3	0.00
407 = Demerol .....	6	0.00
408 = Dilaudid, Hydromorphone .....	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	9	0.00
411 = Talwin.....	1	0.00
413 = Talacen .....	1	0.00
414 = Propoxyphene .....	1	0.00
415 = Codeine pills .....	20	0.00
417 = Morphine .....	15	0.00
418 = Methadone .....	9	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	30	0.00
421 = USED ANALGESIC, DON'T KNOW NAME .....	60	0.01
422 = Motrin.....	17	0.00
423 = Percocet .....	25	0.00
424 = Fioricet.....	1	0.00
425 = Advil <OTC>.....	17	0.00
426 = Fiorinal .....	2	0.00
427 = Darvocet, Davocet-N .....	6	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	5	0.00
431 = Tylox .....	5	0.00
434 = Vicodin .....	49	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC> .....	29	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	8	0.00
442 = Ibuprofen .....	24	0.00
458 = Mepergan, Mepergan Fortis .....	2	0.00
465 = Fentanyl.....	8	0.00
466 = Midol <OTC>.....	5	0.00
468 = Excedrin <OTC> .....	1	0.00
476 = Duradrin, Isocom, Midrin .....	1	0.00

PAIN RELIEVERS

496 = Ultram.....	2	0.00
499 = Aleve <OTC> .....	6	0.00
820 = Penicillin .....	2	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
829 = Robitussin DM <OTC> .....	2	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC> .....	2	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
2001 = Soma.....	24	0.00
2002 = Muscle relaxers .....	3	0.00
2003 = Zanies, zannies, zans, zany bars.....	7	0.00
3007 = Nasal inhalant .....	1	0.00
3017 = Dayquil <OTC>.....	1	0.00
3023 = Adderall .....	23	0.00
3026 = Bupropion, Wellbutrin, Zyban .....	3	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
3086 = Adderall XR.....	1	0.00
3111 = Vyvanse .....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol, Tegretol.....	1	0.00
4027 = Rorer.....	2	0.00
4037 = MS Contin.....	1	0.00
4043 = Tramadol.....	4	0.00
4044 = Hydrocodone.....	17	0.00
4046 = Oxycodone.....	18	0.00
4047 = Roxicet.....	1	0.00
4048 = Motrin IB <OTC>.....	1	0.00
4052 = Endocet.....	1	0.00
4057 = Mejoral .....	1	0.00
4058 = Totem poles .....	1	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin .....	23	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin .....	1	0.00
4083 = Ultracet .....	1	0.00
4088 = Synthetic heroin; otherwise unspecified.....	1	0.00
4099 = Anacin <OTC> .....	1	0.00
4109 = Suboxone .....	2	0.00
4119 = Buprenorphine .....	3	0.00
4120 = Opana.....	8	0.00
4141 = Alfenta, Alfentanil .....	1	0.00
4145 = Daprisal.....	1	0.00
6029 = DXM.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	1	0.00
8002 = Zantac .....	3	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	1	0.00
8012 = Coriciden <OTC> .....	2	0.00
8019 = Azithromycin, Z-pack, Zithromax .....	1	0.00
8020 = Allegra, Altiva .....	6	0.00
8027 = Alavert, Claritin, Loratadine <OTC>.....	1	0.00
8033 = Heart medication, type unspecified.....	1	0.00
8035 = Prednisone .....	1	0.00
8055 = Flonase.....	1	0.00
8058 = Cough medicine/syrup, type unspecified .....	2	0.00
8153 = Nexium .....	1	0.00
8172 = Cortisone.....	1	0.00
8182 = Clindamycin.....	1	0.00
8189 = Furosemide, Lasix.....	1	0.00
8198 = Handle bars, handlebars .....	1	0.00
8203 = Bar, otherwise unspecified.....	1	0.00
8245 = Human growth hormone (HGH) .....	1	0.00
8274 = Terramycin.....	1	0.00
8299 = Broncolin <OTC>.....	1	0.00
8313 = Medithane .....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
9985 = BAD DATA Logically assigned .....	40	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	46	0.01
9991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
9997 = REFUSED .....	230	0.03
9998 = BLANK (NO ANSWER).....	20381	2.28
9999 = LEGITIMATE SKIP.....	95989	10.75

PAIN RELIEVERS

ANALNEWD

Len : 4 OTHER PAIN RELIEVER - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
109 = Seconal .....	1	0.00
110 = Tuinal.....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	2	0.00
137 = 7-14.....	1	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien .....	2	0.00
178 = Quetiapine, Seroquel.....	1	0.00
201 = Valium.....	17	0.00
207 = Ativan .....	3	0.00
209 = Xanax.....	24	0.00
215 = Vistaril.....	1	0.00
225 = Desyrel, Trazodone hydrochloride .....	1	0.00
234 = Flexeril.....	4	0.00
241 = Prozac, Fluoxetine .....	1	0.00
246 = Klonopin .....	10	0.00
288 = Baclofen.....	1	0.00
318 = Ritalin .....	5	0.00
407 = Demerol .....	2	0.00
408 = Dilaudid, Hydromorphone .....	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	4	0.00
411 = Talwin.....	2	0.00
414 = Propoxyphene .....	1	0.00
415 = Codeine pills.....	7	0.00
417 = Morphine .....	5	0.00
418 = Methadone .....	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	12	0.00
421 = USED ANALGESIC, DON'T KNOW NAME .....	16	0.00
422 = Motrin.....	5	0.00
423 = Percocet .....	7	0.00
425 = Advil <OTC>.....	10	0.00
427 = Darvocet, Davocet-N .....	4	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	3	0.00
434 = Vicodin .....	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC> .....	6	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	1	0.00
442 = Ibuprofen .....	12	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC> .....	1	0.00
465 = Fentanyl.....	1	0.00
466 = Midol <OTC>.....	1	0.00
496 = Ultram.....	4	0.00
499 = Aleve <OTC> .....	1	0.00
605 = PCP ("angel dust," phencyclidine) .....	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED .....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly .....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC> .....	1	0.00
1008 = Rohr 714, Rorer 714 .....	1	0.00
2001 = Soma.....	7	0.00
2002 = Muscle relaxers .....	1	0.00
2003 = Zanies, zannies, zans, zany bars.....	1	0.00
3023 = Adderall .....	4	0.00
3026 = Bupropion, Wellbutrin, Zyban .....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol .....	1	0.00
4033 = Vicoprofen.....	1	0.00
4043 = Tramadol.....	3	0.00
4044 = Hydrocodone.....	7	0.00
4046 = Oxycodone.....	3	0.00
4048 = Motrin IB <OTC>.....	1	0.00
4052 = Endocet .....	2	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	1	0.00
4067 = OxyContin .....	7	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin .....	1	0.00
4083 = Ultracet .....	1	0.00
4116 = Phenergan with codeine, promethazine with codeine.....	1	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine .....	1	0.00
4120 = Opana.....	2	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd .....	1	0.00
8020 = Allegra, Altiva .....	1	0.00

PAIN RELIEVERS

8030 = Tums <OTC>.....	1	0.00
8035 = Prednisone .....	1	0.00
8047 = Pepcid AC <OTC>.....	1	0.00
8094 = Pepto Bismol <OTC> .....	1	0.00
8114 = Lidocaine .....	1	0.00
8200 = Dan(s), Dan Dan(s), no other information.....	1	0.00
8225 = Cymbalta, Duloxetine .....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
9985 = BAD DATA Logically assigned .....	19	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	14	0.00
9991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
9997 = REFUSED .....	208	0.02
9998 = BLANK (NO ANSWER).....	20984	2.35
9999 = LEGITIMATE SKIP.....	96021	10.75



PAIN RELIEVERS

ANALNEW

Len : 4 OTHER PAIN RELIEVER - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
110 = Tuinal.....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	2	0.00
129 = Reds.....	1	0.00
174 = Ambien .....	2	0.00
201 = Valium .....	11	0.00
207 = Ativan .....	1	0.00
209 = Xanax.....	9	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
234 = Flexeril.....	3	0.00
241 = Prozac, Fluoxetine .....	1	0.00
318 = Ritalin .....	1	0.00
406 = Percodan .....	1	0.00
408 = Dilaudid, Hydromorphone .....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.00
415 = Codeine pills .....	3	0.00
417 = Morphine .....	4	0.00
418 = Methadone .....	1	0.00
419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	6	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	4	0.00
422 = Motrin.....	1	0.00
423 = Percocet .....	3	0.00
425 = Advil <OTC>.....	3	0.00
426 = Fiorinal .....	1	0.00
427 = Darvocet, Davocet-N .....	1	0.00
434 = Vicodin .....	6	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC> .....	4	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	2	0.00
442 = Ibuprofen .....	2	0.00
465 = Fentanyl .....	1	0.00
466 = Midol <OTC>.....	2	0.00
496 = Ultram.....	1	0.00
658 = Special K, Ketamine .....	1	0.00
806 = Crack, rock.....	1	0.00
2001 = Soma .....	5	0.00
3023 = Adderall .....	3	0.00
4044 = Hydrocodone.....	9	0.00
4046 = Oxycodone.....	1	0.00
4065 = Roxicodone .....	1	0.00
4067 = OxyContin .....	1	0.00
4109 = Suboxone .....	3	0.00
4139 = Bute tabs, Phenylbutazone .....	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine .....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8025 = Alavert D, Claritin D, or similar .....	1	0.00
8042 = Alka Seltzer <OTC> .....	1	0.00
8097 = Tizanidine, Zanaflex .....	2	0.00
8201 = Watson(s), no other information .....	1	0.00
8313 = Medithane .....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
9985 = BAD DATA Logically assigned .....	12	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	8	0.00
9991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
9997 = REFUSED .....	203	0.02
9998 = BLANK (NO ANSWER).....	21150	2.37
9999 = LEGITIMATE SKIP.....	96027	10.75

PAIN RELIEVERS

The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVTYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

**ANLEVER**      Len : 2    EVER USED PAIN RELIEVERS NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	114943	12.87
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
97 = REFUSED .....	25	0.00
98 = BLANK (NO ANSWER) .....	2548	0.29

How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

**ANALAGE**      Len : 3    AGE WHEN FIRST USED PAIN RELIEVERS NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 82.....	108539	12.15
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
985 = BAD DATA Logically assigned .....	850	0.10
991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
994 = DON'T KNOW .....	4238	0.47
997 = REFUSED .....	1377	0.15
998 = BLANK (NO ANSWER).....	2512	0.28

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

**ANALYFU**      Len : 4    YEAR OF FIRST PAIN RELIEVER USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2014 .....	18771	2.10
-9 = Data not collected for this year.....	170319	19.07
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
9985 = BAD DATA Logically assigned .....	2361	0.26
9989 = LEGITIMATE SKIP Logically assigned .....	1139	0.13
9991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
9994 = DON'T KNOW .....	4338	0.49
9997 = REFUSED .....	1419	0.16
9998 = BLANK (NO ANSWER).....	2591	0.29
9999 = LEGITIMATE SKIP.....	86897	9.73

PAIN RELIEVERS

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR07a or PR07b] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

**ANALMFU**      Len : 2    MONTH OF FIRST PAIN RELIEVER USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = January.....	1776	0.20
2 = February.....	1334	0.15
3 = March.....	1504	0.17
4 = April .....	1326	0.15
5 = May.....	1218	0.14
6 = June.....	1671	0.19
7 = July .....	1461	0.16
8 = August .....	1374	0.15
9 = September .....	1405	0.16
10 = October .....	1542	0.17
11 = November .....	1389	0.16
12 = December.....	1169	0.13
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	2352	0.26
89 = LEGITIMATE SKIP Logically assigned .....	1139	0.13
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
94 = DON'T KNOW .....	5863	0.66
97 = REFUSED .....	1496	0.17
98 = BLANK (NO ANSWER) .....	2600	0.29
99 = LEGITIMATE SKIP.....	86897	9.73

How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

**ANALREC**      Len : 2    TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days.....	19302	2.16
2 = More than 30 days ago but within the past 12 mos .....	29859	3.34
3 = More than 12 months ago .....	61569	6.89
8 = Used at some point in the past 12 mos LOG ASSN .....	547	0.06
9 = Used at some point in lifetime LOG ASSN .....	3546	0.40
11 = Used in the past 30 days LOGICALLY ASSIGNED .....	104	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN .....	16	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	40	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
97 = REFUSED .....	25	0.00
98 = BLANK (NO ANSWER) .....	2508	0.28

NOTE: The variables ANLYRTOT, PRBSTWAY, PRDAYPYR, PRDAYPMO, and PRDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any pain reliever more than 12 months ago but subsequently reported more recent use of any pain reliever or OxyContin.

**ANLYRTOT**      Len : 3    TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	48269	5.41
-9 = Data not collected for this year .....	170319	19.07
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
985 = BAD DATA Logically assigned .....	412	0.05
991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
994 = DON'T KNOW .....	908	0.10
997 = REFUSED .....	265	0.03
998 = BLANK (NO ANSWER).....	6093	0.68

PAIN RELIEVERS

<b>PRTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR ANLYRTOT	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Trimmed to 365 days (no further editing).....	5	0.00
	98 = BLANK (NO ANSWER) .....	722648	80.93

<b>PRFQFLG</b>	Len : 2 TRIMMED ANLYRTOT IF R USED < 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Trimmed to be consistent with mo/yr of 1st use .....	3409	0.38
	98 = BLANK (NO ANSWER) .....	719244	80.54

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?

<b>PRBSTWAY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Prefer to answer in days per week.....	8929	1.00
	2 = Prefer to answer in days per month.....	12996	1.46
	3 = Prefer to answer in days per year .....	25639	2.87
	11 = Prefer to ans in days per wk LOG ASSN.....	126	0.01
	12 = Prefer to ans in days per mo LOG ASSN.....	185	0.02
	13 = Prefer to ans in days per yr LOG ASSN .....	574	0.06
	21 = Prefer to ans in days per wk (OXBSTWAY=1,11).....	187	0.02
	22 = Prefer to ans in days per mo (OXBSTWAY=2,12).....	199	0.02
	23 = Prefer to ans in days per yr (OXBSTWAY=3,13).....	95	0.01
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
	85 = BAD DATA Logically assigned .....	410	0.05
	91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
	94 = DON'T KNOW .....	392	0.04
	97 = REFUSED .....	122	0.01
	98 = BLANK (NO ANSWER) .....	6093	0.68

On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

<b>PRDAYPYR</b>	Len : 3 # DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	26131	2.93
	-9 = Data not collected for this year.....	170319	19.07
	981 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
	985 = BAD DATA Logically assigned .....	113	0.01
	989 = LEGITIMATE SKIP Logically assigned .....	371	0.04
	991 = NEVER USED PAIN RELIEVERS .....	604055	67.65
	993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
	994 = DON'T KNOW .....	538	0.06
	997 = REFUSED .....	153	0.02
	998 = BLANK (NO ANSWER).....	6390	0.72
	999 = LEGITIMATE SKIP.....	22251	2.49

PAIN RELIEVERS

On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

**PRDAYPMO**      Len : 2   # DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31 .....	13152	1.47
-9 = Data not collected for this year .....	170319	19.07
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	110	0.01
89 = LEGITIMATE SKIP Logically assigned .....	213	0.02
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	723	0.08
97 = REFUSED .....	197	0.02
98 = BLANK (NO ANSWER) .....	6392	0.72
99 = LEGITIMATE SKIP.....	35160	3.94

On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

**PRDAYPWK**      Len : 2   # DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	8986	1.01
-9 = Data not collected for this year .....	170319	19.07
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	206	0.02
89 = LEGITIMATE SKIP Logically assigned .....	32	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	908	0.10
97 = REFUSED .....	265	0.03
98 = BLANK (NO ANSWER) .....	6299	0.71
99 = LEGITIMATE SKIP .....	39251	4.40

NOTE: Although the Food and Drug Administration (FDA) did not approve OxyContin for medical use in the United States until late 1995, no editing was done to OXYCAGE when respondents reported first using OxyContin at ages that would indicate nonmedical use prior to FDA approval. Although no editing was done for these cases, caution is advised in interpreting data from these respondents, and particularly the farther that OXYCAGE would be from first use in 1995.

Now think only about your use of Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused. How old were you the first time you used Oxycontin in either of these ways?

How old were you the first time you used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?

**OXYCAGE**      Len : 3   AGE WHEN FIRST USED OXYCONTIN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 66 .....	18501	2.07
-9 = Data not collected for this year .....	279628	31.31
981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
985 = BAD DATA Logically assigned .....	85	0.01
991 = NEVER USED OXYCONTIN .....	565663	63.35
994 = DON'T KNOW .....	194	0.02
997 = REFUSED .....	446	0.05
998 = BLANK (NO ANSWER).....	1564	0.18

PAIN RELIEVERS

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

**OXYCYFU**      Len : 4    YEAR OF FIRST OXYCONTIN USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2014 .....	3799	0.43
-9 = Data not collected for this year.....	279628	31.31
9981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
9985 = BAD DATA Logically assigned .....	378	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	166	0.02
9991 = NEVER USED OXYCONTIN .....	565663	63.35
9994 = DON'T KNOW .....	208	0.02
9997 = REFUSED .....	447	0.05
9998 = BLANK (NO ANSWER).....	1569	0.18
9999 = LEGITIMATE SKIP.....	14223	1.59

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR15 or PR16] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

**OXYCMFU**      Len : 2    MONTH OF FIRST OXYCONTIN USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	279628	31.31
1 = January.....	370	0.04
2 = February.....	281	0.03
3 = March.....	286	0.03
4 = April .....	247	0.03
5 = May.....	236	0.03
6 = June.....	327	0.04
7 = July .....	339	0.04
8 = August .....	273	0.03
9 = September.....	296	0.03
10 = October .....	296	0.03
11 = November .....	283	0.03
12 = December.....	223	0.02
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
85 = BAD DATA Logically assigned .....	390	0.04
89 = LEGITIMATE SKIP Logically assigned.....	166	0.02
91 = NEVER USED OXYCONTIN .....	565663	63.35
94 = DON'T KNOW .....	515	0.06
97 = REFUSED .....	461	0.05
98 = BLANK (NO ANSWER) .....	1578	0.18
99 = LEGITIMATE SKIP.....	14223	1.59

PAIN RELIEVERS

How long has it been since you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

**OXYCREC**      Len : 2    TIME SINCE LAST USED OXYCONTIN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = Within the past 30 days.....	1588	0.18
2 = More than 30 days ago but within the past 12 mos .....	4373	0.49
3 = More than 12 months ago .....	12313	1.38
8 = Used at some point in the past 12 mos LOG ASSN.....	166	0.02
9 = Used at some point in lifetime LOG ASSN .....	583	0.07
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	18	0.00
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED OXYCONTIN .....	565663	63.35
97 = REFUSED .....	421	0.05
98 = BLANK (NO ANSWER) .....	1326	0.15

**OXYRTOT**      Len : 3    TOTAL # DAYS USED OXYCONTIN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	5910	0.66
-9 = Data not collected for this year.....	279628	31.31
981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
985 = BAD DATA Logically assigned .....	99	0.01
991 = NEVER USED OXYCONTIN .....	565663	63.35
993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS .....	12313	1.38
994 = DON'T KNOW .....	43	0.00
997 = REFUSED .....	438	0.05
998 = BLANK (NO ANSWER).....	1987	0.22

**OXTOTFG**      Len : 2    TRIMMING INDICATOR FOR OXYRTOT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = Trimmed to 365 days (no further editing).....	1	0.00
98 = BLANK (NO ANSWER) .....	613343	68.69

**OXFQFLG**      Len : 2    TRIMMED OXYRTOT IF R USED < 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	279628	31.31
1 = Trimmed to be consistent with mo/yr of 1st use .....	659	0.07
98 = BLANK (NO ANSWER) .....	612685	68.61

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used OxyContin in either of these ways?

**OXBSTWAY**      Len : 2    EASIEST WAY TO TELL US # DAYS USED OXYCONTIN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = Prefer to answer in days per week.....	1042	0.12
2 = Prefer to answer in days per month.....	1522	0.17
3 = Prefer to answer in days per year .....	3329	0.37
11 = Prefer to ans in days per wk LOG ASSN.....	3	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	9	0.00
13 = Prefer to ans in days per yr LOG ASSN .....	31	0.00
22 = Prefer to ans in days per mo (PRBSTWAY=2,12).....	1	0.00
23 = Prefer to ans in days per yr (PRBSTWAY=3,13) .....	4	0.00
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
85 = BAD DATA Logically assigned .....	99	0.01
91 = NEVER USED OXYCONTIN .....	565663	63.35
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS .....	12313	1.38
94 = DON'T KNOW .....	22	0.00
97 = REFUSED .....	428	0.05
98 = BLANK (NO ANSWER) .....	1987	0.22

PAIN RELIEVERS

On how many days in the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

**OXDAYPYR**      Len : 3   # DAYS USED OXYCONTIN "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	3355	0.38
-9 = Data not collected for this year.....	279628	31.31
981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
985 = BAD DATA Logically assigned.....	28	0.00
989 = LEGITIMATE SKIP Logically assigned.....	12	0.00
991 = NEVER USED OXYCONTIN .....	565663	63.35
993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS .....	12313	1.38
994 = DON'T KNOW .....	30	0.00
997 = REFUSED .....	429	0.05
998 = BLANK (NO ANSWER).....	2058	0.23
999 = LEGITIMATE SKIP.....	2565	0.29

On average, how many days each month during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

**OXDAYPMO**      Len : 2   # DAYS PER MO USED OXYCONTIN "NM" PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31 .....	1525	0.17
-9 = Data not collected for this year.....	279628	31.31
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
85 = BAD DATA Logically assigned.....	21	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED OXYCONTIN .....	565663	63.35
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS .....	12313	1.38
94 = DON'T KNOW .....	34	0.00
97 = REFUSED .....	432	0.05
98 = BLANK (NO ANSWER) .....	2065	0.23
99 = LEGITIMATE SKIP.....	4397	0.49

On average, how many days each week during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

**OXDAYPWK**      Len : 2   # DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	1030	0.12
-9 = Data not collected for this year.....	279628	31.31
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
85 = BAD DATA Logically assigned .....	50	0.01
91 = NEVER USED OXYCONTIN .....	565663	63.35
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS .....	12313	1.38
94 = DON'T KNOW .....	43	0.00
97 = REFUSED .....	438	0.05
98 = BLANK (NO ANSWER) .....	2036	0.23
99 = LEGITIMATE SKIP.....	4880	0.55



PAIN RELIEVERS

The next question asks about using **prescription pain relievers** in any way a **doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way a **doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

<b>PNRNMLIF</b>	Len : 2	EVER USED PAIN RELIEVER NOT DIRECTED BY DR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	9477	1.06
		2 = No.....	74191	8.31
		5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	8684	0.97
		85 = BAD DATA Logically assigned .....	73	0.01
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	76108	8.52
		94 = DON'T KNOW .....	100	0.01
		97 = REFUSED .....	42	0.00
		98 = BLANK (NO ANSWER) .....	1644	0.18

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

<b>OXCNNMYR</b>	Len : 2	USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1389	0.16
		2 = No.....	1149	0.13
		5 = Yes LOGICALLY ASSIGNED (OXCNNYYR NE 1) .....	3	0.00
		81 = NEVER MISUSED PAIN RLVRS Logically assigned .....	6	0.00
		85 = BAD DATA Logically assigned .....	8	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150293	16.83
		93 = DID NOT USE IN THE PAST 12 MONTHS .....	17119	1.92
		94 = DON'T KNOW .....	7	0.00
		97 = REFUSED .....	11	0.00
		98 = BLANK (NO ANSWER) .....	334	0.04

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

<b>OXCNNMAGE</b>	Len : 3	AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 65 .....	1355	0.15
		-9 = Data not collected for this year .....	722653	80.93
		981 = NEVER USED PAIN RLVRS Logically assigned .....	6	0.00
		985 = BAD DATA Logically assigned .....	1	0.00
		991 = NEVER USED/MISUSED PAIN RELIEVERS .....	150293	16.83
		993 = DID NOT USE IN THE PAST 12 MONTHS .....	18268	2.05
		994 = DON'T KNOW .....	21	0.00
		997 = REFUSED .....	13	0.00
		998 = BLANK (NO ANSWER).....	362	0.04

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]?  
 Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

<b>OXCNNMYFU</b>	Len : 4	YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 2013 - 2017 .....	398	0.04
		-9 = Data not collected for this year .....	722653	80.93
		9981 = NEVER USED PAIN RLVRS Logically assigned .....	6	0.00
		9985 = BAD DATA Logically assigned .....	10	0.00
		9989 = LEGITIMATE SKIP Logically assigned .....	7	0.00
		9991 = NEVER USED/MISUSED PAIN RELIEVERS .....	150293	16.83
		9993 = DID NOT USE IN THE PAST 12 MONTHS.....	18268	2.05
		9998 = BLANK (NO ANSWER).....	397	0.04
		9999 = LEGITIMATE SKIP.....	940	0.11

PAIN RELIEVERS

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

**OXCNNMMFU** Len : 2 MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = January.....	41	0.00
2 = February.....	31	0.00
3 = March.....	32	0.00
4 = April.....	28	0.00
5 = May.....	34	0.00
6 = June.....	35	0.00
7 = July.....	34	0.00
8 = August.....	32	0.00
9 = September.....	27	0.00
10 = October.....	32	0.00
11 = November.....	15	0.00
12 = December.....	30	0.00
81 = NEVER USED PAIN RLVRs Logically assigned.....	6	0.00
85 = BAD DATA Logically assigned.....	10	0.00
89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150293	16.83
93 = DID NOT USE IN THE PAST 12 MONTHS.....	18268	2.05
94 = DON'T KNOW.....	26	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	397	0.04
99 = LEGITIMATE SKIP.....	940	0.11

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables of specific pain relievers, and PNRLVNM30DY.

**PNRNMREC** Len : 2 RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Within the past 30 days.....	2531	0.28
2 = More than 30 days ago but within the past 12 mos.....	6106	0.68
3 = More than 12 months ago.....	9355	1.05
8 = Misused at some point in past 12 mos LOG ASSN.....	46	0.01
9 = Misused at some point in lifetime LOG ASSN.....	122	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn.....	1181	0.13
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
98 = BLANK (NO ANSWER).....	678	0.08

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

**PNRNMINIT** Len : 2 PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Past year initiate.....	1809	0.20
2 = Not a past year initiate.....	617	0.07
4 = Not past yr initiate LOG ASSN (from skip pattern).....	6199	0.69
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN).....	1181	0.13
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	9355	1.05
94 = DON'T KNOW.....	31	0.00
97 = REFUSED.....	27	0.00
98 = BLANK (NO ANSWER).....	801	0.09

PAIN RELIEVERS

NOTE: The variables PNRNMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

**PNRNMAGE** Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES

	<b>Freq</b>	<b>Pct</b>
RANGE = 11 - 83 .....	1501	0.17
-9 = Data not collected for this year.....	722653	80.93
983 = NOT A PAST YEAR INITIATE Log assn.....	1181	0.13
991 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
993 = NOT A PAST YEAR INITIATE.....	16171	1.81
998 = BLANK (NO ANSWER).....	1167	0.13

**PNRNMYFU** Len : 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES

	<b>Freq</b>	<b>Pct</b>
RANGE = 2014 - 2017 .....	1497	0.17
-9 = Data not collected for this year.....	722653	80.93
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	1181	0.13
9991 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
9993 = NOT A PAST YEAR INITIATE .....	16171	1.81
9998 = BLANK (NO ANSWER).....	1171	0.13

**PNRNMMFU** Len : 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = January.....	134	0.02
2 = February.....	108	0.01
3 = March.....	128	0.01
4 = April .....	118	0.01
5 = May.....	121	0.01
6 = June.....	120	0.01
7 = July .....	109	0.01
8 = August .....	120	0.01
9 = September.....	109	0.01
10 = October .....	121	0.01
11 = November .....	114	0.01
12 = December.....	120	0.01
83 = NOT A PAST YEAR INITIATE Logically assigned .....	1181	0.13
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = NOT A PAST YEAR INITIATE .....	16171	1.81
98 = BLANK (NO ANSWER) .....	1246	0.14

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

**PNRNM30D** Len : 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	2327	0.26
2 = No.....	6106	0.68
3 = Yes LOGICALLY ASSIGNED .....	1	0.00
5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1) .....	204	0.02
83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn.....	215	0.02
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS .....	10321	1.16
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	33	0.00
98 = BLANK (NO ANSWER) .....	785	0.09

PAIN RELIEVERS

During the past 30 days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

PNRNM30FQ      Len : 2   # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	2480	0.28
-9 = Data not collected for this year .....	722653	80.93
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn .....	69	0.01
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS .....	16573	1.86
94 = DON'T KNOW .....	37	0.00
97 = REFUSED .....	14	0.00
98 = BLANK (NO ANSWER) .....	842	0.09

What is your best estimate of the number of days you used [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] during the past 30 days?

PNRNM30ES      Len : 2   EST # DAYS USED PAIN RLVR NOT DIRECTED PST 30 DYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = 1 or 2 days .....	8	0.00
2 = 3 to 5 days .....	14	0.00
3 = 6 to 9 days .....	9	0.00
4 = 10 to 19 days .....	4	0.00
5 = 20 to 29 days .....	1	0.00
6 = All 30 days .....	2	0.00
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn .....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS .....	16640	1.86
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	7	0.00
98 = BLANK (NO ANSWER) .....	847	0.09
99 = LEGITIMATE SKIP .....	2480	0.28

NOTE: Responses of "yes" in PNRNM30AL were assigned a code of 11 when respondents reported that they misused pain relievers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when PNRNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

PNRNM30AL      Len : 2   USED PAIN RLVR NOT DIRECTED BY DR W/ALC PST 30 DYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes .....	789	0.09
2 = No .....	929	0.10
11 = Yes (ALCREC=8) .....	1	0.00
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn .....	27	0.00
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS .....	16615	1.86
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	1	0.00
98 = BLANK (NO ANSWER) .....	871	0.10
99 = LEGITIMATE SKIP .....	782	0.09

PAIN RELIEVERS

Which of these statements describe your use of it/them at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

**PNRWYNORX**    Len : 2    USED PAIN RLVR W/O OWN RX PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	5384	0.60
2 = No (not entered).....	2961	0.33
83 = DID NOT MISUSE PAIN RELIEVERS IN PST 30 days Log assn.....	122	0.01
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10414	1.17
94 = DON'T KNOW.....	171	0.02
97 = REFUSED.....	171	0.02
98 = BLANK (NO ANSWER).....	793	0.09

**PNRWYGAMT**    Len : 2    USED PAIN RLVR IN GREATER AMTS THAN RX PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1774	0.20
2 = No (not entered).....	6571	0.74
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn.....	51	0.01
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10485	1.17
94 = DON'T KNOW.....	171	0.02
97 = REFUSED.....	171	0.02
98 = BLANK (NO ANSWER).....	789	0.09

**PNRWYOFTN**    Len : 2    USED PAIN RLVR MORE OFTEN THAN RX PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1241	0.14
2 = No (not entered).....	7103	0.80
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS logically assigned.....	49	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10487	1.17
94 = DON'T KNOW.....	171	0.02
97 = REFUSED.....	171	0.02
98 = BLANK (NO ANSWER).....	793	0.09

**PNRWYLNGR**    Len : 2    USED PAIN RLVR LONGER THAN RX PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1078	0.12
2 = No (not entered).....	7266	0.81
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	57	0.01
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10479	1.17
94 = DON'T KNOW.....	171	0.02
97 = REFUSED.....	171	0.02
98 = BLANK (NO ANSWER).....	794	0.09

**PNRWYOTWY**    Len : 2    USED PAIN RLVR OTHER WAY NOT DIRECTED PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1974	0.22
2 = No (not entered).....	6370	0.71
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	88	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10448	1.17
94 = DON'T KNOW.....	171	0.02
97 = REFUSED.....	171	0.02
98 = BLANK (NO ANSWER).....	793	0.09

PAIN RELIEVERS

Now think about the last time you used a prescription pain reliever in any way a doctor did not direct you to use it.

Which of these pain relievers did you use the last time? If you used more than one pain reliever the last time, please choose one pain reliever as your best answer.

PNRNMLAS1	Len : 2 LAST PAIN RLVR USED NOT DIRECTED BY DR PST 12 MOS	Freq	Pct
	-9 = Data not collected for this year.....	779799	87.33
	1 = Vicodin.....	631	0.07
	2 = Lortab.....	190	0.02
	3 = Norco.....	274	0.03
	4 = Zohydro ER.....	2	0.00
	5 = Hydrocodone (generic).....	998	0.11
	6 = OxyContin.....	244	0.03
	7 = Percocet.....	539	0.06
	8 = Percodan.....	15	0.00
	9 = Roxicodone.....	70	0.01
	10 = Oxycodone (generic).....	390	0.04
	11 = Ultram.....	35	0.00
	12 = Ultram ER.....	2	0.00
	13 = Ultracet.....	4	0.00
	14 = Tramadol (generic).....	353	0.04
	15 = Extended-release tramadol (generic).....	10	0.00
	16 = Tylenol with codeine 3 or 4 (NOT over-the-counter Tylenol).....	763	0.09
	17 = Codeine pills (generic).....	115	0.01
	19 = Kadian.....	1	0.00
	20 = MS Contin.....	3	0.00
	21 = Morphine (generic).....	57	0.01
	22 = Extended-release morphine (generic).....	20	0.00
	23 = Duragesic.....	2	0.00
	24 = Fentora.....	3	0.00
	25 = Fentanyl (generic).....	35	0.00
	26 = Suboxone.....	151	0.02
	27 = Buprenorphine (generic).....	30	0.00
	28 = Buprenorphine plus naloxone (generic).....	7	0.00
	29 = Opana.....	21	0.00
	30 = Opana ER.....	7	0.00
	31 = Oxymorphone (generic).....	4	0.00
	32 = Extended-release oxymorphone (generic).....	3	0.00
	33 = Demerol.....	5	0.00
	34 = Dilaudid or hydromorphone.....	29	0.00
	35 = Exalgo or extended-release hydromorphone.....	2	0.00
	36 = Methadone.....	46	0.01
	37 = Some other pain reliever.....	395	0.04
	83 = DID NOT MISUSE IN THE PST 12 MOS Logically assigned.....	173	0.02
	85 = BAD DATA Logically assigned.....	19	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	100072	11.21
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	6939	0.78
	94 = DON'T KNOW.....	24	0.00
	97 = REFUSED.....	15	0.00
	98 = BLANK (NO ANSWER).....	475	0.05

Now think about the last time you used [PRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [PRLASTFILL2] the last time?

PNRRSPAIN	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RLV PAIN	Freq	Pct
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	5479	0.61
	2 = No (not entered).....	2989	0.33
	3 = Yes LOGICALLY ASSIGNED.....	82	0.01
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	195	0.02
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10341	1.16
	94 = DON'T KNOW.....	68	0.01
	97 = REFUSED.....	66	0.01
	98 = BLANK (NO ANSWER).....	793	0.09

PAIN RELIEVERS

<b>PNRRSRELX</b>	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RELAX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	2353	0.26
	2 = No (not entered).....	6197	0.69
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	29	0.00
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10507	1.18
	94 = DON'T KNOW .....	68	0.01
	97 = REFUSED .....	66	0.01
	98 = BLANK (NO ANSWER) .....	791	0.09

<b>PNRRSEXPT</b>	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO EXPERIMENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	741	0.08
	2 = No (not entered).....	7805	0.87
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	14	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10522	1.18
	94 = DON'T KNOW .....	68	0.01
	97 = REFUSED .....	66	0.01
	98 = BLANK (NO ANSWER) .....	794	0.09

<b>PNRRSHIGH</b>	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO GET HIGH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	2134	0.24
	2 = No (not entered).....	6410	0.72
	3 = Yes LOGICALLY ASSIGNED.....	10	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	13	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10523	1.18
	94 = DON'T KNOW .....	68	0.01
	97 = REFUSED .....	66	0.01
	98 = BLANK (NO ANSWER) .....	795	0.09

<b>PNRRSSLEP</b>	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR SLEEP		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1362	0.15
	2 = No (not entered).....	7185	0.80
	3 = Yes LOGICALLY ASSIGNED.....	7	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	39	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10497	1.18
	94 = DON'T KNOW .....	68	0.01
	97 = REFUSED .....	66	0.01
	98 = BLANK (NO ANSWER) .....	795	0.09

<b>PNRRSEMOT</b>	Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR EMOTIONS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1092	0.12
	2 = No (not entered).....	7454	0.83
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	17	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10519	1.18
	94 = DON'T KNOW .....	68	0.01
	97 = REFUSED .....	66	0.01
	98 = BLANK (NO ANSWER) .....	794	0.09

PAIN RELIEVERS

PNRRSDGFX

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	252	0.03
2 = No (not entered) .....	8301	0.93
3 = Yes LOGICALLY ASSIGNED .....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn .....	12	0.00
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10524	1.18
94 = DON'T KNOW .....	68	0.01
97 = REFUSED .....	66	0.01
98 = BLANK (NO ANSWER) .....	794	0.09

PNRRSHOOK

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	303	0.03
2 = No (not entered) .....	8247	0.92
3 = Yes LOGICALLY ASSIGNED .....	4	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn .....	14	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10522	1.18
94 = DON'T KNOW .....	68	0.01
97 = REFUSED .....	66	0.01
98 = BLANK (NO ANSWER) .....	795	0.09

PNRRSSOR

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	386	0.04
2 = No (not entered) .....	8168	0.91
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn .....	33	0.00
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10503	1.18
94 = DON'T KNOW .....	68	0.01
97 = REFUSED .....	66	0.01
98 = BLANK (NO ANSWER) .....	794	0.09



PAIN RELIEVERS

Please type in the other reason you used [PRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

PNRRSOTRS2

Len : 3 REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = To relieve physical pain .....	101	0.01
2 = To relax or relieve tension .....	7	0.00
3 = To experiment or to see what it's/they're like .....	9	0.00
4 = To feel good or get high.....	16	0.00
5 = To help with my sleep.....	9	0.00
6 = To help me with my feelings or emotions.....	15	0.00
7 = To increase/decrease effects of some other drug.....	1	0.00
8 = Because I am "hooked" or I have to have it/them .....	7	0.00
10 = To help me concentrate.....	4	0.00
11 = To help me be alert or stay awake.....	4	0.00
13 = I used it/them for some other reason .....	45	0.01
14 = For cold/flu/fever/sick; pain not specified.....	8	0.00
16 = Suicide attempt/suicidal thoughts .....	31	0.00
18 = Peer pressure/friends/feel cool .....	10	0.00
19 = To increase my energy level .....	16	0.00
26 = To replace another/other drug(s) I am addicted to.....	29	0.00
72 = OTC use reported.....	1	0.00
983 = DID NOT USE PAIN REL IN THE PAST 12 MOS Logically assigned.....	21	0.00
985 = BAD DATA (logically assigned).....	34	0.00
991 = NEVER USED PAIN RELIEVERS .....	150299	16.83
993 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	10515	1.18
994 = DON'T KNOW .....	14	0.00
997 = REFUSED .....	26	0.00
998 = BLANK (no answer).....	929	0.10
999 = LEGITIMATE SKIP.....	8168	0.91

Which was the main reason you used [PRLASTFILL2] the last time?

PNRRSMAN

Len : 2 MAIN REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = To relieve physical pain .....	1158	0.13
2 = To relax or relieve tension .....	404	0.05
3 = To experiment or to see what it was/they were like .....	113	0.01
4 = To feel good or get high.....	585	0.07
5 = To help with my sleep.....	150	0.02
6 = To help me with my feelings or emotions.....	259	0.03
7 = To increase or decrease the effect(s) of some other drug .....	36	0.00
8 = Because I am 'hooked' or I have to have it/them .....	111	0.01
9 = The other reason I reported .....	28	0.00
11 = To relieve physical pain LOGICALLY ASSIGNED .....	8	0.00
13 = To experiment/see what it was like LOG ASSN.....	1	0.00
14 = To feel good or get high LOGICALLY ASSIGNED .....	2	0.00
15 = To help with my sleep LOGICALLY ASSIGNED.....	2	0.00
16 = To help with feelings/emotions LOGICALLY ASSIGNED .....	3	0.00
83 = DID NOT MISUSE PAIN RELIEVERS IN PAST 12 mos Log assn.....	23	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	10513	1.18
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	1	0.00
98 = BLANK (NO ANSWER) .....	930	0.10
99 = LEGITIMATE SKIP.....	5684	0.64

NOTE: PNRNORXFG is set to 1 when respondents reported that the only way they misused pain relievers in the past year was without a prescription. These respondents also reported that the last pain reliever they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

PNRNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST PNR

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	460	0.05
98 = BLANK (NO ANSWER) .....	169859	19.02

TRANQUILIZERS

TRANQUILIZERS

These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."

Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.

Please look at Card B carefully as you answer the next questions.

Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

<b>KLONOPIN</b>	Len : 2	EVER USED KLONOPIN OR CLONAZEPAM		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	15639	1.75
		2 = No.....	45798	5.13
		3 = Yes LOGICALLY ASSIGNED .....	15	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
		85 = BAD DATA Logically assigned .....	13	0.00
		91 = NEVER USED TRANQUILIZERS.....	660447	73.96
		94 = DON'T KNOW .....	509	0.06
		97 = REFUSED .....	116	0.01
		98 = BLANK (NO ANSWER) .....	30	0.00

Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

<b>XNAXATVN</b>	Len : 2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	39362	4.41
		2 = No.....	22004	2.46
		3 = Yes LOGICALLY ASSIGNED .....	41	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
		85 = BAD DATA Logically assigned .....	13	0.00
		91 = NEVER USED TRANQUILIZERS.....	660447	73.96
		94 = DON'T KNOW .....	554	0.06
		97 = REFUSED .....	115	0.01
		98 = BLANK (NO ANSWER) .....	31	0.00

Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

<b>VALMDIAZ</b>	Len : 2	EVER USED VALIUM OR DIAZEPAM		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	34195	3.83
		2 = No.....	27229	3.05
		3 = Yes LOGICALLY ASSIGNED .....	30	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
		85 = BAD DATA Logically assigned .....	13	0.00
		91 = NEVER USED TRANQUILIZERS.....	660447	73.96
		94 = DON'T KNOW .....	517	0.06
		97 = REFUSED .....	104	0.01
		98 = BLANK (NO ANSWER) .....	32	0.00

TRANQUILIZERS

Please look at the tranquilizers shown below the red line on Card B.

Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?

TRNCARD      Len : 2    EVER USED ANY TRANQ BELOW RED LINE ON CARD B

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	18039	2.02
2 = No.....	43250	4.84
3 = Yes LOGICALLY ASSIGNED.....	129	0.01
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	552	0.06
97 = REFUSED.....	105	0.01
98 = BLANK (NO ANSWER).....	32	0.00

Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

ATARAX      Len : 2    EVER USED ATARAX NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered.....	760	0.09
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	16835	1.89
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	592	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

BUSPAR      Len : 2    EVER USED BUSPAR NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered.....	2332	0.26
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	15254	1.71
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	594	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

EQUANIL      Len : 2    EVER USED EQUANIL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered.....	262	0.03
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17332	1.94
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

TRANQUILIZERS

FLEXERIL

Len : 2 EVER USED FLEXERIL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	7417	0.83
3 = Response entered LOGICALLY ASSIGNED.....	46	0.01
6 = Response not entered.....	10134	1.13
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

LIBRIUM

Len : 2 EVER USED LIBRIUM NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	1444	0.16
3 = Response entered LOGICALLY ASSIGNED.....	14	0.00
6 = Response not entered.....	16139	1.81
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

LIMBTROL

Len : 2 EVER USED LIMBTROL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	309	0.03
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17285	1.94
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

MEPROB

Len : 2 EVER USED MEPROBAMATE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	391	0.04
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17203	1.93
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

MILTOWN

Len : 2 EVER USED MILTOWN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	220	0.02
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	17376	1.95
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

TRANQUILIZERS

ROHYPNOL

Len : 2 EVER USED ROHYPNOL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	1158	0.13
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	16428	1.84
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

SERAX

Len : 2 EVER USED SERAX NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	355	0.04
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	17240	1.93
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

SOMA

Len : 2 EVER USED SOMA NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	9652	1.08
3 = Response entered LOGICALLY ASSIGNED.....	70	0.01
6 = Response not entered.....	7875	0.88
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

TRANXENE

Len : 2 EVER USED TRANXENE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	407	0.05
3 = Response entered LOGICALLY ASSIGNED.....	3	0.00
6 = Response not entered.....	17187	1.92
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

VISTAR

Len : 2 EVER USED VISTARIL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	909	0.10
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	16677	1.87
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW.....	398	0.04
97 = REFUSED.....	278	0.03
98 = BLANK (NO ANSWER).....	595	0.07
99 = LEGITIMATE SKIP.....	43250	4.84

TRANQUILIZERS

Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?

TRNOLST

Len : 2 EVER USED ANY OTHER TRANQUILIZER NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	4006	0.45
2 = No.....	57064	6.39
4 = No LOGICALLY ASSIGNED .....	14	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW .....	850	0.10
97 = REFUSED .....	140	0.02
98 = BLANK (NO ANSWER) .....	33	0.00

TRANQUILIZERS

TRNEWA

Len : 4 OTHER TRANQUILIZER - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
101 = Butisol .....	1	0.00
105 = Placidyl, Ethchlorvynol.....	9	0.00
108 = Nembutal .....	2	0.00
109 = Seconal .....	26	0.00
110 = Tuinal.....	10	0.00
111 = Dalmane.....	3	0.00
112 = Restoril .....	20	0.00
113 = Halcion .....	13	0.00
115 = Phenobarbital .....	18	0.00
116 = Methaqualone, Sopor, Quaalude .....	207	0.02
117 = Chloral hydrate, Noctec .....	2	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal .....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	7	0.00
121 = USED SEDATIVE, DON'T KNOW NAME .....	1	0.00
122 = Over-the-counter sleep aid, not specified <OTC>.....	1	0.00
124 = Yellow jackets .....	1	0.00
129 = Reds .....	10	0.00
130 = Promethazine .....	3	0.00
131 = Haldol, Haloperidol .....	6	0.00
137 = 7-14.....	4	0.00
138 = Mandrax, Mandrix [see also 116] .....	8	0.00
142 = Belladona .....	1	0.00
156 = Sodium barbital.....	1	0.00
157 = Barbiturates.....	5	0.00
174 = Ambien .....	87	0.01
178 = Quetiapine, Seroquel.....	114	0.01
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital .....	1	0.00
189 = Sonata, Zaleplon .....	3	0.00
191 = Blues .....	1	0.00
201 = Valium .....	117	0.01
202 = Librium .....	14	0.00
203 = Limbitrol.....	3	0.00
205 = Serax .....	3	0.00
206 = Tranxene .....	3	0.00
207 = Ativan .....	36	0.00
209 = Xanax .....	214	0.02
211 = BuSpar .....	10	0.00
212 = Miltown .....	1	0.00
213 = Equanil.....	3	0.00
214 = Deprol.....	1	0.00
215 = Vistaril.....	8	0.00
216 = Atarax .....	2	0.00
220 = Meprobamate .....	4	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED .....	72	0.01
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	476	0.05
223 = Methocarbamol .....	11	0.00
225 = Desyrel, Trazodone hydrochloride.....	76	0.01
226 = Stelazine, Trifluoperazine HCl.....	3	0.00
227 = Thorazine .....	27	0.00
228 = Amitriptyline, Elavil .....	22	0.00
229 = Librax .....	3	0.00
232 = Mellaril .....	3	0.00
234 = Flexeril.....	49	0.01
237 = Midazolam .....	1	0.00
240 = Lithium carbonate, Lithonate.....	7	0.00
241 = Prozac, Fluoxetine .....	21	0.00
245 = Tryptophan.....	1	0.00
246 = Klonopin.....	34	0.00
247 = Adapin, Doxepin, Sinequan .....	2	0.00
250 = Aventyl, Nortab, Nortriptyline, Pamelor.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies .....	10	0.00
271 = Sertraline hydrochloride, Zoloft.....	20	0.00
278 = Benzodiazepines .....	1	0.00
280 = Ketaset .....	3	0.00
282 = Clozapine, Clozaril .....	1	0.00
283 = Paroxetine, Paxil .....	8	0.00
285 = Risperdal, Risperdol, Resperidone .....	12	0.00
288 = Baclofen.....	5	0.00
289 = Olanzapine, Zyprexa .....	3	0.00
290 = Metaxalone, Skelaxin .....	16	0.00
291 = Celexa, Citalopram .....	2	0.00

TRANQUILIZERS

293 = Anafranil, Clomipramine .....	1	0.00
295 = Mirtazapine, Remeron.....	4	0.00
298 = Acepromazine, PromAce .....	2	0.00
301 = Dexedrine .....	3	0.00
305 = Biphphetamine.....	1	0.00
311 = Preludin.....	1	0.00
318 = Ritalin .....	13	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
327 = Black beauties, black beauty.....	4	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	1	0.00
351 = Cathinone, cat, khat, Q'at .....	3	0.00
374 = Christmas tree(s).....	2	0.00
377 = Albuterol.....	1	0.00
406 = Percodan .....	2	0.00
407 = Demerol.....	2	0.00
408 = Dilaudid, Hydromorphone .....	3	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.00
413 = Talacen .....	1	0.00
415 = Codeine pills.....	3	0.00
417 = Morphine .....	4	0.00
418 = Methadone .....	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	4	0.00
422 = Motrin.....	4	0.00
423 = Percocet .....	3	0.00
425 = Advil <OTC>.....	1	0.00
427 = Darvocet, Davocet-N .....	3	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	1	0.00
431 = Tylox .....	2	0.00
434 = Vicodin .....	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC> .....	6	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	5	0.00
442 = Ibuprofen .....	11	0.00
462 = Norflex.....	1	0.00
465 = Fentanyl.....	1	0.00
477 = Melumbrina, Neo-Melumbrina .....	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol .....	1	0.00
496 = Ultram.....	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
603 = Mescaline.....	1	0.00
658 = Special K, Ketamine .....	388	0.04
663 = Animal tranquilizer, horse tranquilizer .....	41	0.00
703 = Opium, otherwise unspecified.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820 = Penicillin.....	4	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	2	0.00
828 = Tetracycline .....	4	0.00
844 = Blood pressure medication.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	2	0.00
848 = Liquid vitamin, vitamin pills <OTC> .....	1	0.00
873 = Contraceptives, Ferutal, Ortho Novum .....	1	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
896 = Catapres, Clonidine.....	4	0.00
1006 = Trileptal, Oxcarbazepine.....	2	0.00
1008 = Rohr 714, Rorer 714 .....	2	0.00
1009 = Mogadon.....	1	0.00
1011 = Eszopiclone, Lunesta .....	3	0.00
1013 = Ambien CR.....	2	0.00
1018 = Advil PM <OTC> .....	1	0.00
1021 = Seroquel XR .....	1	0.00
2001 = Soma.....	75	0.01
2002 = Muscle relaxers .....	28	0.00
2003 = Zanies, zannies, zans, zany bars.....	3	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil .....	9	0.00
2005 = Insidon, Opipramol .....	1	0.00
2007 = R2 .....	1	0.00
2008 = 747.....	2	0.00
2010 = Buscopan, Espacil.....	1	0.00
2011 = Lexapro.....	8	0.00
2012 = Geodon, Ziprasidone.....	1	0.00
2018 = 4 Bar, Quad Bar .....	1	0.00
2021 = Lidone, Moban, Molindone.....	1	0.00
2022 = Tetrazepam .....	1	0.00
2026 = Sedoxil.....	1	0.00



TRANQUILIZERS

2027 = Homemade tranquilizers .....	1	0.00
2029 = Etizolam.....	1	0.00
3023 = Adderall .....	53	0.01
3026 = Bupropion, Wellbutrin, Zyban .....	1	0.00
3037 = Effexor.....	4	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
3077 = Concerta.....	1	0.00
3111 = Vyvanse .....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol,Tegretol.....	3	0.00
4024 = Reynol.....	1	0.00
4027 = Rorer.....	2	0.00
4033 = Vicoprofen.....	1	0.00
4035 = Nabumetone, Relafen.....	2	0.00
4043 = Tramadol.....	6	0.00
4044 = Hydrocodone.....	3	0.00
4046 = Oxycodone.....	1	0.00
4051 = Celebrex.....	2	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	1	0.00
4057 = Mejoral .....	1	0.00
4067 = OxyContin .....	8	0.00
4077 = Tee's.....	1	0.00
4082 = Analgin, Dipyron, Metamizol, Metamizole, Prodolin .....	4	0.00
4091 = K4 .....	1	0.00
4098 = Banamine .....	1	0.00
4104 = Dolo-Neurobion .....	2	0.00
4109 = Suboxone .....	2	0.00
4120 = Opana.....	2	0.00
6076 = Lemon 714.....	2	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6114 = Molly, not otherwise specified.....	2	0.00
8002 = Zantac .....	1	0.00
8007 = Gabapentin, Neurontin.....	10	0.00
8008 = Antidepressant, type unspecified.....	2	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd.....	1	0.00
8011 = Herb, flower, plant; type unspecified .....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator .....	1	0.00
8035 = Prednisone .....	1	0.00
8052 = Bactrim, Septra .....	1	0.00
8066 = Viagra .....	1	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd .....	1	0.00
8097 = Tizanidine, Zanaflex .....	12	0.00
8117 = Hydrocortisone .....	1	0.00
8141 = Gamma butyrolactone, GBL.....	1	0.00
8144 = Clarinex, Desloratadine.....	1	0.00
8172 = Cortisone.....	1	0.00
8195 = Anti-seizures, type unspecified .....	1	0.00
8198 = Handle bars, handlebars .....	2	0.00
8203 = Bar, otherwise unspecified.....	5	0.00
8225 = Cymbalta, Duloxetine .....	2	0.00
8228 = Boldo .....	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	1	0.00
8233 = Keppra, Levetiracetam.....	1	0.00
8236 = Lyrica, Pregabalin.....	1	0.00
8247 = Abilify, Aripiprazole.....	3	0.00
8279 = Coumadin, Warfarin .....	1	0.00
8284 = Desvenlafaxine, Prestiq.....	1	0.00
8317 = Namenda.....	1	0.00
8326 = Dalay.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
9985 = BAD DATA Logically assigned .....	48	0.01
9989 = LEGITIMATE SKIP Logically assigned .....	14	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	73.96
9997 = REFUSED .....	235	0.03
9998 = BLANK (NO ANSWER).....	1990	0.22
9999 = LEGITIMATE SKIP.....	57064	6.39

TRANQUILIZERS

TRNEWB

Len : 4 OTHER TRANQUILIZER - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
105 = Placidyl, Ethchlorvynol.....	5	0.00
108 = Nembutal.....	3	0.00
109 = Seconal.....	7	0.00
110 = Tuinal.....	3	0.00
112 = Restoril.....	1	0.00
113 = Halcion.....	1	0.00
115 = Phenobarbital.....	2	0.00
116 = Methaqualone, Sopor, Quaalude.....	13	0.00
117 = Chloral hydrate, Noctec.....	1	0.00
119 = Secobarbital.....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	1	0.00
124 = Yellow jackets.....	2	0.00
129 = Reds.....	3	0.00
130 = Promethazine.....	1	0.00
131 = Haldol, Haloperidol.....	1	0.00
137 = 7-14.....	6	0.00
138 = Mandrax, Mandrix [see also 116].....	2	0.00
174 = Ambien.....	5	0.00
178 = Quetiapine, Seroquel.....	9	0.00
188 = Prosom.....	1	0.00
189 = Sonata, Zaleplon.....	1	0.00
201 = Valium.....	31	0.00
202 = Librium.....	1	0.00
205 = Serax.....	1	0.00
207 = Ativan.....	5	0.00
209 = Xanax.....	18	0.00
211 = BuSpar.....	2	0.00
212 = Miltown.....	1	0.00
215 = Vistaril.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	10	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	36	0.00
223 = Methocarbamol.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	10	0.00
227 = Thorazine.....	3	0.00
228 = Amitriptyline, Elavil.....	1	0.00
234 = Flexeril.....	10	0.00
237 = Midazolam.....	1	0.00
241 = Prozac, Fluoxetine.....	5	0.00
246 = Klonopin.....	14	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
271 = Sertraline hydrochloride, Zoloft.....	2	0.00
278 = Benzodiazepines.....	2	0.00
280 = Ketaset.....	5	0.00
283 = Paroxetine, Paxil.....	1	0.00
285 = Risperdal, Risperdol, Risperidone.....	2	0.00
289 = Olanzapine, Zyprexa.....	2	0.00
291 = Celexa, Citalopram.....	2	0.00
296 = Novoxapam.....	1	0.00
312 = Ionamin.....	1	0.00
318 = Ritalin.....	5	0.00
374 = Christmas tree(s).....	1	0.00
401 = Darvon.....	1	0.00
407 = Demerol.....	1	0.00
411 = Talwin.....	1	0.00
415 = Codeine pills.....	1	0.00
417 = Morphine.....	1	0.00
418 = Methadone.....	1	0.00
422 = Motrin.....	3	0.00
423 = Percocet.....	2	0.00
425 = Advil <OTC>.....	1	0.00
434 = Vicodin.....	3	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442 = Ibuprofen.....	1	0.00
465 = Fentanyl.....	1	0.00
658 = Special K, Ketamine.....	22	0.00
663 = Animal tranquilizer, horse tranquilizer.....	17	0.00
703 = Opium, otherwise unspecified.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
896 = Catapres, Clonidine.....	1	0.00

TRANQUILIZERS

1006 = Trileptal, Oxcarbazepine.....	1	0.00
1009 = Mogadon.....	1	0.00
1011 = Eszopiclone, Lunesta .....	2	0.00
2001 = Soma.....	8	0.00
2002 = Muscle relaxers .....	1	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotamil .....	1	0.00
2008 = 747 .....	1	0.00
2011 = Lexapro.....	2	0.00
2017 = Motival .....	1	0.00
3017 = Dayquil <OTC> .....	1	0.00
3023 = Adderall .....	5	0.00
3026 = Bupropion, Wellbutrin, Zyban .....	1	0.00
3052 = Speed, otherwise unspecified .....	1	0.00
3086 = Adderall XR.....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol.....	1	0.00
4043 = Tramadol.....	1	0.00
4047 = Roxicet.....	1	0.00
4058 = Totem poles .....	1	0.00
4067 = OxyContin .....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
6149 = Tiletamine.....	1	0.00
8007 = Gabapentin, Neurontin.....	2	0.00
8012 = Coriciden <OTC> .....	1	0.00
8017 = Buscapina.....	1	0.00
8097 = Tizanidine, Zanaflex .....	1	0.00
8098 = Potassium chloride.....	1	0.00
8203 = Bar, otherwise unspecified.....	1	0.00
8210 = Mylan(s), no other information .....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8289 = Ear drops, contents unspecified.....	1	0.00
8326 = Dalay.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
9985 = BAD DATA Logically assigned .....	31	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	4	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	73.96
9997 = REFUSED .....	148	0.02
9998 = BLANK (NO ANSWER).....	4510	0.51
9999 = LEGITIMATE SKIP.....	57074	6.39

TRANQUILIZERS

TRNEWC

Len : 4 OTHER TRANQUILIZER - SPECIFY 3

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
108 = Nembutal .....	1	0.00
109 = Seconal .....	2	0.00
110 = Tuinal.....	1	0.00
115 = Phenobarbital .....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	3	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal .....	1	0.00
129 = Reds.....	1	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien .....	4	0.00
201 = Valium.....	12	0.00
202 = Librium .....	2	0.00
205 = Serax.....	1	0.00
207 = Ativan .....	3	0.00
209 = Xanax.....	5	0.00
215 = Vistaril.....	1	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	17	0.00
223 = Methocarbamol .....	1	0.00
227 = Thorazine.....	1	0.00
234 = Flexeril.....	3	0.00
241 = Prozac, Fluoxetine .....	1	0.00
246 = Klonopin .....	4	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
289 = Olanzapine, Zyprexa .....	1	0.00
417 = Morphine .....	1	0.00
418 = Methadone .....	1	0.00
422 = Motrin.....	1	0.00
425 = Advil <OTC>.....	2	0.00
431 = Tylox .....	1	0.00
434 = Vicodin .....	1	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
658 = Special K, Ketamine .....	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
896 = Catapres, Clonidine.....	1	0.00
2001 = Soma.....	3	0.00
2002 = Muscle relaxers .....	1	0.00
2017 = Motival .....	1	0.00
3023 = Adderall .....	2	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
8203 = Bar, otherwise unspecified.....	1	0.00
8285 = Mirapex, Pramipexole.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
9985 = BAD DATA Logically assigned .....	14	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	73.96
9997 = REFUSED .....	145	0.02
9998 = BLANK (NO ANSWER).....	4785	0.54
9999 = LEGITIMATE SKIP.....	57078	6.39

TRANQUILIZERS

TRNEWD

Len : 4 OTHER TRANQUILIZER - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
110 = Tuinal.....	2	0.00
113 = Halcion .....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	4	0.00
174 = Ambien .....	1	0.00
201 = Valium .....	3	0.00
207 = Ativan .....	2	0.00
209 = Xanax.....	2	0.00
211 = BuSpar.....	1	0.00
215 = Vistaril.....	1	0.00
216 = Atarax.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED .....	2	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	3	0.00
234 = Flexeril.....	1	0.00
246 = Klonopin.....	2	0.00
290 = Metaxolone, Skelaxin .....	1	0.00
434 = Vicodin .....	1	0.00
658 = Special K, Ketamine .....	4	0.00
8012 = Coriciden <OTC> .....	2	0.00
8309 = Mucinex <OTC>.....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
9985 = BAD DATA Logically assigned .....	8	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	73.96
9997 = REFUSED .....	143	0.02
9998 = BLANK (NO ANSWER).....	4856	0.54
9999 = LEGITIMATE SKIP.....	57078	6.39

TRNEWE

Len : 4 OTHER TRANQUILIZER - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
112 = Restoril .....	1	0.00
113 = Halcion .....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	2	0.00
201 = Valium.....	1	0.00
209 = Xanax.....	2	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED .....	2	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME.....	2	0.00
246 = Klonopin.....	1	0.00
658 = Special K, Ketamine .....	2	0.00
663 = Animal tranquilizer, horse tranquilizer .....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
8097 = Tizanidine, Zanaflex .....	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
9985 = BAD DATA Logically assigned .....	4	0.00
9991 = NEVER USED TRANQUILIZERS.....	660447	73.96
9997 = REFUSED .....	140	0.02
9998 = BLANK (NO ANSWER).....	4881	0.55
9999 = LEGITIMATE SKIP.....	57078	6.39

The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLONOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

TRNEVER

Len : 2 EVER USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	60708	6.80
81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
97 = REFUSED .....	39	0.00
98 = BLANK (NO ANSWER) .....	1373	0.15

TRANQUILIZERS

How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANAGE

Len : 3 AGE WHEN FIRST USED TRANQUILIZERS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 85 .....	58912	6.60
-9 = Data not collected for this year .....	170319	19.07
981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
985 = BAD DATA Logically assigned .....	334	0.04
991 = NEVER USED TRANQUILIZERS .....	660447	73.96
994 = DON'T KNOW .....	1145	0.13
997 = REFUSED .....	369	0.04
998 = BLANK (NO ANSWER).....	1360	0.15

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANYPFU

Len : 4 YEAR OF FIRST TRANQUILIZER USE - RECODE

	Freq	Pct
RANGE = 2000 - 2014 .....	9242	1.03
-9 = Data not collected for this year .....	170319	19.07
9981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
9985 = BAD DATA Logically assigned .....	942	0.11
9989 = LEGITIMATE SKIP Logically assigned .....	460	0.05
9991 = NEVER USED TRANQUILIZERS .....	660447	73.96
9994 = DON'T KNOW .....	1183	0.13
9997 = REFUSED .....	380	0.04
9998 = BLANK (NO ANSWER).....	1393	0.16
9999 = LEGITIMATE SKIP .....	48520	5.43

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM TR07a or TR07b] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANMFU

Len : 2 MONTH OF FIRST TRANQUILIZER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = January.....	818	0.09
2 = February.....	697	0.08
3 = March.....	792	0.09
4 = April .....	666	0.07
5 = May.....	691	0.08
6 = June.....	849	0.10
7 = July .....	807	0.09
8 = August .....	659	0.07
9 = September .....	667	0.07
10 = October .....	714	0.08
11 = November .....	632	0.07
12 = December.....	554	0.06
81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
85 = BAD DATA Logically assigned .....	939	0.11
89 = LEGITIMATE SKIP Logically assigned .....	460	0.05
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
94 = DON'T KNOW .....	1857	0.21
97 = REFUSED .....	402	0.05
98 = BLANK (NO ANSWER) .....	1396	0.16
99 = LEGITIMATE SKIP .....	48520	5.43

TRANQUILIZERS

How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

**TRANREC**      Len : 2    TIME SINCE LAST USED TRANQUILIZERS NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days.....	6767	0.76
2 = More than 30 days ago but within the past 12 mos .....	13368	1.50
3 = More than 12 months ago .....	39324	4.40
8 = Used at some point in the past 12 mos LOG ASSN .....	125	0.01
9 = Used at some point in lifetime LOG ASSN .....	1112	0.12
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	12	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
97 = REFUSED .....	39	0.00
98 = BLANK (NO ANSWER) .....	1359	0.15

**TRNYRTOT**      Len : 3    TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	19902	2.23
-9 = Data not collected for this year .....	170319	19.07
981 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
985 = BAD DATA Logically assigned .....	153	0.02
991 = NEVER USED TRANQUILIZERS.....	660447	73.96
993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
994 = DON'T KNOW .....	179	0.02
997 = REFUSED .....	91	0.01
998 = BLANK (NO ANSWER).....	2471	0.28

**TRTOTFG**      Len : 2    TRIMMING INDICATOR FOR TRNYRTOT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Trimmed to 365 days (no further editing).....	1	0.00
98 = BLANK (NO ANSWER) .....	722652	80.93

**TRFQFLG**      Len : 2    TRIMMED TRNYRTOT IF R USED < 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Trimmed to be consistent with mo/yr of 1st use .....	1502	0.17
98 = BLANK (NO ANSWER) .....	721151	80.76

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?

**TRBSTWAY**      Len : 2    EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Prefer to answer in days per week.....	3060	0.34
2 = Prefer to answer in days per month.....	5295	0.59
3 = Prefer to answer in days per year .....	11491	1.29
11 = Prefer to ans in days per wk LOG ASSN.....	21	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	45	0.01
13 = Prefer to ans in days per yr LOG ASSN .....	136	0.02
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned .....	153	0.02
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
94 = DON'T KNOW .....	62	0.01
97 = REFUSED .....	62	0.01
98 = BLANK (NO ANSWER) .....	2471	0.28

TRANQUILIZERS

On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPYR      Len : 3   # DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	11591	1.30
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
985 = BAD DATA Logically assigned .....	37	0.00
989 = LEGITIMATE SKIP Logically assigned .....	56	0.01
991 = NEVER USED TRANQUILIZERS.....	660447	73.96
993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
994 = DON'T KNOW .....	95	0.01
997 = REFUSED .....	65	0.01
998 = BLANK (NO ANSWER).....	2587	0.29
999 = LEGITIMATE SKIP.....	8365	0.94

On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPMO      Len : 2   # DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31 .....	5284	0.59
-9 = Data not collected for this year.....	170319	19.07
81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
85 = BAD DATA Logically assigned .....	46	0.01
89 = LEGITIMATE SKIP Logically assigned .....	21	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
94 = DON'T KNOW .....	136	0.02
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	2578	0.29
99 = LEGITIMATE SKIP.....	14651	1.64

On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPWK      Len : 2   # DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	3027	0.34
-9 = Data not collected for this year.....	170319	19.07
81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
85 = BAD DATA Logically assigned .....	70	0.01
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
94 = DON'T KNOW .....	179	0.02
97 = REFUSED .....	91	0.01
98 = BLANK (NO ANSWER) .....	2554	0.29
99 = LEGITIMATE SKIP.....	16875	1.89



TRANQUILIZERS

The next question asks about using **prescription tranquilizers** in any way **a doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way **a doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription tranquilizer in any way **a doctor did not direct you to use it?**

<b>TRQNMLIF</b>	Len : 2	EVER USED TRANQUILIZER NOT DIRECTED BY DR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	3089	0.35
		2 = No.....	24189	2.71
		5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	4738	0.53
		85 = BAD DATA Logically assigned .....	112	0.01
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	136982	15.34
		94 = DON'T KNOW .....	31	0.00
		97 = REFUSED .....	27	0.00
		98 = BLANK (NO ANSWER) .....	1151	0.13

NOTE: The variable TRQNMREC is a recoded variable that was created from TRQNMLIF, the 12-month misuse variables of specific tranquilizers, and TRANQNM30DY.

<b>TRQNMREC</b>	Len : 2	RC - MOST RECENT TRANQUILIZER MISUSE (RECODE)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Within the past 30 days.....	1473	0.16
		2 = More than 30 days ago but within the past 12 mos .....	3245	0.36
		3 = More than 12 months ago .....	3080	0.34
		8 = Misused at some point in past 12 mos LOG ASSN.....	20	0.00
		9 = Misused at some point in lifetime LOG ASSN .....	9	0.00
		83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn .....	787	0.09
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		98 = BLANK (NO ANSWER) .....	534	0.06

NOTE: TRQNMINIT is "reverse coded" from the answers in TRL03. TRL03=1 (yes) was recoded to 2 in TRQNMINIT because this answer means that the respondent misused tranquilizers before the past 12 months (and therefore is not a past year initiate for misuse of tranquilizers). TRL03=2 (no) was recoded to 1 in TRQNMINIT because this answer means that the respondent did not misuse tranquilizers before the past 12 months (and therefore is a past year initiate for misuse of tranquilizers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription tranquilizer in a way a doctor did not direct you to use it?

<b>TRQNMINT</b>	Len : 2	PAST YEAR INITIATE FOR ANY TRANQUILIZER MISUSE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Past year initiate.....	1338	0.15
		2 = Not a past year initiate .....	279	0.03
		4 = Not past yr initiate LOG ASSN (from skip pattern).....	3094	0.35
		83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN) .....	787	0.09
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	15	0.00
		97 = REFUSED .....	12	0.00
		98 = BLANK (NO ANSWER) .....	543	0.06

NOTE: The variables TRQNMAGE, TRQNMIFU, and TRQNMFMU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of tranquilizers in the 12 months prior to being interviewed (TRQNMINT=1).

<b>TRQNMAGE</b>	Len : 3	RC - AGE AT 1ST MISUSE FOR PAST YR TRANQ INITIATES		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 12 - 80 .....	1283	0.14
		-9 = Data not collected for this year .....	722653	80.93
		983 = NOT A PAST YEAR INITIATE Log assn.....	787	0.09
		991 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		993 = NOT A PAST YEAR INITIATE.....	6453	0.72
		998 = BLANK (NO ANSWER).....	625	0.07

TRANQUILIZERS

<b>TRQNMVFU</b>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR TRANQ INITIATES		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2014 - 2017 .....	1278	0.14
	-9 = Data not collected for this year .....	722653	80.93
	9983 = NOT A PAST YEAR INITIATE Logically assigned.....	787	0.09
	9991 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	9993 = NOT A PAST YEAR INITIATE .....	6453	0.72
	9998 = BLANK (NO ANSWER).....	630	0.07

<b>TRQNMMFU</b>	Len : 2 RC - MO 1ST MISUSED FOR PAST YR TRANQ INITIATES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = January.....	111	0.01
	2 = February.....	83	0.01
	3 = March.....	96	0.01
	4 = April .....	101	0.01
	5 = May.....	88	0.01
	6 = June.....	130	0.01
	7 = July .....	109	0.01
	8 = August .....	94	0.01
	9 = September .....	102	0.01
	10 = October .....	127	0.01
	11 = November .....	101	0.01
	12 = December.....	82	0.01
	83 = NOT A PAST YEAR INITIATE Logically assigned .....	787	0.09
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = NOT A PAST YEAR INITIATE .....	6453	0.72
	98 = BLANK (NO ANSWER) .....	684	0.08

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

<b>TRQNM30D</b>	Len : 2 USED TRANQ NOT DIRECTED BY DR PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1365	0.15
	2 = No.....	3245	0.36
	5 = Yes LOGICALLY ASSIGNED.....	108	0.01
	83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	6	0.00
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	3861	0.43
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	14	0.00
	98 = BLANK (NO ANSWER) .....	536	0.06

During the past 30 days, on how many days did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

<b>TRQNM30FQ</b>	Len : 2 # DAYS USED TRANQ NOT DIRECTD BY DR PST 30 DYS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30.....	1453	0.16
	-9 = Data not collected for this year .....	722653	80.93
	83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	3	0.00
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	7109	0.80
	94 = DON'T KNOW .....	12	0.00
	97 = REFUSED .....	8	0.00
	98 = BLANK (NO ANSWER) .....	559	0.06

TRANQUILIZERS

What is your best estimate of the number of days you used [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] during the past 30 days?

<b>TRQNM30ES</b>	Len : 2 EST # DAYS USED TRANQ NOT DIRECTED PST 30 DYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = 1 or 2 days .....	5	0.00
	2 = 3 to 5 days.....	2	0.00
	4 = 10 to 19 days.....	3	0.00
	6 = All 30 days.....	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	7112	0.80
	94 = DON'T KNOW .....	5	0.00
	97 = REFUSED .....	2	0.00
	98 = BLANK (NO ANSWER) .....	563	0.06
	99 = LEGITIMATE SKIP.....	1453	0.16

NOTE: Responses of "yes" in TRQNM30AL were assigned a code of 11 when respondents reported that they misused tranquilizers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when TRQNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

<b>TRQNM30AL</b>	Len : 2 USED TRANQ NOT DIRECTED BY DR W/ALC PST 30 DYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	564	0.06
	2 = No.....	566	0.06
	11 = Yes (ALCREC=8) .....	2	0.00
	83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	1	0.00
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	7111	0.80
	97 = REFUSED .....	1	0.00
	98 = BLANK (NO ANSWER) .....	571	0.06
	99 = LEGITIMATE SKIP.....	331	0.04

Which of these statements describe your use of [TRNAMEFILL] at any time in the past 12 months?

<b>TRQWYNORX</b>	Len : 2 USED TRANQ W/O OWN RX PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	3475	0.39
	2 = No (not entered).....	1157	0.13
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	4	0.00
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3863	0.43
	94 = DON'T KNOW .....	48	0.01
	97 = REFUSED .....	58	0.01
	98 = BLANK (NO ANSWER) .....	540	0.06

<b>TRQWYGAMT</b>	Len : 2 USED TRANQ IN GREATER AMTS THAN RX PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	670	0.08
	2 = No (not entered).....	3962	0.44
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	94 = DON'T KNOW .....	48	0.01
	97 = REFUSED .....	58	0.01
	98 = BLANK (NO ANSWER) .....	537	0.06

TRANQUILIZERS

<b>TRQWYOFTN</b>	Len : 2 USED TRANQ MORE OFTEN THAN RX PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	357	0.04
	2 = No (not entered).....	4275	0.48
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	94 = DON'T KNOW.....	48	0.01
	97 = REFUSED .....	58	0.01
	98 = BLANK (NO ANSWER) .....	541	0.06

<b>TRQWYLNGR</b>	Len : 2 USED TRANQ LONGER THAN RX PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	208	0.02
	2 = No (not entered).....	4424	0.50
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	2	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3865	0.43
	94 = DON'T KNOW.....	48	0.01
	97 = REFUSED .....	58	0.01
	98 = BLANK (NO ANSWER) .....	541	0.06

<b>TRQWYOTWY</b>	Len : 2 USED TRANQ OTHER WAY NOT DIRECTED PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	872	0.10
	2 = No (not entered).....	3760	0.42
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	2	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3865	0.43
	94 = DON'T KNOW.....	48	0.01
	97 = REFUSED .....	58	0.01
	98 = BLANK (NO ANSWER) .....	541	0.06

Now think about the last time you used a prescription tranquilizer in any way a doctor did not direct you to use it.

Which of these tranquilizers did you use the last time? If you used more than one tranquilizer the last time, please choose one tranquilizer as your best answer.

<b>TRQNMLAS1</b>	Len : 2 LAST TRANQ USED NOT DIRECTED BY DR PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Xanax.....	1967	0.22
	2 = Xanax XR .....	30	0.00
	3 = Alprazolam (generic).....	176	0.02
	4 = Extended-release alprazolam (generic) .....	13	0.00
	5 = Ativan .....	88	0.01
	6 = Klonopin.....	136	0.02
	7 = Lorazepam (generic).....	111	0.01
	8 = Clonazepam (generic).....	166	0.02
	9 = Valium.....	156	0.02
	10 = Diazepam (generic).....	64	0.01
	11 = Cyclobenzaprine (generic), also known as Flexeril.....	96	0.01
	12 = Soma.....	66	0.01
	13 = Some other tranquilizer.....	73	0.01
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	3	0.00
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	107051	11.99
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	2631	0.29
	94 = DON'T KNOW.....	5	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	328	0.04

TRANQUILIZERS

Now think about the last time you used [TRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [TRLASTFILL2] the last time?

<b>TRQRSRELX</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) TO RELAX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	2734	0.31
	2 = No (not entered).....	1936	0.22
	3 = Yes LOGICALLY ASSIGNED.....	28	0.00
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	4	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3863	0.43
	94 = DON'T KNOW.....	14	0.00
	97 = REFUSED.....	25	0.00
	98 = BLANK (NO ANSWER).....	543	0.06

<b>TRQRSEXPT</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) TO EXPERIMENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	686	0.08
	2 = No (not entered).....	4004	0.45
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	94 = DON'T KNOW.....	14	0.00
	97 = REFUSED.....	25	0.00
	98 = BLANK (NO ANSWER).....	541	0.06

<b>TRQRSHIGH</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) TO GET HIGH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	1245	0.14
	2 = No (not entered).....	3442	0.39
	3 = Yes LOGICALLY ASSIGNED.....	11	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	94 = DON'T KNOW.....	14	0.00
	97 = REFUSED.....	25	0.00
	98 = BLANK (NO ANSWER).....	541	0.06

<b>TRQRSSLEP</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR SLEEP		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	1450	0.16
	2 = No (not entered).....	3244	0.36
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS.....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3865	0.43
	94 = DON'T KNOW.....	14	0.00
	97 = REFUSED.....	25	0.00
	98 = BLANK (NO ANSWER).....	543	0.06

TRANQUILIZERS

<b>TRQRSEMOT</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR EMOTIONS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1158	0.13
	2 = No (not entered).....	3532	0.40
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	25	0.00
	98 = BLANK (NO ANSWER) .....	543	0.06

<b>TRQRSDGFX</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) OTH DRUG EFFECT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	237	0.03
	2 = No (not entered).....	4459	0.50
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn .....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	25	0.00
	98 = BLANK (NO ANSWER) .....	544	0.06

<b>TRQRSHOOK</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) BECAUSE HOOKED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	51	0.01
	2 = No (not entered).....	4646	0.52
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	25	0.00
	98 = BLANK (NO ANSWER) .....	544	0.06

<b>TRQRSSOR</b>	Len : 2 USED LAST TRANQ (NOT DIRECTED) OTHER REASON		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	250	0.03
	2 = No (not entered).....	4448	0.50
	83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	2	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3865	0.43
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	25	0.00
	98 = BLANK (NO ANSWER) .....	542	0.06

TRANQUILIZERS

Please type in the other reason you used [TRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

<b>TRQRSOTRS2</b>	Len : 3 REASON USED LAST TRANQ (NOT DIRECTED)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = To relieve physical pain .....	60	0.01
	2 = To relax or relieve tension .....	48	0.01
	3 = To experiment or to see what it's/they're like .....	8	0.00
	4 = To feel good or get high.....	13	0.00
	5 = To help with my sleep.....	6	0.00
	6 = To help me with my feelings or emotions.....	16	0.00
	7 = To increase/decrease effects of some other drug.....	2	0.00
	8 = Because I am "hooked" or I have to have it/them .....	1	0.00
	13 = I used it/them for some other reason .....	45	0.01
	14 = For cold/flu/fever/sick; pain not specified.....	3	0.00
	16 = Suicide attempt/suicidal thoughts .....	18	0.00
	22 = To prevent/treat anxiety/panic attacks.....	7	0.00
	26 = To replace another/other drug(s) I am addicted to.....	6	0.00
	983 = DID NOT USE TRANQ IN THE PAST 12 MOS Logically assigned.....	1	0.00
	985 = BAD DATA (logically assigned).....	8	0.00
	991 = NEVER USED TRANQUILIZERS.....	161171	18.05
	993 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3866	0.43
	994 = DON'T KNOW .....	4	0.00
	997 = REFUSED .....	7	0.00
	998 = BLANK (no answer).....	581	0.07
	999 = LEGITIMATE SKIP.....	4448	0.50

Which was the main reason you used [TRLASTFILL2] the last time?

<b>TRQRSMAN</b>	Len : 2 MAIN REASON USED LAST TRANQ (NOT DIRECTED)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = To relax or relieve tension .....	668	0.07
	2 = To experiment or to see what it was/they were like .....	102	0.01
	3 = To feel good or get high.....	277	0.03
	4 = To help with my sleep.....	273	0.03
	5 = To help me with my feelings or emotions.....	335	0.04
	6 = To increase or decrease the effect(s) of some other drug .....	49	0.01
	7 = Because I am 'hooked' or I have to have it/them .....	9	0.00
	8 = The other reason I reported .....	33	0.00
	11 = To relax or relieve tension LOGICALLY ASSIGNED.....	14	0.00
	13 = To feel good or get high LOGICALLY ASSIGNED .....	1	0.00
	14 = To help with my sleep LOGICALLY ASSIGNED .....	2	0.00
	15 = To help with feelings/emotions LOGICALLY ASSIGNED .....	3	0.00
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	3867	0.43
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	1	0.00
	98 = BLANK (NO ANSWER) .....	582	0.07
	99 = LEGITIMATE SKIP.....	2929	0.33

NOTE: TRQNORXFG is set to 1 when respondents reported that the only way they misused tranquilizers in the past year was without a prescription. These respondents also reported that the last tranquilizer they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

<b>TRQNORXFG</b>	Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST TRANQ		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	93	0.01
	98 = BLANK (NO ANSWER) .....	170226	19.06

STIMULANTS

STIMULANTS

These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.

Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.

Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

METHDES

Len : 2 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	25557	2.86
2 = No.....	29040	3.25
3 = Yes LOGICALLY ASSIGNED.....	15	0.00
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW .....	501	0.06
97 = REFUSED .....	85	0.01
98 = BLANK (NO ANSWER) .....	37	0.00

Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphedamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?

DIETPILS

Len : 2 EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	15708	1.76
2 = No.....	38813	4.35
3 = Yes LOGICALLY ASSIGNED.....	84	0.01
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW .....	478	0.05
97 = REFUSED .....	115	0.01
98 = BLANK (NO ANSWER) .....	37	0.00

Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?

RITMPHEN

Len : 2 EVER USED RITALIN OR METHYLPHENIDATE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	21596	2.42
2 = No.....	32980	3.69
3 = Yes LOGICALLY ASSIGNED.....	15	0.00
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW .....	484	0.05
97 = REFUSED .....	123	0.01
98 = BLANK (NO ANSWER) .....	37	0.00



STIMULANTS

Please look at the stimulants shown below the red line on Card C.

Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?

STM CARD

Len : 2 EVER USED ANY STIMULANT BELOW RED LINE ON CARD C

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	7991	0.89
2 = No.....	46472	5.20
3 = Yes LOGICALLY ASSIGNED.....	49	0.01
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW.....	569	0.06
97 = REFUSED .....	115	0.01
98 = BLANK (NO ANSWER) .....	39	0.00

Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CYLERT

Len : 2 EVER USED CYLERT NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	576	0.06
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	6899	0.77
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW.....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	618	0.07
99 = LEGITIMATE SKIP.....	46472	5.20

DEXED

Len : 2 EVER USED DEXEDRINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	4176	0.47
3 = Response entered LOGICALLY ASSIGNED .....	19	0.00
6 = Response not entered .....	3282	0.37
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW.....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	620	0.07
99 = LEGITIMATE SKIP.....	46472	5.20

DETAMP

Len : 2 EVER USED DEXTROAMPHETAMINE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	2032	0.23
3 = Response entered LOGICALLY ASSIGNED .....	8	0.00
6 = Response not entered .....	5437	0.61
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW.....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	619	0.07
99 = LEGITIMATE SKIP.....	46472	5.20

STIMULANTS

DIDREX

Len : 2 EVER USED DIDREX NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	436	0.05
6 = Response not entered .....	7041	0.79
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	620	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

ESKAT

Len : 2 EVER USED ESKATROL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	325	0.04
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	7149	0.80
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	620	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

IONAMIN

Len : 2 EVER USED IONAMIN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	603	0.07
3 = Response entered LOGICALLY ASSIGNED .....	6	0.00
6 = Response not entered .....	6868	0.77
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	620	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

MAZANOR

Len : 2 EVER USED MAZANOR NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	200	0.02
6 = Response not entered .....	7277	0.81
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	619	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

OBLA

Len : 2 EVER USED OBEDRIN-LA NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	86	0.01
6 = Response not entered .....	7391	0.83
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	620	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

STIMULANTS

PLEGINE

Len : 2 EVER USED PLEGINE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	159	0.02
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	7316	0.82
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	619	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

PRELUDIN

Len : 2 EVER USED PRELUDIN NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	730	0.08
3 = Response entered LOGICALLY ASSIGNED .....	12	0.00
6 = Response not entered .....	6735	0.75
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	619	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

SANOREX

Len : 2 EVER USED SANOREX NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	363	0.04
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	7110	0.80
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	620	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

TENUATE

Len : 2 EVER USED TENUATE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	315	0.04
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	7159	0.80
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
94 = DON'T KNOW .....	408	0.05
97 = REFUSED .....	270	0.03
98 = BLANK (NO ANSWER) .....	620	0.07
99 = LEGITIMATE SKIP .....	46472	5.20

STIMULANTS

Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?

STMNOLST

Len : 2 EVER USED ANY OTHER STIMULANT NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	8831	0.99
2 = No.....	45377	5.08
4 = No LOGICALLY ASSIGNED .....	69	0.01
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW .....	777	0.09
97 = REFUSED .....	141	0.02
98 = BLANK (NO ANSWER) .....	40	0.00

STIMULANTS

STIMNEWA

Len : 4 OTHER STIMULANT - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
105 = Placidyl, Ethchlorvynol.....	1	0.00
109 = Seconal .....	1	0.00
111 = Dalmane.....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	7	0.00
124 = Yellow jackets .....	50	0.01
129 = Reds.....	4	0.00
137 = 7-14.....	1	0.00
139 = Black widows .....	4	0.00
142 = Belladonna .....	1	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien .....	4	0.00
178 = Quetiapine, Seroquel.....	8	0.00
201 = Valium .....	7	0.00
207 = Ativan .....	5	0.00
209 = Xanax.....	20	0.00
213 = Equanil.....	1	0.00
216 = Atarax .....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	3	0.00
227 = Thorazine.....	1	0.00
234 = Flexeril.....	2	0.00
235 = Imipramine.....	1	0.00
240 = Lithium carbonate, Lithonate.....	8	0.00
241 = Prozac, Fluoxetine .....	10	0.00
246 = Klonopin .....	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	11	0.00
283 = Paroxetine, Paxil .....	1	0.00
285 = Risperdal, Risperdol, Risperidone .....	1	0.00
291 = Celexa, Citalopram .....	2	0.00
295 = Mirtazapine, Remeron.....	1	0.00
301 = Dexedrine .....	22	0.00
302 = Dexamyl .....	3	0.00
303 = Eskatrol.....	3	0.00
304 = Benzedrine.....	5	0.00
305 = Biphentamine.....	3	0.00
306 = Desoxyn .....	3	0.00
307 = Tenuate .....	3	0.00
310 = Plegine .....	2	0.00
311 = Preludin.....	11	0.00
312 = Ionamin.....	6	0.00
313 = Adipex-P.....	106	0.01
314 = Pondimin, Fenfluramine .....	1	0.00
316 = Sanorex .....	4	0.00
317 = Mazanor.....	1	0.00
318 = Ritalin .....	72	0.01
319 = Cylert .....	3	0.00
320 = Dextroamphetamine.....	7	0.00
321 = Methedrine.....	5	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	70	0.01
324 = Upers; OTHER Stimulant, NOT OTHERWISE SPECIFIED .....	128	0.01
325 = USED STIMULANT, DON'T KNOW NAME.....	656	0.07
326 = White cross .....	152	0.02
327 = Black beauties, black beauty.....	174	0.02
328 = Pink hearts .....	22	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	31	0.00
330 = Blue birds, blue jays, blue robins, speckled bird .....	5	0.00
331 = Blancs, whites.....	19	0.00
332 = Ephedrine.....	82	0.01
333 = 357 Magnum, Magnum 44 <OTC>.....	2	0.00
334 = Crossroads, cross tops.....	76	0.01
336 = Diet pills/medications/drugs, otherwise unspfd.....	29	0.00
339 = Amphetamines, otherwise unspecified.....	15	0.00
342 = Purple hearts .....	1	0.00
344 = Bennies .....	7	0.00
345 = Black molly.....	33	0.00
346 = Marax.....	1	0.00
347 = Phenylpropanolamine .....	2	0.00
348 = Crystal .....	4	0.00
349 = Phendimetrazine .....	3	0.00
351 = Cathinone, cat, khat, Q'at .....	1	0.00
352 = Lemons .....	1	0.00
353 = No-Doz <OTC>.....	1	0.00
354 = Vivarin <OTC>.....	1	0.00

STIMULANTS

355 = Crystal meth, crystal methamphetamine .....	16	0.00
356 = Dexies .....	1	0.00
358 = 20/20 .....	1	0.00
359 = Criss cross.....	1	0.00
374 = Christmas tree(s) .....	17	0.00
377 = Albuterol.....	8	0.00
380 = Pink ladies.....	4	0.00
382 = Footballs, purple footballs.....	3	0.00
396 = Black RJs, RJ8 .....	1	0.00
406 = Percodan .....	1	0.00
407 = Demerol.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	2	0.00
415 = Codeine pills .....	2	0.00
417 = Morphine .....	4	0.00
418 = Methadone .....	3	0.00
419 = Stadol, Stadol NS.....	1	0.00
422 = Motrin.....	2	0.00
423 = Percocet .....	5	0.00
427 = Darvocet, Davocet-N .....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	1	0.00
434 = Vicodin .....	10	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	3	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	1	0.00
442 = Ibuprofen .....	7	0.00
458 = Mepergan, Mepergan Fortis.....	2	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol .....	1	0.00
496 = Ultram.....	1	0.00
601 = LSD ("acid") .....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	6	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
629 = Rocket Fuel.....	1	0.00
635 = Ginseng seeds, ginseng weed .....	1	0.00
637 = Purple haze .....	1	0.00
650 = Datura stramonium, daytura, thorn apple.....	1	0.00
658 = Special K, Ketamine .....	4	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	2	0.00
802 = THC, cannabinoil, marinol, tetrahydrocannabinol .....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	12	0.00
806 = Crack, rock.....	1	0.00
809 = Pills.....	1	0.00
814 = Caffeine <OTC>.....	2	0.00
824 = Steroids .....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
858 = Antibiotic .....	1	0.00
873 = Contraceptives, Ferutal, Ortho Novum .....	1	0.00
876 = Glass .....	4	0.00
894 = Depakene, Depakote, Valproic acid.....	2	0.00
896 = Catapres, Clonidine.....	1	0.00
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC> .....	1	0.00
2001 = Soma.....	2	0.00
2002 = Muscle relaxers.....	2	0.00
2011 = Lexapro.....	2	0.00
3001 = Brown and clear .....	3	0.00
3004 = Black cadillac.....	3	0.00
3006 = Green amps.....	1	0.00
3007 = Nasal inhalant .....	1	0.00
3008 = Miniwhites .....	1	0.00
3009 = Ephedrone, Methcathinone .....	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine).....	12	0.00
3018 = Up-johns .....	1	0.00
3023 = Adderall .....	4877	0.55
3026 = Bupropion, Wellbutrin, Zyban .....	4	0.00
3027 = Energy pills.....	4	0.00
3028 = Blackbirds.....	1	0.00
3030 = Red hearts .....	1	0.00
3035 = Blacks .....	1	0.00
3036 = Ripped fuel <OTC> .....	1	0.00
3037 = Effexor.....	2	0.00
3041 = Desbutal.....	3	0.00
3042 = 30-30.....	1	0.00
3044 = Caffeine pills <OTC> .....	1	0.00
3046 = Adrenalin, Epinephrine .....	3	0.00
3049 = Truck driver's speed .....	1	0.00
3050 = Mini thins.....	17	0.00
3052 = Speed, otherwise unspecified .....	127	0.01

STIMULANTS

3055 = Clenbuterol	3	0.00
3060 = Hydroxycut <OTC>	2	0.00
3064 = Ephedra, Ma Huang	12	0.00
3069 = DextroStat	3	0.00
3077 = Concerta	135	0.02
3078 = Blue and clears	4	0.00
3079 = Orlistat, Xenical	1	0.00
3080 = Meridia, Sibutramine	4	0.00
3082 = Fat burner, not otherwise specified	1	0.00
3083 = Redotex	2	0.00
3084 = Cartwheels	1	0.00
3086 = Adderall XR	19	0.00
3087 = Strattera	11	0.00
3088 = Super Stingers <OTC>	1	0.00
3089 = Christina, Tina	1	0.00
3090 = Provigil	29	0.00
3092 = Metadate CD	1	0.00
3093 = Supercaps	1	0.00
3094 = Dexmethylphenidate, Focalin	37	0.00
3096 = Yaba	1	0.00
3097 = Bamadex	1	0.00
3099 = Asenlix, Clobenzorex	2	0.00
3102 = Methylin	4	0.00
3103 = RedLine <OTC>	1	0.00
3104 = Slimquick <OTC>	1	0.00
3105 = Affinato	1	0.00
3110 = Dexfenfluramine, Redux	1	0.00
3111 = Vyvanse	188	0.02
3112 = Metadate, not otherwise specified	3	0.00
3114 = Ritalin LA	2	0.00
3116 = MCAT, Mephedrone	3	0.00
3119 = MDPV, Methylenedioxypropylvalerone	2	0.00
3121 = Obitrol	1	0.00
3122 = Armodafinil, Nuvigil	3	0.00
3124 = Focalin XR	1	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine	1	0.00
3130 = IFA-Norex	1	0.00
3187 = Greenies	1	0.00
4007 = Happy pills	1	0.00
4044 = Hydrocodone	2	0.00
4046 = Oxycodone	1	0.00
4047 = Roxicet	1	0.00
4057 = Mejoral	1	0.00
4064 = Epidrin	1	0.00
4067 = OxyContin	4	0.00
4069 = Benflogin	1	0.00
4102 = Mobic, Meloxicam	1	0.00
4116 = Phenergan with codeine, promethazine with codeine	1	0.00
4138 = Sprix	1	0.00
6029 = DXM	1	0.00
6048 = Dex	1	0.00
6076 = Lemon 714	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	1	0.00
6113 = Candy flip	1	0.00
6114 = Molly, not otherwise specified	4	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	1	0.00
8002 = Zantac	2	0.00
8008 = Antidepressant, type unspecified	4	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8010 = Zyrtec, Cetirizine <OTC>	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8012 = Coriciden <OTC>	2	0.00
8020 = Allegra, Altiva	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	8	0.00
8025 = Alavert D, Claritin D, or similar	1	0.00
8026 = Powder	1	0.00
8031 = Sugar pills <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8061 = Entex LA	1	0.00
8066 = Viagra	6	0.00
8093 = Stacker 2/Stacker 3 <OTC>	3	0.00
8108 = Atenonol	1	0.00
8113 = Test 250, Test 400 <OTC>	1	0.00
8132 = Liquid D-bol	1	0.00
8136 = Montekulast, Singulair	3	0.00

STIMULANTS

8149 = Desenfriol <OTC> .....	1	0.00
8171 = Dietary supplements, otherwise unspecified .....	1	0.00
8180 = Avonex .....	1	0.00
8203 = Bar, otherwise unspecified .....	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	16	0.00
8238 = Decongestant, type unspecified.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8252 = Humatrope .....	1	0.00
8262 = Green tea/green tea supplement <OTC> .....	1	0.00
8288 = Azor .....	1	0.00
8295 = Tenex .....	1	0.00
8301 = Bath salts, otherwise unspecified .....	2	0.00
8322 = Horny goat weed.....	1	0.00
8331 = Diophenyl-T.....	1	0.00
8334 = OxyElite Pro .....	1	0.00
8335 = Metatabs .....	1	0.00
8345 = Dolo-Doceplex D.....	1	0.00
8350 = Maqui.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
9985 = BAD DATA Logically assigned .....	46	0.01
9989 = LEGITIMATE SKIP Logically assigned .....	69	0.01
9991 = NEVER USED STIMULANTS.....	667239	74.72
9997 = REFUSED .....	246	0.03
9998 = BLANK (NO ANSWER).....	1770	0.20
9999 = LEGITIMATE SKIP.....	45377	5.08



STIMULANTS

STIMNEWB

Len : 4 OTHER STIMULANT - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
115 = Phenobarbital.....	1	0.00
116 = Methaqualone, Sopor, Quaalude.....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	2	0.00
124 = Yellow jackets.....	19	0.00
129 = Reds.....	3	0.00
145 = Red devil(s).....	1	0.00
171 = NyQuil <OTC>.....	2	0.00
174 = Ambien.....	1	0.00
177 = Bean.....	1	0.00
201 = Valium.....	3	0.00
209 = Xanax.....	5	0.00
234 = Flexeril.....	1	0.00
241 = Prozac, Fluoxetine.....	2	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
285 = Risperdal, Risperdol, Risperidone.....	2	0.00
290 = Metaxalone, Skelaxin.....	1	0.00
291 = Celexa, Citalopram.....	1	0.00
301 = Dexedrine.....	5	0.00
304 = Benzedrine.....	1	0.00
306 = Desoxyn.....	2	0.00
307 = Tenuate.....	1	0.00
311 = Preludin.....	1	0.00
313 = Adipex-P.....	14	0.00
318 = Ritalin.....	16	0.00
319 = Cylert.....	1	0.00
320 = Dextroamphetamine.....	3	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	8	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED.....	21	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	56	0.01
326 = White cross.....	22	0.00
327 = Black beauties, black beauty.....	31	0.00
328 = Pink hearts.....	6	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	5	0.00
331 = Blancs, whites.....	3	0.00
332 = Ephedrine.....	12	0.00
333 = 357 Magnum, Magnum 44 <OTC>.....	5	0.00
334 = Crossroads, cross tops.....	13	0.00
335 = Dexatrim <OTC>.....	1	0.00
336 = Diet pills/medications/drugs, otherwise unspfd.....	6	0.00
339 = Amphetamines, otherwise unspecified.....	14	0.00
345 = Black molly.....	3	0.00
348 = Crystal.....	2	0.00
349 = Phendimetrazine.....	1	0.00
352 = Lemons.....	1	0.00
353 = No-Doz <OTC>.....	2	0.00
355 = Crystal meth, crystal methamphetamine.....	4	0.00
358 = 20/20.....	3	0.00
359 = Criss cross.....	1	0.00
364 = Pseudoephedrine <OTC>.....	2	0.00
374 = Christmas tree(s).....	12	0.00
379 = Hearts.....	1	0.00
380 = Pink ladies.....	1	0.00
385 = Little pink one.....	1	0.00
415 = Codeine pills.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
434 = Vicodin.....	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
442 = Ibuprofen.....	1	0.00
458 = Mepergan, Mepergan Fortis.....	1	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol.....	1	0.00
603 = Mescaline.....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
815 = Coffee <OTC>.....	1	0.00
876 = Glass.....	1	0.00
894 = Depakene, Depakote, Valproic acid.....	1	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	1	0.00
1013 = Ambien CR.....	1	0.00
2003 = Zanies, zannies, zans, zany bars.....	1	0.00
3001 = Brown and clear.....	4	0.00
3004 = Black cadillac.....	1	0.00

STIMULANTS

3008 = Miniwhites .....	1	0.00
3018 = Up-johns .....	1	0.00
3023 = Adderall .....	295	0.03
3028 = Blackbirds .....	1	0.00
3041 = Desbutal .....	1	0.00
3044 = Caffeine pills <OTC> .....	2	0.00
3046 = Adrenalin, Epinephrine .....	1	0.00
3050 = Mini thins .....	5	0.00
3052 = Speed, otherwise unspecified .....	17	0.00
3055 = Clenbuterol .....	1	0.00
3056 = Xenadrine <OTC> .....	2	0.00
3060 = Hydroxycut <OTC> .....	2	0.00
3077 = Concerta .....	102	0.01
3086 = Adderall XR .....	4	0.00
3087 = Strattera .....	10	0.00
3090 = Provigil .....	5	0.00
3094 = Dexmethylphenidate, Focalin .....	18	0.00
3105 = Affinato .....	1	0.00
3108 = Wellbutrin XL .....	1	0.00
3110 = Dexfenfluramine, Redux .....	1	0.00
3111 = Vyvanse .....	130	0.01
3112 = Metadate, not otherwise specified .....	1	0.00
3119 = MDPV, Methylenedioxypropylvalerone .....	1	0.00
3122 = Armodafinil, Nuvigil .....	1	0.00
3123 = Adrafinil, Olmifon .....	1	0.00
4044 = Hydrocodone .....	1	0.00
4056 = Cataflam, Diclofenac, Voltaren .....	1	0.00
4067 = OxyContin .....	1	0.00
4104 = Dolo-Neurobion .....	1	0.00
4107 = Panlor .....	1	0.00
4109 = Suboxone .....	1	0.00
6029 = DXM .....	1	0.00
6048 = Dex .....	1	0.00
6114 = Molly, not otherwise specified .....	2	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd .....	1	0.00
8012 = Coriciden <OTC> .....	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator .....	2	0.00
8058 = Cough medicine/syrup, type unspecified .....	1	0.00
8066 = Viagra .....	2	0.00
8093 = Stacker 2/Stacker 3 <OTC> .....	5	0.00
8132 = Liquid D-bol .....	1	0.00
8137 = 5-HTP, 5-hydroxytryptophan <OTC> .....	1	0.00
8152 = Thermogenics, otherwise unspecified <OTC> .....	1	0.00
8176 = TrimSpa <OTC> .....	1	0.00
8194 = Afrin <OTC> .....	1	0.00
8203 = Bar, otherwise unspecified .....	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd .....	1	0.00
8247 = Abilify, Aripiprazole .....	1	0.00
8252 = Humatrope .....	1	0.00
8273 = Goofballs .....	1	0.00
8316 = Piracetam .....	1	0.00
8350 = Maqui .....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
9985 = BAD DATA Logically assigned .....	38	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	12	0.00
9991 = NEVER USED STIMULANTS .....	667239	74.72
9997 = REFUSED .....	157	0.02
9998 = BLANK (NO ANSWER) .....	8617	0.96
9999 = LEGITIMATE SKIP .....	45434	5.09

STIMULANTS

STIMNEWC

Len : 4 OTHER STIMULANT - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
124 = Yellow jackets.....	1	0.00
129 = Reds.....	2	0.00
171 = NyQuil <OTC>.....	1	0.00
209 = Xanax.....	2	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
241 = Prozac, Fluoxetine.....	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED.....	5	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	9	0.00
326 = White cross.....	6	0.00
327 = Black beauties, black beauty.....	7	0.00
328 = Pink hearts.....	4	0.00
329 = Bird's eggs, robin's eggs, speckled eggs.....	1	0.00
332 = Ephedrine.....	4	0.00
334 = Crossroads, cross tops.....	1	0.00
336 = Diet pills/medications/drugs, otherwise unspfd.....	1	0.00
337 = White molly.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	1	0.00
344 = Bennies.....	1	0.00
348 = Crystal.....	1	0.00
355 = Crystal meth, crystal methamphetamine.....	1	0.00
374 = Christmas tree(s).....	4	0.00
379 = Hearts.....	1	0.00
396 = Black RJs, RJ8.....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
434 = Vicodin.....	1	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
531 = Candy, powdered candy, sugar.....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
814 = Caffeine <OTC>.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
3015 = Fen-Phen (fenfluramine and phentermine).....	1	0.00
3023 = Adderall.....	67	0.01
3024 = Yohimbe.....	1	0.00
3036 = Ripped fuel <OTC>.....	1	0.00
3037 = Effexor.....	1	0.00
3052 = Speed, otherwise unspecified.....	1	0.00
3060 = Hydroxycut <OTC>.....	1	0.00
3069 = DextroStat.....	1	0.00
3077 = Concerta.....	15	0.00
3087 = Strattera.....	6	0.00
3090 = Provigil.....	1	0.00
3094 = Dexmethylphenidate, Focalin.....	3	0.00
3102 = Methylin.....	1	0.00
3111 = Vyvanse.....	20	0.00
3112 = Metadate, not otherwise specified.....	3	0.00
3187 = Greenies.....	1	0.00
4067 = OxyContin.....	1	0.00
6069 = Peach.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
8066 = Viagra.....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC>.....	1	0.00
8132 = Liquid D-bol.....	1	0.00
8140 = Anamine.....	1	0.00
8229 = ADHD/ADD medication, otherwise unspfd.....	1	0.00
8258 = Vivonex <OTC>.....	1	0.00
8280 = Mucinex-DM <OTC>.....	1	0.00
8310 = DMAA, Methylhexanamine.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned.....	14	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
9991 = NEVER USED STIMULANTS.....	667239	74.72
9997 = REFUSED.....	144	0.02
9998 = BLANK (NO ANSWER).....	9435	1.06
9999 = LEGITIMATE SKIP.....	45444	5.09

STIMULANTS

STIMNEWD

Len : 4 OTHER STIMULANT - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
124 = Yellow jackets .....	2	0.00
209 = Xanax .....	1	0.00
305 = Biphphetamine .....	1	0.00
309 = Didrex .....	1	0.00
318 = Ritalin .....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth .....	1	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED .....	2	0.00
325 = USED STIMULANT, DON'T KNOW NAME .....	4	0.00
326 = White cross .....	1	0.00
327 = Black beauties, black beauty .....	2	0.00
329 = Bird's eggs, robin's eggs, speckled eggs .....	1	0.00
330 = Blue birds, blue jays, blue robins, speckled bird .....	1	0.00
332 = Ephedrine .....	1	0.00
349 = Phendimetrazine .....	1	0.00
353 = No-Doz <OTC> .....	1	0.00
356 = Dexies .....	1	0.00
417 = Morphine .....	1	0.00
423 = Percocet .....	1	0.00
883 = Dextromethorphan hydrobromide <OTC> .....	1	0.00
3023 = Adderall .....	23	0.00
3050 = Mini thins .....	1	0.00
3052 = Speed, otherwise unspecified .....	1	0.00
3055 = Clenbuterol .....	1	0.00
3060 = Hydroxycut <OTC> .....	1	0.00
3077 = Concerta .....	3	0.00
3086 = Adderall XR .....	1	0.00
3087 = Strattera .....	1	0.00
3094 = Dexmethylphenidate, Focalin .....	2	0.00
3102 = Methylin .....	1	0.00
3111 = Vyvanse .....	6	0.00
3128 = Jet-Alert <OTC> .....	1	0.00
8091 = Benzedrex <OTC> .....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC> .....	1	0.00
8117 = Hydrocortisone .....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
9985 = BAD DATA Logically assigned .....	9	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	2	0.00
9991 = NEVER USED STIMULANTS .....	667239	74.72
9997 = REFUSED .....	142	0.02
9998 = BLANK (NO ANSWER) .....	9582	1.07
9999 = LEGITIMATE SKIP .....	45444	5.09

STIMNEWE

Len : 4 OTHER STIMULANT - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
201 = Valium .....	1	0.00
313 = Adipex-P .....	1	0.00
318 = Ritalin .....	1	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED .....	3	0.00
327 = Black beauties, black beauty .....	1	0.00
328 = Pink hearts .....	1	0.00
332 = Ephedrine .....	1	0.00
374 = Christmas tree(s) .....	2	0.00
411 = Talwin .....	1	0.00
415 = Codeine pills .....	1	0.00
3023 = Adderall .....	11	0.00
3046 = Adrenalin, Epinephrine .....	1	0.00
3064 = Ephedra, Ma Huang .....	1	0.00
3111 = Vyvanse .....	3	0.00
6083 = CCC, "Triple C," C3 <OTC> .....	1	0.00
8093 = Stacker 2/Stacker 3 <OTC> .....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
9985 = BAD DATA Logically assigned .....	3	0.00
9991 = NEVER USED STIMULANTS .....	667239	74.72
9997 = REFUSED .....	141	0.02
9998 = BLANK (NO ANSWER) .....	9628	1.08
9999 = LEGITIMATE SKIP .....	45446	5.09

STIMULANTS

The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

**STMEVER** Len : 2 EVER USED STIMULANTS NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	53825	6.03
81 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	41	0.00
98 = BLANK (NO ANSWER).....	1382	0.15

How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

**STIMAGE** Len : 3 AGE WHEN FIRST USED STIMULANTS NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 76.....	52364	5.86
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	233	0.03
991 = NEVER USED STIMULANTS.....	667239	74.72
994 = DON'T KNOW.....	893	0.10
997 = REFUSED.....	338	0.04
998 = BLANK (NO ANSWER).....	1421	0.16

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

**STIMYFU** Len : 4 YEAR OF FIRST STIMULANT USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2014.....	6415	0.72
-9 = Data not collected for this year.....	170319	19.07
9981 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
9985 = BAD DATA Logically assigned.....	714	0.08
9989 = LEGITIMATE SKIP Logically assigned.....	441	0.05
9991 = NEVER USED STIMULANTS.....	667239	74.72
9994 = DON'T KNOW.....	922	0.10
9997 = REFUSED.....	345	0.04
9998 = BLANK (NO ANSWER).....	1442	0.16
9999 = LEGITIMATE SKIP.....	44970	5.04

STIMULANTS

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST07a or ST07b] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMFU

Len : 2 MONTH OF FIRST STIMULANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = January.....	570	0.06
2 = February.....	464	0.05
3 = March.....	538	0.06
4 = April .....	492	0.06
5 = May.....	561	0.06
6 = June.....	518	0.06
7 = July .....	460	0.05
8 = August .....	429	0.05
9 = September.....	486	0.05
10 = October .....	496	0.06
11 = November .....	490	0.05
12 = December.....	472	0.05
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	712	0.08
89 = LEGITIMATE SKIP Logically assigned .....	441	0.05
91 = NEVER USED STIMULANTS.....	667239	74.72
94 = DON'T KNOW .....	1339	0.15
97 = REFUSED .....	367	0.04
98 = BLANK (NO ANSWER) .....	1444	0.16
99 = LEGITIMATE SKIP.....	44970	5.04

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMREC

Len : 2 TIME SINCE LAST USED STIMULANTS NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days.....	4843	0.54
2 = More than 30 days ago but within the past 12 mos .....	8791	0.98
3 = More than 12 months ago .....	38706	4.33
8 = Used at some point in the past 12 mos LOG ASSN.....	223	0.02
9 = Used at some point in lifetime LOG ASSN .....	1073	0.12
11 = Used in the past 30 days LOGICALLY ASSIGNED .....	123	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	66	0.01
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED STIMULANTS.....	667239	74.72
97 = REFUSED .....	42	0.00
98 = BLANK (NO ANSWER) .....	1368	0.15

NOTE: The variables STMYRTOT, STBSTWAY, STDAYPYR, STDAYPMO, and STDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any stimulant more than 12 months ago but subsequently reported more recent use of any stimulant or methamphetamine.

STMYRTOT

Len : 3 TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365 .....	13625	1.53
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
985 = BAD DATA Logically assigned .....	151	0.02
990 = NOT ASKED THE QUESTION Logically assigned.....	4	0.00
991 = NEVER USED STIMULANTS.....	667239	74.72
993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	38706	4.33
994 = DON'T KNOW .....	163	0.02
997 = REFUSED .....	75	0.01
998 = BLANK (NO ANSWER).....	2525	0.28

STIMULANTS

<b>STTOTFG</b>	Len : 2 TRIMMING INDICATOR FOR STMYRTOT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Trimmed to 365 days (no further editing) .....	4	0.00
	98 = BLANK (NO ANSWER) .....	722649	80.93

<b>STFQFLG</b>	Len : 2 TRIMMED STMYRTOT IF R USED < 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Trimmed to be consistent with mo/yr of 1st use .....	1218	0.14
	98 = BLANK (NO ANSWER) .....	721435	80.79

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?

<b>STBSTWAY</b>	Len : 2 EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Prefer to answer in days per week .....	2272	0.25
	2 = Prefer to answer in days per month .....	3404	0.38
	3 = Prefer to answer in days per year .....	7385	0.83
	11 = Prefer to ans in days per wk LOG ASSN .....	19	0.00
	12 = Prefer to ans in days per mo LOG ASSN .....	37	0.00
	13 = Prefer to ans in days per yr LOG ASSN .....	78	0.01
	21 = Prefer to ans in days per wk (MTBSTWAY=1,11) .....	180	0.02
	22 = Prefer to ans in days per mo (MTBSTWAY=2,12) .....	192	0.02
	23 = Prefer to ans in days per yr (MTBSTWAY=3,13) .....	172	0.02
	81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
	85 = BAD DATA Logically assigned .....	151	0.02
	90 = NOT ASKED THE QUESTION Logically assigned .....	4	0.00
	91 = NEVER USED STIMULANTS .....	667239	74.72
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS .....	38706	4.33
	94 = DON'T KNOW .....	71	0.01
	97 = REFUSED .....	53	0.01
	98 = BLANK (NO ANSWER) .....	2525	0.28

On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

<b>STDAYPYR</b>	Len : 3 # DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	7595	0.85
	-9 = Data not collected for this year .....	170319	19.07
	981 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
	985 = BAD DATA Logically assigned .....	36	0.00
	989 = LEGITIMATE SKIP Logically assigned .....	181	0.02
	990 = NOT ASKED THE QUESTION Logically assigned .....	4	0.00
	991 = NEVER USED STIMULANTS .....	667239	74.72
	993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS .....	38706	4.33
	994 = DON'T KNOW .....	103	0.01
	997 = REFUSED .....	61	0.01
	998 = BLANK (NO ANSWER) .....	2640	0.30
	999 = LEGITIMATE SKIP .....	5923	0.66

STIMULANTS

On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

**STDAYPMO**      Len : 2   # DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31 .....	3603	0.40
-9 = Data not collected for this year .....	170319	19.07
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	53	0.01
89 = LEGITIMATE SKIP Logically assigned .....	93	0.01
90 = NOT ASKED THE QUESTION Logically assigned .....	4	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS .....	38706	4.33
94 = DON'T KNOW .....	127	0.01
97 = REFUSED .....	67	0.01
98 = BLANK (NO ANSWER) .....	2623	0.29
99 = LEGITIMATE SKIP .....	9973	1.12

On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

**STDAYPWK**      Len : 2   # DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	2427	0.27
-9 = Data not collected for this year .....	170319	19.07
81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	80	0.01
89 = LEGITIMATE SKIP Logically assigned .....	20	0.00
90 = NOT ASKED THE QUESTION Logically assigned .....	4	0.00
91 = NEVER USED STIMULANTS .....	667239	74.72
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS .....	38706	4.33
94 = DON'T KNOW .....	163	0.02
97 = REFUSED .....	75	0.01
98 = BLANK (NO ANSWER) .....	2596	0.29
99 = LEGITIMATE SKIP .....	11178	1.25

Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?

**METHAGE**      Len : 3   AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 60 .....	24991	2.80
-9 = Data not collected for this year .....	170319	19.07
981 = NEVER USED METHAMPHETAMINE Logically assigned .....	165	0.02
985 = BAD DATA Logically assigned .....	97	0.01
991 = NEVER USED METHAMPHETAMINE .....	696279	77.97
994 = DON'T KNOW .....	380	0.04
997 = REFUSED .....	189	0.02
998 = BLANK (NO ANSWER) .....	552	0.06



STIMULANTS

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHYFU      Len : 4    YEAR OF FIRST METHAMPHETAMINE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2014 .....	1858	0.21
-9 = Data not collected for this year .....	170319	19.07
9981 = NEVER USED METHAMPHETAMINE Logically assigned .....	165	0.02
9985 = BAD DATA Logically assigned .....	248	0.03
9989 = LEGITIMATE SKIP Logically assigned .....	92	0.01
9991 = NEVER USED METHAMPHETAMINE .....	696279	77.97
9994 = DON'T KNOW .....	397	0.04
9997 = REFUSED .....	197	0.02
9998 = BLANK (NO ANSWER) .....	565	0.06
9999 = LEGITIMATE SKIP .....	22852	2.56

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST15 or ST16] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHMFU      Len : 2    MONTH OF FIRST METHAMPHETAMINE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = January .....	177	0.02
2 = February .....	120	0.01
3 = March .....	163	0.02
4 = April .....	130	0.01
5 = May .....	149	0.02
6 = June .....	173	0.02
7 = July .....	169	0.02
8 = August .....	169	0.02
9 = September .....	127	0.01
10 = October .....	155	0.02
11 = November .....	121	0.01
12 = December .....	87	0.01
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	165	0.02
85 = BAD DATA Logically assigned .....	248	0.03
89 = LEGITIMATE SKIP Logically assigned .....	92	0.01
91 = NEVER USED METHAMPHETAMINE .....	696279	77.97
94 = DON'T KNOW .....	504	0.06
97 = REFUSED .....	206	0.02
98 = BLANK (NO ANSWER) .....	567	0.06
99 = LEGITIMATE SKIP .....	22852	2.56

STIMULANTS

How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?

**METHREC** Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days.....	1587	0.18
2 = More than 30 days ago but within the past 12 mos .....	2806	0.31
3 = More than 12 months ago .....	20628	2.31
8 = Used at some point in the past 12 mos LOG ASSN.....	106	0.01
9 = Used at some point in lifetime LOG ASSN .....	441	0.05
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	4	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED METHAMPHETAMINE .....	696279	77.97
97 = REFUSED .....	85	0.01
98 = BLANK (NO ANSWER) .....	544	0.06

**MTHYRTOT** Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365 .....	4351	0.49
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	76	0.01
991 = NEVER USED METHAMPHETAMINE .....	696279	77.97
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.31
994 = DON'T KNOW .....	44	0.00
997 = REFUSED .....	97	0.01
998 = BLANK (NO ANSWER).....	1013	0.11

**MTTOTFG** Len : 2 TRIMMING INDICATOR FOR MTHYRTOT

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Trimmed to 365 days (no further editing).....	1	0.00
98 = BLANK (NO ANSWER) .....	722652	80.93

**MTFQFLG** Len : 2 TRIMMED MTHYRTOT IF R USED < 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Trimmed to be consistent with mo/yr of 1st use .....	394	0.04
98 = BLANK (NO ANSWER) .....	722259	80.88

Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?

**MTBSTWAY** Len : 2 EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Prefer to answer in days per week.....	979	0.11
2 = Prefer to answer in days per month.....	1242	0.14
3 = Prefer to answer in days per year .....	2111	0.24
11 = Prefer to ans in days per wk LOG ASSN.....	6	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	6	0.00
13 = Prefer to ans in days per yr LOG ASSN .....	25	0.00
23 = Prefer to ans in days per yr (STBSTWAY=3,13).....	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	76	0.01
91 = NEVER USED METHAMPHETAMINE .....	696279	77.97
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.31
94 = DON'T KNOW .....	26	0.00
97 = REFUSED .....	94	0.01
98 = BLANK (NO ANSWER) .....	1013	0.11

STIMULANTS

On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPYR      Len : 3   # DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	2129	0.24
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
985 = BAD DATA Logically assigned.....	16	0.00
989 = LEGITIMATE SKIP Logically assigned.....	12	0.00
991 = NEVER USED METHAMPHETAMINE .....	696279	77.97
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.31
994 = DON'T KNOW .....	34	0.00
997 = REFUSED .....	96	0.01
998 = BLANK (NO ANSWER).....	1073	0.12
999 = LEGITIMATE SKIP.....	2221	0.25

On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPMO      Len : 2   # DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 31 .....	1241	0.14
-9 = Data not collected for this year.....	170319	19.07
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	25	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
91 = NEVER USED METHAMPHETAMINE .....	696279	77.97
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.31
94 = DON'T KNOW .....	40	0.00
97 = REFUSED .....	97	0.01
98 = BLANK (NO ANSWER) .....	1064	0.12
99 = LEGITIMATE SKIP.....	3108	0.35

On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPWK      Len : 2   # DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	981	0.11
-9 = Data not collected for this year.....	170319	19.07
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	35	0.00
91 = NEVER USED METHAMPHETAMINE .....	696279	77.97
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	20628	2.31
94 = DON'T KNOW .....	44	0.00
97 = REFUSED .....	97	0.01
98 = BLANK (NO ANSWER) .....	1054	0.12
99 = LEGITIMATE SKIP.....	3370	0.38

STIMULANTS

The next question asks about using **prescription stimulants** in any way a **doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way a **doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription stimulant in any way a doctor did not direct you to use it?

<b>STMNMLIF</b>	Len : 2	EVER USED STIMULANT NOT DIRECTED BY DR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	3474	0.39
		2 = No.....	14037	1.57
		5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	5198	0.58
		85 = BAD DATA Logically assigned .....	84	0.01
		91 = NEVER USED/MISUSED STIMULANTS .....	146755	16.43
		94 = DON'T KNOW .....	36	0.00
		97 = REFUSED .....	20	0.00
		98 = BLANK (NO ANSWER) .....	715	0.08

NOTE: The variable STMNMREC is a recoded variable that was created from STMNMLIF, the 12-month misuse variables of specific stimulants, and STMNM30DY.

<b>STMNMREC</b>	Len : 2	RC - MOST RECENT STIMULANT MISUSE (RECODE)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Within the past 30 days.....	1540	0.17
		2 = More than 30 days ago but within the past 12 mos .....	3644	0.41
		3 = More than 12 months ago .....	3453	0.39
		8 = Misused at some point in past 12 mos LOG ASSN.....	14	0.00
		9 = Misused at some point in lifetime LOG ASSN .....	21	0.00
		83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn .....	412	0.05
		91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
		98 = BLANK (NO ANSWER) .....	443	0.05

NOTE: STMNMINIT is "reverse coded" from the answers in STL03. STL03=1 (yes) was recoded to 2 in STMNMINIT because this answer means that the respondent misused stimulants before the past 12 months (and therefore is not a past year initiate for misuse of stimulants). STL03=2 (no) was recoded to 1 in STMNMINIT because this answer means that the respondent did not misuse stimulants before the past 12 months (and therefore is a past year initiate for misuse of stimulants).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription stimulant in a way a doctor did not direct you to use it?

<b>STMNMINIT</b>	Len : 2	PAST YEAR INITIATE FOR ANY STIMULANT MISUSE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Past year initiate.....	1337	0.15
		2 = Not a past year initiate .....	330	0.04
		4 = Not past yr initiate LOG ASSN (from skip pattern).....	3510	0.39
		83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN) .....	412	0.05
		91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
		93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
		94 = DON'T KNOW .....	11	0.00
		97 = REFUSED .....	10	0.00
		98 = BLANK (NO ANSWER) .....	464	0.05

NOTE: The variables STMNMAGE, STMNMYFU, and STMNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of stimulants in the 12 months prior to being interviewed (STMNMINIT=1).

<b>STMNMAGE</b>	Len : 3	RC - AGE 1ST MISUSED FOR PAST YR STIM INITIATES		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 12 - 64 .....	1290	0.14
		-9 = Data not collected for this year .....	722653	80.93
		983 = NOT A PAST YEAR INITIATE Log assn.....	412	0.05
		991 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
		993 = NOT A PAST YEAR INITIATE.....	7293	0.82
		998 = BLANK (NO ANSWER).....	532	0.06

STIMULANTS

**STMNMYFU**      Len : 4    RC - YR 1ST MISUSED FOR PAST YR STIM INITIATES

	<b>Freq</b>	<b>Pct</b>
RANGE = 2014 - 2017 .....	1289	0.14
-9 = Data not collected for this year .....	722653	80.93
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	412	0.05
9991 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
9993 = NOT A PAST YEAR INITIATE .....	7293	0.82
9998 = BLANK (NO ANSWER).....	533	0.06

**STMNMMFU**      Len : 2    RC - MONTH 1ST MISUSED FOR PAST YR STIM INITIATES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = January.....	98	0.01
2 = February.....	84	0.01
3 = March.....	116	0.01
4 = April .....	100	0.01
5 = May.....	137	0.02
6 = June.....	107	0.01
7 = July .....	93	0.01
8 = August .....	80	0.01
9 = September.....	109	0.01
10 = October .....	111	0.01
11 = November .....	96	0.01
12 = December.....	114	0.01
83 = NOT A PAST YEAR INITIATE Logically assigned .....	412	0.05
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = NOT A PAST YEAR INITIATE .....	7293	0.82
98 = BLANK (NO ANSWER) .....	577	0.06

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

**STMNM30D**      Len : 2    USED STIMULANT NOT DIRECTED BY DR PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1416	0.16
2 = No.....	3644	0.41
5 = Yes LOGICALLY ASSIGNED.....	124	0.01
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN .....	11	0.00
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	3854	0.43
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

During the past 30 days, on how many days did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

**STMNM30FQ**      Len : 2    # DAYS USED STIMULANT NOT DIRECTD BY DR PST 30 DYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30.....	1527	0.17
-9 = Data not collected for this year .....	722653	80.93
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN .....	4	0.00
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	7505	0.84
94 = DON'T KNOW .....	11	0.00
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	474	0.05

STIMULANTS

What is your best estimate of the number of days you used [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] during the past 30 days?

STMNM30ES      Len : 2    EST # DAYS USED STIMULANT NOT DIRECTED PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = 1 or 2 days .....	6	0.00
2 = 3 to 5 days.....	1	0.00
3 = 6 to 9 days.....	1	0.00
4 = 10 to 19 days.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	7509	0.84
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	1	0.00
98 = BLANK (NO ANSWER) .....	478	0.05
99 = LEGITIMATE SKIP.....	1527	0.17

During the past 30 days, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

STMNM30AL      Len : 2    USED STIMULANT NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	607	0.07
2 = No.....	690	0.08
83 = DID NOT MISUSE PAST 30 DAYS Logically assigned.....	4	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	7505	0.84
94 = DON'T KNOW .....	1	0.00
98 = BLANK (NO ANSWER) .....	486	0.05
99 = LEGITIMATE SKIP.....	233	0.03

Which of these statements describe your use of it/them at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

STMWYNORX      Len : 2    USED STIMULANT W/O OWN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	4132	0.46
2 = No (not entered).....	967	0.11
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN .....	8	0.00
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3857	0.43
94 = DON'T KNOW .....	38	0.00
97 = REFUSED .....	61	0.01
98 = BLANK (NO ANSWER) .....	460	0.05

STMWYGAMT      Len : 2    USED STIMULANT IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	565	0.06
2 = No (not entered).....	4534	0.51
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	3	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3862	0.43
94 = DON'T KNOW .....	38	0.00
97 = REFUSED .....	61	0.01
98 = BLANK (NO ANSWER) .....	463	0.05

STIMULANTS

STMWYOFTN Len : 2 USED STIMULANT MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	322	0.04
2 = No (not entered).....	4777	0.53
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3863	0.43
94 = DON'T KNOW.....	38	0.00
97 = REFUSED .....	61	0.01
98 = BLANK (NO ANSWER) .....	462	0.05

STMWYLNDR Len : 2 USED STIMULANT LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	160	0.02
2 = No (not entered).....	4939	0.55
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN .....	3	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3862	0.43
94 = DON'T KNOW.....	38	0.00
97 = REFUSED .....	61	0.01
98 = BLANK (NO ANSWER) .....	461	0.05

STMWYOTWY Len : 2 USED STIMULANT OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	906	0.10
2 = No (not entered).....	4193	0.47
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN .....	3	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3862	0.43
94 = DON'T KNOW.....	38	0.00
97 = REFUSED .....	61	0.01
98 = BLANK (NO ANSWER) .....	463	0.05

At any time in the past 12 months, did you ever use a needle to inject [STNAMEFILL] ?

STMNDLYR Len : 2 USED STIMULANT WITH A NEEDLE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	88	0.01
2 = No.....	5103	0.57
83 = DID NOT MISUSE STIM IN THE PST 12M LOG ASSN .....	11	0.00
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3854	0.43
94 = DON'T KNOW.....	1	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

STMNDLREC Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Within the past 30 days.....	23	0.00
2 = More than 30 days ago but within the past 12 months .....	22	0.00
8 = Misused at some point in past 12 mos LOG ASSN.....	1	0.00
12 = More than 30 dys ago but in pst 12 mo (STMNMREC=2) .....	41	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3865	0.43
98 = BLANK (NO ANSWER) .....	474	0.05
99 = LEGITIMATE SKIP.....	5098	0.57

STIMULANTS

Now think about the last time you used a prescription stimulant in any way a doctor did not direct you to use it.

Which of these stimulants did you use the last time? If you used more than one stimulant the last time, please choose one stimulant as your best answer.

<b>STMNMLAS1</b>	<b>Len : 2 LAST STIMULANT USED NOT DIRECTED BY DR PST 12 MOS</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Adderall .....	2112	0.24
	2 = Adderall XR .....	563	0.06
	3 = Dexedrine .....	13	0.00
	4 = Dextroamphetamine (generic).....	30	0.00
	5 = Mixed amphetamine-dextroamphetamine pills (generic) .....	53	0.01
	6 = Extend-rel amphet-dextroamp oth than Adderall XR (generic).....	26	0.00
	7 = Ritalin .....	133	0.01
	8 = Ritalin LA .....	13	0.00
	9 = Concerta.....	67	0.01
	10 = Daytrana .....	5	0.00
	11 = Metadate CD.....	1	0.00
	12 = Metadate ER .....	1	0.00
	13 = Methylphenidate (generic) .....	23	0.00
	14 = Extended-release methylphenidate (generic).....	9	0.00
	15 = Focalin .....	14	0.00
	16 = Focalin XR.....	20	0.00
	17 = Dexmethylphenidate (generic).....	6	0.00
	19 = Benzphetamine .....	18	0.00
	21 = Diethylpropion .....	1	0.00
	23 = Phentermine .....	31	0.00
	24 = Provigil .....	24	0.00
	25 = Tenuate .....	1	0.00
	26 = Vyvanse .....	255	0.03
	27 = Some other stimulant .....	41	0.00
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN .....	9	0.00
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	106778	11.96
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	2629	0.29
	94 = DON'T KNOW .....	7	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	280	0.03

Now think about the last time you used [STLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [STLASTFILL2] the last time?

<b>STMRSWGHT</b>	<b>Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO LOSE WEIGHT</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	388	0.04
	2 = No (not entered) .....	4768	0.53
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN .....	4	0.00
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3861	0.43
	94 = DON'T KNOW .....	23	0.00
	97 = REFUSED .....	19	0.00
	98 = BLANK (NO ANSWER) .....	459	0.05

<b>STMRSCONC</b>	<b>Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO CONCENTRATE</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	2694	0.30
	2 = No (not entered) .....	2459	0.28
	3 = Yes LOGICALLY ASSIGNED .....	3	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3863	0.43
	94 = DON'T KNOW .....	23	0.00
	97 = REFUSED .....	19	0.00
	98 = BLANK (NO ANSWER) .....	461	0.05



STIMULANTS

<b>STMRSALRT</b>	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO BE ALERT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	2465	0.28
	2 = No (not entered).....	2688	0.30
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	6	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS.....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3859	0.43
	94 = DON'T KNOW.....	23	0.00
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	461	0.05

<b>STMRSSTDY</b>	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO STUDY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1851	0.21
	2 = No (not entered).....	3300	0.37
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	1	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS.....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3864	0.43
	94 = DON'T KNOW.....	23	0.00
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	462	0.05

<b>STMRSXPT</b>	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO EXPERIMENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	589	0.07
	2 = No (not entered).....	4557	0.51
	3 = Yes LOGICALLY ASSIGNED.....	10	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS.....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3865	0.43
	94 = DON'T KNOW.....	23	0.00
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	462	0.05

<b>STMRSHIGH</b>	Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO GET HIGH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	922	0.10
	2 = No (not entered).....	4226	0.47
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED STIMULANTS.....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3865	0.43
	94 = DON'T KNOW.....	23	0.00
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	461	0.05

<b>STMRSDGFX</b>	Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTH DRUG EFFECT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	175	0.02
	2 = No (not entered).....	4976	0.56
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED STIMULANTS.....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3864	0.43
	94 = DON'T KNOW.....	23	0.00
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	462	0.05

STIMULANTS

STMRSHOOK

Len : 2 USED LAST STIMULANT (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	57	0.01
2 = No (not entered).....	5098	0.57
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3865	0.43
94 = DON'T KNOW.....	23	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	461	0.05

STMRSSOR

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	219	0.02
2 = No (not entered).....	4937	0.55
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3863	0.43
94 = DON'T KNOW.....	23	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	462	0.05

Please type in the other reason you used [STLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

STMRSOTRS2

Len : 3 REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = To relieve physical pain.....	11	0.00
2 = To relax or relieve tension .....	3	0.00
3 = To experiment or to see what it's/they're like .....	11	0.00
4 = To feel good or get high.....	14	0.00
5 = To help with my sleep.....	3	0.00
6 = To help me with my feelings or emotions.....	12	0.00
7 = To increase/decrease effects of some other drug.....	6	0.00
8 = Because I am "hooked" or I have to have it/them .....	3	0.00
9 = To help me lose weight.....	1	0.00
10 = To help me concentrate.....	5	0.00
11 = To help me be alert or stay awake.....	5	0.00
12 = To help me study .....	6	0.00
13 = I used it/them for some other reason.....	53	0.01
15 = To get work/chores done, not studying .....	21	0.00
16 = Suicide attempt/suicidal thoughts .....	5	0.00
18 = Peer pressure/friends/feel cool.....	4	0.00
19 = To increase my energy level .....	11	0.00
20 = To try out for medical condition .....	4	0.00
25 = To make sex more pleasurable.....	3	0.00
31 = To gain physical strength.....	3	0.00
34 = Symptom relief, otherwise unspecified.....	3	0.00
38 = To replace another/other drug(s); otherwise unspd.....	5	0.00
41 = To increase the effect(s) of alcohol.....	3	0.00
983 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned.....	2	0.00
985 = BAD DATA (logically assigned).....	9	0.00
991 = NEVER USED STIMULANTS.....	160792	18.01
993 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	3863	0.43
994 = DON'T KNOW.....	6	0.00
997 = REFUSED .....	7	0.00
998 = BLANK (no answer).....	508	0.06
999 = LEGITIMATE SKIP.....	4937	0.55

STIMULANTS

Which was the main reason you used [STLASTFILL2] the last time?

**STMRSMAIN**      Len : 2    MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = To help me lose weight .....	65	0.01
2 = To help me concentrate .....	674	0.08
3 = To help me be alert or stay awake .....	583	0.07
4 = To help me study .....	718	0.08
5 = To experiment or to see what it was/they were like .....	85	0.01
6 = To feel good or get high .....	228	0.03
7 = To increase or decrease the effect(s) of some other drug .....	28	0.00
8 = Because I am 'hooked' or I have to have it/them .....	5	0.00
9 = The other reason I reported .....	26	0.00
11 = To help me lose weight LOGICALLY ASSIGNED .....	1	0.00
12 = To help me concentrate LOGICALLY ASSIGNED .....	3	0.00
15 = To experiment or to see what it was/they were like LOG ASSN .....	2	0.00
16 = To feel good or get high LOGICALLY ASSIGNED .....	1	0.00
17 = To increase/ decrease the effect(s) of other drug LOG ASSN .....	1	0.00
83 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned .....	3	0.00
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS .....	3862	0.43
98 = BLANK (NO ANSWER) .....	505	0.06
99 = LEGITIMATE SKIP .....	2734	0.31

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

**STMNORXFG**      Len : 2    ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Only misuse w/o Rx but reported last drug gotten with Rx .....	71	0.01
98 = BLANK (NO ANSWER) .....	170248	19.07

SEDATIVES

**SEDATIVES**

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

**METHAQ**      Len : 2    EVER USED METHAQUALONE, SOPOR, OR QUAALUDE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	8178	0.92
2 = No.....	8079	0.90
3 = Yes LOGICALLY ASSIGNED .....	20	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	651	0.07
97 = REFUSED .....	137	0.02
98 = BLANK (NO ANSWER) .....	43	0.00

Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?

**NEMBBARB**      Len : 2    EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	3664	0.41
2 = No.....	12668	1.42
3 = Yes LOGICALLY ASSIGNED .....	5	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	598	0.07
97 = REFUSED .....	130	0.01
98 = BLANK (NO ANSWER) .....	43	0.00

Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

**RESTTMAZ**      Len : 2    EVER USED RESTORIL OR TEMAZEPAM

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	2523	0.28
2 = No.....	13818	1.55
3 = Yes LOGICALLY ASSIGNED .....	2	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	599	0.07
97 = REFUSED .....	122	0.01
98 = BLANK (NO ANSWER) .....	44	0.00

SEDATIVES

Please look at the sedatives shown below the red line on Card D.

Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?

SEDCARD

Len : 2 EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	4688	0.52
2 = No.....	11541	1.29
3 = Yes LOGICALLY ASSIGNED.....	42	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	664	0.07
97 = REFUSED .....	128	0.01
98 = BLANK (NO ANSWER) .....	45	0.01

Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

AMYTAL

Len : 2 EVER USED AMYTAL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	469	0.05
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	4058	0.45
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	147	0.02
97 = REFUSED .....	180	0.02
98 = BLANK (NO ANSWER) .....	714	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

BUTISOL

Len : 2 EVER USED BUTISOL NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	307	0.03
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	4223	0.47
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	147	0.02
97 = REFUSED .....	180	0.02
98 = BLANK (NO ANSWER) .....	715	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

CHHYD

Len : 2 EVER USED CHLORAL HYDRATE NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	335	0.04
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	4194	0.47
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	147	0.02
97 = REFUSED .....	180	0.02
98 = BLANK (NO ANSWER) .....	714	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

SEDATIVES

DALMANE

Len : 2 EVER USED DALMANE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	622	0.07
3 = Response entered LOGICALLY ASSIGNED.....	13	0.00
6 = Response not entered.....	3896	0.44
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES.....	705266	78.98
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	714	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

HALCION

Len : 2 EVER USED HALCION NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	1067	0.12
3 = Response entered LOGICALLY ASSIGNED.....	14	0.00
6 = Response not entered.....	3450	0.39
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	78.98
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	715	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

PHENOBAR

Len : 2 EVER USED PHENOBARBITAL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	1880	0.21
3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
6 = Response not entered.....	2640	0.30
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	78.98
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	715	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

PLACIDYL

Len : 2 EVER USED PLACIDYL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	904	0.10
3 = Response entered LOGICALLY ASSIGNED.....	7	0.00
6 = Response not entered.....	3620	0.41
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED SEDATIVES.....	705266	78.98
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	715	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

TUINAL

Len : 2 EVER USED TUINAL NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	1051	0.12
3 = Response entered LOGICALLY ASSIGNED.....	5	0.00
6 = Response not entered.....	3475	0.39
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SEDATIVES.....	705266	78.98
94 = DON'T KNOW.....	147	0.02
97 = REFUSED.....	180	0.02
98 = BLANK (NO ANSWER).....	716	0.08
99 = LEGITIMATE SKIP.....	11541	1.29

SEDATIVES

Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?

SEDNOLST

Len : 2 EVER USED ANY OTHER SEDATIVE NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	3521	0.39
2 = No.....	12514	1.40
4 = No LOGICALLY ASSIGNED .....	14	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	883	0.10
97 = REFUSED .....	130	0.01
98 = BLANK (NO ANSWER) .....	46	0.01

SEDATIVES

SEDNEWA

Len : 4 OTHER SEDATIVES - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
101 = Butisol .....	2	0.00
103 = Amytal .....	3	0.00
105 = Placidyl, Ethchlorvynol.....	7	0.00
106 = Doriden .....	4	0.00
107 = Noludar .....	1	0.00
108 = Nembutal .....	2	0.00
109 = Seconal .....	13	0.00
110 = Tuinal.....	4	0.00
111 = Dalmane.....	10	0.00
112 = Restoril .....	6	0.00
113 = Halcion .....	14	0.00
115 = Phenobarbital.....	11	0.00
116 = Methaqualone, Sopor, Quaalude .....	36	0.00
117 = Chloral hydrate, Noctec .....	2	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal .....	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	94	0.01
121 = USED SEDATIVE, DON'T KNOW NAME .....	601	0.07
123 = Unisom <OTC> .....	2	0.00
124 = Yellow jackets .....	4	0.00
129 = Reds .....	7	0.00
130 = Promethazine .....	4	0.00
131 = Haldol, Haloperidol .....	1	0.00
137 = 7-14.....	3	0.00
138 = Mandrax, Mandrix [see also 116] .....	4	0.00
145 = Red devil(s).....	2	0.00
153 = Luminal.....	1	0.00
156 = Sodium barbital.....	1	0.00
157 = Barbiturates.....	2	0.00
171 = NyQuil <OTC>.....	1	0.00
174 = Ambien .....	990	0.11
176 = Melatonin <OTC> .....	2	0.00
178 = Quetiapine, Seroquel.....	191	0.02
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital .....	4	0.00
188 = Prosom .....	2	0.00
189 = Sonata, Zaleplon .....	14	0.00
195 = Lotusate, Talbutal .....	1	0.00
197 = Topamax .....	1	0.00
198 = Seducaps .....	1	0.00
201 = Valium.....	57	0.01
202 = Librium .....	1	0.00
205 = Serax .....	1	0.00
206 = Tranxene .....	2	0.00
207 = Ativan .....	19	0.00
209 = Xanax .....	64	0.01
211 = BuSpar .....	1	0.00
216 = Atarax .....	3	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED .....	2	0.00
225 = Desyrel, Trazodone hydrochloride.....	162	0.02
227 = Thorazine .....	4	0.00
228 = Amitriptyline, Elavil .....	34	0.00
232 = Mellaril .....	4	0.00
234 = Flexeril.....	6	0.00
237 = Midazolam .....	1	0.00
246 = Klonopin .....	14	0.00
247 = Adapin, Doxepin, Sinequan .....	4	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies .....	11	0.00
271 = Sertraline hydrochloride, Zoloft .....	11	0.00
278 = Benzodiazepines .....	3	0.00
280 = Ketaset .....	1	0.00
282 = Clozapine, Clozaril .....	1	0.00
283 = Paroxetine, Paxil .....	3	0.00
285 = Risperdal, Risperdol, Risperidone .....	1	0.00
289 = Olanzapine, Zyprexa .....	2	0.00
290 = Metaxolone, Skelaxin .....	1	0.00
291 = Celexa, Citalopram .....	3	0.00
295 = Mirtazapine, Remeron.....	11	0.00
298 = Acepromazine, PromAce .....	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin .....	2	0.00
319 = Cylert .....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00



SEDATIVES

326 = White cross .....	1	0.00
327 = Black beauties, black beauty .....	5	0.00
339 = Amphetamines, otherwise unspecified .....	1	0.00
345 = Black molly.....	1	0.00
352 = Lemons .....	1	0.00
380 = Pink ladies.....	1	0.00
396 = Black RJs, RJ8 .....	1	0.00
401 = Darvon .....	2	0.00
406 = Percodan .....	1	0.00
407 = Demerol .....	2	0.00
408 = Dilaudid, Hydromorphone .....	1	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	4	0.00
411 = Talwin.....	1	0.00
415 = Codeine pills .....	11	0.00
417 = Morphine .....	8	0.00
418 = Methadone .....	3	0.00
419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	7	0.00
422 = Motrin.....	1	0.00
423 = Percocet .....	2	0.00
427 = Darvocet, Davocet-N .....	2	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	4	0.00
434 = Vicodin .....	19	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC> .....	2	0.00
438 = Anaprox, Naprosyn, Naproxen, Naxen .....	1	0.00
442 = Ibuprofen .....	4	0.00
444 = Aspirin with Codeine, Empirin 3, Empirin 4.....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC> .....	1	0.00
458 = Mepergan, Mepergan Fortis .....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	2	0.00
618 = Acid paper, blotter (acid).....	1	0.00
658 = Special K, Ketamine .....	32	0.00
663 = Animal tranquilizer, horse tranquilizer .....	1	0.00
702 = Heroin.....	1	0.00
703 = Opium, otherwise unspecified.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids .....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	3	0.00
858 = Antibiotic .....	1	0.00
894 = Depakene, Depakote, Valproic acid.....	1	0.00
896 = Catapres, Clonidine.....	6	0.00
1001 = Benadryl, Diphenhydramine <OTC> .....	6	0.00
1004 = Valerian <OTC> .....	1	0.00
1005 = Imovane, Zopiclone .....	2	0.00
1006 = Trileptal, Oxcarbazepine.....	1	0.00
1008 = Rohr 714, Rorer 714 .....	1	0.00
1009 = Mogadon.....	1	0.00
1011 = Eszopiclone, Lunesta .....	49	0.01
1012 = Brevital .....	1	0.00
1013 = Ambien CR.....	15	0.00
1017 = Rozerem.....	1	0.00
1018 = Advil PM <OTC> .....	4	0.00
1020 = Hyoscine, Levo-duboisine, Scopolamine .....	1	0.00
1028 = Dormidina .....	1	0.00
2001 = Soma.....	12	0.00
2002 = Muscle relaxers .....	8	0.00
2003 = Zanies, zannies, zans, zany bars.....	4	0.00
2004 = Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil .....	3	0.00
2011 = Lexapro.....	1	0.00
2012 = Geodon, Ziprasidone.....	2	0.00
2019 = Soma Compound.....	2	0.00
3004 = Black cadillac.....	1	0.00
3023 = Adderall .....	11	0.00
3026 = Bupropion, Wellbutrin, Zyban .....	4	0.00
3052 = Speed, otherwise unspecified .....	2	0.00
3077 = Concerta.....	1	0.00
3082 = Fat burner, not otherwise specified .....	1	0.00
3091 = Black bombers .....	1	0.00
3106 = Sedalmerk .....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptitol, Tegretol.....	3	0.00
4024 = Reynol.....	1	0.00
4031 = Cough medicine with Codeine .....	3	0.00

SEDATIVES

4043 = Tramadol.....	6	0.00
4044 = Hydrocodone.....	7	0.00
4045 = Dolgic, Phrenillin Forte, Sedapap .....	2	0.00
4046 = Oxycodone.....	5	0.00
4054 = Zomax .....	1	0.00
4055 = Vioxx .....	1	0.00
4058 = Totem poles .....	1	0.00
4067 = OxyContin .....	1	0.00
4083 = Ultracet .....	1	0.00
4109 = Suboxone .....	2	0.00
4112 = Saridone.....	1	0.00
4125 = Hycodan, Hydromet, Tussigon.....	1	0.00
6029 = DXM.....	1	0.00
6114 = Molly, not otherwise specified .....	1	0.00
6131 = Mandrakes .....	1	0.00
8002 = Zantac .....	3	0.00
8007 = Gabapentin, Neurontin.....	4	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd .....	3	0.00
8011 = Herb, flower, plant; type unspecified .....	1	0.00
8020 = Allegra, Altiva .....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator .....	1	0.00
8058 = Cough medicine/syrup, type unspecified .....	5	0.00
8094 = Pepto Bismol <OTC> .....	1	0.00
8117 = Hydrocortisone .....	1	0.00
8211 = Precose.....	1	0.00
8213 = Ranitidine.....	1	0.00
8237 = Kratom.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
8338 = Bumex, Bumetanide, Burinex .....	1	0.00
8341 = Apokyn, Apomorphine, Ixense, Spontane, Uprima.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned .....	45	0.01
9989 = LEGITIMATE SKIP Logically assigned .....	14	0.00
9991 = NEVER USED SEDATIVES .....	705266	78.98
9997 = REFUSED .....	211	0.02
9998 = BLANK (NO ANSWER).....	1501	0.17
9999 = LEGITIMATE SKIP.....	12514	1.40

SEDATIVES

SEDNEWB

Len : 4 OTHER SEDATIVES - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
103 = Amytal.....	1	0.00
109 = Seconal.....	1	0.00
110 = Tuinal.....	1	0.00
111 = Dalmene.....	4	0.00
112 = Restoril.....	1	0.00
113 = Halcion.....	3	0.00
115 = Phenobarbital.....	3	0.00
116 = Methaqualone, Sopor, Quaalude.....	3	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED.....	12	0.00
121 = USED SEDATIVE, DON'T KNOW NAME.....	27	0.00
123 = Unisom <OTC>.....	1	0.00
127 = Nytol <OTC>.....	1	0.00
129 = Reds.....	1	0.00
130 = Promethazine.....	2	0.00
131 = Haldol, Haloperidol.....	2	0.00
137 = 7-14.....	1	0.00
171 = NyQuil <OTC>.....	2	0.00
174 = Ambien.....	65	0.01
178 = Quetiapine, Seroquel.....	24	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
189 = Sonata, Zaleplon.....	9	0.00
201 = Valium.....	9	0.00
207 = Ativan.....	2	0.00
209 = Xanax.....	8	0.00
225 = Desyrel, Trazodone hydrochloride.....	26	0.00
228 = Amitriptyline, Elavil.....	2	0.00
234 = Flexeril.....	1	0.00
240 = Lithium carbonate, Lithonate.....	1	0.00
246 = Klonopin.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
271 = Sertraline hydrochloride, Zoloft.....	2	0.00
285 = Risperdal, Risperdol, Risperidone.....	2	0.00
289 = Olanzapine, Zyprexa.....	1	0.00
295 = Mirtazapine, Remeron.....	1	0.00
327 = Black beauties, black beauty.....	2	0.00
401 = Darvon.....	1	0.00
408 = Dilaudid, Hydromorphone.....	1	0.00
415 = Codeine pills.....	2	0.00
417 = Morphine.....	1	0.00
418 = Methadone.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet.....	1	0.00
424 = Fioricet.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
434 = Vicodin.....	2	0.00
601 = LSD ("acid").....	1	0.00
658 = Special K, Ketamine.....	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
858 = Antibiotic.....	1	0.00
896 = Catapres, Clonidine.....	1	0.00
900 = Not a drug.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	2	0.00
1006 = Trileptal, Oxcarbazepine.....	1	0.00
1011 = Eszopiclone, Lunesta.....	19	0.00
1013 = Ambien CR.....	4	0.00
1018 = Advil PM <OTC>.....	1	0.00
2001 = Soma.....	2	0.00
2002 = Muscle relaxers.....	3	0.00
2011 = Lexapro.....	1	0.00
3023 = Adderall.....	1	0.00
4046 = Oxycodone.....	1	0.00
8002 = Zantac.....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8011 = Herb, flower, plant; type unspecified.....	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator.....	1	0.00
8094 = Pepto Bismol <OTC>.....	1	0.00
8136 = Montekulast, Singulair.....	1	0.00
8211 = Precose.....	1	0.00
8247 = Abilify, Aripiprazole.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned.....	24	0.00

SEDATIVES

9989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
9991 = NEVER USED SEDATIVES .....	705266	78.98
9997 = REFUSED .....	140	0.02
9998 = BLANK (NO ANSWER).....	4138	0.46
9999 = LEGITIMATE SKIP.....	12527	1.40

SEDNEWC

Len : 4 OTHER SEDATIVES - SPECIFY 3

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
111 = Dalmane.....	1	0.00
112 = Restoril .....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	3	0.00
121 = USED SEDATIVE, DON'T KNOW NAME .....	5	0.00
174 = Ambien .....	18	0.00
178 = Quetiapine, Seroquel.....	8	0.00
180 = Tylenol P.M. <OTC>.....	1	0.00
186 = Butalbital .....	1	0.00
188 = Prosom.....	1	0.00
189 = Sonata, Zaleplon .....	1	0.00
201 = Valium .....	4	0.00
207 = Ativan .....	1	0.00
209 = Xanax.....	2	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
246 = Klonopin.....	2	0.00
247 = Adapin, Doxepin, Sinequan .....	1	0.00
285 = Risperdal, Risperdol, Risperidone .....	3	0.00
289 = Olanzapine, Zyprexa .....	1	0.00
415 = Codeine pills .....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	1	0.00
423 = Percocet .....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
900 = Not a drug.....	1	0.00
1011 = Eszopiclone, Lunesta .....	4	0.00
4043 = Tramadol.....	1	0.00
4067 = OxyContin .....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned .....	9	0.00
9991 = NEVER USED SEDATIVES .....	705266	78.98
9997 = REFUSED .....	132	0.01
9998 = BLANK (NO ANSWER).....	4380	0.49
9999 = LEGITIMATE SKIP.....	12528	1.40

SEDNEWD

Len : 4 OTHER SEDATIVES - SPECIFY 4

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
111 = Dalmane.....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	3	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	2	0.00
121 = USED SEDATIVE, DON'T KNOW NAME .....	3	0.00
174 = Ambien .....	10	0.00
189 = Sonata, Zaleplon .....	1	0.00
201 = Valium .....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	2	0.00
1011 = Eszopiclone, Lunesta .....	1	0.00
2019 = Soma Compound.....	1	0.00
8010 = Zyrtec, Cetirizine <OTC>.....	1	0.00
8338 = Bumex, Bumetanide, Burinex .....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned .....	5	0.00
9991 = NEVER USED SEDATIVES .....	705266	78.98
9997 = REFUSED .....	131	0.01
9998 = BLANK (NO ANSWER).....	4425	0.50
9999 = LEGITIMATE SKIP.....	12528	1.40

SEDATIVES

SEDNEWE

Len : 4 OTHER SEDATIVES - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
110 = Tuinal.....	1	0.00
121 = USED SEDATIVE, DONT KNOW NAME .....	1	0.00
174 = Ambien .....	5	0.00
189 = Sonata, Zaleplon .....	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
3023 = Adderall .....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
9985 = BAD DATA Logically assigned .....	6	0.00
9991 = NEVER USED SEDATIVES .....	705266	78.98
9997 = REFUSED .....	130	0.01
9998 = BLANK (NO ANSWER).....	4441	0.50
9999 = LEGITIMATE SKIP.....	12528	1.40

The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

SEDEVER

Len : 2 EVER USED SEDATIVES NONMEDICALLY

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	15394	1.72
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	46	0.01
98 = BLANK (NO ANSWER) .....	1674	0.19

How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDAGE

Len : 3 AGE WHEN FIRST USED SEDATIVES NONMEDICALLY

	Freq	Pct
RANGE = 1 - 80 .....	14744	1.65
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
985 = BAD DATA Logically assigned .....	79	0.01
991 = NEVER USED SEDATIVES .....	705266	78.98
994 = DON'T KNOW .....	453	0.05
997 = REFUSED .....	175	0.02
998 = BLANK (NO ANSWER).....	1665	0.19

SEDATIVES

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDYFU      Len : 4    YEAR OF FIRST SEDATIVE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2000 - 2014 .....	1512	0.17
-9 = Data not collected for this year .....	170319	19.07
9981 = NEVER USED SEDATIVES Logically assigned .....	271	0.03
9985 = BAD DATA Logically assigned .....	193	0.02
9989 = LEGITIMATE SKIP Logically assigned .....	80	0.01
9991 = NEVER USED SEDATIVES .....	705266	78.98
9994 = DON'T KNOW .....	459	0.05
9997 = REFUSED .....	176	0.02
9998 = BLANK (NO ANSWER) .....	1681	0.19
9999 = LEGITIMATE SKIP .....	13015	1.46

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM SV07a or SV07b] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDMFU      Len : 2    MONTH OF FIRST SEDATIVE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = January .....	152	0.02
2 = February .....	107	0.01
3 = March .....	120	0.01
4 = April .....	120	0.01
5 = May .....	103	0.01
6 = June .....	113	0.01
7 = July .....	107	0.01
8 = August .....	113	0.01
9 = September .....	111	0.01
10 = October .....	106	0.01
11 = November .....	115	0.01
12 = December .....	104	0.01
81 = NEVER USED SEDATIVES Logically assigned .....	271	0.03
85 = BAD DATA Logically assigned .....	192	0.02
89 = LEGITIMATE SKIP Logically assigned .....	80	0.01
91 = NEVER USED SEDATIVES .....	705266	78.98
94 = DON'T KNOW .....	596	0.07
97 = REFUSED .....	180	0.02
98 = BLANK (NO ANSWER) .....	1682	0.19
99 = LEGITIMATE SKIP .....	13015	1.46

SEDATIVES

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

**SEDREC**      Len : 2    TIME SINCE LAST USED SEDATIVES NONMEDICALLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Within the past 30 days.....	992	0.11
2 = More than 30 days ago but within the past 12 mos .....	1818	0.20
3 = More than 12 months ago .....	12252	1.37
8 = Used at some point in the past 12 mos LOG ASSN.....	17	0.00
9 = Used at some point in lifetime LOG ASSN .....	312	0.03
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	10	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
97 = REFUSED .....	48	0.01
98 = BLANK (NO ANSWER) .....	1664	0.19

**SEDYRTOT**      Len : 3    TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 364 .....	2738	0.31
-9 = Data not collected for this year.....	170319	19.07
981 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
985 = BAD DATA Logically assigned .....	30	0.00
991 = NEVER USED SEDATIVES .....	705266	78.98
993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	12252	1.37
994 = DON'T KNOW .....	60	0.01
997 = REFUSED .....	56	0.01
998 = BLANK (NO ANSWER).....	1980	0.22

**SVTOTFG**      Len : 2    TRIMMING INDICATOR FOR SEDYRTOT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
98 = BLANK (NO ANSWER) .....	722653	80.93

**SVFQFLG**      Len : 2    TRIMMED SEDYRTOT IF R USED < 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Trimmed to be consistent with mo/yr of 1st use .....	264	0.03
98 = BLANK (NO ANSWER) .....	722389	80.90

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?

**SVBSTWAY**      Len : 2    EASIEST WAY TO TELL US # DAYS USED SEDATIVE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Prefer to answer in days per week.....	510	0.06
2 = Prefer to answer in days per month.....	730	0.08
3 = Prefer to answer in days per year .....	1490	0.17
11 = Prefer to ans in days per wk LOG ASSN.....	9	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	13	0.00
13 = Prefer to ans in days per yr LOG ASSN .....	33	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	271	0.03
85 = BAD DATA Logically assigned .....	30	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	12252	1.37
94 = DON'T KNOW .....	19	0.00
97 = REFUSED .....	50	0.01
98 = BLANK (NO ANSWER) .....	1980	0.22

SEDATIVES

On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

**SVDAYPYR**      Len : 3   # DAYS USED SEDATIVE "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 270 .....	1511	0.17
-9 = Data not collected for this year .....	170319	19.07
981 = NEVER USED SEDATIVES Logically assigned .....	271	0.03
985 = BAD DATA Logically assigned .....	11	0.00
989 = LEGITIMATE SKIP Logically assigned .....	20	0.00
991 = NEVER USED SEDATIVES .....	705266	78.98
993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	12252	1.37
994 = DON'T KNOW .....	28	0.00
997 = REFUSED .....	53	0.01
998 = BLANK (NO ANSWER) .....	1999	0.22
999 = LEGITIMATE SKIP .....	1242	0.14

On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

**SVDAYPMO**      Len : 2   # DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	728	0.08
-9 = Data not collected for this year .....	170319	19.07
81 = NEVER USED SEDATIVES Logically assigned .....	271	0.03
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	9	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	12252	1.37
94 = DON'T KNOW .....	44	0.00
97 = REFUSED .....	52	0.01
98 = BLANK (NO ANSWER) .....	2004	0.22
99 = LEGITIMATE SKIP .....	2021	0.23

On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

**SVDAYPWK**      Len : 2   # DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 7 .....	499	0.06
-9 = Data not collected for this year .....	170319	19.07
81 = NEVER USED SEDATIVES Logically assigned .....	271	0.03
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED SEDATIVES .....	705266	78.98
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	12252	1.37
94 = DON'T KNOW .....	60	0.01
97 = REFUSED .....	56	0.01
98 = BLANK (NO ANSWER) .....	1997	0.22
99 = LEGITIMATE SKIP .....	2239	0.25



SEDATIVES

The next question asks about using **prescription sedatives** in any way **a doctor did not direct you to use them**.

When you answer these questions, please think only about your use of the drug in any way **a doctor did not direct you to use it**, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it/li>
- Using it in **any other way** a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

<b>SEDNMLIF</b>	Len : 2	EVER USED SEDATIVE NOT DIRECTED BY DR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	2539	0.28
		2 = No.....	14720	1.65
		5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	941	0.11
		85 = BAD DATA Logically assigned .....	89	0.01
		91 = NEVER USED/MISUSED SEDATIVES .....	151009	16.91
		94 = DON'T KNOW .....	43	0.00
		97 = REFUSED .....	10	0.00
		98 = BLANK (NO ANSWER) .....	968	0.11

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables of specific sedatives, and SEDTVNM30DY.

<b>SEDNMREC</b>	Len : 2	RC - MOST RECENT SEDATIVE MISUSE (RECODE)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Within the past 30 days.....	274	0.03
		2 = More than 30 days ago but within the past 12 mos .....	665	0.07
		3 = More than 12 months ago .....	2524	0.28
		8 = Misused at some point in past 12 mos LOG ASSN.....	2	0.00
		9 = Misused at some point in lifetime LOG ASSN .....	15	0.00
		83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn .....	604	0.07
		91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
		98 = BLANK (NO ANSWER) .....	506	0.06

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

<b>SEDNMINIT</b>	Len : 2	PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Past year initiate.....	254	0.03
		2 = Not a past year initiate .....	76	0.01
		4 = Not past yr initiate LOG ASSN (from skip pattern).....	607	0.07
		83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN) .....	604	0.07
		91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
		93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS .....	2524	0.28
		94 = DON'T KNOW .....	3	0.00
		97 = REFUSED .....	1	0.00
		98 = BLANK (NO ANSWER) .....	521	0.06

NOTE: The variables SEDNMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

<b>SEDNMAGE</b>	Len : 3	RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 12 - 94 .....	235	0.03
		-9 = Data not collected for this year .....	722653	80.93
		983 = NOT A PAST YEAR INITIATE Log assn.....	604	0.07
		991 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
		993 = NOT A PAST YEAR INITIATE.....	3207	0.36
		998 = BLANK (NO ANSWER).....	544	0.06

SEDATIVES

SEDNMYFU

Len : 4 RC - YR 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 2014 - 2017 .....	236	0.03
-9 = Data not collected for this year .....	722653	80.93
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	604	0.07
9991 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
9993 = NOT A PAST YEAR INITIATE .....	3207	0.36
9998 = BLANK (NO ANSWER).....	543	0.06

SEDNMMFU

Len : 2 RC - MO 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = January.....	21	0.00
2 = February.....	19	0.00
3 = March.....	24	0.00
4 = April .....	18	0.00
5 = May.....	17	0.00
6 = June.....	15	0.00
7 = July .....	19	0.00
8 = August .....	17	0.00
9 = September .....	21	0.00
10 = October .....	15	0.00
11 = November .....	25	0.00
12 = December.....	16	0.00
83 = NOT A PAST YEAR INITIATE Logically assigned .....	604	0.07
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = NOT A PAST YEAR INITIATE .....	3207	0.36
98 = BLANK (NO ANSWER) .....	552	0.06

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

SEDNM30D

Len : 2 USED SEDATIVE NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	254	0.03
2 = No.....	665	0.07
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	20	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN .....	33	0.00
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS .....	3095	0.35
94 = DON'T KNOW .....	2	0.00
98 = BLANK (NO ANSWER) .....	514	0.06

During the past 30 days, on how many days did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

SEDNM30FQ

Len : 2 # DAYS USED SEDATIVE NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30 .....	266	0.03
-9 = Data not collected for this year .....	722653	80.93
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN .....	8	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS .....	3785	0.42
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	4	0.00
98 = BLANK (NO ANSWER) .....	522	0.06

SEDATIVES

What is your best estimate of the number of days you used [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] during the past 30 days?

<b>SEDNM30ES</b>	Len : 2 EST # DAYS USED SEDATIVE NOT DIRECTED PST 30 DYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = 1 or 2 days .....	2	0.00
	2 = 3 to 5 days .....	1	0.00
	4 = 10 to 19 days .....	1	0.00
	5 = 20 to 29 days .....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS .....	3793	0.42
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	523	0.06
	99 = LEGITIMATE SKIP .....	266	0.03

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

<b>SEDNM30AL</b>	Len : 2 USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes .....	71	0.01
	2 = No .....	112	0.01
	83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN .....	4	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS .....	3789	0.42
	98 = BLANK (NO ANSWER) .....	525	0.06
	99 = LEGITIMATE SKIP .....	89	0.01

Which of these statements describe your use of [SVNAMEFILL] at any time in the past 12 months?

<b>SEDWYNORX</b>	Len : 2 USED SEDATIVE W/O OWN RX PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes .....	614	0.07
	2 = No (not entered) .....	293	0.03
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	19	0.00
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3109	0.35
	94 = DON'T KNOW .....	22	0.00
	97 = REFUSED .....	12	0.00
	98 = BLANK (NO ANSWER) .....	517	0.06

<b>SEDWYGAMT</b>	Len : 2 USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes .....	192	0.02
	2 = No (not entered) .....	715	0.08
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	12	0.00
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3116	0.35
	94 = DON'T KNOW .....	22	0.00
	97 = REFUSED .....	12	0.00
	98 = BLANK (NO ANSWER) .....	519	0.06

SEDATIVES

**SEDWYOFTN**      Len : 2    USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	87	0.01
2 = No (not entered).....	820	0.09
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	7	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3121	0.35
94 = DON'T KNOW.....	22	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	520	0.06

**SEDWYLNGR**      Len : 2    USED SEDATIVE LONGER THAN RX PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	50	0.01
2 = No (not entered).....	857	0.10
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	6	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3122	0.35
94 = DON'T KNOW.....	22	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	519	0.06

**SEDWYOTWY**      Len : 2    USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	121	0.01
2 = No (not entered).....	786	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	9	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3119	0.35
94 = DON'T KNOW.....	22	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	519	0.06

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

**SEDNMLAST**      Len : 2    LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Ambien.....	474	0.05
2 = Ambien CR.....	40	0.00
3 = Zolpidem (generic) .....	120	0.01
4 = Extended-release zolpidem (generic).....	7	0.00
5 = Lunesta or eszopiclone.....	33	0.00
6 = Sonata or zaleplon.....	11	0.00
7 = Halcion .....	5	0.00
8 = Restoril .....	14	0.00
9 = Flurazepam (generic), also known as Dalmane.....	3	0.00
10 = Temazepam (generic) .....	31	0.00
11 = Triazolam (generic).....	28	0.00
12 = Butisol .....	3	0.00
13 = Seconal .....	3	0.00
14 = Phenobarbital (generic).....	16	0.00
15 = Some other sedative.....	152	0.02
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	33	0.00
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3095	0.35
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER) .....	514	0.06

SEDATIVES

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

<b>SEDRSRELX</b>	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	264	0.03
	2 = No (not entered).....	667	0.07
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	12	0.00
	85 = BAD DATA Logically assigned.....	3	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3116	0.35
	94 = DON'T KNOW.....	6	0.00
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	518	0.06

<b>SEDRSEXPT</b>	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	79	0.01
	2 = No (not entered).....	853	0.10
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	85 = BAD DATA Logically assigned.....	4	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3128	0.35
	94 = DON'T KNOW.....	6	0.00
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	517	0.06

<b>SEDRSHIGH</b>	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	141	0.02
	2 = No (not entered).....	791	0.09
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	1	0.00
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3127	0.35
	94 = DON'T KNOW.....	6	0.00
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	520	0.06

<b>SEDRSSLEP</b>	Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	666	0.07
	2 = No (not entered).....	260	0.03
	3 = Yes LOGICALLY ASSIGNED.....	7	0.00
	83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	23	0.00
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	3105	0.35
	94 = DON'T KNOW.....	6	0.00
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	519	0.06

SEDATIVES

SEDRSEMOT

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	116	0.01
2 = No (not entered).....	816	0.09
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	4	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3124	0.35
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	520	0.06

SEDRSDGFX

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	16	0.00
2 = No (not entered).....	916	0.10
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	1	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3127	0.35
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	520	0.06

SEDRSHOOK

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	6	0.00
2 = No (not entered).....	927	0.10
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	1	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3127	0.35
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	520	0.06

SEDRSSOR

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTHER REASON

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	50	0.01
2 = No (not entered).....	883	0.10
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	7	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3121	0.35
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	520	0.06

SEDATIVES

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

**SEDRSOTRS2**      Len : 3    REASON USED LAST SEDATIVE (NOT DIRECTED)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
2 = To relax or relieve tension .....	2	0.00
3 = To experiment or to see what it's/they're like .....	1	0.00
4 = To feel good or get high.....	1	0.00
5 = To help with my sleep.....	8	0.00
6 = To help me with my feelings or emotions.....	1	0.00
7 = To increase/decrease effects of some other drug.....	1	0.00
13 = I used it/them for some other reason .....	13	0.00
16 = Suicide attempt/suicidal thoughts .....	17	0.00
983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned.....	7	0.00
985 = BAD DATA (logically assigned).....	1	0.00
991 = NEVER USED SEDATIVES .....	165729	18.56
993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3121	0.35
994 = DON'T KNOW .....	2	0.00
997 = REFUSED .....	3	0.00
998 = BLANK (no answer).....	529	0.06
999 = LEGITIMATE SKIP.....	883	0.10

Which was the main reason you used [SVLASTFILL2] the last time?

**SEDRSMAIN**      Len : 2    MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = To relax or relieve tension .....	44	0.00
2 = To experiment or to see what it was/they were like .....	16	0.00
3 = To feel good or get high.....	33	0.00
4 = To help with my sleep.....	106	0.01
5 = To help me with my feelings or emotions.....	21	0.00
6 = To increase or decrease the effect(s) of some other drug .....	3	0.00
7 = Because I am 'hooked' or I have to have it/them .....	1	0.00
8 = The other reason I reported.....	6	0.00
14 = To help with my sleep LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN .....	11	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS .....	3117	0.35
98 = BLANK (NO ANSWER) .....	529	0.06
99 = LEGITIMATE SKIP.....	701	0.08

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

**SEDNORXFG**      Len : 2    ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	33	0.00
98 = BLANK (NO ANSWER) .....	170286	19.07

RECENCY OF DRUG USE

IMPUTED SUBSTANCE USE

RECENCY OF DRUG USE

<b>IRCIGRC</b>	Len : 1 CIGARETTE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	212254	23.77
	2 = More than 30 days ago but within the past 12 mos .....	51315	5.75
	3 = More than 12 months ago but within the past 3 yrs.....	47378	5.31
	4 = More than 3 years ago.....	167152	18.72
	9 = NEVER SMOKED CIGARETTES .....	414873	46.46

<b>HCIGRC</b>	Len : 1 CIGARETTE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	887066	99.34
	2 = Logically assigned data.....	40	0.00
	3 = Statistically imputed data.....	5866	0.66

<b>I2CIGRC</b>	Len : 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	887066	99.34
	2 = Logically assigned data.....	40	0.00
	4 = Statistically imputed data - edited recency = 9.....	171	0.02
	5 = Statistically imputed data - edited recency = 8.....	170	0.02
	6 = Statistically imputed data - edited recency = 19.....	1505	0.17
	7 = Statistically imputed data - edited recency = 14.....	2679	0.30
	8 = Statistically imputed data - edited recency = 29.....	1314	0.15
	9 = Statistically imputed data - edited recency = 39.....	27	0.00

<b>IRCGRRC</b>	Len : 1 CIGAR RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	57001	6.38
	2 = More than 30 days ago but within the past 12 mos .....	59087	6.62
	3 = More than 12 months ago but within the past 3 yrs.....	56841	6.37
	4 = More than 3 years ago.....	103904	11.64
	9 = NEVER SMOKED CIGARS.....	616139	69.00

<b>ICGRRC</b>	Len : 1 CIGAR RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	888110	99.46
	2 = Logically assigned data.....	38	0.00
	3 = Statistically imputed data.....	4824	0.54

<b>I2CGRRC</b>	Len : 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	888110	99.46
	2 = Logically assigned data.....	38	0.00
	3 = Statistically imputed data - lifetime use imputed .....	159	0.02
	4 = Statistically imputed data - edited recency = 9.....	141	0.02
	5 = Statistically imputed data - edited recency = 8.....	135	0.02
	6 = Statistically imputed data - edited recency = 19.....	1309	0.15
	7 = Statistically imputed data - edited recency = 14.....	1794	0.20
	8 = Statistically imputed data - edited recency = 29.....	1270	0.14
	9 = Statistically imputed data - edited recency = 39.....	16	0.00

<b>IRPIPLF</b>	Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Ever used pipes.....	79453	8.90
	9 = NEVER SMOKED PIPES .....	813519	91.10

<b>IPIPLF</b>	Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	892810	99.98
	3 = Statistically imputed data.....	162	0.02



RECENCY OF DRUG USE

IRIPMN	Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	8693	0.97
	2 = More than 30 days ago but within lifetime.....	70760	7.92
	9 = NEVER SMOKED PIPES.....	813519	91.10
IIPMN	Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	128149	14.35
	3 = Statistically imputed data.....	184	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	764639	85.63
IRSMKLSREC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Within the past 30 days.....	6375	0.71
	2 = More than 30 days ago but within the past 12 mos.....	3150	0.35
	3 = More than 12 months ago but within the past 3 yrs.....	3735	0.42
	4 = More than 3 years ago.....	14402	1.61
9 = NEVER USED SMOKELESS TOBACCO.....	142657	15.98	
ISMKLSREC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data.....	169715	19.01
	2 = Logically assigned data.....	5	0.00
	3 = Statistically imputed data - lifetime use imputed.....	122	0.01
	4 = Statistically imputed data - edited recency = 9.....	23	0.00
	5 = Statistically imputed data - edited recency = 8.....	15	0.00
	6 = Statistically imputed data - edited recency = 19.....	112	0.01
	7 = Statistically imputed data - edited recency = 14.....	185	0.02
	8 = Statistically imputed data - edited recency = 29.....	141	0.02
	9 = Statistically imputed data - edited recency = 39.....	1	0.00
	IRALCRC	Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED	
		<b>Freq</b>	<b>Pct</b>
1 = Within the past 30 days.....		402940	45.12
2 = More than 30 days ago but within the past 12 mos.....		140959	15.79
3 = More than 12 months ago.....		99699	11.16
9 = NEVER USED ALCOHOL.....	249374	27.93	
IALCRC	Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	881498	98.72
	2 = Logically assigned data.....	173	0.02
3 = Statistically imputed data.....	11301	1.27	
I2ALCRC	Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	881498	98.72
	2 = Logically assigned data.....	173	0.02
	3 = Statistically imputed data - lifetime use imputed.....	265	0.03
	4 = Statistically imputed data - edited recency = 9.....	5287	0.59
5 = Statistically imputed data - edited recency = 8.....	5749	0.64	
IRMJRC	Len : 1 MARIJUANA RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	94228	10.55
	2 = More than 30 days ago but within the past 12 mos.....	65139	7.29
	3 = More than 12 months ago.....	203117	22.75
9 = NEVER USED MARIJUANA.....	530488	59.41	

RECENCY OF DRUG USE

<b>IIMJRC</b>	Len : 1 MARIJUANA RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	886610	99.29
	2 = Logically assigned data.....	72	0.01
	3 = Statistically imputed data.....	6290	0.70
<b>I2MJRC</b>	Len : 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	886610	99.29
	2 = Logically assigned data.....	72	0.01
	3 = Statistically imputed data - lifetime use imputed .....	549	0.06
	4 = Statistically imputed data - edited recency = 9.....	2899	0.32
	5 = Statistically imputed data - edited recency = 8.....	2842	0.32
<b>IRCOCRC</b>	Len : 1 COCAINE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	8174	0.92
	2 = More than 30 days ago but within the past 12 mos .....	16890	1.89
	3 = More than 12 months ago .....	79339	8.88
	9 = NEVER USED COCAINE .....	788569	88.31
<b>IICOCRC</b>	Len : 1 COCAINE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	890420	99.71
	2 = Logically assigned data.....	591	0.07
	3 = Statistically imputed data.....	1961	0.22
<b>I2COCRC</b>	Len : 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	890420	99.71
	2 = Logically assigned data.....	591	0.07
	3 = Statistically imputed data - lifetime use imputed .....	366	0.04
	4 = Statistically imputed data - edited recency = 9.....	1096	0.12
	5 = Statistically imputed data - edited recency = 8.....	499	0.06
<b>IRCRKRC</b>	Len : 1 CRACK RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	1480	0.17
	2 = More than 30 days ago but within the past 12 mos .....	2680	0.30
	3 = More than 12 months ago .....	21337	2.39
	9 = NEVER USED CRACK.....	867475	97.14
<b>IICRKRC</b>	Len : 1 CRACK RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	892202	99.91
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data.....	756	0.08
<b>I2CRKRC</b>	Len : 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	892202	99.91
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data - lifetime use imputed .....	404	0.05
	4 = Statistically imputed data - edited recency = 9.....	224	0.03
	5 = Statistically imputed data - edited recency = 8.....	128	0.01
<b>IRHERRC</b>	Len : 1 HEROIN RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	1212	0.14
	2 = More than 30 days ago but within the past 12 mos .....	1766	0.20
	3 = More than 12 months ago .....	9952	1.11
	9 = NEVER USED HEROIN.....	880042	98.55

RECENCY OF DRUG USE

IIHERRC	Len : 1 HEROIN RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	892098	99.90
	2 = Logically assigned data.....	10	0.00
	3 = Statistically imputed data.....	864	0.10
II2HERRC	Len : 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	892098	99.90
	2 = Logically assigned data.....	10	0.00
	3 = Statistically imputed data - lifetime use imputed .....	522	0.06
	4 = Statistically imputed data - edited recency = 9.....	167	0.02
	5 = Statistically imputed data - edited recency = 8.....	175	0.02
IRHALLUCREC	Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days.....	1301	0.15
	2 = More than 30 days ago but within the past 12 mos .....	3520	0.39
	3 = More than 12 months ago .....	19888	2.23
	9 = NEVER USED HALLUCINOGENS .....	145610	16.31
IIHALLUCREC	Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	168869	18.91
	2 = Logically assigned data.....	143	0.02
	3 = Statistically imputed data - lifetime use imputed .....	711	0.08
	4 = Statistically imputed data - edited recency = 9.....	449	0.05
	5 = Statistically imputed data - edited recency = 8.....	147	0.02
IRLSDRC	Len : 1 LSD RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	1551	0.17
	2 = More than 30 days ago but within the past 12 mos .....	5938	0.66
	3 = More than 12 months ago .....	62243	6.97
	9 = NEVER USED LSD .....	823240	92.19
IILSDRC	Len : 1 LSD RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	891077	99.79
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data.....	1881	0.21
II2LSDRC	Len : 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	891077	99.79
	2 = Logically assigned data.....	14	0.00
	3 = Statistically imputed data - lifetime use imputed .....	782	0.09
	4 = Statistically imputed data - edited recency = 9.....	907	0.10
	5 = Statistically imputed data - edited recency = 8.....	192	0.02
IRPCRC	Len : 1 PCP RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 30 days.....	273	0.03
	2 = More than 30 days ago but within the past 12 mos .....	950	0.11
	3 = More than 12 months ago .....	15175	1.70
	9 = NEVER USED PCP .....	876574	98.16
IIPCRC	Len : 1 PCP RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	891792	99.87
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data.....	1177	0.13

RECENCY OF DRUG USE

<b>I2PCPRC</b>	Len : 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	891792	99.87
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data - lifetime use imputed .....	759	0.08
	4 = Statistically imputed data - edited recency = 9.....	371	0.04
	5 = Statistically imputed data - edited recency = 8.....	47	0.01
<b>IRECSTMOREC</b>	Len : 1 ECSTASY RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Within the past 30 days.....	521	0.06
	2 = More than 30 days ago but within the past 12 mos .....	1849	0.21
	3 = More than 12 months ago .....	10906	1.22
	9 = NEVER USED ECSTASY .....	157043	17.59
<b>IIECSTMOREC</b>	Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data .....	169902	19.03
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data - lifetime use imputed .....	179	0.02
	4 = Statistically imputed data - edited recency = 9.....	205	0.02
	5 = Statistically imputed data - edited recency = 8.....	31	0.00
<b>IRKETMINREC</b>	Len : 1 KETAMINE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Within the past 30 days.....	72	0.01
	2 = More than 30 days ago but within the past 12 mos .....	213	0.02
	3 = More than 12 months ago .....	1946	0.22
	9 = NEVER USED KETAMINE .....	168088	18.82
<b>IIKETMINREC</b>	Len : 1 KETAMINE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data .....	170043	19.04
	2 = Logically assigned data.....	3	0.00
	3 = Statistically imputed data - lifetime use imputed .....	248	0.03
	4 = Statistically imputed data - edited recency = 9.....	17	0.00
	5 = Statistically imputed data - edited recency = 8.....	8	0.00
<b>IRDAMTFXREC</b>	Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Within the past 30 days.....	65	0.01
	2 = More than 30 days ago but within the past 12 mos .....	242	0.03
	3 = More than 12 months ago .....	1534	0.17
	9 = NEVER USED DMT/AMT/FOXY .....	168478	18.87
<b>IIDAMTFXREC</b>	Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data .....	170007	19.04
	2 = Logically assigned data.....	6	0.00
	3 = Statistically imputed data - lifetime use imputed .....	272	0.03
	4 = Statistically imputed data - edited recency = 9.....	27	0.00
	5 = Statistically imputed data - edited recency = 8.....	7	0.00
<b>IRSALVIAREC</b>	Len : 1 SALVIA RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Within the past 30 days.....	33	0.00
	2 = More than 30 days ago but within the past 12 mos .....	150	0.02
	3 = More than 12 months ago .....	3858	0.43
	9 = NEVER USED SALVIA .....	166278	18.62

RECENCY OF DRUG USE

<b>IISALVIAREC</b>	Len : 1 SALVIA RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	169965	19.03
	2 = Logically assigned data .....	17	0.00
	3 = Statistically imputed data - lifetime use imputed .....	309	0.03
	4 = Statistically imputed data - edited recency = 9 .....	19	0.00
	5 = Statistically imputed data - edited recency = 8 .....	9	0.00

<b>IRINHALREC</b>	Len : 1 INHALANT RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days .....	596	0.07
	2 = More than 30 days ago but within the past 12 mos .....	1400	0.16
	3 = More than 12 months ago .....	15274	1.71
	9 = NEVER USED INHALANTS .....	153049	17.14

<b>IIINHALREC</b>	Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	169287	18.96
	2 = Logically assigned data .....	6	0.00
	3 = Statistically imputed data - lifetime use imputed .....	413	0.05
	4 = Statistically imputed data - edited recency = 9 .....	561	0.06
	5 = Statistically imputed data - edited recency = 8 .....	52	0.01

<b>IRMETHAMREC</b>	Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days .....	484	0.05
	2 = More than 30 days ago but within the past 12 mos .....	668	0.07
	3 = More than 12 months ago .....	6563	0.73
	9 = NEVER USED METHAMPHETAMINE .....	162604	18.21

<b>IIMETHAMREC</b>	Len : 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	170021	19.04
	2 = Logically assigned data .....	2	0.00
	3 = Statistically imputed data - lifetime use imputed .....	218	0.02
	4 = Statistically imputed data - edited recency = 9 .....	45	0.01
	5 = Statistically imputed data - edited recency = 8 .....	33	0.00

NOTE: The following 10 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

<b>IRPNRANYREC</b>	Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	53819	6.03
	2 = More than 12 months ago .....	39285	4.40
	9 = NEVER USED PAIN RELIEVERS .....	77215	8.65

<b>IIPNRANYREC</b>	Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	168355	18.85
	3 = Statistically imputed data - lifetime use imputed .....	1488	0.17
	4 = Statistically imputed data - edited recency = 9 .....	476	0.05

RECENCY OF DRUG USE

<b>IROXCANYR</b>	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	5714	0.64
	9 = Did not use in the past 12 months .....	164605	18.43
<b>IIOXCANYR</b>	Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	168921	18.92
	2 = Logically assigned data .....	614	0.07
	3 = Statistically imputed data - any use imputed .....	784	0.09
<b>IIRTRQANYREC</b>	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	20510	2.30
	2 = More than 12 months ago .....	11689	1.31
	9 = NEVER USED TRANQUILIZERS .....	138120	15.47
<b>IITRQANYREC</b>	Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	168985	18.92
	3 = Statistically imputed data - lifetime use imputed .....	1258	0.14
	4 = Statistically imputed data - edited recency = 9 .....	76	0.01
<b>IIRSTMANYREC</b>	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	14503	1.62
	2 = More than 12 months ago .....	8334	0.93
	9 = NEVER USED STIMULANTS .....	147482	16.52
<b>IISTMANYREC</b>	Len : 1 ANY STIMULANTS RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	169492	18.98
	3 = Statistically imputed data - lifetime use imputed .....	787	0.09
	4 = Statistically imputed data - edited recency = 9 .....	40	0.00
<b>IIRSEDANYREC</b>	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 12 months .....	8846	0.99
	2 = More than 12 months ago .....	9518	1.07
	9 = NEVER USED SEDATIVES .....	151955	17.02
<b>IISEDANYREC</b>	Len : 1 ANY SEDATIVES RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	169246	18.95
	3 = Statistically imputed data - lifetime use imputed .....	1024	0.11
	4 = Statistically imputed data - edited recency = 9 .....	49	0.01

RECENCY OF DRUG USE

NOTE: The following 10 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

<b>IRPNRMREC</b>	Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days .....	2575	0.29
	2 = More than 30 days ago but within the past 12 mos .....	6183	0.69
	3 = More than 12 months ago .....	9479	1.06
	9 = NEVER MISUSED PAIN RELIEVERS .....	152082	17.03

<b>IPNRMREC</b>	Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	168291	18.85
	2 = Logically assigned data .....	1	0.00
	3 = Statistically imputed data - any use rec imputed .....	592	0.07
	4 = Stat imp data - any use rec known, misuse unknown .....	86	0.01
	5 = Statistically imputed data - edited recency = 9 .....	122	0.01
	6 = Statistically imputed data - edited recency = 8 .....	46	0.01
	7 = Stat imp data - did not misuse py, life unknown .....	1181	0.13

<b>IROXCNNMYR</b>	Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Misused in the past 12 months .....	1400	0.16
	9 = Did not misuse in the past 12 months .....	168919	18.92

<b>IHOXCNNMYR</b>	Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	169950	19.03
	2 = Logically assigned data .....	9	0.00
	3 = Statistically imputed data .....	360	0.04

<b>IRTRQNMREC</b>	Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days .....	1487	0.17
	2 = More than 30 days ago but within the past 12 mos .....	3275	0.37
	3 = More than 12 months ago .....	3097	0.35
	9 = NEVER MISUSED TRANQUILIZERS .....	162460	18.19

<b>IITRQNMREC</b>	Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	168969	18.92
	3 = Statistically imputed data - any use rec imputed .....	503	0.06
	4 = Stat imp data - any use rec known, misuse unknown .....	31	0.00
	5 = Statistically imputed data - edited recency = 9 .....	9	0.00
	6 = Statistically imputed data - edited recency = 8 .....	20	0.00
	7 = Stat imp data - did not misuse py, life unknown .....	787	0.09

<b>IRSTMNMREC</b>	Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days .....	1562	0.17
	2 = More than 30 days ago but within the past 12 mos .....	3665	0.41
	3 = More than 12 months ago .....	3487	0.39
	9 = NEVER MISUSED STIMULANTS .....	161605	18.10

RECENCY OF DRUG USE

IISTMNMREC	Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	169429	18.97
	3 = Statistically imputed data - any use rec imputed .....	412	0.05
	4 = Stat imp data - any use rec known, misuse unknown .....	31	0.00
	5 = Statistically imputed data - edited recency = 9 .....	21	0.00
	6 = Statistically imputed data - edited recency = 8 .....	14	0.00
	7 = Stat imp data - did not misuse py, life unknown .....	412	0.05
IRSEDNMREC	Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Within the past 30 days .....	277	0.03
	2 = More than 30 days ago but within the past 12 mos .....	667	0.07
	3 = More than 12 months ago .....	2560	0.29
	9 = NEVER MISUSED SEDATIVES .....	166815	18.68
IISEDNMREC	Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	169192	18.95
	3 = Statistically imputed data - any use rec imputed .....	482	0.05
	4 = Stat imp data - any use rec known, misuse unknown .....	24	0.00
	5 = Statistically imputed data - edited recency = 9 .....	15	0.00
	6 = Statistically imputed data - edited recency = 8 .....	2	0.00
	7 = Stat imp data - did not misuse py, life unknown .....	604	0.07
IRSLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	28669	3.21
	2 = More than 30 days ago but within the past 12 mos .....	16724	1.87
	3 = More than 12 months ago but within the past 3 yrs .....	18153	2.03
	4 = More than 3 years ago .....	61398	6.88
	9 = Never used smokeless tobacco .....	597709	66.93
IISLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	719424	80.57
	2 = Logically assigned data .....	20	0.00
	3 = Statistically imputed data .....	3209	0.36
IISLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	719424	80.57
	2 = Logically assigned data .....	20	0.00
	3 = Statistically imputed data - lifetime use imputed .....	366	0.04
	4 = Statistically imputed data - edited recency = 9 .....	78	0.01
	5 = Statistically imputed data - edited recency = 8 .....	89	0.01
	6 = Statistically imputed data - edited recency = 19 .....	845	0.09
	7 = Statistically imputed data - edited recency = 14 .....	1080	0.12
	8 = Statistically imputed data - edited recency = 29 .....	747	0.08
	9 = Statistically imputed data - edited recency = 39 .....	4	0.00
IRCHWRC	Len : 1 CHEWING TOBACCO RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	11292	1.26
	2 = More than 30 days ago but within the past 12 mos .....	10739	1.20
	3 = More than 12 months ago but within the past 3 yrs .....	13045	1.46
	4 = More than 3 years ago .....	47679	5.34
	9 = Never used chewing tobacco .....	639898	71.66



RECENCY OF DRUG USE

IICHWRC      Len : 1    CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	721014	80.74
2 = Logically assigned data .....	8	0.00
3 = Statistically imputed data .....	1631	0.18

I12CHWRC      Len : 1    CHEWING TOBACCO RECENCY - DETAILED IMP INDICATOR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	721014	80.74
2 = Logically assigned data .....	8	0.00
3 = Statistically imputed data - lifetime use imputed .....	116	0.01
4 = Statistically imputed data - edited recency = 9 .....	34	0.00
5 = Statistically imputed data - edited recency = 8 .....	38	0.00
6 = Statistically imputed data - edited recency = 19 .....	450	0.05
7 = Statistically imputed data - edited recency = 14 .....	635	0.07
8 = Statistically imputed data - edited recency = 29 .....	351	0.04
9 = Statistically imputed data - edited recency = 39 .....	7	0.00

IRSNFRC      Len : 1    SNUFF RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days .....	24372	2.73
2 = More than 30 days ago but within the past 12 mos .....	14105	1.58
3 = More than 12 months ago but within the past 3 yrs .....	15020	1.68
4 = More than 3 years ago .....	46907	5.25
9 = Never used snuff .....	622249	69.68

IISNFRC      Len : 1    SNUFF RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	720213	80.65
2 = Logically assigned data .....	14	0.00
3 = Statistically imputed data .....	2426	0.27

I12SNFRC      Len : 1    SNUFF RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	720213	80.65
2 = Logically assigned data .....	14	0.00
3 = Statistically imputed data - lifetime use imputed .....	348	0.04
4 = Statistically imputed data - edited recency = 9 .....	43	0.00
5 = Statistically imputed data - edited recency = 8 .....	65	0.01
6 = Statistically imputed data - edited recency = 19 .....	626	0.07
7 = Statistically imputed data - edited recency = 14 .....	803	0.09
8 = Statistically imputed data - edited recency = 29 .....	536	0.06
9 = Statistically imputed data - edited recency = 39 .....	5	0.00

IRHALRC      Len : 1    HALLUCINOGEN RECENCY - IMPUTATION REVISED

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days .....	6459	0.72
2 = More than 30 days ago but within the past 12 mos .....	17998	2.02
3 = More than 12 months ago .....	76603	8.58
9 = Never used hallucinogens .....	621593	69.61

I1HALRC      Len : 1    HALLUCINOGEN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	717024	80.30
2 = Logically assigned data .....	562	0.06
3 = Statistically imputed data .....	5067	0.57

RECENCY OF DRUG USE

I2HALRC	Len : 1 HALLUCINOGEN RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	717024	80.30
	2 = Logically assigned data .....	562	0.06
	3 = Statistically imputed data - lifetime use imputed .....	2314	0.26
	4 = Statistically imputed data - edited recency = 9 .....	2003	0.22
	5 = Statistically imputed data - edited recency = 8 .....	750	0.08
IRECSRC	Len : 1 ECSTASY RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	3108	0.35
	2 = More than 30 days ago but within the past 12 mos .....	10102	1.13
	3 = More than 12 months ago .....	36828	4.12
	9 = Never used ecstasy .....	672615	75.32
IIECSRC	Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	720745	80.71
	2 = Logically assigned data .....	9	0.00
	3 = Statistically imputed data .....	1899	0.21
I2ECSRC	Len : 1 ECSTASY RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	720745	80.71
	2 = Logically assigned data .....	9	0.00
	3 = Statistically imputed data - lifetime use imputed .....	753	0.08
	4 = Statistically imputed data - edited recency = 9 .....	984	0.11
	5 = Statistically imputed data - edited recency = 8 .....	162	0.02
IRINHRC	Len : 1 INHALANT RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	3671	0.41
	2 = More than 30 days ago but within the past 12 mos .....	9994	1.12
	3 = More than 12 months ago .....	60350	6.76
	9 = Never used inhalants .....	648638	72.64
IINHRC	Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	718479	80.46
	2 = Logically assigned data .....	25	0.00
	3 = Statistically imputed data .....	4149	0.46
I2INHRC	Len : 1 INHALANT RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	718479	80.46
	2 = Logically assigned data .....	25	0.00
	3 = Statistically imputed data - lifetime use imputed .....	1226	0.14
	4 = Statistically imputed data - edited recency = 9 .....	2628	0.29
	5 = Statistically imputed data - edited recency = 8 .....	295	0.03
IRANLRC	Len : 1 PAIN RELIEVER RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	20385	2.28
	2 = More than 30 days ago but within the past 12 mos .....	31334	3.51
	3 = More than 12 months ago .....	63392	7.10
	9 = Never used pain relievers .....	607542	68.04

RECENCY OF DRUG USE

I2ANLRC	Len : 1 PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	714785	80.05
	2 = Logically assigned data .....	1215	0.14
	3 = Statistically imputed data .....	6653	0.75
I2ANLRC	Len : 1 PAIN RELIEVER RECENCY - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	714785	80.05
	2 = Logically assigned data .....	1215	0.14
	3 = Statistically imputed data - lifetime use imputed .....	2573	0.29
	4 = Statistically imputed data - edited recency = 9 .....	3545	0.40
	5 = Statistically imputed data - edited recency = 8 .....	535	0.06
IROXYRC	Len : 1 OXYCONTIN RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Within the past 30 days .....	1721	0.19
	2 = More than 30 days ago but within the past 12 mos .....	4664	0.52
	3 = More than 12 months ago .....	12784	1.43
	9 = Never used OxyContin .....	594175	66.54
IIOXYRC	Len : 1 OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Questionnaire data .....	609915	68.30
	2 = Logically assigned data .....	933	0.10
	3 = Statistically imputed data .....	2496	0.28
I2OXYRC	Len : 1 OXYCONTIN RECENCY - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Questionnaire data .....	609915	68.30
	2 = Logically assigned data .....	933	0.10
	3 = Statistically imputed data - lifetime use imputed .....	1748	0.20
	4 = Statistically imputed data - edited recency = 9 .....	583	0.07
	5 = Statistically imputed data - edited recency = 8 .....	165	0.02
IRTRNRC	Len : 1 TRANQUILIZER RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	6998	0.78
	2 = More than 30 days ago but within the past 12 mos .....	13849	1.55
	3 = More than 12 months ago .....	39938	4.47
	9 = Never used tranquilizers .....	661868	74.12
IITRNRC	Len : 1 TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	719906	80.62
	2 = Logically assigned data .....	104	0.01
	3 = Statistically imputed data .....	2643	0.30
I2TRNRC	Len : 1 TRANQUILIZER RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	719906	80.62
	2 = Logically assigned data .....	104	0.01
	3 = Statistically imputed data - lifetime use imputed .....	1412	0.16
	4 = Statistically imputed data - edited recency = 9 .....	1112	0.12
	5 = Statistically imputed data - edited recency = 8 .....	119	0.01

RECENCY OF DRUG USE

IRSTMRC	Len : 1 STIMULANT RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	5189	0.58
	2 = More than 30 days ago but within the past 12 mos .....	9297	1.04
	3 = More than 12 months ago .....	39401	4.41
	9 = Never used stimulants .....	668766	74.89
IISTMRC	Len : 1 STIMULANT RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	719579	80.58
	2 = Logically assigned data .....	359	0.04
	3 = Statistically imputed data .....	2715	0.30
I2STMRC	Len : 1 STIMULANT RECENCY - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	719579	80.58
	2 = Logically assigned data .....	359	0.04
	3 = Statistically imputed data - lifetime use imputed .....	1425	0.16
	4 = Statistically imputed data - edited recency = 9 .....	1071	0.12
	5 = Statistically imputed data - edited recency = 8 .....	219	0.02
IRMTHRC	Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	1674	0.19
	2 = More than 30 days ago but within the past 12 mos .....	2982	0.33
	3 = More than 12 months ago .....	20945	2.35
	9 = NEVER USED METHAMPHETAMINE .....	697052	78.06
IIMTHRC	Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	721301	80.78
	2 = Logically assigned data .....	171	0.02
	3 = Statistically imputed data .....	1181	0.13
I2MTHRC	Len : 1 METHAMPHETAMINE RECENCY - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	721300	80.78
	2 = Logically assigned data .....	171	0.02
	3 = Statistically imputed data - lifetime use imputed .....	637	0.07
	4 = Statistically imputed data - edited recency = 9 .....	440	0.05
	5 = Statistically imputed data - edited recency = 8 .....	105	0.01
IRSEDRC	Len : 1 SEDATIVE RECENCY - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days .....	1043	0.12
	2 = More than 30 days ago but within the past 12 mos .....	1915	0.21
	3 = More than 12 months ago .....	12480	1.40
	9 = Never used sedatives .....	707215	79.20
IISEDRC	Len : 1 SEDATIVE RECENCY - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	720328	80.67
	2 = Logically assigned data .....	274	0.03
	3 = Statistically imputed data .....	2051	0.23

RECENCY OF DRUG USE

I2SEDRC

Len : 1 SEDATIVE RECENCY - DETAILED IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	720328	80.67
2 = Logically assigned data.....	274	0.03
3 = Statistically imputed data - lifetime use imputed .....	1722	0.19
4 = Statistically imputed data - edited recency = 9.....	312	0.03
5 = Statistically imputed data - edited recency = 8.....	17	0.00

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

<b>IRALCFY</b>	Len : 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED ALCOHOL.....	543899	60.91
	993 = DID NOT USE ALCOHOL PAST YEAR .....	249374	27.93
		99699	11.16
<b>IIALCFY</b>	Len : 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	538254	60.28
	3 = Statistically imputed data.....	15475	1.73
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	12168	1.36
		327075	36.63
<b>I12ALCFY</b>	Len : 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	538254	60.28
	3 = Statistically imputed data - lifetime use imputed .....	15475	1.73
	4 = Statistically imputed data - lifetime use known.....	265	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	11903	1.33
		327075	36.63
<b>IRMJFY</b>	Len : 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED MARIJUANA .....	159367	17.85
	993 = DID NOT USE MARIJUANA PAST YEAR .....	530488	59.41
		203117	22.75
<b>IIMJFY</b>	Len : 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	188543	21.11
	3 = Statistically imputed data.....	9622	1.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	6965	0.78
		687842	77.03
<b>I12MJFY</b>	Len : 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	188543	21.11
	3 = Statistically imputed data - lifetime use imputed .....	9622	1.08
	4 = Statistically imputed data - lifetime use known.....	549	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	6416	0.72
		687842	77.03
<b>IRCOCFY</b>	Len : 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED COCAINE .....	25064	2.81
	993 = DID NOT USE COCAINE PAST YEAR.....	788569	88.31
		79339	8.88
<b>IICOCFY</b>	Len : 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	73859	8.27
	3 = Statistically imputed data.....	1940	0.22
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	2247	0.25
		814926	91.26

PAST YEAR FREQUENCY OF USE

<b>I2COCFY</b>	Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	73859	8.27
	2 = Logically assigned data.....	1940	0.22
	3 = Statistically imputed data - lifetime use imputed .....	366	0.04
	4 = Statistically imputed data - lifetime use known.....	1881	0.21
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	814926	91.26
<b>IRCRKFY</b>	Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	4160	0.47
	991 = NEVER USED CRACK .....	867475	97.14
	993 = DID NOT USE CRACK PAST YEAR.....	21337	2.39
<b>IICRKFY</b>	Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	57340	6.42
	2 = Logically assigned data.....	270	0.03
	3 = Statistically imputed data.....	759	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	834603	93.46
<b>I2CRKFY</b>	Len : 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	57340	6.42
	2 = Logically assigned data.....	270	0.03
	3 = Statistically imputed data - lifetime use imputed .....	404	0.05
	4 = Statistically imputed data - lifetime use known.....	355	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	834603	93.46
<b>IRHERFY</b>	Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	2978	0.33
	991 = NEVER USED HEROIN .....	880042	98.55
	993 = DID NOT USE HEROIN PAST YEAR .....	9952	1.11
<b>IHERFY</b>	Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	56312	6.31
	2 = Logically assigned data.....	334	0.04
	3 = Statistically imputed data.....	879	0.10
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	835447	93.56
<b>I2HERFY</b>	Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	56312	6.31
	2 = Logically assigned data.....	334	0.04
	3 = Statistically imputed data - lifetime use imputed .....	522	0.06
	4 = Statistically imputed data - lifetime use known.....	357	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	835447	93.56
<b>IRHALLUCYFQ</b>	Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	4821	0.54
	-9 = Data not collected for this year.....	722653	80.93
	991 = NEVER USED HALLUCINOGENS .....	145610	16.31
	993 = DID NOT USE HALLUCINOGENS PAST YEAR .....	19888	2.23
<b>IHALLUCYFQ</b>	Len : 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	4249	0.48
	2 = Logically assigned data.....	256	0.03
	3 = Statistically imputed data - lifetime use imputed .....	711	0.08
	4 = Statistically imputed data - lifetime use known.....	582	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	164521	18.42

PAST YEAR FREQUENCY OF USE

<b>IRINHLYFQ</b>	Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	1996	0.22
	991 = NEVER USED INHALANTS .....	722653	80.93
	993 = DID NOT USE INHALANTS PAST YEAR .....	153049	17.14
		15274	1.71
<b>IINHLYFQ</b>	Len : 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	722653	80.93
	2 = Logically assigned data .....	1575	0.18
	3 = Statistically imputed data - lifetime use imputed .....	168	0.02
	4 = Statistically imputed data - lifetime use known .....	413	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	677	0.08
		167486	18.76
<b>IRMETHAMYFQ</b>	Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	1152	0.13
	991 = NEVER USED METHAMPHETAMINE .....	722653	80.93
	993 = DID NOT USE METHAMPHETAMINE PAST YEAR .....	162604	18.21
		6563	0.73
<b>IIMETHAMYFQ</b>	Len : 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	722653	80.93
	2 = Logically assigned data .....	1006	0.11
	3 = Statistically imputed data - lifetime use imputed .....	82	0.01
	4 = Statistically imputed data - lifetime use known .....	218	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	90	0.01
		168923	18.92
<b>IRHALFY</b>	Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	24457	2.74
	991 = NEVER USED HALLUCINOGENS .....	170319	19.07
	993 = DID NOT USE HALLUCINOGENS PAST YEAR .....	621593	69.61
		76603	8.58
<b>IHALFY</b>	Len : 1 HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data .....	73158	8.19
	3 = Statistically imputed data .....	1353	0.15
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	4954	0.55
		643188	72.03
<b>I2HALFY</b>	Len : 1 HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data .....	73158	8.19
	3 = Statistically imputed data - lifetime use imputed .....	1354	0.15
	4 = Statistically imputed data - lifetime use known .....	2314	0.26
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	2639	0.30
		643188	72.03
<b>IRINHFY</b>	Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	13665	1.53
	991 = NEVER USED INHALANTS .....	170319	19.07
	993 = DID NOT USE INHALANTS PAST YEAR .....	648638	72.64
		60350	6.76



PAST YEAR FREQUENCY OF USE

<b>I1NHFY</b>	Len : 1 INHALANT FREQUENCY PAST YEAR - IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	63547	7.12
	2 = Logically assigned data .....	1268	0.14
	3 = Statistically imputed data .....	4389	0.49
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	653449	73.18
<b>I2INHFY</b>	Len : 1 INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	63547	7.12
	2 = Logically assigned data .....	1268	0.14
	3 = Statistically imputed data - lifetime use imputed .....	1226	0.14
	4 = Statistically imputed data - lifetime use known .....	3163	0.35
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	653449	73.18
<b>I1RANLFY</b>	Len : 3 PAIN RELIEVER FREQ PAST YEAR - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	51719	5.79
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED PAIN RELIEVERS .....	607542	68.04
	993 = DID NOT USE PAIN RELIEVERS PAST YEAR .....	63392	7.10
<b>I1ANLFY</b>	Len : 1 PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	94698	10.60
	2 = Logically assigned data .....	3346	0.37
	3 = Statistically imputed data .....	7678	0.86
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	616931	69.09
<b>I2ANLFY</b>	Len : 1 PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	94698	10.60
	2 = Logically assigned data .....	3346	0.37
	3 = Statistically imputed data - lifetime use imputed .....	2573	0.29
	4 = Statistically imputed data - lifetime use known .....	5105	0.57
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	616931	69.09
<b>I1ROXYFY</b>	Len : 3 OXYCONTIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 365 .....	6385	0.72
	-9 = Data not collected for this year .....	279628	31.31
	991 = NEVER USED OXYCONTIN .....	594175	66.54
	993 = DID NOT USE OXYCONTIN PAST YEAR .....	12784	1.43
<b>I1OXYFY</b>	Len : 1 OXYCONTIN FREQ PAST YEAR - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Questionnaire data .....	5251	0.59
	2 = Logically assigned data .....	659	0.07
	3 = Statistically imputed data .....	2567	0.29
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	604867	67.74
<b>I2OXYFY</b>	Len : 1 OXYCONTIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Questionnaire data .....	5251	0.59
	2 = Logically assigned data .....	659	0.07
	3 = Statistically imputed data - lifetime use imputed .....	1749	0.20
	4 = Statistically imputed data - lifetime use known .....	818	0.09
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	604867	67.74

PAST YEAR FREQUENCY OF USE

IRTRNFY	Len : 3 TRANQUILIZER FREQ PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	20847	2.33
	991 = NEVER USED TRANQUILIZERS .....	170319	19.07
	993 = DID NOT USE TRANQUILIZERS PAST YEAR .....	661868	74.12
		39938	4.47
IITRNFY	Len : 1 TRANQUILIZER FREQ PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data .....	71055	7.96
	3 = Statistically imputed data .....	1261	0.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	2894	0.32
		647443	72.50
II2TRNFY	Len : 1 TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data .....	71055	7.96
	3 = Statistically imputed data - lifetime use imputed .....	1261	0.14
	4 = Statistically imputed data - lifetime use known .....	1412	0.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	1482	0.17
		647443	72.50
IRSTMFY	Len : 3 STIMULANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	14486	1.62
	991 = NEVER USED STIMULANTS .....	170319	19.07
	993 = DID NOT USE STIMULANTS PAST YEAR .....	668766	74.89
		39401	4.41
IISTMFY	Len : 1 STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data .....	64796	7.26
	3 = Statistically imputed data .....	1432	0.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	2917	0.33
		653508	73.18
II2STMFY	Len : 1 STIM FREQ PAST YEAR - DETAILED IMP INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data .....	64796	7.26
	3 = Statistically imputed data - lifetime use imputed .....	1432	0.16
	4 = Statistically imputed data - lifetime use known .....	1425	0.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	1492	0.17
		653508	73.18
IRMTHFY	Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED		
	RANGE = 1 - 365 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	4656	0.52
	991 = NEVER USED METHAMPHETAMINE .....	170319	19.07
	993 = DID NOT USE METHAMPHETAMINE PAST YEAR .....	697052	78.06
		20945	2.35
IIMTHFY	Len : 1 METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data .....	57475	6.44
	3 = Statistically imputed data .....	314	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	1229	0.14
		663635	74.32

PAST YEAR FREQUENCY OF USE

I2MTHFY

Len : 1 METH FREQ PAST YEAR - DETAILED IMP INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	57474	6.44
2 = Logically assigned data.....	314	0.04
3 = Statistically imputed data - lifetime use imputed .....	637	0.07
4 = Statistically imputed data - lifetime use known.....	593	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	663635	74.32

IRSEDFY

Len : 3 SEDATIVE FREQUENCY PAST YEAR - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 364 .....	2958	0.33
-9 = Data not collected for this year .....	170319	19.07
991 = NEVER USED SEDATIVES .....	707215	79.20
993 = DID NOT USE SEDATIVES PAST YEAR .....	12480	1.40

IISEDIFY

Len : 1 SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	56195	6.29
2 = Logically assigned data.....	228	0.03
3 = Statistically imputed data.....	2126	0.24
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	664104	74.37

I2SEDFY

Len : 1 SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Questionnaire data .....	56195	6.29
2 = Logically assigned data.....	228	0.03
3 = Statistically imputed data - lifetime use imputed .....	1722	0.19
4 = Statistically imputed data - lifetime use known.....	404	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER .....	664104	74.37

PAST MONTH FREQUENCY OF USE

**PAST MONTH FREQUENCY OF USE**

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

<b>IRCIGFM</b>	Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30.....	212254	23.77
	91 = NEVER USED CIGARETTES.....	414873	46.46
	93 = DID NOT USE CIGARETTES PAST MONTH.....	265845	29.77
<b>IICIGFM</b>	Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	249193	27.91
	2 = Logically assigned data.....	1685	0.19
	3 = Statistically imputed data.....	657	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	641437	71.83
<b>IICIGFM</b>	Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	249193	27.91
	2 = Logically assigned data.....	1685	0.19
	4 = Statistically imputed data - lifetime use known.....	657	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	641437	71.83
<b>IRCGRFM</b>	Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30.....	57001	6.38
	91 = NEVER USED CIGARS.....	616139	69.00
	93 = DID NOT USE CIGARS PAST MONTH.....	219832	24.62
<b>IICGRFM</b>	Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	106700	11.95
	2 = Logically assigned data.....	452	0.05
	3 = Statistically imputed data.....	580	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	785240	87.94
<b>IICGRFM</b>	Len : 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	106700	11.95
	2 = Logically assigned data.....	452	0.05
	3 = Statistically imputed data - lifetime use imputed.....	159	0.02
	4 = Statistically imputed data - lifetime use known.....	421	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	785240	87.94
<b>IRSMKLSS30N</b>	Len : 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30.....	6375	0.71
	-9 = Data not collected for this year.....	722653	80.93
	91 = NEVER USED SMOKELESS TOBACCO.....	142657	15.98
	93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH.....	21287	2.38
<b>IISMKLSS30N</b>	Len : 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data.....	6312	0.71
	2 = Logically assigned data.....	37	0.00
	3 = Statistically imputed data - lifetime use imputed.....	122	0.01
	4 = Statistically imputed data - lifetime use known.....	52	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	163796	18.34

PAST MONTH FREQUENCY OF USE

<b>IRALCFM</b>	Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	402940	45.12
	91 = NEVER USED ALCOHOL .....	249374	27.93
	93 = DID NOT USE ALCOHOL PAST MONTH .....	240658	26.95

<b>IIALCFM</b>	Len : 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	420562	47.10
	2 = Logically assigned data .....	2507	0.28
	3 = Statistically imputed data .....	14851	1.66
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	455052	50.96

<b>I2ALCFM</b>	Len : 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	420562	47.10
	2 = Logically assigned data .....	2507	0.28
	3 = Statistically imputed data - lifetime use imputed .....	265	0.03
	4 = Statistically imputed data - lifetime use known .....	14586	1.63
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	455052	50.96

"Binge" Alcohol Frequency, IRALCBNG30D, is defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol frequency was defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, IRALCBNG30D is comparable to the version of this variable created from 2002-2014, IRALCD5, among males but not overall or among females.

<b>IRALCBNG30D</b>	Len : 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0 - 30 .....	77877	8.72
	-9 = Data not collected for this year .....	722653	80.93
	91 = NEVER USED ALCOHOL .....	47676	5.34
	93 = DID NOT USE ALCOHOL PAST MONTH .....	44766	5.01

<b>IIALCBNG30D</b>	Len : 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	75263	8.43
	2 = Logically assigned data .....	180	0.02
	3 = Statistically imputed data - recency of use imputed .....	2046	0.23
	4 = Statistically imputed data - recency of use known .....	1411	0.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	91419	10.24

<b>IRMJFM</b>	Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	94228	10.55
	91 = NEVER USED MARIJUANA .....	530488	59.41
	93 = DID NOT USE MARIJUANA PAST MONTH .....	268256	30.04

<b>IIMJFM</b>	Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	139016	15.57
	2 = Logically assigned data .....	755	0.08
	3 = Statistically imputed data .....	6570	0.74
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	746631	83.61

<b>I2MJFM</b>	Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	139016	15.57
	2 = Logically assigned data .....	755	0.08
	3 = Statistically imputed data - lifetime use imputed .....	549	0.06
	4 = Statistically imputed data - lifetime use known .....	6021	0.67
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	746631	83.61

PAST MONTH FREQUENCY OF USE

<b>IRCOCFM</b>	Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	91 = NEVER USED COCAINE .....	8174	0.92
	93 = DID NOT USE COCAINE PAST MONTH .....	788569	88.31
		96229	10.78
<b>IICOCFM</b>	Len : 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data .....	60561	6.78
	3 = Statistically imputed data .....	276	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	2267	0.25
		829868	92.93
<b>I2COCFM</b>	Len : 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data .....	60561	6.78
	3 = Statistically imputed data - lifetime use imputed .....	276	0.03
	4 = Statistically imputed data - lifetime use known .....	366	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	1901	0.21
		829868	92.93
<b>IRCRKFM</b>	Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	91 = NEVER USED CRACK .....	1480	0.17
	93 = DID NOT USE CRACK PAST MONTH .....	867475	97.14
		24017	2.69
<b>IICRKFM</b>	Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data .....	55301	6.19
	3 = Statistically imputed data .....	12	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	765	0.09
		836894	93.72
<b>I2CRKFM</b>	Len : 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data .....	55301	6.19
	3 = Statistically imputed data - lifetime use imputed .....	12	0.00
	4 = Statistically imputed data - lifetime use known .....	404	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	361	0.04
		836894	93.72
<b>IRHERFM</b>	Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	91 = NEVER USED HEROIN .....	1212	0.14
	93 = DID NOT USE HEROIN PAST MONTH .....	880042	98.55
		11718	1.31
<b>IHERFM</b>	Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data .....	55098	6.17
	3 = Statistically imputed data .....	14	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	875	0.10
		836985	93.73
<b>I2HERFM</b>	Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data .....	55098	6.17
	3 = Statistically imputed data - lifetime use imputed .....	14	0.00
	4 = Statistically imputed data - lifetime use known .....	522	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	353	0.04
		836985	93.73

PAST MONTH FREQUENCY OF USE

<b>IRHALLUC30N</b>	Len : 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	1301	0.15
	-9 = Data not collected for this year .....	722653	80.93
	91 = NEVER USED HALLUCINOGENS .....	145610	16.31
	93 = DID NOT USE HALLUCINOGENS PAST MONTH .....	23408	2.62
<b>IHALLUC30N</b>	Len : 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	1161	0.13
	2 = Logically assigned data .....	8	0.00
	3 = Statistically imputed data - lifetime use imputed .....	711	0.08
	4 = Statistically imputed data - lifetime use known .....	646	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	167793	18.79
<b>IRINHAL30N</b>	Len : 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	596	0.07
	-9 = Data not collected for this year .....	722653	80.93
	91 = NEVER USED INHALANTS .....	153049	17.14
	93 = DID NOT USE INHALANTS PAST MONTH .....	16674	1.87
<b>IINHAL30N</b>	Len : 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	493	0.06
	2 = Logically assigned data .....	30	0.00
	3 = Statistically imputed data - lifetime use imputed .....	413	0.05
	4 = Statistically imputed data - lifetime use known .....	629	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	168754	18.90
<b>IRMETHAM30N</b>	Len : 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	484	0.05
	-9 = Data not collected for this year .....	722653	80.93
	91 = NEVER USED METHAMPHETAMINE .....	162604	18.21
	93 = DID NOT USE METHAMPHETAMINE PAST MONTH .....	7231	0.81
<b>IIMETHAM30N</b>	Len : 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	459	0.05
	2 = Logically assigned data .....	5	0.00
	3 = Statistically imputed data - lifetime use imputed .....	218	0.02
	4 = Statistically imputed data - lifetime use known .....	81	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	169556	18.99
<b>IRPNRNM30FQ</b>	Len : 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	2575	0.29
	-9 = Data not collected for this year .....	722653	80.93
	91 = NEVER MISUSED PAIN RELIEVERS .....	152082	17.03
	93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH .....	15662	1.75
<b>IIPNRNM30FQ</b>	Len : 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	2477	0.28
	2 = Logically assigned data .....	41	0.00
	3 = Statistically imputed data - lifetime misuse imputed .....	678	0.08
	4 = Statistically imputed data - lifetime misuse known .....	182	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER .....	166941	18.69

PAST MONTH FREQUENCY OF USE

<b>IRTRQNM30FQ</b>	Len : 2	TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 30 .....	1487	0.17
		-9 = Data not collected for this year .....	722653	80.93
		91 = NEVER MISUSED TRANQUILIZERS .....	162460	18.19
		93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH .....	6372	0.71
<b>IITRQNM30FQ</b>	Len : 1	TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	1453	0.16
		2 = Logically assigned data .....	13	0.00
		3 = Statistically imputed data - lifetime misuse imputed .....	534	0.06
		4 = Statistically imputed data - lifetime misuse known .....	36	0.00
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER .....	168283	18.85
<b>IRSTMNM30FQ</b>	Len : 2	STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 30 .....	1562	0.17
		-9 = Data not collected for this year .....	722653	80.93
		91 = NEVER MISUSED STIMULANTS .....	161605	18.10
		93 = DID NOT MISUSE STIMULANTS PAST MONTH .....	7152	0.80
<b>IISTMNM30FQ</b>	Len : 1	STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	1527	0.17
		2 = Logically assigned data .....	9	0.00
		3 = Statistically imputed data - lifetime misuse imputed .....	443	0.05
		4 = Statistically imputed data - lifetime misuse known .....	39	0.00
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER .....	168301	18.85
<b>IRSEDNM30FQ</b>	Len : 2	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 30 .....	277	0.03
		-9 = Data not collected for this year .....	722653	80.93
		91 = NEVER MISUSED SEDATIVES .....	166815	18.68
		93 = DID NOT MISUSE SEDATIVES PAST MONTH .....	3227	0.36
<b>IISEDNM30FQ</b>	Len : 1	SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	265	0.03
		2 = Logically assigned data .....	6	0.00
		3 = Statistically imputed data - lifetime misuse imputed .....	506	0.06
		4 = Statistically imputed data - lifetime misuse known .....	20	0.00
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER .....	169522	18.98
<b>IRCHWFM</b>	Len : 2	CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 30 .....	11292	1.26
		-9 = Data not collected for this year .....	170319	19.07
		91 = NEVER USED CHEWING TOBACCO .....	639898	71.66
		93 = DID NOT USE CHEWING TOBACCO PAST MONTH .....	71463	8.00
<b>IICHWFM</b>	Len : 1	CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Questionnaire data .....	64429	7.22
		2 = Logically assigned data .....	118	0.01
		3 = Statistically imputed data .....	219	0.02
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	657887	73.67



PAST MONTH FREQUENCY OF USE

I2CHWFM	Len : 1 CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	64429	7.22
	2 = Logically assigned data .....	118	0.01
	3 = Statistically imputed data - lifetime use imputed .....	116	0.01
	4 = Statistically imputed data - lifetime use known .....	103	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	657887	73.67
IRSNFFM	Len : 2 SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	24372	2.73
	-9 = Data not collected for this year .....	170319	19.07
	91 = NEVER USED SNUFF .....	622249	69.68
	93 = DID NOT USE SNUFF PAST MONTH .....	76032	8.51
IISNFFM	Len : 1 SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	76424	8.56
	2 = Logically assigned data .....	185	0.02
	3 = Statistically imputed data .....	513	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	645531	72.29
I2SNFFM	Len : 1 SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	76424	8.56
	2 = Logically assigned data .....	185	0.02
	3 = Statistically imputed data - lifetime use imputed .....	348	0.04
	4 = Statistically imputed data - lifetime use known .....	165	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	645531	72.29
IRALCD5	Len : 2 5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0 - 30 .....	325063	36.40
	-9 = Data not collected for this year .....	170319	19.07
	91 = NEVER USED ALCOHOL .....	201698	22.59
	93 = DID NOT USE ALCOHOL PAST MONTH .....	195892	21.94
IIALCD5	Len : 1 5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	341787	38.28
	2 = Logically assigned data .....	825	0.09
	3 = Statistically imputed data .....	16408	1.84
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	363633	40.72
I2ALCD5	Len : 1 5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	341787	38.28
	2 = Logically assigned data .....	825	0.09
	3 = Statistically imputed data - lifetime use imputed .....	220	0.02
	4 = Statistically imputed data - lifetime use known .....	16188	1.81
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	363633	40.72
IRHALFM	Len : 2 HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	6459	0.72
	-9 = Data not collected for this year .....	170319	19.07
	91 = NEVER USED HALLUCINOGENS .....	621593	69.61
	93 = DID NOT USE HALLUCINOGENS PAST MONTH .....	94601	10.59

PAST MONTH FREQUENCY OF USE

<b>IIHALFM</b>	Len : 1 HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	58834	6.59
	2 = Logically assigned data .....	67	0.01
	3 = Statistically imputed data .....	5306	0.59
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	658446	73.74
<b>II2HALFM</b>	Len : 1 HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	58834	6.59
	2 = Logically assigned data .....	67	0.01
	3 = Statistically imputed data - lifetime use imputed .....	2314	0.26
	4 = Statistically imputed data - lifetime use known .....	2992	0.34
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	658446	73.74
<b>IRINHFM</b>	Len : 2 INHALANT FREQUENCY PAST MONTH - IMP REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	3671	0.41
	-9 = Data not collected for this year .....	170319	19.07
	91 = NEVER USED INHALANTS .....	648638	72.64
	93 = DID NOT USE INHALANTS PAST MONTH .....	70344	7.88
<b>IIINHFM</b>	Len : 1 INHALANT FREQUENCY PAST MONTH - IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	56597	6.34
	2 = Logically assigned data .....	158	0.02
	3 = Statistically imputed data .....	4225	0.47
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	661673	74.10
<b>II2INHFM</b>	Len : 1 INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	56597	6.34
	2 = Logically assigned data .....	158	0.02
	3 = Statistically imputed data - lifetime use imputed .....	1226	0.14
	4 = Statistically imputed data - lifetime use known .....	2999	0.34
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER .....	661673	74.10

AGE/DATE OF FIRST DRUG USE

AGE/DATE OF FIRST DRUG USE

<b>IRCIAGE</b>	Len : 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 68.....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED.....	478099	53.54
		414873	46.46
<b>IICIGAGE</b>	Len : 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	492725	55.18
	3 = Statistically imputed data.....	256	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	6433	0.72
		393558	44.07
<b>IRCIYFU</b>	Len : 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1913 - 2017.....	<b>Freq</b>	<b>Pct</b>
	9999 = NEVER USED.....	478099	53.54
		414873	46.46
<b>IICIGYFU</b>	Len : 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	51980	5.82
	3 = Statistically imputed data.....	47	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	447387	50.10
		393558	44.07
<b>IRCDUAGE</b>	Len : 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 77.....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED.....	242747	27.18
	993 = NEVER A DAILY USER.....	414873	46.46
		235352	26.36
<b>IICDUAGE</b>	Len : 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	278231	31.16
	3 = Statistically imputed data.....	10	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	2000	0.22
		612731	68.62
<b>IRCD2YFU</b>	Len : 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED		
	RANGE = 1917 - 2017.....	<b>Freq</b>	<b>Pct</b>
	9993 = NEVER A DAILY USER.....	242747	27.18
	9999 = NEVER USED.....	235352	26.36
		414873	46.46
<b>IICD2YFU</b>	Len : 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	50052	5.61
	3 = Statistically imputed data.....	8	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	230181	25.78
		612731	68.62
<b>IRCGRAGE</b>	Len : 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 80.....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED.....	276833	31.00
		616139	69.00
<b>IICGRAGE</b>	Len : 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data.....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	305935	34.26
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	6392	0.72
		580645	65.02

AGE/DATE OF FIRST DRUG USE

<b>IRCGRYFU</b>	Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1908 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	9999 = NEVER USED.....	276833	31.00
		616139	69.00
<b>IICGRYFU</b>	Len : 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	68618	7.68
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	243709	27.29
		580645	65.02
<b>IRSMKLSSTRY</b>	Len : 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 78.....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	27662	3.10
	991 = NEVER USED.....	722653	80.93
		142657	15.98
<b>IISMKLSSTRY</b>	Len : 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	722653	80.93
	2 = Logically assigned data.....	27116	3.04
	3 = Statistically imputed data.....	1	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	656	0.07
		142546	15.96
<b>IRSMKLSYFU</b>	Len : 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1932 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	27662	3.10
	9999 = NEVER USED.....	722653	80.93
		142657	15.98
<b>IISMKLSYFU</b>	Len : 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	722653	80.93
	3 = Statistically imputed data.....	2112	0.24
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	25661	2.87
		142546	15.96
<b>IRALCAGE</b>	Len : 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 90.....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED.....	643598	72.07
		249374	27.93
<b>IIALCAGE</b>	Len : 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	648084	72.58
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	9693	1.09
		235195	26.34
<b>IRALCYFU</b>	Len : 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1911 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	9999 = NEVER USED.....	643598	72.07
		249374	27.93
<b>IIALCYFU</b>	Len : 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	78341	8.77
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	579436	64.89
		235195	26.34

AGE/DATE OF FIRST DRUG USE

<b>IRMJAGE</b>	Len : 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 80 .....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED.....	362484	40.59
		530488	59.41
<b>IIMJAGE</b>	Len : 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	391130	43.80
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	3340	0.37
		498502	55.83
<b>IRMJYFU</b>	Len : 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1933 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	9999 = NEVER USED.....	362484	40.59
		530488	59.41
<b>IIMJYFU</b>	Len : 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	64575	7.23
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	329895	36.94
		498502	55.83
<b>IRCOAGE</b>	Len : 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 71 .....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED.....	104403	11.69
		788569	88.31
<b>IICOAGE</b>	Len : 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	149397	16.73
	3 = Statistically imputed data.....	1409	0.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	1274	0.14
		740892	82.97
<b>IRCOYFU</b>	Len : 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1941 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	9999 = NEVER USED.....	104403	11.69
		788569	88.31
<b>IICOYFU</b>	Len : 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	57077	6.39
	3 = Statistically imputed data.....	18	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	94985	10.64
		740892	82.97
<b>IRCRKAGE</b>	Len : 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 75 .....	<b>Freq</b>	<b>Pct</b>
	991 = NEVER USED.....	25497	2.86
		867475	97.14
<b>IICRKAGE</b>	Len : 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	2 = Logically assigned data.....	77573	8.69
	3 = Statistically imputed data.....	2	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	653	0.07
		814744	91.24
<b>IRCRKYFU</b>	Len : 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1941 - 2017 .....	<b>Freq</b>	<b>Pct</b>
	9999 = NEVER USED.....	25497	2.86
		867475	97.14

AGE/DATE OF FIRST DRUG USE

IICRKYFU	Len : 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	54144	6.06
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	24083	2.70
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	814744	91.24
IRHERAGE	Len : 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 59.....	12930	1.45
	991 = NEVER USED.....	880042	98.55
IIHERAGE	Len : 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	66111	7.40
	3 = Statistically imputed data.....	673	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	826188	92.52
IRHERYFU	Len : 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1947 - 2017 .....	12930	1.45
	9999 = NEVER USED.....	880042	98.55
IIHERYFU	Len : 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	54805	6.14
	3 = Statistically imputed data.....	11979	1.34
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	826188	92.52
IRHALLUCAGE	Len : 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 69.....	24709	2.77
	-9 = Data not collected for this year.....	722653	80.93
	991 = NEVER USED.....	145610	16.31
IIHALLUCAGE	Len : 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data .....	23997	2.69
	2 = Logically assigned data.....	331	0.04
	3 = Statistically imputed data.....	1061	0.12
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	144930	16.23
IRHALLUCYFU	Len : 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1937 - 2017 .....	24709	2.77
	-9 = Data not collected for this year.....	722653	80.93
	9999 = NEVER USED.....	145610	16.31
IIHALLUCYFU	Len : 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data .....	2099	0.24
	2 = Logically assigned data.....	38	0.00
	3 = Statistically imputed data.....	23252	2.60
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	144930	16.23
IRLSDAGE	Len : 3 LSD AGE OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 67.....	69732	7.81
	991 = NEVER USED.....	823240	92.19

AGE/DATE OF FIRST DRUG USE

<b>IILSDAGE</b>	Len : 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	116707	13.07
	2 = Logically assigned data.....	79	0.01
	3 = Statistically imputed data.....	1905	0.21
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	774281	86.71
<b>IRLSDYFU</b>	Len : 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1936 - 2017 .....	69732	7.81
	9999 = NEVER USED.....	823240	92.19
<b>IILSDYFU</b>	Len : 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	53308	5.97
	2 = Logically assigned data.....	5	0.00
	3 = Statistically imputed data.....	65378	7.32
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	774281	86.71
<b>IRPCPAGE</b>	Len : 3 PCP AGE OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 63 .....	16398	1.84
	991 = NEVER USED.....	876574	98.16
<b>IIPCAGE</b>	Len : 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	68398	7.66
	2 = Logically assigned data.....	24	0.00
	3 = Statistically imputed data.....	1275	0.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	823275	92.19
<b>IRPCPYFU</b>	Len : 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1937 - 2017 .....	16398	1.84
	9999 = NEVER USED.....	876574	98.16
<b>IIPCYFU</b>	Len : 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	53527	5.99
	3 = Statistically imputed data.....	16170	1.81
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	823275	92.19
<b>IIRCSTMOAGE</b>	Len : 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2 - 60 .....	13276	1.49
	-9 = Data not collected for this year .....	722653	80.93
	991 = NEVER USED.....	157043	17.59
<b>IIECSTMOAGE</b>	Len : 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Questionnaire data .....	13122	1.47
	3 = Statistically imputed data.....	326	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	156871	17.57
<b>IIRCSTMOYFU</b>	Len : 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1965 - 2017 .....	13276	1.49
	-9 = Data not collected for this year .....	722653	80.93
	9999 = NEVER USED.....	157043	17.59

AGE/DATE OF FIRST DRUG USE

<b>IIECSTMOYFU</b>	Len : 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	1364	0.15
	3 = Statistically imputed data .....	12084	1.35
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	156871	17.57
<b>IRINHALAGE</b>	Len : 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 62.....	17270	1.93
	-9 = Data not collected for this year .....	722653	80.93
	991 = NEVER USED.....	153049	17.14
<b>IINHALAGE</b>	Len : 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	16054	1.80
	3 = Statistically imputed data .....	1607	0.18
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	152658	17.10
<b>IRINHALYFU</b>	Len : 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1938 - 2017 .....	17270	1.93
	-9 = Data not collected for this year .....	722653	80.93
	9999 = NEVER USED.....	153049	17.14
<b>IINHALYFU</b>	Len : 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	1178	0.13
	3 = Statistically imputed data .....	16483	1.85
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	152658	17.10
<b>IRMETHAMAGE</b>	Len : 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 72.....	7715	0.86
	-9 = Data not collected for this year .....	722653	80.93
	991 = NEVER USED.....	162604	18.21
<b>IIMETHAMAGE</b>	Len : 1 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	7639	0.86
	3 = Statistically imputed data .....	290	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	162390	18.19
<b>IRMETHAMYFU</b>	Len : 4 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1946 - 2017 .....	7715	0.86
	-9 = Data not collected for this year .....	722653	80.93
	9999 = NEVER USED.....	162604	18.21
<b>IIMETHAMYFU</b>	Len : 1 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	341	0.04
	3 = Statistically imputed data .....	7588	0.85
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	162390	18.19



AGE/DATE OF FIRST DRUG USE

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

<b>IRPNRNMINIT</b>	Len : 2 PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Past year initiate.....	1858	0.21
	2 = Not a past year initiate .....	6900	0.77
	91 = NEVER MISUSED.....	152082	17.03
	93 = NO PAST YEAR MISUSE.....	9479	1.06

<b>IIPNRNMINIT</b>	Len : 2 PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire Data .....	169460	18.98
	3 = Statistically imputed - recency known .....	33	0.00
	4 = Statistically imputed - recency imputed .....	826	0.09

<b>IRTRQNMINIT</b>	Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Past year initiate.....	1355	0.15
	2 = Not a past year initiate .....	3407	0.38
	91 = NEVER MISUSED.....	162460	18.19
	93 = NO PAST YEAR MISUSE.....	3097	0.35

<b>IITRQNMINIT</b>	Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire Data .....	169749	19.01
	3 = Statistically imputed - recency known .....	16	0.00
	4 = Statistically imputed - recency imputed .....	554	0.06

<b>IRSTMNMINIT</b>	Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Past year initiate.....	1354	0.15
	2 = Not a past year initiate .....	3873	0.43
	91 = NEVER MISUSED.....	161605	18.10
	93 = NO PAST YEAR MISUSE.....	3487	0.39

<b>IISTMNMINIT</b>	Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire Data .....	169834	19.02
	3 = Statistically imputed - recency known .....	15	0.00
	4 = Statistically imputed - recency imputed .....	470	0.05

<b>IRSEDNMINIT</b>	Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Past year initiate.....	258	0.03
	2 = Not a past year initiate .....	686	0.08
	91 = NEVER MISUSED.....	166815	18.68
	93 = NO PAST YEAR MISUSE.....	2560	0.29

<b>IISEDNMINIT</b>	Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire Data .....	169794	19.01
	3 = Statistically imputed - recency known .....	3	0.00
	4 = Statistically imputed - recency imputed .....	522	0.06

AGE/DATE OF FIRST DRUG USE

<b>IRPNRNMYFU</b>	Len : 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2014 - 2017 .....	1858	0.21
	-9 = Data not collected for this year .....	722653	80.93
	9993 = NOT A PAST YEAR INITIATE .....	16379	1.83
	9999 = NEVER MISUSED .....	152082	17.03

<b>IIPNRNMYFU</b>	Len : 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	1497	0.17
	3 = Statistically imputed data - Past year initiation imputed .....	859	0.10
	4 = Statistically imputed data - Past year initiation known .....	312	0.03
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	167651	18.77

NOTE: The following four variables pertain to the age and date of first misuse of pain relievers. Respondents who were past year initiates (IRPNRNMINIT=1), that is respondents who misused pain relievers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRPNRNMINIT ne 1) receive an appropriate skip code.

<b>IRPNRNMAGE</b>	Len : 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 11 - 88 .....	1858	0.21
	-9 = Data not collected for this year .....	722653	80.93
	993 = NOT A PAST YEAR INITIATE .....	16379	1.83
	999 = NEVER MISUSED .....	152082	17.03

<b>IIPNRNMAGE</b>	Len : 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	1501	0.17
	3 = Statistically imputed data - Past year initiation imputed .....	859	0.10
	4 = Statistically imputed data - Past year initiation known .....	308	0.03
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	167651	18.77

<b>IRTRQNMYSFU</b>	Len : 4 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2014 - 2017 .....	1355	0.15
	-9 = Data not collected for this year .....	722653	80.93
	9993 = NOT A PAST YEAR INITIATE .....	6504	0.73
	9999 = NEVER MISUSED .....	162460	18.19

<b>IITRQNMYSFU</b>	Len : 1 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	1278	0.14
	3 = Statistically imputed data - Past year initiation imputed .....	570	0.06
	4 = Statistically imputed data - Past year initiation known .....	60	0.01
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	168411	18.86

NOTE: The following four variables pertain to the age and date of first misuse of tranquilizers. Respondents who were past year initiates (IRTRQNMYSFU=1), that is respondents who misused tranquilizers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRTRQNMYSFU ne 1) receive an appropriate skip code.

<b>IRTRQNMAGE</b>	Len : 3 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 11 - 80 .....	1355	0.15
	-9 = Data not collected for this year .....	722653	80.93
	993 = NOT A PAST YEAR INITIATE .....	6504	0.73
	999 = NEVER MISUSED .....	162460	18.19

AGE/DATE OF FIRST DRUG USE

<b>IITRQNMAGE</b>	Len : 1	TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	1283	0.14
		3 = Statistically imputed data - Past year initiation imputed .....	570	0.06
		4 = Statistically imputed data - Past year initiation known.....	55	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	168411	18.86

<b>IRSTMNMVUFU</b>	Len : 4	STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 2014 - 2017 .....	1354	0.15
		-9 = Data not collected for this year .....	722653	80.93
		9993 = NOT A PAST YEAR INITIATE .....	7360	0.82
		9999 = NEVER MISUSED.....	161605	18.10

<b>IISTMNMVUFU</b>	Len : 1	STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	1289	0.14
		3 = Statistically imputed data - Past year initiation imputed .....	485	0.05
		4 = Statistically imputed data - Past year initiation known.....	48	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	168497	18.87

NOTE: The following four variables pertain to the age and date of first misuse of stimulants. Respondents who were past year initiates (IRSTMNMVUFU=1), that is respondents who misused stimulants for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSTMNMVUFU ne 1) receive an appropriate skip code.

<b>IRSTMNMAGE</b>	Len : 3	STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 11 - 71 .....	1354	0.15
		-9 = Data not collected for this year .....	722653	80.93
		993 = NOT A PAST YEAR INITIATE .....	7360	0.82
		999 = NEVER MISUSED.....	161605	18.10

<b>IISTMNMAGE</b>	Len : 1	STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	1290	0.14
		3 = Statistically imputed data - Past year initiation imputed .....	485	0.05
		4 = Statistically imputed data - Past year initiation known.....	47	0.01
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	168497	18.87

<b>IRSEDNMVUFU</b>	Len : 4	SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 2014 - 2017 .....	258	0.03
		-9 = Data not collected for this year .....	722653	80.93
		9993 = NOT A PAST YEAR INITIATE .....	3246	0.36
		9999 = NEVER MISUSED.....	166815	18.68

<b>IISEDNMVUFU</b>	Len : 1	SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	236	0.03
		3 = Statistically imputed data - Past year initiation imputed .....	525	0.06
		4 = Statistically imputed data - Past year initiation known.....	18	0.00
		9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	169540	18.99

AGE/DATE OF FIRST DRUG USE

NOTE: The following four variables pertain to the age and date of first misuse of sedatives. Respondents who were past year initiates (IRSEDNMINIT=1), that is respondents who misused sedatives for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSEDNMINIT ne 1) receive an appropriate skip code.

<b>IRSEDNAGE</b>	Len : 3 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 12 - 94 .....	258	0.03
	-9 = Data not collected for this year .....	722653	80.93
	993 = NOT A PAST YEAR INITIATE .....	3246	0.36
	999 = NEVER MISUSED .....	166815	18.68
<b>IISEDNAGE</b>	Len : 1 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	235	0.03
	3 = Statistically imputed data - Past year initiation imputed .....	525	0.06
	4 = Statistically imputed data - Past year initiation known .....	19	0.00
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE .....	169540	18.99
<b>IRSLTAGE</b>	Len : 3 IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 80 .....	124944	13.99
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED .....	597709	66.93
<b>IISLTAGE</b>	Len : 1 IRSLTAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	165269	18.51
	3 = Statistically imputed data .....	3809	0.43
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	553575	61.99
<b>IRSLTYFU</b>	Len : 4 IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1916 - 2014 .....	124944	13.99
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED .....	597709	66.93
<b>IISLTYFU</b>	Len : 1 IRSLTYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	56501	6.33
	3 = Statistically imputed data .....	107203	12.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	558949	62.59
<b>IRCHWAGE</b>	Len : 3 IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 80 .....	82755	9.27
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED .....	639898	71.66
<b>IICHWAGE</b>	Len : 1 IRCHWAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	128112	14.35
	3 = Statistically imputed data .....	1857	0.21
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	592684	66.37
<b>IRCHWYFU</b>	Len : 4 IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1917 - 2014 .....	82755	9.27
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED .....	639898	71.66

AGE/DATE OF FIRST DRUG USE

<b>IICHWYFU</b>	Len : 1 IRCHWYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	54564	6.11
	3 = Statistically imputed data .....	75405	8.44
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	592684	66.37
<b>IRSNFAGE</b>	Len : 3 IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 75 .....	100404	11.24
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED.....	622249	69.68
<b>IISNFAGE</b>	Len : 1 IRSNFAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	144277	16.16
	3 = Statistically imputed data .....	2520	0.28
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	575856	64.49
<b>IRSNFYFU</b>	Len : 4 IMPUTATION-REVISED SNUFF YEAR OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1916 - 2014 .....	100404	11.24
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED.....	622249	69.68
<b>IISNFYFU</b>	Len : 1 IRSNFYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	57960	6.49
	3 = Statistically imputed data .....	88837	9.95
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	575856	64.49
<b>IRHALAGE</b>	Len : 3 IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 74 .....	101060	11.32
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED.....	621593	69.61
<b>IIRHALAGE</b>	Len : 1 IRHALAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	144120	16.14
	2 = Logically assigned data.....	990	0.11
	3 = Statistically imputed data.....	3516	0.39
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	574027	64.28
<b>IRHALYFU</b>	Len : 4 IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1935 - 2014 .....	101060	11.32
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED.....	621593	69.61
<b>IIRHALYFU</b>	Len : 1 IRHALYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	57287	6.42
	2 = Logically assigned data.....	165	0.02
	3 = Statistically imputed data.....	91174	10.21
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	574027	64.28

AGE/DATE OF FIRST DRUG USE

<b>IRECSAGE</b>	Len : 3 IMPUTATION-REVISED ECSTASY AGE OF FIRST USE		
	RANGE = 1 - 67 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	50038	5.60
	991 = NEVER USED.....	170319	19.07
		672615	75.32
<b>IIECSAGE</b>	Len : 1 IRECSAGE IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data.....	99692	11.16
	3 = Statistically imputed data.....	15	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	1280	0.14
		621666	69.62
<b>IRECSYFU</b>	Len : 4 IMPUTATION-REVISED ECSTASY YEAR OF FIRST USE		
	RANGE = 1956 - 2014 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	50038	5.60
	9999 = NEVER USED.....	170319	19.07
		672615	75.32
<b>IIECSYFU</b>	Len : 1 IRECSYFU IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	2 = Logically assigned data.....	58831	6.59
	3 = Statistically imputed data.....	4	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	42152	4.72
		621666	69.62
<b>IRINHAGE</b>	Len : 3 IMPUTATION-REVISED INHALANTS AGE OF FIRST USE		
	RANGE = 1 - 66 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	74015	8.29
	991 = NEVER USED.....	170319	19.07
		648638	72.64
<b>IIRINHAGE</b>	Len : 1 IRINHAGE IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	3 = Statistically imputed data.....	117299	13.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	5097	0.57
		600257	67.22
<b>IRINHYFU</b>	Len : 4 IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE		
	RANGE = 1920 - 2014 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	74015	8.29
	9999 = NEVER USED.....	170319	19.07
		648638	72.64
<b>IIRINHYFU</b>	Len : 1 IRINHYFU IMPUTATION INDICATOR		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	170319	19.07
	3 = Statistically imputed data.....	56387	6.31
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	66009	7.39
		600257	67.22
<b>IRANLAGE</b>	Len : 3 IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE		
	RANGE = 1 - 82 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	115111	12.89
	991 = NEVER USED.....	170319	19.07
		607542	68.04

AGE/DATE OF FIRST DRUG USE

<b>IIRANLAGE</b>	Len : 1 IIRANLAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	153995	17.25
	2 = Logically assigned data .....	171	0.02
	3 = Statistically imputed data .....	8977	1.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	559510	62.66

<b>IIRANLYFU</b>	Len : 4 IIRANLYFU IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1921 - 2014 .....	115111	12.89
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED .....	607542	68.04

<b>IIRANLYFU</b>	Len : 1 IIRANLYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	64264	7.20
	2 = Logically assigned data .....	134	0.02
	3 = Statistically imputed data .....	98745	11.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	559510	62.66

NOTE: See the note preceding the OXYCAGE variable. No special editing or imputation procedures were done to prevent IROXYFU from having a value earlier than 1995, even though OxyContin was not approved for medical use by the US Food and Drug Administration until 1995. Caution is advised in interpreting OxyContin age/date of first use data from respondents with IROXYFU<1995.

<b>IIROXYAGE</b>	Len : 3 IIROXYAGE IMPUTATION-REVISED OXYCONTIN AGE FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 66 .....	19169	2.15
	-9 = Data not collected for this year .....	279628	31.31
	991 = NEVER USED .....	594175	66.54

<b>IIROXYAGE</b>	Len : 1 IIROXYAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Questionnaire data .....	18483	2.07
	2 = Logically assigned data .....	25	0.00
	3 = Statistically imputed data .....	2282	0.26
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	592554	66.36

<b>IIROXYFU</b>	Len : 4 IIROXYFU IMPUTATION-REVISED OXYCONTIN YEAR FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1948 - 2014 .....	19169	2.15
	-9 = Data not collected for this year .....	279628	31.31
	9999 = NEVER USED .....	594175	66.54

<b>IIROXYFU</b>	Len : 1 IIROXYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Questionnaire data .....	3788	0.42
	2 = Logically assigned data .....	11	0.00
	3 = Statistically imputed data .....	16991	1.90
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	592554	66.36

<b>IIRTRNAGE</b>	Len : 3 IIRTRNAGE IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 85 .....	60785	6.81
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED .....	661868	74.12

AGE/DATE OF FIRST DRUG USE

<b>IITRNAGE</b>	Len : 1 IITRNAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	108598	12.16
	2 = Logically assigned data .....	5	0.00
	3 = Statistically imputed data .....	3208	0.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	610842	68.41
<b>IRTRNYFU</b>	Len : 4 IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1918 - 2014 .....	60785	6.81
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED .....	661868	74.12
<b>IITRNYFU</b>	Len : 1 IITRNYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	58928	6.60
	2 = Logically assigned data .....	5	0.00
	3 = Statistically imputed data .....	52878	5.92
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	610842	68.41
<b>IRSTMAGE</b>	Len : 3 IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 76 .....	53887	6.03
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED .....	668766	74.89
<b>IISTMAGE</b>	Len : 1 IISTMAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	101364	11.35
	2 = Logically assigned data .....	285	0.03
	3 = Statistically imputed data .....	2884	0.32
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	618120	69.22
<b>IRSTMYFU</b>	Len : 4 IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1923 - 2014 .....	53887	6.03
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED .....	668766	74.89
<b>IISTMYFU</b>	Len : 1 IISTMYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	55660	6.23
	2 = Logically assigned data .....	20	0.00
	3 = Statistically imputed data .....	48853	5.47
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	618120	69.22
<b>IRMTHAGE</b>	Len : 3 IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 60 .....	25601	2.87
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED .....	697052	78.06
<b>IIMTHAGE</b>	Len : 1 IIMTHAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	76465	8.56
	2 = Logically assigned data .....	38	0.00
	3 = Statistically imputed data .....	1212	0.14
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER .....	644938	72.22



AGE/DATE OF FIRST DRUG USE

<b>IRMTHYFU</b>	Len : 4 IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1936 - 2014 .....	25601	2.87
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED.....	697052	78.06

<b>IIMTHYFU</b>	Len : 1 IRMTHYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	53341	5.97
	2 = Logically assigned data.....	23	0.00
	3 = Statistically imputed data.....	24351	2.73
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	644938	72.22

<b>IRSEDAGE</b>	Len : 3 IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 80 .....	15438	1.73
	-9 = Data not collected for this year .....	170319	19.07
	991 = NEVER USED.....	707215	79.20

<b>IISEDAGE</b>	Len : 1 IRSEDAGE IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	67176	7.52
	2 = Logically assigned data.....	13	0.00
	3 = Statistically imputed data.....	2372	0.27
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	653092	73.14

<b>IRSEDYFU</b>	Len : 4 IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1919 - 2014 .....	15438	1.73
	-9 = Data not collected for this year .....	170319	19.07
	9999 = NEVER USED.....	707215	79.20

<b>IISEDYFU</b>	Len : 1 IRSEDYFU IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	53944	6.04
	2 = Logically assigned data.....	13	0.00
	3 = Statistically imputed data.....	15604	1.75
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	653092	73.14

RECODED DRUG USE

**RECODED DRUG USE**

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

<b>CIGFLAG</b>	Len : 1 RC-CIGARETTES - EVER USED		
	0 = Never used (IRCIGRC = 9) .....	<b>Freq</b>	<b>Pct</b>
	1 = Ever used (IRCIGRC = 1-4) .....	414873	46.46
		478099	53.54
<b>CIGYR</b>	Len : 1 RC-CIGARETTES - PAST YEAR USE		
	0 = Did not use in the past year (IRCIGRC = 3,4,9) .....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past year (IRCIGRC = 1,2) .....	629403	70.48
		263569	29.52
<b>CIGMON</b>	Len : 1 RC-CIGARETTES - PAST MONTH USE		
	0 = Did not use in the past month (IRCIGRC = 2-4,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (IRCIGRC = 1).....	680718	76.23
		212254	23.77
<b>CGRFLAG</b>	Len : 1 RC-CIGARS - EVER USED		
	0 = Never used (IRCGRRC = 9).....	<b>Freq</b>	<b>Pct</b>
	1 = Ever used (IRCGRRC = 1-4).....	616139	69.00
		276833	31.00
<b>CGRYR</b>	Len : 1 RC-CIGARS - PAST YEAR USE		
	0 = Did not use in the past year (IRCGRRC = 3,4,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past year (IRCGRRC = 1,2).....	776884	87.00
		116088	13.00
<b>CGRMON</b>	Len : 1 RC-CIGARS - PAST MONTH USE		
	0 = Did not use in the past month (IRCGRRC = 2-4,9) .....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (IRCGRRC = 1).....	835971	93.62
		57001	6.38
<b>PIPFLAG</b>	Len : 1 RC-PIPES - EVER USED		
	0 = Never Used (IRPIPLF = 9) .....	<b>Freq</b>	<b>Pct</b>
	1 = Ever Used (IRPIPLF = 1) .....	813519	91.10
		79453	8.90
<b>PIPMON</b>	Len : 1 RC-PIPES - PAST MONTH USE		
	0 = Did not use in the past month (IRPIP MN = 2,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (IRPIP MN = 1).....	884279	99.03
		8693	0.97
<b>SMKLSSFLAG</b>	Len : 1 RC-SMOKELESS TOBACCO - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never Used (IRSMKLSSREC = 9).....	722653	80.93
	1 = Ever Used (IRSMKLSSREC = 1-4) .....	142657	15.98
		27662	3.10
<b>SMKLSSYR</b>	Len : 1 RC-SMOKELESS TOBACCO - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRSMKLSSREC = 3,4,9) .....	722653	80.93
	1 = Used within the past year (IRSMKLSSREC = 1,2) .....	160794	18.01
		9525	1.07
<b>SMKLSSMON</b>	Len : 1 RC-SMOKELESS TOBACCO - PAST MONTH USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past month (IRSMKLSSREC = 2-4,9).....	722653	80.93
	1 = Used within the past month (IRSMKLSSREC = 1).....	163944	18.36
		6375	0.71

RECODED DRUG USE

<b>TOBFLAG</b>	Len : 1 RC-ANY TOBACCO - EVER USED		
	0 = Never Used (All source variables = 0).....	<b>Freq</b>	<b>Pct</b>
	1 = Ever Used (Any source variable = 1).....	370388	41.48
		522584	58.52
<b>TOBYR</b>	Len : 1 RC-ANY TOBACCO - PAST YEAR USE		
	0 = Did not use in the past year (All source variables = 0).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past year (Any source variable = 1).....	577183	64.64
		315789	35.36
<b>TOBMON</b>	Len : 1 RC-ANY TOBACCO - PAST MONTH USE		
	0 = Did not use in the past month (All source variables = 0).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (Any source variable = 1).....	641668	71.86
		251304	28.14
<b>ALCFLAG</b>	Len : 1 RC-ALCOHOL - EVER USED		
	0 = Never used (IRALCRC = 9).....	<b>Freq</b>	<b>Pct</b>
	1 = Ever used (IRALCRC = 1-3).....	249374	27.93
		643598	72.07
<b>ALCYR</b>	Len : 1 RC-ALCOHOL - PAST YEAR USE		
	0 = Did not use in the past year (IRALCRC = 3,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past year (IRALCRC = 1,2).....	349073	39.09
		543899	60.91
<b>ALCMON</b>	Len : 1 RC-ALCOHOL - PAST MONTH USE		
	0 = Did not use in the past month (IRALCRC = 2-3,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (IRALCRC = 1).....	490032	54.88
		402940	45.12
<b>MRJFLAG</b>	Len : 1 RC-MARIJUANA - EVER USED		
	0 = Never used (IRMJRC = 9).....	<b>Freq</b>	<b>Pct</b>
	1 = Ever used (IRMJRC = 1-3).....	530488	59.41
		362484	40.59
<b>MRJYR</b>	Len : 1 RC-MARIJUANA - PAST YEAR USE		
	0 = Did not use in the past year (IRMJRC = 3,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past year (IRMJRC = 1,2).....	733605	82.15
		159367	17.85
<b>MRJMON</b>	Len : 1 RC-MARIJUANA - PAST MONTH USE		
	0 = Did not use in the past month (IRMJRC = 2-3,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (IRMJRC = 1).....	798744	89.45
		94228	10.55
<b>COCFLAG</b>	Len : 1 RC-COCAINE - EVER USED		
	0 = Never used (IRCOCRC = 9).....	<b>Freq</b>	<b>Pct</b>
	1 = Ever used (IRCOCRC = 1-3).....	788569	88.31
		104403	11.69
<b>COCYR</b>	Len : 1 RC-COCAINE - PAST YEAR USE		
	0 = Did not use in the past year (IRCOCRC = 3,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past year (IRCOCRC = 1,2).....	867908	97.19
		25064	2.81
<b>COCMON</b>	Len : 1 RC-COCAINE - PAST MONTH USE		
	0 = Did not use in the past month (IRCOCRC = 2-3,9).....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (IRCOCRC = 1).....	884798	99.08
		8174	0.92

RECODED DRUG USE

CRKFLAG	Len : 1 RC-"CRACK" - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRCRKRC = 9).....	867475	97.14
	1 = Ever used (IRCRKRC = 1-3).....	25497	2.86
CRKYR	Len : 1 RC-"CRACK" - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRCRKRC = 3,9).....	888812	99.53
	1 = Used within the past year (IRCRKRC = 1,2).....	4160	0.47
CRKMON	Len : 1 RC-"CRACK" - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past month (IRCRKRC = 2-3,9).....	891492	99.83
	1 = Used within the past month (IRCRKRC = 1).....	1480	0.17
HERFLAG	Len : 1 RC-HEROIN - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRHERRC = 9).....	880042	98.55
	1 = Ever used (IRHERRC = 1-3).....	12930	1.45
HERYR	Len : 1 RC-HEROIN - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRHERRC = 3,9).....	889994	99.67
	1 = Used within the past year (IRHERRC = 1,2).....	2978	0.33
HERMON	Len : 1 RC-HEROIN - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past month (IRHERRC = 2-3,9).....	891760	99.86
	1 = Used within the past month (IRHERRC = 1).....	1212	0.14
HALLUCFLAG	Len : 1 RC-HALLUCINOGENS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Never used (IRHALLUCREC = 9).....	145610	16.31
	1 = Ever used (IRHALLUCREC = 1-3).....	24709	2.77
HALLUCYR	Len : 1 RC-HALLUCINOGENS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Did not use in the past year (IRHALLUCREC = 3,9).....	165498	18.53
	1 = Used within the past year (IRHALLUCREC = 1,2).....	4821	0.54
HALLUCMON	Len : 1 RC-HALLUCINOGENS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Did not use in the past month (IRHALLUCREC = 2-3,9).....	169018	18.93
	1 = Used within the past month (IRHALLUCREC = 1).....	1301	0.15
LSDFLAG	Len : 1 RC-LSD - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRLSDRC = 9).....	823240	92.19
	1 = Ever used (IRLSDRC = 1-3).....	69732	7.81
LSDYR	Len : 1 RC-LSD - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRLSDRC = 3,9).....	885483	99.16
	1 = Used within the past year (IRLSDRC = 1,2).....	7489	0.84
LSDMON	Len : 1 RC-LSD - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past month (IRLSDRC = 2-3,9).....	891421	99.83
	1 = Used within the past month (IRLSDRC = 1).....	1551	0.17

RECODED DRUG USE

<b>PCPFLAG</b>	Len : 1 RC-PCP - EVER USED		
	0 = Never used (IRPCPRC = 9) .....	<b>Freq</b>	<b>Pct</b>
	1 = Ever used (IRPCPRC = 1-3) .....	876574	98.16
		16398	1.84
<b>PCPYR</b>	Len : 1 RC-PCP - PAST YEAR USE		
	0 = Did not use in the past year (IRPCPRC = 3,9) .....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past year (IRPCPRC = 1,2) .....	891749	99.86
		1223	0.14
<b>PCPMON</b>	Len : 1 RC-PCP - PAST MONTH USE		
	0 = Did not use in the past month (IRPCPRC = 2-3,9) .....	<b>Freq</b>	<b>Pct</b>
	1 = Used within the past month (IRPCPRC = 1) .....	892699	99.97
		273	0.03
<b>ECSTMOFLAG</b>	Len : 1 RC-ECSTASY - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRECSTMOREC = 9) .....	722653	80.93
	1 = Ever used (IRECSTMOREC = 1-3) .....	157043	17.59
		13276	1.49
<b>ECSTMOYR</b>	Len : 1 RC-ECSTASY - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRECSTMOREC = 3,9) .....	722653	80.93
	1 = Used within the past year (IRECSTMOREC = 1,2) .....	167949	18.81
		2370	0.27
<b>ECSTMOMON</b>	Len : 1 RC-ECSTASY - PAST MONTH USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past month (IRECSTMOREC= 2-3,9) .....	722653	80.93
	1 = Used within the past month (IRECSTMOREC = 1) .....	169798	19.01
		521	0.06
<b>DAMTFXFLAG</b>	Len : 1 RC-DMT/AMT/FOXY - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRDAMTFXREC = 9) .....	722653	80.93
	1 = Ever used (IRDAMTFXREC = 1-3) .....	168478	18.87
		1841	0.21
<b>DAMTFXYR</b>	Len : 1 RC-DMT/AMT/FOXY - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRDAMTFXREC = 3,9) .....	722653	80.93
	1 = Used within the past year (IRDAMTFXREC = 1,2) .....	170012	19.04
		307	0.03
<b>DAMTFXMON</b>	Len : 1 RC-DMT/AMT/FOXY - PAST MONTH USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past month (IRDAMTFXREC= 2-3,9) .....	722653	80.93
	1 = Used within the past month (IRDAMTFXREC = 1) .....	170254	19.07
		65	0.01
<b>KETMINFLAG</b>	Len : 1 RC-KETAMINE - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRKETMINREC = 9) .....	722653	80.93
	1 = Ever used (IRKETMINREC = 1-3) .....	168088	18.82
		2231	0.25
<b>KETMINYR</b>	Len : 1 RC-KETAMINE - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRKETMINREC = 3,9) .....	722653	80.93
	1 = Used within the past year (IRKETMINREC = 1,2) .....	170034	19.04
		285	0.03

RECODED DRUG USE

<b>KETMINMON</b>	Len : 1 RC-KETAMINE - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in the past month (IRKETMINREC= 2-3,9).....	170247	19.07
	1 = Used within the past month (IRKETMINREC = 1).....	72	0.01
<b>SALVIAFLAG</b>	Len : 1 RC-SALVIA - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used (IRSALVIAREC = 9) .....	166278	18.62
	1 = Ever used (IRSALVIAREC = 1-3) .....	4041	0.45
<b>SALVIAYR</b>	Len : 1 RC-SALVIA - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in the past year (IRSALVIAREC = 3,9) .....	170136	19.05
	1 = Used within the past year (IRSALVIAREC = 1,2) .....	183	0.02
<b>SALVIAMON</b>	Len : 1 RC-SALVIA - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in the past month (IRSALVIAREC= 2-3,9).....	170286	19.07
	1 = Used within the past month (IRSALVIAREC = 1).....	33	0.00
<b>INHALFLAG</b>	Len : 1 RC-INHALANTS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used (IRINHALREC = 9).....	153049	17.14
	1 = Ever used (IRINHALREC = 1-3) .....	17270	1.93
<b>INHALYR</b>	Len : 1 RC-INHALANTS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in the past year (IRINHALREC = 3,9) .....	168323	18.85
	1 = Used within the past year (IRINHALREC = 1,2) .....	1996	0.22
<b>INHALMON</b>	Len : 1 RC-INHALANTS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in the past month (IRINHALREC = 2-3,9).....	169723	19.01
	1 = Used within the past month (IRINHALREC = 1).....	596	0.07
<b>METHAMFLAG</b>	Len : 1 RC-METHAMPHETAMINE - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used (IRMETHAMREC = 9) .....	162604	18.21
	1 = Ever used (IRMETHAMREC = 1-3) .....	7715	0.86
<b>METHAMYR</b>	Len : 1 RC-METHAMPHETAMINE - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in the past year (IRMETHAMREC = 3,9) .....	169167	18.94
	1 = Used within the past year (IRMETHAMREC = 1,2) .....	1152	0.13
<b>METHAMMON</b>	Len : 1 RC-METHAMPHETAMINE - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in the past month (IRMETHAMREC= 2-3,9).....	169835	19.02
	1 = Used within the past month (IRMETHAMREC = 1).....	484	0.05

RECODED DRUG USE

NOTE: The following 11 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

<b>PNRANYFLAG</b>	Len : 1 RC-ANY PAIN RELIEVER - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRPNRANYREC = 9).....	722653	80.93
	1 = Ever used (IRPNRANYREC = 1-2) .....	77215	8.65
		93104	10.43
<b>PNRANYR</b>	Len : 1 RC-ANY PAIN RELIEVER - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRPNRANYREC = 2,9).....	722653	80.93
	1 = Used within the past year (IRPNRANYREC = 1) .....	116500	13.05
		53819	6.03
<b>OXYCNANYR</b>	Len : 1 RC-OXYCONTIN - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IROXCNANYR = 9) .....	722653	80.93
	1 = Used within the past year (IROXCNANYR = 1) .....	164605	18.43
		5714	0.64
<b>TRQANYFLAG</b>	Len : 1 RC-ANY TRANQUILIZERS - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRTRQANYREC = 9) .....	722653	80.93
	1 = Ever used (IRTRQANYREC = 1-2) .....	138120	15.47
		32199	3.61
<b>TRQANYR</b>	Len : 1 RC-ANY TRANQUILIZERS - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRTRQANYREC = 2,9).....	722653	80.93
	1 = Used within the past year (IRTRQANYREC = 1) .....	149809	16.78
		20510	2.30
<b>STMANYFLAG</b>	Len : 1 RC-ANY STIMULANTS - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRSTMANYREC = 9) .....	722653	80.93
	1 = Ever used (IRSTMANYREC = 1-2) .....	147482	16.52
		22837	2.56
<b>STMANYR</b>	Len : 1 RC-ANY STIMULANTS - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRSTMANYREC = 2,9).....	722653	80.93
	1 = Used within the past year (IRSTMANYREC = 1) .....	155816	17.45
		14503	1.62
<b>SEDANYFLAG</b>	Len : 1 RC-ANY SEDATIVES - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (IRSEDANYREC = 9).....	722653	80.93
	1 = Ever used (IRSEDANYREC = 1-2).....	151955	17.02
		18364	2.06
<b>SEDANYR</b>	Len : 1 RC-ANY SEDATIVES - PAST YEAR USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Did not use in the past year (IRSEDANYREC = 2,9).....	722653	80.93
	1 = Used within the past year (IRSEDANYREC = 1).....	161473	18.08
		8846	0.99
<b>PSYANYFLAG</b>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER USED		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = Never used (All source variables = 0).....	722653	80.93
	1 = Ever used (Any source variable = 1).....	68569	7.68
		101750	11.39

RECODED DRUG USE

<b>PSYANYR</b>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use within pst year (All source variables =0) .....	102501	11.48
	1 = Used in past year (Any source variable = 1) .....	67818	7.59

NOTE: The following 19 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

<b>PNRNMFLAG</b>	Len : 1 RC-PAIN RELIEVERS - EVER MISUSED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never misused (IRPNRMREC = 9) .....	152082	17.03
	1 = Ever misused (IRPNRMREC = 1-3) .....	18237	2.04

<b>PNRNMYSR</b>	Len : 1 RC-PAIN RELIEVERS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not misuse in the past year (IRPNRMREC = 3,9) .....	161561	18.09
	1 = Misused within the past year (IRPNRMREC = 1,2) .....	8758	0.98

<b>PNRNMMON</b>	Len : 1 RC-PAIN RELIEVERS - PAST MONTH MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not misuse in the pst mon (IRPNRMREC = 2-3,9) .....	167744	18.78
	1 = Misused within the past month (IRPNRMREC = 1) .....	2575	0.29

<b>OXYCNNMYR</b>	Len : 1 RC-OXYCONTIN - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not misuse in the past year (IROXCNNMYR = 9) .....	168919	18.92
	1 = Misused within the past year (IROXCNNMYR = 1) .....	1400	0.16

<b>TRQNMFLAG</b>	Len : 1 RC-TRANQUILIZERS - EVER MISUSED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never misused (IRTRQNMREC = 9) .....	162460	18.19
	1 = Ever misused (IRTRQNMREC = 1-3) .....	7859	0.88

<b>TRQNMYSR</b>	Len : 1 RC-TRANQUILIZERS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not misuse in the past year (IRTRQNMREC = 3,9) .....	165557	18.54
	1 = Misused within the past year (IRTRQNMREC = 1,2) .....	4762	0.53

<b>TRQNMMON</b>	Len : 1 RC-TRANQUILIZERS - PAST MONTH MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not misuse in the pst mon (IRTRQNMREC = 2-3,9) .....	168832	18.91
	1 = Misused within the past month (IRTRQNMREC = 1) .....	1487	0.17

<b>STMNFLAG</b>	Len : 1 RC-STIMULANTS - EVER MISUSED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never misused (IRSTMNMREC = 9) .....	161605	18.10
	1 = Ever misused (IRSTMNMREC = 1-3) .....	8714	0.98

<b>STMNMYR</b>	Len : 1 RC-STIMULANTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not misuse in the past year (IRSTMNMREC = 3,9) .....	165092	18.49
	1 = Misused within the past year (IRSTMNMREC = 1,2) .....	5227	0.59



RECODED DRUG USE

<b>STMNMMON</b>	Len : 1 RC-STIMULANTS - PAST MONTH MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Did not misuse in the pst mon (IRSTMNMREC = 2-3,9).....	168757	18.90
	1 = Misused within the past month (IRSTMNMREC = 1).....	1562	0.17
<b>SEDNMFLAG</b>	Len : 1 RC-SEDATIVES - EVER MISUSED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Never misused (IRSEDNMREC = 9).....	166815	18.68
	1 = Ever misused (IRSEDNMREC = 1-3).....	3504	0.39
<b>SEDNMYR</b>	Len : 1 RC-SEDATIVES - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Did not misuse in the past year (IRSEDNMREC = 3,9).....	169375	18.97
	1 = Misused within the past year (IRSEDNMREC = 1,2).....	944	0.11
<b>SEDNMMON</b>	Len : 1 RC-SEDATIVES - PAST MONTH MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Did not misuse in the pst mon (IRSEDNMREC = 2-3,9).....	170042	19.04
	1 = Misused within the past month (IRSEDNMREC = 1).....	277	0.03
<b>PSYCHFLAG</b>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER MISUSED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Never misused (All source variables = 0).....	146188	16.37
	1 = Ever misused (Any source variable = 1).....	24131	2.70
<b>PSYCHYR</b>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Did not misuse within pst year (All source variables = 0).....	155970	17.47
	1 = Misused in past year (Any source variable = 1).....	14349	1.61
<b>PSYCHMON</b>	Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST MONTH MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = Did not misuse in past month (All source variables = 0).....	165586	18.54
	1 = Misused in past month (Any source variable = 1).....	4733	0.53
<b>OPINMYR</b>	Len : 1 RC-OPIOIDS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (HERYR=0 and PNRNMYR=0).....	161363	18.07
	1 = Yes (HERYR=1 or PNRNMYR=1).....	8956	1.00
<b>OPINMMON</b>	Len : 1 RC-OPIOIDS - PAST MONTH MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (HERMON=0 and PNRNMMON=0).....	167555	18.76
	1 = Yes (HERMON=1 or PNRNMMON=1).....	2764	0.31
<b>HERPNRYR</b>	Len : 1 RC-HEROIN USE AND/OR PAIN RELIEVER MISUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Heroin use and no pain rel misuse (HERYR=1 and PNRNMYR=0).....	198	0.02
	2 = Pain rel misuse and no heroin use (HERYR=0 and PNRNMYR=1).....	8257	0.92
	3 = Heroin use and pain rel misuse (HERYR=1 and PNRNMYR=1).....	501	0.06
	4 = No heroin use and no pain rel misuse (HERYR=0 and PNRNMYR=0).....	161363	18.07

RECODED DRUG USE

<b>ILLFLAG</b>	Len : 1 RC-ANY ILLICIT DRUG - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used (All source variables = 0).....	88749	9.94
	1 = Ever used (Any source variable = 1).....	81570	9.13
<b>ILLYR</b>	Len : 1 RC-ANY ILLICIT DRUG - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in past year (All source variables = 0).....	131439	14.72
	1 = Used in past year (Any source variable = 1).....	38880	4.35
<b>ILLMON</b>	Len : 1 RC-ANY ILLICIT DRUG - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Did not use in past month (All source variables = 0).....	147767	16.55
	1 = Used in past month (Any source variable = 1).....	22552	2.53
<b>MJONLYFLAG</b>	Len : 1 RC-MARIJUANA ONLY - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used MJ/has used both MJ & anothr illet drug .....	136855	15.33
	1 = Marijuana is only (illicit) drug ever used .....	33464	3.75
<b>MJONLYYR</b>	Len : 1 RC-MARIJUANA ONLY - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = MJ not used past yr/Used MJ & othr drug past yr.....	150598	16.86
	1 = Marijuana is only (illicit) drug in past year .....	19721	2.21
<b>MJONLYMON</b>	Len : 1 RC-MARIJUANA ONLY - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = MJ not used past mnth/Used MJ & othr drug past mo .....	154776	17.33
	1 = Marijuana only (illicit) drug in past month .....	15543	1.74
<b>ILLEMFLAG</b>	Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used drug/used only marijuana.....	122213	13.69
	1 = Illicit drug except for marijuana are ever used.....	48106	5.39
<b>ILLEMYR</b>	Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used drug/used only marijuana past year.....	151160	16.93
	1 = Illicit drug except for marijuana used past year .....	19159	2.15
<b>ILLEMMON</b>	Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never used drug/used only marijuana past month.....	163310	18.29
	1 = Illicit drug except for marijuana used past month.....	7009	0.78
<b>CDUFLAG</b>	Len : 1 RC-CIGARETTES DAILY - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	0 = Never Used/Never Used Daily (Otherwise).....	650225	72.82
	1 = Ever Used (IRCDUAGE=1-90).....	242747	27.18

RECODED DRUG USE

<b>DCIGMON</b>	Len : 1 RC-PAST MONTH DAILY CIGARETTE USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93) .....	686806	76.91
	1 = Used Daily in the Past Month (IRCIGFM=30) .....	96857	10.85

<b>CDCGMO</b>	Len : 1 RC-EVER USED CIG DAILY AND PAST MONTH CIG USE		
		<b>Freq</b>	<b>Pct</b>
	0 = No (Otherwise) .....	731157	81.88
	1 = Yes (CDUFLAG=1 and CIGMON=1) .....	161815	18.12

<b>CDNOCGMO</b>	Len : 1 RC-EVER USED CIG DAILY AND NO PAST MONTH CIG USE		
		<b>Freq</b>	<b>Pct</b>
	0 = No (Otherwise) .....	812040	90.94
	1 = Yes (CDUFLAG=1 and CIGMON=0) .....	80932	9.06

<b>CIGALCMO</b>	Len : 1 RC-PAST MONTH CIGARETTE/ALCOHOL USE		
		<b>Freq</b>	<b>Pct</b>
	1 = Past Mon Use of Cig & Alc (CIGMON=1 & ALCMON=1) .....	147848	16.56
	2 = Past Mon Use of Cig & No Alc (CIGMON=1 & ALCMON=0) .....	64406	7.21
	3 = Past Mon Use of Alc & No Cig (CIGMON=0 & ALCMON=1) .....	255092	28.57
	4 = No Past Mon Use of Cig/Alc (CIGMON=0 & ALCMON=0) .....	425626	47.66

"Binge" Alcohol Use, BNGDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on at least one day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol use was defined as drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, BNGDRKMON is comparable to the version of this variable created from 2002-2014, BINGEDRK, among males but not overall or among females.

<b>BNGDRKMON</b>	Len : 1 RC-BINGE ALCOHOL USE PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never/No "Binge" alc use (IRALCBNG30D = 0,91,93) .....	127389	14.27
	1 = "Binge" alcohol use (IRALCBNG30D = 1-30) .....	42930	4.81

Heavy Alcohol Use, HVYDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users. Prior to 2015, heavy alcohol use was defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days for everyone, regardless of sex. Therefore, HVYDRKMON is comparable to the version of this variable created from 2002-2014, HVYDRK2, among males but not overall or among females.

<b>HVYDRKMON</b>	Len : 1 RC-HEAVY ALCOHOL USE PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = Never/No heavy alc use (IRALCBNG30D = 0-4,91,93) .....	159497	17.86
	1 = Heavy alcohol use (IRALCBNG30D = 5-30) .....	10822	1.21

The following variable, BNGHVYMON, was created by examination of past month binge alcohol use (BNGDRKMON), past month heavy alcohol use (HVYDRKMON), and past month alcohol use (ALCMON). To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.

<b>BNGHVYMON</b>	Len : 1 RC-LEVEL OF ALCOHOL USE IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Heavy alcohol use (HVYDRKMON=1) .....	10822	1.21
	2 = "Binge" but not heavy use (BNGDRKMON=1 & HVYDRKMON=0) .....	32108	3.60
	3 = Past month but not "binge" (ALCMON=1 & BNGDRKMON=0) .....	34947	3.91
	4 = Did not use alcohol in past month (All source=0) .....	92442	10.35

<b>ILTOBALCMN</b>	Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALC PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No drug, tob, or alc past mon use (Otherwise) .....	76397	8.56
	1 = Drug, tob, or alc past mon use (ILLMON, TOBMON or ALCMON=1) .....	93922	10.52

RECODED DRUG USE

<b>ILLALCMON</b>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No Drug or Alc Past Mon Use (Otherwise) .....	86653	9.70
	1 = Drug or Alc Past Mon Use (ILLMON=1 or ALCMON=1) .....	83666	9.37
<b>TOBALCMN</b>	Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	441244	49.41
	0 = No Tob or Alc Past Mon Use (Otherwise) .....	211836	23.72
	1 = Tob or Alc Past Mon Use (TOBMON=1 or ALCMON=1) .....	239892	26.86
<b>ILLANDALC</b>	Len : 1 RC-ILLCIT DRUG AND ALCOHOL USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No drug or alc past year use (Otherwise) .....	136890	15.33
	1 = Drug and alc past year use (ILLYR=1 and ALCYR=1).....	33429	3.74
<b>ILLORALC</b>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No drug and alc past year use (Otherwise).....	61498	6.89
	1 = Drug or alc past year use (ILLYR=1 or ALCYR=1).....	108821	12.19
<b>ILLALCFLG</b>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No drug or alc lifetime use (Otherwise).....	42040	4.71
	1 = Drug or alc lifetime use (ILLFLAG=1 or ALCFLAG=1).....	128279	14.37
<b>PEYOTE2</b>	Len : 1 RC-EVER USED PEYOTE		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	879810	98.53
	1 = Yes (PEYOTE=1,3).....	13162	1.47
<b>MESC2</b>	Len : 1 RC-EVER USED MESCALINE		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	875530	98.05
	1 = Yes (MESC=1,3).....	17442	1.95
<b>PSILCY2</b>	Len : 1 RC-EVER USED PSILOCYBIN (MUSHROOMS)		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	821409	91.99
	1 = Yes (PSILCY=1,3).....	71563	8.01
<b>AMYLNIT2</b>	Len : 1 RC-EVER INHALED AMYL NITRITE, "POPPERS", RUSH, ETC.		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	871597	97.61
	1 = Yes (AMYLNIT=1,3).....	21375	2.39
<b>CLEFLU2</b>	Len : 1 RC-EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	883036	98.89
	1 = Yes (CLEFLU=1,3).....	9936	1.11
<b>GAS2</b>	Len : 1 RC-EVER INHALED GASOLINE OR LIGHTER FLUID		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	874880	97.97
	1 = Yes (GAS=1,3).....	18092	2.03

RECODED DRUG USE

<b>GLUE2</b>	Len : 1 RC-EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
	0 = No/Unknown (Otherwise).....	874467	97.93
	1 = Yes (GLUE=1,3).....	18505	2.07
<b>ETHER2</b>	Len : 1 RC-EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
	0 = No/Unknown (Otherwise).....	888846	99.54
	1 = Yes (ETHER=1,3).....	4126	0.46
<b>SOLVENT2</b>	Len : 1 RC-EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
	0 = No/Unknown (Otherwise).....	884415	99.04
	1 = Yes (SOLVENT=1,3).....	8557	0.96
<b>LGAS2</b>	Len : 1 RC-EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
	0 = No/Unknown (Otherwise).....	887726	99.41
	1 = Yes (LGAS=1,3).....	5246	0.59
<b>NITOXID2</b>	Len : 1 RC-EVER INHALED NITROUS OXIDE OR "WHIPPITS"		
	0 = No/Unknown (Otherwise).....	850091	95.20
	1 = Yes (NITOXID=1,3).....	42881	4.80
<b>FELTMARKR2</b>	Len : 1 RC-EVER USED FELT-TIP PENS/MARKERS TO GET HIGH		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	163801	18.34
	1 = Yes (FELTMARKR=1,3).....	6518	0.73
<b>SPPAINT2</b>	Len : 1 RC-EVER INHALED SPRAY PAINTS		
	0 = No/Unknown (Otherwise).....	880404	98.59
	1 = Yes (SPPAINT=1,3).....	12568	1.41
<b>AIRDUSTER2</b>	Len : 1 RC-EVER USED COMPUTER CLEANER/AIR DUSTER TO GET HIGH		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	167775	18.79
	1 = Yes (AIRDUSTER=1,3).....	2544	0.28
<b>OTHAEROS2</b>	Len : 1 RC-EVER USED OTHER AEROSOL SPRAY		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169261	18.95
	1 = Yes (OTHAEROS=1,3).....	1058	0.12

The following variable for any past year use of Hydrocodone Products, HYDCPDAPYU, was assigned a positive response if a respondent indicated any past year use of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or past year misuse of other pain relievers that contain hydrocodone.

<b>HYDCPDAPYU</b>	Len : 1 RC-HYDROCODONE PRODUCTS - ANY PAST YEAR USE		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	140606	15.75
	1 = Yes (See comment above).....	29713	3.33
<b>ZOHYANYR2</b>	Len : 1 RC-ZOHYDRO ER - ANY PAST YEAR USE		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown.....	170039	19.04
	1 = Yes.....	280	0.03

RECODED DRUG USE

The following variable for any past year use of Oxycodone Products, OXYCPDAPYU, was assigned a positive response if a respondent indicated any past year use of OxyContin (OXCNANYR=1, 3, 5), Percocet, Percodan, Roxicet, Roxicodone, or generic oxycodone, or past year misuse of other pain relievers that contain oxycodone.

OXYCPDAPYU    Len : 1    RC-OXYCODONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	154002	17.25
1 = Yes (See comment above) .....	16317	1.83

The following variable for any past year use of Tramadol Products, TRAMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ultram, Ultram ER, Ultracet, generic tramadol, or generic extended-release tramadol, or past year misuse of other pain relievers that contain tramadol.

TRAMPDAPYU    Len : 1    RC-TRAMADOL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	160793	18.01
1 = Yes (See comment above) .....	9526	1.07

The following variable for any past year use of Codeine Products, CODEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Codeine, Tylenol with Codeine 3 or 4, or past year misuse of other pain relievers that contain codeine.

CODEPDAPYU    Len : 1    RC-CODEINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	779799	87.33
0 = No/Unknown (Otherwise).....	102731	11.50
1 = Yes (See comment above) .....	10442	1.17

The following variable for any past year use of Morphine Products, MORPPDAPYU, was assigned a positive response if a respondent indicated any past year use of Avinza, Kadian, MS Contin, generic morphine, or generic extended-release morphine, or past year misuse of other pain relievers that contain morphine.

MORPPDAPYU    Len : 1    RC-MORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	166183	18.61
1 = Yes (See comment above) .....	4136	0.46

The following variable for any past year use of Fentanyl Products, FENTPDAPYU, was assigned a positive response if a respondent indicated any past year use of Actiq, Duragesic, Fentora, or generic fentanyl, or past year misuse of other pain relievers that contain fentanyl.

FENTPDAPYU    Len : 1    RC-FENTANYL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169155	18.94
1 = Yes (See comment above) .....	1164	0.13

The following variable for any past year use of Buprenorphine Products, BUPRPDAPYU, was assigned a positive response if a respondent indicated any past year use of Suboxone, generic buprenorphine, or past year misuse of other pain relievers that contain buprenorphine.

BUPRPDAPYU    Len : 1    RC-BUPRENORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	168637	18.88
1 = Yes (See comment above) .....	1682	0.19

RECODED DRUG USE

The following variable for any past year use of Oxymorphone Products, OXYMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or past year misuse of other pain relievers that contain oxymorphone.

**OXYMPDAPYU**    Len : 1    RC-OXYMORPHONE PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169557	18.99
1 = Yes (See comment above) .....	762	0.09

The following variable for any past year use of Demerol Products, DEMEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Demerol, or past year misuse of other pain relievers that contain Demerol.

**DEMEPDAPYU**    Len : 1    RC-DEMEROL PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169589	18.99
1 = Yes (See comment above) .....	730	0.08

The following variable for any past year use of Hydromorphone Products, HYDMPDAPYU, was assigned a positive response if a respondent indicated any past year use of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or past year misuse of other pain relievers that contain hydromorphone.

**HYDMPDAPYU**    Len : 1    RC-HYDROMORPHONE PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169130	18.94
1 = Yes (See comment above) .....	1189	0.13

The following variable for any past year use of Methadone Products, MTDNPDAPYU, was assigned a positive response if a respondent indicated any past year use of Methadone, or past year misuse of other pain relievers that contain methadone.

**MTDNPDAPYU**    Len : 1    RC-METHADONE PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169440	18.97
1 = Yes (See comment above) .....	879	0.10

**PNROTANYR2**    Len : 1    RC-OTHER PAIN RELIEVER- ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown .....	155309	17.39
1 = Yes.....	15010	1.68

The following variable for any past year use of Benzodiazepine Tranquilizers, TRBENZAPYU, was assigned a positive response if a respondent indicated any past year use of *alprazolam products* (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), *lorazepam products* (Ativan, generic lorazepam), *clonazepam products* (Klonopin, generic clonazepam), *diazepam products* (Valium, or generic diazepam), or past year misuse of other benzodiazepine tranquilizers.

**TRBENZAPYU**    Len : 1    RC-BENZODIAZEPINE TRANQUILIZERS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	154018	17.25
1 = Yes (See comment above) .....	16301	1.83

The following variable for any past year use of Alprazolam Products, ALPRPDAPYU, was assigned a positive response if a respondent indicated any past year use of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or past year misuse of other tranquilizers that contain alprazolam.

**ALPRPDAPYU**    Len : 1    RC-ALPRAZOLEM PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	159897	17.91
1 = Yes (See comment above) .....	10422	1.17

RECODED DRUG USE

The following variable for any past year use of Lorazepam Products, LORAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ativan, or generic lorazepam, or past year misuse of other tranquilizers that contain lorazepam.

**LORAPDAPYU**    Len : 1    RC-LORAZEPAM PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	166370	18.63
1 = Yes (See comment above) .....	3949	0.44

The following variable for any past year use of Clonazepam Products, CLONPDAPYU, was assigned a positive response if a respondent indicated any past year use of Klonopin or generic clonazepam, or past year misuse of other tranquilizers that contain clonazepam.

**CLONPDAPYU**    Len : 1    RC-CLONAZEP AM PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	166561	18.65
1 = Yes (See comment above) .....	3758	0.42

The following variable for any past year use of Diazepam Products, DIAZPDAPYU, was assigned a positive response if a respondent indicated any past year use of Valium, or generic diazepam, or past year misuse of other tranquilizers that contain diazepam.

**DIAZPDAPYU**    Len : 1    RC-DIAZEPAM PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	166600	18.66
1 = Yes (See comment above) .....	3719	0.42

The following variable for any past year use of Muscle Relaxants, MUSRLXAPYU, was assigned a positive response if a respondent indicated any past year use of cyclobenzaprine [also known as Flexeril], Soma, or past year misuse of other muscle relaxants.

**MUSRLXAPYU**    Len : 1    RC-MUSCLE RELAXANTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	166789	18.68
1 = Yes (See comment above) .....	3530	0.40

The following variable for any past year use of Cyclobenzaprine Products, CYCLPDAPYU, was assigned a positive response if a respondent indicated any past year use of Flexeril, or past year misuse of other muscle relaxants that contain cyclobenzaprine.

**CYCLPDAPYU**    Len : 1    RC-CYCLOBENZAPRINE PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	167699	18.78
1 = Yes (See comment above) .....	2620	0.29

The following variable for any past year use of Carisoprodol Products, SOMAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Soma, or past year misuse of other muscle relaxants that contain carisoprodol.

**SOMAPDAPYU**    Len : 1    RC-SOMA PRODUCTS - ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169278	18.96
1 = Yes (See comment above) .....	1041	0.12

**TRQOTANYR2**    Len : 1    RC-OTHER TRANQUILIZER- ANY PAST YEAR USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown .....	167135	18.72
1 = Yes.....	3184	0.36



RECODED DRUG USE

The following variable for any past year use of Amphetamine or Methylphenidate Products, AMMEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMMEPDAPYU Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	158263	17.72
1 = Yes (See comment above) .....	12056	1.35

The following variable for any past year use of Amphetamine Products, AMPHETAPYU, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, or generic extended-release amphetamine-dextroamphetamine combinations, or past year misuse of other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD). Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

AMPHETAPYU Len : 1 RC-AMPHETAMINE - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	159779	17.89
1 = Yes (See comment above) .....	10540	1.18

The following variable for any past year use of Methylphenidate Products, METHPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other stimulants that contain methylphenidate.

METHPDAPYU Len : 1 RC-METHYLPHENIDATE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	166861	18.69
1 = Yes (See comment above) .....	3458	0.39

The following variable for any past year use of Anorectic (weight loss) stimulants, ANOSTMAPYU, was assigned a positive response if a respondent indicated any past year use of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, or phentermine, or past year misuse of other stimulants that are prescribed for weight loss.

ANOSTMAPYU Len : 1 RC-ANORECTIC STIMULANTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	168887	18.91
1 = Yes (See comment above) .....	1432	0.16

The following variable for any past year use of Provigil Products, PROVPDAPYU, was assigned a positive response if a respondent indicated any past year use of Provigil, or past year misuse of other stimulants that contain Provigil.

PROVPDAPYU Len : 1 RC-PROVIGIL PRODUCTS- ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170041	19.04
1 = Yes (See comment above) .....	278	0.03

STMOTANYR2 Len : 1 RC-OTHER STIMULANT - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown .....	168352	18.85
1 = Yes.....	1967	0.22

RECODED DRUG USE

The following variable for any past year use of Zolpidem Products, ZOLPPDAPYU, was assigned a positive response if a respondent indicated any past year use of Ambien, Ambien CR, generic zolpidem, or extended-release generic zolpidem, or past year misuse of other sedatives that contain zolpidem.

ZOLPPDAPYU    Len : 1    RC-ZOLPIDEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	165408	18.52
1 = Yes (See comment above) .....	4911	0.55

The following variable for any past year use of Eszopiclone Products, ESZOPDAPYU, was assigned a positive response if a respondent indicated any past year use of Lunesta or generic eszopiclone, or past year misuse of other sedatives that contain eszopiclone.

ESZOPDAPYU    Len : 1    RC-ESZOPICLONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169771	19.01
1 = Yes (See comment above) .....	548	0.06

The following variable for any past year use of Zaleplon Products, ZALEPDAPYU, was assigned a positive response if a respondent indicated any past year use of Sonata or generic zaleplon, or past year misuse of other sedatives that contain zaleplon.

ZALEPDAPYU    Len : 1    RC-ZALEPLON PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170135	19.05
1 = Yes (See comment above) .....	184	0.02

The following variable for any past year use of Benzodiazepine Sedatives, SVBENZAPYU, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion or generic triazolam], or past year misuse of other benzodiazepine sedatives.

SVBENZAPYU    Len : 1    RC-BENZODIAZEPINE SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169333	18.96
1 = Yes (See comment above) .....	986	0.11

The following variable for any past year use of Triazolam Products, TRIAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Halcion, or generic triazolam, or past year misuse of other sedatives that contain tirazolam.

TRIAPDAPYU    Len : 1    RC-TRIAZOLAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169932	19.03
1 = Yes (See comment above) .....	387	0.04

The following variable for any past year use of Temazepam Products, TEMAPDAPYU, was assigned a positive response if a respondent indicated any past year use of Restoril, or generic temazepam, or past year misuse of other sedatives that contain temazepam.

TEMAPDAPYU    Len : 1    RC-TEMAZEP AM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169748	19.01
1 = Yes (See comment above) .....	571	0.06

The following variable for any past year use of Flurazepam Products, FLURPDAPYU, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], or past year misuse of other sedatives that contain flurazepam.

FLURPDAPYU    Len : 1    RC-FLURAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170250	19.07
1 = Yes (See comment above) .....	69	0.01

RECODED DRUG USE

The following variable for any past year use of Barbiturates, BARBITAPYU, was assigned a positive response if a respondent indicated any past year use of Butisol, Seconal, or phenobarbital, or past year misuse of other barbiturates.

<b>BARBITAPYU</b>	Len : 1 RC-BARBITUATES - ANY PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	170085	19.05
	1 = Yes (See comment above) .....	234	0.03

<b>SEDOTANYR2</b>	Len : 1 RC-OTHER SEDATIVE - ANY PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown .....	167039	18.71
	1 = Yes.....	3280	0.37

The following variable for past year misuse of Hydrocodone Products, HYDCPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or other pain relievers that contain hydrocodone.

<b>HYDCPDPYMU</b>	Len : 1 RC-HYDROCODONE PRODUCTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	165406	18.52
	1 = Yes (See comment above) .....	4913	0.55

The following variable for past year misuse of Oxycodone Products, OXYCPDPYMU, was assigned a positive response if a respondent indicated past year misuse of OxyContin (OXCNNMYR=1, 3, 5), Percocet, Percodan, Roxicet, Roxicodone, generic oxycodone, or other pain relievers that contain oxycodone.

<b>OXCOPDPYMU</b>	Len : 1 RC-OXYCODONE PRODUCTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	166998	18.70
	1 = Yes (See comment above) .....	3321	0.37

The following variable for past year misuse of Tramadol Products, TRAMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, generic extended-release tramadol, or other pain relievers that contain tramadol.

<b>TRAMPDPYMU</b>	Len : 1 RC-TRAMADOL PRODUCTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169081	18.93
	1 = Yes (See comment above) .....	1238	0.14

The following variable for past year misuse of Codeine Products, CODEPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Codeine, Tylenol with Codeine 3 or 4, or other pain relievers that contain codeine.

<b>CODEPDPYMU</b>	Len : 1 RC-CODEINE PRODUCTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	0 = No/Unknown (Otherwise).....	111806	12.52
	1 = Yes (See comment above) .....	1367	0.15

The following variable for past year misuse of Morphine Products, MORPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Avinza, Kadian, MS Contin, generic morphine, generic extended-release morphine, or other pain relievers that contain morphine.

<b>MORPPDPYMU</b>	Len : 1 RC-MORPHINE PRODUCTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169798	19.01
	1 = Yes (See comment above) .....	521	0.06

RECODED DRUG USE

The following variable for past year misuse of Fentanyl Products, FENTPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Actiq, Duragesic, Fentora, generic fentanyl, or other pain relievers that contain fentanyl.

**FENTPDPYMU** Len : 1 RC-FENTANYL PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170092	19.05
1 = Yes (See comment above) .....	227	0.03

The following variable for past year misuse of Buprenorphine Products, BUPRPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Suboxone, generic buprenorphine, or other pain relievers that contain buprenorphine.

**BUPRPDPYMU** Len : 1 RC-BUPRENORPHINE PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169711	19.01
1 = Yes (See comment above) .....	608	0.07

The following variable for past year misuse of Oxymorphone Products, OXYMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or other pain relievers that contain oxymorphone.

**OXYMPDPYMU** Len : 1 RC-OXYMORPHONE PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170032	19.04
1 = Yes (See comment above) .....	287	0.03

The following variable for past year misuse of Demerol Products, DEMEPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Demerol, or other pain relievers that contain Demerol.

**DEMEPDPYMU** Len : 1 RC-DEMEROL PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170245	19.06
1 = Yes (See comment above) .....	74	0.01

The following variable for past year misuse of Hydromorphone Products, HYDMPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone.

**HYDMPPDPYMU** Len : 1 RC-HYDROMORPHONE PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170123	19.05
1 = Yes (See comment above) .....	196	0.02

The following variable for past year misuse of Methadone Products, MTDNPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Methadone, or other pain relievers that contain methadone.

**MTDNPPDPYMU** Len : 1 RC-METHADONE PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170028	19.04
1 = Yes (See comment above) .....	291	0.03

RECODED DRUG USE

Note: Starting in 2017, the following variable for the past year misuse of any other pain reliever, PNROTHPYMU2, is based on the edited variable for the misuse of any other pain reliever as well as the write-in data for the specific other pain relievers that respondents specified that they misused in the past year. Respondents are excluded from PNROTHPYMU2 if the only pain relievers that they specified in their write-in responses corresponded to other pain reliever subtypes (e.g., hydrocodone products) or was an over-the-counter product. Thus, PNROTHPYMU2 does not count these respondents as past year misusers of "any other" pain reliever. The variable in 2015 and 2016 for past year misuse of any other pain reliever products, PNROTMYR3, was based only on the edited misuse of any other pain reliever variable.

**PNROTHPYMU2** Len : 1 RC-OTHER PAIN RELIEVER PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169631	19.00
1 = Yes (See comment above) .....	688	0.08

The following variable for past year misuse of Benzodiazepine Tranquilizers, TRBENZPYMU, was assigned a positive response if a respondent indicated past year misuse of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products (Ativan or generic lorazepam), clonazepam products (Klonopin, generic clonazepam), or diazepam products (Valium, generic diazepam), or other benzodiazepine tranquilizers.

**TRBENZPYMU** Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	165893	18.58
1 = Yes (See comment above) .....	4426	0.50

The following variable for past year misuse of Alprazolam Products, ALPRDPYMU, was assigned a positive response if a respondent indicated past year misuse of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or other tranquilizers that contain alprazolam.

**ALPRDPYMU** Len : 1 RC-ALPRAZOLEM PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	166717	18.67
1 = Yes (See comment above) .....	3602	0.40

The following variable for past year misuse of Lorazepam Products, LORAPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ativan, generic lorazepam, or other tranquilizers that contain lorazepam.

**LORAPDPYMU** Len : 1 RC-LORAZEPAM PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169760	19.01
1 = Yes (See comment above) .....	559	0.06

The following variable for past year misuse of Clonazepam Products, CLONPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Klonopin, generic clonazepam, or other tranquilizers that contain clonazepam.

**CLONPDPYMU** Len : 1 RC-CLONAZEPAM PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169388	18.97
1 = Yes (See comment above) .....	931	0.10

The following variable for past year misuse of Diazepam Products, DIAZPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Valium, generic diazepam, or other tranquilizers that contain diazepam.

**DIAZPDPYMU** Len : 1 RC-DIAZEPAM PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169554	18.99
1 = Yes (See comment above) .....	765	0.09

RECODED DRUG USE

The following variable for past year misuse of Muscle Relaxants, MUSRLXPYMU, was assigned a positive response if a respondent indicated past year misuse of cyclobenzaprine [also known as Flexeril], Soma, or other muscle relaxants.

**MUSRLXPYMU** Len : 1 RC-MUSCLE RELAXANTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169852	19.02
1 = Yes (See comment above) .....	467	0.05

The following variable for past year misuse of Cyclobenzaprine Products, CYCLDPYMU, was assigned a positive response if a respondent indicated past year misuse of Flexeril, or other muscle relaxants that contain cyclobenzaprine.

**CYCLDPYMU** Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170109	19.05
1 = Yes (See comment above) .....	210	0.02

The following variable for past year misuse of Carisoprodol Products, SOMAPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Soma, or other muscle relaxants that contain carisoprodol.

**SOMAPDPYMU** Len : 1 RC-SOMA PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170045	19.04
1 = Yes (See comment above) .....	274	0.03

Note: Starting in 2017, the following variable for the past year misuse of any other tranquilizer, TRQOTHPYMU2, is based on the edited variable for the misuse of any other tranquilizer as well as the write-in data for the specific other tranquilizers that respondents specified that they misused in the past year. Respondents are excluded from TRQOTHPYMU2 if the only tranquilizers that they specified in their write-in responses corresponded to other tranquilizer subtypes(e.g., benzodiazepine tranquilizers) or was an over-the-counter product. Thus, TRQOTHPYMU2 does not count these respondents as past year misusers of "any other" tranquilizer. The variable in 2015 and 2016 for past year misuse of any other tranquilizer products, TRQOTNMYR3, was based only on the edited misuse of any other tranquilizer variable.

**TRQOTHPYMU2** Len : 1 RC-OTHER TRANQUILIZER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170195	19.06
1 = Yes (See comment above) .....	124	0.01

The following variable for past year misuse of Amphetamine or Methylphenidate Products, AMMEPDAPYU, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

**AMMEPDAPYU** Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	165265	18.51
1 = Yes (See comment above) .....	5054	0.57

The following variable for past year misuse of Amphetamine Products, AMPHETPYMU, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD). Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

**AMPHETPYMU** Len : 1 RC-AMPHETAMINE - PAST YEAR MISUSE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	165527	18.54
1 = Yes (See comment above) .....	4792	0.54

RECODED DRUG USE

The following variable for past year misuse of Methylphenidate Products, METHDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ritalin, Ritalin SR/LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, generic extended-release dexmethylphenidate, or other stimulants that contain methylphenidate.

**METHDPYMU** Len : 1 RC-METHYLPHENIDATE PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169379	18.97
1 = Yes (See comment above) .....	940	0.11

The following variable for past year misuse of Anorectic (weight loss) stimulants, ANOSTMPYMU, was assigned a positive response if a respondent indicated past year misuse of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, phentermine, or other stimulants that are prescribed for weight loss.

**ANOSTMPYMU** Len : 1 RC-ANORECTIC STIMULANTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170189	19.06
1 = Yes (See comment above) .....	130	0.01

The following variable for past year misuse of Provigil Products, PROVPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Provigil, or other stimulants that contain Provigil.

**PROVPDPYMU** Len : 1 RC-PROVIGIL PRODUCTS- PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170263	19.07
1 = Yes (See comment above) .....	56	0.01

Note: Starting in 2017, the following variable for the past year misuse of any other stimulant, STMOTHPYMU2, is based on the edited variable for the misuse of any other stimulant as well as the write-in data for the specific other stimulants that respondents specified that they misused in the past year. Respondents are excluded from STMOTHPYMU2 if the only stimulants that they specified in their write-in responses corresponded to other stimulant subtypes(e.g., amphetamine or methylphenidate products) STMOTHPYMU2. Thus, STMOTHPYMU2 does not count these respondents as past year misusers of "any other" stimulant. The variable in 2015 and 2016 for past year misuse of any other stimulant products, STMOTNMYR3, was based only on the edited misuse of any other stimulant variable.

**STMOTHPYMU2** Len : 1 RC-OTHER STIMULANT PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	170251	19.07
1 = Yes (See comment above) .....	68	0.01

The following variable for past year misuse of Zolpidem Products, ZOLPPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Ambien, Ambien CR, generic zolpidem, extended-release generic zolpidem, or other sedatives that contain zolpidem.

**ZOLPPDPYMU** Len : 1 RC-ZOLPIDEM PRODUCTS - PAST YEAR MISUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown .....	169647	19.00
1 = Yes (See comment above) .....	672	0.08

RECODED DRUG USE

The following variable for past year misuse of Eszopiclone Products, ESZOPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Lunesta or generic eszopiclone, or other sedatives that contain eszopiclone.

<b>ESZOPDPYMU</b>	Len : 1 RC-ESZOPICLONE PRODUCTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170261	19.07
	1 = Yes (See comment above) .....	58	0.01

The following variable for past year misuse of Benzodiazepine Sedatives, SVBENZPYMU, was assigned a positive response if a respondent indicated past year misuse of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion or generic triazolam], or other benzodiazepine sedatives.

<b>SVBENZPYMU</b>	Len : 1 RC-BENZODIAZEPINE SEDATIVES - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170223	19.06
	1 = Yes (See comment above) .....	96	0.01

Note: Starting in 2017, the following variable for the past year misuse of any other sedative, SEDOTHPYMU2, is based on the edited variable for the misuse of any other sedative as well as the write-in data for the specific other sedatives that respondents specified that they misused in the past year. Respondents are excluded from SEDOTHPYMU2 if the only sedatives that they specified in their write-in responses corresponded to other sedative subtypes(e.g., zolpidem products) or was an over-the-counter product. Thus, SEDOTHPYMU2 does not count these respondents as past year misusers of "any other" sedative. The variable in 2015 and 2016 for past year misuse of any other sedative products, SEDOTNMYR3, was based only on the edited misuse of any other sedative variable.

<b>SEDOTHPYMU2</b>	Len : 1 RC-OTHER SEDATIVE PRODUCTS - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170121	19.05
	1 = Yes (See comment above) .....	198	0.02

<b>CIGAFU</b>	Len : 1 RC-CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = 14 Years or Younger (IRCIGAGE=1-14).....	204285	22.88
	2 = 15-17 Years Old (IRCIGAGE=15-17).....	162931	18.25
	3 = 18 Years or Older (IRCIGAGE=18+).....	110883	12.42
	4 = Never Used (IRCIGAGE=991).....	414873	46.46

<b>DCIGAFU</b>	Len : 1 RC-DAILY CIG AGE OF FIRST USE - CATEGORIZED RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = 14 Years or Younger (IRCDUAGE=1-14) .....	44844	5.02
	2 = 15-17 Years Old (IRCDUAGE=15-17) .....	91700	10.27
	3 = 18 Years or Older (IRCDUAGE=18+) .....	106203	11.89
	4 = Never Used or Never Used Daily (IRCDUAGE=991,993).....	650225	72.82

<b>ALCAFU</b>	Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = 14 Years or Younger (IRALCAGE=1-14).....	192495	21.56
	2 = 15-17 Years Old (IRALCAGE=15-17).....	250208	28.02
	3 = 18 Years or Older (IRALCAGE=18+).....	200895	22.50
	4 = Never Used (IRALCAGE=991).....	249374	27.93

<b>ALCAFU2</b>	Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 2		
		<b>Freq</b>	<b>Pct</b>
	1 = 13 Years or Younger (IRALCAGE=1-13).....	126047	14.12
	2 = 14-17 Years Old (IRALCAGE=14-17).....	316656	35.46
	3 = 18-20 Years Old (IRALCAGE=18-20).....	128576	14.40
	4 = 21 Years or Older (IRALCAGE=21+).....	72319	8.10
	5 = Never Used (IRALCAGE=991).....	249374	27.93



RECODED DRUG USE

<b>ALCAFU3</b>	Len : 1 RC-ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 3		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	109309	12.24
	1 = 14 Years or Younger (IRALCAGE=1-14).....	163819	18.35
	2 = 15-17 Years Old (IRALCAGE=15-17).....	218515	24.47
	3 = 18-20 Years Old (IRALCAGE=18-20).....	114576	12.83
	4 = 21 Years or Older (IRALCAGE=21+).....	65859	7.38
	5 = Never Used (IRALCAGE=991).....	220894	24.74
<b>MJAFU</b>	Len : 1 RC-MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = 14 Years or Younger (IRMJAGE=1-14).....	101851	11.41
	2 = 15-17 Years Old (IRMJAGE=15-17).....	147791	16.55
	3 = 18 Years or Older (IRMJAGE=18+).....	112842	12.64
	4 = Never Used (IRMJAGE=991).....	530488	59.41
<b>ALCYDAYS</b>	Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	1 = 1-11 Days (IRALCFY=1-11).....	137774	15.43
	2 = 12-49 Days (IRALCFY=12-49).....	147623	16.53
	3 = 50-99 Days (IRALCFY=50-99).....	86733	9.71
	4 = 100-299 Days (IRALCFY=100-299).....	150215	16.82
	5 = 300-365 Days (IRALCFY=300-365).....	21554	2.41
	6 = Non User or No Past Year Use (IRALCFY=991,993).....	349073	39.09
<b>MRJYDAYS</b>	Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	1 = 1-11 Days (IRMJFY=1-11).....	50244	5.63
	2 = 12-49 Days (IRMJFY=12-49).....	29964	3.36
	3 = 50-99 Days (IRMJFY=50-99).....	15852	1.78
	4 = 100-299 Days (IRMJFY=100-299).....	38535	4.32
	5 = 300-365 Days (IRMJFY=300-365).....	24772	2.77
	6 = Non User or No Past Year Use (IRMJFY=991,993).....	733605	82.15
<b>COCYDAYS</b>	Len : 1 RC-# OF DAYS USED COCAINE IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	1 = 1-11 Days (IRCOCFY=1-11).....	14620	1.64
	2 = 12-49 Days (IRCOCFY=12-49).....	5457	0.61
	3 = 50-99 Days (IRCOCFY=50-99).....	2296	0.26
	4 = 100-299 Days (IRCOCFY=100-299).....	2319	0.26
	5 = 300-365 Days (IRCOCFY=300-365).....	372	0.04
	6 = Non User or No Past Year Use (IRCOCFY=991,993).....	867908	97.19
<b>HALLNDAYR</b>	Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-11 Days (IRHALLUCYFQ=1-11).....	3622	0.41
	2 = 12-49 Days (IRHALLUCYFQ=12-49).....	702	0.08
	3 = 50-99 Days (IRHALLUCYFQ=50-99).....	296	0.03
	4 = 100-299 Days (IRHALLUCYFQ=100-299).....	168	0.02
	5 = 300-365 Days (IRHALLUCYFQ=300-365).....	33	0.00
	6 = Non User or No Past Year Use (IRHALLUCYFQ=991,993).....	165498	18.53
<b>INHNDAYR</b>	Len : 1 RC-# OF DAYS USED INHALANTS IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-11 Days (IRINHLYFQ=1-11).....	1231	0.14
	2 = 12-49 Days (IRINHLYFQ=12-49).....	398	0.04
	3 = 50-99 Days (IRINHLYFQ=50-99).....	212	0.02
	4 = 100-299 Days (IRINHLYFQ=100-299).....	135	0.02
	5 = 300-365 Days (IRINHLYFQ=300-365).....	20	0.00
	6 = Non User or No Past Year Use (IRINHLYFQ=991,993).....	168323	18.85

RECODED DRUG USE

<b>METHNDAYYR</b>	Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-11 Days (IRMETHAMYFQ=1-11).....	378	0.04
	2 = 12-49 Days (IRMETHAMYFQ=12-49).....	212	0.02
	3 = 50-99 Days (IRMETHAMYFQ=50-99).....	126	0.01
	4 = 100-299 Days (IRMETHAMYFQ=100-299).....	322	0.04
	5 = 300-365 Days (IRMETHAMYFQ=300-365).....	114	0.01
	6 = Non User or No Past Year Use (IRMETHAMYFQ=991,993).....	169167	18.94
<b>CIGMDAYS</b>	Len : 1 RC-# OF DAYS USED CIGARETTES IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	1 = 1-2 Days (IRCIGFM=1-2).....	26200	2.93
	2 = 3-5 Days (IRCIGFM=3-5).....	19286	2.16
	3 = 6-19 Days (IRCIGFM=6-19).....	27699	3.10
	4 = 20-29 Days (IRCIGFM=20-29).....	25414	2.85
	5 = 30 Days (IRCIGFM=30).....	113655	12.73
	6 = Non User or No Past Month Use (IRCIGFM=91,93).....	680718	76.23
<b>ALCMDAYS</b>	Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	1 = 1-2 Days (IRALCFM=1-2).....	123611	13.84
	2 = 3-5 Days (IRALCFM=3-5).....	112976	12.65
	3 = 6-19 Days (IRALCFM=6-19).....	120005	13.44
	4 = 20-30 Days (IRALCFM=20-30).....	46348	5.19
	5 = Non User or No Past Month Use (IRALCFM=91,93).....	490032	54.88
<b>MRJMDAYS</b>	Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	1 = 1-2 Days (IRMJFM=1-2).....	22531	2.52
	2 = 3-5 Days (IRMJFM=3-5).....	15590	1.75
	3 = 6-19 Days (IRMJFM=6-19).....	20546	2.30
	4 = 20-30 Days (IRMJFM=20-30).....	35561	3.98
	5 = Non User or No Past Month Use (IRMJFM=91,93).....	798744	89.45
<b>COCMDAYS</b>	Len : 1 RC-# OF DAYS USED COCAINE IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	1 = 1-2 Days (IRCOCFM=1-2).....	4500	0.50
	2 = 3-5 Days (IRCOCFM=3-5).....	1836	0.21
	3 = 6-19 Days (IRCOCFM=6-19).....	1278	0.14
	4 = 20-30 Days (IRCOCFM=20-30).....	560	0.06
	5 = Non User or No Past Month Use (IRCOCFM=91,93).....	884798	99.08
<b>HALLNDAYPM</b>	Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-2 Days (IRHALLUC30N=1-2).....	1009	0.11
	2 = 3-5 Days (IRHALLUC30N=3-5).....	171	0.02
	3 = 6-19 Days (IRHALLUC30N=6-19).....	95	0.01
	4 = 20-30 Days (IRHALLUC30N=20-30).....	26	0.00
	5 = Non User or No Past Month Use (IRHALLUC30N=91,93).....	169018	18.93
<b>INHNDAYPM</b>	Len : 1 RC-# OF DAYS USED INHALANTS IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-2 Days (IRINHAL30N=1-2).....	371	0.04
	2 = 3-5 Days (IRINHAL30N=3-5).....	130	0.01
	3 = 6-19 Days (IRINHAL30N=6-19).....	62	0.01
	4 = 20-30 Days (IRINHAL30N=20-30).....	33	0.00
	5 = Non User or No Past Month Use (IRINHAL30N=91,93).....	169723	19.01

RECODED DRUG USE

<b>METHNDAYPM</b>	Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-2 Days (IRMETHAM30N=1-2).....	108	0.01
	2 = 3-5 Days (IRMETHAM30N=3-5).....	98	0.01
	3 = 6-19 Days (IRMETHAM30N=6-19).....	117	0.01
	4 = 20-30 Days (IRMETHAM30N=20-30).....	161	0.02
	5 = Non User or No Past Month Use (IRMETHAM30N=91,93).....	169835	19.02
<b>PNRNDAYPM</b>	Len : 1 RC-# OF DAYS MISUSED PAIN RELIEVERS IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-2 Days (IRPNRNM30FQ=1-2).....	1110	0.12
	2 = 3-5 Days (IRPNRNM30FQ=3-5).....	648	0.07
	3 = 6-19 Days (IRPNRNM30FQ=6-19).....	522	0.06
	4 = 20-30 Days (IRPNRNM30FQ=20-30).....	295	0.03
	5 = Non User or No Past Month Misuser (IRPNRNM30FQ=91,93).....	167744	18.78
<b>TRQNDAYPM</b>	Len : 1 RC-# OF DAYS MISUSED TRANQUILIZERS IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-2 Days (IRTRQNM30FQ=1-2).....	789	0.09
	2 = 3-5 Days (IRTRQNM30FQ=3-5).....	354	0.04
	3 = 6-19 Days (IRTRQNM30FQ=6-19).....	262	0.03
	4 = 20-30 Days (IRTRQNM30FQ=20-30).....	82	0.01
	5 = Non User or No Past Month Misuser (IRTRQNM30FQ=91,93).....	168832	18.91
<b>STMNDAYPM</b>	Len : 1 RC-# OF DAYS MISUSED STIMULANTS IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-2 Days (IRSTMNM30FQ=1-2).....	815	0.09
	2 = 3-5 Days (IRSTMNM30FQ=3-5).....	428	0.05
	3 = 6-19 Days (IRSTMNM30FQ=6-19).....	246	0.03
	4 = 20-30 Days (IRSTMNM30FQ=20-30).....	73	0.01
	5 = Non User or No Past Month Misuser (IRSTMNM30FQ=91,93).....	168757	18.90
<b>SEDNDAYPM</b>	Len : 1 RC-# OF DAYS MISUSED SEDATIVES IN PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = 1-2 Days (IRSEDNM30FQ=1-2).....	138	0.02
	2 = 3-5 Days (IRSEDNM30FQ=3-5).....	63	0.01
	3 = 6-19 Days (IRSEDNM30FQ=6-19).....	58	0.01
	4 = 20-30 Days (IRSEDNM30FQ=20-30).....	18	0.00
	5 = Non User or No Past Month Misuser (IRSEDNM30FQ=91,93).....	170042	19.04
<b>CIGPDAY</b>	Len : 1 RC-# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS		
		<b>Freq</b>	<b>Pct</b>
	1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30).....	24772	2.77
	2 = 6-15 (CIG30AV=4 and IRCIGFM=30).....	44090	4.94
	3 = 16-25 (CIG30AV=5 and IRCIGFM=30).....	34259	3.84
	4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30).....	10364	1.16
	5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30).....	170	0.02
	6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93).....	779317	87.27
<b>CIG1PACK</b>	Len : 1 RC-SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)		
		<b>Freq</b>	<b>Pct</b>
	. = No daily use/not reported (CIGPDAY=5,6).....	251089	28.12
	-9 = Data not collected for this year.....	612222	68.56
	0 = Smoked <1 pack per day (CIGPDAY=1,2).....	19067	2.14
	1 = Smoked 1+ pack per day (CIGPDAY=3,4).....	10594	1.19

RECODED DRUG USE

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

<b>CIGAVGD</b>	Len : 4 RC-AVG NUMBER OF CIGARETTES SMOKED PER DAY		
	. = Not Used/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0.5 = Less than 1 cigarette (CIG30AV=1) .....	681374	76.30
	1 = 1 cigarette (CIG30AV=2) .....	23013	2.58
	3.5 = 2 to 5 cigarettes (CIG30AV=3).....	25045	2.80
	10.5 = 6 to 15 cigarettes (CIG30AV=4).....	58318	6.53
	20.5 = 16 to 25 cigarettes (CIG30AV=5).....	55494	6.21
	30.5 = 26 to 35 cigarettes (CIG30AV=6).....	37813	4.23
	50 = More than 35 cigarettes (CIG30AV=7).....	8454	0.95
		3461	0.39

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

<b>CIGAVGM</b>	Len : 6 RC-NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH		
	RANGE = 0.5 - 1500 .....	<b>Freq</b>	<b>Pct</b>
	. = Not Used/Unknown (CIGAVGD=, or IRCIGFM=91,93).....	211598	23.70
		681374	76.30

The following variable, ALCNUMDKPM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (ALCUS30D). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or ALCUS30D=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (ALCUS30D=985, 994, 997, 998) or logically assigned to 5 or more (ALCUS30D=975).

<b>ALCNUMDKPM</b>	Len : 4 RC-NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH		
	RANGE = 1 - 2250 .....	<b>Freq</b>	<b>Pct</b>
	. = Not Used/Unknown (See comment above).....	72702	8.14
	-9 = Data not collected for this year.....	97617	10.93
		722653	80.93

<b>FUCIG18</b>	Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCIGAGE<18) .....	54079	6.06
	2 = No (IRCIGAGE>=18) .....	340057	38.08
		498836	55.86

<b>FUCIG21</b>	Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCIGAGE<21) .....	54079	6.06
	2 = No (IRCIGAGE>=21) .....	417099	46.71
		421794	47.23

<b>FUCD218</b>	Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCDUAGE<18).....	54079	6.06
	2 = No (IRCDUAGE>=18).....	126128	14.12
		712765	79.82

<b>FUCD221</b>	Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCDUAGE<21).....	54079	6.06
	2 = No (IRCDUAGE>=21).....	194435	21.77
		644458	72.17

<b>FUCGR18</b>	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCGRAGE<18).....	54079	6.06
	2 = No (IRCGRAGE>=18).....	117137	13.12
		721756	80.83

RECODED DRUG USE

<b>FUCGR21</b>	Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCGRAGE<21).....	54079	6.06
	2 = No (IRCGRAGE>=21).....	193309	21.65
		645584	72.30
<b>FUSMKLSS18</b>	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRSMKLSSTRY<18).....	722653	80.93
	2 = No (IRSMKLSSTRY>=18).....	16371	1.83
		153948	17.24
<b>FUSMKLSS21</b>	Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRSMKLSSTRY<21).....	722653	80.93
	2 = No (IRSMKLSSTRY>=21).....	22811	2.55
		147508	16.52
<b>FUALC18</b>	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRALCAGE<18).....	54079	6.06
	2 = No (IRALCAGE>=18).....	412758	46.22
		426135	47.72
<b>FUALC21</b>	Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRALCAGE<21).....	54079	6.06
	2 = No (IRALCAGE>=21).....	534404	59.85
		304489	34.10
<b>FUMJ18</b>	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRMJAGE<18).....	54079	6.06
	2 = No (IRMJAGE>=18).....	233820	26.18
		605073	67.76
<b>FUMJ21</b>	Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRMJAGE<21).....	54079	6.06
	2 = No (IRMJAGE>=21).....	304251	34.07
		534642	59.87
<b>FUCOC18</b>	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCOAGE<18).....	54079	6.06
	2 = No (IRCOAGE>=18).....	30487	3.41
		808406	90.53
<b>FUCOC21</b>	Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCOAGE<21).....	54079	6.06
	2 = No (IRCOAGE>=21).....	63361	7.10
		775532	86.85
<b>FUCRK18</b>	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (IRCRKAGE<18).....	54079	6.06
	2 = No (IRCRKAGE>=18).....	5704	0.64
		833189	93.31

RECODED DRUG USE

FUCRK21	Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes (IRCRKAGE<21).....	11997	1.34
	2 = No (IRCRKAGE>=21).....	826896	92.60
FUHER18	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes (IRHERAGE<18).....	3390	0.38
	2 = No (IRHERAGE>=18).....	835503	93.56
FUHER21	Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes (IRHERAGE<21).....	7021	0.79
	2 = No (IRHERAGE>=21).....	831872	93.16
FUHALLUC18	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRHALLUCAGE<18).....	10248	1.15
	2 = No (IRHALLUCAGE>=18).....	160071	17.93
FUHALLUC21	Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRHALLUCAGE<21).....	18613	2.08
	2 = No (IRHALLUCAGE>=21).....	151706	16.99
FULSD18	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes (IRLSDAGE<18).....	31640	3.54
	2 = No (IRLSDAGE>=18).....	807253	90.40
FULSD21	Len : 1 RC-FIRST USED LSD PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes (IRLSDAGE<21).....	52280	5.85
	2 = No (IRLSDAGE>=21).....	786613	88.09
FUPCP18	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes (IRPCPAGE<18).....	7977	0.89
	2 = No (IRPCPAGE>=18).....	830916	93.05
FUPCP21	Len : 1 RC-FIRST USED PCP PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes (IRPCPAGE<21).....	12045	1.35
	2 = No (IRPCPAGE>=21).....	826848	92.60
FUECSTMO18	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRECSTMOAGE<18).....	3521	0.39
	2 = No (IRECSTMOAGE>=18).....	166798	18.68

RECODED DRUG USE

<b>FUECSTMO21</b>	Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRECSTMOAGE<21).....	8131	0.91
	2 = No (IRECSTMOAGE>=21).....	162188	18.16
<b>FUINHAL18</b>	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRINHALAGE<18).....	12049	1.35
	2 = No (IRINHALAGE>=18).....	158270	17.72
<b>FUINHAL21</b>	Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRINHALAGE<21).....	15029	1.68
	2 = No (IRINHALAGE>=21).....	155290	17.39
<b>FUMETHAM18</b>	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRMETHAMAGE<18).....	2487	0.28
	2 = No (IRMETHAMAGE>=18).....	167832	18.79
<b>FUMETHAM21</b>	Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRMETHAMAGE<21).....	4546	0.51
	2 = No (IRMETHAMAGE>=21).....	165773	18.56
<b>FUPNRNM18</b>	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRPNRNMAGE<18).....	707	0.08
	2 = No (IRPNRNMAGE>=18).....	169612	18.99
<b>FUPNRNM21</b>	Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRPNRNMAGE<21).....	994	0.11
	2 = No (IRPNRNMAGE>=21).....	169325	18.96
<b>FUTRQNM18</b>	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRTRQNMAGE<18).....	443	0.05
	2 = No (IRTRQNMAGE>=18).....	169876	19.02
<b>FUTRQNM21</b>	Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRTRQNMAGE<21).....	737	0.08
	2 = No (IRTRQNMAGE>=21).....	169582	18.99
<b>FUSTMNM18</b>	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRSTMNMAGE<18).....	470	0.05
	2 = No (IRSTMNMAGE>=18).....	169849	19.02

RECODED DRUG USE

<b>FUSTMNM21</b>	Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRSTMNMAGE<21).....	865	0.10
	2 = No (IRSTMNMAGE>=21).....	169454	18.98
<b>FUSEDNM18</b>	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRSEDNMAGE<18).....	80	0.01
	2 = No (IRSEDNMAGE>=18).....	170239	19.06
<b>FUSEDNM21</b>	Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes (IRSEDNMAGE<21).....	117	0.01
	2 = No (IRSEDNMAGE>=21).....	170202	19.06



RECODED DRUG USE

The following main reason for misusing pain relievers, PNRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing pain relievers for their last misuse. Respondents could report more than one reason for misusing pain relievers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in PNRRSMMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to relieve physical pain (PNRRSMMAIN=1,11), reported only one reason which was to relieve physical pain (PNRRSMMAIN=99 and PNRRSPAIN=1), or reported some other reason as their only reason but specified that this other reason was to relieve physical pain (PNRRSMMAIN=99 and PNRRSPAIN=3).
2. Main reason is to relax or relieve tension (PNRRSMMAIN=2,12), reported only one reason which was to relax or relieve tension (PNRRSMMAIN=99 and PNRRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (PNRRSMMAIN=99 and PNRRSRELX=3).
3. Main reason is to experiment or see what it's like (PNRRSMMAIN=3,13), reported only one reason which was to experiment or see what it's like (PNRRSMMAIN=99 and PNRRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (PNRRSMMAIN=99 and PNRRSEXPT=3).
4. Main reason is to feel good or get high (PNRRSMMAIN=4,14), reported only one reason which was to feel good or get high (PNRRSMMAIN=99 and PNRRHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (PNRRSMMAIN=99 and PNRRSHIGH=3).
5. Main reason is to help with sleep (PNRRSMMAIN=5,15), reported only one reason which was to help with sleep (PNRRSMMAIN=99 and PNRRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (PNRRSMMAIN=99 and PNRRSSLEP=3).
6. Main reason is to help with feelings or emotions (PNRRSMMAIN=6,16), reported only one reason which was to help with feelings or emotions (PNRRSMMAIN=99 and PNRRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (PNRRSMMAIN=99 and PNRRSEMOT=3).
7. Main reason is to increase/decrease effects of other drugs (PNRRSMMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (PNRRSMMAIN=99 and PNRRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (PNRRSMMAIN=99 and PNRRSDGFX=3).
8. Main reason is because hooked or have to have drug (PNRRSMMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (PNRRSMMAIN=99 and PNRRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (PNRRSMMAIN=99 and PNRRSHOOK=3).
9. Main reason is some other reason (PNRRSMMAIN=9), or reported only one reason which was a valid other reason listed for pain relievers other than those defined above based on the write in data (PNRRSMMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=9-71). Values of 1-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for pain relievers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (PNRRSMMAIN=85,94,98) or reported only one reason and the other pain reliever reason was not a valid reason (PNRRSMMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=985,994,997).

PNRMAINRSN	Len : 1 RC-MAIN REASON FOR MISUSING PAIN RELIEVERS LAST EPISODE	Freq	Pct
.	= Unknown (See comment above).....	993	0.11
-9	= Data not collected for this year.....	722653	80.93
1	= Relieve physical pain (see comment above).....	4790	0.54
2	= Relax or relieve tension (see comment above).....	868	0.10
3	= Experiment/see what like (see comment above).....	361	0.04
4	= Feel good/get high (see comment above).....	1326	0.15
5	= Help with sleep (see comment above).....	351	0.04
6	= Help with feelings or emotions (see comment above).....	388	0.04
7	= Inc/dec effects oth drg (see comment above).....	91	0.01
8	= Hooked or have to have drug (see comment above).....	205	0.02
9	= Some other reason (see comment above).....	111	0.01
10	= Did not misuse in pst 12 mos (PNRRSMMAIN=83,91,93).....	160835	18.01

RECODED DRUG USE

The following main reason for misusing tranquilizers, TRQMAINRSN, is defined based on answers to questions about respondents' reasons for misusing tranquilizers for their last misuse. Respondents could report more than one reason for misusing tranquilizers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in TRQRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (TRQRSMAIN=1,11), reported only one reason which was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=3).
2. Main reason is to experiment or see what it's like (TRQRSMAIN=2,12), reported only one reason which was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXPT=3).
3. Main reason is to feel good or get high (TRQRSMAIN=3,13), reported only one reason which was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=3).
4. Main reason is to help with sleep (TRQRSMAIN=4,14), reported only one reason which was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=3).
5. Main reason is to help with feelings or emotions (TRQRSMAIN=5,15), reported only one reason which was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (TRQRSMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=3).
7. Main reason is because hooked or have to have drug (TRQRSMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=3).
8. Main reason is some other reason (TRQRSMAIN=8), or reported only one reason which was a valid other reason listed for tranquilizer other than those defined above based on the write in data (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=1, 9-72). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for tranquilizers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (TRQRSMAIN=85,94,98) or reported only one reason and the other tranquilizer reason was not a valid reason (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=985,994,997).

TRQMAINRSN    Len : 1    RC-MAIN REASON FOR MISUSING TRANQUILIZERS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	602	0.07
-9 = Data not collected for this year.....	722653	80.93
1 = Relax or relieve tension (see comment above).....	1941	0.22
2 = Experiment/see what like (see comment above).....	410	0.05
3 = Feel good/get high (see comment above).....	757	0.08
4 = Help with sleep (see comment above).....	769	0.09
5 = Help with feelings or emotions (see comment above).....	576	0.06
6 = Inc/dec effects oth drg (see comment above).....	84	0.01
7 = Hooked or have to have drug (see comment above).....	17	0.00
8 = Some other reason (see comment above).....	125	0.01
9 = Did not misuse in pst 12 mos (TRQRSMAIN=83,91,93).....	165038	18.48

RECODED DRUG USE

The following main reason for misusing stimulants, STMMAINRSN, is defined based on answers to questions about respondents' reasons for misusing stimulants for their last misuse. Respondents could report more than one reason for misusing stimulants the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in STMRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to help lose weight (STMRSMAIN=1,11), reported only one reason which was to help lose weight (STMRSMAIN=99 and STMRSWGHT=1), or reported some other reason as their only reason but specified that this other reason was to help lose weight (STMRSMAIN=99 and STMRSWGHT=3).
2. Main reason is to help concentrate (STMRSMAIN=2,12), reported only one reason which was to help concentrate (STMRSMAIN=99 and STMRSCONC=1), or reported some other reason as their only reason but specified that this other reason was to help concentrate (STMRSMAIN=99 and STMRSCONC=3).
3. Main reason is to help be alert or stay awake (STMRSMAIN=3,13), reported only one reason which was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=1), or reported some other reason as their only reason but specified that this other reason was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=3).
4. Main reason is to help study (STMRSMAIN=4,14), reported only one reason which was to help study (STMRSMAIN=99 and STMRSSTDY=1), or reported some other reason as their only reason but specified that this other reason was to help study (STMRSMAIN=99 and STMRSSTDY=3).
5. Main reason is to experiment or see what it's like (STMRSMAIN=5,15), reported only one reason which was to experiment or see what it's like (STMRSMAIN=99 and STMRSSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (STMRSMAIN=99 and STMRSSEXPT=3).
6. Main reason is to feel good or get high (STMRSMAIN=6,16), reported only one reason which was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=3).
7. Main reason is to increase/decrease effects of other drugs (STMRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDFGX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDFGX=3).
8. Main reason is because hooked or have to have the drug (STMRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=3).
9. Main reason is some other reason (STMRSMAIN=9), or reported only one reason which was a valid other reason listed for stimulant other than those defined above based on the write in data (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS2=1,2,6,14-35). Values of 3,4, and 7-12 that are in the specific other reason level are write in responses that do not correspond to reasons listed for stimulants but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (STMRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS2 = 985,994,997).

STMMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING STIMULANTS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	526	0.06
-9 = Data not collected for this year.....	722653	80.93
1 = Help lose weight (see comment above).....	173	0.02
2 = Help concentrate (see comment above).....	1403	0.16
3 = Help be alert or stay awake (see comment above).....	1357	0.15
4 = Help study (see comment above).....	1157	0.13
5 = Experiment/see what like (see comment above).....	278	0.03
6 = Feel good/get high (see comment above).....	567	0.06
7 = Inc/dec effects oth drg (see comment above).....	73	0.01
8 = Hooked or have to have drug (see comment above).....	13	0.00
9 = Some other reason (see comment above).....	115	0.01
10 = Did not misuse in pst 12 mos (STMRSMAIN=83,91,93).....	164657	18.44

RECODED DRUG USE

The following main reason for misusing sedatives, SEDMAINRSN, is defined based on answers to questions about respondents' reasons for misusing sedatives for their last misuse. Respondents could report more than one reason for misusing sedatives the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in SEDRSMAN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (SEDRSMAN=1,11), reported only one reason which was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=3).
2. Main reason is to experiment or see what it's like (SEDRSMAN=2,12), reported only one reason which was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=3).
3. Main reason is to feel good or get high (SEDRSMAN=3,13), reported only one reason which was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=3).
4. Main reason is to help with sleep (SEDRSMAN=4,14), reported only one reason which was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=3).
5. Main reason is to help with feelings or emotions (SEDRSMAN=5,15), reported only one reason which was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (SEDRSMAN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=3).
7. Main reason is because hooked or have to have the drug (SEDRSMAN=7,17), reported only one reason which was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=3).
8. Main reason is some other reason (SEDRSMAN=8), or reported only one reason which was a valid other reason listed for sedative other than those defined above based on the write in data (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS2=1, 9-33). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for sedatives but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (SEDRSMAN=85,94,98) or reported only one reason and the other reason was not a valid reason (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS2=985,994,997).

SEDMAINRSN    Len : 1    RC-MAIN REASON FOR MISUSING SEDATIVES LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	534	0.06
-9 = Data not collected for this year.....	722653	80.93
1 = Relax or relieve tension (see comment above).....	136	0.02
2 = Experiment/see what like (see comment above).....	44	0.00
3 = Feel good/get high (see comment above).....	82	0.01
4 = Help with sleep (see comment above).....	590	0.07
5 = Help with feelings or emotions (see comment above).....	40	0.00
6 = Inc/dec effects oth drg (see comment above).....	8	0.00
7 = Hooked or have to have drug (see comment above).....	2	0.00
8 = Some other reason (see comment above).....	26	0.00
9 = Did not misuse in pst 12 mos (SEDRSMAN=83,91,93).....	168857	18.91

RECODED DRUG USE

NOTE: Due to the 2015 questionnaire redesign, measures of the source of respondent's most recent misuse of prescription drugs were either removed due to data availability issues or were created differently and renamed due to a break in trend.

The variable for the source of last use of methamphetamine (MTHLTSC4) will not be created since methamphetamine is no longer included with the other prescription drugs and the source questions were removed. Additionally, questions asking about the sources of each prescription drug in the past 30 days were removed, resulting in a change in the creation method of the remaining source of last use variables: SRCPNRM2 (previously ANLLTS2), SRCTRQNM2 (previously TRNLTS2), SRCSTMNM2 (previously STMLTS2), and SRCSEDNM2 (SEDLTS2). Other questionnaire changes that contributed to a trend break for the source of a respondent's most recent misuse of prescription drugs were that the questions were relocated from the Prior Substance Use module to modules pertaining to the use of the specific drug and two response options were removed.

In 2015 and later years, four variables pertain to the source of a respondent's most recent misuse of prescription pain relievers (SRCPNRM2), prescription tranquilizers (SRCTRQNM2), prescription stimulants (SRCSTMNM2), and prescription sedatives (SRCSEDNM2) within the past year.

For each variable there are 8 mutually exclusive categories for specific sources, and a missing category for respondents with no past year misuse or unknown responses to the source questions. The categories for the specific sources take into account responses from a single question asking about a single, most recent source of misuse among respondents who misused in the past year.

Based on the following conditions, a respondent was classified in one of the following 9 categories (including System missing) for the source of most recent prescription drug misuse in the past year for the variables, SRCPNRM2, SRCTRQNM2, SRCSTMNM2, and SRCSEDNM2:

1. Got From One Doctor
2. Got From More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing) No Past Year Misuse/Unknown/Invalid Source

**SRCPNRM2** Len : 2 RC-SOURCE OF PAIN RELIEVERS FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No Past Year Misuse/Unknown/Invalid Source .....	162091	18.15
-9 = Data not collected for this year .....	722653	80.93
1 = Got From One Doctor .....	2426	0.27
2 = Got From More Than One Doctor .....	126	0.01
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy .....	69	0.01
4 = Got From Friend or Relative for Free .....	3368	0.38
5 = Bought from Friend or Relative .....	880	0.10
6 = Took from Friend or Relative without Asking .....	373	0.04
7 = Bought from Drug Dealer or Other Stranger .....	579	0.06
8 = Got Some Other Way .....	407	0.05

**SRCTRQNM2** Len : 2 RC-SOURCE OF TRANQUILIZERS FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No Past Year Misuse/Unknown/Invalid Source .....	165754	18.56
-9 = Data not collected for this year .....	722653	80.93
1 = Got From One Doctor .....	711	0.08
2 = Got From More Than One Doctor .....	34	0.00
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy .....	17	0.00
4 = Got From Friend or Relative for Free .....	2245	0.25
5 = Bought from Friend or Relative .....	693	0.08
6 = Took from Friend or Relative without Asking .....	188	0.02
7 = Bought from Drug Dealer or Other Stranger .....	489	0.05
8 = Got Some Other Way .....	188	0.02

**SRCSTMNM2** Len : 2 RC-SOURCE OF STIMULANTS FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No Past Year Misuse/Unknown/Invalid Source .....	165302	18.51
-9 = Data not collected for this year .....	722653	80.93
1 = Got From One Doctor .....	521	0.06
2 = Got From More Than One Doctor .....	41	0.00
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy .....	18	0.00
4 = Got From Friend or Relative for Free .....	2704	0.30
5 = Bought from Friend or Relative .....	1137	0.13
6 = Took from Friend or Relative without Asking .....	188	0.02
7 = Bought from Drug Dealer or Other Stranger .....	273	0.03
8 = Got Some Other Way .....	135	0.02

RECODED DRUG USE

SRCSEDNM2

Len : 2 RC-SOURCE OF SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source .....	169403	18.97
-9 = Data not collected for this year .....	722653	80.93
1 = Got From One Doctor .....	240	0.03
2 = Got From More Than One Doctor .....	17	0.00
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy .....	6	0.00
4 = Got From Friend or Relative for Free .....	463	0.05
5 = Bought from Friend or Relative .....	64	0.01
6 = Took from Friend or Relative without Asking .....	67	0.01
7 = Bought from Drug Dealer or Other Stranger .....	29	0.00
8 = Got Some Other Way .....	30	0.00

NOTE: Due to the 2015 questionnaire redesign, measures of the source of a friend's or relative's most recent misuse of prescription drugs were either removed due to data availability or were created differently and renamed due to a break in trend.

The variable for the source of last use of methamphetamine (MTHSRCF2) will not be created since methamphetamine is no longer included with the other prescription drugs and the source questions were removed. Additionally, questions asking about friend's or relative's sources of each prescription drug in the past 30 days were removed, resulting in a change in the creation method of the remaining source of last use variables: SRCFRPNRNM (previously ANLSRCF2), SRCFRTRQNM (previously TRNSRCF2), SRCFRSTMNM (previously STMSRCF2), and SRCFRSEDNM (SEDSRCF2). Other questionnaire changes that contributed to a trend break for the source of a friend's or relative's most recent misuse of prescription drugs were that the questions were relocated from the Prior Substance Use module to modules pertaining to the use of the specific drug and two response options were removed.

In the 2015 and later years questionnaire, a respondent who misused prescription drugs in the past year was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following four variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (SRCFRPNRNM), prescription tranquilizers (SRCFRTRQNM), prescription stimulants (SRCFRSTMNM), and prescription sedatives (SRCFRSEDNM) within the past year.

For each variable there are 8 mutually exclusive categories for specific sources that the friend/relative obtained the drug from and a missing category for respondents who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free and respondents with unknown or invalid values.

Based on the following conditions, a respondent was classified in one of the following 9 categories (including System missing) for the source of most recent prescription drug use in the past year for the variables, SRCFRPNRNM, SRCFRTRQNM, SRCFRSTMNM, and SRCFRSEDNM:

1. Got from One Doctor (XXXGOTLAS=4 and XXXFFGOT=1, 11)
2. Got from More Than One Doctor (XXXGOTLAS=4 and XXXFFGOT=2, 12)
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy (XXXGOTLAS=4 and XXXFFGOT=3, 13)
4. Got From Friend or Relative for Free (XXXGOTLAS=4 and XXXFFGOT=4, 14)
5. Bought from Friend or Relative (XXXGOTLAS=4 and XXXFFGOT=5, 15)
6. Took from Friend or Relative without Asking (XXXGOTLAS=4 and XXXFFGOT=6, 16)
7. Bought from Drug Dealer or Other Stranger (XXXGOTLAS=4 and XXXFFGOT=7, 17)
8. Got Some Other Way (XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=valid "other" response, levels 9-38, 71)

(System Missing) No Past Year Misuse or Valid Source of Most Recent Misuse Not from Friend or Relative for Free /Unknown/Invalid Source (XXXGOTLAS not=4 or [XXXGOTLAS=4 and XXXFFGOT=94, 97, 98]) or [XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=70, 72-75, 85, 94, 97, 98])

SRCFRPNRNM

Len : 2 RC-SOURCE OF FRIEND/RELATIVE PAIN RELIEVER FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unkwn/Invalid Source .....	167249	18.73
-9 = Data not collected for this year .....	722653	80.93
1 = Got from One Doctor .....	2464	0.28
2 = Got from More Than One Doctor .....	55	0.01
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy .....	28	0.00
4 = Got from Friend or Relative for Free .....	191	0.02
5 = Bought from Friend or Relative .....	132	0.01
6 = Took from Friend or Relative without Asking .....	56	0.01
7 = Bought from Drug Dealer or Other Stranger .....	83	0.01
8 = Got Some Other Way .....	61	0.01

RECODED DRUG USE

**SRCFRTRQNM** Len : 2 RC-SOURCE OF FRIEND/RELATIVE TRANQUILIZERS FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source .....	168282	18.85
-9 = Data not collected for this year .....	722653	80.93
1 = Got from One Doctor .....	1541	0.17
2 = Got from More Than One Doctor .....	34	0.00
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	5	0.00
4 = Got from Friend or Relative for Free .....	165	0.02
5 = Bought from Friend or Relative .....	142	0.02
6 = Took from Friend or Relative without Asking .....	19	0.00
7 = Bought from Drug Dealer or Other Stranger .....	105	0.01
8 = Got Some Other Way .....	26	0.00

**SRCFRSTMNM** Len : 2 RC-SOURCE OF FRIEND/RELATIVE STIMULANTS FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source .....	167801	18.79
-9 = Data not collected for this year .....	722653	80.93
1 = Got from One Doctor .....	2035	0.23
2 = Got from More Than One Doctor .....	71	0.01
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	4	0.00
4 = Got from Friend or Relative for Free .....	165	0.02
5 = Bought from Friend or Relative .....	144	0.02
6 = Took from Friend or Relative without Asking .....	15	0.00
7 = Bought from Drug Dealer or Other Stranger .....	66	0.01
8 = Got Some Other Way .....	18	0.00

**SRCFRSEDNM** Len : 2 RC-SOURCE OF FRIEND/RELATIVE SEDATIVES FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source .....	169886	19.02
-9 = Data not collected for this year .....	722653	80.93
1 = Got from One Doctor .....	374	0.04
2 = Got from More Than One Doctor .....	15	0.00
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	3	0.00
4 = Got from Friend or Relative for Free .....	18	0.00
5 = Bought from Friend or Relative .....	6	0.00
6 = Took from Friend or Relative without Asking .....	4	0.00
7 = Bought from Drug Dealer or Other Stranger .....	9	0.00
8 = Got Some Other Way .....	4	0.00

NOTE: The following four variables show collapsed levels for the source of friend or relative's most recent misuse of prescription pain relievers (SRCCFLFRPNR), prescription tranquilizers (SRCCFLFRTRQ), prescription stimulants (SRCCFLFRSTM), and prescription sedatives (SRCCFLFRSED) within the past year.

**SRCCFLFRPNR** Len : 1 RC-COLLAPSED SOURCE OF FRND/REL PAIN RLVRs FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise) .....	167249	18.73
-9 = Data not collected for this year .....	722653	80.93
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRPNRNM=1,2,3) .....	2547	0.29
2 = Got From Friend/Relative (SRCFRPNRNM=4,5,6) .....	379	0.04
3 = Got From Another Source (SRCFRPNRNM=7,8) .....	144	0.02

**SRCCFLFRTRQ** Len : 1 RC-COLLAPSED SOURCE OF FRND/REL TRANQLZRS FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise) .....	168282	18.85
-9 = Data not collected for this year .....	722653	80.93
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRTRQNM=1,2,3) .....	1580	0.18
2 = Got From Friend/Relative (SRCFRTRQNM=4,5,6) .....	326	0.04
3 = Got From Another Source (SRCFRTRQNM=7,8) .....	131	0.01

**SRCCFLFRSTM** Len : 1 RC-COLLAPSED SOURCE OF FRND/REL STIMULANTS FOR LAST MISUSE

	<b>Freq</b>	<b>Pct</b>
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise) .....	167801	18.79
-9 = Data not collected for this year .....	722653	80.93
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSTMNM=1,2,3) .....	2110	0.24
2 = Got From Friend/Relative (SRCFRSTMNM=4,5,6) .....	324	0.04
3 = Got From Another Source (SRCFRSTMNM=7,8) .....	84	0.01

RECORDED DRUG USE

<b>SRCCLFRSED</b>	Len : 1 RC-COLLAPSED SOURCE OF FRND/REL SEDATIVES FOR LAST MISUSE		
		<b>Freq</b>	<b>Pct</b>
	. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise) .....	169886	19.02
	-9 = Data not collected for this year .....	722653	80.93
	1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSEDNM=1,2,3).....	392	0.04
	2 = Got From Friend/Relative (SRCFRSEDNM=4,5,6) .....	28	0.00
	3 = Got From Another Source (SRCFRSEDNM=7,8).....	13	0.00

<b>OXYCONT2</b>	Len : 1 EVER USED OXYCONTIN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	728061	81.53
	0 = No/Unknown (OXYCONTN=6,81,91,94,97,98,99) .....	161791	18.12
	1 = Yes (OXYCONTN=1,3).....	3120	0.35

The following variable, OXYCODOP, was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYCONT2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046,4047,4052,4065,4068,4072)).

<b>OXYCODOP</b>	Len : 1 OXYCODONE PRODUCTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	728061	81.53
	0 = No/Unknown (Otherwise).....	155446	17.41
	1 = Yes (See comment above) .....	9465	1.06

<b>NOUSEFL</b>	Len : 1 NO LIFETIME USE OF MRJ/IEM/CIG/ALC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	174699	19.56
	1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=0).....	46117	5.16

<b>NOUSEYR</b>	Len : 1 NO PAST YEAR USE OF MRJ/IEM/CIG/ALC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	150182	16.82
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=0).....	70634	7.91

<b>NOUSEMO</b>	Len : 1 NO PAST MONTH USE OF MRJ/IEM/CIG/ALC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	120690	13.52
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=0) .....	100126	11.21

<b>CIGONFL</b>	Len : 1 LIFETIME CIGARETTE USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	214794	24.05
	1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=0 AND CIGFLAG=1).....	6022	0.67

<b>CIGONYR</b>	Len : 1 PAST YEAR CIGARETTE USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	212518	23.80
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=0).....	8298	0.93

<b>CIGONMO</b>	Len : 1 PAST MONTH CIGARETTE USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	206134	23.08
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=0) .....	14682	1.64



RECODED DRUG USE

<b>ALCONFL</b>	Len : 1 LIFETIME ALCOHOL USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	192200	21.52
	1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=0 AND ALCFLAG=1) .....	28616	3.20
<b>ALCONYR</b>	Len : 1 PAST YEAR ALCOHOL USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	161663	18.10
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=1) .....	59153	6.62
<b>ALCONMO</b>	Len : 1 PAST MONTH ALCOHOL USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	170593	19.10
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=1) .....	50223	5.62
<b>MRJONFL</b>	Len : 1 LIFETIME MARIJUANA USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220365	24.68
	1 = Yes (MRJFLAG=1 AND IEMFLAG, CIGFLAG, & ALCFLAG=0) .....	451	0.05
<b>MRJONYR</b>	Len : 1 PAST YEAR MARIJUANA USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219994	24.64
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=0) .....	822	0.09
<b>MRJONMO</b>	Len : 1 PAST MONTH MARIJUANA USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219554	24.59
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=0) .....	1262	0.14
<b>IEMONFL</b>	Len : 1 LIFETIME ILLICIT DRG OTHER THAN MRJ USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	217178	24.32
	1 = Yes (IEMFLAG=1 AND CIGFLAG, ALCFLAG, & MRJFLAG=0) .....	3638	0.41
<b>IEMONYR</b>	Len : 1 PAST YEAR ILLICIT DRG OTHER THAN MRJ USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	218057	24.42
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=0) .....	2759	0.31
<b>IEMONMO</b>	Len : 1 PAST MONTH ILLICIT DRG OTHER THAN MRJ USE ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	218945	24.52
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=0) .....	1871	0.21
<b>CGALONFL</b>	Len : 1 LIFETIME USE OF CIG & ALC ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	186490	20.88
	1 = Yes (CIGFLAG & ALCFLAG=1 AND MRJFLAG & IEMFLAG=0) .....	34326	3.84

RECODED DRUG USE

<b>CGALONYR</b>	Len : 1 PAST YEAR USE OF CIG & ALC ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	188993	21.16
	1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=1) .....	31823	3.56
<b>CGALONMO</b>	Len : 1 PAST MONTH USE OF CIG & ALC ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	193280	21.64
	1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=1) .....	27536	3.08
<b>MJCGONFL</b>	Len : 1 LIFETIME USE OF MRJ & CIG ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219874	24.62
	1 = Yes (MRJFLAG & CIGFLAG=1 AND IEMFLAG & ALCFLAG=0) .....	942	0.11
<b>MJCGONYR</b>	Len : 1 PAST YEAR USE OF MRJ & CIG ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219883	24.62
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=0) .....	933	0.10
<b>MJCGONMO</b>	Len : 1 PAST MONTH USE OF MRJ & CIG ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219091	24.54
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=0) .....	1725	0.19
<b>MJALONFL</b>	Len : 1 LIFETIME USE OF MRJ & ALC ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	216115	24.20
	1 = Yes (MRJFLAG & ALCFLAG=1 AND IEMFLAG & CIGFLAG=0) .....	4701	0.53
<b>MJALONYR</b>	Len : 1 PAST YEAR USE OF MRJ & ALC ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	214293	24.00
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=1) .....	6523	0.73
<b>MJALONMO</b>	Len : 1 PAST MONTH USE OF MRJ & ALC ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	216546	24.25
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=1) .....	4270	0.48
<b>MJIEONFL</b>	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH THAN MRJ ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220691	24.71
	1 = Yes (MRJFLAG & IEMFLAG=1 AND CIGFLAG & ALCFLAG=0) .....	125	0.01
<b>MJIEONYR</b>	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH THAN MRJ ONLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220627	24.71
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=0) .....	189	0.02

RECODED DRUG USE

<b>MJJEONMO</b>	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH THAN MRJ ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220643	24.71
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=0) .....	173	0.02
<b>IECGONFL</b>	Len : 1 LIFETIME USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219915	24.63
	1 = Yes (IEMFLAG & CIGFLAG=1 AND ALCFLAG & MRJFLAG=0) .....	901	0.10
<b>IECGONYR</b>	Len : 1 PAST YEAR USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220189	24.66
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=0) .....	627	0.07
<b>IECGONMO</b>	Len : 1 PAST MONTH USE OF ILL DRG OTH THAN MRJ & CIG ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220227	24.66
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=0) .....	589	0.07
<b>IEALONFL</b>	Len : 1 LIFETIME USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	216250	24.22
	1 = Yes (ALCFLAG & IEMFLAG=1 AND CIGFLAG & MRJFLAG=0) .....	4566	0.51
<b>IEALONYR</b>	Len : 1 PAST YEAR USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	216729	24.27
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=1) .....	4087	0.46
<b>IEALONMO</b>	Len : 1 PAST MONTH USE OF ILL DRG OTH THAN MRJ & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219352	24.56
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=1) .....	1464	0.16
<b>MCAONFL</b>	Len : 1 LIFETIME USE OF MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	191245	21.42
	1 = Yes (CIGFLAG, ALCFLAG, & MRJFLAG=1 AND IEMFLAG=0) .....	29571	3.31
<b>MCAONYR</b>	Len : 1 PAST YEAR USE OF MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	207654	23.25
	1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=1) .....	13162	1.47
<b>MCAONMO</b>	Len : 1 PAST MONTH USE OF MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	212108	23.75
	1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=1) .....	8708	0.98

RECODED DRUG USE

<b>MICONFL</b>	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220328	24.67
	1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=1 AND ALCFLAG=0) .....	488	0.05
<b>MICONYR</b>	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220425	24.68
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=0) .....	391	0.04
<b>MICONMO</b>	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	220353	24.68
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=0) .....	463	0.05
<b>MIAONFL</b>	Len : 1 LIFETIME USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	217772	24.39
	1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=1 AND CIGFLAG=0) .....	3044	0.34
<b>MIAONYR</b>	Len : 1 PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	217945	24.41
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=1) .....	2871	0.32
<b>MIAONMO</b>	Len : 1 PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	219753	24.61
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=1) .....	1063	0.12
<b>ICAONFL</b>	Len : 1 LIFETIME USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	213797	23.94
	1 = Yes (IEMFLAG, CIGFLAG, & ALCFLAG=1 AND MRJFLAG=0) .....	7019	0.79
<b>ICAONYR</b>	Len : 1 PAST YEAR USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	216310	24.22
	1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=1) .....	4506	0.50
<b>ICAONMO</b>	Len : 1 PAST MONTH USE OF ILL DRG OTH MRJ & CIG & ALC ONLY		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	218696	24.49
	1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=1) .....	2120	0.24
<b>ALLUSEFL</b>	Len : 1 LIFETIME USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	170527	19.10
	1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=1) .....	50289	5.63

RECODED DRUG USE

<b>ALLUSEYR</b>	Len : 1 PAST YEAR USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	206778	23.16
	1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=1) .....	14038	1.57

<b>ALLUSEMO</b>	Len : 1 PAST MONTH USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	0 = No (Otherwise) .....	216275	24.22
	1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=1) .....	4541	0.51

The variable CIGCMPNY indicates the companies that owned the labels of the cigarette brands that respondents reported using most often in the past 30 days. For brands that were sold to another company during the survey year, CIGCMPNY reflects which company owned the brand label for the majority of the year.

<b>CIGCMPNY</b>	Len : 2 CIG COMPANY FOR BRAND PAST 30 DYS - RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	1 = Philip Morris .....	33401	3.74
	2 = R.J. Reynolds (subsidiary Reynolds American, Inc.) .....	11507	1.29
	3 = Lorillard .....	9786	1.10
	4 = Brown and Williamson .....	1641	0.18
	5 = Liggett .....	291	0.03
	6 = Commonwealth Brands .....	715	0.08
	7 = Santa Fe Natural Tob Co (of Reynolds American) .....	355	0.04
	8 = Forsyth Tobacco Co (a division of R.J. Reynolds) .....	56	0.01
	9 = Top Tobacco, L.P. ....	67	0.01
	70 = SOME OTHER BRAND/COMPANY .....	1564	0.18
	80 = CIG BRAND/COMPANY NOT SPECIFIED .....	286	0.03
	85 = BAD DATA Log assn .....	7	0.00
	90 = NOT A CIGARETTE BRAND .....	246	0.03
	91 = NEVER USED CIGARETTES .....	91258	10.22
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	69133	7.74
	94 = DON'T KNOW .....	325	0.04
	97 = REFUSED .....	50	0.01
	98 = BLANK (NO ANSWER) .....	128	0.01

<b>MTHYDAYS</b>	Len : 1 # OF DAYS USED METHAMPHETAMINE IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	672156	75.27
	1 = 1-11 Days (IRMTHFY=1-11) .....	857	0.10
	2 = 12-49 Days (IRMTHFY=12-49) .....	514	0.06
	3 = 50-99 Days (IRMTHFY=50-99) .....	241	0.03
	4 = 100-299 Days (IRMTHFY=100-299) .....	439	0.05
	5 = 300-365 Days (IRMTHFY=300-365) .....	61	0.01
	6 = Non User or No Past Year Use (IRMTHFY=991,993) .....	218704	24.49

<b>SMKFLAG</b>	Len : 1 SMOKELESS TOBACCO - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Never used (IRSLTRC = 9) .....	597709	66.93
	1 = Ever used (IRSLTRC = 1-4) .....	124944	13.99

<b>SMKYR</b>	Len : 1 SMOKELESS TOBACCO - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past year (IRSLTRC = 3,4,9) .....	677260	75.84
	1 = Used within the past year (IRSLTRC = 1,2) .....	45393	5.08

<b>SMKMON</b>	Len : 1 SMOKELESS TOBACCO - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past month (IRSLTRC = 2-4,9) .....	693984	77.72
	1 = Used within the past month (IRSLTRC = 1) .....	28669	3.21

RECODED DRUG USE

<b>CHWFLAG</b>	Len : 1 CHEWING TOBACCO - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never Used (IRCHWRC = 9).....	639898	71.66
	1 = Ever Used (IRCHWRC = 1-4).....	82755	9.27
<b>CHWYR</b>	Len : 1 CHEWING TOBACCO - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past year (IRCHWRC = 3,4,9).....	700622	78.46
	1 = Used within the past year (IRCHWRC = 1,2).....	22031	2.47
<b>CHWMON</b>	Len : 1 CHEWING TOBACCO - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month (IRCHWRC = 2-4,9).....	711361	79.66
	1 = Used within the past month (IRCHWRC = 1).....	11292	1.26
<b>SNFFLAG</b>	Len : 1 SNUFF - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used (IRSNFRC = 9).....	622249	69.68
	1 = Ever used (IRSNFRC = 1-4).....	100404	11.24
<b>SNFYR</b>	Len : 1 SNUFF - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past year (IRSNFRC = 3,4,9).....	684176	76.62
	1 = Used within the past year (IRSNFRC = 1,2).....	38477	4.31
<b>SNFMON</b>	Len : 1 SNUFF - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month (IRSNFRC = 2-4,9).....	698281	78.20
	1 = Used within the past month (IRSNFRC = 1).....	24372	2.73
<b>HALFLAG</b>	Len : 1 HALLUCINOGENS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used (IRHALRC = 9).....	621593	69.61
	1 = Ever used (IRHALRC = 1-3).....	101060	11.32
<b>HALYR</b>	Len : 1 HALLUCINOGENS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past year (IRHALRC = 3,9).....	698196	78.19
	1 = Used within the past year (IRHALRC = 1,2).....	24457	2.74
<b>HALMON</b>	Len : 1 HALLUCINOGENS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month (IRHALRC = 2-3,9).....	716194	80.20
	1 = Used within the past month (IRHALRC = 1).....	6459	0.72
<b>ECFLAG</b>	Len : 1 ECSTASY - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used (IRECSRC = 9).....	672615	75.32
	1 = Ever used (IRECSRC = 1-3).....	50038	5.60

RECODED DRUG USE

ECSYR	Len : 1 ECSTASY - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past year (IRECSRC = 3,9).....	709443	79.45
	1 = Used within the past year (IRECSRC = 1,2).....	13210	1.48
ECSMON	Len : 1 ECSTASY - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past month (IRECSRC = 2-3,9) .....	719545	80.58
	1 = Used within the past month (IRECSRC = 1).....	3108	0.35
INHFLAG	Len : 1 INHALANTS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Never used (IRINHRC = 9) .....	648638	72.64
	1 = Ever used (IRINHRC = 1-3).....	74015	8.29
INHYR	Len : 1 INHALANTS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past year (IRINHRC = 3,9).....	708988	79.40
	1 = Used within the past year (IRINHRC = 1,2).....	13665	1.53
INHMON	Len : 1 INHALANTS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past month (IRINHRC = 2-3,9).....	718982	80.52
	1 = Used within the past month (IRINHRC = 1).....	3671	0.41
ANLFLAG	Len : 1 PAIN RELIEVERS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Never used (IRANLRC = 9).....	607542	68.04
	1 = Ever used (IRANLRC = 1-3).....	115111	12.89
ANLYR	Len : 1 PAIN RELIEVERS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past year (IRANLRC = 3,9).....	670934	75.13
	1 = Used within the past year (IRANLRC = 1,2).....	51719	5.79
ANLMON	Len : 1 PAIN RELIEVERS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past month (IRANLRC = 2-3,9) .....	702268	78.64
	1 = Used within the past month (IRANLRC = 1).....	20385	2.28
OXYFLAG	Len : 1 OXYCONTIN - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	0 = Never Used (IROXYRC = 9).....	594175	66.54
	1 = Ever Used (IROXYRC = 1-3).....	19169	2.15
OXYR	Len : 1 OXYCONTIN - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	0 = Did not use in the past year (IROXYRC = 3,9).....	606959	67.97
	1 = Used within the past year (IROXYRC = 1,2).....	6385	0.72

RECODED DRUG USE

<b>OXYMON</b>	Len : 1 OXYCONTIN - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	0 = Did not use in the past month (IROXYRC = 2-3,9) .....	611623	68.49
	1 = Used within the past month (IROXYRC = 1) .....	1721	0.19
<b>TRQFLAG</b>	Len : 1 TRANQUILIZERS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Never used (IRTRNRC = 9) .....	661868	74.12
	1 = Ever used (IRTRNRC = 1-3) .....	60785	6.81
<b>TRQYR</b>	Len : 1 TRANQUILIZERS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past year (IRTRNRC = 3,9) .....	701806	78.59
	1 = Used within the past year (IRTRNRC = 1,2) .....	20847	2.33
<b>TRQMON</b>	Len : 1 TRANQUILIZERS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past month (IRTRNRC = 2-3,9) .....	715655	80.14
	1 = Used within the past month (IRTRNRC = 1) .....	6998	0.78
<b>STMFLAG</b>	Len : 1 STIMULANTS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Never used (IRSTMRC = 9) .....	668766	74.89
	1 = Ever used (IRSTMRC = 1-3) .....	53887	6.03
<b>STMYR</b>	Len : 1 STIMULANTS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past year (IRSTMRC = 3,9) .....	708167	79.30
	1 = Used within the past year (IRSTMRC = 1,2) .....	14486	1.62
<b>STMMON</b>	Len : 1 STIMULANTS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past month (IRSTMRC = 2-3,9) .....	717464	80.35
	1 = Used within the past month (IRSTMRC = 1) .....	5189	0.58

The following three variables (CPNSTMFG, CPNSTMYR, CPNSTMMN), like the preceding three variables (STMFLAG, STMYR, STMMON), report lifetime, past year, and past month stimulant use. However, whereas STMFLAG, STMYR, and STMMON used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHYR, and CPNMTHMN. For details on the core-plus-noncore methamphetamine variables, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

<b>CPNSTMFG</b>	Len : 1 CPN STIMULANTS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Never Used .....	662979	74.24
	1 = Ever Used .....	59674	6.68
<b>CPNSTMYR</b>	Len : 1 CPN STIMULANTS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Did not use in the past year .....	707175	79.19
	1 = Used within the past year .....	15478	1.73



RECODED DRUG USE

<b>CPNSTMMN</b>	Len : 1 CPN STIMULANTS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month.....	717102	80.31
	1 = Used within the past month.....	5551	0.62

The following three variables (MTHFLAG, MTHYR, MTHMON), report recency of use for methamphetamine using only core data from the Stimulants module of the questionnaire, unlike the next three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), which use additional methamphetamine use data from the Special Drugs module. Methamphetamine use data were first added to the Special Drugs module in 2005, then were augmented in 2006 to include further clarifications. For details, please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings Report.

<b>MTHFLAG</b>	Len : 1 METHAMPHETAMINE - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never Used (IRMTHRC = 9).....	697052	78.06
	1 = Ever Used (IRMTHRC = 1-3).....	25601	2.87

<b>MTHYR</b>	Len : 1 METHAMPHETAMINE - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past year (IRMTHRC = 3,9).....	717997	80.41
	1 = Used within the past year (IRMTHRC = 1,2).....	4656	0.52

<b>MTHMON</b>	Len : 1 METHAMPHETAMINE - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month (IRMTHRC = 2-3,9).....	720979	80.74
	1 = Used within the past month (IRMTHRC = 1).....	1674	0.19

The following three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), like the preceding three variables (MTHFLAG, MTHYR, MTHMON), report lifetime, past year, and past month methamphetamine use. However, MTHFLAG, MTHYR, and MTHMON are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the noncore Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new noncore Special Drugs items were used to construct the final CPNMTHFG, CPNMTHYR, and CPNMTHMN variables. For details, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

<b>CPNMTHFG</b>	Len : 1 CPN METHAMPHETAMINE - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never Used.....	689929	77.26
	1 = Ever Used.....	32724	3.66

<b>CPNMTHYR</b>	Len : 1 CPN METHAMPHETAMINE - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past year.....	716954	80.29
	1 = Used within the past year.....	5699	0.64

<b>CPNMTHMN</b>	Len : 1 CPN METHAMPHETAMINE - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month.....	720634	80.70
	1 = Used within the past month.....	2019	0.23

<b>SEDFLAG</b>	Len : 1 SEDATIVES - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used (IRSEDRC = 9).....	707215	79.20
	1 = Ever used (IRSEDRC = 1-3).....	15438	1.73

RECODED DRUG USE

<b>SEDYR</b>	Len : 1 SEDATIVES - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past year (IRSEDRC = 3,9).....	719695	80.60
	1 = Used within the past year (IRSEDRC = 1,2).....	2958	0.33

<b>SEDMON</b>	Len : 1 SEDATIVES - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month (IRSEDRC = 2-3,9).....	721610	80.81
	1 = Used within the past month (IRSEDRC = 1).....	1043	0.12

<b>PSYFLAG2</b>	Len : 1 ANY PSYCHOTHERAPEUTICS - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used (ALL SOURCE VARIABLES = 0).....	571787	64.03
	1 = Ever used (ANY SOURCE VARIABLE = 1).....	150866	16.89

<b>PSYYR2</b>	Len : 1 ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use within past year (ALL SOURCE VARS = 0).....	657370	73.62
	1 = Used in past year (ANY SOURCE VARIABLE = 1).....	65283	7.31

<b>PSYMON2</b>	Len : 1 ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in past month (ALL SOURCE VARS = 0).....	695876	77.93
	1 = Used in past month (ANY SOURCE VARIABLE = 1).....	26777	3.00

The following two "any psychotherapeutics" variables were created by examination of the age and date of first use variables for sedatives, tranquilizers, stimulants, and analgesics.

<b>PSYAGE2</b>	Len : 3 ANY PSYCHOTHERAPEUTICS - AGE FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 85.....	150866	16.89
	-9 = Data not collected for this year.....	170319	19.07
	991 = NEVER USED.....	571787	64.03

<b>PSYFU2</b>	Len : 4 ANY PSYCHOTHERAPEUTICS - YEAR FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1918 - 2014.....	150866	16.89
	-9 = Data not collected for this year.....	170319	19.07
	9999 = NEVER USED.....	571787	64.03

The following three variables (CPNPSYFG, CPNPSYYR, CPNPSYMN), like the preceding three variables (PSYFLAG2, PSYYR2, PSYMON2), report lifetime, past year, and past month psychotherapeutic use. However, whereas PSYFLAG2, PSYYR2, and PSYMON2 use only core data, CPNPSYFG, CPNPSYYR, CPNPSYMN use core plus noncore data.

<b>CPNPSYFG</b>	Len : 1 CPN PSYCHOTHERAPEUTIC - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never Used (ALL SOURCE VARS = 0).....	569340	63.76
	1 = Ever Used (ANY SOURCE VARIABLE = 1).....	153313	17.17

<b>CPNPSYYR</b>	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past year (ALL SOURCE VARS = 0).....	656869	73.56
	1 = Used within the past year (ANY SOURCE VAR = 1).....	65784	7.37

RECODED DRUG USE

<b>CPNPSYMN</b>	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in the past month (ALL SOURCE VARS=0).....	695628	77.90
	1 = Used within the past month (ANY SOURCE VAR=1).....	27025	3.03

<b>SUMFLAG</b>	Len : 1 ANY ILLICIT DRUG - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used (ALL SOURCE VARIABLES = 0).....	384012	43.00
	1 = Ever used (ANY SOURCE VARIABLE = 1).....	338641	37.92

<b>SUMYR</b>	Len : 1 ANY ILLICIT DRUG - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in past year (ALL SOURCE VARS = 0).....	559063	62.61
	1 = Used in past year (ANY SOURCE VARIABLE = 1).....	163590	18.32

<b>SUMMON</b>	Len : 1 ANY ILLICIT DRUG - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Did not use in past month (ALL SOURCE VARS = 0).....	629663	70.51
	1 = Used in past month (ANY SOURCE VARIABLE = 1).....	92990	10.41

The following two "any illicit drug" variables were created by examination of the age and date of first use variables for hallucinogens, heroin, marijuana, cocaine, inhalants, sedatives, tranquilizers, stimulants, and analgesics.

<b>SUMAGE</b>	Len : 3 ANY ILLICIT DRUG - AGE FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 85.....	338641	37.92
	-9 = Data not collected for this year.....	170319	19.07
	991 = NEVER USED.....	384012	43.00

<b>SUMYFU</b>	Len : 4 ANY ILLICIT DRUG - YEAR FIRST USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1918 - 2014.....	338641	37.92
	-9 = Data not collected for this year.....	170319	19.07
	9999 = NEVER USED.....	384012	43.00

<b>MJOFLAG</b>	Len : 1 MARIJUANA ONLY - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used MJ/has used both MJ & anothr illet drug.....	602006	67.42
	1 = Marijuana is only (illicit) drug ever used.....	120647	13.51

<b>MJOYR2</b>	Len : 1 MARIJUANA ONLY - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = MJ not used past yr/Used MJ & othr drug past yr.....	648169	72.59
	1 = Marijuana is only (illicit) drug in past year.....	74484	8.34

<b>MJOMON2</b>	Len : 1 MARIJUANA ONLY - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = MJ not used past mnth/Used MJ & othr drug past mo.....	666807	74.67
	1 = Marijuana only (illicit) drug in past month.....	55846	6.25

<b>IEMFLAG</b>	Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = Never used drug/used only marijuana.....	504659	56.51
	1 = Illicit drug except for marijuana are ever used.....	217994	24.41

RECODED DRUG USE

IEMYR      Len : 1    ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR USED

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = Never used drug/used only marijuana past year .....	633547	70.95
1 = Illicit drug except for marijuana used past year .....	89106	9.98

IEMMON      Len : 1    ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH USED

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = Never used drug/used only marijuana past month.....	685509	76.77
1 = Illicit drug except for marijuana used past month .....	37144	4.16

The following two "any illicit drug except for marijuana" variables were created by examination of the age and date of first use variables for inhalants, hallucinogens, cocaine, heroin, and "any psychotherapeutics."

IEMAGE      Len : 3    ILLICIT DRUG EXCEPT FOR MARIJUANA - AGE FIRST USE

	Freq	Pct
RANGE = 1 - 85 .....	217994	24.41
-9 = Data not collected for this year .....	170319	19.07
991 = NEVER USED.....	504659	56.51

IEMYFU      Len : 4    ILLICIT DRUG OTHER THAN MARIJUANA - YEAR FIRST USE

	Freq	Pct
RANGE = 1918 - 2014 .....	217994	24.41
-9 = Data not collected for this year .....	170319	19.07
9999 = NEVER USED.....	504659	56.51

"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

BINGEDRK      Len : 1    BINGE ALCOHOL USE PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = Never/No "Binge" alcohol use (IRALCD5 = 0,91,93).....	540072	60.48
1 = "Binge" alcohol use (IRALCD5 = 1-30).....	182581	20.45

Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

HVYDRK2      Len : 1    HEAVY ALCOHOL USE PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = Never/No heavy alcohol use (IRALCD5 = 0-4,91,93).....	667206	74.72
1 = Heavy alcohol use (IRALCD5 = 5-30) .....	55447	6.21

The following variable, BINGEHVY, was created by examination of past month binge alcohol use (BINGEDRK), past month heavy alcohol use (HVYDRK2), and past month alcohol use (ALCMON). To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.

BINGEHVY      Len : 1    LEVEL OF ALCOHOL USE IN PAST MONTH

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Heavy Alcohol Use (HVYDRK2=1) .....	55447	6.21
2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0) .....	127134	14.24
3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0) .....	142482	15.96
4 = Did Not Use Alcohol in Past Month (All source=0) .....	397590	44.52

ILTOALMN      Len : 1    ILLICIT DRUG, TOBACCO PRD, OR ALC PAST MONTH USE

	Freq	Pct
-9 = Data not collected for this year .....	611563	68.49
0 = No Drug, Tob, or Alc Past Mon Use (Otherwise) .....	127991	14.33
1 = Drg/Tob or Alc PM Use (SUMMON, TOBMON or ALCMON=1).....	153418	17.18

RECODED DRUG USE

<b>ILALMON</b>	Len : 1 ILLICIT DRUG OR ALCOHOL PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	611563	68.49
	0 = No Drug or Alc Past Mon Use (Otherwise) .....	146352	16.39
	1 = Drug or Alc Past Mon Use (SUMMON=1 or ALCMON=1) .....	135057	15.12
<b>NILALMON</b>	Len : 1 NO ILLICIT DRUG OR ALCOHOL USE IN THE PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = Alc or Drg Use (Otherwise) .....	346195	38.77
	1 = No Alc or Drg Use (ALCMON=0 & SUMMON=0) .....	376458	42.16
<b>ILANDALC</b>	Len : 1 ILLICIT DRUG AND ALCOHOL USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	782541	87.63
	0 = No/Unknown (SUMYR=0 or ALCYR=0) .....	89334	10.00
	1 = Yes (SUMYR=1 and ALCYR=1) .....	21097	2.36
<b>ILORALC</b>	Len : 1 ILLICIT DRUG OR ALCOHOL USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	782541	87.63
	0 = No/Unknown (SUMYR=0 and ALCYR=0) .....	40339	4.52
	1 = Yes (SUMYR=1 or ALCYR=1) .....	70092	7.85
<b>AEROS2</b>	Len : 1 EVER INHALED OTHER AEROSOL SPRAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise) .....	711645	79.69
	1 = Yes (AEROS=1,3) .....	11008	1.23
<b>DARVTYL2</b>	Len : 1 EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise) .....	665497	74.53
	1 = Yes (DARVTYLC=1,3) .....	57156	6.40
<b>PERCTYL2</b>	Len : 1 EVER USED PERCOCET, PERCODAN, TYLOX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise) .....	682224	76.40
	1 = Yes (PERCTYLX=1,3) .....	40429	4.53
<b>VICOLOR2</b>	Len : 1 EVER USED VICODIN, LORTAB, LORCET		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise) .....	652225	73.04
	1 = Yes (VICOLOR=1,3) .....	70428	7.89
<b>CODEINE2</b>	Len : 1 EVER USED CODEINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise) .....	698178	78.19
	1 = Yes (ANLCARD and CODEINE=1,3) .....	24475	2.74
<b>DEMEROL2</b>	Len : 1 EVER USED DEMEROL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise) .....	715575	80.13
	1 = Yes (ANLCARD and DEMEROL=1,3) .....	7078	0.79

RECODED DRUG USE

<b>DILAUD2</b>	Len : 1 EVER USED DILAUDID		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and DILAUD=1,3) .....	719360	80.56
		3293	0.37
<b>FIORICT2</b>	Len : 1 EVER USED FIORICET		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and FIORICET=1,3).....	721335	80.78
		1318	0.15
<b>FIORINL2</b>	Len : 1 EVER USED FIORINAL		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and FIORINAL=1,3).....	721758	80.83
		895	0.10
<b>HYDROCD2</b>	Len : 1 EVER USED HYDROCODONE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and HYDROCOD=1,3).....	691213	77.41
		31440	3.52
<b>METHDON2</b>	Len : 1 EVER USED METHADONE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and METHDON=1,3).....	714822	80.05
		7831	0.88
<b>MORPHIN2</b>	Len : 1 EVER USED MORPHINE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and MORPHINE=1,3).....	710992	79.62
		11661	1.31
<b>PHENCOD2</b>	Len : 1 EVER USED PHENAPHEN WITH CODEINE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and PHENCOD=1,3).....	720130	80.64
		2523	0.28
<b>PROPOXY2</b>	Len : 1 EVER USED PROPOXYPHENE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and PROPOXY=1,3).....	721481	80.80
		1172	0.13
<b>SK65A2</b>	Len : 1 EVER USED SK65		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and SK65A=1,3).....	722362	80.89
		291	0.03
<b>STADOL2</b>	Len : 1 EVER USED STADOL		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (ANLCARD and STADOL=1,3).....	722246	80.88
		407	0.05

RECODED DRUG USE

<b>TALACEN2</b>	Len : 1 EVER USED TALACEN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722403	80.90
	1 = Yes (ANLCARD and TALACEN=1,3).....	250	0.03
<b>TALWIN2</b>	Len : 1 EVER USED TALWIN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722014	80.86
	1 = Yes (ANLCARD and TALWIN=1,3).....	639	0.07
<b>TALWINX2</b>	Len : 1 EVER USED TALWIN NX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722390	80.90
	1 = Yes (ANLCARD and TALWINNX=1,3).....	263	0.03
<b>TRAMADL2</b>	Len : 1 EVER USED TRAMADOL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	717295	80.33
	1 = Yes (ANLCARD and TRAMADOL=1,3).....	5358	0.60
<b>ULTRAM2</b>	Len : 1 EVER USED ULTRAM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	718372	80.45
	1 = Yes (ANLCARD and ULTRAM=1,3).....	4281	0.48
<b>OTHANL</b>	Len : 1 EVER USED OTHER PAIN RELIEVERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	660205	73.93
	1 = Yes (ANLCARD or ANLNOLST=1,3).....	62448	6.99

The following variable, PROCODNP, was assigned a positive response if a respondent indicated ever using darvocet, darvon, or tylenol with codeine (DARVTYL2=1), codeine (CODEINE2=1), phenaphen with codeine (PHENCOD2=1), propoxyphene (PROPOXY2=1), SK-65 (SK65A2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (404, 439, 444, 447, 455, 480, 4031, 4038, 4078, 4093, 4095, 4101, 4103, 4116, 4126, 4127, 8293)).

<b>PROCODNP</b>	Len : 1 PROPOXYPHENE/CODEINE PRODUCTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	657808	73.67
	1 = Yes (See comment above) .....	64845	7.26

The following variable, OXYCODP2, is similar to the variable OXYCODOP which was created in previous NSDUHs. The only difference is the use of the imputed variable OXYFLAG instead of the edited variable OXYCONT2 in determining lifetime use of OxyContin. OXYCODP2 was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYFLAG=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046, 4047, 4052, 4065, 4072, 4117)).

<b>OXYCODP2</b>	Len : 1 OXYCODONE PRODUCTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	0 = No/Unknown (Otherwise).....	571587	64.01
	1 = Yes (See comment above) .....	41757	4.68

RECORDED DRUG USE

The following variable, HYDCODOP, was assigned a positive response if a respondent indicated ever using vicodin, lortab, or lorcet (VICOLOR2=1), hydrocodone (HYDROCD2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4033, 4097, 4105, 4125, 4143, 4144)).

<b>HYDCODOP</b>	Len : 1 HYDROCODONE PRODUCTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	646329	72.38
	1 = Yes (See comment above) .....	76324	8.55

The following variable, TRAMADP, was assigned a positive response if a respondent indicated ever using tramadol (TRAMADL2=1), ultram (ULTRAM2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4083, 4133)).

<b>TRAMADP</b>	Len : 1 TRAMADOL PRODUCTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	714693	80.04
	1 = Yes (See comment above) .....	7960	0.89

<b>KLONOP12</b>	Len : 1 EVER USED KLONOPIN OR CLONAZEPAM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	706999	79.17
	1 = Yes (KLONOPIN=1,3).....	15654	1.75

<b>XNAXATV2</b>	Len : 1 EVER USED XANAX, ALPRAZOLAM, ATIVAN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	683250	76.51
	1 = Yes (XNAXATVN=1,3).....	39403	4.41

<b>VALMDIA2</b>	Len : 1 EVER USED VALIUM OR DIAZEPAM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	688428	77.09
	1 = Yes (VALMDIAZ=1,3).....	34225	3.83

<b>ATARAX2</b>	Len : 1 EVER USED ATARAX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721891	80.84
	1 = Yes (TRNCARD and ATARAX=1,3).....	762	0.09

<b>BUSPAR2</b>	Len : 1 EVER USED BUSPAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720310	80.66
	1 = Yes (TRNCARD and BUSPAR=1,3).....	2343	0.26

<b>EQUANIL2</b>	Len : 1 EVER USED EQUANIL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722388	80.90
	1 = Yes (TRNCARD and EQUANIL=1,3).....	265	0.03

<b>FLEXERL2</b>	Len : 1 EVER USED FLEXERIL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	715190	80.09
	1 = Yes (TRNCARD and FLEXERIL=1,3).....	7463	0.84



RECODED DRUG USE

<b>LIBRIUM2</b>	Len : 1 EVER USED LIBRIUM		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and LIBRIUM=1,3).....	721195	80.76
		1458	0.16
<b>LIMBTRL2</b>	Len : 1 EVER USED LIMBITROL		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and LIMBTRL=1,3).....	722341	80.89
		312	0.03
<b>MEPROB2</b>	Len : 1 EVER USED MEPROBAMATE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and MEPROB=1,3).....	722259	80.88
		394	0.04
<b>MILTOWN2</b>	Len : 1 EVER USED MILTOWN		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and MILTOWN=1,3).....	722432	80.90
		221	0.02
<b>ROHYPNL2</b>	Len : 1 EVER USED ROHYPNOL		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and ROHYPNOL=1,3).....	721484	80.80
		1169	0.13
<b>SERAX2</b>	Len : 1 EVER USED SERAX		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and SERAX=1,3).....	722296	80.89
		357	0.04
<b>SOMA2</b>	Len : 1 EVER USED SOMA		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and SOMA=1,3).....	712931	79.84
		9722	1.09
<b>TRANXEN2</b>	Len : 1 EVER USED TRANXENE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and TRANXENE=1,3).....	722243	80.88
		410	0.05
<b>VISTAR2</b>	Len : 1 EVER USED VISTARIL		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD and VISTAR=1,3).....	721733	80.82
		920	0.10
<b>OTHTRN</b>	Len : 1 EVER USED OTHER TRANQUILIZERS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TRNCARD or TRNOLST=1,3).....	702205	78.64
		20448	2.29

RECODED DRUG USE

The following variable, BENZOS, was assigned a positive response if a respondent indicated ever using klonopin or clonazepam (KLONOP1=1), xanax, alprazolam, ativan, or lorazepam (XNAXATV2=1), valium or diazepam (VALMDIA2=1), librium (LIBRIUM2=1), limbitrol (LIMBTRL2=1), rohypnol (ROHYPNL2=1), serax (SERAX2=1), tranxene (TRANXEN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (229, 237, 278, 296, 2004, 2022, 2026)).

<b>BENZOS</b>	Len : 1 BENZODIAZEPINE PRODUCTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	665771	74.56
	1 = Yes (See comment above) .....	56882	6.37

The following variable, MEPROBPD, was assigned a positive response if a respondent indicated ever using equanil (EQUANIL2=1), meprobamate (MEPROB2=1), or miltown (MILTOWN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (214)).

<b>MEPROBPD</b>	Len : 1 MEPROBAMATE PRODUCTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721914	80.84
	1 = Yes (See comment above) .....	739	0.08

The following variable, MUSCRELX, was assigned a positive response if a respondent indicated ever using flexeril (FLEXERL2=1), soma (SOMA2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (223, 288, 290, 462, 2002, 2006)).

<b>MUSCRELX</b>	Len : 1 MUSCLE RELAXANTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	708436	79.33
	1 = Yes (See comment above) .....	14217	1.59

<b>METHDES2</b>	Len : 1 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	697081	78.06
	1 = Yes (METHDES=1,3) .....	25572	2.86

<b>DIETPIL2</b>	Len : 1 EVER USED DIET PILLS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	706861	79.16
	1 = Yes (DIETPILS=1,3).....	15792	1.77

<b>RITMPHE2</b>	Len : 1 EVER USED RITALIN/METHYLPHENIDATE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	701042	78.51
	1 = Yes (RITMPHEN=1,3).....	21611	2.42

<b>CYLERT2</b>	Len : 1 EVER USED CYLERT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722075	80.86
	1 = Yes (STMCARD and CYLERT=1,3).....	578	0.06

<b>DEXED2</b>	Len : 1 EVER USED DEXEDRINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	718458	80.46
	1 = Yes (STMCARD and DEXED=1,3) .....	4195	0.47

RECODED DRUG USE

DETAMP2	Len : 1 EVER USED DEXTROAMPHETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720613	80.70
	1 = Yes (STMCARD and DETAMP=1,3) .....	2040	0.23
DIDREX2	Len : 1 EVER USED DIDREX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722217	80.88
	1 = Yes (STMCARD and DIDREX=1,3).....	436	0.05
ESKAT2	Len : 1 EVER USED ESKATROL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722325	80.89
	1 = Yes (STMCARD and ESKAT=1,3).....	328	0.04
IONAMIN2	Len : 1 EVER USED IONAMIN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722044	80.86
	1 = Yes (STMCARD and IONAMIN=1,3).....	609	0.07
MAZANOR2	Len : 1 EVER USED MAZANOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722453	80.90
	1 = Yes (STMCARD and MAZANOR=1,3).....	200	0.02
OBLA2	Len : 1 EVER USED OBEDRIN-LA		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722567	80.92
	1 = Yes (STMCARD and OBLA=1,3).....	86	0.01
PLEGINE2	Len : 1 EVER USED PLEGINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722492	80.91
	1 = Yes (STMCARD and PLEGINE=1,3).....	161	0.02
PRELUDN2	Len : 1 EVER USED PRELUDIN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721911	80.84
	1 = Yes (STMCARD and PRELUDIN=1,3).....	742	0.08
SANOREX2	Len : 1 EVER USED SANOREX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722286	80.89
	1 = Yes (STMCARD and SANOREX=1,3).....	367	0.04
TENUATE2	Len : 1 EVER USED TENUATE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722335	80.89
	1 = Yes (STMCARD and TENUATE=1,3) .....	318	0.04

RECODED DRUG USE

<b>OTHSTM</b>	Len : 1	EVER USED OTHER STIMULANTS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	707317	79.21
		1 = Yes (STMCARD or STMNOLST=1,3).....	15336	1.72

The following variable, AMDXPHEN, was assigned a positive response if a respondent indicated ever using prescription diet pills (DIETPIL2=1), dexedrine (DEXED2=1), dextroamphetamine (DETAMP2=1), ionamin (IONAMIN2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (302, 309, 3015, 3023, 3069, 3086, 3097, 3111)).

<b>AMDXPHEN</b>	Len : 1	AMPHETAMINE, DEXTROAMPHETAMINE, & PHENTERMINE PROD		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	699749	78.36
		1 = Yes (See comment above) .....	22904	2.56

The following variable, MAZINDOL, was assigned a positive response if a respondent indicated ever using mazanor (MAZANOR2=1), sanorex (SANOREX2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (317)).

<b>MAZINDOL</b>	Len : 1	MAZINDOL PRODUCTS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	722145	80.87
		1 = Yes (See comment above) .....	508	0.06

The following variable, METHDEXM, was assigned a positive response if a respondent indicated ever using ritalin (RITMPHE2=1) or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (3077, 3092, 3094, 3102, 3112, 3114, 3124)).

<b>METHDEXM</b>	Len : 1	METHYLPHENIDATE/DEXMETHYLPHENIDATE PRODUCTS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	335230	37.54
		0 = No/Unknown (Otherwise).....	541229	60.61
		1 = Yes (See comment above) .....	16513	1.85

<b>METHAQ2</b>	Len : 1	EVER USED METHAQUALONE, SOPOR, QUALLUDE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	714455	80.01
		1 = Yes (METHAQ=1,3) .....	8198	0.92

<b>NEMBBAR2</b>	Len : 1	EVER USED BARBITURATES		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	718984	80.52
		1 = Yes (NEMBBARB=1,3).....	3669	0.41

<b>RESTTMA2</b>	Len : 1	EVER USED RESTORIL OR TEMAZEPAM		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	720128	80.64
		1 = Yes (RESTTMAZ=1,3) .....	2525	0.28

<b>AMYTAL2</b>	Len : 1	EVER USED AMYTAL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	722180	80.87
		1 = Yes (SEDCARD and AMYTAL=1,3) .....	473	0.05

RECODED DRUG USE

<b>BUTISOL2</b>	Len : 1 EVER USED BUTISOL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722345	80.89
	1 = Yes (SEDCARD and BUTISOL=1,3) .....	308	0.03
<b>CHHYD2</b>	Len : 1 EVER USED CHLORAL HYDRATE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722316	80.89
	1 = Yes (SEDCARD and CHHYD=1,3) .....	337	0.04
<b>DALMANE2</b>	Len : 1 EVER USED DALMANE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722018	80.86
	1 = Yes (SEDCARD and DALMANE=1,3) .....	635	0.07
<b>HALCION2</b>	Len : 1 EVER USED HALCION		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721572	80.81
	1 = Yes (SEDCARD and HALCION=1,3) .....	1081	0.12
<b>PHENOBR2</b>	Len : 1 EVER USED PHENOBARBITAL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720762	80.71
	1 = Yes (SEDCARD and PHENOBAR=1,3) .....	1891	0.21
<b>PLACIDY2</b>	Len : 1 EVER USED PLACIDYL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721742	80.82
	1 = Yes (SEDCARD and PLACIDYL=1,3).....	911	0.10
<b>TUINAL2</b>	Len : 1 EVER USED TUINAL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721597	80.81
	1 = Yes (SEDCARD and TUINAL=1,3) .....	1056	0.12
<b>OTHSED</b>	Len : 1 EVER USED OTHER SEDATIVES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	714976	80.07
	1 = Yes (SEDCARD or SEDNOLST=1,3) .....	7677	0.86
<b>RTDALHAL</b>	Len : 1 TEMAZEPAM, FLURAZEPAM, OR TRIAZOLAM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	718994	80.52
	1 = Yes (RESTTMA2=1 or DALMANE2=1 or HALCION2=1).....	3659	0.41

The following variable, ANYBARB, was assigned a positive response if a respondent indicated ever using barbiturates (NEMBBAR2=1), amytal (AMYTAL2=1), butisol (BUTISOL2=1), phenobarbital (PHENOBR2=1), tuinal (TUINAL2=1), or other-specify drug responses that are not asked about explicitly in the Sedatives module but fall into this category (SEDNEWA, SEDNEWB, SEDNEWC, SEDNEWD, or SEDNEWE in (153, 156, 186, 195, 1012)).

<b>ANYBARB</b>	Len : 1 ANY BARBITURATES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	717491	80.35
	1 = Yes (See comment above) .....	5162	0.58

RECODED DRUG USE

**HALYDAYS**      Len : 1   # OF DAYS USED HALLUCINOGENS IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = 1-11 Days (IRHALFY=1-11).....	17791	1.99
2 = 12-49 Days (IRHALFY=12-49).....	4020	0.45
3 = 50-99 Days (IRHALFY=50-99).....	1550	0.17
4 = 100-299 Days (IRHALFY=100-299).....	972	0.11
5 = 300-365 Days (IRHALFY=300-365).....	124	0.01
6 = Non User or No Past Year Use (IRHALFY=991,993).....	698196	78.19

**INHVDAYS**      Len : 1   # OF DAYS USED INHALANTS IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = 1-11 Days (IRINHfy=1-11).....	8707	0.98
2 = 12-49 Days (IRINHfy=12-49).....	2821	0.32
3 = 50-99 Days (IRINHfy=50-99).....	1113	0.12
4 = 100-299 Days (IRINHfy=100-299).....	926	0.10
5 = 300-365 Days (IRINHfy=300-365).....	98	0.01
6 = Non User or No Past Year Use (IRINHfy=991,993).....	708988	79.40

**STMYDAYS**      Len : 1   # OF DAYS USED STIMULANTS IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = 1-11 Days (IRSTMFY=1-11).....	6838	0.77
2 = 12-49 Days (IRSTMFY=12-49).....	3531	0.40
3 = 50-99 Days (IRSTMFY=50-99).....	1480	0.17
4 = 100-299 Days (IRSTMFY=100-299).....	2255	0.25
5 = 300-365 Days (IRSTMFY=300-365).....	382	0.04
6 = Non User or No Past Year Use (IRSTMFY=991,993).....	708167	79.30

**HALMDAYS**      Len : 1   # OF DAYS USED HALLUCINOGENS IN PAST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = 1-2 Days (IRHALFM=1-2).....	4685	0.52
2 = 3-5 Days (IRHALFM=3-5).....	1106	0.12
3 = 6-19 Days (IRHALFM=6-19).....	508	0.06
4 = 20-30 Days (IRHALFM=20-30).....	160	0.02
5 = Non User or No Past Month Use (IRHALFM=91,93).....	716194	80.20

**INHMDAYS**      Len : 1   # OF DAYS USED INHALANTS IN PAST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = 1-2 Days (IRINHFM=1-2).....	2256	0.25
2 = 3-5 Days (IRINHFM=3-5).....	754	0.08
3 = 6-19 Days (IRINHFM=6-19).....	494	0.06
4 = 20-30 Days (IRINHFM=20-30).....	167	0.02
5 = Non User or No Past Month Use (IRINHFM=91,93).....	718982	80.52

The following variable, ALCAVGM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (NODR30A). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or NODR30A=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (NODR30A=985, 994, 997, 998) or logically assigned to 5 or more (NODR30A=975).

**ALCAVGM**      Len : 4   NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 2700.....	303209	33.96
. = Not Used/Unknown (See comment above).....	419444	46.97
-9 = Data not collected for this year.....	170319	19.07

**FUSLT18**      Len : 1   FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	224398	25.13
1 = Yes (IRSLTAGE<18).....	79470	8.90
2 = No (IRSLTAGE>=18).....	589104	65.97

RECODED DRUG USE

<b>FUSLT21</b>	Len : 1 FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRSLTAGE<21).....	102047	11.43
	2 = No (IRSLTAGE>=21).....	566527	63.44
<b>FUHAL18</b>	Len : 1 FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRHALAGE<18).....	47082	5.27
	2 = No (IRHALAGE>=18).....	621492	69.60
<b>FUHAL21</b>	Len : 1 FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRHALAGE<21).....	76199	8.53
	2 = No (IRHALAGE>=21).....	592375	66.34
<b>FUECS18</b>	Len : 1 FIRST USED ECSTASY PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRECSAGE<18).....	16707	1.87
	2 = No (IRECSAGE>=18).....	651867	73.00
<b>FUECS21</b>	Len : 1 FIRST USED ECSTASY PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRECSAGE<21).....	33351	3.73
	2 = No (IRECSAGE>=21).....	635223	71.14
<b>FUINH18</b>	Len : 1 FIRST USED INHALANTS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRINHAGE<18).....	48934	5.48
	2 = No (IRINHAGE>=18).....	619640	69.39
<b>FUINH21</b>	Len : 1 FIRST USED INHALANTS PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRINHAGE<21).....	60590	6.79
	2 = No (IRINHAGE>=21).....	607984	68.09
<b>FUANL18</b>	Len : 1 FIRST USED PAIN RELIEVERS PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRANLAGE<18).....	54287	6.08
	2 = No (IRANLAGE>=18).....	614287	68.79
<b>FUANL21</b>	Len : 1 FIRST USED PAIN RELIEVERS PRIOR TO AGE 21		
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRANLAGE<21).....	79975	8.96
	2 = No (IRANLAGE>=21).....	588599	65.91
<b>FUOXY18</b>	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 18		
	-9 = Data not collected for this year .....	279628	31.31
	1 = Yes (IROXYAGE<18).....	8178	0.92
	2 = No (IROXYAGE>=18).....	605166	67.77

RECODED DRUG USE

FUOXY21	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	279628	31.31
	1 = Yes (IROXYAGE<21) .....	13526	1.51
	2 = No (IROXYAGE>=21) .....	599818	67.17
FUTRN18	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRTRNAGE<18) .....	23332	2.61
	2 = No (IRTRNAGE>=18) .....	645242	72.26
FUTRN21	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRTRNAGE<21) .....	38045	4.26
	2 = No (IRTRNAGE>=21) .....	630529	70.61
FUSTM18	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRSTMAGE<18) .....	24584	2.75
	2 = No (IRSTMAGE>=18) .....	643990	72.12
FUSTM21	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRSTMAGE<21) .....	38318	4.29
	2 = No (IRSTMAGE>=21) .....	630256	70.58
FUMTH18	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRMTHAGE<18) .....	10650	1.19
	2 = No (IRMTHAGE>=18) .....	657924	73.68
FUMTH21	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRMTHAGE<21) .....	17089	1.91
	2 = No (IRMTHAGE>=21) .....	651485	72.96
FUSED18	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRSEDAGE<18) .....	6563	0.73
	2 = No (IRSEDAGE>=18) .....	662011	74.14
FUSED21	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IRSEDAGE<21) .....	10047	1.13
	2 = No (IRSEDAGE>=21) .....	658527	73.75
FUPSY18	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (PSYAGE2<18) .....	72221	8.09
	2 = No (PSYAGE2>=18) .....	596353	66.78



RECODED DRUG USE

<b>FUPSY21</b>	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (PSYAGE2<21).....	105950	11.86
	2 = No (PSYAGE2>=21).....	562624	63.01

<b>FUSUM18</b>	Len : 1 FIRST USED ILLICIT DRUGS PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (SUMAGE<18).....	223639	25.04
	2 = No (SUMAGE>=18).....	444935	49.83

<b>FUSUM21</b>	Len : 1 FIRST USED ILLICIT DRUGS PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (SUMAGE<21).....	280256	31.38
	2 = No (SUMAGE>=21).....	388318	43.49

<b>FUIEM18</b>	Len : 1 FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 18		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IEMAGE<18).....	120050	13.44
	2 = No (IEMAGE>=18).....	548524	61.43

<b>FUIEM21</b>	Len : 1 FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 21		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	224398	25.13
	1 = Yes (IEMAGE<21).....	165062	18.48
	2 = No (IEMAGE>=21).....	503512	56.39

Note: The following variable for past year misuse of other pain reliever products, PNROTNMYR3, was based only on the edited misuse of any other pain reliever variable. PNROTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other pain reliever estimates are based on a revised variable, PNROTHPYMU2, which took into account the other-specify write-in data.

<b>PNROTNMYR3</b>	Len : 1 RC-OTHER PAIN RELIEVER- PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	778929	87.23
	0 = No/Unknown (Otherwise).....	113556	12.72
	1 = Yes.....	487	0.05

Note: The following variable for past year misuse of other tranquilizer products, TRQOTNMYR3, was based only on the edited misuse of any other tranquilizer variable. TRQOTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other tranquilizer estimates are based on a revised variable, TRQOTHPYMU2, which took into account the other-specify write-in data.

<b>TRQOTNMYR3</b>	Len : 1 RC-OTHER TRANQUILIZER- PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	778929	87.23
	0 = No/Unknown (Otherwise).....	113945	12.76
	1 = Yes.....	98	0.01

Note: The following variable for past year misuse of other stimulant products, STMOTNMYR3, was based only on the edited misuse of any other stimulant variable. STMOTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other stimulant estimates are based on a revised variable, STMOTHPYMU2, which took into account the other-specify write-in data.

<b>STMOTNMYR3</b>	Len : 1 RC-OTHER STIMULANT - PAST YEAR MISUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	778929	87.23
	0 = No/Unknown .....	113993	12.77
	1 = Yes.....	50	0.01

RECODED DRUG USE

Note: The following variable for past year misuse of other sedative products, SEDOTNMYR3, was based only on the edited misuse of any other sedative variable. SEDOTNMYR3 will not be available starting with the 2017 NSDUH but has been retained on this data file. Starting with 2017, past year misuse of any other sedative estimates are based on a revised variable, SEDOTHPYMU2, which took into account the other-specify write-in data.

SEDOTNMYR3	Len : 1 RC-OTHER SEDATIVE - PAST YEAR MISUSE	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	778929	87.23
	0 = No/Unknown .....	113913	12.76
	1 = Yes.....	130	0.01

SPECIAL DRUGS

OTHER SELF-ADMINISTERED SECTIONS

SPECIAL DRUGS

*This note applies to variables in this section marked by a<sup>1</sup>.*

Have you ever, even once, smoked heroin?

<b>HERSMOKE<sup>1</sup></b>	Len : 2	EVER SMOKED HEROIN		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	4719	0.53
		2 = No.....	8043	0.90
		3 = Yes LOGICALLY ASSIGNED.....	142	0.02
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		94 = DON'T KNOW.....	10	0.00
		97 = REFUSED.....	74	0.01
		98 = BLANK (NO ANSWER).....	492	0.06

How long has it been since you last smoked heroin?

<b>HRSMKREC<sup>1</sup></b>	Len : 2	TIME SINCE LAST SMOKED HEROIN		
			<b>Freq</b>	<b>Pct</b>
		1 = Within the past 30 days.....	238	0.03
		2 = More than 30 days ago but within the past 12 mos.....	544	0.06
		3 = More than 12 months ago.....	4059	0.45
		9 = At some point in the lifetime LOG ASSN.....	11	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	9	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		93 = USED HEROIN BUT NEVER SMOKED IT.....	8043	0.90
		97 = REFUSED.....	74	0.01
		98 = BLANK (NO ANSWER).....	504	0.06

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

<b>HERSNIFF<sup>1</sup></b>	Len : 2	EVER SNIFFED HEROIN		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	8920	1.00
		2 = No.....	3748	0.42
		3 = Yes LOGICALLY ASSIGNED.....	241	0.03
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	77	0.01
		98 = BLANK (NO ANSWER).....	492	0.06

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

<b>HRSNFREC<sup>1</sup></b>	Len : 2	TIME SINCE LAST SNIFFED HEROIN		
			<b>Freq</b>	<b>Pct</b>
		1 = Within the past 30 days.....	634	0.07
		2 = More than 30 days ago but within the past 12 mos.....	1256	0.14
		3 = More than 12 months ago.....	7242	0.81
		9 = At some point in the lifetime LOG ASSN.....	15	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	14	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		93 = USED HEROIN BUT NEVER SNIFFED IT.....	3748	0.42
		97 = REFUSED.....	77	0.01
		98 = BLANK (NO ANSWER).....	495	0.06

SPECIAL DRUGS

Have you ever, even once, used a needle to inject heroin?

<b>HERNEEDL<sup>1</sup></b>	Len : 2	EVER USED NEEDLE TO INJECT HEROIN		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	5554	0.62
		2 = No.....	7264	0.81
		3 = Yes LOGICALLY ASSIGNED.....	127	0.01
		85 = BAD DATA Logically assigned.....	3	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	80	0.01
		98 = BLANK (NO ANSWER).....	454	0.05

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

<b>HEOTSMK<sup>1</sup></b>	Len : 2	HOW USED HEROIN: SMOKED IT		
			<b>Freq</b>	<b>Pct</b>
		1 = Response entered.....	140	0.02
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	582	0.07
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		94 = DON'T KNOW.....	17	0.00
		97 = REFUSED.....	96	0.01
		98 = BLANK (NO ANSWER).....	500	0.06
		99 = LEGITIMATE SKIP.....	12145	1.36

<b>HEOTSNF<sup>1</sup></b>	Len : 2	HOW USED HEROIN: SNIFFED IT		
			<b>Freq</b>	<b>Pct</b>
		1 = Response entered.....	240	0.03
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	483	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		94 = DON'T KNOW.....	17	0.00
		97 = REFUSED.....	96	0.01
		98 = BLANK (NO ANSWER).....	500	0.06
		99 = LEGITIMATE SKIP.....	12145	1.36

<b>HEOTNDL<sup>1</sup></b>	Len : 2	HOW USED HEROIN: INJECTED IT WITH A NEEDLE		
			<b>Freq</b>	<b>Pct</b>
		1 = Response entered.....	82	0.01
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.00
		6 = Response not entered.....	638	0.07
		91 = NEVER USED HEROIN.....	879489	98.49
		94 = DON'T KNOW.....	17	0.00
		97 = REFUSED.....	96	0.01
		98 = BLANK (NO ANSWER).....	501	0.06
		99 = LEGITIMATE SKIP.....	12145	1.36

<b>HEOTOTH<sup>1</sup></b>	Len : 2	HOW USED HEROIN: SOME OTHER WAY		
			<b>Freq</b>	<b>Pct</b>
		1 = Response entered.....	283	0.03
		6 = Response not entered.....	441	0.05
		91 = NEVER USED HEROIN.....	879489	98.49
		94 = DON'T KNOW.....	17	0.00
		97 = REFUSED.....	96	0.01
		98 = BLANK (NO ANSWER).....	501	0.06
		99 = LEGITIMATE SKIP.....	12145	1.36

SPECIAL DRUGS

HEOTSP<sup>1</sup>

Len : 2 HOW USED HEROIN: SPECIFY

	Freq	Pct
1 = You smoked heroin.....	2	0.00
2 = You sniffed or "snorted" heroin.....	1	0.00
3 = You injected heroin with a needle.....	4	0.00
5 = You took it orally/by mouth/in pill form.....	138	0.02
6 = You sniffed or "snorted" in liquid/melted form.....	34	0.00
7 = You took it ocularly; form unspecified.....	1	0.00
10 = You combined it w/Ecstasy (no othr drug mentioned).....	43	0.00
13 = You combined it w/marijuana (no othr drg mentiond).....	3	0.00
15 = You combined it w/some other drug; not specified.....	4	0.00
16 = You sniffed/snorted/huffed it; pwdr/liquid unspfd.....	7	0.00
17 = You combined it with OxyContin.....	3	0.00
18 = You combined w/an analgesic; not otherwise spcfd.....	1	0.00
19 = Another analgesic mentiond; combo w/heroin unspcfd.....	4	0.00
21 = You combined it with cocaine.....	1	0.00
23 = You took it rectally.....	1	0.00
24 = Acknowledged use; how unspecified.....	5	0.00
27 = You combined it w/Molly.....	1	0.00
85 = BAD DATA Logically assigned.....	16	0.00
91 = NEVER USED HEROIN.....	879489	98.49
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	102	0.01
98 = BLANK (NO ANSWER).....	523	0.06
99 = LEGITIMATE SKIP.....	12586	1.41

How long has it been since you last used a needle to inject heroin?

HRNDLREC<sup>1</sup>

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Within the past 30 days.....	615	0.07
2 = More than 30 days ago but within the past 12 mos.....	794	0.09
3 = More than 12 months ago.....	4213	0.47
9 = At some point in the lifetime LOG ASSN.....	46	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED.....	13	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	7264	0.81
97 = REFUSED.....	80	0.01
98 = BLANK (NO ANSWER).....	457	0.05

Have you ever, even once, used a needle to inject Methamphetamine?

METHNEEDL<sup>1</sup>

Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1092	0.12
2 = No.....	6603	0.74
3 = Yes LOGICALLY ASSIGNED.....	8	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	162387	18.19
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	18	0.00
98 = BLANK (NO ANSWER).....	206	0.02

How long has it been since you last used a needle to inject Methamphetamine?

METHNDLRC<sup>1</sup>

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METH

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Within the past 30 days.....	129	0.01
2 = More than 30 days ago but within the past 12 mos.....	147	0.02
3 = More than 12 months ago.....	812	0.09
9 = At some point in the lifetime LOG ASSN.....	2	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	9	0.00
91 = NEVER USED METHAMPHETAMINE.....	162387	18.19
93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	6603	0.74
97 = REFUSED.....	18	0.00
98 = BLANK (NO ANSWER).....	211	0.02

SPECIAL DRUGS

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you?

OTDGNEDL<sup>1</sup>

Len : 2 EVER USED NEEDLE TO INJECT ANY OTHER DRUG

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	4694	0.53
2 = No.....	887719	99.41
4 = No LOGICALLY ASSIGNED .....	10	0.00
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	280	0.03
97 = REFUSED .....	202	0.02
98 = BLANK (NO ANSWER) .....	66	0.01

SPECIAL DRUGS

OTDGNLA<sup>1</sup>

Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	<b>Freq</b>	<b>Pct</b>
105 = Placidyl, Ethchlorvynol.....	8	0.00
108 = Nembutal .....	3	0.00
109 = Seconal .....	22	0.00
110 = Tuinal.....	17	0.00
111 = Dalmane.....	1	0.00
112 = Restoril .....	1	0.00
115 = Phenobarbital .....	5	0.00
116 = Methaqualone, Sopor, Quaalude .....	11	0.00
117 = Chloral hydrate, Noctec .....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	6	0.00
121 = USED SEDATIVE, DON'T KNOW NAME .....	1	0.00
123 = Unisom <OTC> .....	1	0.00
124 = Yellow jackets .....	2	0.00
129 = Reds.....	3	0.00
130 = Promethazine .....	2	0.00
131 = Haldol, Haloperidol .....	2	0.00
141 = Dilantin .....	1	0.00
145 = Red devil(s).....	1	0.00
157 = Barbiturates.....	6	0.00
174 = Ambien .....	6	0.00
176 = Melatonin <OTC> .....	1	0.00
193 = Meclizine .....	1	0.00
201 = Valium .....	32	0.00
202 = Librium .....	1	0.00
207 = Ativan.....	10	0.00
209 = Xanax.....	49	0.01
211 = BuSpar.....	1	0.00
215 = Vistaril.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED .....	5	0.00
227 = Thorazine.....	2	0.00
228 = Amitriptyline, Elavil .....	1	0.00
237 = Midazolam .....	1	0.00
246 = Klonopin.....	23	0.00
271 = Sertraline hydrochloride, Zoloft.....	1	0.00
280 = Ketaset .....	2	0.00
301 = Dexedrine .....	2	0.00
306 = Desoxyn.....	3	0.00
311 = Preludin.....	24	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin .....	44	0.00
320 = Dextroamphetamine.....	1	0.00
321 = Methedrine.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	344	0.04
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED .....	2	0.00
325 = USED STIMULANT, DON'T KNOW NAME.....	1	0.00
326 = White cross .....	3	0.00
331 = Blancs, whites.....	1	0.00
332 = Ephedrine.....	2	0.00
334 = Crossroads, cross tops.....	1	0.00
335 = Dexatrim <OTC>.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	5	0.00
345 = Black molly.....	1	0.00
348 = Crystal .....	17	0.00
355 = Crystal meth, crystal methamphetamine .....	48	0.01
363 = Bam(s) .....	1	0.00
380 = Pink ladies.....	1	0.00
401 = Darvon.....	3	0.00
406 = Percodan .....	11	0.00
407 = Demerol .....	55	0.01
408 = Dilaudid, Hydromorphone .....	260	0.03
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	2	0.00
411 = Talwin.....	14	0.00
415 = Codeine pills.....	7	0.00
417 = Morphine .....	335	0.04
418 = Methadone .....	32	0.00
419 = Stadol, Stadol NS.....	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	6	0.00
423 = Percocet .....	57	0.01
426 = Fiorinal .....	1	0.00
427 = Darvocet, Davocet-N .....	2	0.00
431 = Tylox .....	2	0.00

SPECIAL DRUGS

433 = Paregoric.....	2	0.00
434 = Vicodin.....	10	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	5	0.00
442 = Ibuprofen.....	2	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	1	0.00
454 = Novocain, Procaine.....	2	0.00
457 = T's and blues, tee's and b's, tops and bottoms.....	9	0.00
458 = Mepergan, Mepergan Fortis.....	4	0.00
465 = Fentanyl.....	26	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol.....	1	0.00
490 = Nalbuphine, Nubain.....	15	0.00
501 = Gasoline or lighter fluids.....	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	1	0.00
566 = Smoked tea from Lipton tea bag.....	1	0.00
601 = LSD ("acid").....	43	0.00
603 = Mescaline.....	6	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	33	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	31	0.00
614 = MDA, Methylenedioxy amphetamine.....	17	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
658 = Special K, Ketamine.....	74	0.01
663 = Animal tranquilizer, horse tranquilizer.....	3	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	6	0.00
702 = Heroin.....	402	0.05
703 = Opium, otherwise unspecified.....	6	0.00
704 = Dope.....	3	0.00
705 = Speed Ball (heroin + cocaine).....	5	0.00
706 = Smack.....	1	0.00
707 = Black tar heroin.....	2	0.00
709 = Poppy.....	1	0.00
711 = Shirka.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	94	0.01
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	15	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	3	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	243	0.03
806 = Crack, rock.....	34	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	15	0.00
809 = Pills.....	2	0.00
813 = Cigarettes, tobacco (type unspecified).....	1	0.00
814 = Caffeine <OTC>.....	1	0.00
818 = Nicotine.....	2	0.00
820 = Penicillin.....	11	0.00
821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
824 = Steroids.....	259	0.03
829 = Rokitussin DM <OTC>.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	13	0.00
876 = Glass.....	4	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	1	0.00
893 = Estrogen.....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	2	0.00
1010 = Diprivan.....	1	0.00
2001 = Soma.....	2	0.00
2002 = Muscle relaxers.....	1	0.00
2010 = Buscopan, Espacil.....	1	0.00
2501 = Alprazolam.....	2	0.00
3023 = Adderall.....	19	0.00
3046 = Adrenalin, Epinephrine.....	5	0.00
3052 = Speed, otherwise unspecified.....	69	0.01
3086 = Adderall XR.....	1	0.00
3094 = Dexmethylphenidate, Focalin.....	3	0.00
3102 = Methylin.....	1	0.00
3111 = Vyvanse.....	2	0.00
3112 = Metadate, not otherwise specified.....	1	0.00
3502 = Methylphenidate.....	1	0.00
4002 = Imitrex.....	4	0.00
4037 = MS Contin.....	2	0.00
4043 = Tramadol.....	3	0.00
4044 = Hydrocodone.....	6	0.00
4046 = Oxycodone.....	124	0.01
4047 = Roxicet.....	9	0.00
4056 = Cataflam, Diclofenac, Voltaren.....	1	0.00



SPECIAL DRUGS

4065 = Roxicodone	29	0.00
4067 = OxyContin	609	0.07
4073 = Temgesic	2	0.00
4077 = Tee's	1	0.00
4091 = K4	1	0.00
4098 = Banamine	1	0.00
4109 = Suboxone	78	0.01
4119 = Buprenorphine	6	0.00
4120 = Opana	32	0.00
4131 = Diconal, Dipipanone	1	0.00
4150 = Subutex	9	0.00
4501 = Lortab	2	0.00
4503 = Lorcet, Lorcet Plus, Lorcet-HD	1	0.00
4505 = Oxycodone product, unspecified	17	0.00
4510 = Oxymorphone	1	0.00
5001 = Bleach	1	0.00
5018 = B-12 (Spanish)	1	0.00
5042 = Fuels other than gasoline	1	0.00
5171 = Mouthwash	1	0.00
6029 = DXM	1	0.00
6044 = Gel caps, gel tabs	1	0.00
6076 = Lemon 714	1	0.00
6081 = Shabu	1	0.00
6114 = Molly, not otherwise specified	6	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8066 = Viagra	1	0.00
8067 = Testosterone	107	0.01
8069 = Decadron, Dexamethasone	1	0.00
8072 = Deca-Durabolin, Nandrolone decanoate	19	0.00
8076 = Winstrol	11	0.00
8079 = Insulin	11	0.00
8081 = Primobolan	2	0.00
8083 = Testosterone cyprionate	5	0.00
8088 = Dianabol	11	0.00
8090 = Sustanon, Sostanon	13	0.00
8091 = Benzedrex <OTC>	1	0.00
8097 = Tizanidine, Zanaflex	1	0.00
8103 = Testosterona 200, Testosterone 300	4	0.00
8110 = Over-the-counter drug/pills, type unspecified	1	0.00
8112 = hCG, Human Chorionic Gonadotropin	6	0.00
8113 = Test 250, Test 400 <OTC>	4	0.00
8114 = Lidocaine	3	0.00
8124 = Deca-diabolin	2	0.00
8129 = Equipoise, Equipoise	2	0.00
8132 = Liquid D-bol	3	0.00
8134 = Glucophage, Metformin	1	0.00
8151 = Flu shot, otherwise unspecified	3	0.00
8158 = Lipitor	1	0.00
8164 = Testosterone propionate	1	0.00
8165 = Anavar	1	0.00
8167 = Triiodothyronine, Triiodothyronine, T3	1	0.00
8172 = Cortisone	1	0.00
8184 = Ondansetron, Periset, Zofran	2	0.00
8187 = Xylocaine	2	0.00
8188 = Anadrol	2	0.00
8189 = Furosemide, Lasix	1	0.00
8199 = Neurobion	2	0.00
8206 = Delatestryl, Testosterone enanthate	12	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	4	0.00
8213 = Ranitidine	1	0.00
8221 = Omnadren	2	0.00
8236 = Lyrica, Pregabalin	1	0.00
8244 = Superdrol <OTC>	1	0.00
8245 = Human growth hormone (HGH)	7	0.00
8252 = Humatrope	1	0.00
8272 = Tri Tren 150, Triple Trenbolone Blend	1	0.00
8282 = Salt, sodium chloride <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8291 = Ritz and Ts, Ts and rits, Ts and Rs	1	0.00
8301 = Bath salts, otherwise unspecified	8	0.00
8306 = Flu medication, no other information	1	0.00
8336 = Peridan	2	0.00
8353 = Hormone, otherwise unspecified	1	0.00
8355 = EPO, Erythropoietin	1	0.00

SPECIAL DRUGS

8367 = Peptides.....	1	0.00
8383 = Edex.....	1	0.00
8388 = BPC-157.....	1	0.00
8392 = Cerebrolysin.....	1	0.00
8510 = Desyrel, Trazodone hydrochloride.....	1	0.00
8541 = Mirtazapine, Remeron.....	1	0.00
8553 = Bupropion, Wellbutrin, Zyban.....	1	0.00
9985 = BAD DATA Logically assigned.....	118	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	10	0.00
9994 = DON'T KNOW.....	179	0.02
9997 = REFUSED.....	305	0.03
9998 = BLANK (NO ANSWER).....	349	0.04
9999 = LEGITIMATE SKIP.....	887719	99.41

SPECIAL DRUGS

OTDGNLB<sup>1</sup>

Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
103 = Amytal .....	1	0.00
105 = Placidyl, Ethchlorvynol.....	2	0.00
108 = Nembutal .....	1	0.00
109 = Seconal .....	8	0.00
110 = Tuinal.....	7	0.00
115 = Phenobarbital .....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	1	0.00
118 = Pentobarbital, Pentothal, Sodium pentothal .....	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED .....	1	0.00
123 = Unisom <OTC> .....	1	0.00
129 = Reds.....	1	0.00
130 = Promethazine .....	1	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien .....	1	0.00
177 = Bean.....	1	0.00
178 = Quetiapine, Seroquel.....	1	0.00
201 = Valium .....	20	0.00
207 = Ativan .....	2	0.00
209 = Xanax.....	28	0.00
215 = Vistaril .....	1	0.00
216 = Atarax .....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
234 = Flexeril .....	1	0.00
246 = Klonopin.....	3	0.00
301 = Dexedrine .....	1	0.00
304 = Benzedrine.....	1	0.00
306 = Desoxyn.....	4	0.00
309 = Didrex.....	1	0.00
311 = Preludin.....	1	0.00
313 = Adipex-P.....	1	0.00
318 = Ritalin .....	26	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	83	0.01
327 = Black beauties, black beauty.....	1	0.00
332 = Ephedrine.....	1	0.00
339 = Amphetamines, otherwise unspecified.....	2	0.00
348 = Crystal .....	7	0.00
355 = Crystal meth, crystal methamphetamine .....	7	0.00
363 = Bam(s).....	1	0.00
377 = Albuterol.....	1	0.00
406 = Percodan .....	2	0.00
407 = Demerol.....	16	0.00
408 = Dilaudid, Hydromorphone .....	108	0.01
411 = Talwin.....	3	0.00
415 = Codeine pills.....	6	0.00
417 = Morphine .....	146	0.02
418 = Methadone .....	21	0.00
419 = Stadol, Stadol NS.....	3	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	3	0.00
423 = Percocet .....	15	0.00
427 = Darvocet, Davocet-N.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	1	0.00
434 = Vicodin .....	6	0.00
458 = Mepergan, Mepergan Fortis.....	4	0.00
465 = Fentanyl.....	18	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol .....	4	0.00
490 = Nalbuphine, Nubain.....	1	0.00
496 = Ultram.....	1	0.00
511 = Markers, felt-tip pens, ink pens.....	1	0.00
601 = LSD ("acid") .....	12	0.00
603 = Mescaline.....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	13	0.00
614 = MDA, Methylenedioxy amphetamine.....	2	0.00
658 = Special K, Ketamine .....	7	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	4	0.00
702 = Heroin.....	92	0.01
703 = Opium, otherwise unspecified.....	2	0.00
704 = Dope .....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	28	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	3	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	135	0.02
806 = Crack, rock.....	12	0.00

SPECIAL DRUGS

807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	5	0.00
816 = Smokeless tobacco, snuff, chewing tobacco .....	1	0.00
820 = Penicillin .....	2	0.00
824 = Steroids .....	29	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC> .....	1	0.00
876 = Glass .....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC> .....	2	0.00
2002 = Muscle relaxers .....	1	0.00
3009 = Ephedrone, Methcathinone .....	1	0.00
3023 = Adderall .....	13	0.00
3035 = Blacks .....	1	0.00
3052 = Speed, otherwise unspecified .....	16	0.00
3055 = Clenbuterol .....	1	0.00
3094 = Dexmethylphenidate, Focalin .....	1	0.00
3111 = Vyvanse .....	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Epiol, Tegretol.....	1	0.00
4037 = MS Contin.....	1	0.00
4043 = Tramadol.....	2	0.00
4044 = Hydrocodone.....	2	0.00
4046 = Oxycodone.....	36	0.00
4047 = Roxicet.....	7	0.00
4065 = Roxicodone.....	12	0.00
4067 = OxyContin .....	143	0.02
4073 = Temgesic.....	1	0.00
4091 = K4 .....	1	0.00
4095 = Dihydrocodeine.....	1	0.00
4109 = Suboxone .....	25	0.00
4118 = Sufenta, Sufentanil.....	1	0.00
4119 = Buprenorphine .....	3	0.00
4120 = Opana.....	22	0.00
4150 = Subutex .....	7	0.00
4505 = Oxycodone product, unspecified.....	10	0.00
4510 = Oxymorphone .....	1	0.00
5048 = MEK, Methyl ethyl ketone.....	1	0.00
6015 = Crysta.....	1	0.00
6114 = Molly, not otherwise specified.....	3	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6141 = DPT, Dipropyltryptamine .....	1	0.00
8007 = Gabapentin, Neurontin .....	1	0.00
8026 = Powder.....	1	0.00
8067 = Testosterone .....	7	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	7	0.00
8076 = Winstrol .....	5	0.00
8079 = Insulin .....	2	0.00
8083 = Testosterone cyprionate .....	3	0.00
8090 = Sustanon, Sustenon .....	6	0.00
8113 = Test 250, Test 400 <OTC> .....	2	0.00
8122 = Trenbol .....	2	0.00
8129 = Equipoise, Equipoise.....	2	0.00
8132 = Liquid D-bol .....	2	0.00
8138 = Chlorphenamine maleate, Chlorpheniramine <OTC>.....	1	0.00
8151 = Flu shot, otherwise unspecified.....	2	0.00
8160 = Teveten, Eprosartan .....	1	0.00
8164 = Testosterone propionate .....	1	0.00
8172 = Cortisone.....	1	0.00
8188 = Anadrol .....	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	2	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone .....	12	0.00
8245 = Human growth hormone (HGH) .....	3	0.00
8250 = Boldenone.....	1	0.00
8301 = Bath salts, otherwise unspecified .....	2	0.00
8325 = Drostanolone propionate, Masteron .....	1	0.00
8503 = Dilantin .....	1	0.00
9985 = BAD DATA Logically assigned .....	68	0.01
9989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
9994 = DON'T KNOW .....	39	0.00
9997 = REFUSED .....	225	0.03
9998 = BLANK (NO ANSWER).....	3580	0.40
9999 = LEGITIMATE SKIP.....	887728	99.41

SPECIAL DRUGS

OTDGNLDC<sup>1</sup>

Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
108 = Nembutal .....	2	0.00
109 = Seconal .....	2	0.00
110 = Tuinal.....	3	0.00
115 = Phenobarbital .....	2	0.00
119 = Secobarbital .....	1	0.00
130 = Promethazine .....	3	0.00
157 = Barbiturates.....	1	0.00
174 = Ambien .....	2	0.00
178 = Quetiapine, Seroquel.....	1	0.00
201 = Valium.....	8	0.00
207 = Ativan.....	1	0.00
209 = Xanax.....	10	0.00
234 = Flexeril.....	1	0.00
246 = Klonopin.....	3	0.00
278 = Benzodiazepines .....	1	0.00
280 = Ketaset .....	1	0.00
301 = Dexedrine .....	1	0.00
306 = Desoxyn.....	1	0.00
311 = Preludin.....	6	0.00
318 = Ritalin .....	6	0.00
320 = Dextroamphetamine.....	1	0.00
321 = Methedrine.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	34	0.00
339 = Amphetamines, otherwise unspecified.....	1	0.00
348 = Crystal .....	2	0.00
355 = Crystal meth, crystal methamphetamine .....	1	0.00
382 = Footballs, purple footballs.....	1	0.00
406 = Percodan .....	1	0.00
407 = Demerol .....	16	0.00
408 = Dilaudid, Hydromorphone .....	49	0.01
411 = Talwin.....	3	0.00
415 = Codeine pills.....	6	0.00
417 = Morphine .....	62	0.01
418 = Methadone .....	16	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	2	0.00
423 = Percocet .....	10	0.00
434 = Vicodin .....	1	0.00
465 = Fentanyl.....	7	0.00
490 = Nalbuphine, Nubain.....	2	0.00
601 = LSD ("acid").....	6	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	4	0.00
658 = Special K, Ketamine .....	5	0.00
702 = Heroin.....	23	0.00
703 = Opium, otherwise unspecified.....	1	0.00
704 = Dope .....	1	0.00
705 = Speed Ball (heroin + cocaine).....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	12	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	3	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	50	0.01
806 = Crack, rock.....	9	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	4	0.00
814 = Caffeine <OTC>.....	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids.....	3	0.00
1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
1022 = Atropine.....	1	0.00
1501 = Zolpidem.....	1	0.00
2001 = Soma.....	1	0.00
3023 = Adderall .....	6	0.00
3052 = Speed, otherwise unspecified.....	5	0.00
3116 = MCAT, Mephedrone.....	1	0.00
4037 = MS Contin.....	2	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	13	0.00
4065 = Roxicodone.....	4	0.00
4067 = OxyContin .....	49	0.01
4109 = Suboxone .....	7	0.00
4119 = Buprenorphine .....	3	0.00
4120 = Opana.....	6	0.00
4130 = Dalgan, Dezocine.....	1	0.00
4140 = Opana ER (extended release).....	1	0.00

SPECIAL DRUGS

4505 = Oxycodone product, unspecified.....	4	0.00
6044 = Gel caps, gel tabs .....	1	0.00
6114 = Molly, not otherwise specified.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I .....	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd .....	1	0.00
8067 = Testosterone .....	2	0.00
8072 = Deca-Durabolin, Nandrolone decanoate.....	3	0.00
8076 = Winstrol .....	1	0.00
8083 = Testosterone cyprionate .....	1	0.00
8088 = Dianabol .....	1	0.00
8090 = Sustanon, Sostanon .....	2	0.00
8129 = Equipoise, Equipoise.....	2	0.00
8153 = Nexium .....	1	0.00
8164 = Testosterone propionate .....	1	0.00
8165 = Anavar .....	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone .....	1	0.00
8245 = Human growth hormone (HGH) .....	1	0.00
8325 = Drostanolone propionate, Masteron .....	2	0.00
8503 = Dilantin .....	1	0.00
9985 = BAD DATA Logically assigned .....	31	0.00
9994 = DON'T KNOW .....	9	0.00
9997 = REFUSED .....	206	0.02
9998 = BLANK (NO ANSWER).....	4467	0.50
9999 = LEGITIMATE SKIP .....	887729	99.41

SPECIAL DRUGS

OTDGNLDD<sup>1</sup>

Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
110 = Tuinal.....	1	0.00
116 = Methaqualone, Sopor, Quaalude .....	1	0.00
130 = Promethazine .....	1	0.00
174 = Ambien .....	1	0.00
201 = Valium .....	4	0.00
207 = Ativan .....	4	0.00
209 = Xanax.....	4	0.00
246 = Klonopin.....	1	0.00
280 = Ketaset.....	1	0.00
311 = Preludin.....	1	0.00
318 = Ritalin.....	3	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	14	0.00
406 = Percodan .....	1	0.00
407 = Demerol .....	6	0.00
408 = Dilaudid, Hydromorphone .....	19	0.00
415 = Codeine pills.....	3	0.00
417 = Morphine .....	26	0.00
418 = Methadone .....	6	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	1	0.00
423 = Percocet .....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC> .....	1	0.00
434 = Vicodin .....	1	0.00
458 = Mepergan, Mepergan Fortis.....	1	0.00
465 = Fentanyl.....	8	0.00
601 = LSD ("acid").....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	4	0.00
606 = "Ecstasy" (MDMA), X-TC, "X" .....	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
658 = Special K, Ketamine .....	1	0.00
702 = Heroin.....	11	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	3	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol .....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	11	0.00
806 = Crack, rock.....	9	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.00
820 = Penicillin.....	1	0.00
824 = Steroids .....	1	0.00
2030 = Versed.....	1	0.00
3023 = Adderall .....	2	0.00
3035 = Blacks .....	1	0.00
3046 = Adrenalin, Epinephrine .....	1	0.00
3052 = Speed, otherwise unspecified.....	3	0.00
3121 = Obitrol.....	1	0.00
4037 = MS Contin.....	1	0.00
4043 = Tramadol.....	1	0.00
4046 = Oxycodone.....	6	0.00
4065 = Roxicodone.....	6	0.00
4067 = OxyContin .....	18	0.00
4109 = Suboxone .....	8	0.00
4119 = Buprenorphine .....	1	0.00
4120 = Opana.....	2	0.00
4137 = Nucynta.....	1	0.00
4507 = Kadian.....	1	0.00
4510 = Oxymorphone .....	1	0.00
6174 = bk-MDMA, Methylone .....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine .....	1	0.00
8076 = Winstrol .....	1	0.00
8113 = Test 250, Test 400 <OTC> .....	1	0.00
8164 = Testosterone propionate.....	1	0.00
8212 = Finaplix Gold, Trenbolona QV75, Trenbolone .....	2	0.00
8245 = Human growth hormone (HGH) .....	1	0.00
8503 = Dilantin.....	1	0.00
9985 = BAD DATA Logically assigned .....	18	0.00
9994 = DON'T KNOW .....	2	0.00
9997 = REFUSED .....	206	0.02
9998 = BLANK (NO ANSWER).....	4796	0.54
9999 = LEGITIMATE SKIP.....	887729	99.41

SPECIAL DRUGS

OTDGNLLE<sup>1</sup>

Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
201 = Valium.....	2	0.00
209 = Xanax.....	2	0.00
228 = Amitriptyline, Elavil.....	1	0.00
237 = Midazolam.....	1	0.00
246 = Klonopin.....	1	0.00
318 = Ritalin.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	2	0.00
407 = Demerol.....	7	0.00
408 = Dilaudid, Hydromorphone.....	5	0.00
415 = Codeine pills.....	1	0.00
417 = Morphine.....	12	0.00
418 = Methadone.....	1	0.00
419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet.....	3	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
465 = Fentanyl.....	4	0.00
601 = LSD ("acid").....	1	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
658 = Special K, Ketamine.....	1	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	5	0.00
806 = Crack, rock.....	1	0.00
820 = Penicillin.....	1	0.00
3023 = Adderall.....	1	0.00
3052 = Speed, otherwise unspecified.....	2	0.00
4044 = Hydrocodone.....	3	0.00
4046 = Oxycodone.....	4	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin.....	9	0.00
4109 = Suboxone.....	6	0.00
4119 = Buprenorphine.....	1	0.00
4120 = Opana.....	1	0.00
4142 = Remifentanil.....	1	0.00
4505 = Oxycodone product, unspecified.....	2	0.00
8079 = Insulin.....	2	0.00
9985 = BAD DATA Logically assigned.....	11	0.00
9994 = DON'T KNOW.....	2	0.00
9997 = REFUSED.....	203	0.02
9998 = BLANK (NO ANSWER).....	4930	0.55
9999 = LEGITIMATE SKIP.....	887729	99.41

How long has it been since you last used a needle to inject [any other drug / any drug] that was not prescribed for you?

OTDGNLRC<sup>1</sup>

Len : 2 TIME SINCE LAST USED A NEEDLE TO INJECT OTHER DRUG

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Within the past 30 days.....	141	0.02
2 = More than 30 days ago but within the past 12 months.....	126	0.01
3 = More than 12 months ago.....	742	0.08
9 = At some point in the lifetime LOG ASSN.....	14	0.00
11 = Within the past 30 days LOGICALLY ASSIGNED.....	1	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	6	0.00
81 = NEVER USED ANY (OTHER) DRUG Logically assigned.....	2	0.00
91 = NEVER USED ANY (OTHER) DRUG.....	169102	18.94
97 = REFUSED.....	77	0.01
98 = BLANK (NO ANSWER).....	108	0.01



SPECIAL DRUGS

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

**GNNDREUS**      Len : 2    LAST TIME REUSED NEEDLE USED BEFORE

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	4054	0.45
2 = No.....	7458	0.84
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	67	0.01
97 = REFUSED.....	230	0.03
98 = BLANK (NO ANSWER).....	361	0.04
99 = LEGITIMATE SKIP.....	880769	98.63

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

**GNNDLSH1<sup>1</sup>**      Len : 2    LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	2036	0.23
2 = No.....	9497	1.06
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	52	0.01
97 = REFUSED.....	224	0.03
98 = BLANK (NO ANSWER).....	361	0.04
99 = LEGITIMATE SKIP.....	880769	98.63

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

**GNNDCLEN<sup>1</sup>**      Len : 2    USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	2803	0.31
2 = No.....	8703	0.97
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	65	0.01
97 = REFUSED.....	238	0.03
98 = BLANK (NO ANSWER).....	361	0.04
99 = LEGITIMATE SKIP.....	880769	98.63

The last time you used a needle for injecting drugs, did someone else use the needle after you?

**GNNDLSH2<sup>1</sup>**      Len : 2    SOMEONE ELSE USED LAST NEEDLE AFTER YOU

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	2170	0.24
2 = No.....	9273	1.04
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	22	0.00
94 = DON'T KNOW.....	140	0.02
97 = REFUSED.....	226	0.03
98 = BLANK (NO ANSWER).....	361	0.04
99 = LEGITIMATE SKIP.....	880769	98.63

SPECIAL DRUGS

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

GNNDGET2 <sup>1</sup>	Len : 2 HOW DID YOU GET THE NEEDLE LAST TIME	Freq	Pct
1	= Bought the needle from a pharmacy .....	5788	0.65
2	= Got the needle from a needle exchange.....	666	0.07
3	= Bought the needle on the street .....	989	0.11
4	= Got the needle in a shooting gallery.....	106	0.01
5	= Got the needle some other way .....	498	0.06
41	= Given by/stole frm friend/acquaint of frnd/nonrel.....	1919	0.21
42	= Given by, stolen from a relative.....	235	0.03
43	= Given by, stolen from someone, relation unspecifd .....	514	0.06
44	= From drug dealer/came with drugs.....	92	0.01
45	= Found it/got from a waste can/trash .....	16	0.00
46	= Given by, stolen frm med facility/professionl/lab .....	205	0.02
47	= Given by, stolen from work .....	58	0.01
48	= Given by, stolen from a pharmacy or store .....	18	0.00
49	= Bought, given, stolen from place/location unspecfd .....	153	0.02
52	= Given by, stolen from vet facility/professional .....	14	0.00
54	= Shared needle with friends/other acquaintances.....	20	0.00
56	= Given/stolen/bought from farm/pet store/supplier.....	32	0.00
58	= Got it at a party .....	3	0.00
59	= Bought it online/on the Internet .....	52	0.01
60	= Got it at home; no other information.....	13	0.00
85	= BAD DATA Logically assigned .....	1	0.00
89	= LEGITIMATE SKIP Logically assigned .....	10	0.00
90	= NOT ASKED THE QUESTION Logically assigned .....	22	0.00
94	= DON'T KNOW .....	116	0.01
97	= REFUSED .....	302	0.03
98	= BLANK (NO ANSWER) .....	361	0.04
99	= LEGITIMATE SKIP .....	880769	98.63

NOTE: MTHNEEDL and MTNDLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

MTHNEEDL <sup>1</sup>	Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE	Freq	Pct
-9	= Data not collected for this year.....	170319	19.07
1	= Yes.....	2919	0.33
2	= No.....	22596	2.53
3	= Yes LOGICALLY ASSIGNED .....	214	0.02
4	= No LOGICALLY ASSIGNED .....	12	0.00
81	= NEVER USED METHAMPHETAMINE Log assn .....	165	0.02
85	= BAD DATA Logically assigned .....	8	0.00
91	= NEVER USED METHAMPHETAMINE .....	696090	77.95
94	= DON'T KNOW .....	6	0.00
97	= REFUSED .....	95	0.01
98	= BLANK (NO ANSWER) .....	548	0.06

How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

MTNDLREC <sup>1</sup>	Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METH	Freq	Pct
-9	= Data not collected for this year .....	170319	19.07
1	= Within the past 30 days.....	236	0.03
2	= More than 30 days ago but within the past 12 mos .....	376	0.04
3	= More than 12 months ago .....	2299	0.26
9	= At some point in the lifetime LOG ASSN.....	201	0.02
13	= More than 12 months ago LOGICALLY ASSIGNED.....	21	0.00
81	= NEVER USED METHAMPHETAMINE Logically assigned.....	165	0.02
85	= BAD DATA Logically assigned.....	2	0.00
91	= NEVER USED METHAMPHETAMINE .....	696090	77.95
93	= USED METHAMPH BUT NEVER WITH A NEEDLE .....	22608	2.53
97	= REFUSED .....	95	0.01
98	= BLANK (NO ANSWER) .....	560	0.06

SPECIAL DRUGS

NOTE: Questions corresponding to MTHAMP through MTADYPWK were follow-up questions that were asked only of respondents who had not previously reported lifetime nonmedical use of methamphetamine in the core STIMULANTS module.

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected. Have you ever, even once, used methamphetamine?

**MTHAMP<sup>1</sup>**      Len : 2    EVER USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Yes.....	8070	0.90
2 = No.....	528963	59.24
3 = Yes LOGICALLY ASSIGNED.....	11	0.00
4 = No LOGICALLY ASSIGNED .....	2038	0.23
85 = BAD DATA Logically assigned.....	20	0.00
94 = DON'T KNOW .....	371	0.04
97 = REFUSED .....	120	0.01
98 = BLANK (NO ANSWER) .....	118	0.01
99 = LEGITIMATE SKIP (METHDES=1) .....	18031	2.02

How long has it been since you last used methamphetamine?

**MTHAREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Within the past 30 days.....	342	0.04
2 = More than 30 days ago but within the past 12 mos .....	811	0.09
3 = More than 12 months ago .....	6887	0.77
8 = At some point in the past 12 months LOG ASN .....	10	0.00
9 = At some point in the lifetime LOG ASN.....	28	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	2038	0.23
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2) .....	528963	59.24
97 = REFUSED .....	120	0.01
98 = BLANK (NO ANSWER) .....	496	0.06
99 = LEGITIMATE SKIP (METHDES=1) .....	18031	2.02

Have you ever, even once, used a needle to inject methamphetamine?

**MTHANEDL<sup>1</sup>**      Len : 2    EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Yes.....	772	0.09
2 = No.....	7291	0.82
3 = Yes LOGICALLY ASSIGNED.....	15	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	2038	0.23
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2) .....	528963	59.24
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	121	0.01
98 = BLANK (NO ANSWER) .....	496	0.06
99 = LEGITIMATE SKIP (METHDES=1) .....	18031	2.02

How long has it been since you last used a needle to inject methamphetamine?

**MTANDLRC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED NEEDLE TO INJECT METHAMP

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Within the past 30 days.....	45	0.01
2 = More than 30 days ago but within the past 12 mos .....	75	0.01
3 = More than 12 months ago .....	646	0.07
9 = At some point in the lifetime LOG ASN.....	15	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	6	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	2038	0.23
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2) .....	528963	59.24
93 = USED METH BUT NEVER W/NEEDLE (MTHANEDL=2).....	7291	0.82
97 = REFUSED .....	121	0.01
98 = BLANK (NO ANSWER) .....	498	0.06
99 = LEGITIMATE SKIP (METHDES=1) .....	18031	2.02

SPECIAL DRUGS

Earlier, the computer recorded that you have never used Methamphetamine, Desoxyn or Methedrine. Which answer is correct?

**MTHEVCK<sup>1</sup>**      Len : 2    COMPUTER RECORDED NEVER USED METH, CORRECT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = I have never used Methamp/Desoxyn/Meth.....	2038	0.23
2 = I last used Methamphetamine [SD17B FILL] .....	6669	0.75
85 = BAD DATA Logically assigned .....	109	0.01
89 = LEGITIMATE SKIP Logically assigned .....	13	0.00
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	2	0.00
98 = BLANK (NO ANSWER) .....	462	0.05
99 = LEGITIMATE SKIP .....	492543	55.16

Why did you report earlier that you had never used Methamphetamine?

**MTHNORSN<sup>1</sup>**      Len : 2    REASON REPORTED NEVER USED METHAMP

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Didnt think of Methamphetamine as prescrip drug .....	4319	0.48
2 = Made a mistake when I answered the earlier quest .....	2034	0.23
3 = Some other reason.....	264	0.03
11 = Didnt think of Methamphetamine as Rx drug LOG ASSN .....	7	0.00
12 = Made a mistake when answered earlier ques LOG ASSN .....	30	0.00
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	574	0.06
99 = LEGITIMATE SKIP .....	494594	55.39

**MTHNOSP<sup>1</sup>**      Len : 2    OTHER REASON NEVER USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Didnt think of Methamphetamine as prescrip drug .....	7	0.00
2 = Made a mistake when I answered the earlier quest .....	30	0.00
4 = Didnt recognize crank/crystal/ice/speed as mthamp.....	63	0.01
5 = Didnt recognize earlier names/knew mth by another .....	22	0.00
6 = Didnt think of mthamp as a pill/powder; Rx unspcfd.....	40	0.00
7 = Got scared/didn't want to admit use earlier .....	4	0.00
8 = Thought the question related to injection .....	3	0.00
9 = Misunderstood earlier quest; reason unspecified.....	29	0.00
10 = Used methamphetamine only rarely/long time ago.....	8	0.00
11 = Used it without my knowledge/was forced to use .....	3	0.00
12 = It was combined with another drug .....	3	0.00
13 = Used someone else's pill/drug .....	1	0.00
70 = Reported use of a prescribed stimulant .....	14	0.00
85 = BAD DATA Logically assigned .....	39	0.00
94 = DON'T KNOW .....	12	0.00
97 = REFUSED .....	31	0.00
98 = BLANK (NO ANSWER) .....	581	0.07
99 = LEGITIMATE SKIP .....	500947	56.10

NOTE: A small number of respondents who reported in the core STIMULANTS module that did not know whether they ever used methamphetamine nonmedically were not asked the question corresponding to MTHAAGE. These cases were assigned a code of 990 (see below).

How old were you the first time you used Methamphetamine?

**MTHAAGE<sup>1</sup>**      Len : 3    AGE WHEN FIRST USED METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 60 .....	5733	0.64
-9 = Data not collected for this year .....	446170	49.96
981 = NEVER USED METHAMPHETAMINE Logically assigned .....	1769	0.20
985 = BAD DATA Logically assigned .....	2	0.00
990 = NOT ASKED THE QUESTION Logically assigned .....	14	0.00
991 = NEVER USED METHAMPHETAMINE .....	424932	47.59
994 = DON'T KNOW .....	42	0.00
997 = REFUSED .....	105	0.01
998 = BLANK (NO ANSWER).....	510	0.06
999 = LEGITIMATE SKIP .....	13695	1.53

SPECIAL DRUGS

Did you first use Methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine?

**MTHAYFU<sup>1</sup>**      Len : 4    YEAR OF FIRST METHAMPHETAMINE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2005 - 2014 .....	424	0.05
-9 = Data not collected for this year.....	446170	49.96
9981 = NEVER USED METHAMPHETAMINE Logically assigned .....	1769	0.20
9985 = BAD DATA Logically assigned .....	10	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	20	0.00
9991 = NEVER USED METHAMPHETAMINE.....	424932	47.59
9994 = DON'T KNOW .....	43	0.00
9997 = REFUSED .....	106	0.01
9998 = BLANK (NO ANSWER).....	526	0.06
9999 = LEGITIMATE SKIP.....	18972	2.12

In what month in [CURRENT YEAR] did you first use Methamphetamine?

In what month in [YEAR FROM SDME02 or SDME03] did you first use Methamphetamine?

**MTHAMFU<sup>1</sup>**      Len : 2    MONTH OF FIRST METHAMPHETAMINE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	446170	49.96
1 = January.....	33	0.00
2 = February.....	27	0.00
3 = March.....	35	0.00
4 = April.....	33	0.00
5 = May.....	26	0.00
6 = June.....	40	0.00
7 = July.....	40	0.00
8 = August.....	33	0.00
9 = September.....	31	0.00
10 = October.....	36	0.00
11 = November.....	31	0.00
12 = December.....	32	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	1769	0.20
85 = BAD DATA Logically assigned .....	10	0.00
89 = LEGITIMATE SKIP Logically assigned .....	20	0.00
91 = NEVER USED METHAMPHETAMINE .....	424932	47.59
94 = DON'T KNOW .....	68	0.01
97 = REFUSED .....	108	0.01
98 = BLANK (NO ANSWER).....	526	0.06
99 = LEGITIMATE SKIP.....	18972	2.12

**MTHAYTOT<sup>1</sup>**      Len : 3    TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 365 .....	708	0.08
-9 = Data not collected for this year.....	446170	49.96
981 = NEVER USED METHAMPHETAMINE Logically assigned .....	1769	0.20
991 = NEVER USED METHAMPHETAMINE .....	424932	47.59
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.58
994 = DON'T KNOW .....	11	0.00
997 = REFUSED .....	100	0.01
998 = BLANK (NO ANSWER).....	436	0.05
999 = LEGITIMATE SKIP.....	13695	1.53

**MTAFQFLG**      Len : 2    TRIMMED MTHAYTOT IF R USED < 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	446170	49.96
1 = Trimmed to be consistent with mo/yr of 1st use .....	72	0.01
98 = BLANK (NO ANSWER).....	446730	50.03

SPECIAL DRUGS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine?

MTABSTWY<sup>1</sup> Len : 2 EASIEST WAY TO TELL US # DAYS USED METH

	Freq	Pct
-9 = Data not collected for this year.....	446170	49.96
1 = Prefer to answer in days per week.....	134	0.02
2 = Prefer to answer in days per month.....	169	0.02
3 = Prefer to answer in days per year.....	400	0.04
11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	7	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.20
91 = NEVER USED METHAMPHETAMINE.....	424932	47.59
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.58
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	97	0.01
98 = BLANK (NO ANSWER).....	436	0.05
99 = LEGITIMATE SKIP.....	13695	1.53

On how many days in the past 12 months did you use Methamphetamine?

MTADYPYR<sup>1</sup> Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365.....	405	0.05
-9 = Data not collected for this year.....	446170	49.96
981 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.20
989 = LEGITIMATE SKIP Logically assigned.....	3	0.00
991 = NEVER USED METHAMPHETAMINE.....	424932	47.59
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.58
994 = DON'T KNOW.....	9	0.00
997 = REFUSED.....	99	0.01
998 = BLANK (NO ANSWER).....	438	0.05
999 = LEGITIMATE SKIP.....	13996	1.57

On average, how many days each month during the past 12 months did you use Methamphetamine?

MTADYPMO<sup>1</sup> Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	169	0.02
-9 = Data not collected for this year.....	446170	49.96
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.20
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED METHAMPHETAMINE.....	424932	47.59
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.58
94 = DON'T KNOW.....	10	0.00
97 = REFUSED.....	99	0.01
98 = BLANK (NO ANSWER).....	438	0.05
99 = LEGITIMATE SKIP.....	14232	1.59

On average, how many days each week during the past 12 months did you use Methamphetamine?

MTADYPWK<sup>1</sup> Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	134	0.02
-9 = Data not collected for this year.....	446170	49.96
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	1769	0.20
91 = NEVER USED METHAMPHETAMINE.....	424932	47.59
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	5151	0.58
94 = DON'T KNOW.....	12	0.00
97 = REFUSED.....	99	0.01
98 = BLANK (NO ANSWER).....	436	0.05
99 = LEGITIMATE SKIP.....	14269	1.60

SPECIAL DRUGS

NOTE: OSTNEEDL and OSTNLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject (any other stimulant / a stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

**OSTNEEDL<sup>1</sup>**      Len : 2    EVER USED NEEDLE TO INJECT (OTHER) STIMULANT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1662	0.19
2 = No.....	38009	4.26
3 = Yes LOGICALLY ASSIGNED.....	68	0.01
81 = NEVER USED STIMULANTS Log assn.....	165	0.02
85 = BAD DATA Logically assigned.....	13	0.00
89 = LEGITIMATE SKIP Logically assigned.....	48	0.01
91 = NEVER USED STIMULANTS.....	667057	74.70
94 = DON'T KNOW.....	20	0.00
97 = REFUSED.....	53	0.01
98 = BLANK (NO ANSWER).....	1584	0.18
99 = LEGITIMATE SKIP.....	13974	1.56

How long has it been since you last used a needle to inject (any other stimulant / any stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

**OSTNLREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED NEEDLE TO INJECT (OTH) STIM

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Within the past 30 days.....	152	0.02
2 = More than 30 days ago but within the past 12 mos .....	222	0.02
3 = More than 12 months ago .....	1278	0.14
9 = At some point in the lifetime LOG ASSN.....	43	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	35	0.00
81 = NEVER USED STIMULANTS Logically assigned.....	165	0.02
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED STIMULANTS.....	667057	74.70
93 = USED STIM/OTHR STIMULANT BUT NEVER WITH A NEEDLE.....	38008	4.26
97 = REFUSED.....	53	0.01
98 = BLANK (NO ANSWER).....	1615	0.18
99 = LEGITIMATE SKIP.....	14019	1.57

Adderall is a prescription stimulant that comes in tablet or capsule form. Adderall tablets and capsules are shown below. Have you ever, even once, used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused?

**ADDERALL<sup>1</sup>**      Len : 2    EVER USED ADDERALL THAT WAS NOT PRESCRIBED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	26362	2.95
2 = No.....	475006	53.19
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	345	0.04
97 = REFUSED.....	85	0.01
98 = BLANK (NO ANSWER).....	38	0.00

Ambien is a prescription sedative or sleeping pill that comes in tablet form. Ambien tablets are shown below. Have you ever, even once, used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused?

**AMBIEN<sup>1</sup>**      Len : 2    EVER USED AMBIEN THAT WAS NOT PRESCRIBED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	11842	1.33
2 = No.....	489522	54.82
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	363	0.04
97 = REFUSED.....	70	0.01
98 = BLANK (NO ANSWER).....	38	0.00

SPECIAL DRUGS

Earlier, the computer asked you questions about your use of hallucinogens. These drugs often cause people to see or experience things that are not real. The next questions are about hallucinogens you were not specifically asked about earlier.

Have you ever, even once, used Ketamine, also called "Special K" or "Super K"?

**KETAMINE<sup>1</sup>**      Len : 2    EVER USED KETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	5590	0.63
2 = No.....	495462	55.48
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	677	0.08
97 = REFUSED .....	68	0.01
98 = BLANK (NO ANSWER) .....	39	0.00

Have you ever, even once, used any of the following: DMT, also called dimethyltryptamine, AMT, also called alpha-methyltryptamine, or Foxy, also called 5-MeO-DIPT?

**TRYPTMN<sup>1</sup>**      Len : 2    EVER USED DMT, AMT, FOXY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	3448	0.39
2 = No.....	497460	55.71
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	811	0.09
97 = REFUSED .....	78	0.01
98 = BLANK (NO ANSWER) .....	39	0.00

Have you ever, even once, used Salvia divinorum?

**SALVDIV<sup>1</sup>**      Len : 2    EVER USED SALVIA DIVINORUM

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	15135	1.69
2 = No.....	485572	54.38
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	1011	0.11
97 = REFUSED .....	79	0.01
98 = BLANK (NO ANSWER) .....	39	0.00

Earlier, the computer recorded that you have used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Adderall in either of these ways?

**ADDEREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED ADDERALL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Within the past 30 days.....	3334	0.37
2 = More than 30 days ago but within the past 12 mos .....	7877	0.88
3 = More than 12 months ago .....	15084	1.69
8 = Used at some point in the past 12 mos LOG ASSN .....	2	0.00
9 = At some point in the lifetime LOG ASSN.....	65	0.01
91 = NEVER USED ADDERALL .....	475006	53.19
97 = REFUSED .....	85	0.01
98 = BLANK (NO ANSWER) .....	384	0.04

Earlier the computer recorded that you have used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Ambien in either of these ways?

**AMBIREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED AMBIEN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Within the past 30 days.....	1027	0.12
2 = More than 30 days ago but within the past 12 mos .....	3180	0.36
3 = More than 12 months ago .....	7573	0.85
8 = Used at some point in the past 12 mos LOG ASSN .....	1	0.00
9 = At some point in the lifetime LOG ASSN.....	62	0.01
91 = NEVER USED AMBIEN .....	489522	54.82
97 = REFUSED .....	70	0.01
98 = BLANK (NO ANSWER) .....	402	0.05



SPECIAL DRUGS

Earlier, the computer recorded that you have used Ketamine. How long has it been since you last used Ketamine?

**KETAREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED KETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Within the past 30 days.....	190	0.02
2 = More than 30 days ago but within the past 12 mos .....	628	0.07
3 = More than 12 months ago .....	4729	0.53
9 = Used at some point in the lifetime LOG ASSN.....	43	0.00
91 = NEVER USED KETAMINE .....	495462	55.48
97 = REFUSED .....	68	0.01
98 = BLANK (NO ANSWER) .....	717	0.08

Earlier, the computer recorded that you have used DMT, AMT, or Foxy. How long has it been since you last used any of these drugs?

**TRYPREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED DMT/AMT/FOXY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Within the past 30 days.....	198	0.02
2 = More than 30 days ago but within the past 12 mos .....	764	0.09
3 = More than 12 months ago .....	2467	0.28
9 = Used at some point in the lifetime LOG ASSN.....	19	0.00
91 = NEVER USED DMT/AMT/FOXY .....	497460	55.71
97 = REFUSED .....	78	0.01
98 = BLANK (NO ANSWER) .....	851	0.10

Earlier, the computer recorded that you have used Salvia divinorum. How long has it been since you last used Salvia divinorum?

**SALVREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED SALVIA DIVINORUM

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Within the past 30 days.....	655	0.07
2 = More than 30 days ago but within the past 12 mos .....	3206	0.36
3 = More than 12 months ago .....	11244	1.26
9 = Used at some point in the lifetime LOG ASSN.....	30	0.00
91 = NEVER USED SALVIA DIVINORUM .....	485572	54.38
97 = REFUSED .....	79	0.01
98 = BLANK (NO ANSWER) .....	1051	0.12

The last questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

**COLDMEDS<sup>1</sup>**      Len : 2    TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Yes.....	28122	3.15
2 = No.....	643362	72.05
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	435	0.05
97 = REFUSED .....	183	0.02
98 = BLANK (NO ANSWER) .....	53	0.01

How long has it been since you last took one of these cough or cold medicines to get high?

**COLDREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED COUGH/COLD MED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Within the past 30 days.....	2187	0.24
2 = More than 30 days ago but within the past 12 mos .....	5716	0.64
3 = More than 12 months ago .....	19670	2.20
9 = At some point in the lifetime LOG ASSN.....	548	0.06
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED COUGH/COLD MED .....	643362	72.05
97 = REFUSED .....	183	0.02
98 = BLANK (NO ANSWER) .....	489	0.05

SPECIAL DRUGS

COLDYR1<sup>1</sup>

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	<b>Freq</b>	<b>Pct</b>
-9.0 = Data not collected for this year.....	220816	24.73
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	24	0.00
123.0 = Unisom <OTC>.....	2	0.00
127.0 = Nytol, no other information <OTC>.....	2	0.00
130.0 = Phenergan, Promethazine.....	140	0.02
136.0 = Dimetapp, no other information <OTC>.....	11	0.00
148.0 = Actifed <OTC>.....	1	0.00
171.0 = NyQuil, no other information <OTC>.....	1820	0.20
171.1 = NyQuil cold medicine; no other information <OTC>.....	3	0.00
171.2 = NyQuil D <OTC>.....	1	0.00
171.3 = NyQuil Cold and Flu <OTC>.....	3	0.00
171.4 = NyQuil with Mountain Dew.....	1	0.00
171.5 = ZzzQuil <OTC>.....	16	0.00
171.6 = NyQuil Cough <OTC>.....	1	0.00
174.0 = Ambien, Zolpidem.....	3	0.00
178.0 = Quetiapine, Seroquel.....	3	0.00
180.0 = Tylenol P.M. <OTC>.....	59	0.01
181.0 = Excedrin P.M. <OTC>.....	2	0.00
185.0 = Tylenol Simply Sleep <OTC>.....	1	0.00
209.0 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
246.0 = Klonopin, Clonazepam, Rivotril.....	1	0.00
285.0 = Risperdal, Risperdol, Risperidone.....	1	0.00
301.0 = Dexedrine.....	1	0.00
320.0 = Dextroamphetamine.....	1	0.00
332.0 = Ephedrine.....	1	0.00
335.0 = Dexatrim <OTC>.....	1	0.00
353.0 = No-Doz <OTC>.....	1	0.00
364.0 = Pseudoephedrine <OTC>.....	5	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	12	0.00
415.0 = Codeine.....	289	0.03
422.0 = Motrin, no other information <OTC>.....	15	0.00
422.1 = Children's Motrin <OTC>.....	1	0.00
425.0 = Advil, no other information <OTC>.....	107	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	21	0.00
432.0 = Rufen.....	1	0.00
434.0 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	8	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>.....	341	0.04
436.0 = Bufferin <OTC>.....	1	0.00
438.0 = Anaprox, Naprosyn, Naproxen, Naxen.....	2	0.00
442.0 = Ibuprofen.....	34	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	11	0.00
466.0 = Midol <OTC>.....	3	0.00
468.0 = Excedrin; no other information <OTC>.....	9	0.00
477.0 = Melumbrina, Neo-Melumbrina.....	2	0.00
480.0 = Robitussin AC with Codeine (Schedule V).....	3	0.00
499.0 = Aleve <OTC>.....	6	0.00
501.0 = Gasoline or lighter fluids.....	1	0.00
505.0 = Lacquer thinner or other paint solvents.....	1	0.00
511.0 = Markers, felt-tip pens, ink pens.....	1	0.00
616.0 = DET, Dimethyltryptamine, DMT.....	2	0.00
801.0 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
803.0 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
807.0 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
815.0 = Coffee <OTC>.....	1	0.00
821.0 = Amoxicillin, Ampicillin.....	9	0.00
828.0 = Tetracycline.....	1	0.00
829.0 = Robitussin, no other information <OTC>.....	794	0.09
829.1 = Robitussin DM <OTC>.....	23	0.00
829.2 = Robitussin Maximum Strength <OTC>.....	5	0.00
829.3 = Robotussin Cough and Cold <OTC>.....	1	0.00
829.4 = Robitussin PM <OTC>.....	3	0.00
829.5 = Robotussin Cough, no other information <OTC>.....	7	0.00
829.6 = Robotussin CoughGels <OTC>.....	5	0.00
829.8 = Robitussin Long-acting Cough.....	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>.....	188	0.02
840.1 = Night cough med/syrup/drops; brand unspcfd.....	2	0.00
841.0 = Allerest, Contact <OTC>.....	3	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	60	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	6	0.00
847.0 = GHB, NSC.....	1	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	3	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	22	0.00
899.0 = Bromophen.....	1	0.00

SPECIAL DRUGS

900.0 = Not a drug	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	198	0.02
1002.0 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	8	0.00
1013.0 = Sleepinal <OTC>	1	0.00
1014.0 = Advil PM <OTC>	6	0.00
1015.0 = Motrin PM <OTC>	1	0.00
2016.0 = Tandene	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	121	0.01
3017.1 = DayQuil Cough <OTC>	1	0.00
3017.2 = DayQuil Cold & Flu <OTC>	1	0.00
3023.0 = Adderall	7	0.00
3047.0 = Sudafed, no other information <OTC>	47	0.01
3047.1 = Sudafed PE <OTC>	2	0.00
3052.0 = Speed; otherwise unspecified	1	0.00
3101.0 = Sedalmerck	1	0.00
4023.0 = Pamprin <OTC>	1	0.00
4031.0 = Cough medicine with Codeine <OTC>	23	0.00
4044.0 = Hydrocodone	62	0.01
4046.0 = Oxycodone	2	0.00
4067.0 = Oxycontin	2	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>	6	0.00
4097.0 = Tussionex	16	0.00
4100.0 = Excedrin Migraine <OTC>	2	0.00
4111.0 = Histinex; no other information	1	0.00
4111.1 = Histinex HC	1	0.00
4112.0 = Atuss	1	0.00
4113.0 = Hydrotussin	1	0.00
4113.1 = Hydro-Tussin HC	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	113	0.01
4114.1 = Promethazine VC with Codeine	4	0.00
4116.0 = Hycodan, Hydromet, Tussionex	2	0.00
4117.0 = Biogrip	1	0.00
4118.0 = Calpol	1	0.00
5171.0 = Mouthwash	1	0.00
6029.0 = DXM <OTC>	41	0.00
6042.0 = Super K	1	0.00
6043.0 = Diviner's sage, salvia divinorum	2	0.00
6048.0 = Dex	3	0.00
6066.0 = Purple rain	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	189	0.02
6115.0 = Foxy	1	0.00
6127.0 = Skittles <OTC>	5	0.00
8004.0 = Guaifenesin	2	0.00
8006.0 = Laxative <OTC>	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	8	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	14	0.00
8011.0 = Herb, flower, plant; type unspecified <OTC>	3	0.00
8012.0 = Coriciden, no other information <OTC>	312	0.03
8012.1 = Coricidin Cough and Cold <OTC>	124	0.01
8012.3 = Coricidin HBP Cold & Flu <OTC>	1	0.00
8012.4 = Coricidin HBP Cough & Cold <OTC>	2	0.00
8014.0 = Throat spray; type unspecified <OTC>	3	0.00
8019.0 = Azithromycin, Z-pack, Zithromax	1	0.00
8020.0 = Allegra, Altiva	4	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	5	0.00
8025.1 = Alavert D, Claritin D <OTC>	7	0.00
8027.0 = Loratadine, including house brands <OTC>	1	0.00
8030.0 = Tums <OTC>	2	0.00
8038.0 = Coldact	4	0.00
8042.0 = Alka Seltzer, no other information <OTC>	9	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	5	0.00
8042.3 = Alka-Seltzer Plus Flu <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information	3	0.00
8042.6 = Alka-Seltzer Plus Cold and Flu <OTC>	1	0.00
8052.0 = Bacrim, Septra	1	0.00
8056.0 = Vicks, no other information <OTC>	45	0.01
8056.1 = Vicks 44 <OTC>	15	0.00
8056.2 = Vicks VapoRub <OTC>	3	0.00
8056.4 = Vicks throat spray <OTC>	1	0.00
8056.5 = Vicks cough medication, no other info <OTC>	5	0.00
8056.6 = Vicks 44D <OTC>	4	0.00
8056.7 = Vicks Formula 44 Custom Care Dry Cough	4	0.00
8058.0 = Cough medicine/syrup; type unspecified	1	0.00
8064.0 = Triaminic, no other information <OTC>	3	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	40	0.00

SPECIAL DRUGS

8070.0 = Advil Cold and Sinus <OTC>	7	0.00
8076.0 = Winstrol	1	0.00
8091.0 = Benzedrex <OTC>	2	0.00
8094.0 = Pepto Bismol <OTC>	6	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	165	0.02
8123.0 = Tylenol Sinus medication, no other info <OTC>	2	0.00
8125.0 = Comtrex <OTC>	1	0.00
8138.0 = Chlorphenamine maleate, Chlorpheniramine <OTC>	1	0.00
8146.0 = Tabcin <OTC>	2	0.00
8147.0 = Tylenol Flu medication, no other info <OTC>	2	0.00
8169.0 = TheraFlu <OTC>	58	0.01
8169.1 = Theraflu Warming <OTC>	1	0.00
8172.0 = Cortisone	1	0.00
8192.0 = Delsym <OTC>	122	0.01
8194.0 = Afrin <OTC>	2	0.00
8200.0 = Tylenol Cold and Flu medication, no othr info <OTC>	16	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	15	0.00
8201.1 = Tylenol Cough and Sore Throat Nighttime <OTC>	1	0.00
8201.2 = Tylenol Cough and Cold medication; no other info	2	0.00
8202.0 = Tussin, no other information	49	0.01
8202.2 = Wal-Tussin, no other information <OTC>	6	0.00
8202.3 = Tussin with hydrocodone	1	0.00
8202.5 = Co-Tussin	1	0.00
8202.6 = Tussin DM, no other information <OTC>	7	0.00
8202.7 = Q-Tussin CF <OTC>	1	0.00
8202.8 = Tussin with codeine; no other information	2	0.00
8202.9 = HC Tussin, no other information	1	0.00
8203.0 = Sinus medication, no other information <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>	2	0.00
8205.0 = Mucinex, no other information <OTC>	69	0.01
8205.1 = Mucinex DM <OTC>	12	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8208.0 = Robo, robo tripping	7	0.00
8209.0 = Ricola <OTC>	1	0.00
8210.0 = Chloraseptic medication, no other info <OTC>	2	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>	16	0.00
8212.0 = Zicam medication, no other information <OTC>	4	0.00
8212.2 = Zicam Cough Max <OTC>	2	0.00
8213.0 = Bromaxefed/Bromfed, no other information	1	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>	6	0.00
8215.0 = CVS Cough & Cold <OTC>	2	0.00
8217.0 = Broncolin <OTC>	8	0.00
8221.0 = D'Cold; otherwise unspecified <OTC>	1	0.00
8222.0 = Dexalone <OTC>	2	0.00
8223.0 = Afrinex <OTC>	1	0.00
8225.0 = Tylenol Cold Multi-symptom; no other info	1	0.00
8227.0 = Bronkaid	3	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	44	0.00
8231.0 = Mar-Cof	1	0.00
8232.1 = CareOne Tussin Maximum Strength	1	0.00
8233.0 = Galcodine	1	0.00
8234.0 = Pancof	1	0.00
8235.0 = Aleve Sinus and Cold <OTC>	1	0.00
8236.0 = Sucrets; no other information <OTC>	1	0.00
8238.0 = Cheratussin <OTC>	6	0.00
8240.0 = Lagundi	1	0.00
8241.0 = Wal-Tussin Cough Softgels <OTC>	1	0.00
8242.0 = Metamucil <OTC>	1	0.00
8245.0 = Advair	1	0.00
8248.0 = Bromhexin	1	0.00
8249.0 = XL-3	5	0.00
8250.0 = Coldarin <OTC>	2	0.00
8251.0 = DMC, Dimethocaine, Larocaine	1	0.00
8253.0 = Tamiflu	1	0.00
8254.0 = Flanax; no other information <OTC>	3	0.00
8256.0 = Dexomine	1	0.00
8257.0 = Histiacil NF	1	0.00
8258.0 = Tukul <OTC>	7	0.00
8259.0 = Viro-Grip	1	0.00
8260.0 = Tylenol Allergy; no other information <OTC>	1	0.00
8261.0 = Rompe Pecho <OTC>	1	0.00
8264.0 = Nurofen	1	0.00
8265.0 = Codral	1	0.00
8266.0 = Tobacco; type or form unspecified	1	0.00
8267.0 = Hyland's Defend; otherwise unspecified <OTC>	1	0.00

SPECIAL DRUGS

8268.0 = Broncomax.....	1	0.00
8269.0 = Prednisolone .....	1	0.00
8272.0 = Banlangen Keli <OTC> .....	1	0.00
8273.0 = Q-Tussin <OTC>.....	1	0.00
8274.0 = Terpin hydrate.....	1	0.00
8275.0 = Vaseline <OTC>.....	1	0.00
8276.0 = 5-Hour Energy <OTC>.....	1	0.00
8278.0 = Coristina.....	1	0.00
8279.0 = Decongestant; contents unspfd <OTC>.....	1	0.00
8280.0 = Dextrose <OTC>.....	1	0.00
8282.0 = Chestal.....	1	0.00
9985.0 = BAD DATA Logically assigned .....	583	0.07
9991.0 = NEVER USED COUGH/COLD MED .....	643362	72.05
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS .....	19670	2.20
9994.0 = DON'T KNOW .....	680	0.08
9997.0 = REFUSED .....	466	0.05
9998.0 = BLANK (NO ANSWER).....	1045	0.12

SPECIAL DRUGS

COLDYR2<sup>1</sup>

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	24.73
101.0 = Butisol.....	1	0.00
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	7	0.00
130.0 = Phenergan, Promethazine.....	28	0.00
136.0 = Dimetapp, no other information <OTC>.....	5	0.00
171.0 = NyQuil, no other information <OTC>.....	280	0.03
171.5 = ZzzQuil <OTC>.....	5	0.00
171.6 = NyQuil Cough <OTC>.....	1	0.00
174.0 = Ambien, Zolpidem.....	1	0.00
176.0 = Melatonin <OTC>.....	1	0.00
178.0 = Quetiapine, Seroquel.....	4	0.00
180.0 = Tylenol P.M. <OTC>.....	26	0.00
185.0 = Tylenol Simply Sleep <OTC>.....	1	0.00
209.0 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
332.0 = Ephedrine.....	1	0.00
335.0 = Dexatrim <OTC>.....	1	0.00
364.0 = Pseudoephedrine <OTC>.....	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	3	0.00
415.0 = Codeine.....	55	0.01
417.0 = Morphine, Roxanol.....	1	0.00
422.0 = Motrin, no other information <OTC>.....	12	0.00
425.0 = Advil, no other information <OTC>.....	44	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	5	0.00
434.0 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>.....	87	0.01
435.1 = Tylenol Arthritis Pain <OTC>.....	1	0.00
435.2 = Tylenol Meltaways <OTC>.....	1	0.00
442.0 = Ibuprofen.....	17	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>.....	2	0.00
466.0 = Midol <OTC>.....	1	0.00
468.0 = Excedrin; no other information <OTC>.....	4	0.00
477.0 = Melumbrina, Neo-Melumbrina.....	1	0.00
480.0 = Robitussin AC with Codeine (Schedule V).....	1	0.00
499.0 = Aleve <OTC>.....	8	0.00
658.0 = Special K, Ketamine.....	1	0.00
807.0 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820.0 = Penicillin.....	1	0.00
821.0 = Amoxicillin, Ampicillin.....	3	0.00
828.0 = Tetracycline.....	1	0.00
829.0 = Robitussin, no other information <OTC>.....	220	0.02
829.1 = Robitussin DM <OTC>.....	3	0.00
829.3 = Robotussin Cough and Cold <OTC>.....	1	0.00
829.4 = Robitussin PM <OTC>.....	2	0.00
829.5 = Robotussin Cough, no other information <OTC>.....	1	0.00
829.6 = Robotussin CoughGels <OTC>.....	1	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC>.....	55	0.01
840.1 = Night cough med/syrup/drops; brand unspcfd.....	4	0.00
841.0 = Allerest, Contact <OTC>.....	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	67	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	3	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	2	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	3	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	74	0.01
1002.0 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	3	0.00
1014.0 = Advil PM <OTC>.....	3	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	63	0.01
3017.1 = DayQuil Cough <OTC>.....	1	0.00
3047.0 = Sudafed, no other information <OTC>.....	15	0.00
3047.1 = Sudafed PE <OTC>.....	2	0.00
3101.0 = Sedalmerck.....	1	0.00
4031.0 = Cough medicine with Codeine <OTC>.....	5	0.00
4044.0 = Hydrocodone.....	10	0.00
4046.0 = Oxycodone.....	1	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>.....	3	0.00
4077.0 = Tee's.....	1	0.00
4097.0 = Tussionex.....	1	0.00
4113.0 = Hydrotussin.....	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	20	0.00
4116.0 = Hycodan, Hydromet, Tussionex.....	2	0.00
5061.0 = Lip balm, lip gloss.....	1	0.00
6029.0 = DXM <OTC>.....	12	0.00
6048.0 = Dex.....	1	0.00

SPECIAL DRUGS

6083.0 = CCC, "Triple C," C3 <OTC>	29	0.00
6127.0 = Skittles <OTC>	2	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	5	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	4	0.00
8010.1 = Zyrtec-D	1	0.00
8012.0 = Coriciden, no other information <OTC>	41	0.00
8012.1 = Coricidin Cough and Cold <OTC>	17	0.00
8013.0 = Maalox <OTC>	1	0.00
8020.0 = Allegra, Altiva	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	4	0.00
8038.0 = Coldact	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>	1	0.00
8042.2 = Alka-Seltzer Plus Night-Time Cold <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information	1	0.00
8051.1 = Sinex Severe nasal spray <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	19	0.00
8056.1 = Vicks 44 <OTC>	8	0.00
8056.7 = Vicks Formula 44 Custom Care Dry Cough	1	0.00
8058.0 = Cough medicine/syrup; type unspecified	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	11	0.00
8065.1 = Tylenol Cold Relief Nighttime <OTC>	1	0.00
8070.0 = Advil Cold and Sinus <OTC>	1	0.00
8091.0 = Benzedrex <OTC>	1	0.00
8094.0 = Pepto Bismol <OTC>	1	0.00
8098.0 = Potassium chloride	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	51	0.01
8123.0 = Tylenol Sinus medication, no other info <OTC>	8	0.00
8123.1 = Tylenol Congestion medication, no other info <OTC>	1	0.00
8125.0 = Comtrex <OTC>	2	0.00
8146.0 = Tabcin <OTC>	1	0.00
8169.0 = TheraFlu <OTC>	17	0.00
8169.1 = Theraflu Warming <OTC>	1	0.00
8192.0 = Delsym <OTC>	32	0.00
8200.0 = Tylenol Cold and Flu medication, no other info <OTC>	1	0.00
8201.0 = Tylenol Cough medication, no other info <OTC>	5	0.00
8202.0 = Tussin, no other information	16	0.00
8202.1 = Hy-vee brand Tussin <OTC>	1	0.00
8202.2 = Wal-Tussin, no other information <OTC>	2	0.00
8202.4 = CVS Tussin, no other information <OTC>	1	0.00
8202.6 = Tussin DM, no other information <OTC>	2	0.00
8203.0 = Sinus medication, no other information <OTC>	3	0.00
8204.0 = Flu medication, no other information <OTC>	8	0.00
8205.0 = Mucinex, no other information <OTC>	23	0.00
8205.1 = Mucinex DM <OTC>	5	0.00
8205.2 = Mucinex expectorant, extended-release <OTC>	1	0.00
8205.3 = Mucinex DM Maximum Strength <OTC>	1	0.00
8206.0 = Advil Allergy Sinus <OTC>	1	0.00
8206.1 = Advil Allergy, no other information <OTC>	1	0.00
8207.0 = Vita-Grip <OTC>	1	0.00
8208.0 = Robo, robo tripping	3	0.00
8209.0 = Ricola <OTC>	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>	3	0.00
8212.0 = Zicam medication, no other information <OTC>	3	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>	3	0.00
8216.0 = Advil Cold, no other information <OTC>	2	0.00
8217.0 = Broncolin <OTC>	4	0.00
8221.0 = D'Cold; otherwise unspecified <OTC>	2	0.00
8222.0 = Dexalone <OTC>	1	0.00
8225.0 = Tylenol Cold Multi-symptom; no other info	1	0.00
8227.0 = Bronkaid	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	19	0.00
8229.0 = Tri-Vent; no other information	1	0.00
8231.0 = Mar-Cof	1	0.00
8234.0 = Pancof	1	0.00
8237.0 = 666 Cold Preparation <OTC>	1	0.00
8239.0 = Dilotab <OTC>	1	0.00
8241.1 = Wal-Tussin Cough and Cold <OTC>	1	0.00
8243.0 = Prescription Tussin; no other information	1	0.00
8244.0 = Wal-Flu <OTC>	2	0.00
8247.0 = Olynth	1	0.00
8249.0 = XL-3	1	0.00
8252.0 = Walgreens Cold and Flu; no other information <OTC>	1	0.00
8253.0 = Tamiflu	1	0.00
8255.0 = Dallery <OTC>	1	0.00
8258.0 = Tukol <OTC>	4	0.00

SPECIAL DRUGS

8263.0 = Bio Electro Day <OTC> .....	1	0.00
8270.0 = Flovent .....	1	0.00
8271.0 = Benzonatate.....	1	0.00
8276.0 = 5-Hour Energy <OTC> .....	1	0.00
8279.0 = Decongestant; contents unspfd <OTC>.....	1	0.00
9985.0 = BAD DATA Logically assigned .....	175	0.02
9991.0 = NEVER USED COUGH/COLD MED .....	643362	72.05
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS .....	19670	2.20
9994.0 = DON'T KNOW .....	113	0.01
9997.0 = REFUSED .....	217	0.02
9998.0 = BLANK (NO ANSWER).....	7013	0.79



SPECIAL DRUGS

COLDYR3<sup>1</sup>

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	<b>Freq</b>	<b>Pct</b>
-9.0 = Data not collected for this year.....	220816	24.73
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	2	0.00
130.0 = Phenergan, Promethazine.....	10	0.00
171.0 = NyQuil, no other information <OTC> .....	55	0.01
171.5 = ZzzQuil <OTC>.....	2	0.00
176.0 = Melatonin <OTC>.....	1	0.00
180.0 = Tylenol P.M. <OTC>.....	2	0.00
364.0 = Pseudoephedrine <OTC>.....	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.00
415.0 = Codeine.....	19	0.00
425.0 = Advil, no other information <OTC> .....	11	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	5	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC> .....	25	0.00
435.2 = Tylenol Meltaways <OTC> .....	1	0.00
442.0 = Ibuprofen .....	6	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC> .....	4	0.00
466.0 = Midol <OTC>.....	2	0.00
468.0 = Excedrin; no other information <OTC>.....	2	0.00
499.0 = Aleve <OTC> .....	5	0.00
605.0 = PCP ("angel dust," phencyclidine).....	1	0.00
807.0 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.00
820.0 = Penicillin.....	1	0.00
828.0 = Tetracycline .....	1	0.00
829.0 = Robitussin, no other information <OTC> .....	34	0.00
829.3 = Robotussin Cough and Cold <OTC> .....	1	0.00
829.6 = Robotussin CoughGels <OTC> .....	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC> .....	16	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC> .....	15	0.00
900.0 = Not a drug .....	2	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	12	0.00
3017.0 = Dayquil medication, no other information <OTC> .....	16	0.00
3047.0 = Sudafed, no other information <OTC> .....	6	0.00
3101.0 = Sedalmerck .....	1	0.00
4067.0 = Oxycontin .....	1	0.00
4077.0 = Tee's.....	1	0.00
4097.0 = Tussionex.....	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine .....	3	0.00
6029.0 = DXM <OTC>.....	3	0.00
6083.0 = CCC, "Triple C," C3 <OTC> .....	7	0.00
8010.0 = Zyrtec, Cetirizine <OTC>.....	3	0.00
8012.0 = Coriciden, no other information <OTC>.....	13	0.00
8012.1 = Coricidin Cough and Cold <OTC> .....	4	0.00
8012.3 = Coricidin HBP Cold & Flu <OTC> .....	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	1	0.00
8038.0 = Coldact.....	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	2	0.00
8042.5 = Alka-Seltzer Plus Sinus <OTC> .....	1	0.00
8050.0 = Tavist, no other information <OTC> .....	1	0.00
8056.0 = Vicks, no other information <OTC> .....	3	0.00
8056.1 = Vicks 44 <OTC>.....	2	0.00
8056.2 = Vicks VapoRub <OTC>.....	1	0.00
8056.5 = Vicks cough medication, no other info <OTC> .....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC> .....	5	0.00
8069.0 = Decadron, Dexameth, Dexamethasone.....	1	0.00
8070.0 = Advil Cold and Sinus <OTC>.....	1	0.00
8094.0 = Pepto Bismol <OTC> .....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	18	0.00
8123.0 = Tylenol Sinus medication, no other info <OTC> .....	2	0.00
8169.0 = TheraFlu <OTC> .....	5	0.00
8192.0 = Delsym <OTC> .....	13	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC> .....	1	0.00
8202.0 = Tussin, no other information .....	4	0.00
8203.0 = Sinus medication, no other information <OTC>.....	2	0.00
8204.0 = Flu medication, no other information <OTC>.....	4	0.00
8205.0 = Mucinex, no other information <OTC> .....	6	0.00
8205.1 = Mucinex DM <OTC> .....	2	0.00
8205.3 = Mucinex DM Maximum Strength <OTC>.....	1	0.00
8208.0 = Robo, robo tripping.....	2	0.00
8212.0 = Zicam medication, no other information <OTC>.....	1	0.00
8214.0 = Tylenol Nighttime, no other information <OTC>.....	1	0.00
8216.0 = Advil Cold, no other information <OTC>.....	1	0.00
8217.0 = Broncolin <OTC>.....	1	0.00

SPECIAL DRUGS

8220.0 = Cola soft drinks.....	1	0.00
8226.0 = Hydro-DP.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	3	0.00
8238.0 = Cheratussin <OTC>.....	1	0.00
8246.0 = Orofar.....	1	0.00
8258.0 = Tukul <OTC>.....	2	0.00
8262.0 = St. Joseph Cough and Cold <OTC>.....	1	0.00
8279.0 = Decongestant; contents unspfd <OTC>.....	2	0.00
8281.0 = Honey.....	1	0.00
9985.0 = BAD DATA Logically assigned.....	85	0.01
9991.0 = NEVER USED COUGH/COLD MED.....	643362	72.05
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS.....	19670	2.20
9994.0 = DON'T KNOW.....	23	0.00
9997.0 = REFUSED.....	197	0.02
9998.0 = BLANK (NO ANSWER).....	8421	0.94

SPECIAL DRUGS

COLDYR4<sup>1</sup>

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
-9.0 = Data not collected for this year.....	220816	24.73
130.0 = Phenergan, Promethazine.....	1	0.00
171.0 = NyQuil, no other information <OTC> .....	11	0.00
171.5 = ZzzQuil <OTC>.....	1	0.00
180.0 = Tylenol P.M. <OTC>.....	1	0.00
301.0 = Dexedrine.....	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
415.0 = Codeine.....	3	0.00
425.0 = Advil, no other information <OTC> .....	4	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC> .....	7	0.00
442.0 = Ibuprofen .....	2	0.00
468.0 = Excedrin; no other information <OTC>.....	1	0.00
499.0 = Aleve <OTC> .....	1	0.00
821.0 = Amoxicillin, Ampicillin.....	1	0.00
829.0 = Robitussin, no other information <OTC> .....	7	0.00
829.1 = Robitussin DM <OTC>.....	1	0.00
829.6 = Robotussin CoughGels <OTC> .....	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC> .....	7	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	4	0.00
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	1	0.00
900.0 = Not a drug.....	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	6	0.00
3017.0 = Dayquil medication, no other information <OTC> .....	5	0.00
3023.0 = Adderall .....	1	0.00
3047.0 = Sudafed, no other information <OTC> .....	1	0.00
3060.0 = Hydroxykut <OTC>.....	1	0.00
4044.0 = Hydrocodone.....	1	0.00
4046.0 = Oxycodone.....	1	0.00
6029.0 = DXM <OTC>.....	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>.....	4	0.00
8012.0 = Coriciden, no other information <OTC>.....	4	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	1	0.00
8050.0 = Tavist, no other information <OTC> .....	1	0.00
8056.0 = Vicks, no other information <OTC> .....	2	0.00
8056.2 = Vicks VapoRub <OTC>.....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC> .....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	9	0.00
8169.0 = TheraFlu <OTC> .....	4	0.00
8192.0 = Delsym <OTC> .....	1	0.00
8202.0 = Tussin, no other information.....	2	0.00
8203.0 = Sinus medication, no other information <OTC> .....	1	0.00
8204.0 = Flu medication, no other information <OTC>.....	1	0.00
8205.0 = Mucinex, no other information <OTC> .....	5	0.00
8206.0 = Advil Allergy Sinus <OTC> .....	1	0.00
8206.2 = Advil Sinus, no other information <OTC>.....	1	0.00
8210.0 = Chloraseptic medication, no other info <OTC> .....	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	2	0.00
8212.0 = Zicam medication, no other information <OTC>.....	1	0.00
8212.1 = Zicam Cough medication, no other info <OTC>.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8258.0 = Tukol <OTC> .....	1	0.00
9985.0 = BAD DATA Logically assigned .....	45	0.01
9991.0 = NEVER USED COUGH/COLD MED .....	643362	72.05
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS .....	19670	2.20
9994.0 = DON'T KNOW .....	6	0.00
9997.0 = REFUSED .....	187	0.02
9998.0 = BLANK (NO ANSWER).....	8765	0.98

SPECIAL DRUGS

COLDYR5<sup>1</sup>

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
-9.0 = Data not collected for this year .....	220816	24.73
171.0 = NyQuil, no other information <OTC> .....	6	0.00
415.0 = Codeine .....	2	0.00
425.0 = Advil, no other information <OTC> .....	1	0.00
430.0 = Aspirin, Ecotrin, Empirin <OTC> .....	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC> .....	1	0.00
499.0 = Aleve <OTC> .....	2	0.00
821.0 = Amoxicillin, Ampicillin .....	1	0.00
829.0 = Robitussin, no other information <OTC> .....	3	0.00
840.0 = Cough med, generic/unspec, contents unspc <OTC> .....	3	0.00
840.1 = Night cough med/syrup/drops; brand unspcfd.....	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC> .....	2	0.00
3017.0 = Dayquil medication, no other information <OTC> .....	3	0.00
3047.0 = Sudafed, no other information <OTC> .....	1	0.00
3047.1 = Sudafed PE <OTC> .....	1	0.00
6044.0 = Gel caps, gel tabs .....	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC> .....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC> .....	5	0.00
8192.0 = Delsym <OTC> .....	1	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC> .....	1	0.00
8202.0 = Tussin, no other information .....	3	0.00
9985.0 = BAD DATA Logically assigned .....	24	0.00
9991.0 = NEVER USED COUGH/COLD MED .....	643362	72.05
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS .....	19670	2.20
9997.0 = REFUSED .....	183	0.02
9998.0 = BLANK (NO ANSWER).....	8876	0.99

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription- type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG<sup>1</sup>

Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
-9 = Data not collected for this year .....	220816	24.73
1 = Specified use only of prescrip-type drugs, past yr.....	724	0.08
2 = Bad data or blank in COLDYR1-COLDYR5.....	379	0.04
98 = BLANK (OTHERWISE) .....	671053	75.15

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

GHB<sup>1</sup>

Len : 2 EVER USED GHB

	Freq	Pct
-9 = Data not collected for this year .....	220816	24.73
1 = Yes.....	3304	0.37
2 = No.....	667682	74.77
3 = Yes LOGICALLY ASSIGNED .....	1	0.00
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	947	0.11
97 = REFUSED .....	167	0.02
98 = BLANK (NO ANSWER) .....	54	0.01

How long has it been since you last used GHB?

GHBREC<sup>1</sup>

Len : 2 TIME SINCE LAST USED GHB

	Freq	Pct
-9 = Data not collected for this year .....	220816	24.73
1 = Within the past 30 days.....	91	0.01
2 = More than 30 days ago but within the past 12 mos .....	257	0.03
3 = More than 12 months ago .....	2935	0.33
8 = Used at some point in the past 12 mos LOG ASSN .....	1	0.00
9 = At some point in the lifetime LOG ASSN.....	21	0.00
91 = NEVER USED GHB .....	667682	74.77
97 = REFUSED .....	167	0.02
98 = BLANK (NO ANSWER) .....	1002	0.11

SPECIAL DRUGS

The next questions are about the different ways that certain drugs can be used.

Have you ever, even once, used a needle to inject cocaine?

**COCNEEDL<sup>1</sup>**      Len : 2    EVER USED NEEDLE TO INJECT COCAINE

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	5605	0.63
2 = No.....	98667	11.05
3 = Yes LOGICALLY ASSIGNED.....	69	0.01
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED COCAINE.....	788217	88.27
94 = DON'T KNOW.....	10	0.00
97 = REFUSED.....	217	0.02
98 = BLANK (NO ANSWER).....	180	0.02

How long has it been since you last used a needle to inject cocaine?

**CONDLREC<sup>1</sup>**      Len : 2    TIME SINCE LAST USED NEEDLE TO INJECT COCAINE

	<b>Freq</b>	<b>Pct</b>
1 = Within the past 30 days.....	236	0.03
2 = More than 30 days ago but within the past 12 mos.....	554	0.06
3 = More than 12 months ago.....	4799	0.54
9 = At some point in the lifetime LOG ASSN.....	54	0.01
11 = Within the past 30 days LOGICALLY ASSIGNED.....	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	30	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED COCAINE.....	788217	88.27
93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	98667	11.05
97 = REFUSED.....	217	0.02
98 = BLANK (NO ANSWER).....	196	0.02

RECODED SPECIAL DRUGS

**RECODED SPECIAL DRUGS**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables STNEEDLR, STNLRECR, and NEDLRECR were created to be consistent with data from corresponding variables prior to 2005. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR. The variables STNEDL06, STNLRC06, and NDLREC06 also took into account data from the methamphetamine variables MTHANEDL, MTANDLRC, and MTHEVCK from the SPECIAL DRUGS module. STNEDL06 was derived from STNEEDLR and MTHANEDL. STNLRC06 was derived from STNLRECR and MTANDLRC. NDLREC06 was derived from NEDLRECR and STNLRC06.

<b>STNEEDLR<sup>1</sup></b>	Len : 2 EVER USED NEEDLE TO INJECT STIMULANT - RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	4020	0.45
	2 = No.....	49905	5.59
	81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
	91 = NEVER USED STIMULANTS.....	667057	74.70
	97 = REFUSED .....	102	0.01
	98 = MISSING (BUT NOT REFUSED).....	1404	0.16

<b>STNLRECR<sup>1</sup></b>	Len : 2 MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days.....	313	0.04
	2 = More than 30 days ago but within the past 12 mos .....	502	0.06
	3 = More than 12 months ago .....	2904	0.33
	8 = At some point in the past 12 months LOG ASSN.....	9	0.00
	9 = At some point in the lifetime LOG ASSN.....	246	0.03
	13 = More than 12 months ago LOGICALLY ASSIGNED.....	46	0.01
	81 = NEVER USED STIMULANTS Logically assigned .....	165	0.02
	91 = NEVER USED STIMULANTS.....	667057	74.70
	93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	49904	5.59
	97 = REFUSED .....	102	0.01
	98 = MISSING (BUT NOT REFUSED).....	1405	0.16

<b>NEDLRECR<sup>1</sup></b>	Len : 2 MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within the past 30 days.....	724	0.08
	2 = More than 30 days ago but within the past 12 mos .....	997	0.11
	3 = More than 12 months ago .....	5806	0.65
	8 = At some point in the past 12 months LOG ASSN.....	30	0.00
	9 = At some point in the lifetime LOG ASSN.....	332	0.04
	13 = More than 12 months ago LOGICALLY ASSIGNED.....	27	0.00
	81 = NEVER USED COC/HER/STM W/NEEDLE Log assn .....	163	0.02
	91 = NEVER USED COC/HER/STM WITH A NEEDLE .....	712539	79.79
	97 = REFUSED .....	274	0.03
	98 = MISSING (BUT NOT REFUSED).....	1761	0.20

<b>STNEDL06<sup>1</sup></b>	Len : 2 EVER USE NEEDL TO INJECT STIM (INCL METH 06 DATA)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes.....	3082	0.35
	2 = No.....	35899	4.02
	81 = NEVER USED STIMULANTS Logically assigned .....	89	0.01
	91 = NEVER USED STIMULANTS.....	461719	51.71
	97 = REFUSED .....	66	0.01
	98 = MISSING (BUT NOT REFUSED).....	982	0.11

RECODED SPECIAL DRUGS

STNLRC06<sup>1</sup>

Len : 2 MOST RECENT USE STIM W/NEEDLE (INCL METH 06 DATA)

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Within the past 30 days .....	235	0.03
2 = More than 30 days ago but within the past 12 mos .....	376	0.04
3 = More than 12 months ago .....	2304	0.26
8 = At some point in the past 12 months LOG ASSN .....	14	0.00
9 = At some point in the lifetime LOG ASSN.....	122	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED.....	31	0.00
81 = NEVER USED STIMULANTS Logically assigned .....	89	0.01
91 = NEVER USED STIMULANTS (AND MTHAMP=2) .....	461719	51.71
93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	35899	4.02
97 = REFUSED .....	66	0.01
98 = MISSING (BUT NOT REFUSED).....	982	0.11

NDLREC06<sup>1</sup>

Len : 2 MOST RECENT COC/HER/STM W/NEDL (INC METH 06 DATA)

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Within the past 30 days .....	541	0.06
2 = More than 30 days ago but within the past 12 mos .....	716	0.08
3 = More than 12 months ago .....	4172	0.47
8 = At some point in the past 12 months LOG ASSN.....	24	0.00
9 = At some point in the lifetime LOG ASSN.....	185	0.02
13 = More than 12 months ago LOGICALLY ASSIGNED.....	24	0.00
81 = NEVER USED COC/HER/STM W/NEEDLE Log assn .....	90	0.01
91 = NEVER USED COC/HER/STM WITH A NEEDLE .....	494650	55.39
97 = REFUSED .....	191	0.02
98 = MISSING (BUT NOT REFUSED).....	1244	0.14

NOTE: The following eight variables indicate whether a respondent has ever used a needle to inject any drug, heroin, cocaine, stimulants, or methamphetamine.

NOTE: NEDFLG01, NEDSTM, and NEDMTH are based only on data from the methamphetamine questions in the Stimulants module of the core questionnaire. In 2005, new methamphetamine items were added to the non-core Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription Stimulants module. These were augmented in 2006 to include clarifications. The new non-core Special Drugs items were used to create CPNNDFLG, CPNNDFSTM, and CPNNDFMTH. For details, please see Appendix B.4.8 of the 2008 National Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

A respondent was defined as having used a needle to inject drugs based on the core questions, NEDFLG01, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the Stimulants module (STNEEDLR), or any other drug (OTDGNEEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

NEDFLG01

Len : 1 EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = Never Used/Unknown (Otherwise).....	713803	79.94
1 = Ever Used (Any source variable=1,3).....	8850	0.99

A respondent was defined as having used a needle to inject drugs based on the core-plus-noncore questions, CPNNDFLG, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the stimulants or special drugs module (STNEEDL06), or any other drug (OTDGNEEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

CPNNDFLG

Len : 1 CPN: EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
0 = Never Used/Unknown (Otherwise).....	495602	55.50
1 = Ever Used (Any source variable=1,3).....	6235	0.70

NEDSTM

Len : 1 EVER USED A NEEDLE TO INJECT STIMULANT

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	718633	80.48
1 = Yes (STNEEDLR=1,3).....	4020	0.45

RECODED SPECIAL DRUGS

<b>CPNNDSTM</b>	Len : 1 CPN: EVER USED A NEEDLE TO INJECT STIMULANT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No/Unknown (Otherwise).....	498755	55.85
	1 = Yes (STNEDL06=1).....	3082	0.35

<b>NEDMTH</b>	Len : 1 EVER USED A NEEDLE TO INJECT METHAMPHETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	719520	80.58
	1 = Yes (MTHNEEDL=1,3) .....	3133	0.35

The following variable, CPNNDMTH, was defined as ever using a needle to inject methamphetamine if a respondent reported methamphetamine use in the core stimulant module (MTHNEEDL in (1, 3)) or if they reported methamphetamine use in the noncore special drugs module because they did not consider methamphetamine to be a prescription drug, and they reported using a needle to inject methamphetamine (MTHANEDL in (1, 3)).

<b>CPNNDMTH</b>	Len : 1 CPN: EVER USED A NEEDLE TO INJECT METHAMPHETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No/Unknown (Otherwise).....	499299	55.91
	1 = Yes (See comment above) .....	2538	0.28

<b>ADDEFLGR</b>	Len : 1 LIFETIME NONMEDICAL USE OF ADDERALL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	475475	53.25
	1 = Yes (ADDEREC=1,2,3,8,9).....	26362	2.95

<b>ADDEYRR</b>	Len : 1 PAST YEAR NONMEDICAL USE OF ADDERALL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	490624	54.94
	1 = Yes (ADDEREC=1,2,8) .....	11213	1.26

<b>ADDEMONR</b>	Len : 1 PAST MONTH NONMEDICAL USE OF ADDERALL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	498503	55.83
	1 = Yes (ADDEREC=1) .....	3334	0.37

<b>AMBIFLGR</b>	Len : 1 LIFETIME NONMEDICAL USE OF AMBIEN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	489994	54.87
	1 = Yes (AMBIREC=1,2,3,8,9) .....	11843	1.33

<b>AMBIYRR</b>	Len : 1 PAST YEAR NONMEDICAL USE OF AMBIEN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	497629	55.73
	1 = Yes (AMBIREC=1,2,8) .....	4208	0.47

<b>AMBIMONR</b>	Len : 1 PAST MONTH NONMEDICAL USE OF AMBIEN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	500810	56.08
	1 = Yes (AMBIREC=1) .....	1027	0.12

<b>KETAFLGR</b>	Len : 1 LIFETIME USE OF KETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	496247	55.57
	1 = Yes (KETAREC=1,2,3,8,9) .....	5590	0.63



RECODED SPECIAL DRUGS

KETAYRR	Len : 1 PAST YEAR USE OF KETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	501019	56.11
	1 = Yes (KETAREC=1,2,8) .....	818	0.09
KETAMONR	Len : 1 PAST MONTH USE OF KETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	501647	56.18
	1 = Yes (KETAREC=1) .....	190	0.02
SALVFLGR	Len : 1 LIFETIME USE OF SALVIA DIVINORUM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	486702	54.50
	1 = Yes (SALVREC=1,2,3,8,9) .....	15135	1.69
SALVYRR	Len : 1 PAST YEAR USE OF SALVIA DIVINORUM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	497976	55.77
	1 = Yes (SALVREC=1,2,8) .....	3861	0.43
SALVMONR	Len : 1 PAST MONTH USE OF SALVIA DIVINORUM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	501182	56.13
	1 = Yes (SALVREC=1) .....	655	0.07
TRYPFLGR	Len : 1 LIFETIME USE OF DMT, AMT, FOXY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	498389	55.81
	1 = Yes (TRYPREC=1,2,3,8,9) .....	3448	0.39
TRYPYRR	Len : 1 PAST YEAR USE OF DMT, AMT, FOXY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	500875	56.09
	1 = Yes (TRYPREC=1,2,8) .....	962	0.11
TRYPMONR	Len : 1 PAST MONTH USE OF DMT, AMT, FOXY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	391135	43.80
	0 = No (Otherwise) .....	501639	56.18
	1 = Yes (TRYPREC=1) .....	198	0.02

RECODED SPECIAL DRUGS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

**ANYNDLREC<sup>1</sup>**    Len : 2    RC-MOST RECENT USE OF ANY DRUG WITH A NEEDLE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Within the past 30 days.....	332	0.04
2 = More than 30 days ago but within the past 12 mos .....	291	0.03
3 = More than 12 months ago .....	1848	0.21
8 = At some point in the past 12 months LOG ASSN.....	3	0.00
9 = At some point in the lifetime LOG ASSN.....	21	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
81 = NEVER USED COC/HER/STM W/NEEDLE Log assn .....	2	0.00
91 = NEVER USED COC/HER/STM WITH A NEEDLE .....	167599	18.77
97 = REFUSED .....	113	0.01
98 = MISSING (BUT NOT REFUSED).....	108	0.01

**CHMNDLREC<sup>1</sup>**    Len : 2    RC-MOST RECENT USE OF COC/HER/METH WITH A NEEDLE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Within the past 30 days.....	292	0.03
2 = More than 30 days ago but within the past 12 mos .....	264	0.03
3 = More than 12 months ago .....	1644	0.18
8 = At some point in the past 12 months LOG ASSN.....	1	0.00
9 = At some point in the lifetime LOG ASSN.....	9	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	18	0.00
91 = NEVER USED COC/HER/STM WITH A NEEDLE .....	167724	18.78
97 = REFUSED .....	54	0.01
98 = MISSING (BUT NOT REFUSED).....	313	0.04

**ANYNEEDL**    Len : 1    RC-EVER USED NEEDLE TO INJECT DRUGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
0 = No/Unknown (Otherwise).....	167822	18.79
1 = Yes (ANYNDLREC=1,2,3,8,9,13).....	2497	0.28

**NEDHER**    Len : 1    RC-EVER USED A NEEDLE TO INJECT HEROIN

	<b>Freq</b>	<b>Pct</b>
0 = No/Unknown (Otherwise).....	887291	99.36
1 = Yes (HERNEEDL=1,3) .....	5681	0.64

**NEDCOC**    Len : 1    RC-EVER USED A NEEDLE TO INJECT COCAINE

	<b>Freq</b>	<b>Pct</b>
0 = No/Unknown (Otherwise).....	887298	99.36
1 = Yes (COCNEEDL=1,3) .....	5674	0.64

**METHNEEDL2**    Len : 1    RC-EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
0 = No/Unknown (Otherwise).....	169219	18.95
1 = Yes (METHNEEDL=1,3).....	1100	0.12

**HERSMOK2**    Len : 1    RC-EVER SMOKED HEROIN

	<b>Freq</b>	<b>Pct</b>
0 = No/Unknown (Otherwise).....	888111	99.46
1 = Yes (HERSMOKE=1,3) .....	4861	0.54

**HERSNIF2**    Len : 1    RC-EVER SNIFFED HEROIN

	<b>Freq</b>	<b>Pct</b>
0 = No/Unknown (Otherwise).....	883811	98.97
1 = Yes (HERSNIFF=1,3) .....	9161	1.03

RECODED SPECIAL DRUGS

<b>COLDFLGR</b>	Len : 1 RC-LIFETIME USE OF NON-RX COUGH OR COLD MEDICINES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	220816	24.73
	0 = No (Otherwise) .....	644035	72.12
	1 = Yes (COLDREC=1,2,3,8,9).....	28121	3.15
<b>COLDYRR</b>	Len : 1 RC-PAST YEAR USE OF NON-RX COUGH OR COLD MEDICINES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	220816	24.73
	0 = No (Otherwise) .....	665356	74.51
	1 = Yes (COLDREC=1,2,8 and OTCFLAG=98).....	6800	0.76
<b>COLDMONR</b>	Len : 1 RC-PAST MONTH USE OF NON-RX COUGH OR COLD MEDICINES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	220816	24.73
	0 = No (Otherwise) .....	670315	75.07
	1 = Yes (COLDREC=1 and OTCFLAG=98).....	1841	0.21
<b>GHBFLGR</b>	Len : 1 RC-LIFETIME USE OF GHB		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	220816	24.73
	0 = No (Otherwise) .....	668851	74.90
	1 = Yes (GHBREC=1,2,3,8,9) .....	3305	0.37
<b>GHBYRR</b>	Len : 1 RC-PAST YEAR USE OF GHB		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	220816	24.73
	0 = No (Otherwise) .....	671807	75.23
	1 = Yes (GHBREC=1,2,8).....	349	0.04
<b>GHBMONR</b>	Len : 1 RC-PAST MONTH USE OF GHB		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	220816	24.73
	0 = No (Otherwise) .....	672065	75.26
	1 = Yes (GHBREC=1).....	91	0.01

SPECIALTY CIGARETTES

**SPECIALTY CIGARETTES**

The next questions are about bidis, or "beedies," which are small brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread.

Have you ever smoked part or all of a bidi?

**BIDIEVER<sup>1</sup>**      Len : 2    1EVER SMOKED A BIDI

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	783663	87.76
1 = Yes.....	8069	0.90
2 = No.....	101106	11.32
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	104	0.01
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	11	0.00

NOTE: BIDIREC was created from the two questions shown below.

Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a bidi?

How long has it been since you last smoked part or all of a bidi?

**BIDIREC<sup>1</sup>**      Len : 2    1TIME SINCE LAST SMOKED BIDI

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	783663	87.76
1 = Within the past 30 days.....	608	0.07
2 = More than 30 days ago but within the past 12 mos .....	824	0.09
3 = More than 12 months ago but within the past 3 yrs.....	2313	0.26
4 = More than 3 years ago.....	4211	0.47
9 = Used at some point in the lifetime LOG ASSN.....	15	0.00
19 = Used more than 30 days ago LOG ASSN .....	98	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED BIDIS .....	101106	11.32
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	115	0.01

During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a bidi?

**BIDI30US<sup>1</sup>**      Len : 2    1HOW MANY DAYS SMOKED BIDI PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	590	0.07
-9 = Data not collected for this year .....	783663	87.76
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED BIDIS .....	101106	11.32
93 = DID NOT USE BIDIS IN THE PAST 30 DAYS .....	7446	0.83
94 = DON'T KNOW .....	8	0.00
97 = REFUSED .....	28	0.00
98 = BLANK (NO ANSWER) .....	130	0.01

The next questions are about clove cigarettes, which are cigarettes containing tobacco and clove flavoring. Some common brands of clove cigarettes are Djarum, Gudang Garam, and Sampoerna.

Have you ever smoked part or all of a clove cigarette?

**CLOVEVER<sup>1</sup>**      Len : 2    1EVER SMOKED A CLOVE CIGARETTE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	783663	87.76
1 = Yes.....	13348	1.49
2 = No.....	95828	10.73
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	102	0.01
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	11	0.00

SPECIALTY CIGARETTES

NOTE: CLOVREC was created from the two questions shown below.

Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a clove cigarette?

How long has it been since you last smoked part or all of a clove cigarette?

**CLOVREC<sup>1</sup>**      Len : 2    1TIME SINCE LAST SMOKED CLOVE CIGARETTE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	783663	87.76
1 = Within the past 30 days.....	1350	0.15
2 = More than 30 days ago but within the past 12 mos .....	1870	0.21
3 = More than 12 months ago but within the past 3 yrs.....	3543	0.40
4 = More than 3 years ago.....	6554	0.73
9 = Used at some point in the lifetime LOG ASSN.....	9	0.00
19 = Used more than 30 days ago LOG ASSN .....	22	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED CLOVE CIGARETTES .....	95828	10.73
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	113	0.01

During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a clove cigarette?

**CLOV30US<sup>1</sup>**      Len : 2    1HOW MANY DAYS SMOKE CLOVE CIGARETTE PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	1343	0.15
-9 = Data not collected for this year.....	783663	87.76
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED CLOVE CIGARETTES .....	95828	10.73
93 = DID NOT USE CLOVE CIGARETTES IN THE PAST 30 DAYS.....	11989	1.34
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	122	0.01

RECODED SPECIALTY CIGARETTES

**RECODED SPECIALTY CIGARETTES**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<b>BIDIMONR</b>	Len : 1 BIDIS - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = No Use Pst Mon/Unk (BIDIREC=2-4,9,19,85,91,97,98).....	108701	12.17
	1 = Used in Past Month (BIDIREC=1).....	608	0.07
<b>BIDIYRR</b>	Len : 1 BIDIS - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = No Use Pst Yr/Unk (BIDIREC=3,4,9,19,85,91,97,98).....	107877	12.08
	1 = Used in Past Year (BIDIREC=1,2).....	1432	0.16
<b>BIDIFLGR</b>	Len : 1 BIDIS - LIFETIME USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = Never Used/Unknown (BIDIREC=85,91,97,98).....	101240	11.34
	1 = Ever used (BIDIREC=1,2,3,4,9,19).....	8069	0.90
<b>CLOVMONR</b>	Len : 1 CLOVES - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = No Use Pst Mon/Unk (CLOVREC=2-4,9,19,85,91,97,98).....	107959	12.09
	1 = Used in Past Month (CLOVREC=1).....	1350	0.15
<b>CLOVYRR</b>	Len : 1 CLOVES - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = No Use Pst Yr/Unk (CLOVREC=3,4,9,19,85,91,97,98).....	106089	11.88
	1 = Used in Past Year (CLOVREC=1,2).....	3220	0.36
<b>CLOVFLGR</b>	Len : 1 CLOVES - LIFETIME USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = Never Used/Unknown (CLOVREC=85,91,97,98).....	95961	10.75
	1 = Ever used (CLOVREC=1,2,3,4,9,19).....	13348	1.49
<b>SPCGMONR</b>	Len : 1 SPECIALTY CIGARETTES - PAST MONTH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = No use Pst Mon/Unknown (BIDIMONR=0 and CLOVMONR=0).....	107488	12.04
	1 = Used in Past Month (BIDIMONR=1 or CLOVMONR=1).....	1821	0.20
<b>SPCGYRR</b>	Len : 1 SPECIALTY CIGARETTES - PAST YEAR USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = No use Pst Yr/Unknown (BIDIYRR=0 and CLOVYRR=0).....	105160	11.78
	1 = Used in Past Year (BIDIYRR=1 or CLOVYRR=1).....	4149	0.46
<b>SPCGFLGR</b>	Len : 1 SPECIALTY CIGARETTES - LIFETIME USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	783663	87.76
	0 = Never Used/Unknown (BIDIFLGR=0 and CLOVFLGR=0).....	92070	10.31
	1 = Ever used (BIDIFLGR=1 or CLOVFLGR=1).....	17239	1.93

RISK/AVAILABILITY

**RISK/AVAILABILITY**

*This note applies to variables in this section marked by a<sup>1</sup>.*

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

**RSKPKCIG<sup>1</sup>**      Len : 2    RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = No risk.....	14191	1.59
2 = Slight risk.....	39788	4.46
3 = Moderate risk.....	171906	19.25
4 = Great risk.....	491919	55.09
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	4005	0.45
97 = REFUSED.....	788	0.09
98 = BLANK (NO ANSWER).....	53	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

**RSKMJOCC<sup>1</sup>**      Len : 2    RISK SMOKING MARIJUANA ONCE A MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = No risk.....	110548	12.38
2 = Slight risk.....	205312	22.99
3 = Moderate risk.....	190175	21.30
4 = Great risk.....	207330	23.22
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	8553	0.96
97 = REFUSED.....	679	0.08
98 = BLANK (NO ANSWER).....	53	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

**RSKMJREG<sup>1</sup>**      Len : 2    RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = No risk.....	74923	8.39
2 = Slight risk.....	146731	16.43
3 = Moderate risk.....	193445	21.66
4 = Great risk.....	298617	33.44
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	8215	0.92
97 = REFUSED.....	665	0.07
98 = BLANK (NO ANSWER).....	54	0.01

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

**RKTRYLSD<sup>1</sup>**      Len : 2    RISK TRYING LSD ONCE OR TWICE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = No risk.....	18261	2.04
2 = Slight risk.....	88917	9.96
3 = Moderate risk.....	157369	17.62
4 = Great risk.....	436044	48.83
85 = BAD DATA Logically assigned.....	3	0.00
94 = DON'T KNOW.....	21069	2.36
97 = REFUSED.....	934	0.10
98 = BLANK (NO ANSWER).....	56	0.01

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

<b>RKLSDREG<sup>1</sup></b>	Len : 2 RISK USING LSD ONCE OR TWICE A WEEK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = No risk .....	7806	0.87
	2 = Slight risk .....	22458	2.51
	3 = Moderate risk .....	95835	10.73
	4 = Great risk .....	575144	64.41
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	20422	2.29
	97 = REFUSED .....	929	0.10
	98 = BLANK (NO ANSWER) .....	56	0.01

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

<b>RKTRYHER<sup>1</sup></b>	Len : 2 RISK TRYING HEROIN ONCE OR TWICE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = No risk .....	10254	1.15
	2 = Slight risk .....	53737	6.02
	3 = Moderate risk .....	119207	13.35
	4 = Great risk .....	526938	59.01
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	11670	1.31
	97 = REFUSED .....	787	0.09
	98 = BLANK (NO ANSWER) .....	57	0.01

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

<b>RKHERREG<sup>1</sup></b>	Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = No risk .....	6273	0.70
	2 = Slight risk .....	11810	1.32
	3 = Moderate risk .....	52296	5.86
	4 = Great risk .....	640534	71.73
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	10936	1.22
	97 = REFUSED .....	744	0.08
	98 = BLANK (NO ANSWER) .....	57	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

<b>RKCOCOCC<sup>1</sup></b>	Len : 2 RISK USING COCAINE ONCE A MONTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = No risk .....	14006	1.57
	2 = Slight risk .....	79462	8.90
	3 = Moderate risk .....	173504	19.43
	4 = Great risk .....	444640	49.79
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	10312	1.15
	97 = REFUSED .....	668	0.07
	98 = BLANK (NO ANSWER) .....	58	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

<b>RKCOCREG<sup>1</sup></b>	Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = No risk .....	6700	0.75
	2 = Slight risk .....	18898	2.12
	3 = Moderate risk .....	81217	9.10
	4 = Great risk .....	605580	67.82
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	9520	1.07
	97 = REFUSED .....	677	0.08
	98 = BLANK (NO ANSWER) .....	58	0.01



RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

**RK5ALDLY<sup>1</sup>**      Len : 2    RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = No risk .....	9937	1.11
2 = Slight risk .....	57772	6.47
3 = Moderate risk .....	187157	20.96
4 = Great risk .....	462782	51.82
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	4330	0.48
97 = REFUSED .....	614	0.07
98 = BLANK (NO ANSWER) .....	58	0.01

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

**RK5ALWK<sup>1</sup>**      Len : 2    RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = No risk .....	26538	2.97
2 = Slight risk .....	145196	16.26
3 = Moderate risk .....	272464	30.51
4 = Great risk .....	273042	30.58
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	4802	0.54
97 = REFUSED .....	550	0.06
98 = BLANK (NO ANSWER) .....	58	0.01

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

**RKSDIFMJ<sup>1</sup>**      Len : 2    HOW DIFFICULT TO GET MARIJUANA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Probably impossible .....	99192	11.11
2 = Very difficult .....	74570	8.35
3 = Fairly difficult .....	91070	10.20
4 = Fairly easy .....	202080	22.63
5 = Very easy .....	234762	26.29
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	18671	2.09
97 = REFUSED .....	2241	0.25
98 = BLANK (NO ANSWER) .....	64	0.01

How difficult or easy would it be for you to get some LSD, if you wanted some?

**RKDIFLSD<sup>1</sup>**      Len : 2    HOW DIFFICULT TO GET LSD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Probably impossible .....	245086	27.45
2 = Very difficult .....	165839	18.57
3 = Fairly difficult .....	151967	17.02
4 = Fairly easy .....	85895	9.62
5 = Very easy .....	31638	3.54
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	39927	4.47
97 = REFUSED .....	2233	0.25
98 = BLANK (NO ANSWER) .....	65	0.01

RISK/AVAILABILITY

How difficult or easy would it be for you to get some cocaine, if you wanted some?

<b>RKDIFCOC<sup>1</sup></b>	Len : 2 HOW DIFFICULT TO GET COCAINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Probably impossible.....	203510	22.79
	2 = Very difficult .....	149535	16.75
	3 = Fairly difficult.....	135360	15.16
	4 = Fairly easy .....	126534	14.17
	5 = Very easy .....	74181	8.31
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	31342	3.51
	97 = REFUSED .....	2122	0.24
	98 = BLANK (NO ANSWER) .....	66	0.01

How difficult or easy would it be for you to get some 'crack', if you wanted some?

<b>RKDIFCRK<sup>1</sup></b>	Len : 2 HOW DIFFICULT TO GET "CRACK"		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Probably impossible.....	224278	25.12
	2 = Very difficult .....	157957	17.69
	3 = Fairly difficult.....	126073	14.12
	4 = Fairly easy .....	106250	11.90
	5 = Very easy .....	72966	8.17
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	32957	3.69
	97 = REFUSED .....	2103	0.24
	98 = BLANK (NO ANSWER) .....	66	0.01

How difficult or easy would it be for you to get some heroin, if you wanted some?

<b>RKDIFHER<sup>1</sup></b>	Len : 2 HOW DIFFICULT TO GET HEROIN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Probably impossible.....	274544	30.74
	2 = Very difficult .....	177273	19.85
	3 = Fairly difficult.....	120504	13.49
	4 = Fairly easy .....	70885	7.94
	5 = Very easy .....	41645	4.66
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	35664	3.99
	97 = REFUSED .....	2069	0.23
	98 = BLANK (NO ANSWER) .....	66	0.01

In the past 30 days, has anyone approached you to sell you an illegal drug?

<b>RSKSELL<sup>1</sup></b>	Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	90350	10.12
	2 = No.....	631257	70.69
	85 = BAD DATA Logically assigned .....	17	0.00
	94 = DON'T KNOW .....	590	0.07
	97 = REFUSED .....	373	0.04
	98 = BLANK (NO ANSWER) .....	66	0.01

RISK/AVAILABILITY

How often do you get a real kick out of doing things that are a little dangerous?

**RKFDNGR<sup>1</sup>**      Len : 2    GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Never .....	283223	31.72
2 = Seldom.....	225913	25.30
3 = Sometimes .....	175336	19.64
4 = Always.....	32822	3.68
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	4041	0.45
97 = REFUSED .....	1249	0.14
98 = BLANK (NO ANSWER) .....	66	0.01

How often do you like to test yourself by doing something a little risky?

**RKFQRSKY<sup>1</sup>**      Len : 2    LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Never .....	281880	31.57
2 = Seldom.....	261560	29.29
3 = Sometimes .....	152299	17.06
4 = Always.....	23882	2.67
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	2175	0.24
97 = REFUSED .....	787	0.09
98 = BLANK (NO ANSWER) .....	67	0.01

NOTE: The variables in this section are considered to be comparable between 2015 and later years but are not comparable with variables in the 2014 NSDUH or prior years

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

**RSKCIGPKD<sup>1</sup>**      Len : 2    RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = No risk .....	5508	0.62
2 = Slight risk.....	9406	1.05
3 = Moderate risk.....	36810	4.12
4 = Great risk .....	117138	13.12
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	1219	0.14
97 = REFUSED .....	219	0.02
98 = BLANK (NO ANSWER) .....	17	0.00

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

**RSKMRJMON<sup>1</sup>**      Len : 2    RISK SMOKING MARIJUANA ONCE A MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = No risk .....	44632	5.00
2 = Slight risk.....	48882	5.47
3 = Moderate risk.....	35570	3.98
4 = Great risk .....	38739	4.34
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	2228	0.25
97 = REFUSED .....	249	0.03
98 = BLANK (NO ANSWER) .....	17	0.00

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

<b>RSKMRJWK<sup>1</sup></b>	Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = No risk .....	36535	4.09
	2 = Slight risk .....	42166	4.72
	3 = Moderate risk .....	38644	4.33
	4 = Great risk .....	50437	5.65
	85 = BAD DATA Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	2290	0.26
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	17	0.00

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

<b>RSKLSDTRY<sup>1</sup></b>	Len : 2 RISK TRYING LSD ONCE OR TWICE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = No risk .....	6352	0.71
	2 = Slight risk .....	21088	2.36
	3 = Moderate risk .....	34875	3.91
	4 = Great risk .....	102759	11.51
	85 = BAD DATA Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	4924	0.55
	97 = REFUSED .....	302	0.03
	98 = BLANK (NO ANSWER) .....	17	0.00

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

<b>RSKLSDWK<sup>1</sup></b>	Len : 2 RISK USING LSD ONCE OR TWICE A WEEK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = No risk .....	3003	0.34
	2 = Slight risk .....	6916	0.77
	3 = Moderate risk .....	24692	2.77
	4 = Great risk .....	130456	14.61
	85 = BAD DATA Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	4932	0.55
	97 = REFUSED .....	301	0.03
	98 = BLANK (NO ANSWER) .....	17	0.00

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

<b>RSKHERTRY<sup>1</sup></b>	Len : 2 RISK TRYING HEROIN ONCE OR TWICE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = No risk .....	2650	0.30
	2 = Slight risk .....	8174	0.92
	3 = Moderate risk .....	20548	2.30
	4 = Great risk .....	135840	15.21
	85 = BAD DATA Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	2849	0.32
	97 = REFUSED .....	238	0.03
	98 = BLANK (NO ANSWER) .....	18	0.00

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

<b>RSKHERWK<sup>1</sup></b>	Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = No risk .....	2060	0.23
	2 = Slight risk .....	2134	0.24
	3 = Moderate risk .....	9114	1.02
	4 = Great risk .....	154035	17.25
	85 = BAD DATA Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	2724	0.31
	97 = REFUSED .....	232	0.03
	98 = BLANK (NO ANSWER) .....	18	0.00

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

RSKCOCMON<sup>1</sup> Len : 2 RISK USING COCAINE ONCE A MONTH

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = No risk .....	3877	0.43
2 = Slight risk .....	16294	1.82
3 = Moderate risk .....	34801	3.90
4 = Great risk .....	112388	12.59
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	2719	0.30
97 = REFUSED .....	220	0.02
98 = BLANK (NO ANSWER) .....	18	0.00

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

RSKCOCWK<sup>1</sup> Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = No risk .....	2226	0.25
2 = Slight risk .....	4560	0.51
3 = Moderate risk .....	18272	2.05
4 = Great risk .....	142427	15.95
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	2596	0.29
97 = REFUSED .....	218	0.02
98 = BLANK (NO ANSWER) .....	18	0.00

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

RSKBNGDLY<sup>1</sup> Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = No risk .....	2716	0.30
2 = Slight risk .....	13022	1.46
3 = Moderate risk .....	42593	4.77
4 = Great risk .....	110390	12.36
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	1386	0.16
97 = REFUSED .....	192	0.02
98 = BLANK (NO ANSWER) .....	18	0.00

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

RSKBNGWK<sup>1</sup> Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = No risk .....	6041	0.68
2 = Slight risk .....	31441	3.52
3 = Moderate risk .....	60235	6.75
4 = Great risk .....	70929	7.94
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	1466	0.16
97 = REFUSED .....	187	0.02
98 = BLANK (NO ANSWER) .....	18	0.00

RISK/AVAILABILITY

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

DIFGETMRJ<sup>1</sup>      Len : 2    HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Probably impossible.....	25357	2.84
2 = Very difficult.....	17458	1.96
3 = Fairly difficult.....	20878	2.34
4 = Fairly easy.....	46421	5.20
5 = Very easy.....	54876	6.15
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	4542	0.51
97 = REFUSED.....	765	0.09
98 = BLANK (NO ANSWER).....	20	0.00

How difficult or easy would it be for you to get some LSD, if you wanted some?

DIFGETLSD<sup>1</sup>      Len : 2    HOW DIFFICULT TO GET LSD

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Probably impossible.....	66070	7.40
2 = Very difficult.....	40033	4.48
3 = Fairly difficult.....	31597	3.54
4 = Fairly easy.....	16507	1.85
5 = Very easy.....	6556	0.73
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	8775	0.98
97 = REFUSED.....	759	0.08
98 = BLANK (NO ANSWER).....	20	0.00

How difficult or easy would it be for you to get some cocaine, if you wanted some?

DIFGETCOC<sup>1</sup>      Len : 2    HOW DIFFICULT TO GET COCAINE

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Probably impossible.....	59455	6.66
2 = Very difficult.....	37961	4.25
3 = Fairly difficult.....	29456	3.30
4 = Fairly easy.....	23285	2.61
5 = Very easy.....	11994	1.34
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	7390	0.83
97 = REFUSED.....	756	0.08
98 = BLANK (NO ANSWER).....	20	0.00

How difficult or easy would it be for you to get some 'crack', if you wanted some?

DIFGETCRK<sup>1</sup>      Len : 2    HOW DIFFICULT TO GET "CRACK"

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Probably impossible.....	66921	7.49
2 = Very difficult.....	40240	4.51
3 = Fairly difficult.....	25873	2.90
4 = Fairly easy.....	17876	2.00
5 = Very easy.....	10770	1.21
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	7861	0.88
97 = REFUSED.....	756	0.08
98 = BLANK (NO ANSWER).....	20	0.00

RISK/AVAILABILITY

How difficult or easy would it be for you to get some heroin, if you wanted some?

**DIFGETHER<sup>1</sup>**      Len : 2    HOW DIFFICULT TO GET HEROIN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Probably impossible.....	72183	8.08
2 = Very difficult .....	39985	4.48
3 = Fairly difficult.....	23653	2.65
4 = Fairly easy .....	15652	1.75
5 = Very easy.....	10130	1.13
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	7936	0.89
97 = REFUSED .....	758	0.08
98 = BLANK (NO ANSWER) .....	20	0.00

In the past 30 days, has anyone approached you to sell you an illegal drug?

**APPDRGMON<sup>1</sup>**      Len : 2    APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	14444	1.62
2 = No .....	155534	17.42
85 = BAD DATA Logically assigned .....	16	0.00
94 = DON'T KNOW .....	153	0.02
97 = REFUSED .....	152	0.02
98 = BLANK (NO ANSWER) .....	20	0.00

How often do you get a real kick out of doing things that are a little dangerous?

**RSKYFQDGR<sup>1</sup>**      Len : 2    GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Never .....	77766	8.71
2 = Seldom.....	50142	5.62
3 = Sometimes .....	34047	3.81
4 = Always.....	6253	0.70
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	1603	0.18
97 = REFUSED .....	486	0.05
98 = BLANK (NO ANSWER) .....	20	0.00

How often do you like to test yourself by doing something a little risky?

**RSKYFQTES<sup>1</sup>**      Len : 2    LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Never .....	78259	8.76
2 = Seldom.....	57596	6.45
3 = Sometimes .....	28991	3.25
4 = Always.....	4351	0.49
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	758	0.08
97 = REFUSED .....	342	0.04
98 = BLANK (NO ANSWER) .....	20	0.00

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

**RKFQBLT<sup>1</sup>**      Len : 2    WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR

	<b>Freq</b>	<b>Pct</b>
1 = Never .....	30874	3.46
2 = Seldom.....	46447	5.20
3 = Sometimes .....	124824	13.98
4 = Always.....	689798	77.25
85 = BAD DATA Logically assigned .....	5	0.00
94 = DON'T KNOW .....	523	0.06
97 = REFUSED .....	414	0.05
98 = BLANK (NO ANSWER) .....	87	0.01

RISK/AVAILABILITY

How often do you wear a seatbelt when you drive a car?

RKFQDBLT<sup>1</sup>

Len : 2 WEAR A SEATBELT WHEN YOU DRIVE A CAR

	<b>Freq</b>	<b>Pct</b>
1 = Never .....	26314	2.95
2 = Seldom.....	28896	3.24
3 = Sometimes .....	66318	7.43
4 = Always.....	563583	63.11
5 = I don't drive.....	206314	23.10
85 = BAD DATA Logically assigned .....	5	0.00
94 = DON'T KNOW .....	823	0.09
97 = REFUSED .....	631	0.07
98 = BLANK (NO ANSWER) .....	88	0.01



RECODED RISK/AVAILABILITY

**RECODED RISK/AVAILABILITY**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: The risk and availability data were revisited using the 2016 NSDUH data to determine comparability stemming from a questionnaire redesign that occurred in the 2015 NSDUH. The variables in this section are considered to be comparable between 2015 and future years but not comparable to the 2014 NSDUH or prior years.

<b>GRSKCIGPKD</b>	Len : 1 RC-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
	. = Unknown (Otherwise).....	1457	0.16
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKCIGPKD=1,2,3).....	51724	5.79
	1 = Great Risk (RSKCIGPKD=4).....	117138	13.12
<b>GRSKMRJMON</b>	Len : 1 RC-GREAT RISK: USE MARIJUANA ONCE A MONTH		
	. = Unknown (Otherwise).....	2496	0.28
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKMRJMON=1,2,3).....	129084	14.46
	1 = Great Risk (RSKMRJMON=4).....	38739	4.34
<b>GRSKMRJWK</b>	Len : 1 RC-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	2537	0.28
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKMRJWK=1,2,3).....	117345	13.14
	1 = Great Risk (RSKMRJWK=4).....	50437	5.65
<b>GRSKCOCMON</b>	Len : 1 RC-GREAT RISK: USE COCAINE ONCE A MONTH		
	. = Unknown (Otherwise).....	2959	0.33
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKCOCMON=1,2,3).....	54972	6.16
	1 = Great Risk (RSKCOCMON=4).....	112388	12.59
<b>GRSKCOCWK</b>	Len : 1 RC-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	2834	0.32
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKCOCWK=1,2,3).....	25058	2.81
	1 = Great Risk (RSKCOCWK=4).....	142427	15.95
<b>GRSKHERTRY</b>	Len : 1 RC-GREAT RISK: TRYING HEROIN ONCE OR TWICE		
	. = Unknown (Otherwise).....	3107	0.35
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKHERTRY=1,2,3).....	31372	3.51
	1 = Great Risk (RSKHERTRY=4).....	135840	15.21
<b>GRSKHERWK</b>	Len : 1 RC-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	2976	0.33
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKHERWK=1,2,3).....	13308	1.49
	1 = Great Risk (RSKHERWK=4).....	154035	17.25
<b>GRSKLSDTRY</b>	Len : 1 RC-GREAT RISK: TRYING LSD ONCE OR TWICE		
	. = Unknown (Otherwise).....	5245	0.59
	-9 = Data not collected for this year.....	722653	80.93
	0 = Otherwise (RSKLSDTRY=1,2,3).....	62315	6.98
	1 = Great Risk (RSKLSDTRY=4).....	102759	11.51

RECODED RISK/AVAILABILITY

<b>GRSKLSDWK</b>	Len : 1 RC-GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	5252	0.59
	0 = Otherwise (RSKLSDWK=1,2,3).....	722653	80.93
	1 = Great Risk (RSKLSDWK=4).....	34611	3.88
		130456	14.61
<b>GRSKBNGDLY</b>	Len : 1 RC-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	1598	0.18
	0 = Otherwise (RSKBNGDLY=1,2,3).....	722653	80.93
	1 = Great Risk (RSKBNGDLY=4).....	58331	6.53
		110390	12.36
<b>GRSKBNGWK</b>	Len : 1 RC-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	1673	0.19
	0 = Otherwise (RSKBNGWK=1,2,3).....	722653	80.93
	1 = Great Risk (RSKBNGWK=4).....	97717	10.94
		70929	7.94
<b>DIFOBTMRJ</b>	Len : 1 RC-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	5329	0.60
	0 = Otherwise (DIFGETMRJ=1,2,3).....	722653	80.93
	1 = Fairly or Very Easy (DIFGETMRJ=4,5).....	63693	7.13
		101297	11.34
<b>DIFOBTCOC</b>	Len : 1 RC-COCAINE FAIRLY OR VERY EASY TO OBTAIN		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	8168	0.91
	0 = Otherwise (DIFGETCOC=1,2,3).....	722653	80.93
	1 = Fairly or Very Easy (DIFGETCOC=4,5).....	126872	14.21
		35279	3.95
<b>DIFOBTCRK</b>	Len : 1 RC-CRACK FAIRLY OR VERY EASY TO OBTAIN		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	8639	0.97
	0 = Otherwise (DIFGETCRK=1,2,3).....	722653	80.93
	1 = Fairly or Very Easy (DIFGETCRK=4,5).....	133034	14.90
		28646	3.21
<b>DIFOBTHER</b>	Len : 1 RC-HEROIN FAIRLY OR VERY EASY TO OBTAIN		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	8716	0.98
	0 = Otherwise (DIFGETHER=1,2,3).....	722653	80.93
	1 = Fairly or Very Easy (DIFGETHER=4,5).....	135821	15.21
		25782	2.89
<b>DIFOBTLSD</b>	Len : 1 RC-LSD FAIRLY OR VERY EASY TO OBTAIN		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	9556	1.07
	0 = Otherwise (DIFGETLSD=1,2,3).....	722653	80.93
	1 = Fairly or Very Easy (DIFGETLSD=4,5).....	137700	15.42
		23063	2.58
<b>APPDRGMON2</b>	Len : 1 RC-APPROACHED BY SOMEONE SELLING DRUGS		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	341	0.04
	0 = No (APPDRGMON=2).....	722653	80.93
	1 = Yes (APPDRGMON=1,3).....	155534	17.42
		14444	1.62

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<b>GRSKPKCG</b>	Len : 1 GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	4849	0.54
	0 = Otherwise (RSKPKCIG=1,2,3).....	170319	19.07
	1 = Great Risk (RSKPKCIG=4).....	225885	25.30
		491919	55.09

<b>GRSKMOCC</b>	Len : 1 GREAT RISK: USE MARIJUANA ONCE A MONTH		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	9288	1.04
	0 = Otherwise (RSKMJOCC=1,2,3).....	170319	19.07
	1 = Great Risk (RSKMJOCC=4).....	506035	56.67
		207330	23.22

<b>GRSKMREG</b>	Len : 1 GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	8937	1.00
	0 = Otherwise (RSKMJREG=1,2,3).....	170319	19.07
	1 = Great Risk (RSKMJREG=4).....	415099	46.49
		298617	33.44

<b>GRSKCOCC</b>	Len : 1 GREAT RISK: USE COCAINE ONCE A MONTH		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	11041	1.24
	0 = Otherwise (RKCOCOCC=1,2,3).....	170319	19.07
	1 = Great Risk (RKCOCOCC=4).....	266972	29.90
		444640	49.79

<b>GRSKCREG</b>	Len : 1 GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	10258	1.15
	0 = Otherwise (RKCOCREG=1,2,3).....	170319	19.07
	1 = Great Risk (RKCOCREG=4).....	106815	11.96
		605580	67.82

<b>GRSKHTRY</b>	Len : 1 GREAT RISK: TRYING HEROIN ONCE OR TWICE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12517	1.40
	0 = Otherwise (RKTRYHER=1,2,3).....	170319	19.07
	1 = Great Risk (RKTRYHER=4).....	183198	20.52
		526938	59.01

<b>GRSKHREG</b>	Len : 1 GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	11740	1.31
	0 = Otherwise (RKHERREG=1,2,3).....	170319	19.07
	1 = Great Risk (RKHERREG=4).....	70379	7.88
		640534	71.73

<b>GRSKLTRY</b>	Len : 1 GREAT RISK: TRYING LSD ONCE OR TWICE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	22062	2.47
	0 = Otherwise (RKTRYLSD=1,2,3).....	170319	19.07
	1 = Great Risk (RKTRYLSD=4).....	264547	29.63
		436044	48.83

<b>GRSKLREG</b>	Len : 1 GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	21410	2.40
	0 = Otherwise (RKLSDREG=1,2,3).....	170319	19.07
	1 = Great Risk (RKLSDREG=4).....	126099	14.12
		575144	64.41

RECODED RISK/AVAILABILITY

GRSKD4_5	Len : 1 GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	5005	0.56
	-9 = Data not collected for this year.....	170319	19.07
	0 = Otherwise (RK5ALDLY=1,2,3).....	254866	28.54
1 = Great Risk (RK5ALDLY=4).....	462782	51.82	
GRSKD5WK	Len : 1 GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	5413	0.61
	-9 = Data not collected for this year.....	170319	19.07
	0 = Otherwise (RK5ALWK=1,2,3).....	444198	49.74
1 = Great Risk (RK5ALWK=4).....	273042	30.58	
RDIFMJ	Len : 1 MARIJUANA FAIRLY OR VERY EASY TO OBTAIN		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	20979	2.35
	-9 = Data not collected for this year.....	170319	19.07
	0 = Otherwise (RSKDIFMJ=1,2,3).....	264832	29.66
1 = Fairly or Very Easy (RSKDIFMJ=4,5).....	436842	48.92	
RDIFCOC	Len : 1 COCAINE FAIRLY OR VERY EASY TO OBTAIN		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	33533	3.76
	-9 = Data not collected for this year.....	170319	19.07
	0 = Otherwise (RKDIFCOC=1,2,3).....	488405	54.69
1 = Fairly or Very Easy (RKDIFCOC=4,5).....	200715	22.48	
RDIFCRK	Len : 1 CRACK FAIRLY OR VERY EASY TO OBTAIN		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	35129	3.93
	-9 = Data not collected for this year.....	170319	19.07
	0 = Otherwise (RKDIFCRK=1,2,3).....	508308	56.92
1 = Fairly or Very Easy (RKDIFCRK=4,5).....	179216	20.07	
RDIFHER	Len : 1 HEROIN FAIRLY OR VERY EASY TO OBTAIN		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	37802	4.23
	-9 = Data not collected for this year.....	170319	19.07
	0 = Otherwise (RKDIFHER=1,2,3).....	572321	64.09
1 = Fairly or Very Easy (RKDIFHER=4,5).....	112530	12.60	
RDIFLSD	Len : 1 LSD FAIRLY OR VERY EASY TO OBTAIN		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	42228	4.73
	-9 = Data not collected for this year.....	170319	19.07
	0 = Otherwise (RKDIFLSD=1,2,3).....	562892	63.04
1 = Fairly or Very Easy (RKDIFLSD=4,5).....	117533	13.16	
APPSELDG	Len : 1 APPROACHED BY SOMEONE SELLING DRUGS		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	1046	0.12
	-9 = Data not collected for this year.....	170319	19.07
	0 = No (RSKSELL=2).....	631257	70.69
1 = Yes (RSKSELL=1,3).....	90350	10.12	

BLUNTS

**BLUNTS**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a cigar with marijuana in it?

<b>BLNTEVER<sup>1</sup></b>	Len : 2	EVER SMOKED CIGAR WITH MARIJUANA IN IT		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	169835	19.02
		2 = No.....	607928	68.08
		4 = No LOGICALLY ASSIGNED .....	273	0.03
		11 = Yes (see note) .....	4424	0.50
		85 = BAD DATA Logically assigned .....	6	0.00
		94 = DON'T KNOW .....	559	0.06
		97 = REFUSED .....	557	0.06
		98 = BLANK (NO ANSWER) .....	81	0.01

How old were you the first time you smoked part or all of a cigar with marijuana in it?

<b>BLNTAGE<sup>1</sup></b>	Len : 3	AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 76.....	160960	18.03
		-9 = Data not collected for this year.....	164911	18.47
		981 = NEVER USED BLUNTS Logically assigned.....	244	0.03
		985 = BAD DATA Logically assigned .....	58	0.01
		991 = NEVER USED BLUNTS .....	563701	63.13
		994 = DON'T KNOW .....	1560	0.17
		997 = REFUSED .....	927	0.10
		998 = BLANK (NO ANSWER).....	611	0.07

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

<b>BLNTYFU<sup>1</sup></b>	Len : 4	YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 2003 - 2017 .....	23070	2.58
		-9 = Data not collected for this year.....	164911	18.47
		9981 = NEVER USED BLUNTS Logically assigned.....	244	0.03
		9985 = BAD DATA Logically assigned .....	486	0.05
		9989 = LEGITIMATE SKIP Logically assigned .....	835	0.09
		9991 = NEVER USED BLUNTS .....	563701	63.13
		9994 = DON'T KNOW .....	1676	0.19
		9997 = REFUSED .....	951	0.11
		9998 = BLANK (NO ANSWER).....	671	0.08
		9999 = LEGITIMATE SKIP.....	136427	15.28

BLUNTS

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

BLNTMFU<sup>1</sup>      Len : 2    MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	164911	18.47
1 = January.....	2002	0.22
2 = February.....	1461	0.16
3 = March.....	1653	0.19
4 = April.....	1768	0.20
5 = May.....	1548	0.17
6 = June.....	2654	0.30
7 = July.....	2381	0.27
8 = August.....	1760	0.20
9 = September.....	1543	0.17
10 = October.....	1759	0.20
11 = November.....	1545	0.17
12 = December.....	1382	0.15
81 = NEVER USED BLUNTS Logically assigned.....	244	0.03
85 = BAD DATA Logically assigned.....	486	0.05
89 = LEGITIMATE SKIP Logically assigned.....	835	0.09
91 = NEVER USED BLUNTS.....	563701	63.13
94 = DON'T KNOW.....	3096	0.35
97 = REFUSED.....	1005	0.11
98 = BLANK (NO ANSWER).....	811	0.09
99 = LEGITIMATE SKIP.....	136427	15.28

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

BLNTREC<sup>1</sup>      Len : 2    TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
1 = Within the past 30 days.....	41976	4.70
2 = More than 30 days ago but within the past 12 mos.....	37551	4.21
3 = More than 12 months ago.....	89821	10.06
9 = Used at some point in lifetime LOG ASSN.....	1149	0.13
12 = More than 30 dys ago but in pst 12 mos (see note).....	2402	0.27
19 = More than 30 days ago LOGICALLY ASSIGNED.....	1355	0.15
81 = NEVER USED BLUNTS Logically assigned.....	273	0.03
85 = BAD DATA Logically assigned.....	10	0.00
91 = NEVER USED BLUNTS.....	607928	68.08
97 = REFUSED.....	557	0.06
98 = BLANK (NO ANSWER).....	641	0.07

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

BLRECFL2<sup>1</sup>      Len : 2    INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA

	Freq	Pct
-9 = Data not collected for this year.....	164911	18.47
1 = Incidence data suggest more recent use.....	2011	0.23
98 = BLANK (NO ANSWER).....	726050	81.31

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

BLNT30DY<sup>1</sup>      Len : 2    # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	41384	4.63
-9 = Data not collected for this year.....	109309	12.24
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED BLUNTS.....	608201	68.11
93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS.....	131129	14.68
94 = DON'T KNOW.....	372	0.04
97 = REFUSED.....	648	0.07
98 = BLANK (NO ANSWER).....	1927	0.22

BLUNTS

The answer to the last question and an earlier question disagree. Which is correct?

<b>BLNT30C1<sup>1</sup></b>	Len : 2 BL02/MJ01 DISAGREE, WHICH IS CORRECT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = I have never used marijuana or hashish.....	273	0.03
	2 = I smoked cigar w/mj in it during the past 30 days.....	513	0.06
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	1216	0.14
	99 = LEGITIMATE SKIP .....	781652	87.53

The answer to the last question and an earlier question disagree. Which answer is correct?

<b>BLNT30C2<sup>1</sup></b>	Len : 2 BL02 AND MJ RECENCY DISAGREE, WHICH IS CORRECT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = I last used marijuana or hashish [MJREC FILL].....	1431	0.16
	2 = I smoked cigar w/mj in it during the past 30 days.....	1504	0.17
	85 = BAD DATA Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	5	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2142	0.24
	99 = LEGITIMATE SKIP .....	778576	87.19

Why did you report earlier that you had never used marijuana or hashish?

<b>RSNOMRJ<sup>1</sup></b>	Len : 2 WHY REPORT EARLIER THAT NEVER USED MJ OR HASHISH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = I didn't consider a "blunt" to be mj or hashish.....	173	0.02
	2 = I made mistake answering earlier question about mj.....	289	0.03
	3 = Some other reason.....	44	0.00
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	9	0.00
	98 = BLANK (NO ANSWER) .....	1221	0.14
	99 = LEGITIMATE SKIP .....	781925	87.56

Why did you report earlier that you did not use marijuana or hashish during the past 30 days?

<b>RSNMRJMO<sup>1</sup></b>	Len : 2 WHY REPRT EARLIER NOT USE MJ OR HASH PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = I didn't consider a "blunt" to be mj or hashish.....	272	0.03
	2 = I made mistake answering earlier question about mj.....	1106	0.12
	3 = Some other reason.....	110	0.01
	94 = DON'T KNOW .....	8	0.00
	97 = REFUSED .....	11	0.00
	98 = BLANK (NO ANSWER) .....	2149	0.24
	99 = LEGITIMATE SKIP .....	780007	87.35

BLUNTS

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

BLNTNOMJ<sup>1</sup>      Len : 2    SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	7553	0.85
2 = No.....	6006	0.67
3 = Yes LOGICALLY ASSIGNED.....	15	0.00
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	35536	3.98
14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY.....	13659	1.53
24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS.....	14564	1.63
91 = NEVER USED CIGARS/BLUNTS.....	477139	53.43
93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS.....	225203	25.22
94 = DON'T KNOW.....	6	0.00
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	3979	0.45

NOTE: Past year marijuana users could answer MEDMJYR and MEDMJALL as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use. For more information, please see the appendix titled "Medical Marijuana Variables".

Earlier, you reported using marijuana in the past year. Was any of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

MEDMJYR<sup>1</sup>      Len : 2    ANY MJ USE RECMDED BY DR IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	612222	68.56
1 = Yes.....	3886	0.44
2 = No.....	48090	5.39
83 = DID NOT USE MJ OR BLUNT IN THE PST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED MARIJUANA OR BLUNTS.....	160943	18.02
93 = DID NOT USE MJ OR BLUNTS PST 12 MOS.....	66309	7.43
94 = DON'T KNOW.....	29	0.00
97 = REFUSED.....	112	0.01
98 = BLANK (NO ANSWER).....	1376	0.15

Was all of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

MEDMJALL<sup>1</sup>      Len : 2    ALL MJ USE RECMDED BY DR IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	612222	68.56
1 = Yes.....	2163	0.24
2 = No.....	1712	0.19
83 = DID NOT USE MJ OR BLUNT IN THE PST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	4	0.00
91 = NEVER USED MARIJUANA OR BLUNTS.....	160943	18.02
93 = DID NOT USE MJ OR BLUNTS PST 12 MOS.....	66309	7.43
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	115	0.01
98 = BLANK (NO ANSWER).....	1408	0.16
99 = LEGITIMATE SKIP.....	48090	5.39



BLUNTS

NOTE: MEDMJST2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons was in effect at the time of the interview. The entire sample was classified into two categories. MEDMJST2 was coded as 1 if the respondent was in a State where a law allowing the use of marijuana for medical reasons was in effect on or before the interview date. MEDMJST2 was coded as 2 if (a) the respondent was in a State that did not have a law allowing the use of marijuana for medical reasons at any time during the survey year; or (b) the respondent was in a State where a law allowing the use of marijuana for medical reasons went into effect during the survey year but after the interview date.

<b>MEDMJST2<sup>1</sup></b>	Len : 1 STATE MEDICAL MJ LAW STATUS AT TIME OF INTERVIEW	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	612222	68.56
	1 = In State where MJ approvd for med use before intvw .....	134838	15.10
	2 = Not in State MJ approvd for med use/by intvw date .....	145912	16.34

SUBSTANCE DEPENDENCE AND ABUSE

**SUBSTANCE DEPENDENCE AND ABUSE**

*This note applies to variables in this section marked by a<sup>1</sup>.*

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

<b>CIGIRTBL<sup>1</sup></b>	Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE		
		<b>Freq</b>	<b>Pct</b>
	1 = Not at all true .....	61699	6.91
	2 = Somewhat true .....	51747	5.79
	3 = Moderately true .....	38910	4.36
	4 = Very true .....	37719	4.22
	5 = Extremely true .....	21582	2.42
	85 = BAD DATA Logically assigned .....	15	0.00
	91 = NEVER USED CIGARETTES .....	413979	46.36
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
	94 = DON'T KNOW .....	526	0.06
	97 = REFUSED .....	214	0.02
	98 = BLANK (NO ANSWER) .....	536	0.06

When you don't smoke for a few hours, you start to crave cigarettes.

<b>CIGCRAVE<sup>1</sup></b>	Len : 2 START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS		
		<b>Freq</b>	<b>Pct</b>
	1 = Not at all true .....	68028	7.62
	2 = Somewhat true .....	44000	4.93
	3 = Moderately true .....	29170	3.27
	4 = Very true .....	43539	4.88
	5 = Extremely true .....	27235	3.05
	85 = BAD DATA Logically assigned .....	15	0.00
	91 = NEVER USED CIGARETTES .....	413979	46.36
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
	94 = DON'T KNOW .....	257	0.03
	97 = REFUSED .....	167	0.02
	98 = BLANK (NO ANSWER) .....	537	0.06

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

<b>CIGCRAGP<sup>1</sup></b>	Len : 2 CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL		
		<b>Freq</b>	<b>Pct</b>
	1 = Not at all true .....	93495	10.47
	2 = Somewhat true .....	41087	4.60
	3 = Moderately true .....	30079	3.37
	4 = Very true .....	28903	3.24
	5 = Extremely true .....	18321	2.05
	85 = BAD DATA Logically assigned .....	15	0.00
	91 = NEVER USED CIGARETTES .....	413979	46.36
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
	94 = DON'T KNOW .....	326	0.04
	97 = REFUSED .....	185	0.02
	98 = BLANK (NO ANSWER) .....	537	0.06

SUBSTANCE DEPENDENCE AND ABUSE

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

**CIGINCTL<sup>1</sup>**      Len : 2    FEEL A SENSE OF CONTROL OVER YOUR SMOKING

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	54428	6.10
2 = Somewhat true .....	55294	6.19
3 = Moderately true.....	31641	3.54
4 = Very true.....	30488	3.41
5 = Extremely true .....	39942	4.47
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	402	0.05
97 = REFUSED .....	201	0.02
98 = BLANK (NO ANSWER) .....	537	0.06

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

**CIGAVOID<sup>1</sup>**      Len : 2    TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	139711	15.65
2 = Somewhat true .....	30652	3.43
3 = Moderately true.....	19574	2.19
4 = Very true.....	13000	1.46
5 = Extremely true .....	8567	0.96
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	665	0.07
97 = REFUSED .....	227	0.03
98 = BLANK (NO ANSWER) .....	537	0.06

Do you have any friends who do not smoke cigarettes?

**CIGFNSMK<sup>1</sup>**      Len : 2    HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	198343	22.21
2 = No.....	13879	1.55
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	90	0.01
97 = REFUSED .....	84	0.01
98 = BLANK (NO ANSWER) .....	537	0.06

Think about your use of cigarettes during the past 30 days as you answer these next questions.

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

**CIGFNLKE<sup>1</sup>**      Len : 2    CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	152199	17.04
2 = Somewhat true .....	22580	2.53
3 = Moderately true.....	11992	1.34
4 = Very true.....	6942	0.78
5 = Extremely true .....	4190	0.47
85 = BAD DATA Logically assigned .....	12	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	290	0.03
97 = REFUSED .....	233	0.03
98 = BLANK (NO ANSWER) .....	631	0.07
99 = LEGITIMATE SKIP.....	13879	1.55

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

**CIGPLANE<sup>1</sup>**      Len : 2    RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	177561	19.88
2 = Somewhat true .....	14469	1.62
3 = Moderately true.....	7827	0.88
4 = Very true.....	6255	0.70
5 = Extremely true .....	5436	0.61
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	600	0.07
97 = REFUSED .....	247	0.03
98 = BLANK (NO ANSWER) .....	538	0.06

You sometimes worry that you will run out of cigarettes.

**CIGRNOUT<sup>1</sup>**      Len : 2    SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	109124	12.22
2 = Somewhat true .....	44336	4.96
3 = Moderately true.....	22407	2.51
4 = Very true.....	21837	2.45
5 = Extremely true .....	14298	1.60
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	217	0.02
97 = REFUSED .....	175	0.02
98 = BLANK (NO ANSWER) .....	539	0.06

You smoke cigarettes fairly regularly throughout the day.

**CIGREGDY<sup>1</sup>**      Len : 2    SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	73061	8.18
2 = Somewhat true .....	37444	4.19
3 = Moderately true.....	27594	3.09
4 = Very true.....	43076	4.82
5 = Extremely true .....	30827	3.45
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	199	0.02
97 = REFUSED .....	193	0.02
98 = BLANK (NO ANSWER) .....	539	0.06

You smoke about the same amount on weekends as on weekdays.

**CIGREGWK<sup>1</sup>**      Len : 2    SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	76061	8.52
2 = Somewhat true .....	38623	4.33
3 = Moderately true.....	28079	3.14
4 = Very true.....	41428	4.64
5 = Extremely true .....	27518	3.08
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	447	0.05
97 = REFUSED .....	238	0.03
98 = BLANK (NO ANSWER) .....	539	0.06

SUBSTANCE DEPENDENCE AND ABUSE

You smoke just about the same number of cigarettes from day to day.

**CIGREGNM<sup>1</sup>**      Len : 2    SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	64340	7.21
2 = Somewhat true .....	36938	4.14
3 = Moderately true.....	30886	3.46
4 = Very true.....	49420	5.53
5 = Extremely true .....	30154	3.38
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	397	0.04
97 = REFUSED .....	259	0.03
98 = BLANK (NO ANSWER) .....	539	0.06

It's hard to say how many cigarettes you smoke per day because the number often changes.

**CIGNMCHG<sup>1</sup>**      Len : 2    NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	77642	8.69
2 = Somewhat true .....	52256	5.85
3 = Moderately true.....	28691	3.21
4 = Very true.....	31621	3.54
5 = Extremely true .....	21364	2.39
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	521	0.06
97 = REFUSED .....	299	0.03
98 = BLANK (NO ANSWER) .....	539	0.06

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

**CIGSVLHR<sup>1</sup>**      Len : 2    HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	108794	12.18
2 = Somewhat true .....	40929	4.58
3 = Moderately true.....	27556	3.09
4 = Very true.....	22160	2.48
5 = Extremely true .....	11943	1.34
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	673	0.08
97 = REFUSED .....	339	0.04
98 = BLANK (NO ANSWER) .....	539	0.06

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

**CIGINFLU<sup>1</sup>**      Len : 2    # OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	39992	4.48
2 = Somewhat true .....	38691	4.33
3 = Moderately true.....	38532	4.32
4 = Very true.....	53456	5.99
5 = Extremely true .....	40901	4.58
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES.....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	266045	29.79
94 = DON'T KNOW .....	509	0.06
97 = REFUSED .....	312	0.03
98 = BLANK (NO ANSWER) .....	540	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

**CIGNOINF<sup>1</sup>**      Len : 2    SMOKING NOT AFFECTED BY OTHER THINGS

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	82077	9.19
2 = Somewhat true .....	52709	5.90
3 = Moderately true .....	36331	4.07
4 = Very true .....	25588	2.87
5 = Extremely true .....	14660	1.64
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES .....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
94 = DON'T KNOW .....	668	0.07
97 = REFUSED .....	360	0.04
98 = BLANK (NO ANSWER) .....	540	0.06

Since you started smoking, the amount you smoke has increased.

**CIGINCRS<sup>1</sup>**      Len : 2    AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	75412	8.45
2 = Somewhat true .....	41104	4.60
3 = Moderately true .....	29270	3.28
4 = Very true .....	36505	4.09
5 = Extremely true .....	29445	3.30
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES .....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
94 = DON'T KNOW .....	372	0.04
97 = REFUSED .....	285	0.03
98 = BLANK (NO ANSWER) .....	540	0.06

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

**CIGSATIS<sup>1</sup>**      Len : 2    NEED TO SMOKE A LOT MORE TO BE SATISFIED

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	110762	12.40
2 = Somewhat true .....	37989	4.25
3 = Moderately true .....	26427	2.96
4 = Very true .....	21336	2.39
5 = Extremely true .....	15238	1.71
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES .....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
94 = DON'T KNOW .....	350	0.04
97 = REFUSED .....	291	0.03
98 = BLANK (NO ANSWER) .....	540	0.06

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

**CIGLOTMR<sup>1</sup>**      Len : 2    SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING

	<b>Freq</b>	<b>Pct</b>
1 = Not at all true .....	111516	12.49
2 = Somewhat true .....	41710	4.67
3 = Moderately true .....	26872	3.01
4 = Very true .....	18329	2.05
5 = Extremely true .....	12644	1.42
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES .....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
94 = DON'T KNOW .....	939	0.11
97 = REFUSED .....	383	0.04
98 = BLANK (NO ANSWER) .....	540	0.06

SUBSTANCE DEPENDENCE AND ABUSE

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

**CIGWAKE<sup>1</sup>**      Len : 2    HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG

	<b>Freq</b>	<b>Pct</b>
1 = Within the first 5 minutes after you wake up .....	36393	4.08
2 = Between 6 and 30 minutes after you wake up .....	52818	5.91
3 = Between 31 and 60 minutes after you wake up .....	33944	3.80
4 = More than 60 minutes after you wake up .....	82544	9.24
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED CIGARETTES .....	413979	46.36
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS .....	266045	29.79
94 = DON'T KNOW .....	3454	0.39
97 = REFUSED .....	3052	0.34
98 = BLANK (NO ANSWER) .....	728	0.08

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?

**ALCLOTTM<sup>1</sup>**      Len : 2    SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	88836	9.95
2 = No .....	354532	39.70
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
85 = BAD DATA Logically assigned .....	45	0.01
91 = NEVER USED ALCOHOL .....	249229	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS .....	191172	21.41
94 = DON'T KNOW .....	360	0.04
97 = REFUSED .....	331	0.04
98 = BLANK (NO ANSWER) .....	6212	0.70

During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?

**ALCGTOVR<sup>1</sup>**      Len : 2    MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	9341	1.05
2 = No .....	345256	38.66
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
85 = BAD DATA Logically assigned .....	32	0.00
91 = NEVER USED ALCOHOL .....	249229	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS .....	191172	21.41
94 = DON'T KNOW .....	299	0.03
97 = REFUSED .....	326	0.04
98 = BLANK (NO ANSWER) .....	6226	0.70
99 = LEGITIMATE SKIP .....	88836	9.95

During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?

**ALCLIMIT<sup>1</sup>**      Len : 2    SET LIMITS ON ALCOHOL USE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	162304	18.18
2 = No .....	280429	31.40
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
85 = BAD DATA Logically assigned .....	45	0.01
91 = NEVER USED ALCOHOL .....	249229	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS .....	191172	21.41
94 = DON'T KNOW .....	740	0.08
97 = REFUSED .....	584	0.07
98 = BLANK (NO ANSWER) .....	6214	0.70

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often drink more than you intended to?

<b>ALCKPLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Usually kept to the limits set.....	139324	15.60
	2 = Often drank more than intended.....	22849	2.56
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	20	0.00
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	78	0.01
	97 = REFUSED .....	637	0.07
	98 = BLANK (NO ANSWER) .....	6979	0.78
	99 = LEGITIMATE SKIP.....	280429	31.40

During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?

<b>ALCNDMOR<sup>1</sup></b>	Len : 2 NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	53295	5.97
	2 = No.....	389771	43.65
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	45	0.01
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	513	0.06
	97 = REFUSED .....	477	0.05
	98 = BLANK (NO ANSWER) .....	6215	0.70

During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?

<b>ALCLSEFX<sup>1</sup></b>	Len : 2 DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	45208	5.06
	2 = No.....	343034	38.41
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	33	0.00
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	1824	0.20
	97 = REFUSED .....	695	0.08
	98 = BLANK (NO ANSWER) .....	6227	0.70
	99 = LEGITIMATE SKIP.....	53295	5.97

During the past 12 months, did you want to or try to cut down or stop drinking alcohol?

<b>ALCCUTDN<sup>1</sup></b>	Len : 2 WANT/TRY TO CUT DOWN/STOP DRNKG PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	136182	15.25
	2 = No.....	305502	34.21
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	45	0.01
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	1261	0.14
	97 = REFUSED .....	1111	0.12
	98 = BLANK (NO ANSWER) .....	6215	0.70



SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?

<b>ALCCUTEV<sup>1</sup></b>	Len : 2	ABLE TO CUT/STOP DRNGK EVERY TIME PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	116782	13.08
		2 = No.....	19197	2.15
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
		85 = BAD DATA Logically assigned .....	20	0.00
		91 = NEVER USED ALCOHOL.....	249229	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
		94 = DON'T KNOW .....	126	0.01
		97 = REFUSED .....	1188	0.13
		98 = BLANK (NO ANSWER) .....	7501	0.84
		99 = LEGITIMATE SKIP.....	305502	34.21

During the past 12 months, did you cut down or stop drinking at least one time?

<b>ALCCUTIX<sup>1</sup></b>	Len : 2	CUT DOWN OR STOP DRNGK AT LEAST ONCE PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	110187	12.34
		2 = No.....	214304	24.00
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
		85 = BAD DATA Logically assigned .....	26	0.00
		91 = NEVER USED ALCOHOL.....	249229	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
		94 = DON'T KNOW .....	1577	0.18
		97 = REFUSED .....	1206	0.14
		98 = BLANK (NO ANSWER) .....	6234	0.70
		99 = LEGITIMATE SKIP.....	116782	13.08

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

<b>ALCWD2SX<sup>1</sup></b>	Len : 2	HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	28463	3.19
		2 = No.....	197957	22.17
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
		85 = BAD DATA Logically assigned .....	28	0.00
		91 = NEVER USED ALCOHOL.....	249229	27.91
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
		94 = DON'T KNOW .....	342	0.04
		97 = REFUSED .....	1413	0.16
		98 = BLANK (NO ANSWER) .....	7809	0.87
		99 = LEGITIMATE SKIP.....	214304	24.00

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

**ALCWDSMT<sup>1</sup>**      Len : 2    HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	14266	1.60
2 = No.....	14155	1.59
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
85 = BAD DATA Logically assigned .....	12	0.00
91 = NEVER USED ALCOHOL.....	249229	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
94 = DON'T KNOW .....	28	0.00
97 = REFUSED .....	1427	0.16
98 = BLANK (NO ANSWER) .....	8167	0.91
99 = LEGITIMATE SKIP.....	412261	46.17

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?

**ALCEMOPB<sup>1</sup>**      Len : 2    ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	36629	4.10
2 = No.....	406217	45.49
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
85 = BAD DATA Logically assigned .....	45	0.01
91 = NEVER USED ALCOHOL.....	249229	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
94 = DON'T KNOW .....	632	0.07
97 = REFUSED .....	578	0.06
98 = BLANK (NO ANSWER) .....	6215	0.70

Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?

**ALCEMCTD<sup>1</sup>**      Len : 2    CONTD TO DRINK ALC DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	22112	2.48
2 = No.....	14467	1.62
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED ALCOHOL.....	249229	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	596	0.07
98 = BLANK (NO ANSWER) .....	6884	0.77
99 = LEGITIMATE SKIP.....	406217	45.49

During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?

**ALCPHLPB<sup>1</sup>**      Len : 2    ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	12112	1.36
2 = No.....	408826	45.78
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
85 = BAD DATA Logically assigned .....	37	0.00
91 = NEVER USED ALCOHOL.....	249229	27.91
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
94 = DON'T KNOW .....	513	0.06
97 = REFUSED .....	493	0.06
98 = BLANK (NO ANSWER) .....	6223	0.70
99 = LEGITIMATE SKIP.....	22112	2.48

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?

<b>ALCPHCTD<sup>1</sup></b>	Len : 2    CONTD TO DRINK ALC DESPITE PHYS PRBS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	5158	0.58
	2 = No.....	6937	0.78
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	12	0.00
	97 = REFUSED .....	498	0.06
	98 = BLANK (NO ANSWER) .....	6771	0.76
	99 = LEGITIMATE SKIP.....	430938	48.26

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?

<b>ALCLSACT<sup>1</sup></b>	Len : 2    LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	25554	2.86
	2 = No.....	417544	46.76
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	45	0.01
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	407	0.05
	97 = REFUSED .....	549	0.06
	98 = BLANK (NO ANSWER) .....	6217	0.70

Sometimes people who drink alcohol have serious problems at home, work or school - such as:

- Neglecting their children
- Missing work or school
- Doing a poor job at work or school
- Losing a job or dropping out of school

During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?

<b>ALCSERP<sup>1</sup></b>	Len : 2    ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	18754	2.10
	2 = No.....	424392	47.53
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	45	0.01
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	361	0.04
	97 = REFUSED .....	546	0.06
	98 = BLANK (NO ANSWER) .....	6218	0.70

During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?

<b>ALCPDANG<sup>1</sup></b>	Len : 2    DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	50983	5.71
	2 = No.....	392190	43.92
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	45	0.01
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	359	0.04
	97 = REFUSED .....	521	0.06
	98 = BLANK (NO ANSWER) .....	6218	0.70

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?

<b>ALCLAWTR<sup>1</sup></b>	Len : 2 DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	9772	1.09
	2 = No.....	433545	48.55
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	45	0.01
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	252	0.03
	97 = REFUSED .....	484	0.05
	98 = BLANK (NO ANSWER) .....	6218	0.70

During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?

<b>ALCFMFPB<sup>1</sup></b>	Len : 2 DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	30986	3.47
	2 = No.....	412356	46.18
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	45	0.01
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	248	0.03
	97 = REFUSED .....	462	0.05
	98 = BLANK (NO ANSWER) .....	6219	0.70

Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?

<b>ALCFMCTD<sup>1</sup></b>	Len : 2 CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	19658	2.20
	2 = No.....	11286	1.26
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn .....	2255	0.25
	85 = BAD DATA Logically assigned .....	9	0.00
	91 = NEVER USED ALCOHOL.....	249229	27.91
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	191172	21.41
	94 = DON'T KNOW .....	21	0.00
	97 = REFUSED .....	483	0.05
	98 = BLANK (NO ANSWER) .....	6503	0.73
	99 = LEGITIMATE SKIP.....	412356	46.18

Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?

<b>MRJLOTTM<sup>1</sup></b>	Len : 2 SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	54306	6.08
	2 = No.....	63951	7.16
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn .....	884	0.10
	85 = BAD DATA Logically assigned .....	17	0.00
	91 = NEVER USED MARIJUANA .....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW .....	93	0.01
	97 = REFUSED .....	539	0.06
	98 = BLANK (NO ANSWER) .....	3265	0.37

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?

<b>MRJGTOVR<sup>1</sup></b>	Len : 2 MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	1858	0.21
	2 = No.....	62110	6.96
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	10	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	99	0.01
	97 = REFUSED.....	516	0.06
	98 = BLANK (NO ANSWER).....	3272	0.37
	99 = LEGITIMATE SKIP.....	54306	6.08

During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?

<b>MRJLIMIT<sup>1</sup></b>	Len : 2 SET LIMITS ON MARIJUANA USE PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	43275	4.85
	2 = No.....	74928	8.39
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	136	0.02
	97 = REFUSED.....	550	0.06
	98 = BLANK (NO ANSWER).....	3265	0.37

Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?

<b>MRJKPLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Usually kept to the limits set.....	34095	3.82
	2 = Often used more than intended.....	9117	1.02
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	39	0.00
	97 = REFUSED.....	574	0.06
	98 = BLANK (NO ANSWER).....	3411	0.38
	99 = LEGITIMATE SKIP.....	74928	8.39

During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?

<b>MRJNDMOR<sup>1</sup></b>	Len : 2 NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	29897	3.35
	2 = No.....	88305	9.89
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	132	0.01
	97 = REFUSED.....	555	0.06
	98 = BLANK (NO ANSWER).....	3265	0.37

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?

<b>MRJLSEFX<sup>1</sup></b>	Len : 2 USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	10793	1.21
	2 = No.....	77329	8.66
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	11	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	297	0.03
	97 = REFUSED.....	573	0.06
	98 = BLANK (NO ANSWER).....	3271	0.37
	99 = LEGITIMATE SKIP.....	29897	3.35

During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?

<b>MRJCUTDN<sup>1</sup></b>	Len : 2 WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	49316	5.52
	2 = No.....	68769	7.70
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	191	0.02
	97 = REFUSED.....	613	0.07
	98 = BLANK (NO ANSWER).....	3265	0.37

During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?

<b>MRJCUTEV<sup>1</sup></b>	Len : 2 ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	41660	4.67
	2 = No.....	7617	0.85
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	23	0.00
	97 = REFUSED.....	629	0.07
	98 = BLANK (NO ANSWER).....	3466	0.39
	99 = LEGITIMATE SKIP.....	68769	7.70

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?

<b>MRJEMOPB<sup>1</sup></b>	Len : 2 MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	12793	1.43
	2 = No.....	105350	11.80
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	17	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	195	0.02
	97 = REFUSED.....	551	0.06
	98 = BLANK (NO ANSWER).....	3265	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

<b>MRJEMCTD<sup>1</sup></b>	Len : 2	CONTD USING MARIJUANA DESPITE EMOT PRBS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	8346	0.93
		2 = No.....	4428	0.50
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED MARIJUANA.....	530183	59.37
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
		94 = DON'T KNOW.....	11	0.00
		97 = REFUSED.....	559	0.06
		98 = BLANK (NO ANSWER).....	3470	0.39
		99 = LEGITIMATE SKIP.....	105350	11.80

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?

<b>MRJPHLPB<sup>1</sup></b>	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	3497	0.39
		2 = No.....	106353	11.91
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
		85 = BAD DATA Logically assigned.....	10	0.00
		91 = NEVER USED MARIJUANA.....	530183	59.37
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
		94 = DON'T KNOW.....	157	0.02
		97 = REFUSED.....	536	0.06
		98 = BLANK (NO ANSWER).....	3272	0.37
		99 = LEGITIMATE SKIP.....	8346	0.93

Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?

<b>MRJPHCTD<sup>1</sup></b>	Len : 2	CONTD TO USE MARIJUANA DESPITE PHYS PRBS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	1841	0.21
		2 = No.....	1654	0.19
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
		91 = NEVER USED MARIJUANA.....	530183	59.37
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
		97 = REFUSED.....	538	0.06
		98 = BLANK (NO ANSWER).....	3439	0.39
		99 = LEGITIMATE SKIP.....	114699	12.84

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?

<b>MRJLSACT<sup>1</sup></b>	Len : 2	LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	14261	1.60
		2 = No.....	103984	11.64
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
		85 = BAD DATA Logically assigned.....	17	0.00
		91 = NEVER USED MARIJUANA.....	530183	59.37
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
		94 = DON'T KNOW.....	117	0.01
		97 = REFUSED.....	527	0.06
		98 = BLANK (NO ANSWER).....	3265	0.37

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?

**MRJSERP1** Len : 2 MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	9689	1.09
2 = No.....	108556	12.16
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED MARIJUANA.....	530183	59.37
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
94 = DON'T KNOW.....	104	0.01
97 = REFUSED.....	540	0.06
98 = BLANK (NO ANSWER).....	3265	0.37

During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?

**MRJPDANG1** Len : 2 USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	9217	1.03
2 = No.....	109027	12.21
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED MARIJUANA.....	530183	59.37
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
94 = DON'T KNOW.....	113	0.01
97 = REFUSED.....	531	0.06
98 = BLANK (NO ANSWER).....	3266	0.37

During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?

**MRJLAWTR1** Len : 2 USING MJ CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	4330	0.48
2 = No.....	113950	12.76
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED MARIJUANA.....	530183	59.37
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
94 = DON'T KNOW.....	86	0.01
97 = REFUSED.....	522	0.06
98 = BLANK (NO ANSWER).....	3266	0.37

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?

**MRJFMFPB1** Len : 2 USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	10535	1.18
2 = No.....	107737	12.06
83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
85 = BAD DATA Logically assigned.....	17	0.00
91 = NEVER USED MARIJUANA.....	530183	59.37
93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
94 = DON'T KNOW.....	100	0.01
97 = REFUSED.....	516	0.06
98 = BLANK (NO ANSWER).....	3266	0.37



SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?

<b>MRJFMCTD<sup>1</sup></b>	Len : 2    CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	7762	0.87
	2 = No.....	2752	0.31
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	884	0.10
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED MARIJUANA.....	530183	59.37
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	239734	26.85
	94 = DON'T KNOW.....	8	0.00
	97 = REFUSED.....	529	0.06
	98 = BLANK (NO ANSWER).....	3377	0.38
	99 = LEGITIMATE SKIP.....	107737	12.06

Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?

<b>COCLOTTM<sup>1</sup></b>	Len : 2    SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	3980	0.45
	2 = No.....	20605	2.31
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	21	0.00
	97 = REFUSED.....	221	0.02
	98 = BLANK (NO ANSWER).....	1309	0.15

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?

<b>COCGTOVR<sup>1</sup></b>	Len : 2    MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	807	0.09
	2 = No.....	19788	2.22
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	24	0.00
	97 = REFUSED.....	228	0.03
	98 = BLANK (NO ANSWER).....	1311	0.15
	99 = LEGITIMATE SKIP.....	3980	0.45

During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?

<b>COCLIMIT<sup>1</sup></b>	Len : 2    SET LIMITS ON COCAINE USE PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	8656	0.97
	2 = No.....	15876	1.78
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	44	0.00
	97 = REFUSED.....	251	0.03
	98 = BLANK (NO ANSWER).....	1309	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?

<b>COCKPLMT<sup>1</sup></b>	Len : 2	ABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Usually kept to the limits set.....	6583	0.74
		2 = Often used more than intended .....	2071	0.23
		85 = BAD DATA Logically assigned .....	2	0.00
		91 = NEVER USED COCAINE .....	788217	88.27
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	78611	8.80
		94 = DON'T KNOW .....	1	0.00
		97 = REFUSED .....	252	0.03
		98 = BLANK (NO ANSWER) .....	1359	0.15
		99 = LEGITIMATE SKIP.....	15876	1.78

During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?

<b>COCNDMOR<sup>1</sup></b>	Len : 2	NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	3757	0.42
		2 = No.....	20777	2.33
		85 = BAD DATA Logically assigned .....	8	0.00
		91 = NEVER USED COCAINE .....	788217	88.27
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	78611	8.80
		94 = DON'T KNOW .....	45	0.01
		97 = REFUSED .....	248	0.03
		98 = BLANK (NO ANSWER) .....	1309	0.15

During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?

<b>COCLSEFX<sup>1</sup></b>	Len : 2	USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	1332	0.15
		2 = No.....	19374	2.17
		85 = BAD DATA Logically assigned .....	6	0.00
		91 = NEVER USED COCAINE .....	788217	88.27
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	78611	8.80
		94 = DON'T KNOW .....	97	0.01
		97 = REFUSED .....	267	0.03
		98 = BLANK (NO ANSWER) .....	1311	0.15
		99 = LEGITIMATE SKIP.....	3757	0.42

During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?

<b>COCCUTDN<sup>1</sup></b>	Len : 2	WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	11328	1.27
		2 = No.....	13148	1.47
		85 = BAD DATA Logically assigned .....	8	0.00
		91 = NEVER USED COCAINE .....	788217	88.27
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	78611	8.80
		94 = DON'T KNOW .....	73	0.01
		97 = REFUSED .....	278	0.03
		98 = BLANK (NO ANSWER) .....	1309	0.15

During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?

<b>COCCUTEV<sup>1</sup></b>	Len : 2	ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	9809	1.10
		2 = No.....	1508	0.17
		85 = BAD DATA Logically assigned .....	1	0.00
		91 = NEVER USED COCAINE .....	788217	88.27
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS .....	78611	8.80
		94 = DON'T KNOW .....	5	0.00
		97 = REFUSED .....	284	0.03
		98 = BLANK (NO ANSWER) .....	1389	0.16
		99 = LEGITIMATE SKIP.....	13148	1.47

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?

<b>COCCUT1X<sup>1</sup></b>	Len : 2 CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	5399	0.60
	2 = No.....	9248	1.04
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	88	0.01
	97 = REFUSED.....	283	0.03
	98 = BLANK (NO ANSWER).....	1310	0.15
	99 = LEGITIMATE SKIP.....	9809	1.10

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?

<b>COCFLBLU<sup>1</sup></b>	Len : 2 WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	3460	0.39
	2 = No.....	11734	1.31
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	10	0.00
	97 = REFUSED.....	287	0.03
	98 = BLANK (NO ANSWER).....	1403	0.16
	99 = LEGITIMATE SKIP.....	9248	1.04

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

<b>COCWD2SX<sup>1</sup></b>	Len : 2 HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	2784	0.31
	2 = No.....	674	0.08
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	97 = REFUSED.....	289	0.03
	98 = BLANK (NO ANSWER).....	1413	0.16
	99 = LEGITIMATE SKIP.....	20982	2.35

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

<b>COCWDSMT<sup>1</sup></b>	Len : 2 HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	2191	0.25
	2 = No.....	593	0.07
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	97 = REFUSED.....	287	0.03
	98 = BLANK (NO ANSWER).....	1415	0.16
	99 = LEGITIMATE SKIP.....	21656	2.43

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?

**COCEMOPB<sup>1</sup>**      Len : 2    COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	3915	0.44
2 = No.....	20599	2.31
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED COCAINE.....	788217	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
94 = DON'T KNOW.....	56	0.01
97 = REFUSED.....	257	0.03
98 = BLANK (NO ANSWER).....	1309	0.15

Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

**COCEMCTD<sup>1</sup>**      Len : 2    CONTD TO USE COC DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	2268	0.25
2 = No.....	1642	0.18
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COCAINE.....	788217	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	259	0.03
98 = BLANK (NO ANSWER).....	1371	0.15
99 = LEGITIMATE SKIP.....	20599	2.31

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?

**COCPHLPB<sup>1</sup>**      Len : 2    ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	893	0.10
2 = No.....	21368	2.39
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED COCAINE.....	788217	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
94 = DON'T KNOW.....	51	0.01
97 = REFUSED.....	247	0.03
98 = BLANK (NO ANSWER).....	1311	0.15
99 = LEGITIMATE SKIP.....	2268	0.25

Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?

**COCPHCTD<sup>1</sup>**      Len : 2    CONTD TO USE COC DESPITE PHYS PRBS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	323	0.04
2 = No.....	570	0.06
91 = NEVER USED COCAINE.....	788217	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
97 = REFUSED.....	247	0.03
98 = BLANK (NO ANSWER).....	1368	0.15
99 = LEGITIMATE SKIP.....	23636	2.65

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?

**COCLSACT<sup>1</sup>**      Len : 2    LESS ACTIVITIES B/C OF COC USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	3072	0.34
2 = No.....	21449	2.40
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED COCAINE.....	788217	88.27
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
94 = DON'T KNOW.....	45	0.01
97 = REFUSED.....	261	0.03
98 = BLANK (NO ANSWER).....	1309	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?

<b>COCSERP1</b>	Len : 2 COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	2667	0.30
	2 = No.....	21861	2.45
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	45	0.01
	97 = REFUSED.....	254	0.03
	98 = BLANK (NO ANSWER).....	1309	0.15

During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?

<b>COCPDANG1</b>	Len : 2 USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	2677	0.30
	2 = No.....	21859	2.45
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	43	0.00
	97 = REFUSED.....	248	0.03
	98 = BLANK (NO ANSWER).....	1309	0.15

During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?

<b>COCLAWTR1</b>	Len : 2 USING COC CAUSE PRBS WITH LAW PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	1013	0.11
	2 = No.....	23527	2.63
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	41	0.00
	97 = REFUSED.....	246	0.03
	98 = BLANK (NO ANSWER).....	1309	0.15

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?

<b>COCFMFPB1</b>	Len : 2 USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	2985	0.33
	2 = No.....	21557	2.41
	85 = BAD DATA Logically assigned.....	8	0.00
	91 = NEVER USED COCAINE.....	788217	88.27
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
	94 = DON'T KNOW.....	41	0.00
	97 = REFUSED.....	244	0.03
	98 = BLANK (NO ANSWER).....	1309	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?

<b>COCFMCTD<sup>1</sup></b>	Len : 2	CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	2027	0.23
		2 = No.....	957	0.11
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED COCAINE.....	788217	88.27
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	78611	8.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	244	0.03
		98 = BLANK (NO ANSWER).....	1356	0.15
		99 = LEGITIMATE SKIP.....	21557	2.41

NOTE: The heroin variables in the SUBSTANCE DEPENDENCE AND ABUSE module take into account information from follow-up questions that were added to the SPECIAL DRUGS module in 2002 for the variables HRSMKREC and HRSNFREC. Respondents who had not previously reported heroin use in the past 12 months but who reported on follow-up that they smoked or sniffed heroin in the past 12 months were asked the heroin questions in the SUBSTANCE DEPENDENCE AND ABUSE module.

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?

<b>HERLOTTM<sup>1</sup></b>	Len : 2	SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	1483	0.17
		2 = No.....	1817	0.20
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		94 = DON'T KNOW.....	5	0.00
		97 = REFUSED.....	81	0.01
		98 = BLANK (NO ANSWER).....	633	0.07

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?

<b>HERGTOVR<sup>1</sup></b>	Len : 2	MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	171	0.02
		2 = No.....	1644	0.18
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		94 = DON'T KNOW.....	7	0.00
		97 = REFUSED.....	81	0.01
		98 = BLANK (NO ANSWER).....	633	0.07
		99 = LEGITIMATE SKIP.....	1483	0.17

During the past 12 months, did you try to set limits on how often or how much heroin you would use?

<b>HERLIMIT<sup>1</sup></b>	Len : 2	SET LIMITS ON HEROIN USE PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	1700	0.19
		2 = No.....	1592	0.18
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		94 = DON'T KNOW.....	8	0.00
		97 = REFUSED.....	86	0.01
		98 = BLANK (NO ANSWER).....	633	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use heroin more than you intended to?

<b>HERKPLMT<sup>1</sup></b>	Len : 2	ABLE TO KEEP LIMIT OR USE MORE HEROIN PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Usually kept to the limits set.....	774	0.09
		2 = Often used more than intended .....	925	0.10
		91 = NEVER USED HEROIN .....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		97 = REFUSED .....	87	0.01
		98 = BLANK (NO ANSWER) .....	642	0.07
		99 = LEGITIMATE SKIP.....	1592	0.18

During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?

<b>HERNDMOR<sup>1</sup></b>	Len : 2	NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	1460	0.16
		2 = No.....	1828	0.20
		85 = BAD DATA Logically assigned .....	1	0.00
		91 = NEVER USED HEROIN.....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		94 = DON'T KNOW.....	10	0.00
		97 = REFUSED .....	88	0.01
		98 = BLANK (NO ANSWER) .....	633	0.07

During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?

<b>HERLSEFX<sup>1</sup></b>	Len : 2	USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	203	0.02
		2 = No.....	1617	0.18
		85 = BAD DATA Logically assigned .....	1	0.00
		91 = NEVER USED HEROIN .....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		94 = DON'T KNOW .....	15	0.00
		97 = REFUSED .....	91	0.01
		98 = BLANK (NO ANSWER) .....	633	0.07
		99 = LEGITIMATE SKIP.....	1460	0.16

During the past 12 months, did you want to or try to cut down or stop using heroin?

<b>HERCUTDN<sup>1</sup></b>	Len : 2	WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	2107	0.24
		2 = No.....	1184	0.13
		85 = BAD DATA Logically assigned .....	1	0.00
		91 = NEVER USED HEROIN .....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		94 = DON'T KNOW .....	9	0.00
		97 = REFUSED .....	86	0.01
		98 = BLANK (NO ANSWER) .....	633	0.07

During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?

<b>HERCUTEV<sup>1</sup></b>	Len : 2	ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	1295	0.15
		2 = No.....	810	0.09
		91 = NEVER USED HEROIN .....	879489	98.49
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
		94 = DON'T KNOW .....	1	0.00
		97 = REFUSED .....	87	0.01
		98 = BLANK (NO ANSWER) .....	643	0.07
		99 = LEGITIMATE SKIP.....	1184	0.13

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using heroin at least one time?

<b>HERCUT1X<sup>1</sup></b>	Len : 2 CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	1028	0.12
	2 = No.....	967	0.11
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	879489	98.49
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	87	0.01
	98 = BLANK (NO ANSWER).....	633	0.07
	99 = LEGITIMATE SKIP.....	1295	0.15

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

<b>HERWD3SX<sup>1</sup></b>	Len : 2 HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	1627	0.18
	2 = No.....	690	0.08
	91 = NEVER USED HEROIN.....	879489	98.49
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
	94 = DON'T KNOW.....	6	0.00
	97 = REFUSED.....	87	0.01
	98 = BLANK (NO ANSWER).....	643	0.07
	99 = LEGITIMATE SKIP.....	967	0.11

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

<b>HERWDSMT<sup>1</sup></b>	Len : 2 HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	1441	0.16
	2 = No.....	186	0.02
	91 = NEVER USED HEROIN.....	879489	98.49
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
	97 = REFUSED.....	87	0.01
	98 = BLANK (NO ANSWER).....	649	0.07
	99 = LEGITIMATE SKIP.....	1657	0.19



SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?

**HEREMOPB<sup>1</sup>**      Len : 2    HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	1441	0.16
2 = No.....	1850	0.21
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	82	0.01
98 = BLANK (NO ANSWER).....	633	0.07

Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

**HEREMCTD<sup>1</sup>**      Len : 2    CONTD TO USE HEROIN DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	1148	0.13
2 = No.....	292	0.03
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
97 = REFUSED.....	83	0.01
98 = BLANK (NO ANSWER).....	647	0.07
99 = LEGITIMATE SKIP.....	1850	0.21

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?

**HERPHLPB<sup>1</sup>**      Len : 2    ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	179	0.02
2 = No.....	1961	0.22
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	85	0.01
98 = BLANK (NO ANSWER).....	633	0.07
99 = LEGITIMATE SKIP.....	1148	0.13

Did you continue to use heroin even though you thought it was causing you to have physical problems?

**HERPHCTD<sup>1</sup>**      Len : 2    CONTD TO USE HEROIN DESPITE PHYS PRBS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	77	0.01
2 = No.....	102	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
97 = REFUSED.....	85	0.01
98 = BLANK (NO ANSWER).....	646	0.07
99 = LEGITIMATE SKIP.....	3109	0.35

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?

**HERLSACT<sup>1</sup>**      Len : 2    LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	1316	0.15
2 = No.....	1976	0.22
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	83	0.01
98 = BLANK (NO ANSWER).....	633	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use heroin have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?

**HERSERPB<sup>1</sup>**      Len : 2    HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	1149	0.13
2 = No.....	2147	0.24
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	81	0.01
98 = BLANK (NO ANSWER).....	633	0.07

During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?

**HERPDANG<sup>1</sup>**      Len : 2    USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	1014	0.11
2 = No.....	2278	0.26
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
94 = DON'T KNOW.....	12	0.00
97 = REFUSED.....	82	0.01
98 = BLANK (NO ANSWER).....	633	0.07

During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?

**HERLAWTR<sup>1</sup>**      Len : 2    USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	566	0.06
2 = No.....	2727	0.31
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	82	0.01
98 = BLANK (NO ANSWER).....	633	0.07

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?

**HERFMFPB<sup>1</sup>**      Len : 2    USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	1285	0.14
2 = No.....	2009	0.22
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	879489	98.49
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	84	0.01
98 = BLANK (NO ANSWER).....	633	0.07

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use heroin even though you thought it caused problems with family or friends?

<b>HERFMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	1079	0.12
	2 = No.....	206	0.02
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED HEROIN.....	879489	98.49
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	9463	1.06
	97 = REFUSED.....	84	0.01
	98 = BLANK (NO ANSWER).....	641	0.07
	99 = LEGITIMATE SKIP.....	2009	0.22

Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy" or "Molly", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?

<b>HALULOTTM<sup>1</sup></b>	Len : 2 SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	298	0.03
	2 = No.....	4317	0.48
	91 = NEVER USED HALLUCINOGENS.....	144930	16.23
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
	94 = DON'T KNOW.....	6	0.00
	97 = REFUSED.....	21	0.00
	98 = BLANK (NO ANSWER).....	1156	0.13

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?

<b>HALUGTOVR<sup>1</sup></b>	Len : 2 MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	122	0.01
	2 = No.....	4193	0.47
	91 = NEVER USED HALLUCINOGENS.....	144930	16.23
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
	94 = DON'T KNOW.....	11	0.00
	97 = REFUSED.....	18	0.00
	98 = BLANK (NO ANSWER).....	1156	0.13
	99 = LEGITIMATE SKIP.....	298	0.03

During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?

<b>HALULIMIT<sup>1</sup></b>	Len : 2 SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	1014	0.11
	2 = No.....	3590	0.40
	91 = NEVER USED HALLUCINOGENS.....	144930	16.23
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
	94 = DON'T KNOW.....	14	0.00
	97 = REFUSED.....	24	0.00
	98 = BLANK (NO ANSWER).....	1156	0.13

Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?

<b>HALUKPLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Usually kept to the limits set.....	976	0.11
	2 = Often used more than intended.....	37	0.00
	91 = NEVER USED HALLUCINOGENS.....	144930	16.23
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
	97 = REFUSED.....	25	0.00
	98 = BLANK (NO ANSWER).....	1170	0.13
	99 = LEGITIMATE SKIP.....	3590	0.40

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?

<b>HALUNDMOR<sup>1</sup></b>	Len : 2	NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	253	0.03
		2 = No.....	4355	0.49
		91 = NEVER USED HALLUCINOGENS .....	144930	16.23
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
		94 = DON'T KNOW .....	13	0.00
		97 = REFUSED .....	21	0.00
		98 = BLANK (NO ANSWER) .....	1156	0.13

During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?

<b>HALULSEFX<sup>1</sup></b>	Len : 2	USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	175	0.02
		2 = No.....	4170	0.47
		91 = NEVER USED HALLUCINOGENS .....	144930	16.23
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
		94 = DON'T KNOW .....	18	0.00
		97 = REFUSED .....	26	0.00
		98 = BLANK (NO ANSWER) .....	1156	0.13
		99 = LEGITIMATE SKIP.....	253	0.03

During the past 12 months, did you want to or try to cut down or stop using hallucinogens?

<b>HALUCUTDN<sup>1</sup></b>	Len : 2	WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1013	0.11
		2 = No.....	3582	0.40
		91 = NEVER USED HALLUCINOGENS .....	144930	16.23
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
		94 = DON'T KNOW .....	16	0.00
		97 = REFUSED .....	31	0.00
		98 = BLANK (NO ANSWER) .....	1156	0.13

During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?

<b>HALUCUTEV<sup>1</sup></b>	Len : 2	ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	976	0.11
		2 = No.....	37	0.00
		91 = NEVER USED HALLUCINOGENS .....	144930	16.23
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
		97 = REFUSED .....	31	0.00
		98 = BLANK (NO ANSWER) .....	1172	0.13
		99 = LEGITIMATE SKIP.....	3582	0.40

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?

<b>HALUEMOPB<sup>1</sup></b>	Len : 2	HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	365	0.04
		2 = No.....	4243	0.48
		91 = NEVER USED HALLUCINOGENS .....	144930	16.23
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
		94 = DON'T KNOW .....	11	0.00
		97 = REFUSED .....	23	0.00
		98 = BLANK (NO ANSWER) .....	1156	0.13

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

**HALUEMCTD<sup>1</sup>**    Len : 2    CONTD TO USE HALLUC DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	143	0.02
2 = No.....	219	0.02
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	24	0.00
98 = BLANK (NO ANSWER) .....	1167	0.13
99 = LEGITIMATE SKIP.....	4243	0.48

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?

**HALUPHLPB<sup>1</sup>**    Len : 2    ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	75	0.01
2 = No.....	4388	0.49
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	11	0.00
97 = REFUSED .....	25	0.00
98 = BLANK (NO ANSWER) .....	1156	0.13
99 = LEGITIMATE SKIP.....	143	0.02

Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?

**HALUPHCTD<sup>1</sup>**    Len : 2    CONTD TO USE HALLUC DESPITE PHYS PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	15	0.00
2 = No.....	60	0.01
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
97 = REFUSED .....	25	0.00
98 = BLANK (NO ANSWER) .....	1167	0.13
99 = LEGITIMATE SKIP.....	4531	0.51

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?

**HALULSACT<sup>1</sup>**    Len : 2    LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	157	0.02
2 = No.....	4448	0.50
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	11	0.00
97 = REFUSED .....	26	0.00
98 = BLANK (NO ANSWER) .....	1156	0.13

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use hallucinogens have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?

HALUSERPB<sup>1</sup> Len : 2 HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	143	0.02
2 = No.....	4465	0.50
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	10	0.00
97 = REFUSED .....	24	0.00
98 = BLANK (NO ANSWER) .....	1156	0.13

During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?

HALUPDANG<sup>1</sup> Len : 2 USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	176	0.02
2 = No.....	4432	0.50
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	25	0.00
98 = BLANK (NO ANSWER) .....	1156	0.13

During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?

HALULAWTR<sup>1</sup> Len : 2 USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	69	0.01
2 = No.....	4539	0.51
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	10	0.00
97 = REFUSED .....	24	0.00
98 = BLANK (NO ANSWER) .....	1156	0.13

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?

HALUFMPB<sup>1</sup> Len : 2 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	144	0.02
2 = No.....	4466	0.50
91 = NEVER USED HALLUCINOGENS .....	144930	16.23
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	23	0.00
98 = BLANK (NO ANSWER) .....	1156	0.13

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use hallucinogens even though you thought this caused problems with family or friends?

<b>HALUFMCTD<sup>1</sup></b>	Len : 2	CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	65	0.01
		2 = No.....	79	0.01
		91 = NEVER USED HALLUCINOGENS .....	144930	16.23
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	19591	2.19
		97 = REFUSED .....	23	0.00
		98 = BLANK (NO ANSWER) .....	1165	0.13
		99 = LEGITIMATE SKIP.....	4466	0.50

Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?

<b>INHLOTTM<sup>1</sup></b>	Len : 2	SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	92	0.01
		2 = No.....	1752	0.20
		85 = BAD DATA Logically assigned .....	6	0.00
		91 = NEVER USED INHALANTS .....	152658	17.10
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
		94 = DON'T KNOW .....	6	0.00
		97 = REFUSED .....	10	0.00
		98 = BLANK (NO ANSWER) .....	967	0.11

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?

<b>INHGLTOVR<sup>1</sup></b>	Len : 2	MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	34	0.00
		2 = No.....	1710	0.19
		85 = BAD DATA Logically assigned .....	6	0.00
		91 = NEVER USED INHALANTS .....	152658	17.10
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
		94 = DON'T KNOW .....	12	0.00
		97 = REFUSED .....	12	0.00
		98 = BLANK (NO ANSWER) .....	967	0.11
		99 = LEGITIMATE SKIP.....	92	0.01

During the past 12 months, did you try to set limits on how often or how much inhalants you would use?

<b>INHLLIMIT<sup>1</sup></b>	Len : 2	SET LIMITS ON INHALANT USE PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	360	0.04
		2 = No.....	1442	0.16
		85 = BAD DATA Logically assigned .....	6	0.00
		91 = NEVER USED INHALANTS .....	152658	17.10
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
		94 = DON'T KNOW .....	34	0.00
		97 = REFUSED .....	24	0.00
		98 = BLANK (NO ANSWER) .....	967	0.11

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?

<b>INHLKPLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Usually kept to the limits set.....	324	0.04
	2 = Often used more than intended .....	33	0.00
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	26	0.00
	98 = BLANK (NO ANSWER) .....	1006	0.11
	99 = LEGITIMATE SKIP.....	1442	0.16

During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?

<b>INHLNDMOR<sup>1</sup></b>	Len : 2 NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	102	0.01
	2 = No .....	1720	0.19
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	20	0.00
	97 = REFUSED .....	18	0.00
	98 = BLANK (NO ANSWER) .....	967	0.11

During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?

<b>INHLSEFX<sup>1</sup></b>	Len : 2 USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	103	0.01
	2 = No .....	1593	0.18
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	39	0.00
	97 = REFUSED .....	23	0.00
	98 = BLANK (NO ANSWER) .....	969	0.11
	99 = LEGITIMATE SKIP.....	102	0.01

During the past 12 months, did you want to or try to cut down or stop using inhalants?

<b>INHLCUTDN<sup>1</sup></b>	Len : 2 WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	601	0.07
	2 = No.....	1172	0.13
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	56	0.01
	97 = REFUSED .....	31	0.00
	98 = BLANK (NO ANSWER) .....	967	0.11



SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?

<b>INHLCUTEV<sup>1</sup></b>	Len : 2 ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	563	0.06
	2 = No.....	33	0.00
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	34	0.00
	98 = BLANK (NO ANSWER) .....	1028	0.12
	99 = LEGITIMATE SKIP.....	1172	0.13

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?

<b>INHLEMOPB<sup>1</sup></b>	Len : 2 INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	114	0.01
	2 = No.....	1698	0.19
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	22	0.00
	97 = REFUSED .....	26	0.00
	98 = BLANK (NO ANSWER) .....	967	0.11

Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<b>INHLEMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE INHALANTS DESPITE EMOT PRBS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	46	0.01
	2 = No.....	68	0.01
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	97 = REFUSED .....	26	0.00
	98 = BLANK (NO ANSWER) .....	994	0.11
	99 = LEGITIMATE SKIP.....	1698	0.19

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?

<b>INHPLPLPB<sup>1</sup></b>	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	46	0.01
	2 = No.....	1719	0.19
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	28	0.00
	97 = REFUSED .....	21	0.00
	98 = BLANK (NO ANSWER) .....	967	0.11
	99 = LEGITIMATE SKIP.....	46	0.01

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use inhalants even though you thought this was causing you to have physical problems?

INHLPHCTD <sup>1</sup>	Len : 2	CONTD TO USE INHALANTS DESPITE PHYS PRBS	Freq	Pct
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	13	0.00
		2 = No.....	32	0.00
		91 = NEVER USED INHALANTS .....	152658	17.10
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
		94 = DON'T KNOW .....	1	0.00
		97 = REFUSED .....	21	0.00
		98 = BLANK (NO ANSWER) .....	1001	0.11
		99 = LEGITIMATE SKIP.....	1765	0.20

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?

INHLLSACT <sup>1</sup>	Len : 2	LESS ACTIVITIES B/C OF INH USE PAST 12 MOS	Freq	Pct
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	75	0.01
		2 = No.....	1739	0.19
		85 = BAD DATA Logically assigned .....	6	0.00
		91 = NEVER USED INHALANTS .....	152658	17.10
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
		94 = DON'T KNOW .....	23	0.00
		97 = REFUSED .....	23	0.00
		98 = BLANK (NO ANSWER) .....	967	0.11

Sometimes people who use inhalants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?

INHLSERP <sup>1</sup>	Len : 2	INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS	Freq	Pct
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	62	0.01
		2 = No.....	1759	0.20
		85 = BAD DATA Logically assigned .....	6	0.00
		91 = NEVER USED INHALANTS .....	152658	17.10
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
		94 = DON'T KNOW .....	19	0.00
		97 = REFUSED .....	20	0.00
		98 = BLANK (NO ANSWER) .....	967	0.11

During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?

INHLPDANG <sup>1</sup>	Len : 2	USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS	Freq	Pct
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	58	0.01
		2 = No.....	1768	0.20
		85 = BAD DATA Logically assigned .....	6	0.00
		91 = NEVER USED INHALANTS .....	152658	17.10
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
		94 = DON'T KNOW .....	15	0.00
		97 = REFUSED .....	19	0.00
		98 = BLANK (NO ANSWER) .....	967	0.11

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?

<b>INHLLAWTR<sup>1</sup></b>	Len : 2 USING INH CAUSE PRBS WITH LAW PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	16	0.00
	2 = No.....	1815	0.20
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	16	0.00
	97 = REFUSED .....	13	0.00
	98 = BLANK (NO ANSWER) .....	967	0.11

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?

<b>INHLMFPB<sup>1</sup></b>	Len : 2 USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	57	0.01
	2 = No.....	1777	0.20
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	13	0.00
	98 = BLANK (NO ANSWER) .....	967	0.11

Did you continue to use inhalants even though you thought this caused problems with family or friends?

<b>INHLMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	26	0.00
	2 = No.....	30	0.00
	91 = NEVER USED INHALANTS .....	152658	17.10
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	14828	1.66
	97 = REFUSED .....	14	0.00
	98 = BLANK (NO ANSWER) .....	986	0.11
	99 = LEGITIMATE SKIP.....	1777	0.20

Think about your use of methamphetamine during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using methamphetamine?

<b>METHLOTTM<sup>1</sup></b>	Len : 2 SPENT MONTH/MORE GETTING/USING METH PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	487	0.05
	2 = No.....	673	0.08
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	16	0.00
	98 = BLANK (NO ANSWER) .....	249	0.03

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the methamphetamine you used?

**METHGTOVR<sup>1</sup>**    Len : 2    MONTH+ SPENT GETTING OVER METH EFFECTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	78	0.01
2 = No.....	589	0.07
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	249	0.03
99 = LEGITIMATE SKIP.....	487	0.05

During the past 12 months, did you try to set limits on how often or how much methamphetamine you would use?

**METHLIMIT<sup>1</sup>**    Len : 2    SET LIMITS ON METH USE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	532	0.06
2 = No.....	618	0.07
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	20	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

Were you able to keep to the limits you set, or did you often use methamphetamine more than you intended to?

**METHKPLMT<sup>1</sup>**    Len : 2    ABLE TO KEEP LIMITS OR USED MORE METH PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Usually kept to the limits set.....	321	0.04
2 = Often used more than intended .....	209	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	21	0.00
98 = BLANK (NO ANSWER) .....	256	0.03
99 = LEGITIMATE SKIP.....	618	0.07

During the past 12 months, did you need to use more methamphetamine than you used to in order to get the effect you wanted?

**METHNDMOR<sup>1</sup>**    Len : 2    NEEDED MORE METH TO GET SAME EFFECT PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	406	0.05
2 = No.....	748	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of methamphetamine had less effect on you than it used to?

**METHLSEFX<sup>1</sup>**      Len : 2    USING SAME AMT METH HAD LESS EFFECT PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	92	0.01
2 = No.....	657	0.07
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	250	0.03
99 = LEGITIMATE SKIP.....	406	0.05

During the past 12 months, did you want to or try to cut down or stop using methamphetamine?

**METHCUTDN<sup>1</sup>**      Len : 2    WANT/TRY TO CUT DOWN/STOP USING METH PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	705	0.08
2 = No.....	447	0.05
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

During the past 12 months, were you able to cut down or stop using methamphetamine every time you wanted to or tried to?

**METHCUTEV<sup>1</sup>**      Len : 2    ABLE TO CUT/STOP USING METH EVERY TIME PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	532	0.06
2 = No.....	172	0.02
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
97 = REFUSED .....	20	0.00
98 = BLANK (NO ANSWER) .....	256	0.03
99 = LEGITIMATE SKIP.....	447	0.05

During the past 12 months, did you cut down or stop using methamphetamine at least one time?

**METHCUTIX<sup>1</sup>**      Len : 2    CUT DOWN OR STOP USING METH AT LEAST 1X PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	285	0.03
2 = No.....	334	0.04
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	20	0.00
98 = BLANK (NO ANSWER) .....	249	0.03
99 = LEGITIMATE SKIP.....	532	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using methamphetamine?

**METHFLBLU<sup>1</sup>**    Len : 2    WHEN CUT DOWN ON METH, FELT BLUE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	409	0.05
2 = No.....	406	0.05
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	20	0.00
98 = BLANK (NO ANSWER) .....	255	0.03
99 = LEGITIMATE SKIP.....	334	0.04

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using methamphetamine?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

**METHWD2SX<sup>1</sup>**    Len : 2    HAD 2+ METH WITHDRAWAL SYMPTOMS PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	389	0.04
2 = No.....	20	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
97 = REFUSED .....	20	0.00
98 = BLANK (NO ANSWER) .....	258	0.03
99 = LEGITIMATE SKIP.....	740	0.08

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using methamphetamine?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

**METHWDSMT<sup>1</sup>**    Len : 2    HAD 2+ METH WDRAW SYM AT SAME TIME PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	359	0.04
2 = No.....	29	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	20	0.00
98 = BLANK (NO ANSWER) .....	258	0.03
99 = LEGITIMATE SKIP.....	760	0.09

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of methamphetamine?

**METHEMOPB<sup>1</sup>**    Len : 2    METH CAUSE PROBS WITH EMOT/NERVES PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	504	0.06
2 = No.....	648	0.07
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use methamphetamine even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

**METHEMCTD<sup>1</sup>**    Len : 2    CONTD TO USE METH DESPITE EMOT PROBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	356	0.04
2 = No .....	148	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	255	0.03
99 = LEGITIMATE SKIP.....	648	0.07

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of methamphetamine?

**METHPHLPB<sup>1</sup>**    Len : 2    ANY PHYS PROBS CAUSED/WORSND BY METH PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	75	0.01
2 = No .....	723	0.08
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	249	0.03
99 = LEGITIMATE SKIP.....	356	0.04

Did you continue to use methamphetamine even though you thought it was causing you to have physical problems?

**METHPHCTD<sup>1</sup>**    Len : 2    CONTD TO USE METH DESPITE PHYS PROBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	33	0.00
2 = No .....	42	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	254	0.03
99 = LEGITIMATE SKIP.....	1079	0.12

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using methamphetamine cause you to give up or spend less time doing these types of important activities?

**METHLSACT<sup>1</sup>**    Len : 2    LESS ACTIVITIES B/C OF METH USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	422	0.05
2 = No .....	732	0.08
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use methamphetamine have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using methamphetamine cause you to have serious problems like this either at home, work, or school?

**METHSERPB<sup>1</sup>**    Len : 2    METH CAUSE SERS PROBS AT HOME/WORK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	372	0.04
2 = No.....	782	0.09
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

During the past 12 months, did you regularly use methamphetamine and then do something where using methamphetamine might have put you in physical danger?

**METHPDANG<sup>1</sup>**    Len : 2    USING METH AND DO DANGEROUS ACTIVITIES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	307	0.03
2 = No.....	848	0.09
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

During the past 12 months, did using methamphetamine cause you to do things that repeatedly got you in trouble with the law?

**METHLAWTR<sup>1</sup>**    Len : 2    USING METH CAUSE PROBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	178	0.02
2 = No.....	976	0.11
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	249	0.03

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of methamphetamine?

**METHFMFPB<sup>1</sup>**    Len : 2    USING METH CAUSE PROBS W/FAMILY/FRIENDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	405	0.05
2 = No.....	749	0.08
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	249	0.03



SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use methamphetamine even though you thought it caused problems with family or friends?

**METHFMCTD<sup>1</sup>**    Len : 2    CONTD TO USE METH DESPITE PROBS W/FAMILY/FRIENDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	298	0.03
2 = No.....	107	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	162387	18.19
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	6505	0.73
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	254	0.03
99 = LEGITIMATE SKIP.....	749	0.08

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in prescription pain relievers that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [PRFILL2] in a way a doctor did not direct you to use [PRNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of time getting or using prescription pain relievers?

**PNRLLOTM<sup>1</sup>**    Len : 2    SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1229	0.14
2 = No.....	7404	0.83
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	20	0.00
97 = REFUSED .....	31	0.00
98 = BLANK (NO ANSWER) .....	785	0.09

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?

**PNRLGTOVR<sup>1</sup>**    Len : 2    MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	218	0.02
2 = No.....	7185	0.80
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	22	0.00
97 = REFUSED .....	30	0.00
98 = BLANK (NO ANSWER) .....	787	0.09
99 = LEGITIMATE SKIP.....	1229	0.14

During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?

**PNRLLIMIT<sup>1</sup>**    Len : 2    SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	2469	0.28
2 = No.....	6127	0.69
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	42	0.00
97 = REFUSED .....	46	0.01
98 = BLANK (NO ANSWER) .....	785	0.09

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?

<b>PNRLKPLMT<sup>1</sup></b>	<b>Len : 2</b>	<b>ABLE TO KEEP LIMIT/USE MORE PN RLVR PST 12 MOS</b>		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Usually kept to the limits set.....	1941	0.22
		2 = Often used more than intended .....	524	0.06
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	3	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		94 = DON'T KNOW .....	2	0.00
		97 = REFUSED .....	48	0.01
		98 = BLANK (NO ANSWER) .....	839	0.09
		99 = LEGITIMATE SKIP .....	6127	0.69

During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?

<b>PNRLNDMOR<sup>1</sup></b>	<b>Len : 2</b>	<b>NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS</b>		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1461	0.16
		2 = No.....	7149	0.80
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	15	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		94 = DON'T KNOW .....	30	0.00
		97 = REFUSED .....	44	0.00
		98 = BLANK (NO ANSWER) .....	785	0.09

During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?

<b>PNRLSEFX<sup>1</sup></b>	<b>Len : 2</b>	<b>USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS</b>		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	559	0.06
		2 = No.....	6573	0.74
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	11	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		94 = DON'T KNOW .....	43	0.00
		97 = REFUSED .....	48	0.01
		98 = BLANK (NO ANSWER) .....	789	0.09
		99 = LEGITIMATE SKIP .....	1461	0.16

During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?

<b>PNRLCUTDN<sup>1</sup></b>	<b>Len : 2</b>	<b>WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS</b>		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	3003	0.34
		2 = No.....	5547	0.62
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	15	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		94 = DON'T KNOW .....	65	0.01
		97 = REFUSED .....	69	0.01
		98 = BLANK (NO ANSWER) .....	785	0.09

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?

<b>PNRLCUTEV<sup>1</sup></b>	Len : 2	ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	2541	0.28
		2 = No.....	457	0.05
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	2	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		94 = DON'T KNOW .....	4	0.00
		97 = REFUSED .....	70	0.01
		98 = BLANK (NO ANSWER) .....	863	0.10
		99 = LEGITIMATE SKIP .....	5547	0.62

During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?

<b>PNRLCUTIX<sup>1</sup></b>	Len : 2	CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1803	0.20
		2 = No.....	4220	0.47
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	13	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		94 = DON'T KNOW .....	59	0.01
		97 = REFUSED .....	61	0.01
		98 = BLANK (NO ANSWER) .....	787	0.09
		99 = LEGITIMATE SKIP .....	2541	0.28

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

<b>PNRLWD3SX<sup>1</sup></b>	Len : 2	HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1408	0.16
		2 = No.....	2924	0.33
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	3	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		94 = DON'T KNOW .....	8	0.00
		97 = REFUSED .....	65	0.01
		98 = BLANK (NO ANSWER) .....	856	0.10
		99 = LEGITIMATE SKIP .....	4220	0.47

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

**PNRLWDSMT<sup>1</sup>** Len : 2 HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1046	0.12
2 = No.....	360	0.04
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	65	0.01
98 = BLANK (NO ANSWER) .....	864	0.10
99 = LEGITIMATE SKIP.....	7144	0.80

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?

**PNRLEMOB<sup>1</sup>** Len : 2 PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1068	0.12
2 = No.....	7530	0.84
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	53	0.01
98 = BLANK (NO ANSWER) .....	785	0.09

Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

**PNRLEMCTD<sup>1</sup>** Len : 2 CONTD TO USE PN RLVR DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	692	0.08
2 = No.....	375	0.04
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	53	0.01
98 = BLANK (NO ANSWER) .....	830	0.09
99 = LEGITIMATE SKIP.....	7530	0.84

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?

**PNRPLPLPB<sup>1</sup>**      Len : 2    ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	211	0.02
2 = No.....	7699	0.86
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn.....	1181	0.13
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	35	0.00
97 = REFUSED .....	47	0.01
98 = BLANK (NO ANSWER) .....	788	0.09
99 = LEGITIMATE SKIP.....	692	0.08

Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?

**PNRPLHCTD<sup>1</sup>**      Len : 2    CONTD TO USE PN RLVR DESPITE PHYS PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	78	0.01
2 = No.....	133	0.01
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn.....	1181	0.13
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
97 = REFUSED .....	47	0.01
98 = BLANK (NO ANSWER) .....	834	0.09
99 = LEGITIMATE SKIP.....	8391	0.94

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?

**PNRLLSACT<sup>1</sup>**      Len : 2    LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	761	0.09
2 = No.....	7842	0.88
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn.....	1181	0.13
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	785	0.09

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?

**PNRLSERPB<sup>1</sup>**      Len : 2    PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	624	0.07
2 = No.....	7993	0.90
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn.....	1181	0.13
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	9355	1.05
94 = DON'T KNOW.....	22	0.00
97 = REFUSED.....	45	0.01
98 = BLANK (NO ANSWER).....	785	0.09

During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?

**PNRLPDANG<sup>1</sup>**      Len : 2    USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	502	0.06
2 = No.....	8126	0.91
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn.....	1181	0.13
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	9355	1.05
94 = DON'T KNOW.....	19	0.00
97 = REFUSED.....	37	0.00
98 = BLANK (NO ANSWER).....	785	0.09

During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?

**PNRLLAWTR<sup>1</sup>**      Len : 2    USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	218	0.02
2 = No.....	8411	0.94
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn.....	1181	0.13
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	9355	1.05
94 = DON'T KNOW.....	18	0.00
97 = REFUSED.....	37	0.00
98 = BLANK (NO ANSWER).....	785	0.09

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?

**PNRLFMFPB<sup>1</sup>**      Len : 2    USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	625	0.07
2 = No.....	8002	0.90
83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn.....	1181	0.13
85 = BAD DATA Logically assigned.....	15	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	150299	16.83
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	9355	1.05
94 = DON'T KNOW.....	20	0.00
97 = REFUSED.....	37	0.00
98 = BLANK (NO ANSWER).....	785	0.09

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?

<b>PNRLFMCTD<sup>1</sup></b>	Len : 2	CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	456	0.05
		2 = No.....	169	0.02
		83 = DID NOT MISUSE PAIN RELIEVERS PST 12 MOS Log assn .....	1181	0.13
		85 = BAD DATA Logically assigned .....	2	0.00
		91 = NEVER USED/MISUSED PAIN RELIEVERS .....	150299	16.83
		93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS .....	9355	1.05
		97 = REFUSED .....	37	0.00
		98 = BLANK (NO ANSWER) .....	818	0.09
		99 = LEGITIMATE SKIP.....	8002	0.90

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in prescription tranquilizers that you used in any way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [TRFILL2] in a way a doctor did not direct you to use [TRNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?

<b>TRQLLOTM<sup>1</sup></b>	Len : 2	SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	411	0.05
		2 = No.....	4303	0.48
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	7	0.00
		97 = REFUSED .....	16	0.00
		98 = BLANK (NO ANSWER) .....	537	0.06

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?

<b>TRQLGTOVR<sup>1</sup></b>	Len : 2	MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	88	0.01
		2 = No.....	4216	0.47
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
		85 = BAD DATA Logically assigned .....	3	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	6	0.00
		97 = REFUSED .....	16	0.00
		98 = BLANK (NO ANSWER) .....	541	0.06
		99 = LEGITIMATE SKIP.....	411	0.05

During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?

<b>TRQLLIMIT<sup>1</sup></b>	Len : 2	SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1103	0.12
		2 = No.....	3604	0.40
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	11	0.00
		97 = REFUSED .....	19	0.00
		98 = BLANK (NO ANSWER) .....	537	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?

<b>TRQLKPLMT<sup>1</sup></b>	Len : 2	ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Usually kept to the limits set.....	973	0.11
		2 = Often used more than intended .....	129	0.01
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
		85 = BAD DATA Logically assigned .....	3	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	1	0.00
		97 = REFUSED .....	19	0.00
		98 = BLANK (NO ANSWER) .....	552	0.06
		99 = LEGITIMATE SKIP.....	3604	0.40

During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?

<b>TRQLNDMOR<sup>1</sup></b>	Len : 2	NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	522	0.06
		2 = No.....	4190	0.47
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	9	0.00
		97 = REFUSED .....	16	0.00
		98 = BLANK (NO ANSWER) .....	537	0.06

During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?

<b>TRQLLSEFT<sup>1</sup></b>	Len : 2	USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	171	0.02
		2 = No.....	4007	0.45
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
		85 = BAD DATA Logically assigned .....	4	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	17	0.00
		97 = REFUSED .....	20	0.00
		98 = BLANK (NO ANSWER) .....	540	0.06
		99 = LEGITIMATE SKIP.....	522	0.06

During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?

<b>TRQLCUTDN<sup>1</sup></b>	Len : 2	WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1399	0.16
		2 = No.....	3295	0.37
		83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
		93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
		94 = DON'T KNOW .....	19	0.00
		97 = REFUSED .....	24	0.00
		98 = BLANK (NO ANSWER) .....	537	0.06



SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?

<b>TRQLCUTEV<sup>1</sup></b>	Len : 2 ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1261	0.14
	2 = No.....	138	0.02
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
	97 = REFUSED .....	24	0.00
	98 = BLANK (NO ANSWER) .....	560	0.06
	99 = LEGITIMATE SKIP.....	3295	0.37

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?

<b>TRQLEMOPB<sup>1</sup></b>	Len : 2 TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	451	0.05
	2 = No.....	4254	0.48
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	18	0.00
	98 = BLANK (NO ANSWER) .....	537	0.06

Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<b>TRQLEMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE TRN DESPITE EMOT PRBS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	253	0.03
	2 = No.....	197	0.02
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
	97 = REFUSED .....	19	0.00
	98 = BLANK (NO ANSWER) .....	555	0.06
	99 = LEGITIMATE SKIP.....	4254	0.48

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?

<b>TRQLPHLPB<sup>1</sup></b>	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	76	0.01
	2 = No.....	4378	0.49
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
	94 = DON'T KNOW .....	11	0.00
	97 = REFUSED .....	19	0.00
	98 = BLANK (NO ANSWER) .....	539	0.06
	99 = LEGITIMATE SKIP.....	253	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?

TRQLPHCTD <sup>1</sup>	Len : 2	CONTD TO USE TRN DESPITE PHYS PRBS	Freq	Pct
-9 = Data not collected for this year .....			722653	80.93
1 = Yes.....			22	0.00
2 = No.....			54	0.01
83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....			787	0.09
85 = BAD DATA Logically assigned .....			1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS .....			161171	18.05
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....			3080	0.34
97 = REFUSED .....			19	0.00
98 = BLANK (NO ANSWER) .....			554	0.06
99 = LEGITIMATE SKIP.....			4631	0.52

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?

TRQLLSACT <sup>1</sup>	Len : 2	LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS	Freq	Pct
-9 = Data not collected for this year .....			722653	80.93
1 = Yes.....			293	0.03
2 = No.....			4418	0.49
83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....			787	0.09
85 = BAD DATA Logically assigned .....			7	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS .....			161171	18.05
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....			3080	0.34
94 = DON'T KNOW .....			8	0.00
97 = REFUSED .....			18	0.00
98 = BLANK (NO ANSWER) .....			537	0.06

Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?

TRQLSERPB <sup>1</sup>	Len : 2	TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS	Freq	Pct
-9 = Data not collected for this year .....			722653	80.93
1 = Yes.....			261	0.03
2 = No.....			4457	0.50
83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....			787	0.09
85 = BAD DATA Logically assigned .....			7	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS .....			161171	18.05
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....			3080	0.34
94 = DON'T KNOW .....			4	0.00
97 = REFUSED .....			15	0.00
98 = BLANK (NO ANSWER) .....			537	0.06

During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?

TRQLPDANG <sup>1</sup>	Len : 2	USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS	Freq	Pct
-9 = Data not collected for this year .....			722653	80.93
1 = Yes.....			272	0.03
2 = No.....			4442	0.50
83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....			787	0.09
85 = BAD DATA Logically assigned .....			7	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS .....			161171	18.05
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....			3080	0.34
94 = DON'T KNOW .....			8	0.00
97 = REFUSED .....			15	0.00
98 = BLANK (NO ANSWER) .....			537	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?

<b>TRQLLAWTR<sup>1</sup></b>	Len : 2 USING TRN CAUSE PRBS WITH LAW PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	120	0.01
	2 = No.....	4598	0.51
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
	94 = DON'T KNOW .....	4	0.00
	97 = REFUSED .....	15	0.00
	98 = BLANK (NO ANSWER) .....	537	0.06

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?

<b>TRQLFMFPB<sup>1</sup></b>	Len : 2 USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	270	0.03
	2 = No.....	4445	0.50
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	16	0.00
	98 = BLANK (NO ANSWER) .....	537	0.06

Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?

<b>TRQLFMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	168	0.02
	2 = No.....	102	0.01
	83 = DID NOT MISUSE TRANQUILIZERS PST 12 MOS Log assn .....	787	0.09
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED/MISUSED TRANQUILIZERS .....	161171	18.05
	93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	3080	0.34
	97 = REFUSED .....	16	0.00
	98 = BLANK (NO ANSWER) .....	549	0.06
	99 = LEGITIMATE SKIP.....	4445	0.50

Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [STFILL2] in a way a doctor did not direct you to use [STNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?

<b>STIMLOTTM<sup>1</sup></b>	Len : 2 SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	561	0.06
	2 = No.....	4621	0.52
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
	85 = BAD DATA Logically assigned .....	8	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	10	0.00
	98 = BLANK (NO ANSWER) .....	456	0.05

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?

**STIMGTOVR<sup>1</sup>**      Len : 2    MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	84	0.01
2 = No.....	4538	0.51
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW.....	3	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	458	0.05
99 = LEGITIMATE SKIP.....	561	0.06

During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?

**STIMLIMIT<sup>1</sup>**      Len : 2    SET LIMITS ON STIMULANT USE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1169	0.13
2 = No.....	4003	0.45
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW.....	13	0.00
97 = REFUSED .....	13	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?

**STIMKPLMT<sup>1</sup>**      Len : 2    ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Usually kept to the limits set.....	1020	0.11
2 = Often used more than intended .....	148	0.02
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW.....	1	0.00
97 = REFUSED .....	13	0.00
98 = BLANK (NO ANSWER) .....	477	0.05
99 = LEGITIMATE SKIP.....	4003	0.45

During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?

**STIMNDMOR<sup>1</sup>**      Len : 2    NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	566	0.06
2 = No.....	4608	0.52
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned.....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW.....	8	0.00
97 = REFUSED .....	16	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?

STIMLSEFX<sup>1</sup>      Len : 2    USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	204	0.02
2 = No.....	4397	0.49
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
94 = DON'T KNOW .....	14	0.00
97 = REFUSED .....	17	0.00
98 = BLANK (NO ANSWER) .....	457	0.05
99 = LEGITIMATE SKIP.....	566	0.06

During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?

STIMCUTDN<sup>1</sup>      Len : 2    WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1337	0.15
2 = No.....	3829	0.43
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
94 = DON'T KNOW .....	14	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?

STIMCUTEV<sup>1</sup>      Len : 2    ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1215	0.14
2 = No.....	121	0.01
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	477	0.05
99 = LEGITIMATE SKIP.....	3829	0.43

During the past 12 months, did you cut down or stop using prescription stimulants at least one time?

STIMCUTIX<sup>1</sup>      Len : 2    CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1008	0.11
2 = No.....	2944	0.33
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	456	0.05
99 = LEGITIMATE SKIP.....	1215	0.14

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?

**STIMFLBLU<sup>1</sup>**      Len : 2    WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	478	0.05
2 = No.....	1742	0.20
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	476	0.05
99 = LEGITIMATE SKIP.....	2944	0.33

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

**STIMWD2SX<sup>1</sup>**      Len : 2    HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	404	0.05
2 = No.....	74	0.01
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	480	0.05
99 = LEGITIMATE SKIP.....	4686	0.52

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

**STIMWDSMT<sup>1</sup>**      Len : 2    HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	319	0.04
2 = No.....	84	0.01
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	480	0.05
99 = LEGITIMATE SKIP.....	4760	0.53

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?

<b>STIMEMOPB<sup>1</sup></b>	Len : 2 STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	513	0.06
	2 = No.....	4658	0.52
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
	85 = BAD DATA Logically assigned .....	8	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	14	0.00
	98 = BLANK (NO ANSWER) .....	456	0.05

Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<b>STIMEMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE STM DESPITE EMOT PRBS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	323	0.04
	2 = No.....	190	0.02
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
	97 = REFUSED .....	14	0.00
	98 = BLANK (NO ANSWER) .....	476	0.05
	99 = LEGITIMATE SKIP.....	4658	0.52

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?

<b>STIMPHLPB<sup>1</sup></b>	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	89	0.01
	2 = No.....	4760	0.53
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
	85 = BAD DATA Logically assigned .....	8	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	13	0.00
	98 = BLANK (NO ANSWER) .....	456	0.05
	99 = LEGITIMATE SKIP.....	323	0.04

Did you continue to use prescription stimulants even though this was causing you to have physical problems?

<b>STIMPHCTD<sup>1</sup></b>	Len : 2 CONTD TO USE STM DESPITE PHYS PRBS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	24	0.00
	2 = No.....	65	0.01
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
	97 = REFUSED .....	13	0.00
	98 = BLANK (NO ANSWER) .....	476	0.05
	99 = LEGITIMATE SKIP.....	5083	0.57

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?

**STIMLSACT<sup>1</sup>**      Len : 2    LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	193	0.02
2 = No.....	4983	0.56
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW .....	10	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?

**STIMSERPB<sup>1</sup>**      Len : 2    STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	169	0.02
2 = No.....	5009	0.56
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW .....	8	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?

**STIMPDANG<sup>1</sup>**      Len : 2    USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	132	0.01
2 = No.....	5047	0.57
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	12	0.00
98 = BLANK (NO ANSWER) .....	456	0.05

During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?

**STIMLAWTR<sup>1</sup>**      Len : 2    USING STM CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	44	0.00
2 = No.....	5137	0.58
83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	3453	0.39
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	10	0.00
98 = BLANK (NO ANSWER) .....	456	0.05



SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?

<b>STIMFMFPB<sup>1</sup></b>	Len : 2 USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	178	0.02
	2 = No.....	5004	0.56
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
	85 = BAD DATA Logically assigned .....	8	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
	94 = DON'T KNOW .....	5	0.00
	97 = REFUSED .....	11	0.00
	98 = BLANK (NO ANSWER) .....	456	0.05

Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?

<b>STIMFMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	131	0.01
	2 = No.....	47	0.01
	83 = DID NOT MISUSE STIMULANTS PST 12 MOS Log assn .....	412	0.05
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED/MISUSED STIMULANTS .....	160792	18.01
	93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS .....	3453	0.39
	97 = REFUSED .....	11	0.00
	98 = BLANK (NO ANSWER) .....	468	0.05
	99 = LEGITIMATE SKIP.....	5004	0.56

Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that you used in a way a doctor did not direct you to.

Earlier the computer recorded that in the past 12 months you used [SVFILL2] in a way a doctor did not direct you to use [SVNUMFILL]?

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?

<b>SEDVLOTTM<sup>1</sup></b>	Len : 2 SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	72	0.01
	2 = No.....	864	0.10
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn .....	604	0.07
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	514	0.06

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?

<b>SEDVGTQVR<sup>1</sup></b>	Len : 2 MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	21	0.00
	2 = No.....	844	0.09
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn .....	604	0.07
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	514	0.06
	99 = LEGITIMATE SKIP.....	72	0.01

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?

<b>SEDVLIMIT<sup>1</sup></b>	Len : 2 SET LIMITS ON SEDATIVE USE PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	220	0.02
	2 = No.....	715	0.08
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	514	0.06

Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?

<b>SEDVKPLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Usually kept to the limits set.....	183	0.02
	2 = Often used more than intended .....	36	0.00
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	523	0.06
	99 = LEGITIMATE SKIP.....	715	0.08

During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?

<b>SEDVNDMOR<sup>1</sup></b>	Len : 2 NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	117	0.01
	2 = No.....	819	0.09
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	514	0.06

During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?

<b>SEDVLSEFX<sup>1</sup></b>	Len : 2 USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	55	0.01
	2 = No.....	762	0.09
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	85 = BAD DATA Logically assigned.....	5	0.00
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	516	0.06
	99 = LEGITIMATE SKIP.....	117	0.01

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?

<b>SEDVCUTDN<sup>1</sup></b>	Len : 2	WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	252	0.03
		2 = No.....	682	0.08
		83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
		93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
		94 = DON'T KNOW .....	1	0.00
		97 = REFUSED .....	6	0.00
		98 = BLANK (NO ANSWER) .....	514	0.06

During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?

<b>SEDVCUTEV<sup>1</sup></b>	Len : 2	ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	212	0.02
		2 = No.....	39	0.00
		83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
		93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
		94 = DON'T KNOW .....	1	0.00
		97 = REFUSED .....	6	0.00
		98 = BLANK (NO ANSWER) .....	521	0.06
		99 = LEGITIMATE SKIP.....	682	0.08

During the past 12 months, did you cut down or stop using prescription sedatives at least one time?

<b>SEDVCUTIX<sup>1</sup></b>	Len : 2	CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	171	0.02
		2 = No.....	546	0.06
		83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
		85 = BAD DATA Logically assigned.....	6	0.00
		91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
		93 = DID NOT MISUSE SEDATIVES PST 12 MOS .....	2524	0.28
		94 = DON'T KNOW .....	5	0.00
		97 = REFUSED .....	7	0.00
		98 = BLANK (NO ANSWER) .....	515	0.06
		99 = LEGITIMATE SKIP.....	212	0.02

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

**SEDVWDISX<sup>1</sup>**    Len : 2    HAD 2+ SED WITHDRAWAL SYMPTOM PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	105	0.01
2 = No.....	278	0.03
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
97 = REFUSED .....	7	0.00
98 = BLANK (NO ANSWER) .....	523	0.06
99 = LEGITIMATE SKIP.....	546	0.06

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

**SEDVWDSMT<sup>1</sup>**    Len : 2    HAD 2+ SED WDRAW SYM AT SAME TIME PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	74	0.01
2 = No.....	31	0.00
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
97 = REFUSED .....	7	0.00
98 = BLANK (NO ANSWER) .....	525	0.06
99 = LEGITIMATE SKIP.....	824	0.09

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?

**SEDVEMOPB<sup>1</sup>**    Len : 2    SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	96	0.01
2 = No.....	836	0.09
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	7	0.00
98 = BLANK (NO ANSWER) .....	514	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<b>SEDVEMCTD<sup>1</sup></b>	Len : 2    CONTD TO USE SED DESPITE EMOT PRBS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	60	0.01
	2 = No.....	36	0.00
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
	97 = REFUSED.....	7	0.00
	98 = BLANK (NO ANSWER).....	521	0.06
	99 = LEGITIMATE SKIP.....	836	0.09

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?

<b>SEDVPHLPB<sup>1</sup></b>	Len : 2    ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	23	0.00
	2 = No.....	850	0.10
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	6	0.00
	98 = BLANK (NO ANSWER).....	515	0.06
	99 = LEGITIMATE SKIP.....	60	0.01

Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?

<b>SEDVPHCTD<sup>1</sup></b>	Len : 2    CONTD TO USE SED DESPITE PHYS PRBS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	7	0.00
	2 = No.....	16	0.00
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
	97 = REFUSED.....	6	0.00
	98 = BLANK (NO ANSWER).....	522	0.06
	99 = LEGITIMATE SKIP.....	910	0.10

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?

<b>SEDVLSACT<sup>1</sup></b>	Len : 2    LESS ACTIVITIES B/C OF SED USE PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	66	0.01
	2 = No.....	866	0.10
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	85 = BAD DATA Logically assigned.....	7	0.00
	91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	7	0.00
	98 = BLANK (NO ANSWER).....	514	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?

**SEDVSRPB<sup>1</sup>**      Len : 2    SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	58	0.01
2 = No.....	877	0.10
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
97 = REFUSED.....	6	0.00
98 = BLANK (NO ANSWER).....	514	0.06

During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?

**SEDVPDANG<sup>1</sup>**      Len : 2    USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	52	0.01
2 = No.....	883	0.10
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	5	0.00
98 = BLANK (NO ANSWER).....	514	0.06

During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?

**SEDVLAWTR<sup>1</sup>**      Len : 2    USING SED CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	12	0.00
2 = No.....	921	0.10
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	6	0.00
98 = BLANK (NO ANSWER).....	514	0.06

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?

**SEDVFMFPB<sup>1</sup>**      Len : 2    USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	50	0.01
2 = No.....	884	0.10
83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	165729	18.56
93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	4	0.00
98 = BLANK (NO ANSWER).....	514	0.06

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?

<b>SEDVFMCTD<sup>1</sup></b>	Len : 2    CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	27	0.00
	2 = No.....	23	0.00
	83 = DID NOT MISUSE SEDATIVES PST 12 MOS Log assn.....	604	0.07
	91 = NEVER USED/MISUSED SEDATIVES .....	165729	18.56
	93 = DID NOT MISUSE SEDATIVES PST 12 MOS.....	2524	0.28
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	524	0.06
	99 = LEGITIMATE SKIP.....	884	0.10

The next set of variables (through the end of this section) are summary dependence and abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recoded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because they do not have missing values. Instead, respondents with missing values are classified as not having dependence and/or not having abuse. The construction of all dependence and abuse variables is described in more detail in the Recoded Substance Dependence and Abuse Variable Documentation appendix.

<b>DEPENDHAL</b>	Len : 2    RC-HALLUCINOGEN DEPENDENCE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	222	0.02
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	4490	0.50
	1 = Yes.....	109	0.01
	91 = NEVER USED HALLUCINOGENS .....	145610	16.31
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	19888	2.23

<b>DEPENDINH</b>	Len : 2    RC-INHALANT DEPENDENCE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	197	0.02
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	1747	0.20
	1 = Yes.....	52	0.01
	91 = NEVER USED INHALANTS .....	153049	17.14
	93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS .....	15274	1.71

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered missing for DEPENDMTH and ABUPOSMTM, but were considered past year nonusers for their imputation-revised counterparts.

<b>DEPENDMTH</b>	Len : 2    RC-METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	49	0.01
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	680	0.08
	1 = Yes.....	468	0.05
	91 = NEVER USED METHAMPHETAMINE .....	162604	18.21
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	6518	0.73

<b>DEPENDPNR</b>	Len : 2    RC-PRESCRIPTION PAIN RELIEVER DEPENDENCE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	191	0.02
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	7497	0.84
	1 = Yes.....	1070	0.12
	91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS.....	152082	17.03
	93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS.....	9479	1.06

SUBSTANCE DEPENDENCE AND ABUSE

<b>DEPENDTRQ</b>	Len : 2 RC-PRESCRIPTION TRANQUILIZER DEPENDENCE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	61	0.01
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	4411	0.49
	1 = Yes.....	290	0.03
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS.....	162460	18.19
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	3097	0.35

<b>DEPENDSTM</b>	Len : 2 RC-PRESCRIPTION STIMULANT DEPENDENCE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	58	0.01
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	4803	0.54
	1 = Yes.....	366	0.04
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS.....	161605	18.10
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS.....	3487	0.39

<b>DEPENDSED</b>	Len : 2 RC-PRESCRIPTION SEDATIVE DEPENDENCE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	14	0.00
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	849	0.10
	1 = Yes.....	81	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIVES.....	166815	18.68
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	2560	0.29

Please note that these abuse variables are unaffected by whether the respondent was defined with dependence (the DEPENDxxx variables), and therefore they do not follow the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). They simply indicate whether the respondent met one or more of the four abuse criteria (i.e., whether they "test positive" for abuse). Details can be found in the Recorded Substance Dependence and Abuse Variable Documentation appendix.

<b>ABUPOSHAL</b>	Len : 2 RC-HALLUCINOGEN ABUSE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	216	0.02
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	4321	0.48
	1 = Yes.....	284	0.03
	91 = NEVER USED HALLUCINOGENS.....	145610	16.31
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	19888	2.23

<b>ABUPOSINH</b>	Len : 2 RC-INHALANT ABUSE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	180	0.02
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	1709	0.19
	1 = Yes.....	107	0.01
	91 = NEVER USED INHALANTS.....	153049	17.14
	93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS.....	15274	1.71

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered missing for DEPENDMTH and ABUPOSMTH, but were considered past year nonusers for their imputation-revised counterparts.

<b>ABUPOSMTH</b>	Len : 2 RC-METHAMPHETAMINE ABUSE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	45	0.01
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	644	0.07
	1 = Yes.....	508	0.06
	91 = NEVER USED METHAMPHETAMINES.....	162604	18.21
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTH.....	6518	0.73



SUBSTANCE DEPENDENCE AND ABUSE

<b>ABUOSPNR</b>	Len : 2 RC-PRESCRIPTION PAIN RELIEVER ABUSE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	146	0.02
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	7656	0.86
	1 = Yes.....	956	0.11
	91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS.....	152082	17.03
	93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS.....	9479	1.06

<b>ABUPOSTRQ</b>	Len : 2 RC-PRESCRIPTION TRANQUILIZER ABUSE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	51	0.01
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	4248	0.48
	1 = Yes.....	463	0.05
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS.....	162460	18.19
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	3097	0.35

<b>ABUOSSTM</b>	Len : 2 RC-PRESCRIPTION STIMULANT ABUSE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	49	0.01
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	4893	0.55
	1 = Yes.....	285	0.03
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS.....	161605	18.10
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS.....	3487	0.39

<b>ABUPOSESD</b>	Len : 2 RC-PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Missing: Past year use known or imputed.....	12	0.00
	-9 = Data not collected for this year.....	722653	80.93
	0 = No.....	839	0.09
	1 = Yes.....	93	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIVES.....	166815	18.68
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS.....	2560	0.29

NOTE: HALDAFLG is a flag variable that indicates differences in how the hallucinogen variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year users from the core HALLUCINOGENS module were routed into the corresponding questions, and how these hallucinogen variables were edited this year. Editing this year took into account logic that routed past year users of ketamine (from KETAREC), the tryptamines DMT, AMT, and 5-MeO-DIPT/"Foxy" (from TRYPREC), and Salvia divinorum (from SALVREC) into these dependence and abuse questions for hallucinogens.

<b>HALDAFLG<sup>1</sup></b>	Len : 2 EDITING FLAG FOR HALLUC DEPENDENCE & ABUSE VARS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	501219	56.13
	1 = Never used based on 07/Now: Not past yr user.....	2470	0.28
	2 = Not past yr user based on 07/Now: Blank.....	5	0.00
	3 = Never used based on 07/Now: Blank.....	850	0.10
	4 = Blank based on 07/Now: Past yr user.....	54	0.01
	5 = Not past yr user based on 07/Now: Past yr user.....	649	0.07
	6 = Never used based on 07/Now: Past yr user.....	893	0.10
	98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW).....	386832	43.32

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?

**HALLOTTM<sup>1</sup>**      Len : 2    SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1888	0.21
2 = No.....	23343	2.61
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED HALLUCINOGENS .....	615125	68.89
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
94 = DON'T KNOW .....	35	0.00
97 = REFUSED .....	62	0.01
98 = BLANK (NO ANSWER) .....	5095	0.57

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?

**HALGTOVR<sup>1</sup>**      Len : 2    MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	627	0.07
2 = No.....	22696	2.54
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED HALLUCINOGENS .....	615125	68.89
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
94 = DON'T KNOW .....	48	0.01
97 = REFUSED .....	69	0.01
98 = BLANK (NO ANSWER) .....	5096	0.57
99 = LEGITIMATE SKIP.....	1888	0.21

During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?

**HALLIMIT<sup>1</sup>**      Len : 2    SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	5564	0.62
2 = No.....	19564	2.19
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED HALLUCINOGENS .....	615125	68.89
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
94 = DON'T KNOW .....	90	0.01
97 = REFUSED .....	110	0.01
98 = BLANK (NO ANSWER) .....	5095	0.57

Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?

**HALKPLMT<sup>1</sup>**      Len : 2    ABLE TO KEEP LIMIT OR USE MORE HALLUC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Usually kept to the limits set.....	5213	0.58
2 = Often used more than intended .....	345	0.04
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED HALLUCINOGENS .....	615125	68.89
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	112	0.01
98 = BLANK (NO ANSWER) .....	5191	0.58
99 = LEGITIMATE SKIP.....	19564	2.19

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?

<b>HALNDMOR<sup>1</sup></b>	Len : 2    NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1697	0.19
	2 = No.....	23434	2.62
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	83	0.01
	97 = REFUSED .....	114	0.01
	98 = BLANK (NO ANSWER) .....	5095	0.57

During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?

<b>HALLSEFX<sup>1</sup></b>	Len : 2    USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1008	0.11
	2 = No.....	22349	2.50
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	133	0.01
	97 = REFUSED .....	141	0.02
	98 = BLANK (NO ANSWER) .....	5098	0.57
	99 = LEGITIMATE SKIP.....	1697	0.19

During the past 12 months, did you want to or try to cut down or stop using hallucinogens?

<b>HALCUTDN<sup>1</sup></b>	Len : 2    WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	6847	0.77
	2 = No.....	18172	2.04
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	138	0.02
	97 = REFUSED .....	171	0.02
	98 = BLANK (NO ANSWER) .....	5095	0.57

During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?

<b>HALCUTEV<sup>1</sup></b>	Len : 2    ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	6489	0.73
	2 = No.....	345	0.04
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	9	0.00
	97 = REFUSED .....	175	0.02
	98 = BLANK (NO ANSWER) .....	5239	0.59
	99 = LEGITIMATE SKIP.....	18172	2.04

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?

<b>HALEMOPB<sup>1</sup></b>	Len : 2 HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2170	0.24
	2 = No.....	22919	2.57
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	107	0.01
	97 = REFUSED .....	132	0.01
	98 = BLANK (NO ANSWER) .....	5095	0.57

Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<b>HALEMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE HALLUC DESPITE EMOT PRBS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	975	0.11
	2 = No.....	1193	0.13
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	132	0.01
	98 = BLANK (NO ANSWER) .....	5207	0.58
	99 = LEGITIMATE SKIP.....	22919	2.57

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?

<b>HALPHLPB<sup>1</sup></b>	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	492	0.06
	2 = No.....	23636	2.65
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	104	0.01
	97 = REFUSED .....	121	0.01
	98 = BLANK (NO ANSWER) .....	5097	0.57
	99 = LEGITIMATE SKIP.....	975	0.11

Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?

<b>HALPHCTD<sup>1</sup></b>	Len : 2 CONTD TO USE HALLUC DESPITE PHYS PRBS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	120	0.01
	2 = No.....	370	0.04
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	121	0.01
	98 = BLANK (NO ANSWER) .....	5204	0.58
	99 = LEGITIMATE SKIP.....	24611	2.76

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?

<b>HALLSACT<sup>1</sup></b>	Len : 2	LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	1107	0.12
		2 = No.....	23991	2.69
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED HALLUCINOGENS .....	615125	68.89
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
		94 = DON'T KNOW .....	90	0.01
		97 = REFUSED .....	140	0.02
		98 = BLANK (NO ANSWER) .....	5095	0.57

Sometimes people who use hallucinogens have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?

<b>HALSERPB<sup>1</sup></b>	Len : 2	HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	1030	0.12
		2 = No.....	24086	2.70
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED HALLUCINOGENS .....	615125	68.89
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
		94 = DON'T KNOW .....	87	0.01
		97 = REFUSED .....	125	0.01
		98 = BLANK (NO ANSWER) .....	5095	0.57

During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?

<b>HALPDANG<sup>1</sup></b>	Len : 2	USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	1409	0.16
		2 = No.....	23731	2.66
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED HALLUCINOGENS .....	615125	68.89
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
		94 = DON'T KNOW .....	80	0.01
		97 = REFUSED .....	108	0.01
		98 = BLANK (NO ANSWER) .....	5095	0.57

During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?

<b>HALLAWTR<sup>1</sup></b>	Len : 2	USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	417	0.05
		2 = No.....	24724	2.77
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED HALLUCINOGENS .....	615125	68.89
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
		94 = DON'T KNOW .....	77	0.01
		97 = REFUSED .....	110	0.01
		98 = BLANK (NO ANSWER) .....	5095	0.57

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?

<b>HALFMFPB<sup>1</sup></b>	Len : 2 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1077	0.12
	2 = No.....	24061	2.69
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	94 = DON'T KNOW .....	76	0.01
	97 = REFUSED .....	114	0.01
	98 = BLANK (NO ANSWER) .....	5095	0.57

Did you continue to use hallucinogens even though you thought this caused problems with family or friends?

<b>HALFMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	588	0.07
	2 = No.....	489	0.05
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED HALLUCINOGENS .....	615125	68.89
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	77098	8.63
	97 = REFUSED .....	114	0.01
	98 = BLANK (NO ANSWER) .....	5175	0.58
	99 = LEGITIMATE SKIP.....	24061	2.69

Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?

<b>INHLOTTM<sup>1</sup></b>	Len : 2 SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	787	0.09
	2 = No.....	11866	1.33
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	36	0.00
	97 = REFUSED .....	45	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?

<b>INHGTQVR<sup>1</sup></b>	Len : 2 MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	275	0.03
	2 = No.....	11559	1.29
	85 = BAD DATA Logically assigned .....	11	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	53	0.01
	98 = BLANK (NO ANSWER) .....	3833	0.43
	99 = LEGITIMATE SKIP.....	787	0.09

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much inhalants you would use?

<b>INHLIMIT<sup>1</sup></b>	Len : 2 SET LIMITS ON INHALANT USE PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2937	0.33
	2 = No.....	9544	1.07
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	138	0.02
	97 = REFUSED .....	115	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?

<b>INHKLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Usually kept to the limits set.....	2709	0.30
	2 = Often used more than intended .....	213	0.02
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	10	0.00
	97 = REFUSED .....	120	0.01
	98 = BLANK (NO ANSWER) .....	3980	0.45
	99 = LEGITIMATE SKIP.....	9544	1.07

During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?

<b>INHNDMOR<sup>1</sup></b>	Len : 2 NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	779	0.09
	2 = No.....	11753	1.32
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	93	0.01
	97 = REFUSED .....	109	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?

<b>INHLSEFX<sup>1</sup></b>	Len : 2 USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	914	0.10
	2 = No.....	10676	1.20
	85 = BAD DATA Logically assigned .....	12	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	224	0.03
	97 = REFUSED .....	141	0.02
	98 = BLANK (NO ANSWER) .....	3832	0.43
	99 = LEGITIMATE SKIP.....	779	0.09

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using inhalants?

<b>INHCUOTDN<sup>1</sup></b>	Len : 2 WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	4875	0.55
	2 = No.....	7397	0.83
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	232	0.03
	97 = REFUSED .....	230	0.03
	98 = BLANK (NO ANSWER) .....	3831	0.43

During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?

<b>INHCUOTEV<sup>1</sup></b>	Len : 2 ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	4543	0.51
	2 = No.....	305	0.03
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	15	0.00
	97 = REFUSED .....	242	0.03
	98 = BLANK (NO ANSWER) .....	4069	0.46
	99 = LEGITIMATE SKIP.....	7397	0.83

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?

<b>INHEMOPB<sup>1</sup></b>	Len : 2 INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	865	0.10
	2 = No.....	11607	1.30
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	128	0.01
	97 = REFUSED .....	134	0.02
	98 = BLANK (NO ANSWER) .....	3831	0.43

Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<b>INHEMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE INHALANTS DESPITE EMOT PRBS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	371	0.04
	2 = No.....	488	0.05
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	137	0.02
	98 = BLANK (NO ANSWER) .....	3968	0.44
	99 = LEGITIMATE SKIP.....	11607	1.30



SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?

<b>INHPLPB<sup>1</sup></b>	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	347	0.04
	2 = No.....	11789	1.32
	85 = BAD DATA Logically assigned .....	10	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	115	0.01
	97 = REFUSED .....	112	0.01
	98 = BLANK (NO ANSWER) .....	3834	0.43
	99 = LEGITIMATE SKIP.....	371	0.04

Did you continue to use inhalants even though you thought this was causing you to have physical problems?

<b>INHPHCTD<sup>1</sup></b>	Len : 2 CONTD TO USE INHALANTS DESPITE PHYS PRBS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	75	0.01
	2 = No.....	268	0.03
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	113	0.01
	98 = BLANK (NO ANSWER) .....	3958	0.44
	99 = LEGITIMATE SKIP.....	12160	1.36

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?

<b>INHLSACT<sup>1</sup></b>	Len : 2 LESS ACTIVITIES B/C OF INH USE PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	517	0.06
	2 = No.....	11993	1.34
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	111	0.01
	97 = REFUSED .....	113	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

Sometimes people who use inhalants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?

<b>INHSEPRB<sup>1</sup></b>	Len : 2 INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	608	0.07
	2 = No.....	11917	1.33
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	98	0.01
	97 = REFUSED .....	111	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?

<b>INHPDANG<sup>1</sup></b>	Len : 2 USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	623	0.07
	2 = No.....	11932	1.34
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	77	0.01
	97 = REFUSED .....	102	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?

<b>INHLAWTR<sup>1</sup></b>	Len : 2 USING INH CAUSE PRBS WITH LAW PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	218	0.02
	2 = No.....	12342	1.38
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	79	0.01
	97 = REFUSED .....	95	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?

<b>INHFMPB<sup>1</sup></b>	Len : 2 USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	571	0.06
	2 = No.....	11995	1.34
	85 = BAD DATA Logically assigned .....	13	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	79	0.01
	97 = REFUSED .....	89	0.01
	98 = BLANK (NO ANSWER) .....	3831	0.43

Did you continue to use inhalants even though you thought this caused problems with family or friends?

<b>INHFMC<sup>1</sup></b>	Len : 2 CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	249	0.03
	2 = No.....	318	0.04
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED INHALANTS .....	647483	72.51
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS .....	58592	6.56
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	92	0.01
	98 = BLANK (NO ANSWER) .....	3919	0.44
	99 = LEGITIMATE SKIP.....	11995	1.34

SUBSTANCE DEPENDENCE AND ABUSE

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?

**ANLLOTTM<sup>1</sup>**      Len : 2    SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	8010	0.90
2 = No.....	41654	4.66
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	98	0.01
97 = REFUSED .....	96	0.01
98 = BLANK (NO ANSWER) .....	6071	0.68

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?

**ANLGTQVR<sup>1</sup>**      Len : 2    MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	906	1.01
2 = No.....	40750	4.56
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	94	0.01
97 = REFUSED .....	98	0.01
98 = BLANK (NO ANSWER) .....	6076	0.68
99 = LEGITIMATE SKIP.....	8010	0.90

During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?

**ANLLIMIT<sup>1</sup>**      Len : 2    SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	12725	1.43
2 = No.....	36709	4.11
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	231	0.03
97 = REFUSED .....	193	0.02
98 = BLANK (NO ANSWER) .....	6071	0.68

Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?

**ANLKPLMT<sup>1</sup>**      Len : 2    ABLE TO KEEP LIMIT/USE MORE PN RLVR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Usually kept to the limits set.....	10285	1.15
2 = Often used more than intended .....	2414	0.27
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	20	0.00
97 = REFUSED .....	199	0.02
98 = BLANK (NO ANSWER) .....	6316	0.71
99 = LEGITIMATE SKIP.....	36709	4.11

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?

**ANLNDMOR<sup>1</sup>**      Len : 2    NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	7937	0.89
2 = No.....	41570	4.66
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	174	0.02
97 = REFUSED .....	177	0.02
98 = BLANK (NO ANSWER) .....	6071	0.68

During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?

**ANLLSEFX<sup>1</sup>**      Len : 2    USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	2957	0.33
2 = No.....	38399	4.30
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	352	0.04
97 = REFUSED .....	213	0.02
98 = BLANK (NO ANSWER) .....	6075	0.68
99 = LEGITIMATE SKIP.....	7937	0.89

During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?

**ANLCUTDN<sup>1</sup>**      Len : 2    WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	16151	1.81
2 = No.....	32921	3.69
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	426	0.05
97 = REFUSED .....	360	0.04
98 = BLANK (NO ANSWER) .....	6071	0.68

During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?

**ANLCUTEV<sup>1</sup>**      Len : 2    ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	13922	1.56
2 = No.....	2175	0.24
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	381	0.04
98 = BLANK (NO ANSWER) .....	6511	0.73
99 = LEGITIMATE SKIP.....	32921	3.69

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?

<b>ANLCUT1X<sup>1</sup></b>	Len : 2 CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	10413	1.17
	2 = No.....	24734	2.77
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
	85 = BAD DATA Logically assigned .....	14	0.00
	91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
	94 = DON'T KNOW .....	435	0.05
	97 = REFUSED .....	354	0.04
	98 = BLANK (NO ANSWER) .....	6075	0.68
	99 = LEGITIMATE SKIP.....	13922	1.56

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

<b>ANLWD3SX<sup>1</sup></b>	Len : 2 HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	7441	0.83
	2 = No.....	16837	1.89
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
	94 = DON'T KNOW .....	42	0.00
	97 = REFUSED .....	369	0.04
	98 = BLANK (NO ANSWER) .....	6517	0.73
	99 = LEGITIMATE SKIP.....	24734	2.77

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

<b>ANLWDSMT<sup>1</sup></b>	Len : 2 HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	4810	0.54
	2 = No.....	2619	0.29
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
	94 = DON'T KNOW .....	10	0.00
	97 = REFUSED .....	371	0.04
	98 = BLANK (NO ANSWER) .....	6561	0.73
	99 = LEGITIMATE SKIP.....	41571	4.66

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?

**ANLEMOBP<sup>1</sup>**      Len : 2    PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	5208	0.58
2 = No.....	44216	4.95
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	216	0.02
97 = REFUSED .....	218	0.02
98 = BLANK (NO ANSWER) .....	6071	0.68

Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

**ANLEMCTD<sup>1</sup>**      Len : 2    CONTD TO USE PN RLVR DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	3256	0.36
2 = No.....	1942	0.22
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	221	0.02
98 = BLANK (NO ANSWER) .....	6303	0.71
99 = LEGITIMATE SKIP.....	44216	4.95

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?

**ANLPHLPB<sup>1</sup>**      Len : 2    ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1076	0.12
2 = No.....	45129	5.05
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	16	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	198	0.02
97 = REFUSED .....	199	0.02
98 = BLANK (NO ANSWER) .....	6073	0.68
99 = LEGITIMATE SKIP.....	3256	0.36

Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?

**ANLPHCTD<sup>1</sup>**      Len : 2    CONTD TO USE PN RLVR DESPITE PHYS PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	387	0.04
2 = No.....	687	0.08
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
97 = REFUSED .....	201	0.02
98 = BLANK (NO ANSWER) .....	6286	0.70
99 = LEGITIMATE SKIP.....	48385	5.42

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?

**ANLLSACT<sup>1</sup>**      Len : 2    LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	3513	0.39
2 = No .....	45969	5.15
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	168	0.02
97 = REFUSED .....	208	0.02
98 = BLANK (NO ANSWER) .....	6071	0.68

Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?

**ANLSERP<sup>1</sup>**      Len : 2    PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	3104	0.35
2 = No .....	46410	5.20
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	144	0.02
97 = REFUSED .....	200	0.02
98 = BLANK (NO ANSWER) .....	6071	0.68

During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?

**ANLPDANG<sup>1</sup>**      Len : 2    USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	3188	0.36
2 = No .....	46341	5.19
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	148	0.02
97 = REFUSED .....	181	0.02
98 = BLANK (NO ANSWER) .....	6071	0.68

During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?

**ANLLAWTR<sup>1</sup>**      Len : 2    USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1020	0.11
2 = No .....	48546	5.44
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
94 = DON'T KNOW .....	116	0.01
97 = REFUSED .....	176	0.02
98 = BLANK (NO ANSWER) .....	6071	0.68

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?

<b>ANLFMFPB<sup>1</sup></b>	Len : 2 USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	3255	0.36
	2 = No.....	46325	5.19
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
	85 = BAD DATA Logically assigned .....	18	0.00
	91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
	94 = DON'T KNOW .....	117	0.01
	97 = REFUSED .....	161	0.02
	98 = BLANK (NO ANSWER) .....	6071	0.68

Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?

<b>ANLFMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2210	0.25
	2 = No.....	1038	0.12
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	1082	0.12
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED PAIN RELIEVERS .....	604055	67.65
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	61569	6.89
	94 = DON'T KNOW .....	7	0.00
	97 = REFUSED .....	161	0.02
	98 = BLANK (NO ANSWER) .....	6203	0.69
	99 = LEGITIMATE SKIP.....	46325	5.19

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?

<b>TRNLOTTM<sup>1</sup></b>	Len : 2 SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1418	0.16
	2 = No.....	18779	2.10
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	85 = BAD DATA Logically assigned .....	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	34	0.00
	97 = REFUSED .....	78	0.01
	98 = BLANK (NO ANSWER) .....	2473	0.28

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?

<b>TRNGTOVR<sup>1</sup></b>	Len : 2 MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	281	0.03
	2 = No.....	18494	2.07
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	85 = BAD DATA Logically assigned .....	12	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	33	0.00
	97 = REFUSED .....	83	0.01
	98 = BLANK (NO ANSWER) .....	2475	0.28
	99 = LEGITIMATE SKIP.....	1418	0.16



SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?

<b>TRNLIMIT<sup>1</sup></b>	Len : 2 SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	3711	0.42
	2 = No.....	16403	1.84
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	80	0.01
	97 = REFUSED .....	115	0.01
	98 = BLANK (NO ANSWER) .....	2473	0.28

Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?

<b>TRNKPLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Usually kept to the limits set.....	3283	0.37
	2 = Often used more than intended .....	421	0.05
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	4	0.00
	97 = REFUSED .....	118	0.01
	98 = BLANK (NO ANSWER) .....	2564	0.29
	99 = LEGITIMATE SKIP.....	16403	1.84

During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?

<b>TRNNDMOR<sup>1</sup></b>	Len : 2 NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1636	0.18
	2 = No.....	18505	2.07
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	108	0.01
	98 = BLANK (NO ANSWER) .....	2473	0.28

During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?

<b>TRNLSEFX<sup>1</sup></b>	Len : 2 USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	705	0.08
	2 = No.....	17755	1.99
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	12	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	89	0.01
	97 = REFUSED .....	124	0.01
	98 = BLANK (NO ANSWER) .....	2475	0.28
	99 = LEGITIMATE SKIP.....	1636	0.18

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?

<b>TRNCUTDN<sup>1</sup></b>	Len : 2 WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	5261	0.59
	2 = No.....	14784	1.66
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	114	0.01
	97 = REFUSED .....	150	0.02
	98 = BLANK (NO ANSWER) .....	2473	0.28

During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?

<b>TRNCUTEV<sup>1</sup></b>	Len : 2 ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	4821	0.54
	2 = No.....	436	0.05
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	151	0.02
	98 = BLANK (NO ANSWER) .....	2597	0.29
	99 = LEGITIMATE SKIP.....	14784	1.66

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?

<b>TRNEMOPB<sup>1</sup></b>	Len : 2 TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1453	0.16
	2 = No.....	18670	2.09
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	74	0.01
	97 = REFUSED .....	112	0.01
	98 = BLANK (NO ANSWER) .....	2473	0.28

Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

<b>TRNEMCTD<sup>1</sup></b>	Len : 2 CONTD TO USE TRN DESPITE EMOT PRBS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	862	0.10
	2 = No.....	588	0.07
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	112	0.01
	98 = BLANK (NO ANSWER) .....	2558	0.29
	99 = LEGITIMATE SKIP.....	18670	2.09

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?

<b>TRNPHLPB<sup>1</sup></b>	Len : 2 ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	277	0.03
	2 = No.....	18988	2.13
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	85 = BAD DATA Logically assigned.....	11	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	72	0.01
	97 = REFUSED .....	110	0.01
	98 = BLANK (NO ANSWER) .....	2476	0.28
	99 = LEGITIMATE SKIP.....	862	0.10

Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?

<b>TRNPHCTD<sup>1</sup></b>	Len : 2 CONTD TO USE TRN DESPITE PHYS PRBS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	86	0.01
	2 = No.....	190	0.02
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	110	0.01
	98 = BLANK (NO ANSWER) .....	2559	0.29
	99 = LEGITIMATE SKIP.....	19850	2.22

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?

<b>TRNLSACT<sup>1</sup></b>	Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1017	0.11
	2 = No.....	19122	2.14
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	94 = DON'T KNOW .....	59	0.01
	97 = REFUSED .....	111	0.01
	98 = BLANK (NO ANSWER) .....	2473	0.28

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?

TRNSERP<sup>1</sup>      Len : 2    TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	952	0.11
2 = No.....	19187	2.15
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
94 = DON'T KNOW.....	61	0.01
97 = REFUSED.....	109	0.01
98 = BLANK (NO ANSWER).....	2473	0.28

During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?

TRNPDANG<sup>1</sup>      Len : 2    USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1164	0.13
2 = No.....	18992	2.13
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
94 = DON'T KNOW.....	48	0.01
97 = REFUSED.....	105	0.01
98 = BLANK (NO ANSWER).....	2473	0.28

During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?

TRNLAWTR<sup>1</sup>      Len : 2    USING TRN CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	399	0.04
2 = No.....	19766	2.21
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
94 = DON'T KNOW.....	45	0.01
97 = REFUSED.....	99	0.01
98 = BLANK (NO ANSWER).....	2473	0.28

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?

TRNFMFPB<sup>1</sup>      Len : 2    USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1043	0.12
2 = No.....	19117	2.14
81 = NEVER USED TRANQUILIZERS Logically assigned.....	86	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED TRANQUILIZERS.....	660447	73.96
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
94 = DON'T KNOW.....	51	0.01
97 = REFUSED.....	97	0.01
98 = BLANK (NO ANSWER).....	2474	0.28

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?

<b>TRNFMCTD<sup>1</sup></b>	Len : 2    CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	664	0.07
	2 = No.....	379	0.04
	81 = NEVER USED TRANQUILIZERS Logically assigned .....	86	0.01
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED TRANQUILIZERS.....	660447	73.96
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	39324	4.40
	97 = REFUSED .....	97	0.01
	98 = BLANK (NO ANSWER) .....	2537	0.28
	99 = LEGITIMATE SKIP.....	19117	2.14

NOTE: The logic for asking the stimulant dependence and abuse questions was updated in 2003 to administer these questions to lifetime stimulant users who reported past year use of methamphetamine with a needle but had not already reported past year stimulant use anywhere else in the interview.

Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?

<b>STMLOTTM<sup>1</sup></b>	Len : 2    SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2011	0.23
	2 = No.....	18155	2.03
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	42	0.00
	97 = REFUSED .....	73	0.01
	98 = BLANK (NO ANSWER) .....	3126	0.35

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?

<b>STMGTQVR<sup>1</sup></b>	Len : 2    MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	373	0.04
	2 = No.....	17771	1.99
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	8	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	51	0.01
	97 = REFUSED .....	75	0.01
	98 = BLANK (NO ANSWER) .....	3129	0.35
	99 = LEGITIMATE SKIP.....	2011	0.23

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?

<b>STMLIMIT<sup>1</sup></b>	Len : 2 SET LIMITS ON STIMULANT USE PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	3979	0.45
	2 = No.....	16101	1.80
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	92	0.01
	97 = REFUSED .....	108	0.01
	98 = BLANK (NO ANSWER) .....	3127	0.35

Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?

<b>STMKPLMT<sup>1</sup></b>	Len : 2 ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Usually kept to the limits set.....	3364	0.38
	2 = Often used more than intended .....	609	0.07
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	3	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	4	0.00
	97 = REFUSED .....	110	0.01
	98 = BLANK (NO ANSWER) .....	3227	0.36
	99 = LEGITIMATE SKIP.....	16101	1.80

During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?

<b>STMNDMOR<sup>1</sup></b>	Len : 2 NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2070	0.23
	2 = No.....	18021	2.02
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	81	0.01
	97 = REFUSED .....	108	0.01
	98 = BLANK (NO ANSWER) .....	3127	0.35

During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?

<b>STMLSEFX<sup>1</sup></b>	Len : 2 USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	835	0.09
	2 = No.....	17136	1.92
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	9	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	118	0.01
	97 = REFUSED .....	120	0.01
	98 = BLANK (NO ANSWER) .....	3130	0.35
	99 = LEGITIMATE SKIP.....	2070	0.23

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?

<b>STMCUTDN<sup>1</sup></b>	Len : 2 WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	5416	0.61
	2 = No.....	14584	1.63
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	11	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	133	0.01
	97 = REFUSED .....	146	0.02
	98 = BLANK (NO ANSWER) .....	3128	0.35

During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?

<b>STMCUTEV<sup>1</sup></b>	Len : 2 ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	4827	0.54
	2 = No.....	579	0.06
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	3	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	5	0.00
	97 = REFUSED .....	151	0.02
	98 = BLANK (NO ANSWER) .....	3269	0.37
	99 = LEGITIMATE SKIP.....	14584	1.63

During the past 12 months, did you cut down or stop using prescription stimulants at least one time?

<b>STMCUTIX<sup>1</sup></b>	Len : 2 CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	3192	0.36
	2 = No.....	11968	1.34
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	9	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	142	0.02
	97 = REFUSED .....	150	0.02
	98 = BLANK (NO ANSWER) .....	3130	0.35
	99 = LEGITIMATE SKIP.....	4827	0.54

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?

<b>STMFLBLU<sup>1</sup></b>	Len : 2 WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2040	0.23
	2 = No.....	5956	0.67
	81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
	85 = BAD DATA Logically assigned .....	3	0.00
	90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
	91 = NEVER USED STIMULANTS.....	650512	72.85
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	159	0.02
	98 = BLANK (NO ANSWER) .....	3278	0.37
	99 = LEGITIMATE SKIP.....	11968	1.34

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWD2SX<sup>1</sup> Len : 2 HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1724	0.19
2 = No.....	314	0.04
81 = NEVER USED STIMULANTS Logically assigned.....	157	0.02
85 = BAD DATA Logically assigned.....	2	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	159	0.02
98 = BLANK (NO ANSWER).....	3293	0.37
99 = LEGITIMATE SKIP.....	17924	2.01

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWDSMT<sup>1</sup> Len : 2 HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1473	0.16
2 = No.....	250	0.03
81 = NEVER USED STIMULANTS Logically assigned.....	157	0.02
85 = BAD DATA Logically assigned.....	2	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	159	0.02
98 = BLANK (NO ANSWER).....	3295	0.37
99 = LEGITIMATE SKIP.....	18238	2.04

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?

STMEMOPB<sup>1</sup> Len : 2 STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	2225	0.25
2 = No.....	17815	2.00
81 = NEVER USED STIMULANTS Logically assigned.....	157	0.02
85 = BAD DATA Logically assigned.....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW.....	103	0.01
97 = REFUSED.....	136	0.02
98 = BLANK (NO ANSWER).....	3128	0.35



SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

**STMEMCTD<sup>1</sup>**      Len : 2    CONTD TO USE STM DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1347	0.15
2 = No.....	877	0.10
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	4	0.00
90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS .....	48559	5.44
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	3238	0.36
99 = LEGITIMATE SKIP.....	17815	2.00

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?

**STMPHLPB<sup>1</sup>**      Len : 2    ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	407	0.05
2 = No.....	18296	2.05
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	8	0.00
90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS .....	48559	5.44
94 = DON'T KNOW .....	100	0.01
97 = REFUSED .....	129	0.01
98 = BLANK (NO ANSWER) .....	3131	0.35
99 = LEGITIMATE SKIP.....	1347	0.15

Did you continue to use prescription stimulants even though this was causing you to have physical problems?

**STMPHCTD<sup>1</sup>**      Len : 2    CONTD TO USE STM DESPITE PHYS PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	131	0.01
2 = No.....	275	0.03
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	1	0.00
90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS .....	48559	5.44
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	129	0.01
98 = BLANK (NO ANSWER) .....	3238	0.36
99 = LEGITIMATE SKIP.....	19643	2.20

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?

**STMLSACT<sup>1</sup>**      Len : 2    LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1183	0.13
2 = No.....	18888	2.12
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW.....	84	0.01
97 = REFUSED .....	124	0.01
98 = BLANK (NO ANSWER) .....	3128	0.35

Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?

**STMSERP<sup>1</sup>**      Len : 2    STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1095	0.12
2 = No.....	18986	2.13
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW.....	84	0.01
97 = REFUSED .....	114	0.01
98 = BLANK (NO ANSWER) .....	3128	0.35

During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?

**STMPDANG<sup>1</sup>**      Len : 2    USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1046	0.12
2 = No.....	19057	2.13
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned.....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW.....	64	0.01
97 = REFUSED .....	112	0.01
98 = BLANK (NO ANSWER) .....	3128	0.35

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?

**STMLAWTR<sup>1</sup>**      Len : 2    USING STM CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	437	0.05
2 = No.....	19671	2.20
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW .....	59	0.01
97 = REFUSED .....	112	0.01
98 = BLANK (NO ANSWER) .....	3128	0.35

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?

**STMFMFPB<sup>1</sup>**      Len : 2    USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1214	0.14
2 = No.....	18893	2.12
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	11	0.00
90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW .....	64	0.01
97 = REFUSED .....	108	0.01
98 = BLANK (NO ANSWER) .....	3128	0.35

Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?

**STMFMCTD<sup>1</sup>**      Len : 2    CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	837	0.09
2 = No.....	376	0.04
81 = NEVER USED STIMULANTS Logically assigned .....	157	0.02
85 = BAD DATA Logically assigned .....	7	0.00
90 = NOT ASKED THE QUESTION Logically assigned .....	7	0.00
91 = NEVER USED STIMULANTS.....	650512	72.85
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	48559	5.44
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	108	0.01
98 = BLANK (NO ANSWER) .....	3196	0.36
99 = LEGITIMATE SKIP.....	18893	2.12

SUBSTANCE DEPENDENCE AND ABUSE

NOTE: STMDAFLG is a flag variable that indicates differences in how the stimulant variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on logic in earlier years and how these stimulant variables were edited this year. In 2004, past year users were routed into the corresponding questions if they reported past year nonmedical use of prescription stimulants or methamphetamine in the core stimulants module or if they reported in the SPECIAL DRUGS module that they used methamphetamine or other stimulants with a needle (from MTNDLREC and OSTLNREC, respectively). Beginning in 2005 (and continuing this year), past year methamphetamine users from the SPECIAL DRUGS variables MTHAREC and MTANDLRC also were asked about stimulant dependence or abuse. STMDAFLG is coded as 1 through 6 if the inclusion of MTHAREC and MTANDLRC changed the outcome for editing of the stimulant dependence or abuse variables. This year, respondents who reported past year nonmedical use of Adderall (from ADDEREC) were eligible to be asked these questions as well. STMDAFLG is coded as 11 through 16 if the inclusion of ADDEREC changed the outcome for editing of these variables.

<b>STMDAFLG<sup>1</sup></b>	Len : 2 EDITING FLAG FOR STIM DEPENDENCE & ABUSE VARS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	335230	37.54
	1 = Never used based on 04/Now: Not past yr user.....	5381	0.60
	2 = Not past yr user based on 04/Now: Blank.....	1	0.00
	3 = Never used based on 04/Now: Blank.....	371	0.04
	4 = Blank based on 04/Now: Past yr user.....	40	0.00
	5 = Not past yr user based on 04/Now: Past yr user.....	120	0.01
	6 = Never used based on 04/Now: Past yr user.....	846	0.09
	11 = Never used based on 07/Now: Not past yr user.....	5654	0.63
	12 = Not past yr user based on 07/Now: Blank.....	2	0.00
	13 = Never used based on 07/Now: Blank.....	197	0.02
	14 = Blank based on 07/Now: Past yr user.....	62	0.01
	15 = Not past yr user based on 07/Now: Past yr user.....	876	0.10
	16 = Never used based on 07/Now: Past yr user.....	4103	0.46
	98 = BLANK (NO DIFF BETWEEN 04 VARIABLES & NOW).....	540089	60.48

NOTE: SEDDAFLG is a flag variable that indicates differences in how the sedative variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year nonmedical users from the core SEDATIVES module were routed into the corresponding questions, and how these sedative variables were edited this year. Editing this year took into account logic that routed past year nonmedical users of Ambien (from AMBIREC) into these dependence and abuse questions for sedatives.

<b>SEDDAFLG<sup>1</sup></b>	Len : 2 EDITING FLAG FOR SEDATIVE DEPENDENCE & ABUSE VARS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	501219	56.13
	1 = Never used based on 07/Now: Not past yr user.....	4947	0.55
	2 = Not past yr user based on 07/Now: Blank.....	1	0.00
	3 = Never used based on 07/Now: Blank.....	196	0.02
	4 = Blank based on 07/Now: Past yr user.....	26	0.00
	5 = Not past yr user based on 07/Now: Past yr user.....	260	0.03
	6 = Never used based on 07/Now: Past yr user.....	2394	0.27
	98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW).....	383929	42.99

Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?

<b>SEDL0TTM<sup>1</sup></b>	Len : 2 SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	458	0.05
	2 = No.....	5018	0.56
	81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
	85 = BAD DATA Logically assigned.....	6	0.00
	91 = NEVER USED SEDATIVES.....	697742	78.14
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	16938	1.90
	94 = DON'T KNOW.....	20	0.00
	97 = REFUSED.....	40	0.00
	98 = BLANK (NO ANSWER).....	2172	0.24

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?

**SEDGTOVR<sup>1</sup>**      Len : 2    MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	137	0.02
2 = No.....	4879	0.55
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	17	0.00
97 = REFUSED .....	45	0.01
98 = BLANK (NO ANSWER) .....	2174	0.24
99 = LEGITIMATE SKIP.....	458	0.05

During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?

**SEDLIMIT<sup>1</sup>**      Len : 2    SET LIMITS ON SEDATIVE USE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	1086	0.12
2 = No.....	4361	0.49
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	36	0.00
97 = REFUSED .....	53	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24

Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?

**SEDKPLMT<sup>1</sup>**      Len : 2    ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Usually kept to the limits set.....	928	0.10
2 = Often used more than intended .....	154	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16939	1.90
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	55	0.01
98 = BLANK (NO ANSWER) .....	2213	0.25
99 = LEGITIMATE SKIP.....	4361	0.49

During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?

**SEDNMOR<sup>1</sup>**      Len : 2    NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	584	0.07
2 = No.....	4877	0.55
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	28	0.00
97 = REFUSED .....	47	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?

<b>SEDLSEFX<sup>1</sup></b>	Len : 2 USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	262	0.03
	2 = No.....	4584	0.51
	81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED SEDATIVES .....	697742	78.14
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
	94 = DON'T KNOW .....	50	0.01
	97 = REFUSED .....	56	0.01
	98 = BLANK (NO ANSWER) .....	2174	0.24
	99 = LEGITIMATE SKIP.....	584	0.07

During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?

<b>SEDCUTDN<sup>1</sup></b>	Len : 2 WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1503	0.17
	2 = No.....	3914	0.44
	81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED SEDATIVES .....	697742	78.14
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
	94 = DON'T KNOW .....	52	0.01
	97 = REFUSED .....	67	0.01
	98 = BLANK (NO ANSWER) .....	2172	0.24

During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?

<b>SEDCUTEV<sup>1</sup></b>	Len : 2 ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1330	0.15
	2 = No.....	166	0.02
	81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED SEDATIVES .....	697742	78.14
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16939	1.90
	94 = DON'T KNOW .....	5	0.00
	97 = REFUSED .....	69	0.01
	98 = BLANK (NO ANSWER) .....	2229	0.25
	99 = LEGITIMATE SKIP.....	3914	0.44

During the past 12 months, did you cut down or stop using prescription sedatives at least one time?

<b>SEDCUT1X<sup>1</sup></b>	Len : 2 CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	810	0.09
	2 = No.....	3275	0.37
	81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
	83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED SEDATIVES .....	697742	78.14
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
	94 = DON'T KNOW .....	52	0.01
	97 = REFUSED .....	69	0.01
	98 = BLANK (NO ANSWER) .....	2173	0.24
	99 = LEGITIMATE SKIP.....	1330	0.15

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

**SEDWDISX<sup>1</sup>**      Len : 2    HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	706	0.08
2 = No.....	1428	0.16
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16939	1.90
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	71	0.01
98 = BLANK (NO ANSWER) .....	2226	0.25
99 = LEGITIMATE SKIP.....	3275	0.37

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

**SEDWDSMT<sup>1</sup>**      Len : 2    HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	511	0.06
2 = No.....	194	0.02
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16939	1.90
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	71	0.01
98 = BLANK (NO ANSWER) .....	2231	0.25
99 = LEGITIMATE SKIP.....	4703	0.53

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?

**SEDEMOPB<sup>1</sup>**      Len : 2    SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	578	0.06
2 = No.....	4860	0.54
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	45	0.01
97 = REFUSED .....	53	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

**SEDEMCTD<sup>1</sup>**      Len : 2    CONTD TO USE SED DESPITE EMOT PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	330	0.04
2 = No.....	245	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16939	1.90
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	55	0.01
98 = BLANK (NO ANSWER) .....	2220	0.25
99 = LEGITIMATE SKIP.....	4860	0.54

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?

**SEDPHLPB<sup>1</sup>**      Len : 2    ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	134	0.02
2 = No.....	4985	0.56
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	36	0.00
97 = REFUSED .....	51	0.01
98 = BLANK (NO ANSWER) .....	2175	0.24
99 = LEGITIMATE SKIP.....	330	0.04

Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?

**SEDPHCTD<sup>1</sup>**      Len : 2    CONTD TO USE SED DESPITE PHYS PRBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	38	0.00
2 = No.....	96	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16939	1.90
97 = REFUSED .....	51	0.01
98 = BLANK (NO ANSWER) .....	2214	0.25
99 = LEGITIMATE SKIP.....	5315	0.60

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?

**SEDLFACT<sup>1</sup>**      Len : 2    LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	412	0.05
2 = No.....	5042	0.56
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	30	0.00
97 = REFUSED .....	52	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24



SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?

**SEDSERP1**      Len : 2    SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	401	0.04
2 = No.....	5061	0.57
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	22	0.00
97 = REFUSED .....	52	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24

During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?

**SEDPDANG1**      Len : 2    USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	370	0.04
2 = No.....	5088	0.57
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	25	0.00
97 = REFUSED .....	53	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24

During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?

**SEDLAWTR1**      Len : 2    USING SED CAUSE PRBS WITH LAW PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	165	0.02
2 = No.....	5298	0.59
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	21	0.00
97 = REFUSED .....	52	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?

**SEDFMFPB<sup>1</sup>**      Len : 2    USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	378	0.04
2 = No.....	5084	0.57
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16938	1.90
94 = DON'T KNOW .....	28	0.00
97 = REFUSED .....	46	0.01
98 = BLANK (NO ANSWER) .....	2172	0.24

Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?

**SEDFMCTD<sup>1</sup>**      Len : 2    CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	251	0.03
2 = No.....	125	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	258	0.03
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED SEDATIVES .....	697742	78.14
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	16939	1.90
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	47	0.01
98 = BLANK (NO ANSWER) .....	2203	0.25
99 = LEGITIMATE SKIP.....	5084	0.57

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

**IMPUTED SUBSTANCE DEPENDENCE AND ABUSE**

NOTE: The following 17 variables are the imputation-revised versions of the nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had a missing value. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non-integer values into integers) when doing cross-tabulations.

**IRCGIRTB**      Len : 12    NEED TO SMOKE TO FEEL LESS IRRITABLE - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 5 .....	211889	23.73
85 = BAD DATA.....	15	0.00
91 = NEVER USED .....	413979	46.36
93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
94 = DON'T KNOW .....	339	0.04
97 = REFUSED .....	169	0.02
98 = BLANK/ DID NOT ANSWER.....	536	0.06

**IICGIRTB**      Len : 2    NEED TO SMOKE TO FEEL LESS IRRITABLE - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
1 = Questionnaire data .....	211657	23.70
2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	232	0.03
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1044	0.12

**IRCGCRV**      Len : 12    CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
RANGE = 0.9478157963 - 5 .....	211997	23.74
85 = BAD DATA.....	15	0.00
91 = NEVER USED .....	413979	46.36
93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
94 = DON'T KNOW .....	241	0.03
97 = REFUSED .....	158	0.02
98 = BLANK/ DID NOT ANSWER.....	537	0.06

**IICGCRV**      Len : 2    CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS - IMP IND

	<b>Freq</b>	<b>Pct</b>
1 = Questionnaire data .....	211972	23.74
2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	25	0.00
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	936	0.10

**IRCGCRGP**      Len : 12    CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 5 .....	211947	23.74
85 = BAD DATA.....	15	0.00
91 = NEVER USED .....	413979	46.36
93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
94 = DON'T KNOW .....	278	0.03
97 = REFUSED .....	171	0.02
98 = BLANK/ DID NOT ANSWER.....	537	0.06

**IICGCRGP**      Len : 2    CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL - IMP IND

	<b>Freq</b>	<b>Pct</b>
1 = Questionnaire data .....	211885	23.73
2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
3 = Statistically imputed, other 16 ndss vars nonmsng.....	62	0.01
9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	986	0.11

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

<b>IRCGNCTL</b>	Len : 12 FEEL A SENSE OF CNTRL OVER SMOKING - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 5 .....	211901	23.73
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	312	0.03
	97 = REFUSED .....	183	0.02
	98 = BLANK/ DID NOT ANSWER.....	537	0.06
<b>IICGNCTL</b>	Len : 2 FEEL A SENSE OF CNTRL OVER SMOKING - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211793	23.72
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	108	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1032	0.12
<b>IRCGAVD</b>	Len : 12 TEND TO AVOID PLACES DON'T ALLOW SMOKING - IMP REV		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 5 .....	211779	23.72
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	423	0.05
	97 = REFUSED .....	194	0.02
	98 = BLANK/ DID NOT ANSWER.....	537	0.06
<b>IICGAVD</b>	Len : 2 TEND TO AVOID PLACES DON'T ALLOW SMOKING - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211504	23.69
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	275	0.03
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1154	0.13
<b>IRCGPLN</b>	Len : 12 NO TRAVEL BY AIRPLANE B/C NO SMOKING - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.7332307667 - 5 .....	211878	23.73
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	322	0.04
	97 = REFUSED .....	195	0.02
	98 = BLANK/ DID NOT ANSWER.....	538	0.06
<b>IICGPLN</b>	Len : 2 NO TRAVEL BY AIRPLANE B/C NO SMOKING - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211548	23.69
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	330	0.04
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1055	0.12
<b>IRCGROUT</b>	Len : 12 WORRY THAT YOU WILL RUN OUT OF CIGS - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.8572766252 - 5 .....	212022	23.74
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	204	0.02
	97 = REFUSED .....	168	0.02
	98 = BLANK/ DID NOT ANSWER.....	539	0.06

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IICGROUT	Len : 2 Worry that you will run out of cigs - Imputation Indicator		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	212002	23.74
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	20	0.00
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	911	0.10
IRCGRGDY	Len : 12 Smoke cigs regularly through day - Imputation Revised		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.7421446555 - 5 .....	212022	23.74
	85 = BAD DATA .....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH .....	266045	29.79
	94 = DON'T KNOW .....	187	0.02
	97 = REFUSED .....	185	0.02
	98 = BLANK/ DID NOT ANSWER .....	539	0.06
IICGRGDY	Len : 2 Smoke cigs regularly through day - Imputation Indicator		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	212002	23.74
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	20	0.00
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	911	0.10
IRCGRGWK	Len : 12 Smoke same on weekends and weekdays - Imputation Revised		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.9783341594 - 5 .....	211832	23.72
	85 = BAD DATA .....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH .....	266045	29.79
	94 = DON'T KNOW .....	340	0.04
	97 = REFUSED .....	222	0.02
	98 = BLANK/ DID NOT ANSWER .....	539	0.06
IICGRGWK	Len : 2 Smoke same on weekends and weekdays - Imputation Indicator		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211709	23.71
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	123	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1101	0.12
IRCGRGNM	Len : 12 Smoke same # of cigs from day to day - Imputation Revised		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.8693181775 - 5 .....	211835	23.72
	85 = BAD DATA .....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH .....	266045	29.79
	94 = DON'T KNOW .....	322	0.04
	97 = REFUSED .....	237	0.03
	98 = BLANK/ DID NOT ANSWER .....	539	0.06
IICGRGNM	Len : 2 Smoke same # of cigs from day to day - Imputation Indicator		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211738	23.71
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	97	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1098	0.12

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRCGNCG	Len : 12 # CIGS SMOKE PER DAY OFTEN CHANGES - IMPUTATION REVISED		
	RANGE = 1 - 5 .....	211719	23.71
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	403	0.05
	97 = REFUSED .....	272	0.03
	98 = BLANK/ DID NOT ANSWER.....	539	0.06
IICGNCG	Len : 2 # CIGS SMOKE PER DAY OFTEN CHANGES - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	211574	23.69
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	145	0.02
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1214	0.14
IRCGSLHR	Len : 12 HAVE LOT CIGS IN HR, NO CIGS TIL LATER - IMPUTATION REVISED		
	RANGE = 0.9097778459 - 5 .....	211632	23.70
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	467	0.05
	97 = REFUSED .....	295	0.03
	98 = BLANK/ DID NOT ANSWER.....	539	0.06
IICGSLHR	Len : 2 HAVE LOT CIGS IN HR, NO CIGS TIL LATER -IMPUTATION INDICATOR		
	1 = Questionnaire data .....	211382	23.67
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	250	0.03
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1301	0.15
IRCGINFL	Len : 12 # CIGS SMOKE A DAY INFLU BY OTH THINGS - IMPUTATION REVISED		
	RANGE = 1 - 5.4834387735 .....	211659	23.70
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	440	0.05
	97 = REFUSED .....	294	0.03
	98 = BLANK/ DID NOT ANSWER.....	540	0.06
IICGINFL	Len : 2 # CIGS SMOKE A DAY INFLU BY OTH THINGS - IMP IND		
	1 = Questionnaire data .....	211572	23.69
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	87	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1274	0.14
IRCGNINF	Len : 12 SMOKING NOT AFFECTED BY OTH THINGS - IMPUTATION REVISED		
	RANGE = 1 - 5 .....	211539	23.69
	85 = BAD DATA.....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH.....	266045	29.79
	94 = DON'T KNOW .....	527	0.06
	97 = REFUSED .....	327	0.04
	98 = BLANK/ DID NOT ANSWER.....	540	0.06

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IICGNINF	Len : 2 SMOKING NOT AFFECTED BY OTH THINGS - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211365	23.67
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	174	0.02
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1394	0.16
IRCGINCR	Len : 12 AMT OF SMOKING INCR. SINCE START SMOKING - IMP REV		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.9633297384 - 5 .....	211815	23.72
	85 = BAD DATA .....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH .....	266045	29.79
	94 = DON'T KNOW .....	306	0.03
	97 = REFUSED .....	272	0.03
	98 = BLANK/ DID NOT ANSWER .....	540	0.06
IICGINCR	Len : 2 AMT OF SMOKING INCR. SINCE START SMOKING - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211736	23.71
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	79	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1118	0.13
IICGSAT	Len : 12 NEED TO SMOKE A LOT MORE TO BE SATISFIED - IMP REV		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.7829261033 - 5 .....	211807	23.72
	85 = BAD DATA .....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH .....	266045	29.79
	94 = DON'T KNOW .....	307	0.03
	97 = REFUSED .....	279	0.03
	98 = BLANK/ DID NOT ANSWER .....	540	0.06
IICGSAT	Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211752	23.71
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	55	0.01
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1126	0.13
IICGLMR	Len : 12 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING - IMP REV		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0.9249015017 - 5 .....	211593	23.70
	85 = BAD DATA .....	15	0.00
	91 = NEVER USED .....	413979	46.36
	93 = DID NOT USE CIGARETTES PAST MONTH .....	266045	29.79
	94 = DON'T KNOW .....	485	0.05
	97 = REFUSED .....	315	0.04
	98 = BLANK/ DID NOT ANSWER .....	540	0.06
IICGLMR	Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	211071	23.64
	2 = Logically assn, not imputed, <16 ndss vars nonmsng .....	15	0.00
	3 = Statistically imputed, other 16 ndss vars nonmsng .....	522	0.06
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS .....	680024	76.15
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG .....	1340	0.15

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

The next set of variables (through the end of this section) are imputation-revised summary dependence and abuse measures for the drugs and drug families for which trends were broken for recency in the 2015 survey. These drugs / drug families are: hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives. The analogous versions of these variables that include missing values are described in the "Substance Dependence and Abuse" section. Analogous versions of these variables for alcohol, marijuana, cocaine, and heroin appear in the "Recorded Substance Dependence and Abuse" section; those variables are presented in that section instead of in this one because respondents with missing values are classified as not having dependence and/or not having abuse. The construction of all dependence and abuse variables is described in more detail in the Recorded Substance Dependence and Abuse Variable Documentation appendix.

**IRDEPENDHAL** Len : 2 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR - IMP REV

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No .....	4700	0.53
1 = Yes .....	121	0.01
91 = NEVER USED HALLUCINOGENS .....	145610	16.31
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS .....	19888	2.23

**IIDPENDHAL** Len : 2 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR - IMP IND

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data .....	4599	0.52
3 = Statistically imputed data .....	222	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER .....	165498	18.53

**IRDEPENDINH** Len : 2 INHALANT DEPENDENCE IN THE PAST YEAR - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No .....	1934	0.22
1 = Yes .....	62	0.01
91 = NEVER USED INHALANTS .....	153049	17.14
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS .....	15274	1.71

**IIDPENDINH** Len : 2 INHALANT DEPENDENCE IN THE PAST YEAR - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data .....	1799	0.20
3 = Statistically imputed data .....	197	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER .....	168323	18.85

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

**IRDEPENDMTH** Len : 2 METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR - IMP REV

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No .....	702	0.08
1 = Yes .....	482	0.05
91 = NEVER USED METHAMPHETAMINE .....	162604	18.21
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS .....	6531	0.73

**IIDPENDMTH** Len : 2 METHAMPHETAMINE DEPENDENCE IN THE PAST YEAR - IMP IND

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data .....	1148	0.13
3 = Statistically imputed data: past year user of meth .....	36	0.00
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER .....	169135	18.94



IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

<b>IRDEPENDPNR</b>	Len : 2	PRESCRIP PAIN RELIEVER DEPENDENCE IN THE PAST YEAR - IMP REV		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		0 = No .....	7671	0.86
		1 = Yes.....	1087	0.12
		91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS .....	152082	17.03
		93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS.....	9479	1.06
<b>IIDEPENDPNR</b>	Len : 2	PRESCRIP PAIN RELIEVER DEPENDENCE IN PAST YR - IMP IND		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	8567	0.96
		3 = Statistically imputed data.....	191	0.02
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	161561	18.09
<b>IRDEPENDTRQ</b>	Len : 2	PRESCRIP TRANQUILIZER DEPENDENCE IN PAST YEAR - IMP REV		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		0 = No .....	4466	0.50
		1 = Yes.....	296	0.03
		91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS .....	162460	18.19
		93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS.....	3097	0.35
<b>IIDEPENDTRQ</b>	Len : 2	PRESCRIP TRANQUILIZER DEPENDENCE IN PAST YR - IMP IND		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	4701	0.53
		3 = Statistically imputed data.....	61	0.01
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	165557	18.54
<b>IRDEPENDSTM</b>	Len : 2	PRESCRIP STIMULANT DEPENDENCE IN PAST YEAR - IMP REV		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		0 = No .....	4856	0.54
		1 = Yes.....	371	0.04
		91 = NEVER MISUSED PRESCRIPTION STIMULANTS .....	161605	18.10
		93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS .....	3487	0.39
<b>IIDEPENDSTM</b>	Len : 2	PRESCRIP STIMULANT DEPENDENCE IN PAST YEAR - IMP IND		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	5169	0.58
		3 = Statistically imputed data.....	58	0.01
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	165092	18.49
<b>IRDEPENDSED</b>	Len : 2	PRESCRIP SEDATIVE DEPENDENCE IN PAST YEAR - IMP REV		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		0 = No .....	858	0.10
		1 = Yes.....	86	0.01
		91 = NEVER MISUSED PRESCRIPTION SEDATIVES .....	166815	18.68
		93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS .....	2560	0.29
<b>IIDEPENDSED</b>	Len : 2	PRESCRIP SEDATIVE DEPENDENCE IN PAST YEAR - IMP IND		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Questionnaire data .....	930	0.10
		3 = Statistically imputed data.....	14	0.00
		9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	169375	18.97

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

Please note that these abuse variables are unaffected by whether the respondent was defined with dependence (the IRDEPENDxxx variables), and therefore they do not follow the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). They simply indicate whether the respondent met one or more of the four abuse criteria (i.e., whether they "test positive" for abuse). Details can be found in the Recorded Substance Dependence and Abuse Variable Documentation appendix.

**IRABUPOSHAL**    Len : 2    HALLUCINOGEN ABUSE IN THE PAST YEAR - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No.....	4515	0.51
1 = Yes.....	306	0.03
91 = NEVER USED HALLUCINOGENS .....	145610	16.31
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	19888	2.23

**IABUPOSHAL**    Len : 2    HALLUCINOGEN ABUSE IN THE PAST YEAR - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data .....	4605	0.52
3 = Statistically imputed data.....	216	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER .....	165498	18.53

**IRABUPOSINH**    Len : 2    INHALANT ABUSE IN THE PAST YEAR - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No.....	1874	0.21
1 = Yes.....	122	0.01
91 = NEVER USED INHALANTS .....	153049	17.14
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS .....	15274	1.71

**IABUPOSINH**    Len : 2    INHALANT ABUSE IN THE PAST YEAR - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data .....	1816	0.20
3 = Statistically imputed data.....	180	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER .....	168323	18.85

Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine dependence and abuse. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year dependence or abuse of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

**IRABUPOSMTH**    Len : 2    METHAMPHETAMINE ABUSE IN THE PAST YEAR - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No.....	664	0.07
1 = Yes.....	520	0.06
91 = NEVER USED METHAMPHETAMINE .....	162604	18.21
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	6531	0.73

**IABUPOSMTH**    Len : 2    METHAMPHETAMINE ABUSE IN THE PAST YEAR - IMP IND

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Questionnaire data .....	1152	0.13
3 = Statistically imputed data: past year user of meth.....	32	0.00
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER .....	169135	18.94

**IRABUPOSPNR**    Len : 2    PRESCRIP PAIN RELIEVER ABUSE IN PAST YEAR - IMP REV

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No.....	7778	0.87
1 = Yes.....	980	0.11
91 = NEVER MISUSED PRESCRIPTION PAIN RELIEVERS.....	152082	17.03
93 = DID NOT MISUSE PRESCRIPTION PAIN RELIEVERS IN PAST 12 MOS.....	9479	1.06

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

<b>IIABUOSPNR</b>	Len : 2 PRESCRIP PAIN RELIEVER ABUSE IN PAST YEAR - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	8612	0.96
	3 = Statistically imputed data .....	146	0.02
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	161561	18.09
<b>IRABUPOSTRQ</b>	Len : 2 PRESCRIP TRANQUILIZER ABUSE IN PAST YEAR - IMP REV		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No .....	4293	0.48
	1 = Yes .....	469	0.05
	91 = NEVER MISUSED PRESCRIPTION TRANQUILIZERS .....	162460	18.19
	93 = DID NOT MISUSE PRESCRIPTION TRANQUILIZERS IN PAST 12 MOS .....	3097	0.35
<b>IIABUPOSTRQ</b>	Len : 2 PRESCRIP TRANQUILIZER ABUSE IN THE PAST YEAR - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	4711	0.53
	3 = Statistically imputed data .....	51	0.01
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	165557	18.54
<b>IRABUOSSTM</b>	Len : 2 PRESCRIPTION STIMULANT ABUSE IN THE PAST YEAR - IMP REV		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No .....	4937	0.55
	1 = Yes .....	290	0.03
	91 = NEVER MISUSED PRESCRIPTION STIMULANTS .....	161605	18.10
	93 = DID NOT MISUSE PRESCRIPTION STIMULANTS IN THE PAST 12 MOS .....	3487	0.39
<b>IIABUOSSTM</b>	Len : 2 PRESCRIP STIMULANT ABUSE IN THE PAST YEAR - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	5178	0.58
	3 = Statistically imputed data .....	49	0.01
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	165092	18.49
<b>IRABUPOSED</b>	Len : 2 PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR - IMP REV		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No .....	849	0.10
	1 = Yes .....	95	0.01
	91 = NEVER MISUSED PRESCRIPTION SEDATIVES .....	166815	18.68
	93 = DID NOT MISUSE PRESCRIPTION SEDATIVES IN THE PAST 12 MOS .....	2560	0.29
<b>IIABUPOSED</b>	Len : 2 PRESCRIPTION SEDATIVE ABUSE IN THE PAST YEAR - IMP IND		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Questionnaire data .....	932	0.10
	3 = Statistically imputed data .....	12	0.00
	9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR MISUSER .....	169375	18.97

RECODED SUBSTANCE DEPENDENCE AND ABUSE

**RECODED SUBSTANCE DEPENDENCE AND ABUSE**

NOTE: The 2017 NSDUH CAI instrument included questions that were designed to measure illicit drug or alcohol dependence or abuse (i.e., substance use disorders [SUDs]). The SUD questions were based on the criteria in the American Psychiatric Association (APA) Diagnostic and Statistical Manual of Mental Disorders, 4th edition (DSM IV). Methamphetamine questions were added new to the dependence or abuse module in 2015 and the methamphetamine questions were patterned after questions for cocaine dependence or abuse and were separate from questions for symptoms of dependence or abuse that were related to the misuse of prescription stimulants. Specific details for each of the individual variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

Starting with the 2015 NSDUH, changes to the questions in the main modules for hallucinogens, inhalants, methamphetamine, and prescription pain relievers, tranquilizers, stimulants, and sedatives has prompted the start of a new baseline for these measures. These changes also impacted the dependence or abuse questions, prompting a new baseline for the corresponding dependence measures. Additionally beginning in 2015, the dependence measures for these seven substances have been imputed and given new variable names; therefore, they are considered not comparable to similar dependence measures from past years. For all other individual substance measures (marijuana, alcohol, cocaine, and heroin), no changes were applied in 2015 and therefore these measures are considered comparable and have no variable name changes. Summary measures (psychotherapeutics, illicit drugs, or illicit drugs other than marijuana) that include any of the non-comparable measures are also considered not comparable and have new variable names, including the combination dependence or abuse (SUD) measures.

The dependence measures for inhalants, hallucinogens, pain relievers, tranquilizer, stimulants and sedatives were imputed using the modified predictive mean neighborhoods (modified PMN) procedure (see the MRB Imputation report for more info). The SUD measures for alcohol, marijuana, cocaine, and heroin that remained comparable to prior years had respondents who did not meet the relevant criteria treated the same as a response of "no." In the specific drug documentation, the source variables whether edited or imputed are noted in the variable mapping shown above the variable name.

DEPENDENCE:

A respondent was defined as having marijuana (DEPNDRMJ), inhalant (DEPNDRPYINH), hallucinogen (DEPNDRPYHAL), or tranquilizer (DEPNDRPYTRQ) dependence if the respondent reported a positive response to three or more of the following six dependence criteria:

1. Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance.
2. Unable to keep set limits on substance use or used more often than intended.
3. Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before.
4. Unable to cut down or stop using the substance every time he or she tried or wanted to.
5. Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems.
6. Reduced or gave up participation in important activities due to substance use.

An additional question pertaining to withdrawal symptoms was asked for the following drugs: alcohol, pain relievers, cocaine, heroin, sedatives, stimulants, and methamphetamine. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using. The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, stimulant, or methamphetamine dependence (DEPNDRALC, DEPNDRPYPNR, DEPNDRCOCC, DEPNDRHER, DEPNDRPYSED, DEPNDRPYSTM, DEPNDRPYMTH) if the respondent reported a positive response to three or more of the seven dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).

Given the current editing and imputation procedures, along with the use of questions in multiple sections of the questionnaire to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

<b>DEPNDRALC</b>	Len : 1 RC-ALCOHOL DEPENDENCE - PAST YEAR	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	858050	96.09
	1 = Yes (See comment above) .....	34922	3.91

<b>DEPNDRMRJ</b>	Len : 1 RC-MARIJUANA DEPENDENCE - PAST YEAR	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	875505	98.04
	1 = Yes (See comment above DEPNDRALC).....	17467	1.96

<b>DEPNDRCOCC</b>	Len : 1 RC-COCAINE DEPENDENCE - PAST YEAR	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	889561	99.62
	1 = Yes (See comment above DEPNDRALC).....	3411	0.38

<b>DEPNDRHER</b>	Len : 1 RC-HEROIN DEPENDENCE - PAST YEAR	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	891392	99.82
	1 = Yes (See comment above DEPNDRALC).....	1580	0.18

RECORDED SUBSTANCE DEPENDENCE AND ABUSE

<b>DEPNPYHAL</b>	Len : 1 RC-HALLUCINOGEN DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (IRDEPENDHAL=0,91,93) .....	170198	19.06
	1 = Yes (IRDEPENDHAL=1) .....	121	0.01

<b>DEPNPYINH</b>	Len : 1 RC-INHALANT DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (IRDEPENDINH=0,91,93) .....	170257	19.07
	1 = Yes (IRDEPENDINH=1) .....	62	0.01

<b>DEPNPYMTH</b>	Len : 1 RC-METHAMPHETAMINE DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (IRDEPENDMTH=0,91,93) .....	169837	19.02
	1 = Yes (IRDEPENDMTH=1) .....	482	0.05

<b>DEPNPYPNR</b>	Len : 1 RC-PAIN RELIEVER DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (IRDEPENDPNR=0,91,93) .....	169232	18.95
	1 = Yes (IRDEPENDPNR=1) .....	1087	0.12

<b>DEPNPYTRQ</b>	Len : 1 RC-TRANQUILIZER DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (IRDEPENDTRQ=0,91,93) .....	170023	19.04
	1 = Yes (IRDEPENDTRQ=1) .....	296	0.03

<b>DEPNPYSTM</b>	Len : 1 RC-STIMULANT DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (IRDEPENDSTM=0,91,93) .....	169948	19.03
	1 = Yes (IRDEPENDSTM=1) .....	371	0.04

<b>DEPNPYSED</b>	Len : 1 RC-SEDATIVE DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (IRDEPENDSED=0,91,93) .....	170233	19.06
	1 = Yes (IRDEPENDSED=1) .....	86	0.01

<b>DEPNPYPSY</b>	Len : 1 RC-PSYCHOTHERAPEUTIC DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (Otherwise) .....	168778	18.90
	1 = Yes (DEPNPYTRQ, DEPNDPYPNR, DEPNDPYSTM, or DEPNDPYSED=1) .....	1541	0.17

A respondent was defined as having illicit drug dependence, DEPNDPYILL, if the respondent was classified as dependent (see dependence criteria listed above DEPNDALC) on any of these following substances: marijuana (DEPNDMRJ), hallucinogens (DEPNPYHAL), inhalants (DEPNPYINH), methamphetamine (DEPNPYMTH), tranquilizers (DEPNPYTRQ), cocaine (DEPNDCOC), heroin (DEPNDDHER), pain relievers (DEPNPYPNR), stimulants (DEPNPYSTM), or sedatives (DEPNPYSED).

<b>DEPNPYILL</b>	Len : 1 RC-ILLCIT DRUG DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise) .....	165570	18.54
	1 = Yes (Any source variable listed above=1) .....	4749	0.53

RECORDED SUBSTANCE DEPENDENCE AND ABUSE

A respondent was defined as having illicit drug other than marijuana dependence, DEPNDPYIEM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDPYHAL), inhalants (DEPNDPYINH), methamphetamine (DEPNDPYMTH), tranquilizers (DEPNDPYTRQ), cocaine (DEPNDCOC), heroin (DEPNDBHER), pain relievers (DEPNDPYPNR), stimulants (DEPNDPYSTM), or sedatives (DEPNDPYSED). A respondent's marijuana dependency status is not considered in the creation of this variable.

**DEPNDPYIEM**      Len : 1    RC-ILLCIT DRUG OTHER THAN MARIJUANA DEP - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	167794	18.79
1 = Yes (Any source variable listed above=1) .....	2525	0.28

**DPPYILLALC**      Len : 1    RC-ILLCIT DRUG OR ALCOHOL DEPENDENCE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (DEPNDPYILL=0 and DEPNDALC=0).....	161112	18.04
1 = Yes (DEPNDPYILL=1 or DEPNDALC=1) .....	9207	1.03

**DPPYILANAL**      Len : 1    RC-ILLCIT DRUG AND ALCOHOL DEPENDENCE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (DEPNDPYILL=0 or DEPNDALC=0).....	169350	18.96
1 = Yes (DEPNDPYILL=1 and DEPNDALC=1).....	969	0.11

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The 2017 NSDUH CAI instrument included questions that were designed to measure illicit drug or alcohol dependence or abuse (i.e., substance use disorders [SUDs]). The SUD questions were based on the criteria in the American Psychiatric Association (APA) Diagnostic and Statistical Manual of Mental Disorders, 4th edition (DSM IV). Methamphetamine questions were added new to the dependence or abuse module in 2015 and the methamphetamine questions were patterned after questions for cocaine dependence or abuse and were separate from questions for symptoms of dependence or abuse that were related to the misuse of prescription stimulants. Specific details for each of the individual variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

Starting with the 2015 NSDUH, changes to the questions in the main modules for hallucinogens, inhalants, methamphetamine, and prescription pain relievers, tranquilizers, stimulants, and sedatives has prompted the start of a new baseline for these measures. These changes also impacted the dependence or abuse questions, prompting a new baseline for the corresponding abuse measures. Additionally beginning in 2015, the abuse measures for these seven substances have been imputed and given new variable names; therefore, they are considered not comparable to similar abuse measures from past years. For all other individual substance measures (marijuana, alcohol, cocaine, and heroin), no changes were applied in 2015 and therefore these measures are considered comparable and have no variable name changes. Summary measures (psychotherapeutics, illicit drugs, or illicit drugs other than marijuana) that include any of the non-comparable measures are also considered not comparable and have new variable names, including the combination dependence or abuse (SUD) measures.

The abuse measures for inhalants, hallucinogens, pain relievers, tranquilizer, stimulants, and sedatives were imputed using the modified predictive mean neighborhoods (modified PMN) procedure (see the MRB Imputation report for more info). The abuse measures for alcohol, marijuana, cocaine, and heroin that remained comparable to prior years had respondents who did not meet the relevant criteria treated the same as a response of "no." In the specific drug documentation, the source variables whether edited or imputed are noted in the variable mapping shown above the variable name.

ABUSE:

A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, methamphetamine, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEPYHAL, ABUSEPYINH, ABUSEPYMTH, ABUSEPYPNR, ABUSEPYTRQ, ABUSEPYSTM, ABUSEPYSED) if they reported a positive response to one or more of the following four abuse criteria and was determined not to be dependent upon the substance of interest:

1. Respondent reported having serious problems due to substance use at home, work or school.
2. Respondent reported using substance regularly and then did something where substance use might have put them in physical danger.
3. Respondent reported substance use causing actions that repeatedly got them in trouble with the law.
4. Respondent reported having problems caused by substance use with family or friends and continued to use substance even though it was thought to be causing problems with family and friends.

The abuse measures found in this section of the codebook follow the DSM-IV definition of abuse which take into consideration the respondent's dependence criteria as well. A second set of abuse variables that do not take into account dependence but rather simply indicate if the respondent met one or more of the four abuse criteria are available (ABUPOSXX) in the Substance Dependence or Abuse section as well as an imputed version of these variables (IRABUPOSXXX) found in the Imputed Substance Dependence or Abuse section.

Given the current editing and imputation procedures, along with the use of questions in multiple sections of the questionnaire to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

In addition, because the dependence and abuse variables are mutually exclusive with dependence taking precedence (i.e., dependence is determined first and respondents are only classified as having abused if they are not already classified as dependent, regardless of responses to the abuse questions), it is possible for the variables showing abuse of a combination of substances to not correspond with the abuse status of those individual substances. For example, a respondent who is classified as having abused cocaine in the past year may be classified as not having abused illicit drugs because they were dependent on marijuana and already classified as being dependent on illicit drugs.

<b>ABUSEALC</b>	Len : 1 RC-ALCOHOL ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (Any one of above criteria and DEPNDALC=0).....	848676	95.04
		44296	4.96
<b>ABUSEMRJ</b>	Len : 1 RC-MARIJUANA ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (Any one of above criteria and DEPNDMRJ=0).....	882101	98.78
		10871	1.22
<b>ABUSECOC</b>	Len : 1 RC-COCAINE ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	1 = Yes (Any one of above criteria and DEPNDCOC=0).....	891297	99.81
		1675	0.19

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<b>ABUSEHER</b>	Len : 1 RC-HEROIN ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	892758	99.98
	1 = Yes (Any one of above criteria and DEPNDHER=0).....	214	0.02
<b>ABUSEPYHAL</b>	Len : 1 RC-HALLUCINOGEN ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (IRABUPOSHAL=0,91,93 or DEPNDPYHAL=1).....	170087	19.05
	1 = Yes (IRABUPOSHAL=1 and DEPNDPYHAL=0).....	232	0.03
<b>ABUSEPYINH</b>	Len : 1 RC-INHALANT ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (IRABUPOSINH=0,91,93 or DEPNDPYINH=1).....	170236	19.06
	1 = Yes (IRABUPOSINH=1 and DEPNDPYINH=0).....	83	0.01
<b>ABUSEPYMTH</b>	Len : 1 RC-METHAMPHETAMINE ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (IRABUPOSMTH=0,91,93 or DEPNDPYMTH=1).....	170204	19.06
	1 = Yes (IRABUPOSMTH=1 and DEPNDPYMTH=0).....	115	0.01
<b>ABUSEPYPNR</b>	Len : 1 RC-PAIN RELIEVER ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (IRABUPOSPNR=0,91,93 or DEPNDPYPNR=1).....	170002	19.04
	1 = Yes (IRABUPOSPNR=1 and DEPNDPYPNR=0).....	317	0.04
<b>ABUSEPYTRQ</b>	Len : 1 RC-TRANQUILIZER ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (IRABUPOSTRQ=0,91,93 or DEPNDPYTRQ=1).....	170056	19.04
	1 = Yes (IRABUPOSTRQ=1 and DEPNDPYTRQ=0).....	263	0.03
<b>ABUSEPYSTM</b>	Len : 1 RC-STIMULANT ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (IRABUPOSSTM=0,91,93 or DEPNDPYSTM=1).....	170199	19.06
	1 = Yes (IRABUPOSSTM=1 and DEPNDPYSTM=0).....	120	0.01
<b>ABUSEPYSED</b>	Len : 1 RC-SEDATIVE ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (IRABUPOSSED=0,91,93 or DEPNDPYSED=1).....	170274	19.07
	1 = Yes (IRABUPOSSED=1 and DEPNDPYSED=0).....	45	0.01
<p>A respondent was defined as having psychotherapeutic drug abuse, ABUSEPYPSY, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEPYPNR), tranquilizers (ABUSEPYTRQ), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED).</p>			
<b>ABUSEPYPSY</b>	Len : 1 RC-PSYCHOTHERAPEUTIC ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (Otherwise).....	169762	19.01
	1 = Yes (Any source variable above=1 and DEPNDPSY=0).....	557	0.06



RECODED SUBSTANCE DEPENDENCE AND ABUSE

A respondent is defined as having illicit drug abuse, ABUSEPYILL, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEPYHAL), inhalants (ABUSEPYINH), methamphetamine (ABUSEPYMTH), tranquilizers (ABUSEPYTRQ), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEPYPNR), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED).

<b>ABUSEPYILL</b>	Len : 1 RC-ILLCIT DRUG ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	168367	18.85
	1 = Yes (Any source variable above=1 and DEPNDPYILL=0).....	1952	0.22

A respondent was defined as having illicit drug other than marijuana abuse, ABUSEPYIEM, if the respondent was classified as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEPYHAL), inhalants (ABUSEPYINH), methamphetamine (ABUSEPYMTH), tranquilizers (ABUSEPYTRQ), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEPYPNR), stimulants (ABUSEPYSTM), or sedatives (ABUSEPYSED). A respondent's marijuana abuse status is not considered in the creation of this variable.

<b>ABUSEPYIEM</b>	Len : 1 RC-ILLCIT DRUG OTHER THAN MARIJUANA ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169477	18.98
	1 = Yes (Any source variable above=1 and DEPNDPYIEM=0).....	842	0.09

<b>ABPYILLALC</b>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	164133	18.38
	1 = Yes (ABUSEPYILL=1 or ABUSEALC=1 and DPPYILLALC=0).....	6186	0.69

<b>ABPYILANAL</b>	Len : 1 RC-ILLCIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169954	19.03
	1 = Yes (ABUSEPYILL=1 and ABUSEALC=1 and DPPYILANAL=0).....	365	0.04

NOTE: The following variables were created by using a combination of the abuse and dependence variables. Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

<b>ABODALC</b>	Len : 1 RC-ALCOHOL DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0).....	813754	91.13
	1 = Yes (ABUSEALC=1 or DEPNDALC=1).....	79218	8.87

<b>ABODMRJ</b>	Len : 1 RC-MARIJUANA DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0).....	864634	96.83
	1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1).....	28338	3.17

<b>ABODCOC</b>	Len : 1 RC-COCAINE DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (ABUSECOC=0 and DEPNDCOC=0).....	887886	99.43
	1 = Yes (ABUSECOC=1 or DEPNDCOC=1).....	5086	0.57

<b>ABODHER</b>	Len : 1 RC-HEROIN DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0).....	891178	99.80
	1 = Yes (ABUSEHER=1 or DEPNDHER=1).....	1794	0.20

<b>UDPYHAL</b>	Len : 1 RC-HALLUCINOGEN DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (ABUSEPYHAL=0 and DEPNDPYHAL=0).....	169966	19.03
	1 = Yes (ABUSEPYHAL=1 or DEPNDPYHAL=1).....	353	0.04

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<b>UDPYINH</b>	Len : 1 RC-INHALANT DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABUSEPYINH=0 and DEPNDPYINH=0).....	170174	19.06
	1 = Yes (ABUSEPYINH=1 or DEPNDPYINH=1).....	145	0.02
<b>UDPYMTH</b>	Len : 1 RC-METHAMPHETAMINE DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABUSEPYMTH=0 and DEPNDPYMTH=0).....	169722	19.01
	1 = Yes (ABUSEPYMTH=1 or DEPNDPYMTH=1).....	597	0.07
<b>UDPYPNR</b>	Len : 1 RC-PAIN RELIEVER DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABUSEPYPNR=0 and DEPNDPYPNR=0).....	168915	18.92
	1 = Yes (ABUSEPYPNR=1 or DEPNDPYPNR=1).....	1404	0.16
<b>UDPYTRQ</b>	Len : 1 RC-TRANQUILIZER DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABUSEPYTRQ=0 and DEPNDPYTRQ=0).....	169760	19.01
	1 = Yes (ABUSEPYTRQ=1 or DEPNDPYTRQ=1).....	559	0.06
<b>UDPYSTM</b>	Len : 1 RC-STIMULANT DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABUSEPYSTM=0 and DEPNDPYSTM=0).....	169828	19.02
	1 = Yes (ABUSEPYSTM=1 or DEPNDPYSTM=1).....	491	0.05
<b>UDPYSED</b>	Len : 1 RC-SEDATIVE DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABUSEPYSED=0 and DEPNDPYSED=0).....	170188	19.06
	1 = Yes (ABUSEPYSED=1 or DEPNDPYSED=1).....	131	0.01
<b>UDPYPSY</b>	Len : 1 RC-PSYCHOTHERAPEUTIC DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABUSEPYPSY=0 and DEPNDPYPSY=0).....	168221	18.84
	1 = Yes (ABUSEPYPSY=1 or DEPNDPYPSY=1).....	2098	0.23
<b>UDPYOPI</b>	Len : 1 RC-OPIOID DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No (ABODHER=0 and UDPYPNR=0).....	168622	18.88
	1 = Yes (ABODHER=1 or UDPYPNR=1).....	1697	0.19
<b>UDPYHRPNR</b>	Len : 1 RC-HEROIN AND/OR PAIN RELIEVER DEPENDENCE OR ABUSE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Heroin only (ABODHER=1 and UDPYPNR=0).....	293	0.03
	2 = Pain reliever only (ABODHER=0 and UDPYPNR=1).....	1206	0.14
	3 = Heroin and pain reliever (ABODHER=1 and UDPYPNR=1).....	198	0.02
	4 = Neither (ABODHER=0 and UDPYPNR=0).....	168622	18.88
<b>UDPYILL</b>	Len : 1 RC-ILLCIT DRUG DEPENDENCE OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (ABUSEPYILL=0 and DEPNDPYILL=0).....	163618	18.32
	1 = Yes (ABUSEPYILL=1 or DEPNDPYILL=1).....	6701	0.75

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<b>UDPYIEM</b>	Len : 1 RC-ILLCIT DRUG OTHER THAN MRJ DEP OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (ABUSEPYIEM=0 and DEPNDPYIEM=0) .....	166952	18.70
	1 = Yes (ABUSEPYIEM=1 or DEPNDPYIEM=1) .....	3367	0.38

<b>UDPYILAL</b>	Len : 1 RC-ILLCIT DRUG OR ALCOHOL DEP OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (ABPYILLALC=0 and DPPYILLALC=0) .....	154926	17.35
	1 = Yes (ABPYILLALC=1 or DPPYILLALC=1) .....	15393	1.72

<b>UDPYILAAL</b>	Len : 1 RC-ILLCIT DRUG AND ALCOHOL DEP OR ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (UDPYILL=0 or ABODALC=0).....	168136	18.83
	1 = Yes (UDPYILL=1 and ABODALC=1) .....	2183	0.24

<b>DEPNDANL</b>	Len : 1 PAIN RELIEVER DEPENDENCE IN THE PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	717308	80.33
	1 = Yes (See comment above DEPNDALC).....	5345	0.60

A respondent was defined with dependence on hallucinogens, DEPNDHAL, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported hallucinogen dependence based on the Special Drugs module questions added in 2008 were defined as not having dependence on hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

<b>DEPNDHAL</b>	Len : 1 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721755	80.83
	1 = Yes (See comment above) .....	898	0.10

<b>DEPNDINH</b>	Len : 1 INHALANT DEPENDENCE IN THE PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722236	80.88
	1 = Yes (See comment above DEPNDALC).....	417	0.05

A respondent was defined with dependence on sedatives, DEPNDSED, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported sedative dependence based on the Special Drugs module questions added in 2008 were defined as not having dependence on sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

<b>DEPNDSED</b>	Len : 1 SEDATIVE DEPENDENCE IN THE PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	722307	80.89
	1 = Yes (See comment above) .....	346	0.04

A respondent was defined with dependence on stimulants, DEPNDSTM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported stimulant dependence based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not having dependence on stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

<b>DEPNDSTM</b>	Len : 1 STIMULANT DEPENDENCE IN THE PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721274	80.77
	1 = Yes (See comment above) .....	1379	0.15

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<b>DEPNDTRN</b>	Len : 1	TRANQUILIZER DEPENDENCE IN THE PAST YEAR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	721721	80.82
		1 = Yes (See comment above DEPNDALC).....	932	0.10

A respondent was defined as having illicit drug dependence, DEPNDILL=1, if the respondent was classified as dependent (see dependence criteria listed above DEPNDALC) on any of these following substances: marijuana (DEPNDMRJ), hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCCOC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNSED).

<b>DEPNDILL</b>	Len : 1	ILLCIT DRUG DEPENDENCE IN THE PAST YEAR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	699677	78.35
		1 = Yes (Any source variable listed above=1) .....	22976	2.57

A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM=1, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCCOC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNSED). A respondent's marijuana dependency status is not considered in the creation of this variable.

<b>DEPNDIEM</b>	Len : 1	ILLCIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	712395	79.78
		1 = Yes (Any source variable listed above=1) .....	10258	1.15

A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ=1, if the respondent was classified as being not marijuana dependent (DEPNDMRJ=0), but being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCCOC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNSED).

<b>DEPNDXMJ</b>	Len : 1	ILLCIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	714559	80.02
		1 = Yes (DEPNDMRJ=0 & any other source variable=1) .....	8094	0.91

<b>DEPNDPSY</b>	Len : 1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	715943	80.18
		1 = Yes (DEPNDTRN, DEPNDANL, DEPNDSTM, or DEPNDSED=1) .....	6710	0.75

<b>DPILLALC</b>	Len : 1	ILLCIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (DEPNDILL=0 and DEPNDALC=0).....	676192	75.72
		1 = Yes (DEPNDILL=1 or DEPNDALC=1) .....	46461	5.20

<b>DPILANAL</b>	Len : 1	ILLCIT DRUG AND ALCOHOL DEPENDENCE IN PAST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (DEPNDILL=0 or DEPNDALC=0) .....	716643	80.25
		1 = Yes (DEPNDILL=1 and DEPNDALC=1) .....	6010	0.67

<b>ABUSEANL</b>	Len : 1	PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	720336	80.67
		1 = Yes (Any one of above criteria and DEPNDANL=0) .....	2317	0.26

RECODED SUBSTANCE DEPENDENCE AND ABUSE

A respondent was defined with abuse of hallucinogens, ABUSEHAL, if the respondent was classified as abusing (see criteria listed above ABUSEALC) hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported abusing hallucinogens based on the Special Drugs module questions added in 2008 were defined as not abusing hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

**ABUSEHAL**      Len : 1    HALLUCINOGEN ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	721203	80.76
1 = Yes (Any one of above criteria and DEPNDHAL=0).....	1450	0.16

**ABUSEINH**      Len : 1    INHALANT ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	721808	80.83
1 = Yes (Any one of above criteria and DEPNDINH=0).....	845	0.09

A respondent was defined with abuse of sedatives, ABUSESED, if the respondent was classified as abusing (see criteria listed above ABUSEALC) sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported abusing sedatives based on the Special Drugs module questions added in 2008 were defined as not abusing sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

**ABUSESED**      Len : 1    SEDATIVE ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	722467	80.91
1 = Yes (Any one of above criteria and DEPNDSED=0).....	186	0.02

A respondent was defined with abuse of stimulants, ABUSESTM, if the respondent was classified as abusing (see criteria listed above ABUSEALC) stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported abusing stimulants based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not abusing stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

**ABUSESTM**      Len : 1    STIMULANT ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	722020	80.86
1 = Yes (Any one of above criteria and DEPNDSTM=0).....	633	0.07

**ABUSETRN**      Len : 1    TRANQUILIZER ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	721537	80.80
1 = Yes (Any one of above criteria and DEPNDTRN=0).....	1116	0.12

Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

**ABUSEILL**      Len : 1    ILLICIT DRUG ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	710571	79.57
1 = Yes (Any source variable above=1 & DEPNDILL=0).....	12082	1.35

Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.

**ABUSEIEM**      Len : 1    ILLICIT DRUG OTHER THAN MARIJUANA ABUSE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	717407	80.34
1 = Yes (Any source variable above=1 & DEPNDIEM=0).....	5246	0.59

RECORDED SUBSTANCE DEPENDENCE AND ABUSE

Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as not abusing marijuana (ABUSEMRJ=0), but abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

<b>ABUSEXMJ</b>	Len : 1 ILLICIT DRUG EXCLUDING MARIJUANA ABUSE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	717712	80.37
	1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0).....	4941	0.55

Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUSESTM), or sedatives (ABUSESED).

<b>ABUSEPSY</b>	Len : 1 NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	719551	80.58
	1 = Yes (Any source variable above=1 & DEPNDPSY=0).....	3102	0.35

<b>ABILLALC</b>	Len : 1 ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0).....	675032	75.59
	1 = Yes (ABUSEILL=1 or ABUSEALC=1).....	47621	5.33

<b>ABILANAL</b>	Len : 1 ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	719344	80.56
	1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0).....	3309	0.37

<b>ABODANL</b>	Len : 1 PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0).....	714991	80.07
	1 = Yes (ABUSEANL=1 or DEPNDANL=1) .....	7662	0.86

<b>ABODHAL</b>	Len : 1 HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0).....	720305	80.66
	1 = Yes (ABUSEHAL=1 or DEPNDHAL=1) .....	2348	0.26

<b>ABODINH</b>	Len : 1 INHALANT ABUSE OR DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0).....	721391	80.79
	1 = Yes (ABUSEINH=1 or DEPNDINH=1).....	1262	0.14

<b>ABOSED</b>	Len : 1 SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (ABUSESED=0 and DEPNDSED=0).....	722121	80.87
	1 = Yes (ABUSESED=1 or DEPNDSED=1).....	532	0.06

<b>ABODSTM</b>	Len : 1 STIMULANT ABUSE OR DEPENDENCE - PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (ABUSESTM=0 and DEPNDSTM=0).....	720641	80.70
	1 = Yes (ABUSESTM=1 or DEPNDSTM=1) .....	2012	0.23

RECODED SUBSTANCE DEPENDENCE AND ABUSE

<b>ABODTRN</b>	Len : 1	TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0).....	720605	80.70
		1 = Yes (ABUSETRN=1 or DEPNDTRN=1).....	2048	0.23
<b>ABODILL</b>	Len : 1	ILLCIT DRUG ABUSE OR DEPENDENCE - PAST YEAR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0).....	687595	77.00
		1 = Yes (ABUSEILL=1 or DEPNDILL=1).....	35058	3.93
<b>ABODIEM</b>	Len : 1	ILLCIT DRUG OTHER THAN MRJ ABUSE OR DEP - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		0 = No/Unknown (ABUSEIEM=0 and DEPNDIEM=0).....	707149	79.19
		1 = Yes (ABUSEIEM=1 or DEPNDIEM=1).....	15504	1.74
<b>ABODPSY</b>	Len : 1	PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0).....	712841	79.83
		1 = Yes (ABUSEPSY=1 or DEPNDPSY=1).....	9812	1.10
<b>ABODILAL</b>	Len : 1	ILLCIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		0 = No/Unknown (ABILLALC=0 and DPILLALC=0).....	635004	71.11
		1 = Yes (ABILLALC=1 or DPILLALC=1).....	87649	9.82
<b>ABDILAAL</b>	Len : 1	ILLCIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		0 = No/Unknown (ABODILL=0 or ABODALC=0).....	706901	79.16
		1 = Yes (ABODILL=1 and ABODALC=1).....	15752	1.76

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.

NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who reported smoking cigarettes in the past month. The NDSS score, NDSSANSP, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who had a valid response (based on actual reporting and imputation) to all 17 questions. Respondents who did not have valid responses (based on actual reporting and imputation) for all 17 questions were coded as system missing. Based on the NDSS score, a respondent was defined as having nicotine dependence, NDSSDNSP=1, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDNSP=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent reported smoking cigarettes in the past month. Based on the NDSS and the FTND, a respondent who reported smoking cigarettes was defined as having nicotine dependence in the past month, DNICNSP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

<b>NDSSANSP</b>	Len : 12	RC-NDSS SCORE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 5.....	210255	23.55
		. = Unknown (See comment above).....	682717	76.45
<b>NDSSDNSP</b>	Len : 1	RC-NICOTINE DEPENDENCE BASED ON NDSS SCORE		
			<b>Freq</b>	<b>Pct</b>
		0 = No/Unknown (NDSSANSP<2.75 or missing).....	816427	91.43
		1 = Yes (NDSSANSP>=2.75).....	76545	8.57

RECODED SUBSTANCE DEPENDENCE AND ABUSE

FTNDDNSP

Len : 1 RC-NICOTINE DEPENDENCE BASED ON FTND SCALE

	<b>Freq</b>	<b>Pct</b>
0 = No (Otherwise) .....	803844	90.02
1 = Yes (CIGWAKE=1 or 2) .....	89128	9.98

DNICNSP

Len : 1 RC-NICOTINE DEPENDENCE IN PAST MONTH

	<b>Freq</b>	<b>Pct</b>
0 = No (NDSSDNSP=0 and FTNDDNSP=0) .....	783988	87.80
1 = Yes (NDSSDNSP=1 or FTNDDNSP=1) .....	108984	12.20



MARIJUANA PURCHASES

MARIJUANA PURCHASES

*This note applies to variables in this section marked by a<sup>1</sup>.*

Now think about the last time you used marijuana. How did you get this marijuana?

<b>MMGETMJ<sup>1</sup></b>	Len : 2	HOW DID YOU GET LAST MARIJUANA USED		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		1 = You bought it.....	52533	5.88
		2 = You traded something else for it.....	1560	0.17
		3 = You got it for free or shared someone else's.....	69882	7.83
		4 = You grew it yourself.....	1091	0.12
		85 = BAD DATA Logically assigned.....	16	0.00
		91 = NEVER USED MARIJUANA.....	432250	48.41
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
		94 = DON'T KNOW.....	510	0.06
		97 = REFUSED.....	1295	0.15
		98 = BLANK (NO ANSWER).....	2529	0.28

How long has it been since you last bought any marijuana?

<b>MMBTREC1<sup>1</sup></b>	Len : 2	TIME SINCE YOU LAST BOUGHT MARIJUANA		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		1 = Within past 30 days -- that is, since [DATEFILL].....	32465	3.64
		2 = More than 30 days ago, but within the past 12 mos.....	14981	1.68
		3 = More than 12 months ago.....	4899	0.55
		85 = BAD DATA Logically assigned.....	7	0.00
		91 = NEVER USED MARIJUANA.....	432250	48.41
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
		94 = DON'T KNOW.....	80	0.01
		97 = REFUSED.....	855	0.10
		98 = BLANK (NO ANSWER).....	3414	0.38
		99 = LEGITIMATE SKIP.....	72715	8.14

During the past 12 months, that is, since [DATEFILL], did you buy any marijuana?

<b>MMBTPYR<sup>1</sup></b>	Len : 2	BOUGHT MARIJUANA PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		1 = Yes.....	20417	2.29
		2 = No.....	52980	5.93
		85 = BAD DATA Logically assigned.....	9	0.00
		91 = NEVER USED MARIJUANA.....	432250	48.41
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
		94 = DON'T KNOW.....	121	0.01
		97 = REFUSED.....	820	0.09
		98 = BLANK (NO ANSWER).....	2536	0.28
		99 = LEGITIMATE SKIP.....	52533	5.88

How long has it been since you last bought any marijuana?

<b>MMBTREC2<sup>1</sup></b>	Len : 2	TIME SINCE YOU LAST BOUGHT MARIJUANA		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	170319	19.07
		1 = Within past 30 days -- that is, since [DATEFILL].....	7554	0.85
		2 = More than 30 days ago, but within the past 12 mos.....	12751	1.43
		91 = NEVER USED MARIJUANA.....	432250	48.41
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
		94 = DON'T KNOW.....	42	0.00
		97 = REFUSED.....	817	0.09
		98 = BLANK (NO ANSWER).....	2739	0.31
		99 = LEGITIMATE SKIP.....	105513	11.82

MARIJUANA PURCHASES

During the past 30 days, that is, since [DATEFILL], on how many days did you buy marijuana?

MMBT30DY<sup>1</sup>      Len : 2   # DAYS BOUGHT MARIJUANA PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30 .....	39530	4.43
-9 = Data not collected for this year .....	170319	19.07
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	397	0.04
97 = REFUSED .....	947	0.11
98 = BLANK (NO ANSWER) .....	2924	0.33
99 = LEGITIMATE SKIP .....	85611	9.59

Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?

MMJNTLOO<sup>1</sup>      Len : 2   LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = You bought joints .....	2613	0.29
2 = You bought the marijuana in loose form.....	69928	7.83
85 = BAD DATA Logically assigned .....	7	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	91	0.01
97 = REFUSED .....	985	0.11
98 = BLANK (NO ANSWER) .....	3577	0.40
99 = LEGITIMATE SKIP .....	52215	5.85

How many joints did you buy the last time you bought marijuana?

MMJNTNUM<sup>1</sup>      Len : 3   # MARIJUANA JOINTS BOUGHT LAST TIME

	Freq	Pct
RANGE = 1 - 500 .....	2591	0.29
-9 = Data not collected for this year .....	170319	19.07
985 = BAD DATA Logically assigned .....	5	0.00
991 = NEVER USED MARIJUANA .....	432250	48.41
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
994 = DON'T KNOW .....	18	0.00
997 = REFUSED .....	989	0.11
998 = BLANK (NO ANSWER).....	3670	0.41
999 = LEGITIMATE SKIP .....	122143	13.68

How much did you pay for the joints/joint you bought this last time?

MMJNPCTB<sup>1</sup>      Len : 2   AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Less than \$5.00 .....	834	0.09
2 = \$5.00 to \$10.99 .....	1027	0.12
3 = \$11.00 to \$20.99 .....	387	0.04
4 = \$21.00 to \$50.99 .....	206	0.02
5 = \$51.00 to \$100.99 .....	56	0.01
6 = \$101.00 to \$150.99 .....	16	0.00
7 = \$151.00 to \$200.99 .....	14	0.00
8 = \$201.00 to \$250.99 .....	9	0.00
9 = \$251.00 to \$300.99 .....	3	0.00
10 = \$301.00 to \$500.99 .....	8	0.00
11 = \$501.00 to \$1000.99 .....	15	0.00
12 = More than \$1000.99 .....	17	0.00
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	988	0.11
98 = BLANK (NO ANSWER) .....	3670	0.41
99 = LEGITIMATE SKIP .....	122143	13.68

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?

MMJNPCAT<sup>1</sup>

Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Less than \$5.00.....	834	0.09
2 = \$5.00 to \$10.99.....	1027	0.12
3 = \$11.00 to \$20.99.....	387	0.04
41 = \$21.00 to \$30.99.....	120	0.01
42 = \$31.00 to \$40.99.....	47	0.01
43 = \$41.00 to \$50.99.....	39	0.00
50 = \$51.00 to \$100.99 (No further detail).....	2	0.00
51 = \$51.00 to \$60.99.....	32	0.00
52 = \$61.00 to \$70.99.....	5	0.00
53 = \$71.00 to \$80.99.....	8	0.00
54 = \$81.00 to \$90.99.....	3	0.00
55 = \$91.00 to \$100.99.....	6	0.00
61 = \$101.00 to \$110.99.....	7	0.00
62 = \$111.00 to \$120.99.....	2	0.00
63 = \$121.00 to \$130.99.....	5	0.00
64 = \$131.00 to \$140.99.....	1	0.00
65 = \$141.00 to \$150.99.....	1	0.00
70 = \$151.00 to \$200.99.....	14	0.00
80 = \$201.00 to \$250.99.....	9	0.00
90 = \$251.00 to \$300.99.....	3	0.00
101 = \$301.00 to \$350.99.....	5	0.00
102 = \$351.00 to \$400.99.....	1	0.00
104 = \$451.00 to \$500.99.....	2	0.00
111 = \$501.00 to \$550.99.....	6	0.00
112 = \$551.00 to \$600.99.....	1	0.00
113 = \$601.00 to 650.99.....	1	0.00
115 = \$701.00 to \$750.99.....	2	0.00
119 = \$901.00 to \$950.99.....	1	0.00
120 = \$951.00 to \$1000.99.....	4	0.00
121 = More than \$1000.99.....	17	0.00
985 = BAD DATA Logically assigned.....	5	0.00
991 = NEVER USED MARIJUANA.....	432250	48.41
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
994 = DON'T KNOW.....	18	0.00
997 = REFUSED.....	988	0.11
998 = BLANK (NO ANSWER).....	3670	0.41
999 = LEGITIMATE SKIP.....	122143	13.68

Now we want to know how much marijuana you bought the last time you bought marijuana.

Do you want to give your answer in grams, ounces, or pounds?

MMLSUNIT<sup>1</sup>

Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Grams.....	50758	5.68
2 = Ounces.....	16292	1.82
3 = Pounds.....	1202	0.13
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	958	0.11
97 = REFUSED.....	1703	0.19
98 = BLANK (NO ANSWER).....	3673	0.41
99 = LEGITIMATE SKIP.....	54828	6.14

MARIJUANA PURCHASES

The last time you bought marijuana, how many grams did you buy?

MMLSGMS <sup>1</sup>	Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS	Freq	Pct
-9 = Data not collected for this year.....		170319	19.07
1 = At least 1 but less than 5 grams.....		32471	3.64
2 = At least 5 but less than 10 grams.....		13839	1.55
3 = 10 grams or more.....		4040	0.45
85 = BAD DATA Logically assigned.....		2	0.00
91 = NEVER USED MARIJUANA.....		432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	18.03
94 = DON'T KNOW.....		333	0.04
97 = REFUSED.....		1778	0.20
98 = BLANK (NO ANSWER).....		4631	0.52
99 = LEGITIMATE SKIP.....		72322	8.10

How many grams of marijuana did you buy?

MMLS10GM <sup>1</sup>	Len : 3 AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS	Freq	Pct
RANGE = 10 - 99.....		3931	0.44
-9 = Data not collected for this year.....		170319	19.07
985 = BAD DATA Logically assigned.....		1	0.00
991 = NEVER USED MARIJUANA.....		432250	48.41
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	18.03
994 = DON'T KNOW.....		78	0.01
997 = REFUSED.....		1809	0.20
998 = BLANK (NO ANSWER).....		4965	0.56
999 = LEGITIMATE SKIP.....		118632	13.29

The last time you bought marijuana, how many ounces did you buy?

MMLSOZS <sup>1</sup>	Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES	Freq	Pct
-9 = Data not collected for this year.....		170319	19.07
1 = At least 1/8, but less than 1/4 of an ounce.....		4312	0.48
2 = At least 1/4 but less than 1/3 of an ounce.....		2337	0.26
3 = At least 1/3 but less than 1/2 of an ounce.....		863	0.10
4 = At least 1/2 but less than 1 ounce.....		3346	0.37
5 = At least 1 but less than 5 ounces.....		4397	0.49
6 = At least 5 but less than 10 ounces.....		528	0.06
7 = At least 10 but less than 16 ounces.....		324	0.04
91 = NEVER USED MARIJUANA.....		432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	18.03
94 = DON'T KNOW.....		140	0.02
97 = REFUSED.....		1748	0.20
98 = BLANK (NO ANSWER).....		4633	0.52
99 = LEGITIMATE SKIP.....		106788	11.96

The last time you bought marijuana, how many pounds did you buy?

MMLSLBS <sup>1</sup>	Len : 2 AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS	Freq	Pct
-9 = Data not collected for this year.....		170319	19.07
1 = At least 1 but less than 2 pounds.....		543	0.06
2 = At least 2 but less than 3 pounds.....		168	0.02
3 = At least 3 but less than 4 pounds.....		87	0.01
4 = At least 4 but less than 5 pounds.....		60	0.01
5 = 5 or more pounds.....		333	0.04
91 = NEVER USED MARIJUANA.....		432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....		160987	18.03
94 = DON'T KNOW.....		7	0.00
97 = REFUSED.....		1707	0.19
98 = BLANK (NO ANSWER).....		4633	0.52
99 = LEGITIMATE SKIP.....		121878	13.65

MARIJUANA PURCHASES

How many pounds of marijuana did you buy?

MMLS5LBS <sup>1</sup>	Len : 3	AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS	Freq	Pct
		RANGE = 5 - 99 .....	326	0.04
		-9 = Data not collected for this year .....	170319	19.07
		991 = NEVER USED MARIJUANA .....	432250	48.41
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
		994 = DON'T KNOW .....	2	0.00
		997 = REFUSED .....	1712	0.19
		998 = BLANK (NO ANSWER).....	4640	0.52
		999 = LEGITIMATE SKIP.....	122736	13.74

How much did you pay for the marijuana you bought this last time?

MMLSPCTB <sup>1</sup>	Len : 2	AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME	Freq	Pct
		-9 = Data not collected for this year .....	170319	19.07
		1 = Less than \$5.00 .....	2971	0.33
		2 = \$5.00 to \$10.99 .....	13300	1.49
		3 = \$11.00 to \$20.99 .....	15578	1.74
		4 = \$21.00 to \$50.99 .....	21256	2.38
		5 = \$51.00 to \$100.99 .....	8665	0.97
		6 = \$101.00 to \$150.99 .....	2515	0.28
		7 = \$151.00 to \$200.99 .....	1260	0.14
		8 = \$201.00 to \$250.99 .....	783	0.09
		9 = \$251.00 to \$300.99 .....	609	0.07
		10 = \$301.00 to \$500.99 .....	895	0.10
		11 = \$501.00 to \$1000.99 .....	548	0.06
		12 = More than \$1000.99 .....	513	0.06
		85 = BAD DATA Logically assigned .....	2	0.00
		91 = NEVER USED MARIJUANA .....	432250	48.41
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
		94 = DON'T KNOW .....	373	0.04
		97 = REFUSED .....	1647	0.18
		98 = BLANK (NO ANSWER) .....	3673	0.41
		99 = LEGITIMATE SKIP.....	54828	6.14

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?

MMLSPCAT<sup>1</sup>

Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Less than \$5.00.....	2971	0.33
2 = \$5.00 to \$10.99.....	13300	1.49
3 = \$11.00 to \$20.99.....	15578	1.74
40 = \$21.00 to \$50.99 (No further detail).....	32	0.00
41 = \$21.00 to \$30.99.....	8846	0.99
42 = \$31.00 to \$40.99.....	5853	0.66
43 = \$41.00 to \$50.99.....	6525	0.73
50 = \$51.00 to \$100.99 (No further detail).....	18	0.00
51 = \$51.00 to \$60.99.....	4427	0.50
52 = \$61.00 to \$70.99.....	1067	0.12
53 = \$71.00 to \$80.99.....	1089	0.12
54 = \$81.00 to \$90.99.....	589	0.07
55 = \$91.00 to \$100.99.....	1475	0.17
60 = \$101.00 to \$150.99 (No further detail).....	10	0.00
61 = \$101.00 to \$110.99.....	690	0.08
62 = \$111.00 to \$120.99.....	656	0.07
63 = \$121.00 to \$130.99.....	394	0.04
64 = \$131.00 to \$140.99.....	223	0.02
65 = \$141.00 to \$150.99.....	542	0.06
70 = \$151.00 to \$200.99.....	1260	0.14
80 = \$201.00 to \$250.99.....	783	0.09
90 = \$251.00 to \$300.99.....	609	0.07
100 = \$301.00 to \$500.99 (No further detail).....	5	0.00
101 = \$301.00 to \$350.99.....	351	0.04
102 = \$351.00 to \$400.99.....	250	0.03
103 = \$401.00 to \$450.99.....	149	0.02
104 = \$451.00 to \$500.99.....	140	0.02
110 = \$501.00 to \$1000.99 (No further detail).....	2	0.00
111 = \$501.00 to \$550.99.....	119	0.01
112 = \$551.00 to \$600.99.....	44	0.00
113 = \$601.00 to \$650.99.....	37	0.00
114 = \$651.00 to \$700.99.....	26	0.00
115 = \$701.00 to \$750.99.....	36	0.00
116 = \$751.00 to \$800.99.....	34	0.00
117 = \$801.00 to \$850.99.....	33	0.00
118 = \$851.00 to \$900.99.....	41	0.00
119 = \$901.00 to \$950.99.....	44	0.00
120 = \$951.00 to \$1000.99.....	132	0.01
121 = More than \$1000.99.....	513	0.06
985 = BAD DATA Logically assigned.....	2	0.00
991 = NEVER USED MARIJUANA.....	432250	48.41
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
994 = DON'T KNOW.....	373	0.04
997 = REFUSED.....	1647	0.18
998 = BLANK (NO ANSWER).....	3673	0.41
999 = LEGITIMATE SKIP.....	54828	6.14

The last time you bought marijuana, who did you buy it from?

MMBUYWHO<sup>1</sup>

Len : 2 WHO SOLD YOU LAST MARIJUANA BOUGHT

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = A friend.....	55390	6.20
2 = A relative or family member.....	2922	0.33
3 = Someone I had just met or didn't know well.....	11960	1.34
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	469	0.05
97 = REFUSED.....	2876	0.32
98 = BLANK (NO ANSWER).....	3577	0.40
99 = LEGITIMATE SKIP.....	52215	5.85

MARIJUANA PURCHASES

The last time you bought marijuana, where were you when you bought it?

MMBPLACE<sup>1</sup>

Len : 2 WHERE YOU WERE LAST TIME BOUGHT MARIJUANA

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Inside a public bldg, such as a store, restaurant.....	3381	0.38
2 = Inside a school building.....	1782	0.20
3 = Outside on school property.....	1197	0.13
4 = Inside a home, apartment, or dorm.....	36384	4.07
5 = Outside in a public area, such as a parking lot.....	14699	1.65
6 = Some other place.....	7717	0.86
11 = Inside a public building LOGICALLY ASSIGNED.....	581	0.07
12 = Inside a school building LOGICALLY ASSIGNED.....	1	0.00
13 = Outside on school property LOGICALLY ASSIGNED.....	2	0.00
14 = Inside a home, apartment, or dorm LOG ASSN.....	2289	0.26
15 = Outside in a public area LOGICALLY ASSIGNED.....	2327	0.26
85 = BAD DATA Logically assigned.....	7	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	484	0.05
97 = REFUSED.....	2773	0.31
98 = BLANK (NO ANSWER).....	3577	0.40
99 = LEGITIMATE SKIP.....	52215	5.85

MMBPLOS2<sup>1</sup>

Len : 2 OTHER PLACE BOUGHT MJ THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
1 = Inside a public bldg (eg store/restaurant/arena).....	582	0.07
2 = Inside a school building.....	1	0.00
3 = Outside on school property.....	2	0.00
4 = Inside a home, apartment, or dorm.....	2289	0.26
5 = Outside in public area (eg parkng lot/street/park).....	2327	0.26
6 = Some other place.....	74	0.01
7 = At respondent's workplace.....	173	0.02
8 = At a party, location not specified.....	83	0.01
9 = From friend(s)/family; no other information.....	155	0.02
10 = In respondent's car/motor vhcle;location not spfd.....	67	0.01
11 = In someone else's car/mtr vhcle;location not spfd.....	29	0.00
12 = In a car/motor vehicle; owner or location unspcfd.....	471	0.05
13 = At school, no other information.....	41	0.00
14 = Outside on private property (home, yard, apt).....	320	0.04
15 = Medical marijuana dispensary/club.....	268	0.03
16 = In a private/designtd locatn/place; otherwise unspd.....	61	0.01
19 = Restroom/bathroom, location unspecified.....	10	0.00
20 = At a workplace; otherwise unspecified.....	9	0.00
21 = In/on a bus/train/plane/pub transport.....	17	0.00
22 = At concert/festival/sports event; location unspec.....	40	0.00
23 = A building; otherwise unspecified.....	64	0.01
24 = Individual/person; otherwise unspecified.....	77	0.01
25 = In a hotel/motel room (or public area unspcfd).....	10	0.00
28 = In public; outside or inside unspecified.....	4	0.00
70 = Specific city/state/country or vacation.....	698	0.08
85 = BAD DATA Logically assigned.....	496	0.06
91 = NEVER USED MARIJUANA.....	335002	37.52
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	123132	13.79
94 = DON'T KNOW.....	465	0.05
97 = REFUSED.....	3399	0.38
98 = BLANK (NO ANSWER).....	3165	0.35
99 = LEGITIMATE SKIP.....	84211	9.43

MARIJUANA PURCHASES

The last time you bought marijuana were you at work at your job or business?

<b>MMBATJOB<sup>1</sup></b>	Len : 2 AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2078	0.23
	2 = No.....	57065	6.39
	3 = Do not work at a job or business.....	10331	1.16
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	177	0.02
	97 = REFUSED .....	1641	0.18
	98 = BLANK (NO ANSWER) .....	3572	0.40
	99 = LEGITIMATE SKIP.....	54546	6.11

The last time you bought marijuana, where did you buy it?

<b>MMBCLOSE<sup>1</sup></b>	Len : 2 HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Near where you are now living .....	29670	3.32
	2 = Somewhere else .....	41258	4.62
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	276	0.03
	97 = REFUSED .....	2413	0.27
	98 = BLANK (NO ANSWER) .....	3577	0.40
	99 = LEGITIMATE SKIP.....	52215	5.85

Did you sell any of the marijuana you bought this last time?

<b>MMBSELL<sup>1</sup></b>	Len : 2 SELL ANY MARIJUANA BOUGHT LAST TIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	6978	0.78
	2 = No.....	65070	7.29
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	80	0.01
	97 = REFUSED .....	1489	0.17
	98 = BLANK (NO ANSWER) .....	3577	0.40
	99 = LEGITIMATE SKIP.....	52215	5.85

Did you give away or share any of the marijuana you bought this last time?

<b>MMBGIVE<sup>1</sup></b>	Len : 2 GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	49307	5.52
	2 = No.....	22898	2.56
	85 = BAD DATA Logically assigned .....	7	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	78	0.01
	97 = REFUSED .....	1334	0.15
	98 = BLANK (NO ANSWER) .....	3577	0.40
	99 = LEGITIMATE SKIP.....	52215	5.85



MARIJUANA PURCHASES

During the past 12 months, that is, since [DATEFILL], did you trade something for marijuana?

<b>MMTRADE<sup>1</sup></b>	Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	824	0.09
	2 = No.....	51164	5.73
	85 = BAD DATA Logically assigned .....	6	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	7	0.00
	97 = REFUSED .....	756	0.08
	98 = BLANK (NO ANSWER) .....	2891	0.32
	99 = LEGITIMATE SKIP.....	73768	8.26

During the past 30 days, that is, since [DATEFILL], did you trade something for marijuana?

<b>MMTRD30D<sup>1</sup></b>	Len : 2 TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	291	0.03
	2 = No.....	532	0.06
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	97 = REFUSED .....	748	0.08
	98 = BLANK (NO ANSWER) .....	3509	0.39
	99 = LEGITIMATE SKIP.....	124336	13.92

How long has it been since you last traded something for marijuana?

<b>MMTRDREC<sup>1</sup></b>	Len : 2 TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Within past 30 days -- that is, since [DATEFILL] .....	133	0.01
	2 = More than 30 days ago, but within the past 12 mos .....	476	0.05
	3 = More than 12 months ago .....	188	0.02
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	755	0.08
	98 = BLANK (NO ANSWER) .....	3507	0.39
	99 = LEGITIMATE SKIP.....	124341	13.92

During the past 30 days, that is, since [DATEFILL], on how many days did you trade something for marijuana?

<b>MMT30FRQ<sup>1</sup></b>	Len : 2 # DAYS TRADED FOR MARIJUANA PAST 30 DAYS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30.....	417	0.05
	-9 = Data not collected for this year .....	170319	19.07
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	4	0.00
	97 = REFUSED .....	750	0.08
	98 = BLANK (NO ANSWER) .....	3531	0.40
	99 = LEGITIMATE SKIP.....	124714	13.97

MARIJUANA PURCHASES

Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?

MMTJNTLS<sup>1</sup>      Len : 2    LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = You got joints .....	213	0.02
2 = You got the marijuana in loose form.....	1206	0.14
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	8	0.00
97 = REFUSED .....	753	0.08
98 = BLANK (NO ANSWER) .....	3527	0.39
99 = LEGITIMATE SKIP.....	123706	13.85

How many joints did you get the last time you traded something for marijuana?

MMTJNTNM<sup>1</sup>      Len : 3    # MARIJUANA JOINTS TRADED FOR LAST TIME

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 400 .....	213	0.02
-9 = Data not collected for this year .....	170319	19.07
991 = NEVER USED MARIJUANA .....	432250	48.41
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
997 = REFUSED .....	747	0.08
998 = BLANK (NO ANSWER).....	3544	0.40
999 = LEGITIMATE SKIP.....	124912	13.99

How much do you think the marijuana in these joints/this joint was worth?

MMTJWRCB<sup>1</sup>      Len : 2    AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Less than \$5.00.....	62	0.01
2 = \$5.00 to \$10.99 .....	79	0.01
3 = \$11.00 to \$20.99 .....	28	0.00
4 = \$21.00 to \$50.99 .....	22	0.00
5 = \$51.00 to \$100.99 .....	6	0.00
6 = \$101.00 to \$150.99 .....	2	0.00
7 = \$151.00 to \$200.99 .....	1	0.00
8 = \$201.00 to \$250.99 .....	1	0.00
10 = \$301.00 to \$500.99 .....	1	0.00
11 = \$501.00 to \$1000.99 .....	2	0.00
12 = More than \$1000.99.....	3	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	748	0.08
98 = BLANK (NO ANSWER) .....	3544	0.40
99 = LEGITIMATE SKIP.....	124912	13.99

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?

MMTJWRTH<sup>1</sup> Len : 3 PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Less than \$5.00.....	62	0.01
2 = \$5.00 to \$10.99.....	79	0.01
3 = \$11.00 to \$20.99.....	28	0.00
40 = \$21.00 to \$50.99 (No further detail).....	1	0.00
41 = \$21.00 to \$30.99.....	8	0.00
42 = \$31.00 to \$40.99.....	7	0.00
43 = \$41.00 to \$50.99.....	6	0.00
51 = \$51.00 to \$60.99.....	5	0.00
52 = \$61.00 to \$70.99.....	1	0.00
61 = \$101.00 to \$110.99.....	1	0.00
62 = \$111.00 to \$120.99.....	1	0.00
70 = \$151.00 to \$200.99.....	1	0.00
80 = \$201.00 to \$250.99.....	1	0.00
103 = \$401.00 to \$450.99.....	1	0.00
113 = \$601.00 to 650.99.....	1	0.00
120 = \$951.00 to \$1000.99.....	1	0.00
121 = More than \$1000.99.....	3	0.00
991 = NEVER USED MARIJUANA.....	432250	48.41
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
994 = DON'T KNOW.....	5	0.00
997 = REFUSED.....	748	0.08
998 = BLANK (NO ANSWER).....	3544	0.40
999 = LEGITIMATE SKIP.....	124912	13.99

Now we want to know how much marijuana you got the last time you traded something for marijuana.

Do you want to give your answer in grams, ounces, or pounds?

MMTLUNIT<sup>1</sup> Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Grams.....	692	0.08
2 = Ounces.....	430	0.05
3 = Pounds.....	40	0.00
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	27	0.00
97 = REFUSED.....	764	0.09
98 = BLANK (NO ANSWER).....	3541	0.40
99 = LEGITIMATE SKIP.....	123919	13.88

The last time you traded something for marijuana, how many grams did you get?

MMTLGMS<sup>1</sup> Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = At least 1 but less than 5 grams.....	480	0.05
2 = At least 5 but less than 10 grams.....	157	0.02
3 = 10 grams or more.....	40	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	771	0.09
98 = BLANK (NO ANSWER).....	3571	0.40
99 = LEGITIMATE SKIP.....	124389	13.93

MARIJUANA PURCHASES

The last time you traded something for marijuana, how many ounces did you get?

MMTLOZS<sup>1</sup>

Len : 2 AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = At least 1/8, but less than 1/4 of an ounce.....	72	0.01
2 = At least 1/4 but less than 1/3 of an ounce.....	232	0.03
3 = At least 1/3 but less than 1/2 of an ounce.....	12	0.00
4 = At least 1/2 but less than 1 ounce.....	36	0.00
5 = At least 1 but less than 5 ounces .....	49	0.01
6 = At least 5 but less than 10 ounces .....	9	0.00
7 = At least 10 but less than 16 ounces .....	13	0.00
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	765	0.09
98 = BLANK (NO ANSWER) .....	3568	0.40
99 = LEGITIMATE SKIP .....	124651	13.96

How much do you think the marijuana you got this last time was worth?

MMTLWRCB<sup>1</sup>

Len : 2 AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Less than \$5.00 .....	143	0.02
2 = \$5.00 to \$10.99 .....	360	0.04
3 = \$11.00 to \$20.99 .....	194	0.02
4 = \$21.00 to \$50.99 .....	221	0.02
5 = \$51.00 to \$100.99 .....	108	0.01
6 = \$101.00 to \$150.99 .....	25	0.00
7 = \$151.00 to \$200.99 .....	22	0.00
8 = \$201.00 to \$250.99 .....	19	0.00
9 = \$251.00 to \$300.99 .....	9	0.00
10 = \$301.00 to \$500.99 .....	15	0.00
11 = \$501.00 to \$1000.99 .....	18	0.00
12 = More than \$1000.99 .....	27	0.00
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	759	0.08
98 = BLANK (NO ANSWER) .....	3541	0.40
99 = LEGITIMATE SKIP .....	123919	13.88

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?

MMTLWRTH<sup>1</sup>      Len : 3    PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Less than \$5.00.....	143	0.02
2 = \$5.00 to \$10.99.....	360	0.04
3 = \$11.00 to \$20.99.....	194	0.02
41 = \$21.00 to \$30.99.....	106	0.01
42 = \$31.00 to \$40.99.....	55	0.01
43 = \$41.00 to \$50.99.....	60	0.01
51 = \$51.00 to \$60.99.....	56	0.01
52 = \$61.00 to \$70.99.....	15	0.00
53 = \$71.00 to \$80.99.....	14	0.00
54 = \$81.00 to \$90.99.....	9	0.00
55 = \$91.00 to \$100.99.....	14	0.00
60 = \$101.00 to \$150.99 (No further detail).....	2	0.00
61 = \$101.00 to \$110.99.....	4	0.00
62 = \$111.00 to \$120.99.....	4	0.00
63 = \$121.00 to \$130.99.....	4	0.00
64 = \$131.00 to \$140.99.....	4	0.00
65 = \$141.00 to \$150.99.....	7	0.00
70 = \$151.00 to \$200.99.....	22	0.00
80 = \$201.00 to \$250.99.....	19	0.00
90 = \$251.00 to \$300.99.....	9	0.00
101 = \$301.00 to \$350.99.....	8	0.00
102 = \$351.00 to \$400.99.....	3	0.00
103 = \$401.00 to \$450.99.....	1	0.00
104 = \$451.00 to \$500.99.....	3	0.00
111 = \$501.00 to \$550.99.....	3	0.00
112 = \$551.00 to \$600.99.....	2	0.00
113 = \$601.00 to \$650.99.....	1	0.00
114 = \$651.00 to \$700.99.....	1	0.00
116 = \$751.00 to \$800.99.....	2	0.00
117 = \$801.00 to \$850.99.....	1	0.00
120 = \$951.00 to \$1000.99.....	8	0.00
121 = More than \$1000.99.....	27	0.00
985 = BAD DATA Logically assigned.....	3	0.00
991 = NEVER USED MARIJUANA.....	432250	48.41
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
994 = DON'T KNOW.....	33	0.00
997 = REFUSED.....	759	0.08
998 = BLANK (NO ANSWER).....	3541	0.40
999 = LEGITIMATE SKIP.....	123919	13.88

The last time you traded something for marijuana, who did you get it from?

MMTRDWHO<sup>1</sup>      Len : 2    WHO GAVE YOU LAST MARIJUANA TRADED FOR

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = A friend.....	1073	0.12
2 = A relative or family member.....	267	0.03
3 = Someone I had just met or didn't know well.....	238	0.03
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	21	0.00
97 = REFUSED.....	790	0.09
98 = BLANK (NO ANSWER).....	3506	0.39
99 = LEGITIMATE SKIP.....	123518	13.83

MARIJUANA PURCHASES

The last time you traded something for marijuana, where were you when you got it?

**MMTPPLACE<sup>1</sup>**      Len : 2    WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Inside a public bldg, such as a store, restaurant.....	124	0.01
2 = Inside a school building.....	237	0.03
3 = Outside on school property.....	53	0.01
4 = Inside a home, apartment, or dorm.....	595	0.07
5 = Outside in a public area, such as a parking lot.....	223	0.02
6 = Some other place.....	217	0.02
11 = Inside a public building LOGICALLY ASSIGNED.....	11	0.00
14 = Inside a home, apartment, or dorm LOG ASSN.....	47	0.01
15 = Outside in a public area LOGICALLY ASSIGNED.....	62	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	25	0.00
97 = REFUSED.....	795	0.09
98 = BLANK (NO ANSWER).....	3506	0.39
99 = LEGITIMATE SKIP.....	123518	13.83

**MMTPLOS2<sup>1</sup>**      Len : 2    OTHER PLACE TRADED FOR MJ THE LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	335230	37.54
1 = Inside a public bldg (eg store/restaurant/arena).....	11	0.00
4 = Inside a home, apartment, or dorm.....	47	0.01
5 = Outside in public area (eg parkng lot/street/park).....	62	0.01
6 = Some other place.....	41	0.00
12 = In a car/motor vehicle; owner or location unspcfd.....	3	0.00
70 = Specific city/state/country or vacation.....	17	0.00
85 = BAD DATA Logically assigned.....	25	0.00
91 = NEVER USED MARIJUANA.....	335002	37.52
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	123132	13.79
94 = DON'T KNOW.....	23	0.00
97 = REFUSED.....	640	0.07
98 = BLANK (NO ANSWER).....	2718	0.30
99 = LEGITIMATE SKIP.....	96021	10.75

The last time you traded something for marijuana, where did you get it?

**MMTCLOSE<sup>1</sup>**      Len : 2    HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Near where you are now living.....	555	0.06
2 = Somewhere else.....	1012	0.11
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	24	0.00
97 = REFUSED.....	798	0.09
98 = BLANK (NO ANSWER).....	3506	0.39
99 = LEGITIMATE SKIP.....	123518	13.83

The last time you traded something for marijuana, did you keep it all for yourself?

**MMTKEEP<sup>1</sup>**      Len : 2    KEEP ALL OF LAST MARIJUANA TRADED FOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	529	0.06
2 = No.....	1060	0.12
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED MARIJUANA.....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW.....	19	0.00
97 = REFUSED.....	781	0.09
98 = BLANK (NO ANSWER).....	3506	0.39
99 = LEGITIMATE SKIP.....	123518	13.83

MARIJUANA PURCHASES

Did you sell any of the marijuana you got this last time?

<b>MMTSELL<sup>1</sup></b>	Len : 2 SELL ANY MARIJUANA YOU TRADED FOR LAST TIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	102	0.01
	2 = No.....	955	0.11
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	783	0.09
	98 = BLANK (NO ANSWER) .....	3525	0.39
	99 = LEGITIMATE SKIP.....	124047	13.89

Did you give away any of the marijuana you got this last time?

<b>MMTGIVE<sup>1</sup></b>	Len : 2 GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	507	0.06
	2 = No.....	545	0.06
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	786	0.09
	98 = BLANK (NO ANSWER) .....	3525	0.39
	99 = LEGITIMATE SKIP.....	124047	13.89

The last time you grew marijuana, did you keep it all for yourself?

<b>MMGKEEP<sup>1</sup></b>	Len : 2 KEEP ALL MARIJUANA LAST TIME YOU GREW IT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	294	0.03
	2 = No.....	212	0.02
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	97 = REFUSED .....	750	0.08
	98 = BLANK (NO ANSWER) .....	3425	0.38
	99 = LEGITIMATE SKIP.....	124735	13.97

Did you sell any of the marijuana you grew this last time?

<b>MMGSELL<sup>1</sup></b>	Len : 2 SELL ANY MARIJUANA LAST TIME YOU GREW IT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	73	0.01
	2 = No.....	139	0.02
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	97 = REFUSED .....	750	0.08
	98 = BLANK (NO ANSWER) .....	3425	0.38
	99 = LEGITIMATE SKIP.....	125029	14.00

The last time you grew marijuana, did you give any of it away for free?

<b>MMGGIVE<sup>1</sup></b>	Len : 2 GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	118	0.01
	2 = No.....	92	0.01
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	97 = REFUSED .....	752	0.08
	98 = BLANK (NO ANSWER) .....	3425	0.38
	99 = LEGITIMATE SKIP.....	125029	14.00

MARIJUANA PURCHASES

The last time you got marijuana for free, who did you get it from?

MMFREWHO <sup>1</sup>	Len : 2 WHO GAVE YOU LAST FREE MARIJUANA	Freq	Pct
	-9 = Data not collected for this year .....	170319	19.07
	1 = A friend.....	41436	4.64
	2 = A relative or family member .....	4982	0.56
	3 = Someone I had just met or didn't know well .....	2854	0.32
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	155	0.02
	97 = REFUSED .....	1379	0.15
	98 = BLANK (NO ANSWER) .....	3500	0.39
	99 = LEGITIMATE SKIP .....	75105	8.41

The last time you got marijuana for free, where were you when you got it?

MMFPLACE <sup>1</sup>	Len : 2 WHERE WERE YOU LAST TIME GOT FREE MARIJUANA	Freq	Pct
	-9 = Data not collected for this year .....	170319	19.07
	1 = Inside a public bldg, such as a store, restaurant.....	1284	0.14
	2 = Inside a school building .....	616	0.07
	3 = Outside on school property .....	837	0.09
	4 = Inside a home, apartment, or dorm.....	31553	3.53
	5 = Outside in a public area, such as a parking lot .....	6160	0.69
	6 = Some other place.....	5689	0.64
	11 = Inside a public building LOGICALLY ASSIGNED.....	176	0.02
	12 = Inside a school building LOGICALLY ASSIGNED .....	1	0.00
	13 = Outside on school property LOGICALLY ASSIGNED .....	3	0.00
	14 = Inside a home, apartment, or dorm LOG ASSN.....	1670	0.19
	15 = Outside in a public area LOGICALLY ASSIGNED.....	1224	0.14
	85 = BAD DATA Logically assigned .....	5	0.00
	91 = NEVER USED MARIJUANA .....	432250	48.41
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
	94 = DON'T KNOW .....	307	0.03
	97 = REFUSED .....	1286	0.14
	98 = BLANK (NO ANSWER) .....	3500	0.39
	99 = LEGITIMATE SKIP .....	75105	8.41



MARIJUANA PURCHASES

MMFPLOS2<sup>1</sup>

Len : 2 OTHER PLACE GOT MJ FOR FREE THE LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Inside a public bldg (eg store/restaurant/arena).....	176	0.02
2 = Inside a school building .....	1	0.00
3 = Outside on school property .....	3	0.00
4 = Inside a home, apartment, or dorm.....	1670	0.19
5 = Outside in public area (eg parkng lot/street/park) .....	1224	0.14
6 = Some other place.....	69	0.01
7 = At respondent's workplace .....	113	0.01
8 = At a party, location not specified .....	391	0.04
9 = From friend(s)/family; no other information .....	157	0.02
10 = In respondent's car/motor vhcle;location not spfd .....	14	0.00
11 = In someone else's car/mtr vhcle;location not spfd .....	117	0.01
12 = In a car/motor vehicle; owner or location unspcfd .....	503	0.06
13 = At school, no other information .....	32	0.00
14 = Outside on private property (home, yard, apt).....	318	0.04
16 = In a private/designtd locatn/place; otherwise unspd .....	8	0.00
17 = On a boat/raft/yacht/water vessel .....	20	0.00
22 = At concert/festival/sports event; location unspec .....	91	0.01
23 = A building; otherwise unspecified.....	47	0.01
24 = Individual/person; otherwise unspecified.....	48	0.01
25 = In a hotel/motel room (or public area unspcfd) .....	88	0.01
28 = In public; outside or inside unspecified.....	3	0.00
70 = Specific city/state/country or vacation .....	299	0.03
85 = BAD DATA Logically assigned .....	176	0.02
91 = NEVER USED MARIJUANA .....	335002	37.52
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	123132	13.79
94 = DON'T KNOW .....	338	0.04
97 = REFUSED .....	1453	0.16
98 = BLANK (NO ANSWER) .....	2941	0.33
99 = LEGITIMATE SKIP.....	89308	10.00

The last time you got marijuana for free, where did you get it?

MMFCLOSE<sup>1</sup>

Len : 2 HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Near where you are now living .....	19783	2.22
2 = Somewhere else .....	29395	3.29
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	313	0.04
97 = REFUSED .....	1315	0.15
98 = BLANK (NO ANSWER) .....	3500	0.39
99 = LEGITIMATE SKIP.....	75105	8.41

The last time you got marijuana for free, did you keep it all for yourself?

MMFKEEP<sup>1</sup>

Len : 2 KEEP ALL MARIJUANA GOT LAST TIME FOR FREE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	4529	0.51
2 = No.....	45166	5.06
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	102	0.01
97 = REFUSED .....	1009	0.11
98 = BLANK (NO ANSWER) .....	3500	0.39
99 = LEGITIMATE SKIP.....	75105	8.41

MARIJUANA PURCHASES

Did you sell any of the marijuana you got this last time?

MMFSELL<sup>1</sup>

Len : 2 SELL ANY MARIJUANA GOT LAST TIME FOR FREE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	637	0.07
2 = No.....	44499	4.98
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	1034	0.12
98 = BLANK (NO ANSWER) .....	3602	0.40
99 = LEGITIMATE SKIP.....	79634	8.92

Did you give away any of the marijuana you got this last time?

MMFGIVE<sup>1</sup>

Len : 2 GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	16026	1.79
2 = No.....	28922	3.24
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED MARIJUANA .....	432250	48.41
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	160987	18.03
94 = DON'T KNOW .....	102	0.01
97 = REFUSED .....	1125	0.13
98 = BLANK (NO ANSWER) .....	3602	0.40
99 = LEGITIMATE SKIP.....	79634	8.92

RECODED MARIJUANA PURCHASES

**RECODED MARIJUANA PURCHASES**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

**MJPGOT**      Len : 1    METHOD OF OBTAINING LAST USED MARIJUANA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Bought it (MMGETMJ=1).....	52533	5.88
2 = Traded for it (MMGETMJ=2).....	1560	0.17
3 = Got it for Free/Shared (MMGETMJ=3).....	69882	7.83
4 = Grew it Yourself (MMGETMJ=4).....	1091	0.12
5 = Method Unspecified (Otherwise).....	4350	0.49
6 = Never Used MJ (MMGETMJ=91,93).....	593237	66.43

The following "source of last used marijuana bought" variable, MJPBTFRM, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought marijuana (MMBTPYR) in the past year are included in the "Source Unspecified" level, MJPBTFRM=4. To produce estimates among respondents who reported last obtaining marijuana by buying it or buying marijuana in the past year, the analysis should be restricted to MMGETMJ=1 or MMBTPYR=1.

**MJPBTFRM**      Len : 1    SOURCE OF LAST USED MARIJUANA BOUGHT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Friend (MMBUYWHO=1) .....	55390	6.20
2 = Relative or Family Member (MMBUYWHO=2).....	2922	0.33
3 = Someone Just Met/Did Not Know (MMBUYWHO=3).....	11960	1.34
4 = Source Unspecified (Otherwise) .....	6929	0.78
5 = Nevr Use MJ/Didn't Buy Last MJ (MMBUYWHO=91,93,99).....	645452	72.28

The following variable, MJPBTP3, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOS2). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTP3=7, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write-in response was classified as a valid other-specify source other than "Medical Marijuana Dispensary/Club" (MMBPLOS2=7, 14, 17, 18, 21, 25, 26). MJPBTP3 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

**MJPBTP3**      Len : 1    LOCATION WHERE LAST USED MRJ WAS BOUGHT (8 LEVELS)

	<b>Freq</b>	<b>Pct</b>
. = Didn't Buy Last MJ or MJ in PY (See comment above) .....	147755	16.55
-9 = Data not collected for this year .....	727273	81.44
1 = Inside a Public Building (MMBPLACE=1,11) .....	1079	0.12
2 = Outside in Public Area (MMBPLACE=5,15) .....	4403	0.49
3 = Inside School (MMBPLACE=2,12).....	308	0.03
4 = Outside on School Property (MMBPLACE=3,13).....	254	0.03
5 = Inside Home/Apt/Dorm (MMBPLACE=4,14).....	9541	1.07
6 = Medical Mrj Dispensary (MMBPLACE=6 & MMBPLOS2=15) .....	200	0.02
7 = Some Other Place (See comment above) .....	173	0.02
8 = Location Unspecified (Otherwise) .....	1986	0.22

The following "source of last used free marijuana" variable, MJPFREGT, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought (MMBTPYR) or traded something (MMTRADE) for marijuana in the past year are included in the "Source Unspecified" level, MJPFREGT=4. This differs from the "location where last used free marijuana was received" variable, MJPFRL2, where these unknown cases are defined as SAS missing (MJPFRL2=.). To produce estimates among respondents who reported obtaining their last used marijuana for free and reported not buying or not trading something for marijuana in the past year, the analysis should be restricted to MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2.

**MJPFREGT**      Len : 1    SOURCE OF LAST USED FREE MARIJUANA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Friend (MMFREWHO=1) .....	41436	4.64
2 = Relative or Family Member (MMFREWHO=2).....	4982	0.56
3 = Someone Just Met/Did Not Know (MMFREWHO=3).....	2854	0.32
4 = Source Unspecified (Otherwise) .....	5039	0.56
5 = Nevr Use MJ/Didn't Get Free MJ (MMFREWHO=91,93,99) .....	668342	74.84

RECORDED MARIJUANA PURCHASES

The following variable, MJPFRL2, was assigned a positive response if the respondent reported getting their last used marijuana for free and reported not buying or trading something for marijuana in the past 12 months (MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2) and reported the corresponding location of getting the marijuana for free as noted in the level statements below (MMFPLACE/MMFPLOS2). MJPFRL2 was assigned missing if at least one of the three criteria mentioned above was not met. A respondent was defined as getting their last used marijuana for free from "Some Other Place", MJPFRL2=6, if the location where the respondent reported being the last time he or she got marijuana for free was some other place (MMFPLACE=6) and their write in response was classified as a valid other-specify source (MMFPLOS2=7, 14, 15, 17, 18, 21, 25, 26).

**MJPFRL2**      Len : 1    LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED

	<b>Freq</b>	<b>Pct</b>
. = Didn't Get Free MJ (See comment above) .....	519876	58.22
-9 = Data not collected for this year .....	335230	37.54
1 = Inside a Public Building (MMFPLACE=1,11) .....	1127	0.13
2 = Outside in Public Area (MMFPLACE=5,15).....	6042	0.68
3 = Inside School (MMFPLACE=2,12).....	452	0.05
4 = Outside on School Property (MMFPLACE=3,13).....	643	0.07
5 = Inside Home/Apt/Dorm (MMFPLACE=4,14).....	25652	2.87
6 = Some Other Place (See comment above) .....	560	0.06
7 = Location Unspecified (Otherwise) .....	3390	0.38

For more information on the following variable, MJPBTPLC, see note above MJPBTFRM.

**MJPBTPLC**      Len : 1    LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Inside a Public Building (MMBPLACE=1).....	812	0.09
2 = Outside in Public Area (MMBPLACE=5).....	2881	0.32
3 = Inside School (MMBPLACE=2).....	459	0.05
4 = Outside on School Property (MMBPLACE=3) .....	281	0.03
5 = Inside Home/Apt/Dorm (MMBPLACE=4).....	8334	0.93
6 = Some Other Place (MMBPLACE=6).....	2927	0.33
7 = Location Unspecified (MMBPLACE=94,97,98) .....	1434	0.16
8 = Nevr Use MJ/Didn't Buy Last MJ (MMBPLACE=91,93,99) .....	147783	16.55

For more information on the following variable, MJPFREPL, see note above MJPFREGT.

**MJPFREPL**      Len : 1    LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Inside a Public Building (MMFPLACE=1) .....	333	0.04
2 = Outside in Public Area (MMFPLACE=5).....	1342	0.15
3 = Inside School (MMFPLACE=2).....	165	0.02
4 = Outside on School Property (MMFPLACE=3).....	197	0.02
5 = Inside Home/Apt/Dorm (MMFPLACE=4).....	7571	0.85
6 = Some Other Place (MMFPLACE=6) .....	2412	0.27
7 = Location Unspecified (MMFPLACE=94,97,98).....	1149	0.13
8 = Nevr Use MJ/Didn't Get Free MJ (MMFPLACE=91,93,99) .....	151742	16.99

The following variable, MJPBTP2, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOS2). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTP2=6, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write in response was classified as a valid other-specify source (MMBPLOS2=7, 14, 15, 17, 18, 21, 25, 26). MJPBTP2 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

**MJPBTPL2**      Len : 1    LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT

	<b>Freq</b>	<b>Pct</b>
. = Didn't Buy Last MJ or MJ in PY (See comment above) .....	451465	50.56
-9 = Data not collected for this year .....	390501	43.73
1 = Inside a Public Building (MMBPLACE=1,11) .....	2759	0.31
2 = Outside in Public Area (MMBPLACE=5,15) .....	12819	1.44
3 = Inside School (MMBPLACE=2,12).....	1235	0.14
4 = Outside on School Property (MMBPLACE=3,13).....	849	0.10
5 = Inside Home/Apt/Dorm (MMBPLACE=4,14).....	27243	3.05
6 = Some Other Place (See comment above) .....	665	0.07
7 = Location Unspecified (Otherwise) .....	5436	0.61

SPECIAL TOPICS

**SPECIAL TOPICS**

*This note applies to variables in this section marked by a<sup>1</sup>.*

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

<b>BOOKED<sup>1</sup></b>	Len : 2	EVER ARRESTED AND BOOKED FOR BREAKING THE LAW		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	128856	14.43
		2 = No.....	753029	84.33
		3 = Yes LOGICALLY ASSIGNED.....	8315	0.93
		85 = BAD DATA Logically assigned.....	16	0.00
		94 = DON'T KNOW.....	902	0.10
		97 = REFUSED.....	1741	0.19
		98 = BLANK (NO ANSWER).....	113	0.01

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

<b>NOBOOKY2<sup>1</sup></b>	Len : 3	# TIMES ARRESTED AND BOOKED PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		0 = None.....	92147	10.32
		1 = One time.....	25881	2.90
		2 = Two times.....	6004	0.67
		3 = Three or more times.....	3740	0.42
		985 = BAD DATA Logically assigned.....	45	0.01
		994 = DON'T KNOW.....	586	0.07
		997 = REFUSED.....	2209	0.25
		998 = BLANK (NO ANSWER).....	9331	1.04
		999 = LEGITIMATE SKIP (BOOKED=2).....	753029	84.33

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

<b>BKVMTHFT<sup>1</sup></b>	Len : 2	ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	1266	0.14
		2 = No.....	35294	3.95
		3 = Yes LOGICALLY ASSIGNED.....	19	0.00
		85 = BAD DATA Logically assigned.....	82	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
		94 = DON'T KNOW.....	18	0.00
		97 = REFUSED.....	1781	0.20
		98 = BLANK (NO ANSWER).....	9336	1.05
		99 = LEGITIMATE SKIP.....	840448	94.12

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

<b>BKCLARCNY<sup>1</sup></b>	Len : 2	ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		1 = Yes.....	4803	0.54
		2 = No.....	31452	3.52
		3 = Yes LOGICALLY ASSIGNED.....	295	0.03
		85 = BAD DATA Logically assigned.....	82	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
		94 = DON'T KNOW.....	35	0.00
		97 = REFUSED.....	1793	0.20
		98 = BLANK (NO ANSWER).....	9336	1.05
		99 = LEGITIMATE SKIP.....	840448	94.12

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

<b>BKBURGL<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	2203	0.25
	2 = No.....	34321	3.84
	3 = Yes LOGICALLY ASSIGNED.....	38	0.00
	85 = BAD DATA Logically assigned.....	82	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
	94 = DON'T KNOW.....	19	0.00
	97 = REFUSED.....	1797	0.20
	98 = BLANK (NO ANSWER).....	9336	1.05
	99 = LEGITIMATE SKIP.....	840448	94.12

NOTE: BKSRIOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

<b>BKSRIOL<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = Yes.....	1951	0.22
	2 = No.....	19005	2.13
	3 = Yes LOGICALLY ASSIGNED.....	34	0.00
	85 = BAD DATA Logically assigned.....	48	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	3088	0.35
	94 = DON'T KNOW.....	30	0.00
	97 = REFUSED.....	1200	0.13
	98 = BLANK (NO ANSWER).....	5243	0.59
	99 = LEGITIMATE SKIP.....	531473	59.52

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

<b>BKSMASLT<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	5845	0.65
	2 = No.....	30158	3.38
	3 = Yes LOGICALLY ASSIGNED.....	543	0.06
	85 = BAD DATA Logically assigned.....	82	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
	94 = DON'T KNOW.....	34	0.00
	97 = REFUSED.....	1798	0.20
	98 = BLANK (NO ANSWER).....	9336	1.05
	99 = LEGITIMATE SKIP.....	840448	94.12

In the past 12 months, were you arrested and booked for robbery?

<b>BKROB<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	1263	0.14
	2 = No.....	35291	3.95
	3 = Yes LOGICALLY ASSIGNED.....	15	0.00
	85 = BAD DATA Logically assigned.....	82	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
	94 = DON'T KNOW.....	20	0.00
	97 = REFUSED.....	1789	0.20
	98 = BLANK (NO ANSWER).....	9336	1.05
	99 = LEGITIMATE SKIP.....	840448	94.12

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for arson?

<b>BKARSON<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	320	0.04
	2 = No.....	36219	4.06
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	85 = BAD DATA Logically assigned.....	82	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
	94 = DON'T KNOW.....	49	0.01
	97 = REFUSED.....	1782	0.20
	98 = BLANK (NO ANSWER).....	9336	1.05
	99 = LEGITIMATE SKIP.....	840448	94.12

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

<b>BKDRVIN<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	6165	0.69
	2 = No.....	30303	3.39
	3 = Yes LOGICALLY ASSIGNED.....	103	0.01
	85 = BAD DATA Logically assigned.....	82	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
	94 = DON'T KNOW.....	13	0.00
	97 = REFUSED.....	1794	0.20
	98 = BLANK (NO ANSWER).....	9336	1.05
	99 = LEGITIMATE SKIP.....	840448	94.12

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

<b>BKDRUNK<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	5796	0.65
	2 = No.....	30475	3.41
	3 = Yes LOGICALLY ASSIGNED.....	295	0.03
	85 = BAD DATA Logically assigned.....	82	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
	94 = DON'T KNOW.....	19	0.00
	97 = REFUSED.....	1793	0.20
	98 = BLANK (NO ANSWER).....	9336	1.05
	99 = LEGITIMATE SKIP.....	840448	94.12

In the past 12 months, were you arrested and booked for possession of tobacco?

<b>BKPOSTOB<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	671	0.08
	2 = No.....	8685	0.97
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	85 = BAD DATA Logically assigned.....	37	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	373	0.04
	94 = DON'T KNOW.....	9	0.00
	97 = REFUSED.....	356	0.04
	98 = BLANK (NO ANSWER).....	4412	0.49
	99 = LEGITIMATE SKIP.....	878423	98.37

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

<b>BKDRUG<sup>1</sup></b>	Len : 2 ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	5701	0.64
	2 = No.....	30526	3.42
	3 = Yes LOGICALLY ASSIGNED.....	333	0.04
	85 = BAD DATA Logically assigned.....	82	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	4728	0.53
	94 = DON'T KNOW.....	19	0.00
	97 = REFUSED.....	1799	0.20
	98 = BLANK (NO ANSWER).....	9336	1.05
	99 = LEGITIMATE SKIP.....	840448	94.12

SPECIAL TOPICS

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

BKSEXNR <sup>1</sup>		Len : 2 ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS	
		Freq	Pct
-9 = Data not collected for this year.....		330900	37.06
1 = Yes.....		302	0.03
2 = No.....		20712	2.32
3 = Yes LOGICALLY ASSIGNED.....		8	0.00
85 = BAD DATA Logically assigned.....		48	0.01
89 = LEGITIMATE SKIP Logically assigned.....		3088	0.35
94 = DON'T KNOW.....		9	0.00
97 = REFUSED.....		1189	0.13
98 = BLANK (NO ANSWER).....		5243	0.59
99 = LEGITIMATE SKIP.....		531473	59.52

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

BKFRAUD <sup>1</sup>		Len : 2 ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS	
		Freq	Pct
1 = Yes.....		2077	0.23
2 = No.....		34068	3.82
3 = Yes LOGICALLY ASSIGNED.....		427	0.05
85 = BAD DATA Logically assigned.....		81	0.01
89 = LEGITIMATE SKIP Logically assigned.....		4728	0.53
94 = DON'T KNOW.....		20	0.00
97 = REFUSED.....		1787	0.20
98 = BLANK (NO ANSWER).....		9336	1.05
99 = LEGITIMATE SKIP.....		840448	94.12

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

BKOTH <sup>1</sup>		Len : 2 ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS	
		Freq	Pct
1 = Yes.....		8371	0.94
2 = No.....		23885	2.67
3 = Yes LOGICALLY ASSIGNED.....		2021	0.23
5 = Offense unknown.....		2302	0.26
85 = BAD DATA Logically assigned.....		70	0.01
89 = LEGITIMATE SKIP Logically assigned.....		4728	0.53
94 = DON'T KNOW.....		28	0.00
97 = REFUSED.....		1783	0.20
98 = BLANK (NO ANSWER).....		9336	1.05
99 = LEGITIMATE SKIP.....		840448	94.12



SPECIAL TOPICS

BKOTHOF2<sup>1</sup>

Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY

	Freq	Pct
1 = Motor vehicle theft .....	24	0.00
2 = Larceny or theft .....	370	0.04
3 = Burglary or breaking and entering .....	46	0.01
4 = Serious violent offense.....	69	0.01
5 = Other assault, such as simple assault or battery.....	669	0.07
6 = Robbery .....	19	0.00
7 = Forcible rape.....	4	0.00
8 = Murder, homicide, or nonnegligent manslaughter.....	4	0.00
9 = Arson .....	8	0.00
10 = Driving under the influence of alcohol or drugs.....	136	0.02
11 = Drunkenness or other liquor law violation .....	398	0.04
12 = Possession of tobacco .....	14	0.00
13 = Possession, manufacture, or sale of drugs .....	393	0.04
14 = Sexual offense, not including rape .....	12	0.00
15 = Any other sexual offense, exc rape/prostitution .....	8	0.00
16 = Fraud, possessing stolen goods, vandalism .....	457	0.05
17 = Some other offense .....	109	0.01
18 = Weapons law violations .....	384	0.04
19 = Counterfeiting/Forgery .....	53	0.01
20 = Viol of court order/probation/parole, perjury .....	1231	0.14
21 = Disorderly conduct.....	767	0.09
22 = Juvenile status offenses.....	107	0.01
23 = All oth offns: crimes agnst persons/prprty/society .....	244	0.03
24 = Traffic violations .....	1089	0.12
25 = Bad checks .....	171	0.02
26 = Curfew/loitering/vagrancy violations.....	297	0.03
27 = Trespass of real property.....	440	0.05
28 = Runaway .....	184	0.02
29 = Family offenses, nonviolent.....	152	0.02
31 = Intimidation .....	156	0.02
33 = Organized criminal activity; unspecified .....	4	0.00
36 = Possession of drug paraphernalia .....	93	0.01
37 = Fireworks law/code violation.....	10	0.00
38 = Evading/hindering/obstructing police .....	425	0.05
39 = False report/statement/alarm .....	57	0.01
43 = Kidnapping/abduction.....	4	0.00
45 = Child endangermnt/neglect/abandonmt; abuse unspcfd .....	32	0.00
46 = Theft of/nonpayment for services .....	27	0.00
47 = Harassment; intimidation not specified.....	68	0.01
85 = BAD DATA Logically assigned .....	945	0.11
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	166	0.02
97 = REFUSED .....	2167	0.24
98 = BLANK (NO ANSWER) .....	11898	1.33
99 = LEGITIMATE SKIP.....	869059	97.32

Were you on probation at any time during the past 12 months?

PROBATON<sup>1</sup>

Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	29545	3.31
2 = No.....	860501	96.36
85 = BAD DATA Logically assigned .....	44	0.00
94 = DON'T KNOW .....	1607	0.18
97 = REFUSED .....	1160	0.13
98 = BLANK (NO ANSWER) .....	115	0.01

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

PAROLREL<sup>1</sup>

Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	8581	0.96
2 = No.....	882200	98.79
85 = BAD DATA Logically assigned .....	47	0.01
94 = DON'T KNOW .....	969	0.11
97 = REFUSED .....	1059	0.12
98 = BLANK (NO ANSWER) .....	116	0.01

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?

<b>DRVINALCO</b>	Len : 2 DROVE UNDER INFLUENCE OF ALCOHOL PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	8726	0.98
	2 = No.....	58983	6.61
	85 = BAD DATA Logically assigned .....	12	0.00
	91 = NEVER USED ALCOHOL.....	32124	3.60
	93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	12598	1.41
	94 = DON'T KNOW .....	36	0.00
	97 = REFUSED .....	93	0.01
	98 = BLANK (NO ANSWER) .....	601	0.07

During the past 12 months, have you driven a vehicle while you were under the influence of marijuana?

<b>DRVINMARJ</b>	Len : 2 DROVE UNDER INFLUENCE OF MARIJUANA PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	6456	0.72
	2 = No.....	14477	1.62
	85 = BAD DATA Logically assigned .....	3	0.00
	91 = NEVER USED MARIJUANA .....	65114	7.29
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	26666	2.99
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	44	0.00
	98 = BLANK (NO ANSWER) .....	400	0.04

During the past 12 months, have you driven a vehicle while you were under the influence of [COKEFILL]?

<b>DRVINCOCN</b>	Len : 2 DROVE UNDER INFLU OF COCAINE PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	579	0.06
	2 = No.....	2151	0.24
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED COCAINE .....	99798	11.18
	93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	10469	1.17
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	167	0.02

During the past 12 months, have you driven a vehicle while you were under the influence of heroin?

<b>DRVINHERN</b>	Len : 2 DROVE UNDER INFLUENCE OF HEROIN PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	223	0.02
	2 = No.....	302	0.03
	91 = NEVER USED HEROIN.....	111119	12.44
	93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS.....	1452	0.16
	97 = REFUSED .....	2	0.00
	98 = BLANK (NO ANSWER) .....	75	0.01

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of [LSFILL]?

<b>DRVINHALL</b>	Len : 2 DROVE UNDER INFLU OF HALLUCINOGENS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	289	0.03
	2 = No.....	2782	0.31
	91 = NEVER USED HALLUCINOGENS .....	96456	10.80
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	12858	1.44
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	2	0.00
	98 = BLANK (NO ANSWER) .....	783	0.09

During the past 12 months, have you driven a vehicle while you were under the influence of any inhalant?

<b>DRVININHL</b>	Len : 2 DROVE UNDER INFLUENCE OF INHALANTS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	41	0.00
	2 = No.....	1174	0.13
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED INHALANTS .....	101540	11.37
	93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS .....	9733	1.09
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	2	0.00
	98 = BLANK (NO ANSWER) .....	676	0.08

During the past 12 months, have you driven a vehicle while you were under the influence of methamphetamine?

<b>DRVINMETH</b>	Len : 2 DROVE UNDER INFLU OF METHAMPHETAMINE PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	336	0.04
	2 = No.....	428	0.05
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED METHAMPHETAMINE .....	107929	12.09
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	4292	0.48
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	180	0.02

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?

<b>DRVINALON</b>	Len : 2 DROVE UNDER INFLUENCE OF ONLY ALCOHOL PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	2463	0.28
	2 = No.....	226	0.03
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED ALCOHOL.....	32124	3.60
	93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	12598	1.41
	94 = DON'T KNOW .....	1	0.00
	98 = BLANK (NO ANSWER) .....	706	0.08
	99 = LEGITIMATE SKIP.....	65054	7.29

SPECIAL TOPICS

NOTE: MXMJPNL1 is a renamed version of the variable MXMJPENL from prior years. In 2006 a new level (6 - No penalty) was added to the answer categories. Therefore, data from the previous variable MXMJPENL may not be comparable to data from the current variable MXMJPNL1.

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

**MXMJPNL1** Len : 2 MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = A fine .....	141531	15.85
2 = Probation .....	91165	10.21
3 = Community service .....	40687	4.56
4 = Possible prison sentence .....	145517	16.30
5 = Mandatory prison sentence .....	33846	3.79
6 = No penalty .....	26303	2.95
85 = BAD DATA Logically assigned .....	396	0.04
94 = DON'T KNOW .....	188765	21.14
97 = REFUSED .....	3858	0.43
98 = BLANK (NO ANSWER) .....	88	0.01

In the past 12 months, were you arrested and booked for aggravated assault?

**BKAGASLT1** Len : 2 ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	562072	62.94
1 = Yes .....	1492	0.17
2 = No .....	14010	1.57
3 = Yes LOGICALLY ASSIGNED .....	30	0.00
85 = BAD DATA Logically assigned .....	34	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1640	0.18
94 = DON'T KNOW .....	25	0.00
97 = REFUSED .....	601	0.07
98 = BLANK (NO ANSWER) .....	4093	0.46
99 = LEGITIMATE SKIP .....	308975	34.60

In the past 12 months, were you arrested and booked for forcible rape?

**BKRAPE1** Len : 2 ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	562072	62.94
1 = Yes .....	81	0.01
2 = No .....	15475	1.73
3 = Yes LOGICALLY ASSIGNED .....	3	0.00
85 = BAD DATA Logically assigned .....	34	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1640	0.18
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	594	0.07
98 = BLANK (NO ANSWER) .....	4093	0.46
99 = LEGITIMATE SKIP .....	308975	34.60

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

**BKMURDER1** Len : 2 ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	562072	62.94
1 = Yes .....	89	0.01
2 = No .....	15464	1.73
3 = Yes LOGICALLY ASSIGNED .....	4	0.00
85 = BAD DATA Logically assigned .....	34	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1640	0.18
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	595	0.07
98 = BLANK (NO ANSWER) .....	4093	0.46
99 = LEGITIMATE SKIP .....	308975	34.60

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

BKPROS <sup>1</sup> Len : 2    ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS		Freq	Pct
-9 = Data not collected for this year .....		562072	62.94
1 = Yes.....		111	0.01
2 = No.....		15442	1.73
3 = Yes LOGICALLY ASSIGNED.....		3	0.00
85 = BAD DATA Logically assigned.....		34	0.00
89 = LEGITIMATE SKIP Logically assigned.....		1640	0.18
94 = DON'T KNOW.....		5	0.00
97 = REFUSED.....		597	0.07
98 = BLANK (NO ANSWER).....		4093	0.46
99 = LEGITIMATE SKIP.....		308975	34.60

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

BKSEXOFF <sup>1</sup> Len : 2    ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS		Freq	Pct
-9 = Data not collected for this year .....		562072	62.94
1 = Yes.....		164	0.02
2 = No.....		15383	1.72
3 = Yes LOGICALLY ASSIGNED.....		6	0.00
85 = BAD DATA Logically assigned.....		34	0.00
89 = LEGITIMATE SKIP Logically assigned.....		1640	0.18
94 = DON'T KNOW.....		6	0.00
97 = REFUSED.....		599	0.07
98 = BLANK (NO ANSWER).....		4093	0.46
99 = LEGITIMATE SKIP.....		308975	34.60

NOTE: The variables DRVALDR, DRVAONLY, and DRVDONLY take into account data from the methamphetamine questions that were added to the Special Drugs module in 2005.

During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?

DRVALDR <sup>1</sup> Len : 2    DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS		Freq	Pct
-9 = Data not collected for this year .....		170319	19.07
1 = Yes.....		29596	3.31
2 = No.....		113648	12.73
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....		400	0.04
85 = BAD DATA Logically assigned.....		36	0.00
89 = LEGITIMATE SKIP Logically assigned.....		226	0.03
91 = NEVER USED ALCOHOL OR DRUGS.....		175673	19.67
94 = DON'T KNOW.....		56	0.01
97 = REFUSED.....		183	0.02
98 = BLANK (NO ANSWER).....		5994	0.67
99 = LEGITIMATE SKIP.....		396841	44.44

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?

DRVAONLY <sup>1</sup> Len : 2    DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS		Freq	Pct
-9 = Data not collected for this year .....		170319	19.07
1 = Yes.....		90306	10.11
2 = No.....		346258	38.78
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....		400	0.04
85 = BAD DATA Logically assigned.....		37	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....		175673	19.67
94 = DON'T KNOW.....		169	0.02
97 = REFUSED.....		427	0.05
98 = BLANK (NO ANSWER).....		4669	0.52
99 = LEGITIMATE SKIP.....		104714	11.73

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/ illegal drugs only?

**DRVONLY<sup>1</sup>**      Len : 2    DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	38251	4.28
2 = No.....	123806	13.86
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	400	0.04
85 = BAD DATA Logically assigned.....	84	0.01
89 = LEGITIMATE SKIP Logically assigned.....	333	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	175673	19.67
94 = DON'T KNOW .....	87	0.01
97 = REFUSED .....	223	0.02
98 = BLANK (NO ANSWER) .....	12746	1.43
99 = LEGITIMATE SKIP.....	371050	41.55

NOTE: DRVFLAG identifies those respondents (Rs) who were routed to the questions corresponding to DRVALDR or DRVONLY (or both) solely because they reported use of methamphetamine (from MTHAREC), Adderall (from ADDEREC), Ambien (from AMBIREC), or hallucinogens (from KETAREC, TRYPREC, or SALVREC) in the past year in the SPECIAL DRUGS module. DRVFLAG was coded as 5 if the only indication of past year use came from MTHAREC through SALVREC and Rs reported past year use for more than one of these drugs. Rs for whom DRVFLAG had values of 1 through 5 were not counted in the creation of the RECODED SPECIAL TOPICS variables pertaining to substance use and driving, for consistency with how substance use and driving variables were created prior to the changes in logic that asked these questions of these additional noncore past year users.

**DRVFLAG<sup>1</sup>**      Len : 2    ONLY PAST YEAR USER FROM NONCORE SPECIAL DRUGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Only methamphet user from Special Drugs (see note).....	126	0.01
2 = Only past yr Adderall user (from ADDEREC) .....	835	0.09
3 = Only past yr Ambien user (from AMBIREC) .....	706	0.08
4 = Only past yr halluc from Special Drugs (see note).....	226	0.03
5 = >1 pst yr drug from Special Drugs (see note).....	59	0.01
98 = BLANK (NO ANSWER) .....	555790	62.24

RECODED SPECIAL TOPICS

**RECODED SPECIAL TOPICS**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Starting in 2016, the DUI questions were revised to ask about individual substances instead of illicit drugs or alcohol overall. The driving under the influence variables in this section are not comparable between 2016 and previous years and have been renamed.

<b>DRVINALCO2</b>	Len : 1 RC-DROVE UNDER INFLUENCE OF ALCOHOL IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	742	0.08
	0 = No (DRVINALCO=2,91,93,99).....	779799	87.33
	1 = Yes (DRVINALCO=1).....	103705	11.61
		8726	0.98

<b>DRVINMARJ2</b>	Len : 1 RC-DROVE UNDER INFLUENCE OF MARIJUANA IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	460	0.05
	0 = No (DRVINMARJ=2,91,93,99).....	779799	87.33
	1 = Yes (DRVINMARJ=1).....	106257	11.90
		6456	0.72

The following variable, DRVINDRGR, was created by examination of this driving under the influence list of selected drugs: marijuana (DRVINMARJ), cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<b>DRVINDRGR</b>	Len : 1 RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRUGS IN PAST YR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	1808	0.20
	0 = No (All source variables=2,91,93,99).....	779799	87.33
	1 = Yes (Any source variable=1).....	104515	11.70
		6850	0.77

The following variable, DRVINDROT MJ, was created by examination of this driving under the influence list of selected drugs: cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

<b>DRVINDROT MJ</b>	Len : 1 RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRG OTH MRJ IN PY		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	1560	0.17
	0 = No (All source variables=2,91,93,99).....	779799	87.33
	1 = Yes (Any source variable=1).....	110448	12.37
		1165	0.13

<b>DRVINALDRG</b>	Len : 1 RC-DROVE UNDER INFLUENCE OF ALC OR SELECTED ILL DRG IN PY		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2355	0.26
	0 = No (DRVINDRGR=0 and DRVINALCO2=0).....	779799	87.33
	1 = Yes (DRVINDRGR=1 or DRVINALCO2=1).....	97932	10.97
		12886	1.44

<b>PAROL</b>	Len : 1 RC-PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
	. = Unknown Parole/Supervised Rel Status (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	1 = On Parole/Supervised Release (PAROLREL=1).....	2191	0.25
	2 = Not on Parole/Supervised Release (PAROLREL=2).....	8581	0.96
		882200	98.79

<b>PROB</b>	Len : 1 RC-PROBATION STATUS IN THE PAST YEAR		
	. = Unknown Probation Status (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	1 = On Probation (PROBATON=1).....	2926	0.33
	2 = Not on Probation (PROBATON=2).....	29545	3.31
		860501	96.36

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

**DRIVALC2**      Len : 1    DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL PY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes (DRVALDR=1 or DRVAONLY=1).....	94502	10.58
2 = No (DRVALDR=2,89,99 and DRVAONLY=2).....	337740	37.82
3 = Unknown (Otherwise).....	9624	1.08
4 = Never/No Use (DRVALDR and DRVAONLY=81,89,91,99) .....	280787	31.44

**DRIVDRG2**      Len : 1    DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS PY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes (DRVFLAG=98 & {DRVALDR=1 or DRVDONLY=1}).....	46557	5.21
2 = No (DRVFLAG<=5 or {DRVALDR=2,89,99 & DRVDONLY=2}) .....	114941	12.87
3 = Unknown (Otherwise).....	13699	1.53
4 = Never/No Use (DRVALDR and DRVDONLY=81,89,91,99) .....	547456	61.31

**DRIVALD2**      Len : 1    DROVE VEHICLE UNDER INFLUENCE OF ALC/ILL DRUGS PY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes (DRIVALC2=1 or DRIVDRG2=1) .....	106319	11.91
2 = No (Otherwise) .....	344170	38.54
3 = Unknown (DRIVALC2=3 or DRIVDRG2=3).....	17061	1.91
4 = Never/No Use (DRIVALC2=4 and DRIVDRG2=4) .....	255103	28.57



PRIOR SUBSTANCE USE

**PRIOR SUBSTANCE USE**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or hashish, even once?

<b>MRJYRBFR<sup>1</sup></b>	Len : 2 USE MJ OR HASHISH EVEN ONCE YR BEFORE LAST		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Yes.....	137249	15.37
	2 = No.....	200610	22.47
	85 = BAD DATA Logically assigned .....	24	0.00
	91 = NEVER USED MARIJUANA .....	498502	55.83
	94 = DON'T KNOW .....	1210	0.14
	97 = REFUSED .....	1104	0.12
	98 = BLANK (NO ANSWER) .....	194	0.02

The computer recorded that you last used marijuana or hashish [MJREC FILL]. How old were you the last time you used marijuana or hashish?

<b>MRJAGLST<sup>1</sup></b>	Len : 3 HOW OLD WERE YOU THE LAST TIME USED MARIJUANA		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 87 .....	238553	26.71
	-9 = Data not collected for this year .....	54079	6.06
	985 = BAD DATA Logically assigned .....	7337	0.82
	989 = LEGITIMATE SKIP Logically assigned .....	58	0.01
	991 = NEVER USED MARIJUANA .....	498502	55.83
	994 = DON'T KNOW .....	4127	0.46
	997 = REFUSED .....	1552	0.17
	998 = BLANK (NO ANSWER).....	2448	0.27
	999 = LEGITIMATE SKIP .....	86316	9.67

Did you last use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

<b>MRJYLU<sup>1</sup></b>	Len : 4 YEAR OF LAST MARIJUANA/HASHISH USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2002 - 2017 .....	70268	7.87
	-9 = Data not collected for this year .....	109309	12.24
	9985 = BAD DATA Logically assigned .....	1777	0.20
	9989 = LEGITIMATE SKIP Logically assigned .....	1883	0.21
	9991 = NEVER USED MARIJUANA.....	466104	52.20
	9994 = DON'T KNOW .....	4083	0.46
	9997 = REFUSED .....	1544	0.17
	9998 = BLANK (NO ANSWER).....	9034	1.01
	9999 = LEGITIMATE SKIP .....	228970	25.64

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or hashish?

MRJMLU<sup>1</sup> Len : 2 MONTH OF LAST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = January.....	6486	0.73
2 = February.....	5068	0.57
3 = March.....	5261	0.59
4 = April .....	4884	0.55
5 = May.....	4886	0.55
6 = June.....	6202	0.69
7 = July .....	6585	0.74
8 = August .....	5632	0.63
9 = September .....	4564	0.51
10 = October .....	4863	0.54
11 = November .....	4678	0.52
12 = December.....	5814	0.65
85 = BAD DATA Logically assigned .....	2527	0.28
89 = LEGITIMATE SKIP Logically assigned .....	1883	0.21
91 = NEVER USED MARIJUANA .....	466104	52.20
94 = DON'T KNOW .....	8207	0.92
97 = REFUSED .....	1928	0.22
98 = BLANK (NO ANSWER) .....	9121	1.02
99 = LEGITIMATE SKIP .....	228970	25.64

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

CIGAGLST<sup>1</sup> Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

	Freq	Pct
RANGE = 1 - 90 .....	235710	26.40
-9 = Data not collected for this year .....	54079	6.06
985 = BAD DATA Logically assigned .....	7295	0.82
989 = LEGITIMATE SKIP Logically assigned .....	30	0.00
991 = NEVER USED CIGARETTES.....	393558	44.07
994 = DON'T KNOW .....	4056	0.45
997 = REFUSED .....	605	0.07
998 = BLANK (NO ANSWER).....	552	0.06
999 = LEGITIMATE SKIP.....	197087	22.07

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

CIGYLU<sup>1</sup> Len : 4 YEAR OF LAST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2017 .....	55224	6.18
-9 = Data not collected for this year.....	109309	12.24
9985 = BAD DATA Logically assigned .....	1517	0.17
9989 = LEGITIMATE SKIP Logically assigned .....	1054	0.12
9991 = NEVER USED CIGARETTES.....	371212	41.57
9994 = DON'T KNOW .....	3901	0.44
9997 = REFUSED .....	591	0.07
9998 = BLANK (NO ANSWER).....	7543	0.84
9999 = LEGITIMATE SKIP.....	342621	38.37

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

**CIGMLU<sup>1</sup>**      Len : 2    MONTH OF LAST CIGARETTE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = January.....	4857	0.54
2 = February.....	3729	0.42
3 = March.....	4138	0.46
4 = April.....	3396	0.38
5 = May.....	3719	0.42
6 = June.....	4851	0.54
7 = July.....	5166	0.58
8 = August.....	4489	0.50
9 = September.....	3918	0.44
10 = October.....	3983	0.45
11 = November.....	3871	0.43
12 = December.....	4701	0.53
85 = BAD DATA Logically assigned.....	2609	0.29
89 = LEGITIMATE SKIP Logically assigned.....	1054	0.12
91 = NEVER USED CIGARETTES.....	371212	41.57
94 = DON'T KNOW.....	6976	0.78
97 = REFUSED.....	726	0.08
98 = BLANK (NO ANSWER).....	7647	0.86
99 = LEGITIMATE SKIP.....	342621	38.37

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

**CIGDLLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 94.....	116480	13.04
-9 = Data not collected for this year.....	54079	6.06
985 = BAD DATA Logically assigned.....	2193	0.25
991 = NEVER USED CIGARETTES.....	393558	44.07
994 = DON'T KNOW.....	1630	0.18
997 = REFUSED.....	430	0.05
998 = BLANK (NO ANSWER).....	163	0.02
999 = LEGITIMATE SKIP.....	324439	36.33

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

**CIGDLYLU<sup>1</sup>**      Len : 4    YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2017.....	32445	3.63
-9 = Data not collected for this year.....	109309	12.24
9985 = BAD DATA Logically assigned.....	836	0.09
9989 = LEGITIMATE SKIP Logically assigned.....	467	0.05
9991 = NEVER USED CIGARETTES.....	371212	41.57
9994 = DON'T KNOW.....	1583	0.18
9997 = REFUSED.....	423	0.05
9998 = BLANK (NO ANSWER).....	2188	0.25
9999 = LEGITIMATE SKIP.....	374509	41.94

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

**CIGDLMLU<sup>1</sup>**      Len : 2    MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = January.....	3809	0.43
2 = February.....	2205	0.25
3 = March.....	2236	0.25
4 = April.....	2911	0.33
5 = May.....	2111	0.24
6 = June.....	2236	0.25
7 = July.....	3171	0.36
8 = August.....	2194	0.25
9 = September.....	2025	0.23
10 = October.....	2964	0.33
11 = November.....	2161	0.24
12 = December.....	3319	0.37
85 = BAD DATA Logically assigned.....	1108	0.12
89 = LEGITIMATE SKIP Logically assigned.....	467	0.05
91 = NEVER USED CIGARETTES.....	371212	41.57
94 = DON'T KNOW.....	2328	0.26
97 = REFUSED.....	496	0.06
98 = BLANK (NO ANSWER).....	2201	0.25
99 = LEGITIMATE SKIP.....	374509	41.94

The computer recorded that you last used "smokeless" tobacco [CGSNREC FILL]. How old were you the last time you used "smokeless" tobacco?

**SMKAGLAST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU LAST THE TIME USED SMOKELESS TOB

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 83.....	19252	2.16
-9 = Data not collected for this year.....	722653	80.93
985 = BAD DATA Logically assigned.....	1313	0.15
989 = LEGITIMATE SKIP Logically assigned.....	5	0.00
991 = NEVER USED SMOKELESS TOBACCO.....	142546	15.96
994 = DON'T KNOW.....	557	0.06
997 = REFUSED.....	103	0.01
998 = BLANK (NO ANSWER).....	186	0.02
999 = LEGITIMATE SKIP.....	6357	0.71

Did you last use "smokeless" tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "smokeless" tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

**SMKYRLAST<sup>1</sup>**      Len : 4    YEAR OF LAST "SMOKELESS" TOBACCO USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2013 - 2017.....	3735	0.42
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned.....	126	0.01
9989 = LEGITIMATE SKIP Logically assn.....	118	0.01
9991 = NEVER USED SMOKELESS TOBACCO.....	142546	15.96
9994 = DON'T KNOW.....	567	0.06
9997 = REFUSED.....	104	0.01
9998 = BLANK (NO ANSWER).....	1485	0.17
9999 = LEGITIMATE SKIP.....	21638	2.42

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "smokeless" tobacco?

In what month in [YEAR FROM LU05a or LU05b] did you last use "smokeless" tobacco?

**SMKMOLAST<sup>1</sup>**    Len : 2    MONTH OF LAST SMOKELESS TOBACCO USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = January.....	322	0.04
2 = February.....	240	0.03
3 = March.....	262	0.03
4 = April .....	220	0.02
5 = May.....	244	0.03
6 = June.....	342	0.04
7 = July .....	384	0.04
8 = August .....	323	0.04
9 = September .....	231	0.03
10 = October .....	271	0.03
11 = November .....	273	0.03
12 = December.....	292	0.03
85 = BAD DATA Logically assigned .....	238	0.03
89 = LEGITIMATE SKIP Logically assn.....	118	0.01
91 = NEVER USED SMOKELESS TOBACCO .....	142546	15.96
94 = DON'T KNOW .....	762	0.09
97 = REFUSED .....	114	0.01
98 = BLANK (NO ANSWER) .....	1499	0.17
99 = LEGITIMATE SKIP.....	21638	2.42

The computer recorded that you last smoked part or all of a cigar [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar?

**CGRAGLST<sup>1</sup>**    Len : 3    HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 92 .....	174419	19.53
-9 = Data not collected for this year .....	109309	12.24
985 = BAD DATA Logically assigned .....	9439	1.06
989 = LEGITIMATE SKIP Logically assigned .....	30	0.00
991 = NEVER USED CIGARS .....	544020	60.92
994 = DON'T KNOW .....	5417	0.61
997 = REFUSED .....	621	0.07
998 = BLANK (NO ANSWER).....	365	0.04
999 = LEGITIMATE SKIP.....	49352	5.53

Did you last smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

**CIGARYLU<sup>1</sup>**    Len : 4    YEAR OF LAST CIGAR USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2017 .....	62533	7.00
-9 = Data not collected for this year.....	109309	12.24
9985 = BAD DATA Logically assigned .....	1771	0.20
9989 = LEGITIMATE SKIP Logically assigned .....	1465	0.16
9991 = NEVER USED CIGARS .....	544020	60.92
9994 = DON'T KNOW .....	5596	0.63
9997 = REFUSED .....	642	0.07
9998 = BLANK (NO ANSWER).....	9739	1.09
9999 = LEGITIMATE SKIP.....	157897	17.68

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar?

**CIGARMLU<sup>1</sup>**      Len : 2    MONTH OF LAST CIGAR USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = January.....	5319	0.60
2 = February.....	3727	0.42
3 = March.....	4081	0.46
4 = April .....	3777	0.42
5 = May.....	4441	0.50
6 = June.....	5729	0.64
7 = July .....	7032	0.79
8 = August .....	5611	0.63
9 = September.....	4234	0.47
10 = October .....	4191	0.47
11 = November .....	4030	0.45
12 = December.....	4870	0.55
85 = BAD DATA Logically assigned .....	3039	0.34
89 = LEGITIMATE SKIP Logically assigned .....	1465	0.16
91 = NEVER USED CIGARS .....	544020	60.92
94 = DON'T KNOW .....	9504	1.06
97 = REFUSED .....	789	0.09
98 = BLANK (NO ANSWER) .....	9907	1.11
99 = LEGITIMATE SKIP.....	157897	17.68

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

**ALCAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 98.....	201718	22.59
-9 = Data not collected for this year .....	109309	12.24
985 = BAD DATA Logically assigned .....	2556	0.29
989 = LEGITIMATE SKIP Logically assigned .....	123	0.01
991 = NEVER USED ALCOHOL.....	220767	24.72
994 = DON'T KNOW .....	3798	0.43
997 = REFUSED .....	1103	0.12
998 = BLANK (NO ANSWER).....	5263	0.59
999 = LEGITIMATE SKIP.....	348335	39.01

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

**ALCYLU<sup>1</sup>**      Len : 4    YEAR OF LAST ALCOHOL USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2017 .....	136988	15.34
-9 = Data not collected for this year.....	109309	12.24
9985 = BAD DATA Logically assigned .....	2936	0.33
9989 = LEGITIMATE SKIP Logically assigned .....	1670	0.19
9991 = NEVER USED ALCOHOL.....	220767	24.72
9994 = DON'T KNOW .....	4042	0.45
9997 = REFUSED .....	1177	0.13
9998 = BLANK (NO ANSWER).....	7851	0.88
9999 = LEGITIMATE SKIP.....	408232	45.72

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

<b>ALCMLU<sup>1</sup></b>	Len : 2 MONTH OF LAST ALCOHOL USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	109309	12.24
	1 = January.....	17598	1.97
	2 = February.....	9309	1.04
	3 = March.....	9662	1.08
	4 = April.....	7530	0.84
	5 = May.....	9033	1.01
	6 = June.....	11348	1.27
	7 = July.....	14017	1.57
	8 = August.....	10997	1.23
	9 = September.....	8759	0.98
	10 = October.....	7418	0.83
	11 = November.....	7319	0.82
	12 = December.....	17483	1.96
	85 = BAD DATA Logically assigned.....	3910	0.44
	89 = LEGITIMATE SKIP Logically assigned.....	1669	0.19
	91 = NEVER USED ALCOHOL.....	220767	24.72
	94 = DON'T KNOW.....	9143	1.02
	97 = REFUSED.....	1437	0.16
	98 = BLANK (NO ANSWER).....	8031	0.90
	99 = LEGITIMATE SKIP.....	408233	45.72

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

<b>COCAGLST<sup>1</sup></b>	Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 75.....	76208	8.53
	-9 = Data not collected for this year.....	109309	12.24
	985 = BAD DATA Logically assigned.....	5492	0.62
	989 = LEGITIMATE SKIP Logically assigned.....	237	0.03
	991 = NEVER USED COCAINE.....	692559	77.56
	994 = DON'T KNOW.....	1729	0.19
	997 = REFUSED.....	578	0.06
	998 = BLANK (NO ANSWER).....	526	0.06
	999 = LEGITIMATE SKIP.....	6334	0.71

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

<b>COCYLU<sup>1</sup></b>	Len : 4 YEAR OF LAST COCAINE USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2002 - 2017.....	17971	2.01
	-9 = Data not collected for this year.....	109309	12.24
	9985 = BAD DATA Logically assigned.....	654	0.07
	9989 = LEGITIMATE SKIP Logically assigned.....	729	0.08
	9991 = NEVER USED COCAINE.....	692559	77.56
	9994 = DON'T KNOW.....	1773	0.20
	9997 = REFUSED.....	595	0.07
	9998 = BLANK (NO ANSWER).....	6261	0.70
	9999 = LEGITIMATE SKIP.....	63121	7.07

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

**COCMLU<sup>1</sup>**      Len : 2    MONTH OF LAST COCAINE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = January.....	1693	0.19
2 = February.....	1366	0.15
3 = March.....	1464	0.16
4 = April.....	1126	0.13
5 = May.....	1205	0.13
6 = June.....	1425	0.16
7 = July.....	1552	0.17
8 = August.....	1311	0.15
9 = September.....	1169	0.13
10 = October.....	1247	0.14
11 = November.....	1246	0.14
12 = December.....	1485	0.17
85 = BAD DATA Logically assigned.....	1194	0.13
89 = LEGITIMATE SKIP Logically assigned.....	729	0.08
91 = NEVER USED COCAINE.....	692559	77.56
94 = DON'T KNOW.....	2785	0.31
97 = REFUSED.....	679	0.08
98 = BLANK (NO ANSWER).....	6307	0.71
99 = LEGITIMATE SKIP.....	63121	7.07

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack"?

**CRKAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU THE LAST TIME USED CRACK

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 78.....	17688	1.98
-9 = Data not collected for this year.....	109309	12.24
985 = BAD DATA Logically assigned.....	2297	0.26
989 = LEGITIMATE SKIP Logically assigned.....	6	0.00
991 = NEVER USED CRACK.....	761328	85.26
994 = DON'T KNOW.....	591	0.07
997 = REFUSED.....	312	0.03
998 = BLANK (NO ANSWER).....	262	0.03
999 = LEGITIMATE SKIP.....	1179	0.13

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

**CRKYL<sup>1</sup>**      Len : 4    YEAR OF LAST CRACK USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2017.....	3050	0.34
-9 = Data not collected for this year.....	109309	12.24
9985 = BAD DATA Logically assigned.....	146	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	107	0.01
9991 = NEVER USED CRACK.....	761328	85.26
9994 = DON'T KNOW.....	602	0.07
9997 = REFUSED.....	314	0.04
9998 = BLANK (NO ANSWER).....	2544	0.28
9999 = LEGITIMATE SKIP.....	15572	1.74



PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "crack"?

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

**CRKMLU<sup>1</sup>**      Len : 2    MONTH OF LAST CRACK USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = January.....	297	0.03
2 = February.....	264	0.03
3 = March.....	237	0.03
4 = April.....	193	0.02
5 = May.....	220	0.02
6 = June.....	221	0.02
7 = July.....	274	0.03
8 = August.....	198	0.02
9 = September.....	207	0.02
10 = October.....	179	0.02
11 = November.....	201	0.02
12 = December.....	231	0.03
85 = BAD DATA Logically assigned.....	290	0.03
89 = LEGITIMATE SKIP Logically assigned.....	107	0.01
91 = NEVER USED CRACK.....	761328	85.26
94 = DON'T KNOW.....	760	0.09
97 = REFUSED.....	329	0.04
98 = BLANK (NO ANSWER).....	2555	0.29
99 = LEGITIMATE SKIP.....	15572	1.74

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

**HERAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU THE LAST TIME USED HEROIN

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 69.....	8792	0.98
-9 = Data not collected for this year.....	109309	12.24
985 = BAD DATA Logically assigned.....	1220	0.14
989 = LEGITIMATE SKIP Logically assigned.....	9	0.00
991 = NEVER USED HEROIN.....	771758	86.43
994 = DON'T KNOW.....	247	0.03
997 = REFUSED.....	140	0.02
998 = BLANK (NO ANSWER).....	452	0.05
999 = LEGITIMATE SKIP.....	1045	0.12

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

**HERYLU<sup>1</sup>**      Len : 4    YEAR OF LAST HEROIN USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2017.....	2221	0.25
-9 = Data not collected for this year.....	109309	12.24
9985 = BAD DATA Logically assigned.....	97	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	72	0.01
9991 = NEVER USED HEROIN.....	771758	86.43
9994 = DON'T KNOW.....	254	0.03
9997 = REFUSED.....	144	0.02
9998 = BLANK (NO ANSWER).....	1667	0.19
9999 = LEGITIMATE SKIP.....	7450	0.83

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

HERMLU<sup>1</sup>

Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
1 = January.....	214	0.02
2 = February.....	176	0.02
3 = March.....	189	0.02
4 = April.....	145	0.02
5 = May.....	144	0.02
6 = June.....	167	0.02
7 = July.....	188	0.02
8 = August.....	202	0.02
9 = September.....	145	0.02
10 = October.....	153	0.02
11 = November.....	147	0.02
12 = December.....	150	0.02
85 = BAD DATA Logically assigned.....	182	0.02
89 = LEGITIMATE SKIP Logically assigned.....	72	0.01
91 = NEVER USED HEROIN.....	771758	86.43
94 = DON'T KNOW.....	339	0.04
97 = REFUSED.....	157	0.02
98 = BLANK (NO ANSWER).....	1685	0.19
99 = LEGITIMATE SKIP.....	7450	0.83

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

HALLAGLST<sup>1</sup>

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 75.....	21321	2.39
-9 = Data not collected for this year.....	722653	80.93
985 = BAD DATA Logically assigned.....	1356	0.15
989 = LEGITIMATE SKIP Logically assigned.....	53	0.01
991 = NEVER USED HALLUCINOGENS.....	144930	16.23
994 = DON'T KNOW.....	475	0.05
997 = REFUSED.....	142	0.02
998 = BLANK (NO ANSWER).....	876	0.10
999 = LEGITIMATE SKIP.....	1166	0.13

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

HALLYRLST<sup>1</sup>

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2013 - 2017.....	4197	0.47
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned.....	105	0.01
9989 = LEGITIMATE SKIP Logically assn.....	139	0.02
9991 = NEVER USED HALLUCINOGENS.....	144930	16.23
9994 = DON'T KNOW.....	483	0.05
9997 = REFUSED.....	147	0.02
9998 = BLANK (NO ANSWER).....	2528	0.28
9999 = LEGITIMATE SKIP.....	17790	1.99

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

HALLMOLST<sup>1</sup>

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = January.....	291	0.03
2 = February.....	252	0.03
3 = March.....	287	0.03
4 = April.....	253	0.03
5 = May.....	318	0.04
6 = June.....	432	0.05
7 = July.....	474	0.05
8 = August.....	362	0.04
9 = September.....	280	0.03
10 = October.....	327	0.04
11 = November.....	244	0.03
12 = December.....	284	0.03
85 = BAD DATA Logically assigned.....	264	0.03
89 = LEGITIMATE SKIP Logically assn.....	139	0.02
91 = NEVER USED HALLUCINOGENS.....	144930	16.23
94 = DON'T KNOW.....	682	0.08
97 = REFUSED.....	164	0.02
98 = BLANK (NO ANSWER).....	2546	0.29
99 = LEGITIMATE SKIP.....	17790	1.99

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

LSDAGLST<sup>1</sup>

Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 1 - 75.....	51014	5.71
-9 = Data not collected for this year.....	109309	12.24
985 = BAD DATA Logically assigned.....	2818	0.32
989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
991 = NEVER USED LSD.....	724574	81.14
994 = DON'T KNOW.....	1209	0.14
997 = REFUSED.....	305	0.03
998 = BLANK (NO ANSWER).....	2431	0.27
999 = LEGITIMATE SKIP.....	1308	0.15

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

LSDYLU<sup>1</sup>

Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2002 - 2017.....	6874	0.77
-9 = Data not collected for this year.....	109309	12.24
9985 = BAD DATA Logically assigned.....	193	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	150	0.02
9991 = NEVER USED LSD.....	724574	81.14
9994 = DON'T KNOW.....	1239	0.14
9997 = REFUSED.....	305	0.03
9998 = BLANK (NO ANSWER).....	5281	0.59
9999 = LEGITIMATE SKIP.....	45047	5.04

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

<b>LSDMLU<sup>1</sup></b>	Len : 2 MONTH OF LAST LSD USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	109309	12.24
	1 = January.....	516	0.06
	2 = February.....	408	0.05
	3 = March.....	472	0.05
	4 = April.....	425	0.05
	5 = May.....	465	0.05
	6 = June.....	629	0.07
	7 = July.....	755	0.08
	8 = August.....	608	0.07
	9 = September.....	467	0.05
	10 = October.....	525	0.06
	11 = November.....	442	0.05
	12 = December.....	438	0.05
	85 = BAD DATA Logically assigned.....	463	0.05
	89 = LEGITIMATE SKIP Logically assigned.....	150	0.02
	91 = NEVER USED LSD.....	724574	81.14
	94 = DON'T KNOW.....	1533	0.17
	97 = REFUSED.....	326	0.04
	98 = BLANK (NO ANSWER).....	5420	0.61
	99 = LEGITIMATE SKIP.....	45047	5.04

The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

<b>PCPAGLST<sup>1</sup></b>	Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 63.....	10904	1.22
	-9 = Data not collected for this year.....	109309	12.24
	985 = BAD DATA Logically assigned.....	1385	0.16
	989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	991 = NEVER USED PCP.....	769553	86.18
	994 = DON'T KNOW.....	452	0.05
	997 = REFUSED.....	160	0.02
	998 = BLANK (NO ANSWER).....	1026	0.11
	999 = LEGITIMATE SKIP.....	181	0.02

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

<b>PCPYLU<sup>1</sup></b>	Len : 4 YEAR OF LAST PCP USE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2002 - 2017.....	963	0.11
	-9 = Data not collected for this year.....	109309	12.24
	9985 = BAD DATA Logically assigned.....	66	0.01
	9989 = LEGITIMATE SKIP Logically assigned.....	27	0.00
	9991 = NEVER USED PCP.....	769553	86.18
	9994 = DON'T KNOW.....	450	0.05
	9997 = REFUSED.....	161	0.02
	9998 = BLANK (NO ANSWER).....	2414	0.27
	9999 = LEGITIMATE SKIP.....	10029	1.12

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

PCPMLU<sup>1</sup> Len : 2 MONTH OF LAST PCP USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
1 = January.....	102	0.01
2 = February.....	75	0.01
3 = March.....	58	0.01
4 = April.....	54	0.01
5 = May.....	69	0.01
6 = June.....	86	0.01
7 = July.....	78	0.01
8 = August.....	77	0.01
9 = September.....	47	0.01
10 = October.....	69	0.01
11 = November.....	47	0.01
12 = December.....	57	0.01
85 = BAD DATA Logically assigned.....	131	0.01
89 = LEGITIMATE SKIP Logically assigned.....	27	0.00
91 = NEVER USED PCP.....	769553	86.18
94 = DON'T KNOW.....	493	0.06
97 = REFUSED.....	165	0.02
98 = BLANK (NO ANSWER).....	2446	0.27
99 = LEGITIMATE SKIP.....	10029	1.12

The computer recorded that you last used "Ecstasy" or "Molly" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy" or "Molly" ?

ECSTMOAGL<sup>1</sup> Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY/MOLLY

	Freq	Pct
RANGE = 1 - 66.....	11495	1.29
-9 = Data not collected for this year.....	722653	80.93
985 = BAD DATA Logically assigned.....	631	0.07
991 = NEVER USED ECSTASY.....	156871	17.57
994 = DON'T KNOW.....	185	0.02
997 = REFUSED.....	61	0.01
998 = BLANK (NO ANSWER).....	578	0.06
999 = LEGITIMATE SKIP.....	498	0.06

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

ECSTMOYLU<sup>1</sup> Len : 4 YEAR OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2013 - 2017.....	2575	0.29
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned.....	42	0.00
9989 = LEGITIMATE SKIP Logically assn.....	62	0.01
9991 = NEVER USED ECSTASY OR MOLLY.....	156871	17.57
9994 = DON'T KNOW.....	192	0.02
9997 = REFUSED.....	64	0.01
9998 = BLANK (NO ANSWER).....	1214	0.14
9999 = LEGITIMATE SKIP.....	9299	1.04

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy" or "Molly"?

**ECSTMOMLU<sup>1</sup>**    Len : 2    MONTH OF LAST ECSTASY OR MOLLY USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = January.....	183	0.02
2 = February.....	159	0.02
3 = March.....	186	0.02
4 = April .....	183	0.02
5 = May.....	188	0.02
6 = June.....	304	0.03
7 = July .....	274	0.03
8 = August .....	198	0.02
9 = September .....	159	0.02
10 = October .....	203	0.02
11 = November .....	145	0.02
12 = December.....	193	0.02
85 = BAD DATA Logically assigned .....	99	0.01
89 = LEGITIMATE SKIP Logically assn.....	62	0.01
91 = NEVER USED ECSTASY OR MOLLY.....	156871	17.57
94 = DON'T KNOW .....	268	0.03
97 = REFUSED .....	66	0.01
98 = BLANK (NO ANSWER) .....	1279	0.14
99 = LEGITIMATE SKIP.....	9299	1.04

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

**INHLA GLST<sup>1</sup>**    Len : 3    HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 69 .....	13680	1.53
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	1489	0.17
989 = LEGITIMATE SKIP Logically assigned .....	5	0.00
991 = NEVER USED INHALANTS .....	152658	17.10
994 = DON'T KNOW .....	851	0.10
997 = REFUSED .....	291	0.03
998 = BLANK (NO ANSWER).....	811	0.09
999 = LEGITIMATE SKIP.....	534	0.06

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

**INHLYRLST<sup>1</sup>**    Len : 4    YEAR OF LAST INHALANT USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2013 - 2017 .....	1840	0.21
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned .....	90	0.01
9989 = LEGITIMATE SKIP Logically assn.....	72	0.01
9991 = NEVER USED INHALANTS .....	152658	17.10
9994 = DON'T KNOW .....	864	0.10
9997 = REFUSED .....	296	0.03
9998 = BLANK (NO ANSWER).....	2285	0.26
9999 = LEGITIMATE SKIP.....	12214	1.37

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

**INHLMOLST<sup>1</sup>**      Len : 2    MONTH OF LAST INHALANT USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = January.....	150	0.02
2 = February.....	118	0.01
3 = March.....	134	0.02
4 = April.....	101	0.01
5 = May.....	130	0.01
6 = June.....	154	0.02
7 = July.....	148	0.02
8 = August.....	105	0.01
9 = September.....	113	0.01
10 = October.....	124	0.01
11 = November.....	143	0.02
12 = December.....	111	0.01
85 = BAD DATA Logically assigned.....	171	0.02
89 = LEGITIMATE SKIP Logically assn.....	72	0.01
91 = NEVER USED INHALANTS.....	152658	17.10
94 = DON'T KNOW.....	1062	0.12
97 = REFUSED.....	311	0.03
98 = BLANK (NO ANSWER).....	2300	0.26
99 = LEGITIMATE SKIP.....	12214	1.37

The computer recorded that you last used methamphetamine [MEREK FILL]. How old were you the last time you used methamphetamine?

**METHAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU THE LAST TIME USED METH

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 68.....	6406	0.72
-9 = Data not collected for this year.....	722653	80.93
985 = BAD DATA Logically assigned.....	571	0.06
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED METHAMPHETAMINE.....	162390	18.19
994 = DON'T KNOW.....	187	0.02
997 = REFUSED.....	71	0.01
998 = BLANK (NO ANSWER).....	227	0.03
999 = LEGITIMATE SKIP.....	465	0.05

Did you last use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use methamphetamine?

**METHYRLST<sup>1</sup>**      Len : 4    YEAR OF LAST METHAMPHETAMINE USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2013 - 2017.....	976	0.11
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned.....	18	0.00
9989 = LEGITIMATE SKIP Logically assn.....	34	0.00
9991 = NEVER USED METHAMPHETAMINE.....	162390	18.19
9994 = DON'T KNOW.....	191	0.02
9997 = REFUSED.....	73	0.01
9998 = BLANK (NO ANSWER).....	797	0.09
9999 = LEGITIMATE SKIP.....	5840	0.65

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use methamphetamine?

In what month in [YEAR FROM LU17a or LU17b] did you last use methamphetamine?

**METHMOLST<sup>1</sup>**      Len : 2    MONTH OF LAST METH USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = January.....	89	0.01
2 = February.....	88	0.01
3 = March.....	76	0.01
4 = April.....	59	0.01
5 = May.....	64	0.01
6 = June.....	72	0.01
7 = July.....	86	0.01
8 = August.....	62	0.01
9 = September.....	78	0.01
10 = October.....	65	0.01
11 = November.....	71	0.01
12 = December.....	92	0.01
85 = BAD DATA Logically assigned.....	46	0.01
89 = LEGITIMATE SKIP Logically assigned.....	34	0.00
91 = NEVER USED METHAMPHETAMINE.....	162390	18.19
94 = DON'T KNOW.....	231	0.03
97 = REFUSED.....	75	0.01
98 = BLANK (NO ANSWER).....	801	0.09
99 = LEGITIMATE SKIP.....	5840	0.65

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

**CIGYRBFR<sup>1</sup>**      Len : 2    SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	164911	18.47
1 = Yes.....	185655	20.79
2 = No.....	56282	6.30
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned.....	10086	1.13
91 = NEVER USED CIGARETTES.....	347847	38.95
94 = DON'T KNOW.....	1996	0.22
97 = REFUSED.....	1023	0.11
98 = BLANK (NO ANSWER).....	2041	0.23
99 = LEGITIMATE SKIP.....	123124	13.79

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

**ALCYRBFR<sup>1</sup>**      Len : 2    HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	164911	18.47
1 = Yes.....	395365	44.28
2 = No.....	122028	13.67
85 = BAD DATA Logically assigned.....	37	0.00
91 = NEVER USED ALCOHOL.....	205829	23.05
94 = DON'T KNOW.....	3181	0.36
97 = REFUSED.....	1429	0.16
98 = BLANK (NO ANSWER).....	192	0.02



PRIOR SUBSTANCE USE

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

**COCYRBFR<sup>1</sup>**      Len : 2    HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Yes.....	18983	2.13
2 = No.....	64356	7.21
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED COCAINE .....	643720	72.09
94 = DON'T KNOW .....	405	0.05
97 = REFUSED .....	428	0.05
98 = BLANK (NO ANSWER) .....	158	0.02

Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

**ANLGLAS<sup>1</sup>**      Len : 2    HOW GOT PRSCRIP PAIN RLVR PAST 12 MOS/LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	671873	75.24
1 = I got a prescription from just one doctor .....	1721	0.19
2 = I got prescriptions from more than one doctor .....	156	0.02
3 = I wrote a fake prescription .....	19	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy .....	42	0.00
5 = I got it from a friend or relative for free .....	6264	0.70
6 = I bought it from a friend or relative.....	1179	0.13
7 = I took it from friend/relative without asking .....	803	0.09
8 = I bought it from a drug dealer or other stranger .....	584	0.07
9 = I bought it on the Internet.....	26	0.00
10 = I got it in some other way .....	570	0.06
11 = I got a prescription from just one doctor LOG ASSN .....	3	0.00
14 = I stole it from dr's ofc/clin/hosp/pharm LOG ASSN .....	1	0.00
15 = I got it from friend/relative for free LOG ASSN.....	78	0.01
16 = I bought it from a friend or relative LOG ASSN.....	2	0.00
17 = I took it from friend/relative w/o asking LOG ASSN .....	3	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN .....	8	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	368	0.04
85 = BAD DATA Logically assigned .....	12	0.00
89 = LEGITIMATE SKIP Logically assigned .....	73	0.01
91 = NEVER USED PAIN RELIEVERS .....	183522	20.55
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	18724	2.10
94 = DON'T KNOW .....	238	0.03
97 = REFUSED .....	252	0.03
98 = BLANK (NO ANSWER) .....	2290	0.26
99 = LEGITIMATE SKIP.....	4161	0.47

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.

Now think about the last time you used methamphetamine. How did you get this methamphetamine?

**MTHGTLAS<sup>1</sup>**      Len : 2    HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	559326	62.64
5 = I got it from a friend or relative for free .....	981	0.11
6 = I bought it from a friend or relative.....	399	0.04
7 = I took it from friend/relative without asking .....	59	0.01
8 = I bought it from a drug dealer or other stranger .....	329	0.04
9 = I bought it on the Internet.....	19	0.00
10 = I got it in some other way .....	86	0.01
15 = I got it from a friend/relative for free LOG ASSN .....	6	0.00
16 = I bought it from a friend/relative LOG ASSN.....	2	0.00
17 = I took it from friend/relative w/o asking LOG .....	1	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN .....	6	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	109	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	315909	35.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	14124	1.58
94 = DON'T KNOW .....	31	0.00
97 = REFUSED .....	184	0.02
98 = BLANK (NO ANSWER) .....	718	0.08
99 = LEGITIMATE SKIP.....	682	0.08

The computer recorded that you last used snuff [CGSNREC FILL]. How old were you the last time you used snuff?

**SNFAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU LAST THE TIME USED SNUFF

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 83 .....	56416	6.32
-9 = Data not collected for this year.....	279628	31.31
985 = BAD DATA Logically assigned .....	4888	0.55
989 = LEGITIMATE SKIP Logically assigned.....	10	0.00
991 = NEVER USED SNUFF .....	528547	59.19
994 = DON'T KNOW .....	1765	0.20
997 = REFUSED .....	342	0.04
998 = BLANK (NO ANSWER).....	450	0.05
999 = LEGITIMATE SKIP.....	20926	2.34

Did you last use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use snuff?

**SNUFYLU<sup>1</sup>**      Len : 4    YEAR OF LAST SNUFF USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2014 .....	13814	1.55
-9 = Data not collected for this year.....	279628	31.31
9985 = BAD DATA Logically assigned .....	578	0.06
9989 = LEGITIMATE SKIP Logically assigned .....	321	0.04
9991 = NEVER USED SNUFF .....	528547	59.19
9994 = DON'T KNOW .....	1816	0.20
9997 = REFUSED .....	350	0.04
9998 = BLANK (NO ANSWER).....	5286	0.59
9999 = LEGITIMATE SKIP.....	62632	7.01

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use snuff?

In what month in [YEAR FROM LU05a or LU05b] did you last use snuff?

**SNUFMLU<sup>1</sup>**      Len : 2    MONTH OF LAST SNUFF USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = January.....	1039	0.12
2 = February.....	905	0.10
3 = March.....	949	0.11
4 = April .....	870	0.10
5 = May.....	940	0.11
6 = June.....	1186	0.13
7 = July .....	1220	0.14
8 = August .....	1067	0.12
9 = September.....	975	0.11
10 = October.....	1006	0.11
11 = November .....	989	0.11
12 = December.....	864	0.10
85 = BAD DATA Logically assigned .....	1229	0.14
89 = LEGITIMATE SKIP Logically assigned .....	321	0.04
91 = NEVER USED SNUFF .....	528547	59.19
94 = DON'T KNOW .....	2857	0.32
97 = REFUSED .....	393	0.04
98 = BLANK (NO ANSWER) .....	5355	0.60
99 = LEGITIMATE SKIP.....	62632	7.01

The computer recorded that you last used chewing tobacco [CG20REC FILL]. How old were you the last time you used chewing tobacco?

**CHWAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU LAST TIME USED CHEWING TOBACCO

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 84 .....	53743	6.02
-9 = Data not collected for this year .....	279628	31.31
985 = BAD DATA Logically assigned .....	3472	0.39
989 = LEGITIMATE SKIP Logically assigned .....	6	0.00
991 = NEVER USED CHEWING TOBACCO .....	544304	60.95
994 = DON'T KNOW .....	1676	0.19
997 = REFUSED .....	239	0.03
998 = BLANK (NO ANSWER).....	200	0.02
999 = LEGITIMATE SKIP.....	9704	1.09

Did you last use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use chewing tobacco?

**CHEWYLU<sup>1</sup>**      Len : 4    YEAR OF LAST CHEWING TOBACCO USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2014 .....	12214	1.37
-9 = Data not collected for this year .....	279628	31.31
9985 = BAD DATA Logically assigned .....	456	0.05
9989 = LEGITIMATE SKIP Logically assigned .....	235	0.03
9991 = NEVER USED CHEWING TOBACCO .....	544304	60.95
9994 = DON'T KNOW .....	1704	0.19
9997 = REFUSED .....	238	0.03
9998 = BLANK (NO ANSWER).....	3646	0.41
9999 = LEGITIMATE SKIP.....	50547	5.66

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use chewing tobacco?

In what month in [YEAR FROM LU06a or LU06b] did you last use chewing tobacco?

**CHEWMLU<sup>1</sup>**      Len : 2    MONTH OF LAST CHEWING TOBACCO USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	279628	31.31
1 = January.....	1050	0.12
2 = February.....	868	0.10
3 = March.....	858	0.10
4 = April.....	905	0.10
5 = May.....	819	0.09
6 = June.....	997	0.11
7 = July.....	1187	0.13
8 = August.....	917	0.10
9 = September.....	843	0.09
10 = October.....	1007	0.11
11 = November.....	852	0.10
12 = December.....	692	0.08
85 = BAD DATA Logically assigned.....	801	0.09
89 = LEGITIMATE SKIP Logically assigned.....	235	0.03
91 = NEVER USED CHEWING TOBACCO.....	544304	60.95
94 = DON'T KNOW.....	2505	0.28
97 = REFUSED.....	270	0.03
98 = BLANK (NO ANSWER).....	3687	0.41
99 = LEGITIMATE SKIP.....	50547	5.66

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

**HALAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 80.....	71232	7.98
-9 = Data not collected for this year.....	279628	31.31
985 = BAD DATA Logically assigned.....	4889	0.55
989 = LEGITIMATE SKIP Logically assigned.....	219	0.02
991 = NEVER USED HALLUCINOGENS.....	527544	59.08
994 = DON'T KNOW.....	1780	0.20
997 = REFUSED.....	473	0.05
998 = BLANK (NO ANSWER).....	2410	0.27
999 = LEGITIMATE SKIP.....	4797	0.54

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

**HALYLU<sup>1</sup>**      Len : 4    YEAR OF LAST HALLUCINOGEN USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2014.....	17608	1.97
-9 = Data not collected for this year.....	279628	31.31
9985 = BAD DATA Logically assigned.....	652	0.07
9989 = LEGITIMATE SKIP Logically assigned.....	471	0.05
9991 = NEVER USED HALLUCINOGENS.....	527544	59.08
9994 = DON'T KNOW.....	1825	0.20
9997 = REFUSED.....	481	0.05
9998 = BLANK (NO ANSWER).....	8493	0.95
9999 = LEGITIMATE SKIP.....	56270	6.30

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

HALMLU<sup>1</sup>

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	279628	31.31
1 = January.....	1293	0.14
2 = February.....	1196	0.13
3 = March.....	1242	0.14
4 = April.....	1093	0.12
5 = May.....	1237	0.14
6 = June.....	1595	0.18
7 = July.....	1828	0.20
8 = August.....	1484	0.17
9 = September.....	1118	0.13
10 = October.....	1313	0.15
11 = November.....	1186	0.13
12 = December.....	1115	0.12
85 = BAD DATA Logically assigned.....	1441	0.16
89 = LEGITIMATE SKIP Logically assigned.....	470	0.05
91 = NEVER USED HALLUCINOGENS.....	527544	59.08
94 = DON'T KNOW.....	2793	0.31
97 = REFUSED.....	555	0.06
98 = BLANK (NO ANSWER).....	8570	0.96
99 = LEGITIMATE SKIP.....	56271	6.30

The computer recorded that you last used "Ecstasy" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy"?

ECSAGLST<sup>1</sup>

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY

	Freq	Pct
RANGE = 1 - 72.....	35873	4.02
-9 = Data not collected for this year.....	279628	31.31
985 = BAD DATA Logically assigned.....	1947	0.22
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED ECSTASY.....	570299	63.87
994 = DON'T KNOW.....	511	0.06
997 = REFUSED.....	180	0.02
998 = BLANK (NO ANSWER).....	2081	0.23
999 = LEGITIMATE SKIP.....	2452	0.27

Did you last use "Ecstasy" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

ECSYLU<sup>1</sup>

Len : 4 YEAR OF LAST ECSTASY USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	10859	1.22
-9 = Data not collected for this year.....	279628	31.31
9985 = BAD DATA Logically assigned.....	250	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	162	0.02
9991 = NEVER USED ECSTASY.....	570299	63.87
9994 = DON'T KNOW.....	521	0.06
9997 = REFUSED.....	180	0.02
9998 = BLANK (NO ANSWER).....	4136	0.46
9999 = LEGITIMATE SKIP.....	26937	3.02

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy"?

**ECSMLU<sup>1</sup>**      Len : 2    MONTH OF LAST ECSTASY USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = January.....	922	0.10
2 = February.....	761	0.09
3 = March.....	850	0.10
4 = April .....	680	0.08
5 = May.....	794	0.09
6 = June.....	954	0.11
7 = July .....	1035	0.12
8 = August .....	860	0.10
9 = September .....	672	0.08
10 = October .....	828	0.09
11 = November .....	669	0.07
12 = December.....	734	0.08
85 = BAD DATA Logically assigned .....	521	0.06
89 = LEGITIMATE SKIP Logically assigned .....	162	0.02
91 = NEVER USED ECSTASY .....	570299	63.87
94 = DON'T KNOW .....	899	0.10
97 = REFUSED .....	200	0.02
98 = BLANK (NO ANSWER) .....	4567	0.51
99 = LEGITIMATE SKIP.....	26937	3.02

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

**INHAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 65 .....	47465	5.32
-9 = Data not collected for this year .....	279628	31.31
985 = BAD DATA Logically assigned .....	5610	0.63
989 = LEGITIMATE SKIP Logically assigned .....	15	0.00
991 = NEVER USED INHALANTS .....	551932	61.81
994 = DON'T KNOW .....	2432	0.27
997 = REFUSED .....	869	0.10
998 = BLANK (NO ANSWER).....	2261	0.25
999 = LEGITIMATE SKIP.....	2760	0.31

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

**INHLYU<sup>1</sup>**      Len : 4    YEAR OF LAST INHALANT USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2014 .....	10588	1.19
-9 = Data not collected for this year.....	279628	31.31
9985 = BAD DATA Logically assigned .....	649	0.07
9989 = LEGITIMATE SKIP Logically assigned .....	287	0.03
9991 = NEVER USED INHALANTS .....	551932	61.81
9994 = DON'T KNOW .....	2499	0.28
9997 = REFUSED .....	905	0.10
9998 = BLANK (NO ANSWER).....	7791	0.87
9999 = LEGITIMATE SKIP.....	38693	4.33

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

**INHMLU<sup>1</sup>**      Len : 2    MONTH OF LAST INHALANT USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	279628	31.31
1 = January.....	792	0.09
2 = February.....	664	0.07
3 = March.....	781	0.09
4 = April.....	668	0.07
5 = May.....	708	0.08
6 = June.....	884	0.10
7 = July.....	868	0.10
8 = August.....	719	0.08
9 = September.....	651	0.07
10 = October.....	693	0.08
11 = November.....	691	0.08
12 = December.....	641	0.07
85 = BAD DATA Logically assigned.....	1200	0.13
89 = LEGITIMATE SKIP Logically assigned.....	287	0.03
91 = NEVER USED INHALANTS.....	551932	61.81
94 = DON'T KNOW.....	3574	0.40
97 = REFUSED.....	982	0.11
98 = BLANK (NO ANSWER).....	7916	0.89
99 = LEGITIMATE SKIP.....	38693	4.33

The computer recorded that you last used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused [PRREC FILL]. How old were you the last time you used any prescription pain reliever in either of these ways?

**ANLAGLST<sup>1</sup>**      Len : 3    HOW OLD WERE YOU THE LAST TIME USED PAIN RELIEVER

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 90.....	71270	7.98
-9 = Data not collected for this year.....	279628	31.31
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	914	0.10
985 = BAD DATA Logically assigned.....	4716	0.53
989 = LEGITIMATE SKIP Logically assigned.....	104	0.01
991 = NEVER USED PAIN RELIEVERS.....	512439	57.39
994 = DON'T KNOW.....	3053	0.34
997 = REFUSED.....	978	0.11
998 = BLANK (NO ANSWER).....	3660	0.41
999 = LEGITIMATE SKIP.....	16210	1.82

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

**ANALYLU<sup>1</sup>**      Len : 4    YEAR OF LAST PAIN RELIEVER USE - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2002 - 2014.....	32292	3.62
-9 = Data not collected for this year.....	279628	31.31
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	914	0.10
9985 = BAD DATA Logically assigned.....	1383	0.15
9989 = LEGITIMATE SKIP Logically assigned.....	841	0.09
9991 = NEVER USED PAIN RELIEVERS.....	512439	57.39
9994 = DON'T KNOW.....	3187	0.36
9997 = REFUSED.....	1060	0.12
9998 = BLANK (NO ANSWER).....	8454	0.95
9999 = LEGITIMATE SKIP.....	52774	5.91

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17a or LU17b] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALMLU<sup>1</sup>

Len : 2 MONTH OF LAST PAIN RELIEVER USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	279628	31.31
1 = January.....	2782	0.31
2 = February.....	2412	0.27
3 = March.....	2492	0.28
4 = April.....	2179	0.24
5 = May.....	2281	0.26
6 = June.....	2474	0.28
7 = July.....	2460	0.28
8 = August.....	2345	0.26
9 = September.....	2173	0.24
10 = October.....	2291	0.26
11 = November.....	2364	0.26
12 = December.....	2386	0.27
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	914	0.10
85 = BAD DATA Logically assigned.....	2313	0.26
89 = LEGITIMATE SKIP Logically assigned.....	841	0.09
91 = NEVER USED PAIN RELIEVERS.....	512439	57.39
94 = DON'T KNOW.....	5575	0.62
97 = REFUSED.....	1207	0.14
98 = BLANK (NO ANSWER).....	8642	0.97
99 = LEGITIMATE SKIP.....	52774	5.91

The computer recorded that you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused [OXYREC FILL]. How old were you the last time you used OxyContin in either of these ways?

OXYAGLST<sup>1</sup>

Len : 3 HOW OLD WERE YOU THE LAST TIME USED OXYCONTIN

	Freq	Pct
RANGE = 5 - 74.....	15169	1.70
-9 = Data not collected for this year.....	279628	31.31
981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
985 = BAD DATA Logically assigned.....	1307	0.15
989 = LEGITIMATE SKIP Logically assigned.....	16	0.00
991 = NEVER USED OXYCONTIN.....	565663	63.35
994 = DON'T KNOW.....	458	0.05
997 = REFUSED.....	513	0.06
998 = BLANK (NO ANSWER).....	1737	0.19
999 = LEGITIMATE SKIP.....	1590	0.18

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCYLU<sup>1</sup>

Len : 4 YEAR OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	6042	0.68
-9 = Data not collected for this year.....	279628	31.31
9981 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
9985 = BAD DATA Logically assigned.....	269	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	144	0.02
9991 = NEVER USED OXYCONTIN.....	565663	63.35
9994 = DON'T KNOW.....	470	0.05
9997 = REFUSED.....	514	0.06
9998 = BLANK (NO ANSWER).....	3029	0.34
9999 = LEGITIMATE SKIP.....	10322	1.16



PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17f or LU17g] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCMLU<sup>1</sup> Len : 2 MONTH OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
-9 = Data not collected for this year.....	279628	31.31
1 = January.....	496	0.06
2 = February.....	439	0.05
3 = March.....	445	0.05
4 = April.....	383	0.04
5 = May.....	437	0.05
6 = June.....	478	0.05
7 = July.....	461	0.05
8 = August.....	465	0.05
9 = September.....	414	0.05
10 = October.....	419	0.05
11 = November.....	434	0.05
12 = December.....	393	0.04
81 = NEVER USED OXYCONTIN Logically assigned.....	26891	3.01
85 = BAD DATA Logically assigned.....	557	0.06
89 = LEGITIMATE SKIP Logically assigned.....	144	0.02
91 = NEVER USED OXYCONTIN.....	565663	63.35
94 = DON'T KNOW.....	902	0.10
97 = REFUSED.....	538	0.06
98 = BLANK (NO ANSWER).....	3063	0.34
99 = LEGITIMATE SKIP.....	10322	1.16

The computer recorded that you last used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused [TRREC FILL]. How old were you the last time you used any prescription tranquilizer in either of those ways?

TRNAGLST<sup>1</sup> Len : 3 HOW OLD WERE YOU THE LAST TIME USED TRANQUILIZERS

	Freq	Pct
RANGE = 1 - 85.....	39463	4.42
-9 = Data not collected for this year.....	279628	31.31
981 = NEVER USED TRANQUILIZERS Logically assigned.....	69	0.01
985 = BAD DATA Logically assigned.....	3661	0.41
989 = LEGITIMATE SKIP Logically assigned.....	12	0.00
991 = NEVER USED TRANQUILIZERS.....	560249	62.74
994 = DON'T KNOW.....	2046	0.23
997 = REFUSED.....	575	0.06
998 = BLANK (NO ANSWER).....	1501	0.17
999 = LEGITIMATE SKIP.....	5768	0.65

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANLYLU<sup>1</sup> Len : 4 YEAR OF LAST TRANQUILIZER USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014.....	13976	1.57
-9 = Data not collected for this year.....	279628	31.31
9981 = NEVER USED TRANQUILIZERS Logically assigned.....	69	0.01
9985 = BAD DATA Logically assigned.....	589	0.07
9989 = LEGITIMATE SKIP Logically assigned.....	306	0.03
9991 = NEVER USED TRANQUILIZERS.....	560249	62.74
9994 = DON'T KNOW.....	2105	0.24
9997 = REFUSED.....	591	0.07
9998 = BLANK (NO ANSWER).....	5117	0.57
9999 = LEGITIMATE SKIP.....	30342	3.40

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU18a or LU18b] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

**TRANMLU<sup>1</sup>** Len : 2 MONTH OF LAST TRANQUILIZER USE - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	279628	31.31
1 = January.....	1043	0.12
2 = February.....	973	0.11
3 = March.....	1121	0.13
4 = April.....	951	0.11
5 = May.....	1037	0.12
6 = June.....	1139	0.13
7 = July.....	1153	0.13
8 = August.....	941	0.11
9 = September.....	987	0.11
10 = October.....	941	0.11
11 = November.....	929	0.10
12 = December.....	1020	0.11
81 = NEVER USED TRANQUILIZERS Logically assigned.....	69	0.01
85 = BAD DATA Logically assigned.....	1149	0.13
89 = LEGITIMATE SKIP Logically assigned.....	306	0.03
91 = NEVER USED TRANQUILIZERS.....	560249	62.74
94 = DON'T KNOW.....	3095	0.35
97 = REFUSED.....	648	0.07
98 = BLANK (NO ANSWER).....	5251	0.59
99 = LEGITIMATE SKIP.....	30342	3.40

NOTE: Data for STMAGLST, STIMYLU, and STIMMLU were edited for consistency with data for MTHAGLST, METHYLU, and METHMLU (see below) if respondents reported nonmedical use of methamphetamine in the core STIMULANTS module. In that context, nonmedical use of methamphetamine could include the prescription forms Desoxyn or Methedrine. Respondents in this survey year who reported methamphetamine use in the noncore SPECIAL DRUGS module also were asked questions about their last use of methamphetamine, without reference to prescription forms of the drug. STMAGLST, STIMYLU, and STIMMLU were not edited for consistency with data on the last use of methamphetamine for these additional noncore methamphetamine users. Consequently, STMAGLST, STIMYLU, and STIMMLU could indicate lifetime nonuse of "prescription" stimulants when the corresponding methamphetamine data in MTHAGLST, METHYLU, and METHMLU indicate that respondents were methamphetamine users. Therefore, documentation of codes for 81, 981, 9981, 91, 991, and 9991 in STMAGLST, STIMYLU, and STIMMLU specifically indicates that respondents had never used prescription stimulants nonmedically.

The computer recorded that you last used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused [STREC FILL]. How old were you the last time you used any prescription stimulant in either of these ways?

**STMAGLST<sup>1</sup>** Len : 3 HOW OLD WERE YOU THE LAST TIME USED RX STIMULANTS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 80.....	35781	4.01
-9 = Data not collected for this year.....	279628	31.31
981 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	125	0.01
985 = BAD DATA Logically assigned.....	1563	0.18
989 = LEGITIMATE SKIP Logically assigned.....	93	0.01
991 = NEVER USED PRESCRIPTION STIMULANTS.....	567689	63.57
994 = DON'T KNOW.....	1189	0.13
997 = REFUSED.....	326	0.04
998 = BLANK (NO ANSWER).....	2567	0.29
999 = LEGITIMATE SKIP.....	4011	0.45

PRIOR SUBSTANCE USE

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMYLU<sup>1</sup> Len : 4 YEAR OF LAST RX STIMULANT USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014 .....	10037	1.12
-9 = Data not collected for this year .....	279628	31.31
9981 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	125	0.01
9985 = BAD DATA Logically assigned .....	324	0.04
9989 = LEGITIMATE SKIP Logically assigned .....	210	0.02
9991 = NEVER USED PRESCRIPTION STIMULANTS .....	567689	63.57
9994 = DON'T KNOW .....	1209	0.14
9997 = REFUSED .....	344	0.04
9998 = BLANK (NO ANSWER) .....	4554	0.51
9999 = LEGITIMATE SKIP .....	28852	3.23

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU19a or LU19b] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMLU<sup>1</sup> Len : 2 MONTH OF LAST RX STIMULANT USE - RECODE

	Freq	Pct
-9 = Data not collected for this year .....	279628	31.31
1 = January .....	774	0.09
2 = February .....	658	0.07
3 = March .....	790	0.09
4 = April .....	787	0.09
5 = May .....	953	0.11
6 = June .....	754	0.08
7 = July .....	705	0.08
8 = August .....	666	0.07
9 = September .....	595	0.07
10 = October .....	631	0.07
11 = November .....	716	0.08
12 = December .....	915	0.10
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	125	0.01
85 = BAD DATA Logically assigned .....	642	0.07
89 = LEGITIMATE SKIP Logically assigned .....	210	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS .....	567689	63.57
94 = DON'T KNOW .....	1732	0.19
97 = REFUSED .....	371	0.04
98 = BLANK (NO ANSWER) .....	4779	0.54
99 = LEGITIMATE SKIP .....	28852	3.23

NOTE: MTHNCFLG is a flag variable that indicates when respondents reported methamphetamine use in the noncore SPECIAL DRUGS module and MTHAGLST has nonmissing data.

MTHNCFLG<sup>1</sup> Len : 2 MTHAGLST COMING FROM NONCORE DATA

	Freq	Pct
-9 = Data not collected for this year .....	446170	49.96
1 = Nonmissing MTHAGLST based on noncore data .....	4898	0.55
98 = OTHERWISE .....	441904	49.49

PRIOR SUBSTANCE USE

The computer recorded that you last used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine] [MEREK FILL]. How old were you the last time you used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine]?

MTHAGLST<sup>1</sup>

Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 1 - 67 .....	22210	2.49
-9 = Data not collected for this year .....	279628	31.31
981 = NEVER USED METHAMPHETAMINE Logically assigned .....	131	0.01
985 = BAD DATA Logically assigned .....	1488	0.17
989 = LEGITIMATE SKIP Logically assigned .....	6	0.00
991 = NEVER USED METHAMPHETAMINE .....	586504	65.68
994 = DON'T KNOW .....	754	0.08
997 = REFUSED .....	260	0.03
998 = BLANK (NO ANSWER).....	547	0.06
999 = LEGITIMATE SKIP .....	1444	0.16

Did you last use [METHFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [METHFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [METHFILL]?

METHYLU<sup>1</sup>

Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014 .....	4004	0.45
-9 = Data not collected for this year .....	279628	31.31
9981 = NEVER USED METHAMPHETAMINE Logically assigned .....	123	0.01
9985 = BAD DATA Logically assigned .....	215	0.02
9989 = LEGITIMATE SKIP Logically assigned .....	111	0.01
9991 = NEVER USED METHAMPHETAMINE.....	586512	65.68
9994 = DON'T KNOW .....	764	0.09
9997 = REFUSED .....	267	0.03
9998 = BLANK (NO ANSWER).....	2032	0.23
9999 = LEGITIMATE SKIP .....	19316	2.16

In what month in [CURRENT YEAR] did you last use [METHFILL]?

In what month in [YEAR FROM LU20a or LU20b] did you last use [METHFILL]?

METHMLU<sup>1</sup>

Len : 2 MONTH OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year .....	279628	31.31
1 = January.....	358	0.04
2 = February.....	297	0.03
3 = March.....	307	0.03
4 = April .....	282	0.03
5 = May.....	280	0.03
6 = June.....	287	0.03
7 = July .....	322	0.04
8 = August .....	318	0.04
9 = September .....	251	0.03
10 = October .....	263	0.03
11 = November .....	291	0.03
12 = December.....	321	0.04
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	123	0.01
85 = BAD DATA Logically assigned .....	372	0.04
89 = LEGITIMATE SKIP Logically assigned .....	111	0.01
91 = NEVER USED METHAMPHETAMINE .....	586512	65.68
94 = DON'T KNOW .....	996	0.11
97 = REFUSED .....	286	0.03
98 = BLANK (NO ANSWER) .....	2051	0.23
99 = LEGITIMATE SKIP .....	19316	2.16

PRIOR SUBSTANCE USE

The computer recorded that you last used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused [SVREC FILL]. How old were you the last time you used any prescription sedative in either of those ways?

SEDAGLST<sup>1</sup>

Len : 3 HOW OLD WERE YOU THE LAST TIME USED SEDATIVES

	Freq	Pct
RANGE = 1 - 88 .....	9944	1.11
-9 = Data not collected for this year .....	279628	31.31
981 = NEVER USED SEDATIVES Logically assigned .....	243	0.03
985 = BAD DATA Logically assigned .....	717	0.08
989 = LEGITIMATE SKIP Logically assigned .....	3	0.00
991 = NEVER USED SEDATIVES .....	599225	67.10
994 = DON'T KNOW .....	648	0.07
997 = REFUSED .....	176	0.02
998 = BLANK (NO ANSWER) .....	1584	0.18
999 = LEGITIMATE SKIP .....	804	0.09

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDYLU<sup>1</sup>

Len : 4 YEAR OF LAST SEDATIVE USE - RECODE

	Freq	Pct
RANGE = 2002 - 2014 .....	2400	0.27
-9 = Data not collected for this year .....	279628	31.31
9981 = NEVER USED SEDATIVES Logically assigned .....	243	0.03
9985 = BAD DATA Logically assigned .....	139	0.02
9989 = LEGITIMATE SKIP Logically assigned .....	60	0.01
9991 = NEVER USED SEDATIVES .....	599225	67.10
9994 = DON'T KNOW .....	669	0.07
9997 = REFUSED .....	185	0.02
9998 = BLANK (NO ANSWER) .....	2293	0.26
9999 = LEGITIMATE SKIP .....	8130	0.91

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU21a or LU21b] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDMLU<sup>1</sup>

Len : 2 MONTH OF LAST SEDATIVE USE - RECODE

	Freq	Pct
-9 = Data not collected for this year .....	279628	31.31
1 = January .....	208	0.02
2 = February .....	159	0.02
3 = March .....	182	0.02
4 = April .....	186	0.02
5 = May .....	164	0.02
6 = June .....	160	0.02
7 = July .....	184	0.02
8 = August .....	164	0.02
9 = September .....	156	0.02
10 = October .....	146	0.02
11 = November .....	167	0.02
12 = December .....	195	0.02
81 = NEVER USED SEDATIVES Logically assigned .....	243	0.03
85 = BAD DATA Logically assigned .....	219	0.02
89 = LEGITIMATE SKIP Logically assigned .....	60	0.01
91 = NEVER USED SEDATIVES .....	599225	67.10
94 = DON'T KNOW .....	883	0.10
97 = REFUSED .....	198	0.02
98 = BLANK (NO ANSWER) .....	2315	0.26
99 = LEGITIMATE SKIP .....	8130	0.91

PRIOR SUBSTANCE USE

NOTE: Values of 1 or 2 in the variables USEALCG, USEMJCG, and USEALMJ were reset to values of 11 or 12 if respondents were routed to the corresponding questions but one or more of the relevant age-at-first-use variables (e.g., ALCTRY and CIGTRY for USEALCG) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol and cigarettes when you were [AFUFILL] years old. Which did you use first?

**USEALCG<sup>1</sup>**      Len : 2    USED ALC OR CIG FIRST WHEN [AFUFILL] YEARS OLD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = Alcohol .....	21039	2.36
2 = Cigarettes .....	25379	2.84
3 = Alcohol LOGICALLY ASSIGNED .....	390	0.04
4 = Cigarettes LOGICALLY ASSIGNED .....	364	0.04
11 = Alcohol (see NOTE) .....	211	0.02
12 = Cigarettes (see NOTE) .....	198	0.02
85 = BAD DATA Logically assigned .....	5	0.00
89 = LEGITIMATE SKIP Logically assigned .....	19	0.00
91 = NEVER USED ALCOHOL/CIGARETTES .....	153663	17.21
94 = DON'T KNOW .....	432	0.05
97 = REFUSED .....	103	0.01
98 = BLANK (NO ANSWER) .....	4535	0.51
99 = LEGITIMATE SKIP .....	407006	45.58

Earlier, the computer recorded that you started using marijuana and cigarettes when you were [AFUFILL] years old. Which did you use first?

**USEMJCG<sup>1</sup>**      Len : 2    USED MJ OR CIG FIRST WHEN [AFUFILL] YEARS OLD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = Marijuana .....	10138	1.14
2 = Cigarettes .....	22097	2.47
3 = Marijuana LOGICALLY ASSIGNED .....	391	0.04
4 = Cigarettes LOGICALLY ASSIGNED .....	265	0.03
11 = Marijuana (see NOTE for USEALCG) .....	97	0.01
12 = Cigarettes (see NOTE for USEALCG) .....	165	0.02
85 = BAD DATA Logically assigned .....	5	0.00
89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
91 = NEVER USED MARIJUANA/CIGARETTES .....	253130	28.35
94 = DON'T KNOW .....	160	0.02
97 = REFUSED .....	88	0.01
98 = BLANK (NO ANSWER) .....	1938	0.22
99 = LEGITIMATE SKIP .....	324864	36.38

Earlier, the computer recorded that you started using alcohol and marijuana when you were [AFUFILL] years old. Which did you use first?

**USEALMJ<sup>1</sup>**      Len : 2    USED ALC OR MJ FIRST WHEN [AFUFILL] YEARS OLD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = Alcohol .....	29045	3.25
2 = Marijuana .....	10514	1.18
3 = Alcohol LOGICALLY ASSIGNED .....	269	0.03
4 = Marijuana LOGICALLY ASSIGNED .....	381	0.04
11 = Alcohol (see NOTE for USEALCG) .....	73	0.01
12 = Marijuana (see NOTE for USEALCG) .....	67	0.01
85 = BAD DATA Logically assigned .....	4	0.00
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
91 = NEVER USED ALCOHOL/MARIJUANA .....	166752	18.67
94 = DON'T KNOW .....	238	0.03
97 = REFUSED .....	85	0.01
98 = BLANK (NO ANSWER) .....	2571	0.29
99 = LEGITIMATE SKIP .....	403338	45.17

PRIOR SUBSTANCE USE

NOTE: Values of 1, 2, or 3 in the variables USEACM and USENEXT were reset to values of 11, 12, or 13 if one or more of the relevant age-at-first-use variables (ALCTRY, CIGTRY, and MJAGE) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol, cigarettes and marijuana when you were [AFUFILL] years old. Which did you use first?

USEACM<sup>1</sup>      Len : 2    USED ALC CIG OR MJ 1ST WHEN [AFUFILL] YEARS OLD

	Freq	Pct
-9 = Data not collected for this year .....	279628	31.31
1 = Alcohol .....	6940	0.78
2 = Cigarettes .....	8667	0.97
3 = Marijuana .....	2184	0.24
4 = Alcohol LOGICALLY ASSIGNED .....	104	0.01
5 = Cigarettes LOGICALLY ASSIGNED .....	77	0.01
6 = Marijuana LOGICALLY ASSIGNED .....	109	0.01
11 = Alcohol (see NOTE) .....	64	0.01
12 = Cigarettes (see NOTE) .....	44	0.00
13 = Marijuana (see NOTE) .....	27	0.00
85 = BAD DATA Logically assigned .....	82	0.01
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA .....	151201	16.93
94 = DON'T KNOW .....	100	0.01
97 = REFUSED .....	39	0.00
98 = BLANK (NO ANSWER) .....	685	0.08
99 = LEGITIMATE SKIP .....	443017	49.61

After first using [FILL LU25], which of these did you use next?

USENEXT<sup>1</sup>      Len : 2    WHAT DID YOU USE AFTER USING [FILL LU25]

	Freq	Pct
-9 = Data not collected for this year .....	279628	31.31
1 = Alcohol .....	7021	0.79
2 = Cigarettes .....	5426	0.61
3 = Marijuana .....	5166	0.58
4 = Alcohol LOGICALLY ASSIGNED .....	102	0.01
5 = Cigarettes LOGICALLY ASSIGNED .....	118	0.01
6 = Marijuana LOGICALLY ASSIGNED .....	120	0.01
11 = Alcohol (see NOTE for USEACM) .....	37	0.00
12 = Cigarettes (see NOTE for USEACM) .....	35	0.00
13 = Marijuana (see NOTE for USEACM) .....	56	0.01
85 = BAD DATA Logically assigned .....	183	0.02
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA .....	151201	16.93
94 = DON'T KNOW .....	21	0.00
97 = REFUSED .....	52	0.01
98 = BLANK (NO ANSWER) .....	785	0.09
99 = LEGITIMATE SKIP .....	443017	49.61

Earlier, the computer recorded that, during the past 30 days, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription pain relievers?

Please enter all of the ways that you got the prescription pain relievers you used in the past 30 days.

ANLRX1DR<sup>1</sup>      Len : 2    GOT ONE+ PRSCRPS FOR PAIN RLVRs FROM JUST ONE DR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	3115	0.35
3 = Response entered LOG ASSN (from ANLOTHS2) .....	5	0.00
5 = Response entered LOG ASSN (from ANLGTLA2) .....	117	0.01
6 = Response not entered .....	10576	1.18
81 = NEVER USED PAIN RELIEVERS Logically assigned .....	820	0.09
85 = BAD DATA Logically assigned .....	11	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5201	0.58

PRIOR SUBSTANCE USE

ANLRXDRS<sup>1</sup>

Len : 2 I GOT PRSCRPS FOR PAIN RELIEVERS FROM TWO+ DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	642	0.07
5 = Response entered LOG ASSN (from ANLGTLA2) .....	18	0.00
6 = Response not entered .....	13147	1.47
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5214	0.58

ANLRXFAK<sup>1</sup>

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR PAIN RELIEVERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	84	0.01
5 = Response entered LOG ASSN (from ANLGTLA2) .....	1	0.00
6 = Response not entered .....	13719	1.54
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5216	0.58

ANLSTOLE<sup>1</sup>

Len : 2 I STOLE PN RLVRs FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	143	0.02
3 = Response entered LOG ASSN (from ANLOTHS2).....	4	0.00
5 = Response entered LOG ASSN (from ANLGTLA2) .....	6	0.00
6 = Response not entered .....	13651	1.53
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5216	0.58

ANLFRFRE<sup>1</sup>

Len : 2 I GOT PAIN RELIEVERS FRM A FRND/RELATIVE FOR FREE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	7921	0.89
3 = Response entered LOG ASSN (from ANLOTHS2).....	85	0.01
5 = Response entered LOG ASSN (from ANLGTLA2) .....	103	0.01
6 = Response not entered .....	5720	0.64
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70708	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5192	0.58



PRIOR SUBSTANCE USE

ANLFRBUY<sup>1</sup>

Len : 2 I BOUGHT THE PN RELIEVERS FRM A FRIEND OR RELATIV

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	3512	0.39
3 = Response entered LOG ASSN (from ANLOTHS2).....	10	0.00
5 = Response entered LOG ASSN (from ANLGTLA2) .....	66	0.01
6 = Response not entered .....	10219	1.14
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5213	0.58

ANLFRTRKE<sup>1</sup>

Len : 2 I TOOK THE PNRLVRS FROM A FRND/RELATIVE WO ASKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	1680	0.19
3 = Response entered LOG ASSN (from ANLOTHS2).....	11	0.00
5 = Response entered LOG ASSN (from ANLGTLA2) .....	34	0.00
6 = Response not entered .....	12085	1.35
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5211	0.58

ANLDEALR<sup>1</sup>

Len : 2 I BOUGHT THE PNRLVRS FRM DRUG DEALR/OTH STRANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	1989	0.22
3 = Response entered LOG ASSN (from ANLOTHS2).....	21	0.00
5 = Response entered LOG ASSN (from ANLGTLA2) .....	36	0.00
6 = Response not entered .....	11760	1.32
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5215	0.58

ANLINET<sup>1</sup>

Len : 2 I BOUGHT THE PAIN RELIEVERS ON THE INTERNET

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	94	0.01
5 = Response entered LOG ASSN (from ANLGTLA2) .....	4	0.00
6 = Response not entered .....	13707	1.53
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED PAIN RELIEVERS .....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	70709	7.92
94 = DON'T KNOW .....	351	0.04
97 = REFUSED .....	544	0.06
98 = BLANK (NO ANSWER) .....	5216	0.58

PRIOR SUBSTANCE USE

ANLOTHWY<sup>1</sup>

Len : 2 I GOT THE PAIN RELIEVERS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
1 = Response entered.....	1412	0.16
5 = Response entered LOG ASSN (from ANLGTLA2).....	39	0.00
6 = Response not entered.....	12361	1.38
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned.....	6	0.00
91 = NEVER USED PAIN RELIEVERS.....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.92
94 = DON'T KNOW.....	351	0.04
97 = REFUSED.....	544	0.06
98 = BLANK (NO ANSWER).....	5207	0.58

ANLOTHS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT PAIN REL USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
1 = Got one/more prescriptions from just one doctor.....	7	0.00
4 = Stole from a dr's office/clinic/hospital/pharmacy.....	4	0.00
5 = Got it from a friend or relative for free.....	98	0.01
6 = Bought it from a friend or relative.....	15	0.00
7 = Took from a friend or relative without asking.....	18	0.00
8 = Bought it from a drug dealer or other stranger.....	33	0.00
10 = Got it in some other way.....	73	0.01
11 = From friend, relative, home; otherwise unspcfd.....	428	0.05
12 = Stole it or took it; otherwise unspecified.....	32	0.00
13 = Given to me; otherwise unspecified.....	41	0.00
14 = Bought it; otherwise unspecified.....	41	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	31	0.00
17 = Got it from a place of business; otherwise unspcfd.....	60	0.01
18 = From an individual; how and relationship unspcfd.....	31	0.00
20 = Traded/bartered for it; sex not specified.....	29	0.00
21 = Found it; otherwise unspecified.....	81	0.01
23 = Got it with prescription(s); otherwise unspecified.....	10	0.00
24 = Bought them at a pharmacy/store.....	46	0.01
70 = City/state in US specified.....	2	0.00
71 = Bought/obtained it outside of the US.....	18	0.00
72 = An OTC drug /OTC-only store reported.....	26	0.00
73 = Reason/condition for taking drug stated.....	4	0.00
74 = Name of drug reported, OTC unspecified.....	8	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned.....	84	0.01
91 = NEVER USED PAIN RELIEVERS.....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	70709	7.92
94 = DON'T KNOW.....	77	0.01
97 = REFUSED.....	690	0.08
98 = BLANK (NO ANSWER).....	5572	0.62
99 = LEGITIMATE SKIP.....	12361	1.38

You reported that you got the prescription pain relievers you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription pain relievers that you used?

Please enter all of the ways that your friend or relative got the prescription pain relievers you used in the past 30 days.

ANLFF1DR<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVR FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	4605	0.52
3 = Response entered LOG ASSN (from ANLFFOSP).....	5	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	136	0.02
6 = Response not entered.....	1693	0.19
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.11
94 = DON'T KNOW.....	471	0.05
97 = REFUSED.....	93	0.01
98 = BLANK (NO ANSWER).....	5562	0.62
99 = LEGITIMATE SKIP.....	5179	0.58

PRIOR SUBSTANCE USE

ANLFFDRS<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVRs FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	587	0.07
5 = Response entered LOG ASSN (from ANLFFLAS) .....	22	0.00
6 = Response not entered .....	5764	0.65
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED PAIN RELIEVERS .....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	63476	7.11
94 = DON'T KNOW .....	485	0.05
97 = REFUSED .....	93	0.01
98 = BLANK (NO ANSWER) .....	5614	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

ANLFFAKE<sup>1</sup>

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR PAIN RELIEVERS

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	57	0.01
5 = Response entered LOG ASSN (from ANLFFLAS) .....	1	0.00
6 = Response not entered .....	6312	0.71
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED PAIN RELIEVERS .....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	63476	7.11
94 = DON'T KNOW .....	485	0.05
97 = REFUSED .....	94	0.01
98 = BLANK (NO ANSWER) .....	5616	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

ANLFFSTL<sup>1</sup>

Len : 2 FRND/RELAT STOLE PN RLVRs FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	91	0.01
3 = Response entered LOG ASSN (from ANLFFOSP) .....	1	0.00
5 = Response entered LOG ASSN (from ANLFFLAS) .....	3	0.00
6 = Response not entered .....	6274	0.70
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED PAIN RELIEVERS .....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	63476	7.11
94 = DON'T KNOW .....	485	0.05
97 = REFUSED .....	94	0.01
98 = BLANK (NO ANSWER) .....	5617	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

ANLFFREE<sup>1</sup>

Len : 2 FRND/RELAT GOT PN RLVRs FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	1024	0.11
3 = Response entered LOG ASSN (from ANLFFOSP) .....	1	0.00
5 = Response entered LOG ASSN (from ANLFFLAS) .....	46	0.01
6 = Response not entered .....	5309	0.59
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED PAIN RELIEVERS .....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS .....	63475	7.11
94 = DON'T KNOW .....	485	0.05
97 = REFUSED .....	93	0.01
98 = BLANK (NO ANSWER) .....	5607	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

PRIOR SUBSTANCE USE

ANLFFBOT<sup>1</sup>

Len : 2 FRND/RELAT BOUGHT PAIN RLVRS FROM FRND/RELAT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	971	0.11
3 = Response entered LOG ASSN (from ANLFFOSP).....	2	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	38	0.00
6 = Response not entered.....	5369	0.60
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.11
94 = DON'T KNOW.....	483	0.05
97 = REFUSED.....	93	0.01
98 = BLANK (NO ANSWER).....	5609	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

ANLFFTA<sup>1</sup>

Len : 2 FRND/RELAT TOOK PN RLVRS FRM FRND/REL WO ASKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	365	0.04
3 = Response entered LOG ASSN (from ANLFFOSP).....	5	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	20	0.00
6 = Response not entered.....	5980	0.67
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.11
94 = DON'T KNOW.....	485	0.05
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5616	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

ANLFFDLR<sup>1</sup>

Len : 2 FRND/RELAT BOUGHT PN RLVRS FR DRG DEALER/STRANGR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	601	0.07
3 = Response entered LOG ASSN (from ANLFFOSP).....	9	0.00
5 = Response entered LOG ASSN (from ANLFFLAS).....	27	0.00
6 = Response not entered.....	5743	0.64
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.11
94 = DON'T KNOW.....	482	0.05
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5609	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

ANLFFNET<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT PN RLVRS ON THE INTERNET

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	53	0.01
5 = Response entered LOG ASSN (from ANLFFLAS).....	1	0.00
6 = Response not entered.....	6315	0.71
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63476	7.11
94 = DON'T KNOW.....	485	0.05
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5617	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

PRIOR SUBSTANCE USE

ANLFFOTH<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT PAIN RLVRS SOME OTHER WAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	451	0.05
5 = Response entered LOG ASSN (from ANLFFLAS).....	11	0.00
6 = Response not entered.....	5909	0.66
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
83 = DID NOT USE PAIN REL IN THE PST 30 DYS Log assn.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63475	7.11
94 = DON'T KNOW.....	485	0.05
97 = REFUSED.....	94	0.01
98 = BLANK (NO ANSWER).....	5615	0.63
99 = LEGITIMATE SKIP.....	5179	0.58

ANLFFOSP<sup>1</sup>

Len : 2 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS PST 30 D

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = He/she got prescriptions from just one doctor.....	5	0.00
3 = He/she wrote fake prescriptions.....	1	0.00
4 = He/she stole fr dr office/clinic/hospital/pharmacy.....	1	0.00
5 = He/she got it from a friend or relative for free.....	2	0.00
6 = He/she bought it from a friend or relative.....	3	0.00
7 = He/she took from a friend or relative w/o asking.....	8	0.00
8 = He/she bought it from drug dealer/other stranger.....	13	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	42	0.00
12 = He/she stole or took it; otherwise unspecified.....	17	0.00
14 = He/she bought it; otherwise unspecified.....	22	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	28	0.00
16 = He/she made/cooked it.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	17	0.00
18 = He/she got fr individual; how & relation unspcfd.....	11	0.00
20 = He/she traded/bartered for it; sex not specfd.....	16	0.00
21 = He/she found it; otherwise unspecified.....	22	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd.....	28	0.00
24 = He/she bought them at a pharmacy/store.....	27	0.00
26 = He/she got them as payment for partic in drug deal.....	1	0.00
27 = He/she got it from a drug dealer/stranger for free.....	1	0.00
29 = He/she got drugs/money in exchange for sex.....	5	0.00
30 = He/she got it at work; otherwise unspecified.....	5	0.00
31 = He/she had fraudulent prescrip; otherwise unspcfd.....	1	0.00
33 = He/she stole it from a store/pharmacy.....	2	0.00
34 = Gambled for them/won in a game; otherwise unspfd.....	1	0.00
70 = City/state in US specified.....	2	0.00
71 = He/she bought/obtained it outside of the US.....	10	0.00
72 = Over-the-counter drug reported.....	2	0.00
73 = Reason/condition for taking drug stated.....	6	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned.....	13	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	63475	7.11
94 = DON'T KNOW.....	124	0.01
97 = REFUSED.....	22	0.00
98 = BLANK (NO ANSWER).....	6199	0.69
99 = LEGITIMATE SKIP.....	11088	1.24

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

ANLGTLA2<sup>1</sup> Len : 2 HOW GOT PRSCRIP PAIN RLVR PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	556329	62.30
1 = I got a prescription from just one doctor.....	2271	0.25
2 = I got prescriptions from more than one doctor.....	220	0.02
3 = I wrote a fake prescription.....	25	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy.....	51	0.01
5 = I got it from a friend or relative for free.....	7377	0.83
6 = I bought it from a friend or relative.....	1811	0.20
7 = I took it from friend/relative without asking.....	840	0.09
8 = I bought it from a drug dealer or other stranger.....	717	0.08
9 = I bought it on the Internet.....	19	0.00
10 = I got it in some other way.....	735	0.08
11 = I got a prescription from just one doctor LOG ASSN.....	2	0.00
15 = I got it from friend/relative for free LOG ASSN.....	96	0.01
16 = I bought it from a friend or relative LOG ASSN.....	8	0.00
17 = I took it from friend/relative w/o asking LOG ASSN.....	7	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	12	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	452	0.05
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS.....	282771	31.67
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	29539	3.31
94 = DON'T KNOW.....	309	0.03
97 = REFUSED.....	349	0.04
98 = BLANK (NO ANSWER).....	3277	0.37
99 = LEGITIMATE SKIP.....	5750	0.64

You reported that you got the prescription pain reliever you last used from a friend or relative for free. How did your friend or relative get the last prescription pain reliever that you used?

ANLFFLAS<sup>1</sup> Len : 2 HOW FRND/RELAT GOT PAIN RELIEVERS THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
1 = He/she got a prescription from just one doctor.....	8147	0.91
2 = He/she got prescriptions from more than one doctor.....	425	0.05
3 = He/she wrote a fake prescription.....	15	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy.....	44	0.00
5 = He/she got it from a friend or relative for free.....	809	0.09
6 = He/she bought it from a friend or relative.....	619	0.07
7 = He/she took it from friend/relative without asking.....	282	0.03
8 = He/she bought it from a drug dealer/other stranger.....	262	0.03
9 = He/she bought it on the Internet.....	17	0.00
10 = He/she got it in some other way.....	387	0.04
11 = Got a prescrip from one dr LOG ASSN (ANLFFLSP=1).....	3	0.00
14 = Stole fr dr/clin/hosp/pharm LOG ASSN (ANLFFLSP=4).....	1	0.00
15 = Got from frnd/relat for free LOG ASSN (ANLFFLSP=5).....	2	0.00
17 = Took fr frnd/relat w/o asking LOG ASSN(ANLFFLSP=7).....	3	0.00
18 = Bought fr drg dealr/stranger LOG ASSN (ANLFFLSP=8).....	6	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
91 = NEVER USED PAIN RELIEVERS.....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	43540	4.88
94 = DON'T KNOW.....	867	0.10
97 = REFUSED.....	95	0.01
98 = BLANK (NO ANSWER).....	6191	0.69
99 = LEGITIMATE SKIP.....	19501	2.18

PRIOR SUBSTANCE USE

ANLFFLSP<sup>1</sup>

Len : 2 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = He/she got prescriptions from just one doctor.....	3	0.00
4 = He/she stole fr dr office/clinic/hospital/pharmacy.....	1	0.00
5 = He/she got it from a friend or relative for free .....	2	0.00
7 = He/she took from a friend or relative w/o asking .....	3	0.00
8 = He/she bought it from drug dealer/other stranger.....	6	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd .....	45	0.01
12 = He/she stole or took it; otherwise unspecified.....	6	0.00
13 = Given to him/her; otherwise unspecified.....	3	0.00
14 = He/she bought it; otherwise unspecified.....	14	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	17	0.00
16 = He/she made/cooked it.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd .....	16	0.00
18 = He/she got fr individual; how & relation unspcfd .....	9	0.00
20 = He/she traded/bartered for it; sex not specfd.....	7	0.00
21 = He/she found it; otherwise unspecified .....	11	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd .....	8	0.00
24 = He/she bought them at a pharmacy/store.....	20	0.00
29 = He/she got drugs/money in exchange for sex.....	2	0.00
30 = He/she got it at work; otherwise unspecified.....	4	0.00
35 = He/she wrote me fraudulent script; othrws unspcfd .....	1	0.00
70 = City/state in US specified.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	16	0.00
72 = Over-the-counter drug reported.....	10	0.00
73 = Reason/condition for taking drug stated.....	7	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	739	0.08
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED PAIN RELIEVERS .....	419877	47.02
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS .....	43540	4.88
94 = DON'T KNOW .....	146	0.02
97 = REFUSED .....	122	0.01
98 = BLANK (NO ANSWER) .....	7059	0.79
99 = LEGITIMATE SKIP.....	30126	3.37

PRIOR SUBSTANCE USE

ANLGTOS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT PAIN REL USED THE LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	335230	37.54
1 = Got one/more prescriptions from just one doctor.....	5	0.00
4 = Stole from a dr's office/clinic/hospital/pharmacy.....	1	0.00
5 = Got it from a friend or relative for free.....	174	0.02
6 = Bought it from a friend or relative.....	10	0.00
7 = Took from a friend or relative without asking.....	10	0.00
8 = Bought it from a drug dealer or other stranger.....	20	0.00
10 = Got it in some other way.....	92	0.01
11 = From friend, relative, home; otherwise unspcfd.....	595	0.07
12 = Stole it or took it; otherwise unspecified.....	9	0.00
13 = Given to me; otherwise unspecified.....	69	0.01
14 = Bought it; otherwise unspecified.....	27	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	15	0.00
17 = Got it from a place of business; otherwise unspcfd.....	32	0.00
18 = From an individual; how and relationship unspcfd.....	11	0.00
20 = Traded/bartered for it; sex not specified.....	3	0.00
21 = Found it; otherwise unspecified.....	47	0.01
22 = Got it at a party; otherwise unspecified.....	3	0.00
23 = Got it with prescription(s); otherwise unspecified.....	53	0.01
24 = Bought them at a pharmacy/store.....	19	0.00
70 = City/state in US specified.....	3	0.00
71 = Bought/obtained it outside of the US.....	20	0.00
72 = An OTC drug /OTC-only store reported.....	17	0.00
73 = Reason/condition for taking drug stated.....	15	0.00
74 = Name of drug reported, OTC unspecified.....	17	0.00
75 = Took it by mistake; didn't realize it was a drug.....	1	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	820	0.09
85 = BAD DATA Logically assigned.....	74	0.01
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED PAIN RELIEVERS.....	466293	52.22
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	48263	5.40
94 = DON'T KNOW.....	66	0.01
97 = REFUSED.....	710	0.08
98 = BLANK (NO ANSWER).....	6131	0.69
99 = LEGITIMATE SKIP.....	34114	3.82

Earlier, the computer recorded that, during the past 30 days, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription tranquilizers?

Please enter all of the ways that you got the prescription tranquilizers you used in the past 30 days.

TRNRX1DR<sup>1</sup>

Len : 2 I GOT 1+ PRSCRPS FOR TRANQUILIZERS FRM JST ONE DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	335230	37.54
1 = Response entered.....	649	0.07
5 = Response entered LOG ASSN (from TRNGTLA2).....	6	0.00
6 = Response not entered.....	4257	0.48
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	5	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.59
94 = DON'T KNOW.....	124	0.01
97 = REFUSED.....	236	0.03
98 = BLANK (NO ANSWER).....	2066	0.23

TRNRXDRS<sup>1</sup>

Len : 2 I GOT PRSCRPS FOR TRANQUILIZERS FROM TWO+ DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	335230	37.54
1 = Response entered.....	74	0.01
5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00
6 = Response not entered.....	4834	0.54
81 = NEVER USED TRANQUILIZERS logically assigned.....	63	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.59
94 = DON'T KNOW.....	124	0.01
97 = REFUSED.....	236	0.03
98 = BLANK (NO ANSWER).....	2072	0.23



PRIOR SUBSTANCE USE

TRNRXFAK<sup>1</sup>

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR TRANQUILIZERS

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	22	0.00
6 = Response not entered .....	4887	0.55
81 = NEVER USED TRANQUILIZERS Logically assigned .....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS .....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS .....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2073	0.23

TRNSTOLE<sup>1</sup>

Len : 2 I STOLE TRANQS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	29	0.00
3 = Response entered LOG ASSN (from TRNOTHS2) .....	1	0.00
6 = Response not entered .....	4879	0.55
81 = NEVER USED TRANQUILIZERS Logically assigned .....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS .....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS .....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2073	0.23

TRNFRFRE<sup>1</sup>

Len : 2 I GOT TRANQUILIZERS FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	2630	0.29
3 = Response entered LOG ASSN (from TRNOTHS2) .....	24	0.00
5 = Response entered LOG ASSN (from TRNGTLA2) .....	17	0.00
6 = Response not entered .....	2242	0.25
81 = NEVER USED TRANQUILIZERS Logically assigned .....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS .....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS .....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2069	0.23

TRNFRBUY<sup>1</sup>

Len : 2 I BOUGHT THE TRANQS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	1046	0.12
3 = Response entered LOG ASSN (from TRNOTHS2) .....	2	0.00
5 = Response entered LOG ASSN (from TRNGTLA2) .....	10	0.00
6 = Response not entered .....	3852	0.43
81 = NEVER USED TRANQUILIZERS Logically assigned .....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS .....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS .....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2072	0.23

PRIOR SUBSTANCE USE

TRNFRTKE<sup>1</sup>

Len : 2 I TOOK THE TRANQS FROM A FRND/RELATIVE WO ASKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	351	0.04
3 = Response entered LOG ASSN (from TRNTHS2).....	3	0.00
5 = Response entered LOG ASSN (from TRNGTLA2).....	3	0.00
6 = Response not entered .....	4553	0.51
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2072	0.23

TRNDEALR<sup>1</sup>

Len : 2 I BOUGHT THE TRANQS FROM DRUG DEALR/OTH STRANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	631	0.07
3 = Response entered LOG ASSN (from TRNTHS2).....	6	0.00
5 = Response entered LOG ASSN (from TRNGTLA2).....	8	0.00
6 = Response not entered .....	4265	0.48
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2072	0.23

TRNINET<sup>1</sup>

Len : 2 I BOUGHT THE TRANQUILIZERS ON THE INTERNET

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	35	0.00
5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00
6 = Response not entered .....	4873	0.55
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2073	0.23

TRNTHWY<sup>1</sup>

Len : 2 I GOT THE TRANQUILIZERS IN SOME OTHER WAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	286	0.03
5 = Response entered LOG ASSN (from TRNGTLA2).....	3	0.00
6 = Response not entered .....	4620	0.52
81 = NEVER USED TRANQUILIZERS Logically assigned.....	63	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.59
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	236	0.03
98 = BLANK (NO ANSWER) .....	2073	0.23

PRIOR SUBSTANCE USE

TRNTHS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT TRANQUILIZER IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
5 = Got it from a friend or relative for free .....	24	0.00
6 = Bought it from a friend or relative .....	2	0.00
7 = Took from a friend or relative without asking.....	3	0.00
8 = Bought it from a drug dealer or other stranger .....	5	0.00
10 = Got it in some other way .....	47	0.01
11 = From friend, relative, home; otherwise unspecfd .....	92	0.01
12 = Stole it or took it; otherwise unspecified.....	1	0.00
13 = Given to me; otherwise unspecified .....	7	0.00
14 = Bought it; otherwise unspecified.....	3	0.00
18 = From an individual; how and relationship unspecifd.....	1	0.00
20 = Traded/bartered for it; sex not specified.....	3	0.00
21 = Found it; otherwise unspecified .....	3	0.00
71 = Bought/obtained it outside of the US .....	19	0.00
72 = An OTC drug /OTC-only store reported .....	1	0.00
74 = Name of drug reported, OTC unspecified .....	2	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned .....	63	0.01
85 = BAD DATA Logically assigned .....	26	0.00
91 = NEVER USED TRANQUILIZERS.....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	40990	4.59
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	266	0.03
98 = BLANK (NO ANSWER) .....	2200	0.25
99 = LEGITIMATE SKIP.....	4620	0.52

You reported that you got the prescription tranquilizers you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription tranquilizers that you used?

Please enter all of the ways that your friend or relative got the prescription tranquilizers you used in the past 30 days.

TRNFFIDR<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM 1 DR

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	1490	0.17
5 = Response entered LOG ASSN (from TRNFFLAS) .....	28	0.00
6 = Response not entered .....	653	0.07
81 = NEVER USED TRANQUILIZERS Logically assigned .....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
94 = DON'T KNOW .....	142	0.02
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	2200	0.25
99 = LEGITIMATE SKIP.....	2035	0.23

TRNFFDRS<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM >1 DR

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	120	0.01
5 = Response entered LOG ASSN (from TRNFFLAS) .....	3	0.00
6 = Response not entered .....	2035	0.23
81 = NEVER USED TRANQUILIZERS Logically assigned .....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
94 = DON'T KNOW .....	144	0.02
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	2211	0.25
99 = LEGITIMATE SKIP.....	2035	0.23

PRIOR SUBSTANCE USE

<b>TRNFFAKE<sup>1</sup></b>	<b>Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR TRANQS</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Response entered.....	6	0.00
	6 = Response not entered.....	2152	0.24
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
	91 = NEVER USED TRANQUILIZERS.....	458254	51.32
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
	94 = DON'T KNOW.....	144	0.02
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	2211	0.25
	99 = LEGITIMATE SKIP.....	2035	0.23
<b>TRNFFSTL<sup>1</sup></b>	<b>Len : 2 FRND/RELAT STOLE TRANQS FRM DR/CLIN/HOSP/PHARM</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Response entered.....	14	0.00
	6 = Response not entered.....	2144	0.24
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
	91 = NEVER USED TRANQUILIZERS.....	458254	51.32
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
	94 = DON'T KNOW.....	144	0.02
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	2211	0.25
	99 = LEGITIMATE SKIP.....	2035	0.23
<b>TRNFFREE<sup>1</sup></b>	<b>Len : 2 FRND/RELAT GOT TRANQS FRM FRND/RELAT FOR FREE</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Response entered.....	339	0.04
	3 = Response entered LOG ASSN (from TRNFFOSP).....	2	0.00
	5 = Response entered LOG ASSN (from TRNFFLAS).....	7	0.00
	6 = Response not entered.....	1810	0.20
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
	91 = NEVER USED TRANQUILIZERS.....	458254	51.32
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
	94 = DON'T KNOW.....	144	0.02
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	2211	0.25
	99 = LEGITIMATE SKIP.....	2035	0.23
<b>TRNFFBOT<sup>1</sup></b>	<b>Len : 2 FRIEND/RELATIVE BOUGHT TRANQS FROM FRND/RELAT</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Response entered.....	246	0.03
	3 = Response entered LOG ASSN (from TRNFFOSP).....	1	0.00
	5 = Response entered LOG ASSN (from TRNFFLAS).....	6	0.00
	6 = Response not entered.....	1907	0.21
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
	91 = NEVER USED TRANQUILIZERS.....	458254	51.32
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
	94 = DON'T KNOW.....	144	0.02
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	2209	0.25
	99 = LEGITIMATE SKIP.....	2035	0.23
<b>TRNFFTAK<sup>1</sup></b>	<b>Len : 2 FRND/RELAT TOOK TRANQS FRM FRND/REL WO ASKING</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Response entered.....	60	0.01
	5 = Response entered LOG ASSN (from TRNFFLAS).....	3	0.00
	6 = Response not entered.....	2096	0.23
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
	91 = NEVER USED TRANQUILIZERS.....	458254	51.32
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
	94 = DON'T KNOW.....	144	0.02
	97 = REFUSED.....	19	0.00
	98 = BLANK (NO ANSWER).....	2210	0.25
	99 = LEGITIMATE SKIP.....	2035	0.23

PRIOR SUBSTANCE USE

TRNFFDLR<sup>1</sup>

Len : 2 FRND/RELAT BOUGHT TRANQS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	141	0.02
5 = Response entered LOG ASSN (from TRNFFLAS).....	2	0.00
6 = Response not entered.....	2017	0.23
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
94 = DON'T KNOW.....	144	0.02
97 = REFUSED.....	19	0.00
98 = BLANK (NO ANSWER).....	2209	0.25
99 = LEGITIMATE SKIP.....	2035	0.23

TRNFFNET<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT TRANQS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	17	0.00
5 = Response entered LOG ASSN (from TRNFFLAS).....	1	0.00
6 = Response not entered.....	2140	0.24
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
94 = DON'T KNOW.....	144	0.02
97 = REFUSED.....	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.25
99 = LEGITIMATE SKIP.....	2035	0.23

TRNFFOTH<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT TRANQS SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
1 = Response entered.....	91	0.01
6 = Response not entered.....	2067	0.23
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
94 = DON'T KNOW.....	144	0.02
97 = REFUSED.....	19	0.00
98 = BLANK (NO ANSWER).....	2211	0.25
99 = LEGITIMATE SKIP.....	2035	0.23

TRNFFOSP<sup>1</sup>

Len : 2 OTHER WAY FRND/RELAT GOT TRANQUILIZERS PST 30 DY

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
5 = He/she got it from a friend or relative for free.....	2	0.00
6 = He/she bought it from a friend or relative.....	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	8	0.00
12 = He/she stole or took it; otherwise unspecified.....	4	0.00
13 = Given to him/her; otherwise unspecified.....	2	0.00
14 = He/she bought it; otherwise unspecified.....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	2	0.00
16 = He/she made/cooked it.....	1	0.00
18 = He/she got fr individual; how & relation unspcfd.....	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
21 = He/she found it; otherwise unspecified.....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd.....	3	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
34 = Gambled for them/won in a game; otherwise unspfd.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	8	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	36962	4.14
94 = DON'T KNOW.....	41	0.00
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	2374	0.27
99 = LEGITIMATE SKIP.....	4102	0.46

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription tranquilizer?

TRNGTLA2<sup>1</sup>

Len : 2 HOW GOT PRSCRIP TRANQUILIZER PAST 12 MOS/LST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = I got a prescription from just one doctor .....	769	0.09
2 = I got prescriptions from more than one doctor .....	81	0.01
3 = I wrote a fake prescription .....	12	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy .....	29	0.00
5 = I got it from a friend or relative for free .....	5929	0.66
6 = I bought it from a friend or relative .....	1624	0.18
7 = I took it from friend/relative without asking .....	539	0.06
8 = I bought it from a drug dealer or other stranger .....	770	0.09
9 = I bought it on the Internet .....	26	0.00
10 = I got it in some other way .....	487	0.05
15 = I got it from friend/relative for free LOG ASSN .....	66	0.01
16 = I bought it from a friend or relative LOG ASSN .....	2	0.00
17 = I took it from friend/relative w/o asking LOG ASSN .....	5	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN .....	10	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned .....	63	0.01
85 = BAD DATA Logically assigned .....	6	0.00
91 = NEVER USED TRANQUILIZERS .....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS .....	30788	3.45
94 = DON'T KNOW .....	225	0.03
97 = REFUSED .....	342	0.04
98 = BLANK (NO ANSWER) .....	2286	0.26
99 = LEGITIMATE SKIP .....	4337	0.49

TRNGTOS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT TRANQUILIZER THE LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
5 = Got it from a friend or relative for free .....	66	0.01
6 = Bought it from a friend or relative .....	4	0.00
7 = Took from a friend or relative without asking .....	5	0.00
8 = Bought it from a drug dealer or other stranger .....	11	0.00
10 = Got it in some other way .....	77	0.01
11 = From friend, relative, home; otherwise unspecfd .....	190	0.02
12 = Stole it or took it; otherwise unspecified .....	3	0.00
13 = Given to me; otherwise unspecified .....	28	0.00
14 = Bought it; otherwise unspecified .....	6	0.00
18 = From an individual; how and relationship unspecifd .....	8	0.00
21 = Found it; otherwise unspecified .....	19	0.00
71 = Bought/obtained it outside of the US .....	13	0.00
72 = An OTC drug /OTC-only store reported .....	1	0.00
73 = Reason/condition for taking drug stated .....	6	0.00
74 = Name of drug reported, OTC unspecified .....	5	0.00
75 = Took it by mistake; didn't realize it was a drug .....	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned .....	63	0.01
85 = BAD DATA Logically assigned .....	33	0.00
91 = NEVER USED TRANQUILIZERS .....	509346	57.04
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS .....	30788	3.45
94 = DON'T KNOW .....	38	0.00
97 = REFUSED .....	383	0.04
98 = BLANK (NO ANSWER) .....	2518	0.28
99 = LEGITIMATE SKIP .....	14130	1.58

PRIOR SUBSTANCE USE

You reported that you got the prescription tranquilizer you last used from a friend or relative for free. How did your friend or relative get the last prescription tranquilizer that you used?

TRNFFLAS<sup>1</sup>      Len : 2    HOW FRND/RELAT GOT THE TRANQUILIZERS LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = He/she got a prescription from just one doctor.....	3378	0.38
2 = He/she got prescriptions from more than one doctor.....	160	0.02
3 = He/she wrote a fake prescription.....	9	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy .....	16	0.00
5 = He/she got it from a friend or relative for free .....	488	0.05
6 = He/she bought it from a friend or relative .....	305	0.03
7 = He/she took it from friend/relative without asking.....	99	0.01
8 = He/she bought it from a drug dealer/other stranger.....	175	0.02
9 = He/she bought it on the Internet.....	12	0.00
10 = He/she got it in some other way.....	143	0.02
18 = Bought fr drg dealr/stranger LOG ASSN (TRNFFLSP=8).....	4	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	27841	3.12
94 = DON'T KNOW .....	395	0.04
97 = REFUSED .....	42	0.00
98 = BLANK (NO ANSWER) .....	2625	0.29
99 = LEGITIMATE SKIP.....	7836	0.88

TRNFFLSP<sup>1</sup>      Len : 2    OTHER WAY FRND/RELAT GOT TRANQUILIZERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
8 = He/she bought it from drug dealer/other stranger.....	4	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd .....	15	0.00
12 = He/she stole or took it; otherwise unspecified.....	2	0.00
13 = Given to him/her; otherwise unspecified.....	2	0.00
14 = He/she bought it; otherwise unspecified.....	4	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	7	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	3	0.00
18 = He/she got fr individual; how & relation unspcfd .....	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	3	0.00
21 = He/she found it; otherwise unspecified .....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd .....	3	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
30 = He/she got it at work; otherwise unspecified.....	2	0.00
71 = He/she bought/obtained it outside of the US.....	6	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	54	0.01
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED TRANQUILIZERS.....	458254	51.32
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	27841	3.12
94 = DON'T KNOW .....	73	0.01
97 = REFUSED .....	55	0.01
98 = BLANK (NO ANSWER) .....	3023	0.34
99 = LEGITIMATE SKIP.....	12478	1.40

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 30 days, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription stimulants?

Please enter all of the ways that you got prescription stimulants you used in the past 30 days.

**STMRIXDR<sup>1</sup>**      Len : 2    I GOT ONE+ PRSCRPS FOR STIM FROM JUST ONE DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	404	0.05
3 = Response entered LOG ASSN (from STMOTHS2).....	1	0.00
5 = Response entered LOG ASSN (from STMGTLA2) .....	14	0.00
6 = Response not entered .....	2511	0.28
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	5	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1877	0.21
99 = LEGITIMATE SKIP .....	9928	1.11

**STMRIXDRS<sup>1</sup>**      Len : 2    I GOT PRSCRPS FOR STIMULANTS FROM TWO+ DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	72	0.01
6 = Response not entered .....	2851	0.32
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1888	0.21
99 = LEGITIMATE SKIP .....	9928	1.11

**STMRIXFAK<sup>1</sup>**      Len : 2    I WROTE FAKE PRESCRIPTIONS FOR STIMULANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	22	0.00
6 = Response not entered .....	2901	0.32
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	2	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1887	0.21
99 = LEGITIMATE SKIP .....	9928	1.11

**STMSTOLE<sup>1</sup>**      Len : 2    I STOLE STIMS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	31	0.00
5 = Response entered LOG ASSN (from STMGTLA2) .....	2	0.00
6 = Response not entered .....	2890	0.32
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1888	0.21
99 = LEGITIMATE SKIP .....	9928	1.11



PRIOR SUBSTANCE USE

STMFRFRE<sup>1</sup>

Len : 2 I GOT STIMULANTS FROM A FRND/RELATIVE FOR FREE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	1474	0.17
3 = Response entered LOG ASSN (from STMOTHS2).....	12	0.00
5 = Response entered LOG ASSN (from STMGTLA2) .....	27	0.00
6 = Response not entered .....	1423	0.16
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1875	0.21
99 = LEGITIMATE SKIP.....	9927	1.11

STMFRBUY<sup>1</sup>

Len : 2 I BOUGHT THE STIMS FROM A FRIEND OR RELATIVE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	819	0.09
3 = Response entered LOG ASSN (from STMOTHS2).....	2	0.00
5 = Response entered LOG ASSN (from STMGTLA2) .....	13	0.00
6 = Response not entered .....	2092	0.23
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1885	0.21
99 = LEGITIMATE SKIP.....	9928	1.11

STMFRTE<sup>1</sup>

Len : 2 I TOOK THE STIMS FROM A FRND/RELATIVE WO ASKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	230	0.03
5 = Response entered LOG ASSN (from STMGTLA2) .....	8	0.00
6 = Response not entered .....	2687	0.30
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP.....	9927	1.11

STMDEALR<sup>1</sup>

Len : 2 I BOUGHT THE STIMS FROM DRUG DEALR/OTH STRANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	337	0.04
3 = Response entered LOG ASSN (from STMOTHS2).....	4	0.00
5 = Response entered LOG ASSN (from STMGTLA2) .....	8	0.00
6 = Response not entered .....	2578	0.29
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1884	0.21
99 = LEGITIMATE SKIP.....	9928	1.11

PRIOR SUBSTANCE USE

STMINET<sup>1</sup>

Len : 2 I BOUGHT THE STIMULANTS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	60	0.01
5 = Response entered LOG ASSN (from STMGTLA2) .....	3	0.00
6 = Response not entered .....	2861	0.32
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1887	0.21
99 = LEGITIMATE SKIP .....	9928	1.11

STMOTHWY<sup>1</sup>

Len : 2 I GOT THE STIMULANTS IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	188	0.02
5 = Response entered LOG ASSN (from STMGTLA2) .....	6	0.00
6 = Response not entered .....	2731	0.31
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	136	0.02
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	9928	1.11

STMOTHS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT STIMULANT USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Got one/more prescriptions from just one doctor .....	1	0.00
5 = Got it from a friend or relative for free .....	15	0.00
6 = Bought it from a friend or relative .....	2	0.00
8 = Bought it from a drug dealer or other stranger .....	4	0.00
10 = Got it in some other way .....	65	0.01
11 = From friend, relative, home; otherwise unspcfd .....	56	0.01
71 = Bought/obtained it outside of the US .....	1	0.00
72 = An OTC drug /OTC-only store reported .....	3	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	109	0.01
85 = BAD DATA Logically assigned .....	7	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	25847	2.89
94 = DON'T KNOW .....	15	0.00
97 = REFUSED .....	159	0.02
98 = BLANK (NO ANSWER) .....	1973	0.22
99 = LEGITIMATE SKIP .....	12659	1.42

PRIOR SUBSTANCE USE

You reported that you got the prescription stimulants you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription stimulants that you used?

Please enter all of the ways that your friend or relative got the prescription stimulants you used in the past 30 days.

**STMFF1DR<sup>1</sup>**      Len : 2    FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM 1 DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	877	0.10
3 = Response entered LOG ASSN (from STMFFOSP) .....	1	0.00
5 = Response entered LOG ASSN (from STMFFLAS) .....	14	0.00
6 = Response not entered .....	313	0.04
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1877	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

**STMFFDRS<sup>1</sup>**      Len : 2    FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM >1 DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	53	0.01
5 = Response entered LOG ASSN (from STMFFLAS) .....	1	0.00
6 = Response not entered .....	1143	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1885	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

**STMFFAKE<sup>1</sup>**      Len : 2    FRIEND/RELATIVE WROTE FAKE RX FOR STIMULANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	7	0.00
6 = Response not entered .....	1189	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

**STMFFSTL<sup>1</sup>**      Len : 2    FRND/RELAT STOLE STIMS FRM DR/CLIN/HOSP/PHARM

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	7	0.00
6 = Response not entered .....	1189	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

PRIOR SUBSTANCE USE

STMFFREE<sup>1</sup>

Len : 2 FRND/RELAT GOT STIMS FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	193	0.02
5 = Response entered LOG ASSN (from STMFFLAS) .....	4	0.00
6 = Response not entered .....	1001	0.11
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1884	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

STMFFBOT<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT STIMS FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	133	0.01
5 = Response entered LOG ASSN (from STMFFLAS) .....	7	0.00
6 = Response not entered .....	1059	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	78	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1884	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

STMFFTAK<sup>1</sup>

Len : 2 FRND/RELAT TOOK STIMS FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	36	0.00
3 = Response entered LOG ASSN (from STMFFOSP) .....	1	0.00
5 = Response entered LOG ASSN (from STMFFLAS) .....	1	0.00
6 = Response not entered .....	1158	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

STMFFDLR<sup>1</sup>

Len : 2 FRND/RELAT BOUGHT STIMS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	85	0.01
5 = Response entered LOG ASSN (from STMFFLAS) .....	5	0.00
6 = Response not entered .....	1111	0.12
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1881	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

PRIOR SUBSTANCE USE

STMFFNET<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT STIMS ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	12	0.00
3 = Response entered LOG ASSN (from STMFFOSP) .....	1	0.00
6 = Response not entered .....	1183	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

STMFFOTH<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT STIMULANTS SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	39	0.00
5 = Response entered LOG ASSN (from STMFFLAS) .....	2	0.00
6 = Response not entered .....	1157	0.13
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1884	0.21
99 = LEGITIMATE SKIP .....	9988	1.12

STMFFOSP<sup>1</sup>

Len : 2 OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = He/she got prescriptions from just one doctor.....	1	0.00
5 = He/she got it from a friend or relative for free .....	1	0.00
7 = He/she took from a friend or relative w/o asking .....	1	0.00
9 = He/she bought it on the Internet .....	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd .....	4	0.00
13 = Given to him/her; otherwise unspecified.....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	2	0.00
16 = He/she made/cooked it.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	3	0.00
21 = He/she found it; otherwise unspecified .....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd .....	2	0.00
29 = He/she got drugs/money in exchange for sex .....	1	0.00
32 = He/she got it thru the mail; Internet unspecified .....	1	0.00
33 = He/she stole it from a store/pharmacy .....	1	0.00
71 = He/she bought/obtained it outside of the US .....	3	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS .....	23206	2.60
94 = DON'T KNOW .....	11	0.00
97 = REFUSED .....	1	0.00
98 = BLANK (NO ANSWER) .....	1973	0.22
99 = LEGITIMATE SKIP .....	11145	1.25

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription stimulant?

STMGTLA2<sup>1</sup>

Len : 2 HOW GOT PRSCRIP STIMULANT PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
1 = I got a prescription from just one doctor.....	417	0.05
2 = I got prescriptions from more than one doctor.....	31	0.00
3 = I wrote a fake prescription.....	11	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy.....	18	0.00
5 = I got it from a friend or relative for free.....	3066	0.34
6 = I bought it from a friend or relative.....	1295	0.15
7 = I took it from friend/relative without asking.....	336	0.04
8 = I bought it from a drug dealer or other stranger.....	383	0.04
9 = I bought it on the Internet.....	62	0.01
10 = I got it in some other way.....	263	0.03
11 = I got a prescription from just one doctor LOG ASSN.....	1	0.00
15 = I got it from friend/relative for free LOG ASSN.....	36	0.00
16 = I bought it from a friend or relative LOG ASSN.....	5	0.00
17 = I took it from friend/relative w/o asking LOG ASSN.....	3	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	3	0.00
19 = I bought it on the Internet LOGICALLY ASSIGNED.....	2	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS.....	20196	2.26
94 = DON'T KNOW.....	162	0.02
97 = REFUSED.....	182	0.02
98 = BLANK (NO ANSWER).....	1960	0.22
99 = LEGITIMATE SKIP.....	12371	1.39

STMGTOS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT STIMULANT USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
1 = Got one/more prescriptions from just one doctor.....	1	0.00
5 = Got it from a friend or relative for free.....	36	0.00
6 = Bought it from a friend or relative.....	5	0.00
7 = Took from a friend or relative without asking.....	4	0.00
8 = Bought it from a drug dealer or other stranger.....	3	0.00
9 = Bought it on the Internet.....	2	0.00
10 = Got it in some other way.....	71	0.01
11 = From friend, relative, home; otherwise unspcfd.....	90	0.01
13 = Given to me; otherwise unspecified.....	4	0.00
17 = Got it from a place of business; otherwise unspcfd.....	13	0.00
21 = Found it; otherwise unspecified.....	4	0.00
72 = An OTC drug /OTC-only store reported.....	5	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
74 = Name of drug reported, OTC unspecified.....	4	0.00
75 = Took it by mistake; didn't realize it was a drug.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	109	0.01
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	516824	57.88
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS.....	20196	2.26
94 = DON'T KNOW.....	14	0.00
97 = REFUSED.....	199	0.02
98 = BLANK (NO ANSWER).....	2124	0.24
99 = LEGITIMATE SKIP.....	18020	2.02

PRIOR SUBSTANCE USE

You reported that you got the prescription stimulant you last used from a friend or relative for free. How did your friend or relative get the last prescription stimulant that you used?

STMFFLAS<sup>1</sup>      Len : 2    HOW FRND/RELAT GOT STIMULANTS THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = He/she got a prescription from just one doctor.....	1841	0.21
2 = He/she got prescriptions from more than one doctor.....	90	0.01
3 = He/she wrote a fake prescription.....	2	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy .....	11	0.00
5 = He/she got it from a friend or relative for free .....	235	0.03
6 = He/she bought it from a friend or relative .....	177	0.02
7 = He/she took it from friend/relative without asking.....	30	0.00
8 = He/she bought it from a drug dealer/other stranger .....	80	0.01
9 = He/she bought it on the Internet.....	14	0.00
10 = He/she got it in some other way.....	52	0.01
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS .....	18120	2.03
94 = DON'T KNOW .....	179	0.02
97 = REFUSED .....	15	0.00
98 = BLANK (NO ANSWER) .....	2077	0.23
99 = LEGITIMATE SKIP.....	13439	1.50

STMFFLSP<sup>1</sup>      Len : 2    OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
11 = Fr friend/relat/home/co-worker; otherwise unspcfd .....	5	0.00
12 = He/she stole or took it; otherwise unspecified.....	2	0.00
13 = Given to him/her; otherwise unspecified.....	1	0.00
14 = He/she bought it; otherwise unspecified.....	2	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	3	0.00
18 = He/she got fr individual; how & relation unspcfd .....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	1	0.00
21 = He/she found it; otherwise unspecified .....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd .....	1	0.00
71 = He/she bought/obtained it outside of the US.....	2	0.00
72 = Over-the-counter drug reported.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn .....	92	0.01
85 = BAD DATA Logically assigned .....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS .....	465381	52.12
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS .....	18120	2.03
94 = DON'T KNOW .....	25	0.00
97 = REFUSED .....	18	0.00
98 = BLANK (NO ANSWER) .....	2256	0.25
99 = LEGITIMATE SKIP.....	15920	1.78

Earlier, the computer recorded that, during the past 30 days, you used methamphetamine. How did you get this methamphetamine?

Please enter all of the ways that you got the methamphetamine you used in the past 30 days.

MTHFRFRE<sup>1</sup>      Len : 2    I GOT METHAMP FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
1 = Response entered .....	671	0.08
3 = Response entered LOG ASSN (from MTHOTHS2).....	3	0.00
5 = Response entered LOG ASSN (from MTHGTLA2).....	3	0.00
6 = Response not entered .....	599	0.07
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	105	0.01
85 = BAD DATA Logically assigned .....	5	0.00
91 = NEVER USED METHAMPHETAMINE .....	530628	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	24315	2.72
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	255	0.03
98 = BLANK (NO ANSWER) .....	1124	0.13
99 = LEGITIMATE SKIP.....	1	0.00

PRIOR SUBSTANCE USE

MTHFRBUY<sup>1</sup>

Len : 2 I BOUGHT THE METHAMP FROM A FRIEND OR RELATIVE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	430	0.05
5 = Response entered LOG ASSN (from MTHGTLA2) .....	7	0.00
6 = Response not entered .....	839	0.09
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	105	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	530628	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	24315	2.72
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	255	0.03
98 = BLANK (NO ANSWER) .....	1128	0.13
99 = LEGITIMATE SKIP .....	1	0.00

MTHFRTKE<sup>1</sup>

Len : 2 I TOOK THE METHAMP FROM A FRND/RELATIVE WO ASKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	58	0.01
6 = Response not entered .....	1217	0.14
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	105	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	530628	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	24315	2.72
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	255	0.03
98 = BLANK (NO ANSWER) .....	1129	0.13
99 = LEGITIMATE SKIP .....	1	0.00

MTHDEALR<sup>1</sup>

Len : 2 I BOUGHT THE METHAMP FROM DRUG DEALR/OTH STRANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	353	0.04
3 = Response entered LOG ASSN (from MTHOTHS2) .....	4	0.00
5 = Response entered LOG ASSN (from MTHGTLA2) .....	2	0.00
6 = Response not entered .....	917	0.10
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	105	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	530628	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	24315	2.72
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	255	0.03
98 = BLANK (NO ANSWER) .....	1128	0.13
99 = LEGITIMATE SKIP .....	1	0.00

MTHINET<sup>1</sup>

Len : 2 I BOUGHT THE METHAMP ON THE INTERNET

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	16	0.00
6 = Response not entered .....	1259	0.14
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	105	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	530628	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	24315	2.72
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	255	0.03
98 = BLANK (NO ANSWER) .....	1129	0.13
99 = LEGITIMATE SKIP .....	1	0.00



PRIOR SUBSTANCE USE

MTHOTHWY<sup>1</sup>

Len : 2 I GOT THE METHAMP IN SOME OTHER WAY

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	125	0.01
5 = Response entered LOG ASSN (from MTHGTLA2) .....	2	0.00
6 = Response not entered .....	1149	0.13
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	105	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	530628	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	24315	2.72
94 = DON'T KNOW .....	33	0.00
97 = REFUSED .....	255	0.03
98 = BLANK (NO ANSWER) .....	1128	0.13

MTHOHS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT METH USED IN PST 30 DAYS

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
2 = Got prescriptions from more than one doctor .....	1	0.00
5 = Got it from a friend or relative for free .....	3	0.00
8 = Bought it from a drug dealer or other stranger .....	4	0.00
10 = Got it in some other way .....	61	0.01
11 = From friend, relative, home; otherwise unspecfd .....	12	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspecfd .....	3	0.00
16 = Made it/cooked it .....	3	0.00
23 = Got it with prescription(s); otherwise unspecified .....	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	105	0.01
85 = BAD DATA Logically assigned .....	12	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
91 = NEVER USED METHAMPHETAMINE .....	530628	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	24317	2.72
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	272	0.03
98 = BLANK (NO ANSWER) .....	1161	0.13
99 = LEGITIMATE SKIP .....	1148	0.13

You reported that you got the Methamphetamine you used in the past 30 days from a friend or relative for free. How did your friend or relative get the Methamphetamine that you used?

Please enter all of the ways that your friend or relative got the Methamphetamine you used in the past 30 days.

MTHFFREE<sup>1</sup>

Len : 2 FRND/RELAT GOT METHAMP FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	177	0.02
5 = Response entered LOG ASSN (from MTHFFLAS) .....	3	0.00
6 = Response not entered .....	279	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	89	0.01
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED METHAMPHETAMINE .....	478261	53.56
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	21176	2.37
94 = DON'T KNOW .....	47	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1284	0.14
99 = LEGITIMATE SKIP .....	509	0.06

MTHFFBOT<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	177	0.02
5 = Response entered LOG ASSN (from MTHFFLAS) .....	2	0.00
6 = Response not entered .....	280	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	89	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED METHAMPHETAMINE .....	478261	53.56
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	21176	2.37
94 = DON'T KNOW .....	47	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1286	0.14
99 = LEGITIMATE SKIP .....	509	0.06

PRIOR SUBSTANCE USE

MTHFFTAK<sup>1</sup>

Len : 2 FRND/RELAT TOOK METHAMP FRM FRND/REL WO ASKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	15	0.00
6 = Response not entered .....	444	0.05
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	89	0.01
91 = NEVER USED METHAMPHETAMINE .....	478261	53.56
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	21176	2.37
94 = DON'T KNOW .....	47	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1287	0.14
99 = LEGITIMATE SKIP .....	509	0.06

MTHFFDLR<sup>1</sup>

Len : 2 FRND/RELAT BOUGHT METH FR DRUG DEALER/STRANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	155	0.02
5 = Response entered LOG ASSN (from MTHFFLAS) .....	3	0.00
6 = Response not entered .....	301	0.03
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	89	0.01
91 = NEVER USED METHAMPHETAMINE .....	478261	53.56
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	21176	2.37
94 = DON'T KNOW .....	47	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1287	0.14
99 = LEGITIMATE SKIP .....	509	0.06

MTHFFNET<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP ON THE INTERNET

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	3	0.00
5 = Response entered LOG ASSN (from MTHFFLAS) .....	2	0.00
6 = Response not entered .....	456	0.05
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	89	0.01
91 = NEVER USED METHAMPHETAMINE .....	478261	53.56
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	21176	2.37
94 = DON'T KNOW .....	45	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1287	0.14
99 = LEGITIMATE SKIP .....	509	0.06

MTHFFOTH<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT METHAMPHET SOME OTHER WAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	70	0.01
5 = Response entered LOG ASSN (from MTHFFLAS) .....	1	0.00
6 = Response not entered .....	388	0.04
81 = NEVER USED METHAMPHETAMINE Logically assigned .....	89	0.01
91 = NEVER USED METHAMPHETAMINE .....	478261	53.56
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS .....	21176	2.37
94 = DON'T KNOW .....	47	0.01
97 = REFUSED .....	9	0.00
98 = BLANK (NO ANSWER) .....	1287	0.14
99 = LEGITIMATE SKIP .....	509	0.06

PRIOR SUBSTANCE USE

MTHFFOSP<sup>1</sup>

Len : 2 OTHER WAY FRND/RELAT GOT METHAMPHETAMINE

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
8 = He/she bought it from drug dealer/other stranger.....	3	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	4	0.00
14 = He/she bought it; otherwise unspecified.....	3	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	3	0.00
16 = He/she made/cooked it.....	15	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
21 = He/she found it; otherwise unspecified.....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd.....	5	0.00
26 = He/she got them as payment for partic in drug deal.....	1	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
32 = He/she got it thru the mail; Internet unspecified.....	1	0.00
72 = Over-the-counter drug reported.....	1	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	89	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	478261	53.56
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	21176	2.37
94 = DON'T KNOW.....	23	0.00
97 = REFUSED.....	3	0.00
98 = BLANK (NO ANSWER).....	1343	0.15
99 = LEGITIMATE SKIP.....	898	0.10

Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.

Now think about the last time you used methamphetamine. How did you get this methamphetamine?

MTHGTLA<sup>2</sup>

Len : 2 HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	668876	74.90
5 = I got it from a friend or relative for free.....	411	0.05
6 = I bought it from a friend or relative.....	135	0.02
7 = I took it from friend/relative without asking.....	35	0.00
8 = I bought it from a drug dealer or other stranger.....	228	0.03
10 = I got it in some other way.....	46	0.01
15 = I got it from a friend/relative for free LOG ASSN.....	1	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN.....	2	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	35	0.00
91 = NEVER USED METHAMPHETAMINE.....	214680	24.04
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	7577	0.85
94 = DON'T KNOW.....	14	0.00
97 = REFUSED.....	97	0.01
98 = BLANK (NO ANSWER).....	475	0.05
99 = LEGITIMATE SKIP.....	360	0.04

MTHGTOS<sup>2</sup>

Len : 2 OTHER WAY RESP GOT METH USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
5 = Got it from a friend or relative for free.....	7	0.00
6 = Bought it from a friend or relative.....	2	0.00
7 = Took from a friend or relative without asking.....	1	0.00
8 = Bought it from a drug dealer or other stranger.....	8	0.00
10 = Got it in some other way.....	54	0.01
11 = From friend, relative, home; otherwise unspcfd.....	24	0.00
13 = Given to me; otherwise unspecified.....	6	0.00
16 = Made it/cooked it.....	3	0.00
18 = From an individual; how and relationship unspcfd.....	3	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	107	0.01
85 = BAD DATA Logically assigned.....	18	0.00
91 = NEVER USED METHAMPHETAMINE.....	530626	59.42
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	21701	2.43
94 = DON'T KNOW.....	8	0.00
97 = REFUSED.....	290	0.03
98 = BLANK (NO ANSWER).....	1240	0.14
99 = LEGITIMATE SKIP.....	3643	0.41

PRIOR SUBSTANCE USE

You reported that you got the Methamphetamine you last used from a friend or relative for free. How did your friend or relative get the last Methamphetamine that you used?

MTHFFLAS<sup>1</sup>      Len : 2    HOW FRND/RELAT GOT METHAMPHETAMINE THE LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
5 = He/she got it from a friend or relative for free .....	290	0.03
6 = He/she bought it from a friend or relative .....	325	0.04
7 = He/she took it from friend/relat without asking.....	11	0.00
8 = He/she bought it from a drug dealer/other stranger .....	237	0.03
9 = He/she bought it on the Internet .....	2	0.00
10 = He/she got it in some other way .....	102	0.01
15 = Got from frnd/relat for free LOG ASSN .....	2	0.00
16 = Bought from friend/relative LOG ASSN .....	1	0.00
18 = Bought fr drg dealr/stranger LOG ASSN .....	3	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	22	0.00
91 = NEVER USED METHAMPHETAMINE .....	478328	53.57
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	19017	2.13
94 = DON'T KNOW .....	126	0.01
97 = REFUSED .....	22	0.00
98 = BLANK (NO ANSWER) .....	1377	0.15
99 = LEGITIMATE SKIP.....	1972	0.22

MTHFFLSP<sup>1</sup>      Len : 2    OTHER WAY FRND/RELAT GOT METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
5 = He/she got it from a friend or relative for free .....	2	0.00
6 = He/she bought it from a friend or relative .....	1	0.00
8 = He/she bought it from drug dealer/other stranger.....	3	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd .....	3	0.00
12 = He/she stole or took it; otherwise unspecified.....	1	0.00
14 = He/she bought it; otherwise unspecified.....	2	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	7	0.00
16 = He/she made/cooked it.....	24	0.00
18 = He/she got fr individual; how & relation unspcfd .....	2	0.00
20 = He/she traded/bartered for it; sex not specfd.....	2	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd .....	10	0.00
72 = Over-the-counter drug reported.....	1	0.00
74 = Name of drug reported, OTC unspecified .....	2	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned.....	3	0.00
85 = BAD DATA Logically assigned .....	4	0.00
91 = NEVER USED METHAMPHETAMINE .....	478347	53.57
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	19017	2.13
94 = DON'T KNOW .....	38	0.00
97 = REFUSED .....	28	0.00
98 = BLANK (NO ANSWER) .....	1503	0.17
99 = LEGITIMATE SKIP.....	2837	0.32

Earlier, the computer recorded that, during the past 30 days, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription sedatives?

Please enter all of the ways that you got the prescription sedatives you used in the past 30 days.

SEDRX1DR<sup>1</sup>      Len : 2    I GOT ONE+ PRSCRPS FOR SEDATIVES FROM JUST ONE DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	133	0.01
3 = Response entered LOG ASSN (from SEDOTHS2) .....	2	0.00
5 = Response entered LOG ASSN (from SEDGTLA2) .....	3	0.00
6 = Response not entered .....	532	0.06
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1565	0.18

PRIOR SUBSTANCE USE

SEDRXDRS<sup>1</sup>

Len : 2 I GOT PRSCRPS FOR SEDATIVES FROM TWO+ DR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	25	0.00
6 = Response not entered .....	645	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1566	0.18

SEDRXFAK<sup>1</sup>

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR SEDATIVES

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	7	0.00
5 = Response entered LOG ASSN (from SEDGTLA2) .....	2	0.00
6 = Response not entered .....	662	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1566	0.18

SEDSTOLE<sup>1</sup>

Len : 2 I STOLE SEDS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	19	0.00
6 = Response not entered .....	651	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1566	0.18

SEDFRFRE<sup>1</sup>

Len : 2 I GOT SEDATIVES FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	346	0.04
3 = Response entered LOG ASSN (from SEDOTHS2) .....	2	0.00
5 = Response entered LOG ASSN (from SEDGTLA2) .....	1	0.00
6 = Response not entered .....	322	0.04
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1566	0.18

SEDFRBUY<sup>1</sup>

Len : 2 I BOUGHT THE SEDS FROM A FRIEND OR RELATIVE

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	91	0.01
5 = Response entered LOG ASSN (from SEDGTLA2) .....	1	0.00
6 = Response not entered .....	578	0.06
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1567	0.18

PRIOR SUBSTANCE USE

SEDFRTKE<sup>1</sup>

Len : 2 I TOOK THE SEDS FROM A FRND/RELATIVE WO ASKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	65	0.01
5 = Response entered LOG ASSN (from SEDGTLA2) .....	2	0.00
6 = Response not entered .....	603	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1567	0.18

SEDDEALR<sup>1</sup>

Len : 2 I BOUGHT THE SEDS FROM DRUG DEALR/OTH STRANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	50	0.01
6 = Response not entered .....	620	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1567	0.18

SEDINET<sup>1</sup>

Len : 2 I BOUGHT THE SEDATIVES ON THE INTERNET

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	5	0.00
6 = Response not entered .....	665	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1567	0.18

SEDOTHWY<sup>1</sup>

Len : 2 I GOT THE SEDATIVES IN SOME OTHER WAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	51	0.01
5 = Response entered LOG ASSN (from SEDGTLA2) .....	2	0.00
6 = Response not entered .....	617	0.07
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	32	0.00
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	1567	0.18

SEDOTHS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT SEDATIVE USED IN PST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Got one/more prescriptions from just one doctor.....	2	0.00
5 = Got it from a friend or relative for free .....	3	0.00
7 = Took from a friend or relative without asking.....	1	0.00
10 = Got it in some other way .....	21	0.00
11 = From friend, relative, home; otherwise unspcfd .....	9	0.00
71 = Bought/obtained it outside of the US .....	3	0.00
72 = An OTC drug /OTC-only store reported .....	1	0.00
74 = Name of drug reported, OTC unspecified .....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	9960	1.12
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	84	0.01
98 = BLANK (NO ANSWER) .....	1601	0.18
99 = LEGITIMATE SKIP.....	617	0.07

PRIOR SUBSTANCE USE

You reported that you got the prescription sedatives you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription sedatives that you used?

Please enter all of the ways that your friend or relative got the prescription sedatives you used in the past 30 days.

**SEDFF1DR<sup>1</sup>**      Len : 2    FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM 1 DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	214	0.02
5 = Response entered LOG ASSN (from SEDFFLAS).....	1	0.00
6 = Response not entered .....	74	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1506	0.17
99 = LEGITIMATE SKIP.....	286	0.03

**SEDFFDRS<sup>1</sup>**      Len : 2    FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM >1 DR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	24	0.00
6 = Response not entered .....	264	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03

**SEDFFAKE<sup>1</sup>**      Len : 2    FRIEND/RELATIVE WROTE FAKE RX FOR SEDATIVES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	2	0.00
6 = Response not entered .....	286	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03

**SEDFFSTL<sup>1</sup>**      Len : 2    FRND/RELAT STOLE SEDATVS FRM DR/CLIN/HOSP/PHARM

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	8	0.00
6 = Response not entered .....	280	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03

PRIOR SUBSTANCE USE

SEDFFREE<sup>1</sup>

Len : 2 FRND/RELAT GOT SEDATIVES FRM FRND/RELAT FOR FREE

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	34	0.00
6 = Response not entered .....	254	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFBOT<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES FROM FRND/RELAT

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	22	0.00
6 = Response not entered .....	266	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFTAK<sup>1</sup>

Len : 2 FRND/RELAT TOOK SEDATIVES FRM FRND/REL WO ASKING

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	12	0.00
6 = Response not entered .....	276	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFDLR<sup>1</sup>

Len : 2 FRND/RELAT BOUGHT SEDTVS FR DRUG DEALER/STRANGER

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	15	0.00
6 = Response not entered .....	273	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03

SEDFFNET<sup>1</sup>

Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES ON THE INTERNET

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	2	0.00
6 = Response not entered .....	286	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP.....	286	0.03



PRIOR SUBSTANCE USE

SEDFFOTH<sup>1</sup>

Len : 2 FRIEND/RELATIVE GOT SEDATIVES SOME OTHER WAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	10	0.00
6 = Response not entered .....	278	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	1507	0.17
99 = LEGITIMATE SKIP .....	286	0.03

SEDFFOSP<sup>1</sup>

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = He/she got prescriptions from just one doctor.....	1	0.00
11 = Fr friend/relat/home/co-worker; otherwise unspcfd .....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd .....	1	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
29 = He/she got drugs/money in exchange for sex.....	1	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
71 = He/she bought/obtained it outside of the US.....	1	0.00
72 = Over-the-counter drug reported.....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS .....	8753	0.98
98 = BLANK (NO ANSWER) .....	1528	0.17
99 = LEGITIMATE SKIP .....	564	0.06

Earlier, the computer recorded that, during the past 12 months, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription sedative?

SEDGTLA2<sup>1</sup>

Len : 2 HOW GOT PRSCRIP SEDATIVE PAST 12 MOS/LAST TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = I got a prescription from just one doctor .....	193	0.02
2 = I got prescriptions from more than one doctor .....	22	0.00
4 = I stole it from dr's office/clinic/hosp/pharmacy .....	3	0.00
5 = I got it from a friend or relative for free .....	690	0.08
6 = I bought it from a friend or relative.....	136	0.02
7 = I took it from friend/relative without asking .....	80	0.01
8 = I bought it from a drug dealer or other stranger .....	53	0.01
10 = I got it in some other way .....	96	0.01
11 = I got a prescription from just one doctor LOG ASSN .....	1	0.00
15 = I got it from friend/relative for free LOG ASSN.....	10	0.00
17 = I took it from friend/relative w/o asking LOG ASSN .....	2	0.00
18 = I bought it from drug dealer/oth stranger LOG ASSN .....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	8650	0.97
94 = DON'T KNOW .....	55	0.01
97 = REFUSED .....	91	0.01
98 = BLANK (NO ANSWER) .....	1622	0.18
99 = LEGITIMATE SKIP .....	604	0.07

PRIOR SUBSTANCE USE

SEDGTOS2<sup>1</sup>

Len : 2 OTHER WAY RESP GOT SEDATIVE USED THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	335230	37.54
1 = Got one/more prescriptions from just one doctor.....	1	0.00
5 = Got it from a friend or relative for free .....	10	0.00
7 = Took from a friend or relative without asking.....	2	0.00
8 = Bought it from a drug dealer or other stranger .....	1	0.00
10 = Got it in some other way .....	31	0.00
11 = From friend, relative, home; otherwise unspcfd .....	12	0.00
74 = Name of drug reported, OTC unspecified .....	2	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	217	0.02
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED SEDATIVES .....	545216	61.06
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	8650	0.97
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	96	0.01
98 = BLANK (NO ANSWER) .....	1677	0.19
99 = LEGITIMATE SKIP.....	1814	0.20

You reported that you got the prescription sedative you last used from a friend or relative for free. How did your friend or relative get the last prescription sedative that you used?

SEDFFLAS<sup>1</sup>

Len : 2 HOW FRND/RELAT GOT SEDATIVES THE LAST TIME

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
1 = He/she got a prescription from just one doctor.....	423	0.05
2 = He/she got prescriptions from more than one doctor.....	24	0.00
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy .....	5	0.00
5 = He/she got it from a friend or relative for free .....	47	0.01
6 = He/she bought it from a friend or relative .....	14	0.00
7 = He/she took it from friend/relative without asking.....	11	0.00
8 = He/she bought it from a drug dealer/other stranger .....	12	0.00
9 = He/she bought it on the Internet .....	3	0.00
10 = He/she got it in some other way.....	19	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	7598	0.85
94 = DON'T KNOW .....	45	0.01
97 = REFUSED .....	4	0.00
98 = BLANK (NO ANSWER) .....	1597	0.18
99 = LEGITIMATE SKIP.....	1053	0.12

SEDFFLSP<sup>1</sup>

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVE

	Freq	Pct
-9 = Data not collected for this year.....	391135	43.80
11 = Fr friend/relat/home/co-worker; otherwise unspcfd .....	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd.....	3	0.00
21 = He/she found it; otherwise unspecified .....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd .....	1	0.00
24 = He/she bought them at a pharmacy/store.....	1	0.00
26 = He/she got them as payment for partic in drug deal .....	1	0.00
30 = He/she got it at work; otherwise unspecified.....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	195	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED SEDATIVES .....	490787	54.96
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS .....	7598	0.85
94 = DON'T KNOW .....	8	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	1642	0.18
99 = LEGITIMATE SKIP.....	1592	0.18

RECODED PRIOR SUBSTANCE USE

**RECODED PRIOR SUBSTANCE USE**

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Recoded Drug Use and Prior Substance Use.

**MJPRIOR**      Len : 1    RC-MARIJUANA USE 12-23 MONTHS PRIOR TO INTERVIEW

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	54079	6.06
0 = No (Otherwise) .....	701644	78.57
1 = Used 12-23 Months Ago (MRJYRBFR=1).....	137249	15.37

**MJPRIYR**      Len : 1    RC-MRJ USE 12-23 MONTHS PRIOR & PST YR MRJ USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	54079	6.06
0 = No (Otherwise) .....	732890	82.07
1 = Used in Prior Yr & Past Yr (MRJYR=1 & MJPRIOR=1) .....	106003	11.87

**MJPRNOYR**    Len : 1    RC-MRJ USE 12-23 MONTHS PRIOR & NO PST YR MRJ USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	54079	6.06
0 = No (Otherwise) .....	807647	90.44
1 = Used in Pr Yr NOT Pst Yr (MRJYR=0 and MJPRIOR=1).....	31246	3.50

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC2, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As indicated below, the imputed core-plus-noncore past year methamphetamine use variable (CPNMTHYR) was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:

5. From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=5, 15 or only MTHFRFRE=1, 3, 5)
6. Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=6, 16 or only MTHFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=7, 17 or only MTHFRKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=8, 18 or only MTHDEALR=1, 3, 5)
9. Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=9, 19 or only MTHINET=1, 3, 5)
10. Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLAS=10 and MTHGTOSP=11-36, 38, 39, 71 or only MTHOTHWY=1, 3, 5 and MTHOTHSP=1, 2, 11-36, 38, 39, 71])
11. No Lifetime or Past Year Use (CPNMTHYR=0)

(SAS Missing) Unknown/Invalid Source {Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLAS=85, 93, 94, 97, 98] or [MTHGTLAS=10 and MTHGTOSP=70, 72-75, 85, 94, 97, 98] or [MTHGTLAS=99 and only MTHOTHWY=1 and MTHOTHSP=70, 72-75, 85, 94, 97, 98])}

Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

**MTHLTSC2**      Len : 2    SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Invalid Past Year Use.....	107	0.01
-9 = Data not collected for this year .....	782032	87.58
5 = Got From Friend or Relative for Free .....	545	0.06
6 = Bought from Friend or Relative .....	203	0.02
7 = Took from Friend or Relative without Asking .....	32	0.00
8 = Bought from Drug Dealer or Other Stranger.....	195	0.02
9 = Bought on the Internet .....	12	0.00
10 = Got Some Other Way.....	33	0.00
11 = No Lifetime or Past Year Use .....	109813	12.30

RECODED PRIOR SUBSTANCE USE

NOTE: The following five variables pertain to the source of a respondent's most recent nonmedical use of prescription pain relievers (ANLLTSC), prescription tranquilizers (TRNLTSC), prescription stimulants (STMLTSC), prescription sedatives (SEDLTSC), and methamphetamine (MTHLTSC2) within the past year.

For each variable, excluding MTHLTSC2, there are 11 mutually exclusive categories; 10 categories for specific sources and one category for those respondents who did not indicate using the drug in the past year. Since methamphetamine is not available by prescription, the first four categories are not applicable thus there are only seven mutually exclusive categories for MTHLTSC2; six sources and one category for non past year users. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after selecting multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLAS=99) were classified as having "No Past Year Rx Use" (STMLTSC=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories (including SAS missing) for the source of most recent prescription drug use in the past year for the variables, ANLLTSC, TRNLTSC, STMLTSC, and SEDLTSC:

1. Got From One Doctor (XXXGTLAS=1, 11 or only XXXRX1DR=1, 3, 5 )
2. Got From More Than One Doctor (XXXGTLAS=2, 12 or only XXXRXDRS=1, 3, 5)
3. Wrote Fake Prescription (XXXGTLAS=3, 13 or only XXXRXFAK=1, 3, 5)
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy (XXXGTLAS=4, 14 or only XXXSTOLE=1, 3, 5)
5. Got From Friend or Relative for Free (XXXGTLAS=5, 15 or only XXXFRFRE=1, 3, 5)
6. Bought from Friend or Relative (XXXGTLAS=6, 16 or only XXXFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (XXXGTLAS=7, 17 or only XXXFRTKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (XXXGTLAS=8, 18 or only XXXDEALR=1, 3, 5)
9. Bought on the Internet (XXXGTLAS=9, 19 or only XXXINET=1, 3, 5)
10. Got Some Other Way ((XXXGTLAS=10 and XXXGTOSP=11-36, 39, 71) or (only XXXOTHWY=1, 3, 5 and XXXOTHSP=11-36, 39, 71))
11. No Past Year Use (XXXGTLAS=81, 89, 91, 93, 99)

(SAS Missing) Unknown/Invalid Source (XXXGTLAS=85, 94, 97, 98 or [XXXGTLAS=10 and XXXGTOSP=70, 72-75, 85, 94, 97, 98] or [XXXGTLAS=99 and only XXXOTHWY=1 and XXXOTHSP=70, 72-75, 85, 94, 97, 98])

ANLLTSC

Len : 2 SOURCE OF PAIN RELIEVERS FOR LAST NONMED USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Invalid Source .....	6656	0.75
-9 = Data not collected for this year .....	390501	43.73
1 = Got From One Doctor .....	5354	0.60
2 = Got From More Than One Doctor .....	621	0.07
3 = Wrote Fake Prescription .....	80	0.01
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy .....	156	0.02
5 = Got From Friend or Relative for Free .....	17449	1.95
6 = Bought from Friend or Relative .....	3770	0.42
7 = Took from Friend or Relative without Asking .....	2026	0.23
8 = Bought from Drug Dealer or Other Stranger .....	1743	0.20
9 = Bought on the Internet .....	65	0.01
10 = Got Some Other Way .....	1446	0.16
11 = No Past Year Use .....	463105	51.86

RECODED PRIOR SUBSTANCE USE

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following 5 variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCFR), prescription tranquilizers (TRNSRCFR), prescription stimulants (STMSRCFR), prescription sedatives (SEDSRCFR), and methamphetamine (MTHSRCFR) within the past year.

For each variable, excluding MTHSRCFR, there are 11 mutually exclusive categories; 10 categories for specific sources that the friend/relative obtained the drug from and one category for a respondent who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 7 mutually exclusive categories for MTHSRCFR; 6 sources and one level for non past year users or past year users who obtained the drug from a valid source other than a friend or relative for free. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use. Anyone who was administered at least one of these four source questionnaire items, but did not have a valid answer for one or more of the four questions was generally classified as a SAS system missing '!' for these five variables.

During the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOSP and XXXOTHSP, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source. For example, a respondent who indicated they obtained prescription pain relievers in some other way for their last use (ANLGTLAS=10) and then indicated the some other way was a specific city or state in the United States (ANLGTOSP=70) is classified as having a valid source not from a friend or relative for free (ANLSRCFR=11). However, this response is not a valid way of obtaining pain relievers; therefore, the respondent should have a SAS missing value for ANLSRCFR.

The overall impact of these inconsistencies is anticipated to be small since it is believed that most analysts will utilize these variables similar to how they are used in the detailed tables. That is, it is assumed that most users would either collapse or omit level 11 and the SAS missing level because only categories 1 through 10 apply to the source from which the friend/relative obtained the drug. As a result, it is recommended that the SAS missing and level 11 not be used as two distinct levels in analyses. Starting with the 2014 NSDUH, these 5 variables will no longer be available on the data file; only the corrected versions (XXXSRCF2) that combine SAS missing and level 11 into a single level will be available. To allow for comparability across years, the erroneous variables have been retained on the 2013 data file. For the 2013 NSDUH both the erroneous variables and the corrected variables have been retained.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLAS=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCFR=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCFR, TRNSRCFR, STMSRCFR, and SEDSRCFR:

1. Got from One Doctor ((XXXGTLAS=5 and XXXFFLAS=1, 11) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFF1DR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLAS=5 and XXXFFLAS=2, 12) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLAS=5 and XXXFFLAS=3, 13) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLAS=5 and XXXFFLAS=4, 14) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got From Friend or Relative for Free ((XXXGTLAS=5 and XXXFFLAS=5, 15) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLAS=5 and XXXFFLAS=6, 16) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLAS=5 and XXXFFLAS=7, 17) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLAS=5 and XXXFFLAS=8, 18) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLAS=5 and XXXFFLAS=9, 19) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLAS=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free ((XXXGTLAS=1-4, 6-14, 16-19) or (XXXFFLAS=81, 89, 91, 93, 99 and XXXFFLSP=81, 89, 91, 93, 99 and XXXFRFRE=6, 81, 89, 83, 91, 93, 99))

(SAS Missing) Unknown/Invalid Source ((XXXGTLAS=5, 15, 89, 99 and XXXFRFRE=1, 3, 5 and (XXXFF1DR through XXXFFOTH=94, 97, 98 or multiple responses)) or [XXXGTLAS=85, 94, 97, 98] or [XXXGTLAS=10 and XXXGTOSP=85, 94, 97, 98] or [XXXGTLAS=15 and (XXXFF1DR=93 or XXXFFDRS=93 or XXXFFAKE=93 or XXXFFSTL=93 or XXXFFREE=93 or XXXFFBOT=93 or XXXFFTAK=93 or XXXFFDLR=93 or XXXFFNET=93)] or [XXXGTLAS=5 and XXXFFLAS=85, 94, 97, 98] or [XXXGTLAS=5 and XXXFFLAS=10 and XXXFFLSP=70, 72-75, 85, 94, 97, 98] or [XXXGTLAS=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=70, 72-75, 85, 94, 97, 98])

RECORDED PRIOR SUBSTANCE USE

ANLSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = Unknown/Invalid Source .....	7251	0.81
-9 = Data not collected for this year .....	446406	49.99
1 = Got From One Doctor .....	9968	1.12
2 = Got From More Than One Doctor .....	565	0.06
3 = Wrote Fake Prescription .....	17	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	64	0.01
5 = Got From Friend or Relative for Free .....	1034	0.12
6 = Bought from Friend or Relative .....	759	0.08
7 = Took from Friend or Relative without Asking .....	336	0.04
8 = Bought from Drug Dealer or Other Stranger .....	323	0.04
9 = Bought on the Internet .....	20	0.00
10 = Got Some Other Way .....	255	0.03
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel .....	425974	47.70

TRNSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = Unknown/Invalid Source .....	3046	0.34
-9 = Data not collected for this year .....	446406	49.99
1 = Got from One Doctor .....	4107	0.46
2 = Got from More Than One Doctor .....	203	0.02
3 = Wrote Fake Prescription .....	10	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	21	0.00
5 = Got from Friend or Relative for Free .....	643	0.07
6 = Bought from Friend or Relative .....	384	0.04
7 = Took from Friend or Relative without Asking .....	122	0.01
8 = Bought from Drug Dealer or Other Stranger .....	204	0.02
9 = Bought on the Internet .....	16	0.00
10 = Got Some Other Way .....	70	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel .....	437740	49.02

STMSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = Unknown/Invalid Source .....	2139	0.24
-9 = Data not collected for this year .....	446406	49.99
1 = Got from One Doctor .....	2207	0.25
2 = Got from More Than One Doctor .....	112	0.01
3 = Wrote Fake Prescription .....	4	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	14	0.00
5 = Got from Friend or Relative for Free .....	298	0.03
6 = Bought from Friend or Relative .....	198	0.02
7 = Took from Friend or Relative without Asking .....	36	0.00
8 = Bought from Drug Dealer or Other Stranger .....	90	0.01
9 = Bought on the Internet .....	19	0.00
10 = Got Some Other Way .....	25	0.00
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel .....	441424	49.43

SEDSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = Unknown/Invalid Source .....	1498	0.17
-9 = Data not collected for this year .....	446406	49.99
1 = Got from One Doctor .....	543	0.06
2 = Got from More Than One Doctor .....	32	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	8	0.00
5 = Got from Friend or Relative for Free .....	58	0.01
6 = Bought from Friend or Relative .....	19	0.00
7 = Took from Friend or Relative without Asking .....	14	0.00
8 = Bought from Drug Dealer or Other Stranger .....	15	0.00
9 = Bought on the Internet .....	4	0.00
10 = Got Some Other Way .....	9	0.00
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel .....	444366	49.76

RECODED PRIOR SUBSTANCE USE

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCFR, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As described in the comment above ANLSRCFR, during the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOSP and XXXOTHSP, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source.

Additionally, for MTHSRCFR, not all past 30 day users with a valid source other than a friend or relative for free have been correctly classified. In cases where the respondent legitimately skipped the source of last use question (MTHGTLAS=99) but gave a single valid source other than from a friend or relative for free to the past 30 day source question (MTHFRBUY=1,3 or MTHDEALR=1,3 or MTHFRTRKE=1,3 or MTHINET=1,3 or (MTHOTHWY=1 and MTHOTHSP=valid "other" response, levels 11-34, 36, 38,39,71)), the respondent is classified as having an unknown/invalid source (MTHSRCFR=.) instead of being classified as having a valid source of most recent use not from a friend or relative for free (MTHSRCFR=11). For example, a respondent who answered the past 30 day question with the single response 'Bought from a drug dealer or other stranger' (MTHDEALR=1) would be skipped out of the source of last use question and would have a legitimate skip value (MTHGTLAS=99). This respondent is classified as having an unknown/invalid source (MTHSRCFR=.) based on the skip code; however, the respondent obtained the drug from a drug dealer or other stranger which is a valid source that is not from a friend or relative for free and should be classified accordingly (MTHSRCFR=11).

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=5, 15] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=6, 16] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=7, 17] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=8, 18] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=9, 19] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLAS=5, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLAS=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free {CPNMTHYR=0 or [MTHGTLAS=6-9, 10, 16-19 and MTHGTOSP^(85, 94, 97)] or [MTHGTLAS=81, 89, 91, 93, 99 and MTHFFLSP=81, 89, 91, 93, 99 and MTHFRFRE=6, 81, 83, 91, 93, 99 and CPNMTHYR ne 1]}

(SAS Missing) Unknown/Invalid Source {CPNMTHYR=1 and [MTHGTLAS=85, 93, 94, 97, 98] or [MTHGTLAS=10 and MTHGTOSP in(85, 94, 97, 98)] or [MTHGTLAS=15 and (MTHFFREE=93 or MTHFFBOT=93 or MTHFFTAK=93 or MTHFFDLR=93 or MTHFFNET=93)] or [MTHOTHWY=1 and MTHOTHSP in(85, 94, 97)] and (MTHGTLAS ^in(5, 15)) or [MTHGTLAS=5, 15 and MTHFFLAS=85, 94, 97, 98] or [MTHGTLAS=5, 15 and MTHFFLAS=10 and MTHFFLSP=70, 72-75, 85, 94, 97, 98]}

MTHSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S METHAMPHETAMINES

	Freq	Pct
. = Unknown/Invalid Source .....	951	0.11
-9 = Data not collected for this year.....	446406	49.99
5 = Got from Friend or Relative for Free .....	335	0.04
6 = Bought from Friend or Relative .....	330	0.04
7 = Took from Friend or Relative without Asking .....	16	0.00
8 = Bought from Drug Dealer or Other Stranger.....	255	0.03
9 = Bought on the Internet .....	2	0.00
10 = Got Some Other Way.....	57	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	444620	49.79

RECORDED PRIOR SUBSTANCE USE

TRNLTS2

Len : 2 SOURCE OF TRANQUILIZERS FOR LAST NONMED USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Invalid Source .....	3053	0.34
-9 = Data not collected for this year .....	335230	37.54
1 = Got From One Doctor .....	1287	0.14
2 = Got From More Than One Doctor .....	126	0.01
3 = Wrote Fake Prescription .....	30	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	52	0.01
5 = Got From Friend or Relative for Free .....	8187	0.92
6 = Bought from Friend or Relative .....	2277	0.25
7 = Took from Friend or Relative without Asking .....	770	0.09
8 = Bought from Drug Dealer or Other Stranger .....	1213	0.14
9 = Bought on the Internet .....	46	0.01
10 = Got Some Other Way .....	504	0.06
11 = No Past Year Use .....	540197	60.49

STMLTS2

Len : 2 SOURCE OF RX STIMULANTS FOR LAST NONMED USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Invalid Source .....	2400	0.27
-9 = Data not collected for this year .....	335230	37.54
1 = Got From One Doctor .....	744	0.08
2 = Got From More Than One Doctor .....	82	0.01
3 = Wrote Fake Prescription .....	27	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	44	0.00
5 = Got From Friend or Relative for Free .....	4195	0.47
6 = Bought from Friend or Relative .....	1786	0.20
7 = Took from Friend or Relative without Asking .....	445	0.05
8 = Bought from Drug Dealer or Other Stranger .....	577	0.06
9 = Bought on the Internet .....	107	0.01
10 = Got Some Other Way .....	277	0.03
11 = No Past Year Use .....	547058	61.26

SEDLTS2

Len : 2 SOURCE OF SEDATIVES FOR LAST NONMED USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Invalid Source .....	1798	0.20
-9 = Data not collected for this year .....	335230	37.54
1 = Got From One Doctor .....	308	0.03
2 = Got From More Than One Doctor .....	41	0.00
3 = Wrote Fake Prescription .....	3	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	22	0.00
5 = Got From Friend or Relative for Free .....	990	0.11
6 = Bought from Friend or Relative .....	193	0.02
7 = Took from Friend or Relative without Asking .....	118	0.01
8 = Bought from Drug Dealer or Other Stranger .....	87	0.01
10 = Got Some Other Way .....	99	0.01
11 = No Past Year Use .....	554083	62.05



RECORDED PRIOR SUBSTANCE USE

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC4, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As indicated below, the imputed core-plus-noncore past year methamphetamine use variable (CPNMTHYR) was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:

5. From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=5, 15 or only MTHFRFRE=1, 3, 5)
6. Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=6, 16 or only MTHFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=7, 17 or only MTHFRFRTKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=8, 18 or only MTHDEALR=1, 3, 5)
9. Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=9, 19 or only MTHINET=1, 3, 5)
10. Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLA2=10 and MTHGTOS2=10, 11-38, 71 or only MTHOTHWY=1, 3, 5 and MTHOTH2=10, 11-38, 71])
11. No Lifetime or Past Year Use (CPNMTHYR=0)

(SAS Missing) Unknown/Invalid Source {Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLA2=85, 93, 94, 97, 98] or [MTHGTLA2=10 and MTHGTOS2=70, 72, 73, 74, 75, 85, 94, 97, 98] or [MTHGTLA2=99 and only MTHOTHWY=1 and MTHOTH2=70, 72, 73, 74, 85, 94, 97, 98])}

Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

<b>MTHLTSC4</b>	Len : 2 SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown/Invalid Source .....	373	0.04
	-9 = Data not collected for this year .....	446170	49.96
	5 = Got From Friend or Relative for Free .....	1076	0.12
	6 = Bought from Friend or Relative .....	493	0.06
	7 = Took from Friend or Relative without Asking .....	80	0.01
	8 = Bought from Drug Dealer or Other Stranger .....	520	0.06
	9 = Bought on the Internet .....	10	0.00
	10 = Got Some Other Way .....	94	0.01
	11 = No Past Year Use .....	444156	49.74

NOTE: The following 46 variables were created to capture all a respondent's reported sources of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

<b>ANLRX1D2</b>	Len : 1 GOT ONE+ RX FOR ANL FROM JUST ONE DOCTOR - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	6107	0.68
	-9 = Data not collected for this year .....	335230	37.54
	1 = Yes (ANLRX1DR=1,3,5) .....	3237	0.36
	2 = No (ANLRX1DR=6) .....	10576	1.18
	3 = Never/No Pst Mon Use (ANLRX1DR=81,89,91,93,99) .....	537822	60.23

<b>ANLRXDS2</b>	Len : 1 GOT RX FOR ANL FROM 2 OR MORE DOCTORS - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	6113	0.68
	-9 = Data not collected for this year .....	335230	37.54
	1 = Yes (ANLRXDRS=1,3,5) .....	660	0.07
	2 = No (ANLRXDRS=6) .....	13147	1.47
	3 = Never/No Pst Mon Use (ANLRXDRS=81,89,91,93,99) .....	537822	60.23

<b>ANLRXFK2</b>	Len : 1 WROTE FAKE PRESCRIPTION FOR ANL - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	6116	0.68
	-9 = Data not collected for this year .....	335230	37.54
	1 = Yes (ANLRXFAK=1,3,5) .....	85	0.01
	2 = No (ANLRXFAK=6) .....	13719	1.54
	3 = Never/No Pst Mon Use (ANLRXFAK=81,89,91,93,99) .....	537822	60.23

RECODED PRIOR SUBSTANCE USE

<b>ANLSTOL2</b>	Len : 1 STOLE ANL FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	6116	0.68
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (ANLSTOLE=1,3,5).....	153	0.02
	2 = No (ANLSTOLE=6).....	13651	1.53
	3 = Never/No Pst Mon Use (ANLSTOLE=81,89,91,93,99).....	537822	60.23

<b>ANLFRFE2</b>	Len : 1 GOT ANL FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	6092	0.68
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (ANLFRFRE=1,3,5).....	8109	0.91
	2 = No (ANLFRFRE=6).....	5720	0.64
	3 = Never/No Pst Mon Use (ANLFRFRE=81,89,91,93,99).....	537821	60.23

<b>ANLFRBY2</b>	Len : 1 BOUGHT ANL FROM A FRIEND OR RELATIVE - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	6113	0.68
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (ANLFRBUY=1,3,5).....	3588	0.40
	2 = No (ANLFRBUY=6).....	10219	1.14
	3 = Never/No Pst Mon Use (ANLFRBUY=81,89,91,93,99).....	537822	60.23

<b>ANLFRTK2</b>	Len : 1 TOOK ANL FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	6110	0.68
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (ANLFRTKE=1,3,5).....	1725	0.19
	2 = No (ANLFRTKE=6).....	12085	1.35
	3 = Never/No Pst Mon Use (ANLFRTKE=81,89,91,93,99).....	537822	60.23

<b>ANLDEAL2</b>	Len : 1 BOUGHT ANL FROM DRUG DEALR/OTH STRANGER - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	6114	0.68
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (ANLDEALR=1,3,5).....	2046	0.23
	2 = No (ANLDEALR=6).....	11760	1.32
	3 = Never/No Pst Mon Use (ANLDEALR=81,89,91,93,99).....	537822	60.23

<b>ANLINET2</b>	Len : 1 BOUGHT ANL ON THE INTERNET - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	6115	0.68
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (ANLINET=1,3,5).....	98	0.01
	2 = No (ANLINET=6).....	13707	1.53
	3 = Never/No Pst Mon Use (ANLINET=81,89,91,93,99).....	537822	60.23

The following variable, ANLOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription pain relievers in "some other way" (ANLOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLOTHS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription pain relievers "some other way" was unknown (ANLOTHWY=85, 94, 97, 98).

<b>ANLOTHW2</b>	Len : 1 GOT ANL IN SOME OTHER WAY - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown/Invalid Source (See comment above).....	6464	0.72
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (ANLOTHWY=1,3,5 and ANLOTHS2=10,11-39,71).....	920	0.10
	2 = No (ANLOTHWY=6 or [ANLOTHWY=1,3,5 & ANLOTHS2=1-9]).....	12536	1.40
	3 = Never/No Pst Mon Use (ANLOTHWY=81,89,91,93,99).....	537822	60.23

RECORDED PRIOR SUBSTANCE USE

<b>TRNRX1D2</b>	Len : 1 GOT ONE+ RX FOR TRN FROM JUST ONE DOCTOR - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2431	0.27
	1 = Yes (TRNRX1DR=1,3,5).....	335230	37.54
	2 = No (TRNRX1DR=6).....	655	0.07
	3 = Never/No Pst Mon Use (TRNRX1DR=81,89,91,93,99).....	4257	0.48
		550399	61.64
<b>TRNRXDS2</b>	Len : 1 GOT RX FOR TRN FROM 2 OR MORE DOCTORS - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2434	0.27
	1 = Yes (TRNRXDRS=1,3,5).....	335230	37.54
	2 = No (TRNRXDRS=6).....	75	0.01
	3 = Never/No Pst Mon Use (TRNRXDRS=81,89,91,93,99).....	4834	0.54
		550399	61.64
<b>TRNRXFK2</b>	Len : 1 WROTE FAKE PRESCRIPTION FOR TRN - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2434	0.27
	1 = Yes (TRNRXFAK=1,3,5).....	335230	37.54
	2 = No (TRNRXFAK=6).....	22	0.00
	3 = Never/No Pst Mon Use (TRNRXFAK=81,89,91,93,99).....	4887	0.55
		550399	61.64
<b>TRNSTOL2</b>	Len : 1 STOLE TRN FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2434	0.27
	1 = Yes (TRNSTOLE=1,3,5).....	335230	37.54
	2 = No (TRNSTOLE=6).....	30	0.00
	3 = Never/No Pst Mon Use (TRNSTOLE=81,89,91,93,99).....	4879	0.55
		550399	61.64
<b>TRNFRFE2</b>	Len : 1 GOT TRN FROM A FRIEND/RELATIVE FOR FREE - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2430	0.27
	1 = Yes (TRNFRFRE=1,3,5).....	335230	37.54
	2 = No (TRNFRFRE=6).....	2671	0.30
	3 = Never/No Pst Mon Use (TRNFRFRE=81,89,91,93,99).....	2242	0.25
		550399	61.64
<b>TRNFRBY2</b>	Len : 1 BOUGHT TRN FROM A FRIEND OR RELATIVE - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2433	0.27
	1 = Yes (TRNFRBUY=1,3,5).....	335230	37.54
	2 = No (TRNFRBUY=6).....	1058	0.12
	3 = Never/No Pst Mon Use (TRNFRBUY=81,89,91,93,99).....	3852	0.43
		550399	61.64
<b>TRNFRTK2</b>	Len : 1 TOOK TRN FROM FRND/RELATIVE WITHOUT ASK - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2433	0.27
	1 = Yes (TRNFRTKE=1,3,5).....	335230	37.54
	2 = No (TRNFRTKE=6).....	357	0.04
	3 = Never/No Pst Mon Use (TRNFRTKE=81,89,91,93,99).....	4553	0.51
		550399	61.64
<b>TRNDEAL2</b>	Len : 1 BOUGHT TRN FROM DRUG DEALR/OTH STRANGER - PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2433	0.27
	1 = Yes (TRNDEALR=1,3,5).....	335230	37.54
	2 = No (TRNDEALR=6).....	645	0.07
	3 = Never/No Pst Mon Use (TRNDEALR=81,89,91,93,99).....	4265	0.48
		550399	61.64

RECODED PRIOR SUBSTANCE USE

<b>TRNINET2</b>	Len : 1 BOUGHT TRANQUILIZERS ON THE INTERNET - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2434	0.27
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (TRNINET=1,3,5).....	36	0.00
	2 = No (TRNINET=6).....	4873	0.55
	3 = Never/No Pst Mon Use (TRNINET=81,89,91,93,99).....	550399	61.64

The following variable, TRNOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription tranquilizers in "some other way" (TRNOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNOTHS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription tranquilizers "some other way" was unknown (TRNOTHWY=85, 94, 97, 98).

<b>TRNOTHW2</b>	Len : 1 GOT TRN IN SOME OTHER WAY - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (See comment above).....	2513	0.28
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (TRNOTHWY=1,3,5 and TRNOTHS2=10,11-39,71).....	172	0.02
	2 = No (TRNOTHWY=6 or [TRNOTHWY=1,3,5 & TRNOTHS2=1-9]).....	4658	0.52
	3 = Never/No Pst Mon Use (TRNOTHWY=81,89,91,93,99).....	550399	61.64

<b>STMRIX1D2</b>	Len : 1 GOT ONE+ RX FOR STM FROM JUST ONE DOCTOR - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2103	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMRIX1DR=1,3,5).....	419	0.05
	2 = No (STMRIX1DR=6).....	2511	0.28
	3 = Never/No Pst Mon/Only MTH(STMRIX1DR=81,89,91,93,99).....	552709	61.90

<b>STMRIXDS2</b>	Len : 1 GOT RX FOR STM FROM 2 OR MORE DOCTORS - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2110	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMRIXDRS=1,3,5).....	72	0.01
	2 = No (STMRIXDRS=6).....	2851	0.32
	3 = Never/No Pst Mon/Only MTH(STMRIXDRS=81,89,91,93,99).....	552709	61.90

<b>STMRIXFK2</b>	Len : 1 WROTE FAKE PRESCRIPTION FOR STM - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2110	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMRIXFAK=1,3,5).....	22	0.00
	2 = No (STMRIXFAK=6).....	2901	0.32
	3 = Never/No Pst Mon/Only MTH(STMRIXFAK=81,89,91,93,99).....	552709	61.90

<b>STMSTOL2</b>	Len : 1 STOLE STM FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2110	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMSTOLE=1,3,5).....	33	0.00
	2 = No (STMSTOLE=6).....	2890	0.32
	3 = Never/No Pst Mon/Only MTH(STMSTOLE=81,89,91,93,99).....	552709	61.90

<b>STMFRFE2</b>	Len : 1 GOT STM FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2097	0.23
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMFRFRE=1,3,5).....	1513	0.17
	2 = No (STMFRFRE=6).....	1423	0.16
	3 = Never/No Pst Mon/Only MTH(STMFRFRE=81,89,91,93,99).....	552709	61.90

RECODED PRIOR SUBSTANCE USE

<b>STMFRBY2</b>	Len : 1 BOUGHT STM FROM A FRIEND OR RELATIVE - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2107	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMFRBUY=1,3,5).....	834	0.09
	2 = No (STMFRBUY=6).....	2092	0.23
	3 = Never/No Pst Mon/Only MTH(STMFRBUY=81,89,91,93,99).....	552709	61.90

<b>STMFRTK2</b>	Len : 1 TOOK STM FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2108	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMFRTKE=1,3,5).....	238	0.03
	2 = No (STMFRTKE=6).....	2687	0.30
	3 = Never/No Pst Mon/Only MTH(STMFRTKE=81,89,91,93,99).....	552709	61.90

<b>STMDEAL2</b>	Len : 1 BOUGHT STM FROM DRUG DEALR/OTH STRANGER - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2106	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMDEALR=1,3,5).....	349	0.04
	2 = No (STMDEALR=6).....	2578	0.29
	3 = Never/No Pst Mon/Only MTH(STMDEALR=81,89,91,93,99).....	552709	61.90

<b>STMINET2</b>	Len : 1 BOUGHT STIMULANTS ON THE INTERNET - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2109	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMINET=1,3,5).....	63	0.01
	2 = No (STMINET=6).....	2861	0.32
	3 = Never/No Pst Mon/Only MTH(STMINET=81,89,91,93,99).....	552709	61.90

The following variable, STMOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription stimulants in "some other way" (STMOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMOTHS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription stimulants "some other way" was unknown (STMOTHWY=85, 94, 97, 98).

<b>STMOTHW2</b>	Len : 1 GOT STM IN SOME OTHER WAY - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown/Invalid Source (See comment above).....	2159	0.24
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (STMOTHWY=1,3,5 and STMOTHS2=10,11-39,71).....	121	0.01
	2 = No (STMOTHWY=6 or [STMOTHWY=1,3,5 & STMOTHS2=1-9]).....	2753	0.31
	3 = Never/No Pst Mon/Only MTH(STMOTHWY=81,89,91,93,99).....	552709	61.90

<b>SEDRX1D2</b>	Len : 1 GOT ONE+ RX FOR SED FROM JUST ONE DOCTOR - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1679	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDRX1DR=1,3,5).....	138	0.02
	2 = No (SEDRX1DR=6).....	532	0.06
	3 = Never/No Pst Mon Use (SEDRX1DR=81,89,91,93,99).....	555393	62.20

<b>SEDRXDS2</b>	Len : 1 GOT RX FOR SED FROM 2 OR MORE DOCTORS - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1679	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDRXDRS=1,3,5).....	25	0.00
	2 = No (SEDRXDRS=6).....	645	0.07
	3 = Never/No Pst Mon Use (SEDRXDRS=81,89,91,93,99).....	555393	62.20

RECORDED PRIOR SUBSTANCE USE

SEDXFK2	Len : 1    WROTE FAKE PRESCRIPTION FOR SED - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1678	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDXFAK=1,3,5).....	9	0.00
	2 = No (SEDXFAK=6).....	662	0.07
	3 = Never/No Pst Mon Use (SEDXFAK=81,89,91,93,99).....	555393	62.20
SEDSTOL2	Len : 1    STOLE SED FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1679	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDSTOLE=1,3,5).....	19	0.00
	2 = No (SEDSTOLE=6).....	651	0.07
	3 = Never/No Pst Mon Use (SEDSTOLE=81,89,91,93,99).....	555393	62.20
SEDFRFE2	Len : 1    GOT SED FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1678	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDFRFRE=1,3,5).....	349	0.04
	2 = No (SEDFRFRE=6).....	322	0.04
	3 = Never/No Pst Mon Use (SEDFRFRE=81,89,91,93,99).....	555393	62.20
SEDFRBY2	Len : 1    BOUGHT SED FROM A FRIEND OR RELATIVE - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1679	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDFRBUY=1,3,5).....	92	0.01
	2 = No (SEDFRBUY=6).....	578	0.06
	3 = Never/No Pst Mon Use (SEDFRBUY=81,89,91,93,99).....	555393	62.20
SEDFRTK2	Len : 1    TOOK SED FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1679	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDFRTKE=1,3,5).....	67	0.01
	2 = No (SEDFRTKE=6).....	603	0.07
	3 = Never/No Pst Mon Use (SEDFRTKE=81,89,91,93,99).....	555393	62.20
SEDDEAL2	Len : 1    BOUGHT SED FROM DRUG DEALR/OTH STRANGER - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1679	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDDEALR=1,3,5).....	50	0.01
	2 = No (SEDDEALR=6).....	620	0.07
	3 = Never/No Pst Mon Use (SEDDEALR=81,89,91,93,99).....	555393	62.20
SEDINET2	Len : 1    BOUGHT SEDATIVES ON THE INTERNET - PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1679	0.19
	-9 = Data not collected for this year.....	335230	37.54
	1 = Yes (SEDINET=1,3,5).....	5	0.00
	2 = No (SEDINET=6).....	665	0.07
	3 = Never/No Pst Mon Use (SEDINET=81,89,91,93,99).....	555393	62.20

RECODED PRIOR SUBSTANCE USE

The following variable, SEDOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription sedatives in "some other way" (SEDOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDOTHS2=70, 72-75, 85, 94, 97, 98) or (2) a response to getting the prescription sedatives "some other way" was unknown (SEDOTHWY=85, 94, 97, 98).

**SEDOTHW2** Len : 1 GOT SED IN SOME OTHER WAY - PST MON

	<b>Freq</b>	<b>Pct</b>
. = Unknown Source (See comment above) .....	1693	0.19
-9 = Data not collected for this year .....	335230	37.54
1 = Yes (SEDOTHWY=1,3,5 and SEDOTHS2=10,11-39,71).....	33	0.00
2 = No (SEDOTHWY=6 or [SEDOTHWY=1,3,5 & SEDOTHS2=1-9]) .....	623	0.07
3 = Never/No Pst Mon Use (SEDOTHWY=81,89,91,93,99).....	555393	62.20

**MTHFRFE2** Len : 1 GOT MTH FROM A FRIEND/RELATIVE FOR FREE - PST MON

	<b>Freq</b>	<b>Pct</b>
. = Unknown Src (CPNMTHMN=1 & MTHFRFRE=85,93,94,97,98) .....	276	0.03
-9 = Data not collected for this year .....	335230	37.54
1 = Yes (CPNMTHMN=1 and MTHFRFRE=1,3,5).....	593	0.07
2 = No (CPNMTHMN=1 and MTHFRFRE=6).....	524	0.06
3 = No Past Month Use (CPNMTHMN=0).....	556349	62.30

**MTHFRBY2** Len : 1 BOUGHT MTH FROM A FRIEND OR RELATIVE - PST MON

	<b>Freq</b>	<b>Pct</b>
. = Unknwn Src (CPNMTHMN=1 & MTHFRBUY=85,93,94,97,98) .....	276	0.03
-9 = Data not collected for this year .....	335230	37.54
1 = Yes (CPNMTHMN=1 and MTHFRBUY=1,3,5).....	400	0.04
2 = No (CPNMTHMN=1 and MTHFRBUY=6).....	717	0.08
3 = No Past Month Use (CPNMTHMN=0).....	556349	62.30

**MTHFRTK2** Len : 1 TOOK MTH FROM FRND/RELATIVE WITHOUT ASK - PST MON

	<b>Freq</b>	<b>Pct</b>
. = Unknown Src (CPNMTHMN=1 & MTHFRTKE=85,93,94,97,98).....	277	0.03
-9 = Data not collected for this year .....	335230	37.54
1 = Yes (CPNMTHMN=1 and MTHFRTKE=1,3,5) .....	50	0.01
2 = No (CPNMTHMN=1 and MTHFRTKE=6).....	1066	0.12
3 = No Past Month Use (CPNMTHMN=0).....	556349	62.30

**MTHDEAL2** Len : 1 BOUGHT MTH FROM DRUG DEALR/OTH STRANGER - PST MON

	<b>Freq</b>	<b>Pct</b>
. = Unknown Src (CPNMTHMN=1 & MTHDEALR=85,93,94,97,98) .....	277	0.03
-9 = Data not collected for this year .....	335230	37.54
1 = Yes (CPNMTHMN=1 and MTHDEALR=1,3,5).....	324	0.04
2 = No (CPNMTHMN=1 and MTHDEALR=6).....	792	0.09
3 = No Past Month Use (CPNMTHMN=0).....	556349	62.30

**MTHINET2** Len : 1 BOUGHT MTH ON THE INTERNET - PST MON

	<b>Freq</b>	<b>Pct</b>
. = Unknown Src (CPNMTHMN=1 & MTHINET=85,93,94,97,98) .....	277	0.03
-9 = Data not collected for this year .....	335230	37.54
1 = Yes (CPNMTHMN=1 and MTHINET=1,3,5).....	14	0.00
2 = No (CPNMTHMN=1 and MTHINET=6).....	1102	0.12
3 = No Past Month Use (CPNMTHMN=0).....	556349	62.30

RECODED PRIOR SUBSTANCE USE

The following variable, MTHOTHW2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHOTHS2=10, 11-38, 71). MTHOTHW2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) friends/relatives did not get methamphetamine in "some other way" (MTHOTHWY=6) or (2) friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHOTHS2=5-9). MTHOTHW2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHOTHS2=70, 72-74, 85, 94, 97, 98) or (2) a response to getting methamphetamine "some other way" was unknown (MTHOTHWY=85, 93, 94, 97, 98).

MTHOTHW2	Len : 1 GOT MTH IN SOME OTHER WAY - PST MON	<b>Freq</b>	<b>Pct</b>
.	= Unknown Source (See comment above) .....	310	0.03
-9	= Data not collected for this year .....	335230	37.54
1	= Yes (See comment above) .....	62	0.01
2	= No (See comment above) .....	1021	0.11
3	= No Past Month Use (CPNMTHMN=0) .....	556349	62.30



RECODED PRIOR SUBSTANCE USE

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following 5 variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCF2), prescription tranquilizers (TRNSRCF2), prescription stimulants (STMSRCF2), prescription sedatives (SEDSRCF2), and methamphetamine (MTHSRCF2) within the past year. These 5 variables are similar to the previously defined source of a respondent's friend or relative's most recent nonmedical use variables (XXXSRCFR) with the exception that SAS missing and level 11 have been combined into a single SAS missing level. Starting with the 2014 NSDUH, this version will be the only version available.

For each variable, excluding MTHSRCF2, there are 10 mutually exclusive categories for specific sources. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 6 mutually exclusive categories for MTHSRCF2. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLA2=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCF2=.).

Based on the following conditions, a respondent was classified in one of the following 11 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCF2, TRNSRCF2, STMSRCF2, and SEDSRCF2:

1. Got from One Doctor ((XXXGTLA2=5 and XXXFFLAS=1, 11) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFF1DR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLA2=5 and XXXFFLAS=2, 12) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLA2=5 and XXXFFLAS=3, 13) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLA2=5 and XXXFFLAS=4, 14) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got from Friend or Relative for Free ((XXXGTLA2=5 and XXXFFLAS=5, 15) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLA2=5 and XXXFFLAS=6, 16) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLA2=5 and XXXFFLAS=7, 17) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLA2=5 and XXXFFLAS=8, 18) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLA2=5 and XXXFFLAS=9, 19) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLA2=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

ANLSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unkwn Src .....	108095	12.11
-9 = Data not collected for this year .....	782541	87.63
1 = Got from One Doctor .....	1865	0.21
2 = Got from More Than One Doctor .....	91	0.01
3 = Wrote Fake Prescription .....	5	0.00
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy .....	6	0.00
5 = Got from Friend or Relative for Free .....	144	0.02
6 = Bought from Friend or Relative .....	98	0.01
7 = Took from Friend or Relative without Asking .....	33	0.00
8 = Bought from Drug Dealer or Other Stranger .....	44	0.00
9 = Bought on the Internet .....	5	0.00
10 = Got Some Other Way .....	45	0.01

RECORDED PRIOR SUBSTANCE USE

TRNSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src .....	109102	12.22
-9 = Data not collected for this year .....	782541	87.63
1 = Got from One Doctor .....	1016	0.11
2 = Got from More Than One Doctor .....	38	0.00
3 = Wrote Fake Prescription .....	3	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	2	0.00
5 = Got from Friend or Relative for Free .....	111	0.01
6 = Bought from Friend or Relative .....	71	0.01
7 = Took from Friend or Relative without Asking .....	12	0.00
8 = Bought from Drug Dealer or Other Stranger.....	59	0.01
9 = Bought on the Internet .....	4	0.00
10 = Got Some Other Way.....	13	0.00

STMSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src .....	109693	12.28
-9 = Data not collected for this year .....	782541	87.63
1 = Got from One Doctor .....	558	0.06
2 = Got from More Than One Doctor .....	19	0.00
3 = Wrote Fake Prescription .....	1	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	2	0.00
5 = Got from Friend or Relative for Free .....	70	0.01
6 = Bought from Friend or Relative .....	44	0.00
7 = Took from Friend or Relative without Asking .....	7	0.00
8 = Bought from Drug Dealer or Other Stranger.....	28	0.00
9 = Bought on the Internet .....	2	0.00
10 = Got Some Other Way.....	7	0.00

SEDSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src .....	110289	12.35
-9 = Data not collected for this year .....	782541	87.63
1 = Got from One Doctor .....	105	0.01
2 = Got from More Than One Doctor .....	8	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy .....	3	0.00
5 = Got from Friend or Relative for Free .....	11	0.00
6 = Bought from Friend or Relative .....	4	0.00
7 = Took from Friend or Relative without Asking .....	5	0.00
8 = Bought from Drug Dealer or Other Stranger.....	3	0.00
9 = Bought on the Internet .....	1	0.00
10 = Got Some Other Way.....	2	0.00

RECODED PRIOR SUBSTANCE USE

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCF2, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=5, 15] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=6, 16] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=7, 17] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=8, 18] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=9, 19] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not From Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

<b>MTHSRCF2</b>	Len : 2 REV SOURCE OF FRIEND OR RELATIVES METHAMPHETAMINES		
	.	No Pst Yr Use/Src Not Frnd, Rltive Free/Unkwn Src .....	Freq 110208 Pct 12.34
	-9	= Data not collected for this year .....	782541 87.63
	5	= Got from Friend or Relative for Free .....	74 0.01
	6	= Bought from Friend or Relative .....	70 0.01
	7	= Took from Friend or Relative without Asking .....	4 0.00
	8	= Bought from Drug Dealer or Other Stranger .....	62 0.01
	10	= Got Some Other Way .....	13 0.00

NOTE: The following 46 variables were created to capture all a respondent's friend or relative's reported source of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

<b>ANLFF1D2</b>	Len : 1 FRD/REL GOT 1+ RX FOR ANL FRM JUST 1 DR-PST MON		
	.	= Unknown Source (Otherwise) .....	Freq 6127 Pct 0.69
	-9	= Data not collected for this year .....	391135 43.80
	1	= Yes (ANLFF1DR=1,3,5) .....	4746 0.53
	2	= No (ANLFF1DR=6) .....	1693 0.19
	3	= Never/No Pst Mon Use (ANLFF1DR=81,89,91,93,99) .....	489271 54.79

<b>ANLFFDS2</b>	Len : 1 FRD/REL GOT RX FOR ANL FROM 2+ DRS-PST MON		
	.	= Unknown Source (Otherwise) .....	Freq 6193 Pct 0.69
	-9	= Data not collected for this year .....	391135 43.80
	1	= Yes (ANLFFDRS=1,3,5) .....	609 0.07
	2	= No (ANLFFDRS=6) .....	5764 0.65
	3	= Never/No Pst Mon Use (ANLFFDRS=81,89,91,93,99) .....	489271 54.79

RECORDED PRIOR SUBSTANCE USE

<b>ANLFFAK2</b>	Len : 1 FRD/REL WROTE FAKE RX FOR ANL-PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	6196	0.69
	1 = Yes (ANLFFAKE=1,3,5).....	391135	43.80
	2 = No (ANLFFAKE=6).....	58	0.01
	3 = Never/No Pst Mon Use (ANLFFAKE=81,89,91,93,99).....	6312	0.71
		489271	54.79
<b>ANLFFST2</b>	Len : 1 FRD/REL STOLE ANL FROM DR/CLIN/HOSP/PHARM-PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	6197	0.69
	1 = Yes (ANLFFSTL=1,3,5).....	391135	43.80
	2 = No (ANLFFSTL=6).....	95	0.01
	3 = Never/No Pst Mon Use (ANLFFSTL=81,89,91,93,99).....	6274	0.70
		489271	54.79
<b>ANLFFRE2</b>	Len : 1 FRD/REL GOT ANL FROM A FRND/REL FOR FREE-PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	6187	0.69
	1 = Yes (ANLFFREE=1,3,5).....	391135	43.80
	2 = No (ANLFFREE=6).....	1071	0.12
	3 = Never/No Pst Mon Use (ANLFFREE=81,89,91,93,99).....	5309	0.59
		489270	54.79
<b>ANLFFBY2</b>	Len : 1 FRD/REL BOUGHT ANL FROM A FRND OR REL-PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	6186	0.69
	1 = Yes (ANLFFBOT=1,3,5).....	391135	43.80
	2 = No (ANLFFBOT=6).....	1011	0.11
	3 = Never/No Pst Mon Use (ANLFFBOT=81,89,91,93,99).....	5369	0.60
		489271	54.79
<b>ANLFFTK2</b>	Len : 1 FRD/REL TOOK ANL FROM A FRND/REL WOUT ASK-PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	6196	0.69
	1 = Yes (ANLFFTK=1,3,5).....	391135	43.80
	2 = No (ANLFFTK=6).....	390	0.04
	3 = Never/No Pst Mon Use (ANLFFTK=81,89,91,93,99).....	5980	0.67
		489271	54.79
<b>ANLFFDL2</b>	Len : 1 FRD/REL BGHT ANL FRM DRG DEALR/OTH STRNGR-PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	6186	0.69
	1 = Yes (ANLFFDLR=1,3,5).....	391135	43.80
	2 = No (ANLFFDLR=6).....	637	0.07
	3 = Never/No Pst Mon Use (ANLFFDLR=81,89,91,93,99).....	5743	0.64
		489271	54.79
<b>ANLFFNT2</b>	Len : 1 FRD/REL BOUGHT ANL ON THE INTERNET-PST MON		
	. = Unknown Source (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	6197	0.69
	1 = Yes (ANLFFNET=1,3,5).....	391135	43.80
	2 = No (ANLFFNET=6).....	54	0.01
	3 = Never/No Pst Mon Use (ANLFFNET=81,89,91,93,99).....	6315	0.71
		489271	54.79

RECODED PRIOR SUBSTANCE USE

The following variable, ANLFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription pain relievers in "some other way" (ANLFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/ relatives getting the prescription pain relievers "some other way" was unknown (ANLFFOTH=85, 94, 97, 98).

ANLFFOT2	Len : 1 FRD/REL GOT ANL IN SOME OTHER WAY-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (See comment above) .....	6369	0.71
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes (ANLFFOTH=1,3,5 and ANLFFOSP=11-38,71) .....	257	0.03
	2 = No (ANLFFOTH=6 or [ANLFFOTH=1,3,5 & ANLFFOSP=1-9]) .....	5941	0.67
	3 = Never/No Pst Mon Use (ANLFFOTH=81,89,91,93,99) .....	489270	54.79
TRNFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR TRN FRM JUST 1 DR-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	2361	0.26
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes (TRNFF1DR=1,3,5) .....	1518	0.17
	2 = No (TRNFF1DR=6) .....	653	0.07
	3 = Never/No Pst Mon Use (TRNFF1DR=81,89,91,93,99) .....	497305	55.69
TRNFFDS2	Len : 1 FRD/REL GOT RX FOR TRN FROM 2+ DRS-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	2374	0.27
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes (TRNFFDRS=1,3,5) .....	123	0.01
	2 = No (TRNFFDRS=6) .....	2035	0.23
	3 = Never/No Pst Mon Use (TRNFFDRS=81,89,91,93,99) .....	497305	55.69
TRNFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR TRN-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	2374	0.27
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes (TRNFFAKE=1,3,5) .....	6	0.00
	2 = No (TRNFFAKE=6) .....	2152	0.24
	3 = Never/No Pst Mon Use (TRNFFAKE=81,89,91,93,99) .....	497305	55.69
TRNFFST2	Len : 1 FRD/REL STOLE TRN FROM DR/CLIN/HOSP/PHARM-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	2374	0.27
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes (TRNFFSTL=1,3,5) .....	14	0.00
	2 = No (TRNFFSTL=6) .....	2144	0.24
	3 = Never/No Pst Mon Use (TRNFFSTL=81,89,91,93,99) .....	497305	55.69
TRNFFRE2	Len : 1 FRD/REL GOT TRN FROM A FRND/REL FOR FREE-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	2374	0.27
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes (TRNFFREE=1,3,5) .....	348	0.04
	2 = No (TRNFFREE=6) .....	1810	0.20
	3 = Never/No Pst Mon Use (TRNFFREE=81,89,91,93,99) .....	497305	55.69
TRNFFBY2	Len : 1 FRD/REL BOUGHT TRN FROM A FRND OR REL-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise) .....	2372	0.27
	-9 = Data not collected for this year .....	391135	43.80
	1 = Yes (TRNFFBOT=1,3,5) .....	253	0.03
	2 = No (TRNFFBOT=6) .....	1907	0.21
	3 = Never/No Pst Mon Use (TRNFFBOT=81,89,91,93,99) .....	497305	55.69

RECODED PRIOR SUBSTANCE USE

<b>TRNFFTK2</b>	Len : 1 FRD/REL TOOK TRN FROM A FRND/REL WOUT ASK-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2373	0.27
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (TRNFFTAK=1,3,5).....	63	0.01
	2 = No (TRNFFTAK=6).....	2096	0.23
	3 = Never/No Pst Mon Use (TRNFFTAK=81,89,91,93,99).....	497305	55.69

<b>TRNFFDL2</b>	Len : 1 FRD/REL BGHT TRN FRM DRG DEALR/OTH STRNGR-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2372	0.27
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (TRNFFDLR=1,3,5).....	143	0.02
	2 = No (TRNFFDLR=6).....	2017	0.23
	3 = Never/No Pst Mon Use (TRNFFDLR=81,89,91,93,99).....	497305	55.69

<b>TRNFFNT2</b>	Len : 1 FRD/REL BOUGHT TRN ON THE INTERNET-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	2374	0.27
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (TRNFFNET=1,3,5).....	18	0.00
	2 = No (TRNFFNET=6).....	2140	0.24
	3 = Never/No Pst Mon Use (TRNFFNET=81,89,91,93,99).....	497305	55.69

The following variable, TRNFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription tranquilizers in "some other way" (TRNFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription tranquilizers "some other way" was unknown (TRNFFOTH=85, 94, 97, 98).

<b>TRNFFOT2</b>	Len : 1 FRD/REL GOT TRN IN SOME OTHER WAY-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown/Invalid Source (See comment above).....	2425	0.27
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (TRNFFOTH=1,3,5 and TRNFFOSP=11-38,71).....	37	0.00
	2 = No (TRNFFOTH=6 or [TRNFFOTH=1,3,5 & TRNFFOSP=1-9]).....	2070	0.23
	3 = Never/No Pst Mon Use (TRNFFOTH=81,89,91,93,99).....	497305	55.69

<b>STMFF1D2</b>	Len : 1 FRD/REL GOT 1+ RX FOR STM FRM JUST 1 DR-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1965	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFF1DR=1,3,5).....	892	0.10
	2 = No (STMFF1DR=6).....	313	0.04
	3 = Never/No Pst Mon/Only MTH(STMFF1DR=81,89,91,93,99).....	498667	55.84

<b>STMFFDS2</b>	Len : 1 FRD/REL GOT RX FOR STM FROM 2+ DRS-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1973	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFDRS=1,3,5).....	54	0.01
	2 = No (STMFFDRS=6).....	1143	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFDRS=81,89,91,93,99).....	498667	55.84

<b>STMFFAK2</b>	Len : 1 FRD/REL WROTE FAKE RX FOR STM-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1974	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFAKE=1,3,5).....	7	0.00
	2 = No (STMFFAKE=6).....	1189	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFAKE=81,89,91,93,99).....	498667	55.84

RECORDED PRIOR SUBSTANCE USE

<b>STMFFST2</b>	Len : 1 FRD/REL STOLE STM FROM DR/CLIN/HOSP/PHARM-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1974	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFSTL=1,3,5).....	7	0.00
	2 = No (STMFFSTL=6).....	1189	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFSTL=81,89,91,93,99).....	498667	55.84

<b>STMFFRE2</b>	Len : 1 FRD/REL GOT STM FROM A FRND/REL FOR FREE-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1972	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFREE=1,3,5).....	197	0.02
	2 = No (STMFFREE=6).....	1001	0.11
	3 = Never/No Pst Mon/Only MTH(STMFFREE=81,89,91,93,99).....	498667	55.84

<b>STMFFBY2</b>	Len : 1 FRD/REL BOUGHT STM FROM A FRND OR REL-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1971	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFBOT=1,3,5).....	140	0.02
	2 = No (STMFFBOT=6).....	1059	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFBOT=81,89,91,93,99).....	498667	55.84

<b>STMFFTK2</b>	Len : 1 FRD/REL TOOK STM FROM A FRND/REL WOUT ASK-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1974	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFTAK=1,3,5).....	38	0.00
	2 = No (STMFFTAK=6).....	1158	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFTAK=81,89,91,93,99).....	498667	55.84

<b>STMFFDL2</b>	Len : 1 FRD/REL BGHT STM FRM DRG DEALR/OTH STRNGR-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1969	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFDLR=1,3,5).....	90	0.01
	2 = No (STMFFDLR=6).....	1111	0.12
	3 = Never/No Pst Mon/Only MTH(STMFFDLR=81,89,91,93,99).....	498667	55.84

<b>STMFFNT2</b>	Len : 1 FRD/REL BOUGHT STM ON THE INTERNET-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1974	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFNET=1,3,5).....	13	0.00
	2 = No (STMFFNET=6).....	1183	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFNET=81,89,91,93,99).....	498667	55.84

The following variable, STMFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription stimulants in "some other way" (STMFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription stimulants "some other way" was unknown (STMFFOTH=85, 94, 97, 98).

<b>STMFFOT2</b>	Len : 1 FRD/REL GOT STM IN SOME OTHER WAY-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown/Invalid Source (See comment above).....	1988	0.22
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (STMFFOTH=1,3,5 and STMFFOSP=11-38,71).....	21	0.00
	2 = No (STMFFOTH=6 or [STMFFOTH=1,3,5 & STMFFOSP=1-9]).....	1161	0.13
	3 = Never/No Pst Mon/Only MTH(STMFFOTH=81,89,91,93,99).....	498667	55.84

RECORDED PRIOR SUBSTANCE USE

SEDFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR SED FRM JUST 1 DR-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1527	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFF1DR=1,3,5).....	215	0.02
	2 = No (SEDFF1DR=6).....	74	0.01
	3 = Never/No Pst Mon Use (SEDFF1DR=81,89,91,93,99).....	500021	56.00
SEDFFDS2	Len : 1 FRD/REL GOT RX FOR SED FROM 2+ DRS-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFDRS=1,3,5).....	24	0.00
	2 = No (SEDFFDRS=6).....	264	0.03
	3 = Never/No Pst Mon Use (SEDFFDRS=81,89,91,93,99).....	500021	56.00
SEDFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR SED-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFAKE=1,3,5).....	2	0.00
	2 = No (SEDFFAKE=6).....	286	0.03
	3 = Never/No Pst Mon Use (SEDFFAKE=81,89,91,93,99).....	500021	56.00
SEDFFST2	Len : 1 FRD/REL STOLE SED FROM DR/CLIN/HOSP/PHARM-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFSTL=1,3,5).....	8	0.00
	2 = No (SEDFFSTL=6).....	280	0.03
	3 = Never/No Pst Mon Use (SEDFFSTL=81,89,91,93,99).....	500021	56.00
SEDFFRE2	Len : 1 FRD/REL GOT SED FROM A FRND/REL FOR FREE-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFREE=1,3,5).....	34	0.00
	2 = No (SEDFFREE=6).....	254	0.03
	3 = Never/No Pst Mon Use (SEDFFREE=81,89,91,93,99).....	500021	56.00
SEDFFBY2	Len : 1 FRD/REL BOUGHT SED FROM A FRND OR REL-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFBOT=1,3,5).....	22	0.00
	2 = No (SEDFFBOT=6).....	266	0.03
	3 = Never/No Pst Mon Use (SEDFFBOT=81,89,91,93,99).....	500021	56.00
SEDFFTK2	Len : 1 FRD/REL TOOK SED FROM A FRND/REL WOUT ASK-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFTAK=1,3,5).....	12	0.00
	2 = No (SEDFFTAK=6).....	276	0.03
	3 = Never/No Pst Mon Use (SEDFFTAK=81,89,91,93,99).....	500021	56.00
SEDFFDL2	Len : 1 FRD/REL BGHT SED FRM DRG DEALR/OTH STRNGR-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFDLR=1,3,5).....	15	0.00
	2 = No (SEDFFDLR=6).....	273	0.03
	3 = Never/No Pst Mon Use (SEDFFDLR=81,89,91,93,99).....	500021	56.00



RECODED PRIOR SUBSTANCE USE

<b>SEDFFNT2</b>	Len : 1 FRD/REL BOUGHT SED ON THE INTERNET-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (Otherwise).....	1528	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFNET=1) .....	2	0.00
	2 = No (SEDFNET=6).....	286	0.03
	3 = Never/No Pst Mon Use (SEDFNET=81,89,91,93,99) .....	500021	56.00

The following variable, SEDFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription sedatives in "some other way" (SEDFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription sedatives "some other way" was unknown (SEDFFOTH=85, 94, 97, 98).

<b>SEDFFOT2</b>	Len : 1 FRD/REL GOT SED IN SOME OTHER WAY-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown Source (See comment above).....	1530	0.17
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (SEDFFOTH=1,3,5 and SEDFFOSP=11-38,71) .....	7	0.00
	2 = No (SEDFFOTH=6 or [SEDFFOTH=1,3,5 & SEDFFOSP=1-9]) .....	279	0.03
	3 = Never/No Pst Mon Use (SEDFFOTH=81,89,91,93,99).....	500021	56.00

<b>MTHFFRE2</b>	Len : 1 FRD/REL GOT MTH FROM A FRND/REL FOR FREE-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknwn Src (CPNMTHMN=1&MTHFFREE=85,93,94,97,98,99) .....	695	0.08
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (CPNMTHMN=1 and MTHFFREE=1,3,5).....	171	0.02
	2 = No (CPNMTHMN=1 and MTHFFREE=6).....	258	0.03
	3 = No Past Month Use (CPNMTHMN=0).....	500713	56.07

<b>MTHFFBY2</b>	Len : 1 FRD/REL BOUGHT MTH FROM A FRND/REL-PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	. = Unknwn Src (CPNMTHMN=1&MTHFFBOT=85,93,94,97,98,99).....	695	0.08
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (CPNMTHMN=1 and MTHFFBOT=1,3,5).....	168	0.02
	2 = No (CPNMTHMN=1 and MTHFFBOT=6).....	261	0.03
	3 = No Past Month Use (CPNMTHMN=0).....	500713	56.07

<b>MTHFFTK2</b>	Len : 1 FRD/REL TOOK MTH FRM A FRND/REL WOUT ASK-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknwn Src (CPNMTHMN=1&MTHFFTAK=85,93,94,97,98,99).....	695	0.08
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (CPNMTHMN=1 and MTHFFTAK=1,3,5) .....	15	0.00
	2 = No (CPNMTHMN=1 and MTHFFTAK=6).....	414	0.05
	3 = No Past Month Use (CPNMTHMN=0).....	500713	56.07

<b>MTHFFDL2</b>	Len : 1 FRD/REL BGHT MTH FRM DRG DEALR/OTH STRNGR-PST MON		
		<b>Freq</b>	<b>Pct</b>
	. = Unknwn Src (CPNMTHMN=1&MTHFFDLR=85,93,94,97,98,99).....	695	0.08
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (CPNMTHMN=1 and MTHFFDLR=1,3,5).....	151	0.02
	2 = No (CPNMTHMN=1 and MTHFFDLR=6).....	278	0.03
	3 = No Past Month Use (CPNMTHMN=0).....	500713	56.07

<b>MTHFFNT2</b>	Len : 1 FRD/REL BOUGHT MTH ON THE INTERNET-PAST MONTH		
		<b>Freq</b>	<b>Pct</b>
	. = Unknwn Src (CPNMTHMN=1&MTHFFNET=85,93,94,97,98,99) .....	693	0.08
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes (CPNMTHMN=1 and MTHFFNET=1,5).....	5	0.00
	2 = No (CPNMTHMN=1 and MTHFFNET=6).....	426	0.05
	3 = No Past Month Use (CPNMTHMN=0).....	500713	56.07

RECODED PRIOR SUBSTANCE USE

The following variable, MTHFFOT2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHFFOSP=11-38, 71). MTHFFOT2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) that friends/relatives did not get methamphetamine in "some other way" (MTHFFOTH=6) or (2) that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHFFOSP=5-9). MTHFFOT2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting methamphetamine in "some other way" was unknown (MTHFFOTH=85, 93, 94, 97, 98, 99).

MTHFFOT2	Len : 1 FRD/REL GOT MTH IN SOME OTHER WAY-PAST MONTH	<b>Freq</b>	<b>Pct</b>
.	= Unknown Source (See comment above) .....	723	0.08
-9	= Data not collected for this year .....	391135	43.80
1	= Yes (See comment above) .....	35	0.00
2	= No (See comment above) .....	366	0.04
3	= No Past Month Use (CPNMTHMN=0).....	500713	56.07

SUBSTANCE TREATMENT

**SUBSTANCE TREATMENT**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime use of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

<b>TXEVER<sup>1</sup></b>	Len : 2 EVER RECEIVED ALCOHOL OR DRUG TREATMENT	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	39905	4.47
	2 = No.....	500679	56.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	38	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	541	0.06
	97 = REFUSED .....	835	0.09
	98 = BLANK (NO ANSWER) .....	3837	0.43

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

<b>TXYREVER<sup>1</sup></b>	Len : 2 EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	13115	1.47
	2 = No.....	25255	2.83
	3 = Yes LOGICALLY ASSIGNED.....	1472	0.16
	4 = No LOGICALLY ASSIGNED .....	24	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	17	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	16	0.00
	97 = REFUSED .....	856	0.10
	98 = BLANK (NO ANSWER) .....	4401	0.49
	99 = LEGITIMATE SKIP (TXEVER=2) .....	500679	56.07

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

<b>TXYRADG<sup>1</sup></b>	Len : 2 TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use only.....	4151	0.46
	2 = Drug use only.....	3430	0.38
	3 = Both alcohol and drug use.....	4528	0.51
	4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED .....	10	0.00
	5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED .....	21	0.00
	6 = Both alcohol and drug use LOGICALLY ASSIGNED.....	10	0.00
	11 = Alcohol only (but last tmt for drugs reported).....	451	0.05
	12 = Drugs only (but last tmt for alc reported).....	422	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	43	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	36	0.00
	97 = REFUSED .....	894	0.10
	98 = BLANK (NO ANSWER) .....	5881	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?

<b>TXYRHOSP<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	2458	0.28
	2 = No.....	10441	1.17
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	141	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	53	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	15	0.00
	97 = REFUSED .....	878	0.10
	98 = BLANK (NO ANSWER) .....	5891	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?

<b>TXYRHPAD<sup>1</sup></b>	Len : 2 HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	89	0.01
	2 = Drug use .....	137	0.02
	3 = Both alcohol and drug use.....	730	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	857	0.10
	98 = BLANK (NO ANSWER) .....	6330	0.71
	99 = LEGITIMATE SKIP.....	537684	60.21

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?

<b>TXYRRFIN<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	3086	0.35
	2 = No.....	9555	1.07
	3 = Yes LOGICALLY ASSIGNED.....	9	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	369	0.04
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	65	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	16	0.00
	97 = REFUSED .....	887	0.10
	98 = BLANK (NO ANSWER) .....	5890	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?

<b>TXYRINAD<sup>1</sup></b>	Len : 2 RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	63	0.01
	2 = Drug use .....	114	0.01
	3 = Both alcohol and drug use.....	1156	0.13
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	857	0.10
	98 = BLANK (NO ANSWER) .....	6541	0.73
	99 = LEGITIMATE SKIP.....	537100	60.15

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

<b>TXYRRFOP<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	5288	0.59
	2 = No.....	7046	0.79
	3 = Yes LOGICALLY ASSIGNED.....	8	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	645	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	68	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	44	0.00
	97 = REFUSED .....	888	0.10
	98 = BLANK (NO ANSWER) .....	5890	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

<b>TXYRPOAD<sup>1</sup></b>	Len : 2 OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	108	0.01
	2 = Drug use .....	183	0.02
	3 = Both alcohol and drug use.....	1721	0.19
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	5	0.00
	97 = REFUSED .....	858	0.10
	98 = BLANK (NO ANSWER) .....	6684	0.75
	99 = LEGITIMATE SKIP.....	536274	60.05

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

<b>TXYRMHC<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	3178	0.36
	2 = No.....	9368	1.05
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	453	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	67	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	27	0.00
	97 = REFUSED .....	893	0.10
	98 = BLANK (NO ANSWER) .....	5889	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

<b>TXYRMHAD<sup>1</sup></b>	Len : 2 MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	75	0.01
	2 = Drug use .....	96	0.01
	3 = Both alcohol and drug use.....	1003	0.11
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	8	0.00
	97 = REFUSED .....	859	0.10
	98 = BLANK (NO ANSWER) .....	6496	0.73
	99 = LEGITIMATE SKIP.....	537296	60.17

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

<b>TXYRTXER<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1386	0.16
	2 = No.....	11410	1.28
	3 = Yes LOGICALLY ASSIGNED.....	189	0.02
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	35	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	63	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	891	0.10
	98 = BLANK (NO ANSWER) .....	5890	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

<b>TXYRERAD<sup>1</sup></b>	Len : 2 EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	109	0.01
	2 = Drug use .....	143	0.02
	3 = Both alcohol and drug use.....	205	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	858	0.10
	98 = BLANK (NO ANSWER) .....	6276	0.70
	99 = LEGITIMATE SKIP.....	538240	60.28

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

<b>TXYRDOC<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1881	0.21
	2 = No.....	10886	1.22
	3 = Yes LOGICALLY ASSIGNED.....	5	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	246	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	67	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	887	0.10
	98 = BLANK (NO ANSWER) .....	5891	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

<b>TXYRDCAD<sup>1</sup></b>	Len : 2 PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	41	0.00
	2 = Drug use .....	77	0.01
	3 = Both alcohol and drug use.....	436	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	856	0.10
	98 = BLANK (NO ANSWER) .....	6237	0.70
	99 = LEGITIMATE SKIP.....	538185	60.27

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

<b>TXYRJAIL<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	1299	0.15
	2 = No.....	11624	1.30
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYMN2).....	96	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	68	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	10	0.00
	97 = REFUSED .....	883	0.10
	98 = BLANK (NO ANSWER) .....	5891	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

<b>TXYRJLAD<sup>1</sup></b>	Len : 2 PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	50	0.01
	2 = Drug use .....	86	0.01
	3 = Both alcohol and drug use.....	439	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	3	0.00
	97 = REFUSED .....	858	0.10
	98 = BLANK (NO ANSWER) .....	6196	0.69
	99 = LEGITIMATE SKIP.....	538201	60.27

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

<b>TXYRSHG<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	6709	0.75
	2 = No.....	5824	0.65
	3 = Yes LOGICALLY ASSIGNED.....	23	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYMN2).....	468	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	66	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	19	0.00
	97 = REFUSED .....	879	0.10
	98 = BLANK (NO ANSWER) .....	5889	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

<b>TXYRSGAD<sup>1</sup></b>	Len : 2 SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use.....	260	0.03
	2 = Drug use .....	248	0.03
	3 = Both alcohol and drug use.....	2105	0.24
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	859	0.10
	98 = BLANK (NO ANSWER) .....	6650	0.74
	99 = LEGITIMATE SKIP.....	535710	59.99

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

TXYRSOP<sup>1</sup>

Len : 2 RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	3237	0.36
2 = No.....	8594	0.96
5 = Yes LOGICALLY ASSIGNED (from TXLYMN2).....	1068	0.12
7 = Treatment location unknown, LOG ASSN .....	112	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned .....	63	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	31	0.00
97 = REFUSED .....	882	0.10
98 = BLANK (NO ANSWER) .....	5890	0.66
99 = LEGITIMATE SKIP.....	525958	58.90

TXYROTS<sup>2</sup>

Len : 3 OTHER PLACE RECEIVED TRMT PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
1 = A hospital overnight as an inpatient.....	3	0.00
2 = A res drug/alcohol rehab facility overnight.....	16	0.00
3 = A drug or alcohol rehab facility as an outpatient.....	9	0.00
4 = A mental health center or facility as outpatient.....	3	0.00
5 = An emergency room.....	1	0.00
6 = A private doctor's office.....	11	0.00
7 = A prison or jail.....	15	0.00
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	59	0.01
9 = Some other place.....	240	0.03
21 = A hospital overnight as an inpatient.....	3	0.00
22 = A res drug/alcohol rehab facility overnight.....	3	0.00
23 = A drug or alcohol rehab facility as an outpatient.....	6	0.00
24 = A mental health center or facility as outpatient.....	2	0.00
26 = A private doctor's office.....	1	0.00
27 = A prison or jail.....	1	0.00
28 = Self-help group, Alcoholic/Narcotics Anonymous.....	23	0.00
40 = Home, family, friends .....	225	0.03
41 = School, college.....	416	0.05
42 = Church/religious/spiritual influence.....	217	0.02
44 = Halfway house/group home .....	41	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	89	0.01
47 = Commnuty/city/county/state pgm or facil; unspcfd.....	65	0.01
48 = Counselor, therapist, psychologist, psychiatrist .....	532	0.06
49 = Court-mandated/sponsored program.....	440	0.05
51 = Alcohol/drug class or education, locale unspcfd.....	109	0.01
52 = Military/VA Hospital.....	43	0.00
53 = Hospital; mental health or patient status unspcfd.....	33	0.00
54 = On the job, Job Corp, EAP.....	3	0.00
55 = Youth-oriented facility/organization/program.....	80	0.01
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd.....	44	0.00
58 = Other individual, relationship unspecified .....	18	0.00
59 = Foster Care, Child & Family Services.....	11	0.00
61 = Camp/boot camp/outward bound/wilderness program.....	3	0.00
62 = Preliminary evaluation, location unspecified .....	4	0.00
63 = Medical clinic .....	11	0.00
64 = Methadone clinic/program .....	170	0.02
65 = Name of facility/program given .....	836	0.09
66 = Faith-based formal program/facility.....	13	0.00
68 = Detox .....	5	0.00
73 = Group counseling/therapy.....	14	0.00
74 = Clinic; type unspecified .....	6	0.00
77 = Group; type unspecified.....	4	0.00
78 = Outpatient facility; type and reason unspecified .....	11	0.00
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
985 = BAD DATA Logically assigned .....	241	0.03
991 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
994 = DON'T KNOW .....	72	0.01
997 = REFUSED .....	951	0.11
998 = BLANK (NO ANSWER).....	6180	0.69
999 = LEGITIMATE SKIP.....	534552	59.86



SUBSTANCE TREATMENT

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

<b>TXYROTAD<sup>1</sup></b>	Len : 2 OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Alcohol use .....	68	0.01
	2 = Drug use .....	70	0.01
	3 = Both alcohol and drug use .....	863	0.10
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned .....	404	0.05
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	858	0.10
	98 = BLANK (NO ANSWER) .....	6712	0.75
	99 = LEGITIMATE SKIP .....	537262	60.17

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<b>TXYRVSER<sup>1</sup></b>	Len : 2 EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes .....	513	0.06
	2 = No .....	7599	0.85
	6 = NEVER USED RELEVANT DRUGS .....	529	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned .....	404	0.05
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	12	0.00
	97 = REFUSED .....	914	0.10
	98 = BLANK (NO ANSWER) .....	6155	0.69
	99 = LEGITIMATE SKIP .....	530109	59.36

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<b>TXYRNME2<sup>1</sup></b>	Len : 3 # TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	487	0.05
	-9 = Data not collected for this year .....	170319	19.07
	31 = 31 or more .....	3	0.00
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned .....	404	0.05
	985 = BAD DATA Logically assigned .....	2	0.00
	991 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	994 = DON'T KNOW .....	17	0.00
	997 = REFUSED .....	920	0.10
	998 = BLANK (NO ANSWER) .....	6169	0.69
	999 = LEGITIMATE SKIP .....	538237	60.27

Are you currently receiving treatment or counseling for your [TXFILL1]?

<b>TXRCVNOW<sup>1</sup></b>	Len : 2 CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes .....	5093	0.57
	2 = No .....	7961	0.89
	3 = Yes LOGICALLY ASSIGNED .....	1	0.00
	4 = No LOGICALLY ASSIGNED .....	8	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned .....	404	0.05
	85 = BAD DATA Logically assigned .....	56	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	20	0.00
	97 = REFUSED .....	879	0.10
	98 = BLANK (NO ANSWER) .....	5859	0.66
	99 = LEGITIMATE SKIP .....	525934	58.90

SUBSTANCE TREATMENT

NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMR, NDTXSEDR, NDTXSODR, NDTXDG1R, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

**NDTXNEDR<sup>1</sup>** Len : 2 NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	3887	0.44
2 = No.....	522317	58.49
11 = Yes (TXYREVER=3).....	369	0.04
12 = No (TXYREVER=3).....	1089	0.12
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	36	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	448	0.05
97 = REFUSED.....	712	0.08
98 = BLANK (NO ANSWER).....	3853	0.43
99 = LEGITIMATE SKIP.....	13124	1.47

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

**NDTXMORE<sup>1</sup>** Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	619	0.07
2 = No.....	7323	0.82
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	17	0.00
97 = REFUSED.....	29	0.00
98 = BLANK (NO ANSWER).....	6795	0.76
99 = LEGITIMATE SKIP.....	531051	59.47

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

**NDTMRALC<sup>1</sup>** Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	351	0.04
6 = Response not entered.....	265	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

**NDTMRMJ<sup>1</sup>** Len : 2 NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	203	0.02
6 = Response not entered.....	413	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

SUBSTANCE TREATMENT

NDTMRROC <sup>1</sup>	Len : 2 NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	108	0.01
	6 = Response not entered .....	508	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	30	0.00
	98 = BLANK (NO ANSWER) .....	6813	0.76
	99 = LEGITIMATE SKIP.....	538374	60.29

NDTMRHER <sup>1</sup>	Len : 2 NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	64	0.01
	6 = Response not entered .....	552	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	30	0.00
	98 = BLANK (NO ANSWER) .....	6813	0.76
	99 = LEGITIMATE SKIP.....	538374	60.29

NDTMRHAL <sup>1</sup>	Len : 2 NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	20	0.00
	6 = Response not entered .....	596	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	30	0.00
	98 = BLANK (NO ANSWER) .....	6813	0.76
	99 = LEGITIMATE SKIP.....	538374	60.29

NDTMRINH <sup>1</sup>	Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	10	0.00
	6 = Response not entered .....	606	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	30	0.00
	98 = BLANK (NO ANSWER) .....	6813	0.76
	99 = LEGITIMATE SKIP.....	538374	60.29

NDTMRANL <sup>1</sup>	Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	108	0.01
	6 = Response not entered .....	508	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	30	0.00
	98 = BLANK (NO ANSWER) .....	6813	0.76
	99 = LEGITIMATE SKIP.....	538374	60.29

SUBSTANCE TREATMENT

NDTMRTRN<sup>1</sup>      Len : 2    NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	42	0.00
6 = Response not entered.....	574	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

NDTMRSTM<sup>1</sup>      Len : 2    NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	32	0.00
6 = Response not entered.....	584	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

NDTMRSED<sup>1</sup>      Len : 2    NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	15	0.00
6 = Response not entered.....	601	0.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

NDTMROTH<sup>1</sup>      Len : 2    NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Response entered.....	46	0.01
6 = Response not entered.....	570	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

During the past 12 months did you need treatment or counseling for your use of alcohol?

NDTXALCR<sup>1</sup>      Len : 2    NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	2031	0.23
2 = No.....	1724	0.19
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
11 = Yes (TXYREVER=3).....	189	0.02
12 = No (TXYREVER=3).....	164	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	643	0.07
98 = BLANK (NO ANSWER).....	554	0.06
99 = LEGITIMATE SKIP.....	540524	60.53

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

<p>NDTXMJR<sup>1</sup>      Len : 2    NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS</p>		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	805	0.09
	2 = No.....	2544	0.28
	3 = Yes LOGICALLY ASSIGNED.....	10	0.00
	11 = Yes (TXYREVER=3).....	106	0.01
	12 = No (TXYREVER=3).....	207	0.02
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	2	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	97 = REFUSED .....	378	0.04
	98 = BLANK (NO ANSWER) .....	302	0.03
	99 = LEGITIMATE SKIP.....	541481	60.64

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

<p>NDTXCOCR<sup>1</sup>      Len : 2    NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS</p>		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	514	0.06
	2 = No.....	1630	0.18
	3 = Yes LOGICALLY ASSIGNED.....	6	0.00
	11 = Yes (TXYREVER=3).....	54	0.01
	12 = No (TXYREVER=3).....	138	0.02
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	4	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	97 = REFUSED .....	132	0.01
	98 = BLANK (NO ANSWER) .....	163	0.02
	99 = LEGITIMATE SKIP.....	543194	60.83

During the past 12 months, did you need treatment or counseling for your use of heroin?

<p>NDTXHERR<sup>1</sup>      Len : 2    NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS</p>		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	179	0.02
	2 = No.....	349	0.04
	11 = Yes (TXYREVER=3).....	30	0.00
	12 = No (TXYREVER=3).....	32	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	97 = REFUSED .....	52	0.01
	98 = BLANK (NO ANSWER) .....	274	0.03
	99 = LEGITIMATE SKIP.....	544919	61.02

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

<p>NDTXHALR<sup>1</sup>      Len : 2    NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS</p>		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	129	0.01
	2 = No.....	2053	0.23
	3 = Yes LOGICALLY ASSIGNED.....	4	0.00
	11 = Yes (TXYREVER=3).....	18	0.00
	12 = No (TXYREVER=3).....	169	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	97 = REFUSED .....	160	0.02
	98 = BLANK (NO ANSWER) .....	1469	0.16
	99 = LEGITIMATE SKIP.....	541831	60.68

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of inhalants?

<b>NDTXINHR<sup>1</sup></b>	Len : 2 NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	95	0.01
	2 = No.....	1428	0.16
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	11 = Yes (TXYREVER=3).....	14	0.00
	12 = No (TXYREVER=3).....	109	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	97 = REFUSED .....	189	0.02
	98 = BLANK (NO ANSWER) .....	955	0.11
	99 = LEGITIMATE SKIP.....	543043	60.81

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

<b>NDTXANLR<sup>1</sup></b>	Len : 2 NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	562	0.06
	2 = No.....	1763	0.20
	3 = Yes LOGICALLY ASSIGNED.....	14	0.00
	11 = Yes (TXYREVER=3).....	60	0.01
	12 = No (TXYREVER=3).....	150	0.02
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	3	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	97 = REFUSED .....	251	0.03
	98 = BLANK (NO ANSWER) .....	1744	0.20
	99 = LEGITIMATE SKIP.....	541283	60.62

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

<b>NDTXTRNR<sup>1</sup></b>	Len : 2 NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	183	0.02
	2 = No.....	1471	0.16
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	11 = Yes (TXYREVER=3).....	17	0.00
	12 = No (TXYREVER=3).....	129	0.01
	13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	1	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	97 = REFUSED .....	124	0.01
	98 = BLANK (NO ANSWER) .....	805	0.09
	99 = LEGITIMATE SKIP.....	543100	60.82

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

**NDTXSTMR<sup>1</sup>**      Len : 2    NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	195	0.02
2 = No.....	1213	0.14
3 = Yes LOGICALLY ASSIGNED.....	82	0.01
11 = Yes (TXYREVER=3).....	20	0.00
12 = No (TXYREVER=3).....	104	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	2	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	129	0.01
98 = BLANK (NO ANSWER) .....	755	0.08
99 = LEGITIMATE SKIP.....	543332	60.85

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

**NDTXSEDR<sup>1</sup>**      Len : 2    NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	76	0.01
2 = No.....	425	0.05
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
11 = Yes (TXYREVER=3).....	7	0.00
12 = No (TXYREVER=3).....	44	0.00
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	89	0.01
98 = BLANK (NO ANSWER) .....	848	0.09
99 = LEGITIMATE SKIP.....	544337	60.96

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

**NDTXSODR<sup>1</sup>**      Len : 2    NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	278	0.03
2 = No.....	3051	0.34
5 = Drug Unknown LOGICALLY ASSIGNED .....	551	0.06
11 = Yes (TXYREVER=3).....	40	0.00
12 = No (TXYREVER=3).....	327	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	717	0.08
98 = BLANK (NO ANSWER) .....	4336	0.49
99 = LEGITIMATE SKIP.....	536530	60.08

SUBSTANCE TREATMENT

NDTXDG1R<sup>1</sup>

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
103 = Amytal.....	1	0.00
111 = Dalmane, Flurazepam.....	1	0.00
115 = Phenobarbital.....	1	0.00
122 = Over-the-counter sleep aid; not specified <OTC>.....	1	0.00
174 = Ambien, Stilnox, Zolpidem.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
289 = Olanzapine, Zyprexa.....	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	67	0.01
336 = Diet pills/medications/drugs; otherwise unspfd.....	1	0.00
348 = Crystal.....	1	0.00
355 = Crystal meth, crystal methamphetamine.....	8	0.00
418 = Methadone, Dolophine.....	1	0.00
423 = Percocet.....	1	0.00
425 = Advil <OTC>.....	1	0.00
426 = Fiorinal.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	1	0.00
503 = Other aerosol sprays.....	1	0.00
543 = Liquid oxygen, oxygen.....	1	0.00
601 = LSD ("acid").....	2	0.00
702 = Heroin.....	3	0.00
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	9	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	21	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	7	0.00
806 = Crack, rock.....	4	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	12	0.00
809 = Pills.....	1	0.00
812 = Cigars.....	1	0.00
813 = Cigarettes, tobacco (type unspecified).....	8	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
900 = Not a drug.....	2	0.00
1006 = Trileptal, Oxcarbazepine.....	1	0.00
2011 = Lexapro.....	1	0.00
3023 = Adderall.....	3	0.00
3033 = Metabolife <OTC>.....	1	0.00
3052 = Speed; otherwise unspecified.....	8	0.00
3100 = Over-the-counter stimulant; not otherwise specifd.....	1	0.00
4046 = Oxycodone or unspecified oxycodone products.....	4	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin.....	3	0.00
4076 = OTC Pain reliever; not otherwise specified <OTC>.....	1	0.00
4109 = Suboxone.....	3	0.00
6044 = Gel caps, gel tabs.....	1	0.00
6056 = Wet.....	1	0.00
6121 = Cactus; specifically not peyote.....	1	0.00
8012 = Coriciden <OTC>.....	3	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	1	0.00
8044 = Cephelaxin, Keflex.....	1	0.00
8058 = Cough medicine/syrup; type unspecified.....	2	0.00
8139 = Chloroquine, Nivaquine.....	1	0.00
8203 = Bar; otherwise unspecified.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
8301 = Bath salts, otherwise unspecified.....	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
9985 = BAD DATA Logically assigned.....	50	0.01
9991 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
9994 = DON'T KNOW.....	29	0.00
9997 = REFUSED.....	742	0.08
9998 = BLANK (NO ANSWER).....	4892	0.55
9999 = LEGITIMATE SKIP.....	539908	60.46



SUBSTANCE TREATMENT

NDTXDG2R<sup>1</sup>

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
115 = Phenobarbital.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	4	0.00
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED.....	1	0.00
418 = Methadone, Dolophine.....	1	0.00
423 = Percocet.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
442 = Ibuprofen.....	1	0.00
499 = Aleve <OTC>.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	4	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	4	0.00
806 = Crack, rock.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
900 = Not a drug.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	1	0.00
4052 = Endocet.....	1	0.00
4119 = Buprenorphine, Subutex.....	1	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
8108 = Atenonol.....	1	0.00
8138 = Chlorphenamine maleate, Chlorpheniramine.....	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
9985 = BAD DATA Logically assigned.....	35	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
9994 = DON'T KNOW.....	2	0.00
9997 = REFUSED.....	722	0.08
9998 = BLANK (NO ANSWER).....	5136	0.58
9999 = LEGITIMATE SKIP.....	539908	60.46

NDTXDG3R<sup>1</sup>

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
115 = Phenobarbital.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
408 = Dilaudid, Hydromorphone.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	3	0.00
804 = Hashish.....	1	0.00
806 = Crack, rock.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00
813 = Cigarettes, tobacco (type unspecified).....	1	0.00
816 = Smokeless tobacco, snuff, chewing tobacco.....	1	0.00
2001 = Sanoma, Soma, Carisoprodol.....	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
9985 = BAD DATA Logically assigned.....	19	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
9994 = DON'T KNOW.....	3	0.00
9997 = REFUSED.....	718	0.08
9998 = BLANK (NO ANSWER).....	5171	0.58
9999 = LEGITIMATE SKIP.....	539908	60.46

SUBSTANCE TREATMENT

NDTXDG4R<sup>1</sup>

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
209 = Xanax, Alprazolam, Tafil, Xanax bars .....	2	0.00
417 = Morphine, Roxanol .....	1	0.00
601 = LSD ("acid") .....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	3	0.00
806 = Crack, rock .....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	2	0.00
2001 = Sanoma, Soma, Carisoprodol .....	1	0.00
8058 = Cough medicine/syrup; type unspecified .....	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned .....	404	0.05
9985 = BAD DATA Logically assigned .....	12	0.00
9991 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
9994 = DON'T KNOW .....	1	0.00
9997 = REFUSED .....	717	0.08
9998 = BLANK (NO ANSWER) .....	5185	0.58
9999 = LEGITIMATE SKIP .....	539908	60.46

NDTXDG5R<sup>1</sup>

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
209 = Xanax, Alprazolam, Tafil, Xanax bars .....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	2	0.00
805 = Cocaine, coca, cocaina, coke, perico .....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	2	0.00
2001 = Sanoma, Soma, Carisoprodol .....	1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned .....	404	0.05
9985 = BAD DATA Logically assigned .....	8	0.00
9991 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
9997 = REFUSED .....	717	0.08
9998 = BLANK (NO ANSWER) .....	5195	0.58
9999 = LEGITIMATE SKIP .....	539908	60.46

NOTE: NDTXFTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

NDTXEFTR<sup>1</sup>

Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes .....	1036	0.12
2 = No .....	2756	0.31
11 = Yes (see note) .....	327	0.04
12 = No (TXYREVER=3) .....	124	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned .....	404	0.05
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	718	0.08
98 = BLANK (NO ANSWER) .....	4336	0.49
99 = LEGITIMATE SKIP .....	536530	60.08

SUBSTANCE TREATMENT

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

<b>NDTXNHCV<sup>1</sup></b>	Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	1076	0.12
	6 = Response not entered .....	2911	0.33
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	99	0.01
	13 = Response entered LOG ASSN (NDTXNEED/NDTXEFTR=11).....	1	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	84	0.01
	97 = REFUSED .....	797	0.09
	98 = BLANK (NO ANSWER) .....	4336	0.49
	99 = LEGITIMATE SKIP.....	536530	60.08

<b>NDTXLMCV<sup>1</sup></b>	Len : 2 TREATMENT NOT COVERED ON HLTH CARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	222	0.02
	3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
	6 = Response not entered .....	3811	0.43
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	52	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	84	0.01
	97 = REFUSED .....	797	0.09
	98 = BLANK (NO ANSWER) .....	4337	0.49
	99 = LEGITIMATE SKIP.....	536530	60.08

<b>NDTXNTSP<sup>1</sup></b>	Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	262	0.03
	3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
	6 = Response not entered .....	3783	0.42
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	37	0.00
	13 = Response entered LOG ASSN(NDTXNEDR or NDTXEFTR=11).....	1	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	84	0.01
	97 = REFUSED .....	797	0.09
	98 = BLANK (NO ANSWER) .....	4337	0.49
	99 = LEGITIMATE SKIP.....	536530	60.08

<b>NDTXTYPE<sup>1</sup></b>	Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Response entered .....	219	0.02
	6 = Response not entered .....	3844	0.43
	11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	24	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	84	0.01
	97 = REFUSED .....	797	0.09
	98 = BLANK (NO ANSWER) .....	4337	0.49
	99 = LEGITIMATE SKIP.....	536530	60.08

SUBSTANCE TREATMENT

NDTXREDY<sup>1</sup>

Len : 2 NOT READY TO STOP USING [TXFILL2]

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	1292	0.14
3 = Response entered LOGICALLY ASSIGNED .....	11	0.00
6 = Response not entered .....	2679	0.30
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	102	0.01
13 = Yes LOGICALLY ASSIGNED (TXYREVER=3 or NDTXEFTR=11) .....	3	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	84	0.01
97 = REFUSED .....	797	0.09
98 = BLANK (NO ANSWER) .....	4337	0.49
99 = LEGITIMATE SKIP.....	536530	60.08

NDTXOPEN<sup>1</sup>

Len : 2 NO OPENINGS IN THE PROGRAMS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	109	0.01
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	3959	0.44
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	18	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	84	0.01
97 = REFUSED .....	797	0.09
98 = BLANK (NO ANSWER) .....	4337	0.49
99 = LEGITIMATE SKIP.....	536530	60.08

NDTXWHER<sup>1</sup>

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	486	0.05
3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
6 = Response not entered .....	3565	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	31	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	84	0.01
97 = REFUSED .....	797	0.09
98 = BLANK (NO ANSWER) .....	4337	0.49
99 = LEGITIMATE SKIP.....	536530	60.08

NDTXNBR<sup>1</sup>

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	489	0.05
6 = Response not entered .....	3570	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=3).....	28	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	84	0.01
97 = REFUSED .....	797	0.09
98 = BLANK (NO ANSWER) .....	4337	0.49
99 = LEGITIMATE SKIP.....	536530	60.08

NDTXJOB<sup>1</sup>

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	373	0.04
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	3687	0.41
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	26	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	84	0.01
97 = REFUSED .....	797	0.09
98 = BLANK (NO ANSWER) .....	4337	0.49
99 = LEGITIMATE SKIP.....	536530	60.08

SUBSTANCE TREATMENT

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

**NDTXNOND<sup>1</sup>**      Len : 2    YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	285	0.03
3 = Response entered LOGICALLY ASSIGNED .....	31	0.00
6 = Response not entered .....	3374	0.38
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	35	0.00
13 = Response entered LOG ASSN (see level 11).....	4	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	82	0.01
97 = REFUSED .....	759	0.08
98 = BLANK (NO ANSWER) .....	4029	0.45
99 = LEGITIMATE SKIP.....	495391	55.48

**NDTXHNDL<sup>1</sup>**      Len : 2    YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	382	0.04
3 = Response entered LOGICALLY ASSIGNED .....	13	0.00
6 = Response not entered .....	3303	0.37
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	30	0.00
13 = Response entered LOG ASSN (see level 11).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	82	0.01
97 = REFUSED .....	759	0.08
98 = BLANK (NO ANSWER) .....	4029	0.45
99 = LEGITIMATE SKIP.....	495391	55.48

**NDTXNHLP<sup>1</sup>**      Len : 2    YOU DIDN'T THINK TREATMENT WOULD HELP

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	138	0.02
3 = Response entered LOGICALLY ASSIGNED .....	7	0.00
6 = Response not entered .....	3577	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	7	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	82	0.01
97 = REFUSED .....	759	0.08
98 = BLANK (NO ANSWER) .....	4029	0.45
99 = LEGITIMATE SKIP.....	495391	55.48

**NDTXBUSY<sup>1</sup>**      Len : 2    YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	161	0.02
3 = Response entered LOGICALLY ASSIGNED .....	14	0.00
6 = Response not entered .....	3542	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	12	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	82	0.01
97 = REFUSED .....	759	0.08
98 = BLANK (NO ANSWER) .....	4029	0.45
99 = LEGITIMATE SKIP.....	495391	55.48

SUBSTANCE TREATMENT

NDTXFOUT<sup>1</sup>

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	251	0.03
3 = Response entered LOGICALLY ASSIGNED .....	13	0.00
6 = Response not entered .....	3450	0.39
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	15	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	82	0.01
97 = REFUSED .....	759	0.08
98 = BLANK (NO ANSWER) .....	4029	0.45
99 = LEGITIMATE SKIP .....	495391	55.48

NDTXSOR<sup>1</sup>

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	510	0.06
6 = Response not entered .....	3519	0.39
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	58	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	84	0.01
97 = REFUSED .....	797	0.09
98 = BLANK (NO ANSWER) .....	4337	0.49
99 = LEGITIMATE SKIP .....	536530	60.08

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

NDTMREFT<sup>1</sup>

Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	348	0.04
2 = No .....	270	0.03
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	29	0.00
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNHCV<sup>1</sup>

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	181	0.02
6 = Response not entered .....	405	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

NDMRLMCV<sup>1</sup>

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	45	0.01
6 = Response not entered .....	541	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

SUBSTANCE TREATMENT

NDMRNTSP<sup>1</sup>

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	56	0.01
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	528	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

NDMRTYPE<sup>1</sup>

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	46	0.01
6 = Response not entered .....	540	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

NDMRREDY<sup>1</sup>

Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	172	0.02
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	413	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

NDMROPEN<sup>1</sup>

Len : 2 NO OPENINGS IN THE PROGRAMS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	25	0.00
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	559	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

NDMRWHER<sup>1</sup>

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	40	0.00
6 = Response not entered .....	546	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

SUBSTANCE TREATMENT

NDMRNBR<sup>1</sup>

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	40	0.00
6 = Response not entered .....	546	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

NDMRJOB<sup>1</sup>

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	35	0.00
6 = Response not entered .....	551	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP.....	538374	60.29

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNOND<sup>1</sup>

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	54	0.01
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	481	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	45	0.01
98 = BLANK (NO ANSWER) .....	6360	0.71
99 = LEGITIMATE SKIP.....	497033	55.66

NDMRHNDL<sup>1</sup>

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	46	0.01
6 = Response not entered .....	493	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	45	0.01
98 = BLANK (NO ANSWER) .....	6360	0.71
99 = LEGITIMATE SKIP.....	497033	55.66

NDMRNHLP<sup>1</sup>

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	14	0.00
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	522	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	45	0.01
98 = BLANK (NO ANSWER) .....	6360	0.71
99 = LEGITIMATE SKIP.....	497033	55.66



SUBSTANCE TREATMENT

NDMRBUSY<sup>1</sup>      Len : 2    YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	22	0.00
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	514	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	45	0.01
98 = BLANK (NO ANSWER) .....	6360	0.71
99 = LEGITIMATE SKIP .....	497033	55.66

NDMRFOUT<sup>1</sup>      Len : 2    DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year .....	224398	25.13
1 = Response entered .....	15	0.00
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	520	0.06
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	373	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	164211	18.39
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	45	0.01
98 = BLANK (NO ANSWER) .....	6360	0.71
99 = LEGITIMATE SKIP .....	497033	55.66

NDMRSOR<sup>1</sup>      Len : 2    SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Response entered .....	97	0.01
6 = Response not entered .....	489	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	6813	0.76
99 = LEGITIMATE SKIP .....	538374	60.29

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

TXLASREC<sup>1</sup>      Len : 2    TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
1 = Within past 30 days -- that is, since [DATEFILL] .....	1284	0.14
2 = More than 30 days ago but within the past 12 mos .....	6003	0.67
3 = More than 12 months ago .....	24858	2.78
7 = Still in treatment LOG ASSN (TXRCVNOW=1).....	5093	0.57
8 = Treatment in past year LOGICALLY ASSIGNED .....	2207	0.25
9 = Treatment in lifetime LOGICALLY ASSIGNED .....	39	0.00
13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	421	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
97 = REFUSED .....	835	0.09
98 = BLANK (NO ANSWER) .....	4414	0.49
99 = LEGITIMATE SKIP .....	500679	56.07

SUBSTANCE TREATMENT

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?

What is the main place where you are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

TXLYMN2<sup>1</sup>

Len : 3 MAIN PLACE RCV TRMT LAST TIME/CURRENTLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = A hospital overnight as an inpatient.....	449	0.05
2 = A res drug/alcohol rehab facility overnight.....	1331	0.15
3 = A drug or alcohol rehab facility as an outpatient.....	2752	0.31
4 = A mental health center or facility as outpatient.....	1522	0.17
5 = An emergency room.....	141	0.02
6 = A private doctor's office.....	890	0.10
7 = A prison or jail.....	351	0.04
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	2932	0.33
9 = Some other place.....	474	0.05
28 = Self-help group, Alcoholic/Narcotics Anonymous.....	12	0.00
40 = Home, family, friends.....	151	0.02
41 = School, college.....	373	0.04
42 = Church/religious/spiritual influence.....	95	0.01
44 = Halfway house/group home.....	9	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	26	0.00
47 = Commnuty/city/county/state pgm or facil; unspcfd.....	40	0.00
48 = Counselor, therapist, psychologist, psychiatrist.....	349	0.04
49 = Court-mandated/sponsored program.....	277	0.03
51 = Alcohol/drug class or education, locale unspcfd.....	67	0.01
52 = Military/VA Hospital.....	14	0.00
53 = Hospital; mental health or patient status unspcfd.....	10	0.00
55 = Youth-oriented facility/organization/program.....	49	0.01
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd.....	14	0.00
59 = Foster Care, Child & Family Services.....	7	0.00
62 = Preliminary evaluation, location unspecified.....	3	0.00
63 = Medical clinic.....	6	0.00
64 = Methadone clinic/program.....	93	0.01
65 = Name of facility/program given.....	362	0.04
66 = Faith-based formal program/facility.....	7	0.00
68 = Detox.....	3	0.00
74 = Clinic; type unspecified.....	3	0.00
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
985 = BAD DATA Logically assigned.....	47	0.01
989 = LEGITIMATE SKIP Logically assigned.....	24	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
994 = DON'T KNOW.....	145	0.02
997 = REFUSED.....	1014	0.11
998 = BLANK (NO ANSWER).....	5859	0.66
999 = LEGITIMATE SKIP.....	525934	58.90

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?

Are you currently receiving treatment or counseling for your use of alcohol?

<b>TXLTYALC<sup>1</sup></b>	Len : 2 LAST/CURRENT TREATMENT FOR ALCOHOL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	7693	0.86
	2 = No.....	4326	0.48
	3 = Yes LOGICALLY ASSIGNED.....	52	0.01
	5 = Yes LOG ASSN (TXYRADG = 1).....	701	0.08
	6 = NEVER USED ALCOHOL (TXEVER = 1).....	268	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	33	0.00
	97 = REFUSED.....	907	0.10
	98 = BLANK (NO ANSWER).....	5856	0.66
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525934	58.90

The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?

Are you currently receiving treatment or counseling for your use of marijuana or hashish?

<b>TXLTYMJ<sup>1</sup></b>	Len : 2 LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	5038	0.56
	2 = No.....	6597	0.74
	3 = Yes LOGICALLY ASSIGNED.....	86	0.01
	4 = No LOGICALLY ASSIGNED.....	1	0.00
	6 = NEVER USED MARIJUANA (TXEVER = 1).....	1606	0.18
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	37	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	20	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	28	0.00
	97 = REFUSED.....	894	0.10
	98 = BLANK (NO ANSWER).....	5590	0.63
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525938	58.90

The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?

Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?

<b>TXLTYCOC<sup>1</sup></b>	Len : 2 LAST/CURRENT TREATMENT FOR COCAINE/CRACK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	2223	0.25
	2 = No.....	4656	0.52
	3 = Yes LOGICALLY ASSIGNED.....	69	0.01
	4 = No LOGICALLY ASSIGNED.....	2	0.00
	6 = NEVER USED COCAINE (TXEVER = 1).....	7037	0.79
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	15	0.00
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	10	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	12	0.00
	97 = REFUSED.....	875	0.10
	98 = BLANK (NO ANSWER).....	4988	0.56
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525948	58.90

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of heroin?

Are you currently receiving treatment or counseling for your use of heroin?

**TXLTYHER<sup>1</sup>**      Len : 2    LAST/CURRENT TREATMENT FOR HEROIN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1219	0.14
2 = No.....	869	0.10
3 = Yes LOGICALLY ASSIGNED.....	22	0.00
6 = NEVER USED HEROIN (TXEVER = 1).....	12328	1.38
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	861	0.10
98 = BLANK (NO ANSWER).....	4569	0.51
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525953	58.90

The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?

Are you currently receiving treatment or counseling for your use of hallucinogens?

**TXLTYHAL<sup>1</sup>**      Len : 2    LAST/CURRENT TREATMENT FOR HALLUCINOGENS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1355	0.15
2 = No.....	5843	0.65
3 = Yes LOGICALLY ASSIGNED.....	32	0.00
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	6722	0.75
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	16	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	10	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	878	0.10
98 = BLANK (NO ANSWER).....	5019	0.56
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525948	58.90

The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?

Are you currently receiving treatment or counseling for your use of inhalants?

**TXLTYINH<sup>1</sup>**      Len : 2    LAST/CURRENT TREATMENT FOR INHALANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	761	0.09
2 = No.....	3797	0.43
3 = Yes LOGICALLY ASSIGNED.....	8	0.00
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED INHALANTS (TXEVER = 1).....	9561	1.07
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	17	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	12	0.00
97 = REFUSED.....	881	0.10
98 = BLANK (NO ANSWER).....	4839	0.54
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525952	58.90

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?

Are you currently receiving treatment or counseling for your use of prescription pain relievers?

**TXLTYANL<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	2441	0.27
2 = No.....	4981	0.56
3 = Yes LOGICALLY ASSIGNED.....	51	0.01
4 = No LOGICALLY ASSIGNED.....	4	0.00
6 = NEVER USED PAIN RELIEVERS (TXEVER = 1).....	6360	0.71
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	16	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	7	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	18	0.00
97 = REFUSED.....	882	0.10
98 = BLANK (NO ANSWER).....	5124	0.57
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525951	58.90

The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?

Are you currently receiving treatment or counseling for your use of prescription tranquilizers?

**TXLTYTRN<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1229	0.14
2 = No.....	3934	0.44
3 = Yes LOGICALLY ASSIGNED.....	40	0.00
4 = No LOGICALLY ASSIGNED.....	4	0.00
6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	8904	1.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	11	0.00
97 = REFUSED.....	871	0.10
98 = BLANK (NO ANSWER).....	4872	0.55
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525952	58.90

The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

**TXLTYSTM<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1062	0.12
2 = No.....	3154	0.35
3 = Yes LOGICALLY ASSIGNED.....	359	0.04
4 = No LOGICALLY ASSIGNED.....	8	0.00
6 = NEVER USED STIMULANTS (TXEVER = 1).....	9608	1.08
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	10	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	867	0.10
98 = BLANK (NO ANSWER).....	4800	0.54
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525950	58.90

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

**TXLTYSOD<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	383	0.04
2 = No.....	967	0.11
3 = Yes LOGICALLY ASSIGNED.....	19	0.00
4 = No LOGICALLY ASSIGNED.....	10	0.00
6 = NEVER USED SEDATIVES (TXEVER = 1).....	13053	1.46
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVER=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	861	0.10
98 = BLANK (NO ANSWER).....	4577	0.51
99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	525957	58.90

The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?

Are you currently receiving treatment or counseling for your use of any other drug?

**TXLTYSOD<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR SOME OTHER DRUG

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1665	0.19
2 = No.....	10571	1.18
3 = Yes LOGICALLY ASSIGNED.....	81	0.01
5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	293	0.03
7 = Treatment drug/alc unknown LOG ASSN.....	413	0.05
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	44	0.00
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	42	0.00
97 = REFUSED.....	909	0.10
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

SUBSTANCE TREATMENT

What was the outcome of the treatment or counseling you last received?

TXLTYOU2 <sup>1</sup>	Len : 2    OUTCOME OF LAST/CURRENT TREATMENT	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = You are still in treatment.....	4702	0.53
	2 = You successfully completed treatment.....	5775	0.65
	3 = You left because you had a problem with program.....	414	0.05
	4 = You left b/c you couldn't afford to continue.....	240	0.03
	5 = You left because your family needed you .....	125	0.01
	6 = You left because you began using drugs again.....	325	0.04
	7 = Your last treatment had some other outcome .....	198	0.02
	21 = You are still in treatment.....	396	0.04
	22 = You successfully completed treatment.....	10	0.00
	41 = You left because you didn't need/want treatment.....	41	0.00
	43 = You were successful b/c of own efforts, not trmt.....	3	0.00
	44 = You relapsed/program did not work for you .....	50	0.01
	46 = You moved away from the treatment location .....	4	0.00
	48 = Discontinued treatment, success unknown.....	33	0.00
	49 = Completed treatment/tmt required, outcome unknown .....	104	0.01
	50 = You had other problems to deal with .....	12	0.00
	51 = You still use, but to a lesser extent.....	14	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned .....	382	0.04
	89 = LEGITIMATE SKIP Logically assigned .....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	94 = DON'T KNOW .....	150	0.02
	97 = REFUSED .....	986	0.11
	98 = BLANK (NO ANSWER) .....	5913	0.66
	99 = LEGITIMATE SKIP.....	525934	58.90

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

TXLTYDU2 <sup>1</sup>	Len : 5    # DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	4664	0.52
	-9 = Data not collected for this year .....	170319	19.07
	31 = 31 or more.....	7980	0.89
	99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	99985 = BAD DATA Logically assigned .....	58	0.01
	99989 = LEGITIMATE SKIP Logically assigned .....	24	0.00
	99991 = NEVER USED ALCOHOL OR DRUGS .....	176414	19.76
	99994 = DON'T KNOW .....	269	0.03
	99997 = REFUSED .....	1047	0.12
	99998 = BLANK (NO ANSWER).....	5859	0.66
	99999 = LEGITIMATE SKIP.....	525934	58.90

SUBSTANCE TREATMENT

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

<b>TXPYINS<sup>1</sup></b>	Len : 2 HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	4277	0.48
	2 = No.....	8169	0.91
	3 = Yes LOGICALLY ASSIGNED.....	21	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	471	0.05
	97 = REFUSED.....	981	0.11
	98 = BLANK (NO ANSWER).....	5859	0.66
	99 = LEGITIMATE SKIP.....	525934	58.90

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

<b>TXPYCARE<sup>1</sup></b>	Len : 2 MEDICARE PAY FOR LAST/CURRENT TRMT	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	2422	0.27
	2 = No.....	9761	1.09
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	747	0.08
	97 = REFUSED.....	987	0.11
	98 = BLANK (NO ANSWER).....	5859	0.66
	99 = LEGITIMATE SKIP.....	525934	58.90

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

<b>TXPYCAID<sup>1</sup></b>	Len : 2 MEDICAID PAY FOR LAST/CURRENT TRMT	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	2568	0.29
	2 = No.....	9588	1.07
	3 = Yes LOGICALLY ASSIGNED.....	17	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	99	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	766	0.09
	97 = REFUSED.....	980	0.11
	98 = BLANK (NO ANSWER).....	5859	0.66
	99 = LEGITIMATE SKIP.....	525934	58.90



SUBSTANCE TREATMENT

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYPUBP<sup>1</sup>      Len : 2    OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	2424	0.27
2 = No.....	9623	1.08
3 = Yes LOGICALLY ASSIGNED.....	16	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	875	0.10
97 = REFUSED.....	981	0.11
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

TXPYSAVE<sup>1</sup>      Len : 2    OWN SAVINGS PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	5763	0.65
2 = No.....	6881	0.77
3 = Yes LOGICALLY ASSIGNED.....	41	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	264	0.03
97 = REFUSED.....	970	0.11
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

Did family members pay for the last treatment you received, even if they paid only part of the cost?

Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?

TXPYFMLY<sup>1</sup>      Len : 2    FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	3508	0.39
2 = No.....	9182	1.03
3 = Yes LOGICALLY ASSIGNED.....	17	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	247	0.03
97 = REFUSED.....	965	0.11
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

SUBSTANCE TREATMENT

Did the courts pay for the last treatment you received, even if it paid only part of the cost?

Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPYCORT<sup>1</sup>**      Len : 2    COURTS PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1555	0.17
2 = No.....	10986	1.23
3 = Yes LOGICALLY ASSIGNED.....	47	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	365	0.04
97 = REFUSED.....	966	0.11
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?

Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPYMILC<sup>1</sup>**      Len : 2    MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	443	0.05
2 = No.....	11899	1.33
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	604	0.07
97 = REFUSED.....	967	0.11
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPYEMPL<sup>1</sup>**      Len : 2    EMPLOYER PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	494	0.06
2 = No.....	12102	1.36
3 = Yes LOGICALLY ASSIGNED.....	13	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	343	0.04
97 = REFUSED.....	967	0.11
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

SUBSTANCE TREATMENT

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

**TXPYSOS<sup>1</sup>**      Len : 2    SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	1452	0.16
2 = No.....	10740	1.20
4 = No LOG ASSN (free trmt specified).....	28	0.00
5 = Yes, payment source not specified LOG ASSN.....	326	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	88	0.01
89 = LEGITIMATE SKIP Logically assigned.....	24	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	426	0.05
97 = REFUSED.....	958	0.11
98 = BLANK (NO ANSWER).....	5859	0.66
99 = LEGITIMATE SKIP.....	525934	58.90

**TXPYSO2<sup>1</sup>**      Len : 2    OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Private health insurance.....	125	0.01
2 = Medicare.....	5	0.00
3 = Medicaid.....	41	0.00
4 = Public assistance program other than Medicaid.....	47	0.01
5 = Own savings or earnings.....	120	0.01
6 = Family members.....	53	0.01
7 = Courts.....	99	0.01
8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth.....	10	0.00
9 = Employer.....	20	0.00
10 = Free.....	83	0.01
11 = Some other source.....	22	0.00
12 = Friend/neighbor/sponsor/stipend.....	61	0.01
13 = Church/faith-based organization.....	30	0.00
14 = School.....	121	0.01
15 = Treatment program/facility/provider.....	72	0.01
16 = Indian Health Service/BIA/Tribe.....	56	0.01
19 = Public assistance, welfare; otherwise unspecified.....	187	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	229	0.03
89 = LEGITIMATE SKIP Logically assigned.....	31	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	95	0.01
97 = REFUSED.....	1017	0.11
98 = BLANK (NO ANSWER).....	6617	0.74
99 = LEGITIMATE SKIP.....	536694	60.10

Was the last treatment you received free?

Is the treatment you are currently receiving free?

**TXPYFRE<sup>1</sup>**      Len : 2    LAST/CURRENT TREATMENT WAS/IS FREE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	837	0.09
2 = No.....	326	0.04
3 = Yes LOGICALLY ASSIGNED.....	83	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
94 = DON'T KNOW.....	4	0.00
97 = REFUSED.....	936	0.10
98 = BLANK (NO ANSWER).....	6249	0.70
99 = LEGITIMATE SKIP.....	537396	60.18

SUBSTANCE TREATMENT

Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?

For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.

<b>TXENROLL<sup>1</sup></b>	Len : 2 ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	4265	0.48
	2 = No.....	35020	3.92
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	16	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	425	0.05
	97 = REFUSED.....	1028	0.12
	98 = BLANK (NO ANSWER).....	4402	0.49
	99 = LEGITIMATE SKIP (TXEVER=2).....	500679	56.07

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

<b>TXYRDTXO<sup>1</sup></b>	Len : 2 WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	1 = Yes.....	1950	0.22
	2 = No.....	8261	0.93
	4 = No LOGICALLY ASSIGNED.....	2591	0.29
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	404	0.05
	85 = BAD DATA Logically assigned.....	15	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	176414	19.76
	94 = DON'T KNOW.....	191	0.02
	97 = REFUSED.....	978	0.11
	98 = BLANK (NO ANSWER).....	5891	0.66
	99 = LEGITIMATE SKIP.....	525958	58.90

NOTE: The variables TXALONEV, TXALONAG, TXDRONEV, TXDRONAG, TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALONEV and TXALONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRONEV and TXDRONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime users of alcohol and other drugs.

NOTE: TXALONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALONEV=11). TXALONEV was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

<b>TXALONEV<sup>1</sup></b>	Len : 2 EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	279628	31.31
	1 = Yes.....	1149	0.13
	2 = No.....	3	0.00
	11 = Yes (TXYREVER=3; see NOTE for TXALONEV).....	57	0.01
	12 = No (TXYREVER=3; see NOTE for TXALONEV).....	76	0.01
	22 = No (but only alcohol user; see NOTE for TXALONEV).....	548	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED.....	209	0.02
	98 = BLANK (NO ANSWER).....	3485	0.39
	99 = LEGITIMATE SKIP.....	455769	51.04

SUBSTANCE TREATMENT

How old were you when you first received treatment for your alcohol use?

<b>TXALONAG<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT FOR ALC USE	<b>Freq</b>	<b>Pct</b>
	RANGE = 4 - 78.....	1179	0.13
	-9 = Data not collected for this year.....	279628	31.31
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	994 = DON'T KNOW.....	15	0.00
	997 = REFUSED.....	210	0.02
	998 = BLANK (NO ANSWER).....	4045	0.45
	999 = LEGITIMATE SKIP.....	455848	51.05

NOTE: TXDRONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRONEV=11). TXDRONEV was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?

<b>TXDRONEV<sup>1</sup></b>	Len : 2 EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	279628	31.31
	1 = Yes.....	140	0.02
	11 = Yes (TXYREVER=3; see NOTE for TXDRONEV).....	29	0.00
	12 = No (TXYREVER=3; see NOTE for TXDRONEV).....	43	0.00
	22 = No (but only drug user; see NOTE for TXDRONEV).....	107	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	133	0.01
	98 = BLANK (NO ANSWER).....	3473	0.39
	99 = LEGITIMATE SKIP.....	457370	51.22

How old were you when you first received treatment or counseling for your drug use?

<b>TXDRONAG<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 58.....	142	0.02
	-9 = Data not collected for this year.....	279628	31.31
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	994 = DON'T KNOW.....	5	0.00
	997 = REFUSED.....	133	0.01
	998 = BLANK (NO ANSWER).....	3604	0.40
	999 = LEGITIMATE SKIP.....	457413	51.22

SUBSTANCE TREATMENT

NOTE: TXALCDEV and TXDRGAEV were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDEV=11). TXALCDEV and TXDRGAEV were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDEV) or for their drug use (in the question corresponding to TXDRGAEV). Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?

**TXALCDEV<sup>1</sup>**      Len : 2    EVER RCVD TMT FOR ALCOHOL USE (ALSO USED DRUGS)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	279628	31.31
1 = Yes.....	12160	1.36
2 = No.....	5677	0.64
11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....	431	0.05
12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	288	0.03
22 = No (see NOTE for TXALCDEV).....	1690	0.19
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
94 = DON'T KNOW.....	18	0.00
97 = REFUSED.....	456	0.05
98 = BLANK (NO ANSWER).....	3659	0.41
99 = LEGITIMATE SKIP.....	436913	48.93

How old were you when you first received treatment or counseling for your alcohol use?

**TXALCDAG<sup>1</sup>**      Len : 3    AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 75.....	12277	1.37
-9 = Data not collected for this year.....	279628	31.31
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
985 = BAD DATA Logically assigned.....	7	0.00
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
994 = DON'T KNOW.....	201	0.02
997 = REFUSED.....	472	0.05
998 = BLANK (NO ANSWER).....	5457	0.61
999 = LEGITIMATE SKIP.....	442882	49.60

Have you ever received treatment or counseling for your drug use?

**TXDRGAEV<sup>1</sup>**      Len : 2    EVER RCVD TRMT FOR DRUG USE (ALSO USED ALCOHOL)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	279628	31.31
1 = Yes.....	10374	1.16
2 = No.....	7462	0.84
11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....	500	0.06
12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	221	0.02
22 = No (see NOTE for TXALCDEV).....	1690	0.19
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
94 = DON'T KNOW.....	18	0.00
97 = REFUSED.....	455	0.05
98 = BLANK (NO ANSWER).....	3659	0.41
99 = LEGITIMATE SKIP.....	436913	48.93

SUBSTANCE TREATMENT

How old were you when you first received treatment or counseling for your drug use?

<b>TXDRGAAG<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 68.....	10528	1.18
	-9 = Data not collected for this year.....	279628	31.31
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	4	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	994 = DON'T KNOW.....	157	0.02
	997 = REFUSED.....	467	0.05
	998 = BLANK (NO ANSWER).....	5540	0.62
	999 = LEGITIMATE SKIP.....	444601	49.79

NOTE: The variables TXYALAGE, TXYALDRG, TXYALDAG, TXYDRAGE, TXYDRALC, TXYDRAAG, TXYADAAG, and TXYADDAG pertain to respondents who received substance treatment in the past 12 months. TXYALAGE, TXYALDRG, and TXYALDAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRAGE, TXYDRALC, and TXYDRAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYADAAG and TXYADDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

<b>TXYALAGE<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 75.....	3801	0.43
	-9 = Data not collected for this year.....	279628	31.31
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	42	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	994 = DON'T KNOW.....	77	0.01
	997 = REFUSED.....	794	0.09
	998 = BLANK (NO ANSWER).....	5128	0.57
	999 = LEGITIMATE SKIP.....	451455	50.56

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

<b>TXYALDRG<sup>1</sup></b>	Len : 2 EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	279628	31.31
	1 = Yes.....	369	0.04
	2 = No.....	2737	0.31
	3 = Yes LOGICALLY ASSIGNED (TXYRADG=11).....	234	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	85 = BAD DATA Logically assigned.....	33	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	94 = DON'T KNOW.....	10	0.00
	97 = REFUSED.....	763	0.09
	98 = BLANK (NO ANSWER).....	5134	0.57
	99 = LEGITIMATE SKIP.....	452012	50.62

How old were you when you first received treatment or counseling for your drug use?

<b>TXYALDAG<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 58.....	348	0.04
	-9 = Data not collected for this year.....	279628	31.31
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	31	0.00
	989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	994 = DON'T KNOW.....	8	0.00
	997 = REFUSED.....	765	0.09
	998 = BLANK (NO ANSWER).....	5391	0.60
	999 = LEGITIMATE SKIP.....	454753	50.93

SUBSTANCE TREATMENT

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

**TXYDRAGE<sup>1</sup>**      Len : 3    AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 73 .....	3278	0.37
-9 = Data not collected for this year .....	279628	31.31
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
985 = BAD DATA Logically assigned .....	6	0.00
991 = NEVER USED ALCOHOL OR DRUGS .....	151705	16.99
994 = DON'T KNOW .....	41	0.00
997 = REFUSED .....	781	0.09
998 = BLANK (NO ANSWER).....	5174	0.58
999 = LEGITIMATE SKIP.....	452017	50.62

Have you ever received treatment or counseling for your alcohol use?

**TXYDRALC<sup>1</sup>**      Len : 2    EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	279628	31.31
1 = Yes.....	371	0.04
2 = No .....	2616	0.29
3 = Yes LOGICALLY ASSIGNED (TXYRADG=12) .....	201	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	151705	16.99
94 = DON'T KNOW .....	8	0.00
97 = REFUSED .....	763	0.09
98 = BLANK (NO ANSWER) .....	5174	0.58
99 = LEGITIMATE SKIP.....	452163	50.64

How old were you when you first received treatment or counseling for your alcohol use?

**TXYDRAAG<sup>1</sup>**      Len : 3    AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 53 .....	343	0.04
-9 = Data not collected for this year .....	279628	31.31
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
985 = BAD DATA Logically assigned .....	1	0.00
991 = NEVER USED ALCOHOL OR DRUGS .....	151705	16.99
994 = DON'T KNOW .....	6	0.00
997 = REFUSED .....	766	0.09
998 = BLANK (NO ANSWER).....	5402	0.60
999 = LEGITIMATE SKIP.....	454779	50.93

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

**TXYADAAG<sup>1</sup>**      Len : 3    AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 63 .....	3429	0.38
-9 = Data not collected for this year .....	279628	31.31
981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
985 = BAD DATA Logically assigned .....	10	0.00
991 = NEVER USED ALCOHOL OR DRUGS .....	151705	16.99
994 = DON'T KNOW .....	84	0.01
997 = REFUSED .....	799	0.09
998 = BLANK (NO ANSWER).....	6178	0.69
999 = LEGITIMATE SKIP.....	450797	50.48



SUBSTANCE TREATMENT

How old were you when you first received treatment or counseling for your drug use?

<b>TXYADDAG<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE	<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 66.....	3423	0.38
	-9 = Data not collected for this year.....	279628	31.31
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	985 = BAD DATA Logically assigned.....	13	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	994 = DON'T KNOW.....	80	0.01
	997 = REFUSED.....	799	0.09
	998 = BLANK (NO ANSWER).....	6185	0.69
	999 = LEGITIMATE SKIP.....	450797	50.48

NOTE: TXFGALAG is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALONAG, TXALCDAG, TXYALAGE, TXYDRAAG, or TXYADAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAG=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRADG.

<b>TXFGALAG<sup>1</sup></b>	Len : 2 CONSISTENCY OF ALC TX AGE WITH ALC AFU	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	279628	31.31
	0 = 1st alc tx age consistent with alc AFU.....	20548	2.30
	1 = 1st alc tx age differs from alc AFU by 1 yr.....	173	0.02
	2 = 1st alc tx age differs from alc AFU by 2 yrs.....	52	0.01
	3 = 1st alc tx age differs from alc AFU by 3-4 yrs.....	55	0.01
	4 = 1st alc tx age differs from alc AFU by >=5 yrs.....	379	0.04
	5 = Never used alc in core but reported an alc tx age.....	98	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	98 = UNKNOWN.....	8304	0.93
	99 = LEGITIMATE SKIP.....	431688	48.34

NOTE: TXFGDGAG is a "flag" variable that indicates when the first receipt of drug treatment in TXDRONAG, TXDRGAAG, TXYALDAG, TXYDRAGE, or TXYADDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAG=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRADG.

<b>TXFGDGAG<sup>1</sup></b>	Len : 2 CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	279628	31.31
	0 = 1st drug tx age consistent w/min drug AFU.....	17103	1.92
	1 = 1st drug tx age differs from min drug AFU by 1 yr.....	98	0.01
	2 = 1st drug tx age differs fr min drug AFU by 2 yrs.....	47	0.01
	3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs.....	34	0.00
	4 = 1st drug tx age differs fr min drug AFU by >=5 yrs.....	203	0.02
	5 = Never used drugs in core but reportd a drug tx age.....	62	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	98 = UNKNOWN.....	8290	0.93
	99 = LEGITIMATE SKIP.....	435460	48.77

NOTE: TXFGADAG is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAG=5 or TXFGDGAG=5, then TXFGADAG=5.

<b>TXFGADAG<sup>1</sup></b>	Len : 2 CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	279628	31.31
	0 = 1st tx age consistent w/minimum AFU.....	27603	3.09
	1 = 1st tx age differs from min AFU by 1 yr.....	256	0.03
	2 = 1st tx age differs from min AFU by 2 yrs.....	87	0.01
	3 = 1st tx age differs from min AFU by 3-4 yrs.....	83	0.01
	4 = 1st tx age differs from min AFU by >=5 yrs.....	538	0.06
	5 = Any lifetime nonuse with a related tx age.....	160	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	342	0.04
	91 = NEVER USED ALCOHOL OR DRUGS.....	151705	16.99
	98 = UNKNOWN.....	9573	1.07
	99 = LEGITIMATE SKIP.....	422997	47.37

SUBSTANCE TREATMENT

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

<b>TX12MSHG<sup>1</sup></b>	Len : 2 WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Yes.....	4935	0.55
	2 = No.....	362524	40.60
	5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	4598	0.51
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
	85 = BAD DATA Logically assigned.....	18	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	125434	14.05
	94 = DON'T KNOW.....	542	0.06
	97 = REFUSED.....	691	0.08
	98 = BLANK (NO ANSWER).....	2810	0.31

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

<b>TX12SGAD<sup>1</sup></b>	Len : 2 WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Alcohol use only.....	1970	0.22
	2 = Drug use only.....	1295	0.15
	3 = Both alcohol and drug use.....	1566	0.18
	11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSGAD=1).....	173	0.02
	12 = Drug use only LOGICALLY ASSIGNED (TXYRSGAD=2).....	165	0.02
	13 = Both alcohol and drug use LOG ASSN (TXYRSGAD=3).....	1378	0.15
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
	91 = NEVER USED ALCOHOL OR DRUGS.....	125434	14.05
	94 = DON'T KNOW.....	56	0.01
	97 = REFUSED.....	741	0.08
	98 = BLANK (NO ANSWER).....	3707	0.42
	99 = LEGITIMATE SKIP.....	365067	40.88

NOTE: TXSHGFLG compares the consistency of data in the self-help group variable TX12MSHG and the self-help group variable TXYRSHG. TXSHGFLG has a value of 1 when TX12MSHG was answered as "yes" but TXYRSHG indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLG has a value of 2 when TX12MSHG was answered as "yes" but TXYREVER or TXEVER indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLG has a value of 3 when TX12MSHG was not answered as "yes" but TXYRSHG indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLG has a value of 4 when TX12MSHG was answered as "yes" but TXYRSHG was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLG has a value of 5 when TX12MSHG was answered as "don't know" or "refused" but TXYRSHG was answered as "no."

<b>TXSHGFLG<sup>1</sup></b>	Len : 2 CONSISTENCY FLAG BETWEEN TX12MSHG AND TXYRSHG		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = TX12MSHG=1 but TXYRSHG=2 (see note).....	401	0.04
	2 = TX12MSHG=1 but TXYREVER=2 or TXEVER=2 (see note).....	4170	0.47
	3 = TX12MSHG NE 1 but TXYRSHG=3 or 5 (see note).....	256	0.03
	4 = TX12MSHG=1 but TXYRSHG=94, 97, or 98 (see note).....	274	0.03
	5 = TX12MSHG=94 or 97 but TXYRSHG=2 (see note).....	77	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	285	0.03
	91 = NEVER USED ALCOHOL OR DRUGS.....	125434	14.05
	98 = BLANK (NO ANSWER).....	370940	41.54

RECODED SUBSTANCE TREATMENT

**RECODED SUBSTANCE TREATMENT**

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Substance Treatment or Recoded Substance Dependence and Abuse.

NOTE: Respondents who were routed into the Drug Treatment module based solely on their responses from the Special Drugs module questions were classified as not receiving substance use treatment.

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

**TXILALEV**      Len : 1    RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	682750	76.46
1 = Yes (TXEVER=1) .....	39903	4.47

**ALCTRMT**      Len : 1    RCVD TRMT ANY LOC FOR ALC USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	713081	79.85
1 = Yes (TXYRADG=1,3,4,6,11,12).....	9572	1.07

**ILLTRMT**      Len : 1    RCVD TRMT ANY LOC FOR ILL DRG USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	713791	79.93
1 = Yes (TXYRADG=2,3,5,6,11,12).....	8862	0.99

A respondent was classified as receiving treatment at any location in the past year for alcohol use but not illicit drug use, TXALNOIL, if they received only alcohol use treatment at any location in the past year (TXYRADG=1). Respondents with unknown illicit drug use treatment (TXYRADG=4) or who reported receiving alcohol use treatment only but in later treatment questions indicated receiving illicit drug use treatment (TXYRADG=11) are not classified as receiving treatment for alcohol use only.

**TXALNOIL**      Len : 1    RCVD TRMT ANY LOC FOR ALC BUT NOT ILL DRG - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	782541	87.63
0 = No/Unknown (Otherwise).....	109890	12.31
1 = Yes (TXYRADG=1).....	541	0.06

A respondent was classified as receiving treatment at any location in the past year for illicit drug use but not alcohol use, TXILNOAL, if they received only illicit drug use treatment at any location in the past year (TXYRADG=2). Respondents with unknown alcohol use treatment (TXYRADG=5) or who reported receiving illicit drug use treatment only but in later treatment questions indicated receiving alcohol use treatment (TXYRADG=12) are not classified as receiving treatment for illicit drug use only.

**TXILNOAL**      Len : 1    RCVD TRMT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	782541	87.63
0 = No/Unknown (Otherwise).....	109871	12.30
1 = Yes (TXYRADG=2).....	560	0.06

**TXILLALC**      Len : 1    RCVD TRMT ANY LOC FOR ILL DRG OR ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	708066	79.29
1 = Yes (TXYREVER=1,3).....	14587	1.63

**TXILANAL**      Len : 1    RCVD TRMT ANY LOC FOR ILL DRG AND ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	717242	80.32
1 = Yes (TXYRADG=3,6,11,12).....	5411	0.61

RECODED SUBSTANCE TREATMENT

NOTE: The following 11 recoded variables contain respondent information about receiving last or current treatment for various substances.

<b>TXLTALC2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYALC=1,3,5) .....	714207	79.98
		8446	0.95
<b>TXLTMJ2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYMJ=1,3) .....	717529	80.35
		5124	0.57
<b>TXLTCOC2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR COCAINE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYCOC=1,3) .....	720361	80.67
		2292	0.26
<b>TXLTHER2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HEROIN		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYHER=1,3) .....	721412	80.79
		1241	0.14
<b>TXLTHAL2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYHAL=1,3) .....	721266	80.77
		1387	0.16
<b>TXLTINH2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYINH=1,3) .....	721884	80.84
		769	0.09
<b>TXLTANL2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYANL=1,3) .....	720161	80.65
		2492	0.28
<b>TXLTRN2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYTRN=1,3) .....	721384	80.78
		1269	0.14
<b>TXLTSTM2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYSTM=1,3) .....	721232	80.77
		1421	0.16
<b>TXLTSED2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (Otherwise).....	170319	19.07
	1 = Yes (TXLTYSED=1,3) .....	722251	80.88
		402	0.05

RECODED SUBSTANCE TREATMENT

The following variable, TXLTILL2, was created by examination of the receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), and tranquilizers (TXLTTRN2).

<b>TXLTILL2</b>	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	715020	80.07
	1 = Yes (Any source variable=1).....	7633	0.85

NOTE: The following 27 recoded variables contain payment information about respondent's last or current treatment.

<b>TXPINS2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	718355	80.45
	1 = Yes (TXPYINS=1,3).....	4298	0.48

<b>TXPCARE2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	720229	80.66
	1 = Yes (TXPYCARE=1,3).....	2424	0.27

<b>TXPCAID2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	720068	80.64
	1 = Yes (TXPYCAID=1,3).....	2585	0.29

<b>TXPPUBP2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	720213	80.65
	1 = Yes (TXPYPUBP=1,3).....	2440	0.27

<b>TXPSAVE2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	716849	80.28
	1 = Yes (TXPYSAVE=1,3).....	5804	0.65

<b>TXPFMLY2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	719128	80.53
	1 = Yes (TXPYFMLY=1,3).....	3525	0.39

<b>TXPCORT2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY COURTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	721051	80.75
	1 = Yes (TXPYCORT=1,3).....	1602	0.18

<b>TXPMILC2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HLT CARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	722204	80.88
	1 = Yes (TXPYMILC=1,3).....	449	0.05

RECODED SUBSTANCE TREATMENT

<b>TXPEMPL2</b>	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	722146	80.87
	1 = Yes (TXPYEMPL=1,3).....	507	0.06
<b>ALCPINS</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPINS2=0).....	720009	80.63
	1 = Yes (TXLTALC2=1 and TXPINS2=1).....	2644	0.30
<b>ALPCARE</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPCARE2=0).....	721239	80.77
	1 = Yes (TXLTALC2=1 and TXPCARE2=1).....	1414	0.16
<b>ALPCAID</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPCAID2=0).....	721140	80.76
	1 = Yes (TXLTALC2=1 and TXPCAID2=1).....	1513	0.17
<b>ALCPUBP</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY PUBLIC ASST		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPPUBP2=0).....	721149	80.76
	1 = Yes (TXLTALC2=1 and TXPPUBP2=1).....	1504	0.17
<b>ALCPSAVE</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY OWN SAVINGS		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPSAVE2=0).....	718676	80.48
	1 = Yes (TXLTALC2=1 and TXPSAVE2=1).....	3977	0.45
<b>ALCPFMLY</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY FAM MEMBERS		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPFMLY2=0).....	720617	80.70
	1 = Yes (TXLTALC2=1 and TXPFMLY2=1).....	2036	0.23
<b>ALPCORT</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY COURTS		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPCORT2=0).....	721619	80.81
	1 = Yes (TXLTALC2=1 and TXPCORT2=1).....	1034	0.12
<b>ALCPMILC</b>	Len : 1 LAST/CURRENT ALC TRT PAID FOR BY MILT HLT CARE		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPMILC2=0).....	722327	80.89
	1 = Yes (TXLTALC2=1 and TXPMILC2=1).....	326	0.04
<b>ALCPEMPL</b>	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (TXLTALC2=0 or TXPEMPL2=0).....	722289	80.89
	1 = Yes (TXLTALC2=1 and TXPEMPL2=1).....	364	0.04

RECODED SUBSTANCE TREATMENT

<b>ILLPINS</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPINS2=0) .....	719782	80.61
	1 = Yes (TXLTILL2=1 and TXPINS2=1) .....	2871	0.32
<b>ILLPCARE</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPCARE2=0) .....	720890	80.73
	1 = Yes (TXLTILL2=1 and TXPCARE2=1) .....	1763	0.20
<b>ILLPCAID</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICAID		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPCAID2=0) .....	720732	80.71
	1 = Yes (TXLTILL2=1 and TXPCAID2=1) .....	1921	0.22
<b>ILLPPUBP</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPPUBP2=0) .....	720945	80.74
	1 = Yes (TXLTILL2=1 and TXPPUBP2=1) .....	1708	0.19
<b>ILLPSAVE</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPSAVE2=0) .....	719678	80.59
	1 = Yes (TXLTILL2=1 and TXPSAVE2=1) .....	2975	0.33
<b>ILLPFMLY</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY FAM MEMBERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPFMLY2=0) .....	720238	80.66
	1 = Yes (TXLTILL2=1 and TXPFMLY2=1) .....	2415	0.27
<b>ILLPCORT</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY COURTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPCORT2=0) .....	721463	80.79
	1 = Yes (TXLTILL2=1 and TXPCORT2=1) .....	1190	0.13
<b>ILLPMILC</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPMILC2=0) .....	722403	80.90
	1 = Yes (TXLTILL2=1 and TXPMILC2=1) .....	250	0.03
<b>ILLPEMPL</b>	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (TXLTILL2=0 or TXPEMPL2=0) .....	722384	80.90
	1 = Yes (TXLTILL2=1 and TXPEMPL2=1) .....	269	0.03

RECODED SUBSTANCE TREATMENT

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, SPECTALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRADG=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1, 3 or TXYRINAD=1, 3 or TXYRPOAD=1, 3 or TXYRMHAD=1, 3 or (TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64 and TXYROTAD=1, 3)).

SPECTALC

Len : 1 RCVD TRMT AT SPEC FAC FOR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
0 = No/Unknown (Otherwise).....	717289	80.33
1 = Yes (See comment above).....	5364	0.60

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, SPECTILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRADG=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2, 3 or TXYRINAD=2, 3 or TXYRPOAD=2, 3 or TXYRMHAD=2, 3 or (TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64 and TXYROTAD=2, 3)).

SPECTILL

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	170319	19.07
0 = No/Unknown (Otherwise).....	717023	80.30
1 = Yes (See comment above).....	5630	0.63

A respondent was classified as receiving treatment in the past year for alcohol use but not illicit drug use at a specialty facility, SPCALNIL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRADG=1) and that treatment was received at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11), the reported alcohol treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (LASTTXSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving only alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1 or TXYRINAD=1 or TXYRPOAD=1 or TXYRMHAD=1 or (TXYROTAD=1 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving illicit drug treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD NE 2, 3 or TXYRINAD NE 2, 3 or TXYRPOAD NE 2, 3 or TXYRMHAD NE 2, 3 or (TXYROTAD NE 2, 3 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) or TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRADG, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving alcohol only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRADG=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRADG=5).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol during their last or current treatment (TXYRADG=12).
3. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11) and the reported alcohol treatment was not at a specialty facility (TXYRHOSP=2, 94, 97, 98 and TXYRRFIN=2, 94, 97, 98 and TXYRRFOP=2, 94, 97, 98 and TXYRMHC=2, 94, 97, 98 and TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).
4. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11) and their reported alcohol treatment was at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (LASTTXSP=1) and included treatment for illicit drug use.

SPCALNIL

Len : 1 RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	782541	87.63
0 = No/Unknown (Otherwise).....	110098	12.33
1 = Yes (See comment above).....	333	0.04



RECODED SUBSTANCE TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use but not alcohol use at a specialty facility, SPICLNAL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRADG=2) and that treatment was received at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12), the reported illicit drug treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (LASTTXSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving only illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2 or TXYRINAD=2 or TXYRPOAD=2 or TXYRMHAD=2 or (TXYROTAD=2 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving alcohol treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD NE 1, 3 or TXYRINAD NE 1, 3 or TXYRPOAD NE 1, 3 or TXYRMHAD NE 1, 3 or (TXYROTAD NE 1, 3 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) or TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRADG, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving illicit drug only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRADG=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRADG=5).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drugs during their last or current treatment (TXYRADG=11).
3. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12) and the reported illicit drug treatment was not at a specialty facility (TXYRHOSP=2, 94, 97, 98 and TXYRRFIN=2, 94, 97, 98 and TXYRRFOP=2, 94, 97, 98 and TXYRMHC=2, 94, 97, 98 and TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).
4. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12) and their reported illicit drug treatment was at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (LASTTXSP=1) and included treatment for alcohol use.

SPICLNAL

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year .....	782541	87.63
0 = No/Unknown (Otherwise).....	109952	12.31
1 = Yes (See comment above) .....	479	0.05

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, SPILLALC, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYREVER=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP= 1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 54).

SPILLALC

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	713880	79.94
1 = Yes (See comment above) .....	8773	0.98

SPILANAL

Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG AND ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	720081	80.64
1 = Yes (SPECTILL=1 and SPECTALC=1).....	2572	0.29

LASTTXSP

Len : 1 LAST/CURRENT TRMT AT SPECIALTY FACILITY - PST YR

	Freq	Pct
-9 = Data not collected for this year .....	170319	19.07
0 = No/Unknown (Otherwise).....	716443	80.23
1 = Yes (TXLYMN2=1-4,21,22,23,24,45,46,56,64,76,81) .....	6210	0.70

RECODED SUBSTANCE TREATMENT

NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following eight recoded variables contain information about where a respondent received alcohol treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (TXYRADG=1, 4, 11) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5).

<b>ALCHOSP</b>	Len : 1 RECEIVED ALC TRT AT A HOSPITAL IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721022	80.74
	1 = Yes (See comment above) .....	1631	0.18

<b>ALCRFIN</b>	Len : 1 RECEIVED ALC TRT AT AN INP REHAB FAC IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720535	80.69
	1 = Yes (See comment above ALCHOSP).....	2118	0.24

<b>ALCRFOP</b>	Len : 1 RECEIVED ALC TRT AT AN OUTP REHAB FAC IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	719107	80.53
	1 = Yes (See comment above ALCHOSP).....	3546	0.40

<b>ALCMHC</b>	Len : 1 RECEIVED ALC TRT AT A MN TL HLTH CNTR IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720464	80.68
	1 = Yes (See comment above ALCHOSP).....	2189	0.25

<b>ALCTXER</b>	Len : 1 RECEIVED ALC TRT AT AN EMERGENCY ROOM IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721798	80.83
	1 = Yes (See comment above ALCHOSP).....	855	0.10

<b>ALCDOC</b>	Len : 1 RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721476	80.79
	1 = Yes (See comment above ALCHOSP).....	1177	0.13

<b>ALCJAIL</b>	Len : 1 RECEIVED ALC TRT AT A PRISON/JAIL IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721752	80.83
	1 = Yes (See comment above ALCHOSP).....	901	0.10

<b>ALCSHG</b>	Len : 1 RECEIVED ALC TRT AT A SELF-HELP GROUP IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	717764	80.38
	1 = Yes (See comment above ALCHOSP).....	4889	0.55

RECODED SUBSTANCE TREATMENT

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (TXYRADG=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXXX=1, 3, 5).

<b>DRGHOSP</b>	Len : 1 RCVD ILL DRUG TRT AT A HOSPITAL IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721006	80.74
	1 = Yes (See comment above) .....	1647	0.18

<b>DRGRFIN</b>	Len : 1 RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720309	80.66
	1 = Yes (See comment above DRGHOSP) .....	2344	0.26

<b>DRGRFOP</b>	Len : 1 RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	718761	80.49
	1 = Yes (See comment above DRGHOSP) .....	3892	0.44

<b>DRGMHC</b>	Len : 1 RCVD ILL DRUG TRT AT A MNTL HLTH CNTR IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720373	80.67
	1 = Yes (See comment above DRGHOSP) .....	2280	0.26

<b>DRGTXER</b>	Len : 1 RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721802	80.83
	1 = Yes (See comment above DRGHOSP) .....	851	0.10

<b>DRGDOC</b>	Len : 1 RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721331	80.78
	1 = Yes (See comment above DRGHOSP) .....	1322	0.15

<b>DRGJAIL</b>	Len : 1 RCVD ILL DRUG TRT AT A PRISON/JAIL IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	721777	80.83
	1 = Yes (See comment above DRGHOSP) .....	876	0.10

<b>DRGSHG</b>	Len : 1 RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	718402	80.45
	1 = Yes (See comment above DRGHOSP) .....	4251	0.48

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug or alcohol treatment in the past year.

<b>LOCHOSP</b>	Len : 1 RCVD ILL DRG/ALC TRT AT A HOSPITAL IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	720054	80.64
	1 = Yes (TXYRHOSP=1,3,5) .....	2599	0.29

RECODED SUBSTANCE TREATMENT

<b>LOCRFIN</b>	Len : 1 RCVD ILL DRG/ALC TRT AT INP REHAB FAC IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	719189	80.54
	1 = Yes (TXYRRFIN=1,3,5).....	3464	0.39
<b>LOCRFOP</b>	Len : 1 RCVD ILL DRG/ALC TRT AT OUTP REHAB FAC IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	716712	80.26
	1 = Yes (TXYRRFOP=1,3,5).....	5941	0.67
<b>LOCMHC</b>	Len : 1 RCVD ILL DRG/ALC TRT AT MNTHL HLTH CNTR IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	719020	80.52
	1 = Yes (TXYRMHC=1,3,5).....	3633	0.41
<b>LOCTXER</b>	Len : 1 RCVD ILL DRG/ALC TRT AT AN ER IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	721043	80.75
	1 = Yes (TXYRTXER=1,3,5).....	1610	0.18
<b>LOCDOC</b>	Len : 1 RCVD ILL DRG/ALC TRT AT A DR'S OFFICE IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	720521	80.69
	1 = Yes (TXYRDOC=1,3,5).....	2132	0.24
<b>LOCJAIL</b>	Len : 1 RCVD ILL DRG/ALC TRT AT A PRISON/JAIL IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	721252	80.77
	1 = Yes (TXYRJAIL=1,3,5).....	1401	0.16
<b>LOCSHG</b>	Len : 1 RCVD ILL DRG/ALC TRT AT SELF-HELP GROUP IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	715453	80.12
	1 = Yes (TXYRSHG=1,3,5).....	7200	0.81

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year.

A respondent was classified as needing treatment for alcohol use in the past year, TXNEDALC, if they met any one of the following three criteria:

1. Dependent on alcohol in the past year (DEPNALC=1).
2. Alcohol abuse in the past year (ABUSEALC=1).
3. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTALC=1).

<b>TXNEDALC</b>	Len : 1 NEEDED TREATMENT FOR ALCOHOL USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	652082	73.02
	1 = Yes (See comment above).....	70571	7.90

RECODED SUBSTANCE TREATMENT

A respondent was classified as needing treatment for illicit drug use in the past year, ILLNEED, if they met any one of the following three criteria:

1. Dependent on any illicit drug in the past year (DEPNLILL=1).
2. Illicit drug abuse in the past year (ABUSEILL=1).
3. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1).

<b>ILLNEED</b>	Len : 1	NEEDED TREATMENT FOR ILLICIT DRUG USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	685088	76.72
		1 = Yes (See comment above) .....	37565	4.21

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXNDILAL, if they met any one of the following three criteria:

1. Dependent on any illicit drug or alcohol in the past year (DPILLALC=1).
2. Illicit drug or alcohol abuse in the past year (ABILLALC=1).
3. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPILLALC=1).

<b>TXNDILAL</b>	Len : 1	NEEDED TREATMENT FOR ILL DRG OR ALC USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	631992	70.77
		1 = Yes (See comment above) .....	90661	10.15

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol treatment in the past year, FLTNDALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXNEDR=1, 11, 13 and NDTXALCR=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDTXMORE=1 and NDTMRALC=1).

<b>FLTNDALC</b>	Len : 1	FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes (See comment above) .....	2575	0.29
		2 = No/Unknown (Otherwise).....	720078	80.64

A respondent was classified as feeling a need for illicit drug treatment in the past year, FLTNDILL, if they met either of these conditions:

1. Reported feeling a need for treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXNEDR=1, 11, 13 and NDTXMJR=1, 3, 11, 13), cocaine (NDTXNEDR=1, 11, 13 and NDTXCOCR=1, 3, 11, 13), heroin (NDTXNEDR=1, 11, 13 and NDTXHERR=1, 3, 11, 13), hallucinogens (NDTXNEDR=1, 11, 13 and NDTXHALR=1, 3, 11, 13), inhalants (NDTXNEDR=1, 11, 13 and NDTXINHR=1, 3, 11, 13), pain relievers (NDTXNEDR=1, 11, 13 and NDTXANLR=1, 3, 11, 13), tranquilizers (NDTXNEDR=1, 11, 13 and NDTXTRNR=1, 3, 11, 13), stimulants (NDTXNEDR=1, 11, 13 and NDTXSTMR=1, 3, 11, 13), sedatives (NDTXNEDR=1, 11, 13 and NDTXSEDR=1, 3, 11, 13), or some other drug (NDTXNEDR=1, 11, 13 and NDTXSODR=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXMORE=1 and NDTMRMJ=1), cocaine (NDTXMORE=1 and NDTMRCOC=1), heroin (NDTXMORE=1 and NDTMRHER=1), hallucinogens (NDTXMORE=1 and NDTMRHAL=1), inhalants (NDTXMORE=1 and NDTMRINH=1), pain relievers (NDTXMORE=1 and NDTMRANL=1), tranquilizers (NDTXMORE=1 and NDTMRTRN=1), stimulants (NDTXMORE=1 and NDTMRSTM=1), sedatives (NDTXMORE=1 and NDTMRSED=1), or some other drug (NDTXMORE=1 and NDTMROTH=1).

<b>FLTNDILL</b>	Len : 1	FELT NEED FOR TRMT FOR ILLICIT DRUG USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes (See comment above) .....	3118	0.35
		2 = No/Unknown (Otherwise).....	719535	80.58

<b>FLNDILAL</b>	Len : 1	FELT NEED FOR TRMT FOR ILL DRG OR ALC USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes (NDTXNEDR=1,11,13 or NDTXMORE=1).....	4873	0.55
		2 = No/Unknown (Otherwise).....	717780	80.38

RECODED SUBSTANCE TREATMENT

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDEFXXX=1, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDEFXXX=2, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

<b>NDEFALC</b>	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Felt Need/Made Effort (See comment above).....	952	0.11
	2 = Felt Need/Made No Effort (See comment above).....	1623	0.18
	3 = Felt No Need for Alc Trmt/Unk (FLTNDALC=2).....	720078	80.64

<b>NDEFIL</b>	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ILLICIT DRG USE	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Felt Need/Made Effort (See comment above).....	1066	0.12
	2 = Felt Need/Made No Effort (See comment above).....	2052	0.23
	3 = Felt No Need for Ill Drg Trmt/Unk (FLTNDILL=2) .....	719535	80.58

A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=1, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=2, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

<b>NDEFIA</b>	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG OR ALC USE	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Felt Need/Made Effort (See comment above).....	1711	0.19
	2 = Felt Need/Made No Effort (See comment above).....	3162	0.35
	3 = Felt No Need for Ill Drg/Alc Trmt/Unk (FLNDILAL=2) .....	717780	80.38

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap).

The following variable, TXGAPALC, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

<b>TXGAPALC</b>	Len : 1 NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PY	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	657446	73.62
	1 = Yes (TXNEDALC=1 and SPECTALC=0) .....	65207	7.30

The following variable, TXNOSPEC, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

<b>TXNOSPEC</b>	Len : 1 NEEDED TRT FOR ILL DRG USE, NOT RCD TRT SPC FAC-PY	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = No/Unknown (Otherwise).....	690718	77.35
	1 = Yes (ILLNEED=1 and SPECTILL=0).....	31935	3.58

RECODED SUBSTANCE TREATMENT

The following variable, TXGPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

<b>TXGPILAL</b>	Len : 1	NEEDED TRT FOR DRG/ALC USE, NOT RCD TRT SP FAC-PY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	640765	71.76
		1 = Yes (TXNDILAL=1 and SPILLALC=0).....	81888	9.17

NOTE: The following 14 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

<b>TXRNNHCV</b>	Len : 1	NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR		
			<b>Freq</b>	<b>Pct</b>
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	3516	0.39
		1 = Yes (FLNDILAL=1 &(NDTXNHCV or NDMRNHCV=1,3,11,13)).....	1357	0.15

<b>TXRNLMCV</b>	Len : 1	NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST		
			<b>Freq</b>	<b>Pct</b>
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	4552	0.51
		1 = Yes (FLNDILAL=1 &(NDTXLMCV or NDMRLMCV=1,3,11,13)).....	321	0.04

<b>TXRNNTSP</b>	Len : 1	NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION		
			<b>Freq</b>	<b>Pct</b>
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	4511	0.51
		1 = Yes (FLNDILAL=1 &(NDTXNTSP or NDMRNTSP=1,3,11,13)).....	362	0.04

<b>TXRNTYPE</b>	Len : 1	NO TRT/ADDL TRT PST YR B/C NO PROGRAM HAD TYPE TRT		
			<b>Freq</b>	<b>Pct</b>
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	4584	0.51
		1 = Yes (FLNDILAL=1 &(NDTXTYPE or NDMRTYPE=1,3,11,13)).....	289	0.03

<b>TXRNNSTP</b>	Len : 1	NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE		
			<b>Freq</b>	<b>Pct</b>
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	3292	0.37
		1 = Yes (FLNDILAL=1 &(NDTXREDY or NDMRREDY=1,3,11,13)).....	1581	0.18

<b>TXRNOPEN</b>	Len : 1	NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM		
			<b>Freq</b>	<b>Pct</b>
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	4718	0.53
		1 = Yes (FLNDILAL=1 &(NDTXOPEN or NDMROPEN=1,3,11,13)).....	155	0.02

<b>TXRNWHER</b>	Len : 1	NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO		
			<b>Freq</b>	<b>Pct</b>
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
		-9 = Data not collected for this year .....	170319	19.07
		0 = No/Unknown (Otherwise).....	4311	0.48
		1 = Yes (FLNDILAL=1 &(NDTXWHER or NDMRWHER=1,3,11,13)).....	562	0.06

RECODED SUBSTANCE TREATMENT

<b>TXRNNBR</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C CAUSE NBR HAVE NEG OPIN		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	4316	0.48
	1 = Yes (FLNDILAL=1 &(NDTXNBR or NDMRNBR=1,3,11,13)).....	557	0.06

<b>TXRNJOB</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	717780	80.38
	-9 = Data not collected for this year.....	170319	19.07
	0 = No/Unknown (Otherwise).....	4438	0.50
	1 = Yes (FLNDILAL=1 &(NDTXJOB or NDMRJOB=1,3,11,13)).....	435	0.05

<b>TXRNNOND</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	664111	74.37
	-9 = Data not collected for this year.....	224398	25.13
	0 = No/Unknown (Otherwise).....	4050	0.45
	1 = Yes (FLNDILAL=1 &(NDTXNOND or NDMRNOND=1,3,11,13)).....	413	0.05

<b>TXRNHNDL</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	664111	74.37
	-9 = Data not collected for this year.....	224398	25.13
	0 = No/Unknown (Otherwise).....	3991	0.45
	1 = Yes (FLNDILAL=1 &(NDTXHNDL or NDMRHNDL=1,3,11,13)).....	472	0.05

<b>TXRNNHLP</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	664111	74.37
	-9 = Data not collected for this year.....	224398	25.13
	0 = No/Unknown (Otherwise).....	4294	0.48
	1 = Yes (FLNDILAL=1 &(NDTXNHLP or NDMRNHLP=1,3,11,13)).....	169	0.02

<b>TXRNBUSY</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	664111	74.37
	-9 = Data not collected for this year.....	224398	25.13
	0 = No/Unknown (Otherwise).....	4251	0.48
	1 = Yes (FLNDILAL=1 &(NDTXBUSY or NDMRBUSY=1,3,11,13)).....	212	0.02

<b>TXRNFOUT</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C NOT WANT OTHERS TO KNOW		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	664111	74.37
	-9 = Data not collected for this year.....	224398	25.13
	0 = No/Unknown (Otherwise).....	4165	0.47
	1 = Yes (FLNDILAL=1 &(NDTXFOUT or NDMRFOUT=1,3,11,13)).....	298	0.03

The following variable, TXRNSTIG, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: treatment might cause neighbors/community to have negative opinion (NDTXNBR=1,11 or NDMRNBR=1), concerned treatment might have negative effect on their job (NDTXJOB=1 or NDMRJOB=1) or did not want others to find out (NDTXFOUT=1,11 or NDMRFOUT=1,3). A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.

<b>TXRNSTIG</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C STIGMA ASSOCIATED		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	165479	18.53
	-9 = Data not collected for this year.....	726235	81.33
	0 = No (See comment above).....	991	0.11
	1 = Yes (See comment above).....	267	0.03



RECODED SUBSTANCE TREATMENT

The following variable, TXRNHDPR, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: could handle problems without treatment (NDTXHNDL=1,3,11 or NDMRHNDL=1) or did not feel need for treatment (NDTXNOND=1,3,11,13 or NDMRNOND=1,3). A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.

<b>TXRNHDPR</b>	Len : 1 NO TRT/ADDL TRT PST YR B/C COULD HANDLE PROB WOUT		
		<b>Freq</b>	<b>Pct</b>
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).....	165479	18.53
	-9 = Data not collected for this year.....	726235	81.33
	0 = No (See comment above).....	1029	0.12
	1 = Yes (See comment above).....	229	0.03

NOTE: The following four variables were created using a combination of the substance treatment, recoded substance treatment and recoded substance dependence and abuse variables. Specifications on how the substance treatment variable was defined can be found in the Substance Treatment section. Specifications on how the recoded substance treatment variable was defined can be found above. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

The following variable, TXDANOTX, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment in the past year.

<b>TXDANOTX</b>	Len : 1 DRG/ALC TRT LIF & DEP/ABUSE NO TRT PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	672156	75.27
	0 = No/Unknown (Otherwise).....	217828	24.39
	1 = Yes (TXEVER=1 & ABODILAL=1 & TXILLALC=0).....	2988	0.33

The following variable, TXNOTXDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.

<b>TXNOTXDA</b>	Len : 1 DRG/ALC TRT LIF & NO TRT/DEP/ABUSE PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	672156	75.27
	0 = No/Unknown (Otherwise).....	215792	24.17
	1 = Yes (TXEVER=1 & TXILLALC=0 & ABODILAL=0).....	5024	0.56

The following variable, TXDANOSP, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility in the past year.

<b>TXDANOSP</b>	Len : 1 DRG/ALC TRT LIF & DEP/ABUSE NO SP TRT PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	672156	75.27
	0 = No/Unknown (Otherwise).....	216764	24.27
	1 = Yes (TXEVER=1 & ABODILAL=1 & SPILLALC=0).....	4052	0.45

The following variable, TXNOSPDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment at a specialty facility in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.

<b>TXNOSPDA</b>	Len : 1 DRG/ALC TRT LIF & NO DEP/ABUSE/SPC TRT PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	672156	75.27
	0 = No/Unknown (Otherwise).....	215002	24.08
	1 = Yes (TXEVER=1 & SPILLALC=0 & ABODILAL=0).....	5814	0.65

NOTE: The following 10 recoded variables contain information about respondents last or current treatment at a specialty facility in the past year for various substances.

<b>TXSPALC</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR ALC USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	275264	30.83
	1 = Yes (TXLTALC2=1 and LASTTXSP=1).....	1557	0.17

RECODED SUBSTANCE TREATMENT

<b>TXSPMRJ</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR MRJ USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	275776	30.88
	1 = Yes (TXLTMJ2=1 and LASTTXSP=1).....	1045	0.12
<b>TXSPCOC</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR COC USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276239	30.93
	1 = Yes (TXLTCOC2=1 and LASTTXSP=1).....	582	0.07
<b>TXSPHER</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR HER USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276582	30.97
	1 = Yes (TXLHER2=1 and LASTTXSP=1).....	239	0.03
<b>TXSPHAL</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR HAL USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276504	30.96
	1 = Yes (TXLTHAL2=1 and LASTTXSP=1).....	317	0.04
<b>TXSPINH</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR INH USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276658	30.98
	1 = Yes (TXLTINH2=1 and LASTTXSP=1).....	163	0.02
<b>TXSPANL</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR PAIN REL USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276360	30.95
	1 = Yes (TXLTANL2=1 and LASTTXSP=1).....	461	0.05
<b>TXSPTRN</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR TRN USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276567	30.97
	1 = Yes (TXLTTRN2=1 and LASTTXSP=1).....	254	0.03
<b>TXSPSTM</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR STM USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	562072	62.94
	0 = No/Unknown (Otherwise).....	330522	37.01
	1 = Yes (TXLTSTM2=1 and LASTTXSP=1).....	378	0.04
<b>TXSPSED</b>	Len : 1 RCVD LAST/CURR TRMT AT SP FAC FOR SED USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276730	30.99
	1 = Yes (TXLTSED2=1 and LASTTXSP=1).....	91	0.01

RECODED SUBSTANCE TREATMENT

NOTE: The following 10 recoded variables contain information about a respondents need for treatment in the past year for various substances.

A respondent was classified as needing treatment for substance use in the past year (NDTXXXX2) if they met any one of the following 3 criteria:

- (1) Dependent on substance in the past year (DEPNXXXX=1)
- (2) Abuse of substance in the past year (ABUSEXXX=1)
- (3) Received last or current treatment for a specific substance problem at a specialty facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (TXSPXXX=1).

**NDTXALC2**      Len : 1    NEEDED TREATMENT FOR ALCOHOL USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	247568	27.72
1 = Yes (See comment above) .....	29253	3.28

**NDTXMRJ2**      Len : 1    NEEDED TREATMENT FOR MARIJUANA USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	266488	29.84
1 = Yes (See comment above) .....	10333	1.16

**NDTXCOC2**      Len : 1    NEEDED TREATMENT FOR COCAINE USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	274242	30.71
1 = Yes (See comment above) .....	2579	0.29

**NDTXHER2**      Len : 1    NEEDED TREATMENT FOR HEROIN USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	276324	30.94
1 = Yes (See comment above) .....	497	0.06

**NDTXHAL2**      Len : 1    NEEDED TREATMENT FOR HALLUCINOGEN USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	275573	30.86
1 = Yes (See comment above) .....	1248	0.14

**NDTXINH2**      Len : 1    NEEDED TREATMENT FOR INHALANT USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	276093	30.92
1 = Yes (See comment above) .....	728	0.08

**NDTXANL2**      Len : 1    NEEDED TREATMENT FOR PAIN RELIEVER USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	273612	30.64
1 = Yes (See comment above) .....	3209	0.36

**NDTXTRN2**      Len : 1    NEEDED TREATMENT FOR TRANQUILIZER USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	275809	30.89
1 = Yes (See comment above) .....	1012	0.11

**NDTXSTM2**      Len : 1    NEEDED TREATMENT FOR STIMULANT USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	616151	69.00
0 = No/Unknown (Otherwise).....	275732	30.88
1 = Yes (See comment above) .....	1089	0.12

RECODED SUBSTANCE TREATMENT

NDTXSED2	Len : 1	NEEDED TREATMENT FOR SEDATIVE USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		0 = No/Unknown (Otherwise) .....	276515	30.97
			306	0.03
FLTNDMRJ	Len : 1	FELT NEED FOR TRMT FOR MARIJUANA USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	507	0.06
			276314	30.94
FLTNDCOC	Len : 1	FELT NEED FOR TRMT FOR COCAINE USE-PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	348	0.04
			276473	30.96
FLTNDHER	Len : 1	FELT NEED FOR TRMT FOR HEROIN USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	82	0.01
			276739	30.99
FLTNDHAL	Len : 1	FELT NEED FOR TRMT FOR HALLUCINOGEN USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	79	0.01
			276742	30.99
FLTNDINH	Len : 1	FELT NEED FOR TRMT FOR INHALANT USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	54	0.01
			276767	30.99
FLTNDANL	Len : 1	FELT NEED FOR TRMT FOR PAIN RELIEVER USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	260	0.03
			276561	30.97
FLTNDTRN	Len : 1	FELT NEED FOR TRMT FOR TRANQUILIZER USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	107	0.01
			276714	30.99
FLTNDSTM	Len : 1	FELT NEED FOR TRMT FOR STIMULANT USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	150	0.02
			276671	30.98
FLTNDSED	Len : 1	FELT NEED FOR TRMT FOR SEDATIVE USE - PST YR		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	616151	69.00
		1 = Yes (See comment above) .....	39	0.00
			276782	31.00

RECODED SUBSTANCE TREATMENT

NDEFMRJ	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR MARIJUANA USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	166	0.02
	2 = Felt Need/Made No Effort (See comment above).....	341	0.04
	3 = Felt No Need for MRJ TRT/Unknown (FLTNDMRJ=2) .....	276314	30.94
NDEFROC	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR COCAINE USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	130	0.01
	2 = Felt Need/Made No Effort (See comment above).....	218	0.02
	3 = Felt No Need for COC TRT/Unknown (FLTNDROC=2).....	276473	30.96
NDEFHER	Len : 1 FELT NEED AND MADE EFFORT FOR TRT FOR HEROIN USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	49	0.01
	2 = Felt Need/Made No Effort (See comment above).....	33	0.00
	3 = Felt No Need for HER TRT/Unknown (FLTNDHER=2).....	276739	30.99
NDEFHAL	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR HALLUCINOGEN USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	42	0.00
	2 = Felt Need/Made No Effort (See comment above).....	37	0.00
	3 = Felt No Need for HAL TRT/Unknown (FLTNDHAL=2).....	276742	30.99
NDEFINH	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR INHALANT USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	23	0.00
	2 = Felt Need/Made No Effort (See comment above).....	31	0.00
	3 = Felt No Need for INH TRT/Unknown (FLTNDINH=2).....	276767	30.99
NDEFANL	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR PAIN RELIEVER USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	99	0.01
	2 = Felt Need/Made No Effort (See comment above).....	161	0.02
	3 = Felt No Need for PAIN REL TRT/Unknown (FLTNDANL=2).....	276561	30.97
NDEFTRN	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR TRANQUILIZER USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	44	0.00
	2 = Felt Need/Made No Effort (See comment above).....	63	0.01
	3 = Felt No Need for TRN TRT/Unknown (FLTNDTRN=2).....	276714	30.99
NDEFSTM	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR STIMULANT USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	57	0.01
	2 = Felt Need/Made No Effort (See comment above).....	93	0.01
	3 = Felt No Need for STM TRT/Unknown (FLTNDSTM=2).....	276671	30.98
NDEFSED	Len : 1 FELT NEED/MADE EFFORT FOR TRT FOR SEDATIVE USE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	616151	69.00
	1 = Felt Need/Made Effort (See comment above).....	14	0.00
	2 = Felt Need/Made No Effort (See comment above).....	25	0.00
	3 = Felt No Need for SED TRT/Unknown (FLTNDSED=2).....	276782	31.00

RECODED SUBSTANCE TREATMENT

<b>TXGPALC</b>	Len : 1 NEEDED TRMT FOR ALC USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	249125	27.90
	1 = Yes (NDTXALC2=1 and TXSPALC=0).....	27696	3.10
<b>TXGPMJLC</b>	Len : 1 NEEDED TRMT FOR MRJ USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	267533	29.96
	1 = Yes (NDTXMRJ2=1 and TXSPMRJ=0).....	9288	1.04
<b>TXGPCOLC</b>	Len : 1 NEEDED TRMT FOR COC USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	274824	30.78
	1 = Yes (NDTXCOC2=1 and TXSPCOC=0).....	1997	0.22
<b>TXGPHELC</b>	Len : 1 NEEDED TRMT FOR HER USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276563	30.97
	1 = Yes (NDTXHER2=1 and TXSPHER=0).....	258	0.03
<b>TXGPHALC</b>	Len : 1 NEEDED TRMT FOR HAL USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	275890	30.90
	1 = Yes (NDTXHAL2=1 and TXSPHAL=0).....	931	0.10
<b>TXGPINLC</b>	Len : 1 NEEDED TRMT FOR INH USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276256	30.94
	1 = Yes (NDTXINH2=1 and TXSPINH=0).....	565	0.06
<b>TXGPANLC</b>	Len : 1 NEEDED TRT FOR PAIN REL USE, NOT RCD TRT SP FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	274073	30.69
	1 = Yes (NDTXANL2=1 and TXSPANL=0).....	2748	0.31
<b>TXGPTRLC</b>	Len : 1 NEEDED TRMT FOR TRN USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276063	30.92
	1 = Yes (NDTXTRN2=1 and TXSPTRN=0).....	758	0.08
<b>TXGPSTLC</b>	Len : 1 NEEDED TRMT FOR STM USE, NOT RCD TRMT SPEC FAC-PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276061	30.91
	1 = Yes (NDTXSTM2=1 and TXSPSTM=0).....	760	0.09
<b>TXGPSELC</b>	Len : 1 NEEDED TRMT FOR SED USE, NOT RCD TRMT SPEC FAC- PY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	616151	69.00
	0 = No/Unknown (Otherwise).....	276606	30.98
	1 = Yes (NDTXSED2=1 and TXSPSED=0).....	215	0.02

DRUG TREATMENT

**DRUG TREATMENT**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime misuse of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). Codes of 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents never used (or misused) any of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

<b>TXEVRRCDV<sup>1</sup></b>	Len : 2	EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	8881	0.99
		2 = No.....	118911	13.32
		85 = BAD DATA Logically assigned .....	77	0.01
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		94 = DON'T KNOW .....	160	0.02
		97 = REFUSED .....	238	0.03
		98 = BLANK (NO ANSWER) .....	2247	0.25

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

<b>TXYRRCVD<sup>1</sup></b>	Len : 2	EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	2537	0.28
		2 = No.....	6073	0.68
		3 = Yes LOGICALLY ASSIGNED .....	258	0.03
		4 = No LOGICALLY ASSIGNED .....	4	0.00
		85 = BAD DATA Logically assigned .....	4	0.00
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		94 = DON'T KNOW .....	6	0.00
		97 = REFUSED .....	240	0.03
		98 = BLANK (NO ANSWER) .....	2481	0.28
		99 = LEGITIMATE SKIP (TXEVRRCDV=2).....	118911	13.32

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

<b>TXYRALDGB<sup>1</sup></b>	Len : 2	TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Alcohol use only.....	735	0.08
		2 = Drug use only.....	894	0.10
		3 = Both alcohol and drug use.....	721	0.08
		4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED .....	4	0.00
		5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED .....	3	0.00
		6 = Both alcohol and drug use LOGICALLY ASSIGNED .....	3	0.00
		11 = Alcohol only (but last tmt for drugs reported).....	79	0.01
		12 = Drugs only (but last tmt for alc reported).....	81	0.01
		85 = BAD DATA Logically assigned .....	7	0.00
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		94 = DON'T KNOW .....	6	0.00
		97 = REFUSED .....	247	0.03
		98 = BLANK (NO ANSWER) .....	2746	0.31
		99 = LEGITIMATE SKIP .....	124988	14.00

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?

**TXYRHOSOV<sup>1</sup>**    Len : 2    RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	542	0.06
2 = No.....	1960	0.22
5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2) .....	22	0.00
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	241	0.03
98 = BLANK (NO ANSWER) .....	2746	0.31
99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?

**TXYRHOSAD<sup>1</sup>**    Len : 2    HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Alcohol use.....	20	0.00
2 = Drug use .....	24	0.00
3 = Both alcohol and drug use.....	141	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	241	0.03
98 = BLANK (NO ANSWER) .....	2833	0.32
99 = LEGITIMATE SKIP.....	127253	14.25

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?

**TXYRRESOV<sup>1</sup>**    Len : 2    RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	638	0.07
2 = No.....	1812	0.20
5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2) .....	72	0.01
85 = BAD DATA Logically assigned .....	13	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	242	0.03
98 = BLANK (NO ANSWER) .....	2746	0.31
99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?

**TXYRRESAD<sup>1</sup>**    Len : 2    RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Alcohol use.....	15	0.00
2 = Drug use .....	23	0.00
3 = Both alcohol and drug use.....	206	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	240	0.03
98 = BLANK (NO ANSWER) .....	2875	0.32
99 = LEGITIMATE SKIP.....	127154	14.24



DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

**TXYROUTPT<sup>1</sup>**    Len : 2    RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1082	0.12
2 = No.....	1324	0.15
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	109	0.01
85 = BAD DATA Logically assigned.....	12	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	8	0.00
97 = REFUSED .....	242	0.03
98 = BLANK (NO ANSWER) .....	2746	0.31
99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

**TXYROUTAD<sup>1</sup>**    Len : 2    OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Alcohol use.....	16	0.00
2 = Drug use .....	33	0.00
3 = Both alcohol and drug use.....	262	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	240	0.03
98 = BLANK (NO ANSWER) .....	2891	0.32
99 = LEGITIMATE SKIP.....	127070	14.23

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

**TXYRMHCOP<sup>1</sup>**    Len : 2    RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	782	0.09
2 = No.....	1632	0.18
5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	103	0.01
85 = BAD DATA Logically assigned.....	14	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	243	0.03
98 = BLANK (NO ANSWER) .....	2746	0.31
99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

**TXYRMHCAD<sup>1</sup>**    Len : 2    MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Alcohol use.....	11	0.00
2 = Drug use .....	21	0.00
3 = Both alcohol and drug use.....	171	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	241	0.03
98 = BLANK (NO ANSWER) .....	2867	0.32
99 = LEGITIMATE SKIP.....	127200	14.24

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

<b>TXYREMRGN<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	343	0.04
	2 = No.....	2126	0.24
	3 = Yes LOGICALLY ASSIGNED.....	44	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMNPL2).....	11	0.00
	85 = BAD DATA Logically assigned.....	13	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	242	0.03
	98 = BLANK (NO ANSWER) .....	2746	0.31
	99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

<b>TXYREMRAD<sup>1</sup></b>	Len : 2 EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Alcohol use.....	25	0.00
	2 = Drug use .....	25	0.00
	3 = Both alcohol and drug use.....	48	0.01
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	240	0.03
	98 = BLANK (NO ANSWER) .....	2831	0.32
	99 = LEGITIMATE SKIP.....	127343	14.26

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

<b>TXYRDRPRV<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	565	0.06
	2 = No.....	1895	0.21
	3 = Yes LOGICALLY ASSIGNED.....	1	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMNPL2).....	59	0.01
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	4	0.00
	97 = REFUSED .....	242	0.03
	98 = BLANK (NO ANSWER) .....	2746	0.31
	99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

<b>TXYRDRPAD<sup>1</sup></b>	Len : 2 PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Alcohol use.....	8	0.00
	2 = Drug use .....	26	0.00
	3 = Both alcohol and drug use.....	71	0.01
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	97 = REFUSED .....	240	0.03
	98 = BLANK (NO ANSWER) .....	2829	0.32
	99 = LEGITIMATE SKIP.....	127339	14.26

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

<b>TXYRPRISN<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	229	0.03
	2 = No.....	2276	0.25
	3 = Yes LOGICALLY ASSIGNED.....	2	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	16	0.00
	85 = BAD DATA Logically assigned.....	14	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	242	0.03
	98 = BLANK (NO ANSWER) .....	2746	0.31
	99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

<b>TXYRPRIAD<sup>1</sup></b>	Len : 2 PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Alcohol use.....	5	0.00
	2 = Drug use .....	17	0.00
	3 = Both alcohol and drug use.....	66	0.01
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	97 = REFUSED .....	240	0.03
	98 = BLANK (NO ANSWER) .....	2801	0.31
	99 = LEGITIMATE SKIP.....	127384	14.27

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

<b>TXYRSLFHP<sup>1</sup></b>	Len : 2 RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1260	0.14
	2 = No.....	1181	0.13
	3 = Yes LOGICALLY ASSIGNED.....	3	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLYTMNPL2).....	77	0.01
	85 = BAD DATA Logically assigned.....	12	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	245	0.03
	98 = BLANK (NO ANSWER) .....	2746	0.31
	99 = LEGITIMATE SKIP.....	124988	14.00

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

<b>TXYRSLFAD<sup>1</sup></b>	Len : 2 SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Alcohol use.....	46	0.01
	2 = Drug use .....	34	0.00
	3 = Both alcohol and drug use.....	342	0.04
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	97 = REFUSED .....	240	0.03
	98 = BLANK (NO ANSWER) .....	2879	0.32
	99 = LEGITIMATE SKIP.....	126972	14.22

DRUG TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

**TXYROTHER<sup>1</sup>**    Len : 2    RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	587	0.07
2 = No.....	1698	0.19
5 = Yes LOGICALLY ASSIGNED (from TXLYMNPL2).....	213	0.02
7 = Treatment location unknown, LOG ASSN.....	27	0.00
85 = BAD DATA Logically assigned.....	11	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	242	0.03
98 = BLANK (NO ANSWER).....	2746	0.31
99 = LEGITIMATE SKIP.....	124988	14.00

**TXYROTHSP2<sup>1</sup>**    Len : 3    OTHER PLACE RCVD TRMT PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
2 = A res drug/alcohol rehab facility overnight.....	3	0.00
3 = A drug or alcohol rehab facility as an outpatient.....	7	0.00
4 = A mental health center or facility as outpatient.....	1	0.00
5 = An emergency room.....	1	0.00
6 = A private doctor's office.....	5	0.00
7 = A prison or jail.....	4	0.00
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	10	0.00
9 = Some other place.....	62	0.01
40 = Home, family, friends.....	36	0.00
41 = School, college.....	35	0.00
42 = Church/religious/spiritual influence.....	41	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	12	0.00
48 = Counselor, therapist, psychologist, psychiatrist.....	119	0.01
49 = Court-mandated/sponsored program.....	47	0.01
51 = Alcohol/drug class or education, locale unspcfd.....	7	0.00
52 = Military/VA Hospital.....	12	0.00
53 = Hospital; mental health or patient status unspcfd.....	13	0.00
55 = Youth-oriented facility/organization/program.....	6	0.00
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd.....	3	0.00
64 = Methadone clinic/program.....	50	0.01
65 = Name of facility/program given.....	208	0.02
66 = Faith-based formal program/facility.....	9	0.00
68 = Detox.....	3	0.00
74 = Clinic; type unspecified.....	4	0.00
78 = Outpatient facility; type and reason unspecified.....	11	0.00
81 = Buprenorphine/Suboxone/Subutex clinic/program.....	6	0.00
985 = BAD DATA Logically assigned.....	31	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
994 = DON'T KNOW.....	13	0.00
997 = REFUSED.....	255	0.03
998 = BLANK (NO ANSWER).....	2814	0.32
999 = LEGITIMATE SKIP.....	126686	14.19

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

**TXYROTHAD<sup>1</sup>**    Len : 2    OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Alcohol use.....	8	0.00
2 = Drug use.....	15	0.00
3 = Both alcohol and drug use.....	132	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	243	0.03
98 = BLANK (NO ANSWER).....	2903	0.33
99 = LEGITIMATE SKIP.....	127212	14.25

DRUG TREATMENT

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<b>TXYRERDRG<sup>1</sup></b>	Len : 2	EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	109	0.01
		2 = No.....	1526	0.17
		6 = NEVER USED RELEVANT DRUGS.....	166	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		97 = REFUSED .....	249	0.03
		98 = BLANK (NO ANSWER) .....	2739	0.31
		99 = LEGITIMATE SKIP.....	125723	14.08

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

<b>TXYRERNUM2<sup>1</sup></b>	Len : 3	# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 30.....	106	0.01
		-9 = Data not collected for this year .....	722653	80.93
		985 = BAD DATA Logically assigned.....	1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		994 = DON'T KNOW .....	1	0.00
		997 = REFUSED .....	251	0.03
		998 = BLANK (NO ANSWER).....	2740	0.31
		999 = LEGITIMATE SKIP.....	127415	14.27

Are you currently receiving treatment or counseling for your [TXFILL1]?

<b>TXCURRENT<sup>1</sup></b>	Len : 2	CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	1228	0.14
		2 = No.....	1304	0.15
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	8	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		94 = DON'T KNOW .....	1	0.00
		97 = REFUSED .....	244	0.03
		98 = BLANK (NO ANSWER) .....	2739	0.31
		99 = LEGITIMATE SKIP.....	124984	14.00

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

<b>NDTXYRADG<sup>1</sup></b>	Len : 2	NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	675	0.08
		2 = No.....	124360	13.93
		11 = Yes (TXYRRECVD=3).....	80	0.01
		12 = No (TXYRRECVD=3).....	176	0.02
		85 = BAD DATA Logically assigned.....	85	0.01
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		94 = DON'T KNOW .....	128	0.01
		97 = REFUSED .....	222	0.02
		98 = BLANK (NO ANSWER) .....	2250	0.25
		99 = LEGITIMATE SKIP.....	2538	0.28

DRUG TREATMENT

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

<b>NDMORTXYR<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	139	0.02
	2 = No.....	1162	0.13
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	2	0.00
	98 = BLANK (NO ANSWER) .....	2992	0.34
	99 = LEGITIMATE SKIP.....	126216	14.13

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

<b>NDMORTALC<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	71	0.01
	6 = Response not entered .....	66	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP.....	127378	14.26

<b>NDMORTMRJ<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	31	0.00
	6 = Response not entered .....	106	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP.....	127378	14.26

<b>NDMORTCOC<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	15	0.00
	6 = Response not entered .....	122	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP.....	127378	14.26

<b>NDMORTHER<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	23	0.00
	6 = Response not entered .....	114	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP.....	127378	14.26

DRUG TREATMENT

<b>NDMORTHAL<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	2	0.00
	6 = Response not entered .....	135	0.02
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
<b>NDMORTINH<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	1	0.00
	6 = Response not entered .....	136	0.02
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
<b>NDMORTMTH<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF METHAMPHETAMINE PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	16	0.00
	6 = Response not entered .....	121	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
<b>NDMORTPNR<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	21	0.00
	6 = Response not entered .....	116	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
<b>NDMORTTRQ<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	6 = Response not entered .....	137	0.02
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
<b>NDMORTSTM<sup>1</sup></b>	Len : 2 NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	6 = Response not entered .....	137	0.02
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26

DRUG TREATMENT

NDMORTSED<sup>1</sup> Len : 2 NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	1	0.00
6 = Response not entered .....	136	0.02
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

NDMORTOTH<sup>1</sup> Len : 2 NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	8	0.00
6 = Response not entered .....	129	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

During the past 12 months did you need treatment or counseling for your use of alcohol?

NDTXYRALC<sup>1</sup> Len : 2 NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	313	0.04
2 = No.....	339	0.04
11 = Yes (TXYRRECVD=3).....	35	0.00
12 = No (TXYRRECVD=3).....	41	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	202	0.02
98 = BLANK (NO ANSWER) .....	164	0.02
99 = LEGITIMATE SKIP .....	129419	14.49

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

NDTXYRMRJ<sup>1</sup> Len : 2 NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	95	0.01
2 = No .....	509	0.06
3 = Yes LOGICALLY ASSIGNED .....	1	0.00
11 = Yes (TXYRRECVD=3).....	20	0.00
12 = No (TXYRRECVD=3) .....	52	0.01
13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	135	0.02
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	129603	14.51

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

NDTXYRCOC<sup>1</sup> Len : 2 NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	62	0.01
2 = No .....	312	0.03
3 = Yes LOGICALLY ASSIGNED .....	1	0.00
11 = Yes (TXYRRECVD=3).....	8	0.00
12 = No (TXYRRECVD=3) .....	46	0.01
13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	53	0.01
98 = BLANK (NO ANSWER) .....	46	0.01
99 = LEGITIMATE SKIP .....	129985	14.56



DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of heroin?

NDTXYRHER<sup>1</sup>    Len : 2    NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	54	0.01
2 = No.....	89	0.01
11 = Yes (TXYRRECVD=3).....	17	0.00
12 = No (TXYRRECVD=3).....	9	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	19	0.00
98 = BLANK (NO ANSWER) .....	72	0.01
99 = LEGITIMATE SKIP.....	130254	14.59

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

NDTXYRHAL<sup>1</sup>    Len : 2    NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	14	0.00
2 = No.....	380	0.04
11 = Yes (TXYRRECVD=3).....	2	0.00
12 = No (TXYRRECVD=3).....	52	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	52	0.01
98 = BLANK (NO ANSWER) .....	505	0.06
99 = LEGITIMATE SKIP.....	129509	14.50

During the past 12 months, did you need treatment or counseling for your use of inhalants?

NDTXYRINH<sup>1</sup>    Len : 2    NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	10	0.00
2 = No.....	246	0.03
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
11 = Yes (TXYRRECVD=3).....	2	0.00
12 = No (TXYRRECVD=3).....	33	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	346	0.04
99 = LEGITIMATE SKIP.....	129825	14.54

During the past 12 months, did you need treatment or counseling for your use of methamphetamine?

NDTXYRMTH<sup>1</sup>    Len : 2    NEED TRMT FOR USE OF METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	79	0.01
2 = No.....	134	0.02
11 = Yes (TXYRRECVD=3).....	12	0.00
12 = No (TXYRRECVD=3).....	22	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	24	0.00
98 = BLANK (NO ANSWER) .....	147	0.02
99 = LEGITIMATE SKIP.....	130096	14.57

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

NDTXYRPNR <sup>1</sup> Len : 2    NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS		<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....		722653	80.93
1 = Yes.....		116	0.01
2 = No.....		226	0.03
3 = Yes LOGICALLY ASSIGNED.....		5	0.00
11 = Yes (TXYRRECVD=3).....		18	0.00
12 = No (TXYRRECVD=3).....		28	0.00
22 = No (PNRNMREC =83).....		1	0.00
85 = BAD DATA Logically assigned.....		2	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....		39805	4.46
97 = REFUSED .....		63	0.01
98 = BLANK (NO ANSWER) .....		1185	0.13
99 = LEGITIMATE SKIP.....		128870	14.43

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

NDTXYRTRQ <sup>1</sup> Len : 2    NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS		<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....		722653	80.93
1 = Yes.....		23	0.00
2 = No.....		183	0.02
11 = Yes (TXYRRECVD=3).....		3	0.00
12 = No (TXYRRECVD=3).....		27	0.00
22 = No (TRQNMREC =83).....		1	0.00
85 = BAD DATA Logically assigned.....		2	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....		39805	4.46
97 = REFUSED .....		37	0.00
98 = BLANK (NO ANSWER) .....		692	0.08
99 = LEGITIMATE SKIP.....		129546	14.51

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

NDTXYRSTM <sup>1</sup> Len : 2    NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS		<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....		722653	80.93
1 = Yes.....		23	0.00
2 = No.....		164	0.02
3 = Yes LOGICALLY ASSIGNED.....		1	0.00
11 = Yes (TXYRRECVD=3).....		2	0.00
12 = No (TXYRRECVD=3).....		18	0.00
13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....		1	0.00
85 = BAD DATA Logically assigned.....		1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....		39805	4.46
97 = REFUSED .....		34	0.00
98 = BLANK (NO ANSWER) .....		495	0.06
99 = LEGITIMATE SKIP.....		129775	14.53

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

NDTXYRSED <sup>1</sup> Len : 2    NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS		<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....		722653	80.93
1 = Yes.....		8	0.00
2 = No.....		93	0.01
11 = Yes (TXYRRECVD=3).....		3	0.00
12 = No (TXYRRECVD=3).....		12	0.00
13 = Yes LOGICALLY ASSIGNED (TXYRRECVD=3).....		1	0.00
22 = No (SEDNMREC =83).....		1	0.00
85 = BAD DATA Logically assigned.....		1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....		39805	4.46
97 = REFUSED .....		30	0.00
98 = BLANK (NO ANSWER) .....		583	0.07
99 = LEGITIMATE SKIP.....		129782	14.53

DRUG TREATMENT

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

NDTXYROTH<sup>1</sup> Len : 2 NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	38	0.00
2 = No.....	528	0.06
5 = Drug Unknown LOGICALLY ASSIGNED .....	105	0.01
11 = Yes (TXRRECVD=3).....	9	0.00
12 = No (TXRRECVD=3) .....	71	0.01
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	224	0.03
98 = BLANK (NO ANSWER) .....	2462	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

NDTXYOTH<sup>1</sup> Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
209 = Xanax.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED .....	1	0.00
599 = Potpourri .....	1	0.00
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED .....	1	0.00
702 = Heroin.....	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED .....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	6	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
806 = Crack, rock.....	1	0.00
813 = Cigarettes, tobacco (type unspecified) .....	1	0.00
818 = Nicotine .....	1	0.00
900 = Not a drug .....	1	0.00
1001 = Benadryl, Diphenhydramine <OTC> .....	1	0.00
1503 = Temazepam.....	1	0.00
3023 = Adderall .....	1	0.00
3111 = Vyvanse .....	1	0.00
4044 = Hydrocodone.....	1	0.00
4067 = OxyContin .....	2	0.00
4109 = Suboxone .....	1	0.00
5077 = Resistol .....	1	0.00
8225 = Cymbalta, Duloxetine .....	1	0.00
8233 = Keppra, Levetiracetam.....	1	0.00
8363 = Cavedilol.....	1	0.00
8537 = Celexa, Citalopram .....	1	0.00
9985 = BAD DATA Logically assigned .....	8	0.00
9991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
9994 = DON'T KNOW .....	4	0.00
9997 = REFUSED .....	227	0.03
9998 = BLANK (NO ANSWER).....	2569	0.29
9999 = LEGITIMATE SKIP.....	127673	14.30

NDTXYOTH<sup>2</sup> Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
423 = Percocet .....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed .....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018) .....	1	0.00
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8364 = Pantoprazole .....	1	0.00
8535 = Risperdal, Risperdol, Resperidone.....	1	0.00
9985 = BAD DATA Logically assigned .....	5	0.00
9991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
9994 = DON'T KNOW .....	3	0.00
9997 = REFUSED .....	225	0.03
9998 = BLANK (NO ANSWER).....	2601	0.29
9999 = LEGITIMATE SKIP.....	127673	14.30

DRUG TREATMENT

NDTXYOTH3<sup>1</sup> Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned .....	5	0.00
9991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
9997 = REFUSED .....	224	0.03
9998 = BLANK (NO ANSWER).....	2612	0.29
9999 = LEGITIMATE SKIP.....	127673	14.30

NDTXYOTH4<sup>1</sup> Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned .....	3	0.00
9991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
9997 = REFUSED .....	224	0.03
9998 = BLANK (NO ANSWER).....	2614	0.29
9999 = LEGITIMATE SKIP.....	127673	14.30

NDTXYOTH5<sup>1</sup> Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
9985 = BAD DATA Logically assigned .....	2	0.00
9991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
9997 = REFUSED .....	224	0.03
9998 = BLANK (NO ANSWER).....	2615	0.29
9999 = LEGITIMATE SKIP.....	127673	14.30

NOTE: NDTXEFFRT was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred:

- (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYRRECVD=3); or
- (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

NDTXEFFRT<sup>1</sup> Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	229	0.03
2 = No.....	422	0.05
11 = Yes (see note) .....	79	0.01
12 = No (TXYRRECVD=3) .....	22	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	223	0.02
98 = BLANK (NO ANSWER) .....	2462	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNOCOV<sup>1</sup> Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered .....	154	0.02
6 = Response not entered .....	547	0.06
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11) .....	18	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	245	0.03
98 = BLANK (NO ANSWER) .....	2463	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

DRUG TREATMENT

NDTXNOTPY <sup>1</sup>	Len : 2 TREATMENT NOT COVERED ON HLTH CARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	58	0.01
	6 = Response not entered .....	651	0.07
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11) .....	10	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	245	0.03
	98 = BLANK (NO ANSWER) .....	2463	0.28
	99 = LEGITIMATE SKIP .....	127074	14.23

NDXTSPHR <sup>1</sup>	Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	57	0.01
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	651	0.07
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11) .....	10	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	245	0.03
	98 = BLANK (NO ANSWER) .....	2463	0.28
	99 = LEGITIMATE SKIP .....	127074	14.23

NDTXWANTD <sup>1</sup>	Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	49	0.01
	6 = Response not entered .....	663	0.07
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11) .....	7	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	245	0.03
	98 = BLANK (NO ANSWER) .....	2463	0.28
	99 = LEGITIMATE SKIP .....	127074	14.23

NDTXNSTOP <sup>1</sup>	Len : 2 NOT READY TO STOP USING [TXFILL2]		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	229	0.03
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	461	0.05
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11) .....	28	0.00
	85 = BAD DATA Logically assigned .....	1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	245	0.03
	98 = BLANK (NO ANSWER) .....	2462	0.28
	99 = LEGITIMATE SKIP .....	127074	14.23

NDTXPFULL <sup>1</sup>	Len : 2 NO OPENINGS IN THE PROGRAMS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	29	0.00
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	684	0.08
	11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11) .....	5	0.00
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	13	0.00
	97 = REFUSED .....	245	0.03
	98 = BLANK (NO ANSWER) .....	2463	0.28
	99 = LEGITIMATE SKIP .....	127074	14.23

DRUG TREATMENT

NDTXDKWHR<sup>1</sup> Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	96	0.01
6 = Response not entered.....	618	0.07
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	245	0.03
98 = BLANK (NO ANSWER).....	2463	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

NDTXNBRNG<sup>1</sup> Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	93	0.01
6 = Response not entered.....	620	0.07
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	6	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	245	0.03
98 = BLANK (NO ANSWER).....	2463	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

NDTXJOBNG<sup>1</sup> Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	87	0.01
6 = Response not entered.....	624	0.07
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	245	0.03
98 = BLANK (NO ANSWER).....	2463	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNONED<sup>1</sup> Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	53	0.01
3 = Response entered LOGICALLY ASSIGNED.....	8	0.00
6 = Response not entered.....	643	0.07
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	10	0.00
13 = Response entered LOG ASSN (see level 11).....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	15	0.00
97 = REFUSED.....	245	0.03
98 = BLANK (NO ANSWER).....	2463	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

NDTXHANDL<sup>1</sup> Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	70	0.01
6 = Response not entered.....	641	0.07
11 = Response entered (TXYRRECVD=3 or NDTXEFFRT=11).....	5	0.00
13 = Response entered LOG ASSN (see level 11).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	15	0.00
97 = REFUSED.....	245	0.03
98 = BLANK (NO ANSWER).....	2463	0.28
99 = LEGITIMATE SKIP.....	127074	14.23

DRUG TREATMENT

NDTXNOHLP<sup>1</sup> Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	15	0.00
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	696	0.08
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11) .....	4	0.00
13 = Response entered LOG ASSN (see level 11) .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	15	0.00
97 = REFUSED .....	245	0.03
98 = BLANK (NO ANSWER) .....	2463	0.28
99 = LEGITIMATE SKIP .....	127074	14.23

NDTXNTIME<sup>1</sup> Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	42	0.00
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	666	0.07
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11) .....	7	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	15	0.00
97 = REFUSED .....	245	0.03
98 = BLANK (NO ANSWER) .....	2463	0.28
99 = LEGITIMATE SKIP .....	127074	14.23

NDTXFNDOU<sup>1</sup> Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	44	0.00
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	670	0.08
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11) .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	15	0.00
97 = REFUSED .....	245	0.03
98 = BLANK (NO ANSWER) .....	2463	0.28
99 = LEGITIMATE SKIP .....	127074	14.23

NDTXOTRSN<sup>1</sup> Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	76	0.01
6 = Response not entered .....	631	0.07
11 = Response entered (TXRRECVD=3 or NDTXEFFRT=11) .....	12	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	245	0.03
98 = BLANK (NO ANSWER) .....	2463	0.28
99 = LEGITIMATE SKIP .....	127074	14.23

DRUG TREATMENT

NDTXMIMPT<sup>1</sup>

Len : 2 MOST IMPORTANT OTHER REASON DIDNT GET TRTMT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = No health care coverage and couldn't afford cost.....	2	0.00
3 = No transportation/too far away/hrs inconvenient .....	1	0.00
5 = You were not ready to stop using.....	2	0.00
6 = There were no openings in the programs .....	1	0.00
10 = You didn't think you needed treatment at the time.....	13	0.00
11 = You thought you could handle the problem w/o trmt.....	1	0.00
12 = You didn't think treatment would help.....	3	0.00
13 = Didn't have time (b/c of job, childcare, other).....	3	0.00
14 = Didn't want others to find out you needed trmt .....	5	0.00
16 = Too embarrassed,ashamed,afraid/didn't want to ask .....	2	0.00
18 = No prgrm where comfortable w/counselors/Drs.....	1	0.00
19 = Just didn't go/didn't get trmt; no reason given .....	1	0.00
20 = Didn't want treatment; lacked motivation .....	4	0.00
21 = Stopped using, treatment not indicated .....	2	0.00
22 = Couldn't afford; hlth care coverage status unspcfd.....	2	0.00
23 = Other problems to deal w/ (emotional, family, etc).....	6	0.00
25 = You were too stubborn/prideful to go .....	1	0.00
30 = Attempted to get trmt, encountered delays/refused .....	1	0.00
31 = Family members/others unsupportive .....	5	0.00
32 = Conflict of interest; type unspecified .....	1	0.00
70 = You did get/seek treatment (incl self-help groups).....	9	0.00
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	254	0.03
98 = BLANK (NO ANSWER) .....	2478	0.28
99 = LEGITIMATE SKIP.....	127705	14.30

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

NDMREFFRT<sup>1</sup>

Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	86	0.01
2 = No.....	52	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP.....	127378	14.26

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNOCOV<sup>1</sup>

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	33	0.00
6 = Response not entered .....	96	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP.....	127378	14.26

NDMRNOTPY<sup>1</sup>

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	12	0.00
6 = Response not entered .....	117	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP.....	127378	14.26



DRUG TREATMENT

NDMRTSPHR <sup>1</sup>	Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	20	0.00
	6 = Response not entered .....	109	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
NDMRWANTD <sup>1</sup>	Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	17	0.00
	6 = Response not entered .....	112	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
NDMRNSTOP <sup>1</sup>	Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	34	0.00
	6 = Response not entered .....	95	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
NDMRPFULL <sup>1</sup>	Len : 2 NO OPENINGS IN THE PROGRAMS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	11	0.00
	6 = Response not entered .....	118	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
NDMRDKWHR <sup>1</sup>	Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	14	0.00
	6 = Response not entered .....	115	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26
NDMRNBRNG <sup>1</sup>	Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Response entered .....	11	0.00
	6 = Response not entered .....	118	0.01
	91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	2995	0.34
	99 = LEGITIMATE SKIP .....	127378	14.26

DRUG TREATMENT

NDMRJOBNG<sup>1</sup> Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	8	0.00
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	120	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNONED<sup>1</sup> Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	11	0.00
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	116	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

NDMRHANDL<sup>1</sup> Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	10	0.00
6 = Response not entered .....	119	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

NDMRNOHLP<sup>1</sup> Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	6	0.00
6 = Response not entered .....	123	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

NDMRNTIME<sup>1</sup> Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	6	0.00
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	122	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

DRUG TREATMENT

NDMRFNDOU<sup>1</sup> Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	4	0.00
6 = Response not entered .....	125	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

NDMROTRSN<sup>1</sup> Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	11	0.00
6 = Response not entered .....	118	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	2995	0.34
99 = LEGITIMATE SKIP .....	127378	14.26

NDMRMIMPT<sup>1</sup> Len : 2 MOST IMPORTANT OTHR REASON DIDNT GET ADDL TRTMT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
9 = Concerned might have negative effect on your job .....	1	0.00
10 = You didn't think you needed treatment at the time .....	2	0.00
12 = You didn't think treatment would help .....	1	0.00
13 = Didn't have time (b/c of job, childcare, other) .....	1	0.00
14 = Didn't want others to find out you needed trmt .....	1	0.00
28 = Didn't like how treated/don't trust Drs/hospitals .....	1	0.00
70 = You did get/seek treatment (incl self-help groups) .....	1	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	7	0.00
98 = BLANK (NO ANSWER) .....	3001	0.34
99 = LEGITIMATE SKIP .....	127496	14.28

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

TXRCVDREC<sup>1</sup> Len : 2 TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Within past 30 days -- that is, since [DATEFILL] .....	193	0.02
2 = More than 30 days ago but within the past 12 mos .....	983	0.11
3 = More than 12 months ago .....	5989	0.67
7 = Still in treatment LOG ASSN (TXCURRENT=1) .....	1228	0.14
8 = Treatment in past year LOGICALLY ASSIGNED .....	391	0.04
9 = Treatment in lifetime LOGICALLY ASSIGNED .....	9	0.00
13 = Treatment > 12 mos ago LOG ASSN (TXRRECVD=2) .....	88	0.01
85 = BAD DATA Logically assigned .....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	238	0.03
98 = BLANK (NO ANSWER) .....	2482	0.28
99 = LEGITIMATE SKIP .....	118911	13.32

DRUG TREATMENT

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment/are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

**TXLTYMNPL2<sup>1</sup>**    Len : 3    MAIN PLACE RCV TRMT LAST TIME/CURRENTLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = A hospital overnight as an inpatient.....	85	0.01
2 = A res drug/alcohol rehab facility overnight.....	256	0.03
3 = A drug or alcohol rehab facility as an outpatient.....	493	0.06
4 = A mental health center or facility as outpatient.....	370	0.04
5 = An emergency room.....	26	0.00
6 = A private doctor's office.....	287	0.03
7 = A prison or jail.....	45	0.01
8 = Self-help group, Alcoholic/Narcotics Anonymous.....	512	0.06
9 = Some other place.....	104	0.01
40 = Home, family, friends.....	26	0.00
41 = School, college.....	34	0.00
42 = Church/religious/spiritual influence.....	10	0.00
45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.....	3	0.00
48 = Counselor, therapist, psychologist, psychiatrist.....	74	0.01
49 = Court-mandated/sponsored program.....	26	0.00
51 = Alcohol/drug class or education, locale unspcfd.....	4	0.00
52 = Military/VA Hospital.....	4	0.00
56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd.....	3	0.00
58 = Other individual, relationship unspecified.....	3	0.00
64 = Methadone clinic/program.....	23	0.00
65 = Name of facility/program given.....	87	0.01
66 = Faith-based formal program/facility.....	3	0.00
74 = Clinic; type unspecified.....	3	0.00
985 = BAD DATA Logically assigned.....	7	0.00
989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
991 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
994 = DON'T KNOW.....	26	0.00
997 = REFUSED.....	273	0.03
998 = BLANK (NO ANSWER).....	2739	0.31
999 = LEGITIMATE SKIP.....	124984	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?

Are you currently receiving treatment or counseling for your use of alcohol?

**TXLTYALCO<sup>1</sup>**    Len : 2    LAST/CURRENT TREATMENT FOR ALCOHOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1271	0.14
2 = No.....	1033	0.12
3 = Yes LOGICALLY ASSIGNED.....	8	0.00
5 = Yes LOG ASSN (TXYRALDGB = 1).....	142	0.02
6 = NEVER USED ALCOHOL (TXEVRRCVD = 1).....	73	0.01
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCVD=2).....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	252	0.03
98 = BLANK (NO ANSWER).....	2737	0.31
99 = LEGITIMATE SKIP (TXEVRRCVD=2/TXYRRECVD=2,4).....	124984	14.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?

Are you currently receiving treatment or counseling for your use of marijuana or hashish?

**TXLTYMRJH<sup>1</sup>**    Len : 2    LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	734	0.08
2 = No.....	1518	0.17
3 = Yes LOGICALLY ASSIGNED.....	10	0.00
6 = NEVER USED MARIJUANA (TXEVRRCCVD =1).....	312	0.03
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	244	0.03
98 = BLANK (NO ANSWER).....	2700	0.30
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124984	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?

Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?

**TXLTYCOCN<sup>1</sup>**    Len : 2    LAST/CURRENT TREATMENT FOR COCAINE/CRACK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	341	0.04
2 = No.....	1136	0.13
3 = Yes LOGICALLY ASSIGNED.....	7	0.00
6 = NEVER USED COCAINE (TXEVRRCCVD = 1).....	1197	0.13
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	244	0.03
98 = BLANK (NO ANSWER).....	2597	0.29
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124987	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of heroin?

Are you currently receiving treatment or counseling for your use of heroin?

**TXLTYHERN<sup>1</sup>**    Len : 2    LAST/CURRENT TREATMENT FOR HEROIN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	466	0.05
2 = No.....	226	0.03
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
6 = NEVER USED HEROIN (TXEVRRCCVD = 1).....	2053	0.23
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	241	0.03
98 = BLANK (NO ANSWER).....	2532	0.28
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124986	14.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?

Are you currently receiving treatment or counseling for your use of hallucinogens?

**TXLTYHALL<sup>1</sup>**      Len : 2    LAST/CURRENT TREATMENT FOR HALLUCINOGENS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	220	0.02
2 = No.....	1277	0.14
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED HALLUCINOGENS (TXEVRRCCVD = 1).....	1163	0.13
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	241	0.03
98 = BLANK (NO ANSWER).....	2615	0.29
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124984	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?

Are you currently receiving treatment or counseling for your use of inhalants?

**TXLTYINHL<sup>1</sup>**      Len : 2    LAST/CURRENT TREATMENT FOR INHALANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	131	0.01
2 = No.....	744	0.08
4 = No LOGICALLY ASSIGNED.....	1	0.00
6 = NEVER USED INHALANTS (TXEVRRCCVD = 1).....	1847	0.21
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	244	0.03
98 = BLANK (NO ANSWER).....	2556	0.29
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124987	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of methamphetamine?

Are you currently receiving treatment or counseling for your use of methamphetamine?

**TXLTYMETH<sup>1</sup>**      Len : 2    LAST/CURRENT TREATMENT FOR METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	330	0.04
2 = No.....	510	0.06
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
6 = NEVER USED METHAMPHETAMINE (TXEVRRCCVD = 1).....	1883	0.21
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	241	0.03
98 = BLANK (NO ANSWER).....	2553	0.29
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124988	14.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?

Are you currently receiving treatment or counseling for your use of prescription pain relievers?

**TXLTYPNRL<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	597	0.07
2 = No.....	710	0.08
3 = Yes LOGICALLY ASSIGNED.....	29	0.00
6 = NEVER USED PAIN RELIEVERS (TXEVRRCCVD = 1).....	1352	0.15
85 = BAD DATA Logically assigned.....	3	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	243	0.03
98 = BLANK (NO ANSWER).....	2589	0.29
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124985	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?

Are you currently receiving treatment or counseling for your use of prescription tranquilizers?

**TXLTYTRQL<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	197	0.02
2 = No.....	609	0.07
3 = Yes LOGICALLY ASSIGNED.....	16	0.00
4 = No LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED TRANQUILIZERS (TXEVRRCCVD = 1).....	1893	0.21
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned (TXEVRRCCVD=2).....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	243	0.03
98 = BLANK (NO ANSWER).....	2563	0.29
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124987	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

**TXLTYSTIM<sup>1</sup>**      Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	139	0.02
2 = No.....	528	0.06
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
4 = No LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED STIMULANTS (TXEVRRCCVD = 1).....	2070	0.23
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	3	0.00
97 = REFUSED.....	242	0.03
98 = BLANK (NO ANSWER).....	2537	0.28
99 = LEGITIMATE SKIP (TXEVRRCCVD=2/TXYRRECVD=2,4).....	124988	14.00

DRUG TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

**TXLTYSEDV<sup>1</sup>**    Len : 2    LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	101	0.01
2 = No.....	287	0.03
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
4 = No LOGICALLY ASSIGNED.....	2	0.00
6 = NEVER USED SEDATIVES (TXEVRRCD = 1).....	2365	0.26
85 = BAD DATA Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	241	0.03
98 = BLANK (NO ANSWER).....	2524	0.28
99 = LEGITIMATE SKIP (TXEVRRCD=2/TXYRRECVD=2,4).....	124988	14.00

The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?

Are you currently receiving treatment or counseling for your use of any other drug?

**TXLTYOTHR<sup>1</sup>**    Len : 2    LAST/CURRENT TRMT FOR SOME OTHER DRUG

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	309	0.03
2 = No.....	2042	0.23
3 = Yes LOGICALLY ASSIGNED.....	6	0.00
5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	81	0.01
7 = Treatment drug/alc unknown LOG ASSN.....	82	0.01
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	7	0.00
97 = REFUSED.....	253	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

What was the main drug you entered treatment for the last time you were treated?

What is the main drug for which you are currently receiving treatment or counseling?

**TXLTYMAIN<sup>2</sup>**    Len : 2    MAIN DRUG FOR LAST/CURRENT TREATMENT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Alcohol.....	214	0.02
2 = Marijuana or hashish.....	160	0.02
3 = Cocaine or Crack.....	57	0.01
4 = Heroin.....	215	0.02
7 = Methamphetamine.....	111	0.01
8 = Prescription pain relievers.....	138	0.02
12 = Some other drug.....	49	0.01
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	259	0.03
98 = BLANK (NO ANSWER).....	2924	0.33
99 = LEGITIMATE SKIP.....	126373	14.15



DRUG TREATMENT

What was the outcome of the treatment or counseling you last received?

TXLTYOCOM2<sup>1</sup> Len : 2 OUTCOME OF LAST/CURRENT TREATMENT

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = You are still in treatment.....	1229	0.14
2 = You successfully completed treatment.....	930	0.10
3 = You left because you had a problem with program.....	56	0.01
4 = You left b/c you couldn't afford to continue.....	51	0.01
5 = You left because your family needed you.....	30	0.00
6 = You left because you began using drugs again.....	41	0.00
7 = Your last treatment had some other outcome.....	38	0.00
41 = You left because you didn't need/want treatment.....	3	0.00
44 = You relapsed/program did not work for you.....	5	0.00
49 = Completed treatment/tmt required, outcome unknown.....	16	0.00
50 = You had other problems to deal with.....	3	0.00
85 = BAD DATA Logically assigned.....	86	0.01
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	23	0.00
97 = REFUSED.....	269	0.03
98 = BLANK (NO ANSWER).....	2746	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX17]?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

TXLTYDAYS2<sup>1</sup> Len : 5 RC - # DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE

	Freq	Pct
RANGE = 1 - 30.....	680	0.08
-9 = Data not collected for this year.....	722653	80.93
31 = 31 or more.....	1760	0.20
99985 = BAD DATA Logically assigned.....	7	0.00
99989 = LEGITIMATE SKIP Logically assigned.....	4	0.00
99991 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
99994 = DON'T KNOW.....	56	0.01
99997 = REFUSED.....	284	0.03
99998 = BLANK (NO ANSWER).....	2739	0.31
99999 = LEGITIMATE SKIP.....	124984	14.00

DRUG TREATMENT

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPAYHINS<sup>1</sup>**      Len : 2    HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1135	0.13
2 = No.....	1275	0.14
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	79	0.01
97 = REFUSED.....	262	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPAYMCRE<sup>1</sup>**      Len : 2    MEDICARE PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	716	0.08
2 = No.....	1636	0.18
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	139	0.02
97 = REFUSED.....	264	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPAYMCAD<sup>1</sup>**      Len : 2    MEDICAID PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	821	0.09
2 = No.....	1545	0.17
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	122	0.01
97 = REFUSED.....	264	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPAYPUBL<sup>1</sup>**      Len : 2    OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	543	0.06
2 = No.....	1788	0.20
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	156	0.02
97 = REFUSED.....	264	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

DRUG TREATMENT

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

TXPAYSVNG<sup>1</sup> Len : 2 OWN SAVINGS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	1118	0.13
2 = No.....	1327	0.15
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	43	0.00
97 = REFUSED.....	264	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

Did family members pay for the last treatment you received, even if they paid only part of the cost?

Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?

TXPAYFAML<sup>1</sup> Len : 2 FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	634	0.07
2 = No.....	1815	0.20
3 = Yes LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	38	0.00
97 = REFUSED.....	264	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

Did the courts pay for the last treatment you received, even if it paid only part of the cost?

Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPAYCOUR<sup>1</sup> Len : 2 COURTS PAY FOR LAST/CURRENT TRMT

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	255	0.03
2 = No.....	2156	0.24
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned.....	32	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
94 = DON'T KNOW.....	79	0.01
97 = REFUSED.....	262	0.03
98 = BLANK (NO ANSWER).....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

DRUG TREATMENT

Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?

Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPAYMILT<sup>1</sup>**      Len : 2    MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	121	0.01
2 = No.....	2252	0.25
3 = Yes LOGICALLY ASSIGNED.....	3	0.00
85 = BAD DATA Logically assigned .....	32	0.00
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	116	0.01
97 = REFUSED .....	263	0.03
98 = BLANK (NO ANSWER) .....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

**TXPAYBOSS<sup>1</sup>**      Len : 2    EMPLOYER PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	105	0.01
2 = No.....	2325	0.26
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned .....	32	0.00
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	61	0.01
97 = REFUSED .....	262	0.03
98 = BLANK (NO ANSWER) .....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

**TXPAYOTHR<sup>1</sup>**      Len : 2    SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	238	0.03
2 = No.....	2121	0.24
4 = No LOG ASSN (free trmt specified).....	5	0.00
5 = Yes, payment source not specified LOG ASSN.....	60	0.01
85 = BAD DATA Logically assigned .....	30	0.00
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	68	0.01
97 = REFUSED .....	265	0.03
98 = BLANK (NO ANSWER) .....	2739	0.31
99 = LEGITIMATE SKIP.....	124984	14.00

DRUG TREATMENT

TXPAYOTSP2<sup>1</sup>

Len : 2 OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Private health insurance .....	35	0.00
2 = Medicare .....	2	0.00
3 = Medicaid .....	6	0.00
4 = Public assistance program other than Medicaid .....	5	0.00
5 = Own savings or earnings .....	13	0.00
6 = Family members .....	9	0.00
7 = Courts .....	16	0.00
8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth .....	3	0.00
9 = Employer .....	2	0.00
10 = Free .....	11	0.00
11 = Some other source .....	9	0.00
12 = Friend/neighbor/sponsor/stipend .....	5	0.00
13 = Church/faith-based organization .....	5	0.00
14 = School .....	13	0.00
15 = Treatment program/facility/provider .....	24	0.00
16 = Indian Health Service/BIA/Tribe .....	13	0.00
19 = Public assistance, welfare; otherwise unspecified .....	21	0.00
85 = BAD DATA Logically assigned .....	51	0.01
89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	16	0.00
97 = REFUSED .....	271	0.03
98 = BLANK (NO ANSWER) .....	2870	0.32
99 = LEGITIMATE SKIP .....	127109	14.23

Was the last treatment you received free?

Is the treatment you are currently receiving free?

TXPAYFREE<sup>1</sup>

Len : 2 LAST/CURRENT TREATMENT WAS/IS FREE

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes .....	131	0.01
2 = No .....	60	0.01
3 = Yes LOGICALLY ASSIGNED .....	11	0.00
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
97 = REFUSED .....	258	0.03
98 = BLANK (NO ANSWER) .....	2806	0.31
99 = LEGITIMATE SKIP .....	127247	14.25

Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?

For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.

TXENRLOCT<sup>1</sup>

Len : 2 ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes .....	902	0.10
2 = No .....	7879	0.88
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	65	0.01
97 = REFUSED .....	273	0.03
98 = BLANK (NO ANSWER) .....	2481	0.28
99 = LEGITIMATE SKIP (TXEVRRCD=2) .....	118911	13.32

DRUG TREATMENT

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

TXYRONDTX<sup>1</sup> Len : 2 WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	455	0.05
2 = No.....	1520	0.17
4 = No LOGICALLY ASSIGNED .....	505	0.06
85 = BAD DATA Logically assigned .....	3	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	28	0.00
97 = REFUSED .....	269	0.03
98 = BLANK (NO ANSWER) .....	2746	0.31
99 = LEGITIMATE SKIP.....	124988	14.00

NOTE: The variables TXALCONLY, TXALCONAG, TXDRGONLY, TXDRGONAG, TXALCDRGU, TXALCDAGE TXDRGALCU, and TXDRGAAGE pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALCONLY and TXALCONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRGONLY and TXDRGONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDRGU, TXALCDAGE TXDRGALCU, and TXDRGAAGE pertain to respondents who were lifetime users of alcohol and other drugs.

NOTE: TXALCONLY was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALCONLY=11). TXALCONLY was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

TXALCONLY<sup>1</sup> Len : 2 EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	278	0.03
2 = No.....	2	0.00
11 = Yes (TXYRRECVD=3; see NOTE for TXALCONLY).....	6	0.00
12 = No (TXYRRECVD=3; see NOTE for TXALCONLY) .....	17	0.00
22 = No (but only alcohol user; see NOTE for TXALCONLY) .....	158	0.02
85 = BAD DATA Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	73	0.01
98 = BLANK (NO ANSWER) .....	2371	0.27
99 = LEGITIMATE SKIP.....	127607	14.29

How old were you when you first received treatment for your alcohol use?

TXALCONAG<sup>1</sup> Len : 3 AGE WHEN FIRST RCVD TRMT FOR ALC USE

	Freq	Pct
RANGE = 3 - 70 .....	272	0.03
-9 = Data not collected for this year .....	722653	80.93
991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
994 = DON'T KNOW .....	9	0.00
997 = REFUSED .....	73	0.01
998 = BLANK (NO ANSWER).....	2534	0.28
999 = LEGITIMATE SKIP.....	127626	14.29

DRUG TREATMENT

NOTE: TXDRGONLY was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRGONLY=11). TXDRGONLY was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?

**TXDRGONLY<sup>1</sup>**    Len : 2    EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	52	0.01
11 = Yes (TXYRRECVD=3; see NOTE for TXDRGONLY) .....	8	0.00
12 = No (TXYRRECVD=3; see NOTE for TXDRGONLY).....	13	0.00
22 = No (but only drug user; see NOTE for TXDRGONLY) .....	36	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	37	0.00
98 = BLANK (NO ANSWER) .....	2374	0.27
99 = LEGITIMATE SKIP.....	127992	14.33

How old were you when you first received treatment or counseling for your drug use?

**TXDRGONAG<sup>1</sup>**    Len : 3    AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 52 .....	46	0.01
-9 = Data not collected for this year.....	722653	80.93
991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
994 = DON'T KNOW .....	1	0.00
997 = REFUSED .....	37	0.00
998 = BLANK (NO ANSWER).....	2425	0.27
999 = LEGITIMATE SKIP.....	128005	14.33

NOTE: TXALCDRGU and TXDRGALCU were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYRRECVD=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDRGU=11). TXALCDRGU and TXDRGALCU were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDRGU) or for their drug use (in the question corresponding to TXDRGALCU).

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?

**TXALCDRGU<sup>1</sup>**    Len : 2    EVER RCVD TMT FOR ALCOHOL USE (ALSO USED DRUGS)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	3462	0.39
2 = No .....	1639	0.18
11 = Yes (TXYRRECVD=3; see NOTE for TXALCDRGU).....	84	0.01
12 = No (TXYRRECVD=3; see NOTE for TXALCDRGU).....	62	0.01
22 = No (see NOTE for TXALCDRGU) .....	493	0.06
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	151	0.02
98 = BLANK (NO ANSWER) .....	2430	0.27
99 = LEGITIMATE SKIP.....	122188	13.68

DRUG TREATMENT

How old were you when you first received treatment or counseling for your alcohol use?

<b>TXALCDAGE<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 66.....	3436	0.38
	-9 = Data not collected for this year.....	722653	80.93
	991 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
	994 = DON'T KNOW.....	58	0.01
	997 = REFUSED.....	160	0.02
	998 = BLANK (NO ANSWER).....	2971	0.33
	999 = LEGITIMATE SKIP.....	123889	13.87

Have you ever received treatment or counseling for your drug use?

<b>TXDRGALCU<sup>1</sup></b>	Len : 2 EVER RCVD TRMT FOR DRUG USE (ALSO USED ALCOHOL)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Yes.....	2915	0.33
	2 = No.....	2188	0.25
	11 = Yes (TXYRRECVD=3; see NOTE for TXALCDRGU).....	116	0.01
	12 = No (TXYRRECVD=3; see NOTE for TXALCDRGU).....	31	0.00
	22 = No (see NOTE for TXALCDRGU).....	493	0.06
	91 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
	94 = DON'T KNOW.....	3	0.00
	97 = REFUSED.....	150	0.02
	98 = BLANK (NO ANSWER).....	2430	0.27
	99 = LEGITIMATE SKIP.....	122188	13.68

How old were you when you first received treatment or counseling for your drug use?

<b>TXDRGAAGE<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 68.....	2911	0.33
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned.....	1	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
	994 = DON'T KNOW.....	46	0.01
	997 = REFUSED.....	154	0.02
	998 = BLANK (NO ANSWER).....	2995	0.34
	999 = LEGITIMATE SKIP.....	124407	13.93

NOTE: The variables TXYALONAG, TXYALODRG, TXYALODAG, TXYDRONAG, TXYDROALC, TXYDROAAG, TXYALDAAG, and TXYALDDAG pertain to respondents who received substance treatment in the past 12 months. TXYALONAG, TXYALODRG, and TXYALODAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRONAG, TXYDROALC, and TXYDROAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYALDAAG and TXYALDDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

<b>TXYALONAG<sup>1</sup></b>	Len : 3 AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 68.....	730	0.08
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned.....	11	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	39805	4.46
	994 = DON'T KNOW.....	19	0.00
	997 = REFUSED.....	253	0.03
	998 = BLANK (NO ANSWER).....	2814	0.32
	999 = LEGITIMATE SKIP.....	126687	14.19



DRUG TREATMENT

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

<b>TXYALODRG<sup>1</sup></b>	Len : 2	EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	102	0.01
		2 = No.....	540	0.06
		3 = Yes LOGICALLY ASSIGNED (TXYRALDGB=11).....	44	0.00
		85 = BAD DATA Logically assigned .....	3	0.00
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		94 = DON'T KNOW .....	2	0.00
		97 = REFUSED .....	246	0.03
		98 = BLANK (NO ANSWER) .....	2772	0.31
		99 = LEGITIMATE SKIP.....	126805	14.20

How old were you when you first received treatment or counseling for your drug use?

<b>TXYALODAG<sup>1</sup></b>	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 58 .....	86	0.01
		-9 = Data not collected for this year .....	722653	80.93
		985 = BAD DATA Logically assigned .....	1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		994 = DON'T KNOW .....	2	0.00
		997 = REFUSED .....	249	0.03
		998 = BLANK (NO ANSWER).....	2831	0.32
		999 = LEGITIMATE SKIP.....	127345	14.26

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

<b>TXYDRONAG<sup>1</sup></b>	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 71 .....	821	0.09
		-9 = Data not collected for this year .....	722653	80.93
		985 = BAD DATA Logically assigned .....	3	0.00
		991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		994 = DON'T KNOW .....	23	0.00
		997 = REFUSED .....	245	0.03
		998 = BLANK (NO ANSWER).....	2895	0.32
		999 = LEGITIMATE SKIP.....	126527	14.17

Have you ever received treatment or counseling for your alcohol use?

<b>TXYDROALC<sup>1</sup></b>	Len : 2	EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	99	0.01
		2 = No.....	787	0.09
		3 = Yes LOGICALLY ASSIGNED (TXYRALDGB=12).....	38	0.00
		85 = BAD DATA Logically assigned .....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		94 = DON'T KNOW .....	2	0.00
		97 = REFUSED .....	241	0.03
		98 = BLANK (NO ANSWER) .....	2771	0.31
		99 = LEGITIMATE SKIP.....	126575	14.17

How old were you when you first received treatment or counseling for your alcohol use?

<b>TXYDROAAG<sup>1</sup></b>	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 55 .....	87	0.01
		-9 = Data not collected for this year .....	722653	80.93
		991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
		994 = DON'T KNOW .....	1	0.00
		997 = REFUSED .....	241	0.03
		998 = BLANK (NO ANSWER).....	2823	0.32
		999 = LEGITIMATE SKIP.....	127362	14.26

DRUG TREATMENT

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

**TXYALDAAG<sup>1</sup>**    Len : 3    AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 67 .....	594	0.07
-9 = Data not collected for this year .....	722653	80.93
991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
994 = DON'T KNOW .....	12	0.00
997 = REFUSED .....	254	0.03
998 = BLANK (NO ANSWER).....	3037	0.34
999 = LEGITIMATE SKIP.....	126617	14.18

How old were you when you first received treatment or counseling for your drug use?

**TXYALDDAG<sup>1</sup>**    Len : 3    AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 67 .....	590	0.07
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	4	0.00
991 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
994 = DON'T KNOW .....	11	0.00
997 = REFUSED .....	253	0.03
998 = BLANK (NO ANSWER).....	3039	0.34
999 = LEGITIMATE SKIP.....	126617	14.18

NOTE: TXFGALAGE is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALCONAG, TXALCDAGE, TXYALONAG, TXYDROAAG, or TXYALDAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAGE=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRALDGB.

**TXFGALAGE<sup>1</sup>**    Len : 2    CONSISTENCY OF ALC TX AGE WITH ALC AFU

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = 1st alc tx age consistent with alc AFU .....	5150	0.58
1 = 1st alc tx age differs from alc AFU by 1 yr.....	27	0.00
2 = 1st alc tx age differs from alc AFU by 2 yrs .....	13	0.00
3 = 1st alc tx age differs from alc AFU by 3-4 yrs.....	13	0.00
4 = 1st alc tx age differs from alc AFU by >=5 yrs .....	80	0.01
5 = Never used alc in core but reported an alc tx age.....	21	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
98 = UNKNOWN .....	3733	0.42
99 = LEGITIMATE SKIP.....	121477	13.60

NOTE: TXFGDGAGE is a "flag" variable that indicates when the first receipt of drug treatment in TXDRGONAG, TXDRGAAGE, TXYALODAG, TXYDRONAG, or TXYALDDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAGE=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRALDGB.

**TXFGDGAGE<sup>1</sup>**    Len : 2    CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = 1st drug tx age consistent w/min drug AFU .....	4555	0.51
1 = 1st drug tx age differs from min drug AFU by 1 yr.....	28	0.00
2 = 1st drug tx age differs fr min drug AFU by 2 yrs .....	16	0.00
3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs.....	9	0.00
4 = 1st drug tx age differs fr min drug AFU by >=5 yrs.....	38	0.00
5 = Never used drugs in core but reportd a drug tx age.....	22	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
98 = UNKNOWN .....	3657	0.41
99 = LEGITIMATE SKIP.....	122189	13.68

DRUG TREATMENT

NOTE: TXFGADAGE is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAGE=5 or TXFGDGAGE=5, then TXFGADAGE=5.

**TXFGADAGE<sup>1</sup>**    Len : 2    CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = 1st tx age consistent w/minimum AFU .....	7353	0.82
1 = 1st tx age differs from min AFU by 1 yr.....	47	0.01
2 = 1st tx age differs from min AFU by 2 yrs .....	26	0.00
3 = 1st tx age differs from min AFU by 3-4 yrs .....	20	0.00
4 = 1st tx age differs from min AFU by >=5 yrs.....	108	0.01
5 = Any lifetime nonuse with a related tx age.....	43	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
98 = UNKNOWN .....	4006	0.45
99 = LEGITIMATE SKIP.....	118911	13.32

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

**TXSHGWENT<sup>1</sup>**    Len : 2    WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	1625	0.18
2 = No.....	124822	13.98
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	1260	0.14
85 = BAD DATA Logically assigned .....	86	0.01
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	182	0.02
97 = REFUSED .....	279	0.03
98 = BLANK (NO ANSWER) .....	2260	0.25

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

**TXSHGALDB<sup>1</sup>**    Len : 2    WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Alcohol use only .....	614	0.07
2 = Drug use only.....	429	0.05
3 = Both alcohol and drug use.....	552	0.06
11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSLFAD=1) .....	46	0.01
12 = Drug use only LOGICALLY ASSIGNED (TXYRSLFAD=2).....	34	0.00
13 = Both alcohol and drug use LOG ASSN (TXYRSLFAD=3).....	342	0.04
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
94 = DON'T KNOW .....	12	0.00
97 = REFUSED .....	297	0.03
98 = BLANK (NO ANSWER) .....	2624	0.29
99 = LEGITIMATE SKIP.....	125564	14.06

NOTE: TXSHGFLAG compares the consistency of data in the self-help group variable TXSHGWENT and the self-help group variable TXYRSLFHP. TXSHGFLAG has a value of 1 when TXSHGWENT was answered as "yes" but TXYRSLFHP indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLAG has a value of 2 when TXSHGWENT was answered as "yes" but TXYRRECVD or TXEVRRCVD indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLAG has a value of 3 when TXSHGWENT was not answered as "yes" but TXYRSLFHP indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLAG has a value of 4 when TXSHGWENT was answered as "yes" but TXYRSLFHP was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLAG has a value of 5 when TXSHGWENT was answered as "don't know" or "refused" but TXYRSLFHP was answered as "no."

**TXSHGFLAG<sup>1</sup>**    Len : 2    CONSISTENCY FLAG BETWEEN TXSHGWENT AND TXYRSLFHP

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = TXSHGWENT=1 but TXYRSLFHP=2 (see note) .....	132	0.01
2 = TXSHGWENT=1 but TXYRRECVD=2 or TXEVRRCVD=2 (see note) .....	1397	0.16
3 = TXSHGWENT NE 1 but TXYRSLFHP=3 or 5 (see note) .....	56	0.01
4 = TXSHGWENT=1 but TXYRSLFHP=94, 97, or 98 (see note) .....	72	0.01
5 = TXSHGWENT=94 or 97 but TXYRSLFHP=2 (see note) .....	27	0.00
91 = NEVER USED ALCOHOL OR DRUGS .....	39805	4.46
98 = BLANK (NO ANSWER) .....	128830	14.43

RECODED DRUG TREATMENT

**RECODED DRUG TREATMENT**

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Drug Treatment or Recoded Substance Dependence and Abuse.

NOTE: Changes to the modules for hallucinogens, inhalants, methamphetamine, and prescription psychotherapeutic drugs in 2015 might have affected the sets of respondents who were eligible to be asked the questions about treatment for substance use. Therefore, all of the variables in the Substance Use Treatment module have been renamed for 2015 and future years. For detailed information about comparability decisions, see the two-volume 2015 Questionnaire Redesign Impact Assessment, Final Report, within the 2015 Methodological Resource Book (Center for Behavioral Health Statistics and Quality, 2017).

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

**TXEVRRCVD2**    Len : 1    RC-RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	161438	18.08
1 = Yes (TXEVRRCVD=1).....	8881	0.99

**TXYRALC**    Len : 1    RC-RCVD TRMT ANY LOC FOR ALC USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	168696	18.89
1 = Yes (TXYRALDGB=1,3,4,6,11,12) .....	1623	0.18

**TXYRILL**    Len : 1    RC-RCVD TRMT ANY LOC FOR ILL DRG USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	168538	18.87
1 = Yes (TXYRALDGB=2,3,5,6,11,12) .....	1781	0.20

A respondent was classified as receiving treatment at any location in the past year for alcohol use but not illicit drug use, TXYRALNIL, if they received only alcohol use treatment at any location in the past year (TXYRALDGB=1). Respondents with unknown illicit drug use treatment (TXYRALDGB=4) or who reported receiving alcohol use treatment only but in later treatment questions indicated receiving illicit drug use treatment (TXYRALDGB=11) are not classified as receiving treatment for alcohol use only.

**TXYRALNIL**    Len : 1    RC-RCVD TRMT ANY LOC FOR ALC BUT NOT ILL DRG - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169584	18.99
1 = Yes (TXYRALDGB=1).....	735	0.08

A respondent was classified as receiving treatment at any location in the past year for illicit drug use but not alcohol use, TXYRILNAL, if they received only illicit drug use treatment at any location in the past year (TXYRALDGB=2). Respondents with unknown alcohol use treatment (TXYRALDGB=5) or who reported receiving illicit drug use treatment only but in later treatment questions indicated receiving alcohol use treatment (TXYRALDGB=12) are not classified as receiving treatment for illicit drug use only.

**TXYRILNAL**    Len : 1    RC-RCVD TRMT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169425	18.97
1 = Yes (TXYRALDGB=2).....	894	0.10

**TXYRRECVD2**    Len : 1    RC-RCVD TRMT ANY LOC FOR ILL DRG OR ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	167524	18.76
1 = Yes (TXYRRECVD=1,3).....	2795	0.31

RECODED DRUG TREATMENT

<b>TXYRILANAL</b>	Len : 1 RC-RCVD TRMT ANY LOC FOR ILL DRG AND ALC - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169435	18.97
	1 = Yes (TXYRALDGB=3,6,11,12).....	884	0.10

NOTE: The following 12 recoded variables contain respondent information about receiving last or current treatment for various substances.

<b>TXLTYALCO2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	168898	18.91
	1 = Yes (TXLTYALCO=1,3,5).....	1421	0.16

<b>TXLTYMRJH2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169575	18.99
	1 = Yes (TXLTYMRJH=1,3).....	744	0.08

<b>TXLTYCOCN2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR COCAINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169971	19.03
	1 = Yes (TXLTYCOCN=1,3).....	348	0.04

<b>TXLTYHERN2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR HEROIN		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169849	19.02
	1 = Yes (TXLTYHERN=1,3).....	470	0.05

<b>TXLTYHALL2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170096	19.05
	1 = Yes (TXLTYHALL=1,3).....	223	0.02

<b>TXLTYINHL2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170188	19.06
	1 = Yes (TXLTYINHL=1,3).....	131	0.01

<b>TXLTYMETH2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR METHAMPHETAMINE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169983	19.04
	1 = Yes (TXLTYMETH=1,3).....	336	0.04

<b>TXLTYPNRL2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169693	19.00
	1 = Yes (TXLTYPNRL=1,3).....	626	0.07

<b>TXLTYTRQL2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170106	19.05
	1 = Yes (TXLTYTRQL=1,3).....	213	0.02

RECODED DRUG TREATMENT

<b>TXLTYSTIM2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	170177	19.06
	1 = Yes (TXLTYSTIM=1,3).....	142	0.02

<b>TXLTYSEDV2</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	170217	19.06
	1 = Yes (TXLTYSEDV=1,3).....	102	0.01

The following variable, TXLTYILL, was created by examination of the receipt of last/current treatment of marijuana (TXLTYMRJH2), cocaine (TXLTYCOCN2), heroin (TXLTYHERN2), stimulants (TXLTYSTIM2), sedatives (TXLTYSEDV2), pain relievers (TXLTYPNRL2), hallucinogens (TXLTYHALL2), inhalants (TXLTYINHL2), methamphetamine (TXLTYMETH2), and tranquilizers (TXLTYTRQL2).

<b>TXLTYILL</b>	Len : 1 RC-RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	168787	18.90
	1 = Yes (Any source variable=1) .....	1532	0.17

NOTE: The following 27 recoded variables contain payment information about respondent's last or current treatment.

<b>TXPAYHINS2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169180	18.95
	1 = Yes (TXPAYHINS=1,3).....	1139	0.13

<b>TXPAYMCRE2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169603	18.99
	1 = Yes (TXPAYMCRE=1,3).....	716	0.08

<b>TXPAYMCAD2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169495	18.98
	1 = Yes (TXPAYMCAD=1,3).....	824	0.09

<b>TXPAYPUBL2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169772	19.01
	1 = Yes (TXPAYPUBL=1,3).....	547	0.06

<b>TXPAYSVNG2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169198	18.95
	1 = Yes (TXPAYSVNG=1,3).....	1121	0.13

<b>TXPAYFAML2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169681	19.00
	1 = Yes (TXPAYFAML=1,3).....	638	0.07

RECODED DRUG TREATMENT

<b>TXPAYCOUR2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY COURTS		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170061	19.04
	1 = Yes (TXPAYCOUR=1,3).....	258	0.03
<b>TXPAYMILT2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HLTCARE		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170195	19.06
	1 = Yes (TXPAYMILT=1,3).....	124	0.01
<b>TXPAYBOSS2</b>	Len : 1 RC-LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170212	19.06
	1 = Yes (TXPAYBOSS=1,3).....	107	0.01
<b>TXPDHINSAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYHINS2=0).....	169720	19.01
	1 = Yes (TXLTYALCO2=1 and TXPAYHINS2=1).....	599	0.07
<b>TXPDMCREAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMCRE2=0).....	169999	19.04
	1 = Yes (TXLTYALCO2=1 and TXPAYMCRE2=1).....	320	0.04
<b>TXPDMCADAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMCAD2=0).....	169955	19.03
	1 = Yes (TXLTYALCO2=1 and TXPAYMCAD2=1).....	364	0.04
<b>TXPDPUBLAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY PUBLIC ASST		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYPUBL2=0).....	170035	19.04
	1 = Yes (TXLTYALCO2=1 and TXPAYPUBL2=1).....	284	0.03
<b>TXPDSVNGAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY OWN SAVINGS		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYSVNG2=0).....	169670	19.00
	1 = Yes (TXLTYALCO2=1 and TXPAYSVNG2=1).....	649	0.07
<b>TXPDFAMLAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY FAM MEMBERS		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYFAML2=0).....	170011	19.04
	1 = Yes (TXLTYALCO2=1 and TXPAYFAML2=1).....	308	0.03
<b>TXPDCOURAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY COURTS		
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYCOUR2=0).....	170172	19.06
	1 = Yes (TXLTYALCO2=1 and TXPAYCOUR2=1).....	147	0.02

RECODED DRUG TREATMENT

<b>TXPDMILTAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY MILT HLTCARE		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYMILT2=0).....	722653	80.93
	1 = Yes (TXLTYALCO2=1 and TXPAYMILT2=1).....	170237	19.06
		82	0.01
<b>TXPDBOSSAL</b>	Len : 1 RC-LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYALCO2=0 or TXPAYBOSS2=0).....	722653	80.93
	1 = Yes (TXLTYALCO2=1 and TXPAYBOSS2=1).....	170242	19.06
		77	0.01
<b>TXPDHINSIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYHINS2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYHINS2=1).....	169557	18.99
		762	0.09
<b>TXPDMCREIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYMCRE2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYMCRE2=1).....	169812	19.02
		507	0.06
<b>TXPDMCADIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICAID		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYMCAD2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYMCAD2=1).....	169724	19.01
		595	0.07
<b>TXPDPUBLIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYPUBL2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYPUBL2=1).....	169945	19.03
		374	0.04
<b>TXPDSVNGIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYSVNG2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYSVNG2=1).....	169671	19.00
		648	0.07
<b>TXPDFAMLIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY FAM MEMBERS		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYFAML2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYFAML2=1).....	169879	19.02
		440	0.05
<b>TXPDCOURIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY COURTS		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYCOUR2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYCOUR2=1).....	170127	19.05
		192	0.02
<b>TXPDMILTIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE		
	-9 = Data not collected for this year.....	<b>Freq</b>	<b>Pct</b>
	0 = No/Unknown (TXLTYILL=0 or TXPAYMILT2=0).....	722653	80.93
	1 = Yes (TXLTYILL=1 and TXPAYMILT2=1).....	170248	19.07
		71	0.01



RECODED DRUG TREATMENT

<b>TXPDBOSSIL</b>	Len : 1 RC-LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (TXLTYILL=0 or TXPAYBOSS2=0) .....	170270	19.07
	1 = Yes (TXLTYILL=1 and TXPAYBOSS2=1) .....	49	0.01

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, TXYRSPALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1, 3 or TXYRRESAD=1, 3 or TXYROUTAD=1, 3 or TXYRMHCAD=1, 3 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)).

<b>TXYRSPALC</b>	Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise) .....	169392	18.97
	1 = Yes (See comment above) .....	927	0.10

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, TXYRSPILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2, 3 or TXYRRESAD=2, 3 or TXYROUTAD=2, 3 or TXYRMHCAD=2, 3 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)).

<b>TXYRSPILL</b>	Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise) .....	169095	18.94
	1 = Yes (See comment above) .....	1224	0.14

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use but not illicit drug use at a specialty facility, TXYSPALNIL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRALDGB=1) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11), the reported alcohol treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=1 or TXYRRESAD=1 or TXYROUTAD=1 or TXYRMHCAD=1 or (TXYROTHAD=1 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving illicit drug treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 2, 3 or TXYRRESAD NE 2, 3 or TXYROUTAD NE 2, 3 or TXYRMHCAD NE 2, 3 or (TXYROTHAD NE 2, 3 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) or TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving alcohol only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol during their last or current treatment (TXYRALDGB=12).
3. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and the reported alcohol treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
4. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRALDGB=11) and their reported alcohol treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for illicit drug use.

TXYSPALNIL

Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169855	19.02
1 = Yes (See comment above) .....	464	0.05

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use but not alcohol use at a specialty facility, TXYSPILNAL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRALDGB=2) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12), the reported illicit drug treatment was received at one of the four specialty facilities (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (TXLTCURRSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6) and reported specifically receiving only illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD=2 or TXYRRESAD=2 or TXYROUTAD=2 or TXYRMHCAD=2 or (TXYROTHAD=2 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving alcohol treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHOSAD NE 1, 3 or TXYRRESAD NE 1, 3 or TXYROUTAD NE 1, 3 or TXYRMHCAD NE 1, 3 or (TXYROTHAD NE 1, 3 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) or TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRALDGB, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving illicit drug only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRALDGB=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRALDGB=5).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drugs during their last or current treatment (TXYRALDGB=11).
3. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and the reported illicit drug treatment was not at a specialty facility (TXYRHOSOV=2, 94, 97, 98 and TXYRRESOV=2, 94, 97, 98 and TXYROUTPT=2, 94, 97, 98 and TXYRMHCOP=2, 94, 97, 98 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
4. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRALDGB=12) and their reported illicit drug treatment was at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (TXLTCURRSP=1) and included treatment for alcohol use.

**TXYSPILNAL** Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169559	18.99
1 = Yes (See comment above) .....	760	0.09

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, TXYRSPILAL, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYRRECVD=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

**TXYRSPILAL** Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	168513	18.87
1 = Yes (See comment above) .....	1806	0.20

**TXYSILANAL** Len : 1 RC-RCVD TRMT AT SPEC FAC FOR ILL DRG AND ALC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	169904	19.03
1 = Yes (TXYRSPILL=1 and TXYRSPALC=1) .....	415	0.05

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility only, TXSPNSALC=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was received at only a specialty facility, that is they indicated receiving treatment at a specialty facility and did not report receiving treatment at an emergency room, private doctor's office, jail or prison, self-help group ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and one of the following:
  1. Did not indicate receiving treatment at some other place (TXYROTHER=2) OR
  2. Indicated receiving treatment at some other place and the other place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving alcohol use treatment at only a specialty facility, that is they indicated receiving alcohol use treatment at a specialty facility ((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=1, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=1, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=1, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=1, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)) and either of the following:
  1. Either not receiving treatment or receiving treatment only for illicit drugs at an emergency room, private doctor's office, jail or prison, self-help group (TXYREMRGN=1, 2 and TXYREMRAD=2, 99 and TXYRDRPRV=1, 2 and TXYRDRPAD=2, 99 and TXYRPRISN=1, 2 and TXYRPRIAD=2, 99 and TXYRSLFHP=1, 2 and TXYRSLFAD=2, 99) OR
  2. Either did not indicate receiving alcohol treatment at some other place or indicated the other place was a specialty facility (TXYROTHER=2 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 46, 64, 76, 81 and TXYROTHAD=2) or (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)).

A respondent was classified as receiving treatment in the past year for alcohol use at a non-specialty facility only, TXSPNSALC=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol use treatment in the past year (TXYRALDGB=3, 5, 11, 12) and either indicated not receiving any treatment at a specialty facility or indicated only receiving illicit drug treatment at a specialty facility (TXYRHOSOV=1, 2 and TXYRHOSAD=2, 99 and TXYRRESOV=1, 2 and TXYRRESAD=2, 99 and TXYROUTPT=1, 2 and TXYROUTAD=2, 99 and TXYRMHCOP=1, 2 and TXYRMHCAD=2, 99 and (TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2))).

A respondent was classified as receiving treatment in the past year for alcohol use at both a specialty and non-specialty facility, TXSPNSALC=3, if they met either of the following conditions:

1. Reported receiving only alcohol use treatment in the past year (TXYRALDGB=1, 4) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).
2. Reported receiving treatment for both illicit drug and alcohol use in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving treatment for alcohol use at both a specialty and non-specialty facility (((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=1, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=1, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=1, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=1, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3)) and ((TXYREMRGN=1, 3, 5 and TXYREMRAD=1, 3) or (TXYRDRPRV=1, 3, 5 and TXYRDRPAD=1, 3) or (TXYRPRISN=1, 3, 5 and TXYRPRIAD=1, 3) or (TXYRSLFHP=1, 3, 5 and TXYRSLFAD=1, 3) or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1, 3))).

A respondent was classified as not receiving treatment in the past year for alcohol use, TXSPNSALC=5, if they indicated not receiving alcohol use treatment in the past year or have an unknown treatment status (TXYRALDGB NE 1, 3, 4, 6, 11, 12).

TXSPNSALC

Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ALC - PST YR

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Received trmt at specialty facility only (See comment above).....	191	0.02
2 = Rcvd trt at non-specialty facility only (See comment above).....	550	0.06
3 = Rcvd trt at spec and non-spec facs (See comment above).....	650	0.07
4 = Insufficient data to classify facility type (Otherwise).....	232	0.03
5 = Did not receive alc trmt (See comment above) .....	168696	18.89

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility only, TXSPNSILL=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was received at only a specialty facility, that is they indicated receiving treatment at a specialty facility and did not report receiving treatment at an emergency room, private doctor's office, jail or prison, self-help group ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and one of the following:
  1. Did not indicate receiving treatment at some other place (TXYROTHER=2) OR
  2. Indicated receiving treatment at some other place and the other place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving illicit drug use treatment at only a specialty facility, that is they indicated receiving illicit drug use treatment at a specialty facility ((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=2, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=2, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=2, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=2, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)) and either of the following:
  1. Either not receiving treatment or receiving treatment only for alcohol at an emergency room, private doctor's office, jail or prison, self-help group (TXYREMRGN=1, 2 and TXYREMRAD=1, 99 and TXYRDRPRV=1, 2 and TXYRDRPAD=1, 99 and TXYRPRISN=1, 2 and TXYRPRIAD=1, 99 and TXYRSLFHP=1, 2 and TXYRSLFAD=1, 99) OR
  2. Either did not indicate receiving alcohol treatment at some other place or indicated the other place was a specialty facility (TXYROTHER=2 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 46, 64, 76, 81 and TXYROTHAD=1) or (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)).

A respondent was classified as receiving treatment in the past year for illicit drug use at a non-specialty facility only, TXSPNSILL=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).
2. Reported receiving both illicit drug and alcohol use treatment in the past year (TXYRALDGB=3, 5, 11, 12) and either indicated not receiving any treatment at a specialty facility or indicated only receiving alcohol use treatment at a specialty facility (TXYRHOSOV=1, 2 and TXYRHOSAD=1, 99 and TXYRRESOV=1, 2 and TXYRRESAD=1, 99 and TXYROUTPT=1, 2 and TXYROUTAD=1, 99 and TXYRMHCOP=1, 2 and TXYRMHCAD=1, 99 and (TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=1))).

A respondent was classified as receiving treatment in the past year for illicit drug use at both a specialty and non-specialty facility, TXSPNSILL=3, if they met either of the following conditions:

1. Reported receiving only illicit drug use treatment in the past year (TXYRALDGB=2, 5) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).
2. Reported receiving treatment for both illicit drug and alcohol use in the past year (TXYRALDGB=3, 6, 11, 12) and indicated receiving treatment for illicit drug use at both a specialty and non-specialty facility (((TXYRHOSOV=1, 3, 5 and TXYRHOSAD=2, 3) or (TXYRRESOV=1, 3, 5 and TXYRRESAD=2, 3) or (TXYROUTPT=1, 3, 5 and TXYROUTAD=2, 3) or (TXYRMHCOP=1, 3, 5 and TXYRMHCAD=2, 3) or (TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3)) and ((TXYREMRGN=1, 3, 5 and TXYREMRAD=2, 3) or (TXYRDRPRV=1, 3, 5 and TXYRDRPAD=2, 3) or (TXYRPRISN=1, 3, 5 and TXYRPRIAD=2, 3) or (TXYRSLFHP=1, 3, 5 and TXYRSLFAD=2, 3) or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81 and TXYROTHAD=2, 3))).

A respondent was classified as not receiving treatment in the past year for illicit drug use, TXSPNSILL=5, if they indicated not receiving illicit drug use treatment in the past year or have an unknown treatment status (TXYRALDGB NE 2, 3, 5, 6, 11, 12).

TXSPNSILL

Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ILL DRG - PST YR

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Received trmt at specialty facility only (See comment above).....	285	0.03
2 = Rcvd trt at non-specialty facility only (See comment above).....	416	0.05
3 = Rcvd trt at spec and non-spec facs (See comment above).....	850	0.10
4 = Insufficient data to classify facility type (Otherwise).....	230	0.03
5 = Did not receive illicit drug trmt (See comment above) .....	168538	18.87

RECODED DRUG TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility only, TXSPNSILAL=1, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was received at a specialty facility (TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) AND met one of the two following conditions:

1. Reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not received at an emergency room, private doctor's office, jail or prison, or a self-help group (TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and indicated not receiving treatment at some other place (TXYROTHER=2).
2. Reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not received at an emergency room, private doctor's office, jail or prison, or a self-help group (TXYREMRGN=2 and TXYRDRPRV=2 and TXYRPRISN=2 and TXYRSLFHP=2) and indicated receiving treatment at some other place and indicated that place was a specialty facility (TXYROTHER=1, 3, 5 and TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a non-specialty facility only, TXSPNSILAL=2, that is a location other than a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was not at a specialty facility (TXYRHOSOV=2 and TXYRRESOV=2 and TXYROUTPT=2 and TXYRMHCOP=2 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81).

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at both a specialty and non-specialty facility, TXSPNSILAL=3, if they reported receiving illicit drug or alcohol use treatment in the past year (TXYRRECVD=1, 3) and that treatment was at both a specialty and non-specialty facility ((TXYRHOSOV=1, 3, 5 or TXYRRESOV=1, 3, 5 or TXYROUTPT=1, 3, 5 or TXYRMHCOP=1, 3, 5 or TXYROTHSP2=21, 22, 23, 24, 45, 46, 56, 64, 76, 81) and (TXYREMRGN=1, 3, 5 or TXYRDRPRV=1, 3, 5 or TXYRPRISN=1, 3, 5 or TXYRSLFHP=1, 3, 5 or (TXYROTHER=1, 3, 5 and TXYROTHSP2 NE 21, 22, 23, 24, 45, 46, 56, 64, 76, 81))).

A respondent was classified as not receiving treatment in the past year for illicit drug or alcohol use, TXSPNSILAL=5, if they indicated not receiving treatment in the past year or have an unknown treatment status (TXYRRECVD NE 1, 3).

<b>TXSPNSILAL</b>	Len : 1 RC-RCVD TRMT AT SPEC FAC/NON-SPEC FAC FOR ILL DRG/ALC-PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	1 = Received trmt at specialty facility only (See comment above).....	425	0.05
	2 = Rcvd trt at non-specialty facility only (See comment above).....	717	0.08
	3 = Rcvd trt at spec and non-spec facs (See comment above).....	1373	0.15
	4 = Insufficient data to classify facility type (Otherwise).....	280	0.03
	5 = Did not receive illicit drug or alc trmt (See comment above).....	167524	18.76

<b>TXLTCURRSP</b>	Len : 1 RC-LAST/CURRENT TRMT AT SPECIALTY FACILITY - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169076	18.93
	1 = Yes (TXLTYMNPL2=1-4,21,22,23,24,45,46,56,64,76,81).....	1243	0.14

NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following eight recoded variables contain information about where a respondent received alcohol treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRALDGB=3, 6) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (TXYRALDGB=1, 4, 11) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5).

<b>TXYRHOSAL</b>	Len : 1 RC-RECEIVED ALC TRT AT A HOSPITAL - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169967	19.03
	1 = Yes (See comment above).....	352	0.04

<b>TXYRRESAL</b>	Len : 1 RC-RECEIVED ALC TRT AT AN INP REHAB FAC - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169907	19.03
	1 = Yes (See comment above TXYRHOSAL).....	412	0.05

RECODED DRUG TREATMENT

<b>TXYROUTAL</b>	Len : 1 RC-RECEIVED ALC TRT AT AN OUTP REHAB FAC - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169755	19.01
	1 = Yes (See comment above TXYRHOSAL).....	564	0.06
<b>TXYRMHCAL</b>	Len : 1 RC-RECEIVED ALC TRT AT A MNTL HLTH CNTR - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169890	19.03
	1 = Yes (See comment above TXYRHOSAL).....	429	0.05
<b>TXYREMRAL</b>	Len : 1 RC-RECEIVED ALC TRT AT AN EMERGENCY ROOM - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170103	19.05
	1 = Yes (See comment above TXYRHOSAL).....	216	0.02
<b>TXYRDRPAL</b>	Len : 1 RC-RECEIVED ALC TRT AT A DOCTOR'S OFFICE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170062	19.04
	1 = Yes (See comment above TXYRHOSAL).....	257	0.03
<b>TXYRPRIAL</b>	Len : 1 RC-RECEIVED ALC TRT AT A PRISON/JAIL - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	170176	19.06
	1 = Yes (See comment above TXYRHOSAL).....	143	0.02
<b>TXYRSLFAL</b>	Len : 1 RC-RECEIVED ALC TRT AT A SELF-HELP GROUP - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169476	18.98
	1 = Yes (See comment above TXYRHOSAL).....	843	0.09

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRALDGB=3, 6) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (TXYRALDGB=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXXXX=1, 3, 5).

<b>TXYRHOSIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT A HOSPITAL - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169977	19.03
	1 = Yes (See comment above).....	342	0.04
<b>TXYRRESIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT AN INP REHAB FAC - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169851	19.02
	1 = Yes (See comment above TXYRHOSIL).....	468	0.05
<b>TXYROUTIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT AN OUTP REHAB FAC - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	722653	80.93
	0 = No/Unknown (Otherwise).....	169460	18.98
	1 = Yes (See comment above TXYRHOSIL).....	859	0.10

RECODED DRUG TREATMENT

<b>TXYRMHCIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT A MNTH HLTH CNTR - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169720	19.01
	1 = Yes (See comment above TXYRHOSIL) .....	599	0.07
<b>TXYREMRIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT AN EMERGENCY ROOM - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	170109	19.05
	1 = Yes (See comment above TXYRHOSIL) .....	210	0.02
<b>TXYRDRPIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169892	19.03
	1 = Yes (See comment above TXYRHOSIL) .....	427	0.05
<b>TXYRPRIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT A PRISON/JAIL - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	170158	19.06
	1 = Yes (See comment above TXYRHOSIL) .....	161	0.02
<b>TXYRSLFIL</b>	Len : 1 RC-RCVD ILL DRUG TRT AT A SELF-HELP GROUP - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169501	18.98
	1 = Yes (See comment above TXYRHOSIL) .....	818	0.09
NOTE: The following eight recoded variables contain information about where a respondent received illicit drug or alcohol treatment in the past year.			
<b>TXYRHOSOV2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A HOSPITAL - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169755	19.01
	1 = Yes (TXYRHOSOV=1,3,5).....	564	0.06
<b>TXYRRESOV2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN INP REHAB FAC - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169609	18.99
	1 = Yes (TXYRRESOV=1,3,5) .....	710	0.08
<b>TXYROUTPT2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN OUTP REHAB FAC - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169125	18.94
	1 = Yes (TXYROUTPT=1,3,5).....	1194	0.13
<b>TXYRMHCOP2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A MNTH HLTH CNTR - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169434	18.97
	1 = Yes (TXYRMHCOP=1,3,5) .....	885	0.10
<b>TXYREMRGN2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT AN EMERGENCY ROOM - PST YR		
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169921	19.03
	1 = Yes (TXYREMRGN=1,3,5) .....	398	0.04



RECODED DRUG TREATMENT

<b>TXYRDRPRV2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A DOCTOR'S OFFICE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	169694	19.00
	1 = Yes (TXYRDRPRV=1,3,5) .....	625	0.07

<b>TXYRPRISN2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A PRISON/JAIL - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	170072	19.05
	1 = Yes (TXYRPRISN=1,3,5) .....	247	0.03

<b>TXYRSLFHP2</b>	Len : 1 RC-RCVD ILL DRG/ALC TRT AT A SELF-HELP GROUP - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	168979	18.92
	1 = Yes (TXYRSLFHP=1,3,5).....	1340	0.15

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year.

A respondent was classified as needing treatment for alcohol use in the past year, TXYRNDALC, if they met at least one of the following three criteria:

1. Dependent on alcohol in the past year (DEPNALC=1).
2. Alcohol abuse in the past year (ABUSEALC=1).
3. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPALC=1).

<b>TXYRNDALC</b>	Len : 1 RC-NEEDED TREATMENT FOR ALCOHOL USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	159024	17.81
	1 = Yes (See comment above) .....	11295	1.26

A respondent was classified as needing treatment for illicit drug use in the past year, TXYRNDILL, if they met at least one of the following three criteria:

1. Dependent on any illicit drug in the past year (DEPNPYILL=1).
2. Illicit drug abuse in the past year (ABUSEPYILL=1).
3. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILL=1).

<b>TXYRNDILL</b>	Len : 1 RC-NEEDED TREATMENT FOR ILLICIT DRUG USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	163078	18.26
	1 = Yes (See comment above) .....	7241	0.81

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXYRNDILAL, if they met at least one of the following three criteria:

1. Dependent on any illicit drug or alcohol in the past year (DPPYILLALC=1).
2. Illicit drug or alcohol abuse in the past year (ABPYILLALC=1).
3. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (TXYRSPILAL=1).

<b>TXYRNDILAL</b>	Len : 1 RC-NEEDED TREATMENT FOR ILL DRG OR ALC USE - PST YR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	154277	17.28
	1 = Yes (See comment above) .....	16042	1.80

RECODED DRUG TREATMENT

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol treatment in the past year, NDFLTALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXRADG=1, 11, 13 and NDTXYRALC=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDMORTXYR=1 and NDMORTALC=1).

**NDFLTALC**      Len : 1    RC-FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes (See comment above) .....	419	0.05
2 = No/Unknown (Otherwise).....	169900	19.03

A respondent was classified as feeling a need for illicit drug treatment in the past year, NDFLTIXILL, if they met either of these conditions:

1. Reported feeling a need for treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXRADG=1, 11, 13 and NDTXYRMRJ=1, 3, 11, 13), cocaine (NDTXRADG=1, 11, 13 and NDTXYRCOC=1, 3, 11, 13), heroin (NDTXRADG=1, 11, 13 and NDTXYRHER=1, 3, 11, 13), hallucinogens (NDTXRADG=1, 11, 13 and NDTXYRHAL=1, 3, 11, 13), inhalants (NDTXRADG=1, 11, 13 and NDTXYRINH=1, 3, 11, 13), methamphetamines (NDTXRADG=1, 11, 13 and NDTXYRMTH=1, 3, 11, 13), pain relievers (NDTXRADG=1, 11, 13 and NDTXYRPNR=1, 3, 11, 13), tranquilizers (NDTXRADG=1, 11, 13 and NDTXYRTRQ=1, 3, 11, 13), stimulants (NDTXRADG=1, 11, 13 and NDTXYRSTM=1, 3, 11, 13), sedatives (NDTXRADG=1, 11, 13 and NDTXYRSED=1, 3, 11, 13), or some other drug (NDTXRADG=1, 11, 13 and NDTXYROTH=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDMORTXYR=1 and NDMORTMRJ=1), cocaine (NDMORTXYR=1 and NDMORTCOC=1), heroin (NDMORTXYR=1 and NDMORTHER=1), hallucinogens (NDMORTXYR=1 and NDMORTHAL=1), inhalants (NDMORTXYR=1 and NDMORTINH=1), methamphetamines (NDMORTXYR=1 and NDMORTMTH=1), pain relievers (NDMORTXYR=1 and NDMORTPNR=1), tranquilizers (NDMORTXYR=1 and NDMORTTRQ=1), stimulants (NDMORTXYR=1 and NDMORTSTM=1), sedatives (NDMORTXYR=1 and NDMORTSED=1), or some other drug (NDMORTXYR=1 and NDMORTOTH=1).

**NDFLTIXILL**      Len : 1    RC-FELT NEED FOR TRMT FOR ILLICIT DRUG USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes (See comment above) .....	598	0.07
2 = No/Unknown (Otherwise).....	169721	19.01

**NDFLTIXIAL**      Len : 1    RC-FELT NEED FOR TRMT FOR ILL DRG OR ALC USE - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Yes (NDTXRADG=1,11,13 or NDMORTXYR=1).....	894	0.10
2 = No/Unknown (Otherwise).....	169425	18.97

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDTXEFTXXX=1, if they felt a need for treatment for their substance use (NDFLTXXXX=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFFRT=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDMREFFRT=1).

A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDTXEFTXXX=2, if they felt a need for treatment for their substance use (NDFLTXXXX=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment or had unknown effort (NDTXEFFRT=2, 12, 94, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment or had unknown effort (NDMREFFRT=2, 98, 99).

**NDTXEFTALC**      Len : 1    RC-FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Felt Need/Made Effort (See comment above).....	182	0.02
2 = Felt Need/Made No Effort (See comment above).....	237	0.03
3 = Felt No Need for Alc Trmt/Unk (NDFLTALC=2).....	169900	19.03

RECODED DRUG TREATMENT

**NDTXEFTILL**    Len : 1    RC-FELT NEED/MADE EFFORT FOR TRT FOR ILLICIT DRG USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Felt Need/Made Effort (See comment above).....	263	0.03
2 = Felt Need/Made No Effort (See comment above).....	335	0.04
3 = Felt No Need for Ill Drg Trmt/Unk (NDFLTXILL=2).....	169721	19.01

A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year, NDTXEFILAL=1, if they felt a need for treatment for their illicit drug or alcohol use (NDFLTXILAL=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFFRT=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDMREFFRT=1).

A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year, NDTXEFILAL=2, if they felt a need for treatment for their illicit drug or alcohol use (NDFLTXILAL=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment or had unknown effort (NDTXEFFRT=2, 12, 94, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment or had unknown effort (NDMREFFRT=2, 98, 99).

**NDTXEFILAL**    Len : 1    RC-FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG OR ALC USE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Felt Need/Made Effort (See comment above).....	394	0.04
2 = Felt Need/Made No Effort (See comment above).....	500	0.06
3 = Felt No Need for Ill Drg/Alc Trmt/Unk (NDFLTXILAL=2).....	169425	18.97

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap).

The following variable, TXYRNOSPAL, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

**TXYRNOSPAL**    Len : 1    RC-NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	159951	17.91
1 = Yes (TXYRNDALC=1 and TXYRSPALC=0).....	10368	1.16

The following variable, TXYRNOSPIL, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

**TXYRNOSPIL**    Len : 1    RC-NEEDED TRT FOR ILL DRG USE, NOT RCVD TRT SPC FAC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	164302	18.40
1 = Yes (TXYRNDILL=1 and TXYRSPILL=0).....	6017	0.67

The following variable, TXYNSPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

**TXYNSPILAL**    Len : 1    RC-NEEDED TRT FOR DRG/ALC USE, NOT RCVD TRT SPC FAC - PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No/Unknown (Otherwise).....	156083	17.48
1 = Yes (TXYRNDILAL=1 and TXYRSPILAL=0).....	14236	1.59

RECODED DRUG TREATMENT

NOTE: The following 15 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

<b>NDTRNNOCOV</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXNOCOV or NDMRNOCOV=1,3,11,13)).....	689	0.08
		205	0.02
<b>NDTRNNOTPY</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXNOTPY or NDMRNOTPY=1,3,11,13)).....	814	0.09
		80	0.01
<b>NDTRNTSPHR</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXTSPHR or NDMRTSPHR=1,3,11,13)).....	806	0.09
		88	0.01
<b>NDTRNWANTD</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C TRT WNTD NOT OFERD		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXWANTD or NDMRWANTD=1,3,11,13)).....	821	0.09
		73	0.01
<b>NDTRNNSTOP</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXNSTOP or NDMRNSTOP=1,3,11,13)).....	602	0.07
		292	0.03
<b>NDTRNPFULL</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXPFULL or NDMRPFULL=1,3,11,13)).....	848	0.09
		46	0.01
<b>NDTRNDKWHR</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXDKWHR or NDMRDKWHR=1,3,11,13)).....	779	0.09
		115	0.01
<b>NDTRNNBRNG</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NBR HAVE NEG OPIN		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXNBRNG or NDMRNBRNG=1,3,11,13)).....	784	0.09
		110	0.01
<b>NDTRNJOBNG</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB		
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	169425	18.97
	0 = No/Unknown (Otherwise).....	722653	80.93
	1 = Yes (NDFLTXILAL=1 & (NDTXJOBNG or NDMRJOBNG=1,3,11,13)).....	790	0.09
		104	0.01

RECODED DRUG TREATMENT

<b>NDTRNNONED</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT		
		<b>Freq</b>	<b>Pct</b>
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	169425	18.97
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	807	0.09
	1 = Yes (NDFLTXILAL=1 & (NDTXNONED or NDMRNONED=1,3,11,13)).....	87	0.01

<b>NDTRNHANDL</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT		
		<b>Freq</b>	<b>Pct</b>
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	169425	18.97
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	808	0.09
	1 = Yes (NDFLTXILAL=1 & (NDTXHANDL or NDMRHANDL=1,3,11,13)).....	86	0.01

<b>NDTRNNOHLP</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP		
		<b>Freq</b>	<b>Pct</b>
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	169425	18.97
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	867	0.10
	1 = Yes (NDFLTXILAL=1 & (NDTXNOHLP or NDMRNOHLP=1,3,11,13)).....	27	0.00

<b>NDTRNNTIME</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME		
		<b>Freq</b>	<b>Pct</b>
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	169425	18.97
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	836	0.09
	1 = Yes (NDFLTXILAL=1 & (NDTXNTIME or NDMRNTIME=1,3,11,13)).....	58	0.01

<b>NDTRNFNDOU</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS FIND OUT		
		<b>Freq</b>	<b>Pct</b>
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	169425	18.97
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (Otherwise).....	843	0.09
	1 = Yes (NDFLTXILAL=1 & (NDTXFNDOU or NDMRFNDOU=1,3,11,13)).....	51	0.01

The following variable, NDTRNMIMPT, was assigned a positive response if a respondent felt a need for substance use treatment in the past year (NDFLTXILAL=1) and reported the reason for not receiving treatment or not receiving additional treatment as some other reason than the 14 reasons listed above (NDTXMIMPT=16-31 or NDMRMIMPT=16-31). A negative response was assigned if a respondent felt a need for substance use treatment in the past year (NDFLTXILAL=1) and reported one of the reasons listed in the 14 variables above, reported they did get/sought treatment, did not report an other-specify reason, or were not asked the question (NDTXMIMPT=1-14, 70, 85, 94, 97, 98, 99 or NDMRMIMPT=1-14, 70, 85, 94, 97, 98, 99).

<b>NDTRNMIMPT</b>	Len : 1 RC-FLT ND NO TRT/ADDL TRT PST YR B/C SOME OTHER REASON		
		<b>Freq</b>	<b>Pct</b>
	. = Felt No Need for Drg/Alc Trt Pst Yr (NDFLTXILAL=2) .....	169425	18.97
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unknown (See comment above) .....	867	0.10
	1 = Yes (See comment above) .....	27	0.00

PREGNANCY AND HEALTH CARE

PREGNANCY AND HEALTH CARE

The following is a list of health conditions. Please read the list, and type in the numbers of any of these conditions that a doctor or other medical professional has ever told you that you had.

Please type in the numbers of any that apply.

<b>LIFANXD</b>	Len : 2	EVER HAD ANXIETY DISORDER		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	335230	37.54
		1 = Response entered .....	40187	4.50
		6 = Response not entered .....	201683	22.59
		85 = BAD DATA Logically assigned .....	355	0.04
		94 = DON'T KNOW .....	7339	0.82
		97 = REFUSED .....	4532	0.51
		98 = BLANK (NO ANSWER) .....	84	0.01
		99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

<b>LIFASMA</b>	Len : 2	EVER HAD ASTHMA		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	335230	37.54
		1 = Response entered .....	78225	8.76
		6 = Response not entered .....	163645	18.33
		85 = BAD DATA Logically assigned .....	344	0.04
		94 = DON'T KNOW .....	7339	0.82
		97 = REFUSED .....	4532	0.51
		98 = BLANK (NO ANSWER) .....	95	0.01
		99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

<b>LIFBRONC</b>	Len : 2	EVER HAD BRONCHITIS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	335230	37.54
		1 = Response entered .....	49313	5.52
		6 = Response not entered .....	192557	21.56
		85 = BAD DATA Logically assigned .....	342	0.04
		94 = DON'T KNOW .....	7339	0.82
		97 = REFUSED .....	4532	0.51
		98 = BLANK (NO ANSWER) .....	97	0.01
		99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

<b>LIFCIRR</b>	Len : 2	EVER HAD CIRRHOSIS OF THE LIVER		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	335230	37.54
		1 = Response entered .....	713	0.08
		6 = Response not entered .....	241157	27.01
		85 = BAD DATA Logically assigned .....	341	0.04
		94 = DON'T KNOW .....	7339	0.82
		97 = REFUSED .....	4532	0.51
		98 = BLANK (NO ANSWER) .....	98	0.01
		99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

<b>LIFDEPRS</b>	Len : 2	EVER HAD DEPRESSION		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	335230	37.54
		1 = Response entered .....	58203	6.52
		6 = Response not entered .....	183667	20.57
		85 = BAD DATA Logically assigned .....	341	0.04
		94 = DON'T KNOW .....	7339	0.82
		97 = REFUSED .....	4532	0.51
		98 = BLANK (NO ANSWER) .....	98	0.01
		99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

PREGNANCY AND HEALTH CARE

<b>LIFDIAB</b>	Len : 2 EVER HAD DIABETES		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	335230	37.54
	1 = Response entered .....	18718	2.10
	6 = Response not entered .....	223152	24.99
	85 = BAD DATA Logically assigned .....	341	0.04
	94 = DON'T KNOW .....	7339	0.82
	97 = REFUSED .....	4532	0.51
	98 = BLANK (NO ANSWER) .....	98	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99
<b>LIFHARTD</b>	Len : 2 EVER HAD HEART DISEASE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	335230	37.54
	1 = Response entered .....	10716	1.20
	6 = Response not entered .....	231154	25.89
	85 = BAD DATA Logically assigned .....	341	0.04
	94 = DON'T KNOW .....	7339	0.82
	97 = REFUSED .....	4532	0.51
	98 = BLANK (NO ANSWER) .....	98	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99
<b>LIFHEPAT</b>	Len : 2 EVER HAD HEPATITIS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	335230	37.54
	1 = Response entered .....	3498	0.39
	6 = Response not entered .....	238372	26.69
	85 = BAD DATA Logically assigned .....	341	0.04
	94 = DON'T KNOW .....	7339	0.82
	97 = REFUSED .....	4532	0.51
	98 = BLANK (NO ANSWER) .....	98	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99
<b>LIFHBP</b>	Len : 2 EVER HAD HIGH BLOOD PRESSURE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	335230	37.54
	1 = Response entered .....	53228	5.96
	6 = Response not entered .....	188642	21.13
	85 = BAD DATA Logically assigned .....	341	0.04
	94 = DON'T KNOW .....	7339	0.82
	97 = REFUSED .....	4532	0.51
	98 = BLANK (NO ANSWER) .....	98	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99
<b>LIFHIV</b>	Len : 2 EVER HAD HIV/AIDS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	335230	37.54
	1 = Response entered .....	617	0.07
	6 = Response not entered .....	241253	27.02
	85 = BAD DATA Logically assigned .....	341	0.04
	94 = DON'T KNOW .....	7339	0.82
	97 = REFUSED .....	4532	0.51
	98 = BLANK (NO ANSWER) .....	98	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99
<b>LIFLUNCA</b>	Len : 2 EVER HAD LUNG CANCER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	335230	37.54
	1 = Response entered .....	524	0.06
	6 = Response not entered .....	241346	27.03
	85 = BAD DATA Logically assigned .....	342	0.04
	94 = DON'T KNOW .....	7339	0.82
	97 = REFUSED .....	4532	0.51
	98 = BLANK (NO ANSWER) .....	97	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

PREGNANCY AND HEALTH CARE

LIFPANCR

Len : 2 EVER HAD PANCREATITIS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	1771	0.20
6 = Response not entered .....	240099	26.89
85 = BAD DATA Logically assigned .....	342	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	97	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFPNEU

Len : 2 EVER HAD PNEUMONIA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	24497	2.74
6 = Response not entered .....	217373	24.34
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFSTDS

Len : 2 EVER HAD SEXUALLY TRANSMITTED DISEASE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	16976	1.90
6 = Response not entered .....	224894	25.18
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFSINUS

Len : 2 EVER HAD SINUSITIS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	31144	3.49
6 = Response not entered .....	210726	23.60
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFSLPAP

Len : 2 EVER HAD SLEEP APNEA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	13431	1.50
6 = Response not entered .....	228439	25.58
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFSTROK

Len : 2 EVER HAD STROKE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	2771	0.31
6 = Response not entered .....	239099	26.78
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99



PREGNANCY AND HEALTH CARE

LIFTINN

Len : 2 EVER HAD TINNITUS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	4270	0.48
6 = Response not entered .....	237600	26.61
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFTUBRC

Len : 2 EVER HAD TUBERCULOSIS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	1512	0.17
6 = Response not entered .....	240358	26.92
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFULCER

Len : 2 EVER HAD ULCER OR ULCERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	12008	1.34
6 = Response not entered .....	229862	25.74
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP (LIFNONE=95) .....	303562	33.99

LIFNONE

Len : 2 NONE OF THE ABOVE - NEVER HAD ANY OF THESE CONDITIONS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	7339	0.82
95 = Response entered .....	303562	33.99
97 = REFUSED .....	4532	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	241870	27.09

Which, if any, of these conditions did a doctor or other medical professional tell you that you had in the past 12 months?

YRANXD

Len : 2 DR SAID R HAD ANXIETY DISORDER IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	26941	3.02
6 = Response not entered .....	5209	0.58
85 = BAD DATA Logically assigned .....	355	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1102	0.12
94 = DON'T KNOW .....	7502	0.84
97 = REFUSED .....	4608	0.52
98 = BLANK (NO ANSWER) .....	84	0.01
99 = LEGITIMATE SKIP .....	511941	57.33

YRASMA

Len : 2 DR SAID R HAD ASTHMA IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	42322	4.74
6 = Response not entered .....	8914	1.00
85 = BAD DATA Logically assigned .....	344	0.04
89 = LEGITIMATE SKIP Logically assigned .....	755	0.08
94 = DON'T KNOW .....	7795	0.87
97 = REFUSED .....	4662	0.52
98 = BLANK (NO ANSWER) .....	95	0.01
99 = LEGITIMATE SKIP .....	492855	55.19

PREGNANCY AND HEALTH CARE

YRBRONC

Len : 2 DR SAID R HAD BRONCHITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	19243	2.15
6 = Response not entered .....	10986	1.23
85 = BAD DATA Logically assigned .....	342	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1159	0.13
94 = DON'T KNOW .....	7481	0.84
97 = REFUSED .....	4572	0.51
98 = BLANK (NO ANSWER) .....	97	0.01
99 = LEGITIMATE SKIP .....	513862	57.55

YRCIRR

Len : 2 DR SAID R HAD CIRRHOSIS OF THE LIVER IN PAST YR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	327	0.04
6 = Response not entered .....	195	0.02
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1326	0.15
94 = DON'T KNOW .....	7345	0.82
97 = REFUSED .....	4541	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	543569	60.87

YRDEPRS

Len : 2 DR SAID R HAD DEPRESSION IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	35500	3.98
6 = Response not entered .....	8494	0.95
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1055	0.12
94 = DON'T KNOW .....	7533	0.84
97 = REFUSED .....	4624	0.52
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	500097	56.00

YRDIAB

Len : 2 DR SAID R HAD DIABETES IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	15023	1.68
6 = Response not entered .....	1400	0.16
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1231	0.14
94 = DON'T KNOW .....	7419	0.83
97 = REFUSED .....	4562	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	527668	59.09

YRHARTD

Len : 2 DR SAID R HAD HEART DISEASE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	7498	0.84
6 = Response not entered .....	1401	0.16
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1286	0.14
94 = DON'T KNOW .....	7381	0.83
97 = REFUSED .....	4545	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	535192	59.93

PREGNANCY AND HEALTH CARE

YRHEPAT

Len : 2 DR SAID R HAD HEPATITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	1235	0.14
6 = Response not entered .....	951	0.11
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1313	0.15
94 = DON'T KNOW .....	7356	0.82
97 = REFUSED .....	4543	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	541905	60.69

YRHBP

Len : 2 DR SAID R HAD HIGH BLOOD PRESSURE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	41043	4.60
6 = Response not entered .....	4233	0.47
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1161	0.13
94 = DON'T KNOW .....	7471	0.84
97 = REFUSED .....	4580	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	498815	55.86

YRHIV

Len : 2 DR SAID R HAD HIV/AIDS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	409	0.05
6 = Response not entered .....	76	0.01
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1331	0.15
94 = DON'T KNOW .....	7346	0.82
97 = REFUSED .....	4535	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	543606	60.88

YRLUNCA

Len : 2 DR SAID R HAD LUNG CANCER IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	207	0.02
6 = Response not entered .....	152	0.02
85 = BAD DATA Logically assigned .....	342	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1336	0.15
94 = DON'T KNOW .....	7342	0.82
97 = REFUSED .....	4534	0.51
98 = BLANK (NO ANSWER) .....	97	0.01
99 = LEGITIMATE SKIP .....	543732	60.89

YRPNCR

Len : 2 DR SAID R HAD PANCREATITIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	625	0.07
6 = Response not entered .....	597	0.07
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1331	0.15
94 = DON'T KNOW .....	7343	0.82
97 = REFUSED .....	4538	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	542869	60.79

PREGNANCY AND HEALTH CARE

YRPNEU

Len : 2 DR SAID R HAD PNEUMONIA IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	5630	0.63
6 = Response not entered .....	8209	0.92
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1278	0.14
94 = DON'T KNOW .....	7392	0.83
97 = REFUSED .....	4542	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	530252	59.38

YRSTDS

Len : 2 DR SAID R HAD SEXUALLY TRANSMITTED DISEASE PST YR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	6877	0.77
6 = Response not entered .....	3485	0.39
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1279	0.14
94 = DON'T KNOW .....	7371	0.83
97 = REFUSED .....	4562	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	533729	59.77

YRSINUS

Len : 2 DR SAID R HAD SINUSITIS IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	16263	1.82
6 = Response not entered .....	6494	0.73
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1268	0.14
94 = DON'T KNOW .....	7391	0.83
97 = REFUSED .....	4553	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	521334	58.38

YRSLPAP

Len : 2 DR SAID R HAD SLEEP APNEA IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	8019	0.90
6 = Response not entered .....	2886	0.32
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1261	0.14
94 = DON'T KNOW .....	7400	0.83
97 = REFUSED .....	4551	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	533186	59.71

YRSTROK

Len : 2 DR SAID R HAD STROKE IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	999	0.11
6 = Response not entered .....	1054	0.12
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1323	0.15
94 = DON'T KNOW .....	7351	0.82
97 = REFUSED .....	4538	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	542038	60.70

PREGNANCY AND HEALTH CARE

YRTINN

Len : 2 DR SAID R HAD TINNITUS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	2080	0.23
6 = Response not entered .....	1221	0.14
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1308	0.15
94 = DON'T KNOW .....	7366	0.82
97 = REFUSED .....	4538	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	540790	60.56

YRTUBRC

Len : 2 DR SAID R HAD TUBERCULOSIS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	380	0.04
6 = Response not entered .....	332	0.04
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1336	0.15
94 = DON'T KNOW .....	7343	0.82
97 = REFUSED .....	4533	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	543379	60.85

YRULCER

Len : 2 DR SAID R HAD ULCER OR ULCERS IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
1 = Response entered .....	4696	0.53
6 = Response not entered .....	3563	0.40
85 = BAD DATA Logically assigned .....	341	0.04
89 = LEGITIMATE SKIP Logically assigned .....	1290	0.14
94 = DON'T KNOW .....	7380	0.83
97 = REFUSED .....	4542	0.51
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	535832	60.01

YRNONE

Len : 2 NONE OF THE ABOVE IN PAST YEAR

	Freq	Pct
-9 = Data not collected for this year .....	335230	37.54
85 = BAD DATA Logically assigned .....	341	0.04
94 = DON'T KNOW .....	8323	0.93
95 = Response entered .....	76652	8.58
97 = REFUSED .....	4889	0.55
98 = BLANK (NO ANSWER) .....	98	0.01
99 = LEGITIMATE SKIP .....	467439	52.35

PREGNANCY AND HEALTH CARE

NOTE: In HPDRGTLK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTLK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months. Also, a small number of respondents were routed to the question corresponding to HPDRGTLK but after the variables for most recent use of these drugs had been edited, it was determined that the respondents never used these drugs or that they last used any of them more than 12 months ago. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that respondents never used any of them, then HPDRGTLK was assigned a code of 11; otherwise, data in HPDRGTLK were overwritten with a code of 81. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that most recent use occurred more than 12 months ago, then HPDRGTLK was assigned a code of 21; otherwise, data in HPDRGTLK were overwritten with a code of 83.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

<b>HPDRGTLK</b>	Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	782541	87.63
	1 = Yes.....	3256	0.36
	2 = No.....	13519	1.51
	11 = Yes but never used (see NOTE).....	2	0.00
	21 = Yes but no past year use (see NOTE).....	3	0.00
	81 = NEVER USED MJ/COC/HER/HAL/INH/METH Log assn .....	3	0.00
	83 = DID NOT USE ANY OF THESE DRUGS PST 12 MOS Log assn .....	5	0.00
	85 = BAD DATA Logically assigned .....	4	0.00
	91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....	61782	6.92
	93 = DID NOT USE MJ/COC/HER/HAL/INH/METH IN PST 12 MOS.....	26165	2.93
	94 = DON'T KNOW .....	70	0.01
	97 = REFUSED .....	66	0.01
	98 = BLANK (NO ANSWER) .....	1404	0.16
	99 = LEGITIMATE SKIP.....	4152	0.46

What were you doing most of the past 12 months?

<b>DOMOSTYR</b>	Len : 2 WHAT WERE YOU DOING MOST OF PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	728061	81.53
	1 = Working at a job or business.....	67106	7.51
	2 = Going to school.....	21633	2.42
	3 = Keeping house .....	14616	1.64
	4 = Doing something else.....	7129	0.80
	85 = BAD DATA Logically assigned .....	9	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	88	0.01
	97 = REFUSED .....	100	0.01
	98 = BLANK (NO ANSWER) .....	23	0.00
	99 = LEGITIMATE SKIP.....	54206	6.07

Did any physical, mental, or emotional problem prevent you from working at a job or business during most of the past 12 months?

<b>PBLMWORK</b>	Len : 2 PHYS/MENT/EMOT PROB KEPT FROM WORK PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	728061	81.53
	1 = Yes.....	3973	0.44
	2 = No.....	12897	1.44
	89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	21	0.00
	97 = REFUSED .....	55	0.01
	98 = BLANK (NO ANSWER) .....	32	0.00
	99 = LEGITIMATE SKIP.....	147932	16.57

PREGNANCY AND HEALTH CARE

Did any physical, mental, or emotional problem limit you in the kind or amount of work you could do during most of the past 12 months?

**LIMITWRK**      Len : 2    PHYS/MENT/EMOT PROB LIMITED WORK IN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	7261	0.81
2 = No.....	72691	8.14
85 = BAD DATA Logically assigned .....	8	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	62	0.01
97 = REFUSED .....	79	0.01
98 = BLANK (NO ANSWER) .....	40	0.00
99 = LEGITIMATE SKIP.....	84768	9.49

Was it a physical problem, a mental or emotional problem, or both?

**TYPEPBLM**      Len : 2    WAS PROB THAT AFFECTED WORK PHYS, MENT, OR BOTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Physical problem .....	6766	0.76
2 = Mental or emotional problem.....	2691	0.30
3 = Both .....	1728	0.19
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	26	0.00
97 = REFUSED .....	99	0.01
98 = BLANK (NO ANSWER) .....	122	0.01
99 = LEGITIMATE SKIP.....	153478	17.19

RECODED PREGNANCY AND HEALTH CARE

**RECODED PREGNANCY AND HEALTH CARE**

NOTE: The following 40 recoded variables contain information about whether a doctor or other medical professional had told the respondent that they had a specific health condition in their lifetime or in the past year.

<b>ANXDLIF</b>	Len : 1 HAD ANXIETY IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFANXD=6,99).....	335230	37.54
	1 = Yes (LIFANXD=1).....	505245	56.58
		40187	4.50
<b>ANXDYR</b>	Len : 1 HAD ANXIETY IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12549	1.41
	0 = No (YRANXD=6,89,99).....	335230	37.54
	1 = Yes (YRANXD=1).....	518252	58.04
		26941	3.02
<b>ASMALIF</b>	Len : 1 HAD ASTHMA IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFASMA=6,99).....	335230	37.54
	1 = Yes (LIFASMA=1).....	467207	52.32
		78225	8.76
<b>ASMAYR</b>	Len : 1 HAD ASTHMA IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12896	1.44
	0 = No (YRASMA=6,89,99).....	335230	37.54
	1 = Yes (YRASMA=1).....	502524	56.28
		42322	4.74
<b>BRONCLIF</b>	Len : 1 HAD BRONCHITIS IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFBRONC=6,99).....	335230	37.54
	1 = Yes (LIFBRONC=1).....	496119	55.56
		49313	5.52
<b>BRONCYR</b>	Len : 1 HAD BRONCHITIS IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12492	1.40
	0 = No (YRBRONC=6,89,99).....	335230	37.54
	1 = Yes (YRBRONC=1).....	526007	58.91
		19243	2.15
<b>CIRRLIF</b>	Len : 1 HAD CIRRHOSIS OF THE LIVER IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFCIRR=6,99).....	335230	37.54
	1 = Yes (LIFCIRR=1).....	544719	61.00
		713	0.08
<b>CIRRYR</b>	Len : 1 HAD CIRRHOSIS OF THE LIVER IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12325	1.38
	0 = No (YRCIRR=6,89,99).....	335230	37.54
	1 = Yes (YRCIRR=1).....	545090	61.04
		327	0.04



RECODED PREGNANCY AND HEALTH CARE

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional that they had depression and are not created from variables in either the Adult or Adolescent Depression sections.

<b>DEPRSLIF</b>	Len : 1 HAD DEPRESSION IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFDEPRS=6,99).....	335230	37.54
	1 = Yes (LIFDEPRS=1).....	487229	54.56
		58203	6.52
<b>DEPRSYR</b>	Len : 1 HAD DEPRESSION IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12596	1.41
	0 = No (YRDEPRS=6,89,99).....	335230	37.54
	1 = Yes (YRDEPRS=1).....	509646	57.07
		35500	3.98
<b>DIABLIF</b>	Len : 1 HAD DIABETES IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFDIAB=6,99).....	335230	37.54
	1 = Yes (LIFDIAB=1).....	526714	58.98
		18718	2.10
<b>DIABYR</b>	Len : 1 HAD DIABETES IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12420	1.39
	0 = No (YRDIAB=6,89,99).....	335230	37.54
	1 = Yes (YRDIAB=1).....	530299	59.39
		15023	1.68
<b>HARTDLIF</b>	Len : 1 HAD HEART DISEASE IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFHARTD=6,99).....	335230	37.54
	1 = Yes (LIFHARTD=1).....	534716	59.88
		10716	1.20
<b>HARTDYR</b>	Len : 1 HAD HEART DISEASE IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12365	1.38
	0 = No (YRHARTD=6,89,99).....	335230	37.54
	1 = Yes (YRHARTD=1).....	537879	60.23
		7498	0.84
<b>HEPATLIF</b>	Len : 1 HAD HEPATITIS IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFHEPAT=6,99).....	335230	37.54
	1 = Yes (LIFHEPAT=1).....	541934	60.69
		3498	0.39
<b>HEPATYR</b>	Len : 1 HAD HEPATITIS IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12338	1.38
	0 = No (YRHEPAT=6,89,99).....	335230	37.54
	1 = Yes (YRHEPAT=1).....	544169	60.94
		1235	0.14
<b>HBPLIF</b>	Len : 1 HAD HIGH BLOOD PRESSURE IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFHBP=6,99).....	335230	37.54
	1 = Yes (LIFHBP=1).....	492204	55.12
		53228	5.96

RECODED PREGNANCY AND HEALTH CARE

HBPYR	Len : 1 HAD HIGH BLOOD PRESSURE IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12490	1.40
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (YRHBP=6,89,99).....	504209	56.46
1 = Yes (YRHBP=1).....	41043	4.60	
HIVLIF	Len : 1 HAD HIV/AIDS IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12310	1.38
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (LIFHIV=6,99).....	544815	61.01
1 = Yes (LIFHIV=1).....	617	0.07	
HIVYR	Len : 1 HAD HIV/AIDS IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12320	1.38
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (YRHIV=6,89,99).....	545013	61.03
1 = Yes (YRHIV=1).....	409	0.05	
LUNCALIF	Len : 1 HAD LUNG CANCER IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12310	1.38
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (LIFLUNCA=6,99).....	544908	61.02
1 = Yes (LIFLUNCA=1).....	524	0.06	
LUNCAYR	Len : 1 HAD LUNG CANCER IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12315	1.38
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (YRLUNCA=6,89,99).....	545220	61.06
1 = Yes (YRLUNCA=1).....	207	0.02	
PANCLIF	Len : 1 HAD PANCREATITIS IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12310	1.38
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (LIFPANCR=6,99).....	543661	60.88
1 = Yes (LIFPANCR=1).....	1771	0.20	
PANCRYR	Len : 1 HAD PANCREATITIS IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12320	1.38
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (YRPANCR=6,89,99).....	544797	61.01
1 = Yes (YRPANCR=1).....	625	0.07	
PNEULIF	Len : 1 HAD PNEUMONIA IN LIFETIME		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12310	1.38
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (LIFPNEU=6,99).....	520935	58.34
1 = Yes (LIFPNEU=1).....	24497	2.74	
PNEUYR	Len : 1 HAD PNEUMONIA IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	12373	1.39
	-9 = Data not collected for this year.....	335230	37.54
	0 = No (YRPNEU=6,89,99).....	539739	60.44
1 = Yes (YRPNEU=1).....	5630	0.63	

RECODED PREGNANCY AND HEALTH CARE

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional they had a Sexually Transmitted Disease (STD). STD includes chlamydia, gonorrhea, herpes, and syphilis.

**STDSLIF**      Len : 1    HAD SEXUALLY TRANSMITTED DISEASE IN LIFETIME

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12310	1.38
-9 = Data not collected for this year.....	335230	37.54
0 = No (LIFSTDS=6,99).....	528456	59.18
1 = Yes (LIFSTDS=1).....	16976	1.90

**STDSYR**      Len : 1    HAD SEXUALLY TRANSMITTED DISEASE IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12372	1.39
-9 = Data not collected for this year.....	335230	37.54
0 = No (YRSTDS=6,89,99).....	538493	60.30
1 = Yes (YRSTDS=1).....	6877	0.77

**SINUSLIF**      Len : 1    HAD SINUSITIS IN LIFETIME

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12310	1.38
-9 = Data not collected for this year.....	335230	37.54
0 = No (LIFSINUS=6,99).....	514288	57.59
1 = Yes (LIFSINUS=1).....	31144	3.49

**SINUSYR**      Len : 1    HAD SINUSITIS IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12383	1.39
-9 = Data not collected for this year.....	335230	37.54
0 = No (YRSINUS=6,89,99).....	529096	59.25
1 = Yes (YRSINUS=1).....	16263	1.82

**SLPAPLIF**      Len : 1    HAD SLEEP APNEA IN LIFETIME

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12310	1.38
-9 = Data not collected for this year.....	335230	37.54
0 = No (LIFSLPAP=6,99).....	532001	59.58
1 = Yes (LIFSLPAP=1).....	13431	1.50

**SLPAPYR**      Len : 1    HAD SLEEP APNEA IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12390	1.39
-9 = Data not collected for this year.....	335230	37.54
0 = No (YRSLPAP=6,89,99).....	537333	60.17
1 = Yes (YRSLPAP=1).....	8019	0.90

**STROKLIF**      Len : 1    HAD STROKE IN LIFETIME

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12310	1.38
-9 = Data not collected for this year.....	335230	37.54
0 = No (LIFSTROK=6,99).....	542661	60.77
1 = Yes (LIFSTROK=1).....	2771	0.31

**STROKYR**      Len : 1    HAD STROKE IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12328	1.38
-9 = Data not collected for this year.....	335230	37.54
0 = No (YRSTROK=6,89,99).....	544415	60.97
1 = Yes (YRSTROK=1).....	999	0.11

**TINNLIF**      Len : 1    HAD TINNITUS IN LIFETIME

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	12310	1.38
-9 = Data not collected for this year.....	335230	37.54
0 = No (LIFTINN=6,99).....	541162	60.60
1 = Yes (LIFTINN=1).....	4270	0.48

RECODED PREGNANCY AND HEALTH CARE

<b>TINNYR</b>	Len : 1 HAD TINNITUS IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12343	1.38
	0 = No (YRTINN=6,89,99).....	335230	37.54
	1 = Yes (YRTINN=1).....	543319	60.84
		2080	0.23
<b>TUBRCLIF</b>	Len : 1 HAD TUBERCULOSIS IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFTUBRC=6,99).....	335230	37.54
	1 = Yes (LIFTUBRC=1).....	543920	60.91
		1512	0.17
<b>TUBRCYR</b>	Len : 1 HAD TUBERCULOSIS IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12315	1.38
	0 = No (YRTUBRC=6,89,99).....	335230	37.54
	1 = Yes (YRTUBRC=1).....	545047	61.04
		380	0.04
<b>ULCERLIF</b>	Len : 1 HAD ULCER(S) IN LIFETIME		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12310	1.38
	0 = No (LIFULCER=6,99).....	335230	37.54
	1 = Yes (LIFULCER=1).....	533424	59.74
		12008	1.34
<b>ULCERYR</b>	Len : 1 HAD ULCER(S) IN PAST YEAR		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	12361	1.38
	0 = No (YRULCER=6,89,99).....	335230	37.54
	1 = Yes (YRULCER=1).....	540685	60.55
		4696	0.53

HEALTH

**HEALTH**

*This note applies to variables in this section marked by a<sup>1</sup>.*

The next questions are about your health and health care.

Are you currently pregnant?

<b>PREGNANT</b>	Len : 2 ARE YOU PREGNANT		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	13712	1.54
	2 = No.....	367487	41.15
	85 = BAD DATA Logically assigned.....	7	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	1037	0.12
	97 = REFUSED.....	234	0.03
	98 = BLANK (NO ANSWER).....	730	0.08
	99 = LEGITIMATE SKIP.....	509763	57.09

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

<b>HTANSWER<sup>1</sup></b>	Len : 2 PREFERRED WAY TO REPORT HEIGHT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	612222	68.56
	1 = Feet/inches or inches only.....	269273	30.15
	2 = Meters/cm or cm only.....	6855	0.77
	85 = BAD DATA Logically assigned.....	17	0.00
	94 = DON'T KNOW.....	2869	0.32
	97 = REFUSED.....	1683	0.19
	98 = BLANK (NO ANSWER).....	53	0.01

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

<b>HTINCHE2<sup>1</sup></b>	Len : 3 HEIGHT IN INCHES WITHOUT SHOES - RECODE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 55 - 75.....	271724	30.43
	-9 = Data not collected for this year.....	612222	68.56
	985 = BAD DATA Logically assigned.....	905	0.10
	994 = DON'T KNOW.....	5838	0.65
	997 = REFUSED.....	2228	0.25
	998 = BLANK (NO ANSWER).....	55	0.01

HEALTH

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

**WTANSWER<sup>1</sup>**      Len : 2    PREFERRED WAY TO REPORT WEIGHT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	612222	68.56
1 = Pounds.....	270952	30.34
2 = Kilograms.....	4637	0.52
85 = BAD DATA Logically assigned.....	17	0.00
94 = DON'T KNOW.....	2412	0.27
97 = REFUSED.....	2678	0.30
98 = BLANK (NO ANSWER).....	54	0.01

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

**WTPOUND2<sup>1</sup>**      Len : 3    WEIGHT IN POUNDS - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 75 - 295.....	272147	30.48
-9 = Data not collected for this year.....	612222	68.56
9985 = BAD DATA Logically assigned.....	684	0.08
9994 = DON'T KNOW.....	4459	0.50
9997 = REFUSED.....	3406	0.38
9998 = BLANK (NO ANSWER).....	54	0.01

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

**NMERTMT2**      Len : 3    # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 30.....	871344	97.58
31 = 31 or more.....	314	0.04
985 = BAD DATA Logically assigned.....	47	0.01
994 = DON'T KNOW.....	16319	1.83
997 = REFUSED.....	4806	0.54
998 = BLANK (NO ANSWER).....	142	0.02

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

**INHOSPYR**      Len : 2    STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	73173	8.19
2 = No.....	816396	91.42
85 = BAD DATA Logically assigned.....	62	0.01
94 = DON'T KNOW.....	2135	0.24
97 = REFUSED.....	1064	0.12
98 = BLANK (NO ANSWER).....	142	0.02

During the past 12 months, how many nights were you an inpatient in a hospital?

**NMNGTHS2**      Len : 3    # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30.....	70913	7.94
31 = 31 or more.....	1094	0.12
985 = BAD DATA Logically assigned.....	21	0.00
994 = DON'T KNOW.....	958	0.11
997 = REFUSED.....	1272	0.14
998 = BLANK (NO ANSWER).....	2318	0.26
999 = LEGITIMATE SKIP.....	816396	91.42

HEALTH

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

NMVSOPT2      Len : 3   # OUTPATIENT VISITS PAST 12 MOS - RECODE

	Freq	Pct
RANGE = 0 - 15 .....	261872	29.33
-9 = Data not collected for this year .....	612222	68.56
16 = 16 - 20 times .....	3050	0.34
17 = 21 - 25 times .....	1178	0.13
18 = 26 - 30 times .....	1182	0.13
19 = 31+ times .....	1709	0.19
985 = BAD DATA Logically assigned .....	33	0.00
994 = DON'T KNOW .....	9913	1.11
997 = REFUSED .....	1756	0.20
998 = BLANK (NO ANSWER).....	57	0.01

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

NMVS0EST      Len : 2   # TIMES VISITED DR ABOUT OWN HEALTH PST YR

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
0 = I have not visited a Dr in the past 12 mos .....	1194	0.13
1 = 1 time .....	930	0.10
2 = 2-3 times .....	1963	0.22
3 = 4-5 times .....	1459	0.16
4 = 6-7 times .....	799	0.09
5 = 8-9 times .....	525	0.06
6 = 10-12 times .....	508	0.06
7 = 13-15 times .....	266	0.03
8 = 16 or more times .....	755	0.08
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	2355	0.26
97 = REFUSED .....	915	0.10
98 = BLANK (NO ANSWER) .....	89	0.01
99 = LEGITIMATE SKIP .....	268991	30.12

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

HPUSETOB      Len : 2   HEALTH PROF ASKED PST 12 MOS: TOBACCO USE

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	159209	17.83
2 = No.....	65762	7.36
85 = BAD DATA Logically assigned .....	31	0.00
94 = DON'T KNOW .....	2120	0.24
97 = REFUSED .....	177	0.02
98 = BLANK (NO ANSWER) .....	3863	0.43
99 = LEGITIMATE SKIP .....	49588	5.55

HPUSEALC      Len : 2   HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	151889	17.01
2 = No.....	73154	8.19
85 = BAD DATA Logically assigned .....	31	0.00
94 = DON'T KNOW .....	2043	0.23
97 = REFUSED .....	182	0.02
98 = BLANK (NO ANSWER) .....	3863	0.43
99 = LEGITIMATE SKIP .....	49588	5.55

HEALTH

HPUSEDRG

Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	119693	13.40
2 = No.....	104563	11.71
85 = BAD DATA Logically assigned .....	31	0.00
94 = DON'T KNOW .....	2823	0.32
97 = REFUSED .....	189	0.02
98 = BLANK (NO ANSWER) .....	3863	0.43
99 = LEGITIMATE SKIP.....	49588	5.55

NOTE: Beginning in 2014, respondents were not asked the question corresponding to HPQTTTOB if they were lifetime but not past year users of tobacco products. If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and that they never smoked tobacco in a pipe, codes of 93 in HPQTTTOB indicate that these respondents had not used tobacco products in the past 12 months. However, respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. Therefore, the code of 93 in HPQTTTOB also applied to respondents who smoked tobacco in a pipe in their lifetime but not in the past 30 days and who last used other tobacco products more than 12 months ago (or never used other tobacco products). If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPQTTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

HPQTTTOB

Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	30709	3.44
2 = No .....	36518	4.09
83 = DID NOT USE TOBACCO IN THE PAST 12 MOS Log assn.....	9738	1.09
85 = BAD DATA Logically assigned .....	248	0.03
91 = NEVER USED TOBACCO PRODUCTS .....	124387	13.93
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note).....	58473	6.55
94 = DON'T KNOW .....	132	0.01
97 = REFUSED .....	99	0.01
98 = BLANK (NO ANSWER) .....	1791	0.20
99 = LEGITIMATE SKIP (No health care visits pst 12 mos).....	18655	2.09

NOTE: In HPALCAMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALCTX, and HPALCNOT, if respondents reported never using alcohol or not using it in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used alcohol or did not use it in the past 12 months (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits in the past 12 months.

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about [VISITFILL] during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

HPALCAMT

Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	53978	6.04
2 = No (Not entered).....	17184	1.92
85 = BAD DATA Logically assigned .....	10	0.00
91 = NEVER USED ALCOHOL.....	79236	8.87
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	30838	3.45
94 = DON'T KNOW .....	2168	0.24
97 = REFUSED .....	1397	0.16
98 = BLANK (NO ANSWER) .....	2266	0.25
99 = LEGITIMATE SKIP.....	93673	10.49



HEALTH

HPALCFRQ

Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	50042	5.60
2 = No (Not entered).....	21120	2.37
85 = BAD DATA Logically assigned .....	9	0.00
91 = NEVER USED ALCOHOL.....	79236	8.87
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	30838	3.45
94 = DON'T KNOW .....	2168	0.24
97 = REFUSED .....	1397	0.16
98 = BLANK (NO ANSWER) .....	2267	0.25
99 = LEGITIMATE SKIP.....	93673	10.49

HPALCPRB

Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	10146	1.14
2 = No (Not entered).....	61016	6.83
91 = NEVER USED ALCOHOL.....	79236	8.87
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	30838	3.45
94 = DON'T KNOW .....	2168	0.24
97 = REFUSED .....	1397	0.16
98 = BLANK (NO ANSWER) .....	2276	0.25
99 = LEGITIMATE SKIP.....	93673	10.49

HPALCCUT

Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	3993	0.45
2 = No (Not entered).....	67169	7.52
91 = NEVER USED ALCOHOL.....	79236	8.87
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	30838	3.45
94 = DON'T KNOW .....	2168	0.24
97 = REFUSED .....	1397	0.16
98 = BLANK (NO ANSWER) .....	2276	0.25
99 = LEGITIMATE SKIP.....	93673	10.49

HPALCTX

Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	2707	0.30
2 = No (Not entered).....	68455	7.67
91 = NEVER USED ALCOHOL.....	79236	8.87
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	30838	3.45
94 = DON'T KNOW .....	2168	0.24
97 = REFUSED .....	1397	0.16
98 = BLANK (NO ANSWER) .....	2276	0.25
99 = LEGITIMATE SKIP.....	93673	10.49

HPALCNOT

Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	612222	68.56
85 = BAD DATA Logically assigned .....	9	0.00
91 = NEVER USED ALCOHOL.....	79236	8.87
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	30838	3.45
94 = DON'T KNOW .....	2168	0.24
95 = DR DIDNT DISCUSS ALC USE PST 12 MOS.....	63029	7.06
97 = REFUSED .....	1397	0.16
98 = BLANK (NO ANSWER) .....	2267	0.25
99 = LEGITIMATE SKIP.....	101806	11.40

HEALTH

NOTE: In HPDRGTALK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTALK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

HPDRGTALK      Len : 2    HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	5691	0.64
2 = No.....	20625	2.31
85 = BAD DATA Logically assigned .....	14	0.00
91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....	91549	10.25
93 = DID NOT USE MJ/COC/HER/HALL/INH/METH IN PST 12 MOS.....	43461	4.87
94 = DON'T KNOW .....	73	0.01
97 = REFUSED .....	56	0.01
98 = BLANK (NO ANSWER) .....	2158	0.24
99 = LEGITIMATE SKIP.....	6692	0.75

These next questions are about certain medical conditions.

During the past 12 months, did you have a sexually transmitted disease such as chlamydia, gonorrhea, herpes or syphilis?

STDANYR<sup>1</sup>      Len : 2    HAD SEXUALLY TRANSMITTED DISEASE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	3665	0.41
2 = No.....	165635	18.55
85 = BAD DATA Logically assigned .....	32	0.00
94 = DON'T KNOW .....	427	0.05
97 = REFUSED .....	521	0.06
98 = BLANK (NO ANSWER) .....	39	0.00

Below is a list of health conditions that you may have had during your lifetime.

Please read the list and type in the numbers of all of the conditions that a doctor or other health care professional has ever told you that you had.

To select more than one condition, press the space bar between each number you type. When you have finished, press [ENTER].

HRTCONDEV<sup>1</sup>      Len : 2    EVER TOLD HAD HEART CONDITION

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	9354	1.05
2 = No (not entered).....	38760	4.34
85 = BAD DATA Logically assigned .....	32	0.00
94 = DON'T KNOW .....	1123	0.13
97 = REFUSED .....	948	0.11
98 = BLANK (NO ANSWER) .....	51	0.01
99 = LEGITIMATE SKIP.....	120051	13.44

DIABETEVR<sup>1</sup>      Len : 2    EVER TOLD HAD DIABETES/SUGAR DIABETES

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	9050	1.01
2 = No (not entered).....	39064	4.37
85 = BAD DATA Logically assigned .....	39	0.00
94 = DON'T KNOW .....	1123	0.13
97 = REFUSED .....	948	0.11
98 = BLANK (NO ANSWER) .....	44	0.00
99 = LEGITIMATE SKIP.....	120051	13.44

HEALTH

<b>COPDEVER<sup>1</sup></b>	Len : 2 EVER TOLD HAD CHRONIC BRONCHITIS OR COPD		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	4096	0.46
	2 = No (not entered).....	44018	4.93
	85 = BAD DATA Logically assigned .....	28	0.00
	94 = DON'T KNOW .....	1123	0.13
	97 = REFUSED .....	948	0.11
	98 = BLANK (NO ANSWER) .....	55	0.01
	99 = LEGITIMATE SKIP.....	120051	13.44
<b>CIRROSEVR<sup>1</sup></b>	Len : 2 EVER TOLD HAD CIRRHOSIS OF THE LIVER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	234	0.03
	2 = No (not entered).....	47880	5.36
	85 = BAD DATA Logically assigned .....	28	0.00
	94 = DON'T KNOW .....	1123	0.13
	97 = REFUSED .....	948	0.11
	98 = BLANK (NO ANSWER) .....	55	0.01
	99 = LEGITIMATE SKIP.....	120051	13.44
<b>HEPBCEVER<sup>1</sup></b>	Len : 2 EVER TOLD HAD HEPATITIS B OR C		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1201	0.13
	2 = No (not entered).....	46913	5.25
	85 = BAD DATA Logically assigned .....	28	0.00
	94 = DON'T KNOW .....	1123	0.13
	97 = REFUSED .....	948	0.11
	98 = BLANK (NO ANSWER) .....	55	0.01
	99 = LEGITIMATE SKIP.....	120051	13.44
<b>KIDNYDSEV<sup>1</sup></b>	Len : 2 EVER TOLD HAD KIDNEY DISEASE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	1694	0.19
	2 = No (not entered).....	46420	5.20
	85 = BAD DATA Logically assigned .....	28	0.00
	94 = DON'T KNOW .....	1123	0.13
	97 = REFUSED .....	948	0.11
	98 = BLANK (NO ANSWER) .....	55	0.01
	99 = LEGITIMATE SKIP.....	120051	13.44
<b>ASTHMAEVR<sup>1</sup></b>	Len : 2 EVER TOLD HAD ASTHMA		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	19714	2.21
	2 = No (not entered).....	28400	3.18
	85 = BAD DATA Logically assigned .....	28	0.00
	94 = DON'T KNOW .....	1123	0.13
	97 = REFUSED .....	948	0.11
	98 = BLANK (NO ANSWER) .....	55	0.01
	99 = LEGITIMATE SKIP.....	120051	13.44
<b>HIVAIDSEV<sup>1</sup></b>	Len : 2 EVER TOLD HAD HIV OR AIDS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	258	0.03
	2 = No (not entered).....	47856	5.36
	85 = BAD DATA Logically assigned .....	28	0.00
	94 = DON'T KNOW .....	1123	0.13
	97 = REFUSED .....	948	0.11
	98 = BLANK (NO ANSWER) .....	55	0.01
	99 = LEGITIMATE SKIP.....	120051	13.44

HEALTH

**CANCEREVR<sup>1</sup>** Len : 2 EVER TOLD HAD CANCER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	4612	0.52
2 = No (not entered).....	43502	4.87
85 = BAD DATA Logically assigned .....	28	0.00
94 = DON'T KNOW .....	1123	0.13
97 = REFUSED .....	948	0.11
98 = BLANK (NO ANSWER) .....	55	0.01
99 = LEGITIMATE SKIP .....	120051	13.44

**HIGHBPEVR<sup>1</sup>** Len : 2 EVER TOLD HAD HIGH BLOOD PRESSURE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	16149	1.81
2 = No (not entered).....	31965	3.58
85 = BAD DATA Logically assigned .....	28	0.00
94 = DON'T KNOW .....	1123	0.13
97 = REFUSED .....	948	0.11
98 = BLANK (NO ANSWER) .....	55	0.01
99 = LEGITIMATE SKIP .....	120051	13.44

**NONABOVEV<sup>1</sup>** Len : 2 NEVER HAD ANY OF THESE CONDITIONS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
2 = No (not entered).....	48114	5.39
85 = BAD DATA Logically assigned .....	27	0.00
94 = DON'T KNOW .....	1123	0.13
95 = Response entered .....	120051	13.44
97 = REFUSED .....	948	0.11
98 = BLANK (NO ANSWER) .....	56	0.01

What kind of cancer was it? Enter all that apply.

To select more than one category, press the space bar between the numbers. When you have finished, press [ENTER].

**CABLADDER<sup>1</sup>** Len : 2 TYPE OF CANCER: BLADDER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	120	0.01
2 = No (not entered).....	4384	0.49
85 = BAD DATA Logically assigned .....	116	0.01
94 = DON'T KNOW .....	14	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	2127	0.24
99 = LEGITIMATE SKIP .....	163553	18.32

**CABLOLEULYM** Len : 2 TYPE OF CANCER: BLOOD/LEUKEMIA/LYMPHOMA

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	387	0.04
2 = No (not entered).....	4117	0.46
85 = BAD DATA Logically assigned .....	116	0.01
94 = DON'T KNOW .....	14	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	2127	0.24
99 = LEGITIMATE SKIP .....	163553	18.32

**CAOTHER2** Len : 2 TYPE OF CANCER: OTHER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	347	0.04
2 = No (not entered).....	4157	0.47
85 = BAD DATA Logically assigned .....	116	0.01
94 = DON'T KNOW .....	14	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	2127	0.24
99 = LEGITIMATE SKIP .....	163553	18.32

HEALTH

<b>CABREAST<sup>1</sup></b>	Len : 2 TYPE OF CANCER: BREAST		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	877	0.10
	2 = No (not entered).....	3627	0.41
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP .....	163553	18.32
<b>CACERVIX<sup>1</sup></b>	Len : 2 TYPE OF CANCER: CERVIX (FEMALES ONLY)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	404	0.05
	2 = No (not entered).....	2448	0.27
	85 = BAD DATA Logically assigned .....	63	0.01
	94 = DON'T KNOW .....	9	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2126	0.24
	99 = LEGITIMATE SKIP .....	165266	18.51
<b>CACOLNRECT</b>	Len : 2 TYPE OF CANCER: COLON/RECTUM		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	257	0.03
	2 = No (not entered).....	4247	0.48
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP .....	163553	18.32
<b>CAESOPSTOM</b>	Len : 2 TYPE OF CANCER: ESOPHAGUS/STOMACH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	55	0.01
	2 = No (not entered).....	4449	0.50
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP .....	163553	18.32
<b>CAGALLIVPAN</b>	Len : 2 TYPE OF CANCER: GALLBLADDER/LIVER/PANCREAS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	56	0.01
	2 = No (not entered).....	4448	0.50
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP .....	163553	18.32
<b>CAKIDNEY<sup>1</sup></b>	Len : 2 TYPE OF CANCER: KIDNEY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	112	0.01
	2 = No (not entered).....	4392	0.49
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP .....	163553	18.32

HEALTH

<b>CALARYLUNG</b>	Len : 2 TYPE OF CANCER: LARYNX/WINDPIPE/LUNG		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	122	0.01
	2 = No (not entered).....	4382	0.49
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP.....	163553	18.32
<b>CAMELANOM<sup>1</sup></b>	Len : 2 TYPE OF CANCER: MELANOMA		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	429	0.05
	2 = No (not entered).....	4075	0.46
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP.....	163553	18.32
<b>CAMOUTTHRO</b>	Len : 2 TYPE OF CANCER: MOUTH/TONGUE/LIP/THROAT/PHARYNX		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	60	0.01
	2 = No (not entered).....	4444	0.50
	85 = BAD DATA Logically assigned .....	116	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP.....	163553	18.32
<b>CAOVARY<sup>1</sup></b>	Len : 2 TYPE OF CANCER: OVARY (FEMALES ONLY)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	144	0.02
	2 = No (not entered).....	2708	0.30
	85 = BAD DATA Logically assigned .....	63	0.01
	94 = DON'T KNOW .....	9	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	2126	0.24
	99 = LEGITIMATE SKIP.....	165266	18.51
<b>CAPROTEST</b>	Len : 2 TYPE OF CANCER: PROSTATE/TESTIS (MALES ONLY)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	472	0.05
	2 = No (not entered).....	1180	0.13
	85 = BAD DATA Logically assigned .....	58	0.01
	94 = DON'T KNOW .....	5	0.00
	97 = REFUSED .....	2	0.00
	98 = BLANK (NO ANSWER) .....	2127	0.24
	99 = LEGITIMATE SKIP.....	166475	18.64
<b>CASKINOTH<sup>1</sup></b>	Len : 2 TYPE OF CANCER: SKIN (NOT MELANOMA)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	694	0.08
	2 = No (not entered).....	3810	0.43
	85 = BAD DATA Logically assigned .....	115	0.01
	94 = DON'T KNOW .....	14	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	2128	0.24
	99 = LEGITIMATE SKIP.....	163553	18.32

HEALTH

CASKINDK<sup>1</sup> Len : 2 TYPE OF CANCER: SKIN DON'T KNOW WHICH KIND

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	259	0.03
2 = No (not entered).....	4245	0.48
85 = BAD DATA Logically assigned .....	116	0.01
94 = DON'T KNOW .....	14	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	2127	0.24
99 = LEGITIMATE SKIP .....	163553	18.32

CATHYROID<sup>1</sup> Len : 2 TYPE OF CANCER: THYROID

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	202	0.02
2 = No (not entered).....	4302	0.48
85 = BAD DATA Logically assigned .....	116	0.01
94 = DON'T KNOW .....	14	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	2127	0.24
99 = LEGITIMATE SKIP .....	163553	18.32

CAUTERUS<sup>1</sup> Len : 2 TYPE OF CANCER: UTERUS (FEMALES ONLY)

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	183	0.02
2 = No (not entered).....	2669	0.30
85 = BAD DATA Logically assigned .....	63	0.01
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	2126	0.24
99 = LEGITIMATE SKIP .....	165266	18.51

NOTE: The question corresponding to CANCERYR was skipped if respondents reported first being diagnosed with any form of cancer at their current age because it could be logically inferred that they had cancer in the past year.

Did you have cancer during the past 12 months?

CANCERYR<sup>1</sup> Len : 2 HAD ANY CANCER PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	860	0.10
2 = No.....	3452	0.39
5 = Yes LOGICALLY ASSIGNED from skip pattern.....	286	0.03
85 = BAD DATA Logically assigned .....	29	0.00
94 = DON'T KNOW .....	11	0.00
97 = REFUSED .....	1	0.00
98 = BLANK (NO ANSWER) .....	2127	0.24
99 = LEGITIMATE SKIP .....	163553	18.32

NOTE: The variables HRTCONDAG, DIABETEAG, COPDAGE, CIRROSAGE, HEPBAGE, KIDNYDSAG, ASTHMAAGE, HIVAIDSAG, and HIGHBPAGE represent the ages when specific health conditions other than cancer were first diagnosed. Beginning in 2016, the questions instructed respondents to enter 1 if they were diagnosed before they were 1 year old. In 2016, however, respondents were still allowed to enter 0 for the age when they were first diagnosed. Beginning in 2017, a response of 0 is no longer allowed.

How old were you when your heart condition or heart disease was first diagnosed?

HRTCONDAG<sup>1</sup> Len : 3 AGE HEART CONDITION 1ST DIAGNOSED

	Freq	Pct
RANGE = 0 - 92 .....	9057	1.01
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	33	0.00
994 = DON'T KNOW .....	268	0.03
997 = REFUSED .....	27	0.00
998 = BLANK (NO ANSWER).....	2123	0.24
999 = LEGITIMATE SKIP .....	158811	17.78

HEALTH

NOTE: The question corresponding to HRTCONDYR was skipped if respondents reported first being diagnosed with a heart condition at their current age because it could be logically inferred that they a heart condition in the past year.

Did you have any kind of heart condition or heart disease in the past 12 months?

HRTCONDYR <sup>1</sup>	Len : 2 HAD HEART CONDITION PAST 12 MONTHS	Freq	Pct
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	4270	0.48
	2 = No.....	4660	0.52
	5 = Yes LOGICALLY ASSIGNED from skip pattern.....	382	0.04
	85 = BAD DATA Logically assigned.....	33	0.00
	94 = DON'T KNOW.....	34	0.00
	97 = REFUSED.....	6	0.00
	98 = BLANK (NO ANSWER).....	2123	0.24
	99 = LEGITIMATE SKIP.....	158811	17.78

How old were you when your diabetes or sugar diabetes was first diagnosed?

DIABETEAG <sup>1</sup>	Len : 3 AGE DIABETES 1ST DIAGNOSED	Freq	Pct
	RANGE = 0 - 91 .....	8800	0.99
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned.....	40	0.00
	994 = DON'T KNOW.....	219	0.02
	997 = REFUSED.....	29	0.00
	998 = BLANK (NO ANSWER).....	2116	0.24
	999 = LEGITIMATE SKIP.....	159115	17.82

How old were you when your chronic bronchitis, emphysema, or chronic obstructive pulmonary disease, also called COPD were first diagnosed?

COPDAGE <sup>1</sup>	Len : 3 AGE COPD 1ST DIAGNOSED	Freq	Pct
	RANGE = 0 - 94 .....	3896	0.44
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned.....	29	0.00
	994 = DON'T KNOW.....	182	0.02
	997 = REFUSED.....	17	0.00
	998 = BLANK (NO ANSWER).....	2126	0.24
	999 = LEGITIMATE SKIP.....	164069	18.37

How old were you when your cirrhosis of the liver was first diagnosed?

CIRROSAGE <sup>1</sup>	Len : 3 AGE CIRRHOSIS 1ST DIAGNOSED	Freq	Pct
	RANGE = 0 - 80 .....	215	0.02
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned.....	28	0.00
	994 = DON'T KNOW.....	12	0.00
	997 = REFUSED.....	7	0.00
	998 = BLANK (NO ANSWER).....	2126	0.24
	999 = LEGITIMATE SKIP.....	167931	18.81

How old were you when your hepatitis was first diagnosed?

HEPBCAGE <sup>1</sup>	Len : 3 AGE HEPATITIS 1ST DIAGNOSED	Freq	Pct
	RANGE = 0 - 80 .....	1147	0.13
	-9 = Data not collected for this year.....	722653	80.93
	985 = BAD DATA Logically assigned.....	28	0.00
	994 = DON'T KNOW.....	46	0.01
	997 = REFUSED.....	8	0.00
	998 = BLANK (NO ANSWER).....	2126	0.24
	999 = LEGITIMATE SKIP.....	166964	18.70



HEALTH

How old were you when your kidney disease was first diagnosed?

<b>KIDNYDSAG<sup>1</sup></b>	Len : 3 AGE KIDNEY DISEASE 1ST DIAGNOSED		
	RANGE = 0 - 94 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	1631	0.18
	985 = BAD DATA Logically assigned .....	722653	80.93
	994 = DON'T KNOW .....	28	0.00
	997 = REFUSED .....	52	0.01
	998 = BLANK (NO ANSWER).....	10	0.00
	999 = LEGITIMATE SKIP.....	2127	0.24
		166471	18.64

How old were you when your asthma was first diagnosed?

<b>ASTHMAAGE<sup>1</sup></b>	Len : 3 AGE ASTHMA 1ST DIAGNOSED		
	RANGE = 0 - 87 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	18406	2.06
	985 = BAD DATA Logically assigned .....	722653	80.93
	994 = DON'T KNOW .....	32	0.00
	997 = REFUSED .....	1265	0.14
	998 = BLANK (NO ANSWER).....	39	0.00
	999 = LEGITIMATE SKIP.....	2126	0.24
		148451	16.62

Do you still have asthma?

<b>ASTHMANOW<sup>1</sup></b>	Len : 2 STILL HAVE ASTHMA		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	722653	80.93
	2 = No.....	12798	1.43
	85 = BAD DATA Logically assigned .....	6742	0.76
	94 = DON'T KNOW .....	30	0.00
	97 = REFUSED .....	169	0.02
	98 = BLANK (NO ANSWER) .....	3	0.00
	99 = LEGITIMATE SKIP.....	2126	0.24
		148451	16.62

How old were you when you found out you had HIV or AIDS?

<b>HIVAIDSAG<sup>1</sup></b>	Len : 3 AGE 1ST FOUND OUT HAD HIV/AIDS		
	RANGE = 0 - 60.....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	246	0.03
	985 = BAD DATA Logically assigned .....	722653	80.93
	994 = DON'T KNOW .....	28	0.00
	997 = REFUSED .....	4	0.00
	998 = BLANK (NO ANSWER).....	8	0.00
	999 = LEGITIMATE SKIP.....	2126	0.24
		167907	18.80

Are you currently taking prescription medicine for your high blood pressure?

<b>HIGHBPMED<sup>1</sup></b>	Len : 2 TAKING MEDS FOR HIGH BLOOD PRESSURE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	722653	80.93
	2 = No.....	12109	1.36
	85 = BAD DATA Logically assigned .....	4029	0.45
	94 = DON'T KNOW .....	28	0.00
	97 = REFUSED .....	9	0.00
	98 = BLANK (NO ANSWER) .....	1	0.00
	99 = LEGITIMATE SKIP.....	2127	0.24
		152016	17.02

HEALTH

How old were you when your high blood pressure was first diagnosed?

HIGHBPAGE <sup>1</sup>	Len : 3 AGE WHEN HIGH BLOOD PRESSURE 1ST DIAGNOSED	Freq	Pct
	RANGE = 0 - 94 .....	11634	1.30
	-9 = Data not collected for this year .....	722653	80.93
	985 = BAD DATA Logically assigned .....	32	0.00
	994 = DONT KNOW .....	452	0.05
	997 = REFUSED .....	17	0.00
	998 = BLANK (NO ANSWER).....	2139	0.24
	999 = LEGITIMATE SKIP.....	156045	17.47

RECODED HEALTH

**RECODED HEALTH**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

**PREG**                    Len : 1    RC-PREGNANT FEMALES AGED 12-44

	<b>Freq</b>	<b>Pct</b>
0 = Otherwise.....	879260	98.46
1 = Pregnant Females Aged 12-44 (PREGNANT=1) .....	13712	1.54

**PREG2**                    Len : 1    RC-PREGNANCY STATUS OF FEMALES AGED 12-44

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	2008	0.22
1 = Pregnant (PREGNANT=1) .....	13712	1.54
2 = Not Pregnant (PREGNANT=2) .....	367487	41.15
3 = Males/Females Not Aged 12-44 (PREGNANT=89,99).....	509765	57.09

**TRIMEST**                    Len : 1    RC-CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44

	<b>Freq</b>	<b>Pct</b>
. = Unknown .....	155	0.02
1 = 1st 3 Months of Pregnancy .....	4155	0.47
2 = 2nd 3 Months of Pregnancy .....	4934	0.55
3 = Last 3 Months of Pregnancy .....	4468	0.50
4 = Males/Not Pregnant Females (PREG=0) .....	879260	98.46

BMI2 was created from the variables WTPOUND2 and HTINCHE2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCHE2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCHE2 had a value of 985, 994, 997, or 998.

**BMI2**                    Len : 12    RC-BODY MASS INDEX (BMI)

	<b>Freq</b>	<b>Pct</b>
RANGE = 9.3733333333 - 68.557024793 .....	268059	30.02
. = Unknown (See comment above) .....	12691	1.42
-9 = Data not collected for this year .....	612222	68.56

ADULT MENTAL HEALTH SERVICE UTILIZATION

**ADULT MENTAL HEALTH SERVICE UTILIZATION**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.

During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.

<b>AUINPYR<sup>1</sup></b>	Len : 2 STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	6509	0.73
	2 = No.....	613371	68.69
	85 = BAD DATA Logically assigned .....	58	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
	94 = DON'T KNOW .....	410	0.05
	97 = REFUSED .....	639	0.07
	98 = BLANK (NO ANSWER) .....	139	0.02
	99 = LEGITIMATE SKIP.....	271836	30.44

Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?

<b>AUINPSYH<sup>1</sup></b>	Len : 2 MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1611	0.18
	6 = Response not entered .....	4580	0.51
	85 = BAD DATA Logically assigned .....	39	0.00
	94 = DON'T KNOW .....	177	0.02
	97 = REFUSED .....	777	0.09
	98 = BLANK (NO ANSWER) .....	571	0.06
	99 = LEGITIMATE SKIP.....	885217	99.13

<b>AUINPGEN<sup>1</sup></b>	Len : 2 MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	2013	0.23
	6 = Response not entered .....	4178	0.47
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	177	0.02
	97 = REFUSED .....	777	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP.....	885217	99.13

<b>AUINMEDU<sup>1</sup></b>	Len : 2 MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1493	0.17
	6 = Response not entered .....	4698	0.53
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	177	0.02
	97 = REFUSED .....	777	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP.....	885217	99.13

<b>AUINAHSP<sup>1</sup></b>	Len : 2 MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	468	0.05
	6 = Response not entered .....	5723	0.64
	85 = BAD DATA Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	177	0.02
	97 = REFUSED .....	777	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP.....	885217	99.13

ADULT MENTAL HEALTH SERVICE UTILIZATION

**AUINRESD<sup>1</sup>**      Len : 2    MH TRMT IN RESID TRMT CENTER PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	546	0.06
6 = Response not entered .....	5645	0.63
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	177	0.02
97 = REFUSED .....	777	0.09
98 = BLANK (NO ANSWER) .....	607	0.07
99 = LEGITIMATE SKIP .....	885217	99.13

**AUINSFAC<sup>1</sup>**      Len : 2    MH TRMT IN SOME OTHER FACIL PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	578	0.06
6 = Response not entered .....	5613	0.63
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	177	0.02
97 = REFUSED .....	777	0.09
98 = BLANK (NO ANSWER) .....	607	0.07
99 = LEGITIMATE SKIP .....	885217	99.13

During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?

**AUNMPSY2<sup>1</sup>**      Len : 3    # NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	1465	0.16
31 = 31 or more .....	89	0.01
985 = BAD DATA Logically assigned .....	39	0.00
994 = DON'T KNOW .....	43	0.00
997 = REFUSED .....	791	0.09
998 = BLANK (NO ANSWER) .....	748	0.08
999 = LEGITIMATE SKIP .....	889797	99.64

During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?

**AUNMPGE2<sup>1</sup>**      Len : 3    # NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	1892	0.21
31 = 31 or more .....	73	0.01
985 = BAD DATA Logically assigned .....	3	0.00
994 = DON'T KNOW .....	37	0.00
997 = REFUSED .....	788	0.09
998 = BLANK (NO ANSWER) .....	784	0.09
999 = LEGITIMATE SKIP .....	889395	99.60

During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?

**AUNMMED2<sup>1</sup>**      Len : 3    # NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	1383	0.15
31 = 31 or more .....	31	0.00
985 = BAD DATA Logically assigned .....	3	0.00
994 = DON'T KNOW .....	48	0.01
997 = REFUSED .....	808	0.09
998 = BLANK (NO ANSWER) .....	784	0.09
999 = LEGITIMATE SKIP .....	889915	99.66

During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?

**AUNMAHS2<sup>1</sup>**      Len : 3    # NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	394	0.04
31 = 31 or more .....	22	0.00
985 = BAD DATA Logically assigned .....	3	0.00
994 = DON'T KNOW .....	35	0.00
997 = REFUSED .....	794	0.09
998 = BLANK (NO ANSWER) .....	784	0.09
999 = LEGITIMATE SKIP .....	890940	99.77

ADULT MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?

<b>AUNMRES2<sup>1</sup></b>	Len : 3 # NIGHTS IN RESID TRMT CENTER PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	403	0.05
	31 = 31 or more.....	124	0.01
	985 = BAD DATA Logically assigned .....	3	0.00
	994 = DON'T KNOW .....	9	0.00
	997 = REFUSED .....	787	0.09
	998 = BLANK (NO ANSWER).....	784	0.09
	999 = LEGITIMATE SKIP.....	890862	99.76

During the past 12 months, how many nights did you spend in some other type of facility for mental health care?

<b>AUNMSFA2<sup>1</sup></b>	Len : 3 # NIGHTS IN SOME OTHER FACIL PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	489	0.05
	31 = 31 or more.....	36	0.00
	985 = BAD DATA Logically assigned .....	3	0.00
	994 = DON'T KNOW .....	35	0.00
	997 = REFUSED .....	795	0.09
	998 = BLANK (NO ANSWER).....	784	0.09
	999 = LEGITIMATE SKIP.....	890830	99.76

Who paid or will pay for the inpatient mental health care you received during the past 12 months?

<b>AUPINSLF<sup>1</sup></b>	Len : 2 INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1518	0.17
	6 = Response not entered .....	4615	0.52
	85 = BAD DATA Logically assigned .....	36	0.00
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	571	0.06
	99 = LEGITIMATE SKIP.....	885217	99.13

<b>AUPINOFM<sup>1</sup></b>	Len : 2 INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	271	0.03
	6 = Response not entered .....	5862	0.66
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP.....	885217	99.13

<b>AUPINPHI<sup>1</sup></b>	Len : 2 INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1224	0.14
	6 = Response not entered .....	4909	0.55
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP.....	885217	99.13

<b>AUPINMCR<sup>1</sup></b>	Len : 2 INPATIENT MH CARE PAYMENT: MEDICARE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1216	0.14
	6 = Response not entered .....	4917	0.55
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP.....	885217	99.13

ADULT MENTAL HEALTH SERVICE UTILIZATION

<b>AUPINMCD<sup>1</sup></b>	Len : 2 INPATIENT MH CARE PAYMENT: MEDICAID		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1504	0.17
	6 = Response not entered .....	4629	0.52
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP .....	885217	99.13
<b>AUPINREH<sup>1</sup></b>	Len : 2 INPAT MH CARE PYMNT: REHABILITATION PROG		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	78	0.01
	6 = Response not entered .....	6055	0.68
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP .....	885217	99.13
<b>AUPINEMP<sup>1</sup></b>	Len : 2 INPATIENT MH CARE PAYMENT: EMPLOYER		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	184	0.02
	6 = Response not entered .....	5949	0.67
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP .....	885217	99.13
<b>AUPINMIL<sup>1</sup></b>	Len : 2 INPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	208	0.02
	6 = Response not entered .....	5925	0.66
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP .....	885217	99.13
<b>AUPINPUB<sup>1</sup></b>	Len : 2 INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	270	0.03
	6 = Response not entered .....	5863	0.66
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP .....	885217	99.13
<b>AUPINPRV<sup>1</sup></b>	Len : 2 INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	103	0.01
	6 = Response not entered .....	6030	0.68
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	607	0.07
	99 = LEGITIMATE SKIP .....	885217	99.13
<b>AUPINFRE<sup>1</sup></b>	Len : 2 INPATIENT MENTAL HEALTH CARE WAS FREE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	471	0.05
	6 = Response not entered .....	5662	0.63
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	225	0.03
	97 = REFUSED .....	790	0.09
	98 = BLANK (NO ANSWER) .....	606	0.07
	99 = LEGITIMATE SKIP .....	885217	99.13

ADULT MENTAL HEALTH SERVICE UTILIZATION

How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

**AUPINFM2<sup>1</sup>**      Len : 2    AMT YOU/FAMILY PAID FOR INPAT MH CARE

	<b>Freq</b>	<b>Pct</b>
1 = Less than \$100 .....	341	0.04
2 = \$100 to \$200 .....	171	0.02
3 = \$201 to \$500 .....	155	0.02
4 = \$501 to \$900 .....	145	0.02
5 = \$901 to \$1,500 .....	147	0.02
6 = \$1,501 to \$2,000 .....	122	0.01
7 = \$2,001 to \$5,000 .....	164	0.02
8 = More than \$5,000 .....	279	0.03
85 = BAD DATA Logically assigned .....	36	0.00
94 = DON'T KNOW .....	179	0.02
97 = REFUSED .....	810	0.09
98 = BLANK (NO ANSWER) .....	835	0.09
99 = LEGITIMATE SKIP .....	889588	99.62

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.

During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.

- An outpatient mental health clinic or center
- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic
- A doctor's office that was not part of a clinic
- An outpatient medical clinic
- A partial day hospital or day treatment program
- Some other place

**AUOPTYR<sup>1</sup>**      Len : 2    RCVD OUTPATIENT MH TRMT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	45983	5.15
2 = No .....	573033	64.17
3 = Yes LOGICALLY ASSIGNED (from AUALOTS2) .....	10	0.00
85 = BAD DATA Logically assigned .....	58	0.01
89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
94 = DON'T KNOW .....	954	0.11
97 = REFUSED .....	945	0.11
98 = BLANK (NO ANSWER) .....	143	0.02
99 = LEGITIMATE SKIP .....	271836	30.44

Where did you receive outpatient mental health treatment or counseling during the past 12 months?

**AUOPMENT<sup>1</sup>**      Len : 2    MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	11390	1.28
3 = Response entered LOGICALLY ASSIGNED .....	26	0.00
5 = Response entered LOG ASSN (from AUALOTS2) .....	4	0.00
6 = Response not entered .....	34289	3.84
85 = BAD DATA Logically assigned .....	43	0.00
94 = DON'T KNOW .....	151	0.02
97 = REFUSED .....	1064	0.12
98 = BLANK (NO ANSWER) .....	1126	0.13
99 = LEGITIMATE SKIP .....	844879	94.61



ADULT MENTAL HEALTH SERVICE UTILIZATION

AUOPTHER<sup>1</sup>

Len : 2 MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	25205	2.82
3 = Response entered LOGICALLY ASSIGNED .....	25	0.00
5 = Response entered LOG ASSN (from AUALOTS2).....	1	0.00
6 = Response not entered .....	20477	2.29
85 = BAD DATA Logically assigned .....	7	0.00
94 = DON'T KNOW .....	151	0.02
97 = REFUSED .....	1064	0.12
98 = BLANK (NO ANSWER) .....	1163	0.13
99 = LEGITIMATE SKIP.....	844879	94.61

AUOPDOC<sup>1</sup>

Len : 2 MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	7986	0.89
3 = Response entered LOGICALLY ASSIGNED .....	10	0.00
5 = Response entered LOG ASSN (from AUALOTS2).....	4	0.00
6 = Response not entered .....	37711	4.22
85 = BAD DATA Logically assigned .....	6	0.00
94 = DON'T KNOW .....	151	0.02
97 = REFUSED .....	1064	0.12
98 = BLANK (NO ANSWER) .....	1161	0.13
99 = LEGITIMATE SKIP.....	844879	94.61

AUOPCLNC<sup>1</sup>

Len : 2 MH TRMT IN OUTPAT MED CLINIC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	3197	0.36
3 = Response entered LOGICALLY ASSIGNED .....	73	0.01
5 = Response entered LOG ASSN (from AUALOTS2).....	7	0.00
6 = Response not entered .....	42432	4.75
85 = BAD DATA Logically assigned .....	7	0.00
94 = DON'T KNOW .....	151	0.02
97 = REFUSED .....	1064	0.12
98 = BLANK (NO ANSWER) .....	1162	0.13
99 = LEGITIMATE SKIP.....	844879	94.61

AUOPDTMT<sup>1</sup>

Len : 2 MH TRMT IN DAY TREATMENT PGM PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	961	0.11
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
5 = Response entered LOG ASSN (from AUALOTS2).....	1	0.00
6 = Response not entered .....	44742	5.01
85 = BAD DATA Logically assigned .....	6	0.00
94 = DON'T KNOW .....	151	0.02
97 = REFUSED .....	1064	0.12
98 = BLANK (NO ANSWER) .....	1164	0.13
99 = LEGITIMATE SKIP.....	844879	94.61

AUOPOTOP<sup>1</sup>

Len : 2 MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	3099	0.35
6 = Response not entered .....	42614	4.77
94 = DON'T KNOW .....	151	0.02
97 = REFUSED .....	1064	0.12
98 = BLANK (NO ANSWER) .....	1165	0.13
99 = LEGITIMATE SKIP.....	844879	94.61

ADULT MENTAL HEALTH SERVICE UTILIZATION

AUOPYRS2<sup>1</sup>

Len : 2 OTH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = An outpatient mental health clinic or center.....	29	0.00
2 = Non-clinic therapist/psychologist/counselor .....	28	0.00
3 = A doctor's office that was not part of a clinic .....	12	0.00
4 = An outpatient medical clinic .....	74	0.01
5 = A partial day hospital or day treatment program .....	5	0.00
6 = Some other place.....	326	0.04
7 = Friend(s)/parent of friend.....	39	0.00
8 = Family member(s)/home .....	115	0.01
9 = School or university setting/clinic/center .....	677	0.08
10 = Spiritual or religious advisor.....	259	0.03
11 = Support group/self-help group .....	36	0.00
12 = Clinic or center counseling; mental health unspcfd.....	36	0.00
13 = Therapist/psychologist/counselor; locale unspcfd .....	88	0.01
14 = A doctor's office; location unspecified.....	120	0.01
15 = Work/parents' work/EAP/job training/career counslng .....	71	0.01
16 = Victims assist (inc dom viol shelter/rape crisis).....	22	0.00
17 = Telephone hotline/crisis line .....	10	0.00
18 = Military facility/VA .....	267	0.03
19 = Emergency room.....	17	0.00
20 = Indian Health Service/BIA.....	9	0.00
22 = Health professional, not a Dr; non-mental health.....	6	0.00
23 = Hospital/skilled nursing facilty; mntl hlth unspfd .....	54	0.01
24 = Clinic/center/agcy/pgm/class; type/govt/MH unspcfd.....	47	0.01
26 = Court-mandated drug program/class .....	7	0.00
28 = Social Services/Human Services.....	19	0.00
29 = Halfway house/transition housing.....	3	0.00
30 = Self .....	3	0.00
31 = Mental health hospital; patient status unspecified .....	3	0.00
33 = Hospice/grief counseling .....	6	0.00
35 = Chiropractor.....	1	0.00
38 = Massage therapy/body therapy (not chiro).....	2	0.00
39 = Holistic health/altern med; not otherwise specifd .....	3	0.00
44 = Residential treatment facility .....	3	0.00
47 = Prison or jail.....	3	0.00
49 = Mind/body therapy (e.g., biofeedback) .....	3	0.00
56 = Phone/online counseling, hotline/crisis unspcfd.....	27	0.00
58 = Faith-based formal program/facility.....	14	0.00
60 = Mental health assistance/help;type unspecified.....	2	0.00
70 = Name of facility/program or description given .....	360	0.04
71 = Drug or alcohol treatment/counseling specified.....	4	0.00
72 = Reason for seeking help given .....	6	0.00
85 = BAD DATA Logically assigned.....	118	0.01
94 = DON'T KNOW .....	73	0.01
97 = REFUSED .....	1153	0.13
98 = BLANK (NO ANSWER) .....	1319	0.15
99 = LEGITIMATE SKIP.....	887493	99.39

During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?

AUNMMEN2<sup>1</sup>

Len : 3 # VISITS TO OUTPATIENT MH CNTR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	10223	1.14
31 = 31 or more.....	811	0.09
985 = BAD DATA Logically assigned .....	43	0.00
994 = DON'T KNOW .....	339	0.04
997 = REFUSED .....	1107	0.12
998 = BLANK (NO ANSWER).....	1281	0.14
999 = LEGITIMATE SKIP.....	879168	98.45

ADULT MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?

AUNMTHE2<sup>1</sup>      Len : 3   # VISITS TO PRIV THERAPIST'S OFC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	22633	2.53
31 = 31 or more.....	2076	0.23
985 = BAD DATA Logically assigned .....	7	0.00
994 = DON'T KNOW .....	475	0.05
997 = REFUSED .....	1110	0.12
998 = BLANK (NO ANSWER).....	1315	0.15
999 = LEGITIMATE SKIP.....	865356	96.91

During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?

AUNMDOC2<sup>1</sup>      Len : 3   # VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	7764	0.87
31 = 31 or more.....	84	0.01
985 = BAD DATA Logically assigned .....	6	0.00
994 = DON'T KNOW .....	132	0.01
997 = REFUSED .....	1080	0.12
998 = BLANK (NO ANSWER).....	1316	0.15
999 = LEGITIMATE SKIP.....	882590	98.84

During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?

AUNMCLN2<sup>1</sup>      Len : 3   # VISITS TO OUTPAT MED CLINIC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	3047	0.34
31 = 31 or more.....	113	0.01
985 = BAD DATA Logically assigned .....	7	0.00
994 = DON'T KNOW .....	90	0.01
997 = REFUSED .....	1084	0.12
998 = BLANK (NO ANSWER).....	1320	0.15
999 = LEGITIMATE SKIP.....	887311	99.37

During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?

AUNMDTM2<sup>1</sup>      Len : 3   # VISITS TO DAY TREATMENT PGM PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	802	0.09
31 = 31 or more.....	111	0.01
985 = BAD DATA Logically assigned .....	6	0.00
994 = DON'T KNOW .....	49	0.01
997 = REFUSED .....	1067	0.12
998 = BLANK (NO ANSWER).....	1316	0.15
999 = LEGITIMATE SKIP.....	889621	99.62

During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?

AUNMOTO2<sup>1</sup>      Len : 3   # VISIT OTPT SOME OTHER FACILITY PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	2735	0.31
31 = 31 or more.....	124	0.01
994 = DON'T KNOW .....	177	0.02
997 = REFUSED .....	1127	0.13
998 = BLANK (NO ANSWER).....	1316	0.15
999 = LEGITIMATE SKIP.....	887493	99.39

ADULT MENTAL HEALTH SERVICE UTILIZATION

Who paid or will pay for the outpatient mental health care you received during the past 12 months?

<b>AUPOPSLF<sup>1</sup></b>	Len : 2 OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	16488	1.85
	6 = Response not entered .....	28892	3.24
	85 = BAD DATA Logically assigned .....	36	0.00
	94 = DON'T KNOW .....	428	0.05
	97 = REFUSED .....	1119	0.13
	98 = BLANK (NO ANSWER) .....	1130	0.13
	99 = LEGITIMATE SKIP .....	844879	94.61
<b>AUPOPOFM<sup>1</sup></b>	Len : 2 OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1803	0.20
	6 = Response not entered .....	43577	4.88
	94 = DON'T KNOW .....	428	0.05
	97 = REFUSED .....	1119	0.13
	98 = BLANK (NO ANSWER) .....	1166	0.13
	99 = LEGITIMATE SKIP .....	844879	94.61
<b>AUPOPPIH<sup>1</sup></b>	Len : 2 OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	16595	1.86
	6 = Response not entered .....	28785	3.22
	94 = DON'T KNOW .....	428	0.05
	97 = REFUSED .....	1119	0.13
	98 = BLANK (NO ANSWER) .....	1166	0.13
	99 = LEGITIMATE SKIP .....	844879	94.61
<b>AUPOPMCR<sup>1</sup></b>	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICARE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	4676	0.52
	6 = Response not entered .....	40704	4.56
	94 = DON'T KNOW .....	428	0.05
	97 = REFUSED .....	1119	0.13
	98 = BLANK (NO ANSWER) .....	1166	0.13
	99 = LEGITIMATE SKIP .....	844879	94.61
<b>AUPOPMCD<sup>1</sup></b>	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICAID		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	5918	0.66
	6 = Response not entered .....	39462	4.42
	94 = DON'T KNOW .....	428	0.05
	97 = REFUSED .....	1119	0.13
	98 = BLANK (NO ANSWER) .....	1166	0.13
	99 = LEGITIMATE SKIP .....	844879	94.61
<b>AUPOPREH<sup>1</sup></b>	Len : 2 OUPAT MH CARE PYMNT: REHABILITATION PROG		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	202	0.02
	6 = Response not entered .....	45178	5.06
	94 = DON'T KNOW .....	428	0.05
	97 = REFUSED .....	1119	0.13
	98 = BLANK (NO ANSWER) .....	1166	0.13
	99 = LEGITIMATE SKIP .....	844879	94.61
<b>AUPOPEMP<sup>1</sup></b>	Len : 2 OUTPATIENT MH CARE PAYMENT: EMPLOYER		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	2984	0.33
	6 = Response not entered .....	42396	4.75
	94 = DON'T KNOW .....	428	0.05
	97 = REFUSED .....	1119	0.13
	98 = BLANK (NO ANSWER) .....	1166	0.13
	99 = LEGITIMATE SKIP .....	844879	94.61

ADULT MENTAL HEALTH SERVICE UTILIZATION

**AUPOPML<sup>1</sup>**      Len : 2    OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1685	0.19
6 = Response not entered .....	43695	4.89
94 = DON'T KNOW .....	428	0.05
97 = REFUSED .....	1119	0.13
98 = BLANK (NO ANSWER) .....	1166	0.13
99 = LEGITIMATE SKIP .....	844879	94.61

**AUPOPUB<sup>1</sup>**      Len : 2    OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1522	0.17
6 = Response not entered .....	43858	4.91
94 = DON'T KNOW .....	428	0.05
97 = REFUSED .....	1119	0.13
98 = BLANK (NO ANSWER) .....	1166	0.13
99 = LEGITIMATE SKIP .....	844879	94.61

**AUOPPRV<sup>1</sup>**      Len : 2    OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	674	0.08
6 = Response not entered .....	44706	5.01
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	428	0.05
97 = REFUSED .....	1119	0.13
98 = BLANK (NO ANSWER) .....	1165	0.13
99 = LEGITIMATE SKIP .....	844879	94.61

**AUOPFRE<sup>1</sup>**      Len : 2    OUTPATIENT MENTAL HEALTH CARE WAS FREE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	3887	0.44
6 = Response not entered .....	41493	4.65
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	428	0.05
97 = REFUSED .....	1119	0.13
98 = BLANK (NO ANSWER) .....	1164	0.13
99 = LEGITIMATE SKIP .....	844879	94.61

Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?

**AUPOPPOS<sup>1</sup>**      Len : 2    PAYMENT FOR MOST OF OUTPATIENT MH CARE

	<b>Freq</b>	<b>Pct</b>
1 = Self or a family member living with you .....	2127	0.24
2 = A family member who does not live with you .....	246	0.03
3 = Private health insurance .....	4727	0.53
4 = Medicare .....	1263	0.14
5 = Medicaid .....	574	0.06
6 = Rehabilitation program .....	21	0.00
7 = Employer .....	471	0.05
8 = VA or other military program .....	121	0.01
9 = Other public source .....	158	0.02
10 = Other private source .....	73	0.01
11 = No one paid because the treatment was free .....	145	0.02
97 = REFUSED .....	1119	0.13
98 = BLANK (NO ANSWER) .....	1614	0.18
99 = LEGITIMATE SKIP .....	880313	98.58

ADULT MENTAL HEALTH SERVICE UTILIZATION

How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

**AUPOPAMT<sup>1</sup>**      Len : 2    AMT YOU/FAMILY PAID FOR OUPAT MH CARE

	<b>Freq</b>	<b>Pct</b>
1 = Less than \$100 .....	5001	0.56
2 = \$100 to \$200 .....	3398	0.38
3 = \$201 to \$500 .....	3387	0.38
4 = \$501 to \$900 .....	1946	0.22
5 = \$901 to \$1,500 .....	1135	0.13
6 = \$1,501 to \$2,000 .....	695	0.08
7 = \$2,001 to \$5,000 .....	801	0.09
8 = More than \$5,000 .....	387	0.04
85 = BAD DATA Logically assigned .....	36	0.00
94 = DON'T KNOW .....	947	0.11
97 = REFUSED .....	1183	0.13
98 = BLANK (NO ANSWER) .....	1599	0.18
99 = LEGITIMATE SKIP .....	872457	97.70

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?

**AURXYR<sup>1</sup>**      Len : 2    TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	69578	7.79
2 = No .....	549972	61.59
3 = Yes Logically assigned .....	12	0.00
85 = BAD DATA Logically assigned .....	58	0.01
89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
94 = DON'T KNOW .....	608	0.07
97 = REFUSED .....	755	0.08
98 = BLANK (NO ANSWER) .....	143	0.02
99 = LEGITIMATE SKIP .....	271836	30.44

During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?

**AUNMTRY<sup>1</sup>**      Len : 2    NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	42463	4.76
2 = No .....	576591	64.57
85 = BAD DATA Logically assigned .....	58	0.01
89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
94 = DON'T KNOW .....	913	0.10
97 = REFUSED .....	958	0.11
98 = BLANK (NO ANSWER) .....	143	0.02
99 = LEGITIMATE SKIP .....	271836	30.44

Which of these statements explains why you did not get the mental health treatment or counseling you needed?

**AUNNCOST<sup>1</sup>**      Len : 2    NO MH TMT COULDN'T AFFORD COST

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	17850	2.00
3 = Response entered LOGICALLY ASSIGNED .....	61	0.01
6 = Response not entered .....	24169	2.71
85 = BAD DATA Logically assigned .....	37	0.00
94 = DON'T KNOW .....	197	0.02
97 = REFUSED .....	1129	0.13
98 = BLANK (NO ANSWER) .....	1092	0.12
99 = LEGITIMATE SKIP .....	848437	95.01

ADULT MENTAL HEALTH SERVICE UTILIZATION

<b>AUUNNBR<sup>1</sup></b>	Len : 2 NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	4766	0.53
	3 = Response entered LOGICALLY ASSIGNED .....	19	0.00
	6 = Response not entered .....	37295	4.18
	94 = DON'T KNOW .....	197	0.02
	97 = REFUSED .....	1129	0.13
	98 = BLANK (NO ANSWER) .....	1129	0.13
	99 = LEGITIMATE SKIP .....	848437	95.01
<b>AUUNJOB<sup>1</sup></b>	Len : 2 NO MH TMT CONCERN ABOUT EFFECT ON JOB		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	3186	0.36
	3 = Response entered LOGICALLY ASSIGNED .....	29	0.00
	6 = Response not entered .....	38865	4.35
	94 = DON'T KNOW .....	197	0.02
	97 = REFUSED .....	1129	0.13
	98 = BLANK (NO ANSWER) .....	1129	0.13
	99 = LEGITIMATE SKIP .....	848437	95.01
<b>AUUNNCOV<sup>1</sup></b>	Len : 2 NO MH TMT HEALTH INSUR DIDN'T COVER		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	2635	0.30
	3 = Response entered LOGICALLY ASSIGNED .....	30	0.00
	6 = Response not entered .....	39415	4.41
	94 = DON'T KNOW .....	197	0.02
	97 = REFUSED .....	1129	0.13
	98 = BLANK (NO ANSWER) .....	1129	0.13
	99 = LEGITIMATE SKIP .....	848437	95.01
<b>AUUNENUF<sup>1</sup></b>	Len : 2 NO MH TMT NOT ENUF HEALTH INSUR COVERAGE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	4181	0.47
	3 = Response entered LOGICALLY ASSIGNED .....	13	0.00
	6 = Response not entered .....	37886	4.24
	94 = DON'T KNOW .....	197	0.02
	97 = REFUSED .....	1129	0.13
	98 = BLANK (NO ANSWER) .....	1129	0.13
	99 = LEGITIMATE SKIP .....	848437	95.01
<b>AUUNWHER<sup>1</sup></b>	Len : 2 NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	8220	0.92
	3 = Response entered LOGICALLY ASSIGNED .....	86	0.01
	6 = Response not entered .....	33774	3.78
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	197	0.02
	97 = REFUSED .....	1129	0.13
	98 = BLANK (NO ANSWER) .....	1128	0.13
	99 = LEGITIMATE SKIP .....	848437	95.01
<b>AUUNCFID<sup>1</sup></b>	Len : 2 NO MH TMT CONCERN ABOUT CONFIDENTIALITY		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	4116	0.46
	3 = Response entered LOGICALLY ASSIGNED .....	27	0.00
	6 = Response not entered .....	37937	4.25
	94 = DON'T KNOW .....	197	0.02
	97 = REFUSED .....	1129	0.13
	98 = BLANK (NO ANSWER) .....	1129	0.13
	99 = LEGITIMATE SKIP .....	848437	95.01

ADULT MENTAL HEALTH SERVICE UTILIZATION

<b>AUUNCMIT<sup>1</sup></b>	<b>Len : 2 NO MH TMT MIGHT BE COMMITTED/TAKE MEDS</b>		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	4959	0.56
	3 = Response entered LOGICALLY ASSIGNED .....	124	0.01
	6 = Response not entered .....	36997	4.14
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	197	0.02
	97 = REFUSED .....	1129	0.13
	98 = BLANK (NO ANSWER) .....	1128	0.13
	99 = LEGITIMATE SKIP .....	848437	95.01

Which of these statements explain why you did not get the mental health treatment or counseling you needed?

<b>AUUNNOND<sup>1</sup></b>	<b>Len : 2 NO MH TMT DONT THINK NEEDED AT THAT TIME</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Response entered .....	3873	0.43
	3 = Response entered LOGICALLY ASSIGNED .....	190	0.02
	6 = Response not entered .....	35345	3.96
	94 = DON'T KNOW .....	200	0.02
	97 = REFUSED .....	1097	0.12
	98 = BLANK (NO ANSWER) .....	1063	0.12
	99 = LEGITIMATE SKIP .....	797125	89.27

<b>AUUNHNDL<sup>1</sup></b>	<b>Len : 2 NO MH TMT THOUGHT COULD HANDLE WITHOUT TMT</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Response entered .....	10955	1.23
	3 = Response entered LOGICALLY ASSIGNED .....	70	0.01
	6 = Response not entered .....	28383	3.18
	94 = DON'T KNOW .....	200	0.02
	97 = REFUSED .....	1097	0.12
	98 = BLANK (NO ANSWER) .....	1063	0.12
	99 = LEGITIMATE SKIP .....	797125	89.27

<b>AUUNNHLP<sup>1</sup></b>	<b>Len : 2 NO MH TMT DIDN'T THINK TMT WOULD HELP</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Response entered .....	4267	0.48
	3 = Response entered LOGICALLY ASSIGNED .....	87	0.01
	6 = Response not entered .....	35054	3.93
	94 = DON'T KNOW .....	200	0.02
	97 = REFUSED .....	1097	0.12
	98 = BLANK (NO ANSWER) .....	1063	0.12
	99 = LEGITIMATE SKIP .....	797125	89.27

<b>AUUNBUSY<sup>1</sup></b>	<b>Len : 2 NO MH TMT DIDN'T HAVE TIME</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Response entered .....	6548	0.73
	3 = Response entered LOGICALLY ASSIGNED .....	125	0.01
	6 = Response not entered .....	32735	3.67
	94 = DON'T KNOW .....	200	0.02
	97 = REFUSED .....	1097	0.12
	98 = BLANK (NO ANSWER) .....	1063	0.12
	99 = LEGITIMATE SKIP .....	797125	89.27

<b>AUUNFOUT<sup>1</sup></b>	<b>Len : 2 NO MH TMT DIDN'T WANT OTHERS TO FIND OUT</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54079	6.06
	1 = Response entered .....	3230	0.36
	3 = Response entered LOGICALLY ASSIGNED .....	118	0.01
	6 = Response not entered .....	36060	4.04
	94 = DON'T KNOW .....	200	0.02
	97 = REFUSED .....	1097	0.12
	98 = BLANK (NO ANSWER) .....	1063	0.12
	99 = LEGITIMATE SKIP .....	797125	89.27



ADULT MENTAL HEALTH SERVICE UTILIZATION

AUUNNTSP<sup>1</sup>

Len : 2 NO MH TMT HAD NO TRANSPORTATION OR TMT TOO FAR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	54079	6.06
1 = Response entered.....	1711	0.19
3 = Response entered LOGICALLY ASSIGNED.....	40	0.00
6 = Response not entered.....	37657	4.22
94 = DON'T KNOW.....	200	0.02
97 = REFUSED.....	1097	0.12
98 = BLANK (NO ANSWER).....	1063	0.12
99 = LEGITIMATE SKIP.....	797125	89.27

AUUNSOR<sup>1</sup>

Len : 2 NO MH TMT FOR SOME OTHER REASON

	<b>Freq</b>	<b>Pct</b>
1 = Response entered.....	7137	0.80
6 = Response not entered.....	34958	3.91
94 = DON'T KNOW.....	197	0.02
97 = REFUSED.....	1129	0.13
98 = BLANK (NO ANSWER).....	1114	0.12
99 = LEGITIMATE SKIP.....	848437	95.01

AUUNRIM2<sup>1</sup>

Len : 2 MOST IMPORTNT OTH REAS DIDNT GET MH TMT PST 12 MO

	<b>Freq</b>	<b>Pct</b>
1 = You couldn't afford the cost.....	374	0.04
2 = Concerned neighbors/community have neg opinion.....	29	0.00
3 = Concerned might have a neg effect on your job.....	51	0.01
4 = Your health ins doesnt cover any mental hlth tmt.....	31	0.00
5 = Your health ins doesnt pay enuf for ment hlth tmt.....	29	0.00
6 = You did not know where to go to get services.....	143	0.02
7 = Concerned info might not be kept confidential.....	43	0.00
8 = Concerned might be committed/take medicine.....	172	0.02
9 = You didn't think you needed treatment at the time.....	464	0.05
10 = You thought could handle problem w/o treatment.....	310	0.03
11 = You didn't think treatment would help.....	194	0.02
12 = Didn't have time (b/c of job, childcare, other).....	427	0.05
13 = Didn't want others to find out you needed treatmnt.....	319	0.04
14 = No transportation/too far away/hrs inconvenient.....	104	0.01
15 = Some other reason or reasons.....	126	0.01
16 = Afraid too painful/unpleasant/afraid of diagnosis.....	115	0.01
17 = Others dissuaded/didn't want you to/unsupportive.....	254	0.03
18 = You do not have any health insurance coverage.....	413	0.05
19 = Ashamed, embarrassed, afraid, or sign of weakness.....	384	0.04
20 = You were too stubborn/prideful to go.....	34	0.00
21 = You did not want to; reason unspecified.....	190	0.02
22 = Unmotivated/depressed/confused/angry/unworthy.....	325	0.04
23 = Services unavailable in your area/services limited.....	127	0.01
24 = Didn't want to talk about your problems w/anyone.....	116	0.01
25 = Didn't like how treated/don't like Dr(s)/hospitals.....	239	0.03
26 = Attempted to get trmt,unsuccessful in finding help.....	219	0.02
27 = Concerned how the court system would treat you.....	99	0.01
28 = No program/counselor competent/comfortable with.....	181	0.02
29 = Just never went/made appointment/arrangements.....	65	0.01
30 = Work on your problems with family/friends.....	60	0.01
31 = Work on problems through religion/spirituality.....	47	0.01
32 = Too much red tape/hassle to get services.....	84	0.01
33 = There were no openings/long waiting list/delays.....	303	0.03
34 = You had other problems/issues to deal with.....	159	0.02
35 = Other(s) need treatment/counseling; wouldn't go.....	30	0.00
36 = Concerned it would affect future insurability.....	4	0.00
37 = You were using alcohol/drugs.....	13	0.00
38 = Too afraid to leave the house.....	9	0.00
40 = Unready to seek help/deal w/issues;othrwise unspfd.....	30	0.00
41 = Preferrd providr wont/may not accept hlth ins plan.....	12	0.00
42 = Health ins wont accept preferred provider/tmt.....	26	0.00
44 = Services desired unavailable/currently ineligible.....	9	0.00
70 = You did/had appt for mental health trmt/counseling.....	39	0.00
71 = Mental hlth condition reportd; depression unspcfd.....	24	0.00
85 = BAD DATA Logically assigned.....	232	0.03
94 = DON'T KNOW.....	191	0.02
97 = REFUSED.....	1389	0.16
98 = BLANK (NO ANSWER).....	1339	0.15
99 = LEGITIMATE SKIP.....	883395	98.93

ADULT MENTAL HEALTH SERVICE UTILIZATION

Earlier, we asked whether you have received prescription medicines, inpatient treatment or outpatient treatment for your emotions, nerves or mental health. The list below contains possible sources of treatment, counseling or support that were not mentioned before.

- Acupuncturist or acupressurist
- Chiropractor
- Herbalist
- In-person support group or self-help group
- Internet support group or chat room
- Spiritual or religious advisor, such as a pastor, priest, rabbi
- Telephone hotline
- Massage therapist

Did you receive treatment, counseling or support from any other sources such as these during the past 12 months?

**AUALTYR<sup>1</sup>** Len : 2 RCVD ALTERNATIVE MENT HLTH TRMT PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	51155	5.73
2 = No .....	494445	55.37
3 = Yes LOGICALLY ASSIGNED (from AUOPYRS2) .....	68	0.01
85 = BAD DATA Logically assigned .....	49	0.01
89 = LEGITIMATE SKIP Logically assigned .....	9	0.00
94 = DON'T KNOW .....	859	0.10
97 = REFUSED .....	1026	0.11
98 = BLANK (NO ANSWER) .....	128	0.01
99 = LEGITIMATE SKIP.....	235924	26.42

From what source did you receive other treatment, counseling or support for problems with your emotions, nerves or mental health in the past 12 months?

**AUALACUP<sup>1</sup>** Len : 2 RCVD ALT MH TMT FROM ACUPUNCTURIST PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	4341	0.49
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	46431	5.20
85 = BAD DATA Logically assigned .....	37	0.00
94 = DON'T KNOW .....	225	0.03
97 = REFUSED .....	1183	0.13
98 = BLANK (NO ANSWER) .....	1067	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

**AUALCHIR<sup>1</sup>** Len : 2 RCVD ALT MH TMT FROM CHIROPRACTOR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	20283	2.27
3 = Response entered LOGICALLY ASSIGNED .....	6	0.00
5 = Response entered LOG ASSN (from AUOPYRS2).....	1	0.00
6 = Response not entered .....	30484	3.41
94 = DON'T KNOW .....	225	0.03
97 = REFUSED .....	1183	0.13
98 = BLANK (NO ANSWER) .....	1103	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

**AUALHERB<sup>1</sup>** Len : 2 RCVD ALT MH TMT FROM HERBALIST PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	2496	0.28
6 = Response not entered .....	48277	5.41
94 = DON'T KNOW .....	225	0.03
97 = REFUSED .....	1183	0.13
98 = BLANK (NO ANSWER) .....	1104	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

ADULT MENTAL HEALTH SERVICE UTILIZATION

AUALSGRP<sup>1</sup>

Len : 2 RCVD ALT MH TMT FR IN-PERS SUPPORT GRP PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Response entered.....	6004	0.67
3 = Response entered LOGICALLY ASSIGNED.....	54	0.01
5 = Response entered LOG ASSN (from AUOPYRS2).....	12	0.00
6 = Response not entered.....	44712	5.01
94 = DON'T KNOW.....	225	0.03
97 = REFUSED.....	1183	0.13
98 = BLANK (NO ANSWER).....	1095	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

AUALINET<sup>1</sup>

Len : 2 RCVD ALT MH TMT FROM INTERNET GROUP PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Response entered.....	2466	0.28
3 = Response entered LOGICALLY ASSIGNED.....	10	0.00
5 = Response entered LOG ASSN (from AUALOTS2).....	2	0.00
6 = Response not entered.....	48297	5.41
94 = DON'T KNOW.....	225	0.03
97 = REFUSED.....	1183	0.13
98 = BLANK (NO ANSWER).....	1102	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

AUALRELG<sup>1</sup>

Len : 2 RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Response entered.....	13194	1.48
3 = Response entered LOGICALLY ASSIGNED.....	46	0.01
5 = Response entered LOG ASSN (from AUOPYRS2).....	61	0.01
6 = Response not entered.....	37521	4.20
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	225	0.03
97 = REFUSED.....	1183	0.13
98 = BLANK (NO ANSWER).....	1054	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

AUALHLIN<sup>1</sup>

Len : 2 RCVD ALT MH TMT FROM PHONE HOTLINE PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Response entered.....	1160	0.13
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
5 = Response entered LOG ASSN (from AUOPYRS2).....	8	0.00
6 = Response not entered.....	49610	5.56
94 = DON'T KNOW.....	225	0.03
97 = REFUSED.....	1183	0.13
98 = BLANK (NO ANSWER).....	1097	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

AUALMASG<sup>1</sup>

Len : 2 RCVD ALT MH TMT FROM MASSAGE THERAPIST PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Response entered.....	17922	2.01
3 = Response entered LOGICALLY ASSIGNED.....	8	0.00
6 = Response not entered.....	32843	3.68
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	225	0.03
97 = REFUSED.....	1183	0.13
98 = BLANK (NO ANSWER).....	1103	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

ADULT MENTAL HEALTH SERVICE UTILIZATION

AUALOTH<sup>1</sup>

Len : 2 RCVD ALT MH TMT FROM OTHER SOURCE PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
1 = Response entered.....	3946	0.44
6 = Response not entered.....	46827	5.24
94 = DON'T KNOW.....	225	0.03
97 = REFUSED.....	1183	0.13
98 = BLANK (NO ANSWER).....	1104	0.12
99 = LEGITIMATE SKIP.....	730378	81.79

AUALOTS2<sup>1</sup>

Len : 3 OTH SOURCE OF ALTERN MH TMT PST 12 MOS - SPECIFY

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
1 = Acupuncturist or acupressurist.....	2	0.00
2 = Chiropractor.....	8	0.00
4 = In-person support group/self-help group.....	76	0.01
5 = Internet support group or chat room.....	15	0.00
6 = Spiritual or religious advisor.....	62	0.01
7 = Telephone hotline.....	3	0.00
8 = Massage therapist.....	12	0.00
9 = Other.....	327	0.04
15 = An outpatient mental health clinic or center.....	3	0.00
17 = A doctor's office that was not part of a clinic.....	1	0.00
18 = An outpatient medical clinic.....	2	0.00
20 = Home/family/friends.....	713	0.08
21 = Doctor/primary care doctor/medical; locale unspc.....	392	0.04
22 = Therapist/psychologist/counselor; locale unspcfd.....	584	0.07
23 = School/university counselor.....	45	0.01
24 = Military/VA/Veterans counselor or program/hospital.....	33	0.00
25 = Medical specialist(inc psychiatrist);locale unspfd.....	178	0.02
26 = Health professional, not a Dr.; locale unspecified.....	155	0.02
28 = Mentor/sponsor/buddy/peer/mentoring program.....	12	0.00
29 = Yoga, Tai Chi, Eastern exercise, Pilates.....	54	0.01
31 = Medication/taking medication.....	72	0.01
32 = God/Jesus/Higher Power/Universe/Nature.....	9	0.00
33 = Personal action/self-care/self-help (not meds/grp).....	108	0.01
36 = Homeopath/Naturopath.....	73	0.01
38 = Family/marriage counseling; type/locale unspc.....	23	0.00
39 = Energy/biofield therapist (e.g., Reiki).....	102	0.01
40 = Manipulation/irrigation (not chiropractic/massage).....	50	0.01
41 = Relig influence other than indiv or higher power.....	60	0.01
42 = Therapy, type unspecified.....	37	0.00
43 = Work/EAP/employer/co-worker.....	3	0.00
44 = Mind/Body Therapy (e.g., biofeedback).....	84	0.01
45 = Nutrition/Dietary Supplements/Vitamins.....	3	0.00
48 = Hospital; type or patient status unspcfd.....	6	0.00
50 = Mental Health; location and provider type unspcfd.....	14	0.00
52 = Victim's assist (incl dom viol sheltr/rape crisis).....	3	0.00
54 = Hospice/grief counseling.....	4	0.00
58 = Life/personal coach.....	13	0.00
60 = Native American healer/treatment.....	3	0.00
62 = Telephone counseling; hotline/crisis unspecified.....	3	0.00
67 = Aromatherapy/essential oils/flower essences.....	10	0.00
68 = Group counseling, self-help not specified.....	3	0.00
70 = Name of facility/program or description given.....	138	0.02
71 = Reason for seeking help given.....	68	0.01
85 = BAD DATA Logically assigned.....	187	0.02
94 = DON'T KNOW.....	81	0.01
97 = REFUSED.....	1124	0.13
98 = BLANK (NO ANSWER).....	1205	0.13
99 = LEGITIMATE SKIP.....	721566	80.80
985 = BAD DATA Logically assigned.....	22	0.00
994 = DON'T KNOW.....	10	0.00
997 = REFUSED.....	137	0.02
998 = BLANK (NO ANSWER).....	126	0.01
999 = LEGITIMATE SKIP.....	55639	6.23

ADULT MENTAL HEALTH SERVICE UTILIZATION

Please think about the mental health treatment or counseling you received during the past 12 months. Which of these statements best describes how you were prompted to get treatment?

AUMOTVYR<sup>1</sup>

Len : 2 HOW PROMPTED TO GET MH TREATMENT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = I decided on my own to get treatment.....	84605	9.47
2 = I got trmt bc someone else thought I should.....	12957	1.45
3 = I was ordered to get treatment.....	5440	0.61
85 = BAD DATA Logically assigned .....	40	0.00
94 = DON'T KNOW .....	2901	0.32
97 = REFUSED .....	2324	0.26
98 = BLANK (NO ANSWER) .....	2037	0.23
99 = LEGITIMATE SKIP.....	673359	75.41

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

**RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION**

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Service Utilization and Recoded Drug Treatment.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

**AMHINP2**      Len : 1    RC-RCVD INPATIENT MENTAL HEALTH TRT IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 12-17/Log Assign Yes (Otherwise) .....	273092	30.58
1 = Yes (AUINPYR=1) .....	6509	0.73
2 = No (AUINPYR=2).....	613371	68.69

The following variable for received outpatient mental health treatment/counseling in the past year, AMHOUTP3, has the logically assigned yes level, AUOPTYR=3, defined as a system missing. This differs from how this variable was defined originally on the 2010 to 2016 NSDUHs which had the logically assigned yes level, AUOPTYR=3, defined as a positive response as long as the respondent did not indicate an alternative source or invalid outpatient location as their only outpatient treatment location. The revised version of this variable was used starting with the 2017 Detailed Tables and the revision was retroactively applied to the 2010 to 2016 variables; therefore, the 2010 to 2016 estimates for the receiving outpatient mental health treatment/counseling in the 2017 Detailed Tables may differ from previously published estimates. The revised version of this variable is not included on currently available data files prior to the 2017 NSDUH but will be included on future releases of the 2010 to 2016 data files. In future releases of the 2010 to 2016 data files, the original version of the variable used in the 2016 Detailed Tables will be renamed as AMHOUTP3\_O to allow previously published estimates to be reproduced. The original version of this variable is not included on the 2017 or later data files.

AMHOUTP3 is defined as system missing if a respondent reported receiving outpatient mental health treatment/counseling in the past year at only "Some Other Place" (AUOPTYR=1 and only AUOPOTOP=1, 3) and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73). In addition to the responses described above, respondents aged 12-17 and those coded as logically assigned yes, bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=3, 85, 89, 94, 97, 98, 99) were also defined as system missing. A respondent was assigned a positive response if they indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1) and they did not indicate an alternative source or invalid outpatient location (AUOPYRS2 not =7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73) as their only location for outpatient treatment.

**AMHOUTP3**      Len : 1    RC-RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 12-17 (See comment above) .....	274444	30.73
1 = Yes (See comment above) .....	45495	5.09
2 = No (AUOPTYR=2).....	573033	64.17

**AMHRX2**      Len : 1    RC-RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 12-17/Log Assign Yes (Otherwise) .....	273422	30.62
1 = Yes (AURXYR=1) .....	69578	7.79
2 = No (AURXYR=2).....	549972	61.59

**AMHTXRC3**      Len : 1    RC-RCVD ANY MENTAL HEALTH TRT IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 12-17 (Otherwise).....	274429	30.73
1 = Yes (AMHINP2=1 OR AMHOUTP3=1 OR AMHRX2=1) .....	85942	9.62
2 = No (AMHINP2=2 AND AMHOUTP3=2 AND AMHRX2=2).....	532601	59.64

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

The following variable, AMHSVTYP, classifies what type of mental health treatment/counseling was received in the past year. Respondents who reported receiving treatment for mental health were classified in one of seven mutually exclusive categories. A respondent was assigned to level one if they reported receiving inpatient treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=2), to level two if they reported receiving outpatient treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=2), to level three if they reported receiving prescription medication treatment only (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=1), to level four if they reported receiving both inpatient and outpatient treatment only (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=2), to level five if they reported receiving inpatient and prescription medication treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=1), to level six if they reported receiving outpatient and prescription medication treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=1), or to level seven if they reported receiving inpatient, outpatient, and prescription medication treatment (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=1). Respondents who did not receive mental health treatment in the past year were assigned to level eight (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=2). Respondents whose specific treatment was not distinguishable due to missing values in one or more of the three source variables (AMHINP2, AMHOUTP3, or AMHRX2) were assigned a system missing.

AMHSVTYP      Len : 1    RC-TYPE OF MENTAL HEALTH TRT RCVD IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	201500	22.57
-9 = Data not collected for this year.....	220816	24.73
1 = Inpatient Only (See comment above).....	1142	0.13
2 = Outpatient Only (See comment above).....	10487	1.17
3 = Presc Medication Only (See comment above).....	29923	3.35
4 = Inpatient and Outpatient Only (See comment above).....	446	0.05
5 = Inpatient and Presc Med Only (See comment above).....	789	0.09
6 = Outpatient and Presc Med Only (See comment above).....	20947	2.35
7 = Inp & Outp & Presc Medication (See comment above).....	2465	0.28
8 = Did Not Receive MH Treatment (See comment above).....	404457	45.29

The following variable, AMHSVNO, classifies the total number of types of mental health treatment/counseling services that a respondent received in the past year. The three possible types of treatment/counseling services are inpatient, outpatient, and prescription medication.

AMHSVNO      Len : 1    RC-NUM OF TYPES OF MNT HLTH TRT SRVCS RCVD IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	74328	8.32
-9 = Data not collected for this year.....	612222	68.56
1 = Rcvd One Type of Treatment (AMHSVTYP=1,2,3).....	19545	2.19
2 = Rcvd Two Types of Treatment (AMHSVTYP=4,5,6).....	10205	1.14
3 = Rcvd All Three Types of Treatment (AMHSVTYP=7).....	1157	0.13
4 = Did Not Receive MH Treatment (AMHSVTYP=8).....	175515	19.66

The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "unmet need."

AMHTXND2      Len : 1    RC-PERCEIVED UNMET NEED/DID NOT RCV MH TRT IN PST YR

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	273918	30.67
1 = Yes (AUUNMTYR=1).....	42463	4.76
2 = No (AUUNMTYR=2).....	576591	64.57

AMHTXAND      Len : 1    RC-PERCEIVED UNMET NEED/RECEIPT OF MH TRT STATUS

	Freq	Pct
. = Unknown/Aged 12-17 (Otherwise).....	74392	8.33
-9 = Data not collected for this year.....	612222	68.56
1 = Perc Unmet Need/No MH TRT (AMHTXND2=1 and AMHTXRC3=2).....	6829	0.76
2 = No Perc Unmet Need/No MH TRT (AMHTXND2=2 and AMHTXRC3=2).....	168487	18.87
3 = Perc Unmet Need/Rcvd MH TRT (AMHTXND2=1 and AMHTXRC3=1).....	7136	0.80
4 = No Perc Nd/Rcvd MH TRT (AMHTXND2=2 and AMHTXRC3=1).....	23906	2.68

RECORDED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. These variables were revised for the 2009 NSDUH to include those respondents who reported receiving NO outpatient mental health treatment (AMHOUTP3=2) in the No category for the location. This differs from the variables named similarly in the past as they were only defined for those respondents who reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) and those respondents who reported No outpatient mental health treatment were previously defined as system missing.

Only respondents who reported having received outpatient mental health treatment/counseling (AMHOUTP3=1) can be defined as having received it at the location. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

**MHLMNT3**      Len : 1    RC-RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise) .....	147381	16.50
-9 = Data not collected for this year .....	386010	43.23
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPMENT=6]).....	352571	39.48
1 = Yes (AMHOUTP3=1 and AUOPMENT=1,3).....	7010	0.79

**MHLTHER3**      Len : 1    RC-RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise) .....	147379	16.50
-9 = Data not collected for this year .....	386010	43.23
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPTHER=6]).....	344549	38.58
1 = Yes (AMHOUTP3=1 and AUOPTHER=1,3).....	15034	1.68

**MHLDOC3**      Len : 1    RC-RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise) .....	147379	16.50
-9 = Data not collected for this year .....	386010	43.23
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDOC=6]).....	355353	39.79
1 = Yes (AMHOUTP3=1 and AUOPDOC=1,3).....	4230	0.47

**MHLCLNC3**      Len : 1    RC-RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise) .....	147380	16.50
-9 = Data not collected for this year .....	386010	43.23
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPCLNC=6]).....	357724	40.06
1 = Yes (AMHOUTP3=1 and AUOPCLNC=1,3).....	1858	0.21

**MHLDTMT3**      Len : 1    RC-RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise) .....	147379	16.50
-9 = Data not collected for this year .....	386010	43.23
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDTMT=6]).....	359004	40.20
1 = Yes (AMHOUTP3=1 and AUOPDTMT=1,3).....	579	0.06



RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following variables, MHLSCHL3 and MHLOTH3, were created by examination of the other-specify write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMNT3.

The following variable, MHLSCHL3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRS2=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRS2=99), at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRS2=1-6, 12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 44, 46, 47, 52, 53, 57, 58, 60-70), or if they did not receive outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLSCHL3      Len : 1    RC-RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR

	Freq	Pct
. = Otherwise (See comment above) .....	147623	16.53
-9 = Data not collected for this year .....	386010	43.23
0 = No (See comment above).....	358923	40.19
1 = Yes (See comment above) .....	416	0.05

The following variable, MHLOTH3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRS2=12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 44, 46, 47, 52, 53, 57, 58, 60-69). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRS2=99), indicated some other location to be one of the six specified locations defined above (AUOPYRS2=1-6, 9, 43), provided a name of a facility (AUOPYRS2=70) as the 'other' location, or if reported not receiving outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLOTH3      Len : 1    RC-RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR

	Freq	Pct
. = Otherwise (See comment above) .....	147623	16.53
-9 = Data not collected for this year .....	386010	43.23
0 = No (See comment above).....	358751	40.17
1 = Yes (See comment above) .....	588	0.07

NOTE: The following 11 variables contain information about the source of payment for outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked questions on the source of payment for treatment. A respondent was allowed to report any of 11 specific sources of payment.

MHPDSL2F      Len : 1    RC-SELF/HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
-9 = Data not collected for this year .....	54079	6.06
0 = No (AMHOUTP3=1 and AUPOPSLF=6) .....	26851	3.01
1 = Yes (AMHOUTP3=1 and AUPOPSLF=1) .....	15242	1.71

MHPDOFM2      Len : 1    RC-NON-HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
-9 = Data not collected for this year .....	54079	6.06
0 = No (AMHOUTP3=1 and AUPOPOFM=6).....	40414	4.53
1 = Yes (AMHOUTP3=1 and AUPOPOFM=1) .....	1679	0.19

MHPDPHI2      Len : 1    RC-PRIV HEALTH INSUR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
-9 = Data not collected for this year .....	54079	6.06
0 = No (AMHOUTP3=1 and AUPOPHI=6).....	26709	2.99
1 = Yes (AMHOUTP3=1 and AUPOPHI=1).....	15384	1.72

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

MHPDMCR2	Len : 1 RC-MEDICARE PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPMCR=6).....	37616	4.21
	1 = Yes (AMHOUTP3=1 and AUPOPMCR=1).....	4477	0.50
MHPDMCD2	Len : 1 RC-MEDICAID PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt /Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPMCD=6).....	36435	4.08
	1 = Yes (AMHOUTP3=1 and AUPOPMCD=1).....	5658	0.63
MHPDREH2	Len : 1 RC-REHAB PGM PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPREH=6).....	41906	4.69
	1 = Yes (AMHOUTP3=1 and AUPOPREH=1).....	187	0.02
MHPDEMP2	Len : 1 RC-EMPLOYER PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPEMP=6).....	39347	4.41
	1 = Yes (AMHOUTP3=1 and AUPOPEMP=1).....	2746	0.31
MHPDMIL2	Len : 1 RC-VA OR MILITARY PGM PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPMIL=6).....	40470	4.53
	1 = Yes (AMHOUTP3=1 and AUPOPMIL=1).....	1623	0.18
MHPDPUB2	Len : 1 RC-OTH PUBLIC SOURCE PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPPUB=6).....	40684	4.56
	1 = Yes (AMHOUTP3=1 and AUPOPPUB=1).....	1409	0.16
MHPDPRV2	Len : 1 RC-OTH PRIVATE SOURCE PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPPRV=6).....	41468	4.64
	1 = Yes (AMHOUTP3=1 and AUPOPPRV=1).....	625	0.07
MHPDFRE2	Len : 1 RC-FREE - NOBODY PAID FOR OUTP MH TRT IN PST YR		
	. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	796800	89.23
	-9 = Data not collected for this year.....	54079	6.06
	0 = No (AMHOUTP3=1 and AUPOPFRE=6).....	38733	4.34
	1 = Yes (AMHOUTP3=1 and AUPOPFRE=1).....	3360	0.38

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following 15 variables contain information about the reasons for not receiving mental health treatment/counseling that was needed in the past year. A respondent must have reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) in order to be asked the questions on the reason for not receiving treatment. A respondent was allowed to report any of eight specific reasons or "Some Other Reason." If a respondent reported "Some Other Reason," they were allowed to report any of six additional specific reasons or report "Some Other Reason" again. If a respondent reported "Some Other Reason" again, they were then asked to provide the most important other reason in a follow-up question. The first 14 variables below were created by examination of the variables containing information on the fourteen specific reasons; while the last variable was created by examination of the most important other-specify reasons.

<b>MHRCOST2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C COULD NOT AFFORD COST		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNCOST=6) .....	22559	2.53
	1 = Yes (AMHTXND2=1 and AUUNCOST=1,3) .....	16856	1.89
<b>MHRNBR2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEIGHBRS NEG OPIN		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNNBR=6) .....	34984	3.92
	1 = Yes (AMHTXND2=1 and AUUNNBR=1,3) .....	4431	0.50
<b>MHRJOBS2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR OF NEG AFFECT ON JOB		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNJOB=6) .....	36405	4.08
	1 = Yes (AMHTXND2=1 and AUUNJOB=1,3) .....	3010	0.34
<b>MHRNCOV2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT COVER AT ALL		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNNCOV=6) .....	36931	4.14
	1 = Yes (AMHTXND2=1 and AUUNNCOV=1,3) .....	2484	0.28
<b>MHRENUF2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C INSUR NOT PAY ENOUGH		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNENUF=6) .....	35490	3.97
	1 = Yes (AMHTXND2=1 and AUUNENUF=1,3) .....	3925	0.44
<b>MHRWHER2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C DID NOT KNOW WHERE TO GO		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNWHER=6) .....	31644	3.54
	1 = Yes (AMHTXND2=1 and AUUNWHER=1,3) .....	7771	0.87
<b>MHRCFID2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C CONFIDENTIALITY CONCERNS		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNCFID=6) .....	35591	3.99
	1 = Yes (AMHTXND2=1 and AUUNCFID=1,3) .....	3824	0.43
<b>MHRCMIT2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C FEAR BEING COMMITTED/MED		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799478	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNCMIT=6) .....	34621	3.88
	1 = Yes (AMHTXND2=1 and AUUNCMIT=1,3) .....	4794	0.54

RECODED ADULT MENTAL HEALTH SERVICE UTILIZATION

<b>MHRNOND2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THINK TRT NEEDED		
		<b>Freq</b>	<b>Pct</b>
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799485	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNNOND=6) .....	35345	3.96
	1 = Yes (AMHTXND2=1 and AUUNNOND=1,3) .....	4063	0.45

<b>MHRHAND2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C THGT COULD HANDLE PRB W/O		
		<b>Freq</b>	<b>Pct</b>
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799485	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNHNDL=6) .....	28383	3.18
	1 = Yes (AMHTXND2=1 and AUUNHNDL=1,3) .....	11025	1.23

<b>MHRNOHP2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T THINK TRT WOULD HELP		
		<b>Freq</b>	<b>Pct</b>
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799485	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNNHLP=6) .....	35054	3.93
	1 = Yes (AMHTXND2=1 and AUUNNHLP=1,3) .....	4354	0.49

<b>MHRTIME2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDN'T HAVE TIME		
		<b>Freq</b>	<b>Pct</b>
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799485	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNBUSY=6) .....	32735	3.67
	1 = Yes (AMHTXND2=1 and AUUNBUSY=1,3) .....	6673	0.75

<b>MHRFOUT2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C DIDNT WANT OTH TO FIND OUT		
		<b>Freq</b>	<b>Pct</b>
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799485	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNFOUT=6) .....	36060	4.04
	1 = Yes (AMHTXND2=1 and AUUNFOUT=1,3) .....	3348	0.37

<b>MHRTRAN2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C NO TRANS OR INCONVENIENT		
		<b>Freq</b>	<b>Pct</b>
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799485	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (AMHTXND2=1 and AUUNNTSP=6) .....	37657	4.22
	1 = Yes (AMHTXND2=1 and AUUNNTSP=1,3) .....	1751	0.20

The following variable, MHRSOH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and the reason for not receiving that treatment was other than the fourteen reasons listed above (AUUNSOR=1 and AUUNRIM2=15-69). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported one of the reasons listed in the fourteen variables above, respondent did/had appt for mental health treatment/counseling or did not report an other-specify reason for not receiving this treatment (AUUNSOR=1, 6 and AUUNRIM2=1-14, 70, 85, 94, 97, 98, 99).

<b>MHRSOH2</b>	Len : 1 RC-NO MH TRT IN PST YR B/C SOME OTHER REASON		
		<b>Freq</b>	<b>Pct</b>
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise) .....	799487	89.53
	-9 = Data not collected for this year .....	54079	6.06
	0 = No (See comment above) .....	36222	4.06
	1 = Yes (See comment above) .....	3184	0.36

RECORDED ADULT MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Adult Mental Health Service Utilization and Recoded Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Drug Treatment variable was defined can be found in the Recoded Drug Treatment section. Please note that these variables may be similar to previously defined variables but due to changes in the substance treatment variables, they have been renamed and are no longer comparable.

<b>RCVMHOSPTX</b>	Len : 1 RC-RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=0)) .....	42345	4.74
	-9 = Data not collected for this year .....	722653	80.93
	0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 & TXYRSPILAL=0).....	107727	12.06
	1 = MH or Sub Trt at Spc Fac (AMHTXRC3=1 or TXYRSPILAL=1) .....	20247	2.27

<b>RCVMHNSPTX</b>	Len : 1 RC-RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=0)) .....	42345	4.74
	-9 = Data not collected for this year .....	722653	80.93
	0 = No MH or Sub Trt at Spc Fac (AMHTXRC3=2 or TXYRSPILAL=1).....	109352	12.25
	1 = Mental Hlth Trt Only (AMHTXRC3=1 and TXYRSPILAL=0).....	18622	2.09

<b>RCVSPTXNMH</b>	Len : 1 RC-RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=1)) .....	41592	4.66
	-9 = Data not collected for this year .....	722653	80.93
	0 = No/Unk Sub Trt or MH Trt (AMHTXRC3=1 or TXYRSPILAL=0) .....	127950	14.33
	1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & TXYRSPILAL=1) .....	777	0.09

<b>RCVMHASPTX</b>	Len : 1 RC-RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Yth/Unkn (AGE2=1-6 or (AMHTXRC3=, & TXYRSPILAL=1)) .....	41592	4.66
	-9 = Data not collected for this year .....	722653	80.93
	0 = No MH or No/Unk Sub Trt (AMHTXRC3=2 or TXYRSPILAL=0) .....	127892	14.32
	1 = MH & Sub Trt at Sp Fac (AMHTXRC3=1 & TXYRSPILAL=1) .....	835	0.09

RECODED ADULT MENTAL HEALTH TREATMENT

**RECODED ADULT MENTAL HEALTH TREATMENT**

NOTE: The following four variables were created by using a combination of recoded adult mental health treatment and recoded substance treatment variables. Specifications on how the individual recoded adult mental health treatment variable was defined can be found above. Specifications on how the individual recoded substance treatment variable was defined can be found in the Recoded Substance Treatment section.

**MHOSPTR2** Len : 1 RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Youth/Unkn (AGE2<7   (AMHTXRC3=. & SPILLALC=0)).....	214194	23.99
-9 = Data not collected for this year.....	224398	25.13
0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 and SPILLALC=0).....	388920	43.55
1 = MH or Sub Trt at Spc Fac(AMHTXRC3=1 or SPILLALC=1).....	65460	7.33

**MHNSPTR2** Len : 1 RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Youth/Unkn (AGE2<7   (AMHTXRC3=. & SPILLALC=0)).....	214194	23.99
-9 = Data not collected for this year.....	224398	25.13
0 = Otherwise (AGE2>=7 & (AMHTXRC3=2   SPILLALC=1)).....	395547	44.30
1 = Mental Health Trt Only (AMHTXRC3=1 and SPILLALC=0).....	58833	6.59

**NMHSPTR2** Len : 1 RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Youth/Unkn (AGE2<7   (AMHTXRC3=. & SPILLALC=1)).....	212610	23.81
-9 = Data not collected for this year.....	224398	25.13
0 = Otherwise (AGE2>=7 & (AMHTXRC3=1   SPILLALC=0)).....	452335	50.66
1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & SPILLALC=1).....	3629	0.41

**MHASPTR2** Len : 1 RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Youth/Unkn (AGE2<7   (AMHTXRC3=. & SPILLALC=1)).....	212610	23.81
-9 = Data not collected for this year.....	224398	25.13
0 = Otherwise (AGE2>=7 & (AMHTXRC3=2 or SPILLALC=0)).....	453018	50.73
1 = MH and Sub Trt at Sp Fac (AMHTXRC3=1 & SPILLALC=1).....	2946	0.33

The following variable, MHRCCIN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, could not afford the cost (AUUNNCOST=1,3), health insurance did not cover the cost (AUUNNCOV=1,3), health insurance did not pay enough of the cost (AUUNENUF=1,3), or the other specify reason, did not have any health insurance coverage(AUUNRIMP=18), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

**MHRCCIN2** Len : 1 NO MH TRT IN PST YR B/C COULD NOT AFFORD/NO INS

	<b>Freq</b>	<b>Pct</b>
. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	158821	17.79
-9 = Data not collected for this year.....	726235	81.33
0 = No (See comment above).....	4152	0.46
1 = Yes (See comment above).....	3764	0.42

The following variable, MHRNNHN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, could handle problem without treatment (AUUNHNDL=1,3), did not feel treatment was needed at the time (AUUNNOND=1,3), or an other specify reason, work on their problems with family/friends (AUUNRIMP=30), or work on problems through religion/spirituality (AUUNRIMP=31) as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

**MHRNNHN2** Len : 1 NO MH TRT IN PST YR B/C FLT NO NEED/HANDLE PROB

	<b>Freq</b>	<b>Pct</b>
. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	158822	17.79
-9 = Data not collected for this year.....	726235	81.33
0 = No (See comment above).....	5226	0.59
1 = Yes (See comment above).....	2689	0.30

RECODED ADULT MENTAL HEALTH TREATMENT

The following variable, MHRSTIG2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported any of the specific reasons, concerns about the opinions of their neighbors (AUUNNBR=1,3), concerns about the effect it would have on their job (AUUNJOB=1,3), concerns about confidentiality (AUUNCFID=1,3), did not want others to find out (AUUNFOUT=1,3), or an other specify reason, ashamed, embarrassed, or afraid (AUUNRIMP=19), concerned how the court system would treat them (AUUNRIMP=27), or concerned how it would affect future insurability (AUUNRIMP=36) as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

**MHRSTIG2**      Len : 1    NO MH TRT IN PST YR B/C STIGMA ASSOC W/TRT

	<b>Freq</b>	<b>Pct</b>
. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	158821	17.79
-9 = Data not collected for this year.....	726235	81.33
0 = No (See comment above).....	5822	0.65
1 = Yes (See comment above).....	2094	0.23

The following variable, MHROTH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported the specific reason, no transportation/inconvenient (AUUNNTSP=1,3), or an other specify reason, services unavailable/limited in area (AUUNRIMP=23), attempted to get treatment but unsuccessful in finding help (AUUNRIMP=26), couldn't find program/counselor comfortable with (AUUNRIMP=28), too much red tape/hassle to get services (AUUNRIMP=32), or there were no openings/long waiting list/delays (AUUNRIMP=33), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.

**MHROTH2**      Len : 1    NO MH TRT IN PST YR B/C BARRIERS OTHER THAN COST

	<b>Freq</b>	<b>Pct</b>
. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise).....	158822	17.79
-9 = Data not collected for this year.....	726235	81.33
0 = No (See comment above).....	7472	0.84
1 = Yes (See comment above).....	443	0.05

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked the questions on the location where treatment was received. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

**MHLMNT2**      Len : 1    RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	316076	35.40
-9 = Data not collected for this year.....	561041	62.83
0 = No (AMHOUTP3=1 AND AUOPMENT=6).....	12057	1.35
1 = Yes (AMHOUTP3=1 AND AUOPMENT=1).....	3798	0.43

**MHLTHER2**      Len : 1    RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	316076	35.40
-9 = Data not collected for this year.....	561041	62.83
0 = No (AMHOUTP3=1 AND AUOPTHER=6).....	7203	0.81
1 = Yes (AMHOUTP3=1 AND AUOPTHER=1,3).....	8652	0.97

**MHLDOC2**      Len : 1    RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	316076	35.40
-9 = Data not collected for this year.....	561041	62.83
0 = No (AMHOUTP3=1 AND AUOPDOC=6).....	12712	1.42
1 = Yes (AMHOUTP3=1 AND AUOPDOC=1,3).....	3143	0.35

**MHLCLNC2**      Len : 1    RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	316080	35.40
-9 = Data not collected for this year.....	561041	62.83
0 = No (AMHOUTP3=1 AND AUOPCLNC=6).....	14634	1.64
1 = Yes (AMHOUTP3=1 AND AUOPCLNC=1,3).....	1217	0.14

RECODED ADULT MENTAL HEALTH TREATMENT

MHLDTMT2

Len : 1 RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR

	Freq	Pct
. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise) .....	316076	35.40
-9 = Data not collected for this year .....	561041	62.83
0 = No (AMHOUTP3=1 AND AUOPDTMT=6) .....	15535	1.74
1 = Yes (AMHOUTP3=1 AND AUOPDTMT=1) .....	320	0.04

NOTE: The following variables, MHLSCHL2 and MHLOTH2, were created by examination of the other specified write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMNT2.

The following variable, MHLSCHL2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRSP=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRSP=99), or at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRSP=1-4,12-16,18-20,23,24,28,29,43,44,47,58,70). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7,8,10,11,22,30,36,39,55,56,71,72), bad data, don't know, refused, or blank (AUOPYRSP=85,94,97,98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), aged 12-17 (AUOPYRSP=99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLSCHL2

Len : 1 RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR

	Freq	Pct
. = Otherwise (See comment above) .....	316237	35.41
-9 = Data not collected for this year .....	561041	62.83
0 = No (See comment above) .....	15475	1.73
1 = Yes (See comment above) .....	219	0.02

The following variable, MHLOTH2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRSP=12-16,18-20,23,24,28,29,44,47,58). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRSP=99), indicated some other location to be one of the six specified locations defined above (AUOPYRSP=1-4,9,43), or provided a name of a facility (AUOPYRSP=70) as the 'other' location. Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7,8,10,11,22,30,36,39,55,56,71,72), bad data, don't know, refused, or blank (AUOPYRSP=85,94,97,98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), aged 12-17 (AUOPYRSP=99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLOTH2

Len : 1 RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR

	Freq	Pct
. = Otherwise (See comment above) .....	316237	35.41
-9 = Data not collected for this year .....	561041	62.83
0 = No (See comment above) .....	15384	1.72
1 = Yes (See comment above) .....	310	0.03



SOCIAL ENVIRONMENT

**SOCIAL ENVIRONMENT**

*This note applies to variables in this section marked by a<sup>1</sup>.*

How many times have you moved in the past 5 years?

<b>SNMOV5Y2<sup>1</sup></b>	Len : 3 # TIMES MOVED IN PAST 5 YEARS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = None .....	192127	21.52
	1 = One time .....	108751	12.18
	2 = Two times .....	73883	8.27
	3 = Three times .....	54796	6.14
	4 = Four times .....	25723	2.88
	5 = Five times .....	14573	1.63
	6 = Six or more times .....	18859	2.11
	985 = BAD DATA Logically assigned .....	20	0.00
	989 = LEGITIMATE SKIP Logically assigned .....	8	0.00
	994 = DON'T KNOW .....	2366	0.26
	997 = REFUSED .....	1176	0.13
	998 = BLANK (NO ANSWER) .....	112	0.01
	999 = LEGITIMATE SKIP .....	230259	25.79

The next questions are about things you might or might not have done recently.

During the past 12 months, how many times have you sold illegal drugs?

<b>SNYSELL<sup>1</sup></b>	Len : 2 SOLD ILLEGAL DRUGS		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	600009	67.19
	2 = 1 or 2 times .....	8128	0.91
	3 = 3 to 5 times .....	3173	0.36
	4 = 6 to 9 times .....	1447	0.16
	5 = 10 or more times .....	6185	0.69
	85 = BAD DATA Logically assigned .....	54	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
	94 = DON'T KNOW .....	567	0.06
	97 = REFUSED .....	1404	0.16
	98 = BLANK (NO ANSWER) .....	159	0.02
	99 = LEGITIMATE SKIP .....	271836	30.44

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

<b>SNYSTOLE<sup>1</sup></b>	Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	609278	68.23
	2 = 1 or 2 times .....	6810	0.76
	3 = 3 to 5 times .....	1491	0.17
	4 = 6 to 9 times .....	584	0.07
	5 = 10 or more times .....	1353	0.15
	85 = BAD DATA Logically assigned .....	54	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
	94 = DON'T KNOW .....	480	0.05
	97 = REFUSED .....	916	0.10
	98 = BLANK (NO ANSWER) .....	160	0.02
	99 = LEGITIMATE SKIP .....	271836	30.44

SOCIAL ENVIRONMENT

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

<b>SNYATTAK<sup>1</sup></b>	Len : 2	ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
			<b>Freq</b>	<b>Pct</b>
		1 = 0 times .....	603854	67.62
		2 = 1 or 2 times .....	13110	1.47
		3 = 3 to 5 times .....	1764	0.20
		4 = 6 to 9 times .....	425	0.05
		5 = 10 or more times .....	543	0.06
		85 = BAD DATA Logically assigned .....	54	0.01
		89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
		94 = DON'T KNOW .....	413	0.05
		97 = REFUSED .....	803	0.09
		98 = BLANK (NO ANSWER) .....	160	0.02
		99 = LEGITIMATE SKIP .....	271836	30.44

How do you feel about adults trying marijuana or hashish once or twice?

<b>SNFAMJEV<sup>1</sup></b>	Len : 2	HOW YOU FEEL: ADLTS TRYING MJ/HASH		
			<b>Freq</b>	<b>Pct</b>
		1 = Neither approve nor disapprove .....	338417	37.90
		2 = Somewhat disapprove .....	79273	8.88
		3 = Strongly disapprove .....	196256	21.98
		85 = BAD DATA Logically assigned .....	32	0.00
		89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
		94 = DON'T KNOW .....	4586	0.51
		97 = REFUSED .....	2400	0.27
		98 = BLANK (NO ANSWER) .....	162	0.02
		99 = LEGITIMATE SKIP .....	271836	30.44

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

<b>SNRLGSVC<sup>1</sup></b>	Len : 2	PAST 12 MOS, HOW MANY RELIG. SERVICES		
			<b>Freq</b>	<b>Pct</b>
		1 = 0 times .....	247760	27.75
		2 = 1 to 2 times .....	74447	8.34
		3 = 3 to 5 times .....	63619	7.12
		4 = 6 to 24 times .....	83774	9.38
		5 = 25 to 52 times .....	76703	8.59
		6 = More than 52 times .....	70639	7.91
		85 = BAD DATA Logically assigned .....	54	0.01
		89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
		94 = DON'T KNOW .....	1907	0.21
		97 = REFUSED .....	2061	0.23
		98 = BLANK (NO ANSWER) .....	162	0.02
		99 = LEGITIMATE SKIP .....	271836	30.44

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

<b>SNRLGIMP<sup>1</sup></b>	Len : 2	MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
			<b>Freq</b>	<b>Pct</b>
		1 = Strongly Disagree .....	94827	10.62
		2 = Disagree .....	86165	9.65
		3 = Agree .....	224830	25.18
		4 = Strongly Agree .....	205841	23.05
		85 = BAD DATA Logically assigned .....	32	0.00
		89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
		94 = DON'T KNOW .....	4620	0.52
		97 = REFUSED .....	4647	0.52
		98 = BLANK (NO ANSWER) .....	164	0.02
		99 = LEGITIMATE SKIP .....	271836	30.44

SOCIAL ENVIRONMENT

Your religious beliefs influence how you make decisions in your life.

<b>SNRLDCSN<sup>1</sup></b>	Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		<b>Freq</b>	<b>Pct</b>
	1 = Strongly Disagree .....	97562	10.93
	2 = Disagree .....	110751	12.40
	3 = Agree .....	229692	25.72
	4 = Strongly Agree.....	174167	19.50
	85 = BAD DATA Logically assigned .....	31	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
	94 = DON'T KNOW .....	4351	0.49
	97 = REFUSED .....	4403	0.49
	98 = BLANK (NO ANSWER) .....	169	0.02
	99 = LEGITIMATE SKIP.....	271836	30.44

It is important that your friends share your religious beliefs.

<b>SNRLFRND<sup>1</sup></b>	Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
		<b>Freq</b>	<b>Pct</b>
	1 = Strongly Disagree .....	187263	20.97
	2 = Disagree .....	247864	27.76
	3 = Agree .....	127455	14.27
	4 = Strongly Agree.....	48970	5.48
	85 = BAD DATA Logically assigned .....	31	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
	94 = DON'T KNOW .....	4959	0.56
	97 = REFUSED .....	4413	0.49
	98 = BLANK (NO ANSWER) .....	171	0.02
	99 = LEGITIMATE SKIP.....	271836	30.44

ADULT MENTAL HEALTH

**ADULT MENTAL HEALTH**

NOTE: The variable ADLTSAMP reflects the split-sample design in the 2004 NSDUH for respondents aged 18 or older. Adults in Sample A received all relevant questions in the Adult Mental Health module. Adults in Sample B received only the questions corresponding to the edited variables DSTNRVOS, DSTHOPLS, DSTRSTLS, DSTCHEER, DSTEFFRT, and DSTNGOOD. Remaining variables in the Adult Mental Health module were assigned legitimate skip codes for adults in Sample B.

**ADLTSAMP<sup>1</sup>**      Len : 2    1ADULT MENTAL HEALTH SPLIT SAMPLE INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	837370	93.77
1 = Sample A .....	18624	2.09
2 = Sample B .....	18678	2.09
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
98 = BLANK (NO ANSWER) .....	6	0.00
99 = LEGITIMATE SKIP .....	18293	2.05

The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.

During the past 12 months, did you have a sudden attack of fear when out of the blue you became very frightened, anxious, or uneasy?

**PANATAK<sup>1</sup>**      Len : 2    1HAD SUDDEN ATTACK OF FEAR PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	14527	1.63
2 = No.....	77267	8.65
85 = BAD DATA Logically assigned .....	9	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	103	0.01
97 = REFUSED .....	85	0.01
98 = BLANK (NO ANSWER) .....	35	0.00
99 = LEGITIMATE SKIP .....	72883	8.16

Attacks like this often cause physical reactions like sweating, shortness of breath, a racing heart, or dizziness. During the past 12 months, did you have physical reactions like these when you had a sudden attack of fear?

**PANREAC<sup>1</sup>**      Len : 2    1PHYS RXNS WHEN HAVING ATTACKS PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	11014	1.23
2 = No.....	3494	0.39
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	12	0.00
97 = REFUSED .....	91	0.01
98 = BLANK (NO ANSWER) .....	145	0.02
99 = LEGITIMATE SKIP .....	150152	16.81

About how many of these sudden attacks of fear did you have in the past 12 months? If you can't remember the exact number, just give your best estimate.

**PANATKN2<sup>1</sup>**      Len : 3    1NUMBER OF ATTACKS OF FEAR PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = 1-10 times .....	8982	1.01
2 = 11-12 times .....	290	0.03
3 = 13-20 times .....	658	0.07
4 = 21-30 times .....	378	0.04
5 = 31-40 times .....	103	0.01
6 = 41-52 times .....	160	0.02
7 = 53-60 times .....	30	0.00
8 = 61-100 times .....	125	0.01
9 = 101-200 times .....	59	0.01
10 = 201-300 times .....	44	0.00
11 = 301-365 times .....	22	0.00
12 = 366 or more times .....	13	0.00
985 = BAD DATA Logically assigned .....	3	0.00
994 = DON'T KNOW .....	136	0.02
997 = REFUSED .....	105	0.01
998 = BLANK (NO ANSWER).....	157	0.02
999 = LEGITIMATE SKIP.....	153646	17.21

ADULT MENTAL HEALTH

During the past 12 months, did you have a period of time lasting two weeks or longer when most of the time you felt sad, empty, or depressed?

MDEDP2WK<sup>1</sup>      Len : 2    1FELT DEPRESSED FOR 2+ WKS IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	21876	2.45
2 = No.....	69916	7.83
85 = BAD DATA Logically assigned .....	9	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	101	0.01
97 = REFUSED .....	88	0.01
98 = BLANK (NO ANSWER) .....	36	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

NOTE: For the question pertaining to MDEDPWKR, respondents were asked to report the number of weeks that they felt depressed. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they felt depressed in order to be asked to report the number of weeks they felt depressed. Thus, there are no responses of "1 week" in MDEDPWKR.

During the past 12 months, about how many weeks did you feel sad, empty, or depressed?

If you can't remember the exact number, just give your best estimate.

MDEDPWKR<sup>1</sup>      Len : 2    1# OF WEEKS FELT DEPRESSED IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = 2-4 weeks.....	10114	1.13
2 = 5-8 weeks.....	4472	0.50
3 = 9-12 weeks.....	2510	0.28
4 = 13-16 weeks.....	752	0.08
5 = 17-18 weeks.....	67	0.01
6 = 19-20 weeks.....	731	0.08
7 = 21-22 weeks.....	55	0.01
8 = 23-24 weeks.....	244	0.03
9 = 25-26 weeks.....	396	0.04
10 = 27-36 weeks.....	865	0.10
11 = 37-44 weeks.....	358	0.04
12 = 45-51 weeks.....	407	0.05
13 = All 52 weeks .....	391	0.04
85 = BAD DATA Logically assigned .....	2	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	449	0.05
97 = REFUSED .....	153	0.02
98 = BLANK (NO ANSWER) .....	144	0.02
99 = LEGITIMATE SKIP.....	142800	15.99

During those [DEWEEK1 FILL] weeks, did you feel sad or depressed nearly every day, or just some days?

MDEDDAYFQ<sup>1</sup>      Len : 2    1HOW OFT FELT DEPRESSED IN THOSE WKS, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Nearly every day.....	8234	0.92
2 = Just some days .....	13123	1.47
85 = BAD DATA Logically assigned .....	2	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	156	0.02
98 = BLANK (NO ANSWER) .....	593	0.07
99 = LEGITIMATE SKIP.....	142800	15.99

ADULT MENTAL HEALTH

On the days you felt sad or depressed, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?

MDEDAYLN<sup>1</sup>      Len : 2    1HOW MUCH OF DAY FELT DEPRESSED PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = All day long .....	2206	0.25
2 = Most of the day .....	4253	0.48
3 = About half the day .....	1442	0.16
4 = Less than half the day .....	331	0.04
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	155	0.02
98 = BLANK (NO ANSWER) .....	594	0.07
99 = LEGITIMATE SKIP .....	155923	17.46

During those [DEWEEK1 FILL] weeks when you felt sad or depressed, did you also have any changes in sleep, energy, appetite, or the ability to concentrate?

MDECHNGS<sup>1</sup>      Len : 2    1ANY CHANGES WHEN FELT DEPRESSED PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	7427	0.83
2 = No.....	469	0.05
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	156	0.02
98 = BLANK (NO ANSWER) .....	599	0.07
99 = LEGITIMATE SKIP.....	156254	17.50

During the past 12 months, did you have a period of time lasting two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy?

MDELOSIN<sup>1</sup>      Len : 2    1LOST INTEREST IN THINGS 2+ WKS IN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	10875	1.22
2 = No.....	73003	8.18
85 = BAD DATA Logically assigned .....	8	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	107	0.01
97 = REFUSED .....	94	0.01
98 = BLANK (NO ANSWER) .....	38	0.00
99 = LEGITIMATE SKIP .....	80785	9.05

ADULT MENTAL HEALTH

NOTE: For the question pertaining to MDELIWK2, respondents were asked to report the number of weeks that they lost interest in things. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they lost interest in order to be asked to report the number of weeks they lost interest in things. Thus, there are no responses of "1 week" in MDELIWK2.

During the past 12 months, about how many weeks did you lose interest in most things? If you can't remember the exact number, just give your best estimate.

MDELIWK<sup>1</sup>      Len : 2    1# OF WEEKS LOST INTEREST IN THINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = 2-4 weeks .....	6933	0.78
2 = 5-8 weeks .....	1694	0.19
3 = 9-12 weeks .....	835	0.09
4 = 13-16 weeks .....	222	0.02
5 = 17-18 weeks .....	19	0.00
6 = 19-20 weeks .....	218	0.02
7 = 21-22 weeks .....	27	0.00
8 = 23-24 weeks .....	61	0.01
9 = 25-26 weeks .....	86	0.01
10 = 27-36 weeks .....	206	0.02
11 = 37-44 weeks .....	51	0.01
12 = 45-51 weeks .....	50	0.01
13 = All 52 weeks .....	37	0.00
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	375	0.04
97 = REFUSED .....	155	0.02
98 = BLANK (NO ANSWER) .....	152	0.02
99 = LEGITIMATE SKIP .....	153789	17.22

During those [DEWEEK2 FILL] weeks, did you lack interest in most things nearly every day, or just some days?

MDELIFQ<sup>1</sup>      Len : 2    1HOW OFT LOST INTEREST IN THOSE WKS, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Nearly every day .....	1718	0.19
2 = Just some days .....	8716	0.98
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	157	0.02
98 = BLANK (NO ANSWER) .....	527	0.06
99 = LEGITIMATE SKIP .....	153789	17.22

On the days you lost interest, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?

MDELILN<sup>1</sup>      Len : 2    1HOW MUCH OF DAY LOST INTEREST PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = All day long .....	476	0.05
2 = Most of the day .....	858	0.10
3 = About half the day .....	299	0.03
4 = Less than half the day .....	85	0.01
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	156	0.02
98 = BLANK (NO ANSWER) .....	528	0.06
99 = LEGITIMATE SKIP .....	162505	18.20

During those [DEWEEK2 FILL] weeks when you lost interest in things, did you also have any changes in sleep, energy, appetite, or your ability to concentrate?

MDELICHG<sup>1</sup>      Len : 2    1ANY CHANGES WHEN LOST INTEREST PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes .....	1455	0.16
2 = No .....	176	0.02
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	156	0.02
98 = BLANK (NO ANSWER) .....	532	0.06
99 = LEGITIMATE SKIP .....	162590	18.21

ADULT MENTAL HEALTH

During the past 12 months, were there at least four days in a row when you were so excited or hyper that you either got into trouble or people worried about you being so excited, or a doctor said you were manic?

**MNCHYPER<sup>1</sup>**      Len : 2    1FELT HYPER FOR 4+ DAYS IN A ROW IN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	2430	0.27
2 = No.....	89350	10.01
4 = No LOGICALLY ASSIGNED (MNCEVER = 2) .....	46	0.01
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	82	0.01
98 = BLANK (NO ANSWER) .....	37	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

During the time when you were extremely excited or hyper, did you find that you could hardly sleep at all but still you didn't feel tired?

**MNCNOSLP<sup>1</sup>**      Len : 2    1COULDN'T SLEEP WHEN FELT HYPER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	1793	0.20
2 = No.....	632	0.07
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	82	0.01
98 = BLANK (NO ANSWER) .....	117	0.01
99 = LEGITIMATE SKIP.....	162280	18.17

During the time when you were extremely excited or hyper, did you feel that you had special powers or that you could do things people really cannot do?

**MNCSPWRS<sup>1</sup>**      Len : 2    1FEELING OF SPECIAL POWERS WHEN FELT HYPER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	559	0.06
2 = No.....	1864	0.21
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	83	0.01
98 = BLANK (NO ANSWER) .....	117	0.01
99 = LEGITIMATE SKIP.....	162280	18.17

In your entire life, did you ever have a time lasting at least 4 days in a row when you were so excited or hyper that you either got into trouble or people worried about you being so excited or a doctor said you were manic?

**MNCEVER<sup>1</sup>**      Len : 2    1EVER FELT HYPER FOR 4+ DAYS IN A ROW

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	2363	0.26
2 = No.....	86942	9.74
5 = Yes LOGICALLY ASSIGNED (MNCHYPER = 1) .....	2430	0.27
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	152	0.02
97 = REFUSED .....	101	0.01
98 = BLANK (NO ANSWER) .....	38	0.00
99 = LEGITIMATE SKIP.....	72884	8.16



ADULT MENTAL HEALTH

During the past 12 months, did you take any prescription medication to prevent another one of these manic episodes from occurring?

NOTE: Respondents who reported feeling hyper in the past 12 months (MNCHYPER=1) were not asked whether they took medications to prevent manic episodes from occurring in the past 12 months.

MNCMEDS<sup>1</sup>      Len : 2    1TOOK MEDS TO PREVENT MANIC EPISODE PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	369	0.04
2 = No.....	1991	0.22
5 = Hyper in past 12 mos LOG ASSN (MNCHYPER = 1).....	2430	0.27
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	102	0.01
98 = BLANK (NO ANSWER) .....	190	0.02
99 = LEGITIMATE SKIP.....	159827	17.90

Are you much more nervous, anxious, or fearful than most people would be about social or performance situations, like giving a speech, meeting new people, going to parties, speaking up at a meeting, or being in a dating situation?

PHBSOCL<sup>1</sup>      Len : 2    1MORE NERVOUS THAN MOST PEOPLE ABOUT SOC SITNS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	21232	2.38
2 = No.....	70403	7.88
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	229	0.03
97 = REFUSED .....	125	0.01
98 = BLANK (NO ANSWER) .....	37	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

Thinking about the social or performance situation that you fear the most, how strong is your fear when you find yourself in that situation?

PHBLEVEL<sup>1</sup>      Len : 2    1STRENGTH OF FEAR IN SOC SITN FEARED THE MOST

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Your fear is mild.....	5812	0.65
2 = Your fear is moderate .....	11493	1.29
3 = Your fear is severe .....	3852	0.43
94 = DON'T KNOW .....	69	0.01
97 = REFUSED .....	131	0.01
98 = BLANK (NO ANSWER) .....	266	0.03
99 = LEGITIMATE SKIP.....	143288	16.05

How often do you try to avoid this type of social or performance situation?

PHBAVOID<sup>1</sup>      Len : 2    1HOW OFTEN TRY TO AVOID FEARED SOC SITN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Often.....	6976	0.78
2 = Sometimes .....	6551	0.73
3 = Rarely .....	1496	0.17
4 = Never .....	308	0.03
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	132	0.01
98 = BLANK (NO ANSWER) .....	335	0.04
99 = LEGITIMATE SKIP.....	149100	16.70

ADULT MENTAL HEALTH

How much does your fear or avoidance of this social or performance situation interfere with your everyday life or activities?

PHBINTFR<sup>1</sup> Len : 2 1HOW MUCH FEAR OF SOC SITN INTERFERES W/LIFE

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Not at all .....	4680	0.52
2 = A little.....	6574	0.74
3 = Some.....	2863	0.32
4 = A lot.....	1199	0.13
94 = DON'T KNOW .....	21	0.00
97 = REFUSED .....	139	0.02
98 = BLANK (NO ANSWER) .....	335	0.04
99 = LEGITIMATE SKIP.....	149100	16.70

Are you much more nervous, anxious, or fearful than most people would be about being in crowds?

PHBCRWDS<sup>1</sup> Len : 2 1MORE NERVOUS THAN MOST PEOPLE ABOUT CROWDS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	10815	1.21
2 = No.....	80874	9.06
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	197	0.02
97 = REFUSED .....	103	0.01
98 = BLANK (NO ANSWER) .....	37	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

Are you much more nervous, anxious, or fearful than most people would be about going to public places?

PHBPUBPL<sup>1</sup> Len : 2 1MORE NERVOUS THN MOST PPL ABOUT PUBLIC PLACES

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	6013	0.67
2 = No.....	85740	9.60
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	146	0.02
97 = REFUSED .....	90	0.01
98 = BLANK (NO ANSWER) .....	37	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

Are you much more nervous, anxious, or fearful than most people would be about traveling in a bus, train, or car?

PHBTRAVL<sup>1</sup> Len : 2 1MORE NERVOUS THAN MOST PPL ABOUT TRAVELING

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	4650	0.52
2 = No.....	87130	9.76
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	133	0.01
97 = REFUSED .....	76	0.01
98 = BLANK (NO ANSWER) .....	37	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

Are you much more nervous, anxious, or fearful than most people would be about being away from home alone?

PHBAWYHM<sup>1</sup> Len : 2 1MORE NERVOUS THAN MOST PPL BEING AWAY FROM HOME

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	7808	0.87
2 = No.....	83911	9.40
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	175	0.02
97 = REFUSED .....	94	0.01
98 = BLANK (NO ANSWER) .....	38	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

ADULT MENTAL HEALTH

Think about your fears of [PHOFILL1, PHOFILL2, and PHOFILL UNTIL ALL PHOFILLS INSERTED]. Which of these fears is the strongest?

PHBWRSFR<sup>1</sup> Len : 2 1WHICH FEAR IS THE STRONGEST/WORST

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Being in crowds .....	3361	0.38
2 = Going to public places .....	1040	0.12
3 = Traveling in a bus, train, or car .....	952	0.11
4 = Being away from home alone .....	2186	0.24
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	76	0.01
98 = BLANK (NO ANSWER) .....	233	0.03
99 = LEGITIMATE SKIP .....	157045	17.59

How strong is your fear when you find yourself [WSTFILL]?

PHBWRSST<sup>1</sup> Len : 2 1STRENGTH OF FEAR IN SITN WHERE FEAR IS WORST

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Your fear is mild .....	6786	0.76
2 = Your fear is moderate .....	7847	0.88
3 = Your fear is severe .....	2107	0.24
94 = DON'T KNOW .....	73	0.01
97 = REFUSED .....	77	0.01
98 = BLANK (NO ANSWER) .....	347	0.04
99 = LEGITIMATE SKIP .....	147674	16.54

How often do you try to avoid [WSTFILL]?

PHBWRSVAV<sup>1</sup> Len : 2 1HOW OFTEN TRY TO AVOID WORST FEAR

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Often .....	4293	0.48
2 = Sometimes .....	3963	0.44
3 = Rarely .....	1215	0.14
4 = Never .....	472	0.05
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	82	0.01
98 = BLANK (NO ANSWER) .....	417	0.05
99 = LEGITIMATE SKIP .....	154460	17.30

How much does your fear or avoidance of [WSTFILL] interfere with your everyday life or activities?

PHBWRSIN<sup>1</sup> Len : 2 1HOW MUCH WORST FEAR INTERFERES W/LIFE

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Not at all .....	3128	0.35
2 = A little .....	3948	0.44
3 = Some .....	1945	0.22
4 = A lot .....	911	0.10
94 = DON'T KNOW .....	18	0.00
97 = REFUSED .....	84	0.01
98 = BLANK (NO ANSWER) .....	417	0.05
99 = LEGITIMATE SKIP .....	154460	17.30

People differ a lot in how much they worry. In general, would you say you worry more than, about the same as, or less than most other people worry about everyday problems?

GADWORMR<sup>1</sup> Len : 2 1HOW MUCH WORRY ABOUT EVERYDAY PROBLEMS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = More .....	15542	1.74
2 = About the same .....	53597	6.00
3 = Less .....	22169	2.48
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	555	0.06
97 = REFUSED .....	125	0.01
98 = BLANK (NO ANSWER) .....	38	0.00
99 = LEGITIMATE SKIP .....	72883	8.16

ADULT MENTAL HEALTH

Do you worry a lot more, somewhat more, or only a little more than most other people?

**GADWORLT<sup>1</sup>**      Len : 2    1WORRY A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = A lot more .....	6515	0.73
2 = Somewhat more .....	6831	0.76
3 = A little more .....	2166	0.24
94 = DON'T KNOW .....	26	0.00
97 = REFUSED .....	79	0.01
98 = BLANK (NO ANSWER) .....	643	0.07
99 = LEGITIMATE SKIP .....	148651	16.65

In general, would you say you are more nervous or anxious than most other people?

**GADNRVOS<sup>1</sup>**      Len : 2    1MORE NERVOUS OR ANXIOUS THAN MOST OTHER PEOPLE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Yes .....	5433	0.61
2 = No .....	70577	7.90
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	343	0.04
97 = REFUSED .....	93	0.01
98 = BLANK (NO ANSWER) .....	38	0.00
99 = LEGITIMATE SKIP .....	88425	9.90

Are you a lot more, somewhat more, or only a little more nervous or anxious than most other people?

**GADNRVLT<sup>1</sup>**      Len : 2    1NERVOUS A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = A lot more .....	542	0.06
2 = Somewhat more .....	2862	0.32
3 = A little more .....	1999	0.22
94 = DON'T KNOW .....	26	0.00
97 = REFUSED .....	94	0.01
98 = BLANK (NO ANSWER) .....	384	0.04
99 = LEGITIMATE SKIP .....	159004	17.81

During the past 12 months, about how many weeks did you worry more than most other people? If you can't remember the exact number, just give your best estimate.

During the past 12 months, about how many weeks did you feel more nervous or anxious than most other people? If you can't remember the exact number, just give your best estimate.

**GADWKS2<sup>1</sup>**      Len : 2    1# WKS WORRY/NERVOUS MORE THAN OTHERS, PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = 1-4 weeks .....	1400	0.16
2 = 5-8 weeks .....	848	0.09
3 = 9-12 weeks .....	974	0.11
4 = 13-16 weeks .....	235	0.03
5 = 17-18 weeks .....	24	0.00
6 = 19-20 weeks .....	388	0.04
7 = 21-22 weeks .....	33	0.00
8 = 23-24 weeks .....	149	0.02
9 = 25-26 weeks .....	260	0.03
10 = 27-36 weeks .....	625	0.07
11 = 37-44 weeks .....	372	0.04
12 = 45-51 weeks .....	503	0.06
13 = All 52 weeks .....	940	0.11
94 = DON'T KNOW .....	282	0.03
97 = REFUSED .....	122	0.01
98 = BLANK (NO ANSWER) .....	436	0.05
99 = LEGITIMATE SKIP .....	157320	17.62

ADULT MENTAL HEALTH

During those [GAWEEK1 FILL] weeks, did you worry about one or two particular things or about a number of different things?

During those [GAWEEK1 FILL] weeks, were you nervous or anxious about one or two particular things or about a number of different things?

**GADNMWOR<sup>1</sup>** Len : 2 1# THINGS WORRIED/NERVOUS ABOUT IN THOSE WKS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = One or two particular things.....	414	0.05
2 = A number of different things.....	2100	0.24
97 = REFUSED .....	122	0.01
98 = BLANK (NO ANSWER) .....	718	0.08
99 = LEGITIMATE SKIP.....	161557	18.09

During those [GAWEEK1 FILL] weeks, how often was your worry so strong that you couldn't put it out of your mind?

During those [GAWEEK1 FILL] weeks, how often was your nervousness or anxiety so strong that you couldn't put it out of your mind?

**GADSTRON<sup>1</sup>** Len : 2 1HOW OFTEN WAS WORRY/ANXIETY STRONG IN THOSE WKS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = All of the time.....	381	0.04
2 = Most of the time.....	783	0.09
3 = Some of the time.....	771	0.09
4 = A little of the time.....	140	0.02
5 = Never .....	24	0.00
97 = REFUSED .....	123	0.01
98 = BLANK (NO ANSWER) .....	718	0.08
99 = LEGITIMATE SKIP.....	161971	18.14

During those [GAWEEK1 FILL] weeks when you were so worried, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?

During those [GAWEEK1 FILL] weeks when you were so nervous or anxious, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?

**GADOPROB<sup>1</sup>** Len : 2 1HAD OTHER PROBS IN THOSE WKS WHEN WORRIED/NERVOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	1893	0.21
2 = No.....	181	0.02
97 = REFUSED .....	124	0.01
98 = BLANK (NO ANSWER) .....	718	0.08
99 = LEGITIMATE SKIP.....	161995	18.14

The next questions are about reactions people have after extremely stressful experiences. In your life, have you ever had an extremely stressful experience such as being in combat, being involved in a life-threatening accident, being involved in a disaster, being physically beaten or sexually abused, or any other event which was extremely upsetting or stressful for you?

**PTSEVER<sup>1</sup>** Len : 2 1EVER HAD EXTREMELY STRESSFUL EXPERIENCE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	34513	3.86
2 = No.....	57135	6.40
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	158	0.02
97 = REFUSED .....	180	0.02
98 = BLANK (NO ANSWER) .....	40	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

ADULT MENTAL HEALTH

After experiences like this, people sometimes have reactions like memories that are upsetting, feeling emotionally distant from other people, trouble sleeping or concentrating, and feeling jumpy or easily startled.

During the past 12 months, did you have any of these reactions to any extremely stressful experience, even if the experience was long ago?

PTSPYEAR<sup>1</sup> Len : 2 1HAD RXNS TO STRESSFUL EXPERIENCE, PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes.....	14756	1.65
2 = No.....	19720	2.21
85 = BAD DATA Logically assigned .....	5	0.00
94 = DON'T KNOW .....	26	0.00
97 = REFUSED .....	186	0.02
98 = BLANK (NO ANSWER) .....	198	0.02
99 = LEGITIMATE SKIP.....	130020	14.56

Think of the time during the past 12 months when those reactions were the worst. How often did you have those reactions during that time?

PTSWRSFQ<sup>1</sup> Len : 2 1HOW OFTEN HAD RXNS WHEN WORST IN PAST 12 MONTHS

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = Several times a day .....	1816	0.20
2 = Once or twice a day .....	2156	0.24
3 = Several times a week.....	2559	0.29
4 = Once or twice a week.....	2950	0.33
5 = Less than once a week .....	5164	0.58
85 = BAD DATA Logically assigned .....	5	0.00
94 = DON'T KNOW .....	93	0.01
97 = REFUSED .....	204	0.02
98 = BLANK (NO ANSWER) .....	224	0.03
99 = LEGITIMATE SKIP.....	149740	16.77

During the past 12 months, in about how many weeks did you have reactions like this at least several times a week? If you can't remember the exact number, just give your best estimate.

PTSWKS2<sup>1</sup> Len : 2 1# WKS HAD RXNS SEVERAL TIMES A WK, PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = 1-4 weeks.....	2888	0.32
2 = 5-8 weeks.....	1164	0.13
3 = 9-12 weeks.....	711	0.08
4 = 13-16 weeks.....	241	0.03
5 = 17-18 weeks.....	22	0.00
6 = 19-20 weeks.....	252	0.03
7 = 21-22 weeks.....	18	0.00
8 = 23-24 weeks.....	69	0.01
9 = 25-26 weeks.....	149	0.02
10 = 27-36 weeks.....	301	0.03
11 = 37-44 weeks.....	123	0.01
12 = 45-51 weeks.....	162	0.02
13 = All 52 weeks .....	227	0.03
94 = DON'T KNOW .....	182	0.02
97 = REFUSED .....	226	0.03
98 = BLANK (NO ANSWER) .....	322	0.04
99 = LEGITIMATE SKIP.....	157854	17.68

ADULT MENTAL HEALTH

NOTE: The variable MHSEEDR was assigned a code of 11 when respondents reported that they saw a doctor or mental health professional in the past 12 months but they reported not being hospitalized overnight and reported zero outpatient visits. When the variable MHSEEDR was assigned a code of 11, the overnight hospitalization variable MHHOSPOV was assigned a code of 12.

During the past 12 months, did you see a doctor or mental health professional for any problem with your emotions, nerves, or mental health?

**MHSEEDR<sup>1</sup>**      Len : 2    1SAW DR FOR PROB WITH EMOTIONS, PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	8147	0.91
2 = No.....	82696	9.26
11 = Yes (MHOPNUM2 = 0 & MHHOSPOV = 12) .....	962	0.11
85 = BAD DATA Logically assigned .....	9	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	67	0.01
97 = REFUSED .....	104	0.01
98 = BLANK (NO ANSWER) .....	41	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

During the past 12 months, were you hospitalized overnight for problems with your emotions, nerves, or mental health?

**MHHOSPOV<sup>1</sup>**      Len : 2    1HOSP OVERNITE FOR PROB W/EMOTIONS, PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	617	0.07
2 = No.....	7521	0.84
12 = No (MHSEEDR = 11 & MHOPNUM2 = 0).....	962	0.11
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	108	0.01
98 = BLANK (NO ANSWER) .....	116	0.01
99 = LEGITIMATE SKIP.....	155581	17.42

During the past 12 months, not counting when you were hospitalized, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?

During the past 12 months, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?

**MHOPNUM2<sup>1</sup>**      Len : 3    1# OUTPAT VISIT FOR PROB W/EMOTIONS, PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30.....	7537	0.84
-9 = Data not collected for this year.....	728061	81.53
0 = No visits.....	1046	0.12
31 = 31 or more.....	417	0.05
985 = BAD DATA Logically assigned .....	1	0.00
994 = DON'T KNOW .....	76	0.01
997 = REFUSED .....	136	0.02
998 = BLANK (NO ANSWER).....	117	0.01
999 = LEGITIMATE SKIP.....	155581	17.42

During the past 12 months, were you prescribed any medicine for problems with your emotions, nerves, or mental health?

**MHMEDS<sup>1</sup>**      Len : 2    1PRESCRIBED ANY MEDS FOR EMOT PROB, PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	6720	0.75
2 = No.....	2369	0.27
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	117	0.01
98 = BLANK (NO ANSWER) .....	117	0.01
99 = LEGITIMATE SKIP.....	155581	17.42

ADULT MENTAL HEALTH

NOTE: Respondents who reported that they were prescribed medication for problems with their emotions, nerves, or mental health (MHMEDS=1) were asked to report the number of weeks that they took prescribed medication. Indications that respondents were prescribed medication do not necessarily imply that respondents took the medication. Therefore, responses of "0 weeks" in MHMEDWK2 were considered to be valid values.

During the past 12 months, about how many weeks did you take medicine that was prescribed for mental health problems?

MHMEDWK2<sup>1</sup> Len : 2 1# WKS TOOK MEDS FOR MENT HLTH PROB, PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
0 = 0 weeks.....	284	0.03
1 = 1-4 weeks.....	1140	0.13
2 = 5-8 weeks.....	723	0.08
3 = 9-12 weeks.....	637	0.07
4 = 13-16 weeks.....	238	0.03
5 = 17-18 weeks.....	37	0.00
6 = 19-20 weeks.....	187	0.02
7 = 21-22 weeks.....	21	0.00
8 = 23-24 weeks.....	181	0.02
9 = 25-26 weeks.....	135	0.02
10 = 27-36 weeks.....	441	0.05
11 = 37-44 weeks.....	172	0.02
12 = 45-51 weeks.....	404	0.05
13 = All 52 weeks.....	2004	0.22
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	93	0.01
97 = REFUSED.....	140	0.02
98 = BLANK (NO ANSWER).....	123	0.01
99 = LEGITIMATE SKIP.....	157950	17.69

During that same month when you were at your worst emotionally...

how often did you feel so nervous that nothing could calm you down?

DSTNCALM<sup>1</sup> Len : 2 1HOW OFTEN COULDN'T CALM DOWN IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = All of the time.....	1158	0.13
2 = Most of the time.....	3370	0.38
3 = Some of the time.....	7330	0.82
4 = A little of the time.....	15911	1.78
5 = None of the time.....	34549	3.87
85 = BAD DATA Logically assigned.....	5	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	83	0.01
97 = REFUSED.....	274	0.03
98 = BLANK (NO ANSWER).....	598	0.07
99 = LEGITIMATE SKIP.....	101632	11.38

During that same month when you were at your worst emotionally...

how often did you feel tired out for no good reason?

DSTTIRE<sup>1</sup> Len : 2 1HOW OFTEN TIRED OUT IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = All of the time.....	4078	0.46
2 = Most of the time.....	9736	1.09
3 = Some of the time.....	17450	1.95
4 = A little of the time.....	25571	2.86
5 = None of the time.....	34422	3.85
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	484	0.05
97 = REFUSED.....	233	0.03
98 = BLANK (NO ANSWER).....	43	0.00
99 = LEGITIMATE SKIP.....	72883	8.16



ADULT MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel so restless or fidgety that you could not sit still?

**DSTSITST<sup>1</sup>**      Len : 2    1HOW OFTEN COULDN'T SIT STILL IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = All of the time.....	1277	0.14
2 = Most of the time.....	3323	0.37
3 = Some of the time.....	8659	0.97
4 = A little of the time.....	16496	1.85
5 = None of the time.....	19578	2.19
85 = BAD DATA Logically assigned.....	4	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	39	0.00
97 = REFUSED.....	250	0.03
98 = BLANK (NO ANSWER).....	533	0.06
99 = LEGITIMATE SKIP.....	114751	12.85

During that same month when you were at your worst emotionally...

how often did you feel sad or depressed?

**DSTDEPRS<sup>1</sup>**      Len : 2    1HOW OFTEN FELT DEPRESSED IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = All of the time.....	4043	0.45
2 = Most of the time.....	9962	1.12
3 = Some of the time.....	16682	1.87
4 = A little of the time.....	27542	3.08
5 = None of the time.....	33150	3.71
85 = BAD DATA Logically assigned.....	9	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	361	0.04
97 = REFUSED.....	233	0.03
98 = BLANK (NO ANSWER).....	44	0.00
99 = LEGITIMATE SKIP.....	72883	8.16

The next questions are about how much your emotions, nerves, or mental health caused you to have difficulties in daily activities over the past 12 months.

In answering, think of one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities. If you had several months like this, please think of the most recent month.

During that month, how much difficulty did you have in thinking clearly?

**IMPTHINK<sup>1</sup>**      Len : 2    1HOW MUCH PROB THINKING IN WORST MON, PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty.....	25722	2.88
2 = Mild difficulty.....	19779	2.21
3 = Moderate difficulty.....	6924	0.78
4 = Severe difficulty.....	1451	0.16
85 = BAD DATA Logically assigned.....	6	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	223	0.02
97 = REFUSED.....	128	0.01
98 = BLANK (NO ANSWER).....	1333	0.15
99 = LEGITIMATE SKIP.....	109344	12.24

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have understanding what was going on around you?

IMPUNDST<sup>1</sup>

Len : 2 1HOW MUCH PROB UNDERSTANDING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	39460	4.42
2 = Mild difficulty.....	10889	1.22
3 = Moderate difficulty .....	2983	0.33
4 = Severe difficulty.....	638	0.07
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	142	0.02
97 = REFUSED .....	114	0.01
98 = BLANK (NO ANSWER) .....	1334	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

IMPREMBR<sup>1</sup>

Len : 2 1HOW MUCH PROB REMEMBERING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	23749	2.66
2 = Mild difficulty.....	21763	2.44
3 = Moderate difficulty .....	6820	0.76
4 = Severe difficulty.....	1646	0.18
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	128	0.01
97 = REFUSED .....	120	0.01
98 = BLANK (NO ANSWER) .....	1334	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

IMPCONC<sup>1</sup>

Len : 2 1HOW MUCH PROB CONCENTRATING IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	22460	2.52
2 = Mild difficulty.....	22300	2.50
3 = Moderate difficulty .....	7405	0.83
4 = Severe difficulty.....	1793	0.20
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	149	0.02
97 = REFUSED .....	119	0.01
98 = BLANK (NO ANSWER) .....	1334	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have managing money on your own, such as keeping track of expenses or remembering to pay bills?

**IMPMONY<sup>1</sup>**      Len : 2    1HOW MUCH PROB MANAGING MONEY IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	31738	3.55
2 = Mild difficulty.....	12815	1.44
3 = Moderate difficulty .....	5580	0.62
4 = Severe difficulty.....	2295	0.26
5 = You didn't manage money on your own.....	1526	0.17
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	151	0.02
97 = REFUSED .....	120	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP.....	109344	12.24

Did problems with your emotions, nerves, or mental health keep you from managing your own money?

**IMPMONYM<sup>1</sup>**      Len : 2    1PROB WITH EMOTIONS KEPT R FROM MANAGING MONEY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	304	0.03
2 = No.....	1212	0.14
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	121	0.01
98 = BLANK (NO ANSWER) .....	1492	0.17
99 = LEGITIMATE SKIP.....	161773	18.12

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have learning a new task?

**IMPLERN<sup>1</sup>**      Len : 2    1HOW MUCH PROB LEARNING A TASK IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	32527	3.64
2 = Mild difficulty.....	14086	1.58
3 = Moderate difficulty .....	4096	0.46
4 = Severe difficulty.....	961	0.11
5 = You didn't try to learn a new task.....	2238	0.25
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	206	0.02
97 = REFUSED .....	111	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP.....	109344	12.24

Did problems with your emotions, nerves, or mental health keep you from learning a new task?

**IMPLERNM<sup>1</sup>**      Len : 2    1PROB WITH EMOTIONS KEPT R FROM LEARNING A TASK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	330	0.04
2 = No.....	1877	0.21
94 = DON'T KNOW .....	31	0.00
97 = REFUSED .....	111	0.01
98 = BLANK (NO ANSWER) .....	1547	0.17
99 = LEGITIMATE SKIP.....	161015	18.03

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have washing, dressing, and feeding yourself on your own?

**IMPWASH<sup>1</sup>**      Len : 2    1HOW MUCH PROB WASHING/DRESSING/FEEDING, WORS MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	47344	5.30
2 = Mild difficulty.....	4567	0.51
3 = Moderate difficulty .....	1549	0.17
4 = Severe difficulty.....	431	0.05
5 = You didn't wash,dress,or feed yourself on your own.....	135	0.02
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	94	0.01
97 = REFUSED .....	105	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP.....	109344	12.24

Did problems with your emotions, nerves, or mental health keep you from washing, dressing, or feeding yourself on your own?

**IMPWASHM<sup>1</sup>**      Len : 2    1PROB W/EMOTIONS KEPT R FROM WASH/DRESS/FEEDING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	65	0.01
2 = No.....	70	0.01
97 = REFUSED .....	105	0.01
98 = BLANK (NO ANSWER) .....	1435	0.16
99 = LEGITIMATE SKIP.....	163236	18.28

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

**IMPGO<sup>1</sup>**      Len : 2    1HOW MUCH PROB LEAVING HOUSE IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	42866	4.80
2 = Mild difficulty.....	7195	0.81
3 = Moderate difficulty .....	2499	0.28
4 = Severe difficulty.....	974	0.11
5 = You didn't leave the house on your own .....	477	0.05
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	100	0.01
97 = REFUSED .....	114	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP.....	109344	12.24

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

**IMPgom<sup>1</sup>**      Len : 2    1PROB WITH EMOTIONS KEPT R FROM LEAVING HOUSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	242	0.03
2 = No.....	230	0.03
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	116	0.01
98 = BLANK (NO ANSWER) .....	1441	0.16
99 = LEGITIMATE SKIP.....	162879	18.24

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

IMPDLP1 Len : 2 1HOW MUCH PROB DEALING W/PEOPLE IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = No difficulty .....	32551	3.65
2 = Mild difficulty .....	13916	1.56
3 = Moderate difficulty .....	4900	0.55
4 = Severe difficulty .....	1599	0.18
5 = You didn't deal with people you did not know well .....	1029	0.12
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	124	0.01
97 = REFUSED .....	106	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

IMPDLP1 Len : 2 1PROB W/EMOTIONS KEPT R FROM DEALING W/PEOPLE

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes .....	428	0.05
2 = No .....	587	0.07
94 = DON'T KNOW .....	11	0.00
97 = REFUSED .....	109	0.01
98 = BLANK (NO ANSWER) .....	1465	0.16
99 = LEGITIMATE SKIP .....	162311	18.18

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

IMPSOCL1 Len : 2 1HOW MUCH PROB PARTICIPATNG IN SOC ACTIVS,WRST MON

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = No difficulty .....	29457	3.30
2 = Mild difficulty .....	14478	1.62
3 = Moderate difficulty .....	6131	0.69
4 = Severe difficulty .....	2370	0.27
5 = You didn't participate in social activities .....	1568	0.18
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	115	0.01
97 = REFUSED .....	106	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

IMPSOCLM1 Len : 2 1PROB W/EMOTIONS KEPT R FROM SOCIAL ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year .....	728061	81.53
1 = Yes .....	833	0.09
2 = No .....	728	0.08
94 = DON'T KNOW .....	6	0.00
97 = REFUSED .....	107	0.01
98 = BLANK (NO ANSWER) .....	1456	0.16
99 = LEGITIMATE SKIP .....	161781	18.12

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting along with people in your personal life?

IMPGTALG<sup>1</sup>      Len : 2    1HOW MUCH PROB W/PEOP IN PERS LIFE, WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	28540	3.20
2 = Mild difficulty.....	17850	2.00
3 = Moderate difficulty .....	5897	0.66
4 = Severe difficulty.....	1720	0.19
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	113	0.01
97 = REFUSED .....	105	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have controlling your emotions when you were around people?

IMPCTRLE<sup>1</sup>      Len : 2    1HOW MUCH PROB CONTROLLING EMOT, WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	30956	3.47
2 = Mild difficulty.....	16902	1.89
3 = Moderate difficulty .....	4796	0.54
4 = Severe difficulty.....	1353	0.15
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	113	0.01
97 = REFUSED .....	105	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have doing things to relax at home?

IMPRELAX<sup>1</sup>      Len : 2    1HOW MUCH PROB RELAXING AT HOME, WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	29629	3.32
2 = Mild difficulty.....	16537	1.85
3 = Moderate difficulty .....	6018	0.67
4 = Severe difficulty.....	1820	0.20
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	114	0.01
97 = REFUSED .....	107	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP .....	109344	12.24

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

IMPHRSP<sup>1</sup> Len : 2 1HOW MUCH PROB W/HOUSEHOLD RESPONSIBILTY, WRST MON

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	29983	3.36
2 = Mild difficulty.....	15666	1.75
3 = Moderate difficulty .....	5715	0.64
4 = Severe difficulty.....	1796	0.20
5 = You didn't take care of household responsibilities .....	856	0.10
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	109	0.01
97 = REFUSED .....	100	0.01
98 = BLANK (NO ANSWER) .....	1335	0.15
99 = LEGITIMATE SKIP.....	109344	12.24

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

IMPHRSPM<sup>1</sup> Len : 2 1PROB W/EMOTIONS KEPT R FROM HOUSEHOLD RESPONS

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = Yes.....	405	0.05
2 = No.....	448	0.05
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	101	0.01
98 = BLANK (NO ANSWER) .....	1450	0.16
99 = LEGITIMATE SKIP.....	162505	18.20

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

IMPDLRSP<sup>1</sup> Len : 2 1HOW MUCH PROB W/DAILY RESPONS IN WORST MONTH

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	31340	3.51
2 = Mild difficulty.....	14611	1.64
3 = Moderate difficulty .....	4397	0.49
4 = Severe difficulty.....	1375	0.15
5 = You didn't work or go to school.....	2243	0.25
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	143	0.02
97 = REFUSED .....	115	0.01
98 = BLANK (NO ANSWER) .....	1336	0.15
99 = LEGITIMATE SKIP.....	109344	12.24

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

IMPDLWRK<sup>1</sup> Len : 2 1HOW MUCH PROB W/DAILY RESPONSIBILITY IN WORST MON

	Freq	Pct
-9 = Data not collected for this year.....	728061	81.53
1 = No difficulty .....	26665	2.99
2 = Mild difficulty.....	18542	2.08
3 = Moderate difficulty .....	5239	0.59
4 = Severe difficulty.....	1316	0.15
85 = BAD DATA Logically assigned .....	6	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	113	0.01
97 = REFUSED .....	106	0.01
98 = BLANK (NO ANSWER) .....	1336	0.15
99 = LEGITIMATE SKIP.....	111587	12.50

ADULT MENTAL HEALTH

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

**IMPWKS2<sup>1</sup>**      Len : 2    1# WEEKS HAD THESE DIFFICULTIES, PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = 1-4 weeks .....	14632	1.64
2 = 5-8 weeks .....	4052	0.45
3 = 9-12 weeks .....	2252	0.25
4 = 13-16 weeks .....	675	0.08
5 = 17-18 weeks .....	67	0.01
6 = 19-20 weeks .....	668	0.07
7 = 21-22 weeks .....	58	0.01
8 = 23-24 weeks .....	250	0.03
9 = 25-26 weeks .....	372	0.04
10 = 27-36 weeks .....	761	0.09
11 = 37-44 weeks .....	311	0.03
12 = 45-51 weeks .....	331	0.04
13 = All 52 weeks .....	460	0.05
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	743	0.08
97 = REFUSED .....	175	0.02
98 = BLANK (NO ANSWER) .....	1703	0.19
99 = LEGITIMATE SKIP .....	137398	15.39

During (that [IMWEEK1FILL] week/those [IMWEEK1 FILL] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?

**IMPDAYFQ<sup>1</sup>**      Len : 2    1HOW OFTEN HAD THESE DIFFICULTIES IN THOSE WKS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Every day .....	1949	0.22
2 = Most days .....	10210	1.14
3 = Only one or two days a week .....	12674	1.42
85 = BAD DATA Logically assigned .....	3	0.00
94 = DON'T KNOW .....	48	0.01
97 = REFUSED .....	183	0.02
98 = BLANK (NO ANSWER) .....	2446	0.27
99 = LEGITIMATE SKIP .....	137398	15.39

You mentioned earlier in the interview that you saw a professional or received prescription medications for your emotional problems in the past 12 months. How much did the counseling or medicine improve your ability to manage daily activities like those asked about in the previous questions?

**MHSVCHLP<sup>1</sup>**      Len : 2    1HOW MUCH DID MH SVCS IMPROV ABIL TO MANAG ACTIVS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = None .....	1718	0.19
2 = A little .....	2001	0.22
3 = Some .....	2756	0.31
4 = A lot .....	3693	0.41
5 = A great deal .....	2912	0.33
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	83	0.01
97 = REFUSED .....	82	0.01
98 = BLANK (NO ANSWER) .....	382	0.04
99 = LEGITIMATE SKIP .....	151283	16.94



RECODED ADULT MENTAL HEALTH

**RECODED ADULT MENTAL HEALTH**

NOTE: The following recoded serious psychological distress variables, SPD\_ASCR and SPD\_ADJ, were created similar to variables SPD\_USCR and SPD\_UADJ. The only difference is that these variables contain a statistical adjustment in which the 2004 sample B "short-form" scores were transformed to match the distributional characteristics of the 2004 sample A "long-form" scores using the cumulative distribution function (CDF) adjustment method. These adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 and older with 2003 and earlier NSDUHs weighted by ANALWT\_C. These variables were not used in the 2004 Detailed Tables. These variables were used for exploratory analyses and producing state level SPD estimates using combined year data from 2004 and earlier NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD\_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

**SPD\_ASCR**      Len : 2    SCORE INDICATING LEVEL OF ADJUSTED SPD

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 24 .....	37302	4.18
. = (See comment above SPD_USCR) .....	18300	2.05
-9 = Data not collected for this year .....	837370	93.77

**SPD\_ADJ**      Len : 1    SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-ADJUSTED

	<b>Freq</b>	<b>Pct</b>
. = (See comment above SPD_USCR) .....	18300	2.05
-9 = Data not collected for this year .....	837370	93.77
0 = No (AGE2>=7 and SPD_ASCR<13) .....	32720	3.66
1 = Yes (AGE2>=7 and SPD_ASCR>=13) .....	4582	0.51

NOTE: The following recoded serious psychological distress variables, SPD\_RSCR and SPD\_RADJ, were created similarly to variables SPD\_ASCR and SPD\_ADJ. A different adjustment was implemented in which the 2004 sample A "long-form" scores were transformed to match the distributional characteristics of the 2004 sample B "short-form" scores using the cumulative distribution function (CDF) adjustment method. These reverse adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 or older with 2005 and subsequent NSDUHs weighted by ANALWT\_C. These variables were not used in the 2004 Detailed Tables. These variables were used to produce state level estimates for SPD using combined year data from 2004 and subsequent NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD\_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

**SPD\_RSCR**      Len : 2    SCORE INDICATING LEVEL OF REVERSE ADJUSTED SPD

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 24 .....	37302	4.18
. = (See comment above SPD_USCR) .....	18300	2.05
-9 = Data not collected for this year .....	837370	93.77

**SPD\_RADJ**      Len : 1    SPD INDICATOR-REVERSE ADJUSTED

	<b>Freq</b>	<b>Pct</b>
. = (See comment above SPD_USCR) .....	18300	2.05
-9 = Data not collected for this year .....	837370	93.77
0 = No (AGE2>=7 and SPD_RSCR<13) .....	31070	3.48
1 = Yes (AGE2>=7 and SPD_RSCR>=13) .....	6232	0.70

**MHSVHP**      Len : 1    HELP RECEIVED FROM MH TRT IMPROV ABIL TO MANAG ACT

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 12-17 (MHSVCHLP=94,97,98,99) .....	151831	17.00
-9 = Data not collected for this year .....	728061	81.53
1 = A lot or a great deal (MHSVCHLP=4,5) .....	6605	0.74
2 = Some or a little (MHSVCHLP=2,3) .....	4757	0.53
3 = None (MHSVCHLP=1) .....	1718	0.19

A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAB=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD\_ADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD\_ADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD\_ADJ=0 and ABODILAL=0). Respondents aged 12 to 17 or who were not assigned to one of the adult mental health split samples (ADLTSAMP not equal to 1,2) are included in the missing category.

**NSPDDPAB**      Len : 1    NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-ADJ

	<b>Freq</b>	<b>Pct</b>
. = (See comment above) .....	18300	2.05
-9 = Data not collected for this year .....	837370	93.77
1 = Drug/Alc Dep/Abuse Only (SPD_ADJ=0 and ABODILAL=1) .....	4304	0.48
2 = Otherwise (See comment above) .....	32998	3.70

PSYCHOLOGICAL DISTRESS

**PSYCHOLOGICAL DISTRESS**

The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.

Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.

During that month, how often did you feel nervous?

**DSTNRVOS<sup>1</sup>**      Len : 2    1HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	562072	62.94
1 = All of the time.....	7187	0.80
2 = Most of the time.....	20505	2.30
3 = Some of the time.....	48106	5.39
4 = A little of the time.....	78321	8.77
5 = None of the time .....	66106	7.40
85 = BAD DATA Logically assigned .....	15	0.00
89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
94 = DON'T KNOW .....	1166	0.13
97 = REFUSED .....	671	0.08
98 = BLANK (NO ANSWER) .....	82	0.01
99 = LEGITIMATE SKIP .....	108736	12.18

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

**DSTHOPLS<sup>1</sup>**      Len : 2    1HOW OFTEN FELT HOPELESS IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	562072	62.94
1 = All of the time.....	7724	0.86
2 = Most of the time.....	15690	1.76
3 = Some of the time.....	30334	3.40
4 = A little of the time.....	46104	5.16
5 = None of the time .....	120648	13.51
85 = BAD DATA Logically assigned .....	15	0.00
89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
94 = DON'T KNOW .....	912	0.10
97 = REFUSED .....	649	0.07
98 = BLANK (NO ANSWER) .....	83	0.01
99 = LEGITIMATE SKIP .....	108736	12.18

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

**DSTRSTLS<sup>1</sup>**      Len : 2    1HOW OFTEN FELT RESTLESS IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	562072	62.94
1 = All of the time.....	7734	0.87
2 = Most of the time.....	18118	2.03
3 = Some of the time.....	41271	4.62
4 = A little of the time.....	63052	7.06
5 = None of the time .....	90154	10.10
85 = BAD DATA Logically assigned .....	15	0.00
89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
94 = DON'T KNOW .....	1064	0.12
97 = REFUSED .....	668	0.07
98 = BLANK (NO ANSWER) .....	83	0.01
99 = LEGITIMATE SKIP .....	108736	12.18

PSYCHOLOGICAL DISTRESS

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

**DSTCHEER<sup>1</sup>**      Len : 2    1HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	562072	62.94
1 = All of the time.....	6925	0.78
2 = Most of the time.....	15573	1.74
3 = Some of the time.....	28943	3.24
4 = A little of the time.....	44483	4.98
5 = None of the time.....	91470	10.24
85 = BAD DATA Logically assigned.....	12	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
94 = DON'T KNOW.....	520	0.06
97 = REFUSED.....	636	0.07
98 = BLANK (NO ANSWER).....	447	0.05
99 = LEGITIMATE SKIP.....	141887	15.89

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

**DSTEFFRT<sup>1</sup>**      Len : 2    1HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	562072	62.94
1 = All of the time.....	10986	1.23
2 = Most of the time.....	20360	2.28
3 = Some of the time.....	37450	4.19
4 = A little of the time.....	57769	6.47
5 = None of the time.....	93301	10.45
85 = BAD DATA Logically assigned.....	15	0.00
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
94 = DON'T KNOW.....	1485	0.17
97 = REFUSED.....	709	0.08
98 = BLANK (NO ANSWER).....	84	0.01
99 = LEGITIMATE SKIP.....	108736	12.18

During that same month when you were at your worst emotionally...

How often did you feel down on yourself, no good, or worthless?

**DSTNGOOD<sup>1</sup>**      Len : 2    1HOW OFTEN FELT NO GOOD IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	562072	62.94
1 = All of the time.....	8949	1.00
2 = Most of the time.....	16486	1.85
3 = Some of the time.....	29359	3.29
4 = A little of the time.....	48142	5.39
5 = None of the time.....	117594	13.17
85 = BAD DATA Logically assigned.....	15	0.00
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
94 = DON'T KNOW.....	880	0.10
97 = REFUSED.....	649	0.07
98 = BLANK (NO ANSWER).....	85	0.01
99 = LEGITIMATE SKIP.....	108736	12.18

RECODED PSYCHOLOGICAL DISTRESS

**RECODED PSYCHOLOGICAL DISTRESS**

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Psychological Distress or Recoded Substance Dependence and Abuse.

NOTE: This section contains 2 sets of SPD recoded variables. The first set (SPD\_USCR and SPD\_UADJ) is based only on the K6 questions in the 2007 questionnaire. The second set (K6SMXADJ and SPDYRADJ) is also based on the K6 questions but is statistically adjusted to be comparable with the past year SPD recoded variables in 2008 and later NSDUHs.

NOTE: The following recoded serious psychological distress variables, SPD\_USCR and SPD\_UADJ, were defined based on data collected from a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during the one month in the past year when they were at their worst emotionally. These questions are known as the K6 and include the following symptoms of distress: feeling nervous (DSTNRVOS), feeling hopeless (DSTHOPLS), feeling restless or fidgety (DSTRSTLS), feeling so sad or depressed that nothing could cheer you up (DSTCHEER), feeling everything was an effort (DSTEFFRT), and feeling no good or worthless (DSTNGOOD). Specific details about the variables, SPD\_USCR and SPD\_UADJ, are provided in the Recoded Mental Health Appendix.

In order to do multi-year trend analyses for psychological distress that includes the 2004 NSDUH data, please refer to the 2005 documentation for details on comparing data for these measures, including necessary weight adjustments.

The variable, SPD\_USCR, is a score from 0 to 24 indicating the level of serious psychological distress (SPD). For adults, this score was calculated by assigning a value of 0 to 4 to each reported response regarding the frequency a respondent experienced symptoms of psychological distress (see above). Subsequently these assigned values were summed to calculate a total score.

<b>SPD_USCR</b>	Len : 2 SCORE INDICATING LEVEL OF UNADJUSTED SPD		
	RANGE = 0 - 24 .....	<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17 (AGE2<=6) .....	148757	16.66
	-9 = Data not collected for this year .....	72834	8.16
		671381	75.19

<b>SPD_UADJ</b>	Len : 1 SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-UNADJ		
	. = Aged 12-17 (AGE2<=6) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	72834	8.16
	0 = No (AGE2>=7 and SPD_USCR<13).....	671381	75.19
	1 = Yes (AGE2>=7 and SPD_USCR>=13) .....	126497	14.17
		22260	2.49

NOTE: The following two variables were created using statistical adjustments to allow comparisons with past year SPD variables (K6SCMAX and SPDYR) which are available starting in the 2008 NSDUH. In 2008, K6 questions for the past 30 day reference period were added to the mental health module (referred to as the psychological distress module in 2007). This change prevented comparisons with past year SPD variables between 2004-2007 and 2008 and subsequent years. In order to compare the 2008 SPD variables with the 2005-2007 SPD variables, adjusted versions of the past year K6 total score (K6SMXADJ) and past year SPD (SPDYRADJ) were created. Adjusted variables were not created for 2004. The adjusted past year K6 total scores were used to classify respondents as having past year SPD, using the same cut point as the unadjusted variables. The 2005-2007 adjusted past year SPD variables K6SMXADJ and SPDYRADJ can be renamed to the 2008 and later SPD variable names, i.e., K6SCMAX and SPDYR, in order to make comparisons across years. The adjusted variables were first used to produce past year SPD estimates in the 2010 mental health detailed tables. Additional information on the adjustment that was applied can be found in the Recoded Mental Health Appendix.

<b>K6SMXADJ</b>	Len : 2 ADJUSTED WORST K6 TOTAL SCORE IN PAST YEAR		
	RANGE = 0 - 24 .....	<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17 (AGE2<=6) .....	111455	12.48
	-9 = Data not collected for this year .....	54534	6.11
		726983	81.41

<b>SPDYRADJ</b>	Len : 1 ADJUSTED PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS		
	. = Aged 12-17 (AGE2<=6) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	54534	6.11
	0 = No (AGE2>=7 and K6SMXADJ<13).....	726983	81.41
	1 = Yes (AGE2>=7 and K6SMXADJ>=13) .....	95220	10.66
		16235	1.82

RECODED PSYCHOLOGICAL DISTRESS

NOTE: The following 5 variables were created by using a combination of the recoded psychological distress and recoded substance dependence and abuse variables. Specifications on how the recoded psychological distress variable was defined can be found at the beginning of this section and in the Recoded Mental Health Appendix. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

**SPDODPAU**      Len : 1    SPD OR DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (SPD_UADJ=.) .....	72834	8.16
-9 = Data not collected for this year .....	671381	75.19
1 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1) .....	38071	4.26
2 = No SPD & No Dep/Abuse (SPD_UADJ=0 and ABODILAL=0).....	110686	12.40

**SPDADPAU**      Len : 1    SPD AND DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (SPD_UADJ=.) .....	72834	8.16
-9 = Data not collected for this year .....	671381	75.19
1 = SPD & Drg/Alc Dep/Abus (SPD_UADJ=1 and ABODILAL=1) .....	6502	0.73
2 = No SPD or No Dep/Abuse (SPD_UADJ=0 or ABODILAL=0).....	142255	15.93

**NSPNDPAU**      Len : 1    NO SPD AND NO DRUG/ALCOHOL DEPENDENCE OR ABUSE-UAJ

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (SPD_UADJ=.) .....	72834	8.16
-9 = Data not collected for this year .....	671381	75.19
1 = No SPD and No Dep/Abus (SPD_UADJ=0 and ABODILAL=0).....	110686	12.40
2 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1) .....	38071	4.26

A respondent was classified as having other than serious psychological distress (SPD) only (SPDNDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD\_UADJ=1 and ABODILAL=1); or not having SPD but having dependence or abuse (SPD\_UADJ=0 and ABODILAL=1); or not having either SPD or dependence or abuse (SPD\_UADJ=0 and ABODILAL=0).

**SPDNDPAU**      Len : 1    SPD BUT NO DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (SPD_UADJ=.) .....	72834	8.16
-9 = Data not collected for this year .....	671381	75.19
1 = SPD Only (SPD_UADJ=1 and ABODILAL=0) .....	15758	1.76
2 = Otherwise (See comment above) .....	132999	14.89

A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD\_UADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD\_UADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD\_UADJ=0 and ABODILAL=0).

**NSPDDPAU**      Len : 1    NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-UNADJ

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (SPD_UADJ=.) .....	72834	8.16
-9 = Data not collected for this year .....	671381	75.19
1 = Drug/Alc Dep/Abuse Only (SPD_UADJ=0 & ABODILAL=1) .....	15811	1.77
2 = Otherwise (See comment above) .....	132946	14.89

NOTE: The following two variables are the outcomes measures of an alternative predictive model used to generate estimates of Serious Mental Illness (SMI) for 2005-2007. More information about this alternative model can be found in the report "Statistical Models to Predict Mental Illness from 2005 to 2007" (CBHSQ, 2017). Note the 2012 SMI predictive model is used in 2008 and subsequent years.

The following variable, SMIPP\_A, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using an alternative logistic regression model of SMI developed for 2005-2007 that used predictor variables consisting of past year suicidal thoughts, past year MDE, past year diagnosis of depression, K6, and the SDS. This exploratory variable was developed in an attempt to be comparable with the variable SMIPP\_U for 2008 and later NSDUHs; however, it is based on a different set of predictors. Users should consider the differences in methodology prior to making any decision on whether and how to use this variable. For more information about this measure, please see the Recoded Mental Health appendix.

**SMIPP\_A**      Len : 12    PREDICTED SERIOUS MENTAL ILLNESS PROB ADJUSTED - ALT MODEL

	<b>Freq</b>	<b>Pct</b>
RANGE = 0.0002072124 - 0.9976962409 .....	111455	12.48
. = 12-17 Years Old (AGE<18).....	54534	6.11
-9 = Data not collected for this year .....	726983	81.41

RECODED PSYCHOLOGICAL DISTRESS

The following variable, SMIYR\_A, is not recommended to be used when analyzing variables that were used as predictor variables for the SMI model: past year suicidal thoughts, past year MDE, past year diagnosis of depression, K6, or the SDS. Furthermore, the use of this variable is not recommended to be used when analyzing other variables closely linked with the predictor variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE or depression, SPD, or components used in the K6 or SDS scales). This exploratory variable was developed in an attempt to be comparable with the variable SMIYR\_U for 2008 and later NSDUHs; however, it is based on a different set of predictors. Users should consider the differences in methodology prior to making any decision on whether and how to use this variable. For more information about this measure, please see the Recoded Mental Health appendix.

SMIYR\_A

Len : 1 SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB - ALT MOD

	<b>Freq</b>	<b>Pct</b>
. = 12-17 Years Old (AGE<18).....	54534	6.11
-9 = Data not collected for this year.....	726983	81.41
0 = No (SMIPP_A<0.372556455) .....	106266	11.90
1 = Yes (SMIPP_A>=0.372556455).....	5189	0.58

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

**SOCIAL AND NEIGHBORHOOD ENVIRONMENT**

The next questions are about what it's like to live in your neighborhood. By neighborhood, we mean the area around where you live and around your house. It may include places you shop, religious or public institutions, or a local business district. It is the general area around your house where you might perform routine tasks, such as shopping, going to the park, or visiting with neighbors.

The following statements are about things that people in your neighborhood may or may not do. For each of these statements, please tell me whether you strongly agree, agree, disagree, or strongly disagree.

This is a close-knit neighborhood.

Would you say you strongly agree, agree, disagree or strongly disagree?

<b>SNPCKNIT<sup>1</sup></b>	Len : 2	1CLOSE-KNIT NEIGHBORHOOD		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	782140	87.59
		1 = Strongly agree .....	10399	1.16
		2 = Agree .....	34404	3.85
		3 = Disagree .....	22461	2.52
		4 = Strongly disagree .....	5234	0.59
		85 = BAD DATA Logically assigned .....	3	0.00
		89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
		94 = DON'T KNOW .....	1691	0.19
		97 = REFUSED .....	129	0.01
		98 = BLANK (NO ANSWER) .....	13	0.00
		99 = LEGITIMATE SKIP .....	36496	4.09

People around here are willing to help their neighbors.

<b>SNPWLHLP<sup>1</sup></b>	Len : 2	1PEOPLE HERE ARE WILLING TO HELP THEIR NEIGHBORS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	782140	87.59
		1 = Strongly agree .....	15355	1.72
		2 = Agree .....	43127	4.83
		3 = Disagree .....	11506	1.29
		4 = Strongly disagree .....	2853	0.32
		85 = BAD DATA Logically assigned .....	3	0.00
		89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
		94 = DON'T KNOW .....	1418	0.16
		97 = REFUSED .....	59	0.01
		98 = BLANK (NO ANSWER) .....	13	0.00
		99 = LEGITIMATE SKIP .....	36496	4.09

People in this neighborhood generally don't get along with each other.

<b>SNPNALNG<sup>1</sup></b>	Len : 2	1PEOP IN THE NBRHOOD GENERALLY DON'T GET ALONG		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	782140	87.59
		1 = Strongly agree .....	2526	0.28
		2 = Agree .....	8664	0.97
		3 = Disagree .....	45506	5.10
		4 = Strongly disagree .....	15602	1.75
		85 = BAD DATA Logically assigned .....	3	0.00
		89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
		94 = DON'T KNOW .....	1932	0.22
		97 = REFUSED .....	88	0.01
		98 = BLANK (NO ANSWER) .....	13	0.00
		99 = LEGITIMATE SKIP .....	36496	4.09

SOCIAL AND NEIGHBORHOOD ENVIRONMENT

People in this neighborhood do not share the same values.

SNPDFVAL<sup>1</sup> Len : 2 1PEOP IN NBRHOOD DO NOT SHARE THE SAME VALUES

	Freq	Pct
-9 = Data not collected for this year .....	782140	87.59
1 = Strongly agree .....	5686	0.64
2 = Agree .....	20394	2.28
3 = Disagree .....	36032	4.04
4 = Strongly disagree .....	7736	0.87
85 = BAD DATA Logically assigned .....	3	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	4319	0.48
97 = REFUSED .....	150	0.02
98 = BLANK (NO ANSWER) .....	14	0.00
99 = LEGITIMATE SKIP .....	36496	4.09

People in this neighborhood can be trusted.

SNPTRUST<sup>1</sup> Len : 2 1PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

	Freq	Pct
-9 = Data not collected for this year .....	782140	87.59
1 = Strongly agree .....	11779	1.32
2 = Agree .....	39861	4.46
3 = Disagree .....	14693	1.65
4 = Strongly disagree .....	4627	0.52
85 = BAD DATA Logically assigned .....	3	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	3237	0.36
97 = REFUSED .....	120	0.01
98 = BLANK (NO ANSWER) .....	14	0.00
99 = LEGITIMATE SKIP .....	36496	4.09

For each of the following, please tell me if it is very likely, likely, unlikely or very unlikely that people in your neighborhood would act in the following manner.

If a group of neighborhood children were skipping school and hanging out on a street corner, how likely is it that your neighbors would do something about it? Would you say it is very likely, likely, unlikely, or very unlikely?

SNNHGOUT<sup>1</sup> Len : 2 1CHILDREN SKIPPING SCHOOL PEOP WOULD DO SOMETHING

	Freq	Pct
-9 = Data not collected for this year .....	782140	87.59
1 = Very likely .....	17431	1.95
2 = Likely .....	26657	2.99
3 = Unlikely .....	19042	2.13
4 = Very unlikely .....	8669	0.97
85 = BAD DATA Logically assigned .....	3	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	2422	0.27
97 = REFUSED .....	96	0.01
98 = BLANK (NO ANSWER) .....	14	0.00
99 = LEGITIMATE SKIP .....	36496	4.09

If some children were spray-painting graffiti on a local building, how likely is it that your neighbors would do something about it?

SNNGRFTI<sup>1</sup> Len : 2 1CHILDREN SPRAY-PAINTING GRAFFITI ON A LOCAL BLDG

	Freq	Pct
-9 = Data not collected for this year .....	782140	87.59
1 = Very likely .....	37094	4.15
2 = Likely .....	25107	2.81
3 = Unlikely .....	6994	0.78
4 = Very unlikely .....	3578	0.40
85 = BAD DATA Logically assigned .....	3	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	1477	0.17
97 = REFUSED .....	67	0.01
98 = BLANK (NO ANSWER) .....	14	0.00
99 = LEGITIMATE SKIP .....	36496	4.09



SOCIAL AND NEIGHBORHOOD ENVIRONMENT

If a child was showing disrespect to an adult, how likely is it that people in your neighborhood would scold that child?

**SNNSCOLD<sup>1</sup>**      Len : 2    1PEOP SCOLD CHILDRN SHOWNG DISRESPECT TO AN ADULT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	782140	87.59
1 = Very likely .....	11824	1.32
2 = Likely .....	28481	3.19
3 = Unlikely .....	23644	2.65
4 = Very unlikely .....	7461	0.84
85 = BAD DATA Logically assigned .....	3	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	2807	0.31
97 = REFUSED .....	98	0.01
98 = BLANK (NO ANSWER) .....	16	0.00
99 = LEGITIMATE SKIP .....	36496	4.09

If there was a fight in front of your house and someone was being beaten or threatened, how likely is it that your neighbors would break it up?

**SNNBRKUP<sup>1</sup>**      Len : 2    1FIGHT OR SOMEONE WAS BEING BEATEN OR THREATENED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	782140	87.59
1 = Very likely .....	26151	2.93
2 = Likely .....	30553	3.42
3 = Unlikely .....	11554	1.29
4 = Very unlikely .....	3874	0.43
85 = BAD DATA Logically assigned .....	3	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	2101	0.24
97 = REFUSED .....	81	0.01
98 = BLANK (NO ANSWER) .....	17	0.00
99 = LEGITIMATE SKIP .....	36496	4.09

Suppose that because of budget cuts, the fire station closest to your home was going to be closed down by the city. How likely is it that neighborhood residents would organize to try to do something to keep the fire station open?

**SNNORGZ<sup>1</sup>**      Len : 2    1BUDGET CUTS CLOSE FIRE STATION ORGANIZE SOMETHING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	782140	87.59
1 = Very likely .....	24236	2.71
2 = Likely .....	28153	3.15
3 = Unlikely .....	14011	1.57
4 = Very unlikely .....	4704	0.53
85 = BAD DATA Logically assigned .....	3	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	3103	0.35
97 = REFUSED .....	107	0.01
98 = BLANK (NO ANSWER) .....	17	0.00
99 = LEGITIMATE SKIP .....	36496	4.09

YOUTH EXPERIENCES

**YOUTH EXPERIENCES**

*This note applies to variables in this section marked by a<sup>1</sup>.*

How many times have you moved in the past 5 years?

<b>YEMOV5Y2<sup>1</sup></b>	Len : 3 # TIMES MOVED IN PAST 5 YEARS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	0 = None .....	118922	13.32
	1 = One time .....	49903	5.59
	2 = Two times .....	24167	2.71
	3 = Three times .....	16243	1.82
	4 = Four times .....	7306	0.82
	5 = Five times .....	3619	0.41
	6 = Six or more times .....	4781	0.54
	985 = BAD DATA Logically assigned .....	44	0.00
	989 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	994 = DON'T KNOW .....	4633	0.52
	997 = REFUSED .....	623	0.07
	998 = BLANK (NO ANSWER) .....	26	0.00
	999 = LEGITIMATE SKIP .....	492379	55.14

The next questions are about school. By "school," we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well.

Have you attended any type of school at any time during the past 12 months?

<b>YEATNDYR<sup>1</sup></b>	Len : 2 ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes .....	251365	28.15
	2 = No .....	18445	2.07
	85 = BAD DATA Logically assigned .....	78	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	1555	0.17
	97 = REFUSED .....	373	0.04
	98 = BLANK (NO ANSWER) .....	30	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

<b>YEHMSLYR<sup>1</sup></b>	Len : 2 HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes .....	1636	0.18
	2 = No .....	18274	2.05
	85 = BAD DATA Logically assigned .....	37	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	257	0.03
	97 = REFUSED .....	210	0.02
	98 = BLANK (NO ANSWER) .....	67	0.01
	99 = LEGITIMATE SKIP .....	872490	97.71

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

<b>YESCHFLT<sup>1</sup></b>	Len : 2 HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = You liked going to school a lot .....	74254	8.32
	2 = You kind of liked going to school .....	127405	14.27
	3 = You didn't like going to school very much .....	36417	4.08
	4 = You hated going to school .....	14596	1.63
	85 = BAD DATA Logically assigned .....	40	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	231	0.03
	97 = REFUSED .....	277	0.03
	98 = BLANK (NO ANSWER) .....	1812	0.20
	99 = LEGITIMATE SKIP .....	637934	71.44

YOUTH EXPERIENCES

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

YESCHWRK<sup>1</sup>      Len : 2    HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Always.....	66583	7.46
2 = Sometimes .....	132002	14.78
3 = Seldom.....	41122	4.61
4 = Never .....	12736	1.43
85 = BAD DATA Logically assigned.....	40	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW .....	445	0.05
97 = REFUSED .....	292	0.03
98 = BLANK (NO ANSWER) .....	1812	0.20
99 = LEGITIMATE SKIP.....	637934	71.44

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

YESCHIMP<sup>1</sup>      Len : 2    HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE

	<b>Freq</b>	<b>Pct</b>
1 = Very important.....	117467	13.15
2 = Somewhat important.....	101003	11.31
3 = Somewhat unimportant.....	25846	2.89
4 = Very unimportant.....	8130	0.91
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW .....	443	0.05
97 = REFUSED .....	289	0.03
98 = BLANK (NO ANSWER) .....	1812	0.20
99 = LEGITIMATE SKIP.....	637934	71.44

How interesting do you think most of your courses at school during the past 12 months have been?

YESCHINT<sup>1</sup>      Len : 2    HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
1 = Very interesting .....	59683	6.68
2 = Somewhat interesting.....	133151	14.91
3 = Somewhat boring.....	44193	4.95
4 = Very boring.....	15399	1.72
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW .....	451	0.05
97 = REFUSED .....	301	0.03
98 = BLANK (NO ANSWER) .....	1812	0.20
99 = LEGITIMATE SKIP.....	637934	71.44

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

YETCGJOB<sup>1</sup>      Len : 2    HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
1 = Always.....	81423	9.12
2 = Sometimes .....	116257	13.02
3 = Seldom.....	40839	4.57
4 = Never .....	13832	1.55
85 = BAD DATA Logically assigned.....	42	0.00
89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
94 = DON'T KNOW .....	508	0.06
97 = REFUSED .....	318	0.04
98 = BLANK (NO ANSWER) .....	1813	0.20
99 = LEGITIMATE SKIP.....	637934	71.44

YOUTH EXPERIENCES

What were your grades for the last semester or grading period you completed?

YELSTGRD <sup>1</sup>	Len : 2 GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED	Freq	Pct
	1 = An "A+", "A" or "A-minus" average .....	75445	8.45
	2 = A "B+", "B" or "B-minus" average .....	100464	11.25
	3 = A "C+", "C" or "C-minus" average .....	51229	5.74
	4 = A "D" or less than a "D" average .....	14253	1.60
	5 = My school does not give these grades.....	7239	0.81
	85 = BAD DATA Logically assigned .....	44	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	3084	0.35
	97 = REFUSED .....	1461	0.16
	98 = BLANK (NO ANSWER) .....	1813	0.20
	99 = LEGITIMATE SKIP .....	637934	71.44

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

YESTSCIG <sup>1</sup>	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES	Freq	Pct
	1 = None of them .....	46682	5.23
	2 = A few of them .....	138229	15.48
	3 = Most of them.....	58770	6.58
	4 = All of them.....	1923	0.22
	85 = BAD DATA Logically assigned .....	45	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	7098	0.79
	97 = REFUSED .....	472	0.05
	98 = BLANK (NO ANSWER) .....	1813	0.20
	99 = LEGITIMATE SKIP .....	637934	71.44

How many of the students in your grade at school would you say use marijuana or hashish?

YESTSMJ <sup>1</sup>	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH	Freq	Pct
	1 = None of them .....	67253	7.53
	2 = A few of them .....	112249	12.57
	3 = Most of them.....	58763	6.58
	4 = All of them.....	4049	0.45
	85 = BAD DATA Logically assigned .....	45	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	10283	1.15
	97 = REFUSED .....	577	0.06
	98 = BLANK (NO ANSWER) .....	1813	0.20
	99 = LEGITIMATE SKIP .....	637934	71.44

How many of the students in your grade at school would you say drink alcoholic beverages?

YESTSALC <sup>1</sup>	Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL	Freq	Pct
	1 = None of them .....	48030	5.38
	2 = A few of them .....	97017	10.86
	3 = Most of them.....	90196	10.10
	4 = All of them.....	9095	1.02
	85 = BAD DATA Logically assigned .....	45	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	8301	0.93
	97 = REFUSED .....	535	0.06
	98 = BLANK (NO ANSWER) .....	1813	0.20
	99 = LEGITIMATE SKIP .....	637934	71.44

YOUTH EXPERIENCES

How many of the students in your grade at school would you say get drunk at least once a week?

YESTSDNK <sup>1</sup>	Len : 2 HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY	Freq	Pct
	1 = None of them .....	92655	10.38
	2 = A few of them .....	109719	12.29
	3 = Most of them.....	35899	4.02
	4 = All of them.....	2778	0.31
	85 = BAD DATA Logically assigned .....	45	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	11534	1.29
	97 = REFUSED .....	589	0.07
	98 = BLANK (NO ANSWER) .....	1813	0.20
	99 = LEGITIMATE SKIP.....	637934	71.44

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents provide help with your homework when you needed it?

YEPCHKHW <sup>1</sup>	Len : 2 PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS	Freq	Pct
	1 = Always.....	127372	14.26
	2 = Sometimes .....	75062	8.41
	3 = Seldom.....	30104	3.37
	4 = Never .....	19596	2.19
	85 = BAD DATA Logically assigned .....	47	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	511	0.06
	97 = REFUSED .....	527	0.06
	98 = BLANK (NO ANSWER) .....	1813	0.20
	99 = LEGITIMATE SKIP.....	637934	71.44

During the past 12 months, how often did your parents provide help with your homework when you needed it?

YEPHLPHW <sup>1</sup>	Len : 2 PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS	Freq	Pct
	1 = Always.....	146081	16.36
	2 = Sometimes .....	56470	6.32
	3 = Seldom.....	25506	2.86
	4 = Never .....	23848	2.67
	85 = BAD DATA Logically assigned .....	47	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	621	0.07
	97 = REFUSED .....	646	0.07
	98 = BLANK (NO ANSWER) .....	1813	0.20
	99 = LEGITIMATE SKIP.....	637934	71.44

During the past 12 months, how often did your parents make you do chores around the house?

YEPCHORE <sup>1</sup>	Len : 2 PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS	Freq	Pct
	1 = Always.....	135478	15.17
	2 = Sometimes .....	102445	11.47
	3 = Seldom.....	23285	2.61
	4 = Never .....	9275	1.04
	85 = BAD DATA Logically assigned .....	89	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	703	0.08
	97 = REFUSED .....	540	0.06
	98 = BLANK (NO ANSWER) .....	31	0.00
	99 = LEGITIMATE SKIP.....	621119	69.56

YOUTH EXPERIENCES

During the past 12 months, how often did your parents limit the amount of time you watched TV?

YEPLMTTV <sup>1</sup>	Len : 2 PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS	Freq	Pct
1 = Always.....		31331	3.51
2 = Sometimes.....		72863	8.16
3 = Seldom.....		54182	6.07
4 = Never.....		111275	12.46
85 = BAD DATA Logically assigned.....		89	0.01
89 = LEGITIMATE SKIP Logically assigned.....		7	0.00
94 = DON'T KNOW.....		1341	0.15
97 = REFUSED.....		734	0.08
98 = BLANK (NO ANSWER).....		31	0.00
99 = LEGITIMATE SKIP.....		621119	69.56

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

YEPLMTSN <sup>1</sup>	Len : 2 PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS	Freq	Pct
1 = Always.....		102204	11.45
2 = Sometimes.....		70003	7.84
3 = Seldom.....		38817	4.35
4 = Never.....		38414	4.30
85 = BAD DATA Logically assigned.....		47	0.01
89 = LEGITIMATE SKIP Logically assigned.....		6	0.00
94 = DON'T KNOW.....		2650	0.30
97 = REFUSED.....		1084	0.12
98 = BLANK (NO ANSWER).....		1813	0.20
99 = LEGITIMATE SKIP.....		637934	71.44

During the past 12 months, how often did your parents let you know when you'd done a good job?

YEPGDJOB <sup>1</sup>	Len : 2 PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS	Freq	Pct
1 = Always.....		145570	16.30
2 = Sometimes.....		86557	9.69
3 = Seldom.....		27047	3.03
4 = Never.....		11318	1.27
85 = BAD DATA Logically assigned.....		89	0.01
89 = LEGITIMATE SKIP Logically assigned.....		7	0.00
94 = DON'T KNOW.....		779	0.09
97 = REFUSED.....		455	0.05
98 = BLANK (NO ANSWER).....		31	0.00
99 = LEGITIMATE SKIP.....		621119	69.56

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

YEPPROUD <sup>1</sup>	Len : 2 TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE	Freq	Pct
1 = Always.....		148909	16.68
2 = Sometimes.....		82099	9.19
3 = Seldom.....		27798	3.11
4 = Never.....		11653	1.30
85 = BAD DATA Logically assigned.....		89	0.01
89 = LEGITIMATE SKIP Logically assigned.....		7	0.00
94 = DON'T KNOW.....		798	0.09
97 = REFUSED.....		468	0.05
98 = BLANK (NO ANSWER).....		32	0.00
99 = LEGITIMATE SKIP.....		621119	69.56

YOUTH EXPERIENCES

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

<b>YEYARGUP<sup>1</sup></b>	Len : 2 ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	47945	5.37
	2 = 1 or 2 times .....	74640	8.36
	3 = 3 to 5 times .....	56458	6.32
	4 = 6 to 9 times .....	29120	3.26
	5 = 10 or more times .....	59769	6.69
	85 = BAD DATA Logically assigned .....	91	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2455	0.27
	97 = REFUSED .....	1335	0.15
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many times have you gotten into a serious fight at school or work?

<b>YEYFGTSW<sup>1</sup></b>	Len : 2 GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	214092	23.98
	2 = 1 or 2 times .....	43305	4.85
	3 = 3 to 5 times .....	8623	0.97
	4 = 6 to 9 times .....	2124	0.24
	5 = 10 or more times .....	2227	0.25
	85 = BAD DATA Logically assigned .....	91	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	764	0.09
	97 = REFUSED .....	587	0.07
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

<b>YEYFGTGP<sup>1</sup></b>	Len : 2 TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	231167	25.89
	2 = 1 or 2 times .....	29943	3.35
	3 = 3 to 5 times .....	5931	0.66
	4 = 6 to 9 times .....	1587	0.18
	5 = 10 or more times .....	1715	0.19
	85 = BAD DATA Logically assigned .....	91	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	814	0.09
	97 = REFUSED .....	565	0.06
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many times have you carried a handgun?

<b>YEYHGUN<sup>1</sup></b>	Len : 2 CARRIED A HANDGUN		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	260058	29.12
	2 = 1 or 2 times .....	6829	0.76
	3 = 3 to 5 times .....	1696	0.19
	4 = 6 to 9 times .....	621	0.07
	5 = 10 or more times .....	1425	0.16
	85 = BAD DATA Logically assigned .....	91	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	492	0.06
	97 = REFUSED .....	601	0.07
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

YOUTH EXPERIENCES

During the past 12 months, how many times have you sold illegal drugs?

<b>YEYSELL<sup>1</sup></b>	Len : 2 SOLD ILLEGAL DRUGS		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	262018	29.34
	2 = 1 or 2 times .....	4487	0.50
	3 = 3 to 5 times .....	1630	0.18
	4 = 6 to 9 times .....	730	0.08
	5 = 10 or more times .....	1997	0.22
	85 = BAD DATA Logically assigned .....	91	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	296	0.03
	97 = REFUSED .....	564	0.06
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

<b>YEYSTOLE<sup>1</sup></b>	Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	259693	29.08
	2 = 1 or 2 times .....	7739	0.87
	3 = 3 to 5 times .....	1666	0.19
	4 = 6 to 9 times .....	635	0.07
	5 = 10 or more times .....	1069	0.12
	85 = BAD DATA Logically assigned .....	91	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	375	0.04
	97 = REFUSED .....	545	0.06
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

<b>YEYATTAK<sup>1</sup></b>	Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times .....	252139	28.24
	2 = 1 or 2 times .....	15182	1.70
	3 = 3 to 5 times .....	2095	0.23
	4 = 6 to 9 times .....	598	0.07
	5 = 10 or more times .....	757	0.08
	85 = BAD DATA Logically assigned .....	91	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	450	0.05
	97 = REFUSED .....	501	0.06
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you think your parents would feel about you smoking one or more packs of cigarettes per day?

<b>YEPPKIG<sup>1</sup></b>	Len : 2 HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		<b>Freq</b>	<b>Pct</b>
	1 = Neither approve nor disapprove .....	11105	1.24
	2 = Somewhat disapprove .....	10850	1.22
	3 = Strongly disapprove .....	245818	27.53
	85 = BAD DATA Logically assigned .....	88	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2905	0.33
	97 = REFUSED .....	1047	0.12
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56



YOUTH EXPERIENCES

How do you think your parents would feel about you trying marijuana or hashish once or twice?

<b>YEPMJEV1</b>	Len : 2 HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
		<b>Freq</b>	<b>Pct</b>
	1 = Neither Approve or Disapprove .....	12129	1.36
	2 = Somewhat Disapprove .....	18612	2.08
	3 = Strongly Disapprove .....	237350	26.58
	85 = BAD DATA Logically assigned .....	88	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2597	0.29
	97 = REFUSED .....	1037	0.12
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you think your parents would feel about you using marijuana or hashish once a month or more?

<b>YEPMJMO1</b>	Len : 2 HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY		
		<b>Freq</b>	<b>Pct</b>
	1 = Neither Approve or Disapprove .....	10511	1.18
	2 = Somewhat Disapprove .....	13239	1.48
	3 = Strongly Disapprove .....	244300	27.36
	85 = BAD DATA Logically assigned .....	88	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2630	0.29
	97 = REFUSED .....	1045	0.12
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

<b>YEPALDLY1</b>	Len : 2 HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
		<b>Freq</b>	<b>Pct</b>
	1 = Neither Approve or Disapprove .....	9343	1.05
	2 = Somewhat Disapprove .....	18672	2.09
	3 = Strongly Disapprove .....	240193	26.90
	85 = BAD DATA Logically assigned .....	88	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2525	0.28
	97 = REFUSED .....	992	0.11
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you feel about someone your age smoking one or more packs of cigarettes a day?

<b>YEGPKCIG1</b>	Len : 2 HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
		<b>Freq</b>	<b>Pct</b>
	1 = Neither approve nor disapprove .....	26745	3.00
	2 = Somewhat disapprove .....	34126	3.82
	3 = Strongly disapprove .....	207688	23.26
	85 = BAD DATA Logically assigned .....	88	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2338	0.26
	97 = REFUSED .....	828	0.09
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you feel about someone your age trying marijuana or hashish once or twice?

<b>YEGMJEV1</b>	Len : 2 HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
		<b>Freq</b>	<b>Pct</b>
	1 = Neither approve nor disapprove .....	53094	5.95
	2 = Somewhat disapprove .....	41950	4.70
	3 = Strongly disapprove .....	173462	19.43
	85 = BAD DATA Logically assigned .....	88	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2366	0.26
	97 = REFUSED .....	853	0.10
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

YOUTH EXPERIENCES

How do you feel about someone your age using marijuana once a month or more?

YEGMJMO <sup>1</sup>	Len : 2 HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY	Freq	Pct
	1 = Neither approve nor disapprove .....	52170	5.84
	2 = Somewhat disapprove .....	40426	4.53
	3 = Strongly disapprove .....	175899	19.70
	85 = BAD DATA Logically assigned .....	89	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2382	0.27
	97 = REFUSED .....	847	0.09
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

YEGALDLY <sup>1</sup>	Len : 2 HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY	Freq	Pct
	1 = Neither approve nor disapprove .....	34756	3.89
	2 = Somewhat disapprove .....	44802	5.02
	3 = Strongly disapprove .....	189031	21.17
	85 = BAD DATA Logically assigned .....	89	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	2339	0.26
	97 = REFUSED .....	796	0.09
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?

YEFPKCIG <sup>1</sup>	Len : 2 HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY	Freq	Pct
	1 = Neither approve nor disapprove .....	33280	3.73
	2 = Somewhat disapprove .....	45742	5.12
	3 = Strongly disapprove .....	188682	21.13
	85 = BAD DATA Logically assigned .....	89	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	3170	0.35
	97 = REFUSED .....	850	0.10
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you think your close friends would feel about you trying marijuana or hashish once or twice?

YEFMJEV <sup>1</sup>	Len : 2 HOW YOU FEEL FRIENDS USING MJ 1X/MO	Freq	Pct
	1 = Neither approve nor disapprove .....	52951	5.93
	2 = Somewhat disapprove .....	42967	4.81
	3 = Strongly disapprove .....	171755	19.23
	85 = BAD DATA Logically assigned .....	89	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	3174	0.36
	97 = REFUSED .....	877	0.10
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

How do you think your close friends would feel about you using marijuana or hashish once a month or more?

YEFMJMO <sup>1</sup>	Len : 2 HOW YOU FEEL FRIENDS USING MJ MONTHLY	Freq	Pct
	1 = Neither approve nor disapprove .....	48999	5.49
	2 = Somewhat disapprove .....	39682	4.44
	3 = Strongly disapprove .....	178891	20.03
	85 = BAD DATA Logically assigned .....	89	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	3250	0.36
	97 = REFUSED .....	902	0.10
	98 = BLANK (NO ANSWER) .....	33	0.00
	99 = LEGITIMATE SKIP .....	621119	69.56

YOUTH EXPERIENCES

How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?

**YEFALDLY<sup>1</sup>**      Len : 2    HOW YOU FEEL FRIENDS DRINKING ALC DAILY

	<b>Freq</b>	<b>Pct</b>
1 = Neither approve nor disapprove .....	40018	4.48
2 = Somewhat disapprove .....	48840	5.47
3 = Strongly disapprove .....	178738	20.02
85 = BAD DATA Logically assigned .....	89	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	3239	0.36
97 = REFUSED .....	889	0.10
98 = BLANK (NO ANSWER) .....	33	0.00
99 = LEGITIMATE SKIP .....	621119	69.56

NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

**YETLKNON<sup>1</sup>**      Len : 2    THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	10502	1.18
6 = Response not entered .....	255330	28.59
11 = Response entered (& other responses entered).....	3642	0.41
85 = BAD DATA Logically assigned .....	48	0.01
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	1387	0.16
97 = REFUSED .....	866	0.10
98 = BLANK (NO ANSWER) .....	71	0.01
99 = LEGITIMATE SKIP .....	621125	69.56

**YETLKPAR<sup>1</sup>**      Len : 2    MY MOTHER/FATHER/GUARDIAN

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	186792	20.92
6 = Response not entered .....	81449	9.12
11 = Response entered (YETLKNON=11) .....	1233	0.14
85 = BAD DATA Logically assigned .....	37	0.00
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	1387	0.16
97 = REFUSED .....	866	0.10
98 = BLANK (NO ANSWER) .....	82	0.01
99 = LEGITIMATE SKIP .....	621123	69.56

**YETLKBGF<sup>1</sup>**      Len : 2    MY BOYFRIEND/GIRLFRIEND

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	85218	9.54
6 = Response not entered .....	182854	20.48
11 = Response entered (YETLKNON=11) .....	1402	0.16
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
94 = DON'T KNOW .....	1387	0.16
97 = REFUSED .....	866	0.10
98 = BLANK (NO ANSWER) .....	119	0.01
99 = LEGITIMATE SKIP .....	621122	69.56

**YETLKOTA<sup>1</sup>**      Len : 2    SOME OTHER ADULT

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	74569	8.35
6 = Response not entered .....	193753	21.70
11 = Response entered (YETLKNON=11) .....	1152	0.13
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	1387	0.16
97 = REFUSED .....	866	0.10
98 = BLANK (NO ANSWER) .....	119	0.01
99 = LEGITIMATE SKIP .....	621124	69.56

YOUTH EXPERIENCES

**YETLKSOP<sup>1</sup>**      Len : 2    SOME OTHER PERSON

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	98544	11.04
6 = Response not entered .....	169056	18.93
11 = Response entered (YETLKNON=11) .....	1874	0.21
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	1387	0.16
97 = REFUSED .....	866	0.10
98 = BLANK (NO ANSWER) .....	119	0.01
99 = LEGITIMATE SKIP .....	621125	69.56

Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

**YEPRTDNG<sup>1</sup>**      Len : 2    HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	156621	17.54
2 = No.....	111532	12.49
85 = BAD DATA Logically assigned .....	99	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	2614	0.29
97 = REFUSED .....	945	0.11
98 = BLANK (NO ANSWER) .....	35	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

**YEPRBSLV<sup>1</sup>**      Len : 2    PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	62315	6.98
2 = No.....	203814	22.82
85 = BAD DATA Logically assigned .....	99	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	4794	0.54
97 = REFUSED .....	789	0.09
98 = BLANK (NO ANSWER) .....	35	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

**YEVIOPRV<sup>1</sup>**      Len : 2    VIOLENCE PREVENTION PROGRAMS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	39114	4.38
2 = No.....	229958	25.75
85 = BAD DATA Logically assigned .....	99	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	1957	0.22
97 = REFUSED .....	683	0.08
98 = BLANK (NO ANSWER) .....	35	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

**YEDGPRGP<sup>1</sup>**      Len : 2    ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	32361	3.62
2 = No.....	237101	26.55
85 = BAD DATA Logically assigned .....	99	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	1539	0.17
97 = REFUSED .....	711	0.08
98 = BLANK (NO ANSWER) .....	35	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

YOUTH EXPERIENCES

During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?

YESLFHLP<sup>1</sup>      Len : 2    AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	12398	1.39
2 = No.....	256467	28.72
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
94 = DON'T KNOW.....	2016	0.23
97 = REFUSED.....	831	0.09
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?

YEPRGSTD<sup>1</sup>      Len : 2    PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	29139	3.26
2 = No.....	240495	26.93
85 = BAD DATA Logically assigned.....	99	0.01
89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
94 = DON'T KNOW.....	1336	0.15
97 = REFUSED.....	742	0.08
98 = BLANK (NO ANSWER).....	35	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

YESCHACT<sup>1</sup>      Len : 2    # OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
0 = None.....	44317	4.96
1 = One.....	67748	7.59
2 = Two.....	68951	7.72
3 = 3 or more.....	89094	9.98
85 = BAD DATA Logically assigned.....	100	0.01
89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
94 = DON'T KNOW.....	1054	0.12
97 = REFUSED.....	545	0.06
98 = BLANK (NO ANSWER).....	37	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

YECOMACT<sup>1</sup>      Len : 2    # OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
0 = None.....	70001	7.84
1 = One.....	74985	8.40
2 = Two.....	57452	6.43
3 = 3 or more.....	66671	7.47
85 = BAD DATA Logically assigned.....	100	0.01
89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
94 = DON'T KNOW.....	2018	0.23
97 = REFUSED.....	581	0.07
98 = BLANK (NO ANSWER).....	38	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

YOUTH EXPERIENCES

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

**YEFAIACT<sup>1</sup>**      Len : 2   # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
0 = None .....	102748	11.51
1 = One .....	61709	6.91
2 = Two.....	35272	3.95
3 = 3 or more.....	69137	7.74
85 = BAD DATA Logically assigned .....	100	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	2090	0.23
97 = REFUSED .....	752	0.08
98 = BLANK (NO ANSWER) .....	38	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

**YEOTHACT<sup>1</sup>**      Len : 2   # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
0 = None .....	161187	18.05
1 = One .....	59054	6.61
2 = Two.....	23663	2.65
3 = 3 or more.....	25756	2.88
85 = BAD DATA Logically assigned .....	100	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	1440	0.16
97 = REFUSED .....	608	0.07
98 = BLANK (NO ANSWER) .....	38	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months have you had a special class about drugs or alcohol in school?

**YEDECLAS<sup>1</sup>**      Len : 2   A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	114006	12.77
2 = No.....	137034	15.35
85 = BAD DATA Logically assigned .....	56	0.01
89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
94 = DON'T KNOW .....	1583	0.18
97 = REFUSED .....	535	0.06
98 = BLANK (NO ANSWER) .....	1818	0.20
99 = LEGITIMATE SKIP.....	637934	71.44

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

**YEDERGLR<sup>1</sup>**      Len : 2   FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	164555	18.43
2 = No.....	86310	9.67
85 = BAD DATA Logically assigned .....	56	0.01
89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
94 = DON'T KNOW .....	1725	0.19
97 = REFUSED .....	568	0.06
98 = BLANK (NO ANSWER) .....	1818	0.20
99 = LEGITIMATE SKIP.....	637934	71.44

YOUTH EXPERIENCES

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

<b>YEDESPCL<sup>1</sup></b>	Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	98213	11.00
	2 = No.....	151849	17.00
	85 = BAD DATA Logically assigned.....	56	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	6	0.00
	94 = DON'T KNOW.....	2478	0.28
	97 = REFUSED.....	618	0.07
	98 = BLANK (NO ANSWER).....	1818	0.20
	99 = LEGITIMATE SKIP.....	637934	71.44

During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?

<b>YEPVNTYR<sup>1</sup></b>	Len : 2 SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	208098	23.30
	2 = No.....	60411	6.77
	85 = BAD DATA Logically assigned.....	100	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	2595	0.29
	97 = REFUSED.....	604	0.07
	98 = BLANK (NO ANSWER).....	37	0.00
	99 = LEGITIMATE SKIP.....	621120	69.56

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

<b>YERLGSVC<sup>1</sup></b>	Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES		
		<b>Freq</b>	<b>Pct</b>
	1 = 0 times.....	92936	10.41
	2 = 1 to 2 times.....	37342	4.18
	3 = 3 to 5 times.....	22547	2.52
	4 = 6 to 24 times.....	33053	3.70
	5 = 25 to 52 times.....	33581	3.76
	6 = More than 52 times.....	45768	5.13
	85 = BAD DATA Logically assigned.....	100	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	5329	0.60
	97 = REFUSED.....	1151	0.13
	98 = BLANK (NO ANSWER).....	39	0.00
	99 = LEGITIMATE SKIP.....	621119	69.56

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

<b>YERLGIMP<sup>1</sup></b>	Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		<b>Freq</b>	<b>Pct</b>
	1 = Strongly Disagree.....	30835	3.45
	2 = Disagree.....	39232	4.39
	3 = Agree.....	107757	12.07
	4 = Strongly Agree.....	87239	9.77
	85 = BAD DATA Logically assigned.....	94	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	4706	0.53
	97 = REFUSED.....	1943	0.22
	98 = BLANK (NO ANSWER).....	40	0.00
	99 = LEGITIMATE SKIP.....	621119	69.56

YOUTH EXPERIENCES

Your religious beliefs influence how you make decisions in your life.

YERLDCSN <sup>1</sup>	Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS	Freq	Pct
	1 = Strongly Disagree .....	35822	4.01
	2 = Disagree .....	55561	6.22
	3 = Agree .....	105350	11.80
	4 = Strongly Agree.....	68146	7.63
	85 = BAD DATA Logically assigned .....	94	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	4905	0.55
	97 = REFUSED .....	1927	0.22
	98 = BLANK (NO ANSWER) .....	41	0.00
	99 = LEGITIMATE SKIP.....	621119	69.56

It is important that your friends share your religious beliefs.

YERLFRND <sup>1</sup>	Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS	Freq	Pct
	1 = Strongly Disagree .....	74879	8.39
	2 = Disagree .....	103307	11.57
	3 = Agree .....	62647	7.02
	4 = Strongly Agree.....	23055	2.58
	85 = BAD DATA Logically assigned .....	94	0.01
	89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	5890	0.66
	97 = REFUSED .....	1933	0.22
	98 = BLANK (NO ANSWER) .....	41	0.00
	99 = LEGITIMATE SKIP.....	621119	69.56



RECODED YOUTH EXPERIENCES

**RECODED YOUTH EXPERIENCES**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<b>SCHFELT</b>	Len : 1 RC-HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	640300	71.70
	1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	201659	22.58
	2 = Didn't Like Very Much/Hated (YESCHFLT=3,4).....	51013	5.71

<b>TCHGJOB</b>	Len : 1 RC-TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	640621	71.74
	1 = Always/Sometimes (YETCGJOB=1,2).....	197680	22.14
	2 = Seldom/Never (YETCGJOB=3,4).....	54671	6.12

<b>AVGGRADE</b>	Len : 1 RC-GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	651581	72.97
	1 = D or Lower (YELSTGRD=4).....	14253	1.60
	2 = A, B, or C (YELSTGRD=1,2,3).....	227138	25.44

<b>STNDSCIG</b>	Len : 1 RC-STUDENTS IN YTH GRADE SMOKE CIGARETTES	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	647368	72.50
	1 = Most/All (YESTSCIG=3,4).....	60693	6.80
	2 = None/Few (YESTSCIG=1,2).....	184911	20.71

<b>STNDSMJ</b>	Len : 1 RC-STUDENTS IN YTH GRADE USE MARIJUANA	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	650658	72.86
	1 = Most/All (YESTSMJ=3,4).....	62812	7.03
	2 = None/Few (YESTSMJ=1,2).....	179502	20.10

<b>STNDALC</b>	Len : 1 RC-STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	648634	72.64
	1 = Most/All (YESTSALC=3,4).....	99291	11.12
	2 = None/Few (YESTSALC=1,2).....	145047	16.24

<b>STNDNKG</b>	Len : 1 RC-STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	651921	73.01
	1 = Most/All (YESTSDNK=3,4).....	38677	4.33
	2 = None/Few (YESTSDNK=1,2).....	202374	22.66

<b>PARCHKHW</b>	Len : 1 RC-PARENTS CHECK IF HOMEWORK DONE IN PST YR	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	640838	71.76
	1 = Always/Sometimes (YEPCHKHW=1,2).....	202434	22.67
	2 = Seldom/Never (YEPCHKHW=3,4).....	49700	5.57

<b>PARHLPHW</b>	Len : 1 RC-PARENTS HELP WITH HOMEWORK IN PST YR	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	641067	71.79
	1 = Always/Sometimes (YEPHLPHW=1,2).....	202551	22.68
	2 = Seldom/Never (YEPHLPHW=3,4).....	49354	5.53

<b>PRCHORE2</b>	Len : 1 RC-PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	622489	69.71
	1 = Always/Sometimes (YEPCHORE=1,2).....	237923	26.64
	2 = Seldom/Never (YEPCHORE=3,4).....	32560	3.65

RECODED YOUTH EXPERIENCES

PRLMTTV2	Len : 1 RC-PARENTS LIMIT AMOUNT OF TV IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	623321	69.80
	1 = Always/Sometimes (YEPLMTTV=1,2).....	104194	11.67
	2 = Seldom/Never (YEPLMTTV=3,4).....	165457	18.53
PARLMTSN	Len : 1 RC-PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	643534	72.07
	1 = Always/Sometimes (YEPLMTSN=1,2).....	172207	19.28
	2 = Seldom/Never (YEPLMTSN=3,4).....	77231	8.65
PRGDJOB2	Len : 1 RC-PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	622480	69.71
	1 = Always/Sometimes (YEPGDJOB=1,2).....	232127	25.99
	2 = Seldom/Never (YEPGDJOB=3,4).....	38365	4.30
PRPROUD2	Len : 1 RC-PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	622513	69.71
	1 = Always/Sometimes (YEPPROUD=1,2).....	231008	25.87
	2 = Seldom/Never (YEPPROUD=3,4).....	39451	4.42
ARGUPAR	Len : 1 RC-TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	625040	70.00
	1 = 9 or Fewer (YEYARGUP=1,2,3,4).....	208163	23.31
	2 = 10 or More (YEYARGUP=5).....	59769	6.69
YOFIGHT2	Len : 1 RC-YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK		
	. = Unknown/Aged 18+ (Otherwise).....	622601	69.72
	1 = One or More Times (YEYFGTSW=2,3,4,5).....	56279	6.30
	2 = None (YEYFGTSW=1).....	214092	23.98
YOGRPFT2	Len : 1 RC-YOUTH FOUGHT WITH GROUP VS OTHER GROUP		
	. = Unknown/Aged 18+ (Otherwise).....	622629	69.73
	1 = One or More Times (YEYFGTGP=2,3,4,5).....	39176	4.39
	2 = None (YEYFGTGP=1).....	231167	25.89
YOHGUN2	Len : 1 RC-YOUTH CARRIED A HANDGUN		
	. = Unknown/Aged 18+ (Otherwise).....	622343	69.69
	1 = One or More Times (YEYHGUN=2,3,4,5).....	10571	1.18
	2 = None (YEYHGUN=1).....	260058	29.12
YOSELL2	Len : 1 RC-YOUTH SOLD ILLEGAL DRUGS		
	. = Unknown/Aged 18+ (Otherwise).....	622110	69.67
	1 = One or More Times (YEYSELL=2,3,4,5).....	8844	0.99
	2 = None (YEYSELL=1).....	262018	29.34
YOSTOLE2	Len : 1 RC-YOUTH STOLE/TRIED TO STEAL ITEM >\$50		
	. = Unknown/Aged 18+ (Otherwise).....	622170	69.67
	1 = One or More Times (YEYSTOLE=2,3,4,5).....	11109	1.24
	2 = None (YEYSTOLE=1).....	259693	29.08

RECODED YOUTH EXPERIENCES

YOATTAK2	Len : 1 RC-YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM		
	. = Unknown/Aged 18+ (Otherwise).....	622201	69.68
	1 = One or More Times (YEYATTAK=2,3,4,5).....	18632	2.09
	2 = None (YEYATTAK=1) .....	252139	28.24
PRPKCIG2	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY		
	. = Unknown/Aged 18+ (Otherwise).....	625199	70.01
	1 = Strongly Disapprove (YEPPKCIG=3) .....	245818	27.53
	2 = Somewhat Disapprove or Neither (YEPPKCIG=1,2).....	21955	2.46
PRMJEV2	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH TRY MARIJUANA		
	. = Unknown/Aged 18+ (Otherwise).....	624881	69.98
	1 = Strongly Disapprove (YEPMJEV2=3) .....	237350	26.58
	2 = Somewhat Disapprove or Neither (YEPMJEV2=1,2).....	30741	3.44
PRMJMO	Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH USE MARIJUANA MNTHLY		
	. = Unknown/Aged 18+ (Otherwise).....	624922	69.98
	1 = Strongly Disapprove (YEPMJMO=3).....	244300	27.36
	2 = Somewhat Disapprove or Neither (YEPMJMO=1,2).....	23750	2.66
PRALDLY2	Len : 1 RC-YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY		
	. = Unknown/Aged 18+ (Otherwise).....	624764	69.96
	1 = Strongly Disapprove (YEPALDLY=3).....	240193	26.90
	2 = Somewhat Disapprove or Neither (YEPALDLY=1,2).....	28015	3.14
YFLPKCG2	Len : 1 RC-HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
	. = Unknown/Aged 18+ (Otherwise).....	624413	69.93
	1 = Strongly/Somewhat Disapprove (YEGPKCIG=2,3).....	241814	27.08
	2 = Neither Approve Nor Disapprove (YEGPKCIG=1).....	26745	3.00
YFLTMRJ2	Len : 1 RC-HOW YTH FEELS: PEERS TRY MARIJUANA		
	. = Unknown/Aged 18+ (Otherwise).....	624466	69.93
	1 = Strongly/Somewhat Disapprove (YEGMJEV2=2,3).....	215412	24.12
	2 = Neither Approve Nor Disapprove (YEGMJEV2=1) .....	53094	5.95
YFLMJMO	Len : 1 RC-HOW YTH FEELS: PEERS USING MARIJUANA MONTHLY		
	. = Unknown/Aged 18+ (Otherwise).....	624477	69.93
	1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3) .....	216325	24.23
	2 = Neither Approve Nor Disapprove (YEGMJMO=1).....	52170	5.84
YFLADLY2	Len : 1 RC-HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY		
	. = Unknown/Aged 18+ (Otherwise).....	624383	69.92
	1 = Strongly/Somewhat Disapprove (YEGALDLY=2,3) .....	233833	26.19
	2 = Neither Approve Nor Disapprove (YEGALDLY=1) .....	34756	3.89
FRDPCIG2	Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY		
	. = Unknown/Aged 18+ (Otherwise).....	625268	70.02
	1 = Strongly/Somewhat Disapprove (YEFPKCIG=2,3).....	234424	26.25
	2 = Neither Approve Nor Disapprove (YEFPKCIG=1) .....	33280	3.73

RECODED YOUTH EXPERIENCES

FRDMEVR2	Len : 1 RC-YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MARIJUANA	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	625299	70.02
	1 = Strongly/Somewhat Disapprove (YEFMJEV=2,3).....	214722	24.05
	2 = Neither Approve Nor Disapprove (YEFMJEV=1).....	52951	5.93

FRDMJMON	Len : 1 RC-YTH THINK: CLSE FRNDS FEEL ABT YTH USE MARIJUANA MON	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	625400	70.04
	1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3).....	218573	24.48
	2 = Neither Approve Nor Disapprove (YEFMJMO=1).....	48999	5.49

FRDADLY2	Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	625376	70.03
	1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3).....	227578	25.49
	2 = Neither Approve Nor Disapprove (YEFALDLY=1).....	40018	4.48

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as system missing.

TALKPROB	Len : 1 RC-WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS	<b>Freq</b>	<b>Pct</b>
	. = Otherwise (See comment above).....	627140	70.23
	1 = No One (YETLKNON=1).....	10502	1.18
	2 = Someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=1).....	255330	28.59

PRTALK3	Len : 1 RC-TALKED WITH PARENT ABOUT DANGER TOB/ALC/DRG	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	624819	69.97
	1 = Yes (YEPRTDNG=1).....	156621	17.54
	2 = No (YEPRTDNG=2).....	111532	12.49

PRBSOLV2	Len : 1 RC-PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	626843	70.20
	1 = Yes (YEPRBSLV=1).....	62315	6.98
	2 = No (YEPRBSLV=2).....	203814	22.82

PREVIOL2	Len : 1 RC-PARTICIPATED IN VIOLENCE PREVENTION PROGRAM	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	623900	69.87
	1 = Yes (YEVIOPRV=1).....	39114	4.38
	2 = No (YEVIOPRV=2).....	229958	25.75

PRVDRGO2	Len : 1 RC-PARTICIPATED IN SUBSTANCE PREV PROGRAM OUTSIDE SCHOOL	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	623510	69.82
	1 = Yes (YEDGPRGP=1).....	32361	3.62
	2 = No (YEDGPRGP=2).....	237101	26.55

GRPCNSL2	Len : 1 RC-PARTICIPATED IN PROGRAM TO HELP SUBSTANCE USE	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	624107	69.89
	1 = Yes (YESLFHLP=1).....	12398	1.39
	2 = No (YESLFHLP=2).....	256467	28.72

RECODED YOUTH EXPERIENCES

<b>PREGPGM2</b>	Len : 1 RC-PARTICIPATED IN PREG/STD PREVENTION PROGRAM		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	623338	69.80
	1 = Yes (YEPRGSTD=1).....	29139	3.26
	2 = No (YEPRGSTD=2).....	240495	26.93

The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFIACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "Two or more activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as system missing. To be included in the "None or one activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.

<b>YTHACT2</b>	Len : 1 RC-YTH PARTICIPATED IN YOUTH ACTIVITIES		
	.	<b>Freq</b>	<b>Pct</b>
	. = Otherwise/Aged 18+ (See comment above).....	622374	69.70
	1 = None or one activity (See comment above) .....	38340	4.29
	2 = Two or more activities (See comment above).....	232258	26.01

<b>DRPRVME3</b>	Len : 1 RC-YTH SEEN DRUG PREVENTION MESSAGE OUTSIDE SCHOOL		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	624463	69.93
	1 = Yes (YEPVNTYR=1).....	208098	23.30
	2 = No (YEPVNTYR=2).....	60411	6.77

<b>ANYEDUC3</b>	Len : 1 RC-YTH HAD ANY DRUG EDUCATION IN SCHOOL		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	641976	71.89
	1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1).....	190307	21.31
	2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2).....	60689	6.80

<b>RLGATTD</b>	Len : 1 RC-NUMBER TIMES ATTEND RELIGIOUS SERVICES IN PST YR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	627745	70.30
	1 = 25 or More (YERLGSVC=5,6).....	79349	8.89
	2 = Less than 25 (YERLGSVC=1,2,3,4).....	185878	20.82

<b>RLGIMPT</b>	Len : 1 RC-RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	627909	70.32
	1 = Agree/Strongly Agree (YERLGIMP=3,4).....	194996	21.84
	2 = Strongly Disagree/Disagree (YERLGIMP=1,2).....	70067	7.85

<b>RLGDSCN</b>	Len : 1 RC-RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	628093	70.34
	1 = Agree/Strongly Agree (YERLDCSN=3,4).....	173496	19.43
	2 = Strongly Disagree/Disagree (YERLDCSN=1,2).....	91383	10.23

<b>RLGFRND</b>	Len : 1 RC-IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	629084	70.45
	1 = Agree/Strongly Agree (YERLFRND=3,4).....	85702	9.60
	2 = Strongly Disagree/Disagree (YERLFRND=1,2).....	178186	19.95

<b>SCHWORK</b>	Len : 1 HOW YTH FELT: SCHL WORK IMPT IN PST YR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Otherwise (YESCHWRK=85,89,94,97,98,99) .....	154479	17.30
	-9 = Data not collected for this year .....	672156	75.27
	1 = Always/Sometimes (YESCHWRK=1,2).....	51439	5.76
	2 = Seldom/Never (YESCHWRK=3,4) .....	14898	1.67

RECODED YOUTH EXPERIENCES

<b>SCHIMPT</b>	Len : 1 HOW YTH FELT: THINGS LEARNED IN PST YR IMP IN LIFE		
		<b>Freq</b>	<b>Pct</b>
	. = Otherwise (YESCHIMP=85,89,94,97,98,99).....	154481	17.30
	-9 = Data not collected for this year.....	672156	75.27
	1 = Very/Somewhat Important (YESCHIMP=1,2).....	58416	6.54
	2 = Very/Somewhat Unimportant (YESCHIMP=3,4).....	7919	0.89

<b>SCHINTST</b>	Len : 1 HOW YTH FELT: CLASS AT SCHL INTERST IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Otherwise (YESCHINT=85,89,94,97,98,99).....	154464	17.30
	-9 = Data not collected for this year.....	672156	75.27
	1 = Very/Somewhat Interesting (YESCHINT=1,2).....	50049	5.60
	2 = Very/Somewhat Boring (YESCHINT=3,4).....	16303	1.83

<b>DGSPCLS2</b>	Len : 1 YOUTH TAKEN SPECIAL CLASS ABOUT DRUGS		
		<b>Freq</b>	<b>Pct</b>
	. = Otherwise (YEDECLAS=85,89,94,97,98,99).....	154657	17.32
	-9 = Data not collected for this year.....	672156	75.27
	1 = Yes (YEDECLAS=1).....	32368	3.62
	2 = No (YEDECLAS=2).....	33791	3.78

<b>DGRGCLS2</b>	Len : 1 YOUTH DRUG EDUC IN REGULAR CLASS		
		<b>Freq</b>	<b>Pct</b>
	. = Otherwise (YEDERGLR=85,89,94,97,98,99).....	154729	17.33
	-9 = Data not collected for this year.....	672156	75.27
	1 = Yes (YEDERGLR=1).....	44933	5.03
	2 = No (YEDERGLR=2).....	21154	2.37

<b>DRGLECT2</b>	Len : 1 YOUTH DRUG EDUC OUTSIDE REG CLASS		
		<b>Freq</b>	<b>Pct</b>
	. = Otherwise (YEDESPCL=85,89,94,97,98,99).....	154877	17.34
	-9 = Data not collected for this year.....	672156	75.27
	1 = Yes (YEDESPCL=1).....	26624	2.98
	2 = No (YEDESPCL=2).....	39315	4.40

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

<b>MVIN5YR2</b>	Len : 1 NUMBER OF TIMES YOUTH MOVED IN PST 5 YRS		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (Otherwise).....	497712	55.74
	-9 = Data not collected for this year.....	170319	19.07
	1 = More than One Time (YEMOV5Y2=2 to 6).....	56116	6.28
	2 = None or One Time (YEMOV5Y2=0,1).....	168825	18.91

MENTAL HEALTH

**MENTAL HEALTH**

*This note applies to variables in this section marked by a<sup>1</sup>.*

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

<b>DSTRNV30<sup>1</sup></b>	Len : 2    HOW OFTEN FELT NERVOUS PAST 30 DAYS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = All of the time .....	9239	1.03
	2 = Most of the time .....	19246	2.16
	3 = Some of the time .....	80878	9.06
	4 = A little of the time .....	147414	16.51
	5 = None of the time .....	140217	15.70
	85 = BAD DATA Logically assigned .....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
	94 = DON'T KNOW .....	846	0.09
	97 = REFUSED .....	980	0.11
	98 = BLANK (NO ANSWER) .....	106	0.01
	99 = LEGITIMATE SKIP .....	163100	18.26

During the past 30 days, how often did you feel hopeless?

<b>DSTHOP30<sup>1</sup></b>	Len : 2    HOW OFTEN FELT HOPELESS PAST 30 DAYS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = All of the time .....	6747	0.76
	2 = Most of the time .....	12066	1.35
	3 = Some of the time .....	39967	4.48
	4 = A little of the time .....	77423	8.67
	5 = None of the time .....	260740	29.20
	85 = BAD DATA Logically assigned .....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
	94 = DON'T KNOW .....	851	0.10
	97 = REFUSED .....	1025	0.11
	98 = BLANK (NO ANSWER) .....	107	0.01
	99 = LEGITIMATE SKIP .....	163100	18.26

During the past 30 days, how often did you feel restless or fidgety?

<b>DSTRST30<sup>1</sup></b>	Len : 2    HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = All of the time .....	9403	1.05
	2 = Most of the time .....	19742	2.21
	3 = Some of the time .....	70512	7.90
	4 = A little of the time .....	115412	12.92
	5 = None of the time .....	181552	20.33
	85 = BAD DATA Logically assigned .....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
	94 = DON'T KNOW .....	1169	0.13
	97 = REFUSED .....	1028	0.12
	98 = BLANK (NO ANSWER) .....	108	0.01
	99 = LEGITIMATE SKIP .....	163100	18.26

MENTAL HEALTH

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

<b>DSTCHR30<sup>1</sup></b>	Len : 2    HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = All of the time .....	6016	0.67
	2 = Most of the time .....	12323	1.38
	3 = Some of the time .....	37734	4.23
	4 = A little of the time .....	74400	8.33
	5 = None of the time .....	266591	29.85
	85 = BAD DATA Logically assigned .....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
	94 = DON'T KNOW .....	777	0.09
	97 = REFUSED .....	977	0.11
	98 = BLANK (NO ANSWER) .....	108	0.01
	99 = LEGITIMATE SKIP .....	163100	18.26

During the past 30 days, how often did you feel that everything was an effort?

<b>DSTEFF30<sup>1</sup></b>	Len : 2    HOW OFT FELT EVERYTHING EFFORT PST 30 DYS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = All of the time .....	18243	2.04
	2 = Most of the time .....	25973	2.91
	3 = Some of the time .....	59530	6.67
	4 = A little of the time .....	104821	11.74
	5 = None of the time .....	186570	20.89
	85 = BAD DATA Logically assigned .....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
	94 = DON'T KNOW .....	2429	0.27
	97 = REFUSED .....	1252	0.14
	98 = BLANK (NO ANSWER) .....	108	0.01
	99 = LEGITIMATE SKIP .....	163100	18.26

During the past 30 days, how often did you feel down on yourself, no good or worthless?

<b>DSTNGD30<sup>1</sup></b>	Len : 2    HOW OFT FELT DOWN/WTHLSS/NO GOOD PST 30 DYS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = All of the time .....	7178	0.80
	2 = Most of the time .....	13880	1.55
	3 = Some of the time .....	37792	4.23
	4 = A little of the time .....	78631	8.81
	5 = None of the time .....	259433	29.05
	85 = BAD DATA Logically assigned .....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
	94 = DON'T KNOW .....	834	0.09
	97 = REFUSED .....	1069	0.12
	98 = BLANK (NO ANSWER) .....	109	0.01
	99 = LEGITIMATE SKIP .....	163100	18.26

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

<b>DSTWORST<sup>1</sup></b>	Len : 2    MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = Yes .....	133511	14.95
	2 = No .....	262934	29.44
	85 = BAD DATA Logically assigned .....	41	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
	94 = DON'T KNOW .....	1303	0.15
	97 = REFUSED .....	1067	0.12
	98 = BLANK (NO ANSWER) .....	111	0.01
	99 = LEGITIMATE SKIP .....	163100	18.26



MENTAL HEALTH

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

<b>DSTNRV12<sup>1</sup></b>	Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = All of the time.....	15958	1.79
	2 = Most of the time.....	32893	3.68
	3 = Some of the time.....	44968	5.04
	4 = A little of the time.....	30243	3.39
	5 = None of the time.....	9161	1.03
	85 = BAD DATA Logically assigned.....	29	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	236	0.03
	97 = REFUSED.....	1119	0.13
	98 = BLANK (NO ANSWER).....	1426	0.16
	99 = LEGITIMATE SKIP.....	426037	47.71

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

<b>DSTHOP12<sup>1</sup></b>	Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = All of the time.....	13617	1.52
	2 = Most of the time.....	24168	2.71
	3 = Some of the time.....	33067	3.70
	4 = A little of the time.....	30088	3.37
	5 = None of the time.....	32352	3.62
	85 = BAD DATA Logically assigned.....	29	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	149	0.02
	97 = REFUSED.....	1137	0.13
	98 = BLANK (NO ANSWER).....	1426	0.16
	99 = LEGITIMATE SKIP.....	426037	47.71

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

<b>DSTRST12<sup>1</sup></b>	Len : 2 HOW OFTEN FELT RESTLESS IN WORST MONTH	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = All of the time.....	12518	1.40
	2 = Most of the time.....	23458	2.63
	3 = Some of the time.....	38032	4.26
	4 = A little of the time.....	35950	4.03
	5 = None of the time.....	23237	2.60
	85 = BAD DATA Logically assigned.....	29	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	237	0.03
	97 = REFUSED.....	1146	0.13
	98 = BLANK (NO ANSWER).....	1426	0.16
	99 = LEGITIMATE SKIP.....	426037	47.71

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

**DSTCHR12<sup>1</sup>**      Len : 2    HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	330900	37.06
1 = All of the time.....	13836	1.55
2 = Most of the time.....	24164	2.71
3 = Some of the time.....	31310	3.51
4 = A little of the time.....	31345	3.51
5 = None of the time.....	32649	3.66
85 = BAD DATA Logically assigned.....	29	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	134	0.02
97 = REFUSED.....	1140	0.13
98 = BLANK (NO ANSWER).....	1426	0.16
99 = LEGITIMATE SKIP.....	426037	47.71

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

**DSTEFF12<sup>1</sup>**      Len : 2    HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	330900	37.06
1 = All of the time.....	17119	1.92
2 = Most of the time.....	26127	2.93
3 = Some of the time.....	34029	3.81
4 = A little of the time.....	33298	3.73
5 = None of the time.....	22381	2.51
85 = BAD DATA Logically assigned.....	29	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	434	0.05
97 = REFUSED.....	1190	0.13
98 = BLANK (NO ANSWER).....	1426	0.16
99 = LEGITIMATE SKIP.....	426037	47.71

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

**DSTNGD12<sup>1</sup>**      Len : 2    HOW OFTEN FELT NO GOOD IN WORST MONTH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	330900	37.06
1 = All of the time.....	13935	1.56
2 = Most of the time.....	21118	2.36
3 = Some of the time.....	28440	3.18
4 = A little of the time.....	29994	3.36
5 = None of the time.....	39754	4.45
85 = BAD DATA Logically assigned.....	29	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	168	0.02
97 = REFUSED.....	1169	0.13
98 = BLANK (NO ANSWER).....	1426	0.16
99 = LEGITIMATE SKIP.....	426037	47.71

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

<b>IMPREMEM<sup>1</sup></b>	Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = No difficulty .....	153668	17.21
	2 = Mild difficulty.....	99616	11.16
	3 = Moderate difficulty .....	39571	4.43
	4 = Severe difficulty.....	10015	1.12
	85 = BAD DATA Logically assigned .....	35	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	1156	0.13
	97 = REFUSED .....	626	0.07
	98 = BLANK (NO ANSWER) .....	45	0.01
	99 = LEGITIMATE SKIP.....	257337	28.82

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

<b>IMPCONCN<sup>1</sup></b>	Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = No difficulty .....	135648	15.19
	2 = Mild difficulty.....	106548	11.93
	3 = Moderate difficulty .....	46784	5.24
	4 = Severe difficulty.....	13861	1.55
	85 = BAD DATA Logically assigned .....	35	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	1146	0.13
	97 = REFUSED .....	663	0.07
	98 = BLANK (NO ANSWER) .....	47	0.01
	99 = LEGITIMATE SKIP.....	257337	28.82

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

<b>IMPGOUT<sup>1</sup></b>	Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = No difficulty .....	209036	23.41
	2 = Mild difficulty.....	49271	5.52
	3 = Moderate difficulty .....	27427	3.07
	4 = Severe difficulty.....	10944	1.23
	5 = You didn't leave the house on your own .....	6303	0.71
	85 = BAD DATA Logically assigned .....	35	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	958	0.11
	97 = REFUSED .....	711	0.08
	98 = BLANK (NO ANSWER) .....	47	0.01
	99 = LEGITIMATE SKIP.....	257337	28.82

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

<b>IMPGOUTM<sup>1</sup></b>	Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	330900	37.06
	1 = Yes.....	3766	0.42
	2 = No.....	2513	0.28
	94 = DON'T KNOW .....	17	0.00
	97 = REFUSED .....	717	0.08
	98 = BLANK (NO ANSWER) .....	1041	0.12
	99 = LEGITIMATE SKIP.....	554018	62.04

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

IMPPEOP<sup>1</sup>      Len : 2    DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	330900	37.06
1 = No difficulty .....	181538	20.33
2 = Mild difficulty .....	65463	7.33
3 = Moderate difficulty .....	32627	3.65
4 = Severe difficulty .....	13522	1.51
5 = You didn't deal with people you did not know well .....	9755	1.09
85 = BAD DATA Logically assigned .....	35	0.00
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	1042	0.12
97 = REFUSED .....	702	0.08
98 = BLANK (NO ANSWER) .....	48	0.01
99 = LEGITIMATE SKIP .....	257337	28.82

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

IMPPEOPM<sup>1</sup>      Len : 2    EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	330900	37.06
1 = Yes .....	4582	0.51
2 = No .....	5100	0.57
94 = DON'T KNOW .....	60	0.01
97 = REFUSED .....	715	0.08
98 = BLANK (NO ANSWER) .....	1125	0.13
99 = LEGITIMATE SKIP .....	550490	61.65

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

IMPPOC<sup>1</sup>      Len : 2    DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	330900	37.06
1 = No difficulty .....	171900	19.25
2 = Mild difficulty .....	65396	7.32
3 = Moderate difficulty .....	35896	4.02
4 = Severe difficulty .....	17420	1.95
5 = You didn't participate in social activities .....	12407	1.39
85 = BAD DATA Logically assigned .....	35	0.00
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	910	0.10
97 = REFUSED .....	720	0.08
98 = BLANK (NO ANSWER) .....	48	0.01
99 = LEGITIMATE SKIP .....	257337	28.82

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

IMPPOCM<sup>1</sup>      Len : 2    EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	330900	37.06
1 = Yes .....	7313	0.82
2 = No .....	5047	0.57
94 = DON'T KNOW .....	36	0.00
97 = REFUSED .....	731	0.08
98 = BLANK (NO ANSWER) .....	993	0.11
99 = LEGITIMATE SKIP .....	547952	61.36

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

<b>IMPHHLD<sup>1</sup></b>	Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = No difficulty .....	173445	19.42
	2 = Mild difficulty .....	73274	8.21
	3 = Moderate difficulty .....	36975	4.14
	4 = Severe difficulty .....	15548	1.74
	5 = You didn't take care of household responsibilities .....	3888	0.44
	85 = BAD DATA Logically assigned .....	35	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	826	0.09
	97 = REFUSED .....	691	0.08
	98 = BLANK (NO ANSWER) .....	50	0.01
	99 = LEGITIMATE SKIP .....	257337	28.82

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

<b>IMPHHLD<sup>1</sup></b>	Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = Yes .....	2449	0.27
	2 = No .....	1417	0.16
	94 = DON'T KNOW .....	18	0.00
	97 = REFUSED .....	695	0.08
	98 = BLANK (NO ANSWER) .....	911	0.10
	99 = LEGITIMATE SKIP .....	556582	62.33

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

<b>IMPRES<sup>1</sup></b>	Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = No difficulty .....	179838	20.14
	2 = Mild difficulty .....	68410	7.66
	3 = Moderate difficulty .....	29746	3.33
	4 = Severe difficulty .....	11856	1.33
	5 = You didn't work or go to school .....	12950	1.45
	85 = BAD DATA Logically assigned .....	35	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
	94 = DON'T KNOW .....	1026	0.11
	97 = REFUSED .....	820	0.09
	98 = BLANK (NO ANSWER) .....	51	0.01
	99 = LEGITIMATE SKIP .....	257337	28.82

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

<b>IMPRES<sup>1</sup></b>	Len : 2 DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	330900	37.06
	1 = Yes .....	3255	0.36
	2 = No .....	9551	1.07
	94 = DON'T KNOW .....	93	0.01
	97 = REFUSED .....	871	0.10
	98 = BLANK (NO ANSWER) .....	1112	0.12
	99 = LEGITIMATE SKIP .....	547190	61.28

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

**IMPWORK<sup>1</sup>**      Len : 2    DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	330900	37.06
1 = No difficulty .....	159865	17.90
2 = Mild difficulty.....	87286	9.77
3 = Moderate difficulty .....	32364	3.62
4 = Severe difficulty.....	10608	1.19
85 = BAD DATA Logically assigned .....	35	0.00
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	882	0.10
97 = REFUSED .....	691	0.08
98 = BLANK (NO ANSWER) .....	51	0.01
99 = LEGITIMATE SKIP.....	270287	30.27

You mentioned having difficulty with or being unable to do such things as [FILL].

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

**IMPWEEKS<sup>1</sup>**      Len : 2    NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 52.....	209991	23.52
-9 = Data not collected for this year.....	330900	37.06
85 = BAD DATA Logically assigned .....	13	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	7808	0.87
97 = REFUSED .....	1955	0.22
98 = BLANK (NO ANSWER) .....	1557	0.17
99 = LEGITIMATE SKIP.....	340746	38.16

During that/those [IMWEEK1FILL] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

**IMPDYFRQ<sup>1</sup>**      Len : 2    HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	330900	37.06
1 = Every day.....	11853	1.33
2 = Most days.....	62737	7.03
3 = Only one or two days a week.....	134816	15.10
85 = BAD DATA Logically assigned .....	13	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	434	0.05
97 = REFUSED .....	2105	0.24
98 = BLANK (NO ANSWER) .....	9366	1.05
99 = LEGITIMATE SKIP.....	340746	38.16

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

**IMPYDAYS<sup>1</sup>**      Len : 3    HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 365.....	215155	24.09
-9 = Data not collected for this year.....	330900	37.06
985 = BAD DATA Logically assigned .....	13	0.00
989 = LEGITIMATE SKIP Logically assigned .....	2	0.00
994 = DON'T KNOW .....	3416	0.38
997 = REFUSED .....	1181	0.13
998 = BLANK (NO ANSWER).....	1559	0.17
999 = LEGITIMATE SKIP.....	340746	38.16

MENTAL HEALTH

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

**SUICTHNK<sup>1</sup>**      Len : 2    SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	330900	37.06
1 = Yes.....	22043	2.47
2 = No.....	374941	41.99
85 = BAD DATA Logically assigned.....	41	0.00
89 = LEGITIMATE SKIP Logically assigned.....	5	0.00
94 = DON'T KNOW.....	536	0.06
97 = REFUSED.....	1282	0.14
98 = BLANK (NO ANSWER).....	124	0.01
99 = LEGITIMATE SKIP.....	163100	18.26

During the past 12 months, did you make any plans to kill yourself?

**SUICPLAN<sup>1</sup>**      Len : 2    MAKE PLANS TO KILL YOURSELF PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	330900	37.06
1 = Yes.....	6788	0.76
2 = No.....	15224	1.70
85 = BAD DATA Logically assigned.....	23	0.00
94 = DON'T KNOW.....	13	0.00
97 = REFUSED.....	1300	0.15
98 = BLANK (NO ANSWER).....	678	0.08
99 = LEGITIMATE SKIP.....	538046	60.25

During the past 12 months, did you try to kill yourself?

**SUICTRY<sup>1</sup>**      Len : 2    TRY TO KILL YOURSELF PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	330900	37.06
1 = Yes.....	3521	0.39
2 = No.....	18487	2.07
85 = BAD DATA Logically assigned.....	33	0.00
94 = DON'T KNOW.....	9	0.00
97 = REFUSED.....	1298	0.15
98 = BLANK (NO ANSWER).....	678	0.08
99 = LEGITIMATE SKIP.....	538046	60.25

NOTE: Adult respondents in 2008 were assigned to receive one of two possible sets of questions to assess disturbances in social adjustment and behavior or impairment in a person's daily functioning due to problems with emotions, nerves, or mental health. Adults in Sample A received 8 of 16 questions from the World Health Organization Disability Assessment Schedule (WHODAS). Adults in Sample B received four questions from the Sheehan Disability Scale (SDS).

**MHSAMP08**      Len : 2    VERSION OF MH QUES - A (WHODAS) OR B (SHEEHAN)

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	837862	93.83
1 = WHODAS.....	18582	2.08
2 = Sheehan.....	18914	2.12
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
98 = BLANK (NO ANSWER).....	8	0.00
99 = LEGITIMATE SKIP.....	17605	1.97

MENTAL HEALTH

The next questions are about how much your emotions, nerves, or mental health interfered with your daily activities. In answering, think of the one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much your emotions, nerves or mental health interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

During that month when you were at your worst emotionally, how much did your emotions interfere with your ability to do home management tasks, like cleaning, shopping, and working around the house, apartment, or yard?

**MHSMGT<sup>1</sup>**      Len : 2    1HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	837862	93.83
0 = No Interference .....	4328	0.48
1 = Mild - 1 .....	2241	0.25
2 = Mild - 2 .....	2084	0.23
3 = Mild - 3 .....	1684	0.19
4 = Moderate - 4 .....	1091	0.12
5 = Moderate - 5 .....	1485	0.17
6 = Moderate - 6 .....	991	0.11
7 = Severe - 7 .....	651	0.07
8 = Severe - 8 .....	475	0.05
9 = Severe - 9 .....	184	0.02
10 = Very Severe Interference .....	266	0.03
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	111	0.01
97 = REFUSED .....	86	0.01
98 = BLANK (NO ANSWER) .....	8	0.00
99 = LEGITIMATE SKIP .....	39423	4.41

During that month in the past 12 months when you were at your worst emotionally how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

**MHSWORK<sup>1</sup>**      Len : 2    1HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	837862	93.83
0 = No Interference .....	5430	0.61
1 = Mild - 1 .....	2180	0.24
2 = Mild - 2 .....	1957	0.22
3 = Mild - 3 .....	1722	0.19
4 = Moderate - 4 .....	985	0.11
5 = Moderate - 5 .....	1098	0.12
6 = Moderate - 6 .....	735	0.08
7 = Severe - 7 .....	534	0.06
8 = Severe - 8 .....	364	0.04
9 = Severe - 9 .....	199	0.02
10 = Very Severe Interference .....	293	0.03
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	101	0.01
97 = REFUSED .....	79	0.01
98 = BLANK (NO ANSWER) .....	8	0.00
99 = LEGITIMATE SKIP .....	39423	4.41



MENTAL HEALTH

During that month when your were at your worst emotionally, how much did this interfere with your ability to form and maintain close relationships with other people?

You can use any number between 0 and 10 to answer.

MHSRELS<sup>1</sup>

Len : 2 1HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
-9 = Data not collected for this year .....	837862	93.83
0 = No Interference .....	5371	0.60
1 = Mild - 1 .....	2069	0.23
2 = Mild - 2 .....	1855	0.21
3 = Mild - 3 .....	1549	0.17
4 = Moderate - 4 .....	958	0.11
5 = Moderate - 5 .....	1118	0.13
6 = Moderate - 6 .....	763	0.09
7 = Severe - 7 .....	648	0.07
8 = Severe - 8 .....	523	0.06
9 = Severe - 9 .....	358	0.04
10 = Very Severe Interference .....	307	0.03
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	86	0.01
97 = REFUSED .....	72	0.01
98 = BLANK (NO ANSWER) .....	8	0.00
99 = LEGITIMATE SKIP .....	39423	4.41

How much did your emotions interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

MHSSOC<sup>1</sup>

Len : 2 1HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year .....	837862	93.83
0 = No Interference .....	5345	0.60
1 = Mild - 1 .....	2076	0.23
2 = Mild - 2 .....	1691	0.19
3 = Mild - 3 .....	1506	0.17
4 = Moderate - 4 .....	1019	0.11
5 = Moderate - 5 .....	1142	0.13
6 = Moderate - 6 .....	786	0.09
7 = Severe - 7 .....	661	0.07
8 = Severe - 8 .....	535	0.06
9 = Severe - 9 .....	390	0.04
10 = Very Severe Interference .....	385	0.04
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	79	0.01
97 = REFUSED .....	62	0.01
98 = BLANK (NO ANSWER) .....	8	0.00
99 = LEGITIMATE SKIP .....	39423	4.41

You said that your emotions interfered with your [FILL WITH ACTIVITY NAME FROM UP TO ALL ITEMS WHERE MJAD66a = 1-10 OR MJAD66b=1-10 OR MJAD66c=1-10 OR MJAD66d=1-10]. During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

MHSWEEKS<sup>1</sup>

Len : 2 1# WKS DURING PST 12 MOS DID YOU HAVE DIFFICULTY

	Freq	Pct
RANGE = 1 - 52 .....	11960	1.34
-9 = Data not collected for this year .....	837862	93.83
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	427	0.05
97 = REFUSED .....	134	0.02
98 = BLANK (NO ANSWER) .....	110	0.01
99 = LEGITIMATE SKIP .....	42477	4.76

MENTAL HEALTH

During (that [MHWEEK1FILL] week/those [MHWEEK1 FILL] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?

MHSDYFRQ<sup>1</sup>      Len : 2    HOW OFTEN DID YOU HAVE DIFFICULTIES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	837862	93.83
1 = Every day .....	731	0.08
2 = Most days .....	3279	0.37
3 = Only one or two days a week .....	7909	0.89
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	26	0.00
97 = REFUSED .....	149	0.02
98 = BLANK (NO ANSWER) .....	537	0.06
99 = LEGITIMATE SKIP .....	42477	4.76

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

MHSYDAYS<sup>1</sup>      Len : 3    # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 365 .....	12264	1.37
-9 = Data not collected for this year .....	837862	93.83
985 = BAD DATA Logically assigned .....	1	0.00
989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
994 = DON'T KNOW .....	174	0.02
997 = REFUSED .....	83	0.01
998 = BLANK (NO ANSWER) .....	110	0.01
999 = LEGITIMATE SKIP .....	42477	4.76

NOTE: MHIMPAIR is a created variable based on answers to questions corresponding to MHSMGT through MHSSOC. Questions corresponding to these variables were adapted from the Sheehan Disability Scale (SDS), which measures impairment in a person's daily functioning.

MHIMPAIR<sup>1</sup>      Len : 2    IMPAIRMENT SCORE FROM SDS

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 50 .....	15677	1.76
-9 = Data not collected for this year .....	837862	93.83
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
98 = BLANK (NO ANSWER) .....	8	0.00
99 = LEGITIMATE SKIP .....	39423	4.41

NOTE: IMPAIR is a created variable based on answers to questions corresponding to IMPREMEM through IMPWORK. Questions corresponding to these variables were adapted from a subset of questions in the World Health Organization Disability Assessment Schedule (WHODAS), which consists of questions that are used for assessing impairment in social adjustment and behavior.

Since 2010, an alternate score was given to the source variable (WHODAS) for respondents whose answers to questions corresponding to the distress measures DSTNRV30 through DSTNGD12 were all missing. The IMPAIR variable for these cases was assigned a level of 89 (LEGITIMATE SKIP Logically assigned).

IMPAIR<sup>1</sup>      Len : 2    IMPAIRMENT SCORE FROM WHODAS SUBSET

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 50 .....	140899	15.78
-9 = Data not collected for this year .....	611650	68.50
85 = BAD DATA Logically assigned .....	14	0.00
89 = LEGITIMATE SKIP Logically assigned .....	217	0.02
98 = BLANK (NO ANSWER) .....	39	0.00
99 = LEGITIMATE SKIP .....	140153	15.70

RECODED MENTAL HEALTH

**RECODED MENTAL HEALTH**

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following two sections: Mental Health and Recoded Substance Dependence and Abuse.

Recoded variables were defined to measure psychological distress, Serious Mental Illness (SMI) and other levels of mental illness, as well as suicide ideation. A logistic regression model revised in 2012 is used to determine the predicted probability of SMI. The predicted mental illness variables (e.g., SMIYR\_U, AMIYR\_U) that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness variables should not be used in conjunction with the K6 variables (including serious psychological distress) or WHODAS variables in any analyses. Specific details about the creation and use of the distress and mental illness variables can be found in the Recoded Mental Health Appendix.

NOTE: The following five variables contain information about psychological distress. The 2008 NSDUH was the first survey year where variables on past month psychological distress (K6SCMON and SPDMON) were available and these variables were used beginning with the 2008 Detailed Tables. A second set of variables describes past year psychological distress (K6SCYR, K6SCMAX, and SPDYR). The past year distress variables, K6SCMAX and SPDYR, were created based on data from the past month K6 items and the worst month in the past year K6 items. Prior to the 2008 NSDUH, past year distress was based only on the worst month in the past year K6 items (SPD\_UADJ). Due to the addition of the past month K6 items, it was determined that past year SPD in 2008 and later years is not comparable with years prior to 2008. In order to be able to make comparisons of SPD estimates across years, statistically adjusted variables were created for 2005-2007. The 2005-2007 adjusted past year SPD recodes, K6SMXADJ and SPDYRADJ, can be renamed to the 2008 SPD variable names for use in analyses that use data from 2005 and subsequent years.

The following variable, K6SCMON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCMON. Specific details about this variable are provided in the Recoded Mental Health Appendix.

**K6SCMON**      Len : 2    RC-K6 TOTAL SCORE IN PAST MONTH

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 24 .....	398967	44.68
. = Aged 12-17 (AGE2<7) .....	163105	18.27
-9 = Data not collected for this year .....	330900	37.06

**SPDMON**      Len : 1    RC-PAST MONTH SERIOUS PSYCH DISTRESS INDICATOR

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (K6SCMON=.) .....	163105	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No (K6SCMON<13) .....	371390	41.59
1 = Yes (K6SCMON>=13) .....	27577	3.09

RECODED MENTAL HEALTH

NOTE: The two variables directly above are defined based on questions asking about a respondent's level of psychological distress over the past 30 days. Respondents were then asked if there was a month in the past 12 months when they felt more depressed, anxious, or emotionally stressed than they felt in the past 30 days. This level of psychological distress is referenced as the "worst month in past year" in the following documentation.

The following variable, K6SCYR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer you up (DSTCHR12), feeling that everything was an effort (DSTEFF12), and feeling down on yourself, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCYR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, K6SCYR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

**K6SCYR**      Len : 2    RC-K6 TOTAL SCORE IN WORST MONTH OF PAST YEAR

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 24 .....	133511	14.95
. = Aged 12-17 (AGE2<7) or DSTWORST=2 .....	428561	47.99
-9 = Data not collected for this year .....	330900	37.06

The following variable, K6SCMAX, is defined to be the higher K6 score between the past month K6 total score (K6SCMON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (K6SCYR) variable.

**K6SCMAX**      Len : 2    RC-WORST K6 TOTAL SCORE IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 24 .....	398967	44.68
. = Aged 12-17 (AGE2<7) .....	163105	18.27
-9 = Data not collected for this year .....	330900	37.06

**SPDYR**      Len : 1    RC-PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (K6SCMAX=.) .....	163105	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No (K6SCMAX<13) .....	340452	38.13
1 = Yes (K6SCMAX>=13) .....	58515	6.55

NOTE: The following four variables present suicide information based on responses to the suicidal ideation screen.

**MHSUITHK**      Len : 1    RC-SERIOUSLY THOUGHT ABOUT KILLING SELF IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise) .....	165088	18.49
-9 = Data not collected for this year .....	330900	37.06
0 = No (SUICTHNK=2) .....	374941	41.99
1 = Yes (SUICTHNK=1) .....	22043	2.47

The following suicide variable, MHSUTK\_U, is used in the 2012 mental illness prediction model. It is defined differently than MHSUITHK which is used in the detailed tables. See the mental illness variables further down in this section and the Recoded Mental Health Appendix for more details.

**MHSUTK\_U**      Len : 1    RC-SERIOUS TGHNT ABT KILL SLF PY - 'UNKN' IMP AS 'NO'

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	163105	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No/Unknown (AGE2>=7 and MHSUITHK=.,0) .....	376924	42.21
1 = Yes (AGE2>=7 and MHSUITHK=1) .....	22043	2.47

RECODED MENTAL HEALTH

<b>MHSUIPLN</b>	Len : 1 RC-MADE PLANS TO KILL SELF IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	165119	18.49
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (SUICPLAN=2 or MHSUITHK=0).....	390165	43.69
	1 = Yes (SUICPLAN=1).....	6788	0.76

<b>MHSUITY</b>	Len : 1 RC-ATTEMPTED TO KILL SELF IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	165123	18.49
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (SUICTRY=2 or MHSUITHK=0).....	393428	44.06
	1 = Yes (SUICTRY=1).....	3521	0.39

NOTE: The following 10 variables pertain to the creation of the variables on mental illness. These variables include total scores from the psychological distress and impairment scales, the predicted probability of serious mental illness (SMI), and indicators of various levels of mental illness. Until 2012, a model developed for the 2008 NSDUH was used to determine mental illness status. A revised and improved model predicting mental illness was used starting with the 2012 NSDUH. All mental illness estimates presented in detailed or mental health detailed tables from the 2008 NSDUH and onward have been updated; thus, these estimates are based on the revised model. Additional details about the creation and use of these variables are provided in the Recoded Mental Health Appendix.

The following variable, WSPDSC2, is an alternative version of the original worst K6 total score in the past year (K6SCMAX) with values ranging from 0 to 17 rather than 0 to 24. The original total score variable is documented previously in this section with the psychological distress variables. This alternative total score was calculated by assigning a value of 0 when K6SCMAX had a value from 0 to 7 and assigning a value of 1 to 17 when K6SCMAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Appendix.

<b>WSPDSC2</b>	Len : 2 RC-ALTERNATIVE WORST K6 TOTAL SCORE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0 - 17.....	398967	44.68
	. = Aged 12-17 (AGE2<7).....	163105	18.27
	-9 = Data not collected for this year.....	330900	37.06

RECODED MENTAL HEALTH

NOTE: The following two variables, WHODASC2 and WHODASC3, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables K6SCMON and K6SCYR) at least "a little of the time" (i.e., K6SCMON greater than 0 or K6SCYR greater than 0) were asked about remembering to do things they needed to do (IMPOMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHHLD, IMPHHLDM), taking care of daily responsibilities at work or school (IMPRES, IMPRESM), and getting daily work done as quickly as needed (IMPWORK, IMPRESM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the original WHODAS total score, WHODASC2, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" were assigned a value of a 3 as having "severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC2 which ranges from 0 to 24.

For the alternative WHODAS total score, WHODASC3, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" were assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC3 which ranges from 0 to 8. The alternative version of the WHODAS total score (WHODASC3) was used in the regression model to determine SMI, since it was thought that the sum of a dichotomous measure might fit better than the sum of a linear continuous measure.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

**WHODASC2**      Len : 2    RC-WHODAS TOTAL SCORE

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 24 .....	380045	42.56
. = Aged 12-17 (AGE2<7) .....	182027	20.38
-9 = Data not collected for this year .....	330900	37.06

**WHODASC3**      Len : 1    RC-ALTERNATIVE WHODAS TOTAL SCORE

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 8 .....	380045	42.56
. = Aged 12-17 (AGE2<7) .....	182027	20.38
-9 = Data not collected for this year .....	330900	37.06

NOTE: The following 11 mental illness variables are based on the 2012 mental illness prediction model. These variables are not comparable with similarly named variables (based on the 2008 mental illness prediction model) in previous NSDUHs; thus, these variables were renamed by appending "\_U" to the previous variable names. Starting with the 2014 NSDUH, new mental illness variable names end only with a "U" and there are no existing similarly named 2008 model based variables. Recommendations concerning the analysis of the mental illness variables derived from the predicted probability of SMI (SMIPP\_U) are noted in the documentation above SMIYR\_U. Variables based on the 2008 mental illness prediction model are not being provided for the 2012 and future NSDUHs. All the 2008 model-based mental illness variables typically found in this section have been removed from the 2008-2011 NSDUH data files and replaced with the revised 2012 model based mental illness variables. The only exception is SMIPP (the SMI predicted probability based on the 2008 model) which remains available on the 2008-2011 NSDUH data files. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Appendix.

In order to be able to make comparisons of SMI estimates across years, SMI variables were created for 2005-2007 based on an alternative model. The 2005-2007 SMI recodes, SMIPP\_A and SMIYR\_A, are considered comparable with the variables SMIPP\_U and SMIYR\_U, respectively, for 2008 and later NSDUHs. However, users should consider the differences in methodology before making any decisions on whether and how to use the 2005-2007 SMI variables. Specific details about these 2005-2007 variables are provided in the Recoded Mental Health Appendix.

The following variable, SMIPP\_U, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 revised logistic regression model. SMIPP\_U was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

**SMIPP\_U**      Len : 12    RC-PREDICTED SERIOUS MENTAL ILLNESS PROB REVISED

	<b>Freq</b>	<b>Pct</b>
RANGE = 0.0025409721 - 0.9291205406 .....	398959	44.68
. = Aged 12-17 (AGE2<7) .....	163113	18.27
-9 = Data not collected for this year .....	330900	37.06

RECODED MENTAL HEALTH

NOTE: The following six variables (SMIYR\_U, AMIYR\_U, SMMIYR\_U, MMIYR\_U, LMIYR\_U, and LMMIYRU) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Appendix.

In order to be able to make comparisons of SMI estimates across years, SMI variables were created for 2005-2007 based on an alternative model. The 2005-2007 SMI recodes, SMIPP\_A and SMIYR\_A, are considered comparable with the variables SMIPP\_U and SMIYR\_U, respectively, for 2008 and later NSDUHs. However, users should consider the differences in methodology before making any decisions on whether and how to use the 2005-2007 SMI variables. The same analysis recommendation noted above also applies for the 2005-2007 SMIYR\_A variable. Specific details about these 2005-2007 variables are provided in the Recoded Mental Health Appendix.

The following variable, SMIYR\_U, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 revised predicted probability of SMI (SMIPP\_U). If SMIPP\_U is greater than or equal to a specified cutoff point (0.260573529) then SMIYR\_U=1, and if SMIPP\_U is less than the cutoff point then SMIYR\_U=0. This indicator is not comparable with SMI variables prior to 2008, in which SMI was only based on psychological distress. Also, this indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

**SMIYR\_U**      Len : 1    RC-SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	163113	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No Past Year SMI (See comment above).....	379620	42.51
1 = Past Year SMI (See comment above) .....	19339	2.17

The following variable, AMIYR\_U, is an indicator for Any Mental Illness (AMI) based on the 2012 revised predicted probability of SMI (SMIPP\_U). If SMIPP\_U is greater than or equal to a specified cutoff point (0.0192519810) then AMIYR\_U=1, and if SMIPP\_U is less than the cutoff point then AMIYR\_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Appendix.

**AMIYR\_U**      Len : 1    RC-AMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	163113	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No Past Yr Any Mental Illness (See comment above).....	317519	35.56
1 = Past Year Any Mental Illness (See comment above) .....	81440	9.12

The following variable, SMMIYR\_U, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 revised predicted probability of SMI (SMIPP\_U). If SMIPP\_U is greater than or equal to a specified cutoff point (0.077686285365) then SMMIYR\_U=1, and if SMIPP\_U is less than the cutoff point then SMMIYR\_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

**SMMIYR\_U**      Len : 1    RC-SMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	163113	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No Past Year SMMI (See comment above) .....	358251	40.12
1 = Past Year SMMI (See comment above).....	40708	4.56

The following variable, MMIYR\_U, is an indicator for Moderate Mental Illness (MMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

**MMIYR\_U**      Len : 1    RC-MOD MI IND (1/0) BASED ON REVISED PRED SMI PROB

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	163113	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No Past Year MMI (Otherwise).....	377590	42.28
1 = Past Year MMI (SMMIYR_U=1 and SMIYR_U=0).....	21369	2.39

RECODED MENTAL HEALTH

The following variable, LMIYR\_U, is an indicator for Mild (Low) Mental Illness (LMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

**LMIYR\_U** Len : 1 RC-MILD MI IND (1/0) BASED ON REVISED PRED SMI PROB

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	163113	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No Past Year LMI (Otherwise) .....	358227	40.12
1 = Past Year LMI (AMIYR_U=1 and SMMIYR_U=0) .....	40732	4.56

The following variable, LMMIYRU, is an indicator for Mild (Low) Mental Illness (LMI) or Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable are provided in the Recoded Mental Health Appendix. This mental illness variable is referred to as any mental illness (AMI) excluding serious mental illness (SMI).

**LMMIYRU** Len : 1 RC-LMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	72915	8.17
-9 = Data not collected for this year .....	612222	68.56
0 = No Past Year LMMI (Otherwise) .....	175335	19.63
1 = Past Year LMMI (LMIYR_U=1 or MMIYR_U=1) .....	32500	3.64

The following variable, MI\_CAT\_U, is a categorical mental illness indicator. This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Please note that MI\_CAT\_U is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Appendix.

**MI\_CAT\_U** Len : 1 RC-CATEGORICAL MI INDICATOR REVISED

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7) .....	163113	18.27
-9 = Data not collected for this year .....	330900	37.06
0 = No Past Year MI (SMIYR_U & LMIYR_U & MMIYR_U=0) .....	317519	35.56
1 = Past Year Mild Mental Illness (LMIYR_U=1) .....	40732	4.56
2 = Past Year Moderate Mental Illness (MMIYR_U=1) .....	21369	2.39
3 = Past Year Serious Mental Illness (SMIYR_U=1) .....	19339	2.17

NOTE: The following three variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPP\_U) with drug or alcohol dependence or abuse in the past year. These variables based on the 2012 mental illness prediction model are not comparable with similarly named variables from previous years due to the change in the model as well as changes in the dependence or abuse variables starting with the 2015 NSDUH. Please note that SMISUDPY, AMISUDPY, and LMMISUDPY are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of the mental illness variables used in these recodes can be found in the Recoded Mental Health Appendix. Specific information about the dependence or abuse variables used in these recodes can be found in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

**SMISUDPY** Len : 1 RC-SMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (SMIYR_U=.) .....	41579	4.66
-9 = Data not collected for this year .....	722653	80.93
1 = Yes (SMIYR_U=1 and UDPYILAL=1) .....	2079	0.23
2 = No (SMIYR_U=0 or UDPYILAL=0) .....	126661	14.18



RECODED MENTAL HEALTH

**AMISUDPY**      Len : 1    RC-AMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AMIYR_U=.) .....	41579	4.66
-9 = Data not collected for this year .....	722653	80.93
1 = Yes (AMIYR_U=1 and UDPYILAL=1) .....	6069	0.68
2 = No (AMIYR_U=0 or UDPYILAL=0) .....	122671	13.74

**LMMSUDPY**      Len : 1    RC-LMMI AND DRUG/ALCOHOL DEP OR ABUSE - PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (LMMIYRU=.) .....	41579	4.66
-9 = Data not collected for this year .....	722653	80.93
0 = No (LMMIYRU=0 or UDPYILAL=0) .....	124750	13.97
1 = Yes (LMMIYRU=1 and UDPYILAL=1) .....	3990	0.45

NOTE: The following two variables, SDSSC2 and SDSSC3, are score variables that indicate the level of impairment for respondents in sample B (MHSAMP08=2). These variables are based on a series of four questions asking respondents in sample B how much emotions, nerves, or mental health interfered with daily activities in the one month in the past year when they were at their worst emotionally. These questions are known as the Sheehan Disability Scale (SDS) which is also used to capture information on impairment. Respondents in sample B who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables K6SCMON and K6SCYR) at least "a little of the time" (i.e., K6SCMON >0 or K6SCYR >0) were asked about ability to do home management tasks (MHSMGT), ability to work (MHSWORK), ability to form and maintain close relationships (MHSRELS), and ability to have a social life (MHSSOC).

For the original SDS total score, SDSSC2, values of 1 to 10 were assigned for each daily activity that a respondent indicated some impairment with values of 1 to 3 representing "mild" interference, values of 4 to 6 representing "moderate" interference, values of 7 to 9 representing "severe" interference, and a value of 10 representing "very severe" interference. A value of 0 was assigned for each daily activity that a respondent indicated no interference or for all other responses. These assigned values were summed to calculate a total score for SDSSC2 which ranges from 0 to 40.

For the alternative SDS total score, SDSSC3, a value of 1 was assigned for each daily activity that a respondent indicated impairment with values of 7 to 10 representing "severe" or "very severe" interference. A value of 0 was assigned for each daily activity that a respondent indicated impairment with values less than 7 or for all other responses. These assigned values were summed to calculate a total score for SDSSC3 which ranges from 0 to 4. The alternative version of the SDS total score also was driven by the idea that a dichotomous measure dividing respondents who experienced severe or very severe interference from the remaining respondents might fit better than a linear continuous measure.

Specific details about these variables are provided in the Recoded Mental Health Variable Documentation Appendix.

**SDSSC2**      Len : 2    SHEEHAN DISABILITY SCALE (SDS) TOTAL SCORE

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 40 .....	18914	2.12
. = Aged 12-17/Not in Sample B (MHSAMP08=1,98) .....	36196	4.05
-9 = Data not collected for this year .....	837862	93.83

**SDSSC3**      Len : 1    ALTERNATIVE SDS TOTAL SCORE

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 4 .....	18914	2.12
. = Aged 12-17/Not in Sample B (MHSAMP08=1,98) .....	36196	4.05
-9 = Data not collected for this year .....	837862	93.83

**SMIODA\_U**      Len : 1    SMI OR DRUG/ALCOHOL DEPENDENCE OR ABUSE REVISED

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Not in Sample A or B (SMIYR_U=.) .....	17614	1.97
-9 = Data not collected for this year .....	837862	93.83
1 = Yes (SMIYR_U=1 or ABODILAL=1) .....	6656	0.75
2 = No (SMIYR_U=0 and ABODILAL=0) .....	30840	3.45

**NSMNDA\_U**      Len : 1    NO SMI AND NO DRUG/ALCOHOL DEP OR ABUSE REVISED

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Not in Sample A or B (SMIYR_U=.) .....	17614	1.97
-9 = Data not collected for this year .....	837862	93.83
1 = Yes (SMIYR_U=0 and ABODILAL=0) .....	30840	3.45
2 = No (SMIYR_U=1 or ABODILAL=1) .....	6656	0.75

RECODED MENTAL HEALTH

**SMINDA\_U** Len : 1 SMI BUT NO DRUG/ALCOHOL DEP OR ABUSE REVISED

	Freq	Pct
. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	17614	1.97
-9 = Data not collected for this year.....	837862	93.83
1 = Yes (SMIYR_U=1 and ABODILAL=0).....	1078	0.12
2 = No (SMIYR_U=0 or (SMIYR_U=1 & ABODILAL=1)).....	36418	4.08

**NSMIDA\_U** Len : 1 NO SMI BUT DRUG/ALCOHOL DEP OR ABUSE REVISED

	Freq	Pct
. = Aged 12-17/Not in Sample A or B (SMIYR_U=.).....	17614	1.97
-9 = Data not collected for this year.....	837862	93.83
1 = Yes (SMIYR_U=0 & ABODILAL=1).....	5050	0.57
2 = No (SMIYR_U=1 or (SMIYR_U=0 & ABODILAL=0)).....	32446	3.63

The following variable, SMIPP, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using a logistic regression model. It was created using the following formula:  $SMIPP = 1 / (1 + \exp[-(-4.74999920 + 0.20977232 * WSPDSC2 + 0.38388395 * WHODASC3)])$ . SMIPP was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of MMI and LMI were determined by subtraction.

**SMIPP** Len : 12 PREDICTED SERIOUS MENTAL ILLNESS PROBABILITY

	Freq	Pct
RANGE = 0.0085774923 - 0.8684361603.....	153255	17.16
. = Aged 12-17 (AGE2<7).....	72799	8.15
-9 = Data not collected for this year.....	666918	74.69

NOTE: The following three variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPP\_U) with drug or alcohol dependence or abuse in the past year. These variables based on the 2012 mental illness prediction model are not comparable with similarly named variables from previous years using SMI based on the 2008 mental illness prediction model. Starting with the 2014 NSDUH, new combination recodes end only with a "U" and there are no existing similarly named 2008 model based variables. Please note that SMIDA2\_U, AMIDA2\_U, and LMMIADAU are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of the mental illness variables used in these recodes can be found in the Recoded Mental Health Appendix. Specific information about the dependence or abuse variables used in these recodes can be found in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

**SMIDA2\_U** Len : 1 SMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)

	Freq	Pct
. = Aged 12-17 (SMIYR_U=.).....	121527	13.61
-9 = Data not collected for this year.....	501219	56.13
1 = Yes (SMIYR_U=1 and ABODILAL=1).....	3792	0.42
2 = No (SMIYR_U=0 or ABODILAL=0).....	266434	29.84

**AMIDA2\_U** Len : 1 AMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)

	Freq	Pct
. = Aged 12-17 (AMIYR_U=.).....	121527	13.61
-9 = Data not collected for this year.....	501219	56.13
1 = Yes (AMIYR_U=1 and ABODILAL=1).....	13359	1.50
2 = No (AMIYR_U=0 or ABODILAL=0).....	256867	28.77

**LMMIADAU** Len : 1 LMMI AND DRUG/ALCOHOL DEP OR ABUSE (1/0)

	Freq	Pct
. = Aged 12-17 (LMMIYRU=.).....	31336	3.51
-9 = Data not collected for this year.....	782541	87.63
0 = No (LMMIYRU=0 or ABODILAL=0).....	76587	8.58
1 = Yes (LMMIYRU=1 and ABODILAL=1).....	2508	0.28

ADULT DEPRESSION

**ADULT DEPRESSION**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: All of the respondents aged 18 or older were asked the questions in the Adult Depression module in this current survey year. In the 2004 survey, a subset of the adults was asked these questions.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

<b>ADDPREV<sup>1</sup></b>	Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	180703	20.24
	2 = No.....	345906	38.74
	85 = BAD DATA Logically assigned .....	24	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	8	0.00
	94 = DON'T KNOW .....	906	0.10
	97 = REFUSED .....	1398	0.16
	98 = BLANK (NO ANSWER) .....	169	0.02
	99 = LEGITIMATE SKIP.....	254549	28.51

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

<b>ADDSCEV<sup>1</sup></b>	Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	47027	5.27
	2 = No.....	298915	33.47
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	880	0.10
	97 = REFUSED .....	1387	0.16
	98 = BLANK (NO ANSWER) .....	194	0.02
	99 = LEGITIMATE SKIP.....	435254	48.74

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

<b>ADLOSEV<sup>1</sup></b>	Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	15166	1.70
	2 = No.....	283839	31.79
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	853	0.10
	97 = REFUSED .....	1323	0.15
	98 = BLANK (NO ANSWER) .....	195	0.02
	99 = LEGITIMATE SKIP.....	482281	54.01

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

<b>ADDPDISC<sup>1</sup></b>	Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	163833	18.35
	2 = No.....	16666	1.87
	85 = BAD DATA Logically assigned .....	24	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	145	0.02
	97 = REFUSED .....	59	0.01
	98 = BLANK (NO ANSWER) .....	1820	0.20
	99 = LEGITIMATE SKIP.....	601114	67.32

ADULT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

**ADDPLSIN<sup>1</sup>**      Len : 2    EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	140125	15.69
2 = No.....	40306	4.51
85 = BAD DATA Logically assigned.....	22	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	190	0.02
97 = REFUSED .....	81	0.01
98 = BLANK (NO ANSWER) .....	1823	0.20
99 = LEGITIMATE SKIP.....	601114	67.32

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

**ADDLSIN<sup>1</sup>**      Len : 2    EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	22033	2.47
2 = No.....	24939	2.79
94 = DON'T KNOW .....	38	0.00
97 = REFUSED .....	17	0.00
98 = BLANK (NO ANSWER) .....	2033	0.23
99 = LEGITIMATE SKIP.....	734603	82.26

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

**ADLS12WK<sup>1</sup>**      Len : 2    PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	2582	0.29
2 = No.....	12518	1.40
94 = DON'T KNOW .....	52	0.01
97 = REFUSED .....	14	0.00
98 = BLANK (NO ANSWER) .....	2371	0.27
99 = LEGITIMATE SKIP.....	766126	85.80

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

**ADDPR2WK<sup>1</sup>**      Len : 2    TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	132407	14.83
2 = No.....	94614	10.60
85 = BAD DATA Logically assigned.....	24	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW .....	493	0.06
97 = REFUSED .....	215	0.02
98 = BLANK (NO ANSWER) .....	2010	0.23
99 = LEGITIMATE SKIP.....	553898	62.03

ADULT DEPRESSION

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

ADWRHRS<sup>1</sup> Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Less than 1 hour.....	12587	1.41
2 = At least 1 hour but no more than 3 hours .....	33715	3.78
3 = At least 3 hours but no more than 5 hours.....	31852	3.57
4 = 5 hours or more.....	55502	6.22
85 = BAD DATA Logically assigned .....	24	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	1132	0.13
97 = REFUSED .....	200	0.02
98 = BLANK (NO ANSWER) .....	3123	0.35
99 = LEGITIMATE SKIP.....	645527	72.29

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

ADWRDST<sup>1</sup> Len : 2 HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Mild .....	15633	1.75
2 = Moderate.....	51958	5.82
3 = Severe .....	38922	4.36
4 = Very Severe .....	15224	1.70
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	479	0.05
97 = REFUSED .....	185	0.02
98 = BLANK (NO ANSWER) .....	3147	0.35
99 = LEGITIMATE SKIP.....	658114	73.70

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

ADWRCHR<sup>1</sup> Len : 2 EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Often.....	30019	3.36
2 = Sometimes .....	57256	6.41
3 = Rarely .....	25735	2.88
4 = Never .....	8878	0.99
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	336	0.04
97 = REFUSED .....	177	0.02
98 = BLANK (NO ANSWER) .....	3147	0.35
99 = LEGITIMATE SKIP.....	658114	73.70

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

ADWRIMP<sup>1</sup> Len : 2 EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Often.....	17330	1.94
2 = Sometimes .....	42816	4.79
3 = Rarely .....	34832	3.90
4 = Never .....	26955	3.02
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	295	0.03
97 = REFUSED .....	173	0.02
98 = BLANK (NO ANSWER) .....	3147	0.35
99 = LEGITIMATE SKIP.....	658114	73.70

ADULT DEPRESSION

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

**ADDPROB<sup>1</sup>**      Len : 2    EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	95488	10.69
2 = No.....	23294	2.61
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	172	0.02
97 = REFUSED .....	122	0.01
98 = BLANK (NO ANSWER) .....	3147	0.35
99 = LEGITIMATE SKIP.....	661439	74.07

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

**ADWRPROB<sup>1</sup>**      Len : 2    ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	66683	7.47
2 = No.....	28429	3.18
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	311	0.03
97 = REFUSED .....	65	0.01
98 = BLANK (NO ANSWER) .....	3441	0.39
99 = LEGITIMATE SKIP.....	684733	76.68

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

**ADWRAGE<sup>1</sup>**      Len : 3    AGE WHEN WORST PERIOD OF TIME STARTED

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 95 .....	93421	10.46
-9 = Data not collected for this year .....	109309	12.24
985 = BAD DATA Logically assigned .....	73	0.01
989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
994 = DON'T KNOW .....	1789	0.20
997 = REFUSED .....	205	0.02
998 = BLANK (NO ANSWER).....	3441	0.39
999 = LEGITIMATE SKIP.....	684733	76.68

ADULT DEPRESSION

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

ADWRDEPR<sup>1</sup>      Len : 2    WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	73983	8.29
2 = No.....	21133	2.37
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	272	0.03
97 = REFUSED .....	100	0.01
98 = BLANK (NO ANSWER) .....	3441	0.39
99 = LEGITIMATE SKIP.....	684733	76.68

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

ADWRDISC<sup>1</sup>      Len : 2    WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	75669	8.47
2 = No.....	19500	2.18
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	220	0.02
97 = REFUSED .....	99	0.01
98 = BLANK (NO ANSWER) .....	3441	0.39
99 = LEGITIMATE SKIP.....	684733	76.68

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

ADWRLSIN<sup>1</sup>      Len : 2    WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	72660	8.14
2 = No.....	22586	2.53
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	158	0.02
97 = REFUSED .....	84	0.01
98 = BLANK (NO ANSWER) .....	3441	0.39
99 = LEGITIMATE SKIP.....	684733	76.68

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

ADWRPLSR<sup>1</sup>      Len : 2    WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	61930	6.94
2 = No.....	33164	3.71
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	302	0.03
97 = REFUSED .....	92	0.01
98 = BLANK (NO ANSWER) .....	3441	0.39
99 = LEGITIMATE SKIP.....	684733	76.68

ADULT DEPRESSION

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

<b>ADWRELES<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	54191	6.07
		2 = No.....	32962	3.69
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	428	0.05
		97 = REFUSED .....	40	0.00
		98 = BLANK (NO ANSWER) .....	3659	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Did you have a much larger appetite than usual nearly every day?

<b>ADWREMOR<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	17367	1.94
		2 = No.....	15659	1.75
		94 = DON'T KNOW .....	378	0.04
		97 = REFUSED .....	26	0.00
		98 = BLANK (NO ANSWER) .....	3659	0.41
		99 = LEGITIMATE SKIP.....	746574	83.61

Did you gain weight without trying to during that [TIMEFILL] period of time?

<b>ADWRGAIN<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	18098	2.03
		2 = No.....	15032	1.68
		94 = DON'T KNOW .....	277	0.03
		97 = REFUSED .....	23	0.00
		98 = BLANK (NO ANSWER) .....	3659	0.41
		99 = LEGITIMATE SKIP.....	746574	83.61

Did you gain weight without trying to because you were growing?

<b>ADWRGROW<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	1394	0.16
		2 = No.....	6098	0.68
		94 = DON'T KNOW .....	80	0.01
		97 = REFUSED .....	1	0.00
		98 = BLANK (NO ANSWER) .....	4171	0.47
		99 = LEGITIMATE SKIP.....	771919	86.44

Did you gain weight without trying to because you were pregnant?

<b>ADWRPREG<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	766	0.09
		2 = No.....	11674	1.31
		90 = NOT ASKED THE QUESTION Logically assigned.....	207	0.02
		94 = DON'T KNOW .....	15	0.00
		97 = REFUSED .....	5	0.00
		98 = BLANK (NO ANSWER) .....	2025	0.23
		99 = LEGITIMATE SKIP.....	768971	86.11



ADULT DEPRESSION

How many pounds did you gain? Please enter your answer as a whole number.

<b>ADWRGNL2<sup>1</sup></b>	Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
	RANGE = 0 - 51 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	15287	1.71
	990 = NOT ASKED THE QUESTION Logically assigned .....	109309	12.24
	994 = DON'T KNOW .....	253	0.03
	997 = REFUSED .....	351	0.04
	998 = BLANK (NO ANSWER).....	38	0.00
	999 = LEGITIMATE SKIP.....	3968	0.44
		763766	85.53

Did you lose weight without trying to?

<b>ADWRLOSE<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	109309	12.24
	2 = No.....	43945	4.92
	89 = LEGITIMATE SKIP Logically assigned.....	24998	2.80
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	558	0.06
	98 = BLANK (NO ANSWER) .....	22	0.00
	99 = LEGITIMATE SKIP.....	3743	0.42
		710396	79.55

Did you lose weight without trying to because you were sick or on a diet?

<b>ADWRDIET<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	109309	12.24
	2 = No.....	10653	1.19
	94 = DON'T KNOW .....	33233	3.72
	97 = REFUSED .....	57	0.01
	98 = BLANK (NO ANSWER) .....	2	0.00
	99 = LEGITIMATE SKIP.....	4323	0.48
		735395	82.35

How many pounds did you lose?

Please enter your answer as a whole number.

<b>ADWRSL2<sup>1</sup></b>	Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
	RANGE = 0 - 51 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	32403	3.63
	994 = DON'T KNOW .....	109309	12.24
	997 = REFUSED .....	866	0.10
	998 = BLANK (NO ANSWER).....	23	0.00
	999 = LEGITIMATE SKIP.....	4323	0.48
		746048	83.55

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

<b>ADWRSLEP<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	109309	12.24
	2 = No.....	71051	7.96
	89 = LEGITIMATE SKIP Logically assigned.....	16318	1.83
	94 = DON'T KNOW .....	1	0.00
	97 = REFUSED .....	213	0.02
	98 = BLANK (NO ANSWER) .....	39	0.00
	99 = LEGITIMATE SKIP.....	3659	0.41
		692382	77.54

ADULT DEPRESSION

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

<b>ADWRSMOR<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	10004	1.12
		2 = No.....	6390	0.72
		94 = DON'T KNOW .....	147	0.02
		97 = REFUSED .....	29	0.00
		98 = BLANK (NO ANSWER) .....	3659	0.41
		99 = LEGITIMATE SKIP.....	763434	85.49

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

<b>ADWRENRG<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	79978	8.96
		2 = No.....	7450	0.83
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	158	0.02
		97 = REFUSED .....	35	0.00
		98 = BLANK (NO ANSWER) .....	3659	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Did you talk or move more slowly than is normal for you nearly every day?

<b>ADWRSLOW<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	51238	5.74
		2 = No.....	35569	3.98
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	781	0.09
		97 = REFUSED .....	33	0.00
		98 = BLANK (NO ANSWER) .....	3659	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Did anyone else notice that you were talking or moving slowly?

<b>ADWRSLNO<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	36721	4.11
		2 = No.....	14009	1.57
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	502	0.06
		97 = REFUSED .....	6	0.00
		98 = BLANK (NO ANSWER) .....	4473	0.50
		99 = LEGITIMATE SKIP.....	727951	81.52

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

<b>ADWRJITT<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	8884	0.99
		2 = No.....	27250	3.05
		94 = DON'T KNOW .....	222	0.02
		97 = REFUSED .....	27	0.00
		98 = BLANK (NO ANSWER) .....	3659	0.41
		99 = LEGITIMATE SKIP.....	743621	83.27

ADULT DEPRESSION

Did anyone else notice that you were restless?

<b>ADWRJINO<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	6615	0.74
		2 = No.....	2177	0.24
		94 = DON'T KNOW .....	91	0.01
		97 = REFUSED .....	1	0.00
		98 = BLANK (NO ANSWER) .....	3908	0.44
		99 = LEGITIMATE SKIP.....	770871	86.33

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

<b>ADWRTHOT<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	47819	5.36
		2 = No.....	39139	4.38
		89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
		94 = DON'T KNOW .....	579	0.06
		97 = REFUSED .....	83	0.01
		98 = BLANK (NO ANSWER) .....	3660	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Did you have a lot more trouble concentrating than usual nearly every day?

<b>ADWRCONC<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	64346	7.21
		2 = No.....	22861	2.56
		89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
		94 = DON'T KNOW .....	355	0.04
		97 = REFUSED .....	58	0.01
		98 = BLANK (NO ANSWER) .....	3660	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

<b>ADWRDCSN<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	50541	5.66
		2 = No.....	36565	4.09
		89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
		94 = DON'T KNOW .....	456	0.05
		97 = REFUSED .....	58	0.01
		98 = BLANK (NO ANSWER) .....	3660	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Did you feel that you were not as good as other people nearly every day?

<b>ADWRNOGD<sup>1</sup></b>	Len : 2	WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	62850	7.04
		2 = No.....	24519	2.75
		89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
		94 = DON'T KNOW .....	197	0.02
		97 = REFUSED .....	54	0.01
		98 = BLANK (NO ANSWER) .....	3660	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

ADULT DEPRESSION

Did you feel totally worthless nearly every day?

<b>ADWRWRTH<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	46386	5.19
		2 = No.....	16390	1.84
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	63	0.01
		97 = REFUSED .....	11	0.00
		98 = BLANK (NO ANSWER) .....	3911	0.44
		99 = LEGITIMATE SKIP.....	716901	80.28

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

<b>ADWRDLOT<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	46603	5.22
		2 = No.....	40749	4.56
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	108	0.01
		97 = REFUSED .....	160	0.02
		98 = BLANK (NO ANSWER) .....	3660	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

During that period, did you ever think that it would be better if you were dead?

<b>ADWRDBTR<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST THINK IT WOULD BE BETTER IF DEAD		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	43742	4.90
		2 = No.....	43508	4.87
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	180	0.02
		97 = REFUSED .....	189	0.02
		98 = BLANK (NO ANSWER) .....	3661	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Did you think about committing suicide?

<b>ADWRSTHK<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST THINK ABOUT COMMITTING SUICIDE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	33863	3.79
		2 = No.....	53439	5.98
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW .....	95	0.01
		97 = REFUSED .....	222	0.02
		98 = BLANK (NO ANSWER) .....	3661	0.41
		99 = LEGITIMATE SKIP.....	692382	77.54

Did you make a suicide plan?

<b>ADWRSPLN<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST MAKE A SUICIDE PLAN		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	12207	1.37
		2 = No.....	21607	2.42
		94 = DON'T KNOW .....	26	0.00
		97 = REFUSED .....	23	0.00
		98 = BLANK (NO ANSWER) .....	3978	0.45
		99 = LEGITIMATE SKIP.....	745822	83.52

ADULT DEPRESSION

Did you make a suicide attempt?

<b>ADWRSATP<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	9055	1.01
	2 = No.....	24753	2.77
	94 = DON'T KNOW .....	18	0.00
	97 = REFUSED .....	37	0.00
	98 = BLANK (NO ANSWER) .....	3978	0.45
	99 = LEGITIMATE SKIP.....	745822	83.52

<b>AD_MDEA1<sup>1</sup></b>	Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	81076	9.08
	2 = Does not have symptom.....	14098	1.58
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW .....	226	0.03
	97 = REFUSED .....	88	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	433618	48.56
	99 = LEGITIMATE SKIP.....	254556	28.51

<b>AD_MDEA2<sup>1</sup></b>	Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	78553	8.80
	2 = Does not have symptom.....	16679	1.87
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW .....	176	0.02
	97 = REFUSED .....	80	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	433618	48.56
	99 = LEGITIMATE SKIP.....	254556	28.51

<b>AD_MDEA3<sup>1</sup></b>	Len : 2 CHANGES IN APPETITE OR WT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	74823	8.38
	2 = Does not have symptom.....	12098	1.35
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW .....	611	0.07
	97 = REFUSED .....	44	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	441530	49.44
	99 = LEGITIMATE SKIP.....	254556	28.51

<b>AD_MDEA4<sup>1</sup></b>	Len : 2 SLEEP PROBLEMS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	81055	9.08
	2 = Does not have symptom.....	6338	0.71
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW .....	198	0.02
	97 = REFUSED .....	30	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	441485	49.44
	99 = LEGITIMATE SKIP.....	254556	28.51

<b>AD_MDEA5<sup>1</sup></b>	Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	43336	4.85
	2 = Does not have symptom.....	43685	4.89
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW .....	593	0.07
	97 = REFUSED .....	7	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	441485	49.44
	99 = LEGITIMATE SKIP.....	254556	28.51

ADULT DEPRESSION

AD\_MDEA6<sup>1</sup> Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Has symptom .....	79978	8.96
2 = Does not have symptom.....	7450	0.83
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	158	0.02
97 = REFUSED .....	35	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	441485	49.44
99 = LEGITIMATE SKIP.....	254556	28.51

AD\_MDEA7<sup>1</sup> Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Has symptom .....	46386	5.19
2 = Does not have symptom.....	41160	4.61
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	63	0.01
97 = REFUSED .....	11	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	441486	49.44
99 = LEGITIMATE SKIP.....	254556	28.51

AD\_MDEA8<sup>1</sup> Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Has symptom .....	70569	7.90
2 = Does not have symptom.....	16667	1.87
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	333	0.04
97 = REFUSED .....	51	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	441486	49.44
99 = LEGITIMATE SKIP.....	254556	28.51

AD\_MDEA9<sup>1</sup> Len : 2 ANY THOUGHTS OR PLANS OF SUICIDE

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Has symptom .....	56545	6.33
2 = Does not have symptom.....	30800	3.45
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	118	0.01
97 = REFUSED .....	157	0.02
98 = OTHER MISSING/NOT APPLICABLE.....	441486	49.44
99 = LEGITIMATE SKIP.....	254556	28.51

ADSMDEA<sup>1</sup> Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Has 5 or more symptoms .....	79562	8.91
2 = Has less than 5 symptoms .....	15608	1.75
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5 .....	282	0.03
97 = SUM OF SYMPTOMS AND REFUSED >=5 .....	36	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	433618	48.56
99 = LEGITIMATE SKIP.....	254556	28.51

ADULT DEPRESSION

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

ADPBINTF<sup>1</sup> Len : 2 WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Not at all .....	2195	0.25
2 = A little .....	11511	1.29
3 = Some .....	24834	2.78
4 = A lot .....	28591	3.20
5 = Extremely .....	14179	1.59
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	76	0.01
97 = REFUSED .....	49	0.01
98 = BLANK (NO ANSWER) .....	3884	0.43
99 = LEGITIMATE SKIP .....	698343	78.20

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

ADPBDLYA<sup>1</sup> Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Often .....	19682	2.20
2 = Sometimes .....	36064	4.04
3 = Rarely .....	17083	1.91
4 = Never .....	6283	0.70
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	89	0.01
97 = REFUSED .....	39	0.00
98 = BLANK (NO ANSWER) .....	3884	0.43
99 = LEGITIMATE SKIP .....	700538	78.45

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

ADPBRMBR<sup>1</sup> Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	52965	5.93
2 = No .....	27847	3.12
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	545	0.06
97 = REFUSED .....	77	0.01
98 = BLANK (NO ANSWER) .....	3885	0.44
99 = LEGITIMATE SKIP .....	698343	78.20

How old were you?

ADPBAGE<sup>1</sup> Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 92 .....	78524	8.79
-9 = Data not collected for this year .....	109309	12.24
985 = BAD DATA Logically assigned .....	47	0.01
989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
994 = DON'T KNOW .....	2648	0.30
997 = REFUSED .....	138	0.02
998 = BLANK (NO ANSWER) .....	3962	0.44
999 = LEGITIMATE SKIP .....	698343	78.20

ADULT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

ADPBNUM<sup>1</sup>      Len : 4   # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000 .....	74432	8.34
-9 = Data not collected for this year .....	109309	12.24
9989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
9994 = DON'T KNOW .....	6316	0.71
9997 = REFUSED .....	686	0.08
9998 = BLANK (NO ANSWER) .....	3885	0.44
9999 = LEGITIMATE SKIP .....	698343	78.20

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

ADPB2WK<sup>1</sup>      Len : 2   FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	44900	5.03
2 = No .....	35782	4.01
85 = BAD DATA Logically assigned .....	2	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	579	0.06
97 = REFUSED .....	171	0.02
98 = BLANK (NO ANSWER) .....	3885	0.44
99 = LEGITIMATE SKIP .....	698343	78.20

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables ADPSHMG, ADPSWORK, ADPSRELS, and ADPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

ADPSHMG<sup>1</sup>      Len : 2   HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
0 = No Interference .....	1514	0.17
1 = Mild - 1 .....	1332	0.15
2 = Mild - 2 .....	2453	0.27
3 = Mild - 3 .....	3556	0.40
4 = Moderate - 4 .....	3975	0.45
5 = Moderate - 5 .....	7302	0.82
6 = Moderate - 6 .....	6591	0.74
7 = Severe - 7 .....	6082	0.68
8 = Severe - 8 .....	5316	0.60
9 = Severe - 9 .....	2485	0.28
10 = Very Severe Interference .....	3732	0.42
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	154	0.02
95 = ACTIVITY DOES NOT APPLY .....	327	0.04
97 = REFUSED .....	81	0.01
98 = BLANK (NO ANSWER) .....	4636	0.52
99 = LEGITIMATE SKIP .....	734125	82.21



ADULT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

ADPSWORK<sup>1</sup>

Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
0 = No Interference.....	3590	0.40
1 = Mild - 1.....	2358	0.26
2 = Mild - 2.....	3759	0.42
3 = Mild - 3.....	4985	0.56
4 = Moderate - 4.....	4317	0.48
5 = Moderate - 5.....	6149	0.69
6 = Moderate - 6.....	4679	0.52
7 = Severe - 7.....	4139	0.46
8 = Severe - 8.....	3529	0.40
9 = Severe - 9.....	2293	0.26
10 = Very Severe Interference.....	3829	0.43
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DONT KNOW.....	240	0.03
95 = ACTIVITY DOES NOT APPLY.....	912	0.10
97 = REFUSED.....	121	0.01
98 = BLANK (NO ANSWER).....	4636	0.52
99 = LEGITIMATE SKIP.....	734125	82.21

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

ADPSRELS<sup>1</sup>

Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
0 = No Interference.....	1819	0.20
1 = Mild - 1.....	1424	0.16
2 = Mild - 2.....	2463	0.28
3 = Mild - 3.....	3940	0.44
4 = Moderate - 4.....	3766	0.42
5 = Moderate - 5.....	6122	0.69
6 = Moderate - 6.....	5457	0.61
7 = Severe - 7.....	5842	0.65
8 = Severe - 8.....	5427	0.61
9 = Severe - 9.....	3711	0.42
10 = Very Severe Interference.....	4387	0.49
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DONT KNOW.....	126	0.01
95 = ACTIVITY DOES NOT APPLY.....	335	0.04
97 = REFUSED.....	81	0.01
98 = BLANK (NO ANSWER).....	4636	0.52
99 = LEGITIMATE SKIP.....	734125	82.21

ADULT DEPRESSION

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

ADPSSOC<sup>1</sup>      Len : 2    HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
0 = No Interference .....	1348	0.15
1 = Mild - 1 .....	1136	0.13
2 = Mild - 2 .....	2142	0.24
3 = Mild - 3 .....	3244	0.36
4 = Moderate - 4 .....	3384	0.38
5 = Moderate - 5 .....	5817	0.65
6 = Moderate - 6 .....	5316	0.60
7 = Severe - 7 .....	6101	0.68
8 = Severe - 8 .....	5934	0.66
9 = Severe - 9 .....	4606	0.52
10 = Very Severe Interference .....	5343	0.60
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	112	0.01
95 = ACTIVITY DOES NOT APPLY .....	351	0.04
97 = REFUSED .....	66	0.01
98 = BLANK (NO ANSWER) .....	4636	0.52
99 = LEGITIMATE SKIP .....	734125	82.21

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables ADPSHMG, ADPSWORK, ADPSRELS, and ADPSSOC are no longer asked the question corresponding to ADPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to ADPSHMG through ADPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

ADPSDAYS<sup>1</sup>      Len : 3    # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365 .....	43015	4.82
-9 = Data not collected for this year .....	109309	12.24
985 = BAD DATA Logically assigned .....	1	0.00
989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
994 = DON'T KNOW .....	1338	0.15
997 = REFUSED .....	134	0.02
998 = BLANK (NO ANSWER) .....	4717	0.53
999 = LEGITIMATE SKIP .....	734457	82.25

ADULT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

ADSEEDOC<sup>1</sup>      Len : 2    SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	34095	3.82
2 = No.....	47153	5.28
85 = BAD DATA Logically assigned .....	2	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	91	0.01
97 = REFUSED .....	92	0.01
98 = BLANK (NO ANSWER) .....	3886	0.44
99 = LEGITIMATE SKIP.....	698343	78.20

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

ADFAMDOC<sup>1</sup>      Len : 2    GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	17911	2.01
3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
6 = Response not entered .....	16062	1.80
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	60	0.01
97 = REFUSED .....	149	0.02
98 = BLANK (NO ANSWER) .....	3978	0.45
99 = LEGITIMATE SKIP.....	745497	83.48

ADOTHDOC<sup>1</sup>      Len : 2    OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	3025	0.34
3 = Response entered LOGICALLY ASSIGNED .....	135	0.02
6 = Response not entered .....	30818	3.45
94 = DON'T KNOW .....	60	0.01
97 = REFUSED .....	149	0.02
98 = BLANK (NO ANSWER) .....	3979	0.45
99 = LEGITIMATE SKIP.....	745497	83.48

ADPSYCH<sup>1</sup>      Len : 2    PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	9530	1.07
3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
6 = Response not entered .....	24443	2.74
94 = DON'T KNOW .....	60	0.01
97 = REFUSED .....	149	0.02
98 = BLANK (NO ANSWER) .....	3979	0.45
99 = LEGITIMATE SKIP.....	745497	83.48

ADULT DEPRESSION

<b>ADPSYMD<sup>1</sup></b>	Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	10226	1.15
	3 = Response entered LOGICALLY ASSIGNED .....	6	0.00
	6 = Response not entered .....	23746	2.66
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	149	0.02
	98 = BLANK (NO ANSWER) .....	3979	0.45
	99 = LEGITIMATE SKIP .....	745497	83.48

<b>ADSOCWRK<sup>1</sup></b>	Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	3561	0.40
	3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
	6 = Response not entered .....	30412	3.41
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	149	0.02
	98 = BLANK (NO ANSWER) .....	3979	0.45
	99 = LEGITIMATE SKIP .....	745497	83.48

<b>ADCOUNS<sup>1</sup></b>	Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	9403	1.05
	3 = Response entered LOGICALLY ASSIGNED .....	39	0.00
	6 = Response not entered .....	24536	2.75
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	149	0.02
	98 = BLANK (NO ANSWER) .....	3979	0.45
	99 = LEGITIMATE SKIP .....	745497	83.48

<b>ADOTMHP<sup>1</sup></b>	Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	2383	0.27
	3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
	6 = Response not entered .....	31592	3.54
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	149	0.02
	98 = BLANK (NO ANSWER) .....	3979	0.45
	99 = LEGITIMATE SKIP .....	745497	83.48

<b>ADNURSE<sup>1</sup></b>	Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	2101	0.24
	3 = Response entered LOGICALLY ASSIGNED .....	50	0.01
	6 = Response not entered .....	31827	3.56
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	149	0.02
	98 = BLANK (NO ANSWER) .....	3979	0.45
	99 = LEGITIMATE SKIP .....	745497	83.48

<b>ADRELIG<sup>1</sup></b>	Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	5410	0.61
	3 = Response entered LOGICALLY ASSIGNED .....	39	0.00
	6 = Response not entered .....	28529	3.19
	94 = DON'T KNOW .....	60	0.01
	97 = REFUSED .....	149	0.02
	98 = BLANK (NO ANSWER) .....	3979	0.45
	99 = LEGITIMATE SKIP .....	745497	83.48

ADULT DEPRESSION

**ADHERBAL<sup>1</sup>**      Len : 2    HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	1665	0.19
3 = Response entered LOGICALLY ASSIGNED .....	29	0.00
6 = Response not entered .....	32284	3.62
94 = DON'T KNOW .....	60	0.01
97 = REFUSED .....	149	0.02
98 = BLANK (NO ANSWER) .....	3979	0.45
99 = LEGITIMATE SKIP .....	745497	83.48

**ADOTHHLP<sup>1</sup>**      Len : 2    OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	1162	0.13
6 = Response not entered .....	32816	3.67
94 = DON'T KNOW .....	60	0.01
97 = REFUSED .....	149	0.02
98 = BLANK (NO ANSWER) .....	3979	0.45
99 = LEGITIMATE SKIP .....	745497	83.48

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

**ADMTNOW<sup>1</sup>**      Len : 2    CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	17573	1.97
2 = No .....	16493	1.85
94 = DON'T KNOW .....	13	0.00
97 = REFUSED .....	109	0.01
98 = BLANK (NO ANSWER) .....	3978	0.45
99 = LEGITIMATE SKIP .....	745497	83.48

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

**ADRX12MO<sup>1</sup>**      Len : 2    TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	28230	3.16
2 = No .....	53069	5.94
85 = BAD DATA Logically assigned .....	2	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	49	0.01
97 = REFUSED .....	83	0.01
98 = BLANK (NO ANSWER) .....	3886	0.44
99 = LEGITIMATE SKIP .....	698343	78.20

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

**ADRXNOW<sup>1</sup>**      Len : 2    CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	22323	2.50
2 = No .....	5901	0.66
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	86	0.01
98 = BLANK (NO ANSWER) .....	3936	0.44
99 = LEGITIMATE SKIP .....	751413	84.15

ADULT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

ADRXHLP<sup>1</sup>

Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Not at all .....	1831	0.21
2 = A little.....	3474	0.39
3 = Some.....	6921	0.78
4 = A lot.....	9789	1.10
5 = Extremely .....	6127	0.69
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	73	0.01
97 = REFUSED .....	98	0.01
98 = BLANK (NO ANSWER) .....	3936	0.44
99 = LEGITIMATE SKIP.....	751413	84.15

During the past 12 months, how much has treatment or counseling helped you?

ADTMTHLP<sup>1</sup>

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Not at all .....	5093	0.57
2 = A little.....	5520	0.62
3 = Some.....	8506	0.95
4 = A lot.....	9180	1.03
5 = Extremely .....	5369	0.60
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	320	0.04
97 = REFUSED .....	199	0.02
98 = BLANK (NO ANSWER) .....	3978	0.45
99 = LEGITIMATE SKIP.....	745497	83.48

RECODED ADULT DEPRESSION

**RECODED ADULT DEPRESSION**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Due to questionnaire changes in 2008, these MDE variables are not directly comparable to MDE variables from 2004 to 2008. Adjusted lifetime and past year MDE variables (AJAMDELT and AJAMDEYR) were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. The youth MDE variables continue to remain comparable between 2004 and 2012. Specific details about the analysis of MDE data can be found in the Recoded Depression Variable Documentation Appendix.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMDEA=1).

An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to define an adult as having had MDE in their lifetime (ADSMDEA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMDEA=98) and the respondent reported at least one of the following:
  - i. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2), discouraged about how things were going in life (ADDSCEV=2), and lost interest in most things usually enjoyable (ADLOSEV=2).
  - ii. Experienced the feelings in (i), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDP2WK=2).
  - iii. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
  - iv. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
  - v. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2).

**AMDELT** Len : 1 RC-ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	166413	18.64
-9 = Data not collected for this year.....	330900	37.06
1 = Yes (ADSMDEA=1).....	58985	6.61
2 = No (See comment above).....	336674	37.70

**AMDEYR** Len : 1 RC-ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	167011	18.70
-9 = Data not collected for this year.....	330900	37.06
1 = Yes (AMDELT=1 & ADPB2WK=1).....	32661	3.66
2 = No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2]).....	362400	40.58

The following adult MDE variable, AMDEY2\_U, is used in the 2012 mental illness prediction model. It is defined differently than AMDEYR which is used in the Detailed Tables. See the mental illness variables in the Recoded Mental Health section of this codebook and the Recoded Mental Health Appendix for more details on the 2012 mental illness prediction model.

**AMDEY2\_U** Len : 1 RC-ADULT PAST YEAR MDE - 'UNKNOWN' IMPUTED AS 'NO'

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17 (AGE2<7).....	163105	18.27
-9 = Data not collected for this year.....	330900	37.06
0 = No/Unknown (AGE2>=7 and AMDEYR=.,2).....	366306	41.02
1 = Yes (AGE2>=7 and AMDEYR=1).....	32661	3.66

RECORDED ADULT DEPRESSION

NOTE: The following 25 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (AMDELTA) or the past year MDE variable (AMDEYR).

<b>ATXMDEYR</b>	Len : 1 RC-ADULT: SAW/TALK TO MD/PROF ABT DEPRESSIVE FEELNGS IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	501873	56.20
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ADSEEDOC=2).....	34746	3.89
	1 = Yes (ADSEEDOC=1).....	25453	2.85

<b>ARXMDEYR</b>	Len : 1 RC-ADULT: USED RX MEDICATION FOR DEPRESSIVE FEELINGS IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	501833	56.20
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ADRX12MO=2).....	38964	4.36
	1 = Yes (ADRX12MO=1).....	21275	2.38

The following variable, AMDETXX, is defined as having received treatment/counseling for MDE in the past year if (1) saw or talked to a medical doctor or other professional about depressive feelings or (2) used prescription medication for depressive feelings.

<b>AMDETXX</b>	Len : 1 RC-ADULT: RCVD TRT/CNSLG OR RX MED FOR DEPRESS FEELING IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	501851	56.20
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ATXMDEYR=0 and ARXMDEYR=0).....	31031	3.48
	1 = Yes (ATXMDEYR=1 or ARXMDEYR=1).....	29190	3.27

<b>ADOCMDE</b>	Len : 1 RC-ADULT: SAW/TALK TO GEN PRAC/FAM MD ABT DEP FEELINGS IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ADSEEDOC=2 or ADFAMDOC=6).....	46820	5.24
	1 = Yes (ADFAMDOC=1,3).....	13297	1.49

<b>AOMDMDE</b>	Len : 1 RC-ADULT: SAW/TALK TO OTHER MD ABT DEPRESSIVE FEELINGS IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ADSEEDOC=2 or ADOTHD=6).....	57745	6.47
	1 = Yes (ADOTHD=1,3).....	2372	0.27

<b>APSY1MDE</b>	Len : 1 RC-ADULT: SAW/TALK TO PSYCHOLOGIST ABT DEPRES FEELINGS IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ADSEEDOC=2 or ADPSYCH=6).....	52829	5.92
	1 = Yes (ADPSYCH=1,3).....	7288	0.82

<b>APSY2MDE</b>	Len : 1 RC-ADULT: SAW/TALK TO PSYCHIATRIST ABT DEPRES FEELINGS IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ADSEEDOC=2 or ADPSYMD=6).....	52200	5.85
	1 = Yes (ADPSYMD=1,3).....	7917	0.89

<b>ASOCMDE</b>	Len : 1 RC-ADULT: SAW/TALK TO SOCIAL WORKR ABT DEPRES FEELINGS IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (ADSEEDOC=2 or ADSOCWRK=6).....	57430	6.43
	1 = Yes (ADSOCWRK=1,3).....	2687	0.30



RECODED ADULT DEPRESSION

**ACOUNMDE** Len : 1 RC-ADULT: SAW/TALK TO COUNSELOR ABT DEPRESSVE FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
-9 = Data not collected for this year.....	330900	37.06
0 = No (ADSEEDOC=2 or ADCOUNS=6).....	52792	5.91
1 = Yes (ADCOUNS=1,3).....	7325	0.82

**AOMHMDE** Len : 1 RC-ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT DEP FEELINGS-PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
-9 = Data not collected for this year.....	330900	37.06
0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter]) .....	58254	6.52
1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered) .....	1863	0.21

**ANURSMDE** Len : 1 RC-ADULT: SAW/TALK TO NURSE/OCC THERA ABT DEP FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
-9 = Data not collected for this year.....	330900	37.06
0 = No (ADSEEDOC=2 or ADNURSE=6) .....	58532	6.55
1 = Yes (ADNURSE=1,3) .....	1585	0.18

**ARELMDE** Len : 1 RC-ADULT: SAW/TALK TO RELIG ADVISR ABT DEPRES FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
-9 = Data not collected for this year.....	330900	37.06
0 = No (ADSEEDOC=2 or ADRELIG=6).....	56163	6.29
1 = Yes (ADRELIG=1,3).....	3954	0.44

**AHBCHMDE** Len : 1 RC-ADULT: SAW/TALK TO ANOTHER HEALER ABT DEPR FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	501955	56.21
-9 = Data not collected for this year.....	330900	37.06
0 = No (ADSEEDOC=2 or ADHERBAL=6).....	58886	6.59
1 = Yes (ADHERBAL=1,3).....	1231	0.14

The following variable, AOTHMDE, defines an adult as having seen or talked to another professional about MDE during the past year if s/he entered a valid write-in response other than the responses that matched existing categories.

An adult was classified as NOT having seen or talked to another professional about MDE during the past year, AOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6).
3. Write-in response entered matched an existing category.

**AOTHMDE** Len : 1 RC-ADULT: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknwn/Legit Skip/Invalid Spec. Resp. ....	502234	56.24
-9 = Data not collected for this year.....	330900	37.06
0 = No (See comment above).....	59612	6.68
1 = Yes (See comment above) .....	226	0.03

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

**AHLTMDE** Len : 1 RC-ADULT: SAW/TALK TO HLTH PROF ABT DEPRESSVE FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	402705	45.10
-9 = Data not collected for this year.....	441244	49.41
0 = No (See comment above).....	29199	3.27
1 = Yes (See comment above) .....	19824	2.22

RECODED ADULT DEPRESSION

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

**AALTMDE** Len : 1 RC-ADULT: SAW/TALK TO ALT SERV PROF ABT DEPRS FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	402705	45.10
-9 = Data not collected for this year.....	441244	49.41
0 = No (See comment above).....	45192	5.06
1 = Yes (See comment above).....	3831	0.43

**AMDEHPRX** Len : 1 RC-ADULT: SAW HLTH PROF OR RX MED FOR DEPRESS FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	402660	45.09
-9 = Data not collected for this year.....	441244	49.41
0 = No (AHLTMDE=0 and ARXMDEYR=0).....	25947	2.91
1 = Yes (AHLTMDE=1 or ARXMDEYR=1).....	23121	2.59

**AMDEHPO** Len : 1 RC-ADULT: SAW HLTH PROF, NO RX MED FOR DEPRES FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	402656	45.09
-9 = Data not collected for this year.....	441244	49.41
0 = No (AHLTMDE=0 or ARXMDEYR=1).....	43547	4.88
1 = Yes (AHLTMDE=1 and ARXMDEYR=0).....	5525	0.62

**AMDERXO2** Len : 1 RC-ADULT: RCVD RX MED, NO HLTH PROF FOR DEPRS FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	402646	45.09
-9 = Data not collected for this year.....	441244	49.41
0 = No (ARXMDEYR=0 or AHLTMDE=1).....	45839	5.13
1 = Yes (ARXMDEYR=1 and AHLTMDE=0).....	3243	0.36

**AMDEHARX** Len : 1 RC-ADULT: SAW HLTH PROF AND RX MED FOR DEPRES FEELINGS IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	402642	45.09
-9 = Data not collected for this year.....	441244	49.41
0 = No (AHLTMDE=0 or ARXMDEYR=0).....	34792	3.90
1 = Yes (AHLTMDE=1 and ARXMDEYR=1).....	14294	1.60

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a adult's life.

**ASDSHOM2** Len : 1 RC-ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - HOME MANAGEMENT

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	529166	59.26
-9 = Data not collected for this year.....	330900	37.06
1 = None (ADPSHMG=0).....	1146	0.13
2 = Mild (ADPSHMG=1,2,3).....	5606	0.63
3 = Moderate (ADPSHMG=4,5,6).....	13355	1.50
4 = Severe (ADPSHMG=7,8,9).....	10179	1.14
5 = Very Severe (ADPSHMG=10).....	2620	0.29

**ASDSWRK2** Len : 1 RC-ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - ABILITY TO WORK

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	529292	59.27
-9 = Data not collected for this year.....	330900	37.06
1 = None (ADPSWORK=0).....	2858	0.32
2 = Mild (ADPSWORK=1,2,3).....	8428	0.94
3 = Moderate (ADPSWORK=4,5,6).....	11115	1.24
4 = Severe (ADPSWORK=7,8,9).....	7464	0.84
5 = Very Severe (ADPSWORK=10).....	2915	0.33

RECODED ADULT DEPRESSION

**ASDSREL2**      Len : 1    RC-ADULT: DEP FEELINGS ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	529141	59.26
-9 = Data not collected for this year.....	330900	37.06
1 = None (ADPSRELS=0).....	1367	0.15
2 = Mild (ADPSRELS=1,2,3).....	5826	0.65
3 = Moderate (ADPSRELS=4,5,6).....	11282	1.26
4 = Severe (ADPSRELS=7,8,9).....	11204	1.25
5 = Very Severe (ADPSRELS=10).....	3252	0.36

**ASDSSOC2**      Len : 1    RC-ADULT: DEPRESSIVE FEELINGS ROLE IMPAIRMENT - SOCIAL LIFE

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	529111	59.25
-9 = Data not collected for this year.....	330900	37.06
1 = None (ADPSSOC=0).....	1041	0.12
2 = Mild (ADPSSOC=1,2,3).....	4823	0.54
3 = Moderate (ADPSSOC=4,5,6).....	10528	1.18
4 = Severe (ADPSSOC=7,8,9).....	12548	1.41
5 = Very Severe (ADPSSOC=10).....	4021	0.45

The following variable, ASDSOVL2, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2).

**ASDSOVL2**      Len : 1    RC-ADULT: MAX SEVERITY LEVEL OF DEP FEELINGS ROLE IMPAIRMENT

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	529072	59.25
-9 = Data not collected for this year.....	330900	37.06
1 = None (See comment above).....	200	0.02
2 = Mild (See comment above).....	2140	0.24
3 = Moderate (See comment above).....	9381	1.05
4 = Severe (See comment above).....	14962	1.68
5 = Very Severe (See comment above).....	6317	0.71

The following variable, AMDEIMP, is derived from the maximum severity level of MDE role impairment (ASDSOVL2) and is restricted to adults with past year MDE (AMDEYR).

**AMDEIMP**      Len : 1    RC-ADULT: MDE WITH SEVERE ROLE IMPAIRMENT

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	167083	18.71
-9 = Data not collected for this year.....	330900	37.06
1 = Yes (AMDEYR=1 and ASDSOVL2=4,5).....	21160	2.37
2 = No (AMDEYR=2 or ASDSOVL2=1,2,3).....	373829	41.86

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section. Specific details about the recoded variables are provided in the Recoded Depression Variable Documentation Appendix.

NOTE: The following five variables in this section are based on questions asked of all applicable respondents regardless of whether they were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or not. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a person's life.

**ASDSHOME**      Len : 1    ADULT: MDE ROLE IMPAIRMENT - HOME MANAGEMENT

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legit Skip (ADPSHMG=94,95,97,98,99).....	210159	23.53
-9 = Data not collected for this year.....	671381	75.19
1 = None (ADPSHMG=0).....	368	0.04
2 = Mild (ADPSHMG=1,2,3).....	1735	0.19
3 = Moderate (ADPSHMG=4,5,6).....	4513	0.51
4 = Severe (ADPSHMG=7,8,9).....	3704	0.41
5 = Very Severe (ADPSHMG=10).....	1112	0.12

RECODED ADULT DEPRESSION

**ASDSWRK**      Len : 1    ADULT: MDE ROLE IMPAIRMENT - ABILITY TO WORK

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legit Skip (ADPSWORK=94,95,97,98,99) .....	210744	23.60
-9 = Data not collected for this year .....	671381	75.19
1 = None (ADPSWORK=0) .....	732	0.08
2 = Mild (ADPSWORK=1,2,3) .....	2674	0.30
3 = Moderate (ADPSWORK=4,5,6) .....	4030	0.45
4 = Severe (ADPSWORK=7,8,9) .....	2497	0.28
5 = Very Severe (ADPSWORK=10).....	914	0.10

**ASDSREL**      Len : 1    ADULT: MDE ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legit Skip (ADPSRELS=94,95,97,98,99).....	210164	23.54
-9 = Data not collected for this year .....	671381	75.19
1 = None (ADPSRELS=0).....	452	0.05
2 = Mild (ADPSRELS=1,2,3).....	2001	0.22
3 = Moderate (ADPSRELS=4,5,6) .....	4063	0.45
4 = Severe (ADPSRELS=7,8,9).....	3776	0.42
5 = Very Severe (ADPSRELS=10).....	1135	0.13

**ASDSSOC**      Len : 1    ADULT: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legit Skip (ADPSSOC=94,95,97,98,99).....	210181	23.54
-9 = Data not collected for this year .....	671381	75.19
1 = None (ADPSSOC=0).....	307	0.03
2 = Mild (ADPSSOC=1,2,3).....	1699	0.19
3 = Moderate (ADPSSOC=4,5,6) .....	3989	0.45
4 = Severe (ADPSSOC=7,8,9).....	4093	0.46
5 = Very Severe (ADPSSOC=10).....	1322	0.15

The following variable, ASDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOME), ability to work (ASDSWRK), close relationships (ASDSREL), and social life (ASDSSOC).

**ASDSOVRL**      Len : 1    ADULT: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	209876	23.50
-9 = Data not collected for this year .....	671381	75.19
1 = None (See comment above) .....	62	0.01
2 = Mild (See comment above).....	707	0.08
3 = Moderate (See comment above).....	3445	0.39
4 = Severe (See comment above).....	5317	0.60
5 = Very Severe (See comment above).....	2184	0.24

NOTE: The adjusted adult MDE variables (AJAMDEL and AJAMDEYR) were created using a weighted logistic regression model to compute predicted probabilities of past year MDE for each respondent. The predicted probabilities, which can have any value between 0 and 1, then were dichotomized such that each respondent was specified as having or not having MDE in the past year.

These variables can be renamed to match the 2009 and later year adult MDE variables (AMDEL and AMDEYR) in order to make comparisons across years. No weight adjustments are needed when using the adjusted MDE variables. The adjusted MDE variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. For more information on the creation of the adjusted adult depression variables, see the Recoded Depression Variable Documentation Appendix.

**AJAMDEL**      Len : 1    ADULT: ADJUSTED LIFETIME MAJOR DEPRESSIVE EPISODE

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	73231	8.20
-9 = Data not collected for this year .....	671873	75.24
1 = Yes (see comment above) .....	21442	2.40
2 = No (see comment above) .....	126426	14.16

**AJAMDEYR**      Len : 1    ADULT: ADJUSTED PAST YEAR MAJOR DEPRESSIVE EPISODE

	<b>Freq</b>	<b>Pct</b>
. = Aged 12-17/Unknown (Otherwise).....	73404	8.22
-9 = Data not collected for this year .....	671873	75.24
1 = Yes (see comment above AJAMDEL) .....	11734	1.31
2 = No (see comment above AJAMDEL).....	135961	15.23

RECODED ADULT DEPRESSION

<b>AJAMDE_U</b>	Len : 1 ADULT ADJUSTED PAST YR MDE - 'UNKNOWN' IMP AS 'NO'	<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17 (AGE2 <7 or MHSAMP08=1) .....	36196	4.05
	-9 = Data not collected for this year .....	837862	93.83
	0 = No/Unk (AJAMDEYR=.,2 and AGE2>=7 and MHSAMP08=2) .....	17463	1.96
	1 = Yes (AJAMDEYR=1 and AGE2 >=7 and MHSAMP08=2).....	1451	0.16
<b>AMDETARX</b>	Len : 1 ADULT: RCVD TRT/CNSLG AND RX MED FOR MDE IN PST YR	<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	150915	16.90
	-9 = Data not collected for this year .....	725315	81.22
	0 = No (ATXMDEYR=0 or ARXMDEYR=0) .....	12066	1.35
	1 = Yes (ATXMDEYR=1 and ARXMDEYR=1) .....	4676	0.52
<b>AMDETXO</b>	Len : 1 ADULT: RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR	<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	150911	16.90
	-9 = Data not collected for this year .....	725315	81.22
	0 = No (ATXMDEYR=0 or ARXMDEYR=1) .....	14587	1.63
	1 = Yes (ATXMDEYR=1 and ARXMDEYR=0) .....	2159	0.24
<b>AMDERXO</b>	Len : 1 ADULT: RCVD RX MEDICATION ONLY FOR MDE IN PAST YR	<b>Freq</b>	<b>Pct</b>
	. = Aged 12-17/Unknown (Otherwise).....	150916	16.90
	-9 = Data not collected for this year .....	725315	81.22
	0 = No (ARXMDEYR=0 or ATXMDEYR=1) .....	15798	1.77
	1 = Yes (ARXMDEYR=1 and ATXMDEYR=0) .....	943	0.11

YOUTH MENTAL HEALTH TREATMENT

**YOUTH MENTAL HEALTH TREATMENT**

*This note applies to variables in this section marked by a<sup>1</sup>.*

During the past 12 months, did you receive special education services while in your regular classroom or have you been placed in a special classroom, a special program, or a special school because you had emotional or behavioral problems that were not caused by alcohol or drugs?

<b>YUSPEDYR<sup>1</sup></b>	Len : 2	1SPECIAL EDUC SVCS FOR EMOT PROB PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	506962	56.77
		1 = Yes.....	4785	0.54
		2 = No.....	109721	12.29
		85 = BAD DATA Logically assigned .....	32	0.00
		89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
		94 = DON'T KNOW .....	405	0.05
		97 = REFUSED .....	402	0.05
		98 = BLANK (NO ANSWER) .....	705	0.08
		99 = LEGITIMATE SKIP.....	269957	30.23

During the past 12 months, did you talk to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs?

<b>YUSHCNYR<sup>1</sup></b>	Len : 2	1TALKED W/SCH COUNS FOR EMOT PROB PST 12 MOS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	506962	56.77
		1 = Yes.....	12774	1.43
		2 = No.....	101820	11.40
		85 = BAD DATA Logically assigned .....	32	0.00
		89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
		94 = DON'T KNOW .....	335	0.04
		97 = REFUSED .....	384	0.04
		98 = BLANK (NO ANSWER) .....	705	0.08
		99 = LEGITIMATE SKIP.....	269957	30.23

Think about the last time you talked to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs. What was the reason for your talk?

<b>YUSHSUIC<sup>1</sup></b>	Len : 2	1TLKED W/SCH COUNS BEC THOT/TRIED TO KILL SELF		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	506962	56.77
		1 = Response entered .....	1279	0.14
		3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
		6 = Response not entered .....	11217	1.26
		85 = BAD DATA Logically assigned .....	26	0.00
		94 = DON'T KNOW .....	155	0.02
		97 = REFUSED .....	504	0.06
		98 = BLANK (NO ANSWER) .....	1046	0.12
		99 = LEGITIMATE SKIP.....	371780	41.63

<b>YUSHDEPR<sup>1</sup></b>	Len : 2	1TLKED W/SCH COUNS BEC YOU FELT DEPRESSED		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	506962	56.77
		1 = Response entered .....	4966	0.56
		3 = Response entered LOGICALLY ASSIGNED .....	21	0.00
		6 = Response not entered .....	7512	0.84
		94 = DON'T KNOW .....	155	0.02
		97 = REFUSED .....	504	0.06
		98 = BLANK (NO ANSWER) .....	1072	0.12
		99 = LEGITIMATE SKIP.....	371780	41.63

YOUTH MENTAL HEALTH TREATMENT

**YUSHFEAR<sup>1</sup>** Len : 2 1TLKED W/SCH COUNS BEC YOU FELT AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	506962	56.77
1 = Response entered .....	1970	0.22
3 = Response entered LOGICALLY ASSIGNED .....	55	0.01
6 = Response not entered .....	10474	1.17
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	155	0.02
97 = REFUSED .....	504	0.06
98 = BLANK (NO ANSWER) .....	1071	0.12
99 = LEGITIMATE SKIP .....	371780	41.63

**YUSHBKRU<sup>1</sup>** Len : 2 1TLKED W/SCH COUNS BEC BRKING RULES/ACT OUT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	506962	56.77
1 = Response entered .....	2789	0.31
3 = Response entered LOGICALLY ASSIGNED .....	113	0.01
6 = Response not entered .....	9597	1.07
94 = DON'T KNOW .....	155	0.02
97 = REFUSED .....	504	0.06
98 = BLANK (NO ANSWER) .....	1072	0.12
99 = LEGITIMATE SKIP .....	371780	41.63

**YUSHEATP<sup>1</sup>** Len : 2 1TLKED W/SCH COUNS BEC YOU HAD EATING PROBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	506962	56.77
1 = Response entered .....	660	0.07
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	11836	1.33
94 = DON'T KNOW .....	155	0.02
97 = REFUSED .....	504	0.06
98 = BLANK (NO ANSWER) .....	1072	0.12
99 = LEGITIMATE SKIP .....	371780	41.63

What was the other emotional or behavioral problem for which you last talked with a school counselor, school psychologist, or one of your regular teachers?

**YUSHANGR<sup>1</sup>** Len : 2 1TLKED W/SCH COUNS BEC HAD TRBLE CONTRLNG ANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	671873	75.24
1 = Response entered .....	750	0.08
3 = Response entered LOGICALLY ASSIGNED .....	11	0.00
6 = Response not entered .....	6364	0.71
94 = DON'T KNOW .....	129	0.01
97 = REFUSED .....	328	0.04
98 = BLANK (NO ANSWER) .....	657	0.07
99 = LEGITIMATE SKIP .....	212860	23.84

**YUSHFITE<sup>1</sup>** Len : 2 1TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	671873	75.24
1 = Response entered .....	384	0.04
3 = Response entered LOGICALLY ASSIGNED .....	12	0.00
6 = Response not entered .....	6729	0.75
94 = DON'T KNOW .....	129	0.01
97 = REFUSED .....	328	0.04
98 = BLANK (NO ANSWER) .....	657	0.07
99 = LEGITIMATE SKIP .....	212860	23.84

YOUTH MENTAL HEALTH TREATMENT

YUSHFMLY<sup>1</sup> Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year .....	671873	75.24
1 = Response entered .....	1164	0.13
3 = Response entered LOGICALLY ASSIGNED .....	44	0.00
6 = Response not entered .....	5917	0.66
94 = DON'T KNOW .....	129	0.01
97 = REFUSED .....	328	0.04
98 = BLANK (NO ANSWER) .....	657	0.07
99 = LEGITIMATE SKIP .....	212860	23.84

YUSHFRND<sup>1</sup> Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year .....	671873	75.24
1 = Response entered .....	1323	0.15
3 = Response entered LOGICALLY ASSIGNED .....	38	0.00
6 = Response not entered .....	5764	0.65
94 = DON'T KNOW .....	129	0.01
97 = REFUSED .....	328	0.04
98 = BLANK (NO ANSWER) .....	657	0.07
99 = LEGITIMATE SKIP .....	212860	23.84

YUSHOTPP<sup>1</sup> Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year .....	671873	75.24
1 = Response entered .....	742	0.08
3 = Response entered LOGICALLY ASSIGNED .....	11	0.00
6 = Response not entered .....	6372	0.71
94 = DON'T KNOW .....	129	0.01
97 = REFUSED .....	328	0.04
98 = BLANK (NO ANSWER) .....	657	0.07
99 = LEGITIMATE SKIP .....	212860	23.84

YUSHSCHL<sup>1</sup> Len : 2 1TLKED W/SCH COUNS BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year .....	671873	75.24
1 = Response entered .....	1491	0.17
3 = Response entered LOGICALLY ASSIGNED .....	175	0.02
6 = Response not entered .....	5459	0.61
94 = DON'T KNOW .....	129	0.01
97 = REFUSED .....	328	0.04
98 = BLANK (NO ANSWER) .....	657	0.07
99 = LEGITIMATE SKIP .....	212860	23.84

YUSHSOR<sup>1</sup> Len : 2 1TLKED W/SCH COUNS FOR SOME OTHER REASON

	Freq	Pct
-9 = Data not collected for this year .....	506962	56.77
1 = Response entered .....	4334	0.49
6 = Response not entered .....	8165	0.91
94 = DON'T KNOW .....	155	0.02
97 = REFUSED .....	504	0.06
98 = BLANK (NO ANSWER) .....	1072	0.12
99 = LEGITIMATE SKIP .....	371780	41.63

Have you ever been in jail or in a detention center?

YUJAILEV<sup>1</sup> Len : 2 1EVER BEEN IN JAIL OR DETENTION CENTER

	Freq	Pct
-9 = Data not collected for this year .....	506962	56.77
1 = Yes .....	7685	0.86
2 = No .....	118071	13.22
85 = BAD DATA Logically assigned .....	27	0.00
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
94 = DON'T KNOW .....	287	0.03
97 = REFUSED .....	248	0.03
98 = BLANK (NO ANSWER) .....	29	0.00
99 = LEGITIMATE SKIP .....	259659	29.08



YOUTH MENTAL HEALTH TREATMENT

Have you ever been in foster care?

YUFCAREV<sup>1</sup>

Len : 2 1EVER BEEN IN FOSTER CARE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	506962	56.77
1 = Yes.....	2950	0.33
2 = No.....	122113	13.67
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	777	0.09
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
94 = DON'T KNOW .....	265	0.03
97 = REFUSED .....	186	0.02
98 = BLANK (NO ANSWER) .....	56	0.01
99 = LEGITIMATE SKIP .....	259659	29.08

RECODED YOUTH MENTAL HEALTH TREATMENT

**RECODED YOUTH MENTAL HEALTH TREATMENT**

NOTE: For each reported source of treatment/counseling for problems with behavior or emotions that were not caused by alcohol or drugs (see ANYTRT9), the respondent was asked to report which of 5 specific reasons was the reason for the last time he/she received treatment from this source. In addition, the respondent could also answer "other". If a respondent reported "other", then he/she was asked to list the other reason (or reasons). A respondent was allowed to enter up to 5 additional reasons for treatment from each source. The 5 specific reasons were: thought about or tried suicide, felt depressed, felt afraid or tense, acting out or breaking rules, and eating problems. Multiple reasons could be reported for each source of treatment, thus the response categories are not mutually exclusive. For each of the 9 sources of treatment there are 5 variables that contain data about the 5 specific reasons for treatment, resulting in 45 variables that include data about the specific reasons. In addition, for each of the 9 sources there are 5 variables that contain data about the other specified reasons, resulting in 45 additional variables. The following recoded variables indicate the reasons youth reported for receiving treatment across all the reported sources of treatment in the past year. Note that these variables are only defined for youth who received treatment from one or more of the 9 sources and reported at least one reason for treatment.

The following variable, REASSUIC, indicates whether respondents received treatment/counseling from at least one source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: YUHOSUIC, YURSSUIC, YUFCSUIC, YUDYSUIC, YUMHSUIC, YUTPSUIC, YUIHSUIC, YUFDSUIC, and YUSHSUIC. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASSUIC      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C TRIED SUICIDE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not indicated (Otherwise) .....	7909	0.89
1 = Reason indicated (See comment above).....	1857	0.21

The following variable, REASDEPR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt depressed. This recode was created by examination of the following source variables, YUHODEPR, YURSDEPR, YUFCDEPR, YUDYDEPR, YUMHDEPR, YUTPDEPR, YUIHDEPR, YUFDEPR, and YUSHDEPR, as well as the write-in other specify variables. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASDEPR      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C DEPRESSED

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not indicated (Otherwise) .....	4868	0.55
1 = Reason indicated (See comment above).....	4898	0.55

The following variable, REASFEAR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt very afraid or tense. This recode was created by examination of the following source variables: YUHOFEAR, YURSFEAR, YUFCFEAR, YUDYFEAR, YUMHFEAR, YUTPFEAR, YUIHFEAR, YUFDFEAR, and YUSHFEAR. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASFEAR      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not indicated (Otherwise) .....	7761	0.87
1 = Reason indicated (See comment above).....	2005	0.22

The following variable, REASBRAK, indicates whether respondents received treatment/counseling from at least one source in the past year because they were breaking rules and "acting out." This recode was created by examination of the following source variables: YUHOBKRU, YURSBKRU, YUFCBKRU, YUDYBKRU, YUMHBKRU, YUTPBKRU, YUIHBKRU, YUFDBKRU, and YUSHBKRU, as well as the write-in other specify variables. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASBRAK      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C BREAKING RULES

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not indicated (Otherwise) .....	6712	0.75
1 = Reason indicated (See comment above).....	3054	0.34

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, REASEATP, indicates whether respondents received treatment/counseling from at least one source in the past year because they had eating problems. This recode was created by examination of the following source variables: YUHOEATP, YURSEATP, YUFCEATP, YUDYEATP, YUMHEATP, YUTPEATP, YUIHEATP, YUFDEATP, and YUSHEATP. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

**REASEATP**      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C EATING PROBLEMS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not indicated (Otherwise) .....	8919	1.00
1 = Reason indicated (See comment above).....	847	0.09

NOTE: The following 5 recoded variables indicate whether a youth reported some other reason as the reason he/she received treatment/counseling from any one of the reported sources in the past year. These recodes were created by consolidating the other reported responses into five broad categories: family problems, social problems, problems at school, other diagnosed mental/neurological disorders, and other reasons. Adults, youth that did not report receiving treatment/counseling in the past year, and youth that reported receiving treatment/counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment/counseling were assigned to the unknown category.

**REASFAM**      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C FAMILY PROBLEMS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not specified (Otherwise) .....	8453	0.95
1 = Reason specified (See comment above).....	1313	0.15

**REASSOC**      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C SOCIAL PROBLEMS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not specified (Otherwise) .....	8954	1.00
1 = Reason specified (See comment above).....	812	0.09

**REASSCH**      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C SCHOOL ISSUES

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not specified (Otherwise) .....	8738	0.98
1 = Reason specified (See comment above).....	1028	0.12

**REASMEN**      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C OTH DISORDER

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Reason not specified (Otherwise) .....	9452	1.06
1 = Reason specified (See comment above).....	314	0.04

The following variable, REASOTH, was assigned a positive response if a respondent reported some other reason for receiving mental health treatment in the past year other than the four reasons listed above. Since the reasons are not mutually exclusive, a respondent can report one or more of the four reasons in addition to the other reason. Please note that this variable is not directly comparable to the similarly named variable from 2001.

**REASOTH**      Len : 1    RCVD MENTAL HLTH TRT IN PST YR B/C OTHER REASONS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	155145	17.37
-9 = Data not collected for this year .....	728061	81.53
0 = Other reason not specified (Otherwise).....	7727	0.87
1 = Other reason specified (See comment above) .....	2039	0.23

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYTRT10, indicates whether a youth reported receiving treatment/counseling in the past year from any of 10 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 10 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), through special education (YUSPEDYR), and school counselor (YUSHCNYR). Youths who reported a positive response to one or more of the 10 questions were included in the yes category regardless of how many of the 10 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 10 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 10 questions, and adults were included in the unknown category.

ANYTRT10      Len : 1    RCVD MH TRT FROM ANY OF 10 SOURCES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above) .....	185067	20.72
-9 = Data not collected for this year .....	617121	69.11
0 = No (See comment above).....	71031	7.95
1 = Yes (Any above source variables=1) .....	19753	2.21

The following variable, ANYTRT9, indicates whether a youth reported receiving treatment/counseling in the past year from any of 9 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 9 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), and school counselor (YUSHCNYR). This variable was created in the same manner as ANYTRT10 (see above), except that the source of treatment question about special education (YUSPEDYR) was not included as a source variable. This variable was omitted because CAI did not include a follow-up question about the reasons for receiving mental health treatment at this source of treatment. Youths who reported a positive response to one or more of the 9 questions were included in the yes category regardless of how many of the 9 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 9 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 9 questions, and adults were included in the unknown category.

ANYTRT9      Len : 1    RCVD MH TRT FROM ANY OF 9 SOURCES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above) .....	185079	20.73
-9 = Data not collected for this year .....	617121	69.11
0 = No (See comment above).....	72380	8.11
1 = Yes (Any above source variables=1) .....	18392	2.06

YSPED      Len : 1    SPECIAL EDUC SVCS FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	261207	29.25
-9 = Data not collected for this year .....	506962	56.77
0 = No (YUSPEDYR=2 OR [AGE2<7 AND YUSPEDYR=99]).....	120018	13.44
1 = Yes (YUSPEDYR=1) .....	4785	0.54

YSCHL      Len : 1    TALKED W/SCH COUNS FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	261119	29.24
-9 = Data not collected for this year .....	506962	56.77
0 = No (YUSHCNYR=2 OR [AGE2<7 AND YUSHCNYR=99]) .....	112117	12.56
1 = Yes (YUSHCNYR=1) .....	12774	1.43

The following variable, ANYMHED, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school counselors, school psychologist, or regular teacher for problems (YSCHL) and received special education services in the classroom or placed in a special classroom, program, or school (YSPED). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category.

ANYMHED      Len : 1    YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unkwn/Aged 18+/Not enrolled in School (Otherwise).....	261294	29.26
-9 = Data not collected for this year .....	506962	56.77
0 = No (YSCHL and YSPED=0) .....	109313	12.24
1 = Yes (YSCHL or YSPED=1) .....	15403	1.72

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYSMHPS, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=. or {ANYSMH=1 and ((ANYMHED=0 and YPED=.) or (ANYMHED=. and YPED=0) or (ANYMHED=. and YPED=.))}]].

**ANYSMHPS**      Len : 1    YTH RCVD SPECIALTY AND EDUC OR MED MH SRVC IN PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (See comment above) .....	260748	29.20
-9 = Data not collected for this year .....	506962	56.77
0 = No (ANYSMH=0 or (ANYMHED=0 and YPED=0)) .....	118033	13.22
1 = Yes (ANYSMH=1 and (ANYMHED=1 or YPED=1)) .....	7229	0.81

NOTE: The following 13 variables, SHCNXXX, indicate whether a respondent last talked with their school counselor, school psychologist, or regular teacher in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school counselor (YUSHXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

**SHCNLSUI**      Len : 1    YTH LAST TLKD W/ SCH COUNS IN PY B/C TRIED SUIC

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above) .....	160067	17.93
-9 = Data not collected for this year .....	727778	81.50
0 = Reason not indicated (See comment above) .....	4628	0.52
1 = Reason indicated (YUSHSUIC=1) .....	499	0.06

**SHCNDPR**      Len : 1    YTH LAST TLKD W/ SCH COUNS IN PY B/C DEPRESSED

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160063	17.92
-9 = Data not collected for this year .....	727778	81.50
0 = Reason not indicated (See comment above SHCNLSUI) .....	3169	0.35
1 = Reason indicated (YUSHDEPR=1,3) .....	1962	0.22

**SHCNFEA**      Len : 1    YTH LAST TLKD W/ SCH COUNS IN PY B/C AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160065	17.92
-9 = Data not collected for this year .....	727778	81.50
0 = Reason not indicated (See comment above SHCNLSUI) .....	4312	0.48
1 = Reason indicated (YUSHFEAR=1,3) .....	817	0.09

**SHCNBRK**      Len : 1    YTH LAST TLKD W/ SCH COUNS IN PY B/C BROKE RULES

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160066	17.93
-9 = Data not collected for this year .....	727778	81.50
0 = Reason not indicated (See comment above SHCNLSUI) .....	3892	0.44
1 = Reason indicated (YUSHBKRU=1,3) .....	1236	0.14

**SHCNBAT**      Len : 1    YTH LAST TLKD W/ SCH COUNS IN PY B/C EATING PROBS

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160066	17.93
-9 = Data not collected for this year .....	727778	81.50
0 = Reason not indicated (See comment above SHCNLSUI) .....	4835	0.54
1 = Reason indicated (YUSHEATP=1) .....	293	0.03

**SHCNANGR**      Len : 1    YTH LAST TLKD W/ SCH COUNS IN PY B/C ANGER CONTROL

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160067	17.93
-9 = Data not collected for this year .....	727778	81.50
0 = Reason not indicated (See comment above SHCNLSUI) .....	4539	0.51
1 = Reason indicated (YUSHANGR=1,3) .....	588	0.07

RECODED YOUTH MENTAL HEALTH TREATMENT

<b>SHCNFITE</b>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PHYS FIGHT		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160067	17.93
	-9 = Data not collected for this year .....	727778	81.50
	0 = Reason not indicated (See comment above SHCNSUI) .....	4828	0.54
	1 = Reason indicated (YUSHFITE=1,3) .....	299	0.03
<b>SHCNFMLY</b>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C HOME/FAM PROB		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160067	17.93
	-9 = Data not collected for this year .....	727778	81.50
	0 = Reason not indicated (See comment above SHCNSUI) .....	4215	0.47
	1 = Reason indicated (YUSHFMLY=1,3) .....	912	0.10
<b>SHCNFRND</b>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB W/ FRND		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160067	17.93
	-9 = Data not collected for this year .....	727778	81.50
	0 = Reason not indicated (See comment above SHCNSUI) .....	4120	0.46
	1 = Reason indicated (YUSHFRND=1,3) .....	1007	0.11
<b>SHCNOTPP</b>	Len : 1 YTH LST TLKD W/ SCH COUN IN PY B/C PRB W/ OTH PERS		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160067	17.93
	-9 = Data not collected for this year .....	727778	81.50
	0 = Reason not indicated (See comment above SHCNSUI) .....	4548	0.51
	1 = Reason indicated (YUSHOTPP=1,3 or prob w/ others) .....	579	0.06
<b>SHCNSCHL</b>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB AT SCH		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	160067	17.93
	-9 = Data not collected for this year .....	727778	81.50
	0 = Reason not indicated (See comment above SHCNSUI) .....	3887	0.44
	1 = Reason indicated (YUSHSCHL=1,3) .....	1240	0.14
<b>SHCNMEND</b>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C DIAG MNTL DIS		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment) .....	160067	17.93
	-9 = Data not collected for this year .....	727778	81.50
	0 = Reason not indicated (See comment above SHCNSUI) .....	5111	0.57
	1 = Reason indicated (Diagnosed with mental disorder) .....	16	0.00
<b>SHCNOTH2</b>	Len : 1 YTH LAST TLKD W/ SCH COUNS IN PY B/C OTHER REASONS		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment) .....	160067	17.93
	-9 = Data not collected for this year .....	727778	81.50
	0 = Reason not indicated (See comment above SHCNSUI) .....	4765	0.53
	1 = Reason indicated (Indicated some other reason) .....	362	0.04

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The following 13 variables, SEMXXX, indicate whether a respondent last received any specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year because of respective reasons for problems with behavior or emotions that were not caused by alcohol or drugs. These recodes were created by examination of the following sources: received any specialty mental services (SMHXXX), received treatment from a family doctor or pediatrician (FDOCXXX), and talked to a school counselor, school psychologist, or regular teacher (SHCNXXX) in the past year because of respective reasons.

Respondents for the SEMXXX reason variables were treated as missing if 1) they were aged 18 or older 2) they did not receive care or it is unknown if they received care for any reason at any of the specialty mental health services (ANYSMH=0 or missing) or at both an education and general medical setting (YPED and YSCHL=0 or missing) or if 3) they did receive treatment at both of these services but did not indicate a valid reason for receiving services at a specialty mental health service along with services from either education or general medical setting, or there was not sufficient information to determine if these services were received for the specified reason. Respondents were categorized as not having received care for the specified reason if they were not categorized as missing and it could not be shown that they received care for the specified reason at a specialty mental health service along with services from either an education or general medical setting.

Note that responses for receipt of care for the specified reason are only taken into account for services received. For example, a respondent who indicated receiving both education and general medical services, and indicated that they did not receive care for the specified reason for education, but did not indicate any reason for medical will be assigned to the unknown category. However, if this respondent only indicated receiving education services then with the same responses to the reason questions, they would be assigned to the "No" category (assuming that they also did not receive care from any specialty services).

**SEMSUI**      Len : 1    YTH LAST RCVD SP MH SVC & EDUC/MED B/C TRIED SUIC

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above) .....	162550	18.20
-9 = Data not collected for this year .....	727778	81.50
0 = No (See comment above) .....	2295	0.26
1 = Yes (SMHSUI=1 & (FDOCSUI=1 or SHCNUI=1)) .....	349	0.04

**SEMDPR**      Len : 1    YTH LAST RCVD SP MH SVC & EDUC/MED B/C DEPRESSED

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162588	18.21
-9 = Data not collected for this year .....	727778	81.50
0 = No (See comment above SEMSUI) .....	1525	0.17
1 = Yes (SMHDPR=1 & (FDOCDPR=1 or SHCNDPR=1)) .....	1081	0.12

**SEMFEA**      Len : 1    YTH LAST RCVD SP MH SVC & EDUC/MED B/C AFRD/TENSE

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162556	18.20
-9 = Data not collected for this year .....	727778	81.50
0 = No (See comment above SEMSUI) .....	2267	0.25
1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHCNFEA=1)) .....	371	0.04

**SEMBRK**      Len : 1    YTH LAST RCVD SP MH SVC & EDUC/MED B/C BROKE RULES

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162563	18.20
-9 = Data not collected for this year .....	727778	81.50
0 = No (See comment above SEMSUI) .....	2163	0.24
1 = Yes (SMHBRK=1 & (FDOCBRK=1 or SHCNBRK=1)) .....	468	0.05

**SEMEAT**      Len : 1    YTH LAST RCVD SP & NSP MH TRT IN PY B/C EATNG PROB

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162540	18.20
-9 = Data not collected for this year .....	727778	81.50
0 = No (See comment above SEMSUI) .....	2477	0.28
1 = Yes (SMHEAT=1 & (FDOCEAT=1 or SHCNEAT=1)) .....	177	0.02

**SEMANGR**      Len : 1    YTH LAST RCVD SP MH SVC & EDUC/MED B/C ANGER CNTRL

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162569	18.21
-9 = Data not collected for this year .....	727778	81.50
0 = No (See comment above SEMSUI) .....	2431	0.27
1 = Yes (SMHANGR=1 & (FDOCANGR=1 or SHCNANGR=1)) .....	194	0.02

RECODED YOUTH MENTAL HEALTH TREATMENT

<b>SEMFFITE</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PHYS FIGHT		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162544	18.20
	-9 = Data not collected for this year .....	727778	81.50
	0 = No (See comment above SEMSU) .....	2586	0.29
	1 = Yes (SMHFITE=1 & (FDOCFITE=1 or SHCNFITE=1)) .....	64	0.01

<b>SEMFMFLY</b>	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C HOME/FAM PRB		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162568	18.21
	-9 = Data not collected for this year .....	727778	81.50
	0 = No (See comment above SEMSU) .....	2276	0.25
	1 = Yes (SMHFMLY=1 & (FDOCFMLY=1 or SHCNFMLY=1)).....	350	0.04

<b>SEMFRND</b>	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ FRND		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162561	18.20
	-9 = Data not collected for this year .....	727778	81.50
	0 = No (See comment above SEMSU) .....	2413	0.27
	1 = Yes (SMHFRND=1 & (FDOCFRND=1 or SHCNFRND=1)).....	220	0.02

<b>SEMOTPP</b>	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ OTH		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162553	18.20
	-9 = Data not collected for this year .....	727778	81.50
	0 = No (See comment above SEMSU) .....	2499	0.28
	1 = Yes (SMHOTPP=1 & (FDOCOTPP=1 or SHCNOTPP=1)).....	142	0.02

<b>SEMSCHL</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB AT SCH		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162577	18.21
	-9 = Data not collected for this year .....	727778	81.50
	0 = No (See comment above SEMSU) .....	2327	0.26
	1 = Yes (SMHSCHL=1 & (FDOCSCHL=1 or SHCNSCHL=1)) .....	290	0.03

<b>SEMMEND</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C MNTL DIS		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162534	18.20
	-9 = Data not collected for this year .....	727778	81.50
	0 = No (See comment above SEMSU) .....	2650	0.30
	1 = Yes (SMHMEND=1 & (FDOCMEND=1 or SHCNMEND=1)).....	10	0.00

<b>SEMOTH2</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C OTH REASONS		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	162558	18.20
	-9 = Data not collected for this year .....	727778	81.50
	0 = No (See comment above SEMSU) .....	2531	0.28
	1 = Yes (SMHOTH2=1 & (FDOCOTH2=1 or SHCNOTH2=1)).....	105	0.01

The following variable, ANYSMPS2, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED2), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=, or {ANYSMH=1 and ((ANYMHED2=0 and YPED=.) or (ANYMHED2=, and YPED=0) or (ANYMHED2=, and YPED=.)})]. This variable is not comparable with variables named similarly in past NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

<b>ANYSMPS2</b>	Len : 1 YTH RCVD SPECIALTY AND EDUC OR MED MH SRVC IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Unknown/Aged 18+ (See comment above) .....	154439	17.29
	-9 = Data not collected for this year .....	666760	74.67
	0 = No (ANYSMH=0 or (ANYMHED2=0 and YPED=0)).....	67681	7.58
	1 = Yes (ANYSMH=1 and (ANYMHED2=1 or YPED=1)).....	4092	0.46



RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SPINVST, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPN2), residential treatment center (YURSIDN2), and in foster care (YUFCARN2). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCARYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for any of the 3 locations (any of YUHOSPYR, YURSIDYR, YUFCARYR=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUFCARN2=985, 994, 997, 998), unless the sum of the overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPINVST      Len : 1   # NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SRVC

	Freq	Pct
. = Unknown/18+ (See comment above).....	266804	29.88
-9 = Data not collected for this year.....	501566	56.17
1 = 1 Overnight Stay (See comment above).....	1021	0.11
2 = 2 Overnight Stays (See comment above).....	364	0.04
3 = 3-6 Overnight Stays (See comment above).....	542	0.06
4 = 7-24 Overnight Stays (See comment above).....	555	0.06
5 = 25 or More Overnight Stays (See comment above).....	432	0.05
6 = No Overnight Stays (See comment above).....	121688	13.63

The following variable, SMHVST, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPN2), residential treatment center (YURSIDN2), and foster care (YUFCARN2), and the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and in-home therapist (YUIHTPN2). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCARYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 7 locations (any of YUHOSPYR, YURSIDYR, YUFCARYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUFCARN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SMHVST      Len : 1   # STAYS/VISITS YTH MADE TO SPEC MH SERVICE

	Freq	Pct
. = Unknown/18+ (See comment above).....	268814	30.10
-9 = Data not collected for this year.....	501566	56.17
1 = 1 Visit/Overnight Stay (See comment above).....	2959	0.33
2 = 2 Visits/Overnight Stays (See comment above).....	2101	0.24
3 = 3-6 Visits/Overnight Stays (See comment above).....	3805	0.43
4 = 7-24 Visits/Overnight Stays (See comment above).....	3571	0.40
5 = 25 or More Visits/Stays (See comment above).....	2239	0.25
6 = No Visits/Stays (See comment above).....	107917	12.09

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SIMHSUI, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or in foster care (YUFCSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSUI      Len : 1   YTH RCVD LAST INPT SPEC MH SRVC B/C TRIED SUIC

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).....	388953	43.56
-9 = Data not collected for this year.....	501566	56.17
0 = Reason Not Indicated (Otherwise).....	1417	0.16
1 = Reason Indicated (Any source variable=1,3).....	1036	0.12

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHDPR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or in foster care (YUFCDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHDPR**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C DEPRESSED

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388964	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	1316	0.15
1 = Reason Indicated (Any source variable=1,3) .....	1126	0.13

The following variable, SIMHFEA, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or in foster care (YUFCFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHFEA**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388981	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2022	0.23
1 = Reason Indicated (Any source variable=1,3) .....	403	0.05

The following variable, SIMHBRK, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or in foster care (YUFCBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHBRK**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C BROKE RULES

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388972	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	1836	0.21
1 = Reason Indicated (Any source variable=1,3) .....	598	0.07

The following variable, SIMHEAT, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or in foster care (YUFCEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHEAT**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C EATING PROBS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388988	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2171	0.24
1 = Reason Indicated (Any source variable=1,3) .....	247	0.03

The following variable, SIMHANGR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or in foster care (YUFCANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHANGR**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C ANGER CONTROL

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388985	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2126	0.24
1 = Reason Indicated (Any source variable=1,3) .....	295	0.03

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHFITE, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), or in foster care (YUFCFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHFITE**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C PHYS FIGHT

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388995	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2265	0.25
1 = Reason Indicated (Any source variable=1,3) .....	146	0.02

The following variable, SIMHFMLY, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or in foster care (YUFCFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHFMLY**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C HOME/FAM PROB

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388985	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2042	0.23
1 = Reason Indicated (See comment above) .....	379	0.04

The following variable, SIMHFRND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRRND), or in foster care (YUFCFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHFRND**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C PROB W/ FRND

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388993	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2302	0.26
1 = Reason Indicated (Any source variable=1,3) .....	111	0.01

The following variable, SIMHOTPP, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or in foster care (YUFCOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center or foster care was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHOTPP**      Len : 1    YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388994	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2284	0.26
1 = Reason Indicated (See comment above) .....	128	0.01

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHSCHL, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or in foster care (YUFCSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHSCHL**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C PROB AT SCH

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388986	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2145	0.24
1 = Reason Indicated (Any source variable=1,3) .....	275	0.03

The following variable, SIMHMEND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHMEND**      Len : 1    YTH RCVD LAST INPT SPEC MH SRVC B/C DIAG MNTL DIS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388998	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2373	0.27
1 = Reason Indicated (See comment above) .....	35	0.00

The following variable, SIMHOTH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHOTH2**      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	388994	43.56
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	2203	0.25
1 = Reason Indicated (See comment above) .....	209	0.02

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SMHSUI, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), in foster care (YUFCSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SMHSUI**      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C TRIED SUIC

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	376771	42.19
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	11408	1.28
1 = Reason Indicated (Any source variable=1,3) .....	3227	0.36

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHDPR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), in foster care (YUFCDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHDPR      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C DEPRESSED

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376664	42.18
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	7397	0.83
1 = Reason Indicated (Any source variable=1,3) .....	7345	0.82

The following variable, SMHFEA, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), in foster care (YUFCFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFEA      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376815	42.20
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	11545	1.29
1 = Reason Indicated (Any source variable=1,3) .....	3046	0.34

The following variable, SMHBRK, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), in foster care (YUFCBKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHBRK      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C BROKE RULES

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376788	42.19
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	10896	1.22
1 = Reason Indicated (Any source variable=1,3) .....	3722	0.42

The following variable, SMHEAT, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), in foster care (YUFCEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHEAT      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C EATING PROBS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376878	42.20
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	13162	1.47
1 = Reason Indicated (Any source variable=1,3) .....	1366	0.15

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHANGR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), in foster care (YUFCANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHANGR      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376788	42.19
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	12030	1.35
1 = Reason Indicated (Any source variable=1,3) .....	2588	0.29

The following variable, SMHFITE, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), in foster care (YUFCFITE), or visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), or received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFITE      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376907	42.21
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	13712	1.54
1 = Reason Indicated (Any source variable=1,3) .....	787	0.09

The following variable, SMHFMLY, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), in foster care (YUFCFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFMLY      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376785	42.19
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	10340	1.16
1 = Reason Indicated (See comment above) .....	4281	0.48

The following variable, SMHFRND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFND), in foster care (YUFCFRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFRND      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB W/ FRND

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	376882	42.21
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	12666	1.42
1 = Reason Indicated (Any source variable=1,3) .....	1858	0.21

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHOTPP, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), in foster care (YUFCOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visits to a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTPP      Len : 1    YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	376886	42.21
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	13151	1.47
1 = Reason Indicated (See comment above) .....	1369	0.15

The following variable, SMHSCHL, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), in foster care (YUFCSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSCHL      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	376820	42.20
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	11905	1.33
1 = Reason Indicated (Any source variable=1,3) .....	2681	0.30

The following variable, SMHMEND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHMEND      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	376920	42.21
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	14105	1.58
1 = Reason Indicated (See comment above) .....	381	0.04

The following variable, SMHOTH2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTH2      Len : 1    YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	376881	42.21
-9 = Data not collected for this year .....	501566	56.17
0 = Reason Not Indicated (Otherwise) .....	12956	1.45
1 = Reason Indicated (See comment above) .....	1569	0.18

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The following 13 variables, SEMXXX2, indicate whether a respondent last received any specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year because of respective reasons for problems with behavior or emotions that were not caused by alcohol or drugs. These recodes were created by examination of the following sources: received any specialty mental services (SMHXXX), received treatment from a family doctor or pediatrician (FDOCXXX), and talked to a school social worker, school psychologist, or school counselor (SHSWXXX) in the past year because of respective reasons.

Respondents for the SEMXXX2 reason variables were treated as missing if 1) they were aged 18 or older 2) they did not receive care or it is unknown if they received care for any reason at any of the specialty mental health services (ANYSMH=0 or missing) or at both an education and general medical setting (YPED and YSHSW=0 or missing) or if 3) they did receive treatment at both of these services but did not indicate a valid reason for receiving services at a specialty mental health service along with services from either education or general medical setting, or there was not sufficient information to determine if these services were received for the specified reason. Respondents were categorized as not having received care for the specified reason if they were not categorized as missing and it could not be shown that they received care for the specified reason at a specialty mental health service along with services from either an education or general medical setting.

Note that responses for receipt of care for the specified reason are only taken into account for services received. For example, a respondent who indicated receiving both education and general medical services, and indicated that they did not receive care for the specified reason for education, but did not indicate any reason for medical will be assigned to the unknown category. However, if this respondent only indicated receiving education services then with the same responses to the reason questions, they would be assigned to the "No" category (assuming that they also did not receive care from any specialty services). These variables are not comparable with variables named SEMXXX in previous NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

**SEMSUI2** Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C TRIED SUIC

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222630	24.93
-9 = Data not collected for this year.....	666760	74.67
0 = No (SMHSUI=0 or (FDOCSUI=0 & SHSWSUI=0)).....	3037	0.34
1 = Yes (SMHSUI=1 & (FDOCSUI=1 or SHSWSUI=1)).....	545	0.06

**SEMDPR2** Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C DEPRESSED

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222661	24.93
-9 = Data not collected for this year.....	666760	74.67
0 = No (SMHDPR=0 or (FDOCDPR=0 & SHSWDPR=0)).....	2048	0.23
1 = Yes (SMHDPR=1 & (FDOCDPR=1 or SHSWDPR=1)).....	1503	0.17

**SEMFEA2** Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C AFRD/TENSE

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222631	24.93
-9 = Data not collected for this year.....	666760	74.67
0 = No (SMHFEA=0 or (FDOCFEA=0 & SHSWFEA=0)).....	2967	0.33
1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHSWFEA=1)).....	614	0.07

**SEMBRK2** Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C BROKE RULES

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222644	24.93
-9 = Data not collected for this year.....	666760	74.67
0 = No (SMHBRK=0 or (FDOCBRK=0 & SHSWBRK=0)).....	3025	0.34
1 = Yes (SMHBRK=1 & (FDOCBRK=1 or SHSWBRK=1)).....	543	0.06

**SEMEAT2** Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C EATNG PROB

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222610	24.93
-9 = Data not collected for this year.....	666760	74.67
0 = No (SMHEAT=0 or (FDOCEAT=0 & SHSWEAT=0)).....	3368	0.38
1 = Yes (SMHEAT=1 & (FDOCEAT=1 or SHSWEAT=1)).....	234	0.03

**SEMANGR2** Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C ANGER CNTRL

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	222636	24.93
-9 = Data not collected for this year.....	666760	74.67
0 = No (SMHANGR=0 or (FDOCANGR=0 & SHSWANGR=0)).....	3235	0.36
1 = Yes (SMHANGR=1 & (FDOCANGR=1 or SHSWANGR=1)).....	341	0.04



RECODED YOUTH MENTAL HEALTH TREATMENT

<b>SEMFFITE2</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PHYS FIGHT		
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	222617	24.93
	0 = No (SMHFITE=0 or (FDOCFITE=0 & SHSWFITE=0)).....	666760	74.67
	1 = Yes (SMHFITE=1 & (FDOCFITE=1 or SHSWFITE=1)).....	3502	0.39
		93	0.01
<b>SEMFMFLY2</b>	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C HOME/FAM PRB		
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	222649	24.93
	0 = No (SMHFMLY=0 or (FDOCFMLY=0 & SHSWFMLY=0)).....	666760	74.67
	1 = Yes (SMHFMLY=1 & (FDOCFMLY=1 or SHSWFMLY=1)).....	3022	0.34
		541	0.06
<b>SEMFRND2</b>	Len : 1 YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ FRND		
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	222632	24.93
	0 = No (SMHFRND=0 or (FDOCFRND=0 & SHSWFRND=0)).....	666760	74.67
	1 = Yes (SMHFRND=1 & (FDOCFRND=1 or SHSWFRND=1)).....	3241	0.36
		339	0.04
<b>SEMOTPP2</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB W/ OTH		
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	222623	24.93
	0 = No (SMHOTPP=0 or (FDOCOTPP=0 & SHSWOTPP=0)).....	666760	74.67
	1 = Yes (SMHOTPP=1 & (FDOCOTPP=1 or SHSWOTPP=1)).....	3391	0.38
		198	0.02
<b>SEMSCHL2</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB AT SCH		
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	222641	24.93
	0 = No (SMHSCHL=0 or (FDOCSCHL=0 & SHSWSCHL=0)).....	666760	74.67
	1 = Yes (SMHSCHL=1 & (FDOCSCHL=1 or SHSWSCHL=1)).....	3131	0.35
		440	0.05
<b>SEMMEND2</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C MNTL DIS		
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	222607	24.93
	0 = No (SMHMEND=0 or (FDOCMEND=0 & SHSWMEND=0)).....	666760	74.67
	1 = Yes (SMHMEND=1 & (FDOCMEND=1 or SHSWMEND=1)).....	3587	0.40
		18	0.00
<b>SEMOTH3</b>	Len : 1 YTH LAST RCVD SP MH SVC & EDUC/MED B/C OTH REASONS		
	. = No Trt/Unknown Reason/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	222627	24.93
	0 = No (SMHOTH2=0 or (FDOCOTH2=0 & SHSWOTH2=0)).....	666760	74.67
	1 = Yes (SMHOTH2=1 & (FDOCOTH2=1 or SHSWOTH2=1)).....	3416	0.38
		169	0.02

NOTE: The following eight variables contain information on the general types of mental health services received by youths in the past year for problems with behavior or emotions that were not caused by alcohol or drugs.

The following variable, ANYMHIN, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of 3 specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 3 sources of treatment variables: stayed overnight in hospital (YHOSP), stayed in residential treatment facility (YRESID), and spent time in foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the 3 questions were included in the yes category regardless of how many of the 3 questions they answered. Youths who did not report a positive response, but answered all 3 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

<b>ANYMHIN</b>	Len : 1 YTH RCVD SPEC INPATIENT MH SERVICES IN PY		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	452334	50.65
	0 = No (YHOSP, YRESID, and YFOST=0).....	225590	25.26
	1 = Yes (YHOSP, YRESID, or YFOST=1).....	209306	23.44
		5742	0.64

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYSMH, indicates whether a youth reported receiving specialty mental health services in the past year from any of 7 specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 7 source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in foster care (YFOST), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 7 questions were included in the yes category regardless of how many of the 7 questions they answered. Youths who did not report a positive response, but answered all 7 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

<b>ANYSMH</b>	Len : 1	YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR		
			<b>Freq</b>	<b>Pct</b>
	.	= Unknown/Aged 18+ (See comment above) .....	453107	50.74
	-9	= Data not collected for this year .....	225590	25.26
	0	= No (All above source variables=0) .....	185498	20.77
	1	= Yes (Any above source variable=1) .....	28777	3.22

YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YOUTH MENTAL HEALTH SERVICE UTILIZATION**

*This note applies to variables in this section marked by a<sup>1</sup>.*

These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.

During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

<b>YUHOSPYR<sup>1</sup></b>	Len : 2 STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	5772	0.65
	2 = No.....	264202	29.59
	85 = BAD DATA Logically assigned.....	94	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	7	0.00
	94 = DON'T KNOW.....	998	0.11
	97 = REFUSED.....	738	0.08
	98 = BLANK (NO ANSWER).....	42	0.00
	99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

<b>YUHOSPN2<sup>1</sup></b>	Len : 3 # NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30.....	5097	0.57
	31 = 31 or more.....	204	0.02
	985 = BAD DATA Logically assigned.....	87	0.01
	989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	994 = DON'T KNOW.....	291	0.03
	997 = REFUSED.....	918	0.10
	998 = BLANK (NO ANSWER).....	1047	0.12
	999 = LEGITIMATE SKIP.....	885326	99.14

Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

<b>YUHOSUIC<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC THOUGHT/TRIED TO KILL SELF		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered.....	2150	0.24
	3 = Response entered LOGICALLY ASSIGNED.....	7	0.00
	6 = Response not entered.....	3110	0.35
	85 = BAD DATA Logically assigned.....	85	0.01
	94 = DON'T KNOW.....	251	0.03
	97 = REFUSED.....	992	0.11
	98 = BLANK (NO ANSWER).....	1049	0.12
	99 = LEGITIMATE SKIP.....	885328	99.14

<b>YUHODEPR<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC YOU FELT DEPRESSED		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered.....	2017	0.23
	3 = Response entered LOGICALLY ASSIGNED.....	11	0.00
	6 = Response not entered.....	3239	0.36
	85 = BAD DATA Logically assigned.....	2	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	251	0.03
	97 = REFUSED.....	992	0.11
	98 = BLANK (NO ANSWER).....	1132	0.13
	99 = LEGITIMATE SKIP.....	885327	99.14

<b>YUHOFEAR<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC YOU FELT AFRAID/TENSE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered.....	698	0.08
	3 = Response entered LOGICALLY ASSIGNED.....	18	0.00
	6 = Response not entered.....	4551	0.51
	94 = DON'T KNOW.....	251	0.03
	97 = REFUSED.....	992	0.11
	98 = BLANK (NO ANSWER).....	1134	0.13
	99 = LEGITIMATE SKIP.....	885328	99.14

YOUTH MENTAL HEALTH SERVICE UTILIZATION

<b>YUHOBKRU<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC BREAKING RULES/ACTING OUT		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	799	0.09
	3 = Response entered LOGICALLY ASSIGNED .....	6	0.00
	6 = Response not entered .....	4462	0.50
	94 = DON'T KNOW .....	251	0.03
	97 = REFUSED .....	992	0.11
	98 = BLANK (NO ANSWER) .....	1134	0.13
	99 = LEGITIMATE SKIP .....	885328	99.14

<b>YUHOEATP<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC YOU HAD EATING PROBS		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	457	0.05
	3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
	6 = Response not entered .....	4807	0.54
	94 = DON'T KNOW .....	251	0.03
	97 = REFUSED .....	992	0.11
	98 = BLANK (NO ANSWER) .....	1134	0.13
	99 = LEGITIMATE SKIP .....	885328	99.14

What was the other emotional or behavioral problem for which you last stayed overnight in a hospital?

<b>YUHOANGR<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC HAD TRBLE CONTRLNG ANGER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	339	0.04
	3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
	6 = Response not entered .....	3962	0.44
	94 = DON'T KNOW .....	250	0.03
	97 = REFUSED .....	903	0.10
	98 = BLANK (NO ANSWER) .....	992	0.11
	99 = LEGITIMATE SKIP .....	721612	80.81

<b>YUHOFITE<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC HAD GOTTEN INTO PHYS FIGHTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	144	0.02
	3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
	6 = Response not entered .....	4158	0.47
	94 = DON'T KNOW .....	250	0.03
	97 = REFUSED .....	903	0.10
	98 = BLANK (NO ANSWER) .....	992	0.11
	99 = LEGITIMATE SKIP .....	721612	80.81

<b>YUHOFMLY<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT HOME/FAMILY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	316	0.04
	3 = Response entered LOGICALLY ASSIGNED .....	19	0.00
	6 = Response not entered .....	3969	0.44
	94 = DON'T KNOW .....	250	0.03
	97 = REFUSED .....	903	0.10
	98 = BLANK (NO ANSWER) .....	992	0.11
	99 = LEGITIMATE SKIP .....	721612	80.81

<b>YUHOFRND<sup>1</sup></b>	Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH FRIENDS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	139	0.02
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	4164	0.47
	94 = DON'T KNOW .....	250	0.03
	97 = REFUSED .....	903	0.10
	98 = BLANK (NO ANSWER) .....	992	0.11
	99 = LEGITIMATE SKIP .....	721612	80.81

YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YUHOOTPP<sup>1</sup>**      Len : 2    STAYED IN HOSP BEC HAD PRBLMS WITH OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	140	0.02
6 = Response not entered .....	4164	0.47
94 = DON'T KNOW .....	250	0.03
97 = REFUSED .....	903	0.10
98 = BLANK (NO ANSWER) .....	992	0.11
99 = LEGITIMATE SKIP .....	721612	80.81

**YUHOSCHL<sup>1</sup>**      Len : 2    STAYED IN HOSP BEC HAD PRBLMS AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	350	0.04
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	3952	0.44
94 = DON'T KNOW .....	250	0.03
97 = REFUSED .....	903	0.10
98 = BLANK (NO ANSWER) .....	992	0.11
99 = LEGITIMATE SKIP .....	721612	80.81

**YUHOSOR<sup>1</sup>**      Len : 2    STAYED IN HOSP FOR SOME OTHER REASON

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1744	0.20
6 = Response not entered .....	3523	0.39
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	251	0.03
97 = REFUSED .....	992	0.11
98 = BLANK (NO ANSWER) .....	1134	0.13
99 = LEGITIMATE SKIP .....	885327	99.14

During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

**YURSIDYR<sup>1</sup>**      Len : 2    STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	2872	0.32
2 = No .....	266885	29.89
85 = BAD DATA Logically assigned .....	94	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	1082	0.12
97 = REFUSED .....	870	0.10
98 = BLANK (NO ANSWER) .....	43	0.00
99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?

**YURSIDN2<sup>1</sup>**      Len : 3    # NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	2358	0.26
31 = 31 or more .....	325	0.04
985 = BAD DATA Logically assigned .....	87	0.01
994 = DON'T KNOW .....	144	0.02
997 = REFUSED .....	916	0.10
998 = BLANK (NO ANSWER) .....	1132	0.13
999 = LEGITIMATE SKIP .....	888010	99.44

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

**YURSSUIC<sup>1</sup>**      Len : 2    STAYED IN RESID CTR BEC THOT/TRIED TO KILL SELF

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1362	0.15
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	1358	0.15
85 = BAD DATA Logically assigned .....	87	0.01
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	941	0.11
98 = BLANK (NO ANSWER) .....	1132	0.13
99 = LEGITIMATE SKIP .....	888010	99.44

**YURSDEPR<sup>1</sup>**      Len : 2    STAYED IN RESID CTR BEC YOU FELT DEPRESSED

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1233	0.14
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	1484	0.17
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	941	0.11
98 = BLANK (NO ANSWER) .....	1219	0.14
99 = LEGITIMATE SKIP .....	888010	99.44

**YURSFEAR<sup>1</sup>**      Len : 2    STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	400	0.04
3 = Response entered LOGICALLY ASSIGNED .....	6	0.00
6 = Response not entered .....	2315	0.26
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	941	0.11
98 = BLANK (NO ANSWER) .....	1219	0.14
99 = LEGITIMATE SKIP .....	888010	99.44

**YURSBKRU<sup>1</sup>**      Len : 2    STAYED IN RESID CTR BEC BRKING RULES/ACT OUT

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	632	0.07
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	2086	0.23
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	941	0.11
98 = BLANK (NO ANSWER) .....	1219	0.14
99 = LEGITIMATE SKIP .....	888010	99.44

**YURSEATP<sup>1</sup>**      Len : 2    STAYED IN RESID CTR BEC YOU HAD EATING PROBS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	276	0.03
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	2444	0.27
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	941	0.11
98 = BLANK (NO ANSWER) .....	1219	0.14
99 = LEGITIMATE SKIP .....	888010	99.44

YOUTH MENTAL HEALTH SERVICE UTILIZATION

What was the other emotional or behavioral problem for which you last stayed overnight in a residential treatment center?

<b>YURSANGR<sup>1</sup></b>	Len : 2 STAYED IN RESID CTR BEC HAD TRBLE CONTRLNG ANGER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	219	0.02
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	1931	0.22
	94 = DON'T KNOW .....	72	0.01
	97 = REFUSED .....	830	0.09
	98 = BLANK (NO ANSWER) .....	1074	0.12
	99 = LEGITIMATE SKIP .....	723934	81.07
<b>YURSFITE<sup>1</sup></b>	Len : 2 STAYED IN RESID CTR BEC HAD GOTN INTO PHYS FIGHTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	92	0.01
	3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
	6 = Response not entered .....	2057	0.23
	94 = DON'T KNOW .....	72	0.01
	97 = REFUSED .....	830	0.09
	98 = BLANK (NO ANSWER) .....	1074	0.12
	99 = LEGITIMATE SKIP .....	723934	81.07
<b>YURSFMLY<sup>1</sup></b>	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT HOME/FAMILY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	211	0.02
	3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
	6 = Response not entered .....	1938	0.22
	94 = DON'T KNOW .....	72	0.01
	97 = REFUSED .....	830	0.09
	98 = BLANK (NO ANSWER) .....	1074	0.12
	99 = LEGITIMATE SKIP .....	723934	81.07
<b>YURSFRLD<sup>1</sup></b>	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH FRIENDS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	94	0.01
	6 = Response not entered .....	2057	0.23
	94 = DON'T KNOW .....	72	0.01
	97 = REFUSED .....	830	0.09
	98 = BLANK (NO ANSWER) .....	1074	0.12
	99 = LEGITIMATE SKIP .....	723934	81.07
<b>YURSOTPP<sup>1</sup></b>	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH OTHERS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	101	0.01
	6 = Response not entered .....	2050	0.23
	94 = DON'T KNOW .....	72	0.01
	97 = REFUSED .....	830	0.09
	98 = BLANK (NO ANSWER) .....	1074	0.12
	99 = LEGITIMATE SKIP .....	723934	81.07
<b>YURSSCHL<sup>1</sup></b>	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT SCHOOL		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	184	0.02
	3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
	6 = Response not entered .....	1965	0.22
	94 = DON'T KNOW .....	72	0.01
	97 = REFUSED .....	830	0.09
	98 = BLANK (NO ANSWER) .....	1074	0.12
	99 = LEGITIMATE SKIP .....	723934	81.07

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YURSSOR<sup>1</sup>

Len : 2 STAYED IN RESID CTR FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered .....	479	0.05
6 = Response not entered .....	2242	0.25
94 = DON'T KNOW .....	80	0.01
97 = REFUSED .....	941	0.11
98 = BLANK (NO ANSWER) .....	1219	0.14
99 = LEGITIMATE SKIP .....	888011	99.44

During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUFCARY<sup>1</sup>

Len : 2 SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
1 = Yes.....	1432	0.16
2 = No.....	268488	30.07
4 = No LOGICALLY ASSIGNED .....	360	0.04
85 = BAD DATA Logically assigned .....	89	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	732	0.08
97 = REFUSED .....	701	0.08
98 = BLANK (NO ANSWER) .....	44	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUFCARN<sup>2</sup>

Len : 3 # NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS

	Freq	Pct
RANGE = 1 - 30 .....	1044	0.12
31 = 31 or more.....	224	0.03
985 = BAD DATA Logically assigned .....	87	0.01
994 = DON'T KNOW .....	119	0.01
997 = REFUSED .....	746	0.08
998 = BLANK (NO ANSWER).....	778	0.09
999 = LEGITIMATE SKIP.....	889974	99.66

Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?

YUFCSUIC<sup>1</sup>

Len : 2 STAYED IN FOST CARE BEC THOT/TRIED TO KILL SELF

	Freq	Pct
1 = Response entered .....	419	0.05
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	906	0.10
85 = BAD DATA Logically assigned .....	87	0.01
94 = DON'T KNOW .....	55	0.01
97 = REFUSED .....	751	0.08
98 = BLANK (NO ANSWER) .....	778	0.09
99 = LEGITIMATE SKIP.....	889974	99.66

YUFCDEPR<sup>1</sup>

Len : 2 STAYED IN FOST CARE BEC YOU FELT DEPRESSED

	Freq	Pct
1 = Response entered .....	349	0.04
3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
6 = Response not entered .....	973	0.11
94 = DON'T KNOW .....	55	0.01
97 = REFUSED .....	751	0.08
98 = BLANK (NO ANSWER) .....	865	0.10
99 = LEGITIMATE SKIP.....	889974	99.66



YOUTH MENTAL HEALTH SERVICE UTILIZATION

YUFCFEAR<sup>1</sup> Len : 2 STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE

	Freq	Pct
1 = Response entered .....	130	0.01
6 = Response not entered .....	1197	0.13
94 = DON'T KNOW .....	55	0.01
97 = REFUSED .....	751	0.08
98 = BLANK (NO ANSWER) .....	865	0.10
99 = LEGITIMATE SKIP .....	889974	99.66

YUFCBKRU<sup>1</sup> Len : 2 STAYED IN FOST CARE BEC BRKING RULES/ACT OUT

	Freq	Pct
1 = Response entered .....	283	0.03
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	1041	0.12
94 = DON'T KNOW .....	55	0.01
97 = REFUSED .....	751	0.08
98 = BLANK (NO ANSWER) .....	865	0.10
99 = LEGITIMATE SKIP .....	889974	99.66

YUFCEATP<sup>1</sup> Len : 2 STAYED IN FOST CARE BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered .....	62	0.01
6 = Response not entered .....	1265	0.14
94 = DON'T KNOW .....	55	0.01
97 = REFUSED .....	751	0.08
98 = BLANK (NO ANSWER) .....	865	0.10
99 = LEGITIMATE SKIP .....	889974	99.66

What was the other emotional or behavioral problem for which you last stayed overnight or longer in foster care or a therapeutic foster care home?

YUFCANGR<sup>1</sup> Len : 2 STAYED IN FOST CARE BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	67	0.01
6 = Response not entered .....	922	0.10
94 = DON'T KNOW .....	53	0.01
97 = REFUSED .....	694	0.08
98 = BLANK (NO ANSWER) .....	810	0.09
99 = LEGITIMATE SKIP .....	725515	81.25

YUFCFITE<sup>1</sup> Len : 2 STAYED IN FOST CARE BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	44	0.00
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	944	0.11
94 = DON'T KNOW .....	53	0.01
97 = REFUSED .....	694	0.08
98 = BLANK (NO ANSWER) .....	810	0.09
99 = LEGITIMATE SKIP .....	725515	81.25

YUFCFMLY<sup>1</sup> Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	186	0.02
3 = Response entered LOGICALLY ASSIGNED .....	20	0.00
6 = Response not entered .....	783	0.09
94 = DON'T KNOW .....	53	0.01
97 = REFUSED .....	694	0.08
98 = BLANK (NO ANSWER) .....	810	0.09
99 = LEGITIMATE SKIP .....	725515	81.25

YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YUFCFRND<sup>1</sup>**      Len : 2    STAYED IN FOST CARE BEC HAD PRBLMS WITH FRIENDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	12	0.00
6 = Response not entered .....	977	0.11
94 = DON'T KNOW .....	53	0.01
97 = REFUSED .....	694	0.08
98 = BLANK (NO ANSWER) .....	810	0.09
99 = LEGITIMATE SKIP .....	725515	81.25

**YUFCOTPP<sup>1</sup>**      Len : 2    STAYED IN FOST CARE BEC HAD PRBLMS WITH OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	33	0.00
6 = Response not entered .....	956	0.11
94 = DON'T KNOW .....	53	0.01
97 = REFUSED .....	694	0.08
98 = BLANK (NO ANSWER) .....	810	0.09
99 = LEGITIMATE SKIP .....	725515	81.25

**YUFCSCHL<sup>1</sup>**      Len : 2    STAYED IN FOST CARE BEC HAD PRBLMS AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	63	0.01
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	923	0.10
94 = DON'T KNOW .....	53	0.01
97 = REFUSED .....	694	0.08
98 = BLANK (NO ANSWER) .....	810	0.09
99 = LEGITIMATE SKIP .....	725515	81.25

**YUFCSOR<sup>1</sup>**      Len : 2    STAYED IN FOST CARE FOR SOME OTHER REASON

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	245	0.03
6 = Response not entered .....	1082	0.12
94 = DON'T KNOW .....	55	0.01
97 = REFUSED .....	751	0.08
98 = BLANK (NO ANSWER) .....	865	0.10
99 = LEGITIMATE SKIP .....	889974	99.66

During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

**YUDYTXR<sup>1</sup>**      Len : 2    SPENT TIME IN DAY TRMT PROG PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	5047	0.57
2 = No .....	264584	29.63
85 = BAD DATA Logically assigned .....	93	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	1190	0.13
97 = REFUSED .....	888	0.10
98 = BLANK (NO ANSWER) .....	44	0.00
99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?

**YUDYTXN<sup>2</sup>**      Len : 3    # TIMES VISITED DAY TRMT PROG PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	4380	0.49
31 = 31 or more .....	211	0.02
985 = BAD DATA Logically assigned .....	87	0.01
994 = DON'T KNOW .....	387	0.04
997 = REFUSED .....	957	0.11
998 = BLANK (NO ANSWER) .....	1240	0.14
999 = LEGITIMATE SKIP .....	885710	99.19

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

**YUDYSUIC<sup>1</sup>**      Len : 2    VISITED DAY TRMT BEC THOT/TRIED TO KILL SELF

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1750	0.20
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	3108	0.35
85 = BAD DATA Logically assigned .....	86	0.01
94 = DON'T KNOW .....	101	0.01
97 = REFUSED .....	974	0.11
98 = BLANK (NO ANSWER) .....	1241	0.14
99 = LEGITIMATE SKIP .....	885710	99.19

**YUDYDEPR<sup>1</sup>**      Len : 2    VISITED DAY TRMT BEC YOU FELT DEPRESSED

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	2587	0.29
3 = Response entered LOGICALLY ASSIGNED .....	10	0.00
6 = Response not entered .....	2263	0.25
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	101	0.01
97 = REFUSED .....	974	0.11
98 = BLANK (NO ANSWER) .....	1326	0.15
99 = LEGITIMATE SKIP .....	885710	99.19

**YUDYFEAR<sup>1</sup>**      Len : 2    VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	956	0.11
3 = Response entered LOGICALLY ASSIGNED .....	50	0.01
6 = Response not entered .....	3854	0.43
94 = DON'T KNOW .....	101	0.01
97 = REFUSED .....	974	0.11
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	885710	99.19

**YUDYBKRU<sup>1</sup>**      Len : 2    VISITED DAY TRMT BEC BRKING RULES/ACT OUT

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1064	0.12
3 = Response entered LOGICALLY ASSIGNED .....	24	0.00
6 = Response not entered .....	3772	0.42
94 = DON'T KNOW .....	101	0.01
97 = REFUSED .....	974	0.11
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	885710	99.19

**YUDYEATP<sup>1</sup>**      Len : 2    VISITED DAY TRMT BEC YOU HAD EATING PROBS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	542	0.06
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	4316	0.48
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	101	0.01
97 = REFUSED .....	974	0.11
98 = BLANK (NO ANSWER) .....	1326	0.15
99 = LEGITIMATE SKIP .....	885710	99.19

What was the other emotional or behavioral problem for which you last visited a partial day hospital or day treatment program?

**YUDYANGR<sup>1</sup>**      Len : 2    VISITED DAY TRMT BEC HAD TRBLE CONTRLNG ANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	571	0.06
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	3291	0.37
94 = DON'T KNOW .....	85	0.01
97 = REFUSED .....	874	0.10
98 = BLANK (NO ANSWER) .....	1150	0.13
99 = LEGITIMATE SKIP .....	722086	80.86

YOUTH MENTAL HEALTH SERVICE UTILIZATION

<b>YUDYFITE<sup>1</sup></b>	<b>Len : 2 VISITED DAY TRMT BEC HAD GOTTN INTO PHYS FIGHTS</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	159	0.02
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	3706	0.42
	94 = DON'T KNOW .....	85	0.01
	97 = REFUSED .....	874	0.10
	98 = BLANK (NO ANSWER) .....	1150	0.13
	99 = LEGITIMATE SKIP .....	722086	80.86
<b>YUDYFMLY<sup>1</sup></b>	<b>Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT HOME/FAMILY</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	668	0.07
	3 = Response entered LOGICALLY ASSIGNED .....	11	0.00
	6 = Response not entered .....	3187	0.36
	94 = DON'T KNOW .....	85	0.01
	97 = REFUSED .....	874	0.10
	98 = BLANK (NO ANSWER) .....	1150	0.13
	99 = LEGITIMATE SKIP .....	722086	80.86
<b>YUDYFRND<sup>1</sup></b>	<b>Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH FRIENDS</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	288	0.03
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	3577	0.40
	94 = DON'T KNOW .....	85	0.01
	97 = REFUSED .....	874	0.10
	98 = BLANK (NO ANSWER) .....	1150	0.13
	99 = LEGITIMATE SKIP .....	722086	80.86
<b>YUDYOTPP<sup>1</sup></b>	<b>Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH OTHERS</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	225	0.03
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	3640	0.41
	94 = DON'T KNOW .....	85	0.01
	97 = REFUSED .....	874	0.10
	98 = BLANK (NO ANSWER) .....	1150	0.13
	99 = LEGITIMATE SKIP .....	722086	80.86
<b>YUDYSCHL<sup>1</sup></b>	<b>Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT SCHOOL</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	164911	18.47
	1 = Response entered .....	493	0.06
	3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
	6 = Response not entered .....	3368	0.38
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	85	0.01
	97 = REFUSED .....	874	0.10
	98 = BLANK (NO ANSWER) .....	1149	0.13
	99 = LEGITIMATE SKIP .....	722086	80.86
<b>YUDYSOR<sup>1</sup></b>	<b>Len : 2 VISITED DAY TRMT FOR SOME OTHER REASON</b>		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	1124	0.13
	6 = Response not entered .....	3736	0.42
	94 = DON'T KNOW .....	101	0.01
	97 = REFUSED .....	974	0.11
	98 = BLANK (NO ANSWER) .....	1327	0.15
	99 = LEGITIMATE SKIP .....	885710	99.19

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

**YUMHCRYR<sup>1</sup>**      Len : 2    RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes.....	7876	0.88
2 = No.....	261714	29.31
85 = BAD DATA Logically assigned .....	90	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	1198	0.13
97 = REFUSED .....	924	0.10
98 = BLANK (NO ANSWER) .....	44	0.00
99 = LEGITIMATE SKIP.....	621119	69.56

During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?

**YUMHCRN2<sup>1</sup>**      Len : 3    # TIMES VISITED MENT HLTH CLNC PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	6752	0.76
31 = 31 or more.....	424	0.05
985 = BAD DATA Logically assigned .....	84	0.01
994 = DON'T KNOW .....	636	0.07
997 = REFUSED .....	989	0.11
998 = BLANK (NO ANSWER).....	1248	0.14
999 = LEGITIMATE SKIP.....	882839	98.87

Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

**YUMHSUIC<sup>1</sup>**      Len : 2    VISITED MH CLNC BEC THOUGHT/TRIED TO KILL SELF

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	2858	0.32
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	4790	0.54
85 = BAD DATA Logically assigned .....	83	0.01
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	126	0.01
97 = REFUSED .....	1024	0.11
98 = BLANK (NO ANSWER) .....	1249	0.14
99 = LEGITIMATE SKIP.....	882839	98.87

**YUMHDEPR<sup>1</sup>**      Len : 2    VISITED MH CLNC BEC YOU FELT DEPRESSED

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	4621	0.52
3 = Response entered LOGICALLY ASSIGNED .....	15	0.00
6 = Response not entered .....	3014	0.34
85 = BAD DATA Logically assigned .....	2	0.00
94 = DON'T KNOW .....	126	0.01
97 = REFUSED .....	1024	0.11
98 = BLANK (NO ANSWER) .....	1330	0.15
99 = LEGITIMATE SKIP.....	882840	98.87

**YUMHFEAR<sup>1</sup>**      Len : 2    VISITED MH CLNC BEC YOU FELT AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1743	0.20
3 = Response entered LOGICALLY ASSIGNED .....	115	0.01
6 = Response not entered .....	5792	0.65
94 = DON'T KNOW .....	126	0.01
97 = REFUSED .....	1024	0.11
98 = BLANK (NO ANSWER) .....	1332	0.15
99 = LEGITIMATE SKIP.....	882840	98.87

YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YUMHBKRU<sup>1</sup>** Len : 2 VISITED MH CLNC BEC BREAKING RULES/ACTING OUT

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1654	0.19
3 = Response entered LOGICALLY ASSIGNED .....	31	0.00
6 = Response not entered .....	5965	0.67
94 = DON'T KNOW .....	126	0.01
97 = REFUSED .....	1024	0.11
98 = BLANK (NO ANSWER) .....	1332	0.15
99 = LEGITIMATE SKIP .....	882840	98.87

**YUMHEATP<sup>1</sup>** Len : 2 VISITED MH CLNC BEC YOU HAD EATING PROBS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	935	0.10
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	6714	0.75
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	126	0.01
97 = REFUSED .....	1024	0.11
98 = BLANK (NO ANSWER) .....	1331	0.15
99 = LEGITIMATE SKIP .....	882840	98.87

What was the other emotional or behavioral problem for which you last visited a mental health clinic or center?

**YUMHANGR<sup>1</sup>** Len : 2 VISITED MH CLNC BEC HAD TRBLE CONTRLNG ANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	872	0.10
3 = Response entered LOGICALLY ASSIGNED .....	8	0.00
6 = Response not entered .....	5274	0.59
94 = DON'T KNOW .....	117	0.01
97 = REFUSED .....	904	0.10
98 = BLANK (NO ANSWER) .....	1162	0.13
99 = LEGITIMATE SKIP .....	719724	80.60

**YUMHFITE<sup>1</sup>** Len : 2 VISITE MH CLNC BEC HAD GOTTEN INTO PHYS FIGHTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	188	0.02
3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
6 = Response not entered .....	5961	0.67
94 = DON'T KNOW .....	117	0.01
97 = REFUSED .....	904	0.10
98 = BLANK (NO ANSWER) .....	1162	0.13
99 = LEGITIMATE SKIP .....	719724	80.60

**YUMHFMLY<sup>1</sup>** Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT HOME/FAMILY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	1064	0.12
3 = Response entered LOGICALLY ASSIGNED .....	15	0.00
6 = Response not entered .....	5075	0.57
94 = DON'T KNOW .....	117	0.01
97 = REFUSED .....	904	0.10
98 = BLANK (NO ANSWER) .....	1162	0.13
99 = LEGITIMATE SKIP .....	719724	80.60

**YUMHFRND<sup>1</sup>** Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH FRIENDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	494	0.06
3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
6 = Response not entered .....	5659	0.63
94 = DON'T KNOW .....	117	0.01
97 = REFUSED .....	904	0.10
98 = BLANK (NO ANSWER) .....	1162	0.13
99 = LEGITIMATE SKIP .....	719724	80.60

YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YUMHOTPP<sup>1</sup>**      Len : 2    VISITED MH CLNC BEC HAD PRBLMS WITH OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	432	0.05
3 = Response entered LOGICALLY ASSIGNED .....	7	0.00
6 = Response not entered .....	5715	0.64
94 = DON'T KNOW .....	117	0.01
97 = REFUSED .....	904	0.10
98 = BLANK (NO ANSWER) .....	1162	0.13
99 = LEGITIMATE SKIP .....	719724	80.60

**YUMHSCHL<sup>1</sup>**      Len : 2    VISITED MH CLNC BEC HAD PRBLMS AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	783	0.09
3 = Response entered LOGICALLY ASSIGNED .....	9	0.00
6 = Response not entered .....	5362	0.60
94 = DON'T KNOW .....	117	0.01
97 = REFUSED .....	904	0.10
98 = BLANK (NO ANSWER) .....	1162	0.13
99 = LEGITIMATE SKIP .....	719724	80.60

**YUMHSOR<sup>1</sup>**      Len : 2    VISITED MH CLNC FOR SOME OTHER REASON

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1783	0.20
6 = Response not entered .....	5867	0.66
94 = DON'T KNOW .....	126	0.01
97 = REFUSED .....	1024	0.11
98 = BLANK (NO ANSWER) .....	1332	0.15
99 = LEGITIMATE SKIP .....	882840	98.87

During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

**YUTPSTYR<sup>1</sup>**      Len : 2    RCVD EMOT TRMT FROM THERAPIST PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
1 = Yes .....	28418	3.18
2 = No .....	240880	26.98
85 = BAD DATA Logically assigned .....	90	0.01
89 = LEGITIMATE SKIP Logically assigned .....	7	0.00
94 = DON'T KNOW .....	1384	0.15
97 = REFUSED .....	1030	0.12
98 = BLANK (NO ANSWER) .....	44	0.00
99 = LEGITIMATE SKIP .....	621119	69.56

During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

**YUTPSTN2<sup>1</sup>**      Len : 3    # TIMES VISITED THERAPIST PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 30 .....	24185	2.71
31 = 31 or more .....	1753	0.20
985 = BAD DATA Logically assigned .....	84	0.01
989 = LEGITIMATE SKIP Logically assigned .....	1	0.00
994 = DON'T KNOW .....	2330	0.26
997 = REFUSED .....	1181	0.13
998 = BLANK (NO ANSWER) .....	1434	0.16
999 = LEGITIMATE SKIP .....	862004	96.53

YOUTH MENTAL HEALTH SERVICE UTILIZATION

Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

**YUTPSUIC<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC THOT/TRIED TO KILL SELF

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	5539	0.62
3 = Response entered LOGICALLY ASSIGNED .....	11	0.00
6 = Response not entered .....	22232	2.49
85 = BAD DATA Logically assigned .....	83	0.01
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	329	0.04
97 = REFUSED .....	1337	0.15
98 = BLANK (NO ANSWER) .....	1435	0.16
99 = LEGITIMATE SKIP .....	862005	96.53

**YUTPDEPR<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC YOU FELT DEPRESSED

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	13768	1.54
3 = Response entered LOGICALLY ASSIGNED .....	69	0.01
6 = Response not entered .....	13945	1.56
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	329	0.04
97 = REFUSED .....	1337	0.15
98 = BLANK (NO ANSWER) .....	1517	0.17
99 = LEGITIMATE SKIP .....	862006	96.53

**YUTPFEAR<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC YOU FELT AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	5296	0.59
3 = Response entered LOGICALLY ASSIGNED .....	477	0.05
6 = Response not entered .....	22009	2.46
94 = DON'T KNOW .....	329	0.04
97 = REFUSED .....	1337	0.15
98 = BLANK (NO ANSWER) .....	1518	0.17
99 = LEGITIMATE SKIP .....	862006	96.53

**YUTPBKRU<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC BRKING RULES/ACT OUT

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	5629	0.63
3 = Response entered LOGICALLY ASSIGNED .....	145	0.02
6 = Response not entered .....	22008	2.46
94 = DON'T KNOW .....	329	0.04
97 = REFUSED .....	1337	0.15
98 = BLANK (NO ANSWER) .....	1518	0.17
99 = LEGITIMATE SKIP .....	862006	96.53

**YUTPEATP<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC YOU HAD EATING PROBS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	2400	0.27
3 = Response entered LOGICALLY ASSIGNED .....	7	0.00
6 = Response not entered .....	25375	2.84
94 = DON'T KNOW .....	329	0.04
97 = REFUSED .....	1337	0.15
98 = BLANK (NO ANSWER) .....	1518	0.17
99 = LEGITIMATE SKIP .....	862006	96.53



YOUTH MENTAL HEALTH SERVICE UTILIZATION

What was the other emotional or behavioral problem for which you last visited a private therapist, psychologist, psychiatrist, social worker or counselor?

**YUTPANGR<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC HAD TRBLE CONTRLNG ANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	3090	0.35
3 = Response entered LOGICALLY ASSIGNED .....	40	0.00
6 = Response not entered .....	19219	2.15
94 = DON'T KNOW .....	338	0.04
97 = REFUSED .....	1229	0.14
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	702818	78.71

**YUTPFITE<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC HAD GOTN INTO PHYS FIGHTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	764	0.09
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	21583	2.42
94 = DON'T KNOW .....	338	0.04
97 = REFUSED .....	1229	0.14
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	702818	78.71

**YUTPFMLY<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC HAD PRBLMS AT HOME/FAMILY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	5488	0.61
3 = Response entered LOGICALLY ASSIGNED .....	215	0.02
6 = Response not entered .....	16646	1.86
94 = DON'T KNOW .....	338	0.04
97 = REFUSED .....	1229	0.14
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	702818	78.71

**YUTPFRND<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC HAD PRBLMS WITH FRIENDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	2537	0.28
3 = Response entered LOGICALLY ASSIGNED .....	24	0.00
6 = Response not entered .....	19788	2.22
94 = DON'T KNOW .....	338	0.04
97 = REFUSED .....	1229	0.14
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	702818	78.71

**YUTPOTPP<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC HAD PRBLMS WITH OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	1719	0.19
3 = Response entered LOGICALLY ASSIGNED .....	26	0.00
6 = Response not entered .....	20604	2.31
94 = DON'T KNOW .....	338	0.04
97 = REFUSED .....	1229	0.14
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	702818	78.71

**YUTPSCHL<sup>1</sup>**      Len : 2    VISITED THERAPIST BEC HAD PRBLMS AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	3395	0.38
3 = Response entered LOGICALLY ASSIGNED .....	78	0.01
6 = Response not entered .....	18876	2.11
94 = DON'T KNOW .....	338	0.04
97 = REFUSED .....	1229	0.14
98 = BLANK (NO ANSWER) .....	1327	0.15
99 = LEGITIMATE SKIP .....	702818	78.71

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YUTPSOR<sup>1</sup>

Len : 2 VISITED THERAPIST FOR SOME OTHER REASON		Freq	Pct
1 = Response entered		7911	0.89
6 = Response not entered		19871	2.23
85 = BAD DATA Logically assigned		1	0.00
89 = LEGITIMATE SKIP Logically assigned		1	0.00
94 = DON'T KNOW		329	0.04
97 = REFUSED		1337	0.15
98 = BLANK (NO ANSWER)		1517	0.17
99 = LEGITIMATE SKIP		862005	96.53

During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

YUIHTPYR<sup>1</sup>

Len : 2 RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS		Freq	Pct
1 = Yes		8639	0.97
2 = No		260633	29.19
85 = BAD DATA Logically assigned		90	0.01
89 = LEGITIMATE SKIP Logically assigned		3	0.00
94 = DON'T KNOW		1390	0.16
97 = REFUSED		1049	0.12
98 = BLANK (NO ANSWER)		45	0.01
99 = LEGITIMATE SKIP		621123	69.56

During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

YUIHTPN2<sup>1</sup>

Len : 2 # TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS		Freq	Pct
RANGE = 1 - 30		7298	0.82
31 = 31 or more		443	0.05
985 = BAD DATA Logically assigned		84	0.01
994 = DON'T KNOW		813	0.09
997 = REFUSED		1134	0.13
998 = BLANK (NO ANSWER)		1441	0.16
999 = LEGITIMATE SKIP		881759	98.74

Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?

YUIHSUIC<sup>1</sup>

Len : 2 SAW IN HOME COUNS BEC THOT/TRIED TO KILL SELF		Freq	Pct
1 = Response entered		1605	0.18
3 = Response entered LOGICALLY ASSIGNED		4	0.00
6 = Response not entered		6704	0.75
85 = BAD DATA Logically assigned		84	0.01
94 = DON'T KNOW		176	0.02
97 = REFUSED		1199	0.13
98 = BLANK (NO ANSWER)		1441	0.16
99 = LEGITIMATE SKIP		881759	98.74

YUIHDEPR<sup>1</sup>

Len : 2 SAW IN HOME COUNS BEC YOU FELT DEPRESSED		Freq	Pct
1 = Response entered		3780	0.42
3 = Response entered LOGICALLY ASSIGNED		24	0.00
6 = Response not entered		4509	0.50
85 = BAD DATA Logically assigned		1	0.00
94 = DON'T KNOW		176	0.02
97 = REFUSED		1199	0.13
98 = BLANK (NO ANSWER)		1524	0.17
99 = LEGITIMATE SKIP		881759	98.74

YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YUIHFEAR<sup>1</sup>**      Len : 2    SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1358	0.15
3 = Response entered LOGICALLY ASSIGNED .....	53	0.01
6 = Response not entered .....	6902	0.77
94 = DON'T KNOW .....	176	0.02
97 = REFUSED .....	1199	0.13
98 = BLANK (NO ANSWER) .....	1525	0.17
99 = LEGITIMATE SKIP .....	881759	98.74

**YUIHBKRU<sup>1</sup>**      Len : 2    SAW IN HOME COUNS BEC BRKING RULES/ACT OUT

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	1906	0.21
3 = Response entered LOGICALLY ASSIGNED .....	50	0.01
6 = Response not entered .....	6357	0.71
94 = DON'T KNOW .....	176	0.02
97 = REFUSED .....	1199	0.13
98 = BLANK (NO ANSWER) .....	1525	0.17
99 = LEGITIMATE SKIP .....	881759	98.74

**YUIHEATP<sup>1</sup>**      Len : 2    SAW IN HOME COUNS BEC YOU HAD EATING PROBS

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	597	0.07
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	7712	0.86
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	176	0.02
97 = REFUSED .....	1199	0.13
98 = BLANK (NO ANSWER) .....	1524	0.17
99 = LEGITIMATE SKIP .....	881759	98.74

What was the other emotional or behavioral problem for which you last saw an in-home therapist, counselor, or family preservation worker?

**YUIHANGR<sup>1</sup>**      Len : 2    SAW IN HOME COUNS BEC HAD TRBLE CONTRLNG ANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	820	0.09
3 = Response entered LOGICALLY ASSIGNED .....	16	0.00
6 = Response not entered .....	5895	0.66
94 = DON'T KNOW .....	174	0.02
97 = REFUSED .....	1063	0.12
98 = BLANK (NO ANSWER) .....	1322	0.15
99 = LEGITIMATE SKIP .....	718771	80.49

**YUIHFITE<sup>1</sup>**      Len : 2    SAW IN HOME COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	244	0.03
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	6485	0.73
94 = DON'T KNOW .....	174	0.02
97 = REFUSED .....	1063	0.12
98 = BLANK (NO ANSWER) .....	1322	0.15
99 = LEGITIMATE SKIP .....	718771	80.49

**YUIHFMLY<sup>1</sup>**      Len : 2    SAW IN HOME COUNS BEC HAD PRBLMS AT HOME/FAMILY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	1479	0.17
3 = Response entered LOGICALLY ASSIGNED .....	98	0.01
6 = Response not entered .....	5154	0.58
94 = DON'T KNOW .....	174	0.02
97 = REFUSED .....	1063	0.12
98 = BLANK (NO ANSWER) .....	1322	0.15
99 = LEGITIMATE SKIP .....	718771	80.49

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YUIHFRND<sup>1</sup> Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	582	0.07
3 = Response entered LOGICALLY ASSIGNED .....	9	0.00
6 = Response not entered .....	6140	0.69
94 = DON'T KNOW .....	174	0.02
97 = REFUSED .....	1063	0.12
98 = BLANK (NO ANSWER) .....	1322	0.15
99 = LEGITIMATE SKIP .....	718771	80.49

YUIHOTPP<sup>1</sup> Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	446	0.05
3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
6 = Response not entered .....	6281	0.70
94 = DON'T KNOW .....	174	0.02
97 = REFUSED .....	1063	0.12
98 = BLANK (NO ANSWER) .....	1322	0.15
99 = LEGITIMATE SKIP .....	718771	80.49

YUIHSCHL<sup>1</sup> Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT SCHOOL

	Freq	Pct
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	854	0.10
3 = Response entered LOGICALLY ASSIGNED .....	23	0.00
6 = Response not entered .....	5854	0.66
94 = DON'T KNOW .....	174	0.02
97 = REFUSED .....	1063	0.12
98 = BLANK (NO ANSWER) .....	1322	0.15
99 = LEGITIMATE SKIP .....	718771	80.49

YUIHSOR<sup>1</sup> Len : 2 SAW IN HOME COUNS FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered .....	1828	0.20
6 = Response not entered .....	6485	0.73
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	176	0.02
97 = REFUSED .....	1199	0.13
98 = BLANK (NO ANSWER) .....	1524	0.17
99 = LEGITIMATE SKIP .....	881759	98.74

During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUFDOCYR<sup>1</sup> Len : 2 RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS

	Freq	Pct
1 = Yes .....	7973	0.89
2 = No .....	261175	29.25
85 = BAD DATA Logically assigned .....	90	0.01
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	1527	0.17
97 = REFUSED .....	1036	0.12
98 = BLANK (NO ANSWER) .....	45	0.01
99 = LEGITIMATE SKIP .....	621123	69.56

YOUTH MENTAL HEALTH SERVICE UTILIZATION

During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

<b>YUFDOCN2<sup>1</sup></b>	Len : 3 # TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	31 = 31 or more.....	7271	0.81
	985 = BAD DATA Logically assigned .....	97	0.01
	994 = DON'T KNOW .....	83	0.01
	997 = REFUSED .....	522	0.06
	998 = BLANK (NO ANSWER).....	1119	0.13
	999 = LEGITIMATE SKIP.....	1579	0.18
		882301	98.81

Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

<b>YUFDSUIC<sup>1</sup></b>	Len : 2 SAW FAMLY DOC BEC THOUGHT/TRIED TO KILL SELF		
	1 = Response entered .....	<b>Freq</b>	<b>Pct</b>
	3 = Response entered LOGICALLY ASSIGNED .....	1237	0.14
	6 = Response not entered .....	3	0.00
	85 = BAD DATA Logically assigned .....	6265	0.70
	94 = DON'T KNOW .....	82	0.01
	97 = REFUSED .....	281	0.03
	98 = BLANK (NO ANSWER) .....	1223	0.14
	99 = LEGITIMATE SKIP.....	1580	0.18
		882301	98.81

<b>YUFDDEPR<sup>1</sup></b>	Len : 2 SAW FAMLY DOC BEC YOU FELT DEPRESSED		
	1 = Response entered .....	<b>Freq</b>	<b>Pct</b>
	3 = Response entered LOGICALLY ASSIGNED .....	3139	0.35
	6 = Response not entered .....	32	0.00
	85 = BAD DATA Logically assigned .....	4334	0.49
	94 = DON'T KNOW .....	2	0.00
	97 = REFUSED .....	281	0.03
	98 = BLANK (NO ANSWER) .....	1223	0.14
	99 = LEGITIMATE SKIP.....	1660	0.19
		882301	98.81

<b>YUFDFEAR<sup>1</sup></b>	Len : 2 SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE		
	1 = Response entered .....	<b>Freq</b>	<b>Pct</b>
	3 = Response entered LOGICALLY ASSIGNED .....	1153	0.13
	6 = Response not entered .....	130	0.01
	94 = DON'T KNOW .....	6222	0.70
	97 = REFUSED .....	281	0.03
	98 = BLANK (NO ANSWER) .....	1223	0.14
	99 = LEGITIMATE SKIP.....	1662	0.19
		882301	98.81

<b>YUFDBKRU<sup>1</sup></b>	Len : 2 SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT		
	1 = Response entered .....	<b>Freq</b>	<b>Pct</b>
	3 = Response entered LOGICALLY ASSIGNED .....	1044	0.12
	6 = Response not entered .....	21	0.00
	94 = DON'T KNOW .....	6440	0.72
	97 = REFUSED .....	281	0.03
	98 = BLANK (NO ANSWER) .....	1223	0.14
	99 = LEGITIMATE SKIP.....	1662	0.19
		882301	98.81

<b>YUFDEATP<sup>1</sup></b>	Len : 2 SAW FAMLY DOC BEC YOU HAD EATING PROBS		
	1 = Response entered .....	<b>Freq</b>	<b>Pct</b>
	3 = Response entered LOGICALLY ASSIGNED .....	928	0.10
	6 = Response not entered .....	12	0.00
	94 = DON'T KNOW .....	6565	0.74
	97 = REFUSED .....	281	0.03
	98 = BLANK (NO ANSWER) .....	1223	0.14
	99 = LEGITIMATE SKIP.....	1662	0.19
		882301	98.81

YOUTH MENTAL HEALTH SERVICE UTILIZATION

What was the other emotional or behavioral problem for which you last visited a pediatrician or other family doctor?

**YUFDANGR<sup>1</sup>**      Len : 2    SAW FAMLY DOC BEC HAD TRBLE CONTRLNG ANGER

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	448	0.05
3 = Response entered LOGICALLY ASSIGNED .....	10	0.00
6 = Response not entered .....	5409	0.61
94 = DON'T KNOW .....	276	0.03
97 = REFUSED .....	1105	0.12
98 = BLANK (NO ANSWER) .....	1443	0.16
99 = LEGITIMATE SKIP .....	719370	80.56

**YUFDITE<sup>1</sup>**      Len : 2    SAW FAMLY DOC BEC HAD GOTTEN INTO PHYS FIGHTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	126	0.01
3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
6 = Response not entered .....	5738	0.64
94 = DON'T KNOW .....	276	0.03
97 = REFUSED .....	1105	0.12
98 = BLANK (NO ANSWER) .....	1443	0.16
99 = LEGITIMATE SKIP .....	719370	80.56

**YUFDFMLY<sup>1</sup>**      Len : 2    SAW FAMLY DOC BEC HAD PRBLMS AT HOME/FAMILY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	517	0.06
3 = Response entered LOGICALLY ASSIGNED .....	19	0.00
6 = Response not entered .....	5331	0.60
94 = DON'T KNOW .....	276	0.03
97 = REFUSED .....	1105	0.12
98 = BLANK (NO ANSWER) .....	1443	0.16
99 = LEGITIMATE SKIP .....	719370	80.56

**YUFDFRND<sup>1</sup>**      Len : 2    SAW FAMLY DOC BEC HAD PRBLMS WITH FRIENDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	241	0.03
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	5624	0.63
94 = DON'T KNOW .....	276	0.03
97 = REFUSED .....	1105	0.12
98 = BLANK (NO ANSWER) .....	1443	0.16
99 = LEGITIMATE SKIP .....	719370	80.56

**YUFDOTPP<sup>1</sup>**      Len : 2    SAW FAMLY DOC BEC HAD PRBLMS WITH OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	204	0.02
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	5661	0.63
94 = DON'T KNOW .....	276	0.03
97 = REFUSED .....	1105	0.12
98 = BLANK (NO ANSWER) .....	1443	0.16
99 = LEGITIMATE SKIP .....	719370	80.56

**YUFDSCHL<sup>1</sup>**      Len : 2    SAW FAMLY DOC BEC HAD PRBLMS AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	164911	18.47
1 = Response entered .....	597	0.07
3 = Response entered LOGICALLY ASSIGNED .....	14	0.00
6 = Response not entered .....	5256	0.59
94 = DON'T KNOW .....	276	0.03
97 = REFUSED .....	1105	0.12
98 = BLANK (NO ANSWER) .....	1443	0.16
99 = LEGITIMATE SKIP .....	719370	80.56

YOUTH MENTAL HEALTH SERVICE UTILIZATION

YUFDSOR<sup>1</sup>

Len : 2 SAW FAMLY DOC FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered .....	2592	0.29
6 = Response not entered .....	4913	0.55
94 = DON'T KNOW .....	281	0.03
97 = REFUSED .....	1223	0.14
98 = BLANK (NO ANSWER) .....	1662	0.19
99 = LEGITIMATE SKIP .....	882301	98.81

Sometimes students get treatment or counseling through the school system. This counseling is often provided by school social workers, school psychologists or school counselors.

During the past 12 months, that is, since [DATEFILL], did you receive any treatment or counseling from a school social worker, a school psychologist, or a school counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUSWSCYR<sup>1</sup>

Len : 2 RCVD EMOT TMT FROM SCH/SOC WORKER IN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	386010	43.23
1 = Yes.....	14052	1.57
2 = No .....	120705	13.52
85 = BAD DATA Logically assigned .....	53	0.01
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	900	0.10
97 = REFUSED .....	708	0.08
98 = BLANK (NO ANSWER) .....	933	0.10
99 = LEGITIMATE SKIP .....	369608	41.39

Think about the last time you talked with a school social worker, school psychologist, or school counselor about emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your talk?

YUSWSUIC<sup>1</sup>

Len : 2 TALKED W/SCH SOC WORK BEC THOT/TRIED TO KILL SELF

	Freq	Pct
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	1717	0.19
3 = Response entered LOGICALLY ASSIGNED .....	12	0.00
6 = Response not entered .....	11924	1.34
85 = BAD DATA Logically assigned .....	46	0.01
94 = DON'T KNOW .....	201	0.02
97 = REFUSED .....	906	0.10
98 = BLANK (NO ANSWER) .....	1840	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

YUSWDEPR<sup>1</sup>

Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT DEPRESSED

	Freq	Pct
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	5424	0.61
3 = Response entered LOGICALLY ASSIGNED .....	9	0.00
6 = Response not entered .....	8220	0.92
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	201	0.02
97 = REFUSED .....	906	0.10
98 = BLANK (NO ANSWER) .....	1885	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

YUSWFEAR<sup>1</sup>

Len : 2 TALKED W/SCH SOC WORK BEC YOU FELT AFRAID/TENSE

	Freq	Pct
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	2403	0.27
3 = Response entered LOGICALLY ASSIGNED .....	73	0.01
6 = Response not entered .....	11177	1.25
94 = DON'T KNOW .....	201	0.02
97 = REFUSED .....	906	0.10
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YUSWBKRU<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK BEC BRKING RULES/ACT OUT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	2500	0.28
3 = Response entered LOGICALLY ASSIGNED .....	35	0.00
6 = Response not entered .....	11118	1.25
94 = DON'T KNOW .....	201	0.02
97 = REFUSED .....	906	0.10
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

**YUSWEATP<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK BEC YOU HAD EATING PROBS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	746	0.08
3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
6 = Response not entered .....	12905	1.45
94 = DON'T KNOW .....	201	0.02
97 = REFUSED .....	906	0.10
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

What was the other reason for your last talk with a school social worker, school psychologist or school counselor?

**YUSWANGR<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK BEC HAD TRBLE CONTRLNG ANGR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	1388	0.16
3 = Response entered LOGICALLY ASSIGNED .....	16	0.00
6 = Response not entered .....	12171	1.36
94 = DON'T KNOW .....	231	0.03
97 = REFUSED .....	954	0.11
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

**YUSWFITE<sup>1</sup>**      Len : 2    TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	528	0.06
3 = Response entered LOGICALLY ASSIGNED .....	10	0.00
6 = Response not entered .....	13037	1.46
94 = DON'T KNOW .....	231	0.03
97 = REFUSED .....	954	0.11
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

**YUSWFMLY<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK BEC HAD PRBLMS AT HOME/FMLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	2181	0.24
3 = Response entered LOGICALLY ASSIGNED .....	94	0.01
6 = Response not entered .....	11300	1.27
94 = DON'T KNOW .....	231	0.03
97 = REFUSED .....	954	0.11
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

**YUSWFRND<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH FRIENDS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	2390	0.27
3 = Response entered LOGICALLY ASSIGNED .....	82	0.01
6 = Response not entered .....	11103	1.24
94 = DON'T KNOW .....	231	0.03
97 = REFUSED .....	954	0.11
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91



YOUTH MENTAL HEALTH SERVICE UTILIZATION

**YUSWOTPP<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH OTHERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	1208	0.14
3 = Response entered LOGICALLY ASSIGNED .....	29	0.00
6 = Response not entered .....	12338	1.38
94 = DON'T KNOW .....	231	0.03
97 = REFUSED .....	954	0.11
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

**YUSWSCHL<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK BEC HAD PRBLMS AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	2664	0.30
3 = Response entered LOGICALLY ASSIGNED .....	297	0.03
6 = Response not entered .....	10614	1.19
94 = DON'T KNOW .....	231	0.03
97 = REFUSED .....	954	0.11
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490316	54.91

**YUSWSOR<sup>1</sup>**      Len : 2    TALKED W/SCH SOC WORK FOR SOME OTHER REASON

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Response entered .....	2874	0.32
6 = Response not entered .....	10779	1.21
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	201	0.02
97 = REFUSED .....	906	0.10
98 = BLANK (NO ANSWER) .....	1886	0.21
99 = LEGITIMATE SKIP .....	490315	54.91

At any time during the past 12 months, that is since [DATEFILL], did you attend a school for students with emotional or behavioral problems?

**YUSCEMYR<sup>1</sup>**      Len : 2    ATTEND SCH FOR STUDENTS W/EMOT PRBLMS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Yes .....	4909	0.55
2 = No .....	130153	14.58
85 = BAD DATA Logically assigned .....	53	0.01
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	659	0.07
97 = REFUSED .....	644	0.07
98 = BLANK (NO ANSWER) .....	933	0.10
99 = LEGITIMATE SKIP .....	369608	41.39

Regular schools sometimes provide programs for students with emotional or behavioral problems.

At any time during the past 12 months, did you participate in a school program that was just for students with emotional or behavioral problems?

**YUSCPGYR<sup>1</sup>**      Len : 2    ATTND SCH PGM FOR STDNTS W/EMOT PRBLMS PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	386010	43.23
1 = Yes .....	2196	0.25
2 = No .....	128023	14.34
85 = BAD DATA Logically assigned .....	7	0.00
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	582	0.07
97 = REFUSED .....	655	0.07
98 = BLANK (NO ANSWER) .....	979	0.11
99 = LEGITIMATE SKIP .....	374517	41.94

YOUTH MENTAL HEALTH SERVICE UTILIZATION

These next questions are about experiences with the justice system.

During the past 12 months, that is, since [DATEFILL], did you stay overnight or longer in any type of juvenile detention center, sometimes called "juvie", prison, or jail?

YUJVDTON<sup>1</sup> Len : 2 STAYED OVRNT/LONGER IN JAIL/JUV DET PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	386010	43.23
1 = Yes.....	1625	0.18
2 = No.....	142789	15.99
85 = BAD DATA Logically assigned .....	58	0.01
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
94 = DON'T KNOW .....	475	0.05
97 = REFUSED .....	535	0.06
98 = BLANK (NO ANSWER) .....	17	0.00
99 = LEGITIMATE SKIP.....	361460	40.48

During the past 12 months, how many nights altogether did you stay in any type of juvenile detention center, prison or jail?

YUJVDTN2<sup>1</sup> Len : 3 # NIGHTS IN JAIL OR JUV DET IN PST 12 MOS

	Freq	Pct
RANGE = 1 - 7 .....	974	0.11
-9 = Data not collected for this year .....	386010	43.23
8 = 8 or more.....	581	0.07
985 = BAD DATA Logically assigned .....	55	0.01
994 = DON'T KNOW .....	38	0.00
997 = REFUSED .....	567	0.06
998 = BLANK (NO ANSWER).....	495	0.06
999 = LEGITIMATE SKIP.....	504252	56.47

Sometimes, the court system provides treatment or counseling in juvenile detention centers, prisons or jails. These services are often provided by psychiatrists, psychologists, social workers or counselors who work for the court system.

While you were in a juvenile detention center, prison or jail during the past 12 months, did you receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YUJVDTYR<sup>1</sup> Len : 2 RCVD EMOT TMT IN JAIL/JUV DET IN PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	386010	43.23
1 = Yes.....	509	0.06
2 = No.....	1088	0.12
85 = BAD DATA Logically assigned .....	55	0.01
94 = DON'T KNOW .....	15	0.00
97 = REFUSED .....	548	0.06
98 = BLANK (NO ANSWER) .....	495	0.06
99 = LEGITIMATE SKIP.....	504252	56.47

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

**RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following recoded variables contain information about whether youths received mental health care in the past year from each of 11 specific services for problems with behaviors or emotions that were not caused by alcohol or drugs.

<b>YHOSP</b>	Len : 1 RC-STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YUHOSPYR=2,4).....	622998	69.77
	1 = Yes (YUHOSPYR=1).....	264202	29.59
		5772	0.65
<b>YRESID</b>	Len : 1 RC-STAYED IN RESID CTR FOR EMOT TRMT IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YURSIDYR=2,4).....	623215	69.79
	1 = Yes (YURSIDYR=1).....	266885	29.89
		2872	0.32
<b>YFOST</b>	Len : 1 RC-SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YUFCARYR=2,4).....	622692	69.73
	1 = Yes (YUFCARYR=1).....	268848	30.11
		1432	0.16
<b>YDAYTRT</b>	Len : 1 RC-SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YUDYTYR=2,4).....	623341	69.81
	1 = Yes (YUDYTYR=1).....	264584	29.63
		5047	0.57
<b>YCLIN</b>	Len : 1 RC-RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YUMHCRYR=2,4).....	623382	69.81
	1 = Yes (YUMHCRYR=1).....	261714	29.31
		7876	0.88
<b>YTHER</b>	Len : 1 RC-RCVD EMOT TRMT FROM THERAPIST IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YUTPSTYR=2,4).....	623674	69.84
	1 = Yes (YUTPSTYR=1).....	240880	26.98
		28418	3.18
<b>YHOME</b>	Len : 1 RC-RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YUIHTPYR=2,4).....	623700	69.85
	1 = Yes (YUIHTPYR=1).....	260633	29.19
		8639	0.97
<b>YPED</b>	Len : 1 RC-RCVD EMOT TRMT FROM FAMILY DOC IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	0 = No (YUFDOCYR=2,4).....	623824	69.86
	1 = Yes (YUFDOCYR=1).....	261175	29.25
		7973	0.89
<b>YSPEC</b>	Len : 1 RC-ATTND SCHOOL OR PROGRAM FOR EMOT PROB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	363986	40.76
	0 = No ((YUSCEMYR=2 and YUSCPGYR=2) or YEATNDYR=2).....	386010	43.23
	1 = Yes (YUSCEMYR=1 or YUSCPGYR=1).....	135871	15.22
		7105	0.80

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

YSHSW

Len : 1	RC-TLKD W/SCH SOC WKR/PSY/COUNS FOR EMOT PROB PST YR		
		<b>Freq</b>	<b>Pct</b>
.	= Unknown/Aged 18+ (Otherwise).....	364057	40.77
-9	= Data not collected for this year.....	386010	43.23
0	= No (YUSWSCYR=2 or YEATNDYR=2).....	128853	14.43
1	= Yes (YUSWSCYR=1).....	14052	1.57

YJAIL

Len : 1	RC-YTH RCVD SVCS FOR EMOT PROB IN PY IN JUV JUSTICE		
		<b>Freq</b>	<b>Pct</b>
.	= Unknown/Aged 18+ (Otherwise).....	362576	40.60
-9	= Data not collected for this year.....	386010	43.23
0	= No (YUJVDTYR=2 or YUJVDTON=2).....	143877	16.11
1	= Yes (YUJVDTYR=1).....	509	0.06

The following variable, ANYMHIN2, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of two specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following two sources of treatment variables: stayed overnight in hospital (YHOSP) and stayed in residential treatment facility (YRESID). Youths who reported a positive response (source variable=1) to either question were included in the yes category. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults, were included in the unknown/18+ category.

ANYMHIN2

Len : 1	RC-REV YTH RCVD SPEC INPATIENT MH SERVICES IN PY		
		<b>Freq</b>	<b>Pct</b>
.	= Unknown/Aged 18+ (Otherwise).....	623334	69.80
0	= No (YHOSP=0 and YRESID=0).....	262932	29.44
1	= Yes (YHOSP=1 or YRESID=1).....	6706	0.75

The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of four specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following four source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment at a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the four questions were included in the yes category regardless of how many of the four questions they answered. Youths who did not report a positive response, but answered all four of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHOUT

Len : 1	RC-YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY		
		<b>Freq</b>	<b>Pct</b>
.	= Unknown/Aged 18+ (Otherwise).....	624165	69.90
0	= No (YDAYTRT, YCLIN, YTHER, and YHOME=0).....	235319	26.35
1	= Yes (YDAYTRT, YCLIN, YTHER, or YHOME=1).....	33488	3.75

The following variable, ANYSMH2, indicates whether a youth reported receiving specialty mental health services in the past year from any of six specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following six source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the six questions were included in the yes category regardless of how many of the six questions they answered. Youths who did not report a positive response, but answered all six of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYSMH2

Len : 1	RC-REV YTH RCVD SPECIALTY MENTAL HLTH SRVC IN PST YR		
		<b>Freq</b>	<b>Pct</b>
.	= Unknown/Aged 18+ (See comment above).....	624437	69.93
0	= No (All source variables=0).....	231832	25.96
1	= Yes (Any source variable=1).....	36703	4.11

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, ANYNSMH, indicates whether a youth reported receiving nonspecialty mental health services in the past year from any of five specific nonspecialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following five source of treatment variables: school social worker, school psychologist, or school counselor (YSHSW), special school or program within a regular school for students with emotional or behavioral problems (YSPEC), pediatrician or other family doctor (YPED), juvenile detention center, prison, or jail (YJAIL), and foster care or therapeutic foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the five questions were included in the yes category regardless of how many of the five questions they answered. Youths who did not report a positive response, but answered all five of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYNSMH      Len : 1    RC-YTH RCVD NONSPECIALTY MENTAL HLTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (See comment above) .....	364932	40.87
-9 = Data not collected for this year .....	386010	43.23
0 = No (All source variables=0).....	119846	13.42
1 = Yes (Any source variable=1) .....	22184	2.48

The following variable, ANYMHED2, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school social worker, school psychologists, or school counselors for problems (YSHSW) and attended a special school or participated in a special program at a regular school for problems (YSPEC). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category. This variable is not comparable with variables named similarly in past NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

ANYMHED2      Len : 1    RC-YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	364391	40.81
-9 = Data not collected for this year .....	386010	43.23
0 = No (YSHSW=0 and YSPEC=0) .....	123612	13.84
1 = Yes (YSHSW=1 or YSPEC=1).....	18959	2.12

The following variable, ANYSEDMF, indicates whether a youth reported receiving specialty mental health services along with services from education, general medicine (family doctor/pediatrician), or foster care or therapeutic foster care settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following four source of treatment variables: received specialty mental health services (ANYSMH2), education setting-based mental health services (ANYMHED2), treatment from a family doctor/pediatrician (YPED), and foster care or therapeutic foster care (YFOST). Included in the unknown/18+ category were youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education, general medical, or foster care setting [ANYSMH2=. or {ANYSMH2=1 and (none of ANYMHED2, YPED, or YFOST equal 1 but at least one is missing)}] and adults.

ANYSEDMF      Len : 1    RC-YTH RCVD SPEC MH AND ED, MED, OR FOST SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (See comment above) .....	247120	27.67
-9 = Data not collected for this year .....	556954	62.37
0 = No (ANYSMH2=0 or (ANYMHED2=0, YPED=0, & YFOST=0)) .....	83091	9.30
1 = Yes (ANYSMH2=1 & (ANYMHED2=1, YPED=1, or YFOST=1)).....	5807	0.65

NOTE: The following 10 variables contain information on the number of times a youth received mental health services from specific mental health sources.

HOSPYST      Len : 1    RC-# NIGHTS YTH STAYED IN HOSP FOR MH SRVC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	475105	53.20
-9 = Data not collected for this year .....	220816	24.73
1 = 1 Night (YUHOSPN2=1).....	1817	0.20
2 = 2 Nights (YUHOSPN2=2).....	446	0.05
3 = 3-6 Nights (YUHOSPN2=3-6).....	755	0.08
4 = 7-24 Nights (YUHOSPN2=7-24).....	779	0.09
5 = 25 or More Nights (YUHOSPN2=25-31) .....	228	0.03
6 = No Nights (YUHOSPYR=2).....	193026	21.62

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

**RESIDVST** Len : 1 RC-# NIGHTS YTH STAYED IN RESID CTR FOR MH SRVC IN PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	475049	53.20
-9 = Data not collected for this year.....	220816	24.73
1 = 1 Night (YURSIDN2=1).....	590	0.07
2 = 2 Nights (YURSIDN2=2).....	225	0.03
3 = 3-6 Nights (YURSIDN2=3-6).....	347	0.04
4 = 7-24 Nights (YURSIDN2=7-24).....	508	0.06
5 = 25 or More Nights (YURSIDN2=25-31).....	297	0.03
6 = No Nights (YURSIDYR=2).....	195140	21.85

**FOSTVST** Len : 1 RC-# NIGHTS YTH STAYED IN FOST CARE FOR MH SRVC IN PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	474731	53.16
-9 = Data not collected for this year.....	220816	24.73
1 = 1 Night (YUFCARN2=1).....	322	0.04
2 = 2 Nights (YUFCARN2=2).....	130	0.01
3 = 3-6 Nights (YUFCARN2=3-6).....	79	0.01
4 = 7-24 Nights (YUFCARN2=7-24).....	136	0.02
5 = 25 or More Nights (YUFCARN2=25-31).....	178	0.02
6 = No Nights (YUFCARYR=2).....	196580	22.01

**DYTXVST** Len : 1 RC-# TIMES YTH VISITED DAY TRMT PROG IN PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	475346	53.23
-9 = Data not collected for this year.....	220816	24.73
1 = 1 Visit (YUDYTXN2=1).....	1149	0.13
2 = 2 Visits (YUDYTXN2=2).....	530	0.06
3 = 3-6 Visits (YUDYTXN2=3-6).....	710	0.08
4 = 7-24 Visits (YUDYTXN2=7-24).....	683	0.08
5 = 25 or More Visits (YUDYTXN2=25-31).....	268	0.03
6 = No Visits (YUDYTXYR=2).....	193470	21.67

**CLINVST** Len : 1 RC-# TIMES YTH VISITED MENT HLTH CLIN IN PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	475576	53.26
-9 = Data not collected for this year.....	220816	24.73
1 = 1 Visit (YUMHCRN2=1).....	1414	0.16
2 = 2 Visits (YUMHCRN2=2).....	727	0.08
3 = 3-6 Visits (YUMHCRN2=3-6).....	1331	0.15
4 = 7-24 Visits (YUMHCRN2=7-24).....	1309	0.15
5 = 25 or More Visits (YUMHCRN2=25-31).....	512	0.06
6 = No Visits (YUMHCRYR=2).....	191287	21.42

**THERVST** Len : 1 RC-# TIMES YTH VISITED THERAPIST IN PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	477184	53.44
-9 = Data not collected for this year.....	220816	24.73
1 = 1 Visit (YUTPSTN2=1).....	3843	0.43
2 = 2 Visits (YUTPSTN2=2).....	2653	0.30
3 = 3-6 Visits (YUTPSTN2=3-6).....	5703	0.64
4 = 7-24 Visits (YUTPSTN2=7-24).....	4791	0.54
5 = 25 or More Visits (YUTPSTN2=25-31).....	2096	0.23
6 = No Visits (YUTPSTYR=2).....	175886	19.70

**HOMEVST** Len : 1 RC-# TIMES YTH RCVD IN-HOME COUNSELING IN PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	476007	53.31
-9 = Data not collected for this year.....	220816	24.73
1 = 1 Time (YUIHTPN2=1).....	1528	0.17
2 = 2 Times (YUIHTPN2=2).....	935	0.10
3 = 3-6 Times (YUIHTPN2=3-6).....	1524	0.17
4 = 7-24 Times (YUIHTPN2=7-24).....	1241	0.14
5 = 25 or More Times (YUIHTPN2=25-31).....	513	0.06
6 = No Times (YUIHTPYR=2).....	190408	21.32

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SPINVST2, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPN2) and residential treatment center (YURSIDN2). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYPYR=2 and YURSIDIYR=2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for either of the locations (YUHOSPYPYR or YURSIDIYR=85, 94, 97, 98 OR either of YUHOSPN2 or YURSIDN2=985, 994, 997, 998), unless the overnight stays for the service with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPINVST2      Len : 1    RC-REV # NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SRVC

	Freq	Pct
. = Unknown/Aged 18+ (See comment above) .....	246948	27.65
-9 = Data not collected for this year .....	556954	62.37
1 = 1 Overnight Stay (See comment above).....	687	0.08
2 = 2 Overnight Stays (See comment above) .....	332	0.04
3 = 3-6 Overnight Stays (See comment above).....	364	0.04
4 = 7-24 Overnight Stays (See comment above).....	561	0.06
5 = 25 or More Overnight Stays (See comment above).....	240	0.03
6 = No Overnight Stays (See comment above) .....	86886	9.73

The following variable, SPOUTVST, indicates how many times a specialty outpatient mental health service was visited in the past year. The number of visits is calculated by adding the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and an in-home therapist (YUIHTPN2). A value of 6 (No Visits) was assigned whenever a respondent said they had used none of the services (YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits was unknown for any of the 4 locations (any of YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPOUTVST      Len : 1    RC-# TIMES YTH VISITED A SPECIALTY OUTPATIENT MH SRVC

	Freq	Pct
. = Unknown/Aged 18+ (See comment above) .....	478384	53.57
-9 = Data not collected for this year .....	220816	24.73
1 = 1 Visit (See comment above).....	3668	0.41
2 = 2 Visits (See comment above) .....	3093	0.35
3 = 3-6 Visits (See comment above) .....	5957	0.67
4 = 7-24 Visits (See comment above) .....	5846	0.65
5 = 25 or more Visits (See comment above) .....	3419	0.38
6 = No Visits (See comment above).....	171789	19.24

The following variable, SMHVST2, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPN2) and residential treatment center (YURSIDN2), and the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and in-home therapist (YUIHTPN2). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYPYR, YURSIDIYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 6 locations (any of YUHOSPYPYR, YURSIDIYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

SMHVST2      Len : 1    RC-REV # STAYS/VISITS YTH MADE TO SPEC MH SERVICE

	Freq	Pct
. = Unknown/Aged 18+ (See comment above) .....	248583	27.84
-9 = Data not collected for this year .....	556954	62.37
1 = 1 Visit/Overnight Stay (See comment above).....	1943	0.22
2 = 2 Visits/Overnight Stays (See comment above).....	1473	0.16
3 = 3-6 Visits/Overnight Stays (See comment above).....	2915	0.33
4 = 7-24 Visits/Overnight Stays (See comment above).....	3140	0.35
5 = 25 or More Visits/Stays (See comment above) .....	2099	0.24
6 = No Visits/Stays (See comment above) .....	75865	8.50

RECORDED YOUTH MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following 13 variables contain the reasons youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similarly named variables found in NSDUH datafiles prior to 2012 due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these 13 variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths received their most recent mental health services from at least one inpatient/residential specialty mental health source estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variable, SIMHSUI2, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC) or residential treatment center (YURSSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHSUI2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C TRIED SUIC

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334097	37.41
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	852	0.10
1 = Reason Indicated (Any source variable=1,3) .....	1069	0.12

The following variable, SIMHDP2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR) or residential treatment center (YURSDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHDP2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C DEPRESSED

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334103	37.41
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	883	0.10
1 = Reason Indicated (Any source variable=1,3) .....	1032	0.12

The following variable, SIMHF2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR) or residential treatment center (YURSF2) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHF2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334119	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1517	0.17
1 = Reason Indicated (Any source variable=1,3) .....	382	0.04

The following variable, SIMHBRK2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU) or residential treatment center (YURSBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHBRK2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C BROKE RULES

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334121	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1525	0.17
1 = Reason Indicated (Any source variable=1,3) .....	372	0.04



RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHEAT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP) or residential treatment center (YURSEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHEAT2      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C EATING PRBLMS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334125	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1649	0.18
1 = Reason Indicated (Any source variable=1,3) .....	244	0.03

The following variable, SIMHANG2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR) or residential treatment center (YURSANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHANG2      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334127	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1678	0.19
1 = Reason Indicated (Any source variable=1,3) .....	213	0.02

The following variable, SIMHFIT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE) or residential treatment center (YURSFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the three inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFIT2      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334131	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1799	0.20
1 = Reason Indicated (Any source variable=1,3) .....	88	0.01

The following variable, SIMHFML2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY) or residential treatment center (YURSFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFML2      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C HOME/FAM PROB

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334128	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1687	0.19
1 = Reason Indicated (See comment above) .....	203	0.02

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHFRD2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND) or residential treatment center (YURSFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHFRD2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB W/FRND

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334130	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1799	0.20
1 = Reason Indicated (Any source variable=1,3) .....	89	0.01

The following variable, SIMHOTP2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP) or residential treatment center (YURSOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHOTP2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C PRB W/OTH PERS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334131	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1795	0.20
1 = Reason Indicated (See comment above) .....	92	0.01

The following variable, SIMHSCH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL) or residential treatment center (YURSSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHSCH2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C PROB AT SCH

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334124	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1666	0.19
1 = Reason Indicated (Any source variable=1,3) .....	228	0.03

The following variable, SIMHMEN2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHMEN2**      Len : 1    RC-REV YTH LST RCVD INPT SP MH SVC B/C DIAG MNTL DIS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334143	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1844	0.21
1 = Reason Indicated (See comment above) .....	31	0.00

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SIMHOTH3, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SIMHOTH3**      Len : 1    RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	334138	37.42
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	1726	0.19
1 = Reason Indicated (See comment above) .....	154	0.02

NOTE: The following 13 variables contain the reasons youths received their most recent mental health services from at least one outpatient specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these 13 variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths received their most recent mental health services from at least one outpatient specialty mental health source estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variable, SOMHSUI, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following sources: visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SOMHSUI**      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C TRIED SUIC

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	649422	72.73
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (Otherwise) .....	17402	1.95
1 = Reason Indicated (Any source variable=1,3) .....	5332	0.60

The following variable, SOMHDPR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), and received treatment from in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SOMHDPR**      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C DEPRESSED

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	649247	72.71
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (Otherwise) .....	10780	1.21
1 = Reason Indicated (Any source variable=1,3) .....	12129	1.36

The following variable, SOMHFEA, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), and received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SOMHFEA**      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C AFRAID/TENSE

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	649436	72.73
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (Otherwise) .....	17386	1.95
1 = Reason Indicated (Any source variable=1,3) .....	5334	0.60

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHBRK, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), and received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHBRK      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C BROKE RULE

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	649442	72.73
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (Otherwise) .....	17507	1.96
1 = Reason Indicated (Any source variable=1,3) .....	5207	0.58

The following variable, SOMHEAT, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), and received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHEAT      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C EATING PROBS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	649535	72.74
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (Otherwise) .....	20349	2.28
1 = Reason Indicated (Any source variable=1,3) .....	2272	0.25

The following variable, SOMHANGR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems controlling anger. This recode was created by examination of the following source variables: visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), and received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHANGR      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C ANGER CONTROL

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	649438	72.73
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (Otherwise) .....	18947	2.12
1 = Reason Indicated (Any source variable=1,3) .....	3771	0.42

The following variable, SOMHFITE, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), and received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFITE      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PHYS FIGHT

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	649578	72.74
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (Otherwise) .....	21614	2.42
1 = Reason Indicated (Any source variable=1,3) .....	964	0.11

RECORDED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHFMLY, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), and received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for visits to a day treatment program, mental health center, private therapist, and treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<b>SOMHFMLY</b>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C HOME/FAM PROB		
	. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	649423	72.73
	0 = Reason Not Indicated (Otherwise) .....	220816	24.73
	1 = Reason Indicated (See comment above) .....	16309	1.83
		6424	0.72

The following variable, SOMHFRND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), and received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<b>SOMHFRND</b>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB W/ FRND		
	. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	649524	72.74
	0 = Reason Not Indicated (Otherwise) .....	220816	24.73
	1 = Reason Indicated (Any source variable=1,3) .....	19758	2.21
		2874	0.32

The following variable, SOMHOTPP, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had had problems with people other than family or friends. This recode was created by examination of the following source variables: visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), and received treatment from an in-home therapist (YUIHOTPP) because they had problems with people other than family or friends, as well as the write-in other-specify variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<b>SOMHOTPP</b>	Len : 1 RC-YTH RCVD LST OUTP SPC MH SRVC B/C PROB W/ OTH PERS		
	. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	649539	72.74
	0 = Reason Not Indicated (Otherwise) .....	220816	24.73
	1 = Reason Indicated (See comment above) .....	20535	2.30
		2082	0.23

The following variable, SOMHSCHL, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), and received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

<b>SOMHSCHL</b>	Len : 1 RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB AT SCH		
	. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	649449	72.73
	0 = Reason Not Indicated (Otherwise) .....	220816	24.73
	1 = Reason Indicated (Any source variable=1,3) .....	18566	2.08
		4141	0.46

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SOMHMEND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was based only on responses to other specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SOMHMEND**      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C DIAG MNTL DIS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unkwn Reason/Aged 18+ (See comment above).....	649602	72.75
-9 = Data not collected for this year.....	220816	24.73
0 = Reason Not Indicated (Otherwise).....	21965	2.46
1 = Reason Indicated (See comment above).....	589	0.07

The following variable, SOMHOTH2, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because of some other reasons. This recode was created based only on responses to other-specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the write-in other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SOMHOTH2**      Len : 1    RC-YTH RCVD LAST OUTPT SPEC MH SRVC B/C OTHER REASONS

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unkwn Reason/Aged 18+ (See comment above).....	649555	72.74
-9 = Data not collected for this year.....	220816	24.73
0 = Reason Not Indicated (Otherwise).....	20204	2.26
1 = Reason Indicated (See comment above).....	2397	0.27

NOTE: The following 13 variables contain the reasons youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similarly named variables found in NSDUH datafiles prior to 2012 due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unkwn Reason/Aged 18+'. Due to the small impact on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths received their most recent mental health services from at least one specialty mental health source estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variable, SMHSUI2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SMHSUI2**      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC TRIED SUIC

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unkwn Reason/Aged 18+ (See comment above).....	324399	36.33
-9 = Data not collected for this year.....	556954	62.37
0 = Reason Not Indicated (Otherwise).....	8269	0.93
1 = Reason Indicated (Any source variable=1,3).....	3350	0.38

The following variable, SMHDPR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

**SMHDPR2**      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC DEPRESSED

	<b>Freq</b>	<b>Pct</b>
. = No Trt/Unkwn Reason/Aged 18+ (See comment above).....	324295	36.32
-9 = Data not collected for this year.....	556954	62.37
0 = Reason Not Indicated (Otherwise).....	5163	0.58
1 = Reason Indicated (Any source variable=1,3).....	6560	0.73

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHFEA2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFEA2      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC AFRAID/TENSE

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324456	36.33
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	8442	0.95
1 = Reason Indicated (Any source variable=1,3) .....	3120	0.35

The following variable, SMHBRK2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHBRK2      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC BROKE RULES

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324459	36.33
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	9148	1.02
1 = Reason Indicated (Any source variable=1,3) .....	2411	0.27

The following variable, SMHEAT2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHEAT2      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC EATING PROBS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324528	36.34
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	10162	1.14
1 = Reason Indicated (Any source variable=1,3) .....	1328	0.15

The following variable, SMHANGR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHANGR2      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC ANGER CNTRL

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324478	36.34
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	9699	1.09
1 = Reason Indicated (Any source variable=1,3) .....	1841	0.21

RECORDED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHFITE2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), or visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), or received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFITE2      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC PHYS FIGHT

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324558	36.35
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	11024	1.23
1 = Reason Indicated (Any source variable=1,3) .....	436	0.05

The following variable, SMHFMLY2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFMLY2      Len : 1    RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324456	36.33
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	8474	0.95
1 = Reason Indicated (See comment above) .....	3088	0.35

The following variable, SMHFRND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFRND2      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB W/FRND

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324526	36.34
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	10089	1.13
1 = Reason Indicated (Any source variable=1,3) .....	1403	0.16

The following variable, SMHOTPP2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visits to a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTPP2      Len : 1    RC-YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS

	Freq	Pct
. = No Trt/Unkwn Reason/Aged 18+ (See comment above) .....	324542	36.34
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	10415	1.17
1 = Reason Indicated (See comment above) .....	1061	0.12



RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, SMHSCHL2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSCHL2      Len : 1    RC-REV YTH LST RCVD SP MH SVC IN PY BC PROB AT SCH

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	324465	36.34
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	9375	1.05
1 = Reason Indicated (Any source variable=1,3) .....	2178	0.24

The following variable, SMHMEND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHMEND2      Len : 1    RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	324601	36.35
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	11089	1.24
1 = Reason Indicated (See comment above) .....	328	0.04

The following variable, SMHOTH3, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTH3      Len : 1    RC-YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS

	Freq	Pct
. = No Trt/Unknwn Reason/Aged 18+ (See comment above) .....	324553	36.35
-9 = Data not collected for this year .....	556954	62.37
0 = Reason Not Indicated (Otherwise) .....	10149	1.14
1 = Reason Indicated (See comment above) .....	1316	0.15

NOTE: The following 13 variables contain the reasons youths last talked with their school social worker, school psychologist, or school counselor in the past year. These variables are not comparable with variables named SHCNXXX in NSDUHs prior to 2009 due to questionnaire changes in the Youth Mental Health Utilization module. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their school social worker, school psychologist, or school counselor in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variables, SHSWXXX, indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school social worker, school psychologist, or school counselor (YUSWXXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school social worker, school psychologist, or school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

SHWSUI      Len : 1    RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above) .....	493797	55.30
-9 = Data not collected for this year .....	386010	43.23
0 = Reason Not Indicated (See comment above) .....	11436	1.28
1 = Reason Indicated (YUSWSUI=1,3) .....	1729	0.19

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

SHSWDPR	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C DEPRESSED		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493795	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	7734	0.87
	1 = Reason Indicated (YUSWDEPR=1,3) .....	5433	0.61
SHSWFEA	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C AFRD/TENSE		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493800	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	10686	1.20
	1 = Reason Indicated (YUSWFEAR=1,3) .....	2476	0.28
SHSWBRK	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C BROKE RULE		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493796	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	10631	1.19
	1 = Reason Indicated (YUSWBRKR=1,3) .....	2535	0.28
SHSWEAT	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C EATNG PROB		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493800	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	12414	1.39
	1 = Reason Indicated (YUSWEATP=1,3) .....	748	0.08
SHSWANGR	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C ANGR CNTRL		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493803	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	11755	1.32
	1 = Reason Indicated (YUSWANGR=1,3) .....	1404	0.16
SHSWFITE	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PHYS FIGHT		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493803	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	12621	1.41
	1 = Reason Indicated (YUSWFITE=1,3) .....	538	0.06
SHSWFMLY	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WKR IN PY B/C HME/FAM PRB		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493803	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	10880	1.22
	1 = Reason Indicated (YUSWFMLY=1,3 or home/fam prob) .....	2279	0.26
SHSWFRND	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C FRND PROB		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493803	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	10687	1.20
	1 = Reason Indicated (YUSWFRND=1,3) .....	2472	0.28
SHSWOTPP	Len : 1 RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PRB W/ OTH		
		<b>Freq</b>	<b>Pct</b>
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493803	55.30
	-9 = Data not collected for this year .....	386010	43.23
	0 = Reason Not Indicated (See comment above SHSWSUI) .....	11834	1.33
	1 = Reason Indicated(YUSWOTPP=1,3 or problem w/others) .....	1325	0.15

RECORDED YOUTH MENTAL HEALTH SERVICE UTILIZATION

SHSWSCHL      Len : 1    RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C SCHL PROB

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493803	55.30
-9 = Data not collected for this year .....	386010	43.23
0 = Reason Not Indicated (See comment above SHSWSUI) .....	10198	1.14
1 = Reason Indicated (YUSWSCHL=1,3) .....	2961	0.33

NOTE: The following two variables indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because they had a self-reported mental disorder or because of some other reason. In addition to the changes described in the note above SHSWSUI, further updates were made to these two variables during the 2017 NSDUH. These updates recategorized three OTHER, specify levels from 'some other reason' to 'self-reported mental disorder'. Due to the small combined impact of both changes on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their school social worker, school psychologist, or school counselor in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

SHSWMEND      Len : 1    RC-YTH LAST TLKD W/ SCH SOC WRK IN PY B/C SR MNTL DISDR

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493818	55.30
-9 = Data not collected for this year .....	386010	43.23
0 = Reason Not Indicated (See comment above SHSWSUI) .....	13085	1.47
1 = Reason Indicated (Diagnosed with mental disorder).....	59	0.01

For the following variable, SHSWOTH2, a respondent was classified as having indicated that they talked with school social worker for some other reason.

SHSWOTH2      Len : 1    RC-YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C OTH REASON

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	493818	55.30
-9 = Data not collected for this year .....	386010	43.23
0 = Reason Not Indicated (See comment above SHSWSUI) .....	12089	1.35
1 = Reason Indicated (Indicated some other reason).....	1055	0.12

NOTE: The following 13 variables contain the reasons youths last talked with their family doctor or pediatrician in the past year. During the 2017 NSDUH, updates were made to classify certain patterns of responses as 'Reason Not Indicated' rather than 'No Trt/Unknwn Reason/Aged 18+'. Due to the small impact on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their family doctor or pediatrician in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

The following variables, FDOCXXX, indicate whether a respondent last talked with their family doctor or pediatrician in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their family doctor or pediatrician (YUFDXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a family doctor or pediatrician in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

FDOCSUI      Len : 1    RC-YTH LAST SAW FAM DOC IN PY B/C TRIED SUIC

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above).....	667366	74.74
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (See comment above).....	3882	0.43
1 = Reason Indicated (YUFDSUIC=1,3) .....	908	0.10

FDOCDPR      Len : 1    RC-YTH LAST SAW FAM DOC IN PY B/C DEPRESSED

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667362	74.73
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (See comment above FDOCSUI).....	2487	0.28
1 = Reason Indicated (YUFDDEPR=1,3) .....	2307	0.26

FDOCFEA      Len : 1    RC-YTH LAST SAW FAM DOC IN PY B/C AFRAID/TENSE

	Freq	Pct
. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667365	74.74
-9 = Data not collected for this year .....	220816	24.73
0 = Reason Not Indicated (See comment above FDOCSUI).....	3801	0.43
1 = Reason Indicated (YUFDFEAR=1,3) .....	990	0.11

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

FDOCBRK	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C BROKE RULES		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667366	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4034	0.45
	1 = Reason Indicated (YUFDBKRU=1,3) .....	756	0.08
FDOCEAT	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C EATING PROBS		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667366	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4076	0.46
	1 = Reason Indicated (YUFDEATP=1,3) .....	714	0.08
FDOCANGR	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C ANGER CONTROL		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667369	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4374	0.49
	1 = Reason Indicated (YUFDANGR=1,3) .....	413	0.05
FDOCFITE	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PHYS FIGHT		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667369	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4678	0.52
	1 = Reason Indicated (YUFDFITE=1,3) .....	109	0.01
FDOCFMLY	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C HOME/FAM PROB		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667369	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4302	0.48
	1 = Reason Indicated (YUFDFMLY=1,3 or home/fam prob).....	485	0.05
FDOCFRND	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ FRND		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667369	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4569	0.51
	1 = Reason Indicated (YUFDFRND=1,3) .....	218	0.02
FDOCOTPP	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB W/ OTHER PERS		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667369	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4600	0.52
	1 = Reason Indicated(YUFDOTPP=1,3 or problem w/others).....	187	0.02
FDOCSCHL	Len : 1 RC-YTH LAST SAW FAM DOC IN PY B/C PROB AT SCH		
	. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment) .....	667369	74.74
	-9 = Data not collected for this year .....	220816	24.73
	0 = Reason Not Indicated (See comment above FDOCSUI).....	4249	0.48
	1 = Reason Indicated (YUFDSCHL=1,3) .....	538	0.06

RECORDED YOUTH MENTAL HEALTH SERVICE UTILIZATION

NOTE: The following two variables indicate whether a respondent last talked with their family doctor or pediatrician in the past year because they had a self-reported mental disorder or because of some other reason. In addition to the changes described in the note above FDOCSUI, further updates were made to these two variables during the 2017 NSDUH. These updates recategorized three OTHER, specify levels from 'some other reason' to 'self-reported mental disorder'. Due to the small combined impact of both changes on the estimates, these variables are still considered comparable to prior years and were not renamed. Starting with the 2017 Detailed Tables, the reasons youths last talked with their family doctor or pediatrician in the past year estimates in 2016 and later years are based on these updated versions. As a result, the 2016 estimates presented in the 2017 Detailed Tables may differ from previously published estimates.

**FDOCMEND**      Len : 1    RC-YTH LAST SAW FAM DOC IN PY B/C SR MNTL DISDR

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment).....	667370	74.74
-9 = Data not collected for this year.....	220816	24.73
0 = Reason Not Indicated (See comment above FDOCSUI).....	4624	0.52
1 = Reason Indicated (Diagnosed with mental disorder).....	162	0.02

For the following variable, FDOCOTH2, a respondent was classified as having indicated that they talked with their family doctor or pediatrician for some other reason.

**FDOCOTH2**      Len : 1    RC-YTH LAST SAW FAM DOC IN PY B/C OTHER REASONS

	<b>Freq</b>	<b>Pct</b>
. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment).....	667370	74.74
-9 = Data not collected for this year.....	220816	24.73
0 = Reason Not Indicated (See comment above FDOCSUI).....	4250	0.48
1 = Reason Indicated (Indicated some other reason).....	536	0.06

NOTE: The following four variables were created by using a combination of variables from the following sections: Recorded Youth Mental Health Service Utilization and Recorded Drug Treatment. Specifications on how the individual Recorded Youth Mental Health Service Utilization variables were defined can be found above. Specifications on how the individual Recorded Drug Treatment variable was defined can be found in the Recorded Drug Treatment section.

The following four variables were created based on three source variables: received specialty mental health services in the past year (ANYSMH2), received non-specialty mental health services in the past year (ANYNSMH), and received substance use treatment at a specialty facility in the past year (TXYRSPILAL).

The following variable, YMHOSPTX, indicates whether a youth reported receiving mental health services in the past year or substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty/non-specialty mental health services, or received substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=1)). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, and did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=0).

**YMHOSPTX**      Len : 1    RC-YOUTH: RCVD MH SRVC OR SUB TRT AT SPEC FAC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	129861	14.54
-9 = Data not collected for this year.....	722653	80.93
0 = No MH & No Sub Trt (see comment above).....	30398	3.40
1 = MH or Sub Trt at Spc Fac (see comment above).....	10060	1.13

The following variable, YMHNSPTX, indicates whether a youth reported receiving mental health services in the past year but not substance use treatment at a specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, but did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=1 or ANYNSMH=1) and TXYRSPILAL=0). A respondent was assigned a negative response if they were 12 to 17 years old and they either did not receive specialty or non-specialty mental health services, or they received substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=1)).

**YMHNSPTX**      Len : 1    RC-YOUTH: RCVD MH SRVC BUT NOT SUB TRT AT SPEC FAC IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Aged 18+ (Otherwise).....	129861	14.54
-9 = Data not collected for this year.....	722653	80.93
0 = Otherwise (See comment above).....	30579	3.42
1 = Mental Health Srv Only (see comment above).....	9879	1.11

RECODED YOUTH MENTAL HEALTH SERVICE UTILIZATION

The following variable, YSPTXNMH, indicates whether a youth reported receiving substance use treatment at specialty facility in the past year but not receiving mental health services in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, but did receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=0 and ANYNSMH=0) and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and either received specialty or non-specialty mental health services, or they did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=1 or ANYNSMH=1) or TXYRSPILAL=0)).

YSPTXNMH      Len : 1    RC-YOUTH: RCVD SUB TRT AT SPEC FAC BUT NOT MH SRVC IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	128746	14.42
-9 = Data not collected for this year.....	722653	80.93
0 = Otherwise (see comment above).....	41517	4.65
1 = Sub Trt at Spc Fac Only (see comment above).....	56	0.01

The following variable, YMHASPTX, indicates whether a youth reported receiving both mental treatment services and substance use treatment at specialty facility in the past year. A respondent was assigned a positive response if they were 12 to 17 years old and received specialty or non-specialty mental health services, and received substance use treatment at a specialty facility in the past year (AGE2=1-6 and (ANYSMH2=1 or ANYNSMH=1) and TXYRSPILAL=1). A respondent was assigned a negative response if they were 12 to 17 years old and did not receive specialty or non-specialty mental health services, or did not receive substance use treatment at a specialty facility in the past year (AGE2=1-6 and ((ANYSMH2=0 and ANYNSMH=0) or TXYRSPILAL=0)).

YMHASPTX      Len : 1    RC-YOUTH: RCVD BOTH MH SRVC AND SUB TRT AT SPEC FAC IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	128746	14.42
-9 = Data not collected for this year.....	722653	80.93
0 = Otherwise (see comment above).....	41454	4.64
1 = MH Srv & Sub Trt at Spc Fac(see comment above).....	119	0.01

ADOLESCENT DEPRESSION

**ADOLESCENT DEPRESSION**

*This note applies to variables in this section marked by a<sup>1</sup>.*

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

**YODPREV<sup>1</sup>**      Len : 2    EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	107208	12.01
2 = No.....	126093	14.12
85 = BAD DATA Logically assigned .....	67	0.01
89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
94 = DON'T KNOW .....	1523	0.17
97 = REFUSED .....	1001	0.11
98 = BLANK (NO ANSWER) .....	41	0.00
99 = LEGITIMATE SKIP.....	547724	61.34

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

**YODSCEV<sup>1</sup>**      Len : 2    EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	10809	1.21
2 = No.....	115576	12.94
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
94 = DON'T KNOW .....	1300	0.15
97 = REFUSED .....	932	0.10
98 = BLANK (NO ANSWER) .....	107	0.01
99 = LEGITIMATE SKIP.....	654933	73.34

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

**YOLOSEV<sup>1</sup>**      Len : 2    EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	17031	1.91
2 = No.....	98864	11.07
85 = BAD DATA Logically assigned .....	1	0.00
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
94 = DON'T KNOW .....	1153	0.13
97 = REFUSED .....	759	0.08
98 = BLANK (NO ANSWER) .....	108	0.01
99 = LEGITIMATE SKIP.....	665743	74.55

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

**YODPDISC<sup>1</sup>**      Len : 2    FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	90235	10.11
2 = No.....	16261	1.82
85 = BAD DATA Logically assigned .....	66	0.01
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	583	0.07
97 = REFUSED .....	129	0.01
98 = BLANK (NO ANSWER) .....	1373	0.15
99 = LEGITIMATE SKIP.....	675015	75.59

ADOLESCENT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

**YODPLSIN<sup>1</sup>**      Len : 2    EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	74133	8.30
2 = No.....	32524	3.64
85 = BAD DATA Logically assigned.....	65	0.01
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	422	0.05
97 = REFUSED.....	129	0.01
98 = BLANK (NO ANSWER).....	1374	0.15
99 = LEGITIMATE SKIP.....	675015	75.59

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

**YODSLSIN<sup>1</sup>**      Len : 2    EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	5370	0.60
2 = No.....	5374	0.60
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
94 = DON'T KNOW.....	50	0.01
97 = REFUSED.....	15	0.00
98 = BLANK (NO ANSWER).....	1598	0.18
99 = LEGITIMATE SKIP.....	771255	86.37

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

**YOLS2WK<sup>1</sup>**      Len : 2    PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	2085	0.23
2 = No.....	14703	1.65
94 = DON'T KNOW.....	213	0.02
97 = REFUSED.....	30	0.00
98 = BLANK (NO ANSWER).....	2021	0.23
99 = LEGITIMATE SKIP.....	764611	85.63

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

**YODPR2WK<sup>1</sup>**      Len : 2    TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	109309	12.24
1 = Yes.....	65010	7.28
2 = No.....	52167	5.84
85 = BAD DATA Logically assigned.....	66	0.01
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
94 = DON'T KNOW.....	644	0.07
97 = REFUSED.....	196	0.02
98 = BLANK (NO ANSWER).....	1532	0.17
99 = LEGITIMATE SKIP.....	664046	74.36



ADOLESCENT DEPRESSION

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

**YOWRHRS<sup>1</sup>**      Len : 2    TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Less than 1 hour.....	11063	1.24
2 = At least 1 hour but no more than 3 hours .....	19282	2.16
3 = At least 3 hours but no more than 5 hours.....	15053	1.69
4 = 5 hours or more.....	20557	2.30
85 = BAD DATA Logically assigned .....	66	0.01
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	948	0.11
97 = REFUSED .....	192	0.02
98 = BLANK (NO ANSWER) .....	3038	0.34
99 = LEGITIMATE SKIP.....	713463	79.90

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

**YOWRDST<sup>1</sup>**      Len : 2    HOW STRONG WERE BAD FEELINGS DURING 2 WKS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Mild .....	8317	0.93
2 = Moderate.....	22917	2.57
3 = Severe .....	17068	1.91
4 = Very Severe .....	6820	0.76
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	698	0.08
97 = REFUSED .....	213	0.02
98 = BLANK (NO ANSWER) .....	3103	0.35
99 = LEGITIMATE SKIP.....	724526	81.14

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

**YOWRCHR<sup>1</sup>**      Len : 2    BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Often.....	16159	1.81
2 = Sometimes .....	24371	2.73
3 = Not very often .....	11004	1.23
4 = Never .....	4012	0.45
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	327	0.04
97 = REFUSED .....	160	0.02
98 = BLANK (NO ANSWER) .....	3103	0.35
99 = LEGITIMATE SKIP.....	724526	81.14

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

**YOWRIMP<sup>1</sup>**      Len : 2    MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Often.....	9762	1.09
2 = Sometimes .....	20040	2.24
3 = Not very often .....	15120	1.69
4 = Never .....	10546	1.18
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
94 = DON'T KNOW .....	390	0.04
97 = REFUSED .....	175	0.02
98 = BLANK (NO ANSWER) .....	3103	0.35
99 = LEGITIMATE SKIP.....	724526	81.14

ADOLESCENT DEPRESSION

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

<b>YODPPROB<sup>1</sup></b>	Len : 2	EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	41029	4.59
		2 = No.....	13291	1.49
		89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
		94 = DON'T KNOW .....	266	0.03
		97 = REFUSED .....	126	0.01
		98 = BLANK (NO ANSWER) .....	3103	0.35
		99 = LEGITIMATE SKIP.....	725847	81.28

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

<b>YOWRPROB<sup>1</sup></b>	Len : 2	ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	31796	3.56
		2 = No.....	8911	1.00
		94 = DON'T KNOW .....	259	0.03
		97 = REFUSED .....	63	0.01
		98 = BLANK (NO ANSWER) .....	3495	0.39
		99 = LEGITIMATE SKIP.....	739139	82.77

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

<b>YOWRAGE<sup>1</sup></b>	Len : 3	AGE WHEN WORST PERIOD OF TIME STARTED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 17 .....	39745	4.45
		-9 = Data not collected for this year .....	109309	12.24
		985 = BAD DATA Logically assigned .....	6	0.00
		994 = DON'T KNOW .....	1088	0.12
		997 = REFUSED .....	189	0.02
		998 = BLANK (NO ANSWER).....	3496	0.39
		999 = LEGITIMATE SKIP.....	739139	82.77

ADOLESCENT DEPRESSION

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

**YOWRDEPR<sup>1</sup>**      Len : 2    WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	30202	3.38
2 = No.....	10482	1.17
94 = DON'T KNOW .....	246	0.03
97 = REFUSED .....	98	0.01
98 = BLANK (NO ANSWER) .....	3496	0.39
99 = LEGITIMATE SKIP.....	739139	82.77

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

**YOWRDISC<sup>1</sup>**      Len : 2    WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	30464	3.41
2 = No.....	10156	1.14
94 = DON'T KNOW .....	305	0.03
97 = REFUSED .....	103	0.01
98 = BLANK (NO ANSWER) .....	3496	0.39
99 = LEGITIMATE SKIP.....	739139	82.77

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

**YOWRLSIN<sup>1</sup>**      Len : 2    WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	31412	3.52
2 = No.....	9362	1.05
94 = DON'T KNOW .....	176	0.02
97 = REFUSED .....	78	0.01
98 = BLANK (NO ANSWER) .....	3496	0.39
99 = LEGITIMATE SKIP.....	739139	82.77

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

**YOWRPLSR<sup>1</sup>**      Len : 2    WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	28337	3.17
2 = No.....	12383	1.39
94 = DON'T KNOW .....	228	0.03
97 = REFUSED .....	80	0.01
98 = BLANK (NO ANSWER) .....	3496	0.39
99 = LEGITIMATE SKIP.....	739139	82.77

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

**YOWRELES<sup>1</sup>**      Len : 2    WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	20386	2.28
2 = No.....	17438	1.95
94 = DON'T KNOW .....	268	0.03
97 = REFUSED .....	67	0.01
98 = BLANK (NO ANSWER) .....	3677	0.41
99 = LEGITIMATE SKIP.....	741827	83.07

ADOLESCENT DEPRESSION

Did you eat much more than usual almost every day?

<b>YOWREMOR<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	6668	0.75
	2 = No.....	10800	1.21
	94 = DON'T KNOW .....	248	0.03
	97 = REFUSED .....	57	0.01
	98 = BLANK (NO ANSWER) .....	3677	0.41
	99 = LEGITIMATE SKIP.....	762213	85.36

Did you gain weight without trying to during that [TIMEFILL] period of time?

<b>YOWRGAIN<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	5564	0.62
	2 = No.....	11795	1.32
	94 = DON'T KNOW .....	361	0.04
	97 = REFUSED .....	53	0.01
	98 = BLANK (NO ANSWER) .....	3677	0.41
	99 = LEGITIMATE SKIP.....	762213	85.36

Did you gain weight without trying to because you were growing?

<b>YOWRGROW<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	2260	0.25
	2 = No.....	2997	0.34
	94 = DON'T KNOW .....	303	0.03
	97 = REFUSED .....	4	0.00
	98 = BLANK (NO ANSWER) .....	4091	0.46
	99 = LEGITIMATE SKIP.....	774008	86.68

Did you gain weight without trying to because you were pregnant?

<b>YOWRREG<sup>1</sup></b>	Len : 2 WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	33	0.00
	2 = No.....	2687	0.30
	94 = DON'T KNOW .....	8	0.00
	97 = REFUSED .....	6	0.00
	98 = BLANK (NO ANSWER) .....	2049	0.23
	99 = LEGITIMATE SKIP.....	778880	87.22

How many pounds did you gain?

Please enter your answer as a whole number.

<b>YOWRGNL2<sup>1</sup></b>	Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0 - 51 .....	2930	0.33
	RANGE = 0 - 51 .....	2930	0.33
	-9 = Data not collected for this year .....	109309	12.24
	-9 = Data not collected for this year .....	109309	12.24
	994 = DON'T KNOW .....	302	0.03
	994 = DON'T KNOW .....	302	0.03
	997 = REFUSED .....	39	0.00
	997 = REFUSED .....	39	0.00
	998 = BLANK (NO ANSWER).....	4091	0.46
	998 = BLANK (NO ANSWER).....	4091	0.46
	999 = LEGITIMATE SKIP.....	776301	86.93
	999 = LEGITIMATE SKIP.....	776301	86.93

ADOLESCENT DEPRESSION

Did you lose weight without trying to?

<b>YOWRLOSE<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	15124	1.69
		2 = No.....	16753	1.88
		94 = DON'T KNOW .....	663	0.07
		97 = REFUSED .....	55	0.01
		98 = BLANK (NO ANSWER) .....	3725	0.42
		99 = LEGITIMATE SKIP.....	747343	83.69

Did you lose weight without trying to because you were sick or on a diet?

<b>YOWRDIET<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST LOSE WGT W/O TRYING BC SICK/DT		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	4852	0.54
		2 = No.....	10193	1.14
		94 = DON'T KNOW .....	74	0.01
		97 = REFUSED .....	5	0.00
		98 = BLANK (NO ANSWER) .....	4443	0.50
		99 = LEGITIMATE SKIP.....	764096	85.57

How many pounds did you lose?

Please enter your answer as a whole number.

<b>YOWRSL2<sup>1</sup></b>	Len : 3	WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 0 - 51 .....	9518	1.07
		-9 = Data not collected for this year .....	109309	12.24
		994 = DON'T KNOW .....	699	0.08
		997 = REFUSED .....	55	0.01
		998 = BLANK (NO ANSWER).....	4443	0.50
		999 = LEGITIMATE SKIP.....	768948	86.11

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

<b>YOWRSLEP<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	28931	3.24
		2 = No.....	8908	1.00
		94 = DON'T KNOW .....	251	0.03
		97 = REFUSED .....	69	0.01
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

<b>YOWRSMOR<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	4752	0.53
		2 = No.....	4274	0.48
		94 = DON'T KNOW .....	174	0.02
		97 = REFUSED .....	28	0.00
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	770758	86.31

ADOLESCENT DEPRESSION

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

<b>YOWRENRG<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	32692	3.66
		2 = No.....	5266	0.59
		94 = DON'T KNOW .....	163	0.02
		97 = REFUSED .....	38	0.00
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

<b>YOWRSLOW<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	26836	3.01
		2 = No.....	11019	1.23
		94 = DON'T KNOW .....	256	0.03
		97 = REFUSED .....	48	0.01
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

Did anyone else notice that you were talking or moving more slowly than usual?

<b>YOWRSLNO<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	17652	1.98
		2 = No.....	8772	0.98
		94 = DON'T KNOW .....	405	0.05
		97 = REFUSED .....	7	0.00
		98 = BLANK (NO ANSWER) .....	3981	0.45
		99 = LEGITIMATE SKIP.....	752846	84.31

Were you so restless or jittery that you walked up or down or couldn't sit still?

<b>YOWRJITT<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	3368	0.38
		2 = No.....	7751	0.87
		94 = DON'T KNOW .....	166	0.02
		97 = REFUSED .....	38	0.00
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	768663	86.08

Did anyone else notice that you couldn't sit still?

<b>YOWRJINO<sup>1</sup></b>	Len : 2	WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	1880	0.21
		2 = No.....	1418	0.16
		94 = DON'T KNOW .....	68	0.01
		97 = REFUSED .....	2	0.00
		98 = BLANK (NO ANSWER) .....	3881	0.43
		99 = LEGITIMATE SKIP.....	776414	86.95

ADOLESCENT DEPRESSION

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

<b>YOWRTHOT<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	26576	2.98
		2 = No.....	11139	1.25
		94 = DON'T KNOW .....	364	0.04
		97 = REFUSED .....	80	0.01
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

On most days, did you have a lot more trouble than usual keeping your mind on things?

<b>YOWRCONC<sup>1</sup></b>	Len : 2	WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	30949	3.47
		2 = No.....	6958	0.78
		94 = DON'T KNOW .....	197	0.02
		97 = REFUSED .....	55	0.01
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

<b>YOWRDCSN<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	23917	2.68
		2 = No.....	13794	1.54
		94 = DON'T KNOW .....	385	0.04
		97 = REFUSED .....	63	0.01
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

Did you feel that you were not as good as other people nearly every day?

<b>YOWRNOGD<sup>1</sup></b>	Len : 2	WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	29417	3.29
		2 = No.....	8490	0.95
		94 = DON'T KNOW .....	182	0.02
		97 = REFUSED .....	70	0.01
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

Did you feel totally worthless nearly every day?

<b>YOWRWRTH<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	21723	2.43
		2 = No.....	7571	0.85
		94 = DON'T KNOW .....	84	0.01
		97 = REFUSED .....	39	0.00
		98 = BLANK (NO ANSWER) .....	3929	0.44
		99 = LEGITIMATE SKIP.....	750317	84.02

ADOLESCENT DEPRESSION

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

<b>YOWRDLOT<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	23852	2.67
		2 = No.....	13917	1.56
		94 = DON'T KNOW .....	136	0.02
		97 = REFUSED .....	254	0.03
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

During that period, did you ever think that it would be better if you were dead?

<b>YOWRDBTR<sup>1</sup></b>	Len : 2	WHEN PRBLMS WRST THINK IT WOULD BE BETTER IF DEAD		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	22586	2.53
		2 = No.....	15009	1.68
		94 = DON'T KNOW .....	197	0.02
		97 = REFUSED .....	367	0.04
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

Did you think about killing yourself?

<b>YOWRSTHK<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST THINK ABOUT KILLING YOURSELF		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	18689	2.09
		2 = No.....	18840	2.11
		94 = DON'T KNOW .....	141	0.02
		97 = REFUSED .....	489	0.05
		98 = BLANK (NO ANSWER) .....	3677	0.41
		99 = LEGITIMATE SKIP.....	741827	83.07

Did you make a plan to kill yourself?

<b>YOWRSPLN<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST MAKE A PLAN TO KILL YOURSELF		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	8769	0.98
		2 = No.....	9809	1.10
		94 = DON'T KNOW .....	30	0.00
		97 = REFUSED .....	81	0.01
		98 = BLANK (NO ANSWER) .....	4307	0.48
		99 = LEGITIMATE SKIP.....	760667	85.18

Did you make a suicide attempt or try to kill yourself?

<b>YOWRSATP<sup>1</sup></b>	Len : 2	WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	109309	12.24
		1 = Yes.....	6526	0.73
		2 = No.....	12025	1.35
		94 = DON'T KNOW .....	26	0.00
		97 = REFUSED .....	112	0.01
		98 = BLANK (NO ANSWER) .....	4307	0.48
		99 = LEGITIMATE SKIP.....	760667	85.18



ADOLESCENT DEPRESSION

<b>YO_MDEA1<sup>1</sup></b>	<b>Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	33951	3.80
	2 = Does not have symptom.....	6757	0.76
	94 = DON'T KNOW .....	233	0.03
	97 = REFUSED .....	87	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	194905	21.83
	99 = LEGITIMATE SKIP.....	547730	61.34
<b>YO_MDEA2<sup>1</sup></b>	<b>Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	36091	4.04
	2 = Does not have symptom.....	6288	0.70
	94 = DON'T KNOW .....	386	0.04
	97 = REFUSED .....	96	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	193072	21.62
	99 = LEGITIMATE SKIP.....	547730	61.34
<b>YO_MDEA3<sup>1</sup></b>	<b>Len : 2 CHANGES IN APPETITE OR WT</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	27849	3.12
	2 = Does not have symptom.....	9612	1.08
	94 = DON'T KNOW .....	621	0.07
	97 = REFUSED .....	77	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	197774	22.15
	99 = LEGITIMATE SKIP.....	547730	61.34
<b>YO_MDEA4<sup>1</sup></b>	<b>Len : 2 SLEEP PROBLEMS</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	33683	3.77
	2 = Does not have symptom.....	4194	0.47
	94 = DON'T KNOW .....	243	0.03
	97 = REFUSED .....	39	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	197774	22.15
	99 = LEGITIMATE SKIP.....	547730	61.34
<b>YO_MDEA5<sup>1</sup></b>	<b>Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	19532	2.19
	2 = Does not have symptom.....	18145	2.03
	94 = DON'T KNOW .....	473	0.05
	97 = REFUSED .....	9	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	197774	22.15
	99 = LEGITIMATE SKIP.....	547730	61.34
<b>YO_MDEA6<sup>1</sup></b>	<b>Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY</b>		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	32692	3.66
	2 = Does not have symptom.....	5266	0.59
	94 = DON'T KNOW .....	163	0.02
	97 = REFUSED .....	38	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	197774	22.15
	99 = LEGITIMATE SKIP.....	547730	61.34

ADOLESCENT DEPRESSION

<b>YO_MDEA7<sup>1</sup></b>	Len : 2 FELT WORTHLESS NEARLY EVERY DAY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	21723	2.43
	2 = Does not have symptom.....	16313	1.83
	94 = DON'T KNOW .....	84	0.01
	97 = REFUSED .....	39	0.00
	98 = OTHER MISSING/NOT APPLICABLE.....	197774	22.15
	99 = LEGITIMATE SKIP.....	547730	61.34

<b>YO_MDEA8<sup>1</sup></b>	Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	34045	3.81
	2 = Does not have symptom.....	3890	0.44
	94 = DON'T KNOW .....	171	0.02
	97 = REFUSED .....	53	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	197774	22.15
	99 = LEGITIMATE SKIP.....	547730	61.34

<b>YO_MDEA9<sup>1</sup></b>	Len : 2 ANY THOUGHTS OR PLANS OF SUICIDE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has symptom .....	28033	3.14
	2 = Does not have symptom.....	9712	1.09
	94 = DON'T KNOW .....	131	0.01
	97 = REFUSED .....	283	0.03
	98 = OTHER MISSING/NOT APPLICABLE.....	197774	22.15
	99 = LEGITIMATE SKIP.....	547730	61.34

<b>YODSMMDE<sup>1</sup></b>	Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Has 5 or more symptoms .....	34252	3.84
	2 = Has less than 5 symptoms .....	8287	0.93
	94 = SUM OF SYMPTOMS AND DON'T KNOW >=5 .....	256	0.03
	97 = SUM OF SYMPTOMS AND REFUSED >=5 .....	66	0.01
	98 = OTHER MISSING/NOT APPLICABLE.....	193072	21.62
	99 = LEGITIMATE SKIP.....	547730	61.34

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

<b>YOPBINTF<sup>1</sup></b>	Len : 2 WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Not at all .....	2038	0.23
	2 = A little.....	7157	0.80
	3 = Some.....	11276	1.26
	4 = A lot.....	10274	1.15
	5 = Extremely .....	4527	0.51
	94 = DON'T KNOW .....	79	0.01
	97 = REFUSED .....	57	0.01
	98 = BLANK (NO ANSWER) .....	3913	0.44
	99 = LEGITIMATE SKIP.....	744342	83.36

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

YOPBDLYA<sup>1</sup> Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Often.....	6290	0.70
2 = Sometimes .....	15640	1.75
3 = Not very often .....	8298	0.93
4 = Never .....	2868	0.32
94 = DON'T KNOW .....	199	0.02
97 = REFUSED .....	75	0.01
98 = BLANK (NO ANSWER) .....	3913	0.44
99 = LEGITIMATE SKIP.....	746380	83.58

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

YOPBRMBR<sup>1</sup> Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	20581	2.30
2 = No.....	14540	1.63
94 = DON'T KNOW .....	219	0.02
97 = REFUSED .....	68	0.01
98 = BLANK (NO ANSWER) .....	3913	0.44
99 = LEGITIMATE SKIP.....	744342	83.36

How old were you?

YOPBAGE<sup>1</sup> Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17 .....	33434	3.74
-9 = Data not collected for this year .....	109309	12.24
985 = BAD DATA Logically assigned .....	4	0.00
994 = DON'T KNOW .....	1744	0.20
997 = REFUSED .....	158	0.02
998 = BLANK (NO ANSWER).....	3981	0.45
999 = LEGITIMATE SKIP.....	744342	83.36

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

YOPBNUM<sup>1</sup> Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000 .....	30298	3.39
-9 = Data not collected for this year .....	109309	12.24
9994 = DON'T KNOW .....	4456	0.50
9997 = REFUSED .....	654	0.07
9998 = BLANK (NO ANSWER).....	3913	0.44
9999 = LEGITIMATE SKIP.....	744342	83.36

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

YOPB2WK<sup>1</sup> Len : 2 FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS

	Freq	Pct
-9 = Data not collected for this year .....	109309	12.24
1 = Yes.....	22947	2.57
2 = No.....	11595	1.30
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	665	0.07
97 = REFUSED .....	200	0.02
98 = BLANK (NO ANSWER) .....	3913	0.44
99 = LEGITIMATE SKIP.....	744342	83.36

ADOLESCENT DEPRESSION

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

<b>YOPSHMGT<sup>1</sup></b>	Len : 2	HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	109309	12.24
		0 = No Problems .....	1606	0.18
		1 = Mild - 1 .....	1038	0.12
		2 = Mild - 2 .....	1648	0.18
		3 = Mild - 3 .....	1990	0.22
		4 = Moderate - 4 .....	2210	0.25
		5 = Moderate - 5 .....	3640	0.41
		6 = Moderate - 6 .....	3250	0.36
		7 = Severe - 7 .....	2520	0.28
		8 = Severe - 8 .....	2235	0.25
		9 = Severe - 9 .....	936	0.10
		10 = Very Severe Problems.....	1454	0.16
		85 = BAD DATA Logically assigned .....	1	0.00
		94 = DON'T KNOW .....	133	0.01
		95 = ACTIVITY DOES NOT APPLY.....	236	0.03
		97 = REFUSED .....	51	0.01
		98 = BLANK (NO ANSWER) .....	4778	0.54
		99 = LEGITIMATE SKIP.....	755937	84.65

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

<b>YOPSWORK<sup>1</sup></b>	Len : 2	HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year.....	109309	12.24
		0 = No Problems .....	1135	0.13
		1 = Mild - 1 .....	968	0.11
		2 = Mild - 2 .....	1532	0.17
		3 = Mild - 3 .....	1960	0.22
		4 = Moderate - 4 .....	2053	0.23
		5 = Moderate - 5 .....	3256	0.36
		6 = Moderate - 6 .....	2907	0.33
		7 = Severe - 7 .....	2640	0.30
		8 = Severe - 8 .....	2576	0.29
		9 = Severe - 9 .....	1575	0.18
		10 = Very Severe Problems.....	1934	0.22
		85 = BAD DATA Logically assigned .....	1	0.00
		94 = DON'T KNOW .....	124	0.01
		95 = ACTIVITY DOES NOT APPLY.....	235	0.03
		97 = REFUSED .....	52	0.01
		98 = BLANK (NO ANSWER) .....	4778	0.54
		99 = LEGITIMATE SKIP.....	755937	84.65

ADOLESCENT DEPRESSION

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

YOPSRELS<sup>1</sup> Len : 2 HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
0 = No Problems .....	901	0.10
1 = Mild - 1 .....	762	0.09
2 = Mild - 2 .....	1171	0.13
3 = Mild - 3 .....	1604	0.18
4 = Moderate - 4 .....	1724	0.19
5 = Moderate - 5 .....	2755	0.31
6 = Moderate - 6 .....	2669	0.30
7 = Severe - 7 .....	2991	0.33
8 = Severe - 8 .....	2962	0.33
9 = Severe - 9 .....	2176	0.24
10 = Very Severe Problems.....	2923	0.33
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	107	0.01
95 = ACTIVITY DOES NOT APPLY.....	143	0.02
97 = REFUSED .....	59	0.01
98 = BLANK (NO ANSWER) .....	4778	0.54
99 = LEGITIMATE SKIP.....	755937	84.65

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

YOPSSOC<sup>1</sup> Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
-9 = Data not collected for this year.....	109309	12.24
0 = No Problems .....	840	0.09
1 = Mild - 1 .....	710	0.08
2 = Mild - 2 .....	1139	0.13
3 = Mild - 3 .....	1632	0.18
4 = Moderate - 4 .....	1951	0.22
5 = Moderate - 5 .....	2922	0.33
6 = Moderate - 6 .....	2760	0.31
7 = Severe - 7 .....	2831	0.32
8 = Severe - 8 .....	2896	0.32
9 = Severe - 9 .....	2221	0.25
10 = Very Severe Problems.....	2709	0.30
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	117	0.01
95 = ACTIVITY DOES NOT APPLY.....	155	0.02
97 = REFUSED .....	64	0.01
98 = BLANK (NO ANSWER) .....	4778	0.54
99 = LEGITIMATE SKIP.....	755937	84.65

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC are no longer asked the question corresponding to YOPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to YOPSHMGT through YOPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

YOPSDAYS<sup>1</sup> Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365 .....	21706	2.43
-9 = Data not collected for this year.....	109309	12.24
985 = BAD DATA Logically assigned .....	1	0.00
994 = DON'T KNOW .....	983	0.11
997 = REFUSED .....	88	0.01
998 = BLANK (NO ANSWER).....	4839	0.54
999 = LEGITIMATE SKIP.....	756046	84.67

ADOLESCENT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

<b>YOSEEDOC<sup>1</sup></b>	Len : 2 SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Yes.....	11198	1.25
	2 = No.....	23831	2.67
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	228	0.03
	97 = REFUSED .....	150	0.02
	98 = BLANK (NO ANSWER) .....	3913	0.44
	99 = LEGITIMATE SKIP.....	744342	83.36

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

<b>YOFAMDOC<sup>1</sup></b>	Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	2561	0.29
	3 = Response entered LOGICALLY ASSIGNED .....	2	0.00
	6 = Response not entered .....	8434	0.94
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP.....	768173	86.02

<b>YOOHDOC<sup>1</sup></b>	Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	453	0.05
	3 = Response entered LOGICALLY ASSIGNED .....	20	0.00
	6 = Response not entered .....	10524	1.18
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP.....	768173	86.02

<b>YOPSYCH<sup>1</sup></b>	Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	3588	0.40
	3 = Response entered LOGICALLY ASSIGNED .....	5	0.00
	6 = Response not entered .....	7404	0.83
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP.....	768173	86.02

ADOLESCENT DEPRESSION

<b>YOPSYMD<sup>1</sup></b>	Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	2719	0.30
	3 = Response entered LOGICALLY ASSIGNED .....	4	0.00
	6 = Response not entered .....	8274	0.93
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP .....	768173	86.02
<b>YOSOCWRK<sup>1</sup></b>	Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	1690	0.19
	3 = Response entered LOGICALLY ASSIGNED .....	1	0.00
	6 = Response not entered .....	9306	1.04
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP .....	768173	86.02
<b>YOCOUNS<sup>1</sup></b>	Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	6743	0.76
	3 = Response entered LOGICALLY ASSIGNED .....	46	0.01
	6 = Response not entered .....	4208	0.47
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP .....	768173	86.02
<b>YOOTMHP<sup>1</sup></b>	Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	726	0.08
	3 = Response entered LOGICALLY ASSIGNED .....	3	0.00
	6 = Response not entered .....	10268	1.15
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP .....	768173	86.02
<b>YONURSE<sup>1</sup></b>	Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	948	0.11
	3 = Response entered LOGICALLY ASSIGNED .....	7	0.00
	6 = Response not entered .....	10042	1.12
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP .....	768173	86.02
<b>YORELIG<sup>1</sup></b>	Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	109309	12.24
	1 = Response entered .....	1370	0.15
	3 = Response entered LOGICALLY ASSIGNED .....	7	0.00
	6 = Response not entered .....	9620	1.08
	94 = DON'T KNOW .....	123	0.01
	97 = REFUSED .....	228	0.03
	98 = BLANK (NO ANSWER) .....	4142	0.46
	99 = LEGITIMATE SKIP .....	768173	86.02

ADOLESCENT DEPRESSION

**YOHHERBAL<sup>1</sup>**      Len : 2    HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	226	0.03
6 = Response not entered .....	10771	1.21
94 = DON'T KNOW .....	123	0.01
97 = REFUSED .....	228	0.03
98 = BLANK (NO ANSWER) .....	4142	0.46
99 = LEGITIMATE SKIP .....	768173	86.02

**YOTHHLP<sup>1</sup>**      Len : 2    OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Response entered .....	568	0.06
6 = Response not entered .....	10429	1.17
94 = DON'T KNOW .....	123	0.01
97 = REFUSED .....	228	0.03
98 = BLANK (NO ANSWER) .....	4142	0.46
99 = LEGITIMATE SKIP .....	768173	86.02

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

**YOTMTNOW<sup>1</sup>**      Len : 2    CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	4907	0.55
2 = No .....	6263	0.70
94 = DON'T KNOW .....	17	0.00
97 = REFUSED .....	161	0.02
98 = BLANK (NO ANSWER) .....	4142	0.46
99 = LEGITIMATE SKIP .....	768173	86.02

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

**YORX12MO<sup>1</sup>**      Len : 2    TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	5546	0.62
2 = No .....	29620	3.32
85 = BAD DATA Logically assigned .....	1	0.00
94 = DON'T KNOW .....	143	0.02
97 = REFUSED .....	98	0.01
98 = BLANK (NO ANSWER) .....	3913	0.44
99 = LEGITIMATE SKIP .....	744342	83.36

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

**YORXNOW<sup>1</sup>**      Len : 2    CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Yes .....	3765	0.42
2 = No .....	1773	0.20
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	101	0.01
98 = BLANK (NO ANSWER) .....	4057	0.45
99 = LEGITIMATE SKIP .....	773962	86.67



ADOLESCENT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

YORXHLP<sup>1</sup>

Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Not at all .....	833	0.09
2 = A little.....	948	0.11
3 = Some.....	1295	0.15
4 = A lot.....	1551	0.17
5 = Extremely .....	884	0.10
94 = DON'T KNOW .....	22	0.00
97 = REFUSED .....	111	0.01
98 = BLANK (NO ANSWER) .....	4057	0.45
99 = LEGITIMATE SKIP.....	773962	86.67

During the past 12 months, how much has treatment or counseling helped you?

YOTMTHLP<sup>1</sup>

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	109309	12.24
1 = Not at all .....	1826	0.20
2 = A little.....	2332	0.26
3 = Some.....	2793	0.31
4 = A lot.....	2766	0.31
5 = Extremely .....	1363	0.15
94 = DON'T KNOW .....	78	0.01
97 = REFUSED .....	190	0.02
98 = BLANK (NO ANSWER) .....	4142	0.46
99 = LEGITIMATE SKIP.....	768173	86.02

RECODED ADOLESCENT DEPRESSION

**RECODED ADOLESCENT DEPRESSION**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Starting with the 2004 NSDUH, respondents were administered separate age-appropriate depression modules designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. All adolescent (youth) respondents aged 12 to 17 were asked questions from the Youth Depression module. The 2004 NSDUH only asked a subsample of adults aged 18 or older the questions from the Adult Depression module, but starting in 2005, all adults were administered the questionnaire module.

From 2004 through 2007, a single set of variables was created containing the recoded MDE data for both adult and adolescent respondents combined. In 2008, instead of a single set of variables, two recoded sets of MDE variables were created for adolescents and adults separately. This change was due to the presence of context effects in the adult estimates stemming from changes in the mental health module which precedes the adult depression section within the questionnaire. Based on an analysis of the 2008 data that evaluated the presence of context effects, it was determined that the adult depression estimates in 2008 and later years are not comparable with years prior to 2008, and the variables were therefore renamed to indicate the lack of comparability. The youth depression estimates were not impacted by the 2008 adult questionnaire changes and are considered comparable across years. Therefore, only the youth depression variables that were previously defined for both adults and youth had to be renamed. Multi-year trend analyses can be performed by renaming the recoded adolescent depression variables the same across years. Youth depression variables that did not require renaming are noted specifically in the comments above the variables below. See the 2008 Recoded Mental Health Appendix for more detailed information on the 2008 changes as well as the 2008 Recoded Depression Variable Documentation Appendix for example SAS code showing how to rename the variables for multi-year analyses.

In 2009, changes were made to the youth mental health service utilization (YMHSU) questions that preceded the adolescent depression questions. These changes included the replacement of five questions that asked about receipt of special education services and school counseling, and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors. Due to this change, a context effect analysis was done using data from the first 6 months of the 2009 NSDUH and sought to determine whether changes in the YMHSU module affected responses to the first three adolescent depression questions and the lifetime and past year MDE estimates. The results of the analysis showed these changes in 2009 did not appear to affect the estimates of adolescent MDE; therefore, no further variable changes were needed.

Additional details on these adolescent depression recoded variables are provided in the Recoded Depression Variable Documentation Appendix.

The following variable, YMDELTA, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDELTA=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1).

An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDELTA=2, if they met either of these conditions

- Reported experiencing fewer than five out of the nine criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
- If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=94, 97, 98) and the respondent reported at least one of the following.
  - 
  - 
  - Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YODPREV=2), discouraged or hopeless about how things were going in life (YODSCEV=2), and lost interest and became bored with most things usually enjoyable (YOLOSEV=2).
  - Experienced the feelings in (i), but they did not last most of the day, almost every day for two weeks or longer [YOLS12WK=2 or YODPR2WK=2].
  - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRHR=1).
  - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
  - Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).

**YMDELTA**

Len : 1 RC-YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	402258	45.05
-9 = Data not collected for this year.....	330900	37.06
1 = Yes (YODSMMDE=1).....	24418	2.73
2 = No (See comment above).....	135396	15.16

RECODED ADOLESCENT DEPRESSION

<b>YMDEYR</b>	Len : 1 RC-YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
	. = Aged 18+/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	402852	45.11
	1 = Yes (YMDEL1=1 & YOPB2WK=1).....	330900	37.06
	2 = No (YMDEL1=2 or [YMDEL1=1 & YOPB2WK=2]).....	16323	1.83
		142897	16.00

<b>YMDEUDPY</b>	Len : 1 RC-YOUTH: PAST YEAR MDE AND SUB DEP OR ABUSE		
	. = Aged 18+/Unknown MDE(YMDEYR=).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	129901	14.55
	0 = No (YMDEYR=2 or UDPYILAL=0).....	722653	80.93
	1 = Yes (YMDEYR=1 & UDPYILAL=1).....	39808	4.46
		610	0.07

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDEL1) or the past year MDE variable (YMDEYR).

<b>YTXMDEYR</b>	Len : 1 RC-YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR		
	. = Aged 18+/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	537159	60.15
	0 = No (YOSEEDOC=2).....	330900	37.06
	1 = Yes (YOSEEDOC=1).....	16884	1.89
		8029	0.90

<b>YRXMDEYR</b>	Len : 1 RC-YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR		
	. = Aged 18+/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	537050	60.14
	0 = No (YORX12MO=2).....	330900	37.06
	1 = Yes (YORX12MO=1).....	21042	2.36
		3980	0.45

In the following variable, YMDETXRX, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

<b>YMDETXRX</b>	Len : 1 RC-YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR		
	. = Aged 18+/Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	537150	60.15
	0 = No (YTXMDEYR=0 and YRXMDEYR=0).....	330900	37.06
	1 = Yes (YTXMDEYR=1 or YRXMDEYR=1).....	16145	1.81
		8777	0.98

<b>YDOCMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	537298	60.17
	0 = No (YOSEEDOC=2 or YOFAMDOC=6).....	330900	37.06
	1 = Yes (YOFAMDOC=1,3).....	22936	2.57
		1838	0.21

<b>YOMDMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	537298	60.17
	0 = No (YOSEEDOC=2 or YOOTHDOC=6).....	330900	37.06
	1 = Yes (YOOTHDOC=1,3).....	24422	2.73
		352	0.04

<b>YPSY1MDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	537298	60.17
	0 = No (YOSEEDOC=2 or YOPSYCH=6).....	330900	37.06
	1 = Yes (YOPSYCH=1,3).....	22219	2.49
		2555	0.29

RECODED ADOLESCENT DEPRESSION

<b>YPSY2MDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	537298	60.17
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (YOSEEDOC=2 or YOPSYMD=6).....	22762	2.55
	1 = Yes (YOPSYMD=1,3).....	2012	0.23

<b>YSOCMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	537298	60.17
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (YOSEEDOC=2 or YOSOCWRK=6).....	23538	2.64
	1 = Yes (YOSOCWRK=1,3).....	1236	0.14

<b>YCOUNMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	537298	60.17
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (YOSEEDOC=2 or YOCOUNS=6).....	19861	2.22
	1 = Yes (YOCOUNS=1,3).....	4913	0.55

<b>YOMHMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABOUT MDE-PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	537298	60.17
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (YOSEEDOC=2 or [YOOTHMHP=6 & No Writ-in Enter]).....	24172	2.71
	1 = Yes (YOOTHMHP=1,3 or Write-in Response Entered).....	602	0.07

<b>YNURSMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	537298	60.17
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (YOSEEDOC=2 or YONURSE=6).....	24099	2.70
	1 = Yes (YONURSE=1,3).....	675	0.08

<b>YRELMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	537298	60.17
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (YOSEEDOC=2 or YORELIG=6).....	23897	2.68
	1 = Yes (YORELIG=1,3).....	877	0.10

<b>YHBCHMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	537298	60.17
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (YOSEEDOC=2 or YOHERBAL=6).....	24614	2.76
	1 = Yes (YOHERBAL=1,3).....	160	0.02

The following variable, YOTHMDE, defines an adolescent as having seen or talked to another professional about MDE during the past year, YOTHMDE=1, if s/he entered a valid write-in response other than the responses that matched the existing categories.

An adolescent was classified as NOT having seen or talked to another professional about MDE during the past year, YOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (YOSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (YOOTHHLP=6).
3. Write-in response entered matched an existing category.

<b>YOTHMDE</b>	Len : 1 RC-YOUTH: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown/Legit Skip/Invalid Spec. Resp. ....	537426	60.18
	-9 = Data not collected for this year.....	330900	37.06
	0 = No (See comment above).....	24558	2.75
	1 = Yes (See comment above).....	88	0.01

RECODED ADOLESCENT DEPRESSION

The following variable, YHLMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHLMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCME=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHLMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

**YHLMDE**      Len : 1    RC-YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	431773	48.35
-9 = Data not collected for this year.....	441244	49.41
0 = No (See comment above).....	13693	1.53
1 = Yes (See comment above).....	6262	0.70

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

**YALTMDE**      Len : 1    RC-YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	431773	48.35
-9 = Data not collected for this year.....	441244	49.41
0 = No (See comment above).....	19163	2.15
1 = Yes (See comment above).....	792	0.09

**YMDEHPRX**      Len : 1    RC-YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	431731	48.35
-9 = Data not collected for this year.....	441244	49.41
0 = No (YHLMDE=0 and YRXMDEYR=0).....	13082	1.46
1 = Yes (YHLMDE=1 or YRXMDEYR=1).....	6915	0.77

**YMDEHPO**      Len : 1    RC-YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	431721	48.35
-9 = Data not collected for this year.....	441244	49.41
0 = No (YHLMDE=0 or YRXMDEYR=1).....	16401	1.84
1 = Yes (YHLMDE=1 and YRXMDEYR=0).....	3606	0.40

**YMDERXO2**      Len : 1    RC-YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	431617	48.33
-9 = Data not collected for this year.....	441244	49.41
0 = No (YRXMDEYR=0 or YHLMDE=1).....	19520	2.19
1 = Yes (YRXMDEYR=1 and YHLMDE=0).....	591	0.07

**YMDEHARX**      Len : 1    RC-YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	431607	48.33
-9 = Data not collected for this year.....	441244	49.41
0 = No (YHLMDE=0 or YRXMDEYR=0).....	17475	1.96
1 = Yes (YHLMDE=1 and YRXMDEYR=1).....	2646	0.30

RECODED ADOLESCENT DEPRESSION

NOTE: The following five variables were not renamed in 2008 since they were originally only defined for youth; therefore, no changes are needed for these in order to generate analyses across years.

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

**YSDSHOME**      Len : 1    RC-YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	761136	85.24
-9 = Data not collected for this year .....	109309	12.24
1 = None (YOPSHMGT=0).....	1606	0.18
2 = Mild (YOPSHMGT=1,2,3).....	4676	0.52
3 = Moderate (YOPSHMGT=4,5,6) .....	9100	1.02
4 = Severe (YOPSHMGT=7,8,9).....	5691	0.64
5 = Very Severe (YOPSHMGT=10).....	1454	0.16

**YSDSWRK**      Len : 1    RC-YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	761127	85.24
-9 = Data not collected for this year .....	109309	12.24
1 = None (YOPSWORK=0) .....	1135	0.13
2 = Mild (YOPSWORK=1,2,3) .....	4460	0.50
3 = Moderate (YOPSWORK=4,5,6).....	8216	0.92
4 = Severe (YOPSWORK=7,8,9) .....	6791	0.76
5 = Very Severe (YOPSWORK=10).....	1934	0.22

**YSDSREL**      Len : 1    RC-YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	761025	85.22
-9 = Data not collected for this year .....	109309	12.24
1 = None (YOPSRELS=0).....	901	0.10
2 = Mild (YOPSRELS=1,2,3).....	3537	0.40
3 = Moderate (YOPSRELS=4,5,6) .....	7148	0.80
4 = Severe (YOPSRELS=7,8,9).....	8129	0.91
5 = Very Severe (YOPSRELS=10).....	2923	0.33

**YSDSSOC**      Len : 1    RC-YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	761052	85.23
-9 = Data not collected for this year .....	109309	12.24
1 = None (YOPSSOC=0).....	840	0.09
2 = Mild (YOPSSOC=1,2,3).....	3481	0.39
3 = Moderate (YOPSSOC=4,5,6) .....	7633	0.85
4 = Severe (YOPSSOC=7,8,9).....	7948	0.89
5 = Very Severe (YOPSSOC=10).....	2709	0.30

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

**YSDSOVRL**      Len : 1    RC-YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	760823	85.20
-9 = Data not collected for this year .....	109309	12.24
1 = None (See comment above) .....	91	0.01
2 = Mild (See comment above).....	1118	0.13
3 = Moderate (See comment above).....	5564	0.62
4 = Severe (See comment above).....	10857	1.22
5 = Very Severe (See comment above).....	5210	0.58

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

**MDEIMPY**      Len : 1    RC-YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	<b>Freq</b>	<b>Pct</b>
. = Aged 18+/Unknown (Otherwise).....	477855	53.51
-9 = Data not collected for this year .....	220816	24.73
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5) .....	13602	1.52
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3).....	180699	20.24

RECODED ADOLESCENT DEPRESSION

<b>YMDEIMUDPY</b>	Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIRMT AND SUB DEP OR ABUSE		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.) .....	129922	14.55
	-9 = Data not collected for this year .....	722653	80.93
	0 = No (MDEIMPY=2 or UDPYLAL=0) .....	39899	4.47
	1 = Yes (MDEIMPY=1 & UDPYLAL=1) .....	498	0.06
<b>YMDETARX</b>	Len : 1 YOUTH: RCVD TRT/CNSLG AND RX MED FOR MDE IN PST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown (Otherwise) .....	160386	17.96
	-9 = Data not collected for this year .....	725315	81.22
	0 = No (YTXMDEYR=0 or YRXMDEYR=0) .....	6448	0.72
	1 = Yes (YTXMDEYR=1 and YRXMDEYR=1) .....	823	0.09
<b>YMDETXO</b>	Len : 1 YOUTH: RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown (Otherwise) .....	160405	17.96
	-9 = Data not collected for this year .....	725315	81.22
	0 = No (YTXMDEYR=0 or YRXMDEYR=1) .....	5894	0.66
	1 = Yes (YTXMDEYR=1 and YRXMDEYR=0) .....	1358	0.15
<b>YMDERXO</b>	Len : 1 YOUTH: RCVD RX MEDICATION ONLY FOR MDE IN PAST YR		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown (Otherwise) .....	160384	17.96
	-9 = Data not collected for this year .....	725315	81.22
	0 = No (YRXMDEYR=0 or YTXMDEYR=1) .....	7066	0.79
	1 = Yes (YRXMDEYR=1 and YTXMDEYR=0) .....	207	0.02
<b>YMDEADA</b>	Len : 1 YOUTH: PAST YEAR MDE AND SUB DEP OR ABUSE		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown (Otherwise) .....	79891	8.95
	-9 = Data not collected for this year .....	782541	87.63
	0 = No (YMDEYR=2 or ABODILAL=0) .....	30094	3.37
	1 = Yes (YMDEYR=1 & ABODILAL=1) .....	446	0.05
<b>YMDEIMDA</b>	Len : 1 YOUTH: PY MDE W/ SEV IMPAIRMT AND SUB DEP OR ABUSE		
		<b>Freq</b>	<b>Pct</b>
	. = Aged 18+/Unknown (Otherwise) .....	79897	8.95
	-9 = Data not collected for this year .....	782541	87.63
	0 = No (MDEIMPY=2 or ABODILAL=0) .....	30164	3.38
	1 = Yes (MDEIMPY=1 & ABODILAL=1) .....	370	0.04

RECODED ADULT AND ADOLESCENT DEPRESSION

**RECODED ADULT AND ADOLESCENT DEPRESSION**

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the Adult Depression and Adolescent Depression sections.

NOTE: This codebook contains two versions of adult lifetime and past year major depressive episode (MDE) variables. The unadjusted variables (MDELT and MDEYR), located in this section, are defined for both adult and adolescent respondents. Due to questionnaire changes in 2008 the unadjusted MDE variables for adults are only comparable with 2004 sample B (ADLTSAMP=2) and other years between 2005 and 2007. The adjusted variables (AJAMDELT and AJAMDEYR), included in the Recoded Adult Depression section, are only defined for adult respondents. These variables were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. Specific details about both versions can be found in the Recoded Depression Variable Documentation Appendix.

The unadjusted MDE variables were used in the 2007 detailed tables. Adjusted MDE variables (AJAMDELT and AJAMDEYR) were developed to allow comparisons across years beginning with 2005 (See the Recoded Adult Depression section). The adjusted variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. For more information on the creation of the unadjusted adult depression variables see the Recoded Depression Variable Documentation Appendix.

Additional adolescent depression recodes are available in the Recoded Adolescent Depression section and are defined for only youth.

A respondent was classified as having a major depressive episode (MDE) in their lifetime (MDELT=1) if they reported experiencing at least 5 out of the 9 criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMDEA=1).

A respondent was classified as NOT having a major depressive episode (MDE) in their lifetime (MDELT=2) if they met either of these conditions:

(1) Reported experiencing fewer than 5 out of the 9 criteria used to define a person as having had MDE in their lifetime (ADSMDEA=2 or YODSMDE=2)

(2) If the number of criteria used to define a person as having had MDE in their lifetime is unknown (ADSMDEA=98 or YODSMDE=98) and reported at least one of the following:

(I) Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2 or YODPREV=2), discouraged about how things were going in life (ADDSCEV=2 or YODSCEV=2), and lost interest in most things usually enjoy (ADLOSEV=2 or YOLOSEV=2).

(II) Never having had a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasting nearly every day for two weeks or longer [(ADLSI2WK=2 or YOLSI2WK=2) and (ADDP2WK=2 or YODP2WK=2)].

(III) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and the sadness, discouragement, or loss of interest lasted less than an hour when mood was most severe and frequent (ADWRHRS=1 or (YOWRHRS=1).

(IV) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and during those times when mood was most severe and frequent, emotional distress was mild (ADWRDST=1 or YOWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4 of YOWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4 or YOWRIMP=4).

(v) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2 or YODPPROB=2).

<b>MDELT</b>	Len : 1 HAD LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2054	0.23
	1 = Yes (ADSMDEA=1 OR YODSMDE=1).....	671381	75.19
	2 = No (See comment above).....	30411	3.41
	3 = Out of Scope (ADLTSAMP=1,98).....	170496	19.09
		18630	2.09

<b>MDEYR</b>	Len : 1 HAD PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2409	0.27
	1 = Yes (MDELT=1 & (ADPB2WK=1 OR YOPB2WK=1)).....	671381	75.19
	2 = No (MDELT=2 or [MDELT=1&(ADPB2WK=2 or YOPB2WK=2)]).....	17880	2.00
	3 = Out of Scope (MDELT=3).....	182672	20.46
		18630	2.09



RECODED ADULT AND ADOLESCENT DEPRESSION

NOTE: The remaining variables in this section are based on questions asked of some respondents not classified as having an MDE in their lifetime in addition to respondents classified as having MDE. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).

<b>TXMDEYR</b>	Len : 1 SAW OR TALKED TO MD OR PROF FOR MDE IN PAST YEAR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown (ADSEEDOC and YOSEEDOC = 94,97,98,99) .....	190426	21.32
	-9 = Data not collected for this year .....	671381	75.19
	0 = No (ADSEEDOC=2 or YOSEEDOC=2) .....	19354	2.17
	1 = Yes (ADSEEDOC=1 or YOSEEDOC=1) .....	11811	1.32

<b>RXMDEYR</b>	Len : 1 USED PRESCRIPTION MEDICATION FOR MDE IN PAST YEAR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown (ADRX12MO and YORX12MO = 94,97,98,99).....	190387	21.32
	-9 = Data not collected for this year .....	671381	75.19
	0 = No (ADRX12MO=2 or YORX12MO=2) .....	22683	2.54
	1 = Yes (ADRX12MO=1 or YORX12MO=1).....	8521	0.95

NOTE: In the following 3 variables, a person is defined as having received treatment/counseling if one saw or talked to a medical doctor or other professional for MDE.

<b>MDETXRX</b>	Len : 1 RCVD TRT/CNSLNG OR RX MED FOR MDE IN PAST YEAR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	190422	21.32
	-9 = Data not collected for this year .....	671381	75.19
	0 = No (TXMDEYR=0 and RXMDEYR=0) .....	17934	2.01
	1 = Yes (TXMDEYR=1 or RXMDEYR=1) .....	13235	1.48

<b>MDETXARX</b>	Len : 1 RCVD TRT/CNSLNG AND RX MED FOR MDE IN PAST YEAR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	190391	21.32
	-9 = Data not collected for this year .....	671381	75.19
	0 = No (TXMDEYR=0 or RXMDEYR=0).....	24103	2.70
	1 = Yes (TXMDEYR=1 and RXMDEYR=1).....	7097	0.79

<b>MDETXO</b>	Len : 1 RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	190416	21.32
	-9 = Data not collected for this year .....	671381	75.19
	0 = No (TXMDEYR=0 or RXMDEYR=1).....	26473	2.96
	1 = Yes (TXMDEYR=1 and RXMDEYR=0).....	4702	0.53

<b>MDERXO</b>	Len : 1 RCVD RX MEDICATION ONLY FOR MDE IN PAST YEAR		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown (Otherwise).....	190397	21.32
	-9 = Data not collected for this year .....	671381	75.19
	0 = No (RXMDEYR=0 or TXMDEYR=1).....	29792	3.34
	1 = Yes (RXMDEYR=1 and TXMDEYR=0).....	1402	0.16

A respondent was classified as NOT having seen or talked to a general practitioner or family doctor about MDE during the past year (DOCMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a general practitioner or family doctor was seen or talked to during the past year (ADFAMDOC=6 or YOFAMDOC=6).

<b>DOCMDE</b>	Len : 1 SAW/TALK TO GENERAL PRAC OR FAM MD ABOUT MDE - PY		
	.	<b>Freq</b>	<b>Pct</b>
	. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
	-9 = Data not collected for this year .....	671381	75.19
	0 = No (See comment above).....	25724	2.88
	1 = Yes (ADFAMDOC=1 or YOFAMDOC=1).....	5344	0.60

RECODED ADULT AND ADOLESCENT DEPRESSION

A respondent was classified as NOT having seen or talked to other medical doctor about MDE during the past year (OMDMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other medical doctor was seen or talked to during the past year (ADOTHDOC=6 or YOOTHDOC=6).

**OMDMDE**      Len : 1    SAW/TALK TO OTHER MD ABOUT MDE - PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	30159	3.38
1 = Yes (ADOTHDOC=1,3 or YOOTHDOC=1,3).....	909	0.10

A respondent was classified as NOT having seen or talked to a psychologist about MDE during the past year (PSY1MDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a psychologist was seen or talked to during the past year (ADPSYCH=6 or YOPSYCH=6).

**PSY1MDE**      Len : 1    SAW/TALK TO PSYCHOLOGIST ABOUT MDE - PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	27783	3.11
1 = Yes (ADPSYCH=1 or YOPSYCH=1).....	3285	0.37

A respondent was classified as NOT having seen or talked to a psychiatrist or psychotherapist about MDE during the past year (PSY2MDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a psychiatrist or psychotherapist was seen or talked to during the past year (ADPSYMD=6 or YOPSYMD=6).

**PSY2MDE**      Len : 1    SAW/TALK TO PSYCHIATRIST/PSYCHOTHER ABOUT MDE -PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	28042	3.14
1 = Yes (ADPSYMD=1 or YOPSYMD=1).....	3026	0.34

A respondent was classified as NOT having seen or talked to a social worker about MDE during the past year (SOCMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a social worker was seen or talked to during the past year (ADSOCWRK=6 or YOSOCWRK=6).

**SOCMDE**      Len : 1    SAW/TALK TO SOCIAL WORKER ABOUT MDE - PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	29734	3.33
1 = Yes (ADSOCWRK=1 or YOSOCWRK=1).....	1334	0.15

A respondent was classified as NOT having seen or talked to a counselor about MDE during the past year (COUNMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether a counselor was seen or talked to during the past year (ADCOUNS=6 or YOCOUNS=6).

**COUNMDE**      Len : 1    SAW/TALK TO COUNSELOR ABOUT MDE - PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	27075	3.03
1 = Yes (ADCOUNS=1,3 or YOCOUNS=1,3).....	3993	0.45

RECODED ADULT AND ADOLESCENT DEPRESSION

The following variable, OMHMDE, indicates whether a person saw or talked to a mental health professional, such as a mental health nurse or other therapist where type not specified, in the past year for MDE.

A respondent was classified as having seen or talked to other mental health professional about MDE during the past year (OMHMDE=1) if they met either of these conditions:

- (1) Reported seeing or talking to a medical doctor or other professional during the past year (ADOTHMHP =1 or YOOTHMHP=1,3).
- (2) Response entered for whether other mental health professional was seen or talked to during the past year.

A respondent was classified as NOT having seen or talked to other mental health professional about MDE during the past year (OMHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHMHP=6 or YOOTHMHP=6).

**OMHMDE** Len : 1 SAW/TALK TO OTHER MENTAL HEALTH PROF ABOUT MDE -PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	30306	3.39
1 = Yes (See comment above) .....	762	0.09

A respondent was classified as NOT having seen or talked to a nurse, occupational therapist, or other health professional about MDE during the past year (NURSMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether nurse was seen or talked to during the past year (ADNURSE=6 or YONURSE=6).

**NURSMDE** Len : 1 SAW/TALK TO NURSE/OCC THERA/HTH PROF ABOUT MDE-PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	30222	3.38
1 = Yes (ADNURSE=1,3 or YONURSE=1,3).....	846	0.09

A respondent was classified as NOT having seen or talked to a religious or spiritual advisor about MDE during the past year (RELMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether religious or spiritual advisor was seen or talked to during the past year (ADRELIG=6 or YORELIG=6).

**RELMDE** Len : 1 SAW/TALK TO RELIG OR SPIRTUAL ADVISOR ABOUT MDE-PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	29073	3.26
1 = Yes (ADRELIG=1,3 or YORELIG=1,3) .....	1995	0.22

A respondent was classified as NOT having seen or talked to an herbalist, chiropractor, acupuncturist, or massage therapist about MDE during the past year (HBCHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether an herbalist, chiropractor, acupuncturist, or massage therapist was seen or talked to during the past year (ABHERBAL=6 or YOHERBAL=6).

**HBCHMDE** Len : 1 SAW/TALK TO HRB/CHIRO/ACUPU/MSGE THER ABOUT MDE-PY

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	190523	21.34
-9 = Data not collected for this year .....	671381	75.19
0 = No (See comment above).....	30539	3.42
1 = Yes (ADHERBAL=1,3 or YOHERBAL=1).....	529	0.06

RECODED ADULT AND ADOLESCENT DEPRESSION

A respondent was classified as having seen or talked to another professional about MDE during the past year (OTHMDE=1) if they entered a valid write-in response other than the responses that matched the existing categories.

A respondent was classified as NOT having seen or talked to another professional about MDE during the past year (OTHMDE=0) if they met either of these conditions:

- (1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).
- (2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHL P=6 or YOOTHHLP=6).
- (3) Write-in response entered matched an existing category.

**OTHMDE**      Len : 1    SAW/TALK TO OTHER PROF ABOUT MDE-PY

	<b>Freq</b>	<b>Pct</b>
. = Unknwn/Legit Skip/Invalid Spec. Resp. (Otherwise) .....	190683	21.35
-9 = Data not collected for this year.....	671381	75.19
0 = No (See comment above).....	30761	3.44
1 = Yes (See comment above) .....	147	0.02

**TXHPMDE**      Len : 1    PERCEPTION OF HELP RCVD FROM MDE TRT/CNSLG

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	106011	11.87
-9 = Data not collected for this year.....	781465	87.51
1 = No Help at All (ADTMTHLP=1 or YOTMTHLP=1).....	944	0.11
2 = A Little Help (ADTMTHLP=2 or YOTMTHLP=2).....	1009	0.11
3 = Some Help (ADTMTHLP=3 or YOTMTHLP=3).....	1325	0.15
4 = A Lot of Help (ADTMTHLP=4 or YOTMTHLP=4).....	1452	0.16
5 = Extremely Helpful (ADTMTHLP=5 or YOTMTHLP=5).....	766	0.09

**RXHPMDE**      Len : 1    PERCEPTION OF HELP RCVD FROM MDE RX MEDICATION

	<b>Freq</b>	<b>Pct</b>
. = Unknown/Legitimate Skip (Otherwise) .....	107595	12.05
-9 = Data not collected for this year.....	781465	87.51
1 = No Help at All (ADRXHLP=1 or YORXHLP=1) .....	368	0.04
2 = A Little Help (ADRXHLP=2 or YORXHLP=2).....	512	0.06
3 = Some Help (ADRXHLP=3 or YORXHLP=3).....	888	0.10
4 = A Lot of Help (ADRXHLP=4 or YORXHLP=4) .....	1316	0.15
5 = Extremely Helpful (ADRXHLP=5 or YORXHLP=5).....	828	0.09

CONSUMPTION OF ALCOHOL

**CONSUMPTION OF ALCOHOL**

*This note applies to variables in this section marked by a<sup>1</sup>.*

NOTE: Beginning in 2017, respondents who reported that they used alcohol on 0 days in the past 30 days are no longer asked questions in the consumption of alcohol module that pertain to the past 30 days. This change has resulted in an increase in the number of respondents who were coded as "blank" compared with data from 2016 and prior years. However, this change was determined not to have affected the comparability of estimates since 2017 with those prior to 2017.

Next we return to the topic of alcohol. Remember that by a "drink", we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

CADRLAST<sup>1</sup>      Len : 3   # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90 .....	298502	33.43
-9 = Data not collected for this year .....	220816	24.73
985 = BAD DATA Logically assigned .....	48	0.01
991 = NEVER USED ALCOHOL .....	190582	21.34
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
994 = DON'T KNOW .....	2494	0.28
997 = REFUSED .....	1254	0.14
998 = BLANK (NO ANSWER) .....	5201	0.58

This last time you drank, were you alone or were you with one or more other people?

CADRPEOP<sup>1</sup>      Len : 2   ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK

	Freq	Pct
-9 = Data not collected for this year .....	220816	24.73
1 = I was alone the last time I drank .....	3675	0.41
2 = I was with one other person the last time I drank .....	9571	1.07
3 = I was with >one other person the last time I drank .....	48619	5.44
85 = BAD DATA Logically assigned .....	26	0.00
89 = LEGITIMATE SKIP Logically assigned .....	8	0.00
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	239	0.03
97 = REFUSED .....	361	0.04
98 = BLANK (NO ANSWER) .....	3985	0.45
99 = LEGITIMATE SKIP .....	241015	26.99

Where did you drink alcoholic beverages this last time you drank?

CADRCAR<sup>1</sup>      Len : 2   I DRANK IN A CAR OR OTHER VEHICLE

	Freq	Pct
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	2841	0.32
3 = Response entered LOGICALLY ASSIGNED .....	36	0.00
6 = Response not entered .....	58329	6.53
85 = BAD DATA Logically assigned .....	18	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	3994	0.45
99 = LEGITIMATE SKIP .....	241022	26.99

CONSUMPTION OF ALCOHOL

CADRHOM<sup>1</sup>

Len : 2 I DRANK AT MY HOME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	18844	2.11
3 = Response entered LOGICALLY ASSIGNED .....	131	0.01
6 = Response not entered .....	42231	4.73
85 = BAD DATA Logically assigned .....	8	0.00
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	4004	0.45
99 = LEGITIMATE SKIP .....	241022	26.99

CADROTHM<sup>1</sup>

Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	32554	3.65
3 = Response entered LOGICALLY ASSIGNED .....	721	0.08
6 = Response not entered .....	27931	3.13
89 = LEGITIMATE SKIP Logically assigned .....	5	0.00
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	4012	0.45
99 = LEGITIMATE SKIP .....	241018	26.99

CADRPUBL<sup>1</sup>

Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	2734	0.31
3 = Response entered LOGICALLY ASSIGNED .....	146	0.02
6 = Response not entered .....	58326	6.53
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	4012	0.45
99 = LEGITIMATE SKIP .....	241023	26.99

CADRBAR<sup>1</sup>

Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	4174	0.47
3 = Response entered LOGICALLY ASSIGNED .....	143	0.02
6 = Response not entered .....	56889	6.37
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	4012	0.45
99 = LEGITIMATE SKIP .....	241021	26.99

CADREVNT<sup>1</sup>

Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	1077	0.12
3 = Response entered LOGICALLY ASSIGNED .....	33	0.00
6 = Response not entered .....	60096	6.73
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	4012	0.45
99 = LEGITIMATE SKIP .....	241023	26.99

CONSUMPTION OF ALCOHOL

CADRSCHL<sup>1</sup>

Len : 2 I DRANK AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	1340	0.15
3 = Response entered LOGICALLY ASSIGNED .....	37	0.00
6 = Response not entered .....	59829	6.70
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	4012	0.45
99 = LEGITIMATE SKIP .....	241023	26.99

CADROTH<sup>1</sup>

Len : 2 I DRANK AT SOME OTHER PLACE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = Response entered .....	6700	0.75
6 = Response not entered .....	54506	6.10
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	389	0.04
97 = REFUSED .....	869	0.10
98 = BLANK (NO ANSWER) .....	4012	0.45
99 = LEGITIMATE SKIP .....	241023	26.99

CADROTS2<sup>1</sup>

Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	220816	24.73
1 = I drank in a car or other vehicle .....	43	0.00
2 = I drank at my home .....	165	0.02
3 = I drank at someone else's home .....	872	0.10
4 = I drank at a park, on a beach, or in a parking lot .....	164	0.02
5 = I drank in a restaurant, bar or club .....	176	0.02
6 = I drank at a concert or sports game .....	43	0.00
7 = I drank at school .....	41	0.00
8 = I drank at some other place .....	106	0.01
9 = At respondent's place of work/business .....	63	0.01
11 = In a boat, ship, water vessel .....	82	0.01
14 = At a cabin, cottage, vacation home/vacation condo .....	115	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec .....	498	0.06
16 = On a farm/ranch/or in barn; R's home unspc .....	75	0.01
17 = At a house/apt/garage; no other information .....	181	0.02
18 = At a swimming pool .....	24	0.00
20 = River/lake/waterfront/harbor; park/beach unspfd .....	171	0.02
21 = Playing golf/outdoor sports; park unspecified .....	4	0.00
22 = Camping/hunting/fishing; no other information .....	325	0.04
23 = Street/road/alley/neighborhood .....	125	0.01
24 = Outside; park, beach, parkng lot, water unspcfd .....	654	0.07
25 = In a bowling alley; restaurant/bar unspecified .....	23	0.00
26 = Place of entertainment; club/sports/concert unspc .....	98	0.01
27 = Place of business; work/restarnt/bar/bowlng unspc .....	43	0.00
29 = In a dorm/dorm room .....	112	0.01
30 = At a fraternity/sorority house or event .....	78	0.01
31 = Visiting a college/local college/friend's college .....	10	0.00
32 = At a school-related event; location unspecified .....	3	0.00
33 = Inside a building; home/school/business unspcfd .....	130	0.01
34 = At a fundraiser/charity event; location unspcfd .....	3	0.00
35 = At a party/wedding/celebration/event; no othr info .....	1250	0.14
36 = With friends/family, hanging out; location unspfd .....	13	0.00
39 = In a private/designtd locatn/place; otherwise unspd .....	4	0.00
70 = City/State/Country/vacation, location unspecified .....	216	0.02
85 = BAD DATA Logically assigned .....	336	0.04
91 = NEVER USED ALCOHOL .....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	168	0.02
97 = REFUSED .....	1153	0.13
98 = BLANK (NO ANSWER) .....	4403	0.49
99 = LEGITIMATE SKIP .....	295529	33.09

CONSUMPTION OF ALCOHOL

Did you pay for the last alcoholic beverage that you drank?

CABUYFRE <sup>1</sup>	Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK	Freq	Pct
-9 = Data not collected for this year .....		220816	24.73
1 = Yes.....		17840	2.00
2 = No.....		43977	4.92
85 = BAD DATA Logically assigned .....		26	0.00
89 = LEGITIMATE SKIP Logically assigned .....		8	0.00
91 = NEVER USED ALCOHOL.....		190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....		174075	19.49
94 = DON'T KNOW .....		194	0.02
97 = REFUSED .....		453	0.05
98 = BLANK (NO ANSWER) .....		3986	0.45
99 = LEGITIMATE SKIP.....		241015	26.99

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

CAGVMONY <sup>1</sup>	Len : 2 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE	Freq	Pct
-9 = Data not collected for this year .....		220816	24.73
1 = I bought it myself.....		4726	0.53
2 = I gave money to someone else who bought it for me .....		12961	1.45
85 = BAD DATA Logically assigned .....		19	0.00
89 = LEGITIMATE SKIP Logically assigned .....		4	0.00
91 = NEVER USED ALCOHOL.....		190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....		174075	19.49
94 = DON'T KNOW .....		35	0.00
97 = REFUSED .....		167	0.02
98 = BLANK (NO ANSWER) .....		4591	0.51
99 = LEGITIMATE SKIP.....		284996	31.92

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

CABUYWHO <sup>1</sup>	Len : 2 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL	Freq	Pct
-9 = Data not collected for this year .....		220816	24.73
1 = I bought it at a store/restaurant/bar/club/event .....		3819	0.43
2 = I bought it from another person.....		799	0.09
85 = BAD DATA Logically assigned .....		95	0.01
89 = LEGITIMATE SKIP Logically assigned .....		4	0.00
91 = NEVER USED ALCOHOL.....		190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....		174075	19.49
94 = DON'T KNOW .....		8	0.00
97 = REFUSED .....		73	0.01
98 = BLANK (NO ANSWER) .....		4744	0.53
99 = LEGITIMATE SKIP.....		297957	33.37

At which of these places did you buy the last alcoholic beverage that you drank?

CABPLACE <sup>1</sup>	Len : 2 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE	Freq	Pct
-9 = Data not collected for this year .....		220816	24.73
1 = I bought it at a liquor/convenience/grocery store .....		2512	0.28
2 = I bought it at a restaurant, bar or club .....		1275	0.14
3 = I bought it at a concert, sports or other event .....		84	0.01
85 = BAD DATA Logically assigned .....		18	0.00
89 = LEGITIMATE SKIP Logically assigned .....		4	0.00
91 = NEVER USED ALCOHOL.....		190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....		174075	19.49
94 = DON'T KNOW .....		5	0.00
97 = REFUSED .....		56	0.01
98 = BLANK (NO ANSWER) .....		4777	0.53
99 = LEGITIMATE SKIP.....		298768	33.46



CONSUMPTION OF ALCOHOL

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

CABUNDAG<sup>1</sup> Len : 2 BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+

	Freq	Pct
-9 = Data not collected for this year.....	220816	24.73
1 = Under age 21.....	298	0.03
2 = Age 21 or older.....	508	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	174075	19.49
94 = DON'T KNOW.....	5	0.00
97 = REFUSED.....	49	0.01
98 = BLANK (NO ANSWER).....	4794	0.54
99 = LEGITIMATE SKIP.....	301844	33.80

Who bought the alcoholic beverage for you?

CAGVWHO<sup>1</sup> Len : 2 WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU

	Freq	Pct
-9 = Data not collected for this year.....	220816	24.73
1 = My parent or guardian.....	396	0.04
2 = Another family member who is 21 or older.....	1347	0.15
3 = Someone not related to me who is 21 or older.....	9353	1.05
4 = Someone under age 21.....	1426	0.16
91 = NEVER USED ALCOHOL.....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	174075	19.49
94 = DON'T KNOW.....	79	0.01
97 = REFUSED.....	409	0.05
98 = BLANK (NO ANSWER).....	4763	0.53
99 = LEGITIMATE SKIP.....	289726	32.45

How did you get the last alcoholic beverage that you drank?

CAFREWHO<sup>1</sup> Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK

	Freq	Pct
-9 = Data not collected for this year.....	220816	24.73
1 = My parent or guardian.....	4263	0.48
2 = Another family member who is 21 or older.....	5617	0.63
3 = Someone not related to me who is 21 or older.....	14953	1.67
4 = Someone under age 21.....	8487	0.95
5 = I took it from home.....	2877	0.32
6 = I took it from someone else's home.....	1517	0.17
7 = I got it some other way.....	4271	0.48
11 = My parent or guardian LOGICALLY ASSIGNED.....	12	0.00
12 = Another family member who is 21 or older LOG ASSN.....	4	0.00
13 = Non-relative who is 21 or older LOGICALLY ASSIGNED.....	130	0.01
14 = Someone under age 21 LOGICALLY ASSIGNED.....	71	0.01
15 = I took it from home LOGICALLY ASSIGNED.....	55	0.01
16 = I took it from someone else's home LOGICALLY ASSN.....	87	0.01
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
91 = NEVER USED ALCOHOL.....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	174075	19.49
94 = DON'T KNOW.....	414	0.05
97 = REFUSED.....	1268	0.14
98 = BLANK (NO ANSWER).....	4603	0.52
99 = LEGITIMATE SKIP.....	258859	28.99

CONSUMPTION OF ALCOHOL

CAFRESP2<sup>1</sup>

Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE

	Freq	Pct
-9 = Data not collected for this year.....	220816	24.73
1 = My parent or guardian gave it to me .....	12	0.00
2 = Another family member 21 y-o or older gave to me .....	4	0.00
3 = Someone not related & 21 y-o or older gave to me .....	130	0.01
4 = Someone under age 21 gave it to me.....	71	0.01
5 = I took it from home .....	55	0.01
6 = I took it from someone else's home.....	87	0.01
7 = I got it some other way .....	138	0.02
8 = I bought/ordered it in another country.....	23	0.00
9 = I bought/ordered it; not asked for ID.....	10	0.00
10 = I bought/ordered it with a fake ID/similar.....	37	0.00
12 = I bought/ordered it; how unspecified .....	145	0.02
13 = Got/bought it in a store/liquor store; how unspcfd .....	84	0.01
14 = Got frm bartender/at bar/restaurant;age/how unspc.....	90	0.01
16 = Got it at party/celebration; no other info.....	321	0.04
17 = I made my own .....	17	0.00
18 = Stole it fr work/while bartending/servicing tbls .....	6	0.00
19 = I took/got/stole it; location unspcfd or unclear.....	211	0.02
20 = Someone else stole the alcohol .....	28	0.00
21 = Given by/got from relative; age unspecified .....	46	0.01
22 = Given by/got fr friend/acquaint; age/how unspc .....	1493	0.17
23 = Given by/got fr oth non-relative; age/how unspcfd .....	64	0.01
24 = Given by/got from person; age/relationship unspc .....	180	0.02
25 = Got as gift/for free; no other info .....	42	0.00
26 = Friend/acquaint of friend bought it; age unspc .....	104	0.01
27 = Bought by someone age 21+; relationship unspc .....	6	0.00
28 = Bought by someone else; age/relationship unspc .....	61	0.01
29 = Someone under 21 bought for me .....	4	0.00
30 = Just there/already there; no other information .....	60	0.01
31 = Just got it/had it; no other information .....	75	0.01
32 = From a house/home; no other information .....	45	0.01
33 = Found it; person's home unspecified .....	116	0.01
34 = Got it at communion/religious ritual .....	1	0.00
35 = Traded for it.....	3	0.00
38 = Got it on vacation/resort; no other information .....	3	0.00
70 = City/State/Country/vacation, location unspecified .....	5	0.00
85 = BAD DATA Logically assigned .....	235	0.03
91 = NEVER USED ALCOHOL.....	190582	21.34
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	174075	19.49
94 = DON'T KNOW .....	200	0.02
97 = REFUSED .....	1681	0.19
98 = BLANK (NO ANSWER) .....	5029	0.56
99 = LEGITIMATE SKIP.....	296577	33.21

NOTE: Beginning in 2015, questions about the misuse of prescription pain relievers, tranquilizers, stimulants, and sedatives with alcohol in the past 30 days were asked in the relevant sections of the interview about the misuse of prescription drugs instead of being asked in the consumption of alcohol section of the interview.

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

CADRKDRUG<sup>1</sup>

Len : 2 ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Yes.....	7975	0.89
2 = No.....	7227	0.81
85 = BAD DATA Logically assigned .....	8	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	74051	8.29
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS .....	79200	8.87
94 = DON'T KNOW .....	52	0.01
97 = REFUSED .....	101	0.01
98 = BLANK (NO ANSWER) .....	1705	0.19

CONSUMPTION OF ALCOHOL

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

CADRKMARJ<sup>1</sup> Len : 2 MARIJUANA OR HASHISH

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	1094	0.12
5 = Response entered LOG ASSN (from skip pattern).....	6576	0.74
6 = Response not entered.....	116	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	74051	8.29
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	79200	8.87
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	7	0.00
98 = BLANK (NO ANSWER).....	737	0.08
99 = LEGITIMATE SKIP.....	8537	0.96

CADRKCOCN<sup>1</sup> Len : 2 COCAINE OR 'CRACK'

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	254	0.03
5 = Response entered LOG ASSN (from skip pattern).....	77	0.01
6 = Response not entered.....	400	0.04
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	74051	8.29
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	79200	8.87
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	152	0.02
99 = LEGITIMATE SKIP.....	16183	1.81

CADRKHERN<sup>1</sup> Len : 2 HEROIN

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	60	0.01
5 = Response entered LOG ASSN (from skip pattern).....	10	0.00
6 = Response not entered.....	66	0.01
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	74051	8.29
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	79200	8.87
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	42	0.00
99 = LEGITIMATE SKIP.....	16888	1.89

CADRKHALL<sup>1</sup> Len : 2 HALLUCINOGENS

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Response entered.....	89	0.01
5 = Response entered LOG ASSN (from skip pattern).....	17	0.00
6 = Response not entered.....	531	0.06
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	74051	8.29
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	79200	8.87
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	363	0.04
99 = LEGITIMATE SKIP.....	16065	1.80

CONSUMPTION OF ALCOHOL

**CADRKINHL<sup>1</sup>**      Len : 2    INHALANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	9	0.00
5 = Response entered LOG ASSN (from skip pattern).....	10	0.00
6 = Response not entered .....	107	0.01
89 = LEGITIMATE SKIP Logically assigned .....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	74051	8.29
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	79200	8.87
98 = BLANK (NO ANSWER) .....	180	0.02
99 = LEGITIMATE SKIP .....	16761	1.88

**CADRKMETH<sup>1</sup>**      Len : 2    METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Response entered .....	91	0.01
5 = Response entered LOG ASSN (from skip pattern).....	26	0.00
6 = Response not entered .....	81	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	74051	8.29
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	79200	8.87
94 = DON'T KNOW .....	1	0.00
98 = BLANK (NO ANSWER) .....	77	0.01
99 = LEGITIMATE SKIP .....	16792	1.88

NOTE: Beginning in 2015, female respondents were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 4 or more drinks on the same occasion. As in prior years, male respondents in 2015 were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 5 or more drinks on the same occasion. Variables pertaining to consumption of 5 or more drinks or 4 or more drinks on the same occasion have been edited with respect to ALCUS30D and ALCBNG30D.

CABINGFLG takes into account the editing of the variables ALCUS30D and ALCBNG30D in the ALCOHOL module.

**CABINGFLG<sup>1</sup>**      Len : 2    ANY REPORT OF 4+ OR 5+ DRINKS FROM ALCOHOL MODULE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
0 = No report of 4+/5+ drinks or not applicable.....	127884	14.32
1 = Binge alcohol use on 1+ days (ALCBING30D=1-30).....	41432	4.64
11 = Report of 4+/5+ drinks in ALCUS30D .....	355	0.04
85 = BAD DATA Logically assigned .....	648	0.07

Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime. Have you ever had [4 or more]/[5 or more] drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

**CABINGEVR<sup>1</sup>**      Len : 2    EVER HAD 4/5 OR MORE DRINKS ON THE SAME OCCASION

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	35675	4.00
2 = No.....	43574	4.88
3 = Yes LOGICALLY ASSIGNED .....	60	0.01
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	42685	4.78
85 = BAD DATA Logically assigned .....	15	0.00
91 = NEVER USED ALCOHOL.....	47660	5.34
94 = DON'T KNOW .....	244	0.03
97 = REFUSED .....	358	0.04
98 = BLANK (NO ANSWER) .....	48	0.01

CONSUMPTION OF ALCOHOL

Earlier the computer recorded that you had [4 or more]/[5 or more] drinks on the same occasion in the past 30 days. How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

**CABINGAGE<sup>1</sup>** Len : 3 AGE 1ST TIME HAD 4 OR 5 OR MORE DRINKS SAME OCCASION

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 86 .....	74312	8.32
-9 = Data not collected for this year .....	722653	80.93
985 = BAD DATA Logically assigned .....	1479	0.17
991 = NEVER USED ALCOHOL .....	47660	5.34
994 = DON'T KNOW .....	2196	0.25
997 = REFUSED .....	386	0.04
998 = BLANK (NO ANSWER) .....	712	0.08
999 = LEGITIMATE SKIP .....	43574	4.88

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

**CABINGYFU<sup>1</sup>** Len : 4 YEAR OF FIRST 4 OR 5 + DRINKS ON SAME OCCASION - RECODE

	<b>Freq</b>	<b>Pct</b>
RANGE = 2013 - 2017 .....	10168	1.14
-9 = Data not collected for this year .....	722653	80.93
9985 = BAD DATA Logically assigned .....	193	0.02
9989 = LEGITIMATE SKIP Logically assigned .....	275	0.03
9991 = NEVER USED ALCOHOL .....	47660	5.34
9994 = DON'T KNOW .....	2231	0.25
9997 = REFUSED .....	401	0.04
9998 = BLANK (NO ANSWER) .....	2191	0.25
9999 = LEGITIMATE SKIP .....	107200	12.00

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have [4 or more]/[5 or more] drinks on the same occasion?

**CABINGMFU<sup>1</sup>** Len : 2 MONTH OF 4 OR 5+ DRINKS ON SAME OCCASION - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = January .....	1174	0.13
2 = February .....	606	0.07
3 = March .....	682	0.08
4 = April .....	692	0.08
5 = May .....	709	0.08
6 = June .....	946	0.11
7 = July .....	1187	0.13
8 = August .....	729	0.08
9 = September .....	648	0.07
10 = October .....	789	0.09
11 = November .....	512	0.06
12 = December .....	904	0.10
85 = BAD DATA Logically assigned .....	332	0.04
89 = LEGITIMATE SKIP Logically assigned .....	275	0.03
91 = NEVER USED ALCOHOL .....	47660	5.34
94 = DON'T KNOW .....	2617	0.29
97 = REFUSED .....	437	0.05
98 = BLANK (NO ANSWER) .....	2220	0.25
99 = LEGITIMATE SKIP .....	107200	12.00

CONSUMPTION OF ALCOHOL

NOTE: EIBINGAGE is an "editing indicator" for the variable CABINGAGE. The default value of EIBINGAGE is 1, when no editing has been done to CABINGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGAGE has values of 2 when values in CABINGAGE have logically been replaced with other values as part of the data editing procedures.

**EIBINGAGE<sup>1</sup>**      Len : 1    EDITING INDICATOR FOR CABINGAGE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data (or bad data/legitimate skip).....	170221	19.06
2 = Logically assigned data.....	98	0.01

NOTE: EIBINGYFU is an "editing indicator" for the variable CABINGYFU. The default value of EIBINGYFU is 1, when no editing has been done to CABINGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGYFU has values of 2 when values in CABINGYFU have logically been replaced with other values as part of the data editing procedures.

**EIBINGYFU<sup>1</sup>**      Len : 1    EDITING INDICATOR FOR CABINGYFU

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data (or bad data/legitimate skip).....	170230	19.06
2 = Logically assigned data.....	89	0.01

NOTE: EIBINGMFU is an "editing indicator" for the variable CABINGMFU. The default value of EIBINGMFU is 1, when no editing has been done to CABINGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGMFU has values of 2 when values in CABINGMFU have logically been replaced with other values as part of the data editing procedures.

**EIBINGMFU<sup>1</sup>**      Len : 1    EDITING INDICATOR FOR CABINGMFU

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Questionnaire data (or bad data/legitimate skip).....	170264	19.07
2 = Logically assigned data.....	55	0.01

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

**CADRKDRG<sup>1</sup>**      Len : 2    ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	23892	2.68
2 = No.....	24750	2.77
81 = NEVER USED ALC OR NEVER USED OTHER DRUGS Log assn.....	19	0.00
83 = DIDNT USE ALC OR DIDNT USE DRG PST 30 DYS Log assn.....	20	0.00
85 = BAD DATA Logically assigned .....	18	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213610	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232113	25.99
94 = DON'T KNOW .....	184	0.02
97 = REFUSED .....	400	0.04
98 = BLANK (NO ANSWER) .....	6831	0.76

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

**CADRKMRJ<sup>1</sup>**      Len : 2    MARIJUANA OR HASHISH

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	6511	0.73
5 = Response entered LOG ASSN (from skip pattern).....	15532	1.74
6 = Response not entered .....	592	0.07
85 = BAD DATA Logically assigned .....	5	0.00
89 = LEGITIMATE SKIP Logically assigned .....	3	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	12	0.00
97 = REFUSED .....	23	0.00
98 = BLANK (NO ANSWER) .....	2095	0.23
99 = LEGITIMATE SKIP .....	31302	3.51

CONSUMPTION OF ALCOHOL

CADRKOC<sup>1</sup>

Len : 2 COCAINE OR 'CRACK'

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	762	0.09
5 = Response entered LOG ASSN (from skip pattern).....	227	0.03
6 = Response not entered .....	1353	0.15
89 = LEGITIMATE SKIP Logically assigned .....	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	4	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	533	0.06
99 = LEGITIMATE SKIP.....	53168	5.95

CADRKHER<sup>1</sup>

Len : 2 HEROIN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	136	0.02
5 = Response entered LOG ASSN (from skip pattern).....	9	0.00
6 = Response not entered .....	224	0.03
89 = LEGITIMATE SKIP Logically assigned .....	26	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	1	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	147	0.02
99 = LEGITIMATE SKIP.....	55529	6.22

CADRKHAL<sup>1</sup>

Len : 2 HALLUCINOGENS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	295	0.03
5 = Response entered LOG ASSN (from skip pattern).....	43	0.00
6 = Response not entered .....	1989	0.22
89 = LEGITIMATE SKIP Logically assigned .....	18	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	8	0.00
98 = BLANK (NO ANSWER) .....	1011	0.11
99 = LEGITIMATE SKIP.....	52706	5.90

CADRKINH<sup>1</sup>

Len : 2 INHALANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	49	0.01
5 = Response entered LOG ASSN (from skip pattern).....	32	0.00
6 = Response not entered .....	457	0.05
89 = LEGITIMATE SKIP Logically assigned .....	29	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	625	0.07
99 = LEGITIMATE SKIP.....	54880	6.15

CONSUMPTION OF ALCOHOL

CADRKANL<sup>1</sup>

Len : 2 PRESCRIPTION PAIN RELIEVERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	1113	0.12
5 = Response entered LOG ASSN (from skip pattern).....	329	0.04
6 = Response not entered .....	3001	0.34
89 = LEGITIMATE SKIP Logically assigned .....	12	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	10	0.00
97 = REFUSED .....	11	0.00
98 = BLANK (NO ANSWER) .....	1608	0.18
99 = LEGITIMATE SKIP.....	49991	5.60

CADRKTRN<sup>1</sup>

Len : 2 PRESCRIPTION TRANQUILIZERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	313	0.04
5 = Response entered LOG ASSN (from skip pattern).....	48	0.01
6 = Response not entered .....	1748	0.20
89 = LEGITIMATE SKIP Logically assigned .....	17	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	593	0.07
99 = LEGITIMATE SKIP.....	53344	5.97

CADRKSTM<sup>1</sup>

Len : 2 PRESCRIPTION STIMULANTS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	165	0.02
5 = Response entered LOG ASSN (from skip pattern).....	52	0.01
6 = Response not entered .....	1108	0.12
89 = LEGITIMATE SKIP Logically assigned .....	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	5	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	509	0.06
99 = LEGITIMATE SKIP.....	54211	6.07

CADRKMTH<sup>1</sup>

Len : 2 METHAMPHETAMINE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	200	0.02
5 = Response entered LOG ASSN (from skip pattern).....	42	0.00
6 = Response not entered .....	346	0.04
89 = LEGITIMATE SKIP Logically assigned .....	22	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	3	0.00
97 = REFUSED .....	8	0.00
98 = BLANK (NO ANSWER) .....	314	0.04
99 = LEGITIMATE SKIP.....	55140	6.17



CONSUMPTION OF ALCOHOL

CADRKSED<sup>1</sup>      Len : 2    PRESCRIPTION SEDATIVES

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Response entered .....	36	0.00
5 = Response entered LOG ASSN (from skip pattern).....	14	0.00
6 = Response not entered .....	198	0.02
89 = LEGITIMATE SKIP Logically assigned .....	27	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	213629	23.92
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	232133	26.00
94 = DON'T KNOW .....	2	0.00
97 = REFUSED .....	5	0.00
98 = BLANK (NO ANSWER) .....	285	0.03
99 = LEGITIMATE SKIP .....	55508	6.22

NOTE: Variables pertaining to consumption of 5 or more drinks or 4 or more drinks in a single occasion have been edited with respect to ED4FLAG. ED4FLAG takes into account the editing of the variables NODR30A and DR5DAY in the core ALCOHOL module.

ED4FLAG<sup>1</sup>      Len : 2    ANY REPORT OF 4 OR 5+ DRINKS FROM ALCOHOL MODULE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
0 = No report of 4 or 5+ drinks or not applicable.....	372420	41.71
1 = Report of 4 drinks in NODR30A; no rpt 5+ drinks .....	5447	0.61
2 = Report of 5+ drinks in NODR30A or DR5DAY .....	121469	13.60
12 = Report of 5+ drinks LOGICALLY ASSIGNED .....	495	0.06
85 = BAD DATA Logically assigned .....	2006	0.22

[Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime.] Have you ever had 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

CABNGEV<sup>1</sup>      Len : 2    EVER HAD 5 OR MORE DRINKS ON THE SAME OCCASION

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	98256	11.00
2 = No.....	134236	15.03
3 = Yes LOGICALLY ASSIGNED .....	68	0.01
4 = No LOGICALLY ASSIGNED .....	94	0.01
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	124809	13.98
85 = BAD DATA Logically assigned .....	11	0.00
91 = NEVER USED ALCOHOL.....	142922	16.01
94 = DON'T KNOW .....	554	0.06
97 = REFUSED .....	719	0.08
98 = BLANK (NO ANSWER) .....	168	0.02

[Earlier the computer recorded that you had 5 or more drinks on the same occasion in the past 30 days.] How old were you the first time you had 5 or more drinks on the same occasion?

CABNGAGE<sup>1</sup>      Len : 3    AGE 1ST TIME HAD 5 OR MORE DRINKS SAME OCCASION

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 95 .....	210704	23.60
-9 = Data not collected for this year .....	391135	43.80
985 = BAD DATA Logically assigned .....	4492	0.50
989 = LEGITIMATE SKIP Logically assigned .....	15	0.00
991 = NEVER USED ALCOHOL.....	142922	16.01
994 = DON'T KNOW .....	6727	0.75
997 = REFUSED .....	1184	0.13
998 = BLANK (NO ANSWER).....	1478	0.17
999 = LEGITIMATE SKIP .....	134315	15.04

CONSUMPTION OF ALCOHOL

NOTE: EIBNGAGE is an "editing indicator" for the variable CABNGAGE. The default value of EIBNGAGE is 1, when no editing has been done to CABNGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGAGE has values of 2 when values in CABNGAGE have logically been replaced with other values as part of the data editing procedures.

<b>EIBNGAGE<sup>1</sup></b>	Len : 1 EDITING INDICATOR FOR CABNGAGE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Questionnaire data (or bad data/legitimate skip).....	501466	56.16
	2 = Logically assigned data.....	371	0.04

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

<b>CABNGYFU<sup>1</sup></b>	Len : 4 YEAR OF FIRST 5+ DRINKS ON SAME OCCASION - RECODE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 2004 - 2014.....	38048	4.26
	-9 = Data not collected for this year.....	391135	43.80
	9985 = BAD DATA Logically assigned.....	825	0.09
	9989 = LEGITIMATE SKIP Logically assigned.....	1022	0.11
	9991 = NEVER USED ALCOHOL.....	142922	16.01
	9994 = DON'T KNOW.....	6915	0.77
	9997 = REFUSED.....	1219	0.14
	9998 = BLANK (NO ANSWER).....	5959	0.67
	9999 = LEGITIMATE SKIP.....	304927	34.15

NOTE: EIBNGYFU is an "editing indicator" for the variable CABNGYFU. The default value of EIBNGYFU is 1, when no editing has been done to CABNGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGYFU has values of 2 when values in CABNGYFU have logically been replaced with other values as part of the data editing procedures.

<b>EIBNGYFU<sup>1</sup></b>	Len : 1 EDITING INDICATOR FOR CABNGYFU		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = Questionnaire data (or bad data/legitimate skip).....	501533	56.16
	2 = Logically assigned data.....	304	0.03

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have 5 or more drinks on the same occasion?

<b>CABNGMFU<sup>1</sup></b>	Len : 2 MONTH OF 5+ DRINKS ON SAME OCCASION - RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	391135	43.80
	1 = January.....	4608	0.52
	2 = February.....	2203	0.25
	3 = March.....	2558	0.29
	4 = April.....	2422	0.27
	5 = May.....	2548	0.29
	6 = June.....	3860	0.43
	7 = July.....	4251	0.48
	8 = August.....	2549	0.29
	9 = September.....	2466	0.28
	10 = October.....	2752	0.31
	11 = November.....	1872	0.21
	12 = December.....	3296	0.37
	85 = BAD DATA Logically assigned.....	1355	0.15
	89 = LEGITIMATE SKIP Logically assigned.....	1022	0.11
	91 = NEVER USED ALCOHOL.....	142922	16.01
	94 = DON'T KNOW.....	8826	0.99
	97 = REFUSED.....	1317	0.15
	98 = BLANK (NO ANSWER).....	6083	0.68
	99 = LEGITIMATE SKIP.....	304927	34.15

CONSUMPTION OF ALCOHOL

NOTE: EIBNGMFU is an "editing indicator" for the variable CABNGMFU. The default value of EIBNGMFU is 1, when no editing has been done to CABNGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGMFU has values of 2 when values in CABNGMFU have logically been replaced with other values as part of the data editing procedures.

EIBNGMFU<sup>1</sup>      Len : 1    EDITING INDICATOR FOR CABNGMFU

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Questionnaire data (or bad data/legitimate skip).....	501617	56.17
2 = Logically assigned data.....	220	0.02

Have you ever had 4 or more drinks on the same occasion?

CA4FDEV<sup>1</sup>      Len : 2    EVER HAD 4 OR MORE DRINKS ON THE SAME OCCASION

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Yes.....	11415	1.28
2 = No .....	69817	7.82
3 = Yes LOGICALLY ASSIGNED.....	17	0.00
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	104057	11.65
90 = NOT ASKED THE QUESTION Logically assigned.....	23	0.00
91 = NEVER USED ALCOHOL.....	142922	16.01
94 = DON'T KNOW .....	241	0.03
97 = REFUSED .....	289	0.03
98 = BLANK (NO ANSWER) .....	229	0.03
99 = LEGITIMATE SKIP.....	172827	19.35

NOTE: The distributions for CA4FDDYS, EI4FDDYS, CA4FDAGE, EI4FDAGE, CA4FDYFU, EI4FDYFU, CA4FDMFU, and EI4FDMFU for the 2006 survey are not comparable to the corresponding distributions in this survey year. A sizable number of female respondents in 2006 were incorrectly skipped out of the items corresponding to the variables CA4FDDYS and CA4FDAGE. In turn, the error for CA4FDAGE affected female respondents' eligibility to be asked the items corresponding to CA4FDYFU and CA4FDMFU. This error was corrected for the 2007 survey.

During the past 30 days, that is, since [DATEFILL], on how many days did you have 4 or more drinks on the same occasion?

CA4FDDYS<sup>1</sup>      Len : 2    # DAYS HAD 4+ DRINKS SAME OCCASION PAST 30 DAYS

	<b>Freq</b>	<b>Pct</b>
RANGE = 0 - 30.....	74076	8.30
-9 = Data not collected for this year .....	391135	43.80
85 = BAD DATA Logically assigned.....	1374	0.15
90 = NOT ASKED THE QUESTION Logically assigned.....	4694	0.53
91 = NEVER USED ALCOHOL.....	142922	16.01
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	130316	14.59
94 = DON'T KNOW .....	1820	0.20
97 = REFUSED .....	496	0.06
98 = BLANK (NO ANSWER) .....	1001	0.11
99 = LEGITIMATE SKIP.....	145138	16.25

NOTE: EI4FDDYS is an "editing indicator" for the variable CA4FDDYS. The default value of EI4FDDYS is 1, when no editing has been done to CA4FDDYS, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDDYS has values of 2 when values in CA4FDDYS have logically been replaced with other values as part of the data editing procedures.

EI4FDDYS<sup>1</sup>      Len : 1    EDITING INDICATOR FOR CA4FDDYS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	391135	43.80
1 = Questionnaire data (or bad data/legitimate skip).....	488257	54.68
2 = Logically assigned data.....	13580	1.52

CONSUMPTION OF ALCOHOL

How old were you the first time you had 4 or more drinks on the same occasion?

CA4FDAGE<sup>1</sup> Len : 3 AGE 1ST TIME HAD 4 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 82 .....	100294	11.23
-9 = Data not collected for this year .....	391135	43.80
985 = BAD DATA Logically assigned .....	1749	0.20
990 = NOT ASKED THE QUESTION Logically assigned .....	7840	0.88
991 = NEVER USED ALCOHOL .....	142922	16.01
994 = DON'T KNOW .....	4654	0.52
997 = REFUSED .....	638	0.07
998 = BLANK (NO ANSWER) .....	1096	0.12
999 = LEGITIMATE SKIP .....	242644	27.17

NOTE: EI4FDAGE is an "editing indicator" for the variable CA4FDAGE. The default value of EI4FDAGE is 1, when no editing has been done to CA4FDAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDAGE has values of 2 when values in CA4FDAGE have logically been replaced with other values as part of the data editing procedures.

EI4FDAGE<sup>1</sup> Len : 1 EDITING INDICATOR FOR CA4FDAGE

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Questionnaire data (or bad data/legitimate skip) .....	497957	55.76
2 = Logically assigned data .....	3880	0.43

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

CA4FDYFU<sup>1</sup> Len : 4 YEAR OF FIRST 4+ DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2004 - 2014 .....	17545	1.96
-9 = Data not collected for this year .....	391135	43.80
9985 = BAD DATA Logically assigned .....	517	0.06
9989 = LEGITIMATE SKIP Logically assigned .....	1114	0.12
9991 = NEVER USED ALCOHOL .....	142922	16.01
9994 = DON'T KNOW .....	4741	0.53
9997 = REFUSED .....	654	0.07
9998 = BLANK (NO ANSWER) .....	10733	1.20
9999 = LEGITIMATE SKIP .....	323611	36.24

NOTE: EI4FDYFU is an "editing indicator" for the variable CA4FDYFU. The default value of EI4FDYFU is 1, when no editing has been done to CA4FDYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDYFU has values of 2 when values in CA4FDYFU have logically been replaced with other values as part of the data editing procedures.

EI4FDYFU<sup>1</sup> Len : 1 EDITING INDICATOR FOR CA4FDYFU

	Freq	Pct
-9 = Data not collected for this year .....	391135	43.80
1 = Questionnaire data (or legitimately skipped) .....	501317	56.14
2 = Logically assigned data .....	520	0.06

CONSUMPTION OF ALCOHOL

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

In what month in [YEAR FROM CA14a or CA14b] did you first have 4 or more drinks on the same occasion?

CA4FDMFU<sup>1</sup>      Len : 2    MONTH OF 4+ DRINKS ON SAME OCCASION - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = January.....	1946	0.22
2 = February.....	969	0.11
3 = March.....	1138	0.13
4 = April .....	1078	0.12
5 = May.....	1195	0.13
6 = June.....	1939	0.22
7 = July .....	2000	0.22
8 = August .....	1182	0.13
9 = September.....	1159	0.13
10 = October .....	1288	0.14
11 = November .....	871	0.10
12 = December.....	1557	0.17
85 = BAD DATA Logically assigned .....	762	0.09
89 = LEGITIMATE SKIP Logically assigned .....	1110	0.12
91 = NEVER USED ALCOHOL.....	142922	16.01
94 = DON'T KNOW .....	5431	0.61
97 = REFUSED .....	685	0.08
98 = BLANK (NO ANSWER) .....	10990	1.23
99 = LEGITIMATE SKIP.....	323615	36.24

NOTE: EI4FDMFU is an "editing indicator" for the variable CA4FDMFU. The default value of EI4FDMFU is 1, when no editing has been done to CA4FDMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDMFU has values of 2 when values in CA4FDMFU have logically been replaced with other values as part of the data editing procedures.

EI4FDMFU<sup>1</sup>      Len : 1    EDITING INDICATOR FOR CABNGMFU

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	391135	43.80
1 = Questionnaire data (or bad data/legitimate skip).....	500804	56.08
2 = Logically assigned data.....	1033	0.12

RECODED CONSUMPTION OF ALCOHOL

**RECODED CONSUMPTION OF ALCOHOL**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

<b>UADPEOP</b>	Len : 1 RC-SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	4611	0.52
	1 = Drank Alone (CADRPEOP=1).....	220816	24.73
	2 = Drank with One Other Person (CADRPEOP=2).....	3675	0.41
	3 = Drank with More Than One Person (CADRPEOP=3).....	9571	1.07
	4 = No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99).....	48619	5.44
		605680	67.83

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

<b>UADCAR</b>	Len : 1 RC-MOST RECENT ALCOHOL USE IN A CAR		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	610950	68.42
	1 = Yes (CADRCAR=1,3).....	220816	24.73
	2 = No (CADRCAR=6).....	2877	0.32
		58329	6.53

<b>UADHOME</b>	Len : 1 RC-MOST RECENT ALCOHOL USE AT HOME		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	610950	68.42
	1 = Yes (CADRHOME=1,3).....	220816	24.73
	2 = No (CADRHOME=6).....	18975	2.12
		42231	4.73

<b>UADOTHM</b>	Len : 1 RC-MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	610950	68.42
	1 = Yes (CADROTHM=1,3).....	220816	24.73
	2 = No (CADROTHM=6).....	33275	3.73
		27931	3.13

<b>UADPUBL</b>	Len : 1 RC-MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	610950	68.42
	1 = Yes (CADRPUBL=1,3).....	220816	24.73
	2 = No (CADRPUBL=6).....	2880	0.32
		58326	6.53

<b>UADBAR</b>	Len : 1 RC-MOST RECENT ALCOHOL USE AT RESTAURANT, BAR OR CLUB		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	610950	68.42
	1 = Yes (CADRBAR=1,3).....	220816	24.73
	2 = No (CADRBAR=6).....	4317	0.48
		56889	6.37

<b>UADEVNT</b>	Len : 1 RC-MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME		
	. = Unknown/No PM Use/Aged 21+ (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	610950	68.42
	1 = Yes (CADREVNT=1,3).....	220816	24.73
	2 = No (CADREVNT=6).....	1110	0.12
		60096	6.73

RECODED CONSUMPTION OF ALCOHOL

**UADSCHL**      Len : 1    RC-MOST RECENT ALCOHOL USE AT SCHOOL

	<b>Freq</b>	<b>Pct</b>
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	610950	68.42
-9 = Data not collected for this year.....	220816	24.73
1 = Yes (CADRSCHL=1,3).....	1377	0.15
2 = No (CADRSCHL=6).....	59829	6.70

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTS2=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTS2=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

**UADROTH**      Len : 1    RC-MOST RECENT ALCOHOL USE AT SOME OTHER PLACE

	<b>Freq</b>	<b>Pct</b>
. = Unknown/No PM Use/Aged 21+ (See comment above).....	611956	68.53
-9 = Data not collected for this year.....	220816	24.73
1 = Yes (CADROTH=1 and CADROTS2=8-41).....	4190	0.47
2 = No (See comment above).....	56010	6.27

**UADOTSP**      Len : 1    RC-OTHER LOCATIONS OF MOST RECENT ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (CADROTS2=70,85,94,97,98).....	6276	0.70
-9 = Data not collected for this year.....	220816	24.73
1 = Party, Wedding, or Celebration (CADROTS2=35).....	1250	0.14
2 = Outside: Location Not Specified (CADROTS2=24).....	654	0.07
3 = Hotel, Motel, or Resort (CADROTS2=15).....	498	0.06
4 = Camping, Hunting, or Fishing (CADROTS2=22).....	325	0.04
5 = Cabin, Cottage, Vacation Home, Etc. (CADROTS2=14).....	117	0.01
6 = Dorm Room (CADROTS2=29).....	114	0.01
7 = Other Location, Nonuser, or Aged 21+ (Otherwise).....	662922	74.24

**UADPAID**      Len : 1    RC-UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	4659	0.52
-9 = Data not collected for this year.....	220816	24.73
1 = Yes (CABUYFRE=1).....	17840	2.00
2 = No (CABUYFRE=2).....	43977	4.92
3 = No Past Mon Alc/Aged 21+ (CABUYFRE=89,91,93,99).....	605680	67.83

A respondent was assigned a value of UADMONEY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONEY=89, 91, 93, 99).

**UADMONEY**      Len : 1    RC-UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	4812	0.54
-9 = Data not collected for this year.....	220816	24.73
1 = Bought Myself (CAGVMONEY=1).....	4726	0.53
2 = Gave Money to Someone Else to Buy (CAGVMONEY=2).....	12961	1.45
3 = No Pst Mon Alc/Aged 21+/No Pay (See comment above).....	649657	72.75

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89, 91, 93, 99).

**UADBWHO**      Len : 1    RC-HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	4920	0.55
-9 = Data not collected for this year.....	220816	24.73
1 = Bought at a Store/Restaurant/Etc. (CABUYWHO=1).....	3819	0.43
2 = Bought From Another Person (CABUYWHO=2).....	799	0.09
3 = No PM Alc/Aged 21+/No Pay, Buy (See comment above).....	662618	74.20

RECODED CONSUMPTION OF ALCOHOL

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89, 91, 93, 99).

UADPLACE      Len : 1    RC-WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	4932	0.55
-9 = Data not collected for this year.....	220816	24.73
1 = Bought at Liquor/Grocery Store (CABPLACE=1) .....	2477	0.28
2 = Bought at a Restaurant/Bar/Club (CABPLACE=2) .....	1247	0.14
3 = Bought at a Concert/Sports/Event (CABPLACE=3).....	83	0.01
4 = No PM Alc/21+/Prsn/No Pay, Buy (See comment above).....	663417	74.29

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89, 91, 93, 99).

UADBUND      Len : 1    RC-AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER

	Freq	Pct
. = Unknown (Otherwise).....	4925	0.55
-9 = Data not collected for this year.....	220816	24.73
1 = Under Age 21 (CABUNDAG=1).....	293	0.03
2 = Aged 21 or Older (CABUNDAG=2) .....	501	0.06
3 = No PM Alc/21+/Plce/No Pay, Buy (See comment above).....	666437	74.63

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89, 91, 93, 99).

UADCAG      Len : 1    RC-WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	5251	0.59
-9 = Data not collected for this year.....	220816	24.73
1 = Parent or Guardian (CAGVWHO=1).....	396	0.04
2 = Another Family Member Aged 21 or Older (CAGVWHO=2).....	1347	0.15
3 = Someone Not Related Aged 21 or Older (CAGVWHO=3).....	9353	1.05
4 = Someone Under the Age of 21 (CAGVWHO=4).....	1426	0.16
5 = No PM Alc/21+/No Pay/Buy Self (See comment above).....	654383	73.28

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

UADFWHO      Len : 1    RC-WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (See comment above).....	7151	0.80
-9 = Data not collected for this year.....	220816	24.73
1 = Parent or Guardian (CAFREWHO=1,11) .....	4275	0.48
2 = Another Family Member, 21 or Older (CAFREWHO=2,12).....	5621	0.63
3 = Someone Not Related, 21 or Older (CAFREWHO=3,13).....	15083	1.69
4 = Someone Under the Age of 21 (CAFREWHO=4,14) .....	8558	0.96
5 = Took From My Home (CAFREWHO=5,15) .....	2932	0.33
6 = Took From Someone Else's Home (CAFREWHO=6,16).....	1604	0.18
7 = Some Other Way (CAFREWHO=7 & CAFRESP2=7-43) .....	3412	0.38
8 = No PM Alc/Aged 21+/Pay (See comment above).....	623520	69.83



RECODED CONSUMPTION OF ALCOHOL

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7, 8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

**UADFRD**      Len : 1    RC-MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD

	<b>Freq</b>	<b>Pct</b>
. = Unknown (See comment above).....	7151	0.80
-9 = Data not collected for this year.....	220816	24.73
1 = Got From a Friend (CAFREWHO=7 & CAFRESP2=22,43).....	1496	0.17
2 = Not From a Friend (See comment above).....	39989	4.48
3 = No PM Alc/Aged 21+/Pay (See comment above).....	623520	69.83

NOTE: The following six variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

**CADRKMARJ2**      Len : 1    RC-USED MARIJUANA WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	745	0.08
-9 = Data not collected for this year.....	722653	80.93
0 = No (CADRKMARJ=6,81,83,89,91,93,99).....	161904	18.13
1 = Yes (CADRKMARJ=1,5).....	7670	0.86

**CADRKCOCN2**      Len : 1    RC-USED COCAINE WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	154	0.02
-9 = Data not collected for this year.....	722653	80.93
0 = No (CADRKCOCN=6,81,83,89,91,93,99).....	169834	19.02
1 = Yes (CADRKCOCN=1,5).....	331	0.04

**CADRKHERN2**      Len : 1    RC-USED HEROIN WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	43	0.00
-9 = Data not collected for this year.....	722653	80.93
0 = No (CADRKHERN=6,81,83,89,91,93,99).....	170206	19.06
1 = Yes (CADRKHERN=1,5).....	70	0.01

**CADRKHALL2**      Len : 1    RC-USED HALLUCINOGENS WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	365	0.04
-9 = Data not collected for this year.....	722653	80.93
0 = No (CADRKHALL=6,81,83,89,91,93,99).....	169848	19.02
1 = Yes (CADRKHALL=1,5).....	106	0.01

**CADRKINHL2**      Len : 1    RC-USED INHALANTS WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	180	0.02
-9 = Data not collected for this year.....	722653	80.93
0 = No (CADRKINHL=6,81,83,89,91,93,99).....	170120	19.05
1 = Yes (CADRKINHL=1,5).....	19	0.00

**CADRKMETH2**      Len : 1    RC-USED METHAMPHETAMINE WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	78	0.01
-9 = Data not collected for this year.....	722653	80.93
0 = No (CADRKMETH=6,81,83,89,91,93,99).....	170124	19.05
1 = Yes (CADRKMETH=1,5).....	117	0.01

RECODED CONSUMPTION OF ALCOHOL

NOTE: The following 12 variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

<b>DRKMRJ</b>	Len : 1 USED MARIJUANA WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	2135	0.24
	0 = No (CADRKMJR=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKMJR=1,5).....	477659	53.49
		22043	2.47
<b>DRKCOC</b>	Len : 1 USED COCAINE WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	543	0.06
	0 = No (CADRKOC=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKOC=1,5).....	500305	56.03
		989	0.11
<b>DRKHER</b>	Len : 1 USED HEROIN WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	151	0.02
	0 = No (CADRKHER=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKHER=1,5).....	501541	56.17
		145	0.02
<b>DRKHAL</b>	Len : 1 USED HALLUCINOGENS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	1024	0.11
	0 = No (CADRKHAL=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKHAL=1,5).....	500475	56.05
		338	0.04
<b>DRKINH</b>	Len : 1 USED INHALANTS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	628	0.07
	0 = No (CADRKINH=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKINH=1,5).....	501128	56.12
		81	0.01
<b>DRKANL</b>	Len : 1 USED PAIN RELIEVERS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	1629	0.18
	0 = No (CADRKANL=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKANL=1,5).....	498766	55.85
		1442	0.16
<b>DRKTRN</b>	Len : 1 USED TRANQUILIZERS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	605	0.07
	0 = No (CADRKTRN=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKTRN=1,5).....	500871	56.09
		361	0.04
<b>DRKSTM</b>	Len : 1 USED STIMULANTS WITH LAST ALCOHOL USE		
	. = Unknown (Otherwise).....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	517	0.06
	0 = No (CADRKSTM=6,81,83,89,91,93,99).....	391135	43.80
	1 = Yes (CADRKSTM=1,5).....	501103	56.12
		217	0.02

RECODED CONSUMPTION OF ALCOHOL

The following variable, DRKMTH, was created to capture the respondent's use of methamphetamine with his or her most recent use of alcohol. A positive response was assigned if the respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1, 5) and if he or she reported methamphetamine use in the core Stimulants module or he or she reported its use in the noncore Special Drugs module and they did not report methamphetamine use in the core Stimulants module because he or she did not consider it to be a prescription drug. A negative response was assigned if the respondent reported no methamphetamine use with his or her most recent alcohol use or reported never having used alcohol or methamphetamine or not having used in the past 30 days (CADRMTH=6,81,83,89,91,93,99). A negative response could also be assigned if a respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1,5) but he or she did not report ever having used methamphetamine in the core Stimulants module or in the noncore Specialty Drug module because they did not consider it to be a prescription drug.

**DRKMTH**      Len : 1    USED METHAMPHETAMINE WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	325	0.04
-9 = Data not collected for this year.....	391135	43.80
0 = No (See comment above).....	501279	56.14
1 = Yes (See comment above).....	233	0.03

**DRKSED**      Len : 1    USED SEDATIVES WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (Otherwise).....	292	0.03
-9 = Data not collected for this year.....	391135	43.80
0 = No (CADRKSED=6,81,83,89,91,93,99).....	501495	56.16
1 = Yes (CADRKSED=1,5).....	50	0.01

The following variable, DRKSUM, was created to capture the use of any illicit drug with the respondent's most recent use of alcohol. It was created by examination of the following variables: DRKMRJ, DRKCOC, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of the individual drug variables. A negative response was assigned if a respondent answered 'No' to all drug variables or the respondent was not a past month user of any illicit drugs (SUMMON=0). If neither of these was true, then DRKSUM was set to missing.

**DRKSUM**      Len : 1    USED ILLICIT DRUGS WITH LAST ALCOHOL USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (See comment above).....	1705	0.19
-9 = Data not collected for this year.....	391135	43.80
0 = No (See comment above).....	476326	53.34
1 = Yes (See comment above).....	23806	2.67

The following variable, DRKIEM, was created to capture the use of any illicit drug other than marijuana with the respondent's most recent use of alcohol. It was created by examination of the following recoded variables: DRKCOC, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of these individual drugs. A negative response was assigned if a respondent answered 'No' to all of these drugs or they were not a past month user of any illicit drug other than marijuana (IEMMON=0). If neither of these was true, then DRKIEM was set to missing.

**DRKIEM**      Len : 1    USED ILLICIT DRUGS OTHR THAN MRJ WITH LAST ALC USE

	<b>Freq</b>	<b>Pct</b>
. = Unknown (See comment above).....	874	0.10
-9 = Data not collected for this year.....	391135	43.80
0 = No (See comment above).....	497704	55.74
1 = Yes (See comment above).....	3259	0.36

INTERVIEW INFORMATION

**INTERVIEW INFORMATION**

<b>LANGVER</b>	Len : 2 LANGUAGE VERSION		
		<b>Freq</b>	<b>Pct</b>
	1 = English.....	860129	96.32
	2 = Spanish.....	32841	3.68
	98 = BLANK (NO ANSWER).....	2	0.00

<b>QUARTER</b>	Len : 1 QUARTER INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Quarter 1.....	212052	23.75
	2 = Quarter 2.....	237096	26.55
	3 = Quarter 3.....	228402	25.58
	4 = Quarter 4.....	215422	24.12

<b>GQTYPE</b>	Len : 1 TYPE OF GROUP QUARTER		
		<b>Freq</b>	<b>Pct</b>
	= BLANK (NO ANSWER).....	161496	18.09
	B = Boarding House.....	19	0.00
	C = College Dorm.....	2891	0.32
	O = Other.....	452	0.05
	S = Shelter.....	26	0.00
	-9 = Data not collected for this year.....	728061	81.53
	1 = Halfway House.....	27	0.00

<b>GQTYPE2</b>	Len : 1 TYPE OF GROUP QUARTER		
		<b>Freq</b>	<b>Pct</b>
	= BLANK (NO ANSWER).....	717247	80.32
	C = College Dorm.....	9115	1.02
	O = Other.....	1699	0.19
	-9 = Data not collected for this year.....	164911	18.47

DEMOGRAPHICS

DEMOGRAPHICS

DEMOGRAPHICS

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE2      Len : 2    RECODE - FINAL EDITED AGE

	Freq	Pct
1 = Respondent is 12 years old .....	42200	4.73
2 = Respondent is 13 years old .....	45081	5.05
3 = Respondent is 14 years old .....	45506	5.10
4 = Respondent is 15 years old .....	46566	5.21
5 = Respondent is 16 years old .....	46782	5.24
6 = Respondent is 17 years old .....	45711	5.12
7 = Respondent is 18 years old .....	37964	4.25
8 = Respondent is 19 years old .....	34544	3.87
9 = Respondent is 20 years old .....	33916	3.80
10 = Respondent is 21 years old.....	34295	3.84
11 = Respondent is 22 or 23 years old .....	68344	7.65
12 = Respondent is 24 or 25 years old .....	67813	7.59
13 = Respondent is between 26 and 29 years old .....	47347	5.30
14 = Respondent is between 30 and 34 years old .....	54825	6.14
15 = Respondent is between 35 and 49 years old .....	139807	15.66
16 = Respondent is between 50 and 64 years old .....	61950	6.94
17 = Respondent is 65 years old or older .....	40321	4.52

How many times have you been married?

NOMARR2      Len : 2    NUMBER OF TIMES MARRIED

	Freq	Pct
-9 = Data not collected for this year .....	57146	6.40
1 = One time .....	229066	25.65
2 = Two or more times .....	60727	6.80
94 = DON'T KNOW .....	39	0.00
97 = REFUSED .....	265	0.03
98 = BLANK (NO ANSWER) .....	6	0.00
99 = LEGITIMATE SKIP .....	545723	61.11

Have you ever been in the United States Armed Forces?

SERVICE      Len : 2    EVER BEEN IN THE US ARMED FORCES

	Freq	Pct
1 = Yes.....	38877	4.35
2 = No.....	627793	70.30
85 = BAD DATA Logically assigned .....	143	0.02
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	11	0.00
98 = BLANK (NO ANSWER) .....	6	0.00
99 = LEGITIMATE SKIP .....	226133	25.32

Are you currently on active duty in the United States Armed Forces, are you in a Reserve component, or are you now separated or retired from the military?

MILSTAT      Len : 2    CURRENT MILITARY STATUS

	Freq	Pct
2 = In a reserves component.....	2887	0.32
3 = Now separated/retired from reserves/active duty .....	35955	4.03
85 = BAD DATA Logically assigned .....	143	0.02
94 = DON'T KNOW .....	37	0.00
97 = REFUSED .....	16	0.00
98 = BLANK (NO ANSWER) .....	6	0.00
99 = LEGITIMATE SKIP .....	853928	95.63

DEMOGRAPHICS

Have you ever served on active duty in the United States Armed Forces or Reserve components? Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

<b>ACTDEVER</b>	Len : 2 EVER ON ACTIVE DUTY IN US MILITARY/RESERV		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	612222	68.56
	1 = Yes.....	9719	1.09
	2 = No .....	2918	0.33
	85 = BAD DATA Logically assigned .....	117	0.01
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	2	0.00
	98 = BLANK (NO ANSWER) .....	1	0.00
	99 = LEGITIMATE SKIP .....	267987	30.01

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

<b>ACTD2001</b>	Len : 2 SEPTEMBER 2001 OR LATER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	612222	68.56
	1 = Yes.....	3054	0.34
	2 = No (not entered).....	6642	0.74
	85 = BAD DATA Logically assigned .....	120	0.01
	94 = DON'T KNOW .....	7	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	19	0.00
	99 = LEGITIMATE SKIP .....	270905	30.34

<b>ACTD9001</b>	Len : 2 AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	612222	68.56
	1 = Yes.....	2406	0.27
	2 = No (not entered).....	7293	0.82
	85 = BAD DATA Logically assigned .....	117	0.01
	94 = DON'T KNOW .....	7	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	19	0.00
	99 = LEGITIMATE SKIP .....	270905	30.34

<b>ACTD7590</b>	Len : 2 MAY 1975 TO JULY 1990		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	612222	68.56
	1 = Yes.....	2097	0.23
	2 = No (not entered).....	7602	0.85
	85 = BAD DATA Logically assigned .....	118	0.01
	94 = DON'T KNOW .....	7	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	18	0.00
	99 = LEGITIMATE SKIP .....	270905	30.34

<b>ACTDVIET</b>	Len : 2 VIETNAM ERA (MARCH 1961 TO APRIL 1975)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	612222	68.56
	1 = Yes.....	2737	0.31
	2 = No (not entered).....	6960	0.78
	85 = BAD DATA Logically assigned .....	121	0.01
	94 = DON'T KNOW .....	7	0.00
	97 = REFUSED .....	3	0.00
	98 = BLANK (NO ANSWER) .....	17	0.00
	99 = LEGITIMATE SKIP .....	270905	30.34

DEMOGRAPHICS

ACTDPRIV

Len : 2 ANY TIME BEFORE VIETNAM ERA (MARCH 1961)

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
1 = Yes.....	1355	0.15
2 = No (not entered).....	8337	0.93
85 = BAD DATA Logically assigned .....	133	0.01
94 = DON'T KNOW .....	7	0.00
97 = REFUSED .....	3	0.00
98 = BLANK (NO ANSWER) .....	10	0.00
99 = LEGITIMATE SKIP.....	270905	30.34

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

COMBATPY

Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
-9 = Data not collected for this year .....	612222	68.56
1 = YES .....	4369	0.49
2 = NO .....	5321	0.60
85 = BAD DATA Logically assigned .....	117	0.01
94 = DON'T KNOW .....	25	0.00
97 = REFUSED .....	6	0.00
98 = BLANK (NO ANSWER) .....	7	0.00
99 = LEGITIMATE SKIP.....	270905	30.34

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

HEALTH

Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent.....	247775	27.75
2 = Very good .....	352815	39.51
3 = Good .....	220187	24.66
4 = Fair .....	61152	6.85
5 = Poor .....	10866	1.22
94 = DON'T KNOW .....	147	0.02
97 = REFUSED .....	30	0.00

How many times in the past 12 months have you moved? Please include moves from one residence to another within the same city/town as well as those from one city/town to another.

MOVSINPYR2

Len : 3 # TIMES MOVED PAST 12 MONTHS- RECODED

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
0 = 0 time.....	116412	13.04
1 = One time .....	31328	3.51
2 = Two times .....	12481	1.40
3 = Three or more times.....	6681	0.75
985 = BAD DATA Logically assigned .....	54	0.01
994 = DON'T KNOW .....	1944	0.22
997 = REFUSED .....	1362	0.15
998 = BLANK (NO ANSWER).....	57	0.01

People are different in their sexual attraction to other people. Which statement best describes your feelings?

SEXATTRACT

Len : 2 SEXUAL ATTRACTION

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = I am only attracted to opposite sex.....	109195	12.23
2 = I am mostly attracted to opposite sex .....	8325	0.93
3 = I am equally attracted to males and females.....	4117	0.46
4 = I am mostly attracted to same sex .....	1245	0.14
5 = I am only attracted to same sex .....	2236	0.25
6 = I am not sure .....	1870	0.21
85 = BAD DATA Logically assigned .....	7	0.00
89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
94 = DON'T KNOW .....	494	0.06
97 = REFUSED .....	1197	0.13
98 = BLANK (NO ANSWER) .....	54	0.01
99 = LEGITIMATE SKIP.....	41577	4.66

DEMOGRAPHICS

Which one of the following do you consider yourself to be?

<b>SEXIDENT</b>	Len : 2 SEXUAL IDENTITY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Heterosexual, that is, straight.....	118222	13.24
	2 = Lesbian or Gay.....	2731	0.31
	3 = Bisexual .....	5510	0.62
	85 = BAD DATA Logically assigned .....	7	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	2	0.00
	94 = DON'T KNOW .....	776	0.09
	97 = REFUSED .....	1440	0.16
	98 = BLANK (NO ANSWER) .....	54	0.01
	99 = LEGITIMATE SKIP .....	41577	4.66

How well do you speak English?

<b>SPEAKENGL</b>	Len : 2 HOW WELL SPEAK ENGLISH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Very well .....	150992	16.91
	2 = Well .....	12936	1.45
	3 = Not well .....	4333	0.49
	4 = Not at all .....	1405	0.16
	85 = BAD DATA Logically assigned .....	40	0.00
	94 = DON'T KNOW .....	190	0.02
	97 = REFUSED .....	366	0.04
	98 = BLANK (NO ANSWER) .....	57	0.01

Are you deaf or do you have serious difficulty hearing?

<b>DIFFHEAR</b>	Len : 2 SERIOUS DIFFICULTY HEARING		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	5428	0.61
	2 = No .....	164216	18.39
	85 = BAD DATA Logically assigned .....	40	0.00
	94 = DON'T KNOW .....	239	0.03
	97 = REFUSED .....	339	0.04
	98 = BLANK (NO ANSWER) .....	57	0.01

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

<b>DIFFSEE</b>	Len : 2 SERIOUS DIFFICULTY SEEING		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	6926	0.78
	2 = No .....	162732	18.22
	85 = BAD DATA Logically assigned .....	40	0.00
	94 = DON'T KNOW .....	235	0.03
	97 = REFUSED .....	329	0.04
	98 = BLANK (NO ANSWER) .....	57	0.01

Because of a physical, mental or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

<b>DIFFTHINK</b>	Len : 2 SERIOUS DIFFICULTY CONCENTRAT, REMEMBR, DECISION		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	16797	1.88
	2 = No .....	152343	17.06
	85 = BAD DATA Logically assigned .....	40	0.00
	94 = DON'T KNOW .....	591	0.07
	97 = REFUSED .....	491	0.05
	98 = BLANK (NO ANSWER) .....	57	0.01



DEMOGRAPHICS

Do you have serious difficulty walking or climbing stairs?

<b>DIFFWALK</b>	Len : 2	SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	8152	0.91
		2 = No.....	161467	18.08
		85 = BAD DATA Logically assigned .....	40	0.00
		94 = DON'T KNOW .....	240	0.03
		97 = REFUSED .....	363	0.04
		98 = BLANK (NO ANSWER) .....	57	0.01

Do you have difficulty dressing or bathing?

<b>DIFFDRESS</b>	Len : 2	SERIOUS DIFFICULTY DRESSING OR BATHING		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	2623	0.29
		2 = No.....	167058	18.71
		85 = BAD DATA Logically assigned .....	40	0.00
		94 = DON'T KNOW .....	194	0.02
		97 = REFUSED .....	347	0.04
		98 = BLANK (NO ANSWER) .....	57	0.01

Because of a physical, mental or emotional condition, do you have difficulty doing errands alone such as visiting a doctors' office or shopping?

<b>DIFFERAND</b>	Len : 2	DIFFICULTY DOING ERRANDS ALONE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	7078	0.79
		2 = No.....	142281	15.93
		85 = BAD DATA Logically assigned .....	14	0.00
		94 = DON'T KNOW .....	237	0.03
		97 = REFUSED .....	362	0.04
		98 = BLANK (NO ANSWER) .....	55	0.01
		99 = LEGITIMATE SKIP .....	20292	2.27

IMPUTED DEMOGRAPHICS

**IMPUTED DEMOGRAPHICS**

Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.

**IRSEX**      Len : 1    IMPUTATION REVISED GENDER

	<b>Freq</b>	<b>Pct</b>
1 = Male.....	428011	47.93
2 = Female.....	464961	52.07

NOTE: The variable IRMARIT reflects the move of the marital status questions from self-administration in 2015 back to interviewer administration in 2016. This variable is considered to be comparable with corresponding variables in 2002 to 2014 (when this question also was interviewer-administered) but is not considered to be comparable with the marital status variable IRMARITSTAT in 2015. Analytic goals should be considered prior to pooling or comparing marital status data from 2015 with data from other years.

**IRMARIT**      Len : 2    IMPUTATION REVISED MARITAL STATUS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	57146	6.40
1 = Married.....	219697	24.60
2 = Widowed.....	14918	1.67
3 = Divorced or Separated.....	55389	6.20
4 = Never Been Married.....	419674	47.00
99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	126148	14.13

**IIMARIT**      Len : 1    IMPUTATION INDICATOR MARITAL STATUS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	57146	6.40
1 = Marital status from questionnaire.....	709508	79.45
3 = Marital status statistically imputed.....	170	0.02
9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	126148	14.13

**IRMARITSTAT**      Len : 2    MARITAL STATUS - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	835826	93.60
1 = Married.....	18062	2.02
2 = Widowed.....	1692	0.19
3 = Divorced or Separated.....	4856	0.54
4 = Never Been Married.....	25897	2.90
99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	6639	0.74

**IIMARITSTAT**      Len : 1    MARITAL STATUS - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	835826	93.60
1 = Marital status from questionnaire.....	50167	5.62
3 = Marital status statistically imputed.....	340	0.04
9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	6639	0.74

**IREDUHIGHST2**      Len : 2    EDUCATION - RECODED IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Fifth grade or less grade completed.....	3373	0.38
2 = Sixth grade completed.....	7010	0.79
3 = Seventh grade completed.....	7355	0.82
4 = Eighth grade completed.....	8570	0.96
5 = Ninth grade completed.....	9522	1.07
6 = Tenth grade completed.....	9589	1.07
7 = Eleventh or Twelfth grade completed, no diploma.....	12893	1.44
8 = High school diploma/GED.....	34739	3.89
9 = Some college credit, but no degree.....	31445	3.52
10 = Associate's degree (for example, AA, AS).....	11839	1.33
11 = College graduate or higher.....	33984	3.81

**IIEDUHIGHST2**      Len : 1    EDUCATION INDICATOR - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Education from questionnaire.....	170206	19.06
3 = Education statistically imputed.....	113	0.01

IMPUTED DEMOGRAPHICS

**IREduc2**      Len : 2    RECODE - IMPUTATION REVISED EDUCATION

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Fifth grade or less .....	19220	2.15
2 = Sixth grade.....	39560	4.43
3 = Seventh grade .....	39881	4.47
4 = Eighth grade.....	46886	5.25
5 = Ninth grade .....	52106	5.84
6 = Tenth grade.....	54594	6.11
7 = Eleventh grade .....	58568	6.56
8 = Twelfth grade.....	163635	18.32
9 = Freshman/13th year .....	53339	5.97
10 = Sophomore/14th year or Junior/15th year .....	88941	9.96
11 = Senior/16th year or Grad/Prof School (or higher) .....	105923	11.86

**IIEduc2**      Len : 1    IMPUTATION REVISED EDUCATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Education from questionnaire .....	722549	80.92
3 = Education statistically imputed .....	104	0.01

This variable is defined to have similar categories as those used for the Healthy People objectives (<http://www.healthypeople.gov/>).

**EDUCATHP**      Len : 1    EDUCATION RECODE FOR HEALTHY PEOPLE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	505807	56.64
1 = Less than high school (EDUCCAT2=1) .....	46969	5.26
2 = High school graduate (EDUCCAT2=2).....	86782	9.72
3 = Some College/College Graduate (EDUCCAT2=3,4).....	127249	14.25
4 = 12 to 17 year olds (EDUCCAT2=5) .....	126165	14.13

**EDUCCAT2**      Len : 1    EDUCATION RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Less than high school (IREduc2<=7 and AGE2>=7).....	83124	9.31
2 = High school graduate (IREduc2=8 and AGE2>=7).....	161162	18.05
3 = Some college (IREduc2=9-10 and AGE2>=7).....	142182	15.92
4 = College graduate (IREduc2=11 and AGE2>=7).....	105918	11.86
5 = 12 to 17 year olds (AGE2<=6).....	230267	25.79

RECORDED DEMOGRAPHICS

**RECORDED DEMOGRAPHICS**

<b>CATAGE</b>	Len : 1 RC-AGE CATEGORY		
		<b>Freq</b>	<b>Pct</b>
	1 = 12-17 Years Old.....	271846	30.44
	2 = 18-25 Years Old.....	276876	31.01
	3 = 26-34 Years Old.....	102172	11.44
	4 = 35 or Older.....	242078	27.11
<b>CATAG2</b>	Len : 1 RC-AGE CATEGORY RECODE (3 LEVELS)		
		<b>Freq</b>	<b>Pct</b>
	1 = 12-17 Years Old.....	271846	30.44
	2 = 18-25 Years Old.....	276876	31.01
	3 = 26 or Older.....	344250	38.55
<b>CATAG3</b>	Len : 1 RC-AGE CATEGORY RECODE (5 LEVELS)		
		<b>Freq</b>	<b>Pct</b>
	1 = 12-17 Years Old.....	271846	30.44
	2 = 18-25 Years Old.....	276876	31.01
	3 = 26-34 Years Old.....	102172	11.44
	4 = 35-49 Years Old.....	139807	15.66
	5 = 50 or Older.....	102271	11.45
<b>CATAG6</b>	Len : 1 RC-AGE CATEGORY RECODE (6 LEVELS)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	164911	18.47
	1 = 12-17 Years Old.....	217639	24.37
	2 = 18-25 Years Old.....	222290	24.89
	3 = 26-34 Years Old.....	85370	9.56
	4 = 35-49 Years Old.....	115355	12.92
	5 = 50-64 Years Old.....	53039	5.94
	6 = 65 or Older.....	34368	3.85
<b>CATAG7</b>	Len : 1 RC-AGE CATEGORY RECODE (7 LEVELS)		
		<b>Freq</b>	<b>Pct</b>
	1 = 12-13 Years Old.....	87281	9.77
	2 = 14-15 Years Old.....	92072	10.31
	3 = 16-17 Years Old.....	92493	10.36
	4 = 18-20 Years Old.....	106424	11.92
	5 = 21-25 Years Old.....	170452	19.09
	6 = 26-34 Years Old.....	102172	11.44
	7 = 35 or Older.....	242078	27.11
<b>PREGAGE2</b>	Len : 1 RC-PREGNANCY AGE CATEGORY RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = 15-17 Years Old.....	139059	15.57
	2 = 18-25 Years Old.....	276876	31.01
	3 = 26-44 Years Old.....	194429	21.77
	4 = Otherwise (12-14, 45 or Older).....	282608	31.65
<b>DRVINAGE</b>	Len : 1 RC-DUI AGE CATEGORY RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	779799	87.33
	1 = 16-25 Years Old.....	36965	4.14
	2 = 26 or Older.....	57679	6.46
	3 = Otherwise (12-15 Years Old).....	18529	2.07
<b>DRVINDETAG</b>	Len : 1 RC-DUI DETAILED AGE CATEGORY RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	779799	87.33
	1 = 16-20 Years Old.....	19369	2.17
	2 = 21-25 Years Old.....	17596	1.97
	3 = 26 or Older.....	57679	6.46
	4 = Otherwise (12-15 Years Old).....	18529	2.07

RECODED DEMOGRAPHICS

SEXAGE

Len : 1 RC-COMBINED GENDER BY AGE CATEGORY INDICATOR

	Freq	Pct
1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1).....	138764	15.54
2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1) .....	133082	14.90
3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2).....	131749	14.75
4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2) .....	145127	16.25
5 = Otherwise.....	344250	38.55

NEWRACE2

Len : 1 RC-RACE/HISPANICITY RECODE (7 LEVELS)

	Freq	Pct
1 = NonHispanic White.....	556053	62.27
2 = NonHispanic Black/African American.....	113116	12.67
3 = NonHispanic Native American/American Indian.....	13129	1.47
4 = NonHispanic Native Hawaiian/Other Pacific Islander.....	4302	0.48
5 = NonHispanic Asian.....	33079	3.70
6 = NonHispanic more than one race.....	28460	3.19
7 = Hispanic.....	144833	16.22

SEXTRACE

Len : 1 RC-COMBINED GENDER BY RACE INDICATOR

	Freq	Pct
1 = Male, White, Not Hispanic (IRSEX=1 and NEWRACE2=1).....	268739	30.09
2 = Female, White, Not Hispanic (IRSEX=2 and NEWRACE2=1) .....	287314	32.18
3 = Male, Black, Not Hispanic (IRSEX=1 and NEWRACE2=2).....	51327	5.75
4 = Female, Black, Not Hispanic (IRSEX=2 and NEWRACE2=2).....	61789	6.92
5 = Male, Hispanic (IRSEX=1 and NEWRACE2=7).....	69827	7.82
6 = Female, Hispanic (IRSEX=2 and NEWRACE2=7).....	75006	8.40
7 = Male or Female, Other Races (Otherwise).....	78970	8.84

EDUHIGHCAT

Len : 1 RC-EDUCATION CATEGORIES

	Freq	Pct
-9 = Data not collected for this year.....	722653	80.93
1 = Less than high school (IREDUHIGHST2=1-7 & AGE2=7-17).....	17183	1.92
2 = High school graduate (IREDUHIGHST2=8 & AGE2=7-17) .....	34357	3.85
3 = Some college/Associate Degree (IREDUHIGHST2=9-10 & AGE2=7-17).....	43227	4.84
4 = College graduate (IREDUHIGHST2=11 & AGE2=7-17).....	33973	3.80
5 = 12 to 17 year olds (AGE2=1-6).....	41579	4.66

HEALTH2

Len : 1 RC-OVERALL HEALTH RECODE

	Freq	Pct
. = Unknown (Otherwise).....	158	0.02
-9 = Data not collected for this year.....	109309	12.24
1 = Excellent (HEALTH=1) .....	214986	24.08
2 = Very Good (HEALTH=2).....	309532	34.66
3 = Good (HEALTH=3).....	194268	21.76
4 = Fair/Poor (HEALTH=4,5).....	64719	7.25

NON-CORE DEMOGRAPHICS

**NON-CORE DEMOGRAPHICS**

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

<b>MOVESPY2</b>	Len : 3 # TIMES MOVED PAST 12 MONTHS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	280750	31.44
	0 = None .....	418505	46.87
	1 = One time .....	120965	13.55
	2 = Two times .....	41671	4.67
	3 = Three or more times .....	30521	3.42
	985 = BAD DATA Logically assigned .....	10	0.00
	994 = DON'T KNOW .....	337	0.04
	997 = REFUSED .....	54	0.01
	998 = BLANK (NO ANSWER).....	159	0.02

NOTE: EIMOVPIR is an indicator of editing to MOVESPY2. The default value for EIMOVPIR is 1, when no editing was done to MOVESPY2. EIMOVPIR has a value of 2 when the item corresponding to MOVESPY2 had missing data but it could be logically inferred that the respondent moved zero times in the past 12 months, because SNMOV5Y2 or YEMOV5Y2 indicated zero moves in the past 5 years.

<b>EIMOVPIR</b>	Len : 1 EDITING INDICATOR FOR MOVESPY2		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	501566	56.17
	1 = Questionnaire data .....	391376	43.83
	2 = Logically assigned data.....	30	0.00

NOTE: MOVYRFLG is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVESPY2 and moves in the past 5 years from either SNMOV5Y2 or YEMOV5Y2. The default value for MOVYRFLG is 98 (blank). MOVYRFLG has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVESPY2, SNMOV5Y2, or YEMOV5Y2 in these situations.

<b>MOVYRFLG</b>	Len : 2 CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	501566	56.17
	1 = Moves in past yr greater than moves in past 5 yrs.....	6291	0.70
	98 = BLANK (NO ANSWER) .....	385115	43.13

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

<b>MOVEPIR2</b>	Len : 3 # TIMES MOVED PAST 12 MONTHS - RECODE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	782541	87.63
	0 = 0 times .....	76491	8.57
	1 = 1 time.....	20695	2.32
	2 = 2 times .....	6838	0.77
	3 = 3 or more times .....	4794	0.54
	994 = DON'T KNOW .....	31	0.00
	997 = REFUSED .....	2	0.00
	998 = BLANK (NO ANSWER).....	1580	0.18

NOTE: EIMOVPIR is an indicator of editing to MOVESPY2. The default value for EIMOVPIR is 1, when no editing was done to MOVESPY2. EIMOVPIR has a value of 2 when the item corresponding to MOVESPY2 had missing data but it could be logically inferred that the respondent moved zero times in the past 12 months, because SNMOV5Y2 or YEMOV5Y2 indicated zero moves in the past 5 years.

<b>EIMOVPIR</b>	Len : 1 EDITING INDICATOR FOR MOVESPY2		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	782541	87.63
	1 = Questionnaire data .....	60378	6.76
	2 = Logically assigned data.....	50053	5.61

NON-CORE DEMOGRAPHICS

NOTE: MOVYRFLG is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVESPY2 and moves in the past 5 years from either SNMOV5Y2 or YEMOV5Y2. The default value for MOVYRFLG is 98 (blank). MOVYRFLG has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVESPY2, SNMOV5Y2, or YEMOV5Y2 in these situations.

<b>MOVYRFLG</b>	Len : 2	CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	782541	87.63
		1 = Moves in past yr greater than moves in past 5 yrs.....	843	0.09
		98 = BLANK (NO ANSWER) .....	109588	12.27

NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.

<b>SCHENRL</b>	Len : 2	NOW ENROLLED IN ANY SCHOOL		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Yes.....	348416	39.02
		2 = No.....	373744	41.85
		3 = Yes LOGICALLY ASSIGNED (LFSCHWH2=778) .....	17	0.00
		4 = No LOGICALLY ASSIGNED .....	10	0.00
		5 = Yes LOGICALLY ASSIGNED (LFSCHWH2=601) .....	81	0.01
		11 = Yes (SCHDSKIP = 30).....	116	0.01
		85 = BAD DATA Logically assigned .....	14	0.00
		94 = DON'T KNOW .....	20	0.00
		97 = REFUSED .....	22	0.00
		98 = BLANK (NO ANSWER) .....	213	0.02

NOTE: This variable corresponds to the variable EDUCNOW2 from 1999 and 2000.

What grade or year of school are you now attending? Please tell me the number from the card.

What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.

<b>EDUCATN2</b>	Len : 2	WHAT GRADE IN NOW/WILL BE IN		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = 5th Grade or lower .....	1066	0.12
		2 = 6th Grade .....	13535	1.52
		3 = 7th Grade .....	35581	3.98
		4 = 8th Grade .....	38310	4.29
		5 = 9th Grade .....	39830	4.46
		6 = 10th Grade .....	39421	4.41
		7 = 11th Grade .....	38019	4.26
		8 = 12th Grade .....	35494	3.97
		9 = College or university/1st year .....	30302	3.39
		10 = College or university/2nd Year, 3rd year .....	45617	5.11
		11 = College or university/4th Year, 5th or higher year .....	31171	3.49
		98 = BLANK (NO ANSWER) .....	553	0.06
		99 = LEGITIMATE SKIP .....	373754	41.86

NON-CORE DEMOGRAPHICS

NOTE: The variable SDNTFTPT corresponds to the variable STUDNT that existed in prior years. The name was changed in 2002 because the wording of the question was different for respondents who reported that they were "not" enrolled but were on school break and intended to return to school when their break was over.

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

<b>SDNTFTPT</b>	Len : 2 FULL OR PART TIME		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = FULL-TIME .....	317121	35.51
	2 = PART-TIME .....	31204	3.49
	85 = BAD DATA Logically assigned .....	8	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	10	0.00
	94 = DON'T KNOW .....	196	0.02
	97 = REFUSED .....	31	0.00
	98 = BLANK (NO ANSWER) .....	339	0.04
	99 = LEGITIMATE SKIP .....	373744	41.85

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured?

<b>SCHDSICK</b>	Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	99495	11.14
	-9 = Data not collected for this year .....	170319	19.07
	0 = None .....	171812	19.24
	85 = BAD DATA Logically assigned .....	8	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	6	0.00
	90 = SCHOOL NOT IN SESSION .....	44868	5.02
	94 = DON'T KNOW .....	929	0.10
	97 = REFUSED .....	36	0.00
	98 = BLANK (NO ANSWER) .....	547	0.06
	99 = LEGITIMATE SKIP .....	404952	45.35

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

<b>SCHDSKIP</b>	Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 30 .....	46080	5.16
	-9 = Data not collected for this year .....	170319	19.07
	0 = None .....	225799	25.29
	85 = BAD DATA Logically assigned .....	8	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
	94 = DON'T KNOW .....	329	0.04
	97 = REFUSED .....	64	0.01
	98 = BLANK (NO ANSWER) .....	547	0.06
	99 = LEGITIMATE SKIP .....	449822	50.37

Have you received a high school diploma?

<b>HSDIPLMA</b>	Len : 2 RECEIVED DIPLOMA		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes .....	54798	6.14
	2 = No .....	32856	3.68
	3 = Yes LOGICALLY ASSIGNED .....	69	0.01
	4 = No LOGICALLY ASSIGNED .....	855	0.10
	89 = LEGITIMATE SKIP Logically assigned .....	99	0.01
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	5	0.00
	98 = BLANK (NO ANSWER) .....	240	0.03
	99 = LEGITIMATE SKIP .....	633725	70.97



NON-CORE DEMOGRAPHICS

Have you received a GED certificate of high school completion?

HSGED

Len : 2 RECEIVED GED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes.....	6807	0.76
2 = No.....	26109	2.92
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
11 = Yes (but other inconsistent data).....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	98	0.01
94 = DON'T KNOW .....	9	0.00
97 = REFUSED .....	7	0.00
98 = BLANK (NO ANSWER) .....	1095	0.12
99 = LEGITIMATE SKIP.....	688524	77.10

NON-CORE DEMOGRAPHICS

Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.

LFSCHWH2

Len : 3 WHY YOU LEFT SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = School was boring or I didn't want to be there .....	5953	0.67
2 = I got pregnant/I got someone pregnant.....	4372	0.49
3 = I got in trouble or expelled for selling drugs .....	276	0.03
4 = I got in trouble or expelled for using drugs .....	275	0.03
5 = I got in trouble or expelled some other reason .....	2097	0.23
6 = I often got into trouble .....	2071	0.23
7 = I had to get a job (or work more hours).....	4702	0.53
8 = I was getting bad grades.....	1817	0.20
9 = I wasn't learning anything .....	1059	0.12
10 = I got married (or moved in with boy/girlfriend) .....	942	0.11
11 = I moved fr another country/didn't enroll/lang prob.....	1239	0.14
12 = I was treated badly at school.....	1155	0.13
13 = I became ill (or injured) .....	589	0.07
14 = I went to jail/prison.....	371	0.04
15 = I had responsibilities at home/personal problems.....	3877	0.43
16 = Other reason.....	383	0.04
21 = School was boring or I didn't want to be there .....	14	0.00
41 = Family member became ill/sick/died .....	24	0.00
42 = I wasn't admitted/couldn't attend school of choice .....	15	0.00
43 = Parents/guardian/partner wouldn't allow me to .....	32	0.00
44 = Ran away from/put out of/placed out of home.....	21	0.00
45 = Too stressful/couldn't adjust.....	4	0.00
46 = Learning disabled.....	33	0.00
48 = Attended school in another country; degree unspdfd .....	7	0.00
49 = Afraid of gangs/fear of violence/crime .....	11	0.00
50 = Moved away; didn't enroll, got behind, or unspec.....	204	0.02
51 = Skipping school/excessive absenteeism .....	56	0.01
52 = Too expensive/couldn't afford.....	113	0.01
53 = Disagreed with curriculum/direction.....	4	0.00
54 = No transportation/school too far away .....	41	0.00
56 = Grade,credit discrepancies/lacked credits/document.....	210	0.02
57 = School low priority .....	17	0.00
58 = All the schooling/preferred that was available .....	37	0.00
59 = Wasn't requird/didn't have to go/not needed/custom.....	180	0.02
60 = Against my religion/beliefs .....	99	0.01
62 = War/political problems in my country.....	3	0.00
63 = I was stupid/foolish/lazy .....	18	0.00
65 = Joined/wanted to join military.....	6	0.00
66 = Too old .....	25	0.00
67 = Got job/apprenticeship, necessity unspecified.....	75	0.01
69 = Just quit; reason unspecified .....	31	0.00
71 = Didn't pass/take end of grade/school test .....	163	0.02
72 = Went to group home/foster home/special home .....	7	0.00
75 = Was abusing drugs/alcohol .....	7	0.00
77 = Left for mental health reasons; otherwise unspfd.....	17	0.00
600 = Never went to school/no school available.....	3	0.00
601 = Home schooling .....	81	0.01
602 = Went to technical school/community college.....	8	0.00
603 = Graduated/finished high school in another country.....	13	0.00
605 = Completed HS/certificate, general .....	56	0.01
606 = Received GED .....	23	0.00
607 = Pursuing GED/proficiency exam/re-enrolling.....	54	0.01
608 = Went to career/transitn pgm for pers w/specel needs .....	6	0.00
621 = Completed home schooling; no GED.....	7	0.00
650 = Received high school diploma .....	5	0.00
778 = I am still in school.....	17	0.00
985 = BAD DATA Logically assigned .....	4	0.00
992 = Other unknown .....	11	0.00
994 = DON'T KNOW .....	44	0.00
997 = REFUSED .....	50	0.01
998 = BLANK (NO ANSWER).....	1095	0.12
999 = LEGITIMATE SKIP.....	688524	77.10

NON-CORE DEMOGRAPHICS

How old were you when you stopped attending school?

<b>LFTSCHA2</b>	Len : 3 AGE WHEN STOPPED ATTENDING SCHOOL		
	RANGE = 11 - 18 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	30886	3.46
	10 = Left at age 10 or younger .....	170319	19.07
	19 = Left at age 19 or older .....	185	0.02
	985 = BAD DATA Logically assigned .....	1544	0.17
	989 = LEGITIMATE SKIP Logically assigned .....	174	0.02
	994 = DON'T KNOW .....	98	0.01
	997 = REFUSED .....	124	0.01
	998 = BLANK (NO ANSWER).....	23	0.00
	999 = LEGITIMATE SKIP.....	1095	0.12
		688524	77.10

The last question has to do with telephones in your household. How many different telephone numbers do you have in this household? Please don't include cellular phones in your answer. Also, don't count business numbers or extensions with the same number.

<b>TELNO2</b>	Len : 2 # OF TELEPHONE LINES IN HOUSEHOLD		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	0 = None .....	170319	19.07
	1 = One .....	200090	22.41
	2 = Two or more .....	475006	53.19
	85 = BAD DATA Logically assigned .....	46802	5.24
	94 = DON'T KNOW .....	15	0.00
	97 = REFUSED .....	180	0.02
	98 = BLANK (NO ANSWER) .....	304	0.03
		256	0.03

Is your school public, private, charter, or are you home schooled?

<b>SCHTYPE</b>	Len : 2 PUBLIC, PRIVATE, CHARTER, OR HOME SCHOOL		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Public school.....	726235	81.33
	2 = Private school .....	50850	5.69
	3 = Charter school.....	4564	0.51
	4 = Home schooled .....	822	0.09
	14 = Home schooled LOG ASSN (LFSCHWH2=601).....	1177	0.13
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	52	0.01
	98 = BLANK (NO ANSWER) .....	9	0.00
	99 = LEGITIMATE SKIP.....	167	0.02
		109090	12.22

Is your private school run by a religious organization? For example, is it Catholic, Protestant, Jewish, Islamic or any other type of religious school?

<b>SCHRELGS</b>	Len : 2 PRIVATE SCHOOL RUN BY A RELIGIOUS ORGANIZATION		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	726235	81.33
	2 = No.....	3547	0.40
	94 = DON'T KNOW .....	1005	0.11
	97 = REFUSED .....	12	0.00
	98 = BLANK (NO ANSWER) .....	9	0.00
	99 = LEGITIMATE SKIP.....	219	0.02
		161945	18.14

NON-CORE DEMOGRAPHICS

NOTE: The variable SCHLOGRD has values of 101 through 112 when the lowest grade that respondents reported at their school is higher than their current grade from EDUCATN2.

What is the lowest grade or year at the school you go to? The lowest grade is the one attended by the youngest students at your school. Please tell me the number from the card.

SCHLOGRD	Len : 3 LOWEST GRADE AT THE SCHOOL	Freq	Pct
-9	= Data not collected for this year .....	726235	81.33
0	= Kindergarten or Lower.....	7784	0.87
1	= 1st Grade.....	522	0.06
2	= 2nd Grade .....	70	0.01
3	= 3rd Grade.....	124	0.01
4	= 4th Grade .....	271	0.03
5	= 5th Grade .....	1308	0.15
6	= 6th Grade .....	10637	1.19
7	= 7th Grade .....	6266	0.70
8	= 8th Grade .....	725	0.08
9	= 9th Grade .....	26436	2.96
10	= 10th Grade .....	1609	0.18
11	= 11th Grade .....	194	0.02
12	= 12th Grade .....	84	0.01
32	= 12th Grade LOGICALLY ASSIGNED .....	1	0.00
106	= 6th Grade (see note).....	3	0.00
107	= 7th Grade (see note).....	6	0.00
108	= 8th Grade (see note).....	13	0.00
109	= 9th Grade (see note).....	25	0.00
110	= 10th Grade (see note).....	1	0.00
112	= 12th Grade (see note).....	33	0.00
994	= DON'T KNOW .....	123	0.01
997	= REFUSED .....	10	0.00
998	= BLANK (NO ANSWER).....	219	0.02
999	= LEGITIMATE SKIP.....	110273	12.35

NOTE: The variable SCHHIGRD has values of 100 through 111 when the highest grade that respondents reported at their school is lower than their current grade from EDUCATN2.

Please look at this showcard again. What is the highest grade or year at the school you go to? Please tell me the number from the card.

SCHHIGRD	Len : 3 HIGHEST GRADE AT THE SCHOOL	Freq	Pct
-9	= Data not collected for this year .....	726235	81.33
4	= 4th Grade .....	5	0.00
5	= 5th Grade .....	125	0.01
6	= 6th Grade .....	1027	0.12
7	= 7th Grade .....	365	0.04
8	= 8th Grade .....	15664	1.75
9	= 9th Grade .....	1784	0.20
10	= 10th Grade .....	274	0.03
11	= 11th Grade .....	119	0.01
12	= 12th Grade .....	36527	4.09
32	= 12th Grade LOGICALLY ASSIGNED .....	2	0.00
100	= Kindergarten or Lower (see note) .....	22	0.00
101	= 1st Grade (see note) .....	7	0.00
102	= 2nd Grade (see note).....	7	0.00
103	= 3rd Grade (see note).....	2	0.00
105	= 5th Grade (see note).....	21	0.00
106	= 6th Grade (see note).....	50	0.01
107	= 7th Grade (see note).....	18	0.00
108	= 8th Grade (see note).....	90	0.01
109	= 9th Grade (see note).....	40	0.00
110	= 10th Grade (see note).....	7	0.00
111	= 11th Grade (see note).....	6	0.00
985	= BAD DATA Logically assigned .....	2	0.00
994	= DON'T KNOW .....	69	0.01
997	= REFUSED .....	12	0.00
998	= BLANK (NO ANSWER).....	219	0.02
999	= LEGITIMATE SKIP.....	110273	12.35

RECODED NON-CORE DEMOGRAPHICS

**RECODED NON-CORE DEMOGRAPHICS**

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATN2=9, 10, 11), and a full-time student (SDNTFTPT=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available.

**COLLENR**      Len : 1    COLLEGE ENROLLMENT - FULL TIME

	<b>Freq</b>	<b>Pct</b>
. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98).....	46	0.01
-9 = Data not collected for this year.....	170319	19.07
1 = FT College Student Aged 18-22 (See comment above).....	58819	6.59
2 = Other Persons Aged 18-22 (See comment above).....	90366	10.12
3 = Persons Aged 12-17, 23 or Older.....	573422	64.22

A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATN2=9, 10, 11), and if they were a full-time (SDNTFTPT=1) or part-time (SDNTFTPT=2) student. Otherwise, a respondent was defined as not enrolled in college (SCHENRL=2, 4) or in the category "Other Persons Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).

**COLLENR2**      Len : 1    COLLEGE ENROLLMENT

	<b>Freq</b>	<b>Pct</b>
. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98).....	46	0.01
-9 = Data not collected for this year.....	170319	19.07
1 = FT College Student Aged 18-22 (See comment above).....	58819	6.59
2 = PT College Student Aged 18-22 (See comment above).....	10395	1.16
3 = Not Enrolled Aged 18-22 (See comment above).....	64797	7.26
4 = Other Persons Aged 18-22 (See comment above).....	15174	1.70
5 = Persons Aged 12-17, 23 or Older.....	573422	64.22

EDUCATION

**EDUCATION**

NOTE: EDUSCHLGO takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. EDUSCHLGO was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. By 'school', we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well. Do you go to school?

If you are on a holiday or break from school, such as spring break or summer vacation, but plan to return when the break is over, please answer yes.

**EDUSCHLGO** Len : 2 NOW GOING TO SCHOOL

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	779799	87.33
1 = Yes.....	40034	4.48
2 = No.....	71797	8.04
11 = Yes (EDUSKIPMO = 30) .....	69	0.01
85 = BAD DATA Logically assigned .....	36	0.00
94 = DON'T KNOW .....	594	0.07
97 = REFUSED .....	608	0.07
98 = BLANK (NO ANSWER) .....	35	0.00

What grade or year of school are you now attending?

What grade or year of school will you be attending when your vacation is over?

**EDUSCHGRD2** Len : 2 WHAT GRADE IN NOW/WILL BE IN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	779799	87.33
1 = 5th Grade or lower .....	120	0.01
2 = 6th Grade .....	1315	0.15
3 = 7th Grade .....	3768	0.42
4 = 8th Grade .....	4273	0.48
5 = 9th Grade .....	4468	0.50
6 = 10th Grade .....	4371	0.49
7 = 11th Grade .....	4254	0.48
8 = 12th Grade .....	3750	0.42
9 = College or university/1st year .....	3498	0.39
10 = College or university/2nd Year, 3rd year .....	5170	0.58
11 = College or university/4th Year, 5th or higher year .....	4041	0.45
98 = BLANK (NO ANSWER) .....	2348	0.26
99 = LEGITIMATE SKIP .....	71797	8.04

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

**EDUFULPAR** Len : 2 FULL OR PART TIME

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	779799	87.33
1 = FULL-TIME .....	33725	3.78
2 = PART-TIME.....	5174	0.58
85 = BAD DATA Logically assigned .....	5	0.00
94 = DON'T KNOW .....	772	0.09
97 = REFUSED .....	433	0.05
98 = BLANK (NO ANSWER) .....	1267	0.14
99 = LEGITIMATE SKIP .....	71797	8.04

EDUCATION

During the past 30 days, that is, from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured? Please do not include days you missed because you stayed home with a sick child or other family member.

EDUSCKMON	Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK	Freq	Pct
	RANGE = 1 - 30 .....	12134	1.36
	-9 = Data not collected for this year .....	779799	87.33
	0 = None .....	16040	1.80
	85 = BAD DATA Logically assigned .....	6	0.00
	90 = SCHOOL NOT IN SESSION .....	4482	0.50
	94 = DON'T KNOW .....	944	0.11
	97 = REFUSED .....	124	0.01
	98 = BLANK (NO ANSWER) .....	2472	0.28
	99 = LEGITIMATE SKIP .....	76971	8.62

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there? Please do not include days you missed because you stayed home with a sick child or other family member.

EDUSKPMON	Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING	Freq	Pct
	RANGE = 1 - 30 .....	6373	0.71
	-9 = Data not collected for this year .....	779799	87.33
	0 = None .....	22159	2.48
	85 = BAD DATA Logically assigned .....	6	0.00
	89 = LEGITIMATE SKIP Logically assigned .....	25	0.00
	94 = DON'T KNOW .....	551	0.06
	97 = REFUSED .....	134	0.02
	98 = BLANK (NO ANSWER) .....	2472	0.28
	99 = LEGITIMATE SKIP .....	81453	9.12

For this question, please consider only the family members listed below, whether or not they live with you.

- Your spouse
- Your unmarried partner
- Your mother
- Your father
- Your son or sons
- Your daughter or daughters
- Your brother or brothers
- Your sister or sisters

Please include only these family members, whether they are biological, step or adoptive. Are any of these family members currently serving in the United States military? Press F2 to see and hear a definition of "military."

MILTFAMILY	Len : 2 ANY IMMEDIATE FAMILY CURRENTLY IN US MILITARY	Freq	Pct
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes .....	11184	1.25
	2 = No .....	99939	11.19
	85 = BAD DATA Logically assigned .....	126	0.01
	94 = DON'T KNOW .....	974	0.11
	97 = REFUSED .....	912	0.10
	98 = BLANK (NO ANSWER) .....	38	0.00

MILTSPPAR	Len : 2 SPOUSE OR PARTNER IN MILITARY	Freq	Pct
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes .....	2379	0.27
	2 = No .....	6098	0.68
	85 = BAD DATA Logically assigned .....	92	0.01
	94 = DON'T KNOW .....	1474	0.17
	97 = REFUSED .....	1111	0.12
	98 = BLANK (NO ANSWER) .....	2080	0.23
	99 = LEGITIMATE SKIP .....	99939	11.19

EDUCATION

<b>MILTPARNT</b>	Len : 2 FATHER OR MOTHER IN MILITARY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	1938	0.22
	2 = No.....	6528	0.73
	85 = BAD DATA Logically assigned .....	166	0.02
	94 = DON'T KNOW .....	1474	0.17
	97 = REFUSED .....	1111	0.12
	98 = BLANK (NO ANSWER) .....	2017	0.23
	99 = LEGITIMATE SKIP.....	99939	11.19

<b>MILTCHLDR</b>	Len : 2 SON OR DAUGHTER IN MILITARY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	1150	0.13
	2 = No.....	7284	0.82
	85 = BAD DATA Logically assigned .....	184	0.02
	94 = DON'T KNOW .....	1474	0.17
	97 = REFUSED .....	1111	0.12
	98 = BLANK (NO ANSWER) .....	2031	0.23
	99 = LEGITIMATE SKIP.....	99939	11.19

<b>MILTSIBLN</b>	Len : 2 SISTER OR BROTHER IN MILITARY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	779799	87.33
	1 = Yes.....	3659	0.41
	2 = No.....	4818	0.54
	85 = BAD DATA Logically assigned .....	87	0.01
	94 = DON'T KNOW .....	1474	0.17
	97 = REFUSED .....	1111	0.12
	98 = BLANK (NO ANSWER) .....	2085	0.23
	99 = LEGITIMATE SKIP.....	99939	11.19

How many times have you been married?

<b>MARIEDNUM2</b>	Len : 2 NUMBER OF TIMES MARRIED -RECODED		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	835826	93.60
	1 = One time .....	18938	2.12
	2 = Two or more times.....	5372	0.60
	94 = DON'T KNOW .....	121	0.01
	97 = REFUSED .....	356	0.04
	98 = BLANK (NO ANSWER) .....	19	0.00
	99 = LEGITIMATE SKIP.....	32340	3.62



RECODED EDUCATION

**RECODED EDUCATION**

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following NSDUH college enrollment variables, COLLENRLFT and COLLENRLST, were revised during the 2016 NSDUH due to questionnaire changes impacting the source variables. COLLENRLFT and COLLENRLST are available starting with the 2016 NSDUH and are considered comparable with the 2015 versions, COLLENRFT and COLLENRST.

A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (EDUSCHLGO =1, 3, 5, 11), enrolled at the college level (EDUSCHGRD2=9-11), and a full-time student (EDUFULPAR=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available. Respondents aged 18-22 who reported don't know, refused, or blank to being enrolled in school (EDUSCHLGO= 94, 97, 98), their school enrollment level (EDUSCHGRD2=98) and their full or part time status (EDUFULPAR=94, 97, 98) are defined as system missing.

**COLLENRLFT**    Len : 1    RC-COLLEGE ENROLLMENT-FULL TIME

	<b>Freq</b>	<b>Pct</b>
. = Unknwn Enrollment, Aged 18-22 (See comment above).....	148	0.02
-9 = Data not collected for this year .....	779799	87.33
1 = Full Time College Student Aged 18-22 (See comment above) .....	5870	0.66
2 = Other Persons Aged 18-22 (See comment above).....	10577	1.18
3 = Persons Aged 12-17, 23 or Older.....	96578	10.82

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (EDUENROLL=1, 3, 5, 11), enrolled at the college level (EDUGRDNOW2=9-11), and a full-time student (EDUFULPRT=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available. Respondents aged 18-22 who reported don't know, refused, or blank to being enrolled in school (EDUENROLL=94, 97, 98), their school enrollment level (EDUGRDNOW2=12), and their full or part time status (EDUFULPRT=94, 97, 98) are defined as system missing.

**COLLENRFT**    Len : 1    RC-COLLEGE ENROLLMENT - FULL TIME

	<b>Freq</b>	<b>Pct</b>
. = Unknwn Enrollment, Aged 18-22 (See comment above).....	51	0.01
-9 = Data not collected for this year .....	835826	93.60
1 = Full Time College Student Aged 18-22 (See comment above) .....	3190	0.36
2 = Other Persons Aged 18-22 (See comment above).....	5570	0.62
3 = Persons Aged 12-17, 23 or Older.....	48335	5.41

A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school (EDUSCHLGO=1, 3, 5, 11), enrolled at the college level (EDUSCHGRD2=9-11), and either a full-time student (EDUFULPAR=1) or part-time (EDUFULPAR=2) student. Respondents aged 18-22 who reported don't know, refused, or blank to being enrolled in school (EDUSCHLGO=94, 97, 98), their school enrollment level (EDUSCHGRD2=98), and their full or part time status (EDUFULPAR=94, 97, 98) are defined as system missing. Otherwise, a respondent was defined as not enrolled in college (EDUSCHLGO=2, 4) or in the category "Other Persons Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).

**COLLENRLST**    Len : 1    RC-COLLEGE ENROLLMENT

	<b>Freq</b>	<b>Pct</b>
. = Unknwn Enrollment, Aged 18-22 (See comment above).....	148	0.02
-9 = Data not collected for this year .....	779799	87.33
1 = Full Time College Student Aged 18-22 (See comment above) .....	5870	0.66
2 = Part Time College Student Aged 18-22 (See comment above) .....	1402	0.16
3 = Not Enrolled Aged 18-22 (See comment above).....	7375	0.83
4 = Other Persons Aged 18-22 (See comment above).....	1800	0.20
5 = Persons Aged 12-17, 23 or Older.....	96578	10.82

EMPLOYMENT

**EMPLOYMENT**

**WRKSTATWK2**    Len : 2    WORK SITUATION IN PAST WEEK - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Worked at full-time job, past week .....	62599	7.01
2 = Worked at part time job, past week .....	21412	2.40
3 = Has job or volunteer worker, did not work past wk .....	8751	0.98
4 = Unemployed/on layoff, looking for work .....	8631	0.97
5 = Disabled .....	4931	0.55
6 = Keeping house full-time .....	6095	0.68
7 = In school/training .....	10913	1.22
8 = Retired .....	9174	1.03
9 = Does not have a job, some other reason .....	16048	1.80
98 = BLANK (NO ANSWER) .....	1473	0.16
99 = LEGITIMATE SKIP .....	20292	2.27

The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

**WRKDPSTWK**    Len : 2    WORK AT JOB LAST WEEK

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes .....	84244	9.43
2 = No .....	64289	7.20
4 = No LOGICALLY ASSIGNED .....	152	0.02
85 = BAD DATA Logically assigned .....	28	0.00
94 = DON'T KNOW .....	399	0.04
97 = REFUSED .....	860	0.10
98 = BLANK (NO ANSWER) .....	55	0.01
99 = LEGITIMATE SKIP .....	20292	2.27

Even though you did not work at any time last week, did you have a job or business?

**WRKHADJOB**    Len : 2    DID YOU HAVE A JOB OR BUSINESS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes .....	8880	0.99
2 = No .....	55228	6.18
4 = No LOGICALLY ASSIGNED .....	152	0.02
85 = BAD DATA Logically assigned .....	15	0.00
94 = DON'T KNOW .....	82	0.01
97 = REFUSED .....	957	0.11
98 = BLANK (NO ANSWER) .....	469	0.05
99 = LEGITIMATE SKIP .....	104536	11.71

How many hours did you work last week at all jobs or businesses?

**WRKDHRSWK2**    Len : 3    HOW MANY HOURS WORKED LAST WEEK

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 60 .....	80434	9.01
-9 = Data not collected for this year .....	722653	80.93
61 = 61 or more .....	3168	0.35
985 = BAD DATA Logically assigned .....	13	0.00
989 = LEGITIMATE SKIP Logically assigned .....	55	0.01
994 = DON'T KNOW .....	460	0.05
997 = REFUSED .....	1042	0.12
998 = BLANK (NO ANSWER) .....	469	0.05
999 = LEGITIMATE SKIP .....	84678	9.48

EMPLOYMENT

Do you usually work 35 hours or more per week at all jobs or businesses?

<b>WRK35WKUS</b>	Len : 2 USUALLY WORK 35 OR MORE HRS PER WEEK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	67222	7.53
	2 = No.....	25639	2.87
	85 = BAD DATA Logically assigned .....	13	0.00
	94 = DON'T KNOW .....	142	0.02
	97 = REFUSED .....	1078	0.12
	98 = BLANK (NO ANSWER) .....	553	0.06
	99 = LEGITIMATE SKIP .....	75672	8.47

Which one of these reasons best describes why you did not work last week?

<b>WRKRSNNOT</b>	Len : 3 REASON FOR NOT WORKING AT JOB - PAST WK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = On vacation/sick/furlough/strike/oth temp absence.....	2983	0.33
	2 = On layoff and not looking for work .....	221	0.02
	3 = On layoff and looking for work .....	365	0.04
	4 = Waiting to report to a new job .....	422	0.05
	5 = Self-employed and did not have business last week.....	899	0.10
	6 = Going to school/training .....	1220	0.14
	7 = Some other reason.....	2640	0.30
	994 = DON'T KNOW .....	64	0.01
	997 = REFUSED .....	1023	0.11
	998 = BLANK (NO ANSWER).....	521	0.06
	999 = LEGITIMATE SKIP .....	159961	17.91

Which one of these reasons best describes why you did not have a job or business last week?

<b>WRKRSNJOB</b>	Len : 3 REASON FOR NOT HAVING A JOB - PAST WK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Looking for work.....	10981	1.23
	2 = On layoff and not looking for work .....	1425	0.16
	3 = Keeping house or caring for children full time.....	6104	0.68
	4 = Going to school/training .....	10920	1.22
	5 = Retired .....	9180	1.03
	6 = Disabled for work .....	4930	0.55
	7 = Didn't want a job.....	3278	0.37
	8 = Some other reason.....	7622	0.85
	985 = BAD DATA Logically assigned .....	15	0.00
	994 = DON'T KNOW .....	453	0.05
	997 = REFUSED .....	1374	0.15
	998 = BLANK (NO ANSWER).....	621	0.07
	999 = LEGITIMATE SKIP .....	113416	12.70

During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.

<b>WRKEFFORT</b>	Len : 2 PAST 30 DAYS, MAKE EFFORT TO FIND WORK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	8260	0.93
	2 = No.....	2690	0.30
	94 = DON'T KNOW .....	19	0.00
	97 = REFUSED .....	1416	0.16
	98 = BLANK (NO ANSWER) .....	1091	0.12
	99 = LEGITIMATE SKIP .....	156843	17.56

EMPLOYMENT

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

**WRKDPSTYR**      Len : 2    PAST 12 MOS, WORKED AT ANY JOB

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	15766	1.77
2 = No.....	39720	4.45
85 = BAD DATA Logically assigned .....	15	0.00
94 = DON'T KNOW .....	405	0.05
97 = REFUSED .....	927	0.10
98 = BLANK (NO ANSWER) .....	70	0.01
99 = LEGITIMATE SKIP.....	113416	12.70

Have you been self-employed at any time during the past 12 months?

**WRKSELFEM**      Len : 2    PAST 12 MOS, SELF EMPLOYED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	16136	1.81
2 = No.....	91488	10.25
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	899	0.10
85 = BAD DATA Logically assigned .....	13	0.00
94 = DON'T KNOW .....	241	0.03
97 = REFUSED .....	1053	0.12
98 = BLANK (NO ANSWER) .....	477	0.05
99 = LEGITIMATE SKIP.....	60012	6.72

How many different employers, including yourself, have you had in the past 12 months?

**WRKNUMJOB2**      Len : 2    PAST 12 MOS, HOW MANY EMPLOYERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = One .....	73401	8.22
2 = Two.....	24066	2.70
3 = Three.....	6485	0.73
4 = Four or more .....	3489	0.39
85 = BAD DATA Logically assigned .....	13	0.00
94 = DON'T KNOW .....	931	0.10
97 = REFUSED .....	1444	0.16
98 = BLANK (NO ANSWER) .....	478	0.05
99 = LEGITIMATE SKIP.....	60012	6.72

During the past 12 months, was there ever a time when you did not have at least one job or business?

**WRKNJBPYR**      Len : 2    PAST 12 MOS, TIME WITH NO JOB

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Yes.....	17897	2.00
2 = No.....	74936	8.39
85 = BAD DATA Logically assigned .....	13	0.00
94 = DON'T KNOW .....	144	0.02
97 = REFUSED .....	1116	0.12
98 = BLANK (NO ANSWER) .....	503	0.06
99 = LEGITIMATE SKIP.....	75710	8.48

In how many weeks during the past 12 months did you not have at least one job or business?

**WRKNJBWKS**      Len : 2    HOW MANY WKS W/O JOB IN PAST 12 MOS

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 52.....	16861	1.89
-9 = Data not collected for this year .....	722653	80.93
85 = BAD DATA Logically assigned .....	74	0.01
94 = DON'T KNOW .....	832	0.09
97 = REFUSED .....	1248	0.14
98 = BLANK (NO ANSWER) .....	658	0.07
99 = LEGITIMATE SKIP.....	150646	16.87

EMPLOYMENT

In what year did you last work at a job or business?

<b>WRKLASTYR2</b>	Len : 4	WHAT YEAR LAST WORKED		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1976 - 2017 .....	36168	4.05
		-9 = Data not collected for this year .....	722653	80.93
		9985 = BAD DATA Logically assigned .....	50	0.01
		9989 = LEGITIMATE SKIP Logically assigned .....	5	0.00
		9991 = NEVER WORKED AT A JOB OR BUSINESS .....	16747	1.88
		9994 = DON'T KNOW .....	1618	0.18
		9997 = REFUSED .....	839	0.09
		9998 = BLANK (NO ANSWER) .....	1481	0.17
		9999 = LEGITIMATE SKIP .....	113411	12.70

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

<b>WRKSICKMO</b>	Len : 2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 30 .....	26340	2.95
		-9 = Data not collected for this year .....	722653	80.93
		0 = None .....	65576	7.34
		85 = BAD DATA Logically assigned .....	168	0.02
		94 = DON'T KNOW .....	716	0.08
		97 = REFUSED .....	1293	0.14
		98 = BLANK (NO ANSWER) .....	554	0.06
		99 = LEGITIMATE SKIP .....	75672	8.47

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there? Please do not include days you missed because of a planned vacation or days that you stayed home with a sick child or other family member.

<b>WRKSKIPMO</b>	Len : 2	# DAYS SKIPPED WORK PAST 30 DAYS		
			<b>Freq</b>	<b>Pct</b>
		RANGE = 1 - 30 .....	12397	1.39
		-9 = Data not collected for this year .....	722653	80.93
		0 = None .....	79647	8.92
		85 = BAD DATA Logically assigned .....	46	0.01
		94 = DON'T KNOW .....	643	0.07
		97 = REFUSED .....	1360	0.15
		98 = BLANK (NO ANSWER) .....	554	0.06
		99 = LEGITIMATE SKIP .....	75672	8.47

At your workplace, is there a written policy about employee use of alcohol or drugs?

<b>WRKDRGPOL</b>	Len : 2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes .....	70785	7.93
		2 = No .....	19695	2.21
		85 = BAD DATA Logically assigned .....	13	0.00
		94 = DON'T KNOW .....	2419	0.27
		97 = REFUSED .....	1181	0.13
		98 = BLANK (NO ANSWER) .....	554	0.06
		99 = LEGITIMATE SKIP .....	75672	8.47

EMPLOYMENT

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

<b>WRKDRGALB</b>	Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Only alcohol .....	807	0.09
	2 = Only drugs .....	3337	0.37
	3 = Both alcohol and drugs .....	65749	7.36
	85 = BAD DATA Logically assigned .....	10	0.00
	94 = DON'T KNOW .....	853	0.10
	97 = REFUSED .....	1220	0.14
	98 = BLANK (NO ANSWER) .....	2976	0.33
	99 = LEGITIMATE SKIP .....	95367	10.68

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

<b>WRKDRGEDU</b>	Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes .....	30960	3.47
	2 = No .....	54520	6.11
	3 = Don't remember .....	6502	0.73
	85 = BAD DATA Logically assigned .....	13	0.00
	94 = DON'T KNOW .....	895	0.10
	97 = REFUSED .....	1203	0.13
	98 = BLANK (NO ANSWER) .....	554	0.06
	99 = LEGITIMATE SKIP .....	75672	8.47

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

<b>WRKDRGHLP</b>	Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes .....	40773	4.57
	2 = No .....	45590	5.11
	85 = BAD DATA Logically assigned .....	13	0.00
	94 = DON'T KNOW .....	6435	0.72
	97 = REFUSED .....	1282	0.14
	98 = BLANK (NO ANSWER) .....	554	0.06
	99 = LEGITIMATE SKIP .....	75672	8.47

Does your workplace ever test its employees for alcohol use?

<b>WRKTSTALC</b>	Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes .....	26250	2.94
	2 = No .....	62984	7.05
	85 = BAD DATA Logically assigned .....	13	0.00
	94 = DON'T KNOW .....	3596	0.40
	97 = REFUSED .....	1250	0.14
	98 = BLANK (NO ANSWER) .....	554	0.06
	99 = LEGITIMATE SKIP .....	75672	8.47

Does your workplace ever test its employees for drug use?

<b>WRKTSTDRG</b>	Len : 2 WORKPLACE TESTS FOR DRUG USAGE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes .....	43081	4.82
	2 = No .....	46716	5.23
	85 = BAD DATA Logically assigned .....	13	0.00
	94 = DON'T KNOW .....	3050	0.34
	97 = REFUSED .....	1233	0.14
	98 = BLANK (NO ANSWER) .....	554	0.06
	99 = LEGITIMATE SKIP .....	75672	8.47

EMPLOYMENT

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

<b>WRKTSTHIR</b>	Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	37379	4.19
	2 = No.....	5853	0.66
	85 = BAD DATA Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	281	0.03
	97 = REFUSED .....	1221	0.14
	98 = BLANK (NO ANSWER) .....	3689	0.41
	99 = LEGITIMATE SKIP.....	121889	13.65

Does your workplace test its employees for drug or alcohol use on a random basis?

<b>WRKTSTRDM</b>	Len : 2 TEST ON RANDOM BASIS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	26111	2.92
	2 = No.....	16257	1.82
	85 = BAD DATA Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	1122	0.13
	97 = REFUSED .....	1244	0.14
	98 = BLANK (NO ANSWER) .....	3689	0.41
	99 = LEGITIMATE SKIP.....	121889	13.65

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

<b>WRKTST1ST</b>	Len : 2 WHAT HAPPENS FIRST TIME CAUGHT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Handled on indiv basis/policy does not spec what .....	11493	1.29
	2 = Employee is fired.....	18822	2.11
	3 = Employee is referred for treatment or counseling .....	6697	0.75
	4 = Nothing happens.....	203	0.02
	5 = Something else happens.....	1284	0.14
	85 = BAD DATA Logically assigned .....	7	0.00
	94 = DON'T KNOW .....	4859	0.54
	97 = REFUSED .....	1376	0.15
	98 = BLANK (NO ANSWER) .....	3689	0.41
	99 = LEGITIMATE SKIP.....	121889	13.65

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?

<b>WRKOKPREH</b>	Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = More likely .....	34619	3.88
	2 = Less likely.....	8907	1.00
	3 = Would it make no difference to you.....	48654	5.45
	85 = BAD DATA Logically assigned .....	13	0.00
	94 = DON'T KNOW .....	638	0.07
	97 = REFUSED .....	1262	0.14
	98 = BLANK (NO ANSWER) .....	554	0.06
	99 = LEGITIMATE SKIP.....	75672	8.47

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?

<b>WRKOKRAND</b>	Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = More likely .....	29825	3.34
	2 = Less likely.....	14382	1.61
	3 = Would make no difference.....	47990	5.37
	85 = BAD DATA Logically assigned .....	13	0.00
	94 = DON'T KNOW .....	639	0.07
	97 = REFUSED .....	1244	0.14
	98 = BLANK (NO ANSWER) .....	554	0.06
	99 = LEGITIMATE SKIP.....	75672	8.47

EMPLOYMENT AND WORKPLACE

**EMPLOYMENT AND WORKPLACE**

NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work.

**JBSTATR2**      Len : 2    WORK SITUATION IN PAST WEEK - RECODE

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Worked at full-time job, past week.....	242394	27.14
2 = Worked at part time job, past week.....	104937	11.75
3 = Has job or volunteer worker, did not work past wk.....	32446	3.63
4 = Unemployed/on layoff, looking for work.....	44505	4.98
5 = Disabled.....	17423	1.95
6 = Keeping house full-time.....	28598	3.20
7 = In school/training.....	78111	8.75
8 = Retired.....	26209	2.94
9 = Does not have a job, some other reason.....	35257	3.95
98 = BLANK (NO ANSWER).....	278	0.03
99 = LEGITIMATE SKIP.....	112495	12.60

Even though you did not work at any time last week, did you have a job or business?

**WRKHAVJB**      Len : 2    DID YOU HAVE A JOB OR BUSINESS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	170319	19.07
1 = Yes.....	34008	3.81
2 = No.....	228349	25.57
4 = No LOGICALLY ASSIGNED.....	4	0.00
85 = BAD DATA Logically assigned.....	7	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
94 = DON'T KNOW.....	16	0.00
97 = REFUSED.....	63	0.01
98 = BLANK (NO ANSWER).....	208	0.02
99 = LEGITIMATE SKIP.....	459994	51.51

How many hours did you work last week at all jobs or businesses?

**WRKHRSW2**      Len : 3    HOW MANY HOURS WORKED LAST WEEK

	<b>Freq</b>	<b>Pct</b>
RANGE = 1 - 60.....	333715	37.37
-9 = Data not collected for this year.....	170319	19.07
61 = 61 or more.....	13371	1.50
985 = BAD DATA Logically assigned.....	6	0.00
989 = LEGITIMATE SKIP Logically assigned.....	10	0.00
994 = DON'T KNOW.....	373	0.04
997 = REFUSED.....	97	0.01
998 = BLANK (NO ANSWER).....	209	0.02
999 = LEGITIMATE SKIP.....	374872	41.98



EMPLOYMENT AND WORKPLACE

NOTE: The industry variable WRKIDST2 corresponds to the variable WRKINDU2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKIDST2 with data in WRKINDU2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

Which of these categories best describes the business or industry in which you work?

WRKIDST2	Len : 4 TYPE OF BUSINESS OR INDUSTRY	Freq	Pct
-9	= Data not collected for this year.....	224398	25.13
1	= Agriculture, Forestry, Fishing, & Hunting.....	6428	0.72
2	= Mining.....	1904	0.21
3	= Construction.....	26839	3.01
4	= Manufacturing, Nondurable Goods.....	11626	1.30
5	= Manufacturing, Durable Goods.....	19104	2.14
6	= Transportation & Utilities.....	12327	1.38
7	= Information & Communications.....	6921	0.78
8	= Wholesale Trade, Durable Goods.....	3486	0.39
9	= Wholesale Trade, Nondurable Goods.....	4363	0.49
10	= Retail Trade.....	49105	5.50
11	= Finance, Insur, Real Estate, Rental & Leasing.....	17507	1.96
12	= Professional/Scientific/Mgmt/Admin/Waste Mgmt.....	33394	3.74
13	= Education, Health & Social Services.....	68792	7.70
14	= Arts/Entertain/Recreation/Accommodation/Food Svcs.....	57146	6.40
15	= Public Administration.....	13007	1.46
16	= Other Services (Except Public Admin).....	18566	2.08
17	= Armed Forces.....	60	0.01
9990	= NOT REPORTED/NOT CODABLE.....	595	0.07
9994	= DON'T KNOW.....	56	0.01
9997	= REFUSED.....	220	0.02
9998	= BLANK (NO ANSWER).....	217	0.02
9999	= LEGITIMATE SKIP.....	316911	35.49

NOTE: The occupation variable WRKOCUP2 corresponds to the variable WRKOCCU2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKOCUP2 with data in WRKOCCU2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

What kind of work do you do? That is, what is your occupation?

WRKOCUP2	Len : 4 KIND OF WORK/JOB TITLE PRIMARY JOB	Freq	Pct
-9	= Data not collected for this year.....	224398	25.13
1	= Executive/Administrative/Managerial/Financial.....	32449	3.63
2	= Professional (not Education/Entertainment/Media).....	28962	3.24
3	= Education and Related Occupations.....	18267	2.05
4	= Entertainers, Sports, Media, and Communications.....	7788	0.87
5	= Technicians and Related Support Occupations.....	18616	2.08
6	= Sales Occupations.....	45590	5.11
7	= Office & Administrative Support Workers.....	45801	5.13
8	= Protective Service Occupations.....	7193	0.81
9	= Service Occupations, Except Protective.....	69371	7.77
10	= Farming, Fishing, & Forestry Occupations.....	4016	0.45
11	= Installation, Maintenance & Repair Workers.....	10900	1.22
12	= Construction Trades & Extraction Workers.....	21716	2.43
13	= Production, Machinery Setters/Operators/Tenders.....	19810	2.22
14	= Transportation & Material Moving Workers.....	20246	2.27
15	= Armed Forces.....	60	0.01
9990	= NOT REPORTED/NOT CODABLE.....	359	0.04
9994	= DON'T KNOW.....	19	0.00
9997	= REFUSED.....	234	0.03
9998	= BLANK (NO ANSWER).....	266	0.03
9999	= LEGITIMATE SKIP.....	316911	35.49

EMPLOYMENT AND WORKPLACE

Which of these categories best describes the business in which you work?

**WRKBZCA2**      Len : 2    CATEG THAT BEST DESCR BUSINESS YOU WORK IN

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Private for-profit company or business .....	259225	29.03
2 = Private not-for-profit company or business .....	28855	3.23
3 = Local government (city, county, etc.) .....	24268	2.72
4 = State government .....	20788	2.33
5 = Federal/Foreign government or international .....	9427	1.06
6 = Self-employed in an incorporated business .....	11996	1.34
7 = Self-employed in an unincorporated business .....	18809	2.11
8 = Working without pay in a family business/farm .....	1748	0.20
85 = BAD DATA Logically assigned .....	6	0.00
94 = DON'T KNOW .....	6086	0.68
97 = REFUSED .....	295	0.03
98 = BLANK (NO ANSWER) .....	302	0.03
99 = LEGITIMATE SKIP .....	340848	38.17

How many different employers, including yourself, have you had in the past 12 months?

**WRKJOBS2**      Len : 2    PAST 12 MOS, HOW MANY EMPLOYERS

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = One .....	299119	33.50
2 = Two .....	112710	12.62
3 = Three .....	30837	3.45
4 = Four or more .....	14051	1.57
85 = BAD DATA Logically assigned .....	6	0.00
94 = DON'T KNOW .....	264	0.03
97 = REFUSED .....	151	0.02
98 = BLANK (NO ANSWER) .....	241	0.03
99 = LEGITIMATE SKIP .....	265274	29.71

**WRKLSTY2**      Len : 4    WHAT YEAR LAST WORKED

	<b>Freq</b>	<b>Pct</b>
RANGE = 1961 - 2014 .....	150955	16.90
-9 = Data not collected for this year .....	170319	19.07
1960 = 1960 or earlier .....	506	0.06
9985 = BAD DATA Logically assigned .....	43	0.00
9989 = LEGITIMATE SKIP Logically assigned .....	4	0.00
9991 = NEVER WORKED AT A JOB OR BUSINESS .....	75722	8.48
9994 = DON'T KNOW .....	1033	0.12
9997 = REFUSED .....	122	0.01
9998 = BLANK (NO ANSWER) .....	266	0.03
9999 = LEGITIMATE SKIP .....	494002	55.32

EMPLOYMENT AND WORKPLACE

NOTE: The industry variable WRKIDSY2 corresponds to the variable WRKINDY2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKIDSY2 with data in WRKINDY2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same.

Which of these categories best describes the business or industry in which you worked?

WRKIDSY2	Len : 4 TYPE OF BUSINESS OR INDUSTRY	Freq	Pct
-9	= Data not collected for this year.....	224398	25.13
1	= Agriculture, Forestry, Fishing, & Hunting.....	2001	0.22
2	= Mining.....	213	0.02
3	= Construction.....	5366	0.60
4	= Manufacturing, Nondurable Goods.....	2189	0.25
5	= Manufacturing, Durable Goods.....	2912	0.33
6	= Transportation & Utilities.....	1650	0.18
7	= Information & Communications.....	1166	0.13
8	= Wholesale Trade, Durable Goods.....	491	0.05
9	= Wholesale Trade, Nondurable Goods.....	740	0.08
10	= Retail Trade.....	11451	1.28
11	= Finance, Insur, Real Estate, Rental & Leasing.....	1896	0.21
12	= Professional/Scientific/Mgmt/Admin/Waste Mgmt.....	7006	0.78
13	= Education, Health & Social Services.....	10008	1.12
14	= Arts/Entertain/Recreation/Accommodation/Food Svcs.....	17662	1.98
15	= Public Administration.....	1696	0.19
16	= Other Services (Except Public Admin).....	3179	0.36
17	= Armed Forces.....	56	0.01
9990	= NOT REPORTED/NOT CODABLE.....	208	0.02
9994	= DON'T KNOW.....	22	0.00
9997	= REFUSED.....	85	0.01
9998	= BLANK (NO ANSWER).....	226	0.03
9999	= LEGITIMATE SKIP.....	598351	67.01

NOTE: The occupation variable WRKOCUY2 corresponds to the variable WRKOCCY2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKOCUY2 with data in WRKOCCY2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same.

What kind of work did you do? That is, what was your occupation?

WRKOCUY2	Len : 4 KIND OF WORK/JOB TITLE PRIMARY JOB	Freq	Pct
-9	= Data not collected for this year.....	224398	25.13
1	= Executive/Administrative/Managerial/Financial.....	2439	0.27
2	= Professional (not Education/Entertainment/Media).....	2264	0.25
3	= Education and Related Occupations.....	2546	0.29
4	= Entertainers, Sports, Media, and Communications.....	1762	0.20
5	= Technicians and Related Support Occupations.....	2370	0.27
6	= Sales Occupations.....	11451	1.28
7	= Office & Administrative Support Workers.....	9021	1.01
8	= Protective Service Occupations.....	1567	0.18
9	= Service Occupations, Except Protective.....	20208	2.26
10	= Farming, Fishing, & Forestry Occupations.....	1670	0.19
11	= Installation, Maintenance & Repair Workers.....	1282	0.14
12	= Construction Trades & Extraction Workers.....	4766	0.53
13	= Production, Machinery Setters/Operators/Tenders.....	3800	0.43
14	= Transportation & Material Moving Workers.....	4553	0.51
15	= Armed Forces.....	57	0.01
9990	= NOT REPORTED/NOT CODABLE.....	129	0.01
9994	= DON'T KNOW.....	6	0.00
9997	= REFUSED.....	85	0.01
9998	= BLANK (NO ANSWER).....	247	0.03
9999	= LEGITIMATE SKIP.....	598351	67.01

EMPLOYMENT AND WORKPLACE

Which of these categories best describes the business in which you worked?

**WRKBZCY2**      Len : 2    CATEG THAT BEST DESCR BUSINESS YOU WORKED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Private for-profit company or business .....	55417	6.21
2 = Private not-for-profit company or business .....	4406	0.49
3 = Local government (city, county, etc.) .....	5408	0.61
4 = State government .....	2861	0.32
5 = Federal/Foreign government or international .....	1594	0.18
6 = Self-employed in an incorporated business .....	1087	0.12
7 = Self-employed in an unincorporated business .....	2555	0.29
8 = Working without pay in a family business/farm .....	543	0.06
94 = DON'T KNOW .....	1614	0.18
97 = REFUSED .....	107	0.01
98 = BLANK (NO ANSWER) .....	276	0.03
99 = LEGITIMATE SKIP .....	646785	72.43

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

**WRKEDYR**      Len : 2    PAST 12 MOS, WORKED AT ANY JOB

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes .....	75560	8.46
2 = No .....	152779	17.11
85 = BAD DATA Logically assigned .....	7	0.00
89 = LEGITIMATE SKIP Logically assigned .....	4	0.00
94 = DON'T KNOW .....	35	0.00
97 = REFUSED .....	66	0.01
98 = BLANK (NO ANSWER) .....	200	0.02
99 = LEGITIMATE SKIP .....	494002	55.32

Have you been self-employed at any time during the past 12 months?

**WRKSLFEM**      Len : 2    PAST 12 MOS, SELF EMPLOYED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes .....	37290	4.18
2 = No .....	386522	43.28
3 = Yes LOGICALLY ASSIGNED (raw var not blank) .....	1115	0.12
5 = Yes LOGICALLY ASSIGNED (from skip pattern) .....	31972	3.58
85 = BAD DATA Logically assigned .....	6	0.00
94 = DON'T KNOW .....	131	0.01
97 = REFUSED .....	102	0.01
98 = BLANK (NO ANSWER) .....	241	0.03
99 = LEGITIMATE SKIP .....	265274	29.71

During the past 12 months, was there ever a time when you did not have at least one job or business?

**WRKUNEMP**      Len : 2    PAST 12 MOS, TIME WITH NO JOB

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = Yes .....	83899	9.40
2 = No .....	297505	33.32
85 = BAD DATA Logically assigned .....	6	0.00
94 = DON'T KNOW .....	62	0.01
97 = REFUSED .....	103	0.01
98 = BLANK (NO ANSWER) .....	222	0.02
99 = LEGITIMATE SKIP .....	340856	38.17

EMPLOYMENT AND WORKPLACE

In how many weeks during the past 12 months did you not have at least one job or business?

<b>WRKUNWKS</b>	Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS		
	RANGE = 1 - 52 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	83035	9.30
	85 = BAD DATA Logically assigned .....	170319	19.07
	94 = DON'T KNOW .....	176	0.02
	97 = REFUSED .....	663	0.07
	98 = BLANK (NO ANSWER) .....	129	0.01
	99 = LEGITIMATE SKIP .....	289	0.03
		638361	71.49

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

<b>WORKDAYS</b>	Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	85666	9.59
	0 = None .....	170319	19.07
	85 = BAD DATA Logically assigned .....	295358	33.08
	94 = DON'T KNOW .....	199	0.02
	97 = REFUSED .....	232	0.03
	98 = BLANK (NO ANSWER) .....	120	0.01
	99 = LEGITIMATE SKIP .....	230	0.03
		340848	38.17

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?

<b>WORKBLAH</b>	Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS		
	RANGE = 1 - 30 .....	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	38687	4.33
	0 = None .....	170319	19.07
	85 = BAD DATA Logically assigned .....	342541	38.36
	94 = DON'T KNOW .....	34	0.00
	97 = REFUSED .....	182	0.02
	98 = BLANK (NO ANSWER) .....	131	0.01
	99 = LEGITIMATE SKIP .....	230	0.03
		340848	38.17

Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?

<b>LOCSIZE</b>	Len : 2 # PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Less than 10 people .....	170319	19.07
	2 = 10-24 people .....	111704	12.51
	3 = 25-99 people .....	82123	9.20
	4 = 100-499 people .....	87324	9.78
	5 = 500 people or more .....	60113	6.73
	85 = BAD DATA Logically assigned .....	38903	4.36
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	1210	0.14
	98 = BLANK (NO ANSWER) .....	192	0.02
	99 = LEGITIMATE SKIP .....	230	0.03
		340848	38.17

At your workplace, is there a written policy about employee use of alcohol or drugs?

<b>DRGPLCY</b>	Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
	-9 = Data not collected for this year .....	<b>Freq</b>	<b>Pct</b>
	1 = Yes .....	170319	19.07
	2 = No .....	271353	30.39
	85 = BAD DATA Logically assigned .....	90462	10.13
	94 = DON'T KNOW .....	6	0.00
	97 = REFUSED .....	19630	2.20
	98 = BLANK (NO ANSWER) .....	124	0.01
	99 = LEGITIMATE SKIP .....	230	0.03
		340848	38.17

EMPLOYMENT AND WORKPLACE

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

<b>PLCYCOV</b>	Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Only alcohol .....	2736	0.31
	2 = Only drugs .....	9456	1.06
	3 = Both alcohol and drugs .....	254846	28.54
	85 = BAD DATA Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	4303	0.48
	97 = REFUSED .....	136	0.02
	98 = BLANK (NO ANSWER) .....	19860	2.22
	99 = LEGITIMATE SKIP .....	431310	48.30

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

<b>WKDRGED</b>	Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes .....	124901	13.99
	2 = No .....	241313	27.02
	3 = Don't remember .....	12710	1.42
	85 = BAD DATA Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	2518	0.28
	97 = REFUSED .....	127	0.01
	98 = BLANK (NO ANSWER) .....	230	0.03
	99 = LEGITIMATE SKIP .....	340848	38.17

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

<b>DRGPRGM</b>	Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes .....	139999	15.68
	2 = No .....	190225	21.30
	85 = BAD DATA Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	51169	5.73
	97 = REFUSED .....	176	0.02
	98 = BLANK (NO ANSWER) .....	230	0.03
	99 = LEGITIMATE SKIP .....	340848	38.17

Does your workplace ever test its employees for alcohol use?

<b>USALCTST</b>	Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes .....	103444	11.58
	2 = No .....	256955	28.78
	85 = BAD DATA Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	21039	2.36
	97 = REFUSED .....	131	0.01
	98 = BLANK (NO ANSWER) .....	230	0.03
	99 = LEGITIMATE SKIP .....	340848	38.17

Does your workplace ever test its employees for drug use?

<b>USDRGTST</b>	Len : 2 WORKPLACE TESTS FOR DRUG USAGE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes .....	160097	17.93
	2 = No .....	204381	22.89
	85 = BAD DATA Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	16954	1.90
	97 = REFUSED .....	137	0.02
	98 = BLANK (NO ANSWER) .....	230	0.03
	99 = LEGITIMATE SKIP .....	340848	38.17

EMPLOYMENT AND WORKPLACE

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

<b>TSTHIRE</b>	Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	133783	14.98
	2 = No.....	26365	2.95
	85 = BAD DATA Logically assigned .....	4	0.00
	94 = DON'T KNOW .....	2342	0.26
	97 = REFUSED .....	125	0.01
	98 = BLANK (NO ANSWER) .....	18004	2.02
	99 = LEGITIMATE SKIP.....	542030	60.70

Does your workplace test its employees for drug or alcohol use on a random basis?

<b>TSTRAND</b>	Len : 2 TEST ON RANDOM BASIS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	93669	10.49
	2 = No.....	59851	6.70
	85 = BAD DATA Logically assigned .....	4	0.00
	94 = DON'T KNOW .....	8970	1.00
	97 = REFUSED .....	125	0.01
	98 = BLANK (NO ANSWER) .....	18004	2.02
	99 = LEGITIMATE SKIP.....	542030	60.70

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

<b>FIRSTPOS</b>	Len : 2 WHAT HAPPENS FIRST TIME CAUGHT		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Handled on indiv basis/policy does not spec what .....	24409	2.73
	2 = Employee is fired.....	79325	8.88
	3 = Employee is referred for treatment or counseling .....	30267	3.39
	4 = Nothing happens.....	595	0.07
	5 = Something else happens.....	5207	0.58
	85 = BAD DATA Logically assigned .....	4	0.00
	94 = DON'T KNOW .....	22639	2.54
	97 = REFUSED .....	173	0.02
	98 = BLANK (NO ANSWER) .....	18004	2.02
	99 = LEGITIMATE SKIP.....	542030	60.70

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?

<b>WRKHIRE</b>	Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = More likely .....	149303	16.72
	2 = Less likely.....	18512	2.07
	3 = Would it make no difference to you.....	212948	23.85
	85 = BAD DATA Logically assigned .....	6	0.00
	94 = DON'T KNOW .....	643	0.07
	97 = REFUSED .....	162	0.02
	98 = BLANK (NO ANSWER) .....	231	0.03
	99 = LEGITIMATE SKIP.....	340848	38.17

EMPLOYMENT AND WORKPLACE

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?

WORKRAND

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	170319	19.07
1 = More likely .....	125894	14.10
2 = Less likely .....	35335	3.96
3 = Would make no difference .....	219527	24.58
85 = BAD DATA Logically assigned .....	6	0.00
94 = DON'T KNOW .....	661	0.07
97 = REFUSED .....	151	0.02
98 = BLANK (NO ANSWER) .....	231	0.03
99 = LEGITIMATE SKIP .....	340848	38.17



IMPUTED EMPLOYMENT

**IMPUTED EMPLOYMENT**

The following variable, IRWRKSTAT, replaces EMPSTATY that was created from 2001 to 2014. In 2015 employment questions moved from being interviewer-administered to being self-administered through ACASI. The name changes for employment variables reflect the break in comparability.

**IRWRKSTAT**      Len : 2    EMPLOYMENT STATUS - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Employed full time .....	67669	7.58
2 = Employed part time.....	25715	2.88
3 = Unemployed .....	10424	1.17
4 = Other (incl. not in labor force) .....	46219	5.18
99 = 12-14 year olds .....	20292	2.27

**IWRKSTAT**      Len : 1    EMPLOYMENT STATUS - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Employment status from questionnaire.....	148291	16.61
3 = Employment statistically imputed.....	1736	0.19
9 = 12-14 years old .....	20292	2.27

**I2WRKSTAT**      Len : 1    EMPLOYMENT STATUS - DETAILED IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Employment status from questionnaire.....	148291	16.61
3 = Emp. statistically imputed (unrestricted).....	1475	0.17
4 = Emp. stat. imp. (restr. to full-time or part-time).....	261	0.03
9 = 12-14 years old .....	20292	2.27

IRWRKSTAT18 is a recode of IRWRKSTAT and AGE. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.

**IRWRKSTAT18**      Len : 2    EMPLOYMENT STATUS 18+ - IMPUTATION REVISED

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Employed full time .....	66589	7.46
2 = Employed part time.....	20349	2.28
3 = Unemployed .....	8035	0.90
4 = Other (incl. not in labor force) .....	33767	3.78
99 = 12-17 year olds .....	41579	4.66

**IWRKSTAT18**      Len : 1    EMPLOYMENT STATUS 18+ - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	722653	80.93
1 = Employment status from questionnaire.....	127294	14.26
3 = Employment statistically imputed.....	1446	0.16
9 = 12-17 years old .....	41579	4.66

**I2WRKST18**      Len : 1    EMPLOYMENT STATUS 18+ - DETAILED IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year.....	722653	80.93
1 = Employment status from questionnaire.....	127294	14.26
3 = Emp. statistically imputed (unrestricted).....	1227	0.14
4 = Emp. stat. imp. (restr. to full-time or part-time).....	219	0.02
9 = 12-17 years old .....	41579	4.66

IMPUTED EMPLOYMENT AND WORKPLACE

**IMPUTED EMPLOYMENT AND WORKPLACE**

The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.

<b>EMPSTATY</b>	Len : 2	IMPUTATION REVISED EMPLOYMENT STATUS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Employed full time .....	256539	28.73
		2 = Employed part time .....	121997	13.66
		3 = Unemployed .....	49799	5.58
		4 = Other (incl. not in labor force) .....	181823	20.36
		99 = 12-14 year olds .....	112495	12.60

<b>I1EMPSTY</b>	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Employment status from questionnaire .....	609662	68.27
		3 = Employment statistically imputed .....	496	0.06
		9 = 12-14 years old .....	112495	12.60

<b>I12EMSTY</b>	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS (DETAILS)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Employment status from questionnaire .....	609662	68.27
		3 = Emp. statistically imputed (unrestricted) .....	278	0.03
		4 = Emp. stat. imp. (restr. to full-time or part-time) .....	218	0.02
		9 = 12-14 years old .....	112495	12.60

EMPSTAT4 is a recode of EMPSTATY and AGE. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.

<b>EMPSTAT4</b>	Len : 2	IMPUTATION REVISED EMPLOYMENT STATUS 18+		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Employed full time .....	251985	28.22
		2 = Employed part time .....	91654	10.26
		3 = Unemployed .....	35188	3.94
		4 = Other (incl. not in labor force) .....	113559	12.72
		99 = 12-17 year olds .....	230267	25.79

<b>I1EMPST4</b>	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS 18+		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Employment status from questionnaire .....	491942	55.09
		3 = Employment statistically imputed .....	444	0.05
		9 = 12-17 years old .....	230267	25.79

<b>I12EMST4</b>	Len : 1	IMP. IND. EMPLOYMENT STATUS 18+ (DETAILS)		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	170319	19.07
		1 = Employment status from questionnaire .....	491942	55.09
		3 = Emp. statistically imputed (unrestricted) .....	258	0.03
		4 = Emp. stat. imp. (restr. to full-time or part-time) .....	186	0.02
		9 = 12-17 years old .....	230267	25.79

HOUSEHOLD COMPOSITION (ROSTER)

**HOUSEHOLD COMPOSITION (ROSTER)**

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

<b>EDFAM18</b>	Len : 2 RC-EDITED INDICATOR: FAMILY IN HH 18 OR OLDER		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	54079	6.06
	0 = R has other family members >=18.....	705900	79.05
	1 = R does not have other family members >=18.....	132330	14.82
	98 = UNKNOWN.....	663	0.07
<b>IMOTHER</b>	Len : 1 RC-MOTHER IN HH		
		<b>Freq</b>	<b>Pct</b>
	1 = R is 12-17, mother in hh.....	248378	27.81
	2 = R is 12-17, no mother in hh.....	23244	2.60
	3 = R is 12-17, don't know whether mother is in hh.....	224	0.03
	4 = R is 18 or older.....	621126	69.56
<b>IFATHER</b>	Len : 1 RC-FATHER IN HH		
		<b>Freq</b>	<b>Pct</b>
	1 = R is 12-17, father in hh.....	196347	21.99
	2 = R is 12-17, no father in hh.....	75218	8.42
	3 = R is 12-17, don't know whether father is in hh.....	281	0.03
	4 = R is 18 or older.....	621126	69.56
<b>NRCH17_2</b>	Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 0 - 2.....	851939	95.40
	. = Missing.....	1041	0.12
	3 = 3 or more.....	39992	4.48
<b>IRHHSIZ2</b>	Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH		
		<b>Freq</b>	<b>Pct</b>
	1 = One person in household.....	61054	6.84
	2 = Two people in household.....	189741	21.25
	3 = Three people in household.....	202456	22.67
	4 = Four people in household.....	224598	25.15
	5 = Five people in household.....	124469	13.94
	6 = 6 or more people in household.....	90654	10.15
<b>IIHHSIZ2</b>	Len : 1 IRHHSIZ2-IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	892384	99.93
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	587	0.07
<b>IRK117_2</b>	Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
		<b>Freq</b>	<b>Pct</b>
	1 = No children under 18.....	346427	38.79
	2 = One child under 18.....	210862	23.61
	3 = Two children under 18.....	193799	21.70
	4 = Three or more children under 18.....	141884	15.89
<b>IIK117_2</b>	Len : 1 IRK117_2-IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data.....	890273	99.70
	2 = Logically assigned data.....	15	0.00
	3 = Statistically imputed data.....	2684	0.30

HOUSEHOLD COMPOSITION (ROSTER)

<b>IRHH65_2</b>	Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65		
		<b>Freq</b>	<b>Pct</b>
	1 = No people 65 or older in household .....	807982	90.48
	2 = One person 65 or older in household .....	57347	6.42
	3 = Two or more people 65 or older in household.....	27643	3.10
<b>IHH65_2</b>	Len : 1 IRHH65_2-IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	888094	99.45
	2 = Logically assigned data.....	611	0.07
	3 = Statistically imputed data.....	4267	0.48
<b>IRFAMSZ2</b>	Len : 1 IMP-REVISED - NO OF R'S FAMILY MEMBERS IN HHLD		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = One R's family member in household .....	92365	10.34
	2 = Two R's family members in household .....	142170	15.92
	3 = Three R's family members in household .....	154513	17.30
	4 = Four R's family members in household.....	173927	19.48
	5 = Five R's family members in household .....	94754	10.61
	6 = Six or more R's family members in household.....	64924	7.27
<b>IIFAMSZ2</b>	Len : 1 IRFAMSZ2 - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	721814	80.83
	2 = Logically Assigned data.....	69	0.01
	3 = Statistically Imputed data.....	770	0.09
<b>IRKIDFA2</b>	Len : 1 IMP-REV - NO OF R'S FAMILY MBRS IN HH AGED 0-17		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = No R'S family mbrs in HH aged 0-17 .....	280647	31.43
	2 = One R'S family mbrs in HH aged 0-17 .....	172684	19.34
	3 = Two R'S family mbrs in HH aged 0-17 .....	156888	17.57
	4 = Three or more R'S family mbrs in HH aged 0-17.....	112434	12.59
<b>IIKIDFA2</b>	Len : 1 IRKIDFA2 - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	721154	80.76
	3 = Statistically Imputed data.....	1499	0.17

PROXY INFORMATION

**PROXY INFORMATION**

PRXRETRY was created starting in 2014 and indicates whether respondents younger than 18 selected another proxy if their previously selected proxy was unavailable.

<b>PRXRETRY</b>	Len : 2	SELECTED PROXY UNAVAILABLE, OTHER PROXY AVAILABLE?		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	667382	74.74
		2 = No.....	3948	0.44
		94 = DON'T KNOW .....	117	0.01
		97 = REFUSED .....	26	0.00
		98 = BLANK (NO ANSWER) .....	255	0.03
		99 = LEGITIMATE SKIP.....	221244	24.78

<b>PRXYDATA</b>	Len : 2	IS PROXY ANSWERING INSURANCE/INCOME QS		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	54079	6.06
		1 = Yes.....	264237	29.59
		2 = No.....	679	0.08
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.00
		94 = DON'T KNOW .....	348	0.04
		97 = REFUSED .....	109	0.01
		98 = BLANK (NO ANSWER) .....	741	0.08
		99 = LEGITIMATE SKIP (Respondent answering) .....	572775	64.14

HEALTH INSURANCE

**HEALTH INSURANCE**

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive. This information will help in planning health care services and finding ways to lower costs of care.

NOTE: Beginning in 2003, respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Several government programs provide medical care or help pay medical bills.

Medicare is a health insurance program for people aged 65 and older and for certain people with disabilities. Is [SAMPLE MEMBER A] covered by Medicare?

<b>MEDICARE</b>	Len : 2 COVERED BY MEDICARE		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	53552	6.00
	2 = No.....	836193	93.64
	85 = BAD DATA Logically assigned .....	45	0.01
	94 = DON'T KNOW .....	2508	0.28
	97 = REFUSED .....	368	0.04
	98 = BLANK (NO ANSWER) .....	306	0.03

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years. Beginning in 2003, respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for people with low income and people with disabilities. The Medicaid program in [STATE FILL] is also called [MEDIFILL]. Medicaid may also be called Medical Assistance.

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

<b>CAIDCHIP</b>	Len : 2 COVERED BY MEDICAID/CHIP		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	164165	18.38
	2 = No.....	721534	80.80
	85 = BAD DATA Logically assigned .....	454	0.05
	94 = DON'T KNOW .....	6062	0.68
	97 = REFUSED .....	445	0.05
	98 = BLANK (NO ANSWER) .....	312	0.03

There are certain programs that cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

<b>CHAMPUS</b>	Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	30497	3.42
	2 = No.....	859349	96.23
	85 = BAD DATA Logically assigned .....	45	0.01
	94 = DON'T KNOW .....	2428	0.27
	97 = REFUSED .....	347	0.04
	98 = BLANK (NO ANSWER) .....	306	0.03

HEALTH INSURANCE

Private health insurance can be obtained through work, such as through an employer, union, or professional association, by paying premiums directly to a health insurance company, or by purchasing a plan through the Health Insurance Marketplace. It includes coverage by a health maintenance organization or HMO, fee for service plans, and single service plans.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

<b>PRVHLTIN</b>	Len : 2 COVERED BY PRIVATE INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	557097	62.39
	2 = No.....	329837	36.94
	85 = BAD DATA Logically assigned.....	45	0.01
	94 = DON'T KNOW.....	5204	0.58
	97 = REFUSED.....	482	0.05
	98 = BLANK (NO ANSWER).....	307	0.03

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association? It can be through any family member's employment, not just [SAMPLE MEMBER POSS] employment.

<b>GRPHLTIN</b>	Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	502644	56.29
	2 = No.....	52711	5.90
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW.....	1709	0.19
	97 = REFUSED.....	515	0.06
	98 = BLANK (NO ANSWER).....	5532	0.62
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	329837	36.94

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

<b>HLTINALC</b>	Len : 2 ALCOHOL ABUSE OR ALCOHOLISM		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	250014	28.00
	2 = No.....	63938	7.16
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW.....	242838	27.19
	97 = REFUSED.....	788	0.09
	98 = BLANK (NO ANSWER).....	5533	0.62
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	329837	36.94

Drug abuse?

<b>HLTINDRG</b>	Len : 2 DRUG ABUSE		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	249495	27.94
	2 = No.....	65932	7.38
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW.....	241303	27.02
	97 = REFUSED.....	848	0.09
	98 = BLANK (NO ANSWER).....	5533	0.62
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	329837	36.94

Mental or emotional problems?

<b>HLTINMNT</b>	Len : 2 MENTAL OR EMOTIONAL DIFFICULTIES		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	364400	40.81
	2 = No.....	44459	4.98
	85 = BAD DATA Logically assigned.....	24	0.00
	94 = DON'T KNOW.....	148022	16.58
	97 = REFUSED.....	697	0.08
	98 = BLANK (NO ANSWER).....	5533	0.62
	99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	329837	36.94

HEALTH INSURANCE

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

<b>HLTINNOS</b>	Len : 2 COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	20456	2.29
	2 = No.....	128274	14.36
	85 = BAD DATA Logically assigned.....	8	0.00
	94 = DON'T KNOW.....	402	0.05
	97 = REFUSED.....	22	0.00
	98 = BLANK (NO ANSWER).....	307	0.03
	99 = LEGITIMATE SKIP.....	743503	83.26

During the past 12 months, that is from [DATE FILL] through today, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

<b>HLCNOTYR</b>	Len : 2 ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	64362	7.21
	2 = No.....	691324	77.42
	85 = BAD DATA Logically assigned.....	119	0.01
	94 = DON'T KNOW.....	1803	0.20
	97 = REFUSED.....	578	0.06
	98 = BLANK (NO ANSWER).....	6514	0.73
	99 = LEGITIMATE SKIP.....	128272	14.36

During the past 12 months, that is from [DATE FILL] through today, about how many months [were you/was SAMPLE MEMBER] without any kind of health insurance or coverage?

<b>HLCNOTMO</b>	Len : 2 PAST 12 MOS, HOW MANY MOS W/O COVERAGE		
		<b>Freq</b>	<b>Pct</b>
	RANGE = 1 - 12.....	63943	7.16
	85 = BAD DATA Logically assigned.....	10	0.00
	94 = DON'T KNOW.....	413	0.05
	97 = REFUSED.....	584	0.07
	98 = BLANK (NO ANSWER).....	8426	0.94
	99 = LEGITIMATE SKIP.....	819596	91.78

About how long has it been since (SAMPLE MEMBER) last had any kind of health coverage?

<b>HLCLAST</b>	Len : 2 TIME SINCE LAST HAD HEALTH CARE COVERAGE		
		<b>Freq</b>	<b>Pct</b>
	1 = Within the past 6 months.....	22616	2.53
	2 = More than 6 months ago, but within the past year.....	16812	1.88
	3 = More than 1 year ago, but within the past 3 years.....	30757	3.44
	4 = More than 3 years ago.....	34767	3.89
	5 = Never had coverage.....	22382	2.51
	85 = BAD DATA Logically assigned.....	10	0.00
	94 = DON'T KNOW.....	912	0.10
	97 = REFUSED.....	569	0.06
	98 = BLANK (NO ANSWER).....	6621	0.74
	99 = LEGITIMATE SKIP.....	757526	84.83



HEALTH INSURANCE

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

<b>HLLOSRSN</b>	Len : 2 MAIN REASON STOPPED COVERED BY HEALTH INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	1 = Pers in family w/health ins lost job/chng employer.....	21617	2.42
	2 = Lost Medicaid/Med Assist b/c new job/incr income .....	7828	0.88
	3 = Lost Medicaid/Med Assist some other reason.....	8482	0.95
	4 = Cost is too high/can't afford premiums .....	25688	2.88
	5 = Became ineligible because of age or leaving school .....	17795	1.99
	6 = Employer does not offer coverage, or not eligible .....	7566	0.85
	7 = Got divorced or separated from person w/insurance .....	1749	0.20
	8 = Death of spouse or parent .....	572	0.06
	9 = Insurance company refused coverage .....	1096	0.12
	10 = Don't need it.....	3466	0.39
	11 = Received Medicaid/med insur only while pregnant .....	3988	0.45
	12 = Some other reason.....	5356	0.60
	85 = BAD DATA Logically assigned .....	67	0.01
	94 = DON'T KNOW .....	530	0.06
	97 = REFUSED .....	640	0.07
	98 = BLANK (NO ANSWER) .....	6624	0.74
	99 = LEGITIMATE SKIP.....	779908	87.34

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

<b>HLNVCOST</b>	Len : 2 COST TOO HIGH		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	12593	1.41
	6 = Response not entered .....	9662	1.08
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	112	0.01
	97 = REFUSED .....	558	0.06
	98 = BLANK (NO ANSWER) .....	6895	0.77
	99 = LEGITIMATE SKIP.....	863151	96.66

<b>HLNVOFFR</b>	Len : 2 EMPLOYER DOESN'T OFFER		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	4400	0.49
	6 = Response not entered .....	17855	2.00
	94 = DON'T KNOW .....	112	0.01
	97 = REFUSED .....	558	0.06
	98 = BLANK (NO ANSWER) .....	6896	0.77
	99 = LEGITIMATE SKIP.....	863151	96.66

<b>HLNVREF</b>	Len : 2 INSURANCE COMPANY REFUSED COVERAGE		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	423	0.05
	6 = Response not entered .....	21832	2.44
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	112	0.01
	97 = REFUSED .....	558	0.06
	98 = BLANK (NO ANSWER) .....	6895	0.77
	99 = LEGITIMATE SKIP.....	863151	96.66

<b>HLNVNEED</b>	Len : 2 DON'T NEED IT		
		<b>Freq</b>	<b>Pct</b>
	1 = Response entered .....	3477	0.39
	6 = Response not entered .....	18778	2.10
	85 = BAD DATA Logically assigned .....	1	0.00
	94 = DON'T KNOW .....	112	0.01
	97 = REFUSED .....	558	0.06
	98 = BLANK (NO ANSWER) .....	6895	0.77
	99 = LEGITIMATE SKIP.....	863151	96.66

HEALTH INSURANCE

HLNVSOR

Len : 2 NEVER HAD HLTH INS SOME OTHER REASON

	<b>Freq</b>	<b>Pct</b>
1 = Response entered .....	2246	0.25
6 = Response not entered .....	20009	2.24
94 = DON'T KNOW .....	112	0.01
97 = REFUSED .....	558	0.06
98 = BLANK (NO ANSWER) .....	6896	0.77
99 = LEGITIMATE SKIP .....	863151	96.66

IMPUTED HEALTH INSURANCE

**IMPUTED HEALTH INSURANCE**

Starting in 2002, missing values in the variables describing the type of health insurance were imputed. In particular, missing values in the edited variables PRVHLTIN (private health insurance), MEDICARE, CAIDCHIP (Medicaid/children's state-assisted health insurance), CHAMPUS, and a modified version of HLTINNOS (other health insurance) were imputed. The overall health insurance variable was then created by combining the information from the detailed imputation- revised variables in the variable IRINSUR4. This differs from the method used in 1999-2001 where the edited health insurance variables were combined before imputation to create a recoded overall health insurance variable (INSUR3), the missing values of which were imputed in the variable IRINSUR3. As in previous years, missing values in PRVHLTIN were imputed. However, the name has changed (IRPINSUR in 1999-2001, IRPRVHLT in 2002) to reflect the fact that the imputation of missing values in PRVHLTIN was univariate from 1999-2001, and multivariate (with the other detailed variables) in 2002.

<b>IRMCDCHP</b>	Len : 1 IMPUTATION REVISED CAIDCHIP		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes, respondent does have Medicaid/CHIP .....	166255	18.62
	2 = No, respondent does not have Medicaid/CHIP .....	726717	81.38

<b>IIMCDCHP</b>	Len : 1 MEDICAID/CHIP - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	885699	99.19
	3 = Statistically imputed data.....	7273	0.81

<b>IRMEDICR</b>	Len : 1 MEDICARE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes, respondent does have Medicare .....	53720	6.02
	2 = No, respondent does not have Medicare .....	839252	93.98

<b>IIMEDICR</b>	Len : 1 MEDICARE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	889745	99.64
	3 = Statistically imputed data.....	3227	0.36

<b>IRCHMPUS</b>	Len : 1 CHAMPUS - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes, R has Tricare, Champus, VA, Military health.....	30652	3.43
	2 = No, R doesn't have Tricare, Chmps, VA, Military health.....	862320	96.57

<b>IICHMPUS</b>	Len : 1 CHAMPUS - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	889846	99.65
	3 = Statistically imputed data.....	3126	0.35

<b>IRPRVHLT</b>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes, R does have private health insurance .....	560359	62.75
	2 = No, R does not have private health insurance .....	332613	37.25

<b>IIPRVHLT</b>	Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	886934	99.32
	3 = Statistically imputed data.....	6038	0.68

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

- (1) Not covered by private insurance (IRPRVHLT=2)
- (2) Not covered by Medicare (IRMEDICR=2)
- (3) Not covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)

Otherwise, they are not eligible and IROTHHLT=99.

<b>IROTHHLT</b>	Len : 2 OTHER HEALTH INSURANCE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes, R is covered by other health insurance.....	20919	2.34
	2 = No, R is not covered by other health insurance.....	130250	14.59
	99 = LEGITIMATE SKIP.....	741803	83.07

IMPUTED HEALTH INSURANCE

IOTHHLT

Len : 1 OTHER HEALTH INSURANCE - IMPUTATION INDICATOR

	<b>Freq</b>	<b>Pct</b>
1 = Questionnaire data .....	148724	16.65
3 = Statistically imputed data.....	7178	0.80
9 = LEGITIMATE SKIP.....	737070	82.54

RECODED HEALTH INSURANCE

**RECODED HEALTH INSURANCE**

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

<b>HLCALLFG</b>	Len : 2 FLAG IF EVERY FORM OF HEALTH INS REPORTED		
		<b>Freq</b>	<b>Pct</b>
	1 = Answered yes to all current health insurance Qs.....	130	0.01
	98 = BLANK (NO ANSWER) .....	892842	99.99

<b>HLCALL99</b>	Len : 2 YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes (see comment above) .....	133	0.01
	98 = BLANK (NO ANSWER) .....	892839	99.99

NOTE: The following variable, ANYHLTI2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.

<b>ANYHLTI2</b>	Len : 2 COVERED BY ANY HEALTH INSURANCE - RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes.....	757526	84.83
	2 = No.....	128272	14.36
	94 = DON'T KNOW .....	6194	0.69
	97 = REFUSED .....	543	0.06
	98 = OTHER MISSING.....	437	0.05

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

- (1) Covered by private insurance (IRPRVHLT=1)
- (2) Covered by Medicare (IRMEDICR=1)
- (3) Covered by Medicaid/CHIPCOV (IRMCDCHP=1)
- (4) Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=1)
- (5) Covered by other health insurance (IROTHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions.

- (1) Not covered by private insurance (IRPRVHLT=2)
- (2) Not covered by Medicare (IRMEDICR=2)
- (3) Not covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (5) Not covered by other health insurance (IROTHHLT=2)

<b>IRINSUR4</b>	Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION REVISED		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes, respondent is covered by health insurance.....	762722	85.41
	2 = No, respondent is not covered by health insurance .....	130250	14.59

<b>IIINSUR4</b>	Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	1 = Questionnaire data .....	885794	99.20
	3 = Statistically imputed data.....	7178	0.80

<b>OTHINS</b>	Len : 1 RC-OTHER HEALTH INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year.....	54079	6.06
	1 = Yes (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1) .....	94789	10.62
	2 = No (Otherwise) .....	744104	83.33

INCOME

**INCOME**

*This note applies to variables in this section marked by a<sup>2</sup>.*

NOTE: The order changed between 2015 and 2016 for the questions corresponding to CELLWRKNG and CELLNOTCL. In 2015, the question corresponding to CELLNOTCL appeared first. Review of the data for 2015 and 2016 suggested that any decreases in reports of coverage by telephones other than cell phones between 2015 and 2016 is likely to be attributable to overall declines in landline telephone coverage in the general population.

Do you or anyone at this address have a working cell phone?

<b>CELLWRKNG</b>	Len : 2	WORKING CELL PHONE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	166896	18.69
		2 = No.....	3209	0.36
		85 = BAD DATA Logically assigned .....	29	0.00
		94 = DON'T KNOW .....	19	0.00
		97 = REFUSED .....	80	0.01
		98 = BLANK (NO ANSWER) .....	86	0.01

Is there at least one telephone at this address that is not a cell phone?

<b>CELLNOTCL</b>	Len : 2	NOT A CELL PHONE		
			<b>Freq</b>	<b>Pct</b>
		-9 = Data not collected for this year .....	722653	80.93
		1 = Yes.....	68036	7.62
		2 = No.....	102010	11.42
		85 = BAD DATA Logically assigned .....	29	0.00
		94 = DON'T KNOW .....	73	0.01
		97 = REFUSED .....	85	0.01
		98 = BLANK (NO ANSWER) .....	86	0.01

IMPUTED INCOME

**IMPUTED INCOME**

*This note applies to variables in this section marked by a<sup>2</sup>.*

<b>IRFAMSOC</b>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION REVISED		
	1 = Yes.....	<b>Freq</b>	<b>Pct</b>
	2 = No.....	128249	14.36
	99 = LEGITIMATE SKIP.....	761570	85.28
		3153	0.35
<b>IIFAMSOC</b>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	880661	98.62
	9 = LEGITIMATE SKIP.....	9158	1.03
		3153	0.35
<b>IRFAMSSI</b>	Len : 1 FAM RECEIVE SSI - IMPUTATION REVISED		
	1 = Yes.....	<b>Freq</b>	<b>Pct</b>
	2 = No.....	60137	6.73
		832835	93.27
<b>IIFAMSSI</b>	Len : 1 FAM RECEIVE SSI - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	881385	98.70
		11587	1.30
<b>IRFSTAMP</b>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION REVISED		
	1 = Yes.....	<b>Freq</b>	<b>Pct</b>
	2 = No.....	143057	16.02
		749915	83.98
<b>IIFSTAMP</b>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	889263	99.58
		3709	0.42
<b>IRFAMPMT</b>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION REVISED		
	1 = Yes.....	<b>Freq</b>	<b>Pct</b>
	2 = No.....	32234	3.61
		860738	96.39
<b>IIFAMPMT</b>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	886285	99.25
		6687	0.75
<b>IRFAMSVC</b>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION REVISED		
	1 = Yes.....	<b>Freq</b>	<b>Pct</b>
	2 = No.....	40782	4.57
		852190	95.43
<b>IIFAMSVC</b>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION INDICATOR		
	1 = Questionnaire data .....	<b>Freq</b>	<b>Pct</b>
	3 = Statistically imputed data.....	887725	99.41
		5247	0.59
<b>IRWELMOS</b>	Len : 2 IMP. REVISED - NO.OF MONTHS ON WELFARE		
	RANGE = 1 - 12.....	<b>Freq</b>	<b>Pct</b>
	99 = LEGITIMATE SKIP.....	59802	6.70
		833170	93.30

IMPUTED INCOME

IIWELMOS

Len : 1 NO OF MONTHS ON WELFARE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data .....	57206	6.41
3 = Statistically imputed data .....	9716	1.09
9 = LEGITIMATE SKIP .....	826050	92.51

NOTE: Starting in 2015, an additional finer income response level was added to the questionnaire (\$150,000 or more). The following six variables accommodate this additional response level. These variables are not comparable to the corresponding IRXXX2 and IIXXX2 available for years prior to 2015 where the highest income level was \$100,000 or more. Since the new level of \$150,000 or more was unavailable prior to 2015, the IRXXX2 recoded variables should be utilized for comparisons when the analysis includes both data prior to 2015 and data in 2015 or beyond.

IRPINC3

Len : 2 RESP TOT INCOME (FINER CAT) - IMP REV

	Freq	Pct
1 = Less than \$10,000 (Including Loss) .....	489030	54.76
2 = \$10,000 - \$19,999 .....	134191	15.03
3 = \$20,000 - \$29,999 .....	84617	9.48
4 = \$30,000 - \$39,999 .....	58604	6.56
5 = \$40,000 - \$49,999 .....	40460	4.53
6 = \$50,000 - \$74,999 .....	46697	5.23
7 = \$75,000 or more .....	39373	4.41

IRFAMIN3

Len : 1 RECODE - IMP.REVISED - TOT FAM INCOME

	Freq	Pct
1 = Less than \$10,000 (Including Loss) .....	86802	9.72
2 = \$10,000 - \$19,999 .....	113663	12.73
3 = \$20,000 - \$29,999 .....	106177	11.89
4 = \$30,000 - \$39,999 .....	99865	11.18
5 = \$40,000 - \$49,999 .....	97289	10.89
6 = \$50,000 - \$74,999 .....	148826	16.67
7 = \$75,000 or more .....	240350	26.92

IIPINC3

Len : 1 RESP TOT INCOME (FINER CAT) - IMP INDIC

	Freq	Pct
1 = Questionnaire data .....	866467	97.03
3 = Statistically imputed data .....	26505	2.97

IIFAMIN3

Len : 1 IRFAMIN3 - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data .....	796378	89.18
2 = Logically assigned data .....	6030	0.68
3 = Statistically imputed data .....	90564	10.14



RECODED INCOME

**RECODED INCOME**

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVC).

<b>GOVTPROG</b>	Len : 1 RC-PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS		
		<b>Freq</b>	<b>Pct</b>
	1 = Yes (Any source variable=1) .....	187701	21.02
	2 = No (All source variables=2).....	705271	78.98

<b>INCOME</b>	Len : 1 RC-TOTAL FAMILY INCOME RECODE		
		<b>Freq</b>	<b>Pct</b>
	1 = Less than \$20,000 .....	200465	22.45
	2 = \$20,000 - \$49,999 .....	303331	33.97
	3 = \$50,000 - \$74,999 .....	148826	16.67
	4 = \$75,000 or More .....	240350	26.92

The following variable, POVERTY3, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold. The previously created variable POVERTY2, was created using the recoded version of family income that had a top-coded level of \$100,000 or more. Starting in 2015, the finer income questions were revised to expand the top level to include the responses \$100,000 - \$149,999 and \$150,000 or more. The variable POVERTY3 account for these additional income levels through the use of the finer family income variable. Despite these changes, POVERTY3 is considered comparable with POVERTY2.

POVERTY3 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. The highest level of income, \$150,000 or more, was assigned a value of \$180,000. Prior to the questionnaire change in 2015 that expanded the top level of income categories, the highest level of income was \$100,000 or more and the assigned family income was \$120,000. Family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to system missing and do not have a valid value for this variable.

<b>POVERTY3</b>	Len : 1 RC-POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)		
		<b>Freq</b>	<b>Pct</b>
	. = Persons Aged 18-22 in a College Dorm (See comment above).....	1261	0.14
	-9 = Data not collected for this year.....	722653	80.93
	1 = Living in Poverty (See comment above).....	33310	3.73
	2 = Income Up to 2X Fed Pov Thresh (See comment above) .....	37450	4.19
	3 = Income More Than 2X Fed Pov Thresh (See comment above).....	98298	11.01

INCOME AND INSURANCE

**INCOME AND INSURANCE**

NOTE: The variables which immediately follow refer to questions about the kinds and amounts of income received. Only imputed variables are included since other variables do not provide any additional analytic utility. Users can differentiate between imputed and non-imputed values using the imputation indicators. Questions about income from the questionnaire are not reproduced since the variables below do not correspond exactly to those questions. Edited and imputed health insurance variables, with the accompanying questionnaire questions, follow the income variables.

<b>IRPSOC</b>	Len : 1 IMP. REVISED - RESP RECEIVE SS OR RR PAYMENTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	23557	2.64
	2 = No.....	301541	33.77
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIPSOC</b>	Len : 1 IRPSOC - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	323958	36.28
	3 = Statistically imputed data.....	1140	0.13
	9 = Legitimate skip .....	5802	0.65
<b>IRPSSI</b>	Len : 1 IMP. REVISED - RESP RECEIVE SSI		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	8945	1.00
	2 = No.....	316153	35.40
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIPSSI</b>	Len : 1 IRPSSI - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	323472	36.22
	3 = Statistically imputed data.....	1626	0.18
	9 = Legitimate skip .....	5802	0.65
<b>IRPWAG</b>	Len : 1 IMP. REVISED - RESP RECEIVE INCOME FROM JOB		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	204793	22.93
	2 = No.....	120305	13.47
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIPWAG</b>	Len : 1 IRPWAG - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	324592	36.35
	3 = Statistically imputed data.....	506	0.06
	9 = Legitimate skip .....	5802	0.65
<b>IRPPMT</b>	Len : 1 IMP. REVISED - RESP RECEIVE PUBLIC ASSIST		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	9338	1.05
	2 = No.....	315760	35.36
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIPPMT</b>	Len : 1 IRPPMT - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	323775	36.26
	3 = Statistically imputed data.....	1323	0.15
	9 = Legitimate Skip.....	5802	0.65

INCOME AND INSURANCE

<b>IRPSVC</b>	Len : 1 IMP. REVISED - RESP REC WELFARE/JOB PL/CHILD CARE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	10630	1.19
	2 = No.....	314468	35.22
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIP SVC</b>	Len : 1 IRPSVC - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	324077	36.29
	3 = Statistically imputed data.....	1021	0.11
	9 = Legitimate skip .....	5802	0.65
<b>IRPINT</b>	Len : 1 IMP. REVISED - RESP REC INTEREST SAVING/DIVIDEND		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	174224	19.51
	2 = No.....	150874	16.90
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIPINT</b>	Len : 1 IRPINT - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	322552	36.12
	3 = Statistically imputed data.....	2546	0.29
	9 = Legitimate skip .....	5802	0.65
<b>IRFAMINT</b>	Len : 1 IMP. REV - FAM REC INTEREST SAVING/DIVIDEND		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	218082	24.42
	2 = No.....	107016	11.98
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIFAMINT</b>	Len : 1 IRFAMINT - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	317478	35.55
	3 = Statistically imputed data.....	7620	0.85
	9 = Legitimate skip .....	5802	0.65
<b>IRPCHD</b>	Len : 1 IMP. REVISED - RESP REC CHILD SUPPORT PAYMENTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	11979	1.34
	2 = No.....	313119	35.06
	99 = LEGITIMATE SKIP.....	5802	0.65
<b>IIPCHD</b>	Len : 1 IRPCHD - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	324432	36.33
	3 = Statistically imputed data.....	666	0.07
	9 = Legitimate skip .....	5802	0.65
<b>IRFAMCHD</b>	Len : 1 IMP. REVISED - FAM REC CHILD SUPPORT PAYMENTS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes.....	39107	4.38
	2 = No.....	285991	32.03
	99 = LEGITIMATE SKIP.....	5802	0.65

INCOME AND INSURANCE

<b>IIFAMCHD</b>	Len : 1 IRFAMCHD - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	323208	36.19
	3 = Statistically imputed data .....	1890	0.21
	9 = Legitimate skip .....	5802	0.65

<b>IRPOTH</b>	Len : 1 IMP. REVISED - RESP REC OTH INCOME FROM OTH SOURCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes .....	19833	2.22
	2 = No .....	305265	34.19
	99 = LEGITIMATE SKIP .....	5802	0.65

<b>IIPOTH</b>	Len : 1 IRPOTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	324053	36.29
	3 = Statistically imputed data .....	1045	0.12
	9 = Legitimate skip .....	5802	0.65

<b>IRFAMOTH</b>	Len : 1 IMP. REVISED - FAM REC OTH INC FR OTH SOURCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Yes .....	43273	4.85
	2 = No .....	281825	31.56
	99 = LEGITIMATE SKIP .....	5802	0.65

<b>IIFAMOTH</b>	Len : 1 IRFAMOTH - IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	562072	62.94
	1 = Questionnaire data .....	321262	35.98
	3 = Statistically imputed data .....	3836	0.43
	9 = Legitimate skip .....	5802	0.65

The following variable, IRPINSUR, is the imputation-revised version of the edited variable PRVHLTIN.

<b>IRPINSUR</b>	Len : 1 IMPUTATION - REVISED PRIVATE HEALTH INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	280750	31.44
	1 = Yes, respondent does have private health insurance .....	387871	43.44
	2 = No, respondent does not have private health insur .....	224351	25.12

<b>IIPINSUR</b>	Len : 1 IRPINSUR IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	280750	31.44
	1 = Questionnaire data .....	608114	68.10
	3 = Statistically imputed data .....	4108	0.46

IRINSUR is the imputation-revised version of health insurance that does not include coverage by Medicaid/CHIP (CAIDCHIP).

<b>IRINSUR</b>	Len : 1 IMPUTATION-REVISED HEALTH INSURANCE		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	280750	31.44
	1 = Yes, respondent does have health insurance .....	490088	54.88
	2 = No, respondent does not have health insurance .....	122134	13.68

<b>IIRINSUR</b>	Len : 1 IRINSUR IMPUTATION INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	280750	31.44
	1 = Questionnaire data .....	607580	68.04
	2 = Logically assigned data .....	46	0.01
	3 = Statistically imputed data .....	4596	0.51

INCOME AND INSURANCE

IRINSUR3 is the imputation-revised version of health insurance that includes coverage by Medicaid/CHIP (CAIDCHIP).

<b>IRINSUR3</b>	Len : 1 IMPUTATION-REVISED HEALTH INSURANCE	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	280750	31.44
	1 = Yes, respondent does have health insurance .....	513741	57.53
	2 = No, respondent does not have health insurance.....	98481	11.03
<b>IINSUR3</b>	Len : 1 IRINSUR3 IMPUTATION INDICATOR	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	280750	31.44
	1 = Questionnaire data .....	607412	68.02
	2 = Logically assigned data.....	46	0.01
	3 = Statistically imputed data.....	4764	0.53
<b>IRFAMWAG</b>	Len : 1 IMP. REVISED - FAM REC INCOME FROM JOB	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Yes.....	652831	73.11
	2 = No.....	69822	7.82
<b>IIFAMWAG</b>	Len : 1 IRFAMWAG - IMPUTATION INDICATOR	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Questionnaire data .....	720602	80.70
	3 = Statistically imputed data.....	2051	0.23

RECODED INCOME AND INSURANCE

**RECODED INCOME AND INSURANCE**

NOTE: The variable INCSAMP reflects the split-sample design for the Income module. Respondents in Sample A received the same set of income questions as in the 2005 survey. Respondents in Sample B received a reduced set of income questions. However, edited variables continue to have the same names that they had in prior years. If a question corresponding to a given variable was not administered to respondents in Sample B, it was assigned a LEGITIMATE SKIP code.

<b>INCSAMP</b>	Len : 2 INCOME SPLIT SAMPLE INDICATOR		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	782888	87.67
	1 = Sample A .....	104293	11.68
	2 = Sample B .....	5791	0.65

The following variable, POVERTY2, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold.

POVERTY2 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. However, for the unbounded highest level of income, an effective family income of \$120,000 was assigned. Effective family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to SAS missing and do not have a valid value for this variable.

<b>POVERTY2</b>	Len : 1 POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)		
		<b>Freq</b>	<b>Pct</b>
	. = Persons Aged 18 to 22 Living in a College Dorm.....	10017	1.12
	-9 = Data not collected for this year.....	170319	19.07
	1 = Living in Poverty (See comment above).....	132419	14.83
	2 = Income Up to 2X Fed Pov Thresh (See comment above) .....	159242	17.83
	3 = Income > 2X Fed Pov Thresh (See comment above).....	420975	47.14

FI DEBRIEFING QUESTIONS

**FI DEBRIEFING QUESTIONS**

Did the respondent make any comments about the interview being too long?

<b>TOOLONG</b>	Len : 2 RESP SAID INTERVIEW WAS TOO LONG	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	11479	1.29
	2 = No.....	158390	17.74
	98 = BLANK (NO ANSWER) .....	450	0.05

Did the respondent have trouble understanding any questions asked during the interview?

<b>TROUBUND</b>	Len : 2 DID RESP HAVE TROUBLE UNDERSTANDING INTERVIEW	<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Yes.....	8372	0.94
	2 = No.....	161497	18.09
	98 = BLANK (NO ANSWER) .....	450	0.05

COUNTY

GEOGRAPHIC

COUNTY

The variable PDEN90 is based on 1990 Census data and the June 1990 Metropolitan Area classifications provided by the Office of Management and Budget (OMB).

<b>PDEN90</b>	Len : 1 POPULATION DENSITY		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	728061	81.53
	1 = Segment in a MSA with 1 million or more persons .....	58857	6.59
	2 = Segment in a MSA with fewer than 1 million persons .....	61164	6.85
	3 = Segment not in a MSA.....	44890	5.03

The variable PDEN00 is based on 2000 Census data and the June 2003 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

<b>PDEN00</b>	Len : 1 POPULATION DENSITY 2000		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	225590	25.26
	1 = Segment in a CBSA with 1 million or more persons.....	280872	31.45
	2 = Segm. in a CBSA with fewer than 1 million persons .....	329606	36.91
	3 = Segment not in a CBSA.....	56904	6.37

<b>COUTYP2</b>	Len : 1 COUNTY METRO/NONMETRO STATUS (3-LEVEL)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	170319	19.07
	1 = Large Metro .....	319570	35.79
	2 = Small Metro .....	247640	27.73
	3 = Nonmetro.....	155443	17.41

The variable PDEN10 is based on 2010 Census data and the December 2009 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

<b>PDEN10</b>	Len : 1 POPULATION DENSITY 2010 - THREE LEVELS		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	667382	74.74
	1 = Segment in a CBSA with 1 million or more persons.....	96563	10.81
	2 = Segm. in a CBSA with fewer than 1 million persons .....	111052	12.44
	3 = Segment not in a CBSA.....	17975	2.01

NOTE: COUTYP4 is recoded based on the 2013 Rural/Urban Continuum Codes. Although similar in concept, it is not fully comparable to COUTYP2 used in 2014 and prior years.

<b>COUTYP4</b>	Len : 1 COUNTY METRO/NONMETRO STATUS (2013 3-LEVEL)		
		<b>Freq</b>	<b>Pct</b>
	-9 = Data not collected for this year .....	722653	80.93
	1 = Large Metro .....	76844	8.61
	2 = Small Metro .....	59837	6.70
	3 = Nonmetro.....	33638	3.77



SEGMENT

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas - areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries. OTSAs were referred to as Tribal Jurisdiction Statistical Areas (TJSAs) in the 1990 Census data products.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries. SDTSAs are not defined for Census 1990. Some SDTSAs are defined as TDSAs in the 1990 census data.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN902. MAIIN902 is based on 1990 census data.

MAIIN902

Len : 2 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	728061	81.53
1 = Segment in an American Indian area .....	3528	0.40
2 = Segment not in an American Indian area .....	161383	18.07

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas - areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries. SDTSAs were called State Designated American Indian Statistical Areas (SDAISAs) for Census 2000.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN002. MAIIN002 is based on 2000 census data.

MAIIN002

Len : 2 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year .....	390501	43.73
1 = Segment in an American Indian area .....	10956	1.23
2 = Segment not in an American Indian area .....	491515	55.04

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN102. MAIIN102 is based on 2010 census data.

MAIIN102

Len : 1 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
-9 = Data not collected for this year .....	667382	74.74
1 = Segment in an American Indian area .....	4446	0.50
2 = Segment not in an American Indian area .....	221144	24.76

BLOCK

**BLOCK**

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSA) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

The variable AIIND102 is based on 2010 census data and is defined by mapping the census block in which a respondent resides to the 2010 census file.

**AIIND102**

Len : 1 AMER INDIAN AREA INDICATOR

	<b>Freq</b>	<b>Pct</b>
-9 = Data not collected for this year .....	667382	74.74
1 = Census block in an American Indian area .....	4474	0.50
2 = Census block not in an American Indian area .....	221116	24.76

SAMPLE WEIGHTING AND ESTIMATION VARS

**SAMPLE WEIGHTING AND ESTIMATION VARS**

**SPDWT\_C** Len : 12 ANALYSIS WEIGHTS FOR SPD ESTIMATES

The following variable, DEPWT, has been created to allow estimates for both the Youth and Adult Depression data to be generated in one analysis. This is accomplished by combining into one variable the final person level analysis weight (ANALWT) for youths aged 12-17 and the split sample weight (SPDWGHT) for adults aged 18+ in Sample B, and assigning a weight of zero for adults 18+ not in Sample B. Adult Depression is only available for respondents in Sample B (ADLTSAMP=2). Specifically: DEPWT=ANALWT when 12<=AGE<=17 DEPWT=SPDWGHT when AGE>=18 and ADLTSAMP=2 DEPWT=0 when AGE>=18 and ADLTSAMP not 2.

**DEPWT\_C** Len : 12 COMBINED WEIGHT FOR DEPRESSION ANALYSIS

The following variable, MHSAWT\_C, is a weight variable created for mental health analysis for adult Sample A or Sample B. A separate post-stratification was done for both Sample A and Sample B so that the weights for each of the sub-samples were controlled to the Census population estimates for the civilian non-institutional population aged 18+. MHSAWT\_C is set to zero for youths aged 12-17 and the 8 adults not assigned to either portion of the split sample. MHSAWT\_C can be used for generating adult mental health estimates using Sample A data, or using Sample B data, separately. However, if mental health estimates are generated using both Sample A and Sample B combined data then ANALWT\_C should be used.

**MHSAWT\_C** Len : 12 MENTAL HEALTH ADULT SPLIT SAMPLE WEIGHT

**VESTR** Len : 5 ANALYSIS STRATUM

**VEREP** Len : 2 ANALYSIS REPLICATE

**ANALWC1** Len : 8 ANALYSIS WEIGHTS FOR ONE YEAR DATA ANALYSIS

**ANALWC2** Len : 8 ANALYSIS WEIGHTS FOR TWO YEAR DATA ANALYSIS

**ANALWC3** Len : 8 ANALYSIS WEIGHTS FOR THREE YEAR DATA ANALYSIS

**ANALWC4** Len : 8 ANALYSIS WEIGHTS FOR FOUR YEAR DATA ANALYSIS

**ANALWC5** Len : 8 ANALYSIS WEIGHTS FOR FIVE YEAR DATA ANALYSIS

**ANALWC6** Len : 0 ANALYSIS WEIGHTS FOR SIX YEAR DATA ANALYSIS

**ANALWC7** Len : 8 ANALYSIS WEIGHTS FOR SEVEN YEAR DATA ANALYSIS

**ANALWC8** Len : 8 ANALYSIS WEIGHTS FOR EIGHT YEAR DATA ANALYSIS

**ANALWC9** Len : 8 ANALYSIS WEIGHTS FOR NINE YEAR DATA ANALYSIS

**ANALWC10** Len : 8 ANALYSIS WEIGHTS FOR TEN YEAR DATA ANALYSIS

**ANALWC11** Len : 8 ANALYSIS WEIGHTS FOR ELEVEN YEAR DATA ANALYSIS

**ANALWC12** Len : 8 ANALYSIS WEIGHTS FOR TWELVE YEAR DATA ANALYSIS

**ANALWC13** Len : 8 ANALYSIS WEIGHTS FOR THIRTEEN YEAR DATA ANALYSIS

**ANALWC14** Len : 8 ANALYSIS WEIGHTS FOR FOURTEEN YEAR DATA ANALYSIS

**ANALWC15** Len : 8 ANALYSIS WEIGHTS FOR FIFTEEN YEAR DATA ANALYSIS

SAMPLE WEIGHTING AND ESTIMATION VARS

ANALWC16

Len : 0 ANALYSIS WEIGHTS FOR SIXTEEN YEAR DATA ANALYSIS

INDEX

INDEX

AALTMDE.....	906	ADDERALL.....	351	ADWRSLEP.....	889
ABDILAAL.....	511	ADDEREC.....	352	ADWRSLNO.....	890
ABILANAL.....	510	ADDEYRR.....	368	ADWRSLOW.....	890
ABILLALC.....	510	ADDPDISC.....	883	ADWRSMOR.....	890
ABODALC.....	505	ADDPLSIN.....	884	ADWRSPLN.....	892
ABODANL.....	510	ADDPPOB.....	886	ADWRSTHK.....	892
ABODCOC.....	505	ADDP2WK.....	884	ADWRTHOT.....	891
ABODHAL.....	510	ADDPREV.....	883	ADWRWRTH.....	892
ABODHER.....	505	ADDSCEV.....	883	AEROS.....	97
ABODIEM.....	511	ADDSLSIN.....	884	AEROS2.....	317
ABODILAL.....	511	ADFAMDOC.....	899	AGE2.....	1029
ABODILL.....	511	ADHERBAL.....	901	AHBCHMDE.....	905
ABODINH.....	510	ADLOSEV.....	883	AHLMDE.....	905
ABODMRJ.....	505	ADLSI2WK.....	884	AIIND102.....	1091
ABODPSY.....	511	ADLTSAMP.....	812	AIRDUSTER.....	90
ABOSED.....	510	ADNURSE.....	900	AIRDUSTER2.....	277
ABODSTM.....	510	ADOCMDE.....	904	AJAMDE_U.....	909
ABODTRN.....	511	ADOTHDOC.....	899	AJAMDELT.....	908
ABPYILANAL.....	505	ADOTHHLP.....	901	AJAMDEYR.....	908
ABPYILLALC.....	505	ADOTHMHP.....	900	AL30EST.....	32
ABUPOSHAL.....	456	ADPB2WK.....	896	ALBSTWAY.....	31
ABUPOSINH.....	456	ADPBAGE.....	895	ALCAFU.....	288
ABUPOSMTH.....	456	ADPBDLYA.....	895	ALCAFU2.....	288
ABUPOSPNR.....	457	ADPBINTF.....	895	ALCAFU3.....	289
ABUPOSED.....	457	ADPBNUM.....	896	ALCAGLST.....	550
ABUPOSSTM.....	457	ADPBRMBR.....	895	ALCAVGM.....	326
ABUPOSTRQ.....	457	ADPSDAYS.....	898	ALCBNG30D.....	33
ABUSEALC.....	503	ADPSHMG.....	896	ALCCUTIX.....	401
ABUSEANL.....	508	ADPSRELS.....	897	ALCCUDN.....	400
ABUSECOC.....	503	ADPSOC.....	898	ALCCUTEV.....	401
ABUSEHAL.....	509	ADPSWORK.....	897	ALCDAYS.....	32
ABUSEHER.....	504	ADPSYCH.....	899	ALCDOC.....	682
ABUSEIEM.....	509	ADPSYMD.....	900	ALCEMCTD.....	402
ABUSEILL.....	509	ADRELIG.....	900	ALCEMOPB.....	402
ABUSEINH.....	509	ADRX12MO.....	901	ALCEVER.....	29
ABUSEMRJ.....	503	ADRXHLP.....	902	ALCFLAG.....	267
ABUSEPSY.....	510	ADRXNOW.....	901	ALCFMCTD.....	404
ABUSEPYHAL.....	504	ADSEEDOC.....	899	ALCFMFPB.....	404
ABUSEPYIEM.....	505	ADSMMDA.....	894	ALCGTOVR.....	399
ABUSEPYILL.....	505	ADSOCWRK.....	900	ALCHOSP.....	682
ABUSEPYINH.....	504	ADTMTHLP.....	902	ALCJAIL.....	682
ABUSEPYMTH.....	504	ADMTNOW.....	901	ALCKPLMT.....	400
ABUSEPYPNR.....	504	ADWRAGE.....	886	ALCLAWTR.....	404
ABUSEPYPSY.....	504	ADWRCHR.....	885	ALCLIMIT.....	399
ABUSEPYSED.....	504	ADWRCONC.....	891	ALCLOTTM.....	399
ABUSEPYSTM.....	504	ADWRDBTR.....	892	ALCLSACT.....	403
ABUSEPYTRQ.....	504	ADWRDCSN.....	891	ALCLSEFX.....	400
ABUSESED.....	509	ADWRDEPR.....	887	ALCMDAYS.....	290
ABUSESTM.....	509	ADWRDIET.....	889	ALCMFU.....	30
ABUSETRN.....	509	ADWRDISC.....	887	ALCMHC.....	682
ABUSEXMJ.....	510	ADWRDLOT.....	892	ALCMLU.....	551
ACOUNMDE.....	905	ADWRDST.....	885	ALCMON.....	267
ACTD2001.....	1030	ADWRELES.....	888	ALCNDMOR.....	400
ACTD7590.....	1030	ADWREMEM.....	888	ALCNUMDKPM.....	292
ACTD9001.....	1030	ADWRENRG.....	890	ALCONFL.....	305
ACTDEVER.....	1030	ADWRGAIN.....	888	ALCONMO.....	305
ACTDPRIV.....	1031	ADWRGNL2.....	889	ALCONYR.....	305
ACTDVIET.....	1030	ADWRGROW.....	888	ALCPAID.....	678
AD_MDEA1.....	893	ADWRHRS.....	885	ALPCARE.....	678
AD_MDEA2.....	893	ADWRIMP.....	885	ALPCORT.....	678
AD_MDEA3.....	893	ADWRJINO.....	891	ALCPDANG.....	403
AD_MDEA4.....	893	ADWRJITT.....	890	ALCPEMPL.....	678
AD_MDEA5.....	893	ADWRLOSE.....	889	ALCPFMLY.....	678
AD_MDEA6.....	894	ADWRLSIN.....	887	ALCPHCTD.....	403
AD_MDEA7.....	894	ADWRLSL2.....	889	ALCPHLPB.....	402
AD_MDEA8.....	894	ADWRNOGD.....	891	ALCPINS.....	678
AD_MDEA9.....	894	ADWRPLSR.....	887	ALCPMILC.....	678
ADCOUNS.....	900	ADWRPREG.....	888	ALCPPUBP.....	678
ADDEFLGR.....	368	ADWRPROB.....	886	ALCPSAVE.....	678
ADDEMONR.....	368	ADWRSATP.....	893	ALCREC.....	30

INDEX

ALCRFIN	682	ANALWC11	1092	ANLOTHW2	618
ALCRFOP	682	ANALWC12	1092	ANLOTHWY	578
ALCSERP	403	ANALWC13	1092	ANLPDANG	471
ALCSHG	682	ANALWC14	1092	ANLPHCTD	470
ALCTRMT	675	ANALWC15	1092	ANLPHLPB	470
ALCTRY	29	ANALWC16	1093	ANLRX1D2	617
ALCTXER	682	ANALWC2	1092	ANLRX1DR	575
ALCUS30D	32	ANALWC3	1092	ANLRXDRS	576
ALCWD2SX	401	ANALWC4	1092	ANLRXDS2	617
ALCWDSMT	402	ANALWC5	1092	ANLRXFAK	576
ALCYDAYS	289	ANALWC6	1092	ANLRXFK2	617
ALCYFU	29	ANALWC7	1092	ANLSERP	471
ALCYLU	550	ANALWC8	1092	ANLSRCF2	625
ALCYR	267	ANALWC9	1092	ANLSRCFR	614
ALCYRBFR	560	ANALYFU	138	ANLSTOL2	618
ALCYRTOT	30	ANALYLU	567	ANLSTOLE	576
ALDAYPMO	31	ANLAGLST	567	ANLWD3SX	469
ALDAYPWK	31	ANLCARD	118	ANLWDSMT	469
ALDAYPYR	31	ANLCUTIX	469	ANLYR	311
ALDYSFG	32	ANLCUTDN	468	ANLYRTOT	139
ALFQFLG	30	ANLCUTEV	468	ANOSTMAPYU	281
ALLUSEFL	308	ANLDEAL2	618	ANOSTMPYMU	287
ALLUSEMO	309	ANLDEALR	577	ANURSMDE	905
ALLUSEYR	309	ANLEMCTD	470	ANXDLIF	760
ALPRPDAPYU	279	ANLEMOPB	470	ANXDYR	760
ALPRDPYMU	285	ANLEVER	138	ANYBARB	325
ALTOTFG	30	ANLFF1D2	627	ANYEDUC3	861
AMBIEN	351	ANLFF1DR	578	ANYHLT2	1077
AMBIFLGR	368	ANLFFAK2	628	ANYMHED	916
AMBIMONR	368	ANLFFAKE	579	ANYMHED2	957
AMBIREC	352	ANLFFBOT	580	ANYMHIN	929
AMBIYRR	368	ANLFFBY2	628	ANYMHIN2	956
AMDEHARX	906	ANLFFDL2	628	ANYMHOUT	956
AMDEHPO	906	ANLFFDLR	580	ANYNDLREC	370
AMDEHPRX	906	ANLFFDRS	579	ANYNEEDL	370
AMDEIMP	907	ANLFFDS2	627	ANYNSMH	957
AMDELT	903	ANLFFFLAS	582	ANYSEDMF	957
AMDERXO	909	ANLFFLSP	583	ANYSMH	930
AMDERXO2	906	ANLFFNET	580	ANYSMH2	956
AMDETARX	909	ANLFFNT2	628	ANYSMHPS	917
AMDET XO	909	ANLFFOSP	581	ANYSMPS2	920
AMDET XRX	904	ANLFFOT2	629	ANYTRT10	916
AMDEY2_U	903	ANLFFOTH	581	ANYTRT9	916
AMDEYR	903	ANLFFRE2	628	AOMDMDE	904
AMDXPHEN	324	ANLFFREE	579	AOMHMDE	905
AMHINP2	798	ANLFFST2	628	AOTHMDE	905
AMHOUTP3	798	ANLFFSTL	579	APPDRGMON	383
AMHRX2	798	ANLFFTAK	580	APPDRGMON2	386
AMHSVNO	799	ANLFFTK2	628	APPSELDG	388
AMHSVTYP	799	ANLFLAG	311	APSY1MDE	904
AMHTXAND	799	ANLFMCTD	472	APSY2MDE	904
AMHTXND2	799	ANLFMFPP	472	ARELMDE	905
AMHTXRC3	798	ANLFRBUY	577	ARGUPAR	858
AMIDA2_U	882	ANLFRBY2	618	ARXMDEYR	904
AMISUDPY	881	ANLFRFE2	618	ASDSHOM2	906
AMIYR_U	879	ANLFRFRE	576	ASDSHOME	907
AMMEPDAPYU	281	ANLFRTK2	618	ASDSOVL2	907
AMMEPDYMU	286	ANLFRTKE	577	ASDSOVL	908
AMPHETAPYU	281	ANLGTLA2	582	ASDSREL	908
AMPHETPYMU	286	ANLGTLAS	561	ASDSREL2	907
AMYLNIT	88	ANLGTOS2	584	ASDSSOC	908
AMYLNIT2	276	ANLGT OVR	467	ASDSSOC2	907
AMYTAL	205	ANLINET	577	ASDSWRK	908
AMYTAL2	324	ANLINET2	618	ASDSWRK2	906
ANALAGE	138	ANLKPLMT	467	ASMALIF	760
ANALMFU	139	ANLLAWTR	471	ASMAYR	760
ANALMLU	568	ANLLIMIT	467	ASOCMDE	904
ANALNEWA	123	ANLLOTTM	467	ASTHMAAGE	777
ANALNEWB	129	ANLLSACT	471	ASTHMAEVR	771
ANALNEWC	133	ANLLSEFX	468	ASTHMANOW	777
ANALNEWD	135	ANLLTSC	612	ATARAX	155
ANALNEWE	137	ANLNMOR	311	ATARAX2	320
ANALREC	139	ANLNDMOR	468	ATXMDEYR	904
ANALWC1	1092	ANLNOLST	122	AUALACUP	794
ANALWC10	1092	ANLOTHS2	578	AUALCHIR	794

INDEX

AUALHERB.....	794	AUUNNOND.....	792	CABREAST.....	773
AUALHLIN.....	795	AUUNNTSP.....	793	CABUNDAG.....	1009
AUALINET.....	795	AUUNRIM2.....	793	CABUYFRE.....	1008
AUALMASG.....	795	AUUNSOR.....	793	CABUYWHO.....	1008
AUALOTH.....	796	AUUNWHER.....	791	CACERVIX.....	773
AUALOTS2.....	796	AVGGRADE.....	857	CACOLNRECT.....	773
AUALRELG.....	795	BARBITAPYU.....	283	CADRBAR.....	1006
AUALSGRP.....	795	BENZOS.....	322	CADRCAR.....	1005
AUALTYR.....	794	BIDI30US.....	372	CADREVNT.....	1006
AUINAHSP.....	780	BIDIEVER.....	372	CADRHOM.....	1006
AUINMEDU.....	780	BIDIFLGR.....	374	CADRKANL.....	1016
AUINPGEN.....	780	BIDIMONR.....	374	CADRKCOC.....	1015
AUINPSYH.....	780	BIDIREC.....	372	CADRKCOCN.....	1011
AUINPYR.....	780	BIDIYRR.....	374	CADRKCOCN2.....	1025
AUINRES.....	781	BINGEDRK.....	316	CADRKDRG.....	1014
AUINSFAC.....	781	BINGEHVY.....	316	CADRKDRUG.....	1010
AUMOTVYR.....	797	BKAGASLT.....	540	CADRKHAL.....	1015
AUNMAHS2.....	781	BKARSON.....	535	CADRKHALL.....	1011
AUNMCLN2.....	787	BKBURGL.....	534	CADRKHALL2.....	1025
AUNMDOC2.....	787	BKDRUG.....	535	CADRKH.....	1015
AUNMDTM2.....	787	BKDRUNK.....	535	CADRKH.....	1011
AUNMMED2.....	781	BKDRVIN.....	535	CADRKH.....	1025
AUNMMEN2.....	786	BKFRAUD.....	536	CADRKIN.....	1015
AUNMOTO2.....	787	BKLARCNY.....	533	CADRKINHL.....	1012
AUNMPGE2.....	781	BKMURDER.....	540	CADRKINHL2.....	1025
AUNMPSY2.....	781	BKMVTHFT.....	533	CADRKMARJ.....	1011
AUNMRES2.....	782	BKOTH.....	536	CADRKMARJ2.....	1025
AUNMSFA2.....	782	BKOTHOF2.....	537	CADRKMETH.....	1012
AUNMTHE2.....	787	BKPOSTOB.....	535	CADRKMETH2.....	1025
AUOPCLNC.....	785	BKPROS.....	541	CADRKM.....	1014
AUOPDOC.....	785	BKRAPE.....	540	CADRKMTH.....	1016
AUOPDTMT.....	785	BKROB.....	534	CADRKSED.....	1017
AUOPMENT.....	784	BKSEXNR.....	536	CADRKSTM.....	1016
AUOPOTOP.....	785	BKSEXOFF.....	541	CADRKSTR.....	1016
AUOPTHER.....	785	BKSMASLT.....	534	CADRLAST.....	1005
AUOPTYR.....	784	BKSRVIOL.....	534	CADROTH.....	1007
AUOPYRS2.....	786	BLNT30C1.....	391	CADROTHM.....	1006
AUPINEMP.....	783	BLNT30C2.....	391	CADROTS2.....	1007
AUPINFM2.....	784	BLNT30DY.....	390	CADRPEOP.....	1005
AUPINFRE.....	783	BLNTAGE.....	389	CADRPUBL.....	1006
AUPINMCD.....	783	BLNTEVER.....	389	CADRSCHL.....	1007
AUPINMCR.....	782	BLNTMFU.....	390	CAESOPSTOM.....	773
AUPINMIL.....	783	BLNTNOMJ.....	392	CAFRESP2.....	1010
AUPINOFM.....	782	BLNTREC.....	390	CAFREWHO.....	1009
AUPINPHI.....	782	BLNTYFU.....	389	CAGALLIVPAN.....	773
AUPINPRV.....	783	BLRECFL2.....	390	CAGVMONY.....	1008
AUPINPUB.....	783	BM12.....	779	CAGVWHO.....	1009
AUPINREH.....	783	BNGDRKMON.....	275	CAIDCHIP.....	1070
AUPINSLF.....	782	BNGHVYMON.....	275	CAKIDNEY.....	773
AUPOPAMT.....	790	BOOKED.....	533	CALARYLUNG.....	774
AUPOPEMP.....	788	BRONCLIF.....	760	CAMELANOM.....	774
AUPOPFRE.....	789	BRONCYR.....	760	CAMOUTTHRO.....	774
AUPOPMCD.....	788	BUPRPDAPYU.....	278	CANCEREVR.....	772
AUPOPMCR.....	788	BUPRPDPYMU.....	284	CANCERYR.....	775
AUPOPML.....	789	BUSPAR.....	155	CAOTHER2.....	772
AUOPMOS.....	789	BUSPAR2.....	320	CAOVARY.....	774
AUPOPOFM.....	788	BUTISOL.....	205	CAPROSTEST.....	774
AUPOPPHI.....	788	BUTISOL2.....	325	CASKINDK.....	775
AUPOPPRV.....	789	CA4FDAGE.....	1020	CASKINOTH.....	774
AUOPPPUB.....	789	CA4FDDYS.....	1019	CATAG2.....	1036
AUOPPREH.....	788	CA4FDEV.....	1019	CATAG3.....	1036
AUOPPSLF.....	788	CA4FDMFU.....	1021	CATAG6.....	1036
AURXYR.....	790	CA4FDYFU.....	1020	CATAG7.....	1036
AUNBUSY.....	792	CABINGAGE.....	1013	CATAGE.....	1036
AUUNCFID.....	791	CABINGEVR.....	1012	CATHYROID.....	775
AUUNCMIT.....	792	CABINGFLG.....	1012	CAUTERUS.....	775
AUUNCOST.....	790	CABINGMFU.....	1013	CC3OEST.....	41
AUUNENUF.....	791	CABINGYFU.....	1013	CCBSTWAY.....	39
AUNFOUT.....	792	CABLADDER.....	772	CCDAYPMO.....	40
AUNHNDL.....	792	CABLOLEULYM.....	772	CCDAYPWK.....	40
AUNJOB.....	791	CABNGAGE.....	1017	CCDAYPYR.....	40
AUNMTYR.....	790	CABNGEV.....	1017	CCFQFLG.....	39
AUNNBR.....	791	CABNGMFU.....	1018	CCTOTFG.....	39
AUNNCOV.....	791	CABNGYFU.....	1018	CDCGMO.....	275
AUNNHLP.....	792	CABPLACE.....	1008	CDNOCGMO.....	275



INDEX

CDUFLAG.....	274	CIGMFU.....	5	COCYLU.....	551
CELLNOTCL.....	1078	CIGMLU.....	547	COCYR.....	267
CELLWRKNG.....	1078	CIGMON.....	266	COCYRBF.....	561
CG30EST.....	6	CIGNMCHG.....	397	COCYRTOT.....	39
CGALONFL.....	305	CIGNOINF.....	398	CODEINE.....	118
CGALONMO.....	306	CIGOFRSM.....	4	CODEINE2.....	317
CGALONYR.....	306	CIGONFL.....	304	CODEPDAPYU.....	278
CGR30BR2.....	17	CIGONMO.....	304	CODEPDYMU.....	283
CGR30USE.....	16	CIGONYR.....	304	COLDFLGR.....	371
CGRAGLST.....	549	CIGPDAY.....	291	COLDMEDS.....	353
CGRFLAG.....	266	CIGPLANE.....	396	COLDMONR.....	371
CGRMON.....	266	CIGREC.....	5	COLDREC.....	353
CGRYR.....	266	CIGREGDY.....	396	COLDYR1.....	354
CH30EST.....	24	CIGREGNM.....	397	COLDYR2.....	358
CHAMPUS.....	1070	CIGREGWK.....	396	COLDYR3.....	361
CHEWEVER.....	22	CIGRNOUT.....	396	COLDYR4.....	363
CHEWMFU.....	23	CIGSATIS.....	398	COLDYR5.....	364
CHEWMLU.....	564	CIGSVLHR.....	397	COLDYRR.....	371
CHEWREC.....	24	CIGTRY.....	4	COLLENR.....	1045
CHEWTRY.....	23	CIGWAKE.....	399	COLLENR2.....	1045
CHEWYFU.....	23	CIGWILYR.....	4	COLLENRFT.....	1049
CHEWYLU.....	563	CIGYFU.....	4	COLLENRLFT.....	1049
CHHYD.....	205	CIGYLU.....	546	COLLENRLST.....	1049
CHHYD2.....	325	CIGYR.....	266	COMBATPY.....	1031
CHMNDLREC.....	370	CIGYRBF.....	560	CONDLREC.....	365
CHW30BR2.....	25	CIRRLF.....	760	COPDAGE.....	776
CHW30USE.....	24	CIRROSAGE.....	776	COPDEVER.....	771
CHWAGLST.....	563	CIRROSEVR.....	771	COUNMDE.....	1002
CHWFLAG.....	310	CIRRYR.....	760	COUTYP2.....	1088
CHWMON.....	310	CLEFLU.....	88	COUTYP4.....	1088
CHWYR.....	310	CLEFLU2.....	276	CPNMTHFG.....	313
CI30EST.....	16	CLINVST.....	958	CPNMTHMN.....	313
CIG100LF.....	12	CLONPDAPYU.....	280	CPNMTHYR.....	313
CIG1PACK.....	291	CLONPDYMU.....	285	CPNDFLGR.....	367
CIG30AV.....	6	CLOV30US.....	373	CPNNDMTH.....	368
CIG30BR2.....	7	CLOVEVER.....	372	CPNNDSTM.....	368
CIG30MEN.....	10	CLOVFLGR.....	374	CPNPSYFG.....	314
CIG30MLN.....	10	CLOVMONR.....	374	CPNPSYMN.....	315
CIG30RO2.....	11	CLOVREC.....	373	CPNPSYYR.....	314
CIG30TPE.....	10	CLOVYRR.....	374	CPNSTMFG.....	312
CIG30TYP.....	19	COCAGE.....	38	CPNSTMMN.....	313
CIG30USE.....	5	COCAGLST.....	551	CPNSTMYR.....	312
CIGAFU.....	288	COCCUTIX.....	411	CR30EST.....	45
CIGAGE.....	11	COCCUTDN.....	410	CRAKREC.....	43
CIGAGLST.....	546	COCCUTEV.....	410	CRBSTWAY.....	44
CIGALCMO.....	275	COCEMCTD.....	412	CRDAYPMO.....	44
CIGAREVR.....	14	COCEMOPB.....	412	CRDAYPWK.....	44
CIGARMFU.....	15	COCEVER.....	38	CRDAYPYR.....	44
CIGARMLU.....	550	COCFLAG.....	267	CRFQLG.....	43
CIGARREC.....	15	COCFLBLU.....	411	CRKAGE.....	42
CIGARTRY.....	14	COCFMCTD.....	414	CRKAGLST.....	552
CIGARYFU.....	15	COCFMFPB.....	413	CRKEVER.....	42
CIGARYLU.....	549	COCGTOVR.....	409	CRKFLAG.....	268
CIGAVGD.....	292	COCKPLMT.....	410	CRKMFLU.....	43
CIGAVGM.....	292	COCLAWTR.....	413	CRKMLU.....	553
CIGAVOID.....	395	COCLIMIT.....	409	CRKMON.....	268
CIGCMPNY.....	309	COCLOTTM.....	409	CRKUS30A.....	45
CIGCRAGP.....	394	COCLSACT.....	412	CRKYFU.....	42
CIGCRAVE.....	394	COCLSEFX.....	410	CRKYL.....	552
CIGDLLST.....	547	COCMDAYS.....	290	CRKYR.....	268
CIGDLMFU.....	12	COCMFU.....	38	CRKYRTOT.....	43
CIGDMLU.....	548	COCMLU.....	552	CRTOTFG.....	43
CIGDLYFU.....	11	COCMON.....	267	CYCLPDAPYU.....	280
CIGDLYLU.....	547	COCNDMOR.....	410	CYCLPDYMU.....	286
CIGDLYMO.....	11	COCNEEDL.....	365	CYLERT.....	177
CIGEVER.....	4	COCPDANG.....	413	CYLERT2.....	322
CIGFLAG.....	266	COCPHCTD.....	412	DALMANE.....	206
CIGFNLKE.....	395	COCPHLPB.....	412	DALMANE2.....	325
CIGFNSMK.....	395	COCREC.....	39	DAMTFXFLAG.....	269
CIGINCRS.....	398	COCSERP.....	413	DAMTFXMON.....	269
CIGINCTL.....	395	COCUS30A.....	40	DAMTFXREC.....	66
CIGINFLU.....	397	COCWD2SX.....	411	DAMTFXYR.....	269
CIGIRTL.....	394	COCWDSMT.....	411	DARVTYL2.....	317
CIGLOTMR.....	398	COCYDAYS.....	289	DARVTYLC.....	117
CIGMDAYS.....	290	COCYFU.....	38	DCIGAFU.....	288

INDEX

DCIGMON	275	DOCME	1001	DSTWORST	864
DEMEPDAPYU	279	DOMOSTYR	758	DYTXVST	958
DEMEPDPYMU	284	DPILANAL	508	ECSAGE	86
DEMEROL	118	DPILLALC	508	ECSAGLST	565
DEMEROL2	317	DPPYILANAL	502	ECSFLAG	310
DEPENDHAL	455	DPPYILLALC	502	ECSMFU	87
DEPENDINH	455	DR5DAY	33	ECSMFU	566
DEPENDMTH	455	DRGDOC	683	ECSMON	311
DEPENDPNR	455	DRGHOSP	683	ECSREC	87
DEPENDSED	456	DRGJAIL	683	ECSTASY	66
DEPENDSTM	456	DRGLECT2	862	ECSTMOAGE	64
DEPENDTRQ	456	DRGMHC	683	ECSTMOAGL	557
DEPNDALC	500	DRGPLCY	1061	ECSTMFLAG	269
DEPNANL	507	DRGPRGM	1062	ECSTMOLLY	50
DEPNDCOC	500	DRGRFIN	683	ECSTMOMFU	65
DEPNDHAL	507	DRGRFOP	683	ECSTMOMLU	558
DEPNDBER	500	DRGSHG	683	ECSTMOMON	269
DEPNDIEM	508	DRGTXR	683	ECSTMOREC	65
DEPNDILL	508	DRIVALC2	544	ECSTMOYFU	64
DEPNDINH	507	DRIVALD2	544	ECSTMOYLU	557
DEPNDMRJ	500	DRIVDRG2	544	ECSTMOYR	269
DEPNPSY	508	DRKANL	1026	ECSYFU	86
DEPNDPYHAL	501	DRKOC	1026	ECSYLU	565
DEPNDPYIEM	502	DRKHAL	1026	ECSYR	311
DEPNDPYILL	501	DRKHER	1026	ED4FLAG	1017
DEPNDPYINH	501	DRKIEM	1027	EDFAM18	1067
DEPNDPYMTH	501	DRKINH	1026	EDUCATHP	1035
DEPNDPYPNR	501	DRKMJR	1026	EDUCATN2	1039
DEPNDPYPSY	501	DRKMTH	1027	EDUCCAT2	1035
DEPNDPYSED	501	DRKSED	1027	EDUFULPAR	1046
DEPNDPYSTM	501	DRKSTM	1026	EDUHIGHCAT	1037
DEPNDPYTRQ	501	DRKSUM	1027	EDUSCHGRD2	1046
DEPNDS	507	DRKTRN	1026	EDUSCHLGO	1046
DEPNDSM	507	DRPRVME3	861	EDUSCKMON	1047
DEPNDRN	508	DRVALDR	541	EDUSKPMON	1047
DEPNDXMJ	508	DRVAONLY	541	EI4FDAGE	1020
DEPRSLIF	761	DRVDONLY	542	EI4FDAYS	1019
DEPRSYR	761	DRVFLAG	542	EI4FDMFU	1021
DEPWT_C	1092	DRVINAGE	1036	EI4FDYFU	1020
DETAMP	177	DRVINALCO	538	EIBINGAGE	1014
DETAMP2	323	DRVINALCO2	543	EIBINGMFU	1014
DEXED	177	DRVINALDRG	543	EIBINGYFU	1014
DEXED2	322	DRVINALON	539	EIBNGAGE	1018
DGRGCLS2	862	DRVINCOCN	538	EIBNGMFU	1019
DGSPCLS2	862	DRVINDETAG	1036	EIBNGYFU	1018
DIABETEAG	776	DRVINDRG	543	EIMOVYR	1038
DIABETEVR	770	DRVINDROTJ	543	EMPSTAT4	1066
DIABLIF	761	DRVINHALL	539	EMPSTATY	1066
DIABYR	761	DRVINHERN	538	EQUANIL	155
DIAZPDAPYU	280	DRVININHL	539	EQUANIL2	320
DIAZPDPYMU	285	DRVINMARJ	538	ESKAT	178
DIDREX	178	DRVINMARJ2	543	ESKAT2	323
DIDREX2	323	DRVINMETH	539	ESZOPDAPYU	282
DIETPIL2	322	DSTCHEER	835	ESZOPDPYMU	288
DIETPILS	176	DSTCHR12	866	ETHER	89
DIFFDRESS	1033	DSTCHR30	864	ETHER2	277
DIFFERAND	1033	DSTDEPRS	825	FDOCANGR	972
DIFFHEAR	1032	DSTEFF12	866	FDOCBRK	972
DIFFSEE	1032	DSTEFF30	864	FDOC DPR	971
DIFFTHINK	1032	DSTEFFRT	835	FDOCEAT	972
DIFFWALK	1033	DSTHOP12	865	FDOCFEA	971
DIFGETCOC	382	DSTHOP30	863	FDOCFITE	972
DIFGETCRK	382	DSTHOPLS	834	FDOCFMLY	972
DIFGETHER	383	DSTNCALM	824	FDOCFRND	972
DIFGETLSD	382	DSTNGD12	866	FDOCMEND	973
DIFGETMRJ	382	DSTNGD30	864	FDOCOTH2	973
DIFOBTBTRC	386	DSTNGOOD	835	FDOCOTPP	972
DIFOBTBTRK	386	DSTNRV12	865	FDOCSCHL	972
DIFOBTBTRH	386	DSTNRV30	863	FDOCSUI	971
DIFOBTBTRSD	386	DSTNRVOS	834	FELTMARKR	90
DIFOBTBTRJ	386	DSTRST12	865	FELTMARKR2	277
DILAUD	118	DSTRST30	863	FENTPDAPYU	278
DILAUD2	318	DSTRSTLS	834	FENTPDYMU	284
DMTAMTFXY	50	DSTSITST	825	FILEDATE	3
DNICNSP	512	DSTTIRE	824		

INDEX

FIORICET.....	119	FUSEDNM21.....	296	HALFMFPB.....	462
FIORICT2.....	318	FUSLT18.....	326	HALFQFLG.....	60
FIORINAL.....	119	FUSLT21.....	327	HALGTOVR.....	458
FIORINL2.....	318	FUSMKLSS18.....	293	HALKPLMT.....	458
FIRSTPOS.....	1063	FUSMKLSS21.....	293	HALLAGE.....	83
FLEXERIL.....	156	FUSTM18.....	328	HALLAGLST.....	554
FLEXERL2.....	320	FUSTM21.....	328	HALLAWTR.....	461
FLNDILAL.....	685	FUSTMN18.....	295	HALLDYPMO.....	61
FLTNDALC.....	685	FUSTMNM21.....	296	HALLDYPWK.....	61
FLTNDANL.....	692	FUSUM18.....	329	HALLDYSYR.....	61
FLTNDCCOC.....	692	FUSUM21.....	329	HALLEASWY.....	60
FLTNDHAL.....	692	FUTRN18.....	328	HALLIMIT.....	458
FLTNDHER.....	692	FUTRN21.....	328	HALLMOLST.....	555
FLTNDILL.....	685	FUTRQNM18.....	295	HALLNDAYPM.....	290
FLTNDINH.....	692	FUTRQNM21.....	295	HALLNDAYYR.....	289
FLTNDMRJ.....	692	GADNMWOR.....	821	HALLOTTM.....	458
FLTNDSER.....	692	GADNRVLT.....	820	HALLREC.....	84
FLTNDSTM.....	692	GADNRVOS.....	820	HALLSACT.....	461
FLTNDTRN.....	692	GADOPROB.....	821	HALLSEFX.....	459
FLURPDAPYU.....	282	GADSTRON.....	821	HALLUC30E.....	62
FOSTVST.....	958	GADWKS2.....	820	HALLUC30N.....	61
FRDADLY2.....	860	GADWORLT.....	820	HALLUCAGE.....	59
FRDMEVR2.....	860	GADWORMR.....	819	HALLUCEVR.....	59
FRDMJMON.....	860	GAS.....	88	HALLUCFLAG.....	268
FRDPCIG2.....	859	GAS2.....	276	HALLUCMFU.....	59
FTNDDNSP.....	512	GHB.....	364	HALLUCMON.....	268
FUALC18.....	293	GHBFLGR.....	371	HALLUCOT1.....	52
FUALC21.....	293	GHBMONR.....	371	HALLUCOT2.....	55
FUANL18.....	327	GHBREC.....	364	HALLUCOT3.....	57
FUANL21.....	327	GHBYRR.....	371	HALLUCOT4.....	58
FUCD218.....	292	GLUE.....	89	HALLUCOT5.....	58
FUCD221.....	292	GLUE2.....	277	HALLUCOTH.....	51
FUCGR18.....	292	GNNDCLEN.....	345	HALLUCREC.....	60
FUCGR21.....	293	GNNDGET2.....	346	HALLUCYFQ.....	60
FUCIG18.....	292	GNNDLSH1.....	345	HALLUCYFU.....	59
FUCIG21.....	292	GNNDLSH2.....	345	HALLUCYR.....	268
FUCOC18.....	293	GNNDREUS.....	345	HALLYRLST.....	554
FUCOC21.....	293	GOVTPROG.....	1081	HALMDAYS.....	326
FUCRK18.....	293	GQTYPE.....	1028	HALMFU.....	83
FUCRK21.....	294	GQTYPE2.....	1028	HALMLU.....	565
FUECS18.....	327	GRPCNSL2.....	860	HALMON.....	310
FUECS21.....	327	GRPHLTIN.....	1071	HALNDMOR.....	459
FUECSTMO18.....	294	GRSKBNGDLY.....	386	HALNEWA.....	67
FUECSTMO21.....	295	GRSKBNGWK.....	386	HALNEWB.....	73
FUHAL18.....	327	GRSKCIGPKD.....	385	HALNEWC.....	77
FUHAL21.....	327	GRSKCOCC.....	387	HALNEWD.....	80
FUHALLUC18.....	294	GRSKCOCMON.....	385	HALNEWE.....	82
FUHALLUC21.....	294	GRSKCOCWK.....	385	HALNOLST.....	66
FUHER18.....	294	GRSKCREG.....	387	HALPDANG.....	461
FUHER21.....	294	GRSKD4_5.....	388	HALPHCTD.....	460
FUIEM18.....	329	GRSKD5WK.....	388	HALPHLPB.....	460
FUIEM21.....	329	GRSKHERTRY.....	385	HALSERPB.....	461
FUINH18.....	327	GRSKHERWK.....	385	HALTOTFG.....	60
FUINH21.....	327	GRSKHREG.....	387	HALUCUTDN.....	420
FUINHAL18.....	295	GRSKHTRY.....	387	HALUCUTEV.....	420
FUINHAL21.....	295	GRSKLREG.....	387	HALUEMCTD.....	421
FULSD18.....	294	GRSKLSDTRY.....	385	HALUEMOPB.....	420
FULSD21.....	294	GRSKLSDWK.....	386	HALUFMCTD.....	423
FUMETHAM18.....	295	GRSKLTRY.....	387	HALUFMFPB.....	422
FUMETHAM21.....	295	GRSKMOCC.....	387	HALUGTOVR.....	419
FUMJ18.....	293	GRSKMREG.....	387	HALUKPLMT.....	419
FUMJ21.....	293	GRSKMRJMON.....	385	HALULAWTR.....	422
FUMTH18.....	328	GRSKMRJWK.....	385	HALULIMIT.....	419
FUMTH21.....	328	GRSKPKCG.....	387	HALULOTM.....	419
FUOXY18.....	327	HAL30USE.....	85	HALULSACT.....	421
FUOXY21.....	328	HALAGLST.....	564	HALULSEFX.....	420
FUPCP18.....	294	HALCION.....	206	HALUNDMOR.....	420
FUPCP21.....	294	HALCION2.....	325	HALUPDANG.....	422
FUPNRNM18.....	295	HALCUTDN.....	459	HALUPHCTD.....	421
FUPNRNM21.....	295	HALCUTEV.....	459	HALUPHLPB.....	421
FUPSY18.....	328	HALDAFLG.....	457	HALUSERPB.....	422
FUPSY21.....	329	HALEMCTD.....	460	HALYDAYS.....	326
FUSED18.....	328	HALEMOPB.....	460	HALYFU.....	83
FUSED21.....	328	HALFLAG.....	310	HALYLU.....	564
FUSEDNM18.....	296	HALFMCTD.....	462	HALYR.....	310

INDEX

HALYRTOT.....	84	HLLOSRSN.....	1073	II2CGRFM.....	244
HARTDLIF.....	761	HLNVCOST.....	1073	II2CGRRC.....	224
HARTDYR.....	761	HLNVNEED.....	1073	II2CHWFM.....	249
HBCHMDE.....	1003	HLNVOFFR.....	1073	II2CHWRC.....	233
HBPLIF.....	761	HLNVREF.....	1073	II2CIGFM.....	244
HPYR.....	762	HLNVSOR.....	1074	II2CIGRC.....	224
HEALTH.....	1031	HLTINALC.....	1071	II2COCFM.....	246
HEALTH2.....	1037	HLTINDRG.....	1071	II2COCFY.....	239
HEOTNDL.....	332	HLTINMNT.....	1071	II2COCRC.....	226
HEOTOTH.....	332	HLTINNOS.....	1072	II2CRKFM.....	246
HEOTSMK.....	332	HLTOTFG.....	84	II2CRKFY.....	239
HEOTSNF.....	332	HOMEVST.....	958	II2CRKRC.....	226
HEOTSP.....	333	HOSPVST.....	957	II2ECSRC.....	234
HEPATLIF.....	761	HPALCAMT.....	768	II2EMST4.....	1066
HEPATYR.....	761	HPALCCUT.....	769	II2EMSTY.....	1066
HEPBCAGE.....	776	HPALCFRQ.....	769	II2HALFM.....	250
HEPBCEVER.....	771	HPALCNOT.....	769	II2HALFY.....	240
HER30USE.....	48	HPALCPRB.....	769	II2HALRC.....	234
HERAGE.....	46	HPALCTX.....	769	II2HERFM.....	246
HERAGLST.....	553	HPDRGTALK.....	770	II2HERFY.....	239
HERCUT1X.....	416	HPDRGTLK.....	758	II2HERRC.....	227
HERCUTDN.....	415	HPQTOB.....	768	II2INHFM.....	250
HERCUTEV.....	415	HPUSEALC.....	767	II2INHFY.....	241
HEREMCTD.....	417	HPUSEDRG.....	768	II2INHRC.....	234
HEREMOPB.....	417	HPUSETOB.....	767	II2LSDRC.....	227
HEREVER.....	46	HR30EST.....	48	II2MJFM.....	245
HERFLAG.....	268	HRBSTWAY.....	47	II2MJFY.....	238
HERFMCTD.....	419	HRDAYPMO.....	48	II2MJRC.....	226
HERFMFPB.....	418	HRDAYPWK.....	48	II2MTHFY.....	243
HERGTOVR.....	414	HRDAYPYR.....	48	II2MTHRC.....	236
HERKPLMT.....	415	HRFQFLG.....	47	II2OXYFY.....	241
HERLAWTR.....	418	HRNDLREC.....	333	II2OXYRC.....	235
HERLIMIT.....	414	HRSMKREC.....	331	II2PCPRC.....	228
HERLOTTM.....	414	HRSNFREC.....	331	II2SEDFY.....	243
HERLSACT.....	417	HRTCONDAG.....	775	II2SEDRC.....	237
HERLSEFX.....	415	HRTCONDEV.....	770	II2SLTRC.....	232
HERMFU.....	46	HRTCONDYR.....	776	II2SNFFM.....	249
HERMLU.....	554	HRTOTFG.....	47	II2SNFRC.....	233
HERMON.....	268	HSDIPLMA.....	1040	II2STMFY.....	242
HERNDMOR.....	415	HSGED.....	1041	II2STMRC.....	236
HERNEEDL.....	332	HTANSWER.....	765	II2TRNRY.....	242
HERPDANG.....	418	HTINCHE2.....	765	II2TRNRC.....	235
HERPHCTD.....	417	HVYDRK2.....	316	II2WRKST18.....	1065
HERPHLPB.....	417	HVYDRKMON.....	275	II2WRKSTAT.....	1065
HERPNRYR.....	273	HYDCODOP.....	320	IIABUPOSHAL.....	498
HERREC.....	47	HYDCPDAPYU.....	277	IIABUPOSIH.....	498
HERSERPB.....	418	HYDCPDPYMU.....	283	IIABUPOSMTH.....	498
HERSMOK2.....	370	HYDMPDAPYU.....	279	IIABUPOSPNR.....	499
HERSMOKE.....	331	HYDMPDPYMU.....	284	IIABUPOSSED.....	499
HERSNIF2.....	370	HYDROCD2.....	318	IIABUPOSSTM.....	499
HERSNIFF.....	331	HYDROCOD.....	119	IIABUPOSTRQ.....	499
HERWD3SX.....	416	ICAONFL.....	308	IIALCAGE.....	252
HERWDSMT.....	416	ICAONMO.....	308	IIALCBNG30D.....	245
HERYFU.....	46	ICAONYR.....	308	IIALCD5.....	249
HERYLU.....	553	IEALONFL.....	307	IIALCFM.....	245
HERYR.....	268	IEALONMO.....	307	IIALCFY.....	238
HERYRTOT.....	47	IEALONYR.....	307	IIALCRC.....	225
HIGHBPAGE.....	778	IECGONFL.....	307	IIALCYFU.....	252
HIGHBPPEVR.....	772	IECGONMO.....	307	IIANLAGE.....	263
HIGHBPMED.....	777	IECGONYR.....	307	IIANLFY.....	241
HIVAIDSAG.....	777	IEMAGE.....	316	IIANLRC.....	235
HIVAIDSEV.....	771	IEMFLAG.....	315	IIANLYFU.....	263
HIVLIF.....	762	IEMMON.....	316	IICD2YFU.....	251
HIVYR.....	762	IEMONFL.....	305	IICDUAGE.....	251
HL30EST.....	86	IEMONMO.....	305	IICGAVD.....	492
HLBSTWAY.....	84	IEMONYR.....	305	IICGCRGP.....	491
HLCALL99.....	1077	IEMYFU.....	316	IICGCRV.....	491
HLCALLFG.....	1077	IEMYR.....	316	IICGINCR.....	495
HLCLAST.....	1072	IFATHER.....	1067	IICGINFL.....	494
HLCNOTMO.....	1072	II2ALCD5.....	249	IICGIRTB.....	491
HLCNOTYR.....	1072	II2ALCFM.....	245	IICGLMR.....	495
HLDAYPMO.....	85	II2ALCFY.....	238	IICGNCG.....	494
HLDAYPWK.....	85	II2ALCRC.....	225	IICGNCTL.....	492
HLDAYPYR.....	85	II2ANLFY.....	241	IICGNINF.....	495
HLFQFLG.....	84	II2ANLRC.....	235	IICGPLN.....	492

INDEX

IICGRAGE	251	IINHAGE	262	IISEDRC	236
IICGRFM	244	IINHAL30N	247	IISEDYFU	265
IICGRGDY	493	IINHALAGE	256	IISLTAGE	260
IICGRGNM	493	IINHALREC	229	IISLTRC	232
IICGRGWK	493	IINHLYFQ	240	IISLTYFU	260
IICGROUT	493	IINHLYFU	256	IISMKLSS30N	244
IICGRRC	224	IINHFM	250	IISMKLSSREC	225
IICGRYFU	252	IINHFFY	241	IISMKLSSTRY	252
IICGSAT	495	IINHRC	234	IISMKLSSYFU	252
IICGSLHR	494	IINHUFU	262	IISNFAGE	261
IICHMPUS	1075	IINSUR	1084	IISNFFM	249
IICHWAGE	260	IINSUR3	1085	IISNFRC	233
IICHWFM	248	IINSUR4	1077	IISNFYFU	261
IICHWRC	233	IIKETMINREC	228	IISTMAGE	264
IICHWYFU	261	IIKI17_2	1067	IISTMANYREC	230
IICIGAGE	251	IIKIDFA2	1068	IISTMFY	242
IICIGFM	244	IILSDAGE	255	IISTMNM30FQ	248
IICIGRC	224	IILSDRC	227	IISTMNMAGE	259
IICIGYFU	251	IILSDYFU	255	IISTMNMINIT	257
IICOCAGE	253	IIMARIT	1034	IISTMNMREC	232
IICOCFM	246	IIMARITSTAT	1034	IISTMNMVYFU	259
IICOCFY	238	IIMCDCHP	1075	IISTMRC	236
IICOCRC	226	IIMEDICR	1075	IISTMYFU	264
IICOCYFU	253	IIMETHAM30N	247	IITRNAGE	264
IICRKAGE	253	IIMETHAMAGE	256	IITRNFY	242
IICRKFM	246	IIMETHAMREC	229	IITRNRC	235
IICRKFY	239	IIMETHAMYFQ	240	IITRNYFU	264
IICRKRC	226	IIMETHAMYFU	256	IITRQANYREC	230
IICRKYFU	254	IIMJAGE	253	IITRQNM30FQ	248
IIDAMTFXREC	228	IIMJFM	245	IITRQNMAGE	259
IIDEPENDHAL	496	IIMJFY	238	IITRQNMINIT	257
IIDEPENDINH	496	IIMJRC	226	IITRQNMREC	231
IIDEPENDMTH	496	IIMJYFU	253	IITRQNMVYFU	258
IIDEPENDPNR	497	IIMTHAGE	264	IIWELMOS	1080
IIDEPENDSED	497	IIMTHFY	242	IWRKSTAT	1065
IIDEPENDSTM	497	IIMTHRC	236	IWRKSTAT18	1065
IIDEPENDTRQ	497	IIMTHYFU	265	ILALMON	317
IIECSAGE	262	IIOTHHLT	1076	ILANDALC	317
IIECSRC	234	IIOXCNNANYR	230	ILLALCFLG	276
IIECSTMOAGE	255	IIOXCNNMYR	231	ILLALCMON	276
IIECSTMOREC	228	IIOXYAGE	263	ILLANDALC	276
IIECSTMOYFU	256	IIOXYFY	241	ILLEMFLAG	274
IIECSYFU	262	IIOXYRC	235	ILLEMMON	274
IIEDUC2	1035	IIOXYFYFU	263	ILLEMYR	274
IIEDUHIGHST2	1034	IIPCHD	1083	ILLFLAG	274
IIEMPST4	1066	IIPCPAGE	255	ILLMON	274
IIEMPSTY	1066	IIPCPRC	227	ILLNEED	685
IIFAMCHD	1084	IIPCPYFU	255	ILLORALC	276
IIFAMIN3	1080	IIPINC3	1080	ILLPCALC	679
IIFAMINT	1083	IIPINSUR	1084	ILLPCARE	679
IIFAMOTH	1084	IIPINT	1083	ILLPCORT	679
IIFAMPMT	1079	IIPPLF	224	ILLPEMPL	679
IIFAMSOC	1079	IIPPMN	225	ILLPFMLY	679
IIFAMSSI	1079	IIPNRANYREC	229	ILLPINS	679
IIFAMSVC	1079	IIPNRNM30FQ	247	ILLPMILC	679
IIFAMSZ2	1068	IIPNRNMAGE	258	ILLPPUBP	679
IIFAMWAG	1085	IIPNRNMINIT	257	ILLPSAVE	679
IIFSTAMP	1079	IIPNRNMREC	231	ILLTRMT	675
IIVALAGE	261	IIPNRNMVYFU	258	ILLYR	274
IIVALFM	250	IIPOTH	1084	ILORALC	317
IIVALFY	240	IIPPMT	1082	ILTOALMN	316
IIVALLUC30N	247	IIPRVHLT	1075	ILTOBALCMN	275
IIVALLUCAGE	254	IIPSOC	1082	IMOTHER	1067
IIVALLUCREC	227	IIPSSI	1082	IMPAIR	874
IIVALLUCYFQ	239	IIPSVL	1083	IMPCONC	826
IIVALLUCYFU	254	IIPWAG	1082	IMPCONCN	867
IIVALRC	233	IISALVIAREC	229	IMPCTRLE	830
IIVALYFU	261	IISEDAGE	265	IMPDYFQ	832
IIPHERAGE	254	IISEDANYREC	230	IMPDLPP	829
IIPHERFM	246	IISEDIFY	243	IMPDLPPM	829
IIPHERFY	239	IISEDNM30FQ	248	IMPDLRSP	831
IIPHERRC	227	IISEDNMAGE	260	IMPDLWRK	831
IIPHERYFU	254	IISEDNMINIT	257	IMPDYFRQ	870
IHH65_2	1068	IISEDNMREC	232	IMPGO	828
IHHISZ2	1067	IISEDNMVYFU	259	IMPGOM	828

INDEX

IMPGOUT.....	867	INHLCUTDN.....	424	IRCGINCR.....	495
IMPGOUTM.....	867	INHLCUTEV.....	425	IRCGINFL.....	494
IMPGTALG.....	830	INHLEMCTD.....	425	IRCGIRTB.....	491
IMPHLD.....	869	INHLEMOPB.....	425	IRCGLMR.....	495
IMPHHLD.....	869	INHLMCTD.....	427	IRCGMCG.....	494
IMPHRSP.....	831	INHLMFPB.....	427	IRCGNCTL.....	492
IMPHRSPM.....	831	INHLGTOVR.....	423	IRCGNINF.....	494
IMPLERN.....	827	INHLIMIT.....	463	IRCGPLN.....	492
IMPLERNM.....	827	INHKLPLMT.....	424	IRCGRAGE.....	251
IMPMONY.....	827	INHLLAWTR.....	427	IRCGRFM.....	244
IMPMONYM.....	827	INHLLIMIT.....	423	IRCGRGDY.....	493
IMPPEOP.....	868	INHLLCTM.....	423	IRCGRGNM.....	493
IMPPEOPM.....	868	INHLLSACT.....	426	IRCGRGWK.....	493
IMPRELAX.....	830	INHLLSEFX.....	424	IRCGROUT.....	492
IMPREMBR.....	826	INHLMOLST.....	559	IRCGRRC.....	224
IMPREMEM.....	867	INHNDMOR.....	424	IRCGRYFU.....	252
IMPRESA.....	869	INHLOTTM.....	462	IRCGSAT.....	495
IMPRESPM.....	869	INHLPDANG.....	426	IRCGSLHR.....	494
IMPSOC.....	868	INHLPHCTD.....	426	IRCHMPUS.....	1075
IMPSOCL.....	829	INHLPPLPB.....	425	IRCHWAGE.....	260
IMPSOCLM.....	829	INHLSACT.....	465	IRCHWFM.....	248
IMPSOCM.....	868	INHLSAFX.....	463	IRCHWRC.....	232
IMPTHINK.....	825	INHLSERP.....	426	IRCHWYFU.....	260
IMPUNDST.....	826	INHLYRLST.....	558	IRCIGAGE.....	251
IMPWASH.....	828	INHMDAYS.....	326	IRCIGFM.....	244
IMPWASHM.....	828	INHMFU.....	105	IRCIGRC.....	224
IMPWEEKS.....	870	INHMLU.....	567	IRCIGYFU.....	251
IMPWKS2.....	832	INHMON.....	311	IRCOFACE.....	253
IMPWORK.....	870	INHNDAYPM.....	290	IRCOCFM.....	246
IMPYDAYS.....	870	INHNDAYYR.....	289	IRCOCFY.....	238
IN30EST.....	108	INHNDMOR.....	463	IRCOCRC.....	226
INBSTWAY.....	106	INHNEWA.....	98	IRCOCYFU.....	253
INCOME.....	1081	INHNEWB.....	101	IRCRKAGE.....	253
INCSAMP.....	1086	INHNEWC.....	103	IRCRKFM.....	246
INDAYPMO.....	107	INHNEWD.....	104	IRCRKFY.....	239
INDAYPWK.....	107	INHNEWE.....	104	IRCRKRC.....	226
INDAYPYR.....	107	INHNLST.....	97	IRCRKYFU.....	253
INFQLG.....	106	INHOSPQR.....	766	IRDAMTFXREC.....	228
INHAGE.....	105	INHPDANG.....	466	IRDEPENDHAL.....	496
INHAGLST.....	566	INHPHCTD.....	465	IRDEPENDINH.....	496
INHAL30ES.....	96	INHPHLPB.....	465	IRDEPENDMTH.....	496
INHAL30N.....	96	INHREC.....	106	IRDEPENDPNR.....	497
INHALAGE.....	93	INHSERPB.....	465	IRDEPENDSED.....	497
INHALEVER.....	93	INHSTOTFG.....	95	IRDEPENDSTM.....	497
INHALFLAG.....	270	INHSDAYS.....	326	IRDEPENDTRQ.....	497
INHALMFU.....	94	INHYSFU.....	105	IRECSAGE.....	262
INHALMON.....	270	INHYL.....	566	IRECSRC.....	234
INHALOT1.....	91	INHYSR.....	311	IRECSTMOAGE.....	255
INHALOT2.....	92	INHYSRTOT.....	106	IRECSTMOREC.....	228
INHALOT3.....	93	INTOTFG.....	106	IRECSTMOYFU.....	255
INHALOT4.....	93	IONAMIN.....	178	IRECSYFU.....	262
INHALOT5.....	93	IONAMIN2.....	323	IREUC2.....	1035
INHALOTH.....	90	IRABUPOSHAL.....	498	IREDUHIGHST2.....	1034
INHALREC.....	94	IRABUPOSINH.....	498	IRFAMCHD.....	1083
INHALYFQ.....	95	IRABUPOSMTH.....	498	IRFAMIN3.....	1080
INHALYFU.....	94	IRABUPOSPNR.....	498	IRFAMINT.....	1083
INHALYR.....	270	IRABUPOSED.....	499	IRFAMOTH.....	1084
INHACUTDN.....	464	IRABUPOSTM.....	499	IRFAMPMT.....	1079
INHACUTEV.....	464	IRABUPOSTRQ.....	499	IRFAMSOC.....	1079
INHDI30A.....	107	IRALCAGE.....	252	IRFAMSSI.....	1079
INHDIYPMO.....	96	IRALCBNG30D.....	245	IRFAMSVC.....	1079
INHDIYPWK.....	96	IRALCD5.....	249	IRFAMSZ2.....	1068
INHDIYSYR.....	95	IRALCFM.....	245	IRFAMWAG.....	1085
INHEASWY.....	95	IRALCFY.....	238	IRFSTAMP.....	1079
INHEMCTD.....	464	IRALCRC.....	225	IRHALAGE.....	261
INHEMOPB.....	464	IRALCYFU.....	252	IRHALFM.....	249
INHEVER.....	104	IRANLAGE.....	262	IRHALFY.....	240
INHFLAG.....	311	IRANLFY.....	241	IRHALLUC30N.....	247
INHFMCTD.....	466	IRANLRC.....	234	IRHALLUCAGE.....	254
INHFMFPB.....	466	IRANLYFU.....	263	IRHALLUCREC.....	227
INHFLG.....	95	IRCD2YFU.....	251	IRHALLUCYFQ.....	239
INHGTQVR.....	462	IRCDUAGE.....	251	IRHALLUCYFU.....	254
INHKLPLMT.....	463	IRCGAVD.....	492	IRHALRC.....	233
INHLAGLST.....	558	IRCGCRGP.....	491	IRHALYFU.....	261
INHLLAWTR.....	466	IRCGCRV.....	491	IRHERAGE.....	254

INDEX

IRHERFM.....	246	IRSEDFY.....	243	LIFDIAB.....	751
IRHERFY.....	239	IRSEDNM30FQ.....	248	LIFHARTD.....	751
IRHERRC.....	226	IRSEDNMAGE.....	260	LIFHBP.....	751
IRHERYFU.....	254	IRSEDNMINIT.....	257	LIFHPAT.....	751
IRHH65_2.....	1068	IRSEDNMREC.....	232	LIFHIV.....	751
IRHHSIZ2.....	1067	IRSEDNMYFU.....	259	LIFLUNCA.....	751
IRINHAGE.....	262	IRSEDR.....	236	LIFNONE.....	753
IRINHAL30N.....	247	IRSEDYFU.....	265	LIFPANCR.....	752
IRINHALAGE.....	256	IRSEX.....	1034	LIFPNEU.....	752
IRINHALREC.....	229	IRSLTAGE.....	260	LIFSINUS.....	752
IRINHALLYFQ.....	240	IRSLTRC.....	232	LIFSLPAP.....	752
IRINHALLYFU.....	256	IRSLTYFU.....	260	LIFSTDS.....	752
IRINHF.....	250	IRSMKLS30N.....	244	LIFSTROK.....	752
IRINHFI.....	240	IRSMKLSREC.....	225	LIFTINN.....	753
IRINHRC.....	234	IRSMKLSSTRY.....	252	LIFTUBRC.....	753
IRINHRYFU.....	262	IRSMKLSYFU.....	252	LIFULCER.....	753
IRINSUR.....	1084	IRSNFAGE.....	261	LIMBTRL2.....	321
IRINSUR3.....	1085	IRSNFFM.....	249	LIMBTROL.....	156
IRINSUR4.....	1077	IRSNFRC.....	233	LIMITWRK.....	759
IRKETMINREC.....	228	IRSNFYFU.....	261	LMIYR_U.....	880
IRKII7_2.....	1067	IRSTMAGE.....	264	LMMIADAU.....	882
IRKIDFA2.....	1068	IRSTMANYREC.....	230	LMMISUDPY.....	881
IRLSDAGE.....	254	IRSTMFY.....	242	LMMIYRU.....	880
IRLSDR.....	227	IRSTMNM30FQ.....	248	LOCDOC.....	684
IRLSDYFU.....	255	IRSTNMAGE.....	259	LOCHOSP.....	683
IRMARIT.....	1034	IRSTNMINIT.....	257	LOCJAIL.....	684
IRMARITSTAT.....	1034	IRSTNMREC.....	231	LOCMHC.....	684
IRMCDCHP.....	1075	IRSTNMRYFU.....	259	LOCRFIN.....	684
IRMEDICR.....	1075	IRSTMRC.....	236	LOCRFOP.....	684
IRMETHAM30N.....	247	IRSTMYFU.....	264	LOCSHG.....	684
IRMETHAMAGE.....	256	IRTRNAGE.....	263	LOCSIZE.....	1061
IRMETHAMREC.....	229	IRTRNFY.....	242	LOCTXER.....	684
IRMETHAMYFQ.....	240	IRTRNRC.....	235	LORAPDAPYU.....	280
IRMETHAMYFU.....	256	IRTRNYFU.....	264	LORAPDPYMU.....	285
IRMJAGE.....	253	IRTRQANYREC.....	230	LSD.....	49
IRMJFM.....	245	IRTRQNM30FQ.....	248	LSDAGE.....	62
IRMJFY.....	238	IRTRQNMAGE.....	258	LSDAGLST.....	555
IRMJRC.....	225	IRTRQNMINIT.....	257	LSDFLAG.....	268
IRMJYFU.....	253	IRTRQNREC.....	231	LSDMFU.....	62
IRMTHAGE.....	264	IRTRQNRYFU.....	258	LSDMLU.....	556
IRMTHFY.....	242	IRWELMOS.....	1079	LSDMON.....	268
IRMTHRC.....	236	IRWRKSTAT.....	1065	LSDREC.....	63
IRMTHYFU.....	265	IRWRKSTAT18.....	1065	LSDYFU.....	62
IROTHHLT.....	1075	JBSTATR2.....	1056	LSDYLU.....	555
IROXCNANYR.....	230	K6SCMAX.....	876	LSDYR.....	268
IROXCNNMYR.....	231	K6SCMON.....	875	LUNCALIF.....	762
IROXYAGE.....	263	K6SCYR.....	876	LUNCAYR.....	762
IROXYFY.....	241	K6SMXADJ.....	836	MAIIN002.....	1090
IROXYRC.....	235	KETAFLGR.....	368	MAIIN102.....	1090
IROXYFYFU.....	263	KETAMINE.....	352	MAIIN902.....	1089
IRPCHD.....	1083	KETAMONR.....	369	MARIEDNUM2.....	1048
IRPCPAGE.....	255	KETAREC.....	353	MAZANOR.....	178
IRPCPRC.....	227	KETAYRR.....	369	MAZANOR2.....	323
IRPCPYFU.....	255	KETMINESK.....	50	MAZINDOL.....	324
IRPINC3.....	1080	KETMINFLAG.....	269	MCAONFL.....	307
IRPINSUR.....	1084	KETMINMON.....	270	MCAONMO.....	307
IRPINT.....	1083	KETMINREC.....	65	MCAONYR.....	307
IRPIPLF.....	224	KETMINYR.....	269	MDECHNGS.....	814
IRPIPMN.....	225	KIDNYDSAG.....	777	MDEDAYFQ.....	813
IRPNRANYREC.....	229	KIDNYDSEV.....	771	MDEDAYLN.....	814
IRPNRNM30FQ.....	247	KLONOPI2.....	320	MDEDP2WK.....	813
IRPNRNMAGE.....	258	KLONOPIN.....	154	MDEDPWKR.....	813
IRPNRNMINIT.....	257	LANGVER.....	1028	MDEIMPY.....	998
IRPNRNMREC.....	231	LASTTXSP.....	681	MDELICHG.....	815
IRPNRNMRYFU.....	258	LFSCHWH2.....	1042	MDELIFQ.....	815
IRPOTH.....	1084	LFTSCHA2.....	1043	MDELILN.....	815
IRPPMT.....	1082	LGAS.....	89	MDELIWK2.....	815
IRPSOC.....	1082	LGAS2.....	277	MDELOSIN.....	814
IRPSSI.....	1082	LIBRIUM.....	156	MDEL.....	1000
IRPSVC.....	1083	LIBRIUM2.....	321	MDERXO.....	1001
IRPWAG.....	1082	LIFANXD.....	750	MDETXXRX.....	1001
IRSALVIAREC.....	228	LIFASMA.....	750	MDETXXO.....	1001
IRSEDAGE.....	265	LIFBRONC.....	750	MDETXXR.....	1001
IRSEDANYREC.....	230	LIFCIRR.....	750	MDEYR.....	1000
		LIFDEPRS.....	750	MEDICARE.....	1070

INDEX

MEDMJALL.....	392	MHLDOC2.....	807	MILTPARNT.....	1048
MEDMJST2.....	393	MHLDOC3.....	800	MILTSIBLN.....	1048
MEDMJYR.....	392	MHLDTMT2.....	808	MILTSPAR.....	1047
MEFQFLG.....	110	MHLDTMT3.....	800	MJAFU.....	289
MEPROB.....	156	MHLMNT2.....	807	MJAGE.....	34
MEPROB2.....	321	MHLMNT3.....	800	MJALONFL.....	306
MEPROBPD.....	322	MHLOTH2.....	808	MJALONMO.....	306
MESC.....	49	MHLOTH3.....	801	MJALONYR.....	306
MESC2.....	276	MHLSCHL2.....	808	MJCGONFL.....	306
METHAGE.....	192	MHLSCHL3.....	801	MJCGONMO.....	306
METHAGLST.....	559	MHLTHER2.....	807	MJCGONYR.....	306
METHAM30E.....	112	MHLTHER3.....	800	MJDAY30A.....	36
METHAM30N.....	112	MHMEDS.....	823	MJEVER.....	34
METHAMAGE.....	109	MHMEDWK2.....	824	MJFQFLG.....	35
METHAMEVR.....	109	MHNSPTR2.....	806	MJIEONFL.....	306
METHAMFLAG.....	270	MHOPNUM2.....	823	MJIEONMO.....	307
METHAMMFU.....	110	MHOSPTR2.....	806	MJIEONYR.....	306
METHAMMON.....	270	MHPDEMP2.....	802	MJMFU.....	34
METHAMREC.....	110	MHPDFRE2.....	802	MJOFLAG.....	315
METHAMYFQ.....	110	MHPDMCD2.....	802	MJOMON2.....	315
METHAMYFU.....	109	MHPDMCR2.....	802	MJONLYFLAG.....	274
METHAMYR.....	270	MHPDMIL2.....	802	MJONLYMON.....	274
METHAQ.....	204	MHPDOFM2.....	801	MJONLYYR.....	274
METHAQ2.....	324	MHPDPHI2.....	801	MJOYR2.....	315
METHCUT1X.....	429	MHPDPRV2.....	802	MJPBTFRM.....	531
METHCUTDN.....	429	MHPDPUB2.....	802	MJPBTPL2.....	532
METHCUTEV.....	429	MHPDREH2.....	802	MJPBTPL3.....	531
METHDES.....	176	MHPDSL2.....	801	MJPBTPLC.....	532
METHDES2.....	322	MHRCCIN2.....	806	MJPFREGT.....	531
METHDEXM.....	324	MHRCFID2.....	803	MJPFREPL.....	532
METHDON.....	119	MHRCMIT2.....	803	MJPFRL2.....	532
METHDON2.....	318	MHRCOST2.....	803	MJPGOT.....	531
METHDYPMO.....	111	MHRENUF2.....	803	MJPRIOR.....	611
METHDYPWK.....	111	MHRFOUT2.....	804	MJPRIYR.....	611
METHDYSYR.....	111	MHRHAND2.....	804	MJPRNOYR.....	611
METHEASWY.....	111	MHRJOBS2.....	803	MJREC.....	35
METHEMCTD.....	431	MHRNBR2.....	803	MJYFU.....	34
METHEMOPB.....	430	MHRNCOV2.....	803	MJYRTOT.....	35
METHFLBLU.....	430	MHRNNHN2.....	806	MMBATJOB.....	520
METHFMCTD.....	433	MHRNOHP2.....	804	MMBCLOSE.....	520
METHFMFPB.....	432	MHRNOND2.....	804	MMBGIVE.....	520
METHGTOVR.....	428	MHROTHC2.....	807	MMBPLACE.....	519
METHKPLMT.....	428	MHRSOH2.....	804	MMBPLOS2.....	519
METHLAWTR.....	432	MHRSTIG2.....	807	MMBSELL.....	520
METHLIMIT.....	428	MHRTIME2.....	804	MMBT30DY.....	514
METHLOTTM.....	427	MHRTRAN2.....	804	MMBTPYR.....	513
METHLSACT.....	431	MHRWHER2.....	803	MMBTREC1.....	513
METHLSEFX.....	429	MHSAMP08.....	871	MMBTREC2.....	513
METHMFU.....	193	MHSAWT_C.....	1092	MMBUYWHO.....	518
METHMLU.....	572	MHSDYFRQ.....	874	MMFCLOSE.....	529
METHMOLST.....	560	MHSEEDR.....	823	MMFGIVE.....	530
METHNDAYPM.....	291	MHSMGT.....	872	MMFKEEP.....	529
METHNDAYYR.....	290	MHSRELS.....	873	MMFPLACE.....	528
METHNDLRC.....	333	MHSSOC.....	873	MMFPLOS2.....	529
METHNDMOR.....	428	MHSUIPLN.....	877	MMFREWHO.....	528
METHNEEDL.....	333	MHSUITHK.....	876	MMFSELL.....	530
METHNEEDL2.....	370	MHSUITRY.....	877	MMGETMJ.....	513
METHPDANG.....	432	MHSUTK_U.....	876	MMGGIVE.....	527
METHPDAPYU.....	281	MHSVCHLP.....	832	MMGKEEP.....	527
METHPDPYMU.....	287	MHSVHP.....	833	MMGSELL.....	527
METHPHCTD.....	431	MHSWEEKS.....	873	MMIYR_U.....	879
METHPHLPB.....	431	MHSWORK.....	872	MMJNPCAT.....	515
METHREC.....	194	MHSYDAYS.....	874	MMJNPCTB.....	514
METHSERPB.....	432	MI_CAT_U.....	880	MMJNTLOO.....	514
METHWD2SX.....	430	MIAONFL.....	308	MMJNTNUM.....	514
METHWDSMT.....	430	MIAONMO.....	308	MMLS10GM.....	516
METHYFU.....	193	MIAONYR.....	308	MMLS5LBS.....	517
METHYLU.....	572	MICONFL.....	308	MMLSGMS.....	516
METHYRLST.....	559	MICONMO.....	308	MMLSLBS.....	516
METOTFG.....	110	MICONYR.....	308	MMLSOZS.....	516
MHASPTR2.....	806	MILSTAT.....	1029	MMLSPCAT.....	518
MHHOSPOV.....	823	MILTCHLDR.....	1048	MMLSPCTB.....	517
MHIMPAIR.....	874	MILTFAMILY.....	1047	MMLSUNIT.....	515
MHLCLNC2.....	807	MILTOWN.....	156	MMT30FRQ.....	521
MHLCLNC3.....	800	MILTOWN2.....	321	MMTCLOSE.....	526





INDEX

NDTRNNOTPY.....	748	NDTXYRADG.....	701	OXCOPDPYMU.....	283
NDTRNNSTOP.....	748	NDTXYRALC.....	704	OXDAYPMO.....	144
NDTRNNTIME.....	749	NDTXYRCOC.....	704	OXDAYPWK.....	144
NDTRNPFULL.....	748	NDTXYRHAL.....	705	OXDAYPYR.....	144
NDTRNTSPHR.....	748	NDTXYRHER.....	705	OXFQFLG.....	143
NDTRNWANTD.....	748	NDTXYRINH.....	705	OXTOTFG.....	143
NDTXALC2.....	691	NDTXYRMTH.....	705	OXYAGLST.....	568
NDTXALCR.....	644	NDTXYRMRJ.....	704	OXYCAGE.....	141
NDTXANL2.....	691	NDTXYRMTH.....	705	OXYCMFU.....	142
NDTXANLR.....	646	NDTXYROTH.....	707	OXYCMLU.....	569
NDTXBUSY.....	653	NDTXYRPNR.....	706	OXYCNANYR.....	271
NDTXCOC2.....	691	NDTXYRSED.....	706	OXYCNNMYR.....	272
NDTXCOCR.....	645	NDTXYRSTM.....	706	OXYCNDOP.....	304
NDTXDG1R.....	648	NDTXYRTRQ.....	706	OXYCODP2.....	319
NDTXDG2R.....	649	NEDCOC.....	370	OXYCONT2.....	304
NDTXDG3R.....	649	NEDFLG01.....	367	OXYCONTN.....	120
NDTXDG4R.....	650	NEDHER.....	370	OXYCREC.....	143
NDTXDG5R.....	650	NEDLRECR.....	366	OXYCYFU.....	142
NDTXDKWHR.....	710	NEDMTH.....	368	OXYCYLU.....	568
NDTXEFFRT.....	708	NEDSTM.....	367	OXYFLAG.....	311
NDTXEFILAL.....	747	NEMBBAR2.....	324	OXYMON.....	312
NDTXEFTALC.....	746	NEMBBARB.....	204	OXYMPDAPYU.....	279
NDTXEFTILL.....	747	NEWACE2.....	1037	OXYMPDPYMU.....	284
NDTXEFTR.....	650	NILALMON.....	317	OXYR.....	311
NDTXFNDOU.....	711	NITOXID.....	89	OXYYRTOT.....	143
NDTXFOUT.....	654	NITOXID2.....	277	PANATAK.....	812
NDTXHAL2.....	691	NMERTMT2.....	766	PANATKN2.....	812
NDTXHALR.....	645	NMHSPTR2.....	806	PANCRLIF.....	762
NDTXHANDL.....	710	NMNGTHS2.....	766	PANCRYR.....	762
NDTXHER2.....	691	NMVSOST.....	767	PANREAC.....	812
NDTXHERR.....	645	NMVSOPT2.....	767	PARCHKHW.....	857
NDTXHNDL.....	653	NOBOOKY2.....	533	PARHLPHW.....	857
NDTXINH2.....	691	NODR30A.....	33	PARLMTSN.....	858
NDTXINHR.....	646	NOMARR2.....	1029	PAROL.....	543
NDTXJOB.....	652	NONABOVEV.....	772	PAROLREL.....	537
NDTXJOBNG.....	710	NOUSEFL.....	304	PBLMWORK.....	758
NDTXLMCV.....	651	NOUSEMO.....	304	PCP.....	49
NDTXMIMPT.....	712	NOUSEYR.....	304	PCPAGE.....	63
NDTXMJR.....	645	NRCH17_2.....	1067	PCPAGLST.....	556
NDTXMORE.....	642	NSMIDA_U.....	882	PCPFLAG.....	269
NDTXMRJ2.....	691	NSMNDU_U.....	881	PCPMFU.....	63
NDTXNBR.....	652	NSPDDPAB.....	833	PCPMLU.....	557
NDTXNBRNG.....	710	NSPDDPAU.....	837	PCPMON.....	269
NDTXNEDR.....	642	NSPNDPAU.....	837	PCPREC.....	64
NDTXNHCV.....	651	NURSMDE.....	1003	PCPYFU.....	63
NDTXNHLP.....	653	OBLA.....	178	PCPYLU.....	556
NDTXNOCOV.....	708	OBLA2.....	323	PDEN00.....	269
NDTXNOHLP.....	711	OMDMDE.....	1002	PDEN10.....	1088
NDTXNOND.....	653	OMHMDE.....	1003	PDEN90.....	1088
NDTXNONED.....	710	OPINMMON.....	273	PERCTYL2.....	317
NDTXNOTPY.....	709	OPINMYR.....	273	PERCTYLX.....	117
NDTXNSTOP.....	709	OSTNEEDL.....	351	PEYOTE.....	49
NDTXNTIME.....	711	OSTNLREC.....	351	PEYOTE2.....	276
NDTXNTSP.....	651	OTCFLAG.....	364	PHBAVOID.....	817
NDTXOPEN.....	652	OTDGNDLA.....	335	PHBAWYHM.....	818
NDTXOTRSN.....	711	OTDGNDLB.....	339	PHBCRWDS.....	818
NDTXPFULL.....	709	OTDGNDLC.....	341	PHBINTFR.....	818
NDTXREDY.....	652	OTDGNDLD.....	343	PHBLEVEL.....	817
NDTXSED2.....	692	OTDGNDLE.....	344	PHBPUBL.....	818
NDTXSEDR.....	647	OTDGNDLRC.....	344	PHBSOCL.....	817
NDTXSODR.....	647	OTDGNEDL.....	334	PHBTRAVL.....	818
NDTXSOR.....	654	OTHAEROS.....	90	PHBWRSV.....	819
NDTXSTM2.....	691	OTHAEROS2.....	277	PHBWRSFR.....	819
NDTXSTM.....	647	OTHANL.....	319	PHBWRSIN.....	819
NDTXTRN2.....	691	OTHANS.....	1077	PHBWRSST.....	819
NDTXTRNR.....	646	OTHMDE.....	1004	PHENCOD.....	120
NDXTSPHR.....	709	OTHS.....	325	PHENCOD2.....	318
NDXTYPE.....	651	OTHSTM.....	324	PHENOBAR.....	206
NDTXWANTD.....	709	OTHTRN.....	321	PHENOBR2.....	325
NDTXWHER.....	652	OXBSTWAY.....	143	PIPE3ODY.....	19
NDXYOTH1.....	707	OXCNNANYR.....	113	PIPEVER.....	19
NDXYOTH2.....	707	OXCNNMAGE.....	145	PIPFLAG.....	266
NDXYOTH3.....	708	OXCNNMMFU.....	146	PIPMON.....	266
NDXYOTH4.....	708	OXCNNMYFU.....	145	PLACIDY2.....	325
NDXYOTH5.....	708	OXCNNMYR.....	145		
		OXCOPDAPYU.....	278		

INDEX

PLACIDYL.....	206	PRDAYPYR.....	140	RK5ALWK.....	377
PLCYCOV.....	1062	PREG.....	779	RKCOCOCC.....	376
PLEGINE.....	179	PREG2.....	779	RKCOCREG.....	376
PLEGINE2.....	323	PREGAGE2.....	1036	RKDIFCOC.....	378
PNEULIF.....	762	PREGNANT.....	765	RKDIFCRK.....	378
PNEUYR.....	762	PREGPGM2.....	861	RKDIFHER.....	378
PNRANYFLAG.....	271	PRELUDIN.....	179	RKDIFLSD.....	377
PNRANYLIF.....	113	PRELUDN2.....	323	RKFQDBLT.....	384
PNRANYREC.....	113	PREVIOL2.....	860	RKFQDNGR.....	379
PNRANYYR.....	271	PRFQFLG.....	140	RKFQPBLT.....	383
PNRLCUTIX.....	435	PRGDJOB2.....	858	RKFQRSKY.....	379
PNRLCUTDN.....	434	PRLMTTV2.....	858	RKHERREG.....	376
PNRLCUTEV.....	435	PRMJEV2.....	859	RKLSDREG.....	376
PNRLEMCTD.....	436	PRMJMO.....	859	RKTRYHER.....	376
PNRLEMOPB.....	436	PROB.....	543	RKTRYLSD.....	375
PNRLEMCTD.....	439	PROBATON.....	537	RLGATTD.....	861
PNRLEMF2.....	438	PROCODNP.....	319	RLGDCSN.....	861
PNRLGTOVR.....	433	PROPOXY.....	120	RLGFRND.....	861
PNRLKPLMT.....	434	PROPOXY2.....	318	RLGIMPT.....	861
PNRLLAWTR.....	438	PROVPDAPYU.....	281	ROHYPNL2.....	321
PNRLLIMIT.....	433	PROVPDPYMU.....	287	ROHYPNOL.....	157
PNRLLOTTM.....	433	PRPKIG2.....	859	RSKBNGDLY.....	381
PNRLLSACT.....	437	PRPROUD2.....	858	RSKBNGWK.....	381
PNRLLSEFX.....	434	PRTALK3.....	860	RSKCIGPKD.....	379
PNRLNDMOR.....	434	PRTOTFG.....	140	RSKCOCMON.....	381
PNRLPDANG.....	438	PRVDRGO2.....	860	RSKOCWK.....	381
PNRLPHCTD.....	437	PRVHLTIN.....	1071	RSKDIFMJ.....	377
PNRLPHLPB.....	437	PRXRETRY.....	1069	RSKHERTRY.....	380
PNRLSERPB.....	438	PRXYDATA.....	1069	RSKHERWK.....	380
PNRLWD3SX.....	435	PSILCY.....	50	RSKSDTRY.....	380
PNRLWDSMT.....	436	PSILCY2.....	276	RSKLSDWK.....	380
PNRMAINRSN.....	297	PSY1MDE.....	1002	RSKMJOC.....	375
PNRNDAYPM.....	291	PSY2MDE.....	1002	RSKMJREG.....	375
PNRNM30AL.....	148	PSYAGE2.....	314	RSKMRJMON.....	379
PNRNM30D.....	147	PSYANYFLAG.....	271	RSKMRJWK.....	380
PNRNM30ES.....	148	PSYANYYR.....	272	RSKPKCIG.....	375
PNRNM30FQ.....	148	PSYCHFLAG.....	273	RSKSELL.....	378
PNRNMAGE.....	147	PSYCHMON.....	273	RSKYFQDGR.....	383
PNRNMFLAG.....	272	PSYCHYR.....	273	RSKYFQTES.....	383
PNRNMINIT.....	146	PSYFLAG2.....	314	RSNMRJMO.....	391
PNRNMMLAS1.....	150	PSYMON2.....	314	RSNOMRJ.....	391
PNRNMMLIF.....	145	PSYFU2.....	314	RTDALHAL.....	325
PNRNMMLFU.....	147	PSYYR2.....	314	RXHPMDE.....	1004
PNRNMMON.....	272	PTSEVER.....	821	RXMDEYR.....	1001
PNRNMREC.....	146	PTSPYEAR.....	822	SALVDIV.....	352
PNRNMRYFU.....	147	PTSWKS2.....	822	SALVFLGR.....	369
PNRNMRYR.....	272	PTSWRSFQ.....	822	SALVIADIV.....	50
PNRNORXFG.....	153	QUARTER.....	1028	SALVIAFLAG.....	270
PNROTANYR2.....	279	QUESTID2.....	3	SALVIAMON.....	270
PNROTHPYMU2.....	285	RCVMHASPTX.....	805	SALVIAREC.....	66
PNROTNMYR3.....	329	RCVMHNSPTX.....	805	SALVIAYR.....	270
PNRRSDGFX.....	152	RCVMHOSPTX.....	805	SALVMONR.....	369
PNRRSEMOT.....	151	RCVSPTXNMH.....	805	SALVREC.....	353
PNRRSEXPT.....	151	RDIFCOC.....	388	SALVYRR.....	369
PNRRSHIGH.....	151	RDIFCRK.....	388	SANOREX.....	179
PNRRSHOOK.....	152	RDIFHER.....	388	SANOREX2.....	323
PNRRSMAN.....	153	RDIFLSD.....	388	SCHDSICK.....	1040
PNRRSOTRS2.....	153	RDIFMJ.....	388	SCHDSKIP.....	1040
PNRRSPAIN.....	150	REASBRK.....	914	SCHENRL.....	1039
PNRRSRELX.....	151	REASDEPR.....	914	SCHFELT.....	857
PNRRSSLEP.....	151	REASEATP.....	915	SCHHIGRD.....	1044
PNRRSSOR.....	152	REASFAM.....	915	SCHIMPT.....	862
PNRWYGAMT.....	149	REASFEAR.....	914	SCHINTST.....	862
PNRWYLNDR.....	149	REASMEN.....	915	SCHLOGRD.....	1044
PNRWYNORX.....	149	REASOTH.....	915	SCHRELGS.....	1043
PNRWYOFTN.....	149	REASSCH.....	915	SCHTYPE.....	1043
PNRWYOTWY.....	149	REASSOC.....	915	SCHWORK.....	861
POVERTY2.....	1086	REASSUIC.....	914	SDNTFTPT.....	1040
POVERTY3.....	1081	RELMDE.....	1003	SDSSC.....	881
PRALDLY2.....	859	RESIDVST.....	958	SDSSC3.....	881
PRBSOLV2.....	860	RESTTMA2.....	324	SEDAGE.....	213
PRBSTWAY.....	140	RESTTMAZ.....	204	SEDAGLST.....	573
PRCHORE2.....	857	RITMPHE2.....	322	SEDANYFLAG.....	271
PRDAYPMO.....	141	RITMPHEN.....	176	SEDANYLIF.....	116
PRDAYPWK.....	141	RK5ALDLY.....	377	SEDANYREC.....	116

INDEX

SEDANYR.....	271	SEDNMMFU .....	218	SEMDPR2 .....	928
SEDCARD.....	205	SEDNMMON.....	273	SEMEAT .....	919
SEDCUT1X.....	486	SEDNMREC .....	217	SEMEAT2 .....	928
SEDCUTDN.....	486	SEDNMYFU .....	218	SEMFEA .....	919
SEDCUTEV.....	486	SEDNMYR .....	273	SEMFEA2 .....	928
SEDDAFLG.....	484	SEDNOLST.....	207	SEMFINITE.....	920
SEDDEAL2.....	622	SEDNORXFG.....	223	SEMFINITE2.....	929
SEDDEALR.....	606	SEDOTANYR2.....	283	SEMFMPLY .....	920
SEDEMCTD.....	488	SEDOTHPYMU2.....	288	SEMFMPLY2.....	929
SEDEMOPB.....	487	SEDOTHS2 .....	606	SEMFRND.....	920
SEDEVER.....	213	SEDOTHW2.....	623	SEMFRND2.....	929
SEDFFD2.....	632	SEDOTHWY.....	606	SEMMEND.....	920
SEDFFD1DR.....	607	SEDOTNMYR3.....	330	SEMMEND2.....	929
SEDFFAK2.....	632	SEDPDANG.....	489	SEMOTH2.....	920
SEDFFAKE.....	607	SEDPHCTD.....	488	SEMOTH3.....	929
SEDFFBOT.....	608	SEDPHLPB.....	488	SEMOTPP.....	920
SEDFFBY2.....	632	SEDPREC.....	215	SEMOTPP2.....	929
SEDFFDL2.....	632	SEDRSDGFX.....	222	SEMSCHL.....	920
SEDFFDLR.....	608	SEDRSEMOT.....	222	SEMSCHL2.....	929
SEDFFDRS.....	607	SEDRSEXPT.....	221	SEMSUI.....	919
SEDFFDS2.....	632	SEDRSHIGH.....	221	SEMSUI2.....	928
SEDFFLAS.....	610	SEDRSHOOK.....	222	SERAX.....	157
SEDFFLSP.....	610	SEDRSMAN.....	223	SERAX2.....	321
SEDFFNET.....	608	SEDRSOTRS2.....	223	SERVICE.....	1029
SEDFFNT2.....	633	SEDRSRELX.....	221	SEXAGE.....	1037
SEDFFOSP.....	609	SEDRSSLEP.....	221	SEXTRACT.....	1031
SEDFFOT2.....	633	SEDRSSOR.....	222	SEXIDENT.....	1032
SEDFFOTH.....	609	SEDRX1D2.....	621	SEXRACE.....	1037
SEDFFRE2.....	632	SEDRX1DR.....	604	SHCNANGR.....	917
SEDFFREE.....	608	SEDRXDRS.....	605	SHCNBRK.....	917
SEDFFST2.....	632	SEDRXDS2.....	621	SHCNDPR.....	917
SEDFFSTL.....	607	SEDRXFAK.....	605	SHCNEAT.....	917
SEDFFTAK.....	608	SEDRXFK2.....	622	SHCNFEA.....	917
SEDFFTK2.....	632	SEDSERP.....	489	SHCNFINITE.....	918
SEDFLAG.....	313	SEDSRCF2.....	626	SHCNFMPLY.....	918
SEDFMCTD.....	490	SEDSRCFR.....	614	SHCNFRND.....	918
SEDFMFPB.....	490	SEDSTOL.....	622	SHCNMEND.....	918
SEDFRBUY.....	605	SEDSTOLE.....	605	SHCNOTH2.....	918
SEDFRBY2.....	622	SEDCUT1X.....	451	SHCNOTPP.....	918
SEDFRFE2.....	622	SEDCUTDN.....	451	SHCNSCHL.....	918
SEDFRFRE.....	605	SEDCUTEV.....	451	SHCNSUI.....	917
SEDFRTK2.....	622	SEDEVEMCTD.....	453	SHSWANGR.....	970
SEDFRTKE.....	606	SEDEVEMOPB.....	452	SHSWBRK.....	970
SEDGTLA2.....	609	SEDEVFMCTD.....	455	SHSWDPR.....	970
SEDGTOS2.....	610	SEDEVFMFPB.....	454	SHSWEAT.....	970
SEDGTOVR.....	485	SEDVGTQVR.....	449	SHSWFEA.....	970
SEDINET.....	606	SEDVKPLMT.....	450	SHSWFITE.....	970
SEDINET2.....	622	SEDVLAWTR.....	454	SHSWFMPLY.....	970
SEDKPLMT.....	485	SEDVLIMIT.....	450	SHSWFRND.....	970
SEDLAWTR.....	489	SEDVLOTTM.....	449	SHSWMEND.....	971
SEDLIMIT.....	485	SEDVLSACT.....	453	SHSWOTH2.....	971
SEDLOTTM.....	484	SEDVLSEFX.....	450	SHSWOTPP.....	970
SEDLSACT.....	488	SEDVNDMOR.....	450	SHSWSCHL.....	971
SEDLSEFX.....	486	SEDVPDANG.....	454	SHSWSUI.....	969
SEDLTS2.....	616	SEDVPHCTD.....	453	SIMHANG2.....	961
SEDMAINRSN.....	300	SEDVPHLPB.....	453	SIMHANGR.....	922
SEDMFU.....	214	SEDVSERPB.....	454	SIMHBRK.....	922
SEDMLU.....	573	SEDVWD1SX.....	452	SIMHBRK2.....	960
SEDMON.....	314	SEDVWDSMT.....	452	SIMHDP2.....	922
SEDNDAYPM.....	291	SEDWD1SX.....	487	SIMHDP2.....	960
SEDNDMOR.....	485	SEDWDSMT.....	487	SIMHEAT.....	922
SEDNEWA.....	208	SEDWYGAMT.....	219	SIMHEAT2.....	961
SEDNEWB.....	211	SEDWYLNGR.....	220	SIMHFEA.....	922
SEDNEWC.....	212	SEDWYNORX.....	219	SIMHFEA2.....	960
SEDNEWD.....	212	SEDWYOFTN.....	220	SIMHFIT2.....	961
SEDNEWE.....	213	SEDWYOTWY.....	220	SIMHFITE.....	923
SEDNM30AL.....	219	SEDYFU.....	214	SIMHFML2.....	961
SEDNM30D.....	218	SEDYLU.....	573	SIMHFMLY.....	923
SEDNM30ES.....	219	SEDYR.....	314	SIMHFRD2.....	962
SEDNM30FQ.....	218	SEDYRTOT.....	215	SIMHFRND.....	923
SEDNMAGE.....	217	SEMANGR.....	919	SIMHMEN2.....	962
SEDNMFLAG.....	273	SEMANGR2.....	928	SIMHMEND.....	924
SEDNMINIT.....	217	SEMBRK.....	919	SIMHOTH2.....	924
SEDNMLAST.....	220	SEMBRK2.....	928	SIMHOTH3.....	963
SEDNMLIF.....	217	SEMDPR.....	919	SIMHOTP2.....	962

INDEX

SIMHOTPP	923	SNFAMJEV	810	SPPAINT	90
SIMHSCH2	962	SNFEVER	19	SPPAINT2	277
SIMHSCHL	924	SNFFLAG	310	SRCCLFRPNR	303
SIMHSUI	921	SNFMON	310	SRCCLFRSED	304
SIMHSUI2	960	SNFREC	21	SRCCLFRSTM	303
SINUSLIF	763	SNFYR	310	SRCCLFRTRQ	303
SINUSYR	763	SNMOV5Y2	809	SRCFRPNRNM	302
SK65A	120	SNNBRKUP	841	SRCFRSEDNM	303
SK65A2	318	SNNGRFTI	840	SRCFRSTMNM	303
SLPAPLIF	763	SNNHGOUT	840	SRCFRTRQNM	303
SLPAPYR	763	SNNORGNZ	841	SRCNRNM2	301
SLT30BR2	27	SNNSCOLD	841	SRCSEDNM2	302
SLT30FAV	28	SNPCKNIT	839	SRCSTMNM2	301
SLTMFU	26	SNPDFVAL	840	SRCTRQNM2	301
SLTREC	26	SNPNALNG	839	STADOL	120
SLTTRY	25	SNPTRUST	840	STADOL2	318
SLTYFU	26	SNPWLHLP	839	STBSTWAY	191
SMHANGR	926	SNRLDCSN	811	STDANYR	770
SMHANGR2	967	SNRLFRND	811	STDAYPMO	192
SMHBRK	925	SNRLGIMP	810	STDAYPWK	192
SMHBRK2	967	SNRLGSVC	810	STDAYPYR	191
SMHDPR	925	SNUFMFU	20	STDSLIF	763
SMHDPR2	966	SNUFMLU	563	STDSYR	763
SMHEAT	925	SNUFTRY	20	STFQFLG	191
SMHEAT2	967	SNUFYFU	20	STIMAGE	189
SMHFEA	925	SNUFYLU	562	STIMCUTIX	445
SMHFEA2	967	SNYATTAK	810	STIMCUTDN	445
SMHFITE	926	SNYSELL	809	STIMCUTEV	445
SMHFITE2	968	SNYSTOLE	809	STIMEMCTD	447
SMHFMLY	926	SOCMDE	1002	STIMEMOPB	447
SMHFMLY2	968	SOLVENT	89	STIMFLBLU	446
SMHFRND	926	SOLVENT2	277	STIMFMCTD	449
SMHFRND2	968	SOMA	157	STIMFMFPB	449
SMHMEND	927	SOMA2	321	STIMGTOVR	444
SMHMEND2	969	SOMAPDAPYU	280	STIMKPLMT	444
SMHOTH2	927	SOMAPDPYMU	286	STIMLAWTR	448
SMHOTH3	969	SOMHANGR	964	STIMLIMIT	444
SMHOTPP	927	SOMHBRK	964	STIMLOTTM	443
SMHOTPP2	968	SOMHDPR	963	STIMLSACT	448
SMHSCHL	927	SOMHEAT	964	STIMLSEFX	445
SMHSCHL2	969	SOMHFEA	963	STIMMFU	190
SMHSUI	924	SOMHFITE	964	STIMMLU	571
SMHSUI2	966	SOMHFMLY	965	STIMNDMOR	444
SMHVST	921	SOMHFRND	965	STIMNEWA	181
SMHVST2	959	SOMHMEND	966	STIMNEWB	185
SMIDA2_U	882	SOMHOTH2	966	STIMNEWC	187
SMINDA_U	882	SOMHOTPP	965	STIMNEWD	188
SMIODA_U	881	SOMHSCHL	965	STIMNEWE	188
SMIPP	882	SOMHSUI	963	STIMPDANG	448
SMIPP_A	837	SPCANLIL	680	STIMPHCTD	447
SMIPP_U	878	SPCGFLGR	374	STIMPHLPB	447
SMISUDPY	880	SPCGMONR	374	STIMREC	190
SMIYR_A	838	SPCGYRR	374	STIMSERPB	448
SMIYR_U	879	SPCILNAL	681	STIMWD2SX	446
SMKAGLAST	548	SPD_ADJ	833	STIMWDSMT	446
SMKFLAG	309	SPD_ASCR	833	STIMYFU	189
SMKLSS30E	14	SPD_RADJ	833	STIMYLU	571
SMKLSS30N	14	SPD_RSCR	833	STMAGLST	570
SMKLSSSEVR	12	SPD_UADJ	836	STMANYFLAG	271
SMKLSSFLAG	266	SPD_USCR	836	STMANYLIF	115
SMKLSSMFU	13	SPDADPAU	837	STMANYREC	115
SMKLSSMON	266	SPDMON	875	STMANYR	271
SMKLSSREC	13	SPDNPAU	837	STMCARD	177
SMKLSSSTRY	12	SPDODPAU	837	STMCUTIX	479
SMKLSSYFU	13	SPDWT_C	1092	STMCUTDN	479
SMKLSSYR	266	SPDYR	876	STMCUTEV	479
SMKMOLAST	549	SPDYRADJ	836	STMDAFLG	484
SMKMON	309	SPEAKENGL	1032	STMDEAL2	621
SMKYR	309	SPECTALC	680	STMDEALR	593
SMKYRLAST	548	SPECTILL	680	STMEMCTD	481
SMMIYR_U	879	SPILANAL	681	STMEMOPB	480
SN30EST	21	SPILLALC	681	STMEVER	189
SNF30BR2	22	SPINVST	921	STMFFID2	630
SNF30USE	21	SPINVST2	959	STMFF1DR	595
SNFAGLST	562	SPOUTVST	959	STMFFAK2	630

INDEX

STMFFAKE	595	STMRSDBGX	201	TOBYR	267
STMFFBOT	596	STMRSXPT	201	TOOLONG	1087
STMFFBY2	631	STMRSHIGH	201	TRAMADL2	319
STMFFDL2	631	STMRSHOOK	202	TRAMADOL	121
STMFFDLR	596	STMRSMAIN	203	TRAMADP	320
STMFFDRS	595	STMRSOTRS2	202	TRAMPDAPYU	278
STMFFDS2	630	STMRSSOR	202	TRAMPDPYMU	283
STMFFFLAS	599	STMRSSTDY	201	TRANAGE	166
STMFFLSP	599	STMRSWGHT	200	TRANMFU	166
STMFFNET	597	STMRX1D2	620	TRANMLU	570
STMFFNT2	631	STMRX1DR	592	TRANREC	167
STMFFOSP	597	STMRXDRS	592	TRANXEN2	321
STMFFOT2	631	STMRXDS2	620	TRANXENE	157
STMFFOTH	597	STMRXFAK	592	TRANYPYFU	166
STMFFRE2	631	STMRXFK2	620	TRANYL2U	569
STMFFREE	596	STMSERPB	482	TRBENZAPYU	279
STMFFST2	631	STMSRCF2	626	TRBENZPYMU	285
STMFFSTL	595	STMSRCFR	614	TRBSTWAY	167
STMFFTAK	596	STMSTOL2	620	TRDAYPMO	168
STMFFTK2	631	STMSTOLE	592	TRDAYPWK	168
STMFLAG	312	STMWD2SX	480	TRDAYPYR	168
STMFLBLU	479	STMWDSMT	480	TRFQFLG	167
STMFMCTD	483	STMWYGAMT	198	TRIAPDAPYU	282
STMFMFPB	483	STMWYLNGR	199	TRIMEST	779
STMFRBUY	593	STMWYNORX	198	TRNAGLST	569
STMFRBY2	621	STMWYOFN	199	TRNCARD	155
STMFRFE2	620	STMWYOTWY	199	TRNCUTDN	474
STMFRFRE	593	STMYDAYS	326	TRNCUTEV	474
STMFRTK2	621	STMYR	312	TRNDEAL2	619
STMFRTKE	593	STMYRTOT	190	TRNDEALR	586
STMGTLA2	598	STNDALC	857	TRNEMCTD	474
STMGTOS2	598	STNDDNK	857	TRNEMOPB	474
STMGTOVR	477	STNDSCIG	857	TRNEVER	165
STMINET	594	STNDSMJ	857	TRNEWA	159
STMINET2	621	STNEDL06	366	TRNEWB	162
STMKPLMT	478	STNEEDLR	366	TRNEWC	164
STMLAWTR	483	STNLRC06	367	TRNEWD	165
STMLIMIT	478	STNLRECR	366	TRNEWE	165
STMLOTTM	477	STROKLIF	763	TRNFF1D2	629
STMLSACT	482	STROKYR	763	TRNFF1DR	587
STMLSEFX	478	STTOTFG	191	TRNFFAK2	629
STMLTS2	616	SUICPLAN	871	TRNFFAKE	588
STMMAINRSN	299	SUICTHNK	871	TRNFFBOT	588
STMMON	312	SUICTRY	871	TRNFFBY2	629
STMNDAYPM	291	SUMAGE	315	TRNFFDL2	630
STMNDLREC	199	SUMFLAG	315	TRNFFDLR	589
STMNDLYR	199	SUMMON	315	TRNFFDRS	587
STMNDMOR	478	SUMYFU	315	TRNFFDS2	629
STMNM30AL	198	SUMYR	315	TRNFFLAS	591
STMNM30D	197	SVBENZAPYU	282	TRNFFLSP	591
STMNM30ES	198	SVBENZPYMU	288	TRNFFNET	589
STMNM30FQ	197	SVBSTWAY	215	TRNFFNT2	630
STMNMAGE	196	SVDAYPMO	216	TRNFFOSP	589
STMNMFLAG	272	SVDAYPWK	216	TRNFFOT2	630
STMNMINIT	196	SVDAYPYR	216	TRNFFOTH	589
STMNMLAS1	200	SVFQFLG	215	TRNFFRE2	629
STMNMLIF	196	SVTOTFG	215	TRNFFREE	588
STMNMMFU	197	TALACEN	121	TRNFFST2	629
STMNMMON	273	TALACEN2	319	TRNFFSTL	588
STMNMREC	196	TALKPROB	860	TRNFFTAK	588
STMNMYFU	197	TALWIN	121	TRNFFTK2	630
STMNMYR	272	TALWIN2	319	TRNFMCTD	477
STMNOLST	180	TALWINN2	121	TRNFMFPB	476
STMNORXFG	203	TALWINX	121	TRNFRBUY	585
STMOTANYR2	281	TALWINX2	319	TRNFRBY2	619
STMOTHPYMU2	287	TCHGJOB	857	TRNFRFE2	619
STMOTHS2	594	TELNO2	1043	TRNFRFRE	585
STMOTHW2	621	TEMAPDAPYU	282	TRNFRTK2	619
STMOTHWY	594	TENUATE	179	TRNFRTK2	586
STMOTNMYR3	329	TENUATE2	323	TRNGTLA2	590
STMPDANG	482	THERVST	958	TRNGTOS2	590
STMPHCTD	481	TINNLI2F	763	TRNGTOVR	472
STMPHLPB	481	TINNYR	764	TRNINET	586
STMRSALRT	201	TOBALCMN	276	TRNINET2	620
STMRSCONC	200	TOBFLAG	267	TRNKPLMT	473
		TOBMON	267		

INDEX

TRNLAWTR	476	TRQRSHOOK	174	TXLTALC2	676
TRNLIMIT	473	TRQRSMAIN	175	TXLTANL2	676
TRNLOTTM	472	TRQRSOTRS2	175	TXLTCOC2	676
TRNLSACT	475	TRQRSRELX	173	TXLTCURRSP	742
TRNLSEFX	473	TRQRSSLEP	173	TXLTHAL2	676
TRNLTS2	616	TRQRSSOR	174	TXLTHER2	676
TRNNDMOR	473	TRQWYGAMT	171	TXLTILL2	677
TRNOLST	158	TRQWYLNGR	172	TXLTINH2	676
TRNOTHS2	587	TRQWYNORX	171	TXLTMJ2	676
TRNOTHW2	620	TRQWYOFTN	172	TXLTS2	676
TRNOTHWY	586	TRQWYOTWY	172	TXLTSTM2	676
TRNPDANG	476	TRQYR	312	TXLTTRN2	676
TRNPHCTD	475	TRTOTFG	167	TXLTYALC	659
TRNPHLPB	475	TRYPFLGR	369	TXLTYALCO	716
TRNRX1D2	619	TRYPMONR	369	TXLTYALCO2	733
TRNRX1DR	584	TRYPREC	353	TXLTYANL	661
TRNRXDRS	584	TRYPMTN	352	TXLTYCOC	659
TRNRXDS2	619	TRYPYRR	369	TXLTYCOCN	717
TRNRXFAK	585	TSTHIRE	1063	TXLTYCOCN2	733
TRNRXFK2	619	TSTRAND	1063	TXLTYDAYS2	721
TRNSERP	476	TUBRCLIF	764	TXLTYDU2	663
TRNSRCF2	626	TUBRCYR	764	TXLTYHAL	660
TRNSRCFR	614	TUINAL	206	TXLTYHALL	718
TRNSTOL2	619	TUINAL2	325	TXLTYHALL2	733
TRNSTOLE	585	TX12MSHG	674	TXLTYHER	660
TRNYRTOT	167	TX12SGAD	674	TXLTYHERN	717
TROUBUND	1087	TXALCDAG	670	TXLTYHERN2	733
TRQANYFLAG	271	TXALCDAGE	728	TXLTYILL	734
TRQANYLIF	114	TXALCDEV	670	TXLTYINH	660
TRQANYREC	114	TXALCDRGU	727	TXLTYINHL	718
TRQANYYR	271	TXALCONAG	726	TXLTYINHL2	733
TRQFLAG	312	TXALCONLY	726	TXLTYMAIN2	720
TRQLCUTDN	440	TXALNOIL	675	TXLTYMETH	718
TRQLCUTEV	441	TXALONAG	669	TXLTYMETH2	733
TRQLEMCTD	441	TXALONEV	668	TXLTYMJ	659
TRQLEMOPB	441	TXCURRENT	701	TXLTYMN2	658
TRQLFMCTD	443	TXDANOSP	689	TXLTYMNP2	716
TRQLFMFPB	443	TXDANOTX	689	TXLTYMRJH	717
TRQLGTOVR	439	TXDRGAAG	671	TXLTYMRJH2	733
TRQLKPLMT	440	TXDRGAAGE	728	TXLTYOCOM2	721
TRQLLAWTR	443	TXDRGAEV	670	TXLTYOTHR	720
TRQLLIMIT	439	TXDRGALCU	728	TXLTYOU2	663
TRQLLOTTM	439	TXDRGONAG	727	TXLTYPNRL	719
TRQLLSACT	442	TXDRGONLY	727	TXLTYPNRL2	733
TRQLLSEFT	440	TXDRONAG	669	TXLTYSED	662
TRQLNDMOR	440	TXDRONEV	669	TXLTYSEDEV	720
TRQLPDANG	442	TXENRLOCT	725	TXLTYSEDEV2	734
TRQLPHCTD	442	TXENROLL	668	TXLTYSEDV	662
TRQLPHLPB	441	TXEVER	635	TXLTYSTIM	719
TRQLSERPB	442	TXEVRRCDV	695	TXLTYSTIM2	734
TRQMAINRSN	298	TXEVRRCDV2	732	TXLTYSTM	661
TRQMON	312	TXFGADAG	673	TXLTYTRN	661
TRQNDAYPM	291	TXFGADAGE	731	TXLTYTRQL	719
TRQNM30AL	171	TXFGALAG	673	TXLTYTRQL2	733
TRQNM30D	170	TXFGALAGE	730	TXMDEYR	1001
TRQNM30ES	171	TXFGDGAG	673	TXNDILAL	685
TRQNM30FQ	170	TXFGDGAGE	730	TXNEDALC	684
TRQNMAGE	169	TXGAPALC	686	TXNOSDA	689
TRQNMFLAG	272	TXGPALLC	694	TXNOSPEC	686
TRQNMINIT	169	TXGPANLC	694	TXNOTXDA	689
TRQNMLAS1	172	TXGPCOLC	694	TXPAYBOSS	724
TRQNMMLIF	169	TXGPHALC	694	TXPAYBOSS2	735
TRQNMMLFU	170	TXGPHEL	694	TXPAYCOUR	723
TRQNMMON	272	TXGPILAL	687	TXPAYCOUR2	735
TRQNMREC	169	TXGPINLC	694	TXPAYFAML	723
TRQNMRYFU	170	TXGPMJLC	694	TXPAYFAML2	734
TRQNMRYR	272	TXGPSELC	694	TXPAYFREE	725
TRQNRXFG	175	TXGPSTLC	694	TXPAYHINS	722
TRQOTANYR2	280	TXGPTRLC	694	TXPAYHINS2	734
TRQOTHPYMU2	286	TXHPMDE	1004	TXPAYMCAD	722
TRQOTNMYR3	329	TXILALEV	675	TXPAYMCAD2	734
TRQRSDFX	174	TXILANAL	675	TXPAYMCRE	722
TRQRSEMOT	174	TXILLALC	675	TXPAYMCRE2	734
TRQRSEXPT	173	TXILNOAL	675	TXPAYMILT	724
TRQRSHIGH	173	TXLASREC	657	TXPAYMILT2	735

INDEX

TXPAYOTHR	724	TXSPNSILAL	742	TXYROUTAD	697
TXPAYOTSP2	725	TXSPNSILL	741	TXYROUTAL	743
TXPAYPUBL	722	TXSPSED	690	TXYROUTIL	743
TXPAYPUBL2	734	TXSPSTM	690	TXYROUTPT	697
TXPAYSVNG	723	TXSPTRN	690	TXYROUTPT2	744
TXPAYSVNG2	734	TXYADAAG	672	TXYRPOAD	637
TXPCAID2	677	TXYADDAG	673	TXYRPRAD	699
TXPCARE2	677	TXYALAGE	671	TXYRPRIAL	743
TXPCORT2	677	TXYALDAAG	730	TXYRPRIL	744
TXPDBOSSAL	736	TXYALDAG	671	TXYRPRISN	699
TXPDBOSSIL	737	TXYALDDAG	730	TXYRPRISN2	745
TXPDCOURAL	735	TXYALDRG	671	TXYRRECVD	695
TXPDCOURIL	736	TXYALODAG	729	TXYRRECVD2	732
TXPDFAMLAL	735	TXYALODRG	729	TXYRRESAD	696
TXPDFAMLIL	736	TXYALONAG	728	TXYRRESAL	742
TXPDHINSAL	735	TXYDRAAG	672	TXYRRESIL	743
TXPDHINSIL	736	TXYDRAGE	672	TXYRRESOV	696
TXPDMCADAL	735	TXYDRALC	672	TXYRRESOV2	744
TXPDMCADIL	736	TXYDROAAG	729	TXYRRFIN	636
TXPDMCREAL	735	TXYDROALC	729	TXYRRFOP	637
TXPDMCREIL	736	TXYDRONAG	729	TXYRSGAD	639
TXPDMILTAL	736	TXYNSPILAL	747	TXYRSHG	639
TXPDMILTIL	736	TXYRADG	635	TXYRSLFAD	699
TXPDPUBLAL	735	TXYRALC	732	TXYRSLFAL	743
TXPDPUBLIL	736	TXYRALDGB	695	TXYRSLFHP	699
TXPDSVNGAL	735	TXYRALNIL	732	TXYRSLFHP2	745
TXPDSVNGIL	736	TXYRDCAD	638	TXYRSLFIL	744
TXPEMPL2	678	TXYRDOC	638	TXYRSOP	640
TXPFMLY2	677	TXYRDRPAD	698	TXYRSPALC	737
TXPINS2	677	TXYRDRPAL	743	TXYRSPILAL	739
TXPMILC2	677	TXYRDRPIL	744	TXYRSPILL	737
TXPPUBP2	677	TXYRDRPRV	698	TXYRTXER	638
TXPSAVE2	677	TXYRDRPRV2	745	TXYRVSER	641
TXPYCAID	664	TXYRDTXO	668	TXYSILANAL	739
TXPYCARE	664	TXYREMRAD	698	TXYSPALNIL	738
TXPYCORT	666	TXYREMRAL	743	TXYSPILNAL	739
TXPYEMPL	666	TXYREMRGN	698	TYPEPBLM	759
TXPYFMLY	665	TXYREMRGN2	744	UADBAR	1022
TXPYFRE	667	TXYREMRIL	744	UADBUND	1024
TXPYINS	664	TXYRERAD	638	UADBWHO	1023
TXPYMILC	666	TXYRERDRG	701	UADCAG	1024
TXPYPUBP	665	TXYRERNUM2	701	UADCAR	1022
TXPYSAVE	665	TXYREVER	635	UADEVNT	1022
TXPYSOS	667	TXYRHOSAD	696	UADFRD	1025
TXPYSO2	667	TXYRHOSAL	742	UADFWHO	1024
TXRCVDREC	715	TXYRHOSIL	743	UADHOME	1022
TXRCVNOW	641	TXYRHOSOV	696	UADMONY	1023
TXRNBUSY	688	TXYRHOSOV2	744	UADOTHM	1022
TXRNFOUT	688	TXYRHOSP	636	UADOTSP	1023
TXRNHDPR	689	TXYRHPAD	636	UADPAID	1023
TXRNHNDL	688	TXYRILANAL	733	UADPEOP	1022
TXRNJOB	688	TXYRILL	732	UADPLACE	1024
TXRNLMCV	687	TXYRILNAL	732	UADPUBL	1022
TXRNNBR	688	TXYRINAD	636	UADROTH	1023
TXRNNHCV	687	TXYRJAIL	639	UADSCHL	1023
TXRNNHLP	688	TXYRJLAD	639	UDPYHAL	505
TXRNNOND	688	TXYRMHAD	637	UDPYHRPNR	506
TXRNNSTP	687	TXYRMHC	637	UDPYIEM	507
TXRNNSTP2	687	TXYRMHCAD	697	UDPYILAAL	507
TXRNOPEN	687	TXYRMHCAL	743	UDPYILAL	507
TXRNSTIG	688	TXYRMHCIL	744	UDPYILL	506
TXRNTPY	687	TXYRMHCOP	697	UDPYINH	506
TXRNWHER	687	TXYRMHCOP2	744	UDPYMTH	506
TXSHGALDB	731	TXYRNDALC	745	UDPYOMI	506
TXSHGFLAG	731	TXYRNDILAL	745	UDPYOPNR	506
TXSHGFLG	674	TXYRNDILL	745	UDPYPSY	506
TXSHGWENT	731	TXYRNDME2	641	UDPYSED	506
TXSPALC	689	TXYRNOSPAL	747	UDPYSTM	506
TXSPANL	690	TXYRNOSPIL	747	UDPYTRQ	506
TXSPCOC	690	TXYRONDTX	726	ULCERLIF	764
TXSPHAL	690	TXYROTAD	641	ULCERYR	764
TXSPHER	690	TXYROTHAD	700	ULTRAM	121
TXSPINH	690	TXYROTHER	700	ULTRAM2	319
TXSPMRJ	690	TXYROTSP2	700	USALCTST	1062
TXSPNSALC	740	TXYROTS2	640	USDRTST	1062



INDEX

USEACM.....	575	YEDERGLR.....	854	YMDEL.....	994
USEALCG.....	574	YEDESPCL.....	855	YMDERXO.....	999
USEALMJ.....	574	YEDGPRGP.....	852	YMDERXO2.....	997
USEMJCG.....	574	YEFAIAC.....	854	YMDETARX.....	999
USENEXT.....	575	YEFALDLY.....	851	YMDETXO.....	999
VALMDIA2.....	320	YEFMJJEVR.....	850	YMDETXRX.....	995
VALMDIAZ.....	154	YEFMJMO.....	850	YMDEUDPY.....	995
VEREP.....	1092	YEFPKCIG.....	850	YMDEYR.....	995
VESTR.....	1092	YEGALDLY.....	850	YMHASPTX.....	974
VICOLOR.....	117	YEGMJJEVR.....	849	YMHNSPTX.....	973
VICOLOR2.....	317	YEGMJMO.....	850	YMHOSPTX.....	973
VISTAR.....	157	YEGPKCIG.....	849	YNURSMDE.....	996
VISTAR2.....	321	YEHMSLYR.....	842	YO_MDEA1.....	985
WHODASC2.....	878	YELSTGRD.....	844	YO_MDEA2.....	985
WHODASC3.....	878	YEMOV5Y2.....	842	YO_MDEA3.....	985
WKDRGED.....	1062	YEOTHACT.....	854	YO_MDEA4.....	985
WORKBLAH.....	1061	YEPALDLY.....	849	YO_MDEA5.....	985
WORKDAYS.....	1061	YEPCHKHW.....	845	YO_MDEA6.....	985
WORKRAND.....	1064	YEPCHORE.....	845	YO_MDEA7.....	986
WRK35WKUS.....	1051	YEPGDJOB.....	846	YO_MDEA8.....	986
WRKBZCA2.....	1058	YEPHLPWH.....	845	YO_MDEA9.....	986
WRKBZCY2.....	1060	YEPLMTSN.....	846	YOATTAK2.....	859
WRKDHRSWK2.....	1050	YEPLMTTV.....	846	YOCOUNS.....	991
WRKDPSTWK.....	1050	YEPMJJEVR.....	849	YODPDISC.....	975
WRKDPSTYR.....	1052	YEPMJMO.....	849	YODPLSN.....	976
WRKDRGALB.....	1054	YEPPKCIG.....	848	YODPPROB.....	978
WRKDRGEDU.....	1054	YEPPROUD.....	846	YODPR2WK.....	976
WRKDRGHLP.....	1054	YEPRBSLV.....	852	YODPREV.....	975
WRKDRGPOL.....	1053	YEPRGSTD.....	853	YODSCEV.....	975
WRKEDYR.....	1060	YEPRTDNG.....	852	YODSLSN.....	976
WRKEFFORT.....	1051	YEPVNTYR.....	855	YODSMMDE.....	986
WRKHADJOB.....	1050	YERLDCSN.....	856	YOFAMDOC.....	990
WRKHAVJB.....	1056	YERLFRND.....	856	YOFIGHT2.....	858
WRKHIRE.....	1063	YERLGIMP.....	855	YOGRPFT2.....	858
WRKHRSW2.....	1056	YERLG SVC.....	855	YOHERBAL.....	992
WRKIDST2.....	1057	YESCHACT.....	853	YOHGUN2.....	858
WRKIDSY2.....	1059	YESCHFLT.....	842	YOLOSEV.....	975
WRKJOBS2.....	1058	YESCHIMP.....	843	YOLS12WK.....	976
WRKLASTYR2.....	1053	YESCHINT.....	843	YOMDMDE.....	995
WRKLSTY2.....	1058	YESCHWRK.....	843	YOMHMDE.....	996
WRKNJBPYR.....	1052	YESLFHLP.....	853	YONURSE.....	991
WRKNJBWKS.....	1052	YESTSALC.....	844	YOTHDOC.....	990
WRKNUMJOB2.....	1052	YESTSCIG.....	844	YOTHHLP.....	992
WRKOCUP2.....	1057	YESTSDNK.....	845	YOTHMHP.....	991
WRKOCUY2.....	1059	YESTSMJ.....	844	YOPB2WK.....	987
WRKOKPREH.....	1055	YETCGJOB.....	843	YOPBAGE.....	987
WRKOKRAND.....	1055	YETLKBGF.....	851	YOPBDLYA.....	987
WRKRSNJOB.....	1051	YETLKNON.....	851	YOPBINTF.....	986
WRKRSNNOT.....	1051	YETLKOTA.....	851	YOPBNUM.....	987
WRKSELFEM.....	1052	YETLKPAR.....	851	YOPBRMBR.....	987
WRKSICKMO.....	1053	YETLKSOP.....	852	YOPSDAYS.....	989
WRKSKIPMO.....	1053	YEVIOPRV.....	852	YOPSHMG.....	988
WRKSLFEM.....	1060	YEYARGUP.....	847	YOPSRELS.....	989
WRKSTATWK2.....	1050	YEYATTAK.....	848	YOPSSOC.....	989
WRKTST1ST.....	1055	YEYFGTGP.....	847	YOPSWORK.....	988
WRKTSTALC.....	1054	YEYFGTSW.....	847	YOPSYCH.....	990
WRKTSTDRG.....	1054	YEYHGUN.....	847	YOPSYMD.....	991
WRKTSTHIR.....	1055	YEYSELL.....	848	YORELIG.....	991
WRKTSTRDM.....	1055	YEYSTOLE.....	848	YORX12MO.....	992
WRKUNEMP.....	1060	YFLADLY2.....	859	YORXHLP.....	993
WRKUNWKS.....	1061	YFLMJMO.....	859	YORXNOW.....	992
WSPDSC2.....	877	YFLPKCG2.....	859	YOSEEDOC.....	990
WTANSWER.....	766	YFLTMRJ2.....	859	YOSELL2.....	858
WTPOUND2.....	766	YFOST.....	955	YOSOCWRK.....	991
XNAXATV2.....	320	YHBCHMDE.....	996	YOSTOLE2.....	858
XNAXATVN.....	154	YHLMTDE.....	997	YOTHMDE.....	996
YALTMDE.....	997	YHOME.....	955	YOTMTHLP.....	993
YCLIN.....	955	YHOSP.....	955	YOTMTNOW.....	992
YCOUNMDE.....	996	YJAIL.....	956	YOWRAGE.....	978
YDAYTRT.....	955	YMDEADA.....	999	YOWRCHR.....	977
YDOCMD.....	995	YMDEHARX.....	997	YOWRCONC.....	983
YEAR.....	3	YMDEHPO.....	997	YOWRDBTR.....	984
YEATNDYR.....	842	YMDEHPRX.....	997	YOWRDCSN.....	983
YECOMACT.....	853	YMDEIMDA.....	999	YOWRDEPR.....	979
YEDECLAS.....	854	YMDEIMUDPY.....	999	YOWRDIET.....	981

INDEX

YOWRDISC	979	YUDYFITE	940	YUMHEATP	942
YOWRDL0T	984	YUDYFMLY	940	YUMHFEAR	941
YOWRDST	977	YUDYFRND	940	YUMHFITE	942
YOWRELES	979	YUDYOTPP	940	YUMHFMLY	942
YOWREMOR	980	YUDYSCHL	940	YUMHFRND	942
YOWRENRG	982	YUDYSOR	940	YUMHOTPP	943
YOWRGAIN	980	YUDYSUIC	939	YUMHSCHL	943
YOWRGNL2	980	YUDYTXN2	938	YUMHSOR	943
YOWRGROW	980	YUDYTXYR	938	YUMHSUIC	941
YOWRHRS	977	YUFCANGR	937	YURSANGR	935
YOWRIMP	977	YUFCAREV	913	YURSBKRU	934
YOWRJINO	982	YUFCARN2	936	YURSDEPR	934
YOWRJITT	982	YUFCARYR	936	YURSEATP	934
YOWRLOSE	981	YUFCBKRU	937	YURSFEAR	934
YOWRLSIN	979	YUFCDEPR	936	YURSFITE	935
YOWRLSL2	981	YUFCEATP	937	YURSFMLY	935
YOWRNOGD	983	YUFCFEAR	937	YURSFERN2	935
YOWRPLSR	979	YUFCFITE	937	YURSIDN2	933
YOWRPREG	980	YUFCFMLY	937	YURSIDYR	933
YOWRPROB	978	YUFCFRND	938	YURSOTPP	935
YOWRSATP	984	YUFCOTPP	938	YURSSCHL	935
YOWRSLEP	981	YUFCSCHL	938	YURSSOR	936
YOWRSLNO	982	YUFCSOR	938	YURSSUIC	934
YOWRSL0W	982	YUFCSUIC	936	YUSCEMYR	953
YOWRSMOR	981	YUFDANGR	950	YUSCPGYR	953
YOWRSPLN	984	YUFDBKRU	949	YUSHANGR	911
YOWRSTHK	984	YUFDDEPR	949	YUSHBKRU	911
YOWRTH0T	983	YUFDEATP	949	YUSHCNYR	910
YOWRWRTH	983	YUFDFEAR	949	YUSHDEPR	910
YPED	955	YUFDFITE	950	YUSHEATP	911
YPSY1MDE	995	YUFDFMLY	950	YUSHFEAR	911
YPSY2MDE	996	YUFDFRND	950	YUSHFITE	911
YRANXD	753	YUFD0CN2	949	YUSHFMLY	912
YRASMA	753	YUFD0CYR	948	YUSHFRND	912
YRBR0NC	754	YUFD0TPP	950	YUSH0TPP	912
YRCIRR	754	YUFD0SCHL	950	YUSHSCHL	912
YRDEPRS	754	YUFD0SOR	951	YUSHSOR	912
YRDIAB	754	YUFD0SUIC	949	YUSHSUIC	910
YRELMDE	996	YUHOANGR	932	YUSPEDYR	910
YRESID	955	YUH0BKRU	932	YUSWANGR	952
YRHARTD	754	YUH0DEPR	931	YUSWBKRU	952
YRHBP	755	YUHOEATP	932	YUSWDEPR	951
YRHEPAT	755	YUHOFEAR	931	YUSWEATP	952
YRHIV	755	YUHOFITE	932	YUSWFEAR	951
YRLUNCA	755	YUHOFMLY	932	YUSWFITE	952
YRNONE	757	YUHOFRND	932	YUSWFMLY	952
YRPANCR	755	YUHO0TPP	933	YUSWFRND	952
YRPNEU	756	YUH0SCHL	933	YUSW0TPP	953
YRSINUS	756	YUH0SOR	933	YUSWSCHL	953
YRSLPAP	756	YUH0SPN2	931	YUSWSCYR	951
YRSTDS	756	YUH0SPYR	931	YUSWSOR	953
YRSTROK	756	YUH0SUIC	931	YUSWSUIC	951
YRTINN	757	YUIHANGR	947	YUTPANGR	945
YRTUBRC	757	YUIHBKRU	947	YUTPBKRU	944
YRULCER	757	YUIHDEPR	946	YUTPDEPR	944
YRXMDEYR	995	YUIHEATP	947	YUTPEATP	944
YSCHL	916	YUIHFEAR	947	YUTPFEAR	944
YSDSHOME	998	YUIHFITE	947	YUTPFITE	945
YSDSOVRL	998	YUIHFMLY	947	YUTPFMLY	945
YSDSREL	998	YUIHFRND	948	YUTPFRND	945
YSDSSOC	998	YUIH0TPP	948	YUTP0TPP	945
YSDSWRK	998	YUIHSCHL	948	YUTPSCHL	945
YSHSW	956	YUIHSOR	948	YUTPSOR	946
YSOCMDE	996	YUIHSUIC	946	YUTPSTN2	943
YSPEC	955	YUIHTPN2	946	YUTPSTYR	943
YSPED	916	YUIHTPYR	946	YUTPSUIC	944
YSPTXNMH	974	YUJALEV	912	ZALEPDAPYU	282
YTHACT2	861	YUJVDTN2	954	ZOHYANYR2	277
YTHER	955	YUJVDTON	954	ZOLPPDAPYU	282
YTXMDEYR	995	YUJVDTYR	954	ZOLPPDPYMU	287
YUDYANGR	939	YUMHANGR	942		
YUDYBKRU	939	YUMHBKRU	942		
YUDYDEPR	939	YUMHCRN2	941		
YUDYEATP	939	YUMHCRYR	941		
YUDYFEAR	939	YUMHDEPR	941		

INDEX